



CF

RECEIVED

MAR 03 2010

PUBLIC SERVICE
COMMISSION

Jeff Derouen
Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
Frankfort, Kentucky 40601

E.ON U.S. LLC
State Regulation and Rates
220 W. Main Street
Louisville, KY 40202
www.eon-us.com

Martin J. Reinert
Sr. Regulatory Analyst
O 502-627-4173
marty.reinert@eon-us.com

February 25, 2010

Re: *In the Matter of: Joint Application of Inter County Energy Cooperative, Kentucky Power Company, Kentucky Utilities Company, Louisville Gas and Electric Company, Owen Electric Cooperative, Shelby Energy Cooperative, Inc., and the Union Light, Heat & Power Company for Approval of a Pilot Meter Testing Plan Pursuant 807 KAR 5:041, Section 13, 15, 16, 17, and 22, Case No. 2005-00276*

Annual Report – Kentucky Utilities Company

Dear Mr. Derouen:

The Kentucky Public Service Commission (“Commission”) originally approved a pilot sample meter testing plan for participating electric utilities in its Order of December 12, 2000, in Case Number 99-441. On November 10, 2005, in Case No. 2005-00276, the Commission approved the 2006 Sample Meter Testing Plan submitted by participating electric utilities on a permanent basis effective January 1, 2006.


Pursuant to the 2006 Sample Meter Testing Plan (originally filed on July 1, 2005), Section I(4) and Section II(D)(4), **Kentucky Utilities Company** submits the following:

The Certified Test Results of all new meters received
(Attachment A)

2009 Statistical Sampling Test Results and Summary
(Attachment B)

If you have any questions please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink that reads "Marty J. Reinert". The signature is written in a cursive style with a large, prominent initial "M".

Marty J. Reinert

Cc: Reggie Chaney, Engineering Director PSC

Attachments

ATTACHMENT
A

Certified Test Results

Kentucky Utilities
New Single Phase Meters 2009

Mfg	Mfg Model	Meter Number	Test Date	Full Load	Light Load	PF
ITRON	C1S	C467539	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467540	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467541	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467542	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467543	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467544	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467545	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467546	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467547	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467548	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467549	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467550	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467551	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467552	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467553	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467554	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467555	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467556	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467557	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467558	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467559	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467560	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467561	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467562	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467563	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467564	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467565	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C467566	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467567	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467568	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467569	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467570	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467571	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467572	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467573	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467574	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467575	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467576	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467577	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467578	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C467579	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467580	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467581	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467582	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467583	2/13/2009	100.00	100.10	100.10

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467584	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467585	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467586	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467587	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467588	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467589	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467590	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467591	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C467592	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C467593	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467594	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467595	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467596	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467597	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467598	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467599	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467600	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467601	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467602	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467603	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C467604	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467605	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467606	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C467607	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467608	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467609	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467610	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467611	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467612	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467613	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467614	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467615	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467616	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467617	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467618	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467619	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467620	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467621	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467622	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C467623	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467624	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467625	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467626	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C467627	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467628	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467629	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467630	2/13/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467631	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467632	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467633	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467634	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467635	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467636	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467637	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467638	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C467639	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467640	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C467641	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467642	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467643	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467644	2/13/2009	99.90	100.10	100.10
ITRON	C1S	C467645	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C467646	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467647	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467648	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467649	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467650	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467651	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467652	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467653	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467654	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467655	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467656	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467657	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467658	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467659	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467660	2/13/2009	100.00	100.00	100.30
ITRON	C1S	C467661	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467662	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467663	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467664	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467665	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467666	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467667	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467668	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C467669	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C467670	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467671	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467672	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467673	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467674	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467675	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467676	2/13/2009	99.90	99.90	99.80
ITRON	C1S	C467677	2/13/2009	100.00	100.10	100.20

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467678	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C467679	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467680	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467681	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467682	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467683	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467684	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467685	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467686	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467687	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467688	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467689	2/12/2009	100.00	100.00	100.00
ITRON	C1S	C467690	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467691	2/12/2009	100.00	99.90	99.90
ITRON	C1S	C467692	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467693	2/13/2009	99.90	100.10	100.20
ITRON	C1S	C467694	2/12/2009	100.00	100.10	99.80
ITRON	C1S	C467695	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467696	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467697	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467698	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467699	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467700	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467701	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467702	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467703	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C467704	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467705	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467706	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467707	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467708	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467709	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467710	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C467711	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467712	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467713	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467714	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467715	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467716	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467717	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467718	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467719	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467720	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467721	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C467722	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467723	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C467724	2/13/2009	100.00	100.10	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467725	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467726	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467727	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467728	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467729	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467730	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467731	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C467732	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467733	2/12/2009	100.00	100.20	99.90
ITRON	C1S	C467734	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467735	2/12/2009	100.00	100.00	99.80
ITRON	C1S	C467736	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467737	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467738	2/13/2009	99.90	100.10	99.80
ITRON	C1S	C467739	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467740	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467741	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467742	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467743	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C467744	2/12/2009	100.00	99.90	99.90
ITRON	C1S	C467745	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467746	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467747	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467748	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467749	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467750	2/12/2009	100.00	100.20	100.00
ITRON	C1S	C467751	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467752	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467753	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467754	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467755	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467756	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467757	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467758	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467759	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C467760	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C467761	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467762	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467763	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467764	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467765	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467766	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467767	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467768	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467769	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467770	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467771	2/13/2009	100.00	100.10	100.00

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C467772	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467773	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467774	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467775	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467776	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467777	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C467778	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467779	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467780	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467781	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467782	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C467783	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467784	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467785	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467786	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467787	2/12/2009	99.90	100.00	99.90
ITRON	C1S	C467788	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C467789	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C467790	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467791	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467792	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467793	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467794	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467795	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467796	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467797	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467798	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467799	2/13/2009	100.00	99.90	100.20
ITRON	C1S	C467800	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467801	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467802	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467803	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467804	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467805	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467806	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467807	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467808	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467809	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467810	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467811	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467812	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C467813	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467814	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467815	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467816	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467817	2/13/2009	99.90	100.10	100.10
ITRON	C1S	C467818	2/13/2009	99.90	100.10	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467819	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467820	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467821	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467822	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467823	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467824	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467825	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467826	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467827	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467828	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467829	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467830	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467831	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467832	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467833	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467834	2/13/2009	99.90	100.00	100.10
ITRON	C1S	C467835	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467836	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467837	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467838	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467839	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467840	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C467841	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467842	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467843	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467844	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467845	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467846	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467847	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C467848	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C467849	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467850	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467851	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467852	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467853	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467854	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467855	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C467856	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467857	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467858	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467859	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467860	2/12/2009	100.00	100.20	99.90
ITRON	C1S	C467861	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467862	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467863	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C467864	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C467865	2/13/2009	99.90	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467866	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467867	2/13/2009	99.90	100.10	100.10
ITRON	C1S	C467868	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467869	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467870	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467871	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467872	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467873	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467874	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467875	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467876	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467877	2/12/2009	100.00	100.00	100.20
ITRON	C1S	C467878	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467879	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467880	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467881	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467882	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467883	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467884	2/13/2009	99.90	99.90	99.80
ITRON	C1S	C467885	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467886	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467887	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467888	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C467889	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467890	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467891	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467892	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467893	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467894	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467895	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467896	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467897	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C467898	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467899	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467900	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467901	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467902	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467903	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467904	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C467905	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467906	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467907	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467908	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467909	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467910	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467911	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467912	2/13/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C467913	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467914	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467915	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467916	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467917	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467918	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467919	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C467920	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467921	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467922	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467923	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467924	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467925	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467926	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467927	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C467928	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467929	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467930	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467931	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467932	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467933	2/12/2009	100.00	100.20	99.90
ITRON	C1S	C467934	2/12/2009	100.00	100.00	100.20
ITRON	C1S	C467935	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467936	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467937	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467938	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467939	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467940	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467941	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467942	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C467943	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C467944	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467945	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467946	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467947	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467948	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467949	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467950	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467951	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467952	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467953	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C467954	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467955	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467956	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467957	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467958	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467959	2/13/2009	100.00	100.00	99.90

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C467960	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467961	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C467962	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467963	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467964	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467965	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467966	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C467967	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C467968	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467969	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467970	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467971	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467972	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C467973	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467974	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467975	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467976	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467977	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C467978	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C467979	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467980	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467981	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467982	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C467983	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467984	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467985	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467986	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467987	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467988	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467989	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467990	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C467991	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C467992	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C467993	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C467994	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C467995	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467996	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C467997	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C467998	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C467999	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468000	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468001	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468002	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468003	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468004	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468005	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468006	2/13/2009	100.00	100.20	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468007	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468008	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468009	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468010	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468011	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468012	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468013	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468014	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468015	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468016	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468017	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468018	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468019	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468020	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468021	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468022	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468023	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468024	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468025	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468026	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468027	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468028	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468029	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468030	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468031	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468032	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468033	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468034	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C468035	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468036	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468037	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468038	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468039	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468040	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468041	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468042	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468043	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468044	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468045	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468046	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468047	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468048	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468049	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468050	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468051	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468052	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468053	2/13/2009	100.00	100.10	100.10

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468054	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468055	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468056	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468057	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468058	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468059	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468060	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468061	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468062	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468063	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468064	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468065	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468066	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468067	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468068	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468069	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468070	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468071	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468072	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468073	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468074	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468075	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468076	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468077	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468078	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468079	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468080	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468081	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468082	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468083	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468084	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468085	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468086	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468087	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468088	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468089	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468090	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468091	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468092	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468093	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468094	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468095	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468096	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468097	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468098	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468099	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468100	2/13/2009	100.00	100.10	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468101	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468102	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468103	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468104	2/13/2009	99.90	100.00	100.10
ITRON	C1S	C468105	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468106	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468107	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468108	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468109	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468110	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468111	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468112	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468113	2/13/2009	99.90	100.10	99.80
ITRON	C1S	C468114	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468115	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468116	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468117	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468118	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468119	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468120	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468121	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468122	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468123	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468124	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468125	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468126	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468127	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468128	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468129	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468130	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468131	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468132	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468133	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468134	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468135	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468136	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468137	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468138	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468139	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468140	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468141	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468142	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468143	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468144	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468145	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468146	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468147	2/13/2009	100.00	100.10	99.80

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468148	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468149	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468150	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468151	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468152	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468153	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468154	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468155	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468156	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468157	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468158	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468159	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468160	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468161	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468162	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468163	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468164	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468165	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468166	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468167	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468168	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468169	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468170	2/13/2009	99.90	100.10	100.10
ITRON	C1S	C468171	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468172	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468173	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468174	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468175	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468176	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468177	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468178	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468179	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468180	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468181	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468182	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468183	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468184	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468185	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468186	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468187	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468188	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468189	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468190	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468191	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468192	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468193	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468194	2/13/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468195	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468196	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468197	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468198	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468199	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468200	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468201	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468202	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468203	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468204	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468205	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468206	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468207	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468208	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468209	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468210	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468211	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468212	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468213	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468214	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468215	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468216	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468217	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468218	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468219	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468220	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468221	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468222	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468223	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468224	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468225	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468226	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468227	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468228	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468229	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468230	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468231	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468232	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468233	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468234	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468235	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468236	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468237	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468238	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468239	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468240	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468241	2/13/2009	100.00	99.90	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468242	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468243	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468244	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468245	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468246	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468247	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468248	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468249	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468250	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468251	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468252	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468253	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468254	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C468255	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468256	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468257	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468258	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468259	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468260	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468261	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468262	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468263	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468264	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468265	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468266	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468267	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468268	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468269	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468270	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468271	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468272	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468273	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468274	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468275	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468276	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468277	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468278	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468279	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468280	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468281	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468282	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468283	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468284	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468285	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468286	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468287	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468288	2/13/2009	100.00	100.00	100.20

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468289	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468290	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468291	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468292	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468293	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468294	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468295	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468296	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468297	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468298	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468299	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468300	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468301	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468302	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468303	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468304	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468305	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468306	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468307	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468308	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468309	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468310	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468311	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468312	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468313	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468314	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468315	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468316	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468317	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468318	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468319	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468320	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468321	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468322	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468323	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468324	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468325	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468326	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468327	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468328	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468329	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468330	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468331	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468332	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468333	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468334	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468335	2/13/2009	99.90	100.00	99.90

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C468336	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468337	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468338	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468339	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468340	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468341	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468342	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468343	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468344	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468345	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468346	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468347	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468348	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468349	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468350	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468351	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468352	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468353	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468354	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468355	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468356	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468357	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468358	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468359	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468360	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468361	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468362	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468363	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468364	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468365	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468366	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468367	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468368	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468369	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468370	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468371	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468372	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468373	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468374	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468375	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468376	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468377	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468378	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468379	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468380	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468381	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468382	2/13/2009	100.00	100.10	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468383	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C468384	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468385	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468386	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468387	2/13/2009	100.00	100.10	100.30
ITRON	C1S	C468388	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468389	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468390	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468391	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468392	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468393	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468394	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468395	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468396	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468397	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468398	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468399	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468400	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468401	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468402	2/13/2009	99.90	100.10	99.80
ITRON	C1S	C468403	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468404	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468405	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468406	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468407	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468408	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468409	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468410	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468411	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468412	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468413	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468414	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468415	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468416	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468417	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468418	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468419	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468420	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468421	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468422	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468423	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468424	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468425	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468426	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468427	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468428	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468429	2/13/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468430	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468431	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468432	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468433	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468434	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468435	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468436	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468437	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468438	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468439	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468440	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468441	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468442	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468443	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468444	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468445	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468446	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468447	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468448	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468449	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468450	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468451	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468452	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468453	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468454	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468455	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468456	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468457	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468458	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468459	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468460	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468461	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468462	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468463	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468464	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468465	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468466	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468467	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468468	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468469	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468470	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468471	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468472	2/12/2009	100.00	100.00	99.80
ITRON	C1S	C468473	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468474	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468475	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468476	2/13/2009	100.00	100.10	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468477	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468478	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468479	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468480	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468481	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468482	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468483	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468484	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468485	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468486	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468487	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468488	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468489	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468490	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468491	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468492	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468493	2/12/2009	100.00	100.00	99.80
ITRON	C1S	C468494	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468495	2/12/2009	100.00	100.00	100.00
ITRON	C1S	C468496	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468497	2/12/2009	100.00	100.10	99.80
ITRON	C1S	C468498	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468499	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468500	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468501	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468502	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468503	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468504	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468505	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468506	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468507	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468508	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468509	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468510	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468511	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468512	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468513	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468514	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468515	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468516	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468517	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468518	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468519	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468520	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468521	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468522	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468523	2/13/2009	99.90	99.90	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468524	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468525	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468526	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468527	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468528	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468529	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468530	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468531	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468532	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468533	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468534	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468535	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468536	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468537	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468538	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468539	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468540	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468541	2/13/2009	99.90	99.90	99.80
ITRON	C1S	C468542	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468543	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468544	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468545	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468546	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468547	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468548	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468549	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468550	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468551	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468552	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468553	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468554	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468555	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468556	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468557	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468558	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468559	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468560	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468561	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468562	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468563	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468564	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468565	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468566	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468567	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468568	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468569	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468570	2/13/2009	100.00	100.00	99.90

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C468571	2/12/2009	99.90	100.10	100.00
ITRON	C1S	C468572	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468573	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468574	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468575	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468576	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468577	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468578	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468579	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468580	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468581	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468582	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468583	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468584	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C468585	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468586	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468587	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468588	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468589	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468590	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468591	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468592	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468593	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468594	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468595	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468596	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468597	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468598	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468599	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468600	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468601	2/12/2009	100.00	100.00	100.10
ITRON	C1S	C468602	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468603	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468604	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468605	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468606	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468607	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468608	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468609	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468610	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468611	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468612	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468613	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468614	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468615	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468616	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468617	2/13/2009	100.00	100.20	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468618	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468619	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468620	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468621	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468622	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468623	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468624	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468625	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468626	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468627	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468628	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468629	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468630	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468631	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468632	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468633	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468634	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468635	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468636	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468637	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468638	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468639	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468640	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468641	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C468642	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468643	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468644	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468645	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468646	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468647	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468648	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468649	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468650	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468651	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468652	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468653	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468654	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468655	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468656	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C468657	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468658	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468659	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468660	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468661	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468662	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468663	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468664	2/13/2009	100.00	100.10	100.10

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468665	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468666	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468667	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468668	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468669	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468670	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468671	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468672	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468673	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468674	2/13/2009	99.90	100.10	100.10
ITRON	C1S	C468675	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468676	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468677	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468678	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468679	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468680	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468681	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468682	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468683	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468684	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468685	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468686	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468687	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468688	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468689	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468690	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468691	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468692	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468693	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468694	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468695	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468696	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468697	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468698	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468699	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468700	2/13/2009	99.90	99.90	99.80
ITRON	C1S	C468701	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468702	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468703	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468704	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468705	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468706	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468707	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468708	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C468709	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468710	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468711	2/13/2009	100.00	99.90	99.80

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468712	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468713	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468714	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468715	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468716	2/13/2009	99.90	99.90	99.80
ITRON	C1S	C468717	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468718	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468719	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468720	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468721	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468722	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468723	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468724	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468725	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468726	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468727	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468728	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468729	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468730	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468731	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468732	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468733	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468734	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468735	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468736	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468737	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468738	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468739	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468740	2/12/2009	99.90	100.10	99.90
ITRON	C1S	C468741	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468742	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468743	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468744	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468745	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468746	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C468747	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468748	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468749	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468750	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468751	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468752	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468753	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468754	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468755	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468756	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468757	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468758	2/12/2009	100.00	100.00	100.10

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468759	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468760	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468761	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468762	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468763	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468764	2/12/2009	100.00	100.10	100.20
ITRON	C1S	C468765	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468766	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468767	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468768	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468769	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468770	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468771	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468772	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468773	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468774	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468775	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468776	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468777	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468778	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468779	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468780	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468781	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468782	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468783	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468784	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468785	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468786	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468787	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468788	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468789	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468790	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468791	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468792	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468793	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468794	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468795	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468796	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C468797	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468798	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468799	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468800	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468801	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468802	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468803	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468804	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468805	2/13/2009	100.00	100.10	100.10

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468806	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468807	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468808	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468809	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468810	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468811	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468812	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468813	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468814	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468815	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468816	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468817	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C468818	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468819	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468820	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468821	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C468822	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468823	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468824	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468825	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468826	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468827	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468828	2/12/2009	100.00	100.10	100.20
ITRON	C1S	C468829	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468830	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468831	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468832	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468833	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468834	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468835	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468836	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468837	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468838	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468839	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468840	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468841	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468842	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468843	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468844	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468845	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C468846	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468847	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C468848	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468849	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468850	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468851	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468852	2/13/2009	100.00	100.00	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468853	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468854	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C468855	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468856	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468857	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468858	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468859	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468860	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468861	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C468862	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C468863	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468864	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468865	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C468866	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468867	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C468868	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468869	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C468870	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468871	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468872	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468873	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C468874	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C468875	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468876	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468877	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468878	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468879	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468880	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468881	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468882	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468883	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468884	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468885	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468886	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468887	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468888	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468889	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468890	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468891	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468892	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468893	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468894	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468895	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C468896	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468897	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468898	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468899	2/13/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C468900	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468901	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468902	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468903	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468904	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468905	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468906	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468907	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468908	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468909	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468910	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468911	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468912	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468913	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468914	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468915	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468916	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468917	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468918	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C468919	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468920	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468921	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468922	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468923	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468924	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468925	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C468926	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468927	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468928	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C468929	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468930	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468931	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468932	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468933	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468934	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468935	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468936	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468937	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468938	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468939	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468940	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468941	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468942	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468943	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468944	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468945	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468946	2/13/2009	100.00	100.10	99.90

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C468947	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468948	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468949	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468950	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468951	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C468952	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468953	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468954	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468955	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C468956	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468957	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468958	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468959	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468960	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468961	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468962	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468963	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468964	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468965	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468966	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468967	2/12/2009	100.00	100.00	99.80
ITRON	C1S	C468968	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468969	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468970	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468971	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C468972	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468973	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468974	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468975	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468976	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468977	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468978	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468979	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C468980	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468981	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468982	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468983	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468984	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C468985	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C468986	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C468987	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468988	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C468989	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C468990	2/12/2009	99.90	100.20	100.00
ITRON	C1S	C468991	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468992	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C468993	2/13/2009	100.00	100.10	100.00

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C468994	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C468995	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C468996	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C468997	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C468998	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C468999	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469000	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469001	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469002	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469003	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469004	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469005	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469006	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469007	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469008	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469009	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469010	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469011	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469012	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469013	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469014	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469015	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469016	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469017	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469018	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469019	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469020	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469021	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469022	2/12/2009	100.00	100.10	99.80
ITRON	C1S	C469023	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469024	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469025	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469026	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469027	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469028	2/13/2009	100.00	100.00	100.30
ITRON	C1S	C469029	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469030	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469031	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469032	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469033	2/12/2009	100.00	100.00	100.00
ITRON	C1S	C469034	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469035	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469036	2/12/2009	100.00	100.10	99.80
ITRON	C1S	C469037	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C469038	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469039	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469040	2/13/2009	100.00	100.10	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C469041	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469042	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469043	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469044	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C469045	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469046	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469047	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469048	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C469049	2/12/2009	100.00	100.20	100.00
ITRON	C1S	C469050	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469051	2/12/2009	100.00	100.10	100.20
ITRON	C1S	C469052	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469053	2/12/2009	100.00	100.00	100.20
ITRON	C1S	C469054	2/12/2009	100.00	99.90	99.90
ITRON	C1S	C469055	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469056	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469057	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469058	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469059	2/12/2009	100.00	100.10	99.90
ITRON	C1S	C469060	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469061	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C469062	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469063	2/12/2009	100.00	100.00	100.00
ITRON	C1S	C469064	2/12/2009	100.00	100.20	99.80
ITRON	C1S	C469065	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469066	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C469067	2/12/2009	100.00	100.10	100.10
ITRON	C1S	C469068	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469069	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469070	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469071	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469072	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469073	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469074	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C469075	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469076	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469077	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469078	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469079	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469080	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469081	2/12/2009	100.00	100.20	100.10
ITRON	C1S	C469082	2/12/2009	100.00	100.00	99.80
ITRON	C1S	C469083	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469084	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469085	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469086	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469087	2/12/2009	100.00	100.00	99.90

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C469088	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469089	2/12/2009	99.90	100.20	100.00
ITRON	C1S	C469090	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469091	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469092	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469093	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469094	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469095	2/12/2009	100.00	100.20	100.10
ITRON	C1S	C469096	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469097	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469098	2/12/2009	100.00	100.20	100.00
ITRON	C1S	C469099	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469100	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469101	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469102	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469103	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469104	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469105	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469106	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469107	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469108	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469109	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469110	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469111	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469112	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469113	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469114	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469115	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469116	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469117	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469118	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469119	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469120	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469121	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469122	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469123	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469124	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469125	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469126	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469127	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469128	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469129	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469130	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469131	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469132	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469133	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469134	2/13/2009	100.00	100.10	100.00

Kentucky Utilities
New Single Phase Meters 2009

ITRON	C1S	C469135	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469136	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469137	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469138	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469139	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469140	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469141	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469142	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469143	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469144	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469145	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469146	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469147	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469148	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469149	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469150	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469151	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469152	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469153	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469154	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469155	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469156	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469157	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469158	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469159	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469160	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469161	2/12/2009	100.00	99.90	99.90
ITRON	C1S	C469162	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469163	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469164	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469165	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469166	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469167	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469168	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469169	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469170	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469171	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469172	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469173	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469174	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469175	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469176	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469177	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469178	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469179	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469180	2/12/2009	100.00	100.00	100.10
ITRON	C1S	C469181	2/13/2009	100.00	100.10	100.10

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469182	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469183	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469184	2/13/2009	99.90	100.10	100.20
ITRON	C1S	C469185	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469186	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469187	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469188	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469189	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469190	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469191	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469192	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469193	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469194	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469195	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469196	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C469197	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C469198	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469199	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469200	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469201	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469202	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469203	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469204	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469205	2/12/2009	100.00	99.90	99.80
ITRON	C1S	C469206	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469207	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469208	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469209	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469210	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469211	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469212	2/13/2009	100.00	99.90	100.00
ITRON	C1S	C469213	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469214	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469215	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469216	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469217	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C469218	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469219	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469220	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469221	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469222	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469223	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469224	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469225	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469226	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469227	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469228	2/13/2009	100.00	100.10	100.00

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469229	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C469230	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469231	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469232	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469233	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469234	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469235	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469236	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469237	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469238	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469239	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469240	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469241	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469242	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469243	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469244	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469245	2/12/2009	100.00	100.20	100.00
ITRON	C1S	C469246	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469247	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469248	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469249	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469250	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469251	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469252	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469253	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469254	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469255	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469256	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469257	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469258	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469259	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469260	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469261	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469262	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469263	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469264	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469265	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469266	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C469267	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469268	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469269	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469270	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469271	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469272	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469273	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469274	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469275	2/13/2009	100.00	100.20	100.00

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469276	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469277	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469278	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469279	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469280	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469281	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469282	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469283	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469284	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469285	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469286	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469287	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469288	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469289	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469290	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469291	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469292	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469293	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469294	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469295	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469296	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469297	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469298	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469299	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469300	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469301	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469302	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469303	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469304	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469305	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469306	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469307	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469308	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469309	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469310	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469311	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469312	2/13/2009	99.90	100.00	99.80
ITRON	C1S	C469313	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C469314	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469315	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469316	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469317	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469318	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469319	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469320	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469321	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469322	2/13/2009	100.00	100.00	99.90

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469323	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469324	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469325	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469326	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469327	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469328	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469329	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469330	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469331	2/13/2009	99.90	100.00	100.00
ITRON	C1S	C469332	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469333	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469334	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469335	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469336	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469337	2/13/2009	99.90	99.90	99.90
ITRON	C1S	C469338	2/13/2009	100.00	99.90	99.80
ITRON	C1S	C469339	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469340	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469341	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469342	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469343	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469344	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469345	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469346	2/13/2009	100.00	100.00	100.20
ITRON	C1S	C469347	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469348	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469349	2/12/2009	100.00	99.90	99.80
ITRON	C1S	C469350	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469351	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469352	2/12/2009	100.00	100.00	99.90
ITRON	C1S	C469353	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469354	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469355	2/12/2009	100.00	99.90	99.80
ITRON	C1S	C469356	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469357	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469358	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469359	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469360	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469361	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469362	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469363	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469364	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469365	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469366	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469367	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469368	2/13/2009	100.00	99.90	99.90
ITRON	C1S	C469369	2/13/2009	100.00	100.10	100.00

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469370	2/13/2009	99.90	100.10	100.00
ITRON	C1S	C469371	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469372	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469373	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469374	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469375	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469376	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469377	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469378	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469379	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469380	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469381	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469382	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469383	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469384	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469385	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469386	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469387	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469388	2/12/2009	100.00	100.10	100.00
ITRON	C1S	C469389	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469390	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469391	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469392	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469393	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469394	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469395	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469396	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469397	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469398	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469399	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469400	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469401	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469402	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469403	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C469404	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469405	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469406	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469407	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469408	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469409	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469410	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469411	2/13/2009	100.00	100.10	99.80
ITRON	C1S	C469412	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469413	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469414	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469415	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469416	2/13/2009	100.00	100.10	100.20

**Kentucky Utilities
New Single Phase Meters 2009**

ITRON	C1S	C469417	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C469418	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469419	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469420	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469421	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469422	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469423	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469424	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469425	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469426	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469427	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469428	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469429	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469430	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469431	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469432	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469433	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469434	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469435	2/13/2009	100.00	100.10	100.10
ITRON	C1S	C469436	2/13/2009	100.00	100.20	100.00
ITRON	C1S	C469437	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469438	2/13/2009	100.00	100.20	99.90
ITRON	C1S	C469439	2/13/2009	100.00	100.00	99.80
ITRON	C1S	C469440	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469441	2/13/2009	99.90	100.10	99.90
ITRON	C1S	C469442	2/13/2009	100.00	100.00	100.10
ITRON	C1S	C469443	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469444	2/13/2009	99.90	100.00	99.90
ITRON	C1S	C469445	2/13/2009	100.00	100.10	100.20
ITRON	C1S	C469446	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469447	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469448	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469449	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469450	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469451	2/13/2009	100.00	100.00	100.00
ITRON	C1S	C469452	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469453	2/13/2009	100.00	100.10	100.00
ITRON	C1S	C469454	2/13/2009	100.00	100.10	99.90
ITRON	C1S	C469455	2/13/2009	100.00	100.20	100.10
ITRON	C1S	C469456	2/13/2009	100.00	100.00	99.90
ITRON	C1S	C469457	2/13/2009	100.00	100.20	99.80
ITRON	C1S	C469458	2/13/2009	100.00	100.10	99.90
TOTAL	1920					

E.ON U.S.

**5040 Annual Report
of New Single Phase
Meters**

Dynamic Filters

Plant KU
 Manf. Model Number C1S; C1SR
 Calendar Month/Year 04/2009 - 12/2009

Plant	Manufacturer	Manf. Model Number	Serial Number	Test Date	As Left Full Load	As Left Light Load	As Left Power Factor	Number of records
KU	ITRON	C1S	2000000	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000001	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000002	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000003	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000004	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000005	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000006	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000007	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000008	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000009	06/12/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2000010	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000011	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000012	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000013	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000014	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000015	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000016	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000017	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000018	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000019	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000020	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000021	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000022	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000023	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000024	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000025	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000026	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000027	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000028	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000029	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000030	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000031	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000032	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000033	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000034	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000035	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000036	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000037	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000038	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000039	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000040	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000041	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000042	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000043	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000044	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000045	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000046	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000047	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000048	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000049	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000050	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000051	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000052	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000053	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000054	06/15/2009	99.90	100.00	100.20	1
KU	ITRON	C1S	2000055	06/15/2009	99.90	100.10	99.80	1
KU	ITRON	C1S	2000056	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000057	06/15/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2000058	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000059	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000060	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000061	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000062	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000063	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000064	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000065	06/15/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2000066	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000067	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000068	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000069	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000070	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000071	06/15/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000072	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000073	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000074	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000075	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000076	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000077	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000078	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000079	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000080	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000081	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000082	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000083	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000084	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000085	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000086	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000087	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000088	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000089	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000090	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000091	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000092	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000093	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000094	06/15/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000095	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000096	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000097	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000098	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000099	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000100	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000101	06/15/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2000102	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000103	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000104	06/15/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2000105	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000106	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000107	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000108	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000109	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000110	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000111	06/15/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2000112	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000113	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000114	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000115	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000116	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000117	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000118	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000119	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000120	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000121	06/15/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2000122	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000123	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000124	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000125	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000126	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000127	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000128	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000129	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000130	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000131	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000132	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000133	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000134	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000135	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000136	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000137	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000138	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000139	06/15/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000140	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000141	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000142	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000143	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000144	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000145	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000146	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000147	06/15/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000148	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000149	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000150	06/15/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000151	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000152	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000153	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000154	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000155	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000156	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000157	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000158	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000159	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000160	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000161	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000162	06/15/2009	100.00	100.00	100.00	1

KU	ITRON	C1S	2000163	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000164	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000165	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000166	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000167	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000168	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000169	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000170	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000171	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000172	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000173	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000174	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000175	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000176	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000177	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000178	06/15/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2000179	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000180	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000181	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000182	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000183	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000184	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000185	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000186	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000187	06/15/2009	99.90	99.90	99.80	1
KU	ITRON	C1S	2000188	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000189	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000190	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000191	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000192	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000193	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000194	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000195	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000196	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000197	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000198	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000199	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000200	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000201	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000202	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000203	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000204	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000205	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000206	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000207	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000208	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000209	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000210	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000211	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000212	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000213	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000214	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000215	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000216	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000217	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000218	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000219	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000220	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000221	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000222	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000223	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000224	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000225	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000226	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000227	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000228	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000229	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000230	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000231	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2000232	06/15/2009	100.00	100.00	100.00	1

KU	ITRON	C1S	2000233	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000234	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000235	06/15/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000236	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000237	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000238	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000239	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000240	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000241	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000242	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000243	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000244	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000245	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000246	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000247	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000248	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000249	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000250	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000251	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000252	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000253	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000254	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000255	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000256	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000257	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000258	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000259	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000260	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000261	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000262	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000263	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000264	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000265	06/15/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000266	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000267	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000268	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000269	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000270	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000271	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000272	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000273	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000274	06/15/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2000275	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000276	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000277	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000278	06/15/2009	99.90	100.10	100.10	99.90	1
KU	ITRON	C1S	2000279	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000280	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000281	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000282	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000283	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000284	06/15/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C1S	2000285	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000286	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2000287	06/15/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2000288	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2000289	06/12/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2000290	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2000291	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000292	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000293	06/15/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2000294	06/15/2009	99.90	100.00	99.90	99.90	1
KU	ITRON	C1S	2000295	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000296	06/15/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1S	2000297	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2000298	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2000299	06/15/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C1S	2000300	06/15/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2000301	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2000302	06/15/2009	100.00	100.00	100.10	100.00	1

KU	ITRON	C1S	2000303	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000304	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000305	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000306	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000307	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000308	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000309	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000310	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000311	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000312	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000313	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000314	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000315	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000316	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000317	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000318	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000319	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000320	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000321	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000322	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000323	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000324	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000325	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000326	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000327	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000328	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000329	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000330	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000331	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000332	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000333	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000334	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000335	06/15/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2000336	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000337	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000338	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000339	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000340	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000341	06/15/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2000342	06/15/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1S	2000343	06/15/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1S	2000344	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000345	06/15/2009	100.00	100.20	100.20	99.90	1
KU	ITRON	C1S	2000346	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000347	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000348	06/15/2009	100.00	100.20	100.20	100.10	1
KU	ITRON	C1S	2000349	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000350	06/15/2009	99.90	100.00	100.00	100.10	1
KU	ITRON	C1S	2000351	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000352	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000353	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2000354	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000355	06/15/2009	100.00	100.20	100.20	100.10	1
KU	ITRON	C1S	2000356	06/15/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2000357	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000358	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000359	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000360	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000361	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2000362	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000363	06/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000364	06/14/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1S	2000365	06/14/2009	100.00	100.00	100.00	100.20	1
KU	ITRON	C1S	2000366	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000367	06/12/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1S	2000368	06/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000369	06/12/2009	99.90	100.10	100.10	100.00	1
KU	ITRON	C1S	2000370	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2000371	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2000372	06/15/2009	100.00	100.10	100.10	99.90	1

KU	ITRON	C1S	2000373	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000374	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000375	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000376	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000377	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000378	06/12/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2000379	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000380	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000381	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000382	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000383	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000384	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000385	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000386	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000387	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000388	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000389	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000390	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000391	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000392	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000393	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000394	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000395	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000396	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000397	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000398	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000399	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000400	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000401	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000402	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000403	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2000404	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000405	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000406	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000407	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000408	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000409	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000410	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000411	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000412	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000413	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000414	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000415	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000416	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000417	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000418	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000419	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000420	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000421	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000422	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000423	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000424	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000425	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000426	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000427	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000428	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000429	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000430	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000431	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000432	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000433	06/15/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000434	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000435	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000436	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000437	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000438	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000439	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000440	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000441	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000442	06/12/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2000443	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000444	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000445	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000446	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000447	06/12/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000448	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000449	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000450	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000451	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000452	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000453	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000454	06/15/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000455	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000456	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000457	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000458	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000459	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000460	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000461	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000462	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000463	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000464	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000465	06/14/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000466	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000467	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000468	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000469	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000470	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000471	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000472	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000473	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000474	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000475	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000476	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000477	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000478	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000479	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000480	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000481	06/14/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2000482	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000483	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000484	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000485	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000486	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000487	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000488	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000489	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000490	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000491	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000492	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000493	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000494	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000495	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000496	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000497	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000498	06/14/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000499	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000500	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000501	06/14/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000502	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000503	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000504	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000505	06/14/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000506	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000507	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000508	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000509	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000510	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000511	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000512	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000513	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000514	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000515	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000516	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000517	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000518	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000519	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000520	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000521	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000522	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000523	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000524	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000525	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000526	06/14/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000527	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000528	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000529	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000530	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000531	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000532	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000533	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000534	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000535	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000536	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000537	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000538	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000539	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000540	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000541	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000542	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000543	06/14/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000544	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2000545	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000546	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000547	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000548	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000549	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000550	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000551	06/14/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000552	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000553	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000554	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000555	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000556	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000557	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000558	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000559	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000560	06/14/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000561	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000562	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000563	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000564	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000565	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000566	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000567	06/14/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000568	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000569	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000570	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000571	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000572	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000573	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000574	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000575	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000576	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000577	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000578	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000579	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000580	06/14/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000581	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000582	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000583	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000584	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000585	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000586	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000587	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000588	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000589	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000590	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000591	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000592	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000593	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000594	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000595	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000596	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000597	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000598	06/14/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000599	06/14/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000600	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000601	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000602	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000603	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000604	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000605	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000606	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000607	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000608	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000609	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000610	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000611	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000612	06/14/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000613	06/14/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2000614	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000615	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000616	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000617	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000618	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000619	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000620	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000621	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000622	06/14/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000623	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000624	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000625	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000626	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000627	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000628	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000629	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000630	06/14/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000631	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000632	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000633	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000634	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000635	06/14/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000636	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000637	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000638	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000639	06/14/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000640	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000641	06/12/2009	99.90	99.90	99.80	1
KU	ITRON	C1S	2000642	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000643	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000644	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000645	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000646	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000647	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000648	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000649	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000650	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000651	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000652	06/14/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2000653	06/12/2009	99.90	99.90	99.80	1
KU	ITRON	C1S	2000654	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000655	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2000656	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000657	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000658	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000659	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000660	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000661	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000662	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000663	06/12/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2000664	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000665	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000666	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000667	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000668	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000669	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000670	06/14/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000671	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000672	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000673	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000674	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000675	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000676	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000677	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000678	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000679	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000680	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000681	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000682	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000683	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000684	06/14/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000685	06/14/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000686	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000687	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000688	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000689	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000690	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000691	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000692	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000693	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000694	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000695	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000696	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000697	06/12/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2000698	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000699	06/14/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2000700	06/14/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2000701	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000702	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000703	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000704	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000705	06/14/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000706	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000707	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000708	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000709	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000710	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000711	06/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000712	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000713	06/14/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000714	06/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000715	06/14/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000716	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000717	06/14/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000718	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000719	06/14/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000720	06/14/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000721	06/14/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000722	06/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2000723	06/14/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000724	06/14/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000725	06/14/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000726	06/14/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000727	06/12/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C1S	2000728	06/14/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000729	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000730	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000731	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000732	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000733	06/12/2009	100.00	100.10	99.80	99.80	1
KU	ITRON	C1S	2000734	06/12/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2000735	06/12/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2000736	06/14/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2000737	06/12/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1S	2000738	06/14/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2000739	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000740	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000741	06/14/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000742	06/14/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1S	2000743	06/14/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1S	2000744	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000745	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000746	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000747	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000748	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000749	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000750	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000751	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000752	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000753	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000754	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000755	06/12/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1S	2000756	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000757	06/12/2009	100.00	100.10	99.90	99.90	1

KU	ITRON	C1S	2000758	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000759	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000760	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000761	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000762	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000763	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000764	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000765	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000766	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000767	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000768	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000769	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000770	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000771	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000772	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000773	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2000774	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000775	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2000776	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000777	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2000778	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000779	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000780	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000781	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000782	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000783	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000784	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000785	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000786	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000787	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000788	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000789	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000790	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000791	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000792	06/12/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2000793	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000794	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000795	06/12/2009	100.00	100.00	100.20	100.20	1
KU	ITRON	C1S	2000796	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2000797	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000798	06/12/2009	100.00	100.20	99.90	99.90	1
KU	ITRON	C1S	2000799	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000800	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000801	06/12/2009	100.00	100.20	99.90	99.90	1
KU	ITRON	C1S	2000802	06/12/2009	99.90	100.20	99.90	99.90	1
KU	ITRON	C1S	2000803	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000804	06/12/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2000805	06/12/2009	100.00	100.20	99.90	99.90	1
KU	ITRON	C1S	2000806	06/12/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1S	2000807	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000808	06/12/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2000809	06/12/2009	100.00	100.10	99.80	99.80	1
KU	ITRON	C1S	2000810	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000811	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000812	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2000813	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000814	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2000815	06/12/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1S	2000816	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000817	06/12/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1S	2000818	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000819	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000820	06/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2000821	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000822	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2000823	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000824	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2000825	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2000826	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2000827	06/12/2009	100.00	100.00	100.10	100.10	1

KU	ITRON	C1S	200828	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200829	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200830	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	200831	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200832	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200833	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200834	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200835	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200836	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	200837	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200838	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200839	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200840	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200841	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200842	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	200843	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200844	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	200845	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200846	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	200847	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200848	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200849	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200850	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200851	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	200852	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200853	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	200854	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200855	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	200856	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200857	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200858	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200859	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200860	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200861	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	200862	06/12/2009	100.00	100.20	100.00	1

KU	ITRON	CIS	2000863	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000864	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	CIS	2000865	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000866	06/12/2009	99.90	100.10	100.20	100.20	1
KU	ITRON	CIS	2000867	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000868	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000869	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	CIS	2000870	06/12/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	CIS	2000871	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	CIS	2000872	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	CIS	2000873	06/12/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	CIS	2000874	06/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	CIS	2000875	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	CIS	2000876	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000877	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000878	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000879	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	CIS	2000880	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	CIS	2000881	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	CIS	2000882	06/12/2009	99.90	100.00	99.90	99.90	1
KU	ITRON	CIS	2000883	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	CIS	2000884	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000885	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000886	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000887	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000888	06/12/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	CIS	2000889	06/12/2009	99.90	99.90	99.80	99.80	1
KU	ITRON	CIS	2000890	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2000891	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	CIS	2000892	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	CIS	2000893	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000894	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2000895	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	CIS	2000896	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	CIS	2000897	06/12/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C1S	2000898	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000899	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000900	06/12/2009	99.90	100.10	100.20	1
KU	ITRON	C1S	2000901	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000902	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000903	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000904	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000905	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000906	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000907	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000908	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000909	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000910	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000911	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000912	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000913	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000914	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000915	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000916	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000917	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000918	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000919	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000920	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000921	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000922	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000923	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000924	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000925	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000926	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000927	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000928	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000929	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000930	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000931	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000932	06/12/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2000933	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000934	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2000935	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000936	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000937	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2000938	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000939	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000940	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000941	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000942	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000943	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000944	06/12/2009	99.90	100.20	100.00	1
KU	ITRON	C1S	2000945	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2000946	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2000947	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2000948	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2000949	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2000950	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000951	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000952	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000953	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000954	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000955	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000956	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000957	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000958	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2000959	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000960	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000961	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2000962	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000963	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2000964	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2000965	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2000966	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2000967	06/12/2009	100.00	100.10	100.20	1

KU	ITRON	C1S	200968	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200969	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200970	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	200971	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200972	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200973	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200974	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200975	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200976	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200977	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200978	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	200979	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200980	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	200981	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200982	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200983	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200984	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200985	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200986	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	200987	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	200988	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	200989	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200990	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	200991	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200992	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200993	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200994	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	200995	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	200996	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	200997	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	200998	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	200999	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001000	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001001	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001002	06/12/2009	100.00	100.00	100.20	1

KU	ITRON	C1S	2001003	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001004	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001005	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001006	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001007	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001008	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001009	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001010	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001011	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001012	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001013	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001014	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001015	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001016	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001017	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001018	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001019	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001020	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001021	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001022	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001023	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001024	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001025	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001026	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001027	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001028	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001029	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001030	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001031	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001032	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001033	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001034	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001035	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001036	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001037	06/12/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2001038	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001039	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001040	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001041	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001042	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001043	06/12/2009	100.00	100.00	99.90	99.80	1
KU	ITRON	C1S	2001044	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001045	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001046	06/12/2009	100.00	100.00	100.00	100.20	1
KU	ITRON	C1S	2001047	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001048	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001049	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001050	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001051	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001052	06/12/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1S	2001053	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001054	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001055	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001056	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001057	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001058	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001059	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001060	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001061	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001062	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001063	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001064	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001065	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001066	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001067	06/12/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1S	2001068	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001069	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001070	06/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001071	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001072	06/12/2009	100.00	100.00	100.10	99.90	1

KU	ITRON	C1S	2001073	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001074	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001075	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001076	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001077	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001078	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001079	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001080	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001081	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001082	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001083	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001084	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001085	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001086	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001087	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001088	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001089	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001090	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001091	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001092	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001093	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001094	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001095	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2001096	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001097	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001098	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001099	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001100	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001101	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001102	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001103	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001104	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001105	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001106	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001107	06/12/2009	100.00	100.10	99.80	1

KU	ITRON	C1S	2001108	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001109	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001110	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001111	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001112	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001113	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001114	06/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2001115	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001116	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001117	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001118	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001119	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001120	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001121	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001122	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001123	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001124	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001125	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001126	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001127	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001128	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001129	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001130	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001131	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001132	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001133	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001134	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001135	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001136	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001137	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001138	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001139	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001140	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001141	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001142	06/12/2009	100.00	100.00	99.90	1

KU	ITRON	CIS	2001143	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001144	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	CIS	2001145	06/12/2009	100.00	99.90	99.80	1
KU	ITRON	CIS	2001146	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001147	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001148	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2001149	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001150	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001151	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001152	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	CIS	2001153	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001154	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001155	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	CIS	2001156	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2001157	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001158	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001159	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001160	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001161	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2001162	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001163	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001164	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001165	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001166	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001167	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001168	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2001169	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	CIS	2001170	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001171	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001172	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001173	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001174	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001175	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2001176	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001177	06/12/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2001178	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001179	06/12/2009	100.00	100.00	100.10	99.80	1
KU	ITRON	C1S	2001180	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001181	06/12/2009	100.00	100.00	100.10	99.80	1
KU	ITRON	C1S	2001182	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001183	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001184	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001185	06/12/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2001186	06/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001187	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001188	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001189	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001190	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001191	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001192	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001193	06/12/2009	99.90	99.90	100.00	99.90	1
KU	ITRON	C1S	2001194	06/12/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2001195	06/12/2009	99.90	99.90	100.00	100.10	1
KU	ITRON	C1S	2001196	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001197	06/12/2009	99.90	99.90	99.90	99.80	1
KU	ITRON	C1S	2001198	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001199	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001200	06/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2001201	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001202	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001203	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001204	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001205	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001206	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001207	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001208	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001209	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001210	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001211	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001212	06/12/2009	100.00	100.00	100.10	100.00	1

KU	ITRON	C1S	2001213	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001214	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001215	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001216	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001217	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001218	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001219	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001220	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001221	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001222	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001223	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001224	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001225	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001226	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2001227	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001228	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001229	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001230	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001231	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001232	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2001233	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001234	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001235	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001236	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001237	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001238	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001239	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001240	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001241	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001242	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001243	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001244	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001245	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001246	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001247	06/12/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2001248	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001249	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001250	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2001251	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001252	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2001253	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001254	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001255	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001256	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001257	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001258	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001259	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001260	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001261	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2001262	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001263	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001264	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001265	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001266	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001267	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001268	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001269	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001270	06/12/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2001271	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001272	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001273	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001274	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001275	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001276	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001277	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001278	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001279	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001280	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001281	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001282	06/12/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2001283	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001284	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2001285	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001286	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001287	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001288	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001289	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001290	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001291	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001292	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001293	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001294	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001295	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001296	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001297	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001298	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001299	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001300	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001301	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001302	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001303	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001304	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001305	06/12/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2001306	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001307	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001308	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001309	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001310	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001311	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001312	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001313	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001314	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001315	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001316	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001317	06/12/2009	99.90	100.20	100.00	1

KU	ITRON	C1S	2001318	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001319	06/12/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2001320	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001321	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001322	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001323	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001324	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001325	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001326	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001327	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001328	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001329	06/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2001330	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001331	06/12/2009	100.00	100.10	100.00	100.20	1
KU	ITRON	C1S	2001332	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001333	06/12/2009	99.90	100.20	99.90	100.00	1
KU	ITRON	C1S	2001334	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001335	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001336	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001337	06/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2001338	06/12/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1S	2001339	06/12/2009	99.90	100.00	99.90	99.80	1
KU	ITRON	C1S	2001340	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001341	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001342	06/12/2009	99.90	100.10	99.90	100.10	1
KU	ITRON	C1S	2001343	06/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2001344	06/12/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1S	2001345	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001346	06/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2001347	06/12/2009	100.00	100.10	100.00	99.80	1
KU	ITRON	C1S	2001348	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001349	06/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2001350	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001351	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001352	06/12/2009	99.90	100.00	99.90	100.20	1

KU	ITRON	C1S	2001353	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001354	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001355	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001356	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001357	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001358	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001359	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001360	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001361	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001362	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2001363	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001364	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001365	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001366	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2001367	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001368	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001369	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001370	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001371	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001372	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001373	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001374	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001375	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001376	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001377	06/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2001378	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001379	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001380	06/12/2009	99.90	100.10	100.20	1
KU	ITRON	C1S	2001381	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001382	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001383	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001384	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001385	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001386	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001387	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2001388	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001389	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001390	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001391	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001392	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001393	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001394	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001395	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001396	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001397	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001398	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001399	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001400	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2001401	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001402	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001403	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001404	06/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2001405	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001406	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001407	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001408	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001409	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001410	06/12/2009	99.90	99.90	100.00	1
KU	ITRON	C1S	2001411	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001412	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001413	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001414	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001415	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001416	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001417	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001418	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001419	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2001420	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001421	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001422	06/12/2009	100.00	100.10	100.10	1

KU	ITRON	CIS	2001423	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001424	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001425	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001426	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001427	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001428	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001429	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001430	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2001431	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001432	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001433	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001434	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001435	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001436	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001437	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	CIS	2001438	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001439	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001440	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2001441	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	CIS	2001442	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	CIS	2001443	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001444	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001445	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001446	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001447	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001448	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001449	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001450	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	CIS	2001451	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001452	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001453	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001454	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001455	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001456	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	CIS	2001457	06/12/2009	100.00	100.10	100.20	1

KU	ITRON	C1S	2001458	06/12/2009	100.00	100.20	100.00	100.20	100.00	1
KU	ITRON	C1S	2001459	06/12/2009	99.90	100.10	99.90	100.10	100.10	1
KU	ITRON	C1S	2001460	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001461	06/12/2009	100.00	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001462	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001463	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001464	06/12/2009	99.90	100.10	99.90	100.10	99.90	1
KU	ITRON	C1S	2001465	06/12/2009	100.00	100.20	100.00	100.20	100.00	1
KU	ITRON	C1S	2001466	06/12/2009	100.00	100.10	100.00	100.10	100.10	1
KU	ITRON	C1S	2001467	06/12/2009	100.00	100.10	100.00	100.10	99.90	1
KU	ITRON	C1S	2001468	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001469	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001470	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001471	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001472	06/12/2009	100.00	100.10	100.00	100.10	99.90	1
KU	ITRON	C1S	2001473	06/12/2009	100.00	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001474	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001475	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001476	06/12/2009	100.00	100.20	100.00	100.20	100.00	1
KU	ITRON	C1S	2001477	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001478	06/12/2009	99.90	99.90	99.90	99.90	99.90	1
KU	ITRON	C1S	2001479	06/12/2009	100.00	100.10	100.00	100.10	99.90	1
KU	ITRON	C1S	2001480	06/12/2009	100.00	100.10	100.00	100.10	99.90	1
KU	ITRON	C1S	2001481	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001482	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001483	06/12/2009	99.90	100.00	99.90	100.00	100.00	1
KU	ITRON	C1S	2001484	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001485	06/12/2009	100.00	100.20	100.00	100.20	99.90	1
KU	ITRON	C1S	2001486	06/12/2009	100.00	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001487	06/12/2009	100.00	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2001488	06/12/2009	100.00	100.10	100.00	100.10	100.10	1
KU	ITRON	C1S	2001489	06/12/2009	100.00	99.90	100.00	99.90	99.80	1
KU	ITRON	C1S	2001490	06/12/2009	100.00	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001491	06/12/2009	100.00	100.10	100.00	100.10	100.00	1
KU	ITRON	C1S	2001492	06/12/2009	100.00	100.00	100.00	100.00	99.90	1

KU	ITRON	CIS	2001493	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001494	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2001495	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001496	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001497	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001498	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001499	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001500	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001501	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001502	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2001503	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2001504	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001505	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001506	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001507	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2001508	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001509	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2001510	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001511	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001512	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001513	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001514	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001515	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	CIS	2001516	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2001517	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001518	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001519	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001520	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2001521	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	CIS	2001522	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	CIS	2001523	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2001524	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001525	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2001526	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	CIS	2001527	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2001528	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001529	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001530	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001531	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001532	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001533	06/12/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2001534	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001535	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001536	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001537	06/12/2009	99.90	100.20	100.10	1
KU	ITRON	C1S	2001538	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001539	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001540	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001541	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001542	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001543	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001544	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001545	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001546	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001547	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001548	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001549	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001550	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001551	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001552	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001553	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2001554	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001555	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001556	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001557	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001558	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001559	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001560	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001561	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001562	06/12/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2001563	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001564	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001565	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001566	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001567	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001568	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001569	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001570	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001571	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001572	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001573	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001574	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001575	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001576	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001577	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001578	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001579	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001580	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001581	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001582	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001583	06/12/2009	200.00	200.20	199.80	1
KU	ITRON	C1S	2001584	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001585	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001586	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001587	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001588	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001589	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001590	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001591	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001592	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001593	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001594	06/12/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2001595	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001596	06/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2001597	06/12/2009	100.00	100.00	99.80	1

KU	ITRON	C1S	2001598	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001599	06/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001600	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001601	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001602	06/12/2009	99.90	100.10	100.10	99.90	1
KU	ITRON	C1S	2001603	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001604	06/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1S	2001605	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2001606	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001607	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001608	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001609	06/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001610	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001611	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001612	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001613	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001614	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001615	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001616	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001617	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001618	06/12/2009	100.00	100.00	99.90	99.80	1
KU	ITRON	C1S	2001619	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001620	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001621	06/12/2009	99.90	100.10	100.10	99.90	1
KU	ITRON	C1S	2001622	06/12/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2001623	06/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2001624	06/12/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2001625	06/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2001626	06/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2001627	06/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2001628	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2001629	06/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2001630	06/12/2009	99.90	100.10	100.10	99.90	1
KU	ITRON	C1S	2001631	06/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1S	2001632	06/12/2009	100.00	100.10	100.10	99.90	1

KU	ITRON	C1S	2001633	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001634	06/12/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2001635	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001636	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001637	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001638	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001639	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001640	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001641	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001642	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001643	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001644	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001645	06/12/2009	99.90	100.20	99.90	1
KU	ITRON	C1S	2001646	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001647	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001648	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001649	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001650	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001651	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001652	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001653	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001654	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001655	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001656	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001657	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001658	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001659	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001660	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001661	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001662	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001663	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001664	06/12/2009	99.90	99.90	99.80	1
KU	ITRON	C1S	2001665	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001666	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001667	06/12/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2001668	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001669	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001670	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001671	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001672	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2001673	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001674	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001675	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001676	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001677	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001678	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001679	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001680	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001681	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001682	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001683	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001684	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001685	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001686	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001687	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001688	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001689	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001690	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001691	06/12/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2001692	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001693	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001694	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001695	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001696	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001697	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001698	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001699	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001700	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001701	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001702	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2001773	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001774	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001775	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001776	06/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2001777	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001778	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001779	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001780	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001781	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001782	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001783	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001784	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001785	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001786	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001787	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001788	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001789	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001790	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001791	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001792	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001793	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001794	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001795	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001796	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001797	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2001798	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001799	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001800	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001801	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001802	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001803	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001804	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001805	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001806	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001807	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2001808	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001809	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001810	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001811	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001812	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2001813	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001814	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001815	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001816	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001817	06/12/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2001818	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001819	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001820	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001821	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001822	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001823	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001824	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001825	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001826	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001827	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001828	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001829	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001830	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001831	06/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2001832	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001833	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001834	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001835	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001836	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001837	06/12/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2001838	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001839	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001840	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001841	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001842	06/12/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2001843	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001844	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001845	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001846	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001847	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001848	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001849	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001850	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001851	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001852	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001853	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001854	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001855	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001856	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001857	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001858	06/12/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2001859	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001860	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001861	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001862	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001863	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001864	06/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2001865	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001866	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001867	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001868	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001869	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001870	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001871	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001872	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001873	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001874	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001875	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001876	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001877	06/12/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2001878	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001879	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001880	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001881	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001882	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001883	06/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2001884	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001885	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001886	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2001887	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001888	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001889	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001890	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001891	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001892	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001893	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001894	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001895	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001896	06/12/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2001897	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001898	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001899	06/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2001900	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001901	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001902	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001903	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001904	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001905	06/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001906	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001907	06/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001908	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001909	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001910	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2001911	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001912	06/12/2009	99.90	100.10	100.00	1

KU	ITRON	C1S	2001913	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001914	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001915	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001916	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001917	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2001918	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001919	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2001920	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001921	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001922	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001923	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001924	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001925	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001926	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001927	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001928	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001929	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001930	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001931	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001932	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001933	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001934	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001935	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001936	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001937	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001938	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001939	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001940	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001941	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001942	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001943	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001944	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001945	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001946	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001947	06/09/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2001983	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001984	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2001985	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001986	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001987	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001988	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001989	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001990	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001991	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001992	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001993	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001994	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001995	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001996	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2001997	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2001998	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2001999	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002000	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002001	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002002	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002003	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002004	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002005	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002006	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002007	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002008	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002009	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002010	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002011	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002012	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002013	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002014	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002015	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002016	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002017	06/09/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2002018	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002019	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002020	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002021	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002022	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002023	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002024	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002025	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002026	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002027	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002028	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002029	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002030	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002031	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002032	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002033	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002034	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002035	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002036	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002037	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002038	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002039	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002040	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002041	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002042	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002043	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002044	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002045	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002046	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002047	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002048	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002049	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002050	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002051	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002052	06/09/2009	100.00	100.20	100.10	1

KU	ITRON	CIS	2002053	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002054	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002055	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002056	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002057	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002058	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002059	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002060	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002061	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002062	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002063	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002064	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002065	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002066	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002067	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002068	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002069	06/09/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002070	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002071	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002072	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002073	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002074	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002075	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002076	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002077	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002078	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002079	06/09/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2002080	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002081	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002082	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002083	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002084	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002085	06/09/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2002086	06/09/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2002087	06/09/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2002123	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002124	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002125	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002126	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002127	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002128	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002129	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002130	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002131	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002132	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002133	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002134	08/18/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002135	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002136	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002137	08/18/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002138	08/18/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2002139	08/18/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2002140	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002141	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002142	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002143	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002144	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002145	08/18/2009	99.90	100.10	100.20	1
KU	ITRON	C1S	2002146	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002147	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002148	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002149	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002150	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002151	08/18/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2002152	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002153	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002154	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002155	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002156	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002157	08/18/2009	99.90	100.00	100.10	1

KU	ITRON	C1S	2002158	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002159	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002160	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002161	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002162	08/18/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2002163	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002164	08/18/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2002165	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002166	08/18/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2002167	08/18/2009	99.90	100.10	100.20	1
KU	ITRON	C1S	2002168	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002169	08/18/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2002170	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002171	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002172	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002173	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002174	08/18/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2002175	08/18/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2002176	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002177	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002178	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002179	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002180	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002181	08/18/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2002182	08/18/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002183	08/18/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2002184	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002185	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002186	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002187	08/18/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2002188	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002189	08/18/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2002190	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002191	08/18/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002192	08/18/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002193	08/18/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2002194	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002195	08/18/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2002196	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002197	08/18/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2002198	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002199	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002200	08/18/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2002201	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002202	08/18/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2002203	08/18/2009	100.00	100.20	100.20	100.20	1
KU	ITRON	C1S	2002204	08/18/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2002205	08/18/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2002206	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002207	08/18/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002208	07/30/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2002209	07/30/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2002210	07/30/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1S	2002211	07/29/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1S	2002212	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002213	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002214	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002215	07/29/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002216	07/29/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002217	07/29/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002218	07/29/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002219	07/29/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002220	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002221	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002222	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002223	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002224	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002225	07/30/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2002226	07/30/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2002227	07/30/2009	100.00	100.10	100.10	100.10	1

KU	ITRON	C1S	2002228	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002229	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002230	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002231	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002232	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002233	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002234	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002235	07/30/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002236	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002237	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002238	07/30/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002239	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002240	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002241	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002242	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002243	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002244	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002245	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002246	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002247	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002248	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002249	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002250	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002251	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002252	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002253	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002254	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002255	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002256	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002257	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002258	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002259	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002260	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002261	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002262	07/23/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002263	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002264	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002265	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002266	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002267	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002268	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002269	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002270	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002271	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002272	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002273	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002274	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002275	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002276	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002277	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002278	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002279	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002280	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002281	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002282	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002283	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002284	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002285	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002286	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002287	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002288	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002289	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002290	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002291	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002292	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002293	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002294	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002295	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002296	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002297	07/23/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002368	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002369	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002370	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002371	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002372	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002373	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002374	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002375	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002376	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002377	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002378	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002379	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002380	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002381	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002382	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002383	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002384	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002385	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002386	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002387	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002388	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002389	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002390	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002391	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002392	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002393	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002394	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002395	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002396	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002397	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002398	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002399	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002400	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002401	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002402	07/23/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002403	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002404	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002405	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002406	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002407	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002408	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002409	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002410	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002411	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002412	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002413	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002414	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002415	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002416	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002417	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002418	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002419	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002420	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002421	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002422	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002423	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002424	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002425	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002426	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002427	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002428	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002429	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002430	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002431	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002432	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002433	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002434	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002435	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002436	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002437	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002438	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002439	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002440	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002441	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002442	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002443	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002444	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002445	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002446	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002447	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002448	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002449	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002450	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002451	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002452	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002453	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002454	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002455	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002456	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002457	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002458	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002459	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002460	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002461	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002462	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002463	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002464	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002465	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002466	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002467	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002468	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002469	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002470	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002471	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002472	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002473	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002474	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002475	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002476	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002477	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002478	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002479	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002480	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002481	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002482	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002483	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002484	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002485	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002486	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002487	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002488	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002489	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002490	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002491	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002492	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002493	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002494	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002495	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002496	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002497	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002498	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002499	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002500	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002501	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002502	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002503	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002504	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002505	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002506	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002507	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002508	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002509	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002510	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002511	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002512	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002513	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002514	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002515	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002516	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002517	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002518	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002519	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002520	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002521	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002522	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002523	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002524	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002525	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002526	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002527	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002528	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002529	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002530	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002531	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002532	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002533	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002534	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002535	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002536	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002537	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002538	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002539	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002540	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002541	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002542	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002578	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002579	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002580	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002581	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002582	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002583	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002584	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002585	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002586	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002587	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002588	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002589	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002590	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002591	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002592	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002593	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002594	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002595	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002596	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002597	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002598	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002599	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002600	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002601	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002602	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002603	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002604	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002605	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002606	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002607	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002608	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002609	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002610	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002611	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002612	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C:IS	2002613	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002614	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002615	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002616	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002617	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002618	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002619	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002620	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002621	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002622	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002623	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002624	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002625	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002626	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002627	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002628	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002629	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002630	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002631	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002632	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002633	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002634	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002635	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002636	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002637	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002638	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002639	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002640	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002641	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002642	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002643	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002644	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002645	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002646	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C:IS	2002647	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002753	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002754	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002755	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002756	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002757	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002758	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002759	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002760	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002761	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002762	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002763	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002764	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002765	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002766	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002767	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002768	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002769	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002770	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002771	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002772	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002773	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002774	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002775	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002776	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002777	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002778	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002779	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002780	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002781	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002782	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002783	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002784	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002785	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002786	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002787	08/12/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002788	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002789	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002790	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002791	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002792	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002793	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002794	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002795	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002796	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002797	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002798	08/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002799	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002800	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002801	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002802	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002803	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002804	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002805	08/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002806	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002807	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002808	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002809	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002810	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002811	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002812	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002813	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002814	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002815	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002816	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002817	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002818	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002819	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002820	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002821	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002822	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002823	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002824	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002825	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002826	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002827	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002828	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002829	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002830	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002831	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002832	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002833	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002834	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002835	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002836	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002837	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002838	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002839	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002840	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002841	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002842	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002843	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002844	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002845	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002846	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002847	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002848	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002849	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002850	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002851	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002852	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002853	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002854	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002855	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002856	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002857	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002858	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002859	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002860	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002861	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002862	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002863	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002864	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002865	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002866	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002867	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002868	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002869	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002870	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002871	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002872	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002873	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002874	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002875	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002876	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002877	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002878	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002879	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002880	08/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2002881	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002882	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002883	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002884	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002885	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002886	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002887	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002888	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002889	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002890	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002891	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002892	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	CIS	2002893	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002894	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002895	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002896	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002897	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002898	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002899	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002900	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002901	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002902	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002903	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002904	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002905	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002906	08/12/2009	99.90	100.10	100.10	1
KU	ITRON	CIS	2002907	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	CIS	2002908	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002909	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002910	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002911	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002912	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002913	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002914	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002915	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002916	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002917	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002918	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002919	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002920	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002921	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002922	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002923	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002924	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002925	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002926	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2002927	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002928	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002929	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002930	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002931	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002932	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002933	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002934	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002935	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002936	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002937	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002938	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002939	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002940	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002941	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002942	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002943	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002944	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002945	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002946	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002947	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002948	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002949	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002950	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002951	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002952	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002953	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002954	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002955	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002956	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002957	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002958	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002959	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002960	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002961	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002962	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002963	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002964	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002965	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002966	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002967	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002968	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002969	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002970	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002971	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002972	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002973	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002974	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002975	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002976	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002977	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002978	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002979	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002980	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002981	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002982	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002983	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002984	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002985	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002986	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002987	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002988	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002989	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002990	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002991	08/11/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002992	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002993	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002994	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002995	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002996	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002997	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2002998	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2002999	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003000	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003001	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003002	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003003	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003004	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003005	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003006	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003007	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003008	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003009	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003010	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003011	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003012	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003013	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003014	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003015	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003016	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003017	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003018	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003019	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003020	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003021	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003022	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003023	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003024	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003025	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003026	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003027	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003028	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003029	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003030	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003031	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003032	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003068	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003069	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003070	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003071	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003072	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003073	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003074	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003075	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003076	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003077	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003078	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003079	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003080	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003081	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003082	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003083	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003084	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003085	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003086	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003087	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003088	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003089	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003090	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003091	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003092	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003093	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003094	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003095	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003096	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003097	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003098	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003099	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003100	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003101	08/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003102	08/12/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003138	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003139	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003140	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003141	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003142	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003143	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003144	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003145	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003146	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003147	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003148	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003149	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003150	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003151	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003152	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003153	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003154	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003155	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003156	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003157	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003158	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003159	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003160	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003161	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003162	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003163	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003164	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003165	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003166	08/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003167	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003168	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003169	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003170	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003171	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003172	08/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003243	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003244	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003245	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003246	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003247	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003248	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003249	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003250	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003251	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003252	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003253	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003254	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003255	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003256	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003257	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003258	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003259	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003260	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003261	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003262	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003263	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003264	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003265	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003266	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003267	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003268	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003269	08/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003270	08/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003271	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003272	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003273	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003274	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003275	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003276	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003277	07/24/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003488	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003489	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003490	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003491	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003492	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003493	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003494	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003495	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003496	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003497	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003498	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003499	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003500	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003501	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003502	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003503	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003504	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003505	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003506	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003507	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003508	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003509	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003510	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003511	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003512	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003513	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003514	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003515	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003516	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003517	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003518	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003519	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003520	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003521	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003522	07/24/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003628	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003629	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003630	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003631	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003632	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003633	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003634	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003635	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003636	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003637	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003638	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003639	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003640	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003641	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003642	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003643	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003644	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003645	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003646	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003647	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003648	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003649	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003650	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003651	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003652	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003653	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003654	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003655	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003656	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003657	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003658	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003659	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003660	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003661	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003662	07/23/2009	99.90	100.10	100.10	1

KU	ITRON	C1S	2003698	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003699	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003700	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003701	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003702	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003703	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003704	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003705	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003706	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003707	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003708	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003709	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003710	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003711	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003712	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003713	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003714	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003715	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003716	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003717	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003718	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003719	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003720	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003721	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003722	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003723	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003724	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003725	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003726	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003727	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003728	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003729	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003730	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003731	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003732	07/24/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003733	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003734	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003735	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003736	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003737	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003738	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003739	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003740	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003741	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003742	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003743	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003744	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003745	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003746	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003747	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003748	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003749	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003750	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003751	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003752	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003753	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003754	07/23/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003755	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003756	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003757	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003758	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003759	07/23/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003760	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003761	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003762	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003763	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003764	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003765	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003766	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003767	07/24/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2003768	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003769	07/27/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003770	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003771	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003772	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003773	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003774	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003775	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003776	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003777	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003778	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003779	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003780	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003781	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003782	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003783	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003784	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003785	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003786	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003787	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003788	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003789	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003790	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003791	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003792	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003793	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003794	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003795	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003796	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003797	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003798	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003799	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003800	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003801	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003802	07/24/2009	99.90	100.10	100.10	1

KU	ITRON	C1S	2003978	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003979	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003980	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003981	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003982	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003983	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003984	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003985	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003986	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003987	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003988	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003989	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003990	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003991	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003992	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003993	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003994	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003995	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003996	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003997	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2003998	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2003999	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004000	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004001	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004002	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004003	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004004	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004005	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004006	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004007	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004008	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004009	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2004010	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004011	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004012	07/24/2009	99.90	100.10	100.10	1

KU	ITRON	C1S	2004048	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004049	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004050	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004051	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004052	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004053	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004054	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2004055	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004056	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004057	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004058	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004059	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004060	07/24/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2004061	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004062	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004063	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004064	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004065	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004066	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004067	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004068	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004069	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004070	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004071	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004072	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004073	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004074	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004075	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004076	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004077	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004078	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004079	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004080	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004081	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004082	07/24/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2004118	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004119	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004120	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004121	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004122	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004123	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004124	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004125	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004126	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004127	07/24/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004320	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004321	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004322	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004323	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004324	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004325	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004326	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004327	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004328	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004329	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004330	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004331	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004332	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004333	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004334	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004335	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004336	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004337	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004338	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004339	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004340	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004341	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004342	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004343	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004344	11/19/2009	99.90	100.00	100.10	1

KU	ITRON	C1S	2004345	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004346	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004347	11/19/2009	99.90	100.00	99.90	100.00	1
KU	ITRON	C1S	2004348	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004349	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004350	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004351	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004352	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004353	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004354	11/19/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2004355	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004356	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004357	11/19/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2004358	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004359	11/19/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1S	2004360	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004361	11/19/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	C1S	2004362	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004363	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004364	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004365	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004366	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004367	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004368	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004369	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004370	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2004371	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004372	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2004373	11/19/2009	100.00	99.90	99.90	100.00	1
KU	ITRON	C1S	2004374	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004375	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004376	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004377	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004378	11/19/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1S	2004379	11/19/2009	100.00	100.00	99.80	100.00	1

KU	ITRON	C1S	2004380	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004381	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004382	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004383	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004384	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004385	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004386	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004387	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004388	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004389	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004390	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004391	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004392	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004393	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004394	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004395	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004396	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004397	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004398	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004399	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004400	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004401	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004402	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004403	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004404	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004405	11/19/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2004406	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004407	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004408	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004409	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004410	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004411	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004412	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004413	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004414	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2004415	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004416	11/19/2009	100.00	100.10	99.90	100.10	1
KU	ITRON	C1S	2004417	11/19/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2004418	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2004419	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004420	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004421	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004422	11/19/2009	100.00	100.10	99.90	100.10	1
KU	ITRON	C1S	2004423	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004424	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004425	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004426	11/19/2009	100.00	99.90	100.00	100.00	1
KU	ITRON	C1S	2004427	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004428	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004429	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004430	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004431	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004432	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004433	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004434	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004435	11/19/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2004436	11/19/2009	99.90	100.00	99.90	100.00	1
KU	ITRON	C1S	2004437	11/19/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1S	2004438	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004439	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004440	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004441	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2004442	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004443	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004444	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004445	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004446	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004447	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004448	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004449	11/19/2009	100.00	100.10	99.90	100.00	1

KU	ITRON	C1S	2004450	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004451	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004452	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004453	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004454	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004455	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004456	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004457	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004458	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004459	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004460	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004461	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2004462	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004463	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004464	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004465	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004466	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004467	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004468	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004469	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004470	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004471	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004472	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004473	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004474	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004475	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004476	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004477	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004478	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004479	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004480	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004481	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004482	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004483	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004484	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2004485	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004486	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004487	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004488	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004489	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004490	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004491	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004492	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004493	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004494	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004495	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004496	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004497	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004498	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004499	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004500	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004501	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004502	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004503	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004504	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004505	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004506	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004507	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004508	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004509	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004510	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004511	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004512	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004513	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004514	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004515	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004516	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004517	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004518	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004519	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2004520	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004521	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004522	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004523	11/19/2009	99.90	99.90	99.90	99.80	1
KU	ITRON	C1S	2004524	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2004525	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004526	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004527	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2004528	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004529	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004530	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2004531	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004532	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004533	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2004534	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004535	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004536	11/19/2009	99.90	99.90	100.10	99.90	1
KU	ITRON	C1S	2004537	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004538	11/19/2009	99.90	99.90	100.10	100.10	1
KU	ITRON	C1S	2004539	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004540	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004541	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004542	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004543	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004544	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2004545	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2004546	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004547	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004548	11/19/2009	100.00	100.00	99.90	99.80	1
KU	ITRON	C1S	2004549	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2004550	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004551	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004552	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004553	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004554	11/19/2009	100.00	100.00	100.20	100.00	1

KU	ITRON	C1S	2004555	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004556	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004557	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004558	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004559	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004560	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004561	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004562	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004563	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004564	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004565	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004566	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004567	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004568	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004569	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004570	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004571	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004572	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004573	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004574	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004575	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004576	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004577	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004578	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004579	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004580	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004581	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004582	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004583	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004584	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004585	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004586	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004587	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004588	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004589	11/19/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2004590	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004591	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004592	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004593	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004594	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004595	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2004596	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004597	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004598	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004599	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004600	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004601	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004602	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004603	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004604	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004605	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004606	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004607	11/19/2009	99.90	100.00	100.10	99.90	1
KU	ITRON	C1S	2004608	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004609	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2004610	11/19/2009	100.00	100.00	100.10	99.80	1
KU	ITRON	C1S	2004611	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004612	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2004613	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004614	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004615	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004616	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004617	11/19/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1S	2004618	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2004619	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2004620	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2004621	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2004622	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004623	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2004624	11/19/2009	100.00	100.00	100.00	99.90	1

KU	ITRON	C1S	2004625	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004626	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004627	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004628	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004629	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004630	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004631	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004632	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004633	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004634	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004635	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004636	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004637	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004638	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004639	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004640	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004641	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004642	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004643	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004644	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004645	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004646	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004647	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004648	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004649	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004650	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004651	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004652	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004653	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004654	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2004655	11/19/2009	99.90	100.20	100.00	1
KU	ITRON	C1S	2004656	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004657	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004658	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004659	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2004660	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004661	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004662	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004663	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004664	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004665	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004666	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004667	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004668	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004669	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004670	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004671	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004672	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004673	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004674	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004675	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004676	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004677	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004678	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004679	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004680	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004681	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004682	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004683	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004684	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004685	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004686	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004687	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004688	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004689	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004690	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004691	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004692	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004693	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004694	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2004695	11/19/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1S	2004696	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004697	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2004698	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1S	2004699	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2004700	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2004701	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2004702	11/19/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2004703	11/19/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2004704	11/19/2009	100.00	100.20	100.20	100.20	1
KU	ITRON	C1S	2004705	11/19/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2004706	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2004707	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004708	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004709	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004710	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004711	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2004712	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004713	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004714	11/19/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1S	2004715	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2004716	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2004717	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2004718	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004719	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2004720	11/19/2009	100.00	100.20	99.90	99.90	1
KU	ITRON	C1S	2004721	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004722	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004723	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2004724	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2004725	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004726	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2004727	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2004728	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2004729	11/19/2009	100.00	100.20	100.00	100.00	1

KU	ITRON	C1S	2004730	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004731	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004732	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004733	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004734	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004735	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004736	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004737	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004738	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004739	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004740	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004741	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004742	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004743	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004744	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004745	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004746	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004747	11/19/2009	99.90	100.20	100.00	1
KU	ITRON	C1S	2004748	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004749	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004750	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004751	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004752	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004753	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004754	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004755	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004756	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004757	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004758	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004759	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004760	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004761	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2004762	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004763	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004764	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2004765	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004766	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004767	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004768	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004769	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004770	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004771	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004772	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004773	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004774	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004775	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004776	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004777	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004778	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004779	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004780	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004781	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004782	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004783	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004784	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004785	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004786	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004787	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004788	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004789	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004790	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004791	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004792	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004793	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004794	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004795	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004796	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004797	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004798	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004799	11/19/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2004800	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004801	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004802	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004803	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004804	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004805	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004806	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004807	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004808	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004809	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004810	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004811	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004812	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004813	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004814	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2004815	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004816	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004817	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004818	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004819	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004820	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004821	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004822	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2004823	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004824	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004825	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004826	11/19/2009	99.90	100.20	100.10	1
KU	ITRON	C1S	2004827	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004828	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004829	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004830	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004831	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2004832	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004833	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004834	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	CIS	2004835	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2004836	11/19/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	CIS	2004837	11/19/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	CIS	2004838	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2004839	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004840	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004841	11/19/2009	99.90	100.00	100.10	100.00	1
KU	ITRON	CIS	2004842	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2004843	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004844	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004845	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004846	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004847	11/19/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	CIS	2004848	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004849	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004850	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004851	11/19/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	CIS	2004852	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004853	11/19/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	CIS	2004854	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004855	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004856	11/19/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	CIS	2004857	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004858	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004859	11/19/2009	100.00	100.20	99.90	100.00	1
KU	ITRON	CIS	2004860	11/19/2009	100.00	100.20	100.10	100.00	1
KU	ITRON	CIS	2004861	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	CIS	2004862	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	CIS	2004863	11/19/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	CIS	2004864	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	CIS	2004865	11/19/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	CIS	2004866	11/19/2009	100.00	100.20	99.90	100.00	1
KU	ITRON	CIS	2004867	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	CIS	2004868	11/19/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	CIS	2004869	11/19/2009	100.00	100.00	99.90	100.00	1

KU	ITRON	C1S	2004870	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004871	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004872	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004873	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004874	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004875	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004876	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004877	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004878	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004879	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004880	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004881	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004882	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004883	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004884	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004885	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004886	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004887	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004888	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004889	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004890	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004891	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004892	11/19/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2004893	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004894	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004895	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004896	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004897	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004898	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004899	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004900	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004901	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004902	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004903	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2004904	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2004905	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004906	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004907	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004908	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2004909	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004910	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004911	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004912	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004913	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004914	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004915	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004916	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2004917	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004918	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004919	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004920	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004921	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004922	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004923	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004924	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004925	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004926	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2004927	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004928	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004929	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004930	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004931	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004932	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004933	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004934	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2004935	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004936	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004937	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004938	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004939	11/19/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2004940	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004941	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004942	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004943	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004944	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004945	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004946	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004947	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004948	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004949	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004950	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004951	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004952	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004953	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004954	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004955	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004956	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004957	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004958	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004959	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2004960	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004961	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004962	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2004963	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004964	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004965	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004966	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2004967	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2004968	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004969	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2004970	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2004971	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2004972	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2004973	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2004974	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	CIS	2004975	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2004976	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2004977	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	CIS	2004978	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2004979	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2004980	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2004981	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2004982	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	CIS	2004983	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2004984	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2004985	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2004986	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2004987	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2004988	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2004989	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2004990	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	CIS	2004991	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2004992	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2004993	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2004994	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2004995	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2004996	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2004997	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2004998	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2004999	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005000	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005001	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2005002	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2005003	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005004	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2005005	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005006	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005007	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005008	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005009	11/19/2009	100.00	100.20	100.10	1

KU	ITRON	C1S	2005010	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005011	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005012	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005013	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005014	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005015	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005016	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005017	11/19/2009	100.00	100.20	100.20	1
KU	ITRON	C1S	2005018	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005019	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005020	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005021	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005022	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005023	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005024	11/19/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2005025	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005026	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005027	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005028	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005029	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005030	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005031	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2005032	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2005033	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005034	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005035	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005036	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005037	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005038	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005039	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005040	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005041	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005042	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005043	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005044	11/19/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2005045	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005046	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005047	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005048	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005049	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2005050	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005051	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005052	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005053	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005054	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005055	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005056	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005057	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2005058	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005059	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005060	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005061	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005062	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005063	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005064	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005065	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005066	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005067	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005068	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005069	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005070	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005071	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005072	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005073	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005074	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005075	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005076	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005077	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005078	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005079	11/19/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2005080	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005081	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005082	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005083	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005084	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005085	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005086	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005087	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005088	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005089	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005090	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005091	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005092	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005093	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005094	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005095	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005096	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005097	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005098	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005099	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005100	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005101	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005102	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005103	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005104	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005105	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005106	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005107	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005108	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005109	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005110	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005111	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005112	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005113	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005114	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2005115	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005116	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005117	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005118	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005119	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005120	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005121	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005122	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005123	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005124	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005125	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005126	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005127	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005128	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005129	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005130	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005131	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005132	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005133	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005134	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005135	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005136	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005137	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005138	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005139	11/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2005140	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005141	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005142	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005143	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005144	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005145	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005146	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005147	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005148	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005149	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2005150	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005151	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2005152	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005153	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005154	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005155	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005156	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005157	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005158	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005159	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005160	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005161	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005162	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005163	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005164	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005165	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005166	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005167	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005168	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005169	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005170	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005171	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005172	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005173	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005174	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005175	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005176	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005177	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005178	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005179	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005180	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005181	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005182	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005183	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005184	11/19/2009	100.00	100.00	100.00	1

KU	ITRON	C1S	2005185	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005186	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005187	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005188	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005189	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005190	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005191	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005192	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005193	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005194	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005195	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005196	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005197	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005198	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005199	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005200	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005201	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2005202	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005203	11/19/2009	99.90	100.20	100.10	1
KU	ITRON	C1S	2005204	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005205	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005206	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005207	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005208	11/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2005209	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005210	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005211	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005212	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005213	11/19/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2005214	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005215	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005216	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005217	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005218	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005219	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2005220	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005221	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005222	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005223	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005224	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005225	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005226	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005227	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005228	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005229	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005230	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005231	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005232	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005233	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005234	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005235	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005236	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005237	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005238	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005239	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005240	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005241	11/19/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2005242	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005243	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005244	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005245	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005246	11/19/2009	99.90	99.90	99.90	1
KU	ITRON	C1S	2005247	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005248	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005249	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005250	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005251	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005252	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005253	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005254	11/19/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2005255	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005256	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005257	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005258	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005259	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005260	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005261	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005262	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005263	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005264	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005265	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005266	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005267	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005268	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005269	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005270	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005271	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005272	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005273	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005274	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005275	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005276	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005277	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005278	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005279	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005280	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005281	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005282	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005283	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005284	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005285	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005286	11/19/2009	99.90	100.20	100.00	1
KU	ITRON	C1S	2005287	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005288	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005289	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2005290	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005291	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005292	11/19/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C1S	2005293	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005294	11/19/2009	100.00	100.00	100.10	99.80	1
KU	ITRON	C1S	2005295	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005296	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005297	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005298	11/19/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2005299	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005300	11/19/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1S	2005301	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2005302	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005303	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005304	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2005305	11/19/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2005306	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005307	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005308	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2005309	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005310	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005311	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005312	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005313	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2005314	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005315	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005316	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005317	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005318	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2005319	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005320	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005321	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005322	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005323	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2005324	11/19/2009	100.00	100.00	100.00	99.90	1

KU	ITRON	C1S	2005325	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005326	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005327	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005328	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005329	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005330	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005331	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005332	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005333	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005334	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005335	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005336	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005337	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005338	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005339	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005340	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005341	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005342	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005343	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005344	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005345	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005346	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005347	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005348	11/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2005349	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005350	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005351	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005352	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005353	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005354	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005355	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005356	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005357	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005358	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005359	11/19/2009	100.00	100.10	99.90	1

KU	ITRON	C1S	2005360	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005361	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005362	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005363	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005364	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005365	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005366	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005367	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005368	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005369	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005370	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005371	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005372	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005373	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005374	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005375	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005376	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005377	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005378	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005379	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005380	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005381	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005382	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005383	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005384	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005385	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005386	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005387	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005388	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005389	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005390	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005391	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005392	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005393	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005394	11/19/2009	100.00	100.20	100.20	1

KU	ITRON	C1S	2005395	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005396	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005397	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005398	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005399	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005400	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005401	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005402	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005403	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005404	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005405	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005406	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005407	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005408	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005409	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005410	11/19/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2005411	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005412	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005413	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005414	11/19/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2005415	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005416	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005417	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005418	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005419	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005420	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005421	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005422	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005423	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005424	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005425	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005426	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005427	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005428	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005429	11/19/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2005430	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005431	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005432	11/19/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1S	2005433	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2005434	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005435	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005436	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005437	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005438	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005439	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005440	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005441	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005442	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005443	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005444	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005445	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005446	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005447	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005448	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005449	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005450	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005451	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2005452	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005453	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005454	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2005455	11/19/2009	99.90	100.10	100.10	100.10	1
KU	ITRON	C1S	2005456	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2005457	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005458	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005459	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2005460	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005461	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2005462	11/19/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1S	2005463	11/19/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1S	2005464	11/19/2009	100.00	100.20	100.00	100.00	1

KU	ITRON	C1S	2005465	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005466	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005467	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005468	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005469	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005470	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005471	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005472	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005473	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005474	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005475	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005476	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005477	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005478	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005479	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005480	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005481	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005482	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005483	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005484	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005485	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005486	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005487	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005488	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005489	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005490	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005491	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005492	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005493	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005494	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005495	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005496	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005497	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005498	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005499	11/19/2009	100.00	99.90	99.90	1

KU	ITRON	C1S	2005500	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005501	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005502	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005503	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005504	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005505	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005506	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005507	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005508	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005509	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005510	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005511	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005512	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005513	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005514	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005515	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005516	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005517	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005518	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005519	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005520	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005521	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005522	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005523	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005524	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005525	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005526	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005527	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005528	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005529	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005530	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005531	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005532	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005533	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005534	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2005535	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005536	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005537	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005538	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005539	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005540	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005541	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005542	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005543	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005544	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005545	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005546	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005547	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005548	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005549	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005550	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005551	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005552	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005553	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005554	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005555	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005556	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005557	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005558	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005559	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005560	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005561	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005562	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005563	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005564	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005565	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005566	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005567	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005568	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005569	11/19/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2005570	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005571	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005572	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005573	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005574	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005575	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005576	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005577	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005578	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005579	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005580	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005581	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005582	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005583	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005584	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005585	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005586	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005587	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005588	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005589	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005590	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005591	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005592	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005593	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005594	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005595	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005596	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005597	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005598	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005599	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005600	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005601	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005602	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005603	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005604	11/19/2009	100.00	100.10	100.10	1

KU	ITRON	CIS	2005605	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005606	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2005607	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005608	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005609	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005610	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2005611	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005612	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	CIS	2005613	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005614	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2005615	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005616	11/19/2009	99.90	99.90	99.90	1
KU	ITRON	CIS	2005617	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005618	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2005619	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005620	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2005621	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005622	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005623	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005624	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2005625	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005626	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005627	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005628	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005629	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005630	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005631	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005632	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005633	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2005634	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005635	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005636	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005637	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2005638	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005639	11/19/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2005640	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005641	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005642	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005643	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005644	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005645	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005646	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005647	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005648	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005649	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005650	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005651	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005652	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005653	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005654	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2005655	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005656	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005657	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005658	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005659	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005660	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005661	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005662	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005663	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005664	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005665	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005666	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005667	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005668	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005669	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005670	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005671	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005672	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005673	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005674	11/19/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2005675	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005676	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005677	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005678	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005679	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005680	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005681	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005682	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005683	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005684	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005685	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005686	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005687	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005688	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005689	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005690	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2005691	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005692	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005693	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005694	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005695	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005696	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005697	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005698	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005699	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005700	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005701	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005702	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005703	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005704	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005705	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2005706	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005707	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005708	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005709	11/19/2009	100.00	100.00	100.00	1

KU	ITRON	C1S	2005710	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005711	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005712	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005713	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005714	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005715	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005716	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005717	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005718	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005719	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005720	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005721	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005722	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005723	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005724	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005725	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005726	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005727	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005728	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005729	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005730	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005731	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005732	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005733	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005734	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005735	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005736	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005737	11/19/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2005738	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005739	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005740	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005741	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005742	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005743	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005744	11/19/2009	100.00	99.90	99.90	1

KU	ITRON	C1S	2005745	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005746	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005747	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005748	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005749	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005750	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005751	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005752	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005753	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005754	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005755	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005756	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005757	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005758	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005759	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2005760	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005761	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005762	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005763	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005764	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005765	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005766	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005767	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005768	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2005769	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005770	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005771	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005772	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005773	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005774	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005775	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005776	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005777	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005778	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005779	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2005780	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005781	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005782	11/19/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2005783	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2005784	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005785	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005786	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005787	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005788	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2005789	11/19/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C1S	2005790	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005791	11/19/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1S	2005792	11/19/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2005793	11/19/2009	100.00	99.90	100.00	99.90	1
KU	ITRON	C1S	2005794	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2005795	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005796	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005797	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005798	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005799	11/19/2009	100.00	100.10	100.00	100.20	1
KU	ITRON	C1S	2005800	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005801	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005802	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005803	11/19/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2005804	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005805	11/19/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2005806	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005807	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005808	11/19/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1S	2005809	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005810	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005811	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005812	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005813	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2005814	11/19/2009	99.90	99.90	99.90	99.90	1

KU	ITRON	CIS	2005815	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005816	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2005817	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005818	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	CIS	2005819	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005820	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005821	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005822	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2005823	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005824	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005825	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005826	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2005827	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005828	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005829	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005830	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2005831	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005832	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005833	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005834	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005835	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005836	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005837	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005838	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005839	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005840	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	CIS	2005841	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2005842	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2005843	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	CIS	2005844	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005845	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2005846	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005847	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2005848	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2005849	11/19/2009	99.90	100.00	100.10	1

KU	ITRON	C1S	2005850	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005851	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005852	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005853	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005854	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005855	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005856	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005857	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005858	11/19/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2005859	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005860	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2005861	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005862	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005863	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005864	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005865	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005866	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005867	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005868	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005869	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005870	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005871	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005872	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005873	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005874	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005875	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005876	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005877	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005878	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005879	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005880	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005881	11/19/2009	99.90	99.90	99.80	1
KU	ITRON	C1S	2005882	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005883	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005884	11/19/2009	100.00	100.10	100.00	1

KU	ITRON	C1S	2005885	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005886	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005887	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005888	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005889	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005890	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005891	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005892	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005893	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005894	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005895	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005896	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005897	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005898	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005899	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005900	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005901	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005902	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005903	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005904	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005905	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005906	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005907	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005908	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005909	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005910	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005911	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005912	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005913	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2005914	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005915	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005916	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005917	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005918	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005919	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2005920	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005921	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005922	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005923	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005924	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005925	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005926	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2005927	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005928	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005929	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005930	11/19/2009	100.00	100.10	100.20	1
KU	ITRON	C1S	2005931	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005932	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005933	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005934	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005935	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005936	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005937	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005938	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005939	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005940	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005941	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005942	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005943	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005944	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005945	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005946	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005947	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2005948	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005949	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005950	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005951	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005952	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005953	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2005954	11/19/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2005955	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005956	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005957	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005958	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005959	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005960	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005961	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005962	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005963	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005964	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005965	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005966	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005967	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005968	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005969	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2005970	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2005971	11/19/2009	100.00	100.00	100.20	1
KU	ITRON	C1S	2005972	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005973	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005974	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005975	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005976	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2005977	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005978	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005979	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2005980	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2005981	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005982	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2005983	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005984	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005985	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005986	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2005987	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2005988	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2005989	11/19/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2005990	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2005991	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2005992	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2005993	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2005994	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2005995	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2005996	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2005997	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2005998	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2005999	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2006000	11/19/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2006001	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2006002	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2006003	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2006004	11/19/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1S	2006005	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006006	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006007	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2006008	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006009	11/19/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2006010	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006011	11/19/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1S	2006012	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2006013	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006014	11/19/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1S	2006015	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2006016	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2006017	11/19/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1S	2006018	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006019	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2006020	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006021	11/19/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1S	2006022	11/19/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1S	2006023	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006024	11/19/2009	100.00	100.00	100.00	100.00	1

KU	ITRON	C1S	2006025	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006026	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006027	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006028	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006029	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006030	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006031	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006032	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006033	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006034	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2006035	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006036	11/19/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2006037	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006038	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006039	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006040	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006041	11/19/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2006042	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006043	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006044	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006045	11/19/2009	99.90	100.00	100.10	1
KU	ITRON	C1S	2006046	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006047	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006048	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006049	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006050	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006051	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006052	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006053	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006054	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006055	11/19/2009	100.00	100.10	99.80	1
KU	ITRON	C1S	2006056	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006057	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006058	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006059	11/19/2009	100.00	100.20	100.00	1

KU	ITRON	C1S	2006060	11/19/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1S	2006061	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006062	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006063	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006064	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006065	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006066	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006067	11/19/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2006068	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006069	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006070	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006071	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006072	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006073	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006074	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006075	11/19/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2006076	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006077	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006078	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006079	11/19/2009	99.90	100.10	100.00	100.10	1
KU	ITRON	C1S	2006080	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006081	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006082	11/19/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1S	2006083	11/19/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2006084	11/19/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1S	2006085	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006086	11/19/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1S	2006087	11/19/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1S	2006088	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2006089	11/19/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1S	2006090	11/19/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1S	2006091	11/19/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1S	2006092	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006093	11/19/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1S	2006094	11/19/2009	100.00	100.10	99.90	99.90	1

KU	ITRON	C1S	2006095	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006096	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006097	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006098	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006099	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2006100	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006101	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006102	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006103	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006104	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006105	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006106	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006107	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006108	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006109	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006110	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006111	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006112	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006113	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006114	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006115	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006116	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006117	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006118	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006119	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006120	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006121	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2006122	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006123	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006124	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006125	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006126	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006127	11/19/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2006128	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006129	11/19/2009	100.00	99.90	100.00	1

KU	ITRON	C1S	2006130	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006131	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006132	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006133	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006134	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2006135	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006136	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006137	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006138	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2006139	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006140	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006141	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006142	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006143	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006144	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006145	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006146	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006147	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006148	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006149	11/19/2009	99.90	100.00	99.80	1
KU	ITRON	C1S	2006150	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006151	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2006152	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006153	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006154	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006155	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006156	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006157	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006158	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006159	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006160	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006161	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006162	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006163	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006164	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2006165	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006166	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006167	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006168	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006169	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006170	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006171	11/19/2009	100.00	99.90	100.00	1
KU	ITRON	C1S	2006172	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006173	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006174	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006175	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006176	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006177	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2006178	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006179	11/19/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2006180	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006181	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006182	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006183	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006184	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006185	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006186	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006187	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006188	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006189	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006190	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006191	11/19/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2006192	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006193	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006194	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006195	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006196	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006197	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006198	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2006199	11/19/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2006200	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006201	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006202	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006203	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006204	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006205	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006206	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006207	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006208	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006209	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006210	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006211	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2006212	11/19/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2006213	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006214	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006215	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006216	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006217	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006218	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006219	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006220	11/19/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2006221	11/19/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2006222	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006223	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006224	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2006225	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006226	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006227	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2006228	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2006229	11/19/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2006230	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006231	11/19/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2006232	11/19/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2006233	11/19/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2006234	11/18/2009	100.00	100.10	100.00	1

KU	ITRON	CIS	2006235	11/19/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2006236	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2006237	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2006238	11/19/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2006239	11/19/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2501996	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2501997	12/04/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2501998	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2501999	12/04/2009	100.00	100.20	99.90	1
KU	ITRON	CIS	2502000	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2502001	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2502002	12/04/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2502003	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2502004	12/04/2009	99.90	100.10	100.00	1
KU	ITRON	CIS	2502005	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	CIS	2502006	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2502007	12/04/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2502008	12/04/2009	99.90	100.10	100.00	1
KU	ITRON	CIS	2502009	12/04/2009	100.00	100.00	100.10	1
KU	ITRON	CIS	2502010	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2502011	12/04/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2502012	12/04/2009	100.00	99.90	99.90	1
KU	ITRON	CIS	2502013	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2502014	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2502015	12/04/2009	100.00	100.10	99.90	1
KU	ITRON	CIS	2502016	12/04/2009	100.00	100.00	99.80	1
KU	ITRON	CIS	2502017	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2502018	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2502019	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2502020	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2502021	12/04/2009	100.00	100.00	100.00	1
KU	ITRON	CIS	2502022	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	CIS	2502023	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	CIS	2502024	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	CIS	2502025	12/04/2009	100.00	100.00	99.90	1

KU	ITRON	C1S	2502026	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502027	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502028	12/04/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2502029	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502030	12/04/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2502031	12/04/2009	99.90	100.20	100.10	1
KU	ITRON	C1S	2502032	12/04/2009	99.90	100.20	100.00	1
KU	ITRON	C1S	2502033	12/04/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2502034	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502035	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502036	12/04/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2502037	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502038	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502039	12/04/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2502040	12/04/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2502041	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502042	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502043	12/04/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2502044	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502045	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502046	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502047	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502048	12/04/2009	100.00	100.20	99.90	1
KU	ITRON	C1S	2502049	12/04/2009	99.90	100.10	100.10	1
KU	ITRON	C1S	2502050	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502051	12/04/2009	99.90	100.00	100.00	1
KU	ITRON	C1S	2502052	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502053	12/04/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2502054	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502055	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502056	12/04/2009	100.00	100.00	99.80	1
KU	ITRON	C1S	2502057	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502058	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502059	12/04/2009	100.00	99.90	99.80	1
KU	ITRON	C1S	2502060	12/04/2009	100.00	100.10	100.10	1

KU	ITRON	C1S	2502061	12/04/2009	100.00	100.10	99.90	1
KU	ITRON	C1S	2502062	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502063	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502064	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502065	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502066	12/04/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2502067	12/04/2009	100.00	100.20	100.00	1
KU	ITRON	C1S	2502068	12/04/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2502069	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502070	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502071	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502072	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502073	12/04/2009	100.00	99.90	99.90	1
KU	ITRON	C1S	2502074	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502075	12/04/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2502076	12/04/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2502077	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502078	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502079	12/04/2009	100.00	100.00	100.00	1
KU	ITRON	C1S	2502080	12/04/2009	100.00	100.00	100.10	1
KU	ITRON	C1S	2502081	12/04/2009	100.00	100.00	99.90	1
KU	ITRON	C1S	2502082	12/04/2009	99.90	100.10	100.00	1
KU	ITRON	C1S	2502083	12/04/2009	99.90	100.10	99.90	1
KU	ITRON	C1S	2502084	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502085	12/04/2009	100.00	100.20	100.10	1
KU	ITRON	C1S	2502086	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502087	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502088	12/04/2009	99.90	100.00	99.90	1
KU	ITRON	C1S	2502089	12/04/2009	100.00	100.10	100.00	1
KU	ITRON	C1S	2502090	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1S	2502091	12/04/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500000	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500001	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500002	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500003	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2500004	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500005	06/16/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500006	06/16/2009	100.00	100.10	100.20	100.00	1
KU	ITRON	C1SR	2500007	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500008	06/16/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	C1SR	2500009	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500010	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500011	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500012	06/16/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500013	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500014	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500015	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500016	06/16/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1SR	2500017	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500018	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500019	06/16/2009	99.90	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500020	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500021	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500022	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500023	06/16/2009	99.90	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500024	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500025	06/16/2009	99.90	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500026	06/16/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500027	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500028	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500029	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500030	06/15/2009	100.00	99.90	99.90	100.00	1
KU	ITRON	C1SR	2500031	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500032	06/16/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500033	06/15/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500034	06/16/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500035	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500036	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500037	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500038	06/15/2009	100.00	99.90	99.90	100.00	1

KU	ITRON	C1SR	2500039	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500040	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500041	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500042	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500043	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500044	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500045	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500046	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500047	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500048	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500049	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500050	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500051	06/16/2009	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500052	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500053	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500054	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500055	06/15/2009	99.90	99.90	99.90	1
KU	ITRON	C1SR	2500056	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500057	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500058	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500059	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500060	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500061	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500062	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500063	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500064	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500065	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500066	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500067	06/16/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500068	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500069	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500070	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500071	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500072	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500073	06/15/2009	100.00	100.10	100.10	1

KU	ITRON	C1SR	2500074	06/16/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500075	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500076	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500077	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500078	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500079	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500080	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500081	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500082	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500083	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500084	06/16/2009	99.90	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500085	06/16/2009	99.90	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500086	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500087	06/16/2009	100.00	100.00	100.00	100.20	1
KU	ITRON	C1SR	2500088	06/16/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500089	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500090	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500091	06/15/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500092	06/15/2009	100.00	100.00	100.10	99.80	1
KU	ITRON	C1SR	2500093	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500094	06/16/2009	99.90	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500095	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500096	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500097	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500098	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500099	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500100	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500101	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500102	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500103	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500104	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500105	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500106	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500107	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500108	06/16/2009	99.90	100.00	100.10	100.20	1

KU	ITRON	CISR	2500109	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500110	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2500111	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500112	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	CISR	2500113	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	CISR	2500114	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500115	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500116	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500117	06/16/2009	100.00	99.90	99.80	1
KU	ITRON	CISR	2500118	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500119	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500120	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500121	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500122	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500123	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500124	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500125	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500126	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500127	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	CISR	2500128	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2500129	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500130	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500131	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500132	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2500133	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500134	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500135	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500136	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500137	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500138	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500139	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	CISR	2500140	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500141	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500142	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500143	06/16/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2500144	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500145	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500146	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500147	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500148	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500149	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500150	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500151	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500152	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500153	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500154	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500155	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500156	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500157	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500158	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500159	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500160	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500161	06/15/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500162	06/16/2009	99.90	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500163	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500164	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500165	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500166	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500167	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500168	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500169	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500170	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500171	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500172	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500173	06/16/2009	99.90	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500174	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500175	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500176	06/16/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500177	06/16/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500178	06/16/2009	100.00	100.00	100.00	100.00	1

KU	ITRON	C1SR	2500179	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500180	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500181	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500182	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500183	06/16/2009	99.90	99.90	99.90	1
KU	ITRON	C1SR	2500184	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500185	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500186	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500187	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500188	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500189	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500190	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500191	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500192	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500193	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500194	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500195	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500196	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500197	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500198	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500199	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500200	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500201	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500202	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500203	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500204	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500205	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500206	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500207	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500208	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500209	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500210	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500211	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500212	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500213	06/16/2009	100.00	100.00	99.80	1

KU	ITRON	C1SR	2500214	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500215	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500216	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500217	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500218	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500219	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500220	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500221	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500222	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500223	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500224	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500225	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500226	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500227	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500228	06/15/2009	99.90	100.10	100.10	1
KU	ITRON	C1SR	2500229	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500230	06/16/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500231	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500232	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500233	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500234	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500235	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500236	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500237	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500238	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500239	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500240	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500241	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500242	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500243	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2500244	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500245	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500246	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500247	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500248	06/16/2009	100.00	100.10	100.00	1

KU	ITRON	C:ISR	2500249	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C:ISR	2500250	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500251	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500252	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500253	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500254	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500255	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500256	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C:ISR	2500257	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500258	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C:ISR	2500259	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500260	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500261	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500262	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500263	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500264	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500265	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C:ISR	2500266	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500267	06/16/2009	99.90	100.00	100.10	1
KU	ITRON	C:ISR	2500268	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500269	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500270	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C:ISR	2500271	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2500272	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500273	06/16/2009	100.00	100.10	100.20	1
KU	ITRON	C:ISR	2500274	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500275	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500276	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500277	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	C:ISR	2500278	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500279	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500280	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C:ISR	2500281	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500282	06/16/2009	99.90	100.10	99.90	1
KU	ITRON	C:ISR	2500283	06/16/2009	100.00	99.90	99.90	1

KU	ITRON	C1SR	2500284	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500285	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500286	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500287	06/16/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2500288	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500289	06/16/2009	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500290	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500291	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500292	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500293	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500294	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500295	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500296	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500297	06/16/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2500298	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500299	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500300	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500301	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500302	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500303	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500304	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500305	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500306	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500307	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500308	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500309	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2500310	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500311	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500312	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500313	06/16/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2500314	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500315	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500316	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500317	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500318	06/16/2009	100.00	100.10	100.10	1

KU	ITRON	C1SR	2500319	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500320	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500321	06/16/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500322	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500323	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500324	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500325	06/15/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500326	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500327	06/15/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500328	06/16/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500329	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500330	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500331	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500332	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500333	06/15/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2500334	06/16/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500335	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500336	06/16/2009	99.90	99.90	99.90	100.00	1
KU	ITRON	C1SR	2500337	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500338	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500339	06/16/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	C1SR	2500340	06/15/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500341	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500342	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500343	06/15/2009	99.90	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500344	06/16/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1SR	2500345	06/15/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	C1SR	2500346	06/15/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500347	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500348	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500349	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500350	06/15/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500351	06/16/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2500352	06/15/2009	100.00	99.90	99.90	100.00	1
KU	ITRON	C1SR	2500353	06/15/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C1SR	2500354	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500355	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500356	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500357	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500358	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500359	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500360	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500361	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500362	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500363	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500364	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500365	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500366	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500367	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500368	06/16/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500369	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500370	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500371	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500372	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500373	06/16/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2500374	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500375	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500376	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500377	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500378	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500379	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500380	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500381	06/15/2009	99.90	100.10	100.20	1
KU	ITRON	C1SR	2500382	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500383	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500384	06/16/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2500385	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500386	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500387	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500388	06/15/2009	100.00	100.10	100.10	1

KU	ITRON	C1SR	2500389	06/15/2009	99.90	100.20	100.00	1
KU	ITRON	C1SR	2500390	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500391	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500392	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500393	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500394	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500395	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500396	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500397	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500398	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500399	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500400	06/16/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2500401	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500402	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500403	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500404	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500405	06/16/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2500406	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500407	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500408	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500409	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500410	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500411	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500412	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500413	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500414	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500415	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500416	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500417	06/16/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2500418	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500419	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500420	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500421	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500422	06/16/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500423	06/16/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2500424	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500425	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500426	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500427	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500428	06/16/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2500429	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500430	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500431	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500432	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500433	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500434	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500435	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500436	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500437	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500438	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500439	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500440	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500441	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500442	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500443	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500444	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500445	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500446	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500447	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500448	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500449	06/16/2009	99.90	99.90	99.90	1
KU	ITRON	C1SR	2500450	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500451	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500452	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500453	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500454	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500455	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500456	06/16/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2500457	06/15/2009	99.90	100.00	100.10	1
KU	ITRON	C1SR	2500458	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2500459	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500460	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500461	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500462	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500463	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500464	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500465	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500466	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2500467	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500468	06/16/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2500469	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500470	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500471	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500472	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500473	06/16/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500474	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500475	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500476	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500477	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500478	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500479	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500480	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500481	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500482	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500483	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500484	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500485	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500486	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500487	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500488	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500489	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500490	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500491	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500492	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500493	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2500494	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500495	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500496	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500497	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500498	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500499	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500500	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500501	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500502	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500503	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500504	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500505	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500506	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500507	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500508	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500509	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500510	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500511	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500512	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500513	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500514	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500515	06/16/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500516	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500517	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500518	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500519	06/16/2009	100.00	100.00	100.20	1
KU	ITRON	C1SR	2500520	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500521	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500522	06/16/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2500523	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500524	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500525	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500526	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500527	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500528	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	CISR	2500529	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500530	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500531	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500532	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500533	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500534	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500535	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500536	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500537	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500538	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500539	06/15/2009	99.90	99.90	99.80	1
KU	ITRON	CISR	2500540	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500541	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2500542	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500543	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	CISR	2500544	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500545	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500546	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500547	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500548	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500549	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500550	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500551	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500552	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500553	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500554	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500555	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500556	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500557	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500558	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500559	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500560	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500561	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	CISR	2500562	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500563	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2500564	06/16/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500565	06/16/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500566	06/16/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500567	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500568	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500569	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500570	06/15/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500571	06/15/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500572	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500573	06/16/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500574	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500575	06/16/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500576	06/15/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500577	06/15/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500578	06/15/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500579	06/16/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500580	06/16/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500581	06/16/2009	100.00	99.90	100.00	99.80	1
KU	ITRON	C1SR	2500582	06/16/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500583	06/16/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2500584	06/16/2009	100.00	100.20	100.00	99.90	1
KU	ITRON	C1SR	2500585	06/16/2009	100.00	100.10	100.00	100.20	1
KU	ITRON	C1SR	2500586	06/16/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2500587	06/16/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500588	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500589	06/16/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2500590	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500591	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500592	06/16/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2500593	06/16/2009	99.90	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500594	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500595	06/16/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500596	06/16/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500597	06/16/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2500598	06/16/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C1SR	2500599	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500600	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500601	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500602	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500603	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500604	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500605	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500606	06/16/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500607	06/16/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500608	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500609	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500610	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500611	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500612	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500613	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500614	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500615	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500616	06/16/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500617	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500618	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500619	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500620	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500621	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500622	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500623	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500624	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500625	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500626	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500627	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500628	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500629	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2500630	06/16/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500631	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500632	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500633	06/15/2009	100.00	100.10	100.30	1

KU	ITRON	C1SR	2500634	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500635	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500636	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500637	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500638	06/15/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500639	06/15/2009	100.00	100.10	100.10	99.80	1
KU	ITRON	C1SR	2500640	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500641	06/16/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500642	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500643	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500644	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500645	06/16/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500646	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500647	06/15/2009	100.00	100.20	100.20	99.90	1
KU	ITRON	C1SR	2500648	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500649	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500650	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500651	06/16/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500652	06/16/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500653	06/16/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1SR	2500654	06/16/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500655	06/16/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500656	06/15/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1SR	2500657	06/15/2009	100.00	100.20	100.20	100.00	1
KU	ITRON	C1SR	2500658	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500659	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500660	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500661	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500662	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500663	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500664	06/16/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500665	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500666	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500667	06/16/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500668	06/16/2009	100.00	100.20	100.20	99.90	1

KU	ITRON	CISR	2500669	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500670	06/16/2009	99.90	100.10	100.00	1
KU	ITRON	CISR	2500671	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500672	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500673	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500674	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500675	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500676	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500677	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500678	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500679	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500680	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500681	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500682	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500683	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500684	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500685	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500686	06/16/2009	100.00	100.20	99.90	1
KU	ITRON	CISR	2500687	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500688	06/16/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2500689	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500690	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500691	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500692	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2500693	06/16/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500694	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	CISR	2500695	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2500696	06/16/2009	99.90	100.00	100.00	1
KU	ITRON	CISR	2500697	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500698	06/15/2009	100.00	100.00	100.20	1
KU	ITRON	CISR	2500699	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2500700	06/16/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500701	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2500702	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2500703	06/15/2009	100.00	100.00	99.80	1

KU	ITRON	C1SR	2500704	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500705	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500706	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500707	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500708	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500709	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500710	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500711	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500712	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500713	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500714	06/16/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500715	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500716	06/16/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500717	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500718	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500719	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500720	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2500721	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500722	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500723	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2500724	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500725	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500726	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500727	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500728	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500729	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500730	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500731	06/15/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2500732	06/15/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2500733	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500734	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500735	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500736	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500737	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500738	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2500739	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500740	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500741	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500742	06/15/2009	99.90	100.20	99.90	1
KU	ITRON	C1SR	2500743	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500744	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500745	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500746	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500747	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500748	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500749	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500750	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2500751	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500752	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500753	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500754	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500755	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500756	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500757	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500758	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500759	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500760	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500761	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500762	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500763	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500764	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500765	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500766	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500767	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500768	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500769	06/15/2009	100.00	100.20	99.80	1
KU	ITRON	C1SR	2500770	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500771	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500772	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500773	06/15/2009	100.00	100.20	100.00	1

KU	ITRON	C1SR	2500774	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500775	06/15/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500776	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500777	06/15/2009	99.90	100.00	100.20	1
KU	ITRON	C1SR	2500778	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500779	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2500780	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500781	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500782	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500783	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500784	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500785	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500786	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500787	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2500788	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500789	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500790	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500791	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500792	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500793	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500794	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500795	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500796	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500797	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500798	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500799	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500800	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500801	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500802	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500803	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500804	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500805	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500806	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500807	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500808	06/15/2009	100.00	99.90	99.90	1

KU	ITRON	C:ISR	2500809	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2500810	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500811	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500812	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500813	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500814	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C:ISR	2500815	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C:ISR	2500816	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2500817	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500818	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500819	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500820	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500821	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C:ISR	2500822	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500823	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500824	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500825	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500826	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500827	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500828	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500829	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500830	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500831	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C:ISR	2500832	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500833	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500834	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500835	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500836	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2500837	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500838	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2500839	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500840	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2500841	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2500842	06/15/2009	100.00	100.20	100.10	1
KU	ITRON	C:ISR	2500843	06/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2500844	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500845	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500846	06/15/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1SR	2500847	06/15/2009	100.00	100.20	100.20	100.10	1
KU	ITRON	C1SR	2500848	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500849	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500850	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500851	06/15/2009	100.00	100.20	100.20	100.10	1
KU	ITRON	C1SR	2500852	06/15/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500853	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500854	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500855	06/15/2009	100.00	100.20	100.20	100.10	1
KU	ITRON	C1SR	2500856	06/15/2009	100.00	99.90	99.90	99.80	1
KU	ITRON	C1SR	2500857	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500858	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500859	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500860	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500861	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500862	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500863	06/15/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2500864	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500865	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500866	06/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500867	06/15/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500868	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500869	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500870	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500871	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500872	06/15/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C1SR	2500873	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500874	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500875	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500876	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500877	06/15/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C1SR	2500878	06/15/2009	100.00	100.10	100.10	99.90	1

KU	ITRON	C1SR	2500879	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500880	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500881	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500882	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500883	06/15/2009	100.00	100.00	100.20	1
KU	ITRON	C1SR	2500884	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500885	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500886	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500887	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500888	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500889	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2500890	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2500891	06/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500892	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500893	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500894	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500895	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500896	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500897	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500898	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500899	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2500900	06/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500901	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500902	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500903	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500904	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500905	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500906	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500907	06/15/2009	99.90	100.10	100.20	1
KU	ITRON	C1SR	2500908	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500909	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500910	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500911	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2500912	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500913	06/15/2009	100.00	100.00	100.00	1

KU	ITRON	C1SR	2500914	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500915	06/15/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2500916	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500917	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500918	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500919	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500920	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500921	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500922	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500923	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500924	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500925	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500926	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500927	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500928	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500929	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500930	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500931	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500932	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500933	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500934	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500935	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500936	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500937	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500938	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500939	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500940	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500941	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500942	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500943	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500944	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500945	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500946	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2500947	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500948	06/15/2009	99.90	100.20	99.90	1

KU	ITRON	C1SR	2500949	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500950	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500951	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500952	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500953	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500954	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500955	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500956	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500957	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2500958	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500959	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500960	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500961	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500962	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500963	06/15/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2500964	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500965	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500966	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500967	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500968	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500969	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2500970	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500971	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500972	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500973	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500974	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500975	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500976	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500977	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500978	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500979	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500980	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500981	06/15/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2500982	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500983	06/15/2009	100.00	100.10	99.90	1

KU	ITRON	C1SR	2500984	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2500985	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500986	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500987	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500988	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500989	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2500990	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2500991	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500992	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2500993	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500994	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500995	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2500996	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2500997	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2500998	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2500999	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501000	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501001	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501002	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501003	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501004	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501005	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501006	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501007	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501008	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501009	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501010	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501011	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501012	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501013	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501014	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501015	06/15/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2501016	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501017	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501018	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2501019	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501020	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501021	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501022	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501023	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501024	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501025	06/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501026	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501027	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501028	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501029	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501030	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501031	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501032	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501033	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501034	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501035	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501036	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501037	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501038	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501039	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501040	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501041	06/15/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501042	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501043	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501044	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501045	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501046	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501047	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501048	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501049	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501050	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501051	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501052	06/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501053	06/15/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2501054	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501055	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501056	06/15/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501057	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501058	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501059	06/15/2009	100.00	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501060	06/15/2009	100.00	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501061	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501062	06/15/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501063	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501064	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501065	06/15/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501066	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501067	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501068	06/15/2009	100.00	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501069	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501070	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501071	06/15/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501072	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501073	06/15/2009	100.00	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501074	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501075	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501076	06/15/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C1SR	2501077	06/15/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501078	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501079	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501080	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501081	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501082	06/15/2009	99.90	99.90	99.90	99.80	1
KU	ITRON	C1SR	2501083	06/12/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2501084	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501085	06/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501086	06/15/2009	100.00	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501087	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501088	06/15/2009	100.00	100.00	100.10	100.10	1

KU	ITRON	CISR	2501089	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501090	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2501091	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501092	06/15/2009	99.90	100.00	99.80	1
KU	ITRON	CISR	2501093	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2501094	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2501095	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501096	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501097	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2501098	06/12/2009	99.90	100.10	100.00	1
KU	ITRON	CISR	2501099	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	CISR	2501100	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501101	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2501102	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501103	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501104	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501105	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2501106	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2501107	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2501108	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	CISR	2501109	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	CISR	2501110	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501111	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501112	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	CISR	2501113	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	CISR	2501114	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2501115	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501116	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501117	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	CISR	2501118	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2501119	06/15/2009	100.00	99.90	99.90	1
KU	ITRON	CISR	2501120	06/12/2009	100.00	100.10	99.90	1
KU	ITRON	CISR	2501121	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501122	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	CISR	2501123	06/12/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2501124	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501125	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501126	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501127	06/15/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1SR	2501128	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501129	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501130	06/15/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501131	06/15/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C1SR	2501132	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501133	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501134	06/15/2009	100.00	100.10	100.20	100.20	1
KU	ITRON	C1SR	2501135	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501136	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501137	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501138	06/15/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501139	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501140	06/15/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501141	06/15/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501142	06/15/2009	100.00	100.10	99.80	99.80	1
KU	ITRON	C1SR	2501143	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501144	06/15/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501145	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501146	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501147	06/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501148	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501149	06/15/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501150	06/15/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501151	06/15/2009	99.90	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501152	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501153	06/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501154	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501155	06/15/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501156	06/15/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501157	06/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501158	06/15/2009	100.00	100.10	100.10	100.10	1

KU	ITRON	C1SR	2501159	06/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501160	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501161	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501162	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501163	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501164	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501165	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501166	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501167	06/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501168	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501169	06/15/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2501170	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501171	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501172	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501173	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501174	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501175	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501176	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501177	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501178	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501179	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501180	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501181	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501182	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501183	06/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501184	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501185	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501186	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501187	06/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501188	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501189	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501190	06/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501191	06/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501192	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501193	06/15/2009	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501194	06/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501195	06/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501196	06/15/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501197	06/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501198	06/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501199	06/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501200	10/12/2009	100.00	100.20	100.20	1
KU	ITRON	C1SR	2501201	10/13/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501202	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501203	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501204	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501205	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501206	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501207	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501208	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501209	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501210	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501211	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501212	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501213	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501214	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501215	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501216	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501217	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501218	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501219	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501220	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501221	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501222	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501223	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501224	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501225	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501226	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501227	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501228	10/12/2009	100.00	100.20	100.20	1

KU	ITRON	C1SR	2501229	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501230	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501231	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501232	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501233	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501234	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501235	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501236	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501237	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501238	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501239	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501240	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501241	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501242	10/13/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501243	10/13/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2501244	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501245	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501246	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501247	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501248	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501249	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501250	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501251	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501252	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501253	10/13/2009	100.00	100.10	99.80	1
KU	ITRON	C1SR	2501254	10/13/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501255	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501256	10/13/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501257	10/13/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501258	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501259	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501260	10/13/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2501261	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501262	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501263	10/13/2009	99.90	100.10	99.90	1

KU	ITRON	C1SR	2501264	10/13/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501265	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501266	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501267	10/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501268	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501269	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501270	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501271	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501272	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501273	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501274	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501275	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501276	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501277	10/13/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501278	10/13/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501279	10/13/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501280	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501281	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501282	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501283	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501284	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501285	10/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501286	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501287	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501288	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501289	10/13/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501290	10/13/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501291	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501292	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501293	10/14/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501294	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501295	10/14/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501296	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501297	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501298	10/14/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2501299	10/13/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501300	10/13/2009	99.90	100.00	99.80	100.00	1
KU	ITRON	C1SR	2501301	10/13/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501302	10/13/2009	100.00	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501303	10/13/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501304	10/13/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501305	10/13/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501306	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501307	10/14/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501308	10/14/2009	100.00	100.00	99.80	100.00	1
KU	ITRON	C1SR	2501309	10/13/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501310	10/14/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501311	10/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501312	10/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501313	10/12/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2501314	10/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501315	10/14/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2501316	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501317	10/14/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501318	10/14/2009	100.00	99.90	99.90	100.00	1
KU	ITRON	C1SR	2501319	10/14/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2501320	10/14/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2501321	10/14/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501322	10/13/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501323	10/13/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501324	10/13/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501325	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501326	10/14/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2501327	10/14/2009	100.00	100.00	99.90	100.00	1
KU	ITRON	C1SR	2501328	10/13/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501329	10/14/2009	100.00	100.10	99.90	100.00	1
KU	ITRON	C1SR	2501330	10/14/2009	100.00	99.90	99.90	100.00	1
KU	ITRON	C1SR	2501331	10/14/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501332	10/12/2009	100.00	100.10	99.80	100.00	1
KU	ITRON	C1SR	2501333	10/13/2009	100.00	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501334	10/14/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501335	10/14/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501336	10/14/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501337	10/12/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2501338	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501339	10/14/2009	100.00	100.20	100.00	99.90	1
KU	ITRON	C1SR	2501340	10/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501341	10/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501342	10/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501343	10/13/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501344	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501345	10/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501346	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501347	10/12/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2501348	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501349	10/12/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501350	10/12/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2501351	10/13/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501352	10/13/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501353	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501354	10/13/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501355	10/12/2009	100.00	100.20	100.00	100.20	1
KU	ITRON	C1SR	2501356	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501357	10/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501358	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501359	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501360	10/12/2009	100.00	100.20	100.00	100.20	1
KU	ITRON	C1SR	2501361	10/12/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501362	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501363	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501364	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501365	10/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501366	10/12/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501367	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501368	10/12/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C:ISR	2501369	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2501370	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501371	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501372	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501373	10/12/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2501374	10/13/2009	100.00	100.00	100.20	1
KU	ITRON	C:ISR	2501375	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501376	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C:ISR	2501377	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501378	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501379	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501380	10/13/2009	99.90	100.10	100.00	1
KU	ITRON	C:ISR	2501381	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501382	10/13/2009	100.00	100.00	100.10	1
KU	ITRON	C:ISR	2501383	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501384	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501385	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2501386	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501387	10/13/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501388	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501389	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501390	10/13/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2501391	10/13/2009	100.00	100.20	100.10	1
KU	ITRON	C:ISR	2501392	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501393	10/13/2009	99.90	100.10	100.20	1
KU	ITRON	C:ISR	2501394	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501395	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2501396	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501397	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501398	10/13/2009	100.00	100.00	100.10	1
KU	ITRON	C:ISR	2501399	10/13/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501400	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501401	10/13/2009	100.00	100.10	100.20	1
KU	ITRON	C:ISR	2501402	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501403	10/12/2009	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501404	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501405	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501406	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501407	10/13/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501408	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501409	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501410	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501411	10/13/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501412	10/13/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501413	10/12/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501414	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501415	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501416	10/13/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501417	10/12/2009	99.90	99.90	99.90	1
KU	ITRON	C1SR	2501418	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501419	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501420	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501421	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501422	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501423	10/12/2009	99.90	100.00	100.10	1
KU	ITRON	C1SR	2501424	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501425	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501426	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501427	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501428	10/01/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501429	10/12/2009	99.90	99.90	100.00	1
KU	ITRON	C1SR	2501430	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501431	10/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501432	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501433	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501434	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501435	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501436	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501437	10/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501438	10/15/2009	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501439	10/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501440	10/01/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501441	10/08/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501442	10/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501443	10/12/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1SR	2501444	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501445	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501446	10/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501447	10/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501448	10/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501449	10/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501450	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501451	10/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501452	10/12/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501453	10/12/2009	100.00	99.90	99.80	99.80	1
KU	ITRON	C1SR	2501454	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501455	10/12/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1SR	2501456	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501457	10/12/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501458	10/09/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501459	10/08/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501460	10/08/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501461	10/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501462	10/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501463	10/01/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501464	10/12/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501465	10/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501466	10/12/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501467	10/12/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501468	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501469	10/12/2009	100.00	100.00	99.80	99.80	1
KU	ITRON	C1SR	2501470	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501471	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501472	10/12/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501473	10/12/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C1SR	2501474	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501475	10/09/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501476	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501477	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501478	10/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501479	10/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501480	10/12/2009	99.90	100.10	100.10	1
KU	ITRON	C1SR	2501481	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501482	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501483	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501484	10/01/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501485	10/08/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501486	10/01/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501487	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501488	10/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501489	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501490	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501491	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501492	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501493	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501494	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501495	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501496	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501497	10/09/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501498	10/01/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501499	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501500	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501501	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501502	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501503	10/01/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501504	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501505	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501506	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501507	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501508	10/12/2009	100.00	100.10	100.10	1

KU	ITRON	C:ISR	2501509	10/08/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2501510	10/01/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501511	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501512	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501513	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501514	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501515	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501516	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501517	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501518	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C:ISR	2501519	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501520	10/12/2009	100.00	99.90	99.90	1
KU	ITRON	C:ISR	2501521	10/12/2009	100.00	99.90	99.80	1
KU	ITRON	C:ISR	2501522	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501523	10/09/2009	100.00	100.00	100.10	1
KU	ITRON	C:ISR	2501524	10/09/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501525	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501526	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501527	10/09/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501528	10/09/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501529	10/09/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2501530	10/09/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501531	10/09/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501532	10/01/2009	100.00	100.20	100.00	1
KU	ITRON	C:ISR	2501533	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501534	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501535	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501536	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501537	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C:ISR	2501538	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C:ISR	2501539	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501540	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501541	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C:ISR	2501542	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C:ISR	2501543	10/12/2009	100.00	100.10	99.90	1

KU	ITRON	C1SR	2501544	10/08/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501545	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501546	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501547	10/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501548	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501549	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501550	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501551	10/09/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501552	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501553	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501554	10/09/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501555	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501556	10/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501557	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501558	10/01/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501559	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501560	10/09/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501561	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501562	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501563	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501564	10/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501565	10/09/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501566	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501567	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501568	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501569	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501570	10/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501571	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501572	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501573	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501574	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501575	10/12/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501576	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501577	10/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501578	10/12/2009	100.00	100.20	100.00	1

KU	ITRON	C1SR	2501579	10/12/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501580	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501581	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501582	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501583	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501584	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501585	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501586	10/12/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2501587	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501588	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501589	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501590	10/12/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2501591	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501592	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501593	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501594	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501595	10/12/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501596	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501597	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501598	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501599	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501600	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501601	10/12/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501602	10/12/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501603	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501604	10/12/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501605	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501606	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501607	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501608	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501609	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501610	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501611	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501612	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501613	10/15/2009	100.00	100.10	99.90	1

KU	ITRON	C:1SR	2501614	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501615	10/02/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C:1SR	2501616	10/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C:1SR	2501617	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C:1SR	2501618	10/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C:1SR	2501619	10/12/2009	100.00	100.00	100.10	99.90	1
KU	ITRON	C:1SR	2501620	10/12/2009	100.00	100.10	100.10	100.20	1
KU	ITRON	C:1SR	2501621	10/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C:1SR	2501622	10/12/2009	100.00	100.10	100.10	100.20	1
KU	ITRON	C:1SR	2501623	10/08/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501624	10/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C:1SR	2501625	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501626	10/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C:1SR	2501627	10/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C:1SR	2501628	10/12/2009	99.90	99.90	99.90	99.90	1
KU	ITRON	C:1SR	2501629	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501630	10/12/2009	100.00	100.10	100.10	99.90	1
KU	ITRON	C:1SR	2501631	10/12/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C:1SR	2501632	10/12/2009	99.90	100.00	100.00	100.00	1
KU	ITRON	C:1SR	2501633	10/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C:1SR	2501634	10/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C:1SR	2501635	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C:1SR	2501636	10/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C:1SR	2501637	10/12/2009	99.90	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501638	10/12/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C:1SR	2501639	10/12/2009	100.00	100.10	100.10	100.00	1
KU	ITRON	C:1SR	2501640	10/12/2009	100.00	99.90	99.90	99.80	1
KU	ITRON	C:1SR	2501641	10/12/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C:1SR	2501642	10/12/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C:1SR	2501643	10/12/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C:1SR	2501644	10/12/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C:1SR	2501645	10/15/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C:1SR	2501646	10/12/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C:1SR	2501647	10/12/2009	99.90	100.00	100.10	100.10	1
KU	ITRON	C:1SR	2501648	10/12/2009	100.00	100.20	100.10	99.90	1

KU	ITRON	C1SR	2501649	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501650	10/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501651	10/12/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501652	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501653	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501654	10/02/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501655	10/08/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501656	10/12/2009	100.00	99.90	100.00	1
KU	ITRON	C1SR	2501657	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501658	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501659	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501660	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501661	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501662	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501663	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501664	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501665	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501666	10/12/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501667	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501668	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501669	10/12/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501670	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501671	10/12/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501672	10/12/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501673	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501674	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501675	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501676	10/02/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501677	10/12/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501678	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501679	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501680	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501681	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501682	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501683	10/02/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2501684	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501685	10/02/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501686	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501687	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501688	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501689	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501690	10/02/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501691	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501692	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501693	10/02/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501694	10/02/2009	100.00	99.90	99.90	99.80	1
KU	ITRON	C1SR	2501695	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501696	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501697	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501698	10/02/2009	100.00	100.20	100.00	99.90	1
KU	ITRON	C1SR	2501699	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501700	10/15/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501701	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501702	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501703	10/02/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2501704	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501705	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501706	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501707	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501708	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501709	10/15/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501710	10/02/2009	100.00	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501711	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501712	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501713	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501714	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501715	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501716	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501717	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501718	10/02/2009	100.00	100.10	100.00	100.10	1

KU	ITRON	C1SR	2501719	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501720	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501721	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501722	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501723	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501724	10/02/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501725	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501726	10/02/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501727	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501728	10/02/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501729	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501730	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501731	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501732	10/02/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501733	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501734	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501735	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501736	10/02/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501737	10/02/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501738	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501739	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501740	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501741	10/02/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501742	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501743	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501744	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501745	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501746	10/02/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501747	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501748	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501749	10/02/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501750	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501751	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501752	10/02/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501753	10/02/2009	100.00	100.10	100.10	1

KU	ITRON	C1SR	2501754	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501755	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501756	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501757	10/02/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501758	10/02/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501759	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501760	10/02/2009	99.90	100.10	99.90	1
KU	ITRON	C1SR	2501761	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501762	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501763	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501764	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501765	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501766	10/02/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2501767	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501768	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501769	10/02/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501770	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501771	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501772	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501773	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501774	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501775	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501776	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501777	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501778	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501779	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501780	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501781	10/02/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2501782	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501783	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501784	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501785	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501786	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501787	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501788	10/02/2009	100.00	100.00	99.90	1

KU	ITRON	C1SR	2501789	10/02/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501790	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501791	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501792	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501793	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501794	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501795	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501796	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501797	10/02/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501798	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501799	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501800	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501801	10/02/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501802	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501803	10/08/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501804	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501805	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501806	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501807	10/02/2009	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501808	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501809	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501810	10/02/2009	100.00	100.00	100.20	1
KU	ITRON	C1SR	2501811	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501812	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501813	10/02/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501814	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501815	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501816	10/02/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501817	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501818	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501819	10/02/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501820	10/02/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501821	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501822	10/02/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501823	10/02/2009	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501824	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501825	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501826	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501827	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501828	10/02/2009	100.00	100.20	100.00	100.10	1
KU	ITRON	C1SR	2501829	10/02/2009	100.00	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501830	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501831	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501832	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501833	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501834	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501835	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501836	10/02/2009	100.00	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501837	10/02/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501838	10/02/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501839	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501840	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501841	10/02/2009	100.00	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501842	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501843	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501844	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501845	10/02/2009	100.00	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501846	10/02/2009	100.00	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501847	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501848	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501849	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501850	10/02/2009	100.00	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501851	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501852	10/02/2009	100.00	100.10	100.00	100.10	1
KU	ITRON	C1SR	2501853	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501854	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501855	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501856	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501857	10/02/2009	100.00	100.10	100.00	99.90	1
KU	ITRON	C1SR	2501858	10/02/2009	100.00	100.10	100.00	100.00	1

KU	ITRON	C1SR	2501859	10/02/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501860	10/02/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501861	10/02/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501862	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501863	10/02/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501864	10/02/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501865	10/02/2009	100.00	100.10	99.90	99.90	1
KU	ITRON	C1SR	2501866	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501867	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501868	10/02/2009	100.00	99.90	100.00	100.00	1
KU	ITRON	C1SR	2501869	10/02/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501870	10/02/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501871	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501872	10/02/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501873	10/01/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501874	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501875	10/02/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501876	10/02/2009	99.90	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501877	10/02/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501878	10/02/2009	100.00	100.20	100.10	100.10	1
KU	ITRON	C1SR	2501879	10/02/2009	100.00	99.90	99.90	99.90	1
KU	ITRON	C1SR	2501880	10/01/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501881	10/01/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501882	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501883	10/02/2009	100.00	100.20	100.00	100.00	1
KU	ITRON	C1SR	2501884	10/02/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501885	10/02/2009	100.00	100.10	100.00	100.00	1
KU	ITRON	C1SR	2501886	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501887	10/02/2009	100.00	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501888	10/02/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501889	10/02/2009	100.00	100.20	99.90	99.90	1
KU	ITRON	C1SR	2501890	10/02/2009	100.00	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501891	10/02/2009	100.00	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501892	10/02/2009	100.00	100.10	100.10	100.10	1
KU	ITRON	C1SR	2501893	10/02/2009	100.00	100.00	100.00	100.00	1

KU	ITRON	C1SR	2501894	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501895	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501896	10/02/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501897	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501898	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501899	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501900	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501901	10/02/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501902	10/02/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501903	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501904	10/02/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501905	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501906	10/02/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501907	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501908	10/02/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501909	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501910	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501911	10/02/2009	99.90	100.10	100.10	1
KU	ITRON	C1SR	2501912	10/02/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501913	10/02/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501914	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501915	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501916	10/02/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501917	10/02/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501918	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501919	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501920	10/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501921	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501922	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501923	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501924	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501925	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501926	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501927	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501928	10/08/2009	100.00	100.10	99.90	1

KU	ITRON	C1SR	2501929	10/08/2009	100.00	99.90	99.80	1
KU	ITRON	C1SR	2501930	10/08/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501931	10/08/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501932	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501933	10/08/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501934	10/08/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501935	10/08/2009	100.00	100.20	99.90	1
KU	ITRON	C1SR	2501936	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501937	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501938	10/08/2009	99.90	100.10	100.00	1
KU	ITRON	C1SR	2501939	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501940	10/08/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501941	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501942	10/08/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501943	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501944	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501945	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501946	10/08/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501947	10/08/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501948	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501949	10/08/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501950	10/08/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501951	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501952	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501953	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501954	10/08/2009	99.90	100.00	99.80	1
KU	ITRON	C1SR	2501955	10/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501956	10/08/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501957	10/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501958	10/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501959	10/08/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501960	10/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501961	10/08/2009	100.00	100.20	100.10	1
KU	ITRON	C1SR	2501962	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501963	10/15/2009	100.00	100.10	100.00	1

KU	ITRON	C1SR	2501964	10/08/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501965	10/15/2009	100.00	100.20	100.00	1
KU	ITRON	C1SR	2501966	10/08/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501967	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501968	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501969	10/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501970	10/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501971	10/15/2009	99.90	100.00	99.90	1
KU	ITRON	C1SR	2501972	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501973	10/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501974	10/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501975	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501976	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501977	10/08/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501978	10/15/2009	100.00	100.10	100.00	1
KU	ITRON	C1SR	2501979	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501980	10/15/2009	100.00	100.00	100.10	1
KU	ITRON	C1SR	2501981	10/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501982	10/15/2009	100.00	100.00	99.80	1
KU	ITRON	C1SR	2501983	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501984	10/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501985	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501986	10/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501987	10/15/2009	100.00	99.90	99.90	1
KU	ITRON	C1SR	2501988	10/15/2009	100.00	100.00	100.00	1
KU	ITRON	C1SR	2501989	10/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501990	10/15/2009	100.00	100.00	99.90	1
KU	ITRON	C1SR	2501991	10/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501992	10/15/2009	100.00	100.10	100.20	1
KU	ITRON	C1SR	2501993	10/15/2009	100.00	100.10	99.90	1
KU	ITRON	C1SR	2501994	10/15/2009	100.00	100.10	100.10	1
KU	ITRON	C1SR	2501995	10/15/2009	100.00	100.00	99.90	1
Overall Result								8,140
100.01								100.03
100.09								

ATTACHMENT
B

Sampling Test Results

KU
2009 SAMPLE
ELECTRIC METER SUMMARY

SAMPLE

In-Service Population	483,376	Divided into 59 Lots
Sample Quantity	4,150	
Meters Tested	4,150	
Meters Not Tested	0	
Failed Lots	0	
Failed Lot Meters	0	

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009) Division: 01 Lot Descr: KU ABL-1

Device Category: F2S240V30AC200 Model Number: ABL Sample Lot: 2

In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method Page 1

One AQL Value for Both Upper and Lower Specification Limit Combined Run Date: 01/05/2010

AQL = 2.5% - Inspection Level II "E" # Normal Inspection Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C332043	99.10	C332115	99.90	C332580	99.60	C332627	100.20
C333114	99.10	C333285	100.10	C333317	100.00	C333635	100.40
C333728	99.90	C333741	100.10	C333858	99.60	C333900	100.30
C334011	100.10	C334012	99.90	C334810	100.30	L297709	99.80
L298004	100.10	L298066	100.10	L298087	100.20	L298135	99.40
L298520	99.50	L298521	99.70	L298821	99.50	L299299	100.30
L299766	100.00	L299833	100.30	L299973	100.30	L300004	100.10
L300140	100.00	L300479	100.30	L300568	100.00	L300608	99.80
L301168	100.50	L301223	100.30	L301357	99.90	L300887	99.90
L302000	100.20	L302077	99.80	L302139	100.10	L301840	99.80
L302455	99.90	L302466	100.40	L302522	100.40	L302386	100.50
L302616	100.10	L302696	99.50	L302804	100.50	L302584	99.80
L303263	100.40	L303290	100.40	L303308	100.00	L303067	100.30
M444544	99.70	M444569	100.40	M444660	100.20	L303147	100.00
M445593	99.70	M445588	100.30	W146985	100.10	M444510	100.10
						M444686	99.20
						W147136	99.30
						W147479	99.70

INFORMATION NEEDED

VALUE OBTAINED

1 Sample Size (N)	75
2 Sum of Measurements: (Sum X)	7498.90
3 Sum of Squared Measurements	749788.41
4 Correction Factor (CF): Sum of Measurements Squared / N	749780.02
5 Corrected Sum of Squares (SS)	8.39
6 Variance (V) : SS/(N-1)	0.1134
7 Estimate of Lot Standard Deviation(S): SQRT of V	0.3368
8 Sample Mean(XBAR): Sum X/N	99.99
9 Upper Specification Limit (U)	102.00
10 Lower Specification Limit (L)	98.00
11 Quality Index Upper (QU): (U-XBAR) / S	5.98
12 Quality Index Lower (QL): (XBAR-L) / S	5.89
13 Estimate of Lot Percent NCF Above U (PU)	0.00
14 Estimate of Lot Percent NCF Below L (PL)	0.00
15 Total Estimate Percent NCF. In Lot (P): PU+PL	0.00
16 Maximum Allowable Percent NCF(M)	4.83
17 Acceptability Criterion: Compare P with M	PASS
18 The Lot Meets the Acceptability Criterion if P <= M	
19 The Lot Fails the Acceptability Criterion if P > M	

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: AB1 Division: 01 Sample Lot: 3
 In Service Population: 6,294 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU - AB1-2

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 2
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C334073	100.50	C334102	100.10	C334172	100.50	C334226	100.10
C334254	99.20	C334512	100.40	C334543	100.10	C334558	99.80
C335016	100.20	C335120	100.40	C344949	100.00	C408091	100.50
C408637	100.50	C408640	100.40	C408727	100.40	C408909	100.40
C408962	100.60	C409177	100.70	C409199	100.10	C409239	100.40
C409430	100.50	C409450	100.60	C409467	100.30	C409577	100.10
C409609	100.50	C433571	100.30	C433610	100.40	C433699	100.20
C433719	100.10	C433811	100.40	C433920	100.50	C433996	100.40
C434036	100.00	C434050	100.10	C434069	100.30	C434169	100.30
C434195	100.20	C434277	100.60	C434377	100.30	C434404	100.10
C434501	100.20	C434565	100.30	C434571	100.40	C434707	100.20
C434972	100.40	C435000	100.30	C435063	100.10	C435201	100.10
C435309	100.30	W147678	99.80	W147795	100.10	W147967	100.20
W148014	99.80	W148144	100.10	W148151	100.20	W148175	99.90
W148414	100.20	W148419	100.20	W149001	100.30	W149127	100.50
							99.60

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7518.80
- Sum of Squared Measurements 753769.56
- Correction Factor (CF): Sum of Measurements Squared / N 753764.71
- Corrected Sum of Squares (SS) 4.85
- Variance (V) : SS/(N-1) 0.0655
- Estimate of Lot Standard Deviation(S): SQRT of V 0.2559
- Sample Mean(XBAR): Sum X/N 102.00
- Upper Specification Limit (U) 98.00
- Lower Specification Limit (L) 6.83
- Quality Index Upper (QU): (U-XBAR) / S 8.79
- Quality Index Lower (QL): (XBAR-L) / S 0.00
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P) : PU+PL 4.83
- Maximum Allowable Percent NCF (M)
- Acceptability Criterion: Compare P with M
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

PASS

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009) Division: 01 Sample Lot: 5 Lot Descr: KU CI -1
 Device Category: F2S240V30AC200E Model Number: CLSR Meters Tested: 75 Pass/ Fail: PASS
 In Service Population: 6,193 Sample Quantity: 75

Page 4
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C352383	100.00	C352425	100.00	C352429	100.10	C352549	100.10
C352798	92.50	C352850	100.10	C353048	100.10	C369090	100.10
C369387	100.00	C369388	100.10	C381148	100.00	C381247	100.10
C381494	100.00	C381605	100.00	C381638	100.10	C381653	99.90
C381765	99.90	C381805	100.00	C382027	100.00	C382058	100.10
C382164	100.00	C382264	100.00	C382274	99.90	C382301	100.00
C382462	100.20	C382519	100.00	C382568	100.00	C382788	100.10
C382837	100.00	C382964	100.00	C382986	100.10	C383187	100.00
C383218	100.10	C383252	99.90	C383264	100.00	C383372	100.10
C383427	100.00	C383441	100.20	C406410	100.00	C407141	100.10
C407261	100.20	C407282	100.10	C407591	100.00	C407746	100.10
C416130	100.00	C416144	100.00	C416249	99.80	C416253	100.00
C416475	99.90	C416514	100.10	C416745	100.10	C416783	99.90
C417016	100.00	C417039	100.20	C417166	100.10	C417205	99.90
C417467	100.00	C425547	100.00	C425566	99.80	C465772	100.10

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7494.90
- Sum of Squared Measurements 749036.87
- Correction Factor (CF): Sum of Measurements Squared / N 748980.35
- Corrected Sum of Squares (SS) 56.52
- Variance (V) : SS/(N-1) 0.7638
- Estimate of Lot Standard Deviation(S): SQRT of V 0.8740
- Sample Mean(XBAR): Sum X/N 99.93
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 2.37
- Quality Index Lower (QL): (XBAR-L) / S 2.21
- Estimate of Lot Percent NCF Above U (PU) 0.80
- Estimate of Lot Percent NCF Below L (PL) 1.25
- Total Estimate Percent NCF, In Lot (P): PU+PL 2.05
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: D4S Division: 01 Sample Lot: 6 Lot Descr: KU D4 - 1
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 5

Run Date: 01/05/2010

Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C221915	99.80	C222821	100.40	C223050	100.10	C224059	100.20
C226367	100.00	C227591	100.10	C228111	100.50	C228311	100.40
C228496	100.30	C229588	99.70	C229804	99.90	C229860	100.20
C229945	99.70	C230114	100.10	C230679	100.40	C232004	100.00
C233669	100.20	C233679	100.30	C233859	100.30	C233901	100.20
C236111	100.30	C236621	100.00	C236705	100.30	C236756	100.10
C236932	99.90	L007384	100.10	L009329	100.20	C236931	100.00
L129225	100.00	L140801	99.80	L141184	99.40	L018656	99.90
M352643	100.20	M353105	100.30	M353220	100.30	M353253	100.30
M353469	99.60	M353482	99.80	M354019	99.88	M354104	99.70
M354158	99.90	M367520	99.40	M367834	100.10	M375085	99.60
M375748	100.10	M375767	99.60	M376038	100.20	M376067	100.10
M381304	99.90	W101058	100.30	W101342	100.40	W101560	100.50
W102670	99.90	W102804	100.30	W102841	100.10	W104818	99.80
W106019	100.40	W106035	100.00	W106559	99.60	W106616	100.00

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7503.18
- 3 Sum of Squared Measurements 750641.52
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750636.13
- 5 Corrected Sum of Squares (SS) 5.39
- 6 Variance (V) : SS/(N-1) 0.0728
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2699
- 8 Sample Mean(XBAR) : Sum X/N 102.00
- 9 Upper Specification Limit (U) 100.04
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU) : (U-XBAR) / S 7.25
- 12 Quality Index Lower (QL) : (XBAR-L) / S 7.57
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- 16 Maximum Allowable Percent NCF (M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C224059	100.20	C228311	100.40	C229860	100.20	C233901	100.20
C228311	100.40	C229860	100.20	C232004	100.00	C236073	100.00
C229860	100.20	C232004	100.00	C233901	100.20	C236931	100.00
C232004	100.00	C233901	100.20	C236756	100.10	L018656	99.90
C233901	100.20	C236756	100.10	L010718	99.90	M351639	100.40
C236756	100.10	L010718	99.90	M345556	100.10	M353351	100.00
L010718	99.90	M345556	100.10	M353253	100.30	M354152	100.30
M345556	100.10	M353253	100.30	M354104	99.70	M375501	100.00
M353253	100.30	M354104	99.70	M375085	99.60	M381302	99.90
M354104	99.70	M375085	99.60	M376067	100.10	W101919	99.20
M375085	99.60	M376067	100.10	W101560	100.50	W105159	100.10
M376067	100.10	W101560	100.50	W104818	99.80	W107916	100.30
W101560	100.50	W104818	99.80	W106616	100.00		
W104818	99.80	W106616	100.00				
W106616	100.00						

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S24V30AC200 Model Number: D4S Division: 01 Sample Lot: 7 Lot Descr: KU D4 -2
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "G" # Normal Inspection

Page 6
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C237150	100.10	C241440	99.90	C245929	100.00	C245061	100.30
C246108	100.30	C250160	100.50	C250520	99.90	C250544	100.30
C254983	100.20	C255048	99.50	M376339	100.40	M376406	100.10
M376775	100.20	M376903	99.70	M385065	100.20	M385149	96.60
M385311	100.30	M385498	99.90	M385637	100.30	M385951	100.00
M389088	99.80	M389089	99.70	M389552	100.20	M389924	100.10
M390216	100.10	M390223	99.80	M390548	100.10	M390694	99.80
M392273	100.00	M392458	99.70	M392864	100.40	M392985	100.50
M393095	99.70	M393140	100.50	M393178	100.00	M393334	100.10
M396006	100.60	M396162	100.00	M396354	99.90	M396413	100.10
M397164	100.00	M397552	99.70	M397947	100.20	M397967	99.70
W110085	99.80	W110313	99.90	W110673	99.70	W111215	100.20
W111522	99.80	W111736	100.30	W112320	100.30	W112336	99.90
W113180	100.60	W114651	99.70	W114789	100.10	W114792	100.30
W116460	100.60	W116495	100.00	W116525	99.70	W116566	100.50

INFORMATION NEEDED

VALUE OBTAINED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7502.30
- Sum of Squared Measurements 750477.67
- Correction Factor (CF): Sum of Measurements Squared / N 750460.07
- Corrected Sum of Squares (SS) 17.60
- Variance (V) : SS/(N-1) 0.2378
- Estimate of Lot Standard Deviation(S): SQRT of V 0.4877
- Sample Mean(XBAR): Sum X/N 102.03
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 4.04
- Quality Index Lower (QL): (XBAR-L) / S 4.16
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: D4S Division: 01 Sample Lot: 8 Lot Descr: KU D4 - 3
 In Service Population: 9,137 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 7
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C224023	100.20	C250615	100.20	C255180	100.30	C255283	99.90
C256957	100.30	C257058	100.40	C257117	99.90	C257148	100.50
C257541	100.70	C257580	100.30	C257647	100.00	C257736	100.10
L216580	100.10	L219050	100.10	L219357	99.90	L219359	100.10
L223874	99.80	L223931	100.50	L223976	100.00	L224015	100.20
L224112	100.30	L224262	100.00	L224275	100.00	L224626	99.70
L227891	100.10	L227964	100.00	L228052	99.90	L228497	99.90
L228606	99.90	L228725	100.00	L228980	100.50	L228921	100.00
M394550	100.30	M394588	100.10	M394714	100.60	M394716	100.20
M394746	100.20	M394910	100.40	M394978	99.80	M395031	100.30
M395109	100.30	M395241	100.00	M395314	99.90	M395707	100.40
M398257	100.00	M398694	100.30	M398755	100.30	M398893	99.70
M399282	99.80	M401222	100.00	M401249	100.00	M401746	100.30
M401875	100.00	M407880	100.20	W119517	99.80	W119561	99.70
W119831	100.40	W120203	100.10	W120369	100.30	W120561	100.10

INFORMATION NEEDED

- Sample Size (N)
- Sum of Measurements: (Sum X)
- Sum of Squared Measurements
- Correction Factor (CF): Sum of Measurements Squared / N
- Corrected Sum of Squares (SS)
- Variance (V) : SS/(N-1)
- Estimate of Lot Standard Deviation(S) : SQRT of V
- Sample Mean(XBAR): Sum X/N
- Upper Specification Limit (U)
- Lower Specification Limit (L)
- Quality Index Upper (QU) : (U-XBAR) / S
- Quality Index Lower (QL) : (XBAR-L) / S
- Estimate of Lot Percent NCF Above U (PU)
- Estimate of Lot Percent NCF Below L (PL)
- Total Estimate Percent NCF. In Lot (P) : PU+PL
- Maximum Allowable Percent NCF(M)
- Acceptability Criterion: Compare P with M
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

- 75
- 7508.10
 - 751624.43
 - 751620.87
 - 3.56
 - 0.0480
 - 0.2192
 - 100.11
 - 102.00
 - 98.00
 - 8.63
 - 9.62
 - 0.00
 - 0.00
 - 0.00
 - 4.83
- PASS

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200E Model Number: I210 Division: 01 Sample Lot: 10
 In Service Population: 4,838 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU I210 - 1

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 9
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C431957	99.90	C431961	100.00	C432043	99.90	C432132	100.00
C432230	99.90	C432231	100.00	C432272	100.20	C432362	100.00
C432425	99.90	C432479	100.00	C432525	99.90	C432597	99.90
C432732	100.00	C432783	99.98	C432784	99.90	C432788	100.00
C433146	99.90	C433155	100.00	C433219	100.00	C433221	100.00
C433375	100.00	C433378	100.00	C433419	100.00	C445354	100.10
C445500	100.00	C445601	100.00	C445737	100.10	C445750	99.90
C446159	100.10	C446244	100.10	C446303	100.00	C456481	100.00
C456754	100.00	C456854	100.00	C456865	100.10	C456920	100.00
C457063	99.90	C457091	100.00	C457148	100.00	C457274	100.00
C457334	100.03	C457355	100.00	C457371	100.00	C457399	100.00
C457402	100.00	C457432	100.00	C457519	100.10	C463906	100.10
C464296	100.00	C464312	100.10	C464313	100.00	C464346	100.10
C464458	100.00	C464698	100.10	C464750	100.00	C464921	100.00
C465342	100.00	C465425	100.00	C465494	100.10	C465506	100.70

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7501.61
- 3 Sum of Squared Measurements 750323.02
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750322.03
- 5 Corrected Sum of Squares (SS) 0.99
- 6 Variance (V) : SS/(N-1) 0.0133
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1155
- 8 Sample Mean(XBAR): Sum X/N 100.02
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 17.13
- 12 Quality Index Lower (QL): (XBAR-L) / S 17.51
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- 16 Maximum Allowable Percent NCF(M) PASS
- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: R2S40V15AC100 Model Number: I50S Division: 01 Sample Lot: 11 Lot Descr: KU I50 - 1
 In Service Population: 1,565 Sample Quantity: 50 Meters Tested: 50 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 10
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C284838	100.90	L005650	100.00	L011739	100.20	L012141	100.30
L049393	99.90	L061283	99.70	L062110	99.80	L063119	100.00
L065542	100.10	L066342	100.20	L066404	100.40	L066486	100.20
L067632	101.50	L068483	100.30	L070145	99.90	L072258	100.40
L072714	100.20	L073099	99.70	L073107	99.80	L073502	99.90
L074542	99.90	L074673	100.00	L075468	100.00	L075509	99.90
M417584	100.10	M068680	100.10	M068683	100.10	M072193	100.20
M074855	100.30	M074857	100.10	M075943	100.20	M076268	100.00
M078367	100.00	M078407	99.90	M078446	99.90	M079002	100.20
M079289	99.90	M079335	100.10	M081127	100.80	M081935	99.40

INFORMATION NEEDED

VALUE OBTAINED

- 1 Sample Size (N) 50
- 2 Sum of Measurements: (Sum X) 5004.20
- 3 Sum of Squared Measurements 500847.14
- 4 Correction Factor (CF): Sum of Measurements Squared / N 500840.35
- 5 Corrected Sum of Squares (SS) 6.79
- 6 Variance (V) : SS/(N-1) 0.1385
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.3722
- 8 Sample Mean(XBAR): Sum X/N 100.08
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU) : (U-XBAR) / S 5.15
- 12 Quality Index Lower (QL) : (XBAR-L) / S 5.60
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 5.21
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I60S Division: 01 Sample Lot: 14
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU I60 - 2

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 13
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C208406	100.10	C210676	100.40	C213281	100.10	L001257	99.60
L003133	99.90	L006739	100.20	L006878	100.00	L008665	99.90
L009219	99.70	L010180	100.20	L010474	99.40	L012854	100.00
L015176	99.90	L015954	99.50	L016173	100.10	L016970	100.00
L017876	99.80	L021000	99.90	L035312	100.00	L040577	100.30
L077018	100.20	L077508	100.00	L081561	99.70	L083590	100.10
L085696	99.80	L086578	99.90	L087401	99.80	L087818	99.90
L100781	99.60	L101016	99.70	L107393	99.80	L107591	99.60
L107925	100.00	L108299	100.10	L108375	99.90	L109468	100.00
L109491	100.10	L110112	100.00	L110156	99.90	L110194	99.60
L110396	99.50	L110746	99.80	L111385	99.70	L111794	100.00
L112156	100.00	L112497	100.10	L112850	99.80	L113067	99.80
L113205	99.70	L113427	99.70	L113541	99.70	L113631	99.50
L114107	99.60	L114151	99.80	L114226	100.30	L114421	99.50
L114550	100.10	L114704	99.50	L114752	99.90	L115179	99.90

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7491.50
- 3 Sum of Squared Measurements 748305.79
- 4 Correction Factor (CF): Sum of Measurements Squared / N 748300.96
- 5 Corrected Sum of Squares (SS) 4.83
- 6 Variance (V) : SS/(N-1) 0.0652
- 7 Estimate of Lot Standard Deviation(S) : SQRT of V 0.2554
- 8 Sample Mean(XBAR) : Sum X/N 99.89
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU) : (U-XBAR) / S 8.27
- 12 Quality Index Lower (QL) : (XBAR-L) / S 7.39
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F25240V30AC200 Model Number: I60S Division: 01 Sample Lot: 15
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU I60 - 3

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 14
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C212627	100.30	C215126	100.40	C216716	100.40	C218809	100.40
L001987	100.20	L003734	100.10	L006192	100.28	L007071	100.20
L015520	99.70	L015604	99.80	L019660	100.00	L020628	99.80
L030003	99.90	L070709	100.10	L075787	100.40	L078588	100.20
L094908	99.90	L099037	100.10	L115900	100.10	L116011	100.20
L116468	99.60	L116511	100.30	L116649	99.80	L116739	100.20
L117159	100.00	L117349	99.80	L117453	100.00	L117564	99.90
L117781	100.30	L117967	99.90	L118004	100.20	L118015	99.90
L118302	100.10	L118873	100.00	L119419	100.10	L119546	100.00
L120132	100.10	L120173	99.90	L120274	99.80	L120555	100.10
L120603	100.00	L120745	100.00	L120764	100.30	L120883	99.90
L120917	99.70	L121046	99.80	L121204	99.90	L121309	100.10
L121717	100.10	L121990	100.20	L122137	100.40	L122175	100.20
L122474	100.00	L122792	100.20	L123189	100.30	L123305	100.00
L123627	100.10	L124403	100.10	L124678	100.20	L124879	100.00

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7504.78
- Sum of Squared Measurements 750959.25
- Correction Factor (CF): Sum of Measurements Squared / N 750956.30
- Corrected Sum of Squares (SS) 2.94
- Variance (V) : SS/(N-1) 0.0398
- Estimate of Lot Standard Deviation(S): SQRT of V 0.1995
- Sample Mean (XBAR) : Sum X/N 100.06
- Upper Specification Limit (U) 98.00
- Lower Specification Limit (L) 9.71
- Quality Index Upper (QU): (U-XBAR) / S 10.35
- Quality Index Lower (QL): (XBAR-L) / S 0.00
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF, In Lot (P): PU+PL 4.83
- Maximum Allowable Percent NCF (M)
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Kentucky Utilities
 Device Category: F28240V30AC200 Model Number: I60S Division: 01 Sample Lot: 16
 In Service Population: 3,479 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Lot Descr: KU I60 - 4

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 15
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C218982	100.20	C219009	100.10	C219915	100.40	C220000	100.00
C220077	100.30	L000853	99.90	L005071	100.00	L005559	100.20
L008309	99.70	L011465	100.10	L011872	99.90	L012421	100.20
L015369	100.10	L015946	100.10	L018156	99.90	L019494	100.00
L039069	100.20	L049913	100.10	L066641	99.90	L070838	99.80
L081432	100.10	L087180	100.20	L087864	100.10	L090665	100.10
L101558	100.10	L125448	100.00	L125467	99.70	L125504	99.80
L125558	100.00	L125583	99.80	L125675	99.80	L125732	100.10
L125775	100.00	L125856	100.10	L125884	100.00	L125903	100.00
L126128	100.00	L126152	100.20	L126242	100.00	L126341	100.40
L126446	100.30	L126457	100.20	L126463	99.90	L126716	100.30
L126893	99.80	L126960	100.30	L126973	100.10	L127054	100.00
L127104	100.30	L127190	99.90	L127198	99.90	L127212	99.60
L127290	100.20	L127321	100.20	L127377	100.10	L127517	100.20
L127696	100.20	L127779	100.10	L127869	99.90	L251999	99.90

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7503.50
- 3 Sum of Squared Measurements 750702.17
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750700.16
- 5 Corrected Sum of Squares (SS) 2.01
- 6 Variance (V) : SS/(N-1) 0.0271
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1647
- 8 Sample Mean(XBAR): Sum X/N 100.05
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 11.86
- 12 Quality Index Lower (QL): (XBAR-L) / S 12.43
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- 16 Maximum Allowable Percent NCF (M)
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

75

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 17 Lot Descr: KU I70 - 1
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 16
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C225579	100.20	C225608	100.30	C225865	99.60	C226719	100.00
C226842	100.00	L002551	100.00	L003855	100.10	L005728	100.20
L016119	100.10	L016559	100.10	L018391	100.00	L019270	100.00
L023380	100.50	L061227	100.10	L062841	100.10	L064376	100.30
L074012	100.40	L093074	100.40	L098783	100.40	L127903	100.00
L128147	100.50	L128175	100.20	L128279	100.10	L128379	99.90
L128546	100.10	L128606	100.10	L128663	100.10	L128782	99.90
L129349	100.40	L129668	99.70	L129764	100.30	L129765	99.80
L130393	100.00	L130476	99.80	L130575	99.90	L130584	100.00
L130650	100.00	L130769	99.90	L130957	99.90	L130985	100.20
L131203	100.10	L131213	100.00	L131386	100.20	L131426	100.20
L131722	100.20	L132220	100.30	L132508	100.40	L132526	100.30
L133132	100.20	L133739	100.00	L133757	100.20	L133987	100.00
L134178	100.20	L134328	100.10	L134384	100.30	L134537	100.10
L134927	99.60	M345360	100.00	M345362	100.20	M373069	100.20

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7509.30
- 3 Sum of Squared Measurements 751864.37
- 4 Correction Factor (CF): Sum of Measurements Squared / N 751861.15
- 5 Corrected Sum of Squares (SS) 3.22
- 6 Variance (V) : SS/(N-1) 0.0435
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2085
- 8 Sample Mean(XBAR): Sum X/N 100.12
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 9.00
- 12 Quality Index Lower (QL): (XBAR-L) / S 10.19
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- 16 Maximum Allowable Percent NCF(M)
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009) Lot Descr: KU I70 - 2
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 18
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "P" # Normal Inspection

Page 17
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C229132	100.30	C229151	100.20	C229310	100.10	C229312	100.40	C230729	100.30
C230764	100.50	C230912	100.40	C230980	100.60	C230981	100.10	C230982	100.10
C231003	100.50	C231020	100.30	C231085	100.30	C232997	100.10	C233149	100.40
L135144	99.90	L135282	100.30	L135549	100.40	L135859	100.00	L135897	100.20
L136045	100.20	L136056	99.90	L136590	100.00	L136602	100.30	L136650	100.20
L137102	100.40	L137242	100.50	L137354	100.50	L137436	100.10	L137447	100.00
L137537	100.50	L137549	100.00	L137965	100.60	L138318	100.30	L138421	100.40
L138628	100.40	L138764	99.90	L138848	99.90	L138863	100.30	L139082	100.30
L139152	100.20	L139758	99.60	L140146	99.90	L140374	100.00	L140407	100.10
L141559	100.00	L141900	100.40	L142222	100.00	L142354	100.30	L143514	100.10
L143537	100.20	L143860	100.10	L144552	100.40	L144574	100.20	L144838	100.10
L144839	100.40	L144873	100.40	L145216	100.20	L145405	100.00	L145459	100.50
L145489	99.90	L145775	100.10	L145790	100.00	L146083	100.30	L146293	99.70
L146395	100.10	L146572	100.20	L146885	100.40	L147103	100.10	L147104	100.50
L147248	100.30	L147326	100.30	L147349	100.10	W104444	100.10	W104490	100.40

INFORMATION NEEDED

- Sample Size (N)
- Sum of Measurements: (Sum X) 7515.70
- Sum of Squared Measurements 753146.53
- Correction Factor (CF): Sum of Measurements Squared / N 753143.29
- Corrected Sum of Squares (SS) 3.24
- Variance (V) : SS/(N-1) 0.0438
- Estimate of Lot Standard Deviation(S) : SORT of V 0.2094
- Sample Mean(XBAR) : Sum X/N 100.21
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU) : (U-XBAR) / S 8.55
- Quality Index Lower (QL) : (XBAR-L) / S 10.55
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- Maximum Allowable Percent NCF (M) 4.83
- Acceptability Criterion: Compare P with M
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

PASS

VALUE OBTAINED

75

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 19 Lot Descr: KU I70 - 3
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 18
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C238327	100.20	C238512	100.30	C238617	99.90	C238732	100.00
C239110	99.90	C239220	100.10	C239360	100.20	C243069	100.20
C243294	100.40	L147509	100.00	L147553	100.40	L148198	100.10
L148309	100.60	L148438	100.60	L148644	100.30	L148783	99.90
L148799	100.20	L148887	99.90	L148936	100.10	L148973	100.30
L149109	100.50	L149157	100.00	L170103	100.10	L170132	100.10
L170416	100.10	L170512	100.20	L170561	100.30	L171057	99.60
L171533	100.20	L172683	100.20	L172702	99.90	L172739	100.70
L172965	100.10	L173040	99.70	L173151	100.20	L173976	99.90
L174349	100.20	L174394	100.10	L174924	99.80	L174943	99.70
L175273	99.90	L175507	100.10	L175633	99.90	L175724	100.20
L176574	100.20	L176756	100.20	L176789	99.90	L177551	100.30
L177751	99.90	L178167	100.10	L178188	100.30	L178419	100.00
L178571	100.20	L178596	100.00	L179059	100.00	L179072	99.90
M374349	100.30	M374411	100.18	W107673	100.20	W108031	100.30

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7509.18
- 3 Sum of Squared Measurements 751840.59
- 4 Correction Factor (CF): Sum of Measurements Squared / N 751837.12
- 5 Corrected Sum of Squares (SS) 3.47
- 6 Variance (V) : SS/(N-1) 0.0469
- 7 Estimate of Lot Standard Deviation (S): SQRT of V 0.2165
- 8 Sample Mean(XBAR): Sum X/N 100.12
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 8.67
- 12 Quality Index Lower (QL): (XBAR-L) / S 9.80
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 21
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU I70 - 5

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "S" # Normal Inspection

Page 20
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C244026	100.00	C247576	99.90	C247589	100.40	C247714	100.30	C247851	100.60
C248209	100.10	C248247	100.10	C248552	100.50	C248610	100.30	C248636	99.90
C248655	100.40	C252113	100.50	C252301	100.50	L196690	100.10	L197672	100.00
L197758	99.90	L197779	99.70	L197817	100.00	L199899	100.10	L199953	100.00
L200031	99.70	L200097	100.10	L200244	100.00	L200472	100.00	L200475	100.00
L200510	100.00	L200643	100.10	L200801	100.10	L201630	100.30	L201714	100.00
L201766	99.90	L201828	99.60	L202203	99.70	L203570	100.00	L203662	100.10
L203704	100.10	L203705	100.10	L203969	99.60	L203993	99.70	L204012	99.80
L204530	100.00	L205132	99.80	L205303	100.20	L205316	100.30	L205496	100.00
L205531	99.90	L205692	100.30	L205831	100.10	L206029	99.80	L206108	99.90
L206910	100.30	L207409	100.10	L207459	100.10	L207679	100.10	L207686	100.10
L207756	100.10	L207879	100.10	L207981	100.00	L208003	100.00	L208078	100.00
L208156	100.10	L208845	100.30	L209205	99.90	L209284	100.00	L210044	100.10
L210106	99.80	L210178	99.80	L210289	100.10	L210529	99.90	W112520	100.20
W114254	100.30	W114279	99.80	W114315	100.10	W114325	100.30	W114376	100.20

INFORMATION NEEDED

1 Sample Size (N)	75	VALUE OBTAINED
2 Sum of Measurements: (Sum X)	7504.30	
3 Sum of Squared Measurements	750863.57	
4 Correction Factor (CF): Sum of Measurements Squared / N	750860.25	
5 Corrected Sum of Squares (SS)	3.32	
6 Variance (V) : SS/(N-1)	0.0449	
7 Estimate of Lot Standard Deviation(S): SQRT of V	0.2119	
8 Sample Mean(XBAR): Sum X/N	100.06	
9 Upper Specification Limit (U)	102.00	
10 Lower Specification Limit (L)	98.00	
11 Quality Index Upper (QU) : (U-XBAR) / S	9.17	
12 Quality Index Lower (QL) : (XBAR-L) / S	9.71	
13 Estimate of Lot Percent NCF Above U (PU)	0.00	
14 Estimate of Lot Percent NCF Below L (PL)	0.00	
15 Total Estimate Percent NCF. In Lot (P) : PU+PL	0.00	
16 Maximum Allowable Percent NCF(M)	4.83	
17 Acceptability Criterion: Compare P with M	PASS	
18 The Lot Meets the Acceptability Criterion if P <= M		
19 The Lot Fails the Acceptability Criterion if P > M		

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)

Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 22

In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Lot Descr: KU I70 - 6

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 21

Run Date: 01/05/2010

Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C252323	100.20	C252412	100.30	C252418	100.60	C252458	100.20
C252624	100.40	C252770	100.60	C252928	100.60	C255553	100.00
C255703	100.00	L046610	100.00	L077470	99.80	L083992	100.00
L211774	100.10	L211797	100.00	L211909	99.80	L212996	100.10
L213223	99.90	L213361	100.20	L213638	100.30	L214037	100.10
L214686	100.10	L214730	100.20	L214749	100.10	L214833	100.00
L215178	99.40	L215381	100.00	L215425	99.90	L215435	100.10
L216755	99.70	L216837	100.00	L217225	99.90	L217227	99.60
L217637	100.00	L217852	100.50	L218089	100.20	L218146	100.40
L219474	99.70	L219575	100.00	L219595	100.00	L219850	100.20
L220084	100.00	L220136	100.20	L220785	100.40	L221036	100.00
L222257	100.20	L222507	100.00	L222578	99.80	L224927	100.20
L225431	100.20	L225464	99.80	L225472	100.10	L225497	99.70
L225838	99.50	W116112	99.80	W116335	101.50	W117560	100.30
W119045	100.30	W119282	100.20	W119286	100.40	W119292	99.90

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7507.90
- 3 Sum of Squared Measurements 751587.77
- 4 Correction Factor (CF): Sum of Measurements Squared / N 751580.83
- 5 Corrected Sum of Squares (SS) 6.94
- 6 Variance (V) : SS/(N-1) 0.0938
- 7 Estimate of Lot Standard Deviation(S) : SQRT of V 0.3062
- 8 Sample Mean(XBAR) : Sum X/N 100.11
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU) : (U-XBAR) / S 6.19
- 12 Quality Index Lower (QL) : (XBAR-L) / S 6.88
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 23
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU I70 - 7

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 22

Run Date: 01/05/2010

Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C223124	100.40	C223253	100.00	C256350	100.40	C256440	100.10
C256530	100.00	C261589	100.30	C261809	100.40	C262053	100.10
C262143	100.20	C262330	100.30	C262338	100.00	C262574	99.80
C265525	100.10	C267111	100.30	C267293	100.00	C267554	100.30
C267751	99.90	C269248	99.60	L226163	100.30	L226198	100.20
L226248	100.00	L226570	100.00	L226585	100.00	L226627	100.10
L226877	100.00	L227006	100.20	L227185	100.10	L226801	100.10
L227520	100.30	L227581	100.30	L233439	100.10	L227437	100.20
L234008	100.50	L234071	100.50	L234346	100.00	L233819	100.20
L235053	99.90	L235064	100.30	L235268	100.30	L234451	100.20
L237713	99.90	L237729	99.80	L237768	100.30	L235544	100.20
L238798	100.10	L238877	100.00	L238880	100.30	L237853	100.10
M402044	99.90	M402266	100.10	M402338	100.20	L239050	100.00
M403676	99.70	M403737	100.00	M403966	100.00	M402711	100.10
W121437	100.20	W121532	100.20	W121700	100.00	M404127	100.30
						W121781	99.80

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7509.70
- 3 Sum of Squared Measurements 751943.75
- 4 Correction Factor (CF): Sum of Measurements Squared / N 751941.25
- 5 Corrected Sum of Squares (SS) 2.50
- 6 Variance (V) : SS/(N-1) 0.0337
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1836
- 8 Sample Mean(XBAR): Sum X/N 100.13
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 10.19
- 12 Quality Index Lower (QL): (XBAR-L) / S 11.60
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 24 Lot Descr: KU I70 - 8
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 23
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C271935	100.00	C272108	100.50	C272239	100.30
C272933	99.90	C276575	100.20	C276641	100.00
C276951	99.90	C276979	100.00	C277140	100.40
C277479	100.20	C277494	100.30	C277596	100.10
C282093	100.30	C287530	99.80	C287626	99.80
C290209	99.90	C290303	100.00	C290391	100.00
C290771	99.80	C290818	99.90	L241183	99.90
L241325	100.10	L241383	100.00	L241541	100.10
L241619	100.20	L242568	100.10	L242680	99.70
L244341	99.90	L244370	100.20	L244417	100.30
L244619	100.00	M416797	100.20	M420210	100.10
M420641	100.00	M420730	99.80	M420855	99.70
W123266	100.40	W123436	100.00	W123529	100.10
W124554	100.40	W125531	99.90	W125561	100.00
W127809	99.92	W128054	100.00	W128369	100.10
C272827	100.40	C272471	100.30	C272827	100.30
C276864	99.80	C276863	100.00	C276864	100.20
C277475	100.50	C277448	100.40	C277475	99.80
C281513	100.20	C281526	100.10	C281513	100.30
C287776	100.50	C287703	100.50	C287776	100.10
C290706	100.00	C290517	100.00	C290706	100.00
L241319	99.90	L241264	99.90	L241319	100.10
L241610	100.10	L241580	100.10	L241610	100.20
L244322	99.90	L244139	100.10	L244322	99.90
L244551	99.90	L244488	99.90	L244551	100.10
M420607	99.90	M420358	100.10	M420607	99.80
W123398	100.40	W123071	99.70	W123398	100.10
W124057	100.00	W123537	100.10	W124057	100.10
W127447	100.10	W127299	100.00	W127447	99.82
W128456	99.90	W128405	100.10	W128456	100.00

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7504.94
- 3 Sum of Squared Measurements 750991.18
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750988.33
- 5 Corrected Sum of Squares (SS) 2.85
- 6 Variance (V) : SS/(N-1) 0.0386
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1964
- 8 Sample Mean(XBAR): Sum X/N 100.07
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 9.85
- 12 Quality Index Lower (QL): (XBAR-L) / S 10.52
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

PASS

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 25 Lot Descr: KU I70 - 9
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 24
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C291028	100.00	C291161	100.10	C292574	100.10	C292613	100.10
C292881	100.40	C293071	99.90	C293146	100.40	C293204	100.20
C293461	100.20	C293559	100.20	C293657	100.10	C293756	100.10
C294217	100.40	C294547	100.10	C295953	100.20	C295983	100.30
C296100	100.10	C296270	100.10	C296517	100.40	C296586	99.90
C296936	100.60	L262187	99.90	L262602	100.00	L262606	100.00
L262727	99.90	L262753	100.10	L262790	100.00	L262835	99.10
L263027	100.20	L263409	100.20	L263493	100.40	L264092	100.20
L264252	100.10	L264510	99.90	L264562	100.20	L264651	99.80
L264829	104.40	L264891	100.00	L265124	100.00	L265314	100.20
L265884	100.20	L265959	100.00	L266039	100.20	L266628	100.30
L266642	100.20	L266674	100.20	L266683	100.10	M433602	99.90
M433679	100.00	M433761	100.00	M433843	99.90	M433650	100.10
W129337	100.10	W130230	100.10	W130249	100.00	W129307	99.90
W131727	100.20	W131786	100.10	W131831	100.60	W131431	100.00
						W131886	100.00

INFORMATION NEEDED

75 VALUE OBTAINED

- 1 Sample Size (N) 7511.92
- 2 Sum of Measurements: (Sum X) 752407.32
- 3 Sum of Squared Measurements 752385.89
- 4 Correction Factor (CF): Sum of Measurements Squared / N 21.42
- 5 Corrected Sum of Squares (SS) 0.2895
- 6 Variance (V) : SS/(N-1) 0.5381
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 100.16
- 8 Sample Mean(XBAR): Sum X/N 102.00
- 9 Upper Specification Limit (U) 98.00
- 10 Lower Specification Limit (L) 3.42
- 11 Quality Index Upper (QU): (U-XBAR) / S 4.01
- 12 Quality Index Lower (QL): (XBAR-L) / S 0.02
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.02
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- 16 Maximum Allowable Percent NCF(M)
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)

Device Category: F25240V30AC200

In Service Population: 10,000

Sample Quantity: 75

Meters Tested: 75

Sample Lot: 26

Lot Descr: KU I70 - 10

Model Number: I70S

Division: 01

Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 25

Run Date: 01/05/2010

Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C299272	100.40	C299585	100.60	C299818	100.20	C299936	100.20
C300177	100.20	C300330	99.70	C304596	100.20	C305249	100.60
C305266	100.30	C305269	100.50	C305416	100.10	C305546	100.00
C335353	99.70	C335394	99.80	C335799	99.80	C335845	99.80
L276514	100.10	L276663	100.10	L276718	100.10	L277185	99.90
L277414	100.00	L277498	99.60	L277562	99.80	L303910	99.50
L303960	99.90	L304142	99.90	L304201	99.70	L304302	99.70
L304411	100.00	L304498	100.00	L304683	99.30	L304823	99.60
L304922	99.70	L305167	99.50	L305313	99.90	L305785	99.90
M434212	100.10	M434390	100.10	M434448	100.00	M437943	99.90
M438239	100.20	M438488	100.00	M438587	100.30	M442115	100.00
W132734	100.00	W136148	100.20	W136150	100.00	W136508	100.10
W136535	99.90	W136643	100.40	W136902	100.16	W137414	100.10
W137418	100.10	W137470	100.17	W137571	100.10	W137614	100.00
W137633	100.40	W137730	100.20	W137845	99.90	W137905	100.00

INFORMATION NEEDED

VALUE OBTAINED

75

7501.13

750230.65

750226.02

4.64

0.0627

0.2503

100.02

98.00

7.93

8.05

0.00

0.00

0.00

4.83

PASS

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 27 Lot Descr: KU I70 - 11
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 26

Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C335866	99.40	C336065	100.00	C336186	99.90	C336580	99.80
C336929	100.20	C337155	99.80	C337237	99.00	C337262	99.50
C337421	99.20	C337480	99.70	C337565	99.60	C337834	99.91
C337859	100.00	C337911	98.97	C337954	100.10	C338117	99.60
C338429	99.83	C338583	99.70	C338693	99.64	C338988	100.22
C339829	100.30	C340305	100.00	C340510	99.80	C340535	99.89
C341434	99.90	C341667	99.90	C341887	99.72	C341192	99.60
C342034	99.80	C342469	100.00	C342606	99.70	C342024	99.90
C343038	99.80	C343039	99.70	C343073	99.70	C343000	99.20
C343667	99.80	C343887	100.04	C343978	99.60	C343433	99.90
C344205	99.70	C344348	99.80	C344398	99.70	C344167	100.10
L306715	99.90	L306720	99.70	L306769	99.80	L306591	99.90
L307151	99.90	L307356	99.70	L307450	99.60	L306969	99.90
L307852	99.90	L307858	100.20	L307941	99.70	L307718	99.80
L308032	99.60	L308097	99.60	M446696	100.00	L307950	99.50
						M446712	99.90

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7482.82
- 3 Sum of Squared Measurements 746572.45
- 4 Correction Factor (CF): Sum of Measurements Squared / N 746567.94
- 5 Corrected Sum of Squares (SS) 4.51
- 6 Variance (V) : SS/(N-1) 0.0610
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2469
- 8 Sample Mean(XBAR): Sum X/N 99.77
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 9.03
- 12 Quality Index Lower (QL): (XBAR-L) / S 7.17
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F25240V30AC200 Model Number: I70S Division: 01
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Lot Descr: KU I70 - 12

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 27
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C342111	100.10	C342327	100.00	C342386	99.90
C352079	100.00	L308229	99.80	L308410	100.20
L308535	99.90	L308816	99.50	L308976	99.80
L309012	99.60	L309041	99.90	L309190	99.70
L309556	99.50	L309789	99.50	L309985	99.60
L310088	99.80	L310098	100.10	L310832	99.90
L311021	99.70	L311113	99.70	L311481	99.90
L311925	100.10	L312531	100.30	M447043	99.80
M447393	99.80	M447531	99.70	M447045	99.90
M447792	99.80	M447828	100.00	M447778	99.80
W149419	99.60	W149606	99.60	W149400	99.60
W150169	99.30	W150502	99.50	W150095	99.50
W150927	100.10	W150967	99.90	W150787	99.80
W151670	99.90	W151680	100.10	W151145	99.50
W152227	99.90	W152592	99.60	W151955	99.50
				W152020	99.90
				W152836	100.00

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7485.80
- Sum of Squared Measurements 747166.46
- Correction Factor (CF): Sum of Measurements Squared / N 747162.69
- Corrected Sum of Squares (SS) 3.77
- Variance (V) : SS/(N-1) 0.0510
- Estimate of Lot Standard Deviation(S): SQRT of V 0.2258
- Sample Mean (XBAR): Sum X/N 99.81
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 9.70
- Quality Index Lower (QL): (XBAR-L) / S 8.02
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF, In Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: I70S Division: 01 Sample Lot: 29
 In Service Population: 2,561 Sample Quantity: 50 Meters Tested: 50 Pass/ Fail: PASS Lot Descr: KU I70 - 13

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method Page 28
 One AQL Value for Both Upper and Lower Specification Limit Combined Run Date: 01/05/2010
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C298432	99.70	L268320	100.20	L268324	100.40	L268330	100.10
W153219	99.90	W153220	99.80	W153281	99.90	W153304	99.80
W153351	99.70	W153402	100.00	W153416	100.00	W153489	100.00
W153557	99.70	W153590	100.00	W153758	99.80	W153814	99.80
W153929	100.00	W153959	100.50	W154027	99.70	W154030	100.00
W154185	99.30	W154188	99.90	W154270	99.90	W154383	99.90
W154415	99.70	W154420	99.90	W154433	99.60	W154498	100.10
W154585	99.90	W154600	100.00	W154634	99.90	W154722	99.70
W154743	99.70	W154747	99.90	W154915	99.80	W155001	99.70
W155164	99.80	W155317	100.00	W155348	100.00	W155357	100.00
						W153173	99.90
						W153337	100.00
						W153522	100.00
						W153874	100.20
						W154162	100.00
						W154405	100.10
						W154529	99.70
						W154737	99.90
						W155083	99.80
						W155493	99.70

INFORMATION NEEDED

VALUE OBTAINED

- Sample Size (N) 50
- Sum of Measurements: (Sum X) 4995.00
- Sum of Squared Measurements 499002.46
- Correction Factor (CF): Sum of Measurements Squared / N 499000.50
- Corrected Sum of Squares (SS) 1.96
- Variance (V) : SS/(N-1) 0.0400
- Estimate of Lot Standard Deviation(S): SQRT of V 0.2000
- Sample Mean(XBAR): Sum X/N 99.90
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU) : (U-XBAR) / S 10.50
- Quality Index Lower (QL) : (XBAR-L) / S 9.50
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- Maximum Allowable Percent NCF(M) 5.21
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: FIS120V15AC100 Model Number: JS Division: 01 Sample Lot: 30 Lot Descr: KU J - 1
 In Service Population: 49 Sample Quantity: 5 Meters Tested: 5 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993 Page 29
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined Run Date: 01/05/2010
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C148139	99.50	W045361	99.50	W045490	99.40	W048211	100.00
							99.20

INFORMATION NEEDED

- 1 Sample Size (N) 5
- 2 Sum of Measurements: (Sum X) 497.60
- 3 Sum of Squared Measurements 49521.50
- 4 Correction Factor (CF): Sum of Measurements Squared / N 49521.15
- 5 Corrected Sum of Squares (SS) 0.35
- 6 Variance (V) : SS/(N-1) 0.0870
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2950
- 8 Sample Mean(XBAR): Sum X/N 99.52
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 8.41
- 12 Quality Index Lower (QL): (XBAR-L) / S 5.15
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 9.80
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J3S Division: 01
 In Service Population: 6,232 Sample Quantity: 75 Meters Tested: 75 Sample Lot: 31
 Lot Descr: KU J3 - 1 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 30

Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C205466	100.10	C205470	100.50	C206348	100.30	C206613	100.50
C208911	100.20	C209041	100.20	C210221	99.70	C210235	99.90
C210491	100.80	C210624	98.80	C210663	100.20	C211079	100.30
C211873	100.20	C212330	99.70	C213771	100.40	C214892	100.90
C215727	100.10	C215811	99.50	C215814	100.30	C214943	100.10
C217522	100.10	C218602	100.10	C218670	100.15	C215873	100.30
C220934	99.70	C220959	100.30	C220991	99.60	C219522	100.00
C221833	99.90	C221853	100.10	C222487	100.10	C220996	99.90
C224552	99.90	C226077	99.60	M345246	99.80	C224282	100.00
W093094	100.50	W094314	100.27	W094509	100.30	C224474	100.00
W095407	99.90	W095790	100.00	W095847	99.80	W093049	100.50
W096062	100.00	W096385	100.20	W096708	99.80	W095077	100.20
W097474	100.00	W097961	100.00	W098610	99.90	W095849	99.20
W100144	100.20	W100157	100.09	W100179	99.80	W096802	99.90
W101646	100.30	W101654	100.70	W103003	100.00	W098963	100.00
					99.70	W100865	99.90
						W103135	99.80
							100.00

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7503.51
- 3 Sum of Squared Measurements 750710.50
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750702.16
- 5 Corrected Sum of Squares (SS) 8.34
- 6 Variance (V) : SS/(N-1) 0.1127
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.3357
- 8 Sample Mean(XBAR): Sum X/N 100.05
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 5.82
- 12 Quality Index Lower (QL): (XBAR-L) / S 6.10
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)

Device Category: F2S240V30AC200 Model Number: J4S Division: 01 Sample Lot: 32
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J4 - 1

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "P" # Normal Inspection

Page 31

Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C233372	98.40	C233565	100.00	C235435	100.00	C235490	99.80
C235632	100.00	C239520	99.90	C239537	100.50	C239584	100.30
C239819	100.00	C239975	100.00	C240050	100.70	C240172	100.10
C244311	100.80	C244362	100.60	C244726	100.30	C245086	99.70
C248965	100.20	C249156	100.20	C249540	99.60	C249616	99.80
C253452	99.80	C263042	100.20	C263105	99.90	C263310	99.70
C263316	100.10	C263389	99.80	I231875	99.90	M354992	99.60
M374939	99.80	M381509	100.10	M388118	100.40	M393510	99.60
M393810	100.00	M393888	99.10	M394178	99.80	M394410	99.90
M408674	99.90	M408722	99.90	M408852	100.20	M408915	100.10
M426576	100.20	M426679	100.10	M426621	99.40	M426717	100.10
W104245	100.10	W104274	100.10	W104695	100.20	W104949	100.20
W107103	100.10	W108617	100.03	W108736	100.30	W109051	99.80
W109459	100.60	W109460	100.20	W109983	99.74	W110218	100.30
W111379	100.10	W111726	99.90	W112268	100.20	W113664	100.31

INFORMATION NEEDED

- 1 Sample Size (N)
- 2 Sum of Measurements: (Sum X)
- 3 Sum of Squared Measurements
- 4 Correction Factor (CF): Sum of Measurements Squared / N
- 5 Corrected Sum of Squares (SS)
- 6 Variance (V) : SS/(N-1)
- 7 Estimate of Lot Standard Deviation(S): SQRT of V
- 8 Sample Mean(XBAR): Sum X/N
- 9 Upper Specification Limit (U)
- 10 Lower Specification Limit (L)
- 11 Quality Index Upper (QU): (U-XBAR) / S
- 12 Quality Index Lower (QL): (XBAR-L) / S
- 13 Estimate of Lot Percent NCF Above U (PU)
- 14 Estimate of Lot Percent NCF Below L (PL)
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL
- 16 Maximum Allowable Percent NCF(M)
- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

- 1 75
- 2 7500.78
- 3 750166.21
- 4 750156.01
- 5 10.21
- 6 0.1379
- 7 0.3714
- 8 100.01
- 9 102.00
- 10 98.00
- 11 5.36
- 12 5.41
- 13 0.00
- 14 0.00
- 15 0.00
- 16 4.83
- 17 PASS
- 18
- 19

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J4S Division: 01 Sample Lot: 33
 In Service Population: 4,376 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J4 - 2

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 32
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C263531	99.30	C263550	99.80	C263597	99.70	C263647	100.10
C263692	100.20	C263745	99.20	C263761	99.90	C268070	99.90
C268073	100.10	C268141	100.10	C268206	100.10	C268278	99.60
C268370	99.90	C268535	99.90	C268595	100.00	C268679	100.10
C268976	100.00	C342517	99.70	C351363	100.20	C351632	100.00
L240046	99.80	L240048	99.80	L240207	99.60	L240369	99.60
L240391	100.30	L240442	100.10	L240452	100.10	L240472	100.10
L240504	99.80	L240555	99.70	L241996	99.50	L242071	99.90
L242084	100.10	L242156	100.20	L242171	99.50	L242286	99.70
M412869	99.90	M412890	100.10	M412963	100.10	M412975	99.80
M413078	99.80	M413177	100.00	M413225	99.90	M413329	99.40
M413372	100.00	M415459	100.30	M415508	99.90	M415558	99.90
M415638	101.70	M415644	100.10	M415752	99.80	M415779	100.10
M415959	99.50	M416058	100.00	M416104	100.40	M416175	99.90
W122732	99.70	W122881	100.30	W122939	100.20	W123603	98.98

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7494.38
- 3 Sum of Squared Measurements 748884.94
- 4 Correction Factor (CF): Sum of Measurements Squared / N 748876.42
- 5 Corrected Sum of Squares (SS) 8.52
- 6 Variance (V) : SS/(N-1) 0.1151
- 7 Estimate of Lot Standard Deviation(S) : SQRT of V 0.3393
- 8 Sample Mean (XBAR) : Sum X/N 99.93
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU) : (U-XBAR) / S 6.12
- 12 Quality Index Lower (QL) : (XBAR-L) / S 5.67
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)

Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 34 Lot Descr: KU J5 - 2
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 33

Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C283816	100.00	C283909	99.80	C284394	100.00	C284422	99.40
C288501	100.10	C288568	100.20	C288730	100.20	C288842	100.10
C288915	100.00	C288945	100.60	C291251	100.00	C291299	99.90
C291536	100.10	C291591	99.80	C291669	100.10	C291769	100.50
C291824	100.10	L253071	100.00	L253344	100.20	L253541	99.80
L253980	100.00	L254440	99.70	L254571	99.80	L254668	99.70
L254730	99.80	L254980	99.70	L255124	100.10	L255216	99.40
L255664	100.30	L255843	99.90	L256453	99.40	L255521	100.00
L257003	100.30	L257008	99.40	L257009	99.80	L256470	99.80
L257878	99.90	L257908	99.60	L258041	99.80	L257479	99.90
L258711	99.80	L258755	100.00	L259257	100.20	L258052	100.10
L259535	99.84	L259651	99.60	M421629	99.80	L259268	99.80
M422837	100.00	M422962	99.80	M423035	100.10	M422731	100.50
M423279	100.00	M423286	99.80	M423328	100.20	M423159	99.80
M423711	99.80	M423829	99.40	M423840	99.90	M423449	100.40
						W128275	99.50
						W128864	100.40

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7497.18
- 3 Sum of Squared Measurements 749442.22
- 4 Correction Factor (CF): Sum of Measurements Squared / N 749436.11
- 5 Corrected Sum of Squares (SS) 6.12
- 6 Variance (V) : SS/(N-1) 0.0826
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2875
- 8 Sample Mean(XBAR): Sum X/N 99.96
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 7.09
- 11 Quality Index Upper (QU): (U-XBAR) / S 6.83
- 12 Quality Index Lower (QL): (XBAR-L) / S 0.00
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- 16 Maximum Allowable Percent NCF(M)
- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

75

PASS

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 35
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J5 - 3

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "G" # Normal Inspection

Page 34
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C294719	99.90	C295050	100.20	C295137	100.20	C295215	99.80
C295277	100.30	C295506	100.00	C295552	100.10	C295682	100.10
C295686	100.10	C297087	99.80	C297264	100.60	C298035	99.90
C300331	99.70	C300355	100.00	L260602	99.70	L260783	100.00
L260984	100.00	L261070	99.60	L261208	100.20	L261258	100.00
L261333	99.70	L261371	100.10	L261447	99.90	L261744	100.10
L261811	100.00	L261903	99.90	L261979	100.20	L267012	100.20
L267033	100.00	L267167	100.30	L267462	99.70	M423964	100.10
M423984	99.80	M424028	99.70	M424139	100.10	M424259	100.00
M424316	99.90	M424361	100.20	M424623	99.90	M428564	100.20
M428679	99.90	M428991	100.30	M429270	100.00	M429339	100.00
M429586	100.20	M429736	99.90	M429812	99.80	M429964	99.90
M430376	100.00	M430435	100.30	M430581	100.10	M432221	100.30
M432578	100.30	M432580	100.20	W129725	100.10	W129837	99.90
W129855	99.80	W130783	100.10	W130791	100.60	W131118	99.90

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7502.63
- Sum of Squared Measurements 750529.26
- Correction Factor (CF): Sum of Measurements Squared / N 750526.09
- Corrected Sum of Squares (SS) 3.17
- Variance (V) : SS/(N-1) 0.0428
- Estimate of Lot Standard Deviation(S): SQRT of V 0.2069
- Sample Mean(XBAR): Sum X/N 100.04
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 9.50
- Quality Index Lower (QL): (XBAR-L) / S 9.83
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 36 Lot Descr: KU J5 -4
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "R" # Normal Inspection

Page 35
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C303016	99.90	C303166	99.90	C303228	99.90	C303259	99.80	C303653	100.00
C303967	100.00	C304185	100.10	C304386	100.00	L268239	100.10	L269164	100.40
L269355	100.30	L269383	99.90	L269387	100.70	L269951	99.70	L269981	100.10
L269982	100.00	L270006	100.00	L270565	99.90	L270598	99.70	L270662	99.90
L270698	99.90	L271058	99.90	L271106	100.10	L271335	99.70	L271652	99.80
L271769	100.10	L271826	100.40	L271844	100.00	L271862	99.80	L271989	100.00
L272009	100.10	L272058	99.60	L272115	100.00	L272199	99.90	L272258	99.90
L272869	100.30	L272894	99.90	L273002	100.00	L273049	100.20	L273119	100.20
L273369	99.90	L273686	99.90	L273705	99.80	L273742	99.60	L273797	100.00
L273799	99.20	L273949	100.00	L274410	100.00	L274533	100.20	L274618	100.20
L274653	100.10	L274930	100.20	L274951	99.60	L275022	99.90	L275186	99.60
L275586	100.30	L275667	100.20	L275737	99.90	L275794	100.00	L275838	99.80
L276042	100.10	L276043	99.90	L276272	99.80	M432728	100.20	M432893	100.00
M432933	100.00	M433053	99.80	M433343	99.80	M433375	100.10	M433382	99.40
M433474	99.60	M433481	99.60	P001105	100.30	P003454	100.30	P005109	100.20

INFORMATION NEEDED

1 Sample Size (N) 75

2 Sum of Measurements: (Sum X) 7497.60

3 Sum of Squared Measurements 749524.38

4 Correction Factor (CF): Sum of Measurements Squared / N 749520.08

5 Corrected Sum of Squares (SS) 4.30

6 Variance (V) : SS/(N-1) 0.0582

7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2411

8 Sample Mean(XBAR): Sum X/N 99.97

9 Upper Specification Limit (U) 102.00

10 Lower Specification Limit (L) 98.00

11 Quality Index Upper (QU): (U-XBAR) / S 8.43

12 Quality Index Lower (QL): (XBAR-L) / S 8.16

13 Estimate of Lot Percent NCF Above U (PU) 0.00

14 Estimate of Lot Percent NCF Below L (PL) 0.00

15 Total Estimate Percent NCF, In Lot (P): PU+PL 0.00

16 Maximum Allowable Percent NCF(M) 4.83

17 Acceptability Criterion: Compare P with M PASS

18 The Lot Meets the Acceptability Criterion if P <= M

19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F25240V30AC200 Model Number: J5S Division: 01
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Sample Lot: 37 Lot Descr: KU J5 - 5
 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 36
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C305718	99.60	C305732	100.00	C305748	100.20	C306008	99.90
C306287	99.80	C306372	99.20	C306556	99.70	C306592	100.00
C306649	99.90	C306679	100.10	C306784	100.00	C306805	99.70
C306920	99.60	C307016	99.40	C307068	100.30	C307366	99.90
C307832	99.80	C307872	99.90	C308400	99.80	C308491	99.90
C308804	100.20	C308920	99.50	C309064	100.40	C309439	99.80
C309817	99.60	C309888	99.40	C309897	99.80	C309944	99.90
C309997	99.80	C310065	99.70	C310155	100.00	C310490	99.80
C310531	99.90	L277828	99.40	L277875	99.90	L278147	99.90
L278392	99.60	L278580	99.80	L278696	99.70	L278854	99.90
L278947	100.20	L279596	99.60	L279648	99.50	L279719	99.70
L279854	100.00	L279925	99.80	L280089	99.60	L280251	99.70
L280529	99.80	L280586	99.80	L280720	100.00	L280752	99.90
L281526	99.80	L282076	99.80	L282160	100.00	L282335	99.80
L282499	99.60	L282567	99.40	L282685	99.90	L282895	99.80

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7485.10
- Sum of Squared Measurements 747026.77
- Correction Factor (CF): Sum of Measurements Squared / N 747022.96
- Corrected Sum of Squares (SS) 3.81
- Variance (V) : SS/(N-1) 0.0515
- Estimate of Lot Standard Deviation(S): SQRT of V 0.2269
- Sample Mean(XBAR): Sum X/N 99.80
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 9.69
- Quality Index Lower (QL): (XBAR-L) / S 7.94
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 39
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J5 - 7

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 38
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C318405	100.30	C318673	99.90	C318722	100.30	C319020	100.00
C319043	100.00	C319116	100.40	C319211	100.10	C319258	100.00
C319433	99.90	C319538	99.80	C319576	99.80	C319581	99.60
C319879	100.30	C320014	99.80	C320097	100.30	C320175	99.90
C320388	100.20	C320555	100.10	C320562	99.70	C326125	100.10
C326341	99.90	C326420	100.70	C326586	100.30	L283997	99.80
L284095	99.70	L284243	100.00	L284323	99.90	L284367	100.10
L285222	99.80	L285256	99.60	L285425	99.60	L285748	100.20
L285749	99.90	L286426	100.00	L286545	100.00	L286971	100.00
L287123	99.80	L287215	99.80	L287394	99.60	L287470	99.90
L291734	99.90	L291803	100.10	M439648	100.10	M439675	100.30
M440006	99.60	M440082	99.50	M440634	100.00	M440785	99.80
M440790	99.80	M440800	99.90	W140593	100.10	W141033	99.50
W141236	100.10	W141366	100.01	W141495	100.00	W141597	99.70
W142017	99.90	W142082	99.60	W142130	99.40	W142285	100.40
							99.90

INFORMATION NEEDED

- 1 Sample Size (N)
- 2 Sum of Measurements: (Sum X)
- 3 Sum of Squared Measurements
- 4 Correction Factor (CF): Sum of Measurements Squared / N
- 5 Corrected Sum of Squares (SS)
- 6 Variance (V) : SS/(N-1)
- 7 Estimate of Lot Standard Deviation(S) : SQRT of V
- 8 Sample Mean(XBAR): Sum X/N
- 9 Upper Specification Limit (U)
- 10 Lower Specification Limit (L)
- 11 Quality Index Upper (QU) : (U-XBAR) / S
- 12 Quality Index Lower (QL) : (XBAR-L) / S
- 13 Estimate of Lot Percent NCF Above U (PU)
- 14 Estimate of Lot Percent NCF Below L (PL)
- 15 Total Estimate Percent NCF. In Lot (P) : PU+PL
- 16 Maximum Allowable Percent NCF(M)
- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

VALUE OBTAINED

- 75
- 7496.11
- 749227.41
- 749222.20
- 5.21
- 0.0704
- 0.2653
- 99.95
- 102.00
- 98.00
- 7.73
- 7.34
- 0.00
- 0.00
- 4.83
-
- PASS
-
-

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 41
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J5 - 9

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method Page 40
 One AQL Value for Both Upper and Lower Specification Limit Combined Run Date: 01/05/2010
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C331354	99.90	C331502	99.40	C331620	100.10	C349287	99.60
C349450	100.00	C349724	100.00	C349728	99.40	C349776	99.50
C350001	99.10	C350025	99.60	C350040	100.00	C350092	99.30
C350301	98.50	C350443	99.50	C350511	99.50	C350636	99.20
C350720	99.80	C350738	99.10	C350742	100.20	C350905	99.20
C351079	99.30	C351139	99.40	L313432	99.42	L313477	99.60
L313819	99.30	L314170	99.80	L314458	99.40	L314471	99.90
L315003	99.90	L315096	99.80	L315174	99.10	L315205	99.40
L315385	99.50	L315598	99.00	L316352	99.50	L316520	99.60
L316762	99.40	L316889	99.20	L316903	99.90	L316992	99.60
L317463	98.60	M444068	99.80	M444121	100.20	M445933	100.60
M446097	100.10	M446180	99.90	W144516	99.80	W144627	99.52
W144911	99.60	W145165	100.37	W145182	100.20	W145216	100.00
W145254	100.10	W146095	100.50	W146105	99.70	W146229	100.00
W146308	99.80	W146339	100.10	W146348	99.67	W146366	99.20

INFORMATION NEEDED

VALUE OBTAINED

75

- Sample Size (N) 7476.48
- Sum of Measurements: (Sum X) 745316.28
- Sum of Squared Measurements 745303.38
- Correction Factor (CF): Sum of Measurements Squared / N 12.91
- Corrected Sum of Squares (SS) 0.1744
- Variance (V) : SS/(N-1) 0.4176
- Estimate of Lot Standard Deviation(S): SQRT of V 99.69
- Sample Mean(XBAR): Sum X/N 102.00
- Upper Specification Limit (U) 98.00
- Lower Specification Limit (L) 5.54
- Quality Index Upper (QU): (U-XBAR) / S 4.04
- Quality Index Lower (QL): (XBAR-L) / S 0.00
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P): PU+PL 4.83
- Maximum Allowable Percent NCF(M)
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F28240V30AC200 Model Number: J5S Division: 01
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Lot Descr: KU J5 - 10
 Sample Lot: 42 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "P" # Normal Inspection

Page 41
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C353168	99.70	C353268	100.10	C353296	99.30	C353867	99.50
C354130	100.00	C354221	99.90	C354500	100.50	C354836	99.90
C355081	98.90	C355370	99.90	C355394	99.10	C355524	100.80
C356290	99.30	C356609	100.40	C356638	99.90	C356649	99.40
C356817	99.10	C356880	99.00	C356939	99.50	C357156	100.10
C357235	99.10	C357322	99.90	C357471	99.50	C357682	100.20
C358039	99.60	C358552	99.80	C358799	99.80	C358808	99.10
C358945	101.30	C359015	99.30	C359121	99.60	C359178	100.10
C359265	100.00	C359311	100.10	C359492	100.30	C359505	100.20
C359637	100.20	C359823	100.20	C360011	99.60	C360015	100.30
C360053	99.50	C360139	99.60	C360319	99.30	C360388	99.70
C360450	99.60	C360607	99.80	C360690	100.10	C360943	100.10
C361157	100.20	C361369	100.00	C361642	99.70	C361705	99.80
C362161	99.50	C362173	99.60	C362406	99.30	C362666	100.00
C362842	99.90	C363059	99.70	C363274	99.10	C363287	99.90

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7483.50
- 3 Sum of Squared Measurements 746719.25
- 4 Correction Factor (CF): Sum of Measurements Squared / N 746703.63
- 5 Corrected Sum of Squares (SS) 15.62
- 6 Variance (V) : SS/(N-1) 0.2111
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.4594
- 8 Sample Mean(XBAR): Sum X/N 99.78
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 4.83
- 12 Quality Index Lower (QL): (XBAR-L) / S 3.87
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 45 Lot Descr: KU J5 - 13
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "P" # Normal Inspection

Page 44
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C385854	99.40	C385972	99.80	C386677	100.40	C386794	99.70
C386882	99.80	C386928	100.30	C387364	100.10	C387462	100.00
C387571	100.10	C387779	100.00	C388376	100.00	C388435	99.90
C388447	99.90	C388523	99.60	C388609	100.30	C388658	99.60
C388706	100.00	C388777	100.10	C389251	99.60	C389498	100.20
C389740	99.80	C389772	99.70	C389888	99.99	C390246	99.60
C392095	99.70	C392511	100.00	C392650	99.90	C392761	99.90
C393012	99.90	C393027	99.90	C393322	100.20	C393370	100.00
C393447	99.90	C393572	99.60	C393674	99.80	C393821	100.30
C394084	100.40	C394118	100.00	C394275	100.00	C394300	100.20
C394679	99.80	C394869	100.00	C394871	100.20	C394987	100.40
C395416	99.90	C395441	100.10	C395567	99.80	C395576	100.20
C395941	100.20	C396042	99.90	C396096	100.40	C396151	100.80
C396172	99.90	C396253	100.40	C396470	99.90	C396529	100.00
C397032	100.00	C397038	100.10	C397091	101.30	C397379	100.20

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7501.69
- 3 Sum of Squared Measurements 750344.01
- 4 Correction Factor (CF): Sum of Measurements Squared / N 750338.04
- 5 Corrected Sum of Squares (SS) 5.97
- 6 Variance (V) : SS/(N-1) 0.0807
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2841
- 8 Sample Mean(XBAR): Sum X/N 100.02
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 6.96
- 12 Quality Index Lower (QL): (XBAR-L) / S 7.12
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F25240V30AC200 Model Number: J5S Division: 01
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU J5 - 14

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "R" # Normal Inspection

Page 45
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C397651	100.00	C397709	99.90	C397714	99.90	C397841	100.00
C398045	101.20	C398208	100.20	C398307	100.60	C398383	99.70
C398401	99.80	C398420	99.80	C398499	100.30	C398940	100.50
C400182	100.70	C400203	99.90	C400300	100.40	C400337	99.90
C401018	100.10	C401096	100.00	C401107	100.00	C401468	99.00
C401509	99.80	C401532	100.20	C401719	99.80	C401729	99.80
C402295	100.00	C402390	100.10	C402455	100.00	C402760	100.20
C402774	100.20	C403108	100.30	C403332	100.40	C403461	99.80
C403476	99.60	C403486	99.90	C403781	99.60	C403452	100.10
C404080	100.00	C404097	99.90	C404124	100.40	C404026	100.10
C405044	100.10	C405057	100.00	C405109	99.90	C404215	99.30
C405327	99.60	C405659	99.90	C405729	99.20	C405118	99.50
C410531	100.00	C410561	99.10	C410619	99.60	C405787	99.60
C410732	99.51	C411018	99.80	C411166	99.50	C410716	99.40
C411482	99.60	C411503	99.30	L317801	99.60	C411206	99.30
				L317801	99.60	L317814	99.80
						L317835	100.10

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7491.71
- Sum of Squared Measurements 748352.98
- Correction Factor (CF): Sum of Measurements Squared / N 748342.92
- Corrected Sum of Squares (SS) 10.06
- Variance (V) : SS/(N-1) 0.1360
- Estimate of Lot Standard Deviation(S): SORT of V 0.3688
- Sample Mean(XBAR): Sum X/N 99.89
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 5.72
- Quality Index Lower (QL): (XBAR-L) / S 5.12
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Kentucky Utilities
 Device Category: F2S240V30AC200 Model Number: J5S Division: 01 Sample Lot: 47 Lot Descr: KU J5 - 15
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection
 Page 46
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C411844	99.10	C412047	99.70	C412364	99.80	C412539	99.90
C412616	99.20	C412759	100.10	C412814	99.60	C412948	99.80
C412956	99.80	C413511	99.50	C413569	99.50	C414170	99.20
C414297	100.20	C414321	99.90	C414387	99.80	C414685	98.80
C414833	99.60	C414876	99.60	C415314	99.50	C415490	99.30
C415513	98.80	C415617	100.10	C415754	99.10	C418045	99.80
C418412	99.10	C418476	99.60	C418670	99.50	C418914	99.20
C418922	99.40	C418966	99.70	C419185	99.70	C419586	99.40
C419599	99.70	C419815	99.60	C419890	99.40	C419998	99.30
C420145	99.40	C420739	99.20	C420755	98.80	C421096	99.90
C421100	99.50	C421124	99.90	C421157	99.30	C421407	99.40
C421477	99.30	C421851	99.30	C421967	99.30	C422164	99.50
C422243	99.40	C422255	98.90	C422320	99.40	C422821	99.20
C422890	99.60	C422937	99.70	C422944	99.50	C423201	99.30
C423257	99.80	C423410	99.60	C423526	99.10	C423719	100.00

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7461.70
- 3 Sum of Squared Measurements 742367.41
- 4 Correction Factor (CF): Sum of Measurements Squared / N 742359.56
- 5 Corrected Sum of Squares (SS) 7.85
- 6 Variance (V): SS/(N-1) 0.1061
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.3257
- 8 Sample Mean(XBAR): Sum X/N 99.49
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 7.71
- 12 Quality Index Lower (QL): (XBAR-L) / S 4.57
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF in Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V15AC100 Model Number: MKS Division: 01 Sample Lot: 49 Lot Descr: KU MK - 1
 In Service Population: 753 Sample Quantity: 35 Meters Tested: 35 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "P" # Normal Inspection

Page 48
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C182515	100.10	C182527	99.60	C183761	100.20	C183797	99.70
C186954	99.50	C190181	99.10	C191448	99.90	C191787	99.80
C195261	99.20	C197667	100.10	C199463	100.40	C202332	100.50
C203392	99.80	W079097	99.80	W080951	99.50	W082053	99.40
W083392	98.90	W085194	99.40	W086326	99.90	W086430	99.80
W087771	100.20	W088484	100.30	W089906	100.10	W089908	100.20
W090088	100.60	W090209	99.60	W090777	100.00	W090811	99.60

INFORMATION NEEDED

- 1 Sample Size (N)
- 2 Sum of Measurements: (Sum X)
- 3 Sum of Squared Measurements
- 4 Correction Factor (CF): Sum of Measurements Squared / N
- 5 Corrected Sum of Squares (SS)
- 6 Variance (V) : SS/(N-1)
- 7 Estimate of Lot Standard Deviation(S): SQRT of V
- 8 Sample Mean(XBAR): Sum X/N
- 9 Upper Specification Limit (U)
- 10 Lower Specification Limit (L)
- 11 Quality Index Upper (QU): (U-XBAR) / S
- 12 Quality Index Lower (QL): (XBAR-L) / S
- 13 Estimate of Lot Percent NCF Above U (PU)
- 14 Estimate of Lot Percent NCF Below L (PL)
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL
- 16 Maximum Allowable Percent NCF(M)

VALUE OBTAINED

- 35
- 3494.42
- 348890.77
- 348884.89
- 5.88
- 0.1730
- 0.4160
- 99.84
- 102.00
- 98.00
- 5.19
- 4.42
- 0.00
- 0.00
- 0.00
- 5.58

PASS

- 17 Acceptability Criterion: Compare P with M
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F28240V30AC200 Model Number: MQS Division: 01 Sample Lot: 50
 In Service Population: 4,642 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU MQ - 1

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "G" # Normal Inspection

Page 49
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C205236	100.10	C205306	100.30	C205632	100.60	C205638	100.60
C207084	100.10	C207206	99.60	C207473	99.90	C207562	99.90
C208049	99.80	C208559	100.20	C208564	99.70	C209063	100.20
C209108	102.00	C209131	99.80	C209261	100.00	C209809	100.00
C210408	100.10	C211347	100.10	C211650	100.50	C211740	99.90
C212073	99.90	C212080	99.50	C212127	99.80	C212222	100.20
C212801	100.20	C212822	100.00	C213577	99.80	C213707	100.60
C215458	100.20	C216464	100.50	C216488	100.20	C217823	100.30
C217887	99.90	C217956	99.50	C217979	100.10	C218078	99.80
C219284	100.00	C220718	100.10	C220727	100.20	C221104	100.40
C221246	100.00	C222676	100.40	C223585	100.60	M345302	100.20
M350422	100.40	M371869	99.40	M371897	100.10	M380144	99.80
W092677	100.40	W092698	100.10	W092799	100.20	W092835	100.52
W094772	99.80	W094868	100.30	W095121	98.50	W096139	100.10
W097162	100.60	W097189	100.17	W097302	100.10	W099535	99.90

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7506.69
- Sum of Squared Measurements 751350.52
- Correction Factor (CF): Sum of Measurements Squared / N 751338.60
- Corrected Sum of Squares (SS) 11.92
- Variance (V) : SS/(N-1) 0.1611
- Estimate of Lot Standard Deviation(S): SQRT of V 0.4014
- Sample Mean(XBAR): Sum X/N 100.09
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 4.76
- Quality Index Lower (QL): (XBAR-L) / S 5.20
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF in Lot (P): PU+PL 0.00
- Maximum Allowable Percent NCF (M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: MS Division: 01 Sample Lot: 51 Lot Descr: KU MS - 1
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 50
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C224842	100.20	C224904	100.30	C227143	100.00	C231410	100.10
C231591	100.50	C231613	100.10	C231652	100.20	C232594	100.50
C232789	100.20	C232800	100.10	C234656	100.30	C234786	100.60
C237338	100.60	C237666	99.90	C237959	100.40	C238039	100.20
C241986	100.40	C241995	100.10	L016415	100.10	L028397	99.80
L133396	99.50	L133599	100.30	L135723	99.90	L137622	100.30
L137677	99.20	L138105	99.50	L138118	100.20	L138129	100.10
L140055	100.10	L141361	100.40	L147945	100.30	L149366	100.10
L149826	100.50	L172059	100.50	L173628	99.70	L173641	99.50
L175907	99.90	L175989	99.60	L177107	100.10	L177208	100.30
L178660	99.90	L178666	99.90	L178951	100.30	L179649	99.90
L180003	100.30	L181693	100.10	L181793	100.10	L181819	99.70
L183112	99.60	L183284	100.60	L185103	100.10	L185139	100.10
W102278	101.00	W103272	100.60	W103433	100.90	W104741	100.30
W105924	100.30	W106985	100.30	W108167	100.20	W108174	100.34

INFORMATION NEEDED

1 Sample Size (N)	75
2 Sum of Measurements: (Sum X)	7511.44
3 Sum of Squared Measurements	752298.15
4 Correction Factor (CF): Sum of Measurements Squared / N	752289.74
5 Corrected Sum of Squares (SS)	8.40
6 Variance (V) : SS/(N-1)	0.1135
7 Estimate of Lot Standard Deviation(S): SQRT of V	0.3369
8 Sample Mean(XBAR): Sum X/N	100.15
9 Lower Specification Limit (L)	102.00
10 Upper Specification Limit (U)	98.00
11 Quality Index Upper (QU): (U-XBAR) / S	5.48
12 Quality Index Lower (QL): (XBAR-L) / S	6.39
13 Estimate of Lot Percent NCF Above U (PU)	0.00
14 Estimate of Lot Percent NCF Below L (PL)	0.00
15 Total Estimate Percent NCF. In Lot (P) : PU+PL	0.00
16 Maximum Allowable Percent NCF(M)	4.83
17 Acceptability Criterion: Compare P with M	PASS
18 The Lot Meets the Acceptability Criterion if P <= M	
19 The Lot Fails the Acceptability Criterion if P > M	

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)

Device Category: F2S240V30AC200 Model Number: MS Division: 01 Sample Lot: 52

In Service Population: 7,360 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU MS - 2

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method

One AQL Value for Both Upper and Lower Specification Limit Combined

AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 51

Run Date: 01/05/2010

Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C242174	100.20	C242176	100.40	C242192	100.50	C242375	100.50
C242606	100.20	C247337	100.10	C247391	100.10	C247444	100.00
L186192	100.10	L186213	100.50	L186275	100.00	L186448	100.20
L186632	100.00	L186639	100.40	L188110	99.80	L188544	100.30
L189651	100.40	L189686	100.10	L189828	100.00	L188254	99.80
L193122	99.80	L193285	100.30	L193413	100.10	L189946	100.00
L193855	100.20	L193988	100.20	L194094	100.00	L193707	100.20
L194426	100.00	L194439	100.20	L194475	99.70	L194195	100.90
L196990	99.70	L197119	100.10	L197138	99.80	L194728	100.30
L197374	100.20	L197431	100.40	L197487	99.70	L197370	99.30
L198418	99.80	L198458	99.70	L199021	100.00	L198110	99.60
L199377	99.90	L201170	100.10	L215723	100.00	L199308	99.70
M386787	100.30	M386853	100.20	W109853	100.50	M386763	100.30
W111015	100.40	W112183	100.30	W112806	99.80	W110708	100.50
W115187	100.40	W115397	100.50	W115482	99.60	W115038	100.20
						W115522	100.40

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7507.33
- 3 Sum of Squared Measurements 751472.78
- 4 Correction Factor (CF): Sum of Measurements Squared / N 751466.72
- 5 Corrected Sum of Squares (SS) 6.06
- 6 Variance (V) : SS/(N-1) 0.0819
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.2862
- 8 Sample Mean(XBAR): Sum X/N 100.10
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 6.65
- 12 Quality Index Lower (QL): (XBAR-L) / S 7.33
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: MS Division: 01
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS

Lot Descr: KV MSII - 1

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 52

Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C242818	100.60	C246423	100.10	C246826	99.90	C246836	100.50
C250906	100.50	C250978	99.90	C251021	100.40	C251266	100.30
C251631	100.50	C251642	100.00	C251648	100.50	C251842	101.00
C251948	100.20	C259119	100.30	C259134	99.80	C259177	99.50
C259203	100.40	C259399	100.70	C259616	100.10	C259808	100.40
C259972	100.10	L200946	98.80	L201089	99.80	L202282	100.30
L202295	99.70	L202560	100.00	L202583	100.00	L203053	100.50
L206601	100.10	L206629	100.00	L206810	100.00	L208241	100.00
L208447	100.10	L208457	100.00	L208608	100.10	L208693	100.00
L209658	100.10	L209922	100.10	L211242	100.00	L211417	104.40
L211665	100.40	L211685	100.10	L212330	101.80	L212712	100.20
L212776	100.10	L215557	99.80	L215875	99.90	L218692	99.80
L218755	100.10	L218812	99.90	L222701	99.90	M384326	100.40
M384332	100.00	W115625	100.10	W11736	99.90	W117148	100.20
W117152	99.90	W117198	100.10	W118365	100.60	W118645	100.20

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7515.02
- 3 Sum of Squared Measurements 753034.90
- 4 Correction Factor (CF): Sum of Measurements Squared / N 753007.01
- 5 Corrected Sum of Squares (SS) 27.89
- 6 Variance (V) : SS/(N-1) 0.3769
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.6140
- 8 Sample Mean(XBAR): Sum X/N 100.20
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 2.93
- 12 Quality Index Lower (QL): (XBAR-L) / S 3.58
- 13 Estimate of Lot Percent NCF Above U (PU) 0.13
- 14 Estimate of Lot Percent NCF Below L (PL) 0.01
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.14
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2824V03QAC200 Model Number: MS Division: 01 Sample Lot: 56 Lot Descr: KU MSII - 4
 In Service Population: 2,343 Sample Quantity: 50 Meters Tested: 50 Pass/ Fail: PASS Page 55
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
L312408	100.20	L312437	100.20	L312612	100.00	L312669	100.10
L312981	100.20	L313039	100.10	M436487	100.10	M436493	100.00
M436565	100.20	M436570	99.90	W134109	100.30	W134168	100.40
W134244	100.10	W134437	100.00	W134448	100.20	W134482	100.20
W134524	100.20	W134644	100.41	W134694	100.10	W134866	100.10
W134909	100.10	W134917	100.00	W134937	100.00	W135003	99.90
W135142	100.20	W135192	100.00	W135292	100.10	W135310	100.10
W135316	100.00	W135351	100.30	W135402	100.00	W135448	100.20
W135568	100.40	W135658	100.20	W135684	100.10	W135685	100.00
W135788	100.40	W135804	99.98	W135817	100.30	W135951	100.00

VALUE OBTAINED

- 1 Sample Size (N) 50
- 2 Sum of Measurements: (Sum X) 5006.19
- 3 Sum of Squared Measurements 501239.63
- 4 Correction factor (CF): Sum of Measurements Squared / N 501238.77
- 5 Corrected Sum of Squares (SS) 0.86
- 6 Variance (V) : SS/(N-1) 0.0176
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1326
- 8 Sample Mean(XBAR): Sum X/N 100.12
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 14.14
- 12 Quality Index Lower (QL): (XBAR-L) / S 16.01
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF, In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 5.21
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Device Category: F2S240V30AC200 Model Number: MX Division: 01 Sample Lot: 58
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU MX - 2

Test Results Per ANSI/ASQC Z1.9-1993

Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 57
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C390799	100.20	C390901	100.00	C391329	100.20	C391481	100.10
C391571	99.80	C426023	99.80	C426077	99.90	C426147	99.90
C426434	99.50	C426480	100.00	C426483	100.00	C426495	99.90
C426985	99.40	C427041	99.80	C427165	100.00	C427203	99.90
C428113	99.90	C428312	99.60	C428691	100.10	C428700	99.40
C428850	99.90	C429079	99.80	C429108	99.70	C429393	100.70
C429774	99.90	C429832	99.80	C430014	99.90	C430155	99.90
C430171	99.80	C430233	99.80	C430412	99.70	C430419	99.50
C430632	100.00	C430764	99.80	C430968	100.00	C431190	100.00
C431624	100.00	C431634	99.90	C431648	99.80	C431663	99.60
C435491	99.80	C435696	99.80	C436064	99.80	C436186	99.50
C436321	99.60	C436542	99.90	C436562	99.80	C436836	99.90
C436908	100.80	C436969	99.30	C437177	99.80	C437463	99.70
W143142	100.10	W143180	99.90	W143406	99.90	W143467	100.10
W143526	100.00	W143758	99.30	W144223	100.50	W144241	100.20

INFORMATION NEEDED

1 Sample Size (N)	75	VALUE OBTAINED
2 Sum of Measurements: (Sum X)	7490.40	
3 Sum of Squared Measurements	748086.22	
4 Correction Factor (CF): Sum of Measurements Squared / N	748081.23	
5 Corrected Sum of Squares (SS)	4.99	
6 Variance (V) : SS/(N-1)	0.0674	
7 Estimate of Lot Standard Deviation(S) : SQRT of V	0.2597	
8 Sample Mean(XBAR): Sum X/N	99.87	
9 Upper Specification Limit (U)	102.00	
10 Lower Specification Limit (L)	98.00	
11 Quality Index Upper (QU): (U-XBAR) / S	8.19	
12 Quality Index Lower (QL): (XBAR-L) / S	7.21	
13 Estimate of Lot Percent NCF Above U (PU)	0.00	
14 Estimate of Lot Percent NCF Below L (PL)	0.00	
15 Total Estimate Percent NCF. In Lot (P) : PU+PL	0.00	
16 Maximum Allowable Percent NCF (M)	4.83	
17 Acceptability Criterion: Compare P with M	PASS	
18 The Lot Meets the Acceptability Criterion if P <= M		
19 The Lot Fails the Acceptability Criterion if P > M		

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Kentucky Utilities
 Device Category: F2S240V30AC200 Model Number: MX Division: 01 Sample Lot: 59
 In Service Population: 10,000 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU MX - 3

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection
 Page 58
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C437616	100.00	C437892	99.70	C438046	99.60	C438090	99.90
C438195	99.70	C438258	100.10	C438265	100.14	C438291	99.80
C438600	99.60	C438702	100.00	C438988	99.80	C439277	100.00
C439421	100.00	C439737	99.90	C440078	100.10	C440117	100.00
C440168	100.00	C440717	100.00	C440956	100.10	C440999	100.00
C441236	100.10	C441254	100.00	C441680	99.80	C441803	100.10
C441965	100.00	C442008	100.00	C442028	99.70	C442100	100.20
C442434	99.80	C442510	99.80	C442592	99.60	C443029	99.70
C443116	99.60	C443172	100.10	C443177	99.80	C443391	99.60
C443616	99.80	C443638	99.80	C443733	99.80	C443973	99.70
C444247	99.80	C444258	99.80	C444441	99.90	C444544	99.90
C444751	99.90	C444802	99.80	C444848	99.90	C445017	99.80
C446703	99.60	C446871	99.60	C447188	99.60	C447277	99.80
C447523	99.70	C447552	99.70	C447858	99.70	C447908	99.60
C448209	99.70	C448479	99.90	C448563	99.90	C448650	99.90

INFORMATION NEEDED

- Sample Size (N) 75
- Sum of Measurements: (Sum X) 7487.19
- Sum of Squared Measurements 747442.86
- Correction Factor (CF): Sum of Measurements Squared / N 747440.19
- Corrected Sum of Squares (SS) 2.67
- Variance (V) : SS/(N-1) 0.0361
- Estimate of Lot Standard Deviation (S): SQRT of V 0.1901
- Sample Mean(XBAR) : Sum X/N 99.83
- Upper Specification Limit (U) 102.00
- Lower Specification Limit (L) 98.00
- Quality Index Upper (QU): (U-XBAR) / S 11.42
- Quality Index Lower (QL): (XBAR-L) / S 9.62
- Estimate of Lot Percent NCF Above U (PU) 0.00
- Estimate of Lot Percent NCF Below L (PL) 0.00
- Total Estimate Percent NCF. In Lot (P) : PU+PL 0.00
- Maximum Allowable Percent NCF(M) 4.83
- Acceptability Criterion: Compare P with M PASS
- The Lot Meets the Acceptability Criterion if P <= M
- The Lot Fails the Acceptability Criterion if P > M

2009 Sample Test Program (04/08/2009) to (12/31/2009)
 Kentucky Utilities
 Device Category: F2S240V30AC200 Model Number: MX Division: 01 Sample Lot: 60
 In Service Population: 9,900 Sample Quantity: 75 Meters Tested: 75 Pass/ Fail: PASS Lot Descr: KU MX - 4

Test Results Per ANSI/ASQC Z1.9-1993
 Double Specification Limit - Variability Unknown - Standard Deviation Method
 One AQL Value for Both Upper and Lower Specification Limit Combined
 AQL = 2.5% - Inspection Level II "E" # Normal Inspection

Page 59
 Run Date: 01/05/2010
 Run Time: 09:55:33 AM

Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy	Serial Number	Full Load Accuracy
C449353	99.90	C449370	99.70	C449428	100.00	C449433	99.80
C449853	99.50	C449894	99.90	C450034	99.90	C450292	99.90
C450417	99.80	C450480	100.00	C451730	99.50	C451753	99.80
C451869	99.90	C451977	99.80	C452088	99.60	C452144	99.60
C452442	99.60	C452477	99.60	C452805	99.60	C452844	99.90
C453262	99.80	C453281	99.60	C453611	99.80	C453734	99.60
C453839	99.90	C454074	99.90	C454112	100.00	C454282	100.00
C454295	100.00	C454353	100.00	C454600	100.10	C454718	100.00
C455267	99.60	C455380	99.80	C455395	99.90	C455504	99.70
C455646	99.90	C455941	100.20	C457690	99.90	C457803	99.90
C458159	99.80	C458358	99.80	C458510	99.90	C458619	99.90
C458814	99.90	C458931	100.00	C459419	100.00	C459485	99.90
C459913	100.00	C460258	100.00	C460349	99.80	C460358	99.90
C460816	99.90	C461512	100.20	C461596	99.80	C461609	100.00
C462326	99.90	C462521	100.00	C462647	99.90	C462672	100.10

INFORMATION NEEDED

- 1 Sample Size (N) 75
- 2 Sum of Measurements: (Sum X) 7489.73
- 3 Sum of Squared Measurements 747949.17
- 4 Correction Factor (CF): Sum of Measurements Squared / N 747947.41
- 5 Corrected Sum of Squares (SS) 1.76
- 6 Variance (V) : SS/(N-1) 0.0238
- 7 Estimate of Lot Standard Deviation(S): SQRT of V 0.1544
- 8 Sample Mean(XBAR): Sum X/N 99.86
- 9 Upper Specification Limit (U) 102.00
- 10 Lower Specification Limit (L) 98.00
- 11 Quality Index Upper (QU): (U-XBAR) / S 13.84
- 12 Quality Index Lower (QL): (XBAR-L) / S 12.06
- 13 Estimate of Lot Percent NCF Above U (PU) 0.00
- 14 Estimate of Lot Percent NCF Below L (PL) 0.00
- 15 Total Estimate Percent NCF. In Lot (P): PU+PL 0.00
- 16 Maximum Allowable Percent NCF(M) 4.83
- 17 Acceptability Criterion: Compare P with M PASS
- 18 The Lot Meets the Acceptability Criterion if P <= M
- 19 The Lot Fails the Acceptability Criterion if P > M

Kentucky Utilities
 2009 Sample Test Program (04/08/2009) to (12/31/2009)

LOT NAME	MANUFACTURER	MODEL	IN-SERV POP	SAMP QTY	MTRS TST	PASS/FAIL	LOT NUMBER
KU AB1-1	Asea Brown Boveri (ABB)	AB1	10,000	75	75	PASS TESTING COMPLETE	2
KU - AB1-2	Asea Brown Boveri (ABB)	AB1	6,294	75	75	PASS TESTING COMPLETE	3
KU J5 - 1	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	4
KU C1 - 1	ITRON	C1SR	6,193	75	75	PASS TESTING COMPLETE	5
KU D4 - 1	Westinghouse	D4S	10,000	75	75	PASS TESTING COMPLETE	6
KU D4 - 2	Westinghouse	D4S	10,000	75	75	PASS TESTING COMPLETE	7
KU D4 - 3	Westinghouse	D4S	9,137	75	75	PASS TESTING COMPLETE	8
KU D5 - 1	Westinghouse	D5S	563	35	35	PASS TESTING COMPLETE	9
KU I210 - 1	General Electric	I210	4,838	75	75	PASS TESTING COMPLETE	10
KU I50 - 1	General Electric	I50S	1,565	50	50	PASS TESTING COMPLETE	11
KU I55 - 1	General Electric	I55S	1,395	50	50	PASS TESTING COMPLETE	12
KU I60 - 1	General Electric	I60S	10,000	75	75	PASS TESTING COMPLETE	13
KU I60 - 2	General Electric	I60S	10,000	75	75	PASS TESTING COMPLETE	14
KU I60 - 3	General Electric	I60S	10,000	75	75	PASS TESTING COMPLETE	15
KU I60 - 4	General Electric	I60S	3,479	75	75	PASS TESTING COMPLETE	16
KU I70 - 1	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	17
KU I70 - 2	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	18
KU I70 - 3	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	19
KU I70 - 4	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	20
KU I70 - 5	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	21
KU I70 - 6	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	22
KU I70 - 7	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	23
KU I70 - 8	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	24
KU I70 - 9	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	25
KU I70 - 10	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	26
KU I70 - 11	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	27
KU I70 - 12	General Electric	I70S	10,000	75	75	PASS TESTING COMPLETE	28
KU I70 - 13	General Electric	I70S	2,561	50	50	PASS TESTING COMPLETE	29
KU J - 1	Sangamo	J5	49	5	5	PASS TESTING COMPLETE	30
KU J3 - 1	Sangamo	J3S	6,232	75	75	PASS TESTING COMPLETE	31
KU J4 - 1	Sangamo	J4S	10,000	75	75	PASS TESTING COMPLETE	32
KU J4 - 2	Sangamo	J4S	4,376	75	75	PASS TESTING COMPLETE	33
KU J5 - 2	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	34
KU J5 - 3	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	35
KU J5 - 4	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	36
KU J5 - 5	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	37
KU J5 - 6	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	38
KU J5 - 7	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	39
KU J5 - 8	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	40
KU J5 - 9	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	41
KU J5 - 10	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	42
KU J5 - 11	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	43
KU J5 - 12	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	44
KU J5 - 13	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	45
KU J5 - 14	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	46
KU J5 - 15	Sangamo	J5S	10,000	75	75	PASS TESTING COMPLETE	47
KU J5 - 16	Sangamo	J5S	1,696	50	50	PASS TESTING COMPLETE	48
KU MK - 1	Duncan	MKS	753	35	35	PASS TESTING COMPLETE	49
KU MQ - 1	Duncan	MQS	4,642	75	75	PASS TESTING COMPLETE	50
KU MS - 1	Duncan	MS	10,000	75	75	PASS TESTING COMPLETE	51
KU MS - 2	Duncan	MS	7,360	75	75	PASS TESTING COMPLETE	52
KU MSII - 1	Duncan	MS	10,000	75	75	PASS TESTING COMPLETE	53
KU MSII - 2	Duncan	MS	10,000	75	75	PASS TESTING COMPLETE	54
KU MSII - 3	Duncan	MS	10,000	75	75	PASS TESTING COMPLETE	55
KU MSII - 4	Landis + Gyr	MS	2,343	50	50	PASS TESTING COMPLETE	56
KU MX - 1	Landis + Gyr	MX	10,000	75	75	PASS TESTING COMPLETE	57

CU MX - 2	Landis + Gyr	MX	10,000	75	75	PASS TESTING COMPLETE	58
CU MX - 3	Landis + Gyr	MX	10,000	75	75	PASS TESTING COMPLETE	59
CU MX - 4	Landis + Gyr	MX	9,900	75	75	PASS TESTING COMPLETE	60

TOTALS 483,376 4,150 4,150

TOTAL LOTS PASSED: 59

TOTAL LOTS FAILED: 0

METERS CANNOT TEST: 0

Report completed successfully with results.

