

DOC11R

Case Management System - KY Public Service Commission*Regular Cases Before the Commission as of January 14, 2026***2011-00205**RECEIVED: 06/14/11 FILED: 06/14/11 FINAL: 12/19/11 REOPENED:
SUSPENSION DATE:**CASE CODE**

Weather Normalization Adjustment

UTILITIES:

Atmos Energy Corporation

INDEX OF EVENTS:

12/19/11 Order Entered:
(1) Atmos's proposal to continue its WNA for three years is approved.
(2) Atmos's proposal to continue its use of climate data from the period 1971 - 2000 is denied. Atmos shall immediately update its WNA calculation for 1981 - 2010 normal temperatures based on NOAA's 2011 release, and shall revise its tariff accordingly.
(3) Within 20 days of the date of this Order, Atmos shall file its revised WNA tariff.

10/24/11 Order Entered: Atmos shall continue to use its current WNA mechanism on an interim basis pending the Commission's final Order addressing the request for a three-year extension.

08/31/11 Atmos Energy's Responses to Commission Staff's Initial DR

08/17/11 Commission Staff's First Information Request to Atmos Energy Corporation

06/14/11 Acknowledge Receipt of Filing

06/14/11 Application of Atmos Energy Corporation for an Order Continuing the Weather Normalization Adjustment for Three Additional Years

Total Number of Cases: 1