

DOC11R

Case Management System - KY Public Service Commission*Regular Cases Before the Commission as of August 27, 2025***2014-00406**

RECEIVED: 12/22/14

FILED: 12/22/14

FINAL: 03/19/15

REOPENED:

SUSPENSION DATE:

CASE CODE

Appointment of Commissioner

UTILITIES:

Western Pulaski County Water District

INDEX OF EVENTS:

03/19/15 Final Order Entered: 1. Don Calder is appointed to fill the existing vacancy on Western Pulaski District's Board of Commissioners. His term shall expire July 11, 2018. 2. Teddy Roberts is appointed to fill the existing vacancy on Western Pulaski District's Board of Commissioners. His term shall expire July 11, 2018.

01/30/15 Don Calder Response

01/30/15 Teddy Roberts Response

01/15/15 Letter to Don Calder

01/15/15 Letter to Teddy Roberts

01/12/15 Western Pulaski Co. Water District Letters of Nomination from Randall Wilson and Don Calder

12/22/14 PSC letter to Batty Bullock

12/22/14 PSC letter to Steve Kelley

12/22/14 Order Entered: This proceeding is initiated to fill existing vacancies on Western Pulaski District's Board of Commissioners due to the expiration of two terms on July 11, 2014.

2. Western Pulaski Water District is made a party to this proceeding.

3. Anyone who wishes to nominate a person to fill one of the two vacancies shall submit such nomination to the Commission in writing within 20 days of the date of this Order.

4. Nominated persons shall file with the Commission an original and ten copies of the information listed in Appendix B. He or she shall also serve a copy on the Pulaski County Judge/Executive, the Pulaski County Judge/Executive elect, and Western Pulaski District. The failure to file the requested information within 20 days of nomination shall be considered as notice of no interest in being considered for appointment to Western Pulaski District's Board of Commissioners.

5. The Commission shall serve a copy of this Order upon the Pulaski County Judge/Executive and the Pulaski County Judge/Executive elect.

Total Number of Cases: 1