## DOC11R Case Management System - KY Public Service Commission

Regular Cases Before the Commission as of November 30, 2025

**2024-00380** RECEIVED: 11/27/24 FILED: 11/27/24 FINAL: 01/30/25 REOPENED:

SUSPENSION DATE:

CASE CODE

Deviation

**UTILITIES:** 

**Dexter-Almo Heights Water District** 

**INDEX OF EVENTS:** 

01/30/25 Final Order Entered: 1. Dexter-Almo Heights District's request to deviate from the water storage

requirements of 807 KAR 5:066, Section 4(4), is approved through December 31, 2026. 2. Dexter-Almo Heights District shall inform the Commission if changes occur in either system that would cause Murray to have insufficient storage for Dexter-Almo Heights District. 3. Any documents filed in the future pursuant to ordering paragraph 2 of this Order shall reference this case number and shall be

retained in the post-case correspondence file. 4. This case is closed and removed from the

Commission's docket.

11/27/24 Jasper Wyatt Dexter Almo Heights Water District Application for Deviation from 807 KAR 5:066,

Section 4(4)

11/25/24 Acknowledge Receipt of Filing

11/22/24 Dexter-Almo Heights Water District Notice of Intent to File an Application for a Deviation from 807 KAR

5:066, Section 4(4) Using Electronic Filing Procedures

Total Number of Cases: 1