

DOC11R

### Case Management System - KY Public Service Commission

*Regular Cases Before the Commission as of May 26, 2026*

**2024-00380**

RECEIVED: 11/27/24

FILED: 11/27/24

FINAL: 01/30/25

REOPENED:

SUSPENSION DATE:

**CASE CODE**

Deviation

**UTILITIES:**

Dexter-Almo Heights Water District

**INDEX OF EVENTS:**

- 01/30/25      Final Order Entered: 1. Dexter-Almo Heights District’s request to deviate from the water storage requirements of 807 KAR 5:066, Section 4(4), is approved through December 31, 2026. 2. Dexter-Almo Heights District shall inform the Commission if changes occur in either system that would cause Murray to have insufficient storage for Dexter-Almo Heights District. 3. Any documents filed in the future pursuant to ordering paragraph 2 of this Order shall reference this case number and shall be retained in the post-case correspondence file. 4. This case is closed and removed from the Commission’s docket.
- 11/27/24      Jasper Wyatt Dexter Almo Heights Water District Application for Deviation from 807 KAR 5:066, Section 4(4)
- 11/25/24      Acknowledge Receipt of Filing
- 11/22/24      Dexter-Almo Heights Water District Notice of Intent to File an Application for a Deviation from 807 KAR 5:066, Section 4(4) Using Electronic Filing Procedures

Total Number of Cases: 1