DOC11R

Case Management System - KY Public Service Commission

Regular Cases Before the Commission as of May 03, 2024

2015-00258 RECEIVED: 07/16/15 FILED: 08/06/15 FINAL: 09/10/15 REOPENED:

SUSPENSION DATE:

CASE CODE Financing Construct

UTILITIES:

Bullock Pen Water District

INDEX OF EVENTS:

10/27/16	POST CASE: Bullock Pen Water District Status Report and Request for Payment
10/30/15	POST CASE: Bullock Pen Water District Notice of Filing Fully Executed KIA Assistance Agreement
	Fund F
09/10/15	Order Entered: The District is granted a CPCN to proceed with the proposed construction
	as set forth in its application.
	2. The District shall notify the Commission prior to performing any additional
	construction not expressly authorized by this Order.

3. Any deviation from the construction approved shall be undertaken only with the prior approval of the Commission.

4. The District shall file with the Commission documentation of the total costs of this project, including the cost of construction and all other capitalized costs, (e.g., engineering, legal, administrative) within 60 days of the date that construction is substantially completed. Construction costs shall be classified into appropriate plant accounts in accordance with the Uniform System of Accounts for water utilities prescribed by the Commission.

5. Prior to placing the proposed master meter in service, the District shall ensure that it is tested for accuracy by an approved agency or utility and a Commission certified meter tester pursuant to 807 KAR 5:006, Section 17.

	meter tester parsuant to our 14 ft 5:000, Cestion
08/07/15	Deficiency Cured Letter
08/06/15	Bullock Pen Water District Supplemental Filing
07/30/15	Deficiency letter, information due 8/09
07/20/15	CD of Eng plans and Specs for Bullock Pen WD
07/16/15	Acknowledge Receipt of Filing
07/40/45	Dullant Day Water District Application for a CDC9

07/16/15 Bullock Pen Water District Application for a CPC&N to Construct and Approval Financing for a Phase

XIV Water Line Extension Project

Total Number of Cases: 1