DOC11R

Case Management System - KY Public Service Commission

PWA Cases Before the Commission as of April 28, 2024

2022-00409 RECEIVED: 11/28/22 FILED: 11/28/22 FINAL: 12/20/22 REOPENED:

SUSPENSION DATE:

CASE CODE

Purchased Water Adjustment

UTILITIES:

Meade County Water District

INDEX OF EVENTS:

03/21/23 Order Entered nunc pro tunc, that: 1. The following language is stricken in Appendix B of the Order:

Bulk Station Sales 0.00830 Minimum Bill

2. The following language is amended in Appendix B of the Order:

Bulk Station Sales 0.00830 Per Gallon

3. All other provisions of the Commission's December 20, 2022 Order that are not in conflict with the

terms of this Order shall remain in effect.

12/20/22 Final Order Entered: 1. The purchased water adjustment factor of \$1.245 per 1,000 gallons is approved. 2. The rates proposed by Meade District are approved. 3. The rates as set forth in

Appendix B to this Order are approved for water service rendered by Meade District on and after December 1, 2022. 4. Within 20 days of the date of service of this Order, Meade District shall file with the Commission, using the Commission's electronic Tariff Filing System, revised tariff sheets showing the rates approved herein. 5. On or before April 13, 2024, Meade District shall file an application for a general rate adjustment pursuant to 807 KAR 5:001, Section 16, or an application for an alternative

rate

adjustment pursuant to 807 KAR 5:076, or in the alternative, file a formal motion with a detailed analysis of its rates and revenues explaining the reasons why no modifications are necessary. Any filing for a rate adjustment filed under KRS 278.023 does not relieve Meade District from this

requirement. 6. This case is closed and removed from the Commission's docket.

11/30/22 No deficiency letter

11/28/22 Richard Shufelt Meade County Water District PWA Application

11/28/22 Acknowledge Receipt of Filing

11/28/22 Meade County Water District Notice of Intent to File a Purchased Water Adjustment Using Electronic

Filing Procedures

Total Number of Cases: 1