

Steven L. Beshear
Governor

Leonard K. Peters, Secretary
Energy and Environment
Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Charles R. Borders
Commissioner

NEWS RELEASE

Contact:
Andrew Melnykovich
502-564-3940, ext. 208
502-330-5981 (cell)

PSC Urges Caution If Storms Brings Power Outages *Improper use of generators can be extremely dangerous*

FRANKFORT, Ky. (May 25, 2011) – With the strongest storm system of the spring expected to hit Kentucky tonight, the Kentucky Public Service Commission (PSC) is urging residents to exercise caution in the event their electric service is interrupted.

The National Weather Service (NWS) is forecasting that a very strong line of thunderstorms will move into Kentucky today and tonight. The storms will bring high winds, heavy rain and the possibility of isolated tornadoes, especially west of Interstate 65, the NWS says.

With the ground already saturated, the high winds and additional rain could bring trees down on power lines and cause utility poles to break or topple. Falling limbs are also likely to cause outages. Power outages are likely in areas affected by the storms, the PSC said.

The PSC is reminding Kentucky residents to stay away from all downed lines. Downed lines should be reported to the local utility company. If the lines are sparking, on fire or otherwise creating an emergency, call 911.

Customers who lose power should follow proper safety precautions if they use portable generators, PSC Chairman David Armstrong said.

“As we have learned from previous storms, improper use of portable generators can be extremely dangerous,” Armstrong said. “Many Kentuckians have lost their lives, and many others have been hospitalized, as the result of being poisoned by carbon monoxide emitted by portable generators that were not used correctly.”

To avoid carbon monoxide poisoning:

- Generators should only be operated outside in well-ventilated areas and never in a garage, basement or breezeway.
- Do not operate generators near windows, doors or in other areas where exhaust fumes could be drawn into a home or other occupied structure.

-more-

PSC Urges Caution If Storms Brings Power Outages – Page 2

- Do not use charcoal grills, gas grills or other open-flame devices indoors for cooking.

The PSC also is reminding electric customers who use a portable generator of electric safety guidelines that will protect them and those working to restore power. Keys to safe operation of generators include:

- Make sure a generator is properly sized for the load you will place on it. Remember that starting an electric motor, such as a refrigerator compressor, requires more electricity than the amount needed to keep it running. **DO NOT OVERLOAD YOUR GENERATOR.**
- Use only three-prong, grounded extension cords, properly rated for the load, to connect appliances to generators.
- **DO NOT ATTEMPT TO FEED POWER INTO YOUR HOME BY ADAPTING AN EXTENSION CORD TO CONNECT A GENERATOR TO A WALL OUTLET. THIS CAN CAUSE A FIRE.**
- **DO NOT CONNECT A GENERATOR TO INSIDE WIRING IN ANY WAY UNLESS YOUR HOME OR BUSINESS IS EQUIPPED WITH A TRANSFER SWITCH THAT PREVENTS POWER FROM FLOWING BACK INTO (BACKFEEDING) THE WIRES THAT SUPPLY YOUR ELECTRICITY.**

Backfeeding poses a severe danger to workers attempting to restore electrical service. They can be severely injured or killed by power flowing back into lines which they assume are not carrying electricity. Also, if the line to your home or business becomes grounded, backfeeding can permanently damage your generator.

Customers who lose power should contact their utility company immediately. Most utilities in Kentucky have systems that use customer reports to help identify the location of the problem and determine what repairs are needed.

“It is important that every customer call to report an outage,” Armstrong said. “But repeated calls simply tie up the utility’s phone system. Call at once, but call only once.”

Customers who lose power also should check electric connections and meters for damage. Damaged connections or meters must be repaired before power can be restored to a home or business.

Falling or sagging power lines may have damaged the connections between the utility company’s overhead line and a customer’s electric system. The connections are usually in the form of a masthead – a conduit connected to the service line – or, in older homes, an eyebolt which holds the line in place and an insulated line leading to the meter. In some cases, the meter or meter base may also be damaged.

Once power is restored, damaged connections or meters could pose an electrical or fire hazard if not repaired or if repaired improperly.

-more-

“It is critical that damaged connections be repaired by a qualified professional and inspected before power is restored,” PSC Chairman Armstrong said. “In past outages, fires and severe damage have been caused by damaged or improperly repaired service connections.”

Repairing a service connection or meter base is the responsibility of the individual customer. The meter base is the square or rectangular box on which the meter itself is mounted. It belongs to the property owner. The meter itself – the circular, glass-enclosed portion that attaches to the meter base - is the property of the utility company.

Customers with damaged connections or meters should take the following steps:

- Notify the utility company that the service connection, meter base and/or meter is damaged. The utility can then make sure that the line is not energized until repairs are completed.

- In the event that only the meter itself is damaged, contact the utility to have it repaired or replaced and your service restored.

- Contact an electrician to repair the meter base or service connection. The repair work can be done prior to power being restored in an area, thus eliminating any additional delays.

- The electrician will obtain the proper meter base from the utility. Some utilities impose no charge for the meter base, but the customer will bear the installation cost.

- Have the repairs inspected by a state-certified inspector working for your local government. The electrician should be able to help arrange the inspection.

- Notify the utility when the repairs are complete and have been approved. A utility technician will install a new meter and restore the power.

- Keep all repair records and contact your property insurer.

Residents SHOULD NOT attempt to remove any branches, limbs or trees that have fallen across service connections or other utility lines. Notify the utility to arrange for the debris to be removed.

“We certainly hope that Kentucky will get through these storms without any serious disruptions in utility service,” Armstrong said. “But if disruptions occur, we want those affected to stay safe while they wait for power to be restored.”

The PSC is an independent agency attached for administrative purposes to the Energy and Environment Cabinet. It regulates more than 1,500 gas, water, sewer, electric and telecommunication utilities operating in Kentucky and has approximately 100 employees.

***FOR STORM OUTAGE UPDATES,
FOLLOW THE PSC ON TWITTER AT KYPSOC***