

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE APPLICATION OF THELMA WASTE CONTROL,)
INC. TO UPGRADE ITS EXISTING SYSTEM,) CASE NO. 92-100
TO FINANCE, AND TO ADJUST ITS RATES)

O R D E R

On June 22, 1992, the Commission ordered Thelma Waste Control, Inc. ("Thelma Waste") to respond within 20 days to allegations that the sewage treatment plants for which it seeks a Certificate of Public Convenience and Necessity have already been constructed. The Commission advised Thelma Waste that its failure to dispute these allegations would result in a finding that its application for a Certificate of Public Convenience and Necessity was moot. Thelma Waste has neither responded to nor disputed these allegations.

Based upon the Commission Staff's Utility Inspection Report and Thelma Waste's failure to respond, the Commission finds that the facilities for which Thelma Waste seeks a Certificate of Public Convenience and Necessity have already been constructed and that Thelma Waste's application for such certificate is moot.

IT IS THEREFORE ORDERED that:

1. Thelma Waste's application for a Certificate of Public Convenience and Necessity is denied.
2. The remaining portions of Thelma Waste's application, which relate to the proposed rates for its sewage treatment


plants, shall remain on the Commission's docket for the Commission's consideration.

Done at Frankfort, Kentucky, this 11th day of August, 1992.

PUBLIC SERVICE COMMISSION


Chairman


Vice Chairman


Commissioner

ATTEST:


Executive Director