COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF KENTUCKY CGSA, INC.)
FOR ISSUANCE OF A CERTIFICATE OF	,)
PUBLIC CONVENIENCE AND NECESSITY TO)
CONSTRUCT AN ADDITIONAL CELL SITE IN)
MIDDLETOWN, KENTUCKY FOR THE PROVISION) CASE NO. 96-434
OF DOMESTIC PUBLIC CELLULAR RADIO)
TELECOMMUNICATIONS SERVICE TO THE	<u>)</u>
PUBLIC IN JEFFERSON COUNTY, KENTUCKY)
AND THE LOUISVILLE MSA)

ORDER

The Commission has received the attached letter from J. Robert Westerman regarding the proposed cellular telecommunications facility to be located at 202 Old Harrods Creek Road, Middletown, Jefferson County, Kentucky.

IT IS THEREFORE ORDERED that:

- 1. Kentucky CGSA, Inc. ("Kentucky CGSA") shall respond to Mr. Westerman's concerns by certified letter, within 10 days of the date of this Order.
- 2. Kentucky CGSA shall file a copy of the certified letter and dated receipt, within7 days of the date on the receipt.

Done at Frankfort, Kentucky, this 28th day of October, 1996.

ATTEST:

Executive Director

PUBLIC SERVICE COMMISSION

For the Commission



RECEIVED

OCT 1 5 1996

PUBLIC SERVICE COMMISSION

October 14, 1996

Executive Director's Office
Public Service Commission of Kentucky
Post Office Box 615
Frankfort, Kentucky 40602

RE: 96-434

^202 Old Harrods Creek Road Louisville, KY 40223

beech Westermen

To Whom it May Concern:

To say the least, I am opposed to any type of structure that protrudes 56' into the air while adjacent to 163 residential apartment homes. I feel this tower would be a safety hazard because of falling ice and by appearance alone, devalue my property. The apartment homes near subject property would not be desirable to a prospective tenant, therefore, the rental income would be negatively affected.

I would like for a public hearing to be arranged to discuss this matter and that the Public Service Commission intervene on my behalf.

Respectfully,

J. Robert Westerman

JRW/pl