

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

KENTUCKY RURAL WATER ASSOCIATION'S	)	
APPLICATION FOR ACCREDITATION AND	)	CASE NO. 2007-00121
APPROVAL OF A COURSE OF TRAINING FOR	)	
WATER DISTRICT COMMISSIONERS	)	

O R D E R

The Kentucky Rural Water Association ("KRWA") has applied for accreditation of three regional meetings to be held during the month of April 2007 at McCoy & McCoy Laboratories, Inc. in Madisonville, Kentucky; the Ponderosa Steak House in Morehead, Kentucky; and the Ponderosa Steak House in Draffenville, Kentucky.

Pursuant to KRS 74.020(7), this Commission is required to "encourage and promote the offering of high quality water district management training programs that enhance a water district commissioner's understanding of his or her duties." The conferences for which approval is sought include instruction regarding, inter alia, regulatory rules that impact water systems, causes of groundwater contamination, sanitary surveys, line shaft pumps, and the maintenance and care of submersible pumps. Having reviewed KRWA's application describing the proposed courses, the Commission finds that the proposed courses will enhance a water district commissioner's understanding of his or her duties and should be approved for 2.0 credit hours for commissioner and board member training.

IT IS THEREFORE ORDERED that:

1. KRWA's proposed courses of instruction are hereby approved for a maximum of 2.0 credit hours.
2. KRWA shall retain a record of all persons attending the approved courses of instruction.
3. Within 14 days of the completion of each conference, KRWA shall file with the Commission a sworn statement attesting that the approved course of instruction was performed and, if any changes in the speakers or course curriculum occurred after KRWA's application, a description of those changes.

Done at Frankfort, Kentucky, this 4<sup>th</sup> day of April, 2007.

By the Commission

ATTEST:

A handwritten signature in black ink, consisting of several overlapping loops and a long horizontal stroke at the end, positioned above the text 'Executive Director'.

Executive Director

Case No. 2007-00121