



CLEC Selective Routing Service Inquiry

Customer's Desired Due Date (MMDDYYYY)		Issue Date (MMDDYYYY)		Inquiry Number	
Account Exec. Name			(Area Code) Telephone Number		(Area Code) Fax Number
Customer Name			(Area Code) Telephone Number		(Area Code) Fax Number
Originator Name			(Area Code) Telephone Number		(Area Code) Fax Number
State			Office Type		
Number Of LCC's Desired (See Note 1)		Capacity Available (Yes, No, or Other Comments)			Maximum Available Capacity (See Note 2)

1. Note to NISC-CTG: Refer to BSP 900-100-820BT for LCC Reservation provisioning & turn-up details.
2. If capacity not sufficient to support all requested LCC(s), indicate maximum available.



CLEC Selective Routing Ordering Document

Customer Name	(Area Code) Telephone Number	(Area Code) Fax Number
Account Exec. Name	(Area Code) Telephone Number	(Area Code) Fax Number
State	Office Type	

BST USE ONLY				CLEC USE ONLY										
SRC	LCC	LTG	Option	NPA	Line Class	Hunt (Y/N)	0-*	Brand 1/2/3/4	DA*	Brand 1/2/3/4	0+ Local*	Brand 1/2/3/4	Repair Service	
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														

Note 1: Use only measured (CC001/MBi01) LCC's as source LCCs

Note 2: Service Levels: 1-BST Brand, 2-No Brand, 3-Custom Brand, 4-Self Brand

Note 3: * Only required if Self Branded

Notes/Comments

Table 1
Non-Centrex Like Services

1	DESCRIPTION	BLOCKS
2		
3	unrestricted	NO BLOCKING
4	1	1+, 0+, 0-, 00-, 01+, 011+, 411, 1411, PulseLink, 976, 900, N11
5	2	0-, 0+, 00-, 01+, 966, PulseLink
6	3	1+, 0-, 0+, 00-, 01+, 011+, 900
7	4	900, 976
8	5	976
9	6	900, 976, N11
10	7	011, 10XXX+011
11	A	Same as CREX 1, but also blocks the mandatory extended calling plans.
12	B	Same as CREX 2, but also blocks the mandatory extended calling plans.
13	W	0-, 0+, 00-, 01+, 976, 011+
14	X	976, 900, 011+
15	Y	976, 900, N11, 011+
16	Z	976, 011+
17	SRG	1+, 10XXX 1+, 976, 900 (Sends AN107)
18	SRGBX	1+, 10XXX 1+, 976, 900 (Sends AN107) OCP (NC) PBX
19	SRGCO	1+, 10XXX 1+, 976, 900 (Sends AN107) OCP (NC Only)

Notes:

- Options 1 through SRGCO cannot be combined.
- If 0- or 0+ is Custom Routed, then option 1, 2, 3, A, B, or W cannot be selected.
- If DIR ASST is Custom Routed, then option 1 or A cannot be selected.
- SRG requires ANI 07 in 1AESS switches.

Table 2
Centrex Like Services

	OPTIONS	BLOCKS
1	unrestricted	NO BLOCKING
2	Deny Orig.	Blocks Originating Calls
3	Deny Term.	Blocks Terminating Calls
4	1	900/976
5	2	11
6	3	N11
7	4	411
8	5	Toll 1+, 011+, 900, 976
9	6	ELCA and Toll 1+, 011, 900, 976
10	SRGPL/SRG	1+, 10XXX 1+, 900, 976
11	Station Res 1	1AESS Only - Fully Restricted Incoming & Outgoing
12	Station Res 2	1AESS Only - Fully Restricted Incoming
13	Station Res 3	1AESS Only - Fully Restricted Outgoing
14	Station Res 4	1AESS Only - Semi-restricted Incoming & Outgoing
15	Station Res 5	1AESS Only - Semi-restricted Incoming
16	Station Res 6	1AESS Only - Semi-restricted Outgoing

Notes:

- Deny Originating cannot have Option 1 through SRG/SRGPL.
- Option 5 cannot be combined with Option 1, 2, 6, or SRG/SRGPL.
- Option 6 cannot be combined with Option 1, 2, 5, or SRG/SRGPL.
- 1AESS Station Restriction 1, 3, 4, or 6 cannot have Option 1 through SRG/SRGPL.
- If DIR ASST is Custom Routed, then Option 4 cannot be selected.
- SRG/SRGPL cannot be combined with Option 1 through 6.

Table 3
LINE CLASS

LINE CLASS	DESCRIPTION
POTS	Plain Old Telephone Service
COIN	Coin Lines
HOTL	Hotel/Motel
PBX	PBX
ISDN	ISDN
WATS	WATS
PSTG	Prestige
CENTREX	Centrex Like Service

NOTE: Only one Line class can be selected per CLEC LCC



Selective Routing End Office Detail Information

	Office CLLI	NPA RAC	AC Code 0-	BST TGN	D/T	AC Code DIR ASST	BST TGN	D/T	AC Code 0+ Local	BST TGN	D/T	AC Code Repair Srv	BST TGN	D/T
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														

1. Provide one CLEC Routing Ordering Document for each switch type for requested service.
2. Provide office CLLI and AC code for trunk group to route 0-, DA, 0+ Local and Repair Service.
3. Provide office CLLI and AC code for each trunk group to route DA (411, 1+411, HNPA555-1212, FNPA5555-1212 if route differs).

D = Direct End Office Trunks
T = Tandem Office Trunks

Notes/Comments