

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (SUMMARY)

REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

	PERCENT ACHIEVED FLOW-THROUGH	PERCENT FLOW THROUGH
CLEC AGGREGATE		
REGION ALL SERVICES	76.67%	86.31%
BST AGGREGATE		
REGION	FLOW-THROUGH %	
- RETAIL RESIDENCE	94.60%	
- RETAIL BUSINESS*	TBD	
<p>*NOTE: BellSouth is reinstating the reporting of business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete</p>		

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH				
Company Info		LESOG										Errors			FLOWTHROUGH				
		Mechanized Interface Used		Rejects		Validated		Pending Supps (Z Status)		Total System Fallout		CLEC Caused Fallout		Percent Achieved Flowthrough		Base Calculation		Percent Flow Through	
Name	LENS	EDI	TAG	Total Mech LSR's	Manual	Auto Clarification	LSR's	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through				
#1	0	100	0	100	12	22	65	1	16	7	9	49	72.06%	75.38%	87.50%				
#2	15	0	0	15	4	2	9	0	3	2	1	6	50.00%	66.67%	75.00%				
#3	596	0	0	596	69	96	425	6	94	73	21	331	69.98%	77.88%	81.93%				
#4	1,605	0	0	1,605	231	29	1,338	7	239	216	23	1,099	71.09%	82.14%	83.57%				
#5	1	0	0	1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%				
#6	5	0	0	5	0	0	5	0	0	0	0	5	100.00%	100.00%	100.00%				
#7	22	0	0	22	5	1	16	0	5	4	1	11	55.00%	68.75%	73.33%				
#8	0	0	8	8	6	1	1	0	1	1	0	0	0.00%	0.00%	0.00%				
#9	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%				
#10	1,130	0	0	1,130	49	166	910	5	666	593	73	244	27.54%	26.81%	29.15%				
#11	292	0	0	292	199	16	73	4	13	11	2	60	22.22%	82.19%	84.51%				
#12	69	0	0	69	26	8	34	1	10	9	1	24	40.68%	70.59%	72.73%				
#13	492	0	0	492	19	26	447	0	40	34	6	407	88.48%	91.05%	92.29%				
#14	0	736	0	736	180	113	438	5	179	144	35	259	44.43%	59.13%	64.27%				
#15	0	0	114	114	0	33	81	0	11	11	0	70	86.42%	86.42%	86.42%				
#16	888	0	0	888	214	64	604	6	185	139	46	419	54.27%	69.37%	75.09%				
#17	0	81	0	81	4	23	54	0	27	18	9	27	55.10%	50.00%	60.00%				
#18	0	0	4	4	0	0	4	0	0	0	0	4	100.00%	100.00%	100.00%				
#19	369	0	0	369	53	43	268	5	50	36	14	218	71.01%	81.34%	85.83%				
#20	84	0	0	84	3	19	62	0	20	14	6	42	71.19%	67.74%	75.00%				
#21	0	0	63	63	9	10	44	0	19	13	6	25	53.19%	56.82%	65.79%				
#22	17	0	0	17	0	4	13	0	2	2	0	11	84.62%	84.62%	84.62%				
#23	0	91	0	91	34	6	49	2	16	8	8	33	44.00%	67.35%	80.49%				
#24	4	0	0	4	0	0	4	0	2	0	2	2	100.00%	50.00%	100.00%				
#25	754	0	0	754	92	64	595	3	35	28	7	560	82.35%	94.12%	95.24%				
#26	0	0	3	3	0	2	1	0	0	0	0	1	100.00%	100.00%	100.00%				
#27	0	0	1	1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%				
#28	0	0	7	7	0	4	3	0	1	0	1	2	100.00%	66.67%	100.00%				
#29	0	0	26	26	0	10	16	0	6	6	0	10	62.50%	62.50%	62.50%				
#30	35	0	0	35	6	2	27	0	13	7	6	14	51.85%	51.85%	66.67%				
#31	764	0	0	764	23	47	694	0	30	21	9	664	93.79%	95.68%	96.93%				
#32	442	0	0	442	40	21	381	0	17	14	3	364	87.08%	95.54%	96.30%				
#33	0	1	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%				
#34	2,110	0	0	2,110	107	191	1,797	15	174	148	26	1,623	86.42%	90.32%	91.64%				

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH																		
Company Info		LESOG																															
		Mechanized Interface Used					Rejects					Validated																					
		Total Mech LSR's		Auto Clarification			Pending Supps (Z Status)			LSR's			Total System Fallout			BST Caused Fallout			CLEC Caused Fallout			Issued SO's			Percent Achieved Flowthrough			Base Calculation			Percent Flow Through		
Name	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through																	
#35	0	764	0	764	43	172	92	5	624	163	129	34	461	72.83%	73.88%	78.14%																	
#36	1,474	0	0	1,474	172	14	122	8	1,172	282	215	67	890	69.69%	75.94%	80.54%																	
#37	135	0	0	135	14	13	22	3	96	29	19	10	67	67.00%	69.79%	77.91%																	
#38	112	0	0	112	13	1	13	1	85	11	11	0	74	75.51%	87.06%	87.06%																	
#39	17	0	0	17	1	1	2	0	14	0	0	0	14	93.33%	100.00%	100.00%																	
#40	46	0	0	46	11	12	44	0	29	2	0	2	27	71.05%	93.10%	100.00%																	
#41	440	0	0	440	12	3	2	0	384	10	8	2	374	94.92%	97.40%	97.91%																	
#42	69	0	0	69	3	56	56	1	64	4	2	2	60	92.31%	93.75%	96.77%																	
#43	227	0	0	227	9	9	7	0	114	23	18	5	91	55.15%	79.82%	83.49%																	
#44	165	0	0	165	55	35	30	0	149	8	8	0	141	89.24%	94.63%	94.63%																	
#45	349	0	0	349	35	18	14	1	264	27	17	10	237	76.70%	89.77%	93.31%																	
#46	462	0	0	462	18	1	1	0	396	25	23	2	371	86.48%	93.69%	94.16%																	
#47	129	0	0	129	0	0	0	0	96	15	9	6	81	75.00%	84.38%	90.00%																	
#48	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%																	
#49	27,355	0	0	27,355	2,125	4	1,714	43	23,473	1,617	1,402	215	21,856	86.10%	93.11%	93.97%																	
#50	36	0	0	36	4	0	4	0	28	12	9	3	16	55.17%	57.14%	64.00%																	
#51	0	0	2	2	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%																	
#52	54	0	0	54	6	6	5	0	43	10	8	2	33	70.21%	76.74%	80.49%																	
#53	0	0	2	2	0	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%																	
#54	21	0	0	21	5	0	0	0	16	2	2	0	14	66.67%	87.50%	87.50%																	
#55	0	0	8	8	0	0	2	0	6	2	2	0	4	66.67%	66.67%	66.67%																	
#56	29	0	0	29	1	1	1	0	27	26	15	11	1	5.88%	3.70%	6.25%																	
#57	5,796	0	0	5,796	497	28	481	6	4,812	342	258	84	4,470	85.55%	92.89%	94.54%																	
#58	474	0	0	474	28	7	17	1	428	33	31	2	395	87.00%	92.29%	92.72%																	
#59	36	0	0	36	7	4	12	0	17	7	3	4	10	50.00%	58.82%	76.92%																	
#60	27	0	0	27	4	66	5	0	22	1	1	0	21	80.77%	95.45%	95.45%																	
#61	0	78	0	78	5	5	8	2	7	3	2	1	4	5.56%	57.14%	66.67%																	
#62	93	0	0	93	5	9	10	0	78	26	19	7	52	68.42%	66.67%	73.24%																	
#63	96	0	0	96	9	50	58	2	77	6	5	1	71	83.53%	92.21%	93.42%																	
#64	426	0	0	426	54	54	74	3	316	144	113	31	172	51.34%	54.43%	60.35%																	
#65	425	0	0	425	3	3	5	0	294	106	86	20	188	57.32%	63.95%	68.61%																	
#66	26	0	0	26	3	281	94	1	18	6	3	3	12	66.67%	66.67%	80.00%																	
#67	0	398	0	398	0	0	0	1	22	13	9	4	9	3.01%	40.91%	50.00%																	

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES	LSR PROCESSING										Errors			FLOWTHROUGH				
	LESOG										Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	Mechanized Interface Used					Rejects												
Company Info	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through		
#68	5,213	0	0	5,213	683	467	43	4,020	758	610	148	3,262	71.61%	81.14%	84.25%			
#69	0	2,683	0	2,683	35	440	2	2,206	722	668	54	1,484	67.86%	67.27%	68.96%			
#70	233	0	0	233	1	20	0	212	43	33	10	169	83.25%	79.72%	83.66%			
#71	0	0	109	109	7	6	0	96	9	4	5	87	88.78%	90.63%	95.60%			
#72	14	0	0	14	0	1	0	13	1	1	0	12	92.31%	92.31%	92.31%			
#73	0	0	74	74	34	4	2	34	5	2	3	29	44.62%	85.29%	93.55%			
#74	23	0	0	23	1	1	1	20	3	2	1	17	85.00%	85.00%	89.47%			
#75	347	0	0	347	24	13	1	309	15	13	2	294	88.82%	95.15%	95.77%			
#76	0	2	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#77	0	0	7	7	0	3	0	4	4	4	0	0	0.00%	0.00%	0.00%			
#78	59	0	0	59	24	11	0	24	13	10	3	11	24.44%	45.83%	52.38%			
#79	21	0	0	21	2	5	0	14	0	0	0	14	87.50%	100.00%	100.00%			
#80	555	0	0	555	93	22	5	435	44	38	6	391	74.90%	89.89%	91.14%			
#81	0	5	0	5	1	2	0	2	0	0	0	2	66.67%	100.00%	100.00%			
#82	2,485	0	0	2,485	503	752	18	1,212	461	367	94	751	46.33%	61.96%	67.17%			
#83	226	0	0	226	13	15	1	197	22	16	6	175	85.78%	88.83%	91.62%			
#84	0	0	163	163	1	31	0	131	1	1	0	130	98.48%	99.24%	99.24%			
#85	8	0	0	8	0	1	0	7	0	0	0	7	100.00%	100.00%	100.00%			
#86	0	0	172	172	69	4	0	99	18	17	1	81	48.50%	81.82%	82.65%			
#87	23	0	0	23	0	4	0	19	1	1	0	18	94.74%	94.74%	94.74%			
#88	0	181	0	181	151	12	2	16	7	6	1	9	5.42%	56.25%	60.00%			
#89	4	0	0	4	1	0	0	3	1	0	1	2	66.67%	66.67%	100.00%			
#90	47	0	0	47	15	14	0	18	8	5	3	10	33.33%	55.56%	66.67%			
#91	844	0	0	844	66	53	2	723	68	56	12	655	84.30%	90.59%	92.12%			
#92	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#93	0	0	395	395	2	21	2	370	6	5	1	364	98.11%	98.38%	98.64%			
#94	27	0	0	27	0	2	0	25	1	0	1	24	100.00%	96.00%	100.00%			
#95	46	0	0	46	7	14	0	25	11	5	6	14	53.85%	56.00%	73.68%			
#96	0	1,816	0	1,816	133	139	1	1,543	255	219	36	1,288	78.54%	83.47%	85.47%			
#97	1,476	0	0	1,476	78	121	7	1,270	265	208	57	1,005	77.85%	79.13%	82.85%			
#98	0	0	1,426	1,426	158	87	5	1,176	204	160	44	972	75.35%	82.65%	85.87%			
#99	17	0	0	17	2	2	0	13	1	1	0	12	80.00%	92.31%	92.31%			
#100	16	0	0	16	0	1	1	14	0	0	0	14	100.00%	100.00%	100.00%			

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH			
	LESOG										Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	LENS	EDI	TAG	Mechanized Interface Used		Manual	Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout							
#101	1,231	0	0	1,231	72	141	5	1,013	188	137	51	825	79.79%	81.44%	85.76%		
#102	87	0	0	87	4	3	0	80	4	3	1	76	91.57%	95.00%	96.20%		
#103	0	14	0	14	0	4	1	9	8	7	1	1	12.50%	11.11%	12.50%		
#104	0	0	287	287	0	18	0	269	51	51	0	218	81.04%	81.04%	81.04%		
#105	404	0	0	404	12	25	6	361	144	97	47	217	66.56%	60.11%	69.11%		
#106	13	0	0	13	2	0	0	11	5	4	1	6	50.00%	54.55%	60.00%		
#107	452	0	0	452	108	98	2	244	41	31	10	203	59.36%	83.20%	86.75%		
#108	0	0	897	897	3	35	1	858	17	14	3	841	98.02%	98.02%	98.36%		
#109	146	0	0	146	15	11	4	116	22	18	4	94	74.02%	81.03%	83.93%		
#110	69	0	0	69	1	9	0	59	5	2	3	54	94.74%	91.53%	96.43%		
#111	790	0	0	790	136	32	2	620	39	28	11	581	77.99%	93.71%	95.40%		
#112	25	0	0	25	5	0	1	19	3	3	0	16	66.67%	84.21%	84.21%		
#113	0	50	0	50	8	10	0	32	24	10	14	8	30.77%	25.00%	44.44%		
#114	571	0	0	571	114	75	6	376	123	87	36	253	55.79%	67.29%	74.41%		
#115	0	747	0	747	275	213	8	251	106	70	36	145	29.59%	57.77%	67.44%		
#116	802	0	0	802	106	113	15	568	150	108	42	418	66.14%	73.59%	79.47%		
#117	137	0	0	137	46	18	2	71	13	8	5	58	51.79%	81.69%	87.88%		
#118	474	0	0	474	46	45	9	374	72	59	13	302	74.20%	80.75%	83.66%		
#119	0	0	8,634	8,634	61	359	6	8,208	293	238	55	7,915	96.36%	96.43%	97.08%		
#120	3,436	0	0	3,436	256	206	33	2,941	372	294	78	2,569	82.37%	87.35%	89.73%		
#121	0	0	19	19	3	7	0	9	1	1	0	8	66.67%	88.89%	88.89%		
#122	36	0	0	36	11	18	0	7	1	0	1	6	35.29%	85.71%	100.00%		
#123	0	2,037	0	2,037	280	308	27	1,422	475	367	108	947	59.41%	66.60%	72.07%		
#124	120	0	0	120	16	17	1	86	20	12	8	66	70.21%	76.74%	84.62%		
#125	191	0	0	191	48	18	1	124	22	16	6	102	61.45%	82.26%	86.44%		
#126	557	0	0	557	15	11	1	530	53	43	10	477	89.16%	90.00%	91.73%		
#127	0	58	0	58	2	10	0	46	10	7	3	36	80.00%	78.26%	83.72%		
#128	150	0	0	150	0	6	0	144	10	8	2	134	93.06%	94.37%	94.37%		
#129	10,636	0	0	10,636	284	638	19	9,695	364	298	66	9,331	94.13%	96.25%	96.91%		
#130	2,314	0	0	2,314	263	120	7	1,924	233	204	29	1,691	78.36%	87.89%	89.23%		
#131	10	0	0	10	0	0	0	10	0	0	0	10	100.00%	100.00%	100.00%		
#132	0	2	0	2	0	0	0	2	2	0	2	0	0.00%	0.00%	0.00%		
#133	1,546	0	0	1,546	262	414	18	852	367	248	119	485	48.74%	56.92%	66.17%		

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH				
	Mechanized Interface Used					LESOG					Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Rejects								
#134	10	0	0	10	3	3	0	0	4	0	0	0	0	4	4	57.14%	100.00%	100.00%
#135	0	0	180	180	29	56	3	3	92	43	33	10	0	49	49	44.14%	53.26%	59.76%
#136	33	0	0	33	5	0	0	0	28	2	2	0	0	26	26	78.79%	92.86%	92.86%
#137	695	0	0	695	14	38	4	4	639	65	48	17	0	574	574	90.25%	89.83%	92.28%
#138	20	0	0	20	9	1	0	0	10	6	3	3	0	4	4	25.00%	40.00%	57.14%
#139	0	0	50	50	27	6	0	0	17	10	6	4	0	7	7	17.50%	41.18%	53.85%
#140	0	0	94	94	16	16	1	1	61	23	12	11	0	38	38	57.58%	62.30%	76.00%
#141	0	0	112	112	28	45	0	0	39	18	11	7	0	21	21	35.00%	53.85%	65.63%
#142	0	0	418	418	126	50	6	6	236	103	62	41	0	133	133	41.43%	56.36%	68.21%
#143	87	0	0	87	8	24	1	1	54	3	0	3	0	51	51	86.44%	94.44%	100.00%
#144	4	0	0	4	0	0	0	0	4	2	2	0	0	2	2	50.00%	50.00%	50.00%
#145	0	0	1	1	0	0	0	0	1	1	0	1	0	0	0	0.00%	0.00%	0.00%
#146	52	0	0	52	0	3	13	13	36	25	21	4	0	11	11	34.38%	30.56%	34.38%
#147	0	9,678	0	9,678	48	3,208	3	3	6,419	3,418	197	3,221	0	3,001	3,001	92.45%	46.75%	93.84%
#148	1	0	0	1	0	0	0	0	1	1	0	0	0	0	0	0.00%	0.00%	0.00%
#149	2	0	0	2	1	0	0	0	1	0	0	0	0	1	1	50.00%	100.00%	100.00%
#150	284	0	0	284	27	56	0	0	201	51	35	16	0	150	150	70.75%	74.63%	81.08%
#151	333	0	0	333	57	33	3	3	240	37	31	6	0	203	203	69.76%	84.58%	86.75%
#152	458	0	0	458	32	24	5	5	397	69	50	19	0	328	328	80.00%	82.62%	86.77%
#153	5	0	0	5	1	1	0	0	3	1	1	0	0	2	2	50.00%	66.67%	66.67%
#154	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#155	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#156	0	0	331	331	125	47	6	6	153	35	16	19	0	118	118	45.56%	77.12%	88.06%
#157	193	0	0	193	32	22	2	2	137	40	29	11	0	97	97	61.39%	70.80%	76.98%
#158	0	0	151	151	34	9	8	8	100	52	40	12	0	48	48	39.34%	48.00%	54.55%
#159	0	6,704	0	6,704	121	1,296	2	2	5,285	1,920	1,739	181	0	3,365	3,365	64.40%	63.67%	65.93%
#160	497	0	0	497	14	52	2	2	429	38	22	16	0	391	391	91.57%	91.14%	94.67%
#161	36	0	0	36	2	19	2	2	13	7	4	3	0	6	6	50.00%	46.15%	60.00%
#162	0	4,440	0	4,440	67	1,093	1	1	3,279	986	875	111	0	2,293	2,293	70.88%	69.93%	72.38%
#163	307	0	0	307	9	21	1	1	276	15	11	4	0	261	261	92.88%	94.57%	95.96%
#164	0	11	0	11	3	3	0	0	5	2	1	1	0	3	3	42.86%	60.00%	75.00%
#165	0	0	3	3	3	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#166	86	0	0	86	14	17	1	1	54	8	4	4	0	46	46	71.88%	85.19%	92.00%

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH				
	Mechanized Interface Used					LESOG					Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Rejects	Pending Supps (Z Status)	LSR's	Auto Clarification								
#167	8	0	0	8	4	3	0	0	1	0	0	0	0	1	1	20.00%	100.00%	100.00%
#168	55	0	0	55	15	2	2	2	36	18	7	11	18	18	18	45.00%	50.00%	72.00%
#169	0	477	0	477	228	51	9	9	189	85	74	11	104	104	104	25.62%	55.03%	58.43%
#170	51	0	0	51	4	9	0	0	38	9	4	5	29	29	29	78.38%	76.32%	87.88%
#171	1	0	0	1	0	0	0	0	1	0	0	0	1	1	1	100.00%	100.00%	100.00%
#172	0	0	6	6	4	0	0	0	2	0	0	0	2	2	2	33.33%	100.00%	100.00%
#173	29	0	0	29	2	10	0	0	17	1	1	0	16	16	16	84.21%	94.12%	94.12%
#174	0	80	0	80	35	18	1	1	26	18	5	13	8	8	16.67%	30.77%	61.54%	
#175	3	0	0	3	1	0	0	0	2	0	0	0	2	2	66.67%	100.00%	100.00%	
#176	0	38,143	0	38,143	2,279	5,675	63	63	30,126	5,484	4,071	1,413	24,642	24,642	79.51%	81.80%	85.82%	
#177	65	0	0	65	4	9	0	0	52	3	2	1	49	49	89.09%	94.23%	96.08%	
#178	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#179	134	0	0	134	19	38	0	0	77	9	8	1	68	68	71.58%	88.31%	89.47%	
#180	0	1,552	0	1,552	6	167	0	0	1,379	264	32	232	1,115	1,115	96.70%	80.86%	97.21%	
#181	0	0	90	90	18	34	0	0	38	9	8	1	29	29	52.73%	76.32%	78.38%	
#182	13	0	0	13	0	4	0	0	9	3	2	1	6	6	75.00%	66.67%	75.00%	
#183	0	0	3	3	0	0	0	0	3	2	2	0	1	1	33.33%	33.33%	33.33%	
#184	33	0	0	33	1	6	0	0	26	10	4	6	16	16	76.19%	61.54%	80.00%	
#185	0	1,053	0	1,053	199	177	8	8	669	258	104	154	411	411	57.56%	61.43%	79.81%	
#186	0	0	2	2	0	1	0	0	1	1	1	0	0	0	0.00%	0.00%	0.00%	
#187	2,976	0	0	2,976	179	386	3	3	2,408	116	92	24	2,292	2,292	89.43%	95.18%	96.14%	
#188	106	0	0	106	17	8	1	1	80	15	14	1	65	65	67.71%	81.25%	82.28%	
#189	582	0	0	582	77	26	0	0	479	36	25	11	443	443	81.28%	92.48%	94.66%	
#190	301	0	0	301	21	6	0	0	274	14	13	1	260	260	88.44%	94.89%	95.24%	
#191	8	0	0	8	3	2	0	0	3	0	0	0	3	3	50.00%	100.00%	100.00%	
#192	23	0	0	23	0	2	0	0	21	1	1	0	20	20	95.24%	95.24%	95.24%	
#193	0	0	5	5	0	3	0	0	2	0	0	0	2	2	100.00%	100.00%	100.00%	
#194	5	0	0	5	0	0	0	0	5	4	4	0	1	1	20.00%	20.00%	20.00%	
#195	0	18	0	18	3	5	0	0	10	2	0	2	8	8	72.73%	80.00%	100.00%	
#196	50	0	0	50	6	4	0	0	40	2	2	0	38	38	82.61%	95.00%	95.00%	
#197	0	0	546	546	62	49	9	9	426	114	83	31	312	312	68.27%	79.24%	78.99%	
#198	0	0	262	262	30	28	0	0	204	53	28	25	151	151	72.25%	74.02%	84.36%	
#199	355	0	0	355	53	28	6	6	288	62	37	25	206	206	69.59%	76.87%	84.77%	

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH					
	Mechanized Interface Used					LESOG					Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Rejects									
#200	457	0	0	457	54	37	0	366	30	24	6	336	30	24	6	336	81.16%	91.80%	93.33%
#201	23	0	0	23	1	6	0	16	7	6	1	16	7	6	1	9	56.25%	56.25%	60.00%
#202	54,190	0	0	54,190	5,033	10,912	471	37,774	10,615	7,608	3,007	37,774	10,615	7,608	3,007	27,159	68.24%	71.90%	78.12%
#203	24	0	0	24	8	3	2	11	3	2	1	11	3	2	1	8	44.44%	72.73%	80.00%
#204	472	0	0	472	50	31	1	390	43	31	12	390	43	31	12	347	81.07%	88.97%	91.80%
#205	0	0	353	353	1	63	0	289	5	5	0	289	5	5	0	284	97.93%	98.27%	98.27%
#206	37	0	0	37	0	4	0	33	5	2	3	33	5	2	3	28	93.33%	84.85%	93.33%
#207	0	0	2	2	0	1	0	1	1	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#208	186	0	0	186	24	20	6	136	65	51	14	136	65	51	14	71	48.63%	52.21%	58.20%
#209	120	0	0	120	19	20	6	75	30	16	14	75	30	16	14	45	56.25%	60.00%	73.77%
#210	1,382	0	0	1,382	103	99	2	1,178	62	44	18	1,178	62	44	18	1,116	88.36%	94.74%	96.21%
#211	293	0	0	293	4	20	0	269	21	19	2	269	21	19	2	248	91.51%	92.19%	92.88%
#212	249	0	0	249	22	46	4	177	62	52	10	177	62	52	10	115	60.85%	64.97%	68.86%
#213	446	0	0	446	38	35	0	373	18	14	4	373	18	14	4	355	87.22%	95.17%	96.21%
#214	384	0	0	384	55	21	0	308	13	9	4	308	13	9	4	295	82.17%	95.78%	97.04%
#215	851	0	0	851	57	11	0	783	30	26	4	783	30	26	4	753	90.07%	96.17%	96.66%
#216	31	0	0	31	1	6	0	24	4	3	1	24	4	3	1	20	83.33%	83.33%	86.96%
#217	1,205	0	0	1,205	94	15	2	1,094	30	26	4	1,094	30	26	4	1,064	89.86%	97.26%	97.61%
#218	2	0	0	2	1	0	0	1	1	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#219	14	0	0	14	5	3	0	6	2	2	0	6	2	2	0	4	36.36%	66.67%	66.67%
#220	0	15	0	15	2	0	1	12	6	4	2	12	6	4	2	6	50.00%	50.00%	60.00%
#221	0	0	3,170	3,170	15	443	37	2,675	1,108	659	449	2,675	1,108	659	449	1,567	69.92%	58.58%	70.40%
#222	0	0	2,484	2,484	98	29	16	2,341	511	431	80	2,341	511	431	80	1,830	77.58%	78.17%	80.94%
#223	12,006	0	0	12,006	672	566	13	10,755	274	215	59	10,755	274	215	59	10,481	92.20%	97.45%	97.99%
#224	622	0	0	622	42	32	5	543	22	14	8	543	22	14	8	521	90.29%	95.95%	97.38%
#225	254	0	0	254	33	83	0	138	22	12	10	138	22	12	10	116	72.05%	84.06%	90.63%
#226	20	0	0	20	2	3	0	15	8	8	0	15	8	8	0	7	41.18%	46.67%	46.67%
#227	6	0	0	6	0	1	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%
#228	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#229	113	0	0	113	25	20	1	67	21	19	2	67	21	19	2	46	51.11%	68.66%	70.77%
#230	0	47	0	47	13	9	0	25	16	14	2	25	16	14	2	9	25.00%	36.00%	39.13%
#231	21	0	0	21	4	2	1	14	4	2	2	14	4	2	2	10	62.50%	71.43%	83.33%
#232	98	0	0	98	7	13	0	78	21	18	3	78	21	18	3	57	69.51%	73.08%	76.00%

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH			
Company Info		LESOG										Validated			Percent Achieved Flowthrough		Base Calculation	
Name	LENS	Mechanized Interface Used			Manual			Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
		EDI	TAG	Total Mech LSR's	Total Manual Fallout	Rejects	Total System											BST Caused
#233	285	0	0	0	61	21	0	0	203	29	22	7	174	67.70%	85.71%	88.78%		
#234	179	0	0	179	16	54	3	3	106	52	30	22	54	54.00%	50.94%	64.29%		
#235	68	0	0	68	12	4	1	1	51	16	9	7	35	62.50%	68.63%	79.55%		
#236	0	23	0	23	1	4	0	0	18	6	5	1	12	66.67%	66.67%	70.59%		
#237	31	0	0	31	12	1	0	0	18	8	6	2	10	35.71%	55.56%	62.50%		
#238	55	0	0	55	14	4	0	0	37	8	7	1	29	58.00%	78.38%	80.56%		
#239	4,333	0	0	4,333	136	127	10	10	4,060	165	124	41	3,895	93.74%	95.94%	96.91%		
#240	0	27	0	27	6	1	0	0	20	3	1	2	17	70.83%	85.00%	94.44%		
#241	4	0	0	4	0	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%		
#242	140	0	0	140	31	8	0	0	101	8	6	2	93	71.54%	92.08%	93.94%		
#243	127	0	0	127	10	7	14	14	96	60	13	47	36	61.02%	37.50%	73.47%		
#244	1,681	0	0	1,681	52	119	9	9	1,501	1,007	880	127	494	34.64%	32.91%	35.95%		
#245	24	0	0	24	2	3	0	0	19	2	0	2	17	89.47%	89.47%	100.00%		
#246	31	0	0	31	2	2	0	0	27	3	3	0	24	82.76%	88.89%	88.89%		
#247	6	0	0	6	1	0	0	0	5	2	2	0	3	50.00%	60.00%	60.00%		
#248	1	0	0	1	0	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%		
#249	364	0	0	364	37	23	0	0	304	22	21	1	282	82.94%	92.76%	93.07%		
#250	0	0	3	3	3	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#251	62	0	0	62	8	7	0	0	47	6	5	1	41	75.93%	87.23%	89.13%		
#252	2	0	0	2	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%		
#253	18	0	0	18	2	3	2	2	11	4	1	3	7	70.00%	63.64%	87.50%		
#254	11	0	0	11	0	1	0	0	10	2	2	0	8	80.00%	80.00%	80.00%		
#255	15	0	0	15	0	9	0	0	6	2	2	0	4	66.67%	66.67%	66.67%		
#256	116	0	0	116	17	7	0	0	92	13	11	2	79	73.83%	85.87%	87.78%		
#257	0	0	84	84	5	23	0	0	56	21	14	7	35	64.81%	62.50%	71.43%		
#258	19	0	0	19	14	2	0	0	3	2	2	0	1	5.88%	33.33%	33.33%		
#259	14	0	0	14	2	4	0	0	8	1	1	0	7	70.00%	87.50%	87.50%		
#260	8	0	0	8	1	2	0	0	5	0	0	0	5	83.33%	100.00%	100.00%		
#261	253	0	0	253	24	33	4	4	192	55	42	13	137	67.49%	71.35%	76.54%		
#262	1,115	0	0	1,115	104	91	0	0	920	31	25	6	889	87.33%	96.63%	97.26%		
#263	2,104	0	0	2,104	36	90	3	3	1,975	206	119	87	1,769	91.94%	89.57%	93.70%		
#264	17	0	0	17	4	1	0	0	12	4	3	1	8	53.33%	66.67%	72.73%		
#265	13	0	0	13	4	2	0	0	7	2	2	0	5	45.45%	71.43%	71.43%		

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH				
	Mechanized Interface Used					LESOG					Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Rejects								
#266	5	0	0	5	0	0	1	0	4	1	1	1	0	0	3	75.00%	75.00%	75.00%
#267	2,507	0	0	2,507	264	203	203	14	2,026	232	171	61	61	1,794	80.48%	88.55%	91.30%	
#268	0	0	14,030	14,030	1,202	2,771	2,771	71	9,986	3,232	2,186	1,046	1,046	6,754	66.59%	67.63%	75.55%	
#269	1,450	0	0	1,450	261	135	135	8	1,046	169	122	47	47	877	69.60%	83.84%	87.79%	
#270	225	0	0	225	32	13	13	1	179	10	9	1	1	169	80.48%	94.41%	94.94%	
#271	14	0	0	14	2	4	4	0	8	0	0	0	0	8	80.00%	100.00%	100.00%	
#272	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#273	135	0	0	135	17	3	3	0	115	10	9	1	1	105	80.15%	91.30%	92.11%	
#274	9	0	0	9	0	1	1	0	8	2	2	0	0	6	75.00%	75.00%	75.00%	
#275	28	0	0	28	9	3	3	1	15	5	5	0	0	10	41.67%	66.67%	66.67%	
#276	0	0	169	169	0	9	9	0	160	0	0	0	0	160	100.00%	100.00%	100.00%	
#277	13	0	0	13	0	0	0	1	12	1	1	0	0	11	91.67%	91.67%	91.67%	
#278	1,222	0	0	1,222	85	89	89	4	1,044	40	31	9	9	1,004	89.64%	96.17%	97.00%	
#279	501	0	0	501	31	56	56	3	411	34	30	4	4	377	86.07%	91.73%	92.63%	
#280	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#281	7,588	0	0	7,588	377	594	594	8	6,609	697	530	167	167	5,912	86.70%	89.45%	91.77%	
#282	120	0	0	120	15	6	6	0	99	10	8	2	2	89	79.46%	89.90%	91.75%	
#283	2	0	0	2	0	0	0	0	2	1	1	0	0	1	50.00%	50.00%	50.00%	
#284	35	0	0	35	1	4	4	0	30	5	2	3	3	25	89.29%	83.33%	92.59%	
#285	1,104	0	0	1,104	112	136	136	2	854	29	19	10	10	825	86.30%	96.60%	97.75%	
#286	1,339	0	0	1,339	86	86	86	3	1,164	78	62	16	16	1,086	88.01%	93.30%	94.60%	
#287	0	12	0	12	0	6	6	0	6	3	3	0	0	3	50.00%	50.00%	50.00%	
#288	0	0	23	23	0	7	7	0	16	3	3	0	0	13	81.25%	81.25%	81.25%	
#289	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#290	0	0	94	94	38	19	19	0	37	23	10	13	13	14	22.58%	37.84%	56.33%	
#291	101	0	0	101	11	10	10	1	79	23	19	4	4	56	65.12%	70.89%	74.67%	
#292	26	0	0	26	1	1	1	3	21	4	1	3	3	17	89.47%	80.95%	94.44%	
#293	249	0	0	249	27	17	17	1	204	43	36	7	7	161	71.88%	78.92%	81.73%	
#294	2,244	0	0	2,244	203	236	236	12	1,793	151	117	34	34	1,642	83.69%	91.58%	93.35%	
#295	31	0	0	31	4	0	0	0	27	8	3	5	5	19	73.08%	70.37%	86.36%	
#296	50	0	0	50	11	6	6	0	33	4	3	1	1	29	67.44%	87.88%	90.63%	
#297	0	0	14	14	5	0	0	0	9	5	1	4	4	4	40.00%	44.44%	80.00%	
#298	14	0	0	14	1	4	4	0	9	5	3	2	2	4	50.00%	44.44%	57.14%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH					
Company Info		LESOG															
		Mechanized Interface Used					Rejects					Validated		Errors			
Name	LENS	EDI	TAG	Total Mech LSR's	Manual		Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
					Manual	Total Manual Fallout											
#299	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#300	1,306	0	0	1,306	128	139	13	13	1,026	235	188	47	791	71.45%	77.10%	80.80%	
#301	437	0	0	437	56	22	1	0	358	28	19	9	330	81.48%	92.18%	94.56%	
#302	0	0	72	72	2	16	0	0	54	24	14	10	30	65.22%	55.56%	68.18%	
#303	0	0	13	13	0	2	0	0	11	3	2	1	8	80.00%	72.73%	80.00%	
#304	0	0	337	337	47	44	2	2	244	62	47	15	182	65.94%	74.59%	79.48%	
#305	672	0	0	672	108	39	11	11	514	116	91	25	398	66.67%	77.43%	81.39%	
#306	87	0	0	87	22	9	0	0	56	17	10	7	39	54.93%	69.64%	79.59%	
#307	9	0	0	9	0	2	0	0	7	0	0	0	7	100.00%	100.00%	100.00%	
#308	599	0	0	599	60	36	4	4	499	39	34	5	460	83.03%	92.18%	93.12%	
#309	8	0	0	8	1	1	0	0	6	0	0	0	6	85.71%	100.00%	100.00%	
#310	47	0	0	47	23	7	4	4	13	4	3	1	9	25.71%	69.23%	75.00%	
#311	398	0	0	398	40	23	3	3	332	53	27	26	279	80.64%	84.04%	91.18%	
#312	122	0	0	122	6	5	0	0	111	7	7	0	104	88.89%	93.69%	93.69%	
#313	6	0	0	6	5	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#314	1,826	0	0	1,826	1,675	20	1	1	130	10	3	7	120	6.67%	92.31%	97.56%	
#315	1,362	0	0	1,362	1,238	36	6	6	82	33	19	14	49	3.75%	59.76%	72.06%	
#316	30	0	0	30	4	13	0	0	13	9	2	7	4	40.00%	30.77%	66.67%	
#317	14	0	0	14	2	0	0	0	12	0	0	0	12	85.71%	100.00%	100.00%	
#318	321	0	0	321	275	3	1	1	42	12	6	6	30	9.65%	71.43%	83.33%	
#319	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#320	2,837	0	0	2,837	293	159	11	11	2,374	140	106	34	2,234	84.85%	94.10%	95.47%	
#321	1,647	0	0	1,647	119	76	8	8	1,444	85	65	20	1,359	88.08%	94.11%	95.44%	
#322	1,061	0	0	1,061	98	49	3	3	911	79	67	12	832	83.45%	91.33%	92.55%	
#323	0	0	1,305	1,305	361	9	81	81	854	366	316	50	488	41.89%	57.14%	60.70%	
#324	2,012	0	0	2,012	207	88	2	2	1,715	100	87	13	1,615	84.60%	94.17%	94.89%	
#325	214	0	0	214	19	10	5	5	180	18	10	8	162	84.82%	90.00%	94.19%	
#326	105	0	0	105	6	1	0	0	98	5	3	2	93	91.18%	94.90%	96.88%	
#327	0	119	0	119	4	48	0	0	67	28	16	12	39	66.10%	58.21%	70.91%	
#328	58	0	0	58	14	8	0	0	36	9	6	3	27	57.45%	75.00%	81.82%	
#329	0	0	17	17	0	5	0	0	12	4	4	0	8	66.67%	66.67%	66.67%	
#330	13	0	0	13	0	0	1	1	12	2	1	1	10	90.91%	83.33%	90.91%	
#331	30	0	0	30	5	8	0	0	17	6	3	3	11	57.89%	64.71%	78.57%	

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG										Validated			Percent Achieved Flowthrough	
Name	LENS	Mechanized Interface Used			Manual		Rejects		Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	LSR's	LSR's								
#332	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%
#333	234	0	0	234	16	33	33	14	171	70	42	28	101	59.06%	70.63%	
#334	163	0	0	163	29	15	15	1	118	18	16	2	100	84.75%	86.21%	
#335	211	0	0	211	30	25	25	2	154	28	16	12	126	81.82%	88.73%	
#336	0	0	7	7	4	0	0	1	2	2	0	2	0	0.00%	0.00%	
#337	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	
#338	45	0	0	45	9	1	1	0	35	5	5	0	30	85.71%	85.71%	
#339	83	0	0	83	9	6	6	4	64	30	26	4	34	53.13%	56.67%	
#340	0	171	0	171	18	26	26	0	127	36	29	7	91	71.65%	75.83%	
#341	0	0	1	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	
#342	75	0	0	75	17	7	7	1	50	12	11	1	38	76.00%	77.55%	
#343	474	0	0	474	82	25	25	0	367	14	12	2	353	96.19%	96.71%	
#344	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	
#345	202	0	0	202	19	12	12	0	171	23	16	7	148	86.55%	90.24%	
#346	0	0	50	50	2	9	9	1	38	4	2	2	34	89.47%	94.44%	
#347	99	0	0	99	19	5	5	0	75	12	7	5	63	84.00%	90.00%	
#348	2	0	0	2	0	1	1	0	1	0	0	0	1	100.00%	100.00%	
#349	0	0	818	818	10	116	116	1	691	12	8	4	679	97.42%	98.84%	
#350	458	0	0	458	43	23	23	6	386	38	24	14	348	83.86%	93.55%	
#351	0	0	2	2	2	0	0	0	0	0	0	0	0	0.00%	0.00%	
#352	86	0	0	86	10	8	8	1	67	15	8	7	52	74.29%	86.67%	
#353	467	0	0	467	31	18	18	0	418	11	9	2	407	91.05%	97.84%	
#354	349	0	0	349	59	8	8	1	281	16	12	4	265	78.87%	95.67%	
#355	37	0	0	37	0	4	4	3	30	17	7	10	13	65.00%	65.00%	
#356	0	0	11	11	0	2	2	0	9	0	0	0	9	100.00%	100.00%	
#357	8	0	0	8	0	2	2	0	6	1	1	0	5	83.33%	83.33%	
#358	138	0	0	138	17	5	5	1	115	9	6	3	106	82.17%	94.64%	
#359	174	0	0	174	20	16	16	2	136	13	10	3	123	80.39%	92.48%	
#360	0	0	462	462	3	33	33	0	426	15	14	1	411	96.03%	96.71%	
#361	28	0	0	28	0	1	1	0	27	2	1	1	25	96.15%	96.15%	
#362	497	0	0	497	53	13	13	1	430	25	19	6	405	84.91%	95.52%	
#363	0	29	0	29	22	2	2	1	4	3	2	1	1	4.00%	33.33%	
#364	82	0	0	82	7	2	2	0	73	3	2	1	70	88.61%	97.22%	

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING											Errors			FLOWTHROUGH				
	LESOG											Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	Mechanized Interface Used					Rejects													
Name	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)											
#365	878	0	0	878	109	63	1	705	98	74	24	607	76.84%	86.10%	99.13%				
#366	0	0	51	51	0	9	0	42	8	8	0	34	80.95%	80.95%	80.95%				
#367	32	0	0	32	2	3	1	26	4	3	1	22	81.48%	84.62%	88.00%				
#368	32	0	0	32	2	3	1	26	4	4	0	22	78.57%	84.62%	84.62%				
#369	167	0	0	167	3	12	1	151	14	9	5	137	91.95%	90.73%	93.84%				
#370	0	61	0	61	8	17	0	36	15	9	6	21	55.26%	58.33%	70.00%				
#371	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%				
#372	0	31	0	31	3	7	0	21	4	2	2	17	77.27%	80.95%	89.47%				
#373	5	0	0	5	0	0	0	5	2	1	1	3	75.00%	60.00%	75.00%				
#374	115	0	0	115	15	2	0	98	9	8	1	89	79.46%	90.82%	91.75%				
#375	113	0	0	113	23	11	1	78	21	14	7	57	60.64%	73.08%	80.28%				
#376	0	0	193	193	24	19	0	150	60	52	8	90	54.22%	60.00%	63.38%				
#377	223	0	0	223	25	15	2	181	53	36	17	128	67.72%	70.72%	78.05%				
#378	113	0	0	113	21	7	1	84	19	15	4	65	64.36%	77.38%	81.25%				
#379	0	0	27	27	7	7	1	12	5	0	5	7	50.00%	58.33%	100.00%				
#380	15	0	0	15	0	1	1	13	1	1	0	12	92.31%	92.31%	92.31%				
#381	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%				
#382	10	0	0	10	4	1	0	5	2	2	0	3	33.33%	60.00%	60.00%				
#383	287	0	0	287	28	24	1	234	29	27	2	205	78.85%	87.61%	88.36%				
#384	23	0	0	23	3	1	0	19	0	0	0	19	86.36%	100.00%	100.00%				
#385	6	0	0	6	2	1	0	3	1	0	1	2	50.00%	66.67%	100.00%				
#386	74	0	0	74	39	7	0	28	6	4	2	22	33.85%	78.57%	84.62%				
#387	12	0	0	12	2	2	0	8	1	0	1	7	77.78%	87.50%	100.00%				
#388	0	0	89	89	17	4	0	68	22	19	3	46	56.10%	67.65%	70.77%				
#389	109	0	0	109	6	8	0	95	12	8	4	83	85.57%	87.37%	91.21%				
#390	1,269	0	0	1,269	231	84	2	952	77	63	14	875	74.85%	91.91%	93.28%				
#391	100	0	0	100	10	9	5	76	11	5	6	65	81.25%	85.53%	92.86%				
#392	0	0	11	11	9	0	0	2	0	0	0	2	18.18%	100.00%	100.00%				
#393	11	0	0	11	1	0	0	10	4	4	0	6	54.55%	60.00%	60.00%				
#394	168	0	0	168	24	13	2	129	28	25	3	101	67.33%	78.29%	80.16%				
#395	73	0	0	73	18	5	0	50	8	8	0	42	61.76%	84.00%	84.00%				
#396	36	0	0	36	3	1	0	32	8	6	2	24	72.73%	75.00%	80.00%				
#397	0	54	0	54	0	14	0	40	13	13	0	27	67.50%	67.50%	67.50%				

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors				FLOWTHROUGH																																		
Company Info		LESOG																																																
		Mechanized Interface Used					Rejects					Validated																																						
Name	LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Falloff	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Falloff	BST Caused Falloff	CLEC Caused Falloff	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through																																		
																	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
#398	0	0	7	7	0	0	1	0	6	2	2	0	4	66.67%	66.67%	66.67%																																		
#399	51	0	0	51	6	6	13	0	32	3	1	2	29	80.56%	90.63%	96.67%																																		
#400	0	0	26	26	9	9	6	0	11	1	1	0	10	50.00%	90.91%	90.91%																																		
#401	16	0	0	16	0	0	2	0	14	5	2	3	9	81.82%	64.29%	81.82%																																		
#402	0	69	0	69	5	5	12	0	52	15	4	11	37	80.43%	71.15%	90.24%																																		
#403	3	0	0	3	0	0	1	0	2	1	0	1	1	100.00%	50.00%	100.00%																																		
#404	5	0	0	5	0	0	0	0	5	2	2	0	3	60.00%	60.00%	60.00%																																		
#405	36	0	0	36	5	5	6	0	25	9	3	6	16	66.67%	64.00%	84.21%																																		
#406	5	0	0	5	0	0	0	1	4	4	1	3	0	0.00%	0.00%	0.00%																																		
#407	0	0	19	19	0	0	5	0	14	2	2	0	12	85.71%	85.71%	85.71%																																		
#408	0	10	0	10	5	5	1	0	4	4	2	2	0	0.00%	0.00%	0.00%																																		
#409	155	0	0	155	22	22	20	1	112	15	12	3	97	74.05%	86.61%	88.99%																																		
#410	0	0	43	43	9	9	10	1	23	6	4	2	17	56.67%	73.91%	80.95%																																		
#411	184	0	0	184	26	26	9	0	149	7	6	1	142	81.61%	95.30%	95.95%																																		
#412	3,350	0	0	3,350	255	255	233	9	2,853	435	287	148	2,418	81.69%	84.75%	89.39%																																		
#413	2,202	0	0	2,202	213	213	151	11	1,827	108	77	31	1,719	85.56%	94.09%	95.71%																																		
#414	0	0	702	702	111	111	70	4	517	137	104	33	380	63.87%	73.50%	78.51%																																		
#415	586	0	0	586	95	95	26	12	453	80	58	22	373	70.91%	82.34%	86.54%																																		
#416	64	0	0	64	18	18	11	0	35	1	1	0	34	64.15%	97.14%	97.14%																																		
#417	1,030	0	0	1,030	67	67	115	1	847	61	45	16	786	87.53%	92.80%	94.58%																																		
#418	0	0	212	212	15	15	6	22	169	149	115	34	20	13.33%	11.83%	14.81%																																		
#419	353	0	0	353	41	41	28	22	282	174	127	47	88	34.38%	33.59%	40.93%																																		
#420	0	0	96	96	11	11	40	3	42	20	13	7	22	47.83%	52.38%	62.86%																																		
#421	729	0	0	729	69	69	64	16	580	109	55	54	471	79.16%	81.21%	89.54%																																		
#422	1,681	0	0	1,681	78	78	159	3	1,441	95	73	22	1,346	89.91%	93.41%	94.86%																																		
#423	505	0	0	505	73	73	12	0	420	21	18	3	399	81.43%	95.00%	95.68%																																		
#424	69	0	0	69	9	9	2	0	58	3	3	0	55	82.09%	94.83%	94.83%																																		
#425	56	0	0	56	2	2	3	0	51	4	2	2	47	92.16%	92.16%	95.92%																																		
#426	3,106	0	0	3,106	355	355	453	24	2,274	545	394	151	1,729	69.77%	76.03%	81.44%																																		
#427	1,713	0	0	1,713	150	150	146	14	1,403	406	287	119	997	69.53%	71.06%	77.65%																																		
#428	301	0	0	301	17	17	21	0	263	19	13	6	244	89.05%	92.78%	94.94%																																		
#429	0	0	169	169	30	30	44	6	89	32	15	17	57	55.88%	64.04%	79.17%																																		
#430	135	0	0	135	22	22	50	5	58	27	14	13	31	46.27%	53.45%	68.89%																																		

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH		
Company Info		LESOG															
Name	LENS	Mechanized Interface Used			Manual		Auto Clarification		Pending Supps (Z Status)	Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual Fallout	Rejects	Auto Clarification	LSR's									
#431	12	0	0	12	0	0	0	0	12	2	2	0	10	83.33%	83.33%	83.33%	
#432	0	269	0	269	1	25	4	4	239	69	49	20	170	77.27%	71.13%	77.63%	
#433	531	0	0	531	130	43	9	9	349	56	38	18	293	63.56%	83.95%	88.52%	
#434	934	0	0	934	98	84	0	0	752	29	24	5	723	85.56%	96.14%	96.79%	
#435	44	0	0	44	3	14	0	0	27	11	8	3	16	59.26%	59.26%	66.67%	
#436	981	0	0	981	118	58	4	4	801	79	52	27	722	80.94%	90.14%	93.28%	
#437	0	0	977	977	125	134	14	14	704	296	244	52	408	52.51%	57.95%	62.58%	
#438	0	0	993	993	164	122	8	8	699	253	209	44	446	54.46%	63.81%	68.09%	
#439	1	0	0	1	0	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#440	1	0	0	1	1	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#441	7	0	0	7	0	3	0	0	4	4	2	2	0	0.00%	0.00%	0.00%	
#442	821	0	0	821	108	89	4	4	620	82	51	31	538	77.19%	86.77%	91.34%	
#443	0	82	0	82	47	13	0	0	22	7	5	2	15	22.39%	68.18%	75.00%	
#444	0	0	4	4	0	0	2	2	2	1	1	0	1	50.00%	50.00%	50.00%	
#445	0	0	4	4	1	0	0	0	3	3	3	0	0	0.00%	0.00%	0.00%	
#446	0	0	2,140	2,140	362	295	41	41	1,422	526	405	121	896	53.24%	63.01%	68.87%	
#447	23	0	0	23	3	2	0	0	18	1	1	0	17	80.95%	94.44%	94.44%	
#448	160	0	0	160	12	9	1	1	138	21	14	7	117	81.82%	84.78%	89.31%	
#449	0	0	7	7	0	5	0	0	2	1	0	1	1	100.00%	50.00%	100.00%	
#450	0	0	1,114	1,114	167	158	8	8	781	259	206	53	522	58.32%	66.84%	71.70%	
#451	136	0	0	136	25	25	1	1	85	43	28	15	42	44.21%	49.41%	60.00%	
#452	88	0	0	88	8	3	5	5	72	19	12	7	53	72.60%	73.61%	81.54%	
#453	263	0	0	263	25	13	3	3	222	24	15	9	198	83.19%	89.19%	92.96%	
#454	0	0	2,181	2,181	299	285	8	8	1,589	498	380	118	1,091	61.64%	68.66%	74.17%	
#455	0	0	2	2	1	0	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
#456	2	0	0	2	0	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#457	0	250	0	250	15	132	0	0	103	49	39	10	54	50.00%	52.43%	58.06%	
#458	67	0	0	67	15	8	1	1	43	18	7	11	25	53.19%	58.14%	78.13%	
#459	0	0	13	13	0	3	0	0	10	1	0	1	9	100.00%	90.00%	100.00%	
#460	52	0	0	52	3	7	1	1	41	20	5	15	21	72.41%	51.22%	80.77%	
#461	0	0	13	13	1	0	0	0	12	1	1	0	11	84.62%	91.67%	91.67%	
#462	1,858	0	0	1,858	184	62	4	4	1,608	83	73	10	1,525	85.58%	94.84%	95.43%	
#463	317	0	0	317	36	14	2	2	265	45	33	12	220	76.12%	83.02%	86.96%	

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AUV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH		
Company Info		LESOG															
Name	LENS	Mechanized Interface Used			Manual		Rejects		Pending Supps (Z Status)	Validated	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Auto Clarification	LSR's									
#464	374	0	0	374	48	15	0	0	311	21	18	3	290	81.46%	93.25%	94.16%	
#465	2,407	0	0	2,407	211	244	53	1,899	412	256	156	156	1,487	76.10%	78.30%	85.31%	
#466	0	0	22	22	2	4	0	16	4	4	2	2	12	75.00%	75.00%	85.71%	
#467	14	0	0	14	0	3	0	11	1	1	0	0	10	90.91%	90.91%	90.91%	
#468	1,162	0	0	1,162	138	217	6	801	91	62	29	29	710	78.02%	88.64%	91.97%	
#469	135	0	0	135	14	24	0	97	23	21	2	2	74	67.89%	76.29%	77.89%	
#470	1	0	0	1	1	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#471	856	0	0	856	124	35	3	694	50	43	7	7	644	79.41%	92.80%	93.74%	
#472	0	40	0	40	4	13	0	23	4	4	0	0	19	70.37%	82.61%	82.61%	
#473	18	0	0	18	6	1	0	11	0	0	0	0	11	64.71%	100.00%	100.00%	
#474	0	9	0	9	5	0	0	4	3	3	0	0	1	11.11%	25.00%	25.00%	
#475	0	0	16	16	0	3	0	13	2	2	0	0	11	84.62%	84.62%	84.62%	
#476	7	0	0	7	0	1	0	6	2	1	1	1	4	80.00%	66.67%	80.00%	
#477	0	2,557	0	2,557	161	729	4	1,663	644	300	344	344	1,019	68.85%	61.27%	77.26%	
#478	1,289	0	0	1,289	297	103	19	870	293	193	100	100	577	54.08%	66.32%	74.94%	
#479	0	147	0	147	25	31	0	91	23	13	10	10	68	64.15%	74.73%	83.95%	
#480	86	0	0	86	24	6	1	55	11	3	8	8	44	61.97%	80.00%	93.62%	
LENS Subtotal	247,612	0	0	247,612	25,421	26,043	1,368	194,780	29,058	21,709	7,349	7,349	165,722	77.86%	85.08%	88.42%	
EDI Subtotal	0	76,022	0	76,022	4,840	14,278	152	56,752	15,414	9,286	6,128	6,128	41,338	74.53%	72.84%	81.66%	
TAG Subtotal	0	0	47,330	47,330	4,039	5,814	377	37,100	8,805	6,339	2,466	2,466	28,295	73.16%	76.27%	81.70%	
TOTAL INTERFACES	247,612	76,022	47,330	370,964	34,300	46,135	1,897	288,632	53,277	37,334	15,943	15,943	235,355	76.67%	81.54%	86.31%	

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG										BST Caused			Base	
		Mechanized Interface Used					Validated					Fallout			Calculation	
Name	LENS	EDI	TAG	Total Mech LSR's	Manual		Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
					Total	Fallout										
#1	1,605	0	0	1,605	231	0	29	7	1,338	239	216	23	1,099	71.09%	82.14%	83.57%
#2	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#3	13	0	0	13	4	0	0	0	9	2	1	1	7	58.33%	77.78%	87.50%
#4	7	0	0	7	0	0	4	0	3	1	0	1	2	100.00%	66.67%	100.00%
#5	58	0	0	58	8	3	3	2	45	3	0	0	42	79.25%	93.33%	93.33%
#6	42	0	0	42	12	5	5	1	24	6	5	1	18	51.43%	75.00%	78.26%
#7	492	0	0	492	19	26	26	0	447	40	34	6	407	88.48%	91.05%	92.29%
#8	0	26	0	26	1	6	6	0	19	8	5	3	11	64.71%	57.89%	68.75%
#9	0	0	2	2	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#10	156	0	0	156	8	13	13	0	135	8	5	3	127	90.71%	94.07%	96.21%
#11	53	0	0	53	3	13	13	0	37	10	7	3	27	72.97%	72.97%	79.41%
#12	754	0	0	754	92	64	64	3	595	35	28	7	560	82.35%	94.12%	95.24%
#13	758	0	0	758	23	47	47	0	688	29	20	9	659	93.87%	95.78%	97.05%
#14	442	0	0	442	40	21	21	0	381	17	14	3	364	87.08%	95.54%	96.30%
#15	2,089	0	0	2,089	106	186	186	14	1,783	172	146	26	1,611	86.47%	90.35%	91.69%
#16	4	0	0	4	0	4	4	0	0	0	0	0	0	0.00%	0.00%	0.00%
#17	36	0	0	36	0	6	6	1	29	7	5	2	22	81.48%	75.86%	81.48%
#18	111	0	0	111	13	13	13	1	84	11	11	0	73	75.26%	86.90%	86.90%
#19	17	0	0	17	1	2	2	0	14	0	0	0	14	93.33%	100.00%	100.00%
#20	46	0	0	46	11	6	6	0	29	2	0	2	27	71.05%	93.10%	100.00%
#21	440	0	0	440	12	44	44	0	384	10	8	2	374	94.92%	97.40%	97.91%
#22	69	0	0	69	3	2	2	0	64	4	2	2	60	92.31%	93.75%	96.77%
#23	1	0	0	1	0	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#24	161	0	0	161	9	6	6	0	146	8	8	0	138	89.03%	94.52%	94.52%
#25	345	0	0	345	54	29	29	0	262	27	17	10	235	76.80%	89.69%	93.25%
#26	461	0	0	461	35	31	31	0	395	25	23	2	370	86.45%	93.67%	94.15%
#27	79	0	0	79	6	4	4	0	69	3	3	0	66	88.00%	95.65%	95.65%
#28	27,355	0	0	27,355	2,125	1,714	1,714	43	23,473	1,617	1,402	215	21,856	86.10%	93.11%	93.97%
#29	0	0	2	2	0	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
#30	21	0	0	21	5	0	0	0	16	2	2	0	14	66.67%	87.50%	87.50%
#31	5,796	0	0	5,796	497	481	481	6	4,812	342	258	84	4,470	85.55%	92.89%	94.54%
#32	474	0	0	474	28	17	17	1	428	33	31	2	395	87.00%	92.29%	92.72%
#33	27	0	0	27	4	1	1	0	22	1	1	0	21	80.77%	95.45%	95.45%
#34	83	0	0	83	6	5	5	0	72	4	4	0	68	87.18%	94.44%	94.44%

AGGREGATE ORDER TYPES		LSR PROCESSING													FLOWTHROUGH		
Company Info		LESOG															
		Mechanized Interface Used					Validated			Errors					CLEC		
Name	LENS	EDI	TAG	Total Mech LSR's	Manual		Rejects	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
					Manual	Total Manual Fallout											Auto Clarification
#35	26	0	0	26	3	3	5	0	18	6	3	3	12	66.67%	66.67%	80.00%	
#36	433	0	0	433	44	44	57	3	329	47	37	10	282	77.69%	85.71%	88.40%	
#37	0	2,683	0	2,683	35	35	440	2	2,206	722	668	54	1,484	67.86%	67.27%	68.96%	
#38	233	0	0	233	1	1	20	0	212	43	33	10	169	83.25%	79.72%	83.66%	
#39	0	0	109	109	7	7	6	0	96	9	4	5	87	88.78%	90.63%	95.60%	
#40	14	0	0	14	0	0	1	0	13	1	1	0	12	92.31%	92.31%	92.31%	
#41	0	0	11	11	4	4	0	0	7	2	1	0	5	50.00%	71.43%	83.33%	
#42	347	0	0	347	24	24	13	1	309	15	13	2	294	88.82%	95.15%	95.77%	
#43	21	0	0	21	2	2	5	0	14	0	0	0	14	87.50%	100.00%	100.00%	
#44	555	0	0	555	93	93	22	5	435	44	38	6	391	74.90%	89.89%	91.14%	
#45	209	0	0	209	12	12	15	1	181	18	12	6	163	87.17%	90.06%	93.14%	
#46	0	0	163	163	1	1	31	0	131	1	1	0	130	98.48%	99.24%	99.24%	
#47	8	0	0	8	0	0	1	0	7	0	0	0	7	100.00%	100.00%	100.00%	
#48	0	0	157	157	66	66	2	0	89	11	11	0	78	50.32%	87.64%	87.64%	
#49	843	0	0	843	66	66	53	2	722	68	56	12	654	84.28%	90.58%	92.11%	
#50	2	0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#51	0	0	395	395	2	2	21	2	370	6	5	1	364	98.11%	98.38%	98.64%	
#52	27	0	0	27	0	0	2	0	25	1	0	1	24	100.00%	96.00%	100.00%	
#53	13	0	0	13	0	0	4	0	9	4	1	3	5	83.33%	55.56%	83.33%	
#54	0	1,816	0	1,816	133	133	139	1	1,543	255	219	36	1,288	78.54%	83.47%	85.47%	
#55	1,476	0	0	1,476	78	78	121	7	1,270	265	208	57	1,005	77.85%	79.13%	82.85%	
#56	0	0	1,426	1,426	158	158	87	5	1,176	204	160	44	972	75.35%	82.65%	85.87%	
#57	17	0	0	17	2	2	2	0	13	1	1	0	12	80.00%	92.31%	92.31%	
#58	11	0	0	11	0	0	0	0	11	0	0	0	11	100.00%	100.00%	100.00%	
#59	1,229	0	0	1,229	71	71	141	5	1,012	188	137	51	824	79.84%	81.42%	85.74%	
#60	87	0	0	87	4	4	3	0	80	4	3	1	76	91.57%	95.00%	96.20%	
#61	5	0	0	5	0	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
#62	149	0	0	149	11	11	11	1	126	23	16	7	103	79.23%	81.75%	86.55%	
#63	0	0	897	897	3	3	35	1	858	17	14	3	841	98.02%	98.02%	98.36%	
#64	146	0	0	146	15	15	11	4	116	22	18	4	94	74.02%	81.03%	83.93%	
#65	69	0	0	69	1	1	9	0	59	5	2	3	54	94.74%	91.53%	96.43%	
#66	789	0	0	789	136	136	32	2	619	39	28	11	580	77.96%	93.70%	95.39%	
#67	18	0	0	18	5	5	0	1	12	1	1	0	11	64.71%	91.67%	91.67%	
#68	0	22	0	22	4	4	4	0	14	10	6	4	4	28.57%	28.57%	40.00%	

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors				FLOWTHROUGH		
Company Info		LESOG																
Name	LENS	Mechanized Interface Used			Rejects			Validated				Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Errors									
#69	138	0	0	138	15	17	2	104	34	27	7	70	62.50%	67.31%	72.16%			
#70	9	0	0	9	0	7	0	2	1	1	0	1	50.00%	50.00%	50.00%			
#71	12	0	0	12	0	1	0	11	0	0	0	11	100.00%	100.00%	100.00%			
#72	220	0	0	220	21	15	2	182	27	23	4	155	77.89%	85.16%	87.08%			
#73	0	0	8,634	8,634	61	359	6	8,208	293	238	55	7,915	96.36%	96.43%	97.08%			
#74	3,428	0	0	3,428	256	203	32	2,937	372	294	78	2,565	82.34%	87.33%	89.72%			
#75	0	117	0	117	20	18	2	77	33	18	15	44	53.66%	57.14%	70.97%			
#76	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%			
#77	120	0	0	120	27	8	0	85	11	8	3	74	67.89%	87.06%	90.24%			
#78	557	0	0	557	15	11	1	530	53	43	10	477	89.16%	90.00%	91.73%			
#79	0	58	0	58	2	10	0	46	10	7	3	36	80.00%	78.26%	83.72%			
#80	150	0	0	150	0	6	0	144	10	8	2	134	94.37%	93.06%	94.37%			
#81	10,617	0	0	10,617	278	632	18	9,689	364	298	66	9,325	94.18%	96.24%	96.90%			
#82	2,314	0	0	2,314	263	120	7	1,924	233	204	29	1,691	78.36%	87.89%	89.23%			
#83	10	0	0	10	0	0	0	10	0	0	0	10	100.00%	100.00%	100.00%			
#84	0	2	0	2	0	0	0	2	2	0	2	0	0.00%	0.00%	0.00%			
#85	211	0	0	211	13	48	1	149	52	25	27	97	71.85%	65.10%	79.51%			
#86	10	0	0	10	3	3	0	4	0	0	0	4	57.14%	100.00%	100.00%			
#87	0	0	2	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%			
#88	33	0	0	33	5	0	0	28	2	2	0	26	78.79%	92.86%	92.86%			
#89	695	0	0	695	14	38	4	639	65	48	17	574	90.25%	89.83%	92.28%			
#90	74	0	0	74	3	18	0	53	2	0	2	51	94.44%	96.23%	100.00%			
#91	0	9,677	0	9,677	47	3,208	3	6,419	3,418	197	3,221	3,001	92.48%	46.75%	93.84%			
#92	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#93	101	0	0	101	5	16	0	80	13	10	3	67	81.71%	83.75%	87.01%			
#94	219	0	0	219	34	20	1	164	20	17	3	144	73.85%	87.80%	89.44%			
#95	416	0	0	416	31	20	4	361	62	47	15	299	79.31%	82.83%	86.42%			
#96	0	0	226	226	61	36	6	123	20	7	13	103	60.23%	83.74%	93.64%			
#97	45	0	0	45	2	10	0	33	7	4	3	26	81.25%	78.79%	86.67%			
#98	0	6,704	0	6,704	121	1,296	2	5,285	1,920	1,739	181	3,365	64.40%	63.67%	65.93%			
#99	497	0	0	497	14	52	2	429	38	22	16	391	91.57%	91.14%	94.67%			
#100	0	4,440	0	4,440	67	1,093	1	3,279	986	875	111	2,293	70.88%	69.93%	72.38%			
#101	307	0	0	307	9	21	1	276	15	11	4	261	92.88%	94.57%	95.96%			
#102	33	0	0	33	0	2	0	31	4	2	2	27	93.10%	87.10%	93.10%			

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH			
	LESOG										Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
	LENS	EDI	TAG	Total Mech LSR's	Manual Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout							
#103	0	0	1	1	0	0	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#104	1	0	0	1	0	0	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#105	0	437	0	437	26	16	0	0	395	3	0	1	0	392	93.33%	99.24%	99.49%
#106	1	0	0	1	0	0	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#107	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#108	14	0	0	14	0	0	0	0	14	0	0	0	0	14	100.00%	100.00%	100.00%
#109	0	1,552	0	1,552	6	167	0	0	1,379	264	32	232	0	1,115	96.70%	80.86%	97.21%
#110	0	491	0	491	2	96	0	0	393	133	35	98	0	260	87.54%	66.16%	88.14%
#111	2,975	0	0	2,975	179	386	3	0	2,407	115	91	24	0	2,292	89.46%	95.22%	96.18%
#112	62	0	0	62	10	4	0	0	48	9	8	1	0	39	68.42%	81.25%	82.98%
#113	580	0	0	580	76	26	0	0	478	36	25	11	0	442	81.40%	92.47%	94.65%
#114	301	0	0	301	21	6	0	0	274	14	13	1	0	260	88.44%	94.89%	95.24%
#115	1	0	0	1	0	0	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#116	23	0	0	23	0	2	0	0	21	1	1	0	0	20	95.24%	95.24%	95.24%
#117	1	0	0	1	0	0	0	0	1	1	1	0	0	0	0.00%	0.00%	0.00%
#118	50	0	0	50	6	4	0	0	40	2	2	0	0	38	82.61%	95.00%	95.00%
#119	0	0	199	199	7	23	0	0	169	44	23	21	0	125	80.65%	73.96%	84.46%
#120	257	0	0	257	18	19	5	0	215	46	24	22	0	169	80.09%	78.60%	87.56%
#121	457	0	0	457	54	37	0	0	366	30	24	6	0	336	81.16%	91.80%	93.33%
#122	51,208	0	0	51,208	4,643	10,343	417	0	35,805	9,889	7,119	2,770	0	25,916	68.78%	72.38%	78.45%
#123	9	0	0	9	4	2	0	0	3	0	0	0	0	3	42.86%	100.00%	100.00%
#124	472	0	0	472	50	31	1	0	390	43	31	12	0	347	81.07%	88.97%	91.80%
#125	0	0	353	353	1	63	0	0	289	5	5	0	0	284	97.93%	98.27%	98.27%
#126	37	0	0	37	0	4	0	0	33	5	2	3	0	28	93.33%	84.85%	93.33%
#127	20	0	0	20	0	10	0	0	10	4	3	1	0	6	66.67%	60.00%	66.67%
#128	1,365	0	0	1,365	101	91	2	0	1,171	61	43	18	0	1,110	88.52%	94.79%	96.27%
#129	293	0	0	293	4	20	0	0	269	21	19	2	0	248	91.51%	92.19%	92.88%
#130	44	0	0	44	3	6	2	0	33	11	6	5	0	22	70.97%	66.67%	78.57%
#131	445	0	0	445	38	35	0	0	372	18	14	4	0	354	87.19%	95.16%	96.20%
#132	384	0	0	384	55	21	0	0	308	13	9	4	0	295	82.17%	95.78%	97.04%
#133	850	0	0	850	57	11	0	0	782	30	26	4	0	752	90.06%	96.16%	96.66%
#134	1,184	0	0	1,184	91	12	2	0	1,079	30	26	4	0	1,049	89.97%	97.22%	97.58%
#135	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#136	0	1	0	1	0	0	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AUV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	LENS	Mechanized Interface Used			Rejects			Validated			Errors			Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's				
#137	0	0	3,139	3,139	15	436	37	2,651	1,096	650	446	1,555	70.05%	58.66%	70.52%	
#138	0	0	2,484	2,484	98	29	16	2,341	511	431	80	1,830	77.58%	78.17%	80.94%	
#139	12,006	0	0	12,006	672	566	13	10,755	274	215	59	10,481	92.20%	97.45%	97.99%	
#140	621	0	0	621	42	32	5	542	22	14	8	520	90.28%	95.94%	97.38%	
#141	235	0	0	235	23	78	0	134	22	12	10	112	76.19%	83.58%	90.32%	
#142	18	0	0	18	2	2	0	14	7	7	0	7	43.75%	50.00%	50.00%	
#143	6	0	0	6	0	1	0	5	0	0	0	5	100.00%	100.00%	100.00%	
#144	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#145	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
#146	0	23	0	23	7	2	0	14	7	7	0	7	33.33%	50.00%	50.00%	
#147	6	0	0	6	2	0	1	3	1	0	1	2	50.00%	66.67%	100.00%	
#148	285	0	0	285	61	21	0	203	29	22	7	174	67.70%	85.71%	88.78%	
#149	171	0	0	171	13	50	3	105	51	29	22	54	56.25%	51.43%	65.06%	
#150	10	0	0	10	5	0	0	5	1	1	0	4	40.00%	80.00%	80.00%	
#151	50	0	0	50	10	21	2	17	11	0	11	6	37.50%	35.29%	100.00%	
#152	0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#153	140	0	0	140	31	8	0	101	8	6	2	93	71.54%	92.08%	93.94%	
#154	7	0	0	7	0	0	0	7	0	0	0	7	100.00%	100.00%	100.00%	
#155	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#156	24	0	0	24	2	3	0	19	2	0	2	17	89.47%	89.47%	100.00%	
#157	28	0	0	28	2	0	0	26	3	3	0	23	82.14%	88.46%	88.46%	
#158	364	0	0	364	37	23	0	304	22	21	1	282	82.94%	92.76%	93.07%	
#159	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#160	114	0	0	114	16	7	0	91	13	11	2	78	74.29%	85.71%	87.64%	
#161	4	0	0	4	0	2	0	2	2	2	0	0	0.00%	0.00%	0.00%	
#162	14	0	0	14	2	4	0	8	1	1	0	7	70.00%	87.50%	87.50%	
#163	8	0	0	8	1	2	0	5	0	0	0	5	83.33%	100.00%	100.00%	
#164	12	0	0	12	1	3	2	6	0	0	0	6	85.71%	100.00%	100.00%	
#165	1,106	0	0	1,106	95	91	0	920	31	25	6	869	88.11%	96.63%	97.26%	
#166	2,104	0	0	2,104	36	90	3	1,975	206	119	87	1,769	91.94%	89.57%	93.70%	
#167	5	0	0	5	0	1	0	4	1	1	0	3	75.00%	75.00%	75.00%	
#168	2,492	0	0	2,492	264	201	14	2,013	229	171	58	1,784	80.40%	88.62%	91.25%	
#169	0	0	16	16	1	13	1	1	0	0	0	1	50.00%	100.00%	100.00%	
#170	7	0	0	7	0	4	0	3	1	1	0	2	66.67%	66.67%	66.67%	

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	LENS	Mechanized Interface Used		Rejects		Validated		Errors		Total System Fallout	GLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	BST Caused Fallout						
#171	225	0	0	225	32	13	179	1	0	10	1	169	80.48%	94.41%	94.94%
#172	14	0	0	14	2	4	8	0	0	0	0	8	80.00%	100.00%	100.00%
#173	135	0	0	135	17	3	115	0	0	10	1	105	80.15%	91.30%	92.11%
#174	9	0	0	9	0	1	8	0	2	2	0	6	75.00%	75.00%	75.00%
#175	0	0	169	169	0	9	160	0	0	0	0	160	100.00%	100.00%	100.00%
#176	13	0	0	13	0	0	12	1	1	1	0	11	91.67%	91.67%	91.67%
#177	1,222	0	0	1,222	85	89	1,044	4	31	40	9	1,004	89.64%	96.17%	97.00%
#178	492	0	0	492	28	54	407	3	30	34	4	373	86.54%	91.65%	92.56%
#179	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#180	7,588	0	0	7,588	377	594	6,609	8	530	697	167	5,912	86.70%	89.45%	91.77%
#181	120	0	0	120	15	6	99	0	8	10	2	89	79.46%	89.90%	91.75%
#182	1	0	0	1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#183	24	0	0	24	1	3	20	0	1	1	0	19	90.48%	95.00%	95.00%
#184	1,083	0	0	1,083	111	129	841	2	17	26	9	815	86.43%	96.91%	97.96%
#185	1,335	0	0	1,335	85	86	1,162	2	62	78	16	1,084	88.06%	93.29%	94.59%
#186	0	0	2	2	0	0	2	0	0	1	1	1	100.00%	50.00%	100.00%
#187	34	0	0	34	4	1	28	1	5	7	2	21	70.00%	75.00%	80.77%
#188	2,244	0	0	2,244	203	236	1,793	12	117	151	34	1,642	83.69%	91.58%	93.35%
#189	50	0	0	50	11	6	33	0	3	4	1	29	67.44%	87.88%	90.63%
#190	11	0	0	11	1	3	7	0	2	4	2	3	50.00%	42.86%	60.00%
#191	1	0	0	1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#192	5	0	0	5	0	0	5	0	1	1	0	4	80.00%	80.00%	80.00%
#193	435	0	0	435	56	21	357	1	19	28	9	329	81.44%	92.16%	94.54%
#194	9	0	0	9	0	2	7	0	0	0	0	7	100.00%	100.00%	100.00%
#195	599	0	0	599	60	36	499	4	34	39	5	460	83.03%	92.18%	93.12%
#196	3	0	0	3	1	1	1	0	0	0	0	1	50.00%	100.00%	100.00%
#197	396	0	0	396	38	23	332	3	27	53	26	279	81.10%	84.04%	91.18%
#198	122	0	0	122	6	5	111	0	7	7	0	104	88.89%	93.69%	93.69%
#199	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#200	14	0	0	14	2	0	12	0	0	0	0	12	85.71%	100.00%	100.00%
#201	1	0	0	1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%
#202	2,836	0	0	2,836	293	159	2,373	11	106	140	34	2,233	84.84%	94.10%	95.47%
#203	1,646	0	0	1,646	119	76	1,443	8	65	85	20	1,358	88.07%	94.11%	95.43%
#204	1,049	0	0	1,049	95	49	902	3	67	79	12	823	83.55%	91.24%	92.47%

ORDERING **REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (RESIDENCE DETAIL)** **Supplemental Exhibit AJV-6**
REPORT PERIOD: 11/01/2001 - 11/30/2001 **Attachment 2F**

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors				FLOWTHROUGH	
Company Info		LESOG										BST Caused		Percent		Base	
		Mechanized Interface Used				Rejects			Validated			Fallout		Achieved		Calculation	
Name	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused	CLEC Caused	Issued SO's	Flowthrough	Flowthrough	Through	Through	
#205	2,012	0	0	2,012	207	88	2	1,715	100	87	13	1,615	84.60%	94.17%	94.89%	94.89%	
#206	214	0	0	214	19	10	5	180	18	10	8	162	84.82%	90.00%	94.19%	94.19%	
#207	104	0	0	104	6	1	0	97	5	3	2	92	91.09%	94.85%	96.84%	96.84%	
#208	18	0	0	18	4	3	0	11	4	2	2	7	53.85%	63.64%	77.78%	77.78%	
#209	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%	
#210	214	0	0	214	16	24	9	165	69	41	28	96	62.75%	58.18%	70.07%	70.07%	
#211	163	0	0	163	29	15	1	118	18	16	2	100	68.97%	84.75%	86.21%	86.21%	
#212	191	0	0	191	21	21	2	147	28	16	12	119	76.28%	80.95%	88.15%	88.15%	
#213	18	0	0	18	2	0	0	16	1	1	0	15	83.33%	93.75%	93.75%	93.75%	
#214	83	0	0	83	9	6	4	64	30	26	4	34	49.28%	53.13%	56.67%	56.67%	
#215	474	0	0	474	82	25	0	367	14	12	2	353	78.97%	96.19%	96.71%	96.71%	
#216	202	0	0	202	19	12	0	171	23	16	7	148	80.87%	86.55%	90.24%	90.24%	
#217	8	0	0	8	3	1	0	4	1	0	1	3	50.00%	75.00%	100.00%	100.00%	
#218	0	0	818	818	10	116	1	691	12	8	4	679	97.42%	98.26%	98.84%	98.84%	
#219	458	0	0	458	43	23	6	386	38	24	14	348	83.86%	90.16%	93.55%	93.55%	
#220	467	0	0	467	31	18	0	418	11	9	2	407	91.05%	97.37%	97.84%	97.84%	
#221	349	0	0	349	59	8	1	281	16	12	4	265	78.87%	94.31%	95.67%	95.67%	
#222	137	0	0	137	17	5	1	114	9	6	3	105	82.03%	92.11%	94.59%	94.59%	
#223	174	0	0	174	20	16	2	136	13	10	3	123	80.39%	90.44%	92.48%	92.48%	
#224	0	0	462	462	3	33	0	426	15	14	1	411	96.03%	96.48%	96.71%	96.71%	
#225	28	0	0	28	0	1	0	27	2	1	1	25	96.15%	92.59%	96.15%	96.15%	
#226	497	0	0	497	53	13	1	430	25	19	6	405	84.91%	94.19%	95.52%	95.52%	
#227	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	100.00%	
#228	878	0	0	878	109	63	1	705	98	74	24	607	76.84%	86.10%	89.13%	89.13%	
#229	27	0	0	27	2	2	1	22	4	4	0	18	75.00%	81.82%	81.82%	81.82%	
#230	165	0	0	165	3	12	1	149	14	9	5	135	91.84%	90.60%	93.75%	93.75%	
#231	115	0	0	115	15	2	0	98	9	8	1	89	79.46%	90.82%	91.75%	91.75%	
#232	102	0	0	102	23	9	1	69	19	13	6	50	58.14%	72.46%	79.37%	79.37%	
#233	9	0	0	9	3	1	0	5	2	2	0	3	37.50%	60.00%	60.00%	60.00%	
#234	282	0	0	282	28	24	1	229	28	26	2	201	78.82%	87.77%	88.55%	88.55%	
#235	22	0	0	22	3	1	0	18	0	0	0	18	85.71%	100.00%	100.00%	100.00%	
#236	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%	
#237	11	0	0	11	2	2	0	7	0	0	0	7	77.78%	100.00%	100.00%	100.00%	
#238	1,269	0	0	1,269	231	84	2	952	77	63	14	875	74.85%	91.91%	93.28%	93.28%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH							
Company Info		LESOG																	
Name	LENS	Mechanized Interface Used				Manual		Rejects		Validated		Total System Fallout	Errors		CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	BST Caused Fallout		CLEC Caused Fallout						
#239	78	0	0	0	78	3	8	63	4	63	6	2	4	57	91.94%	90.48%	96.61%		
#240	41	0	0	0	41	5	6	30	0	30	3	1	2	27	81.82%	90.00%	96.43%		
#241	3	0	0	0	3	0	0	3	0	3	0	0	0	3	100.00%	100.00%	100.00%		
#242	2	0	0	0	2	0	1	1	0	1	0	0	0	1	100.00%	100.00%	100.00%		
#243	177	0	0	0	177	26	7	144	0	144	7	6	1	137	81.07%	95.14%	95.80%		
#244	3,350	0	0	0	3,350	255	233	2,853	9	2,853	435	287	148	2,418	81.69%	84.75%	89.39%		
#245	2,193	0	0	0	2,193	210	149	1,823	11	1,823	108	77	31	1,715	85.66%	94.08%	95.70%		
#246	4	0	0	0	4	1	1	2	0	2	0	0	0	2	66.67%	100.00%	100.00%		
#247	59	0	0	0	59	16	10	33	0	33	1	1	0	32	65.31%	96.97%	96.97%		
#248	1,026	0	0	0	1,026	67	114	844	1	844	61	45	16	783	87.49%	92.77%	94.57%		
#249	0	0	0	0	0	0	0	0	0	0	2	0	2	13	100.00%	86.67%	100.00%		
#250	0	0	0	0	0	11	34	39	3	39	19	12	7	20	46.51%	51.28%	62.50%		
#251	708	0	0	0	708	65	59	570	14	570	106	55	51	464	79.45%	81.40%	89.40%		
#252	1,681	0	0	0	1,681	78	159	1,441	3	1,441	95	73	22	1,346	89.91%	93.41%	94.86%		
#253	505	0	0	0	505	73	12	420	0	420	21	18	3	399	81.43%	95.00%	95.68%		
#254	68	0	0	0	68	9	2	57	0	57	3	3	0	54	81.82%	94.74%	94.74%		
#255	50	0	0	0	50	1	2	47	0	47	3	2	1	44	93.62%	93.62%	95.65%		
#256	9	0	0	0	9	0	6	3	0	3	0	0	0	3	100.00%	100.00%	100.00%		
#257	6	0	0	0	6	0	1	5	0	5	4	1	3	1	50.00%	20.00%	50.00%		
#258	301	0	0	0	301	17	21	263	0	263	19	13	6	244	89.05%	92.78%	94.94%		
#259	11	0	0	0	11	0	0	11	0	11	1	1	0	10	90.91%	90.91%	90.91%		
#260	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#261	934	0	0	0	934	98	84	752	0	752	29	24	5	723	85.56%	96.14%	96.79%		
#262	981	0	0	0	981	118	58	801	4	801	79	52	27	722	80.94%	90.14%	93.28%		
#263	1	0	0	0	1	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%		
#264	8	0	0	0	8	1	1	6	0	6	1	1	0	5	71.43%	83.33%	83.33%		
#265	23	0	0	0	23	3	2	18	0	18	1	1	0	17	80.95%	94.44%	94.44%		
#266	0	0	0	0	0	0	0	0	0	0	0	0	0	1	100.00%	100.00%	100.00%		
#267	19	0	0	0	19	5	3	10	1	10	5	3	2	5	38.46%	50.00%	62.50%		
#268	88	0	0	0	88	8	3	72	5	72	19	12	7	53	72.60%	73.61%	81.54%		
#269	245	0	0	0	245	22	8	214	1	214	18	13	5	196	84.85%	91.59%	93.78%		
#270	0	0	0	0	0	0	0	0	0	0	1	1	0	1	50.00%	50.00%	50.00%		
#271	2	0	0	0	2	0	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#272	23	0	0	0	23	2	7	14	0	14	11	4	7	3	33.33%	21.43%	42.86%		

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH					
Company Info		LESOG															
		Mechanized Interface Used					Rejects					Errors			Percent Achieved Flowthrough		
Name	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Failout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Failout	BST Caused Failout	CLEC Caused Failout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through		
																LENS	EDI
#273	1,855	0	0	1,855	184	62	4	1,605	83	73	10	1,522	85.55%	94.83%	95.42%		
#274	316	0	0	316	36	14	2	264	44	33	11	220	76.12%	83.33%	86.96%		
#275	363	0	0	363	41	14	0	308	20	17	3	288	83.24%	93.51%	94.43%		
#276	30	0	0	30	2	11	0	17	0	0	0	17	89.47%	100.00%	100.00%		
#277	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#278	294	0	0	294	38	67	2	187	21	13	8	166	76.50%	88.77%	92.74%		
#279	135	0	0	135	14	24	0	97	23	21	2	74	67.89%	76.29%	77.89%		
#280	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#281	856	0	0	856	124	35	3	694	50	43	7	644	79.41%	92.80%	93.74%		
#282	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%		
#283	0	17	0	17	2	0	0	15	1	0	1	14	87.50%	93.33%	100.00%		
#284	9	0	0	9	2	3	1	3	0	0	0	3	60.00%	100.00%	100.00%		
#285	0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%		
LENS Subtotal	196,691	0	0	196,691	15,893	20,137	831	159,830	19,615	14,663	4,952	140,215	82.11%	87.73%	90.53%		
EDI Subtotal	0	28,068	0	28,068	473	6,495	11	21,089	7,772	3,810	3,962	13,317	75.66%	63.15%	77.75%		
TAG Subtotal	0	0	19,774	19,774	511	1,334	78	17,851	2,270	1,586	684	15,581	88.14%	87.28%	90.76%		
TOTAL INTERFACES	196,691	28,068	19,774	244,533	16,877	27,966	920	198,770	29,657	20,059	9,598	169,113	82.07%	85.06%	89.40%		

AGGREGATE ORDER TYPES Company Info	LSR PROCESSING										Errors			FLOWTHROUGH				
	Mechanized Interface Used					LESOG					Total System Failout	BST Caused Failout	CLEC Caused Failout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Failout	Rejects	Auto Clarification	Pending Supps (Z Status)	Validated	LSR's								
#1	5	0	0	5	0	0	0	0	5	0	0	0	0	0	5	100.00%	100.00%	100.00%
#2	9	0	0	9	1	1	0	0	7	3	3	0	0	0	4	50.00%	57.14%	57.14%
#3	0	0	8	8	6	1	0	0	1	1	0	0	0	0	0	0.00%	0.00%	0.00%
#4	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#5	3	0	0	3	0	0	0	0	3	0	0	0	0	0	3	100.00%	100.00%	100.00%
#6	234	0	0	234	191	13	2	2	28	10	8	2	2	18	18	8.29%	64.29%	69.23%
#7	25	0	0	25	14	2	0	0	9	3	3	0	0	6	6	26.09%	66.67%	66.67%
#8	50	0	0	50	8	9	0	0	33	6	1	5	5	27	27	75.00%	81.82%	96.43%
#9	0	54	0	54	3	16	0	0	35	19	13	6	6	16	16	50.00%	45.71%	55.17%
#10	0	0	2	2	0	0	0	0	2	0	0	0	0	2	2	100.00%	100.00%	100.00%
#11	199	0	0	199	44	26	3	3	126	41	30	11	11	85	85	53.48%	67.46%	73.91%
#12	31	0	0	31	0	6	0	0	25	10	7	3	3	15	15	68.18%	60.00%	68.18%
#13	0	0	4	4	0	3	0	0	1	0	0	0	0	1	1	100.00%	100.00%	100.00%
#14	4	0	0	4	0	0	0	0	4	2	0	2	2	2	2	100.00%	50.00%	100.00%
#15	6	0	0	6	0	0	0	0	6	1	1	0	0	5	5	83.33%	83.33%	83.33%
#16	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#17	21	0	0	21	1	5	1	1	14	2	2	0	0	12	12	80.00%	85.71%	85.71%
#18	44	0	0	44	1	6	0	0	37	11	6	5	5	26	26	78.79%	70.27%	81.25%
#19	97	0	0	97	14	15	2	2	66	21	13	8	8	45	45	62.50%	68.18%	77.59%
#20	1	0	0	1	0	0	0	0	1	0	0	0	0	1	1	100.00%	100.00%	100.00%
#21	226	0	0	226	56	55	1	1	114	23	18	5	5	91	91	55.15%	79.82%	83.49%
#22	4	0	0	4	0	1	0	0	3	0	0	0	0	3	3	100.00%	100.00%	100.00%
#23	1	0	0	1	0	0	0	0	1	0	0	0	0	1	1	100.00%	100.00%	100.00%
#24	48	0	0	48	10	10	1	1	27	12	6	6	6	15	15	48.39%	55.56%	71.43%
#25	1	0	0	1	0	0	0	0	1	0	0	0	0	1	1	100.00%	100.00%	100.00%
#26	36	0	0	36	4	4	0	0	28	12	9	3	3	16	16	55.17%	57.14%	64.00%
#27	54	0	0	54	6	5	0	0	43	10	8	2	2	33	33	70.21%	76.74%	80.49%
#28	36	0	0	36	7	12	0	0	17	7	3	4	4	10	10	50.00%	56.82%	76.92%
#29	92	0	0	92	4	8	2	2	78	26	19	7	7	52	52	69.33%	66.67%	73.24%
#30	13	0	0	13	3	5	0	0	5	2	1	1	1	3	3	42.86%	60.00%	75.00%
#31	2	0	0	2	0	1	0	0	1	0	0	0	0	1	1	100.00%	100.00%	100.00%
#32	957	0	0	957	284	114	6	6	553	102	65	37	37	451	451	56.38%	81.56%	87.40%
#33	0	0	63	63	30	4	2	2	27	3	1	2	2	24	24	43.64%	88.89%	96.00%
#34	23	0	0	23	1	1	1	1	20	3	2	1	1	17	17	85.00%	85.00%	89.47%

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors				FLOWTHROUGH	
Company Info		LESOG															
Name	LENS	Mechanized Interface Used		Manual		Validated		Pending		Total		BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual Fallout	Rejects	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout							
#35	1	0	0	1	0	0	0	0	0	0	0	0	0	1	100.00%	100.00%	100.00%
#36	0	5	0	5	1	2	0	0	0	0	0	0	0	2	66.67%	100.00%	100.00%
#37	23	0	0	23	3	7	0	0	0	13	4	2	2	9	64.29%	69.23%	81.82%
#38	17	0	0	17	1	0	0	0	0	16	4	4	0	12	70.59%	75.00%	75.00%
#39	0	0	15	15	3	2	0	0	0	10	7	6	1	3	25.00%	30.00%	33.33%
#40	4	0	0	4	1	0	0	0	0	3	1	0	1	2	66.67%	66.67%	100.00%
#41	47	0	0	47	15	14	0	0	0	18	8	5	3	10	33.33%	55.56%	66.67%
#42	1	0	0	1	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#43	33	0	0	33	7	10	0	0	0	16	7	4	3	9	45.00%	56.25%	69.23%
#44	5	0	0	5	0	1	0	1	0	3	0	0	0	3	100.00%	100.00%	100.00%
#45	2	0	0	2	1	0	0	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
#46	8	0	0	8	2	0	0	0	0	6	5	4	1	1	14.29%	16.67%	20.00%
#47	299	0	0	299	96	87	0	0	0	116	18	15	3	98	46.89%	84.48%	86.73%
#48	1	0	0	1	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#49	7	0	0	7	0	0	0	0	0	7	2	2	0	5	71.43%	71.43%	71.43%
#50	0	28	0	28	4	6	0	0	0	18	14	4	10	4	33.33%	22.22%	50.00%
#51	428	0	0	428	97	56	4	0	0	271	89	60	29	182	53.69%	67.16%	75.21%
#52	0	2	0	2	2	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#53	34	0	0	34	4	15	0	0	0	15	6	4	2	9	52.94%	60.00%	69.23%
#54	125	0	0	125	46	17	2	0	0	60	13	8	5	47	46.53%	78.33%	85.45%
#55	248	0	0	248	24	30	4	0	0	190	45	36	9	145	70.79%	76.32%	80.11%
#56	1	0	0	1	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#57	0	0	19	19	3	7	0	0	0	9	1	1	0	8	66.67%	88.89%	88.89%
#58	30	0	0	30	10	13	0	0	0	7	1	0	1	6	37.50%	85.71%	100.00%
#59	0	276	0	276	29	50	3	0	0	194	82	59	23	112	56.00%	57.73%	65.50%
#60	65	0	0	65	4	5	0	0	0	56	14	8	6	42	77.78%	75.00%	84.00%
#61	71	0	0	71	21	10	1	0	0	39	11	8	3	28	49.12%	71.79%	77.78%
#62	2	0	0	2	0	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#63	1,306	0	0	1,306	239	354	16	0	0	697	313	222	91	384	45.44%	55.09%	63.37%
#64	0	0	19	19	1	10	0	0	0	8	0	0	0	8	88.89%	100.00%	100.00%
#65	14	0	0	14	8	0	0	0	0	6	4	2	2	2	16.67%	33.33%	50.00%
#66	0	0	2	2	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#67	0	0	3	3	0	2	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#68	0	0	267	267	74	30	0	0	0	163	60	35	25	103	48.58%	63.19%	74.64%

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (BUSINESS DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH							
Company Info		LESOG										BST Caused Fallout			CLEC Caused Fallout		Percent Achieved Flowthrough		Base Calculation		Percent Flow Through	
Name	LENS	Mechanized Interface Used			Rejects			Validated			Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through					
		EDJ	TAG	Total Mech LSR's	Manual Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout													
#69	4	0	0	4	0	0	0	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%	50.00%			
#70	1	0	0	1	0	0	0	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	0.00%			
#71	1	0	0	1	0	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	100.00%			
#72	135	0	0	135	18	33	0	0	0	0	84	29	20	9	55	59.14%	65.48%	73.33%	73.33%			
#73	114	0	0	114	23	13	2	2	0	0	76	17	14	3	59	61.46%	77.63%	80.82%	80.82%			
#74	42	0	0	42	1	4	1	1	0	0	36	7	3	4	29	87.88%	80.56%	90.63%	90.63%			
#75	5	0	0	5	1	1	0	0	0	0	3	1	1	0	2	50.00%	66.67%	66.67%	66.67%			
#76	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%			
#77	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%			
#78	0	0	90	90	59	3	0	0	0	0	28	14	9	5	14	17.07%	50.00%	60.87%	60.87%			
#79	119	0	0	119	14	3	2	2	0	0	100	31	24	7	69	64.49%	69.00%	74.19%	74.19%			
#80	0	0	2	2	0	0	0	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%	0.00%			
#81	36	0	0	36	2	19	2	2	0	0	13	7	4	3	6	50.00%	46.15%	60.00%	60.00%			
#82	0	11	0	11	3	3	0	0	0	0	5	2	1	1	3	42.86%	60.00%	75.00%	75.00%			
#83	8	0	0	8	4	3	0	0	0	0	1	0	0	0	1	20.00%	100.00%	100.00%	100.00%			
#84	0	15	0	15	9	0	1	1	0	0	5	2	1	1	3	23.08%	60.00%	75.00%	75.00%			
#85	51	0	0	51	4	9	0	0	0	0	38	9	4	5	29	78.38%	76.32%	87.88%	87.88%			
#86	1	0	0	1	0	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	100.00%			
#87	0	0	5	5	4	0	0	0	0	0	1	0	0	0	0	20.00%	100.00%	100.00%	100.00%			
#88	26	0	0	26	2	8	0	0	0	0	16	1	1	0	15	83.33%	93.75%	93.75%	93.75%			
#89	0	33	0	33	21	2	1	1	0	0	9	6	1	5	3	12.00%	33.33%	75.00%	75.00%			
#90	3	0	0	3	1	0	0	0	0	0	2	0	0	0	2	66.67%	100.00%	100.00%	100.00%			
#91	118	0	0	118	18	38	0	0	0	0	62	9	8	1	53	67.09%	85.48%	86.89%	86.89%			
#92	0	0	64	64	6	27	0	0	0	0	31	4	4	0	27	72.97%	87.10%	87.10%	87.10%			
#93	12	0	0	12	0	3	0	0	0	0	9	3	2	1	6	75.00%	66.67%	75.00%	75.00%			
#94	0	74	0	74	33	11	0	0	0	0	30	9	5	4	21	35.59%	70.00%	80.77%	80.77%			
#95	1	0	0	1	0	0	0	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	0.00%			
#96	44	0	0	44	7	4	1	1	0	0	32	6	6	0	26	66.67%	81.25%	81.25%	81.25%			
#97	2	0	0	2	1	0	0	0	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	100.00%			
#98	3	0	0	3	2	0	0	0	0	0	1	0	0	0	1	33.33%	100.00%	100.00%	100.00%			
#99	0	0	5	5	0	3	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	100.00%			
#100	4	0	0	4	0	0	0	0	0	0	4	3	3	0	1	25.00%	25.00%	25.00%	25.00%			
#101	0	18	0	18	3	5	0	0	0	0	10	2	0	2	8	72.73%	80.00%	100.00%	100.00%			
#102	0	0	63	63	23	5	0	0	0	0	35	9	5	4	26	48.15%	74.29%	83.87%	83.87%			

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH		
Company Info		LESOG															
		Mechanized Interface Used					Validated					Total System Fallout			Percent Achieved Flowthrough		Percent Flow Through
Name	LENS	EDI	TAG	Total Mech LSR's	Manual		Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
					Total	Fallout											Rejects
#103	84	0	0	84	30	30	5	0	49	16	13	3	33	43.42%	67.35%	71.74%	
#104	2,980	0	0	2,980	390	390	569	54	1,967	726	489	237	1,241	58.54%	63.09%	71.73%	
#105	1	0	0	1	0	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#106	4	0	0	4	0	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%	
#107	86	0	0	86	13	13	10	0	63	26	13	13	37	58.73%	58.73%	74.00%	
#108	17	0	0	17	2	2	8	0	7	1	1	0	6	66.67%	85.71%	85.71%	
#109	205	0	0	205	19	19	40	2	144	51	46	5	93	58.86%	64.58%	66.91%	
#110	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#111	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#112	30	0	0	30	0	0	6	0	24	4	3	1	20	86.96%	83.33%	86.96%	
#113	21	0	0	21	3	3	3	0	15	0	0	0	15	83.33%	100.00%	100.00%	
#114	2	0	0	2	1	1	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#115	7	0	0	7	1	1	1	0	5	2	2	0	3	50.00%	60.00%	60.00%	
#116	0	1	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#117	0	0	31	31	0	0	7	0	24	12	9	3	12	57.14%	50.00%	57.14%	
#118	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#119	19	0	0	19	10	10	5	0	4	0	0	0	4	28.57%	100.00%	100.00%	
#120	2	0	0	2	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#121	0	24	0	24	6	6	7	0	11	9	7	2	2	13.33%	18.18%	22.22%	
#122	13	0	0	13	0	0	2	0	11	3	2	1	8	80.00%	72.73%	80.00%	
#123	11	0	0	11	4	4	2	0	5	0	0	0	5	55.56%	100.00%	100.00%	
#124	8	0	0	8	3	3	4	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#125	2	0	0	2	0	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#126	12	0	0	12	0	0	1	0	11	6	4	2	5	55.56%	45.45%	55.56%	
#127	4	0	0	4	1	1	0	0	3	2	1	1	1	33.33%	33.33%	50.00%	
#128	3	0	0	3	0	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#129	4	0	0	4	0	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%	
#130	2	0	0	2	0	0	1	0	1	0	0	0	2	100.00%	100.00%	100.00%	
#131	2	0	0	2	1	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#132	4	0	0	4	1	1	0	1	2	0	0	0	2	66.67%	100.00%	100.00%	
#133	9	0	0	9	9	9	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#134	17	0	0	17	4	4	1	0	12	4	3	1	8	53.33%	66.67%	72.73%	
#135	13	0	0	13	4	4	2	0	7	2	2	0	5	45.45%	71.43%	71.43%	
#136	15	0	0	15	0	0	2	0	13	3	0	3	10	100.00%	76.92%	100.00%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH					
Company Info		LESOG															
Name	LENS	Mechanized Interface Used			Manual		Rejects		Validated		Errors		Total System Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	BST Caused Fallout	CLEC Caused Fallout						
#137	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#138	12	0	0	12	2	1	1	0	9	1	1	1	8	72.73%	88.89%	88.89%	
#139	28	0	0	28	9	3	3	1	15	5	5	5	10	41.67%	66.67%	66.67%	
#140	9	0	0	9	3	2	2	0	4	0	0	0	4	57.14%	100.00%	100.00%	
#141	1	0	0	1	0	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#142	11	0	0	11	0	1	7	0	10	4	1	3	6	85.71%	60.00%	85.71%	
#143	21	0	0	21	1	7	7	0	13	3	2	1	10	76.92%	76.92%	83.33%	
#144	4	0	0	4	1	0	0	1	2	0	0	0	2	66.67%	100.00%	100.00%	
#145	0	0	16	16	1	1	1	0	14	10	2	8	4	57.14%	28.57%	66.67%	
#146	67	0	0	67	7	9	9	0	51	16	14	2	35	62.50%	68.63%	71.43%	
#147	24	0	0	24	1	0	0	3	20	4	1	3	16	88.89%	80.00%	94.12%	
#148	18	0	0	18	1	2	2	0	15	2	2	0	13	81.25%	86.67%	86.67%	
#149	31	0	0	31	4	0	0	0	27	8	3	5	19	73.08%	70.37%	86.36%	
#150	0	0	7	7	2	0	0	0	5	2	1	1	3	50.00%	60.00%	75.00%	
#151	3	0	0	3	0	1	1	0	2	1	1	0	1	50.00%	50.00%	50.00%	
#152	1	0	0	1	0	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#153	2	0	0	2	0	1	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#154	0	0	5	5	0	0	0	0	5	5	1	4	0	0.00%	0.00%	0.00%	
#155	0	0	13	13	0	2	2	0	11	3	2	1	8	80.00%	72.73%	80.00%	
#156	29	0	0	29	5	2	2	0	22	5	4	1	17	65.38%	77.27%	80.95%	
#157	7	0	0	7	0	2	2	0	5	4	1	3	1	50.00%	20.00%	50.00%	
#158	5	0	0	5	0	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
#159	47	0	0	47	23	7	7	4	13	4	3	1	9	25.71%	69.23%	75.00%	
#160	2	0	0	2	2	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#161	4	0	0	4	3	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#162	1	0	0	1	1	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#163	3	0	0	3	3	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#164	288	0	0	288	251	3	3	0	34	8	5	3	26	9.22%	76.47%	83.87%	
#165	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#166	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#167	12	0	0	12	3	0	0	0	9	0	0	0	9	75.00%	100.00%	100.00%	
#168	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#169	12	0	0	12	1	5	5	0	6	2	1	1	4	66.67%	66.67%	80.00%	
#170	3	0	0	3	2	0	0	0	1	0	0	0	1	33.33%	100.00%	100.00%	

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (BUSINESS DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	LENS	Mechanized Interface Used			Manual		Rejects		Validated		Errors			Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual	Total Manual	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System	BSST Caused	CLEC Caused	Issued SO's			
#171	27	0	0	27	7	1	1	19	4	4	0	15	57.69%	78.95%	78.95%	
#172	1	0	0	1	0	0	0	0	0	0	0	1	100.00%	100.00%	100.00%	
#173	1	0	0	1	0	1	1	0	0	0	0	0	0.00%	0.00%	0.00%	
#174	3	0	0	3	0	3	3	0	0	0	0	0	0.00%	0.00%	0.00%	
#175	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#176	80	0	0	80	7	2	2	71	3	2	1	68	88.31%	95.77%	97.14%	
#177	3	0	0	3	0	1	1	2	0	0	0	2	100.00%	100.00%	100.00%	
#178	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
#179	11	0	0	11	0	2	2	9	2	1	1	7	87.50%	77.78%	87.50%	
#180	8	0	0	8	0	0	0	8	4	1	3	4	80.00%	50.00%	80.00%	
#181	6	0	0	6	0	3	3	3	0	0	0	3	100.00%	100.00%	100.00%	
#182	1	0	0	1	0	1	1	0	0	0	0	0	0.00%	0.00%	0.00%	
#183	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#184	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#185	5	0	0	5	0	0	0	5	1	1	0	4	80.00%	80.00%	80.00%	
#186	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#187	31	0	0	31	28	3	3	0	0	0	0	0	0.00%	0.00%	0.00%	
#188	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
#189	3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%	
#190	22	0	0	22	7	1	1	13	5	3	2	8	44.44%	61.54%	72.73%	
#191	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
#192	7	0	0	7	4	0	0	2	2	0	2	0	0.00%	0.00%	0.00%	
#193	4	0	0	4	1	0	0	3	1	1	0	2	50.00%	66.67%	66.67%	
#194	10	0	0	10	1	7	7	2	0	0	0	2	66.67%	100.00%	100.00%	
#195	3	0	0	3	0	1	1	2	0	0	0	2	100.00%	100.00%	100.00%	
#196	2	0	0	2	0	1	1	1	0	0	0	1	100.00%	100.00%	100.00%	
#197	2	0	0	2	0	0	0	2	2	2	0	0	0.00%	0.00%	0.00%	
#198	7	0	0	7	0	4	4	3	2	0	2	1	100.00%	33.33%	100.00%	
#199	5	0	0	5	0	0	0	1	4	1	3	0	0.00%	0.00%	0.00%	
#200	4	0	0	4	0	2	2	0	0	0	0	2	100.00%	100.00%	100.00%	
#201	7	0	0	7	0	2	2	0	0	0	0	2	100.00%	100.00%	100.00%	
#202	9	0	0	9	3	2	2	4	0	0	0	4	57.14%	100.00%	100.00%	
#203	32	0	0	32	13	1	1	18	11	7	4	7	25.93%	38.89%	50.00%	
#204	5	0	0	5	2	1	1	2	0	0	0	2	50.00%	100.00%	100.00%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH						
Company Info		LESOG																
Name	LENS	Mechanized Interface Used			Rejects			Validated				Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Errors	Errors								
#205	4	0	0	4	0	0	1	3	0	0	0	0	0	0	3	100.00%	100.00%	100.00%
#206	0	0	9	9	0	0	6	3	0	0	1	1	0	0	2	66.67%	66.67%	66.67%
#207	16	0	0	16	4	4	4	7	1	0	0	0	2	5	55.56%	71.43%	100.00%	
#208	1	0	0	1	0	0	0	1	0	0	0	0	0	1	100.00%	100.00%	100.00%	
#209	6	0	0	6	1	1	1	4	0	0	0	0	1	3	75.00%	75.00%	100.00%	
#210	51	0	0	51	3	24	24	22	2	7	7	2	5	15	75.00%	68.18%	88.24%	
#211	38	0	0	38	5	19	19	14	0	4	4	0	4	10	66.67%	71.43%	100.00%	
#212	0	0	3	3	0	2	2	1	0	0	0	0	0	1	100.00%	100.00%	100.00%	
#213	1	0	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#214	1	0	0	1	0	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%	
#215	67	0	0	67	25	9	9	33	0	1	1	1	0	32	55.17%	96.97%	96.97%	
#216	44	0	0	44	3	14	14	27	0	8	8	8	3	16	59.26%	59.26%	66.67%	
#217	0	0	27	27	1	0	0	26	0	8	8	8	9	9	50.00%	34.62%	52.94%	
#218	0	0	18	18	1	5	5	12	0	1	1	1	1	10	83.33%	83.33%	90.91%	
#219	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#220	7	0	0	7	0	3	3	4	0	2	2	2	2	0	0.00%	0.00%	0.00%	
#221	0	26	0	26	1	9	9	16	0	5	5	5	2	9	60.00%	56.25%	64.29%	
#222	0	0	29	29	0	4	4	25	0	3	3	3	3	19	86.36%	76.00%	86.36%	
#223	0	0	44	44	4	1	1	39	0	10	10	17	17	12	46.15%	30.77%	54.55%	
#224	115	0	0	115	20	21	21	74	0	25	25	12	12	37	45.12%	50.00%	59.68%	
#225	18	0	0	18	3	5	5	8	2	2	2	4	4	2	28.57%	25.00%	50.00%	
#226	0	0	70	70	3	4	4	63	0	14	14	15	15	34	66.67%	53.97%	70.83%	
#227	9	0	0	9	0	0	0	9	0	1	1	5	5	3	75.00%	33.33%	75.00%	
#228	3	0	0	3	0	0	0	3	0	0	0	0	0	3	100.00%	100.00%	100.00%	
#229	1	0	0	1	0	0	0	1	0	0	0	1	1	0	0.00%	0.00%	0.00%	
#230	11	0	0	11	7	1	1	3	0	1	1	1	0	2	20.00%	66.67%	66.67%	
#231	5	0	0	5	2	0	0	3	0	2	2	0	0	1	20.00%	33.33%	33.33%	
LENS Subtotal	10,661	0	0	10,661	2,298	1,917	1,917	6,317	129	1,378	1,378	645	645	4,294	53.88%	67.98%	75.71%	
EDI Subtotal	0	568	0	568	116	112	112	335	5	96	96	56	56	183	46.33%	54.63%	66.59%	
TAG Subtotal	0	0	905	905	221	131	131	551	2	115	115	100	100	336	50.00%	60.98%	74.50%	
TOTAL INTERFACES	10,661	568	905	12,134	2,635	2,160	2,160	7,203	136	1,589	1,589	801	801	4,813	53.26%	66.82%	75.18%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	LENS	Mechanized Interface Used			Rejects		Validated		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout				
#1	0	100	0	100	12	22	1	65	16	7	9	49	72.06%	75.38%	87.50%
#2	15	0	0	15	4	2	0	9	3	2	1	6	50.00%	66.67%	75.00%
#3	596	0	0	596	69	96	6	425	94	73	21	331	69.98%	77.88%	81.93%
#4	1,120	0	0	1,120	49	162	5	904	665	593	72	239	27.13%	28.44%	28.73%
#5	2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#6	0	736	0	736	180	113	5	438	179	144	35	259	44.43%	59.13%	64.27%
#7	0	0	114	114	0	33	0	81	11	11	0	70	86.42%	86.42%	86.42%
#8	838	0	0	838	206	55	6	571	179	138	41	392	53.26%	68.65%	73.96%
#9	0	1	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#10	14	0	0	14	1	4	2	7	1	1	0	6	75.00%	85.71%	85.71%
#11	0	0	59	59	9	7	0	43	19	13	6	24	52.17%	55.81%	64.86%
#12	17	0	0	17	0	4	0	13	2	2	0	11	84.62%	84.62%	84.62%
#13	0	91	0	91	34	6	2	49	16	8	8	33	44.00%	67.35%	80.49%
#14	0	0	3	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
#15	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#16	0	0	7	7	0	4	0	3	1	0	1	2	100.00%	66.67%	100.00%
#17	0	0	26	26	0	10	0	16	6	6	0	10	62.50%	62.50%	62.50%
#18	35	0	0	35	6	2	0	27	13	7	6	14	51.85%	51.85%	66.67%
#19	0	764	0	764	43	92	5	624	163	129	34	461	72.83%	73.88%	78.14%
#20	1,426	0	0	1,426	171	112	8	1,135	271	209	62	864	69.45%	76.12%	80.52%
#21	2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#22	4	0	0	4	1	1	0	2	0	0	0	2	66.67%	100.00%	100.00%
#23	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#24	0	0	2	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#25	0	0	8	8	0	2	0	6	2	2	0	4	66.67%	66.67%	66.67%
#26	29	0	0	29	1	1	0	27	26	15	11	1	5.88%	3.70%	6.25%
#27	0	78	0	78	66	5	0	7	3	2	1	4	5.56%	57.14%	66.67%
#28	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#29	424	0	0	424	50	57	2	315	144	113	31	171	51.20%	54.29%	60.21%
#30	425	0	0	425	54	74	3	294	106	86	20	188	57.32%	63.95%	68.61%
#31	0	398	0	398	281	94	1	22	13	9	4	9	3.01%	40.91%	50.00%
#32	3,823	0	0	3,823	355	296	34	3,138	609	508	101	2,529	74.56%	80.59%	83.27%
#33	0	2	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#34	0	0	7	7	0	3	0	4	4	4	0	0	0.00%	0.00%	0.00%

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG										BST Caused			Base	
		Mechanized Interface Used					Rejects					Fallout			Calculation	
Name	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Percent Flow Through		
															Manual	Total
#35	58	0	0	58	24	11	0	23	13	10	3	10	22.73%	43.48%	50.00%	
#36	2,462	0	0	2,462	500	745	18	1,199	457	365	92	742	46.17%	61.88%	67.03%	
#37	23	0	0	23	0	4	0	19	1	1	0	18	94.74%	94.74%	94.74%	
#38	0	181	0	181	151	12	2	16	7	6	1	9	5.42%	56.25%	60.00%	
#39	0	14	0	14	0	4	1	9	8	7	1	1	12.50%	11.11%	12.50%	
#40	0	0	287	287	0	18	0	289	51	51	0	218	81.04%	81.04%	81.04%	
#41	404	0	0	404	12	25	6	361	144	97	47	217	66.56%	60.11%	69.11%	
#42	4	0	0	4	1	0	1	2	0	0	0	2	66.67%	100.00%	100.00%	
#43	5	0	0	5	2	2	0	1	0	0	0	1	33.33%	100.00%	100.00%	
#44	0	745	0	745	273	213	8	251	106	70	36	145	29.71%	57.77%	67.44%	
#45	759	0	0	759	102	91	15	551	143	103	40	408	66.56%	74.05%	79.84%	
#46	6	0	0	6	1	0	3	2	0	0	0	2	66.67%	100.00%	100.00%	
#47	7	0	0	7	0	3	1	3	0	0	0	3	100.00%	100.00%	100.00%	
#48	6	0	0	6	1	5	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#49	0	1,644	0	1,644	231	240	22	1,151	360	290	70	791	60.29%	68.72%	73.17%	
#50	53	0	0	53	12	12	1	28	6	4	2	22	57.89%	78.57%	84.62%	
#51	17	0	0	17	6	6	1	4	0	0	0	4	40.00%	100.00%	100.00%	
#52	29	0	0	29	10	12	1	6	2	1	1	4	26.67%	66.67%	80.00%	
#53	0	0	159	159	28	45	3	83	43	33	10	40	39.60%	48.19%	54.79%	
#54	6	0	0	6	1	1	0	4	2	1	1	2	50.00%	50.00%	66.67%	
#55	0	0	48	48	27	5	0	16	10	6	4	6	15.38%	37.50%	50.00%	
#56	0	0	91	91	16	14	1	60	23	12	11	37	56.92%	61.67%	75.51%	
#57	0	0	112	112	28	45	0	39	18	11	7	21	35.00%	53.85%	65.63%	
#58	0	0	151	151	52	20	6	73	43	27	16	30	27.52%	41.10%	52.63%	
#59	13	0	0	13	5	6	1	1	1	0	1	0	0.00%	0.00%	0.00%	
#60	0	0	1	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
#61	52	0	0	52	0	3	13	36	25	21	4	11	34.38%	30.56%	34.38%	
#62	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#63	48	0	0	48	4	7	0	37	9	5	4	28	75.68%	75.68%	84.85%	
#64	0	0	15	15	5	8	0	2	1	0	1	1	16.67%	50.00%	100.00%	
#65	29	0	0	29	16	9	0	4	2	1	1	2	10.53%	50.00%	66.67%	
#66	0	0	149	149	34	9	8	98	50	39	11	48	39.67%	48.98%	55.17%	
#67	0	0	3	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#68	53	0	0	53	14	15	1	23	4	2	2	19	54.29%	82.61%	90.48%	

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH					
Company Info		LESOG										CLEC			Base Calculation					
		Mechanized Interface Used					Rejects					Validated			Total System			Percent Achieved		
		ED I		TAG		Total Mech LSR's		Manual		Auto Clarification			Pending Supps (Z Status)		BST Caused		Issued SO's		Flowthrough	
Name		LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System	BST Caused	CLEC Caused	Issued SO's	Percent Achieved	Flowthrough	Base Calculation	Percent Flow Through		
#69		55	0	0	55	15	15	2	2	36	18	7	11	18	45.00%	50.00%	72.00%			
#70		0	462	0	462	219	219	51	8	184	83	73	10	101	25.70%	54.89%	58.05%			
#71		2	0	0	2	0	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#72		0	47	0	47	14	14	16	0	17	12	4	8	5	21.74%	29.41%	55.56%			
#73		0	37,706	0	37,706	2,253	2,253	5,659	63	29,731	5,481	4,069	1,412	24,250	79.32%	81.56%	85.63%			
#74		64	0	0	64	4	4	9	0	51	3	2	1	48	88.89%	94.12%	96.00%			
#75		2	0	0	2	1	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%			
#76		0	0	26	26	12	12	7	0	7	5	4	1	2	11.11%	28.57%	33.33%			
#77		1	0	0	1	0	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#78		0	0	3	3	0	0	0	0	3	2	2	0	1	33.33%	33.33%	33.33%			
#79		33	0	0	33	1	1	6	0	26	10	4	6	16	76.19%	61.54%	80.00%			
#80		0	488	0	488	164	164	70	8	246	116	64	52	130	36.31%	52.85%	67.01%			
#81		0	0	2	2	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%			
#82		4	0	0	4	1	1	2	0	1	0	0	0	1	50.00%	100.00%	100.00%			
#83		0	0	546	546	62	62	49	9	426	114	83	31	312	68.27%	73.24%	78.99%			
#84		14	0	0	14	5	5	4	1	4	0	0	0	4	44.44%	100.00%	100.00%			
#85		23	0	0	23	1	1	6	0	16	7	6	1	9	56.25%	56.25%	60.00%			
#86		2	0	0	2	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%			
#87		14	0	0	14	4	4	0	2	8	3	2	1	5	45.45%	62.50%	71.43%			
#88		0	0	2	2	0	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%			
#89		182	0	0	182	24	24	18	6	134	65	51	14	69	47.92%	51.49%	57.50%			
#90		14	0	0	14	6	6	0	6	2	0	0	0	2	25.00%	100.00%	100.00%			
#91		1	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#92		6	0	0	6	3	3	2	0	1	0	0	0	1	25.00%	100.00%	100.00%			
#93		0	13	0	13	1	1	0	1	11	6	4	2	5	50.00%	45.45%	55.56%			
#94		111	0	0	111	24	24	20	1	66	21	19	2	45	51.14%	68.18%	70.31%			
#95		2	0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%			
#96		87	0	0	87	3	3	11	0	73	21	18	3	52	71.23%	71.23%	74.29%			
#97		58	0	0	58	7	7	4	1	46	15	8	7	31	67.39%	67.39%	79.49%			
#98		0	23	0	23	1	1	4	0	18	6	5	1	12	66.67%	66.67%	70.59%			
#99		31	0	0	31	12	12	3	0	18	8	6	2	10	35.71%	55.56%	62.50%			
#100		53	0	0	53	14	14	3	0	36	8	7	1	28	57.14%	77.78%	80.00%			
#101		4,283	0	0	4,283	126	126	106	8	4,043	154	124	30	3,889	93.96%	96.19%	96.91%			
#102		0	26	0	26	6	6	1	0	19	3	1	2	16	69.57%	84.21%	94.12%			

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH					
Company Info		LESOG															
Name	LENS	Mechanized Interface Used			Manual		Rejects		Validated		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's	Total Manual	Total Manual	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout					
#103	4	0	0	4	0	0	0	4	2	2	0	2	2	50.00%	50.00%	50.00%	
#104	108	0	0	108	10	14	6	78	54	9	45	24	24	55.81%	30.77%	72.73%	
#105	1,676	0	0	1,676	51	9	119	1,497	1,005	879	126	492	492	34.60%	92.87%	35.89%	
#106	6	0	0	6	1	0	0	5	2	2	0	3	3	50.00%	60.00%	60.00%	
#107	1	0	0	1	0	0	0	1	1	1	0	0	0	0.00%	0.00%	0.00%	
#108	0	0	3	3	3	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#109	57	0	0	57	8	0	5	44	6	5	1	38	38	74.51%	86.36%	88.37%	
#110	2	0	0	2	0	0	0	2	0	0	0	2	2	100.00%	100.00%	100.00%	
#111	18	0	0	18	2	2	3	11	4	1	3	7	7	70.00%	63.64%	87.50%	
#112	9	0	0	9	0	0	0	9	2	2	0	7	7	77.78%	77.78%	77.78%	
#113	15	0	0	15	0	0	9	6	2	2	0	4	4	66.67%	66.67%	66.67%	
#114	0	0	84	84	5	23	23	56	21	14	7	35	35	64.81%	62.50%	71.43%	
#115	15	0	0	15	14	0	0	1	0	0	0	1	1	6.67%	100.00%	100.00%	
#116	237	0	0	237	22	1	30	184	55	42	13	129	129	66.84%	70.11%	75.44%	
#117	0	0	14,013	14,013	1,201	70	2,757	9,985	3,232	2,186	1,046	6,753	6,753	66.60%	67.63%	75.55%	
#118	1,431	0	0	1,431	259	8	130	1,034	167	120	47	867	867	69.58%	83.85%	87.94%	
#119	0	0	1	1	0	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#120	0	12	0	12	0	0	6	6	3	3	0	3	3	50.00%	50.00%	50.00%	
#121	0	0	23	23	0	0	7	16	3	3	0	13	13	81.25%	81.25%	81.25%	
#122	2	0	0	2	2	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
#123	0	0	76	76	37	18	18	21	12	8	4	9	9	16.67%	42.86%	52.94%	
#124	2	0	0	2	0	0	1	1	0	0	0	1	1	100.00%	100.00%	100.00%	
#125	231	0	0	231	26	1	15	189	41	34	7	148	148	71.15%	78.31%	81.32%	
#126	0	0	7	7	3	0	0	4	3	0	3	1	1	25.00%	25.00%	100.00%	
#127	1,300	0	0	1,300	128	13	138	1,021	234	187	47	787	787	71.42%	77.08%	80.80%	
#128	0	0	67	67	2	0	16	49	19	13	6	30	30	66.67%	61.22%	69.77%	
#129	0	0	337	337	47	44	44	244	62	47	15	182	182	65.94%	74.59%	79.48%	
#130	643	0	0	643	103	11	37	492	111	87	24	381	381	66.73%	77.44%	81.41%	
#131	80	0	0	80	22	0	7	51	13	9	4	38	38	55.07%	74.51%	80.85%	
#132	1,825	0	0	1,825	1,674	1	20	130	10	3	7	120	120	6.68%	92.31%	97.56%	
#133	1,359	0	0	1,359	1,235	6	36	82	33	19	14	49	49	3.76%	59.76%	72.06%	
#134	30	0	0	30	4	0	13	13	9	2	7	4	4	40.00%	30.77%	66.67%	
#135	33	0	0	33	24	0	0	8	4	1	3	4	4	13.79%	50.00%	80.00%	
#136	0	0	1,305	1,305	361	81	9	854	366	316	50	488	488	41.89%	57.14%	60.70%	

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	LENS	Mechanized Interface Used			Manual Total Manual Fallout	Rejects Auto Clarification	Validated		Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		EDI	TAG	Total Mech LSR's			Pending Supps (Z Status)	LSR's		BST Caused Fallout	CLEC Caused Fallout				
#137	0	119	0	119	4	48	0	67	28	16	12	39	66.10%	58.21%	70.91%
#138	58	0	0	58	14	8	0	36	9	6	3	27	57.45%	75.00%	81.82%
#139	0	0	17	17	0	5	0	12	4	4	0	8	66.67%	66.67%	66.67%
#140	13	0	0	13	0	0	1	12	2	1	1	10	90.91%	83.33%	90.91%
#141	20	0	0	20	0	9	5	6	1	1	0	5	83.33%	83.33%	83.33%
#142	17	0	0	17	7	4	0	6	0	0	0	6	46.15%	100.00%	100.00%
#143	0	0	7	7	4	0	1	2	2	0	2	0	0.00%	0.00%	0.00%
#144	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#145	0	171	0	171	18	26	0	127	36	29	7	91	65.94%	71.65%	75.83%
#146	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#147	75	0	0	75	17	7	1	50	12	11	1	38	57.58%	76.00%	77.55%
#148	0	0	50	50	2	9	1	38	4	2	2	34	89.47%	89.47%	94.44%
#149	91	0	0	91	16	4	0	71	11	7	4	60	72.29%	84.51%	89.55%
#150	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#151	0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#152	83	0	0	83	10	5	1	67	15	8	7	52	74.29%	77.61%	86.67%
#153	37	0	0	37	0	4	3	30	17	7	10	13	65.00%	43.33%	65.00%
#154	0	0	11	11	0	2	0	9	0	0	0	9	100.00%	100.00%	100.00%
#155	8	0	0	8	0	2	0	6	1	1	0	5	83.33%	83.33%	83.33%
#156	0	29	0	29	22	2	1	4	3	2	1	1	4.00%	25.00%	33.33%
#157	0	0	51	51	0	9	0	42	8	8	0	34	80.95%	80.95%	80.95%
#158	32	0	0	32	2	3	1	26	4	3	1	22	81.48%	84.62%	88.00%
#159	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#160	0	61	0	61	8	17	0	36	15	9	6	21	55.26%	58.33%	70.00%
#161	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#162	0	31	0	31	3	7	0	21	4	2	2	17	77.27%	80.95%	89.47%
#163	5	0	0	5	0	0	0	5	2	1	1	3	75.00%	60.00%	75.00%
#164	0	0	193	193	24	19	0	150	60	52	8	90	54.22%	60.00%	63.38%
#165	215	0	0	215	25	15	2	173	49	35	14	124	67.39%	71.68%	77.99%
#166	107	0	0	107	21	4	1	81	19	15	4	62	63.27%	76.54%	80.52%
#167	0	0	27	27	7	7	1	12	5	0	5	7	50.00%	58.33%	100.00%
#168	14	0	0	14	0	0	1	13	1	1	0	12	92.31%	92.31%	92.31%
#169	6	0	0	6	2	1	0	3	1	0	1	2	50.00%	66.67%	100.00%
#170	42	0	0	42	10	4	0	28	6	4	2	22	61.11%	78.57%	84.62%

ORDERING

**REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001**

**Supplemental Exhibit AJV-6
Attachment 2F**

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG										BST Caused			Base	
Name	LENS	Mechanized Interface Used			Manual		Validated		Total System Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Calculation	Percent Flow Through		
		EDI	TAG	Total Mech LSR's	Manual Manual Fallout	Total Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)							LSR's	BST Caused Fallout
#171	0	0	89	89	17	4	0	68	22	19	3	46	56.10%	67.65%	70.77%	
#172	106	0	0	106	5	8	0	93	12	8	4	81	86.17%	87.10%	91.01%	
#173	0	0	10	10	9	0	0	1	0	0	0	1	10.00%	100.00%	100.00%	
#174	11	0	0	11	1	0	0	10	4	4	0	6	54.55%	60.00%	60.00%	
#175	161	0	0	161	20	13	1	127	26	25	1	101	69.18%	79.53%	80.16%	
#176	69	0	0	69	17	5	0	47	7	7	0	40	62.50%	85.11%	85.11%	
#177	36	0	0	36	3	1	0	32	8	6	2	24	72.73%	75.00%	80.00%	
#178	0	54	0	54	0	14	0	40	13	13	0	27	67.50%	67.50%	67.50%	
#179	0	0	7	7	0	1	0	6	2	2	0	4	66.67%	66.67%	66.67%	
#180	0	0	26	26	9	6	0	11	1	1	0	10	50.00%	90.91%	90.91%	
#181	13	0	0	13	0	1	0	12	5	2	3	7	77.78%	58.33%	77.78%	
#182	0	69	0	69	5	12	0	52	15	4	11	37	80.43%	71.15%	90.24%	
#183	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
#184	29	0	0	29	5	2	0	22	7	3	4	15	65.22%	68.18%	83.33%	
#185	0	0	19	19	0	5	0	14	2	2	0	12	85.71%	85.71%	85.71%	
#186	0	10	0	10	5	1	0	4	4	2	2	0	0.00%	0.00%	0.00%	
#187	149	0	0	149	22	17	1	109	15	12	3	94	73.44%	86.24%	88.68%	
#188	0	0	43	43	9	10	1	23	6	4	2	17	56.67%	73.91%	80.95%	
#189	0	0	702	702	111	70	4	517	137	104	33	380	63.87%	73.50%	78.51%	
#190	550	0	0	550	81	24	12	433	69	51	18	364	73.39%	84.06%	87.71%	
#191	0	0	197	197	15	6	22	154	147	115	32	7	5.11%	4.55%	5.74%	
#192	353	0	0	353	41	28	22	262	174	127	47	88	34.38%	33.59%	40.93%	
#193	5	0	0	5	0	1	1	3	1	0	1	2	100.00%	66.67%	100.00%	
#194	3,046	0	0	3,046	352	423	22	2,249	538	392	146	1,711	69.69%	76.08%	81.36%	
#195	1,669	0	0	1,669	145	126	14	1,384	398	286	112	986	69.58%	71.24%	77.52%	
#196	0	0	166	166	30	42	6	88	32	15	17	56	55.45%	63.64%	78.87%	
#197	134	0	0	134	22	49	5	58	27	14	13	31	46.27%	53.45%	68.89%	
#198	0	269	0	269	1	25	4	239	69	49	20	170	77.27%	71.13%	77.63%	
#199	463	0	0	463	105	33	9	316	55	37	18	261	64.76%	82.59%	87.58%	
#200	0	0	950	950	124	134	14	678	279	236	43	399	52.57%	58.85%	62.83%	
#201	0	0	975	975	163	117	8	687	251	208	43	436	54.03%	63.46%	67.70%	
#202	813	0	0	813	107	88	4	614	81	50	31	533	77.25%	86.81%	91.42%	
#203	0	56	0	56	46	4	0	6	0	0	0	6	11.54%	100.00%	100.00%	
#204	0	0	4	4	0	0	2	2	1	1	0	1	50.00%	50.00%	50.00%	

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG										BST Caused			Base	
		Mechanized Interface Used					Rejected					Fallout			Calculation	
Name	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
																Manual
#205	0	0	4	4	1	0	0	3	3	3	0	0	0.00%	0.00%	0.00%	
#206	0	0	2,111	2,111	382	291	41	1,397	520	402	118	877	52.80%	62.78%	68.57%	
#207	160	0	0	160	12	9	1	138	21	14	7	117	81.82%	84.78%	89.31%	
#208	0	0	7	7	0	5	0	2	1	0	1	1	100.00%	50.00%	100.00%	
#209	0	0	1,069	1,069	163	157	8	741	232	196	36	509	58.64%	68.69%	72.20%	
#210	2	0	0	2	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
#211	0	0	2,109	2,109	296	281	8	1,524	488	365	103	1,056	61.50%	69.29%	74.31%	
#212	0	0	2	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
#213	0	250	0	250	15	132	0	103	49	39	10	54	50.00%	52.43%	58.06%	
#214	58	0	0	58	15	8	1	34	12	6	6	22	51.16%	64.71%	78.57%	
#215	0	0	13	13	0	3	0	10	1	0	1	9	100.00%	90.00%	100.00%	
#216	29	0	0	29	1	0	1	27	9	1	8	18	90.00%	66.67%	94.74%	
#217	0	0	13	13	1	0	0	12	1	1	0	11	84.62%	91.67%	91.67%	
#218	2,372	0	0	2,372	207	233	53	1,879	410	254	156	1,469	76.11%	78.18%	85.26%	
#219	0	0	22	22	2	4	0	16	4	2	2	12	75.00%	75.00%	85.71%	
#220	12	0	0	12	0	1	0	11	1	1	0	10	90.91%	90.91%	90.91%	
#221	868	0	0	868	100	150	4	614	70	49	21	544	78.50%	88.60%	91.74%	
#222	0	40	0	40	4	13	0	23	4	4	0	19	70.37%	82.61%	82.61%	
#223	17	0	0	17	6	0	0	11	0	0	0	11	64.71%	100.00%	100.00%	
#224	0	9	0	9	5	0	0	4	3	3	0	1	11.11%	25.00%	25.00%	
#225	0	0	16	16	0	3	0	13	2	2	0	11	84.62%	84.62%	84.62%	
#226	7	0	0	7	0	1	0	6	2	1	1	4	80.00%	66.67%	80.00%	
#227	0	2,540	0	2,540	159	729	4	1,648	643	300	343	1,005	68.65%	60.98%	77.01%	
#228	1,280	0	0	1,280	295	100	18	867	293	193	100	574	54.05%	66.21%	74.84%	
#229	0	146	0	146	25	31	0	90	23	13	10	67	63.81%	74.44%	83.75%	
#230	86	0	0	86	24	6	1	55	11	3	8	44	61.97%	80.00%	93.62%	
LENS Subtotal	40,260	0	0	40,260	7,230	3,989	408	28,633	7,420	5,668	1,752	21,213	62.19%	74.09%	78.91%	
EDI Subtotal	0	47,386	0	47,386	4,251	7,671	136	35,328	7,490	5,380	2,110	27,838	74.30%	78.80%	83.80%	
TAG Subtotal	0	0	26,651	26,651	3,307	4,349	297	18,698	6,320	4,638	1,682	12,378	60.91%	66.20%	72.74%	
TOTAL INTERFACES	40,260	47,386	26,651	114,297	14,788	16,009	841	82,659	21,230	15,686	5,544	61,429	66.84%	74.32%	79.66%	

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#1	12
#2	8
#3	16
#4	2
#5	3
#6	6
#7	5
#8	1
#9	56
#10	15
#11	4
#12	15
#13	27
#14	2
#15	13
#16	99
#17	3
#18	4
#19	6
#20	1
#21	4
#22	2
#23	341
#24	1
#25	76
#26	8
#27	2
#28	3
#29	1
#30	5

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#31	14
#32	35
#33	35
#34	29
#35	8
#36	5
#37	10
#38	2
#39	1
#40	3
#41	71
#42	8
#43	10
#44	4
#45	3
#46	7
#47	9
#48	1
#49	58
#50	19
#51	12
#52	2
#53	26
#54	10
#55	25
#56	7
#57	2
#58	28
#59	226
#60	2

AGGREGATE ORDER TYPES		
Company Info		
Name	FATAL REJECTS	
#61	6	
#62	387	
#63	697	
#64	3	
#65	2	
#66	1	
#67	167	
#68	19	
#69	1	
#70	29	
#71	4	
#72	15	
#73	4	
#74	5	
#75	22	
#76	113	
#77	1	
#78	1	
#79	2	
#80	1942	
#81	1	
#82	3	
#83	4	
#84	7	
#85	24	
#86	12	
#87	84	
#88	1	
#89	84	
#90	4	

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#91	4
#92	87
#93	2
#94	80
#95	1838
#96	5
#97	62
#98	12
#99	68
#100	9
#101	5
#102	1
#103	4
#104	1
#105	32
#106	16
#107	1
#108	1353
#109	1
#110	12
#111	6
#112	2
#113	7
#114	2
#115	9
#116	13
#117	6
#118	5
#119	4
#120	1

AGGREGATE ORDER TYPES		
Company Info		
Name		FATAL REJECTS
#121		9
#122		232
#123		64
#124		6
#125		4
#126		21
#127		2
#128		4
#129		14
#130		28
#131		1
#132		25
#133		26
#134		2
#135		2
#136		3
#137		3
#138		22
#139		19
#140		182
#141		4
#142		7
#143		1
#144		2
#145		28
#146		3
#147		1
#148		7
#149		2
#150		5

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#151	1
#152	2
#153	3
#154	1
#155	9
#156	28
#157	10
#158	8
#159	30
#160	11
#161	1
#162	6
#163	5
#164	13
#165	23
#166	3
#167	2
#168	4
#169	21
#170	4
#171	11
#172	48
#173	3
#174	1
#175	3
#176	5
#177	2
#178	1
#179	1
#180	13

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#181	2
#182	1
#183	8
#184	1
#185	3
#186	8
#187	21
#188	3
#189	5
#190	3
#191	13
#192	5
#193	1
#194	7
#195	4
#196	1
#197	9
#198	2
#199	1
#200	8
#201	2
#202	6
#203	4
#204	9
#205	3
#206	2
#207	37
#208	7
#209	8
#210	32

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#211	53
#212	29
#213	11
#214	13
#215	28
#216	8
#217	1
#218	1
#219	37
#220	23
#221	3
#222	2
#223	1
#224	28
#225	8
#226	23
#227	2
#228	1
#229	23
#230	25
#231	21
#232	5
#233	48
#234	1
#235	24
#236	1
#237	28
#238	2
#239	4
#240	43

AGGREGATE ORDER TYPES		FATAL REJECTS
Company Info		
Name		
#241		18
#242		4
#243		2
#244		11
#245		6
#246		19
#247		35
#248		1
#249		12
#250		30
#251		8
#252		88
#253		7
Total		10,662

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1007	3	0.02%	0.02%
1012	3	0.02%	0.04%
1015	4288	26.28%	26.31%
1023	22	0.13%	26.45%
1025	17	0.10%	26.55%
1027	7	0.04%	26.60%
1030	846	5.18%	31.78%
1035	8	0.05%	31.83%
1040	80	0.49%	32.32%
1050	12	0.07%	32.39%
1055	6	0.04%	32.43%
1060	3	0.02%	32.45%
1065	16	0.10%	32.55%
1070	3	0.02%	32.57%
1075	9	0.06%	32.62%
1080	3	0.02%	32.64%
1085	1	0.01%	32.64%
1090	3	0.02%	32.66%
1100	1	0.01%	32.67%
1110	771	4.72%	37.39%
1125	53	0.32%	37.72%
1131	275	1.69%	39.40%
1135	5	0.03%	39.43%
1140	12	0.07%	39.51%
1145	12	0.07%	39.58%
1150	1	0.01%	39.59%
1154	1	0.01%	39.59%
1155	1	0.01%	39.60%
1157	19	0.12%	39.72%
1166	16	0.10%	39.81%
1175	1	0.01%	39.82%
1180	10	0.06%	39.88%

Error Description

DUPLICATE CC, PON, VER
 CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
 PON DUPLICATE ON INITIAL LSR
 NO ORIGINAL LSR FOUND FOR THIS SUP
 VER MUST BE GREATER THAN PREVIOUS VERSION
 PREVIOUS LSR AGED OFF - (K) STATUS
 VER MUST BE GREATER THAN PREVIOUS VERSION
 VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
 VER MUST BE SPACES OR ZEROES FOR 860
 D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
 AN REQUIRED FOR THIS REQTY/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
 AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTY IS B
 AN MUST BE 10 OR 13 ALPHANUMERICS
 DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
 ATN REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
 DDD/DDD-CC MUST BE A VALID DATE
 DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
 ATN OR AN REQUIRED WHEN EATN IS POPULATED
 SERVICE CENTER MUST BE LCSC
 INVALID REQTY - ACCOUNT ACTIVITY TYPE COMBINATION
 DDD MUST BE GREATER THAN OR EQUAL TO D/SENT
 DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
 APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER
 DDDO REQUIRED WHEN ACT IS T AND REQTY IS A, E, M, OR N
 INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
 SUP PROHIBITED WHEN 1ST CHARACTER OF REQTY FIELD CHANGES
 LSR/PON IS COMPLETED
 DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
 DFDT PROHIBITED FOR THIS REQTY/LNA COMBINATION
 CHC IS PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
 REQTY REQUIRED (STOP EDIT)
 INVALID REQTY/ACT TYPE COMBINATION (STOP EDIT)

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1185	1	0.01%	39.89%
1195	1	0.01%	39.89%
1200	82	0.50%	40.40%
1215	128	0.78%	41.18%
1230	2879	17.64%	58.82%
1270	3	0.02%	58.84%
1285	7	0.04%	58.89%
1290	2	0.01%	58.90%
1325	2	0.01%	58.91%
1335	4	0.02%	58.93%
1345	6	0.04%	58.97%
1370	3	0.02%	58.99%
1390	14	0.09%	59.08%
1392	3	0.02%	59.09%
1430	8	0.05%	59.14%
1435	1	0.01%	59.15%
1445	1	0.01%	59.16%
1453	32	0.20%	59.35%
1455	79	0.48%	59.84%
1490	3	0.02%	59.85%
1505	4	0.02%	59.88%
1510	4	0.02%	59.90%
1515	35	0.21%	60.12%
1520	224	1.37%	61.49%
1525	1	0.01%	61.50%
1530	26	0.16%	61.66%
1575	3	0.02%	61.67%
1580	1	0.01%	61.68%
1600	1	0.01%	61.69%
1605	105	0.64%	62.33%
1610	3	0.02%	62.35%
1620	4	0.02%	62.37%

REQTYP VALID ENTRIES MUST BE AB, BB, CB, EB, FB, JB, MB OR NB (STOP EDIT)
ACTIVITY TYPE VALID ENTRY MUST BE N, C, D, T, R, V, S, B, W, L, Y, P OR Q (STOP EDIT)
SUP REQUIRED WHEN VER IS GREATER THAN 00
ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
LSO MUST BE 6 NUMERICS
SECNCI MUST BE A MINIMUM OF 5 ALPHANUMERIC CHARACTERS
ACTL REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
ACTL MUST BE 11 ALPHANUMERICS
LST MUST BE 11 ALPHANUMERICS
LSO REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
TOS REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION (STOP EDIT)
TOS THIRD CHARACTER MUST NOT BE F IF REQTPY IS FB
TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTPY IS JB
TOS SECOND CHARACTER OF J IS PROHIBITED ON REQTPY OF A,B,C,F OR J (STOP EDIT)
CIC REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
CIC MUST BE 4 NUMERICS
INITIATOR TELEPHONE NUMBER REQUIRED
BAN1 REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
DRC MUST BE 3 ALPHANUMERICS
INIT REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
TEL NO-INIT REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
TEL NO-INIT FORMAT MUST BE 10 NUMERICS OR UP TO 15 ALPHANUMERICS
FAX NO-INIT REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
FAX NO-INIT MUST BE 10 NUMERICS
IMPCON REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
TEL NO DSGCON FORMAT MUST BE 10 NUMERICS IN THE FIRST TEN POSITIONS
FAX NO-DSGCON MUST BE 10 NUMERICS
ZIP CODE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
PBT REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION
BCS REQUIRED WITH REQTPY/ACT TYPE/TOS COMBINATION

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1630	99	0.61%	62.98%
1635	54	0.33%	63.31%
1640	284	1.74%	65.05%
1645	1642	10.06%	75.11%
1650	537	3.29%	78.40%
1655	7	0.04%	78.45%
1660	37	0.23%	78.67%
1662	20	0.12%	78.80%
1664	62	0.38%	79.18%
2005	1	0.01%	79.18%
2015	6	0.04%	79.22%
2040	2	0.01%	79.23%
2050	2	0.01%	79.24%
2055	9	0.06%	79.30%
2060	11	0.07%	79.37%
2065	7	0.04%	79.41%
2070	2	0.01%	79.42%
2080	12	0.07%	79.50%
2085	36	0.22%	79.72%
2090	15	0.09%	79.81%
2095	10	0.06%	79.87%
2100	1	0.01%	79.87%
2105	1	0.01%	79.88%
2109	35	0.21%	80.10%
2110	445	2.73%	82.82%
2115	4	0.02%	82.85%
2120	388	2.38%	85.22%
2130	11	0.07%	85.29%
2155	1	0.01%	85.30%
2185	6	0.04%	85.34%
2200	2	0.01%	85.35%
2340	1	0.01%	85.35%

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
2350	8	0.05%	85.40%
2355	3	0.02%	85.42%
3010	49	0.30%	85.72%
3035	8	0.05%	85.77%
3045	3	0.02%	85.79%
3047	39	0.24%	86.03%
3050	26	0.16%	86.19%
3055	1	0.01%	86.19%
3085	1	0.01%	86.20%
3090	52	0.32%	86.52%
3100	3	0.02%	86.54%
3110	41	0.25%	86.79%
3115	13	0.08%	86.87%
3125	3	0.02%	86.89%
3135	38	0.23%	87.12%
3140	9	0.06%	87.17%
3160	2	0.01%	87.19%
3165	6	0.04%	87.22%
3170	10	0.06%	87.28%
3180	7	0.04%	87.33%
3190	36	0.22%	87.55%
3205	13	0.08%	87.63%
3220	1	0.01%	87.63%
3245	8	0.05%	87.68%
3380	11	0.07%	87.75%
3385	4	0.02%	87.77%
3390	2	0.01%	87.79%
3400	20	0.12%	87.91%
3405	1	0.01%	87.92%
3410	79	0.48%	88.40%
3415	23	0.14%	88.54%
3420	15	0.09%	88.63%

ERL REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION
 ERL PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
 REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
 REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
 REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT
 LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
 LOCNUM=000 LNUM=000001 CFA FORMAT IS INVALID
 REFNUM=0001-TELNO= FPI MUST BE VALID VALUE FOR REQTY AND ACTIVITY
 REFNUM=0001-TELNO= TC OPT VALID ENTRIES ARE:00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81
 REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTY
 LOCNUM=000 LNUM=00001 TELNO= CHAN/PAIR REQUIRED WHEN CABLE ID IS POPULATED
 LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
 LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTY/ACT/LNA COMBINATION
 LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
 REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
 LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
 LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
 REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYE
 REFNUM=0001-TELNO= CFA INVALID FORMAT
 REFNUM=0001-TELNO= FA VALID ENTRIES ARE A, C OR D
 LOCNUM=000 LNUM=00001 TELNO= FEATURE MUST BE 3, 5 OR 6 ALPHANUMERICS
 LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
 LOCNUM=000 LNUM=00001 TELNO= IWJK MUST BE 5 ALPHANUMERICS
 LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
 LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
 LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE D, G, N, P, V, W OR X IF ACT IS V, P OR Q
 LOCNUM=000 LNUM=00002 TELNO= LNA REQUIRED WHEN ACT TYP IS N, C, T, R, V, S, P OR Q
 LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N OR C IF ACT IS T
 LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE R IF ACT IS R
 LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
 LOCNUM=000 LNUM=00002 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B
 LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
3422	3	0.02%	88.65%
3427	3	0.02%	88.67%
3430	4	0.02%	88.69%
3433	12	0.07%	88.77%
3439	22	0.13%	88.90%
3445	3	0.02%	88.92%
3460	3	0.02%	88.94%
3470	17	0.10%	89.04%
3485	9	0.06%	89.10%
3545	1	0.01%	89.10%
3630	3	0.02%	89.12%
3705	14	0.09%	89.21%
3735	23	0.14%	89.35%
3740	10	0.06%	89.41%
3745	14	0.09%	89.50%
3755	15	0.09%	89.59%
3760	11	0.07%	89.66%
3765	18	0.11%	89.77%
3790	42	0.26%	90.02%
4000	32	0.20%	90.22%
4015	2	0.01%	90.23%
4020	7	0.04%	90.27%
4030	4	0.02%	90.30%
4035	11	0.07%	90.37%
4040	1	0.01%	90.37%
4045	290	1.78%	92.15%
4050	58	0.36%	92.51%
4055	37	0.23%	92.73%
4060	1	0.01%	92.74%
4061	57	0.35%	93.09%
4065	287	1.76%	94.85%
4075	27	0.17%	95.01%

Error Description

LNUM=00001 LNA MUST BE N OR D IF REQTP IS A DIGITAL, DATA DESIGNED (DS1)
 LNUM=00001 TELNO= LNA OF G PROHIBITED ON REQTP/ACT TYP COMBINATION
 FOR REQTP E, F OR M, IF ACT IS P, Q OR V AT LEAST ONE LNA MUST BE G, P, V, W OR X
 LOCNUM=000 LNUM=00001 TELNO= LNA PROHIBITED ON THIS REQTP/ACT TYP/SECNCI COMBINATION
 LNUM=00001 TN= LNA MUST BE D ON ACT OF D WHEN REQTP IS A WITH SECNCI POPULATED
 LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
 LOCNUM=000 LNUM= TELNO= LNUM REQUIRED WITH THIS REQTP/LNA TYPE COMBINATION (STOP EDIT)
 LOCNUM=000 LNUM=00001 TELNO=LNUM MUST BE UNIQUE WITHIN EACH LOCNUM EXCEPT FOR REQTP E-IS
 LOCNUM=001 LNUM=00001 LOCNUM DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR
 LNUM=00001 TELNO= OTN REQUIRED WITH THIS REQTP/LNA COMBINATION
 LNUM=00001 TELNO= SHELF REQUIRED ON REQTP F IF LNA IS C, G, N OR V
 LNUM=00001 TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMERIC INCLUDING HYPHEN
 LNUM=00001 TELNO= PIC REQUIRED ON LNA G, N, P OR V
 LNUM=00001 TELNO= PIC VALID ENTRY IS NONE UNDC NC OR VALID PIC WHEN LNA IS C, P OR X
 LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
 LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
 LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC, NC OR VALID LPIC CODE WHEN LNA IS C P
 LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
 LNUM=00001 - TELNO= PTKCON REQUIRED WHEN THE LNA IS G, N OR V
 DL DATA ELEMENTS REQUIRED
 REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
 DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
 DLNUM=0001 LTN= LACT REQUIRED
 DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML
 REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTP AND ACTIVITY TYPE
 REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS REQTP AND ACTIVITY TYPE
 INVALID YPH ENTRY
 YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
 DLNUM=0001 LTN= VALID RTY REQUIRED
 DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTP J, RTY OF LML, AND LACT OF N
 DLNUM=&DLNM LTN=<N ASSOCIATED LACT COMBINATION I AND O IS MISSING
 MAIN LISTING REQUIRED

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
4090	9	0.06%	95.07%
4095	5	0.03%	95.10%
4110	12	0.07%	95.17%
4120	4	0.02%	95.20%
4160	16	0.10%	95.29%
4170	1	0.01%	95.30%
4180	16	0.10%	95.40%
4190	14	0.09%	95.48%
4200	2	0.01%	95.50%
4220	1	0.01%	95.50%
4265	4	0.02%	95.53%
4280	23	0.14%	95.67%
4290	1	0.01%	95.67%
4310	2	0.01%	95.69%
4320	3	0.02%	95.70%
4365	7	0.04%	95.75%
4385	58	0.36%	96.10%
4395	4	0.02%	96.13%
4405	1	0.01%	96.13%
4430	1	0.01%	96.14%
4455	1	0.01%	96.15%
4470	5	0.03%	96.18%
4475	12	0.07%	96.25%
4478	24	0.15%	96.40%
4480	1	0.01%	96.40%
4485	16	0.10%	96.50%
4490	33	0.20%	96.70%
4505	43	0.26%	96.97%
4510	41	0.25%	97.22%
4530	4	0.02%	97.24%
4600	27	0.17%	97.41%
4630	1	0.01%	97.41%

Error Description

DLNUM=0001 LTN= VALID LTY REQUIRED
 REFNUM=0001-TELNO= DDA-CITY PROHIBITED FOR THIS REQTP AND ACTIVITY TYPE
 DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
 DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
 DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
 DLNUM=0003 LTN= DOI MUST BE 1
 DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
 DLNUM=0002 LTN= DOI VALUE INVALID FOR STYLE CODE
 DLNUM=0001 LTN MUST BE 10 NUMERICS
 DLNUM=0001 LTN= LNLN REQUIRED
 DLNUM=0001 LTN=4075632496 TITLE OF LINEAGE INVALID
 DLNUM=0001 LTN= TITLE1 DATA INVALID
 DLNUM=0002 LTN= TITLE2 DATA INVALID
 DLNUM=0001 LTN= LANO PROHIBITED WITHOUT LASN
 DLNUM=0001 LTN=9043740664 LASF PROHIBITED WITHOUT LANO
 DLNUM=0001 LTN= LASS ENTRY INVALID
 DLNUM=0001 LTN= INVALID LAST ENTRY
 DLNUM=0001 LTN= LAST PROHIBITED WITH ADI
 DLNUM=0002 LTN=8502361678 LTEXT REQUIRED
 DLNUM=0003 LTN= INVALID LTXTY DATA
 DLNUM=0003 LTN= LTXNUM VALUE MUST BE 4 NUMERICS
 DLNUM=0001 LTN= LTXNUM MUST BE CONSECUTIVE AND UNIQUE WITHIN THE DLNUM
 DLNUM=0002 LTN= INVALID YPH ENTRY
 DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
 DLNUM=0001 LTN= YPH PROHIBITED WITH LACT Z
 DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
 DLNUM=0001 LTN= YPH PROHIBITED WITH THIS RTY
 DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
 DLNUM=0001 LTN=ONLY ONE SIC ALLOWED PER ACCOUNT
 DLNUM=0003 LTN= ADI PROHIBITED WHEN LASN OR LALOC IS POPULATED
 DLNUM=0001 LTN= AMPERSAND REQUIRED WITH DLNM
 DLNUM=0001 LTN= SEQTEXT PROHIBITED WITHOUT THE SO FIELD OF A

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
4650	2	0.01%	97.43%
4670	2	0.01%	97.44%
4685	5	0.03%	97.47%
4690	1	0.01%	97.48%
4740	3	0.02%	97.49%
4810	2	0.01%	97.51%
4825	2	0.01%	97.52%
4835	2	0.01%	97.53%
4837	8	0.05%	97.58%
4870	1	0.01%	97.59%
4895	1	0.01%	97.59%
4900	1	0.01%	97.60%
4905	1	0.01%	97.60%
4920	4	0.02%	97.63%
4925	4	0.02%	97.65%
5000	2	0.01%	97.67%
5005	7	0.04%	97.71%
5015	7	0.04%	97.75%
5025	2	0.01%	97.76%
5030	1	0.01%	97.77%
5050	2	0.01%	97.78%
5065	1	0.01%	97.79%
5070	7	0.04%	97.83%
5090	1	0.01%	97.84%
5095	2	0.01%	97.85%
5098	2	0.01%	97.86%
5105	1	0.01%	97.87%
5110	1	0.01%	97.87%
5115	8	0.05%	97.92%
5135	23	0.14%	98.06%
5175	3	0.02%	98.08%
5185	17	0.10%	98.19%

Error Description

DLNUM=0002 LTN= SEQTN PROHIBITED WHEN THE SEQTEXT OR SEQADDR US NOT POPULATED
 DLNUM=0003 LTN= LVL REQUIRED WHEN STYC IS CI (STOP EDIT)
 DLNUM=0002 LVL ENTRIES MUST BE SEQUENTIAL AND THE THE SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
 DLNUM=0002 LTN= HS PROHIBITED WHEN THE STYC IS NOT CI, SH OR SI
 DLNUM=0001 LTN= INS1 REQUIRED WHEN INTEXT OR INADDR IS POPULATED
 DLNUM=0001 LTN= INS1 REQUIRED WHEN INTEXT IS POPULATED
 DLNUM=0001 LTN= INS1 REQUIRED WHEN INADDR IS POPULATED
 DACT ENTRY MUST BE N
 DACT REQUIRED
 DDASN IS REQUIRED
 DDALOC REQUIRED
 DDAST REQUIRED
 DDAZC REQUIRED
 DIRQTY A PROHIBITED WITHOUT DIRTYP
 DIRQTY NC PROHIBITED WITHOUT DIRTYP
 HUNTING PROHIBITED WITH THIS RECTYP/ACT TYPE COMBINATION
 LOCNUM=000 THE FOLLOWING FIELDS ARE REQUIRED; HNUM, HA, AND HID
 HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
 LOCNUM=000 HNUM= HA=G HA MUST BE N, E, C, OR D
 LOCNUM=000 HNUM=000001 HA OF E PROHIBITED ON ACT TYPE N, T, P OR Q
 LOCNUM=001 DOES NOT MATCH AN END USER LOCNUM ON THIS LSR
 LOCNUM=000 HNUM=000001 HID ENTRY FOR HNTYP 1 2 3 OR 4 MUST BE N OR UP TO 3 ALPHAS OR 4 NUMERICS
 LOCNUM=000 HNUM=000001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
 LOCNUM=000 HNUM=000001 TLI REQUIRED IF HNTYPE IS 5 OR 6
 LOCNUM=000 HNUM=000001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
 LOCNUM=000 HNUM=000001 HNTYP REQUIRED FOR THIS ACT TYPE/HA COMBINATION
 LOCNUM=000 HNUM=000001 HLA=C HLA VALID ENTRIES ARE N, E OR D
 LOCNUM=001 HNUM=000001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
 LOCNUM=000 HNUM=000001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
 LOCNUM=000 HNUM=000001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E
 HNUM=000001 HT=T0001--T0002 HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4
 LOCNUM=000 HNUM=000001 HT= FOR HNTYP 5 OR 6, HT MUST BE 5 OR 10 ALPHANUMERIC

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

ORDERING

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
6005	1	0.01%	98.19%
6045	30	0.18%	98.38%
6050	5	0.03%	98.41%
6055	11	0.07%	98.47%
7000	4	0.02%	98.50%
7005	2	0.01%	98.51%
8005	12	0.07%	98.58%
8040	8	0.05%	98.63%
8110	4	0.02%	98.66%
8115	13	0.08%	98.74%
8120	4	0.02%	98.76%
8140	78	0.48%	99.24%
8155	2	0.01%	99.25%
8180	22	0.13%	99.39%
8210	3	0.02%	99.41%
8215	16	0.10%	99.50%
8255	78	0.48%	99.98%
9870	3	0.02%	100.00%
Total:	16318	100.00%	

Error Description

NC CODE INVALID
INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)
REQTY/LOOP TYPE COMBINATION INVALID
LQTY IS REQUIRED FOR REQTY/ACT COMBINATION
EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
EAN, EATN, LEATN, AND LEAN ARE MUTUALLY EXCLUSIVE
DNUM=00001 TC OPT PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY CANNOT BE THE SAME AS THE NUMBER BEING REFERRED
LOCNUM= DNUM=00001 TC PER DATE IS INVALID, MUST BE LATER THAN THE LSR RECEIPT DATE
LNUM=00001 TC OPT PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
LNUM=00002 TC OPT VALID ENTRY IS ST, NO, CA OR TC
LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTY E, F OR M FOR LNA C, G, N OR V
LNUM=00001 TC OPT PROHIBITED IF LNUM DISC NBR IS NOT POPULATED ON REQTY A
LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
LNUM=00002 TC PER PROHIBITED WHEN LNUM TC OPT IS NOT ST OR TC
LNUM=00001 TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE
INVALID ACTIVITY TYPE
ATN OR EATN REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TL IS REQUIRED FOR INWARD CATEGORY D USOCS!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! 11 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! 11 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! 11 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! 11 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! 11 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! 11 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! 11 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! 11 14R /
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC:0001 RELAY:0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

ORDERING

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERRORS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#.

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

ORDERING

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCOSSL & UEAMC-WHICH SHOULD NOT BE ON LY--RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERRAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORF CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSSL (NOT VALID ON LY--ORDER)

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION		CLEC Caused		BST Caused	
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg
1000	17,465	14.29%	14.29%	IF CHGNG CLASS OF SERVICE ALL PERTINENT USOCs MUST BE POPULATED IN AND OUT	16,928	96.93%	20.11%	537	3.07%
7020	958	0.78%	15.08%	NUM= TELNO= TN NOT FOUND IN CRIS	956	99.79%	1.14%	2	0.21%
7055	2,216	1.81%	16.89%	NUM= TELNO= ACCOUNT IS FINAL	2,212	99.82%	2.63%	4	0.18%
7095	3	0.00%	16.89%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	0	0.00%	0.00%	3	100.00%
7110	4,464	3.65%	20.55%	COFFI NOT AVAILABLE	1,452	32.53%	1.72%	3,012	67.47%
7115	12	0.01%	20.56%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	3	25.00%	0.00%	9	75.00%
7235	533	0.44%	20.99%	10 DIGIT TN REQUIRED WITH USOC/FID=ZCRN	368	69.04%	0.44%	165	30.96%
7245	731	0.60%	21.59%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	500	68.40%	0.59%	231	31.60%
7250	366	0.30%	21.89%	LSR HOUSENUMBER INCORRECT	366	100.00%	0.43%	0	0.00%
7260	2	0.00%	21.89%	LISTING TYPE INVALID	2	100.00%	0.00%	0	0.00%
7267	4	0.00%	21.89%	UNE - LOCBAN MISSING FOR LNP ORDER	4	100.00%	0.00%	0	0.00%
7295	26	0.02%	21.92%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	18	69.23%	0.02%	8	30.77%
7300	6	0.00%	21.92%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	6	100.00%	0.01%	0	0.00%
7315	229	0.19%	22.11%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	196	85.59%	0.23%	33	14.41%
7375	47	0.04%	22.15%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	43	91.49%	0.05%	4	8.51%
7380	140	0.11%	22.26%	UNE - ACTL INVALID	140	100.00%	0.17%	0	0.00%
7400	7,387	6.05%	28.31%	CLEC DOES NOT OWN THIS ACCOUNT.	7,387	100.00%	8.77%	0	0.00%
7435	1	0.00%	28.31%	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAND STA	1	100.00%	0.00%	0	0.00%
7445	69	0.06%	28.36%	UNE - CALL FORWARD TN REQUIRED	69	100.00%	0.08%	0	0.00%
7465	1,285	1.05%	29.42%	CANNOT CANCEL ORDER	1,008	78.44%	1.20%	277	21.56%
7495	19	0.02%	29.43%	UNE - DIR LOCATOR PROBLEM	5	26.32%	0.01%	14	73.68%
7555	192	0.16%	29.59%	FID MISSING IN FEATURE DETAIL	168	87.50%	0.20%	24	12.50%
7570	1	0.00%	29.59%	SEQ1X NOT ALLOWED WITH ZNB	0	0.00%	0.00%	1	100.00%
7630	90	0.07%	29.66%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	50	55.56%	0.06%	40	44.44%
7640	4	0.00%	29.67%	DUPLICATE CUSTOMERS EXCEED NINE ON CSR	0	0.00%	0.00%	4	100.00%
7645	3,140	2.57%	32.24%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	1,522	48.47%	1.81%	1,618	51.53%
7660	7	0.01%	32.24%	USOC FUJ1X NOT FOR RESALE	7	100.00%	0.01%	0	0.00%
7690	14	0.01%	32.25%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LIN SERVICE	14	100.00%	0.02%	0	0.00%
7710	294	0.24%	32.49%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	173	58.84%	0.21%	121	41.16%
7715	10	0.01%	32.50%	SOCs TIMEOUT/NOT AVAILABLE	6	60.00%	0.01%	4	40.00%
7718	2,145	1.76%	34.26%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	822	38.32%	0.98%	1,323	61.68%
7725	70	0.06%	34.31%	WAITING PERIOD EQUALS 5 MINUTES	30	42.86%	0.04%	40	57.14%
7735	56	0.05%	34.36%	INVALID/MISSING LISTING NAME OR TYPE	56	100.00%	0.07%	0	0.00%
7740	17	0.01%	34.37%	LOCAL CALLING PLUS INDICATOR NOT FOUND	12	70.59%	0.01%	5	29.41%
7755	11	0.01%	34.38%	UNE - NPANXX NOT FOUND IN CLLI TABLE	7	63.64%	0.01%	4	36.36%
7805	89	0.07%	34.46%	SITE COULD NOT BE DETERMINED	44	49.44%	0.05%	45	50.56%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION		CLEC Caused		BST Caused	
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7815	81	0.07%	34.52%	60	74.07%	0.07%	21	25.93%	0.055%
7860	133	0.11%	34.63%	133	100.00%	0.16%	0	0.00%	0.000%
7890	14	0.01%	34.64%	14	100.00%	0.02%	0	0.00%	0.000%
7900	9	0.01%	34.65%	8	88.89%	0.01%	1	11.11%	0.003%
7905	3,546	2.90%	37.55%	3,545	99.97%	4.21%	1	0.03%	0.003%
7910	2,238	1.83%	39.38%	2,095	93.61%	2.49%	143	6.39%	0.376%
7935	22	0.02%	39.40%	22	100.00%	0.03%	0	0.00%	0.000%
7945	47	0.04%	39.44%	27	57.45%	0.03%	20	42.55%	0.053%
8150	56	0.05%	39.48%	15	26.79%	0.02%	41	73.21%	0.108%
8167	50	0.04%	39.53%	50	100.00%	0.06%	0	0.00%	0.000%
8170	417	0.34%	39.87%	412	98.80%	0.49%	5	1.20%	0.013%
8173	193	0.16%	40.03%	193	100.00%	0.23%	0	0.00%	0.000%
8180	166	0.14%	40.16%	166	100.00%	0.20%	0	0.00%	0.000%
8183	15	0.01%	40.17%	15	100.00%	0.02%	0	0.00%	0.000%
8185	58	0.05%	40.22%	58	100.00%	0.07%	0	0.00%	0.000%
8187	1,672	1.37%	41.59%	1,671	99.94%	1.98%	1	0.06%	0.003%
8189	589	0.48%	42.07%	589	100.00%	0.70%	0	0.00%	0.000%
8190	1,929	1.58%	43.65%	1,879	97.41%	2.29%	50	2.59%	0.132%
8193	15	0.01%	43.66%	15	100.00%	0.02%	0	0.00%	0.000%
8195	488	0.40%	44.06%	488	100.00%	0.58%	0	0.00%	0.000%
8197	634	0.52%	44.58%	634	100.00%	0.75%	0	0.00%	0.000%
8199	83	0.07%	44.65%	83	100.00%	0.10%	0	0.00%	0.000%
8204	137	0.11%	44.76%	137	100.00%	0.16%	0	0.00%	0.000%
8207	61	0.05%	44.81%	61	100.00%	0.07%	0	0.00%	0.000%
8209	618	0.51%	45.32%	618	100.00%	0.73%	0	0.00%	0.000%
8240	150	0.12%	45.44%	150	100.00%	0.18%	0	0.00%	0.000%
8250	41	0.03%	45.47%	41	100.00%	0.05%	0	0.00%	0.000%
8395	1	0.00%	45.47%	1	100.00%	0.00%	0	0.00%	0.000%
8415	11	0.01%	45.48%	11	100.00%	0.01%	0	0.00%	0.000%
8430	4	0.00%	45.49%	4	100.00%	0.00%	0	0.00%	0.000%
8820	10,778	8.82%	54.31%	3,125	28.99%	3.71%	7,653	71.01%	20.138%
8825	18,527	15.16%	69.47%	4,237	22.87%	5.03%	14,290	77.13%	37.603%
8830	543	0.44%	69.91%	543	100.00%	0.64%	0	0.00%	0.000%
8850	56	0.05%	69.96%	56	100.00%	0.07%	0	0.00%	0.000%
8855	1	0.00%	69.96%	1	100.00%	0.00%	0	0.00%	0.000%
8925	1	0.00%	69.96%	0	0.00%	0.00%	1	100.00%	0.003%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES				CAUSATION					
ERROR DETAILS (Auto Clarifications (A) & Errors (E))									
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
8940	1,400	1.15%	71.10%	1,400	100.00%	1.66%	0	0.00%	0.000%
8945	64	0.05%	71.16%	64	100.00%	0.08%	0	0.00%	0.000%
8970	908	0.74%	71.90%	907	99.89%	1.08%	1	0.11%	0.003%
8995	1	0.00%	71.90%	1	100.00%	0.00%	0	0.00%	0.000%
9000	31	0.03%	71.93%	31	100.00%	0.04%	0	0.00%	0.000%
9110	1	0.00%	71.93%	1	100.00%	0.00%	0	0.00%	0.000%
9115	1	0.00%	71.93%	1	100.00%	0.00%	0	0.00%	0.000%
9155	63	0.05%	71.98%	63	100.00%	0.07%	0	0.00%	0.000%
9160	10	0.01%	71.99%	10	100.00%	0.01%	0	0.00%	0.000%
9245	383	0.31%	72.30%	383	100.00%	0.45%	0	0.00%	0.000%
9263	1	0.00%	72.30%	1	100.00%	0.00%	0	0.00%	0.000%
9433	4	0.00%	72.31%	4	100.00%	0.00%	0	0.00%	0.000%
9438	12	0.01%	72.31%	12	100.00%	0.01%	0	0.00%	0.000%
9439	130	0.11%	72.42%	130	100.00%	0.15%	0	0.00%	0.000%
9442	465	0.38%	72.80%	455	97.85%	0.54%	10	2.15%	0.026%
9446	3	0.00%	72.80%	3	100.00%	0.00%	0	0.00%	0.000%
9466	32	0.03%	72.83%	32	100.00%	0.04%	0	0.00%	0.000%
9471	22	0.02%	72.85%	18	81.82%	0.02%	4	18.18%	0.011%
9475	349	0.29%	73.13%	348	99.71%	0.41%	1	0.29%	0.003%
9476	73	0.06%	73.19%	73	100.00%	0.09%	0	0.00%	0.000%
9477	82	0.07%	73.26%	80	97.56%	0.10%	2	2.44%	0.005%
9479	158	0.13%	73.39%	158	100.00%	0.19%	0	0.00%	0.000%
9481	2,394	1.96%	75.35%	2,381	99.46%	2.83%	13	0.54%	0.034%
9484	36	0.03%	75.38%	36	100.00%	0.04%	0	0.00%	0.000%
9487	4	0.00%	75.38%	4	100.00%	0.00%	0	0.00%	0.000%
9488	362	0.30%	75.68%	361	99.72%	0.43%	1	0.28%	0.003%
9492	2	0.00%	75.68%	2	100.00%	0.00%	0	0.00%	0.000%
9495	148	0.12%	75.80%	148	100.00%	0.18%	0	0.00%	0.000%
9496	2,167	1.77%	77.57%	2,163	99.82%	2.57%	4	0.18%	0.011%
9498	48	0.04%	77.61%	48	100.00%	0.06%	0	0.00%	0.000%
9515	1,527	1.25%	78.86%	1,522	99.67%	1.81%	5	0.33%	0.013%
9516	17	0.01%	78.88%	17	100.00%	0.02%	0	0.00%	0.000%
9517	25	0.02%	78.90%	25	100.00%	0.03%	0	0.00%	0.000%
9518	2	0.00%	78.90%	2	100.00%	0.00%	0	0.00%	0.000%
9523	5	0.00%	78.90%	5	100.00%	0.01%	0	0.00%	0.000%
9526	6	0.00%	78.91%	6	100.00%	0.01%	0	0.00%	0.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
Attachment 2F

AGGREGATE ORDER TYPES				CAUSATION					
ERROR DETAILS (Auto Clarifications (A) & Errors (E))									
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9529	1,763	1.44%	80.35%	1,763	100.00%	2.09%	0	0.00%	0.000%
9530	1	0.00%	80.35%	1	100.00%	0.00%	0	0.00%	0.000%
9543	58	0.05%	80.40%	58	100.00%	0.07%	0	0.00%	0.000%
9545	2	0.00%	80.40%	2	100.00%	0.00%	0	0.00%	0.000%
9602	4,335	3.55%	83.95%	4,309	99.40%	5.12%	26	0.60%	0.068%
9604	14	0.01%	83.96%	12	85.71%	0.01%	2	14.29%	0.005%
9605	161	0.13%	84.09%	161	100.00%	0.19%	0	0.00%	0.000%
9606	21	0.02%	84.11%	21	100.00%	0.02%	0	0.00%	0.000%
9613	19	0.02%	84.12%	19	100.00%	0.02%	0	0.00%	0.000%
9616	18	0.01%	84.14%	18	100.00%	0.02%	0	0.00%	0.000%
9623	15	0.01%	84.15%	15	100.00%	0.02%	0	0.00%	0.000%
9626	410	0.34%	84.49%	410	100.00%	0.49%	0	0.00%	0.000%
9627	1,826	1.49%	85.98%	1,826	100.00%	2.17%	0	0.00%	0.000%
9628	300	0.25%	86.23%	300	100.00%	0.36%	0	0.00%	0.000%
9629	48	0.04%	86.27%	48	100.00%	0.06%	0	0.00%	0.000%
9639	146	0.12%	86.39%	146	100.00%	0.17%	0	0.00%	0.000%
9641	1,802	1.47%	87.86%	1,802	100.00%	2.14%	0	0.00%	0.000%
9647	105	0.09%	87.95%	105	100.00%	0.12%	0	0.00%	0.000%
9654	412	0.34%	88.28%	409	99.27%	0.49%	3	0.73%	0.008%
9656	4	0.00%	88.29%	4	100.00%	0.00%	0	0.00%	0.000%
9657	2	0.00%	88.29%	2	100.00%	0.00%	0	0.00%	0.000%
9661	7	0.01%	88.29%	2	28.57%	0.00%	5	71.43%	0.013%
9670	21	0.02%	88.31%	21	100.00%	0.02%	0	0.00%	0.000%
9671	88	0.07%	88.38%	88	100.00%	0.10%	0	0.00%	0.000%
9673	4	0.00%	88.39%	4	100.00%	0.00%	0	0.00%	0.000%
9674	17	0.01%	88.40%	17	100.00%	0.02%	0	0.00%	0.000%
9675	27	0.02%	88.42%	27	100.00%	0.03%	0	0.00%	0.000%
9679	2	0.00%	88.42%	2	100.00%	0.00%	0	0.00%	0.000%
9680	52	0.04%	88.47%	52	100.00%	0.06%	0	0.00%	0.000%
9681	30	0.02%	88.49%	30	100.00%	0.04%	0	0.00%	0.000%
9682	19	0.02%	88.51%	19	100.00%	0.02%	0	0.00%	0.000%
9685	9,498	7.77%	96.28%	1,353	14.25%	1.61%	8145	85.75%	21.433%
9686	2	0.00%	96.28%	2	100.00%	0.00%	0	0.00%	0.000%
9687	6	0.00%	96.29%	6	100.00%	0.01%	0	0.00%	0.000%
9700	6	0.00%	96.29%	6	100.00%	0.01%	0	0.00%	0.000%
9715	34	0.03%	96.32%	33	97.06%	0.04%	1	2.94%	0.003%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 11/01/2001 - 11/30/2001

Supplemental Exhibit AJV-6
 Attachment 2F

AGGREGATE ORDER TYPES			CAUSATION						
ERROR DETAILS (Auto Clarifications (A) & Errors (E))									
Error Type (by error code)	Count	%	Σ %	CLEC Caused		BST Caused			
				Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9772	2	0.00%	96.32%	1	50.00%	0.00%	1	50.00%	0.003%
9800	21	0.02%	96.34%	10	47.62%	0.01%	11	52.38%	0.029%
9860	1,118	0.91%	97.25%	1,114	99.64%	1.32%	4	0.36%	0.011%
9861	759	0.62%	97.87%	757	99.74%	0.90%	2	0.26%	0.005%
9863	16	0.01%	97.89%	16	100.00%	0.02%	0	0.00%	0.000%
9866	113	0.09%	97.98%	110	97.35%	0.13%	3	2.65%	0.008%
9867	170	0.14%	98.12%	168	98.82%	0.20%	2	1.18%	0.005%
9869	15	0.01%	98.13%	15	100.00%	0.02%	0	0.00%	0.000%
9871	2,046	1.67%	99.81%	2,045	99.95%	2.43%	1	0.05%	0.003%
9881	26	0.02%	99.83%	26	100.00%	0.03%	0	0.00%	0.000%
9897	212	0.17%	100.00%	212	100.00%	0.25%	0	0.00%	0.000%
Total	122,196	100.00%		84,194		100.00%	38,002		100.000%

ORDERING

REPORT: PERCENT LNP FLOW THROUGH SERVICE REQUESTS (SUMMARY)
REPORT PERIOD: 11/01/01 - 11/30/01

Supplemental Exhibit AJV-6
Attachment 2F

	PERCENT ACHIEVED FLOW- THROUGH	PERCENT FLOW THROUGH
CLEC AGGREGATE		
REGION ALL SERVICES	54.86%	91.24%

ORDERING REPORT: PERCENT LNP FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL) Supplemental Exhibit AJV-6
 Attachment 2F
 REPORT PERIOD: 11/01/01 - 11/30/01

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info															
Name	EDI	Mechanized Interface Used		Manual		Rejects		Validated		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
		Total Mech LSR's	TAG	Total Manual Fallout	Auto Clarification	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout						
#1	194	0	194	14	19	161	18	15	3	143	83.14%	88.82%	90.51%		
#2	160	0	160	79	22	59	17	7	10	42	32.81%	71.19%	85.71%		
#3	488	0	488	254	59	175	85	52	33	90	22.73%	51.43%	63.38%		
#4	0	9	9	4	2	3	2	2	0	1	14.29%	33.33%	33.33%		
#5	1	0	1	0	0	1	1	0	1	0	0.00%	0.00%	0.00%		
#6	0	283	283	32	24	227	46	41	5	181	71.26%	79.74%	81.53%		
#7	712	0	712	318	128	266	74	27	47	192	35.75%	72.18%	87.67%		
#8	0	391	391	143	67	181	64	34	30	117	39.80%	64.64%	77.48%		
#9	3,031	0	3,031	495	332	2,204	284	66	218	1920	77.39%	87.11%	96.68%		
#10	122	0	122	105	12	5	4	1	3	1	0.93%	20.00%	50.00%		
#11	194	0	194	94	37	63	24	16	8	39	26.17%	61.90%	70.91%		
#12	0	30	30	17	6	7	4	1	3	3	14.29%	42.86%	75.00%		
#13	45	0	45	16	16	13	6	2	4	7	28.00%	53.85%	77.78%		
#14	3,600	0	3,600	658	214	2,728	197	44	153	2531	78.29%	92.78%	98.29%		
#15	0	44	44	26	5	13	2	0	2	11	29.73%	84.62%	100.00%		
#16	1,951	0	1,951	461	153	1,337	211	148	63	1126	64.90%	84.22%	88.38%		
#17	104	0	104	78	20	6	1	0	1	5	6.02%	83.33%	100.00%		
#18	0	976	976	343	123	510	127	74	53	383	47.88%	75.10%	83.81%		
#19	227	0	227	99	33	95	12	7	5	83	43.92%	87.37%	92.22%		
#20	0	1,919	1,919	1,794	125	0	0	0	0	0	0.00%	0.00%	0.00%		
#21	0	80	80	36	10	34	8	3	5	26	40.00%	76.47%	89.66%		
#22	3,557	0	3,557	790	342	2,425	698	180	518	1727	64.03%	71.22%	90.56%		
#23	0	1,893	1,893	784	263	846	259	127	132	587	39.19%	69.39%	82.21%		
#24	41	0	41	6	1	34	13	5	8	21	65.63%	61.76%	80.77%		
#25	0	39	39	14	4	21	7	2	5	14	46.67%	66.67%	87.50%		
#26	0	4	4	2	0	2	2	0	2	0	0.00%	0.00%	0.00%		
#27	614	0	614	207	83	324	35	19	16	289	56.12%	89.20%	93.83%		
#28	256	0	256	112	16	128	53	41	12	75	32.89%	58.59%	64.66%		
#29	0	1	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%		

ORDERING

REPORT: PERCENT LNP FLOW THROUGH SERVICE REQUESTS (AGGREGATE DETAIL) Supplemental Exhibit AJV-6
Attachment 2F
REPORT PERIOD: 11/01/01 - 11/30/01

	0	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0.00%	0.00%
#30	0	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%
#31	0	66	66	20	10	36	15	11	4	21	0	0	0	0	0	58.33%	65.63%
EDI Subtotal	15297	0	15297	3786	1487	10024	1733	630	1103	8291	0	0	0	0	0	82.71%	92.94%
TAG Subtotal	5737	5737	5737	3217	640	1880	536	295	241	1344	0	0	0	0	0	71.49%	82.00%
TOTAL INTERFACES	15297	5737	21034	7003	2127	11904	2269	925	1344	9635	0	0	0	0	0	80.94%	91.24%

REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS
 (FATAL REJECTS BY CLEC)
 REPORT PERIOD: 11/01/01 - 11/30/01

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#1	7
#2	20
#3	205
#4	2
#5	12
#6	192
#7	51
#8	78
#9	21
#10	21
#11	6
#12	27
#13	71
#14	4
#15	101
#16	23
#17	154
#18	33
#19	297
#20	10
#21	593
#22	62
#23	5
#24	4
#25	0
#26	0
#27	74
#28	29

**REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS
(FATAL REJECTS BY CLEC)
REPORT PERIOD: 11/01/01 - 11/30/01**

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
#29	0
#30	2
#31	4
Total	2108

