

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (SUMMARY)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

		PERCENT ACHIEVED FLOWTHROUGH	PERCENT FLOWTHROUGH
CLEC AGGREGATE			
REGION ALL SERVICES		78.28%	87.26%
		FLOWTHROUGH %	
BST AGGREGATE			
REGION			
- RETAIL RESIDENCE		94.60%	
- RETAIL BUSINESS*		TBD	
<p>*NOTE: BellSouth is reinstating the reporting of business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete.</p>			

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
1	0	0	2	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
2	20	0	0	20	1	0	1	18	3	2	1	15	83.33%	83.33%	88.24%
3	106	0	0	106	18	5	0	83	17	12	5	66	68.75%	79.52%	84.62%
4	12	0	0	12	4	0	0	8	5	2	3	3	33.33%	37.50%	60.00%
5	7	0	0	7	1	0	0	6	0	0	0	6	85.71%	100.00%	100.00%
6	9	0	0	9	1	0	1	7	2	1	1	5	71.43%	71.43%	83.33%
7	3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%
8	16	0	0	16	0	0	0	16	10	1	9	6	85.71%	37.50%	85.71%
9	4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
10	29	0	0	29	0	4	5	20	11	7	4	9	56.25%	45.00%	56.25%
11	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
12	248	0	0	248	7	25	0	216	45	37	8	171	79.53%	79.17%	82.21%
13	247	0	0	247	13	24	0	210	41	24	17	169	82.04%	80.48%	87.56%
14	16	0	0	16	0	1	2	13	1	1	0	12	92.31%	92.31%	92.31%
15	0	0	31	31	14	1	0	16	1	0	1	15	51.72%	93.75%	100.00%
16	46	0	0	46	7	11	1	27	12	11	1	15	45.45%	55.56%	57.69%
17	29	0	0	29	3	1	0	25	7	5	2	18	69.23%	72.00%	78.26%
18	0	0	500	500	64	20	5	411	17	15	2	394	83.30%	95.86%	96.33%
19	0	0	3	3	0	1	0	2	2	0	2	0	0.00%	0.00%	0.00%
20	13	0	0	13	0	0	0	13	3	2	1	10	83.33%	76.92%	83.33%
21	0	0	52	52	16	9	0	27	11	4	7	16	44.44%	59.26%	80.00%
22	4	0	0	4	1	0	0	3	1	0	1	2	66.67%	66.67%	100.00%
23	0	0	29	29	12	4	0	13	10	7	3	3	13.64%	23.08%	30.00%
24	11,563	0	0	11,563	282	290	48	10,943	439	393	46	10,504	93.96%	95.99%	96.39%
25	0	0	3,029	3,029	333	278	33	2,385	393	189	204	1,992	79.24%	83.52%	91.33%
26	101	0	0	101	12	10	1	78	10	9	1	68	76.40%	87.18%	88.31%
27	0	331	0	331	35	32	1	263	65	56	9	198	68.51%	75.29%	77.95%
28	10	0	0	10	2	3	0	5	2	2	0	3	42.86%	60.00%	60.00%
29	125	0	0	125	1	12	0	112	29	23	6	83	77.57%	74.11%	78.30%
30	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
31	102	0	0	102	28	12	1	61	20	10	10	41	51.90%	67.21%	80.39%
32	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
33	90	0	0	90	14	17	0	59	3	3	0	56	76.71%	94.92%	94.92%
34	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
35	10	0	0	10	0	1	0	9	3	2	1	6	75.00%	66.67%	75.00%	
36	35	0	0	35	5	7	0	23	12	7	5	11	47.83%	47.83%	61.11%	
37	29	0	0	29	4	0	0	25	10	7	3	15	57.69%	60.00%	68.18%	
38	26	0	0	26	2	2	0	22	3	1	2	19	86.36%	86.36%	95.00%	
39	0	132	0	132	13	16	3	100	32	22	10	68	66.02%	68.00%	75.56%	
40	0	0	8	8	0	4	0	4	0	0	0	4	100.00%	100.00%	100.00%	
41	807	0	0	807	110	132	8	557	147	114	33	410	64.67%	73.61%	78.24%	
42	1,805	0	0	1,805	216	38	12	1,539	202	180	22	1,337	77.15%	86.87%	88.13%	
43	3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%	
44	2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%	
45	7	0	0	7	3	0	0	4	1	0	1	3	50.00%	75.00%	100.00%	
46	0	0	34	34	9	6	0	19	12	1	11	7	41.18%	36.84%	87.50%	
47	927	0	0	927	107	86	17	717	170	142	28	547	68.72%	76.29%	79.39%	
48	477	0	0	477	349	22	2	104	13	6	7	91	20.40%	87.50%	93.81%	
49	127	0	0	127	12	4	1	110	22	21	1	88	72.73%	80.00%	80.73%	
50	534	0	0	534	21	25	2	486	80	72	8	406	81.36%	83.54%	84.94%	
51	1,180	0	0	1,180	256	114	18	792	224	164	60	568	57.49%	71.72%	77.60%	
52	0	1,129	0	1,129	334	175	8	612	226	192	34	386	42.32%	63.07%	66.78%	
53	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
54	0	148	0	148	15	30	2	101	49	30	19	52	53.61%	51.49%	63.41%	
55	399	0	0	399	49	43	2	305	32	27	5	273	78.22%	89.51%	91.00%	
56	76	0	0	76	21	14	0	41	15	6	9	26	49.06%	63.41%	81.25%	
57	0	0	5	5	2	1	0	2	0	0	0	2	50.00%	100.00%	100.00%	
58	67	0	0	67	12	12	1	42	12	3	9	30	66.67%	71.43%	90.91%	
59	0	177	0	177	1	33	3	140	26	21	5	114	83.82%	81.43%	84.44%	
60	41	0	0	41	11	4	3	23	14	9	5	9	31.03%	39.13%	50.00%	
61	737	0	0	737	67	89	0	581	37	30	7	544	84.87%	93.63%	94.77%	
62	0	0	6	6	0	1	0	5	2	2	0	3	60.00%	60.00%	60.00%	
63	0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
64	0	0	15	15	0	5	0	10	4	4	0	6	60.00%	60.00%	60.00%	
65	0	0	28	28	0	3	0	25	3	3	0	22	88.00%	88.00%	88.00%	
66	0	0	120	120	0	25	0	95	16	16	0	79	83.16%	83.16%	83.16%	
67	24	0	0	24	20	1	0	3	0	0	0	3	13.04%	100.00%	100.00%	
68	702	0	0	702	62	42	0	598	58	36	22	540	84.64%	90.30%	93.75%	

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
69	515	0	0	515	40	10	2	463	24	21	3	439	87.80%	94.82%	95.43%	
70	2,263	0	0	2,263	194	167	11	1,891	165	128	37	1,726	84.28%	91.27%	93.10%	
71	0	485	0	485	42	69	8	366	93	78	15	273	69.47%	74.59%	77.78%	
72	1,082	0	0	1,082	88	92	25	877	236	174	62	641	70.99%	73.09%	78.65%	
73	131	0	0	131	15	14	1	101	9	8	1	92	80.00%	91.09%	92.00%	
74	176	0	0	176	15	27	1	133	18	15	3	115	79.31%	86.47%	88.46%	
75	26	0	0	26	1	5	0	20	2	2	0	18	85.71%	90.00%	90.00%	
76	110	0	0	110	11	8	1	90	7	7	0	83	82.18%	92.22%	92.22%	
77	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
78	331	0	0	331	13	24	0	294	15	15	0	279	90.88%	94.90%	94.90%	
79	85	0	0	85	5	10	0	70	4	4	0	66	88.00%	94.29%	94.29%	
80	144	0	0	144	36	21	1	86	15	11	4	71	60.17%	82.56%	86.59%	
81	152	0	0	152	18	27	0	107	13	11	2	94	76.42%	87.85%	89.52%	
82	510	0	0	510	122	26	1	361	45	27	18	316	67.96%	87.53%	92.13%	
83	90	0	0	90	21	0	0	69	10	9	1	59	66.29%	85.51%	86.76%	
84	448	0	0	448	33	23	5	387	22	20	2	365	87.32%	94.32%	94.81%	
85	162	0	0	162	13	21	3	125	31	25	6	94	71.21%	75.20%	78.99%	
86	5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
87	32,469	0	0	32,469	2,452	1,859	51	28,107	2,082	1,820	262	26,025	85.90%	92.59%	93.46%	
88	32	0	0	32	2	3	1	26	5	5	0	21	75.00%	80.77%	80.77%	
89	31	0	0	31	4	4	0	23	4	3	1	19	73.08%	82.61%	86.36%	
90	101	0	0	101	15	16	1	69	10	9	1	59	71.08%	85.51%	86.76%	
91	28	0	0	28	0	2	4	22	16	12	4	6	33.33%	27.27%	33.33%	
92	6,029	0	0	6,029	433	530	9	5,057	485	416	69	4,572	84.34%	90.41%	91.66%	
93	562	0	0	562	34	13	2	513	30	27	3	483	88.79%	94.15%	94.71%	
94	118	0	0	118	25	24	1	68	12	9	3	56	62.22%	82.35%	86.15%	
95	22	0	0	22	3	3	0	16	1	1	0	15	78.95%	93.75%	93.75%	
96	0	97	0	97	79	7	2	9	4	2	2	5	5.81%	55.56%	71.43%	
97	63	0	0	63	3	7	3	50	10	9	1	40	76.92%	80.00%	81.63%	
98	71	0	0	71	6	2	0	63	5	5	0	58	84.06%	92.06%	92.06%	
99	482	0	0	482	111	17	6	348	113	80	33	235	55.16%	67.53%	74.60%	
100	410	0	0	410	58	18	6	328	121	93	28	207	57.82%	63.11%	69.00%	
101	72	0	0	72	15	12	0	45	3	3	0	42	70.00%	93.33%	93.33%	
102	0	326	0	326	275	21	2	28	16	9	7	12	4.05%	42.86%	57.14%	

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
103	5,181	0	0	5,181	715	495	54	3,917	695	557	138	3,222	71.70%	82.26%	85.26%
104	528	0	0	528	35	165	0	328	42	34	8	286	80.56%	87.20%	89.38%
105	0	1,774	0	1,774	50	119	1	1,604	518	484	34	1,086	67.04%	67.71%	69.17%
106	5	0	0	5	0	0	0	5	1	1	0	4	80.00%	80.00%	80.00%
107	0	0	86	86	6	8	1	71	4	3	1	67	88.16%	94.37%	95.71%
108	32	0	0	32	1	2	0	29	3	2	1	26	89.66%	89.66%	92.86%
109	0	0	105	105	38	12	0	55	22	10	12	33	40.74%	60.00%	76.74%
110	370	0	0	370	22	12	0	336	17	17	0	319	89.11%	94.94%	94.94%
111	90	0	0	90	3	14	3	70	26	21	5	44	64.71%	62.86%	67.69%
112	811	0	0	811	112	60	7	632	140	129	11	492	67.12%	77.85%	79.23%
113	2,239	0	0	2,239	525	210	18	1,486	412	349	63	1,074	55.13%	72.27%	75.47%
114	75	0	0	75	6	12	0	57	9	5	4	48	81.36%	84.21%	90.57%
115	0	0	78	78	0	14	1	63	1	0	1	62	100.00%	98.41%	100.00%
116	9	0	0	9	1	1	0	7	0	0	0	7	87.50%	100.00%	100.00%
117	19	0	0	19	0	3	0	16	2	1	1	14	93.33%	87.50%	93.33%
118	0	0	375	375	27	21	2	325	42	32	10	283	82.75%	87.08%	89.84%
119	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
120	0	193	0	193	153	16	1	23	10	8	2	13	7.47%	56.52%	61.90%
121	38	0	0	38	12	4	0	22	7	5	2	15	46.88%	68.18%	75.00%
122	815	0	0	815	81	49	0	685	79	66	13	606	80.48%	88.47%	90.18%
123	5	0	0	5	2	0	0	3	0	0	0	3	60.00%	100.00%	100.00%
124	17	0	0	17	3	1	0	13	1	1	0	12	75.00%	92.31%	92.31%
125	0	0	265	265	9	24	0	232	2	2	0	230	95.44%	99.14%	99.14%
126	46	0	0	46	15	11	3	17	8	7	1	9	29.03%	52.94%	56.25%
127	1,685	0	0	1,685	112	80	11	1,482	314	257	57	1,168	75.99%	78.81%	81.96%
128	0	1,669	0	1,669	153	145	0	1,371	155	136	19	1,216	80.80%	88.69%	89.94%
129	4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
130	0	0	1,501	1,501	259	128	7	1,107	220	188	32	887	66.49%	80.13%	82.51%
131	6	0	0	6	1	0	0	5	0	0	0	5	83.33%	100.00%	100.00%
132	1,309	0	0	1,309	84	99	9	1,117	183	144	39	934	80.38%	83.62%	86.64%
133	82	0	0	82	9	1	0	72	11	10	1	61	76.25%	84.72%	85.92%
134	0	491	0	491	15	173	2	301	128	88	40	173	62.68%	57.48%	66.28%
135	975	0	0	975	54	33	5	883	318	215	103	565	67.75%	63.99%	72.44%
136	6	0	0	6	0	1	0	5	1	1	0	4	80.00%	80.00%	80.00%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
137	13	0	0	13	1	2	0	10	3	2	1	7	70.00%	70.00%	77.78%	
138	310	0	0	310	80	28	4	198	29	22	7	169	62.36%	85.35%	88.48%	
139	58	0	0	58	3	5	0	50	8	7	1	42	80.77%	84.00%	85.71%	
140	0	0	772	772	10	70	0	692	6	4	2	686	98.00%	99.13%	99.42%	
141	138	0	0	138	4	15	0	119	10	3	7	109	93.97%	91.60%	97.32%	
142	1,057	0	0	1,057	144	62	4	847	54	42	12	793	81.00%	93.62%	94.97%	
143	33	0	0	33	2	7	2	22	3	3	0	19	79.17%	86.36%	86.36%	
144	0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
145	511	0	0	511	60	71	2	378	110	85	25	268	64.89%	70.90%	75.92%	
146	0	515	0	515	144	58	2	311	85	56	29	226	53.05%	72.67%	80.14%	
147	884	0	0	884	197	93	10	584	119	85	34	465	62.25%	79.62%	84.55%	
148	121	0	0	121	21	13	0	87	24	19	5	63	61.17%	72.41%	76.83%	
149	190	0	0	190	19	21	5	145	31	25	6	114	72.15%	78.62%	82.01%	
150	1,361	0	0	1,361	93	179	18	1,071	140	104	36	931	82.54%	86.93%	89.95%	
151	0	0	8,660	8,660	173	843	17	7,627	734	611	123	6,893	89.79%	90.38%	91.86%	
152	0	0	5	5	0	3	0	2	0	0	0	2	100.00%	100.00%	100.00%	
153	22	0	0	22	4	0	0	18	9	5	4	9	50.00%	50.00%	64.29%	
154	145	0	0	145	36	9	1	99	53	36	17	46	38.98%	46.46%	56.10%	
155	0	2,342	0	2,342	306	252	21	1,763	617	450	167	1,146	60.25%	65.00%	71.80%	
156	228	0	0	228	28	22	3	175	31	25	6	144	73.10%	82.29%	85.21%	
157	448	0	0	448	13	11	0	424	55	42	13	369	87.03%	87.03%	89.78%	
158	0	42	0	42	0	8	0	34	7	7	0	27	79.41%	79.41%	79.41%	
159	80	0	0	80	2	3	1	74	7	5	2	67	90.54%	90.54%	93.06%	
160	8,690	0	0	8,690	347	645	25	7,673	366	277	89	7,307	92.13%	95.23%	96.35%	
161	0	51	0	51	1	8	1	41	18	10	8	23	67.65%	56.10%	69.70%	
162	3,203	0	0	3,203	235	191	5	2,772	269	234	35	2,503	84.22%	90.30%	91.45%	
163	22	0	0	22	0	9	0	13	1	1	0	12	92.31%	92.31%	92.31%	
164	1,057	0	0	1,057	208	214	16	619	270	191	79	349	46.66%	56.38%	64.63%	
165	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
166	0	0	294	294	14	34	2	244	137	75	62	107	54.59%	43.85%	58.79%	
167	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
168	41	0	0	41	9	2	0	30	6	4	2	24	64.86%	80.00%	85.71%	
169	713	0	0	713	17	35	0	661	54	49	5	607	90.19%	91.83%	92.53%	
170	28	0	0	28	10	1	0	17	6	5	1	11	42.31%	64.71%	68.75%	

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
171	0	0	67	67	1	15	0	51	9	5	4	42	87.50%	82.35%	89.36%
172	0	0	119	119	15	21	1	82	29	14	15	53	64.63%	64.63%	79.10%
173	0	0	191	191	2	43	5	141	57	24	33	84	76.36%	59.57%	77.78%
174	0	0	554	554	213	58	10	273	112	78	34	161	35.62%	58.97%	67.36%
175	11	0	0	11	0	0	0	11	0	0	0	11	100.00%	100.00%	100.00%
176	89	0	0	89	2	14	0	73	0	0	0	73	97.33%	100.00%	100.00%
177	11	0	0	11	3	0	0	8	3	3	0	5	45.45%	62.50%	62.50%
178	20	0	0	20	2	1	0	17	8	3	5	9	64.29%	52.94%	75.00%
179	0	12,323	0	12,323	220	4,111	5	7,987	4,836	589	4,247	3,151	79.57%	39.45%	84.25%
180	8	0	0	8	0	1	0	7	4	3	1	3	50.00%	42.86%	50.00%
181	740	0	0	740	84	144	2	510	110	86	24	400	70.18%	78.43%	82.30%
182	392	0	0	392	53	22	6	311	59	46	13	252	71.79%	81.03%	84.56%
183	606	0	0	606	40	39	2	525	91	76	15	434	78.91%	82.67%	85.10%
184	13	0	0	13	4	7	0	2	0	0	0	2	33.33%	100.00%	100.00%
185	0	0	2	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%
186	2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
187	69	0	0	69	11	7	0	51	15	9	6	36	64.29%	70.59%	80.00%
188	0	0	729	729	217	102	3	407	52	35	17	355	58.48%	87.22%	91.03%
189	2	0	0	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%
190	0	0	107	107	18	7	8	74	23	17	6	51	59.30%	68.92%	75.00%
191	1,244	0	0	1,244	82	369	0	793	30	20	10	763	88.21%	96.22%	97.45%
192	0	4,349	0	4,349	99	454	2	3,794	1,340	1,221	119	2,454	65.02%	64.68%	66.78%
193	38	0	0	38	9	3	1	25	6	1	5	19	65.52%	76.00%	95.00%
194	0	3,064	0	3,064	43	425	0	2,596	752	686	66	1,844	71.67%	71.03%	72.89%
195	805	0	0	805	62	295	0	448	14	8	6	434	86.11%	96.88%	98.19%
196	43	0	0	43	4	0	0	39	5	3	2	34	82.93%	87.18%	91.89%
197	0	259	0	259	8	25	0	226	53	20	33	173	86.07%	76.55%	89.64%
198	58	0	0	58	25	1	3	29	6	4	2	23	44.23%	79.31%	85.19%
199	25	0	0	25	7	0	1	17	13	9	4	4	20.00%	23.53%	30.77%
200	0	723	0	723	36	61	15	611	152	120	32	459	74.63%	75.12%	79.27%
201	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
202	10	0	0	10	0	0	0	10	1	0	1	9	100.00%	90.00%	100.00%
203	0	0	5	5	3	0	0	2	0	0	0	2	40.00%	100.00%	100.00%
204	0	147	0	147	30	28	1	88	61	39	22	27	28.13%	30.68%	40.91%

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
205	5	0	0	5	1	3	0	1	1	1	0	0	0.00%	0.00%	0.00%
206	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
207	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
208	4	0	0	4	0	1	0	3	0	0	0	3	100.00%	100.00%	100.00%
209	94	0	0	94	2	26	0	66	13	4	9	53	89.83%	80.30%	92.98%
210	0	43,712	0	43,712	2,410	4,426	110	36,766	4,939	3,475	1,464	31,827	84.39%	86.57%	90.16%
211	3	0	0	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%
212	6	0	0	6	0	4	0	2	0	0	0	2	100.00%	100.00%	100.00%
213	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
214	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
215	141	0	0	141	23	33	1	84	21	13	8	63	63.64%	75.00%	82.89%
216	0	4,342	0	4,342	70	956	1	3,315	1,567	901	666	1,748	64.29%	52.73%	65.99%
217	24	0	0	24	3	5	0	16	3	2	1	13	72.22%	81.25%	86.67%
218	0	0	77	77	32	16	0	29	22	11	11	7	14.00%	24.14%	38.89%
219	22	0	0	22	0	1	1	20	6	3	3	14	82.35%	70.00%	82.35%
220	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
221	0	1,902	0	1,902	70	512	7	1,313	169	85	84	1,144	88.07%	87.13%	93.08%
222	3,372	0	0	3,372	212	378	4	2,778	120	99	21	2,658	89.53%	95.68%	96.41%
223	29	0	0	29	4	1	0	24	5	4	1	19	70.37%	79.17%	82.61%
224	705	0	0	705	80	35	0	590	45	37	8	545	82.33%	92.37%	93.64%
225	363	0	0	363	21	5	3	334	16	13	3	318	90.34%	95.21%	96.07%
226	5	0	0	5	2	0	0	3	2	0	2	1	33.33%	33.33%	100.00%
227	4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
228	18	0	0	18	1	2	0	15	6	4	2	9	64.29%	60.00%	69.23%
229	0	0	6	6	2	2	0	2	2	1	1	0	0.00%	0.00%	0.00%
230	0	12	0	12	1	2	0	9	5	3	2	4	50.00%	44.44%	57.14%
231	94	0	0	94	8	17	2	67	9	6	3	58	80.56%	86.57%	90.63%
232	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
233	0	0	498	498	85	15	15	383	87	50	37	296	68.68%	77.28%	85.55%
234	0	0	267	267	63	32	2	170	55	42	13	115	52.27%	67.65%	73.25%
235	563	0	0	563	86	93	8	376	77	59	18	299	67.34%	79.52%	83.52%
236	514	0	0	514	36	52	0	426	19	16	3	407	88.67%	95.54%	96.22%
237	48	0	0	48	9	14	2	23	8	4	4	15	53.57%	65.22%	78.95%
238	67,878	0	0	67,878	5,983	12,323	559	49,013	11,754	8,667	3,087	37,259	71.78%	76.02%	81.13%

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
239	1,081	0	0	1,081	94	532	21	434	176	135	41	258	52.98%	59.45%	65.65%
240	494	0	0	494	49	28	1	416	34	27	7	382	83.41%	91.83%	93.40%
241	0	0	238	238	1	38	0	199	4	4	0	195	97.50%	97.99%	97.99%
242	17	0	0	17	3	0	0	14	0	0	0	14	82.35%	100.00%	100.00%
243	285	0	0	285	9	44	4	228	78	62	16	150	67.87%	65.79%	70.75%
244	86	0	0	86	13	8	2	63	15	11	4	48	66.67%	76.19%	81.36%
245	1,256	0	0	1,256	108	67	5	1,076	37	31	6	1,039	88.20%	96.56%	97.10%
246	328	0	0	328	6	6	0	316	21	20	1	295	91.90%	93.35%	93.65%
247	287	0	0	287	18	59	6	204	121	90	31	83	43.46%	40.69%	47.98%
248	478	0	0	478	41	35	1	401	44	41	3	357	81.32%	89.03%	89.70%
249	370	0	0	370	49	10	0	311	20	19	1	291	81.06%	93.57%	93.87%
250	863	0	0	863	54	19	2	788	57	49	8	731	87.65%	92.77%	93.72%
251	13	0	0	13	1	0	0	12	2	1	1	10	83.33%	83.33%	90.91%
252	1,311	0	0	1,311	95	19	1	1,196	25	23	2	1,171	90.85%	97.91%	98.07%
253	8	0	0	8	4	0	0	4	3	2	1	1	14.29%	25.00%	33.33%
254	13	0	0	13	4	4	0	5	3	3	0	2	22.22%	40.00%	40.00%
255	0	92	0	92	0	6	6	80	51	28	23	29	50.88%	36.25%	50.88%
256	0	0	3,300	3,300	18	494	31	2,757	1,033	510	523	1,724	76.55%	62.53%	77.17%
257	7	0	0	7	3	0	1	3	1	0	1	2	40.00%	66.67%	100.00%
258	0	0	3,441	3,441	112	45	17	3,267	655	580	75	2,612	79.06%	79.95%	81.83%
259	12,164	0	0	12,164	728	531	8	10,897	551	500	51	10,346	89.39%	94.94%	95.39%
260	662	0	0	662	33	51	2	576	32	25	7	544	90.37%	94.44%	95.61%
261	357	0	0	357	32	65	1	259	51	32	19	208	76.47%	80.31%	86.67%
262	394	0	0	394	20	34	4	336	71	51	20	265	78.87%	78.87%	83.86%
263	19	0	0	19	0	3	0	16	11	7	4	5	41.67%	31.25%	41.67%
264	12	0	0	12	0	8	0	4	2	1	1	2	66.67%	50.00%	66.67%
265	9	0	0	9	0	7	0	2	1	1	0	1	50.00%	50.00%	50.00%
266	136	0	0	136	27	10	1	98	25	20	5	73	60.83%	74.49%	78.49%
267	38	0	0	38	11	3	3	21	5	2	3	16	55.17%	76.19%	88.89%
268	0	84	0	84	22	10	0	52	16	12	4	36	51.43%	69.23%	75.00%
269	129	0	0	129	19	11	1	98	12	10	2	86	74.78%	87.76%	89.58%
270	409	0	0	409	39	15	5	350	47	37	10	303	79.95%	86.57%	89.12%
271	95	0	0	95	19	6	2	68	7	6	1	61	70.93%	89.71%	91.04%
272	1,079	0	0	1,079	73	76	29	901	250	198	52	651	70.61%	72.25%	76.68%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
273	3	0	0	3	1	0	0	2	1	1	0	1	33.33%	50.00%	50.00%	
274	34	0	0	34	2	3	0	29	6	4	2	23	79.31%	79.31%	85.19%	
275	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
276	0	51	0	51	4	13	0	34	6	4	2	28	77.78%	82.35%	87.50%	
277	21	0	0	21	7	0	0	14	7	1	6	7	46.67%	50.00%	87.50%	
278	69	0	0	69	7	10	0	52	13	10	3	39	69.64%	75.00%	79.59%	
279	4,165	0	0	4,165	157	127	20	3,861	165	129	36	3,696	92.82%	95.73%	96.63%	
280	6	0	0	6	1	0	1	4	0	0	0	4	80.00%	100.00%	100.00%	
281	0	30	0	30	4	4	0	22	12	6	6	10	50.00%	45.45%	62.50%	
282	451	0	0	451	82	25	1	343	66	57	9	277	66.59%	80.76%	82.93%	
283	26	0	0	26	7	1	3	15	5	4	1	10	47.62%	66.67%	71.43%	
284	3,839	0	0	3,839	167	338	12	3,322	2,260	2,088	172	1,062	32.02%	31.97%	33.71%	
285	6	0	0	6	0	3	0	3	0	0	0	3	100.00%	100.00%	100.00%	
286	36	0	0	36	4	10	0	22	0	0	0	22	84.62%	100.00%	100.00%	
287	79	0	0	79	6	7	0	66	6	3	3	60	86.96%	90.91%	95.24%	
288	18	0	0	18	0	0	0	18	2	2	0	16	88.89%	88.89%	88.89%	
289	5	0	0	5	0	0	0	5	2	2	0	3	60.00%	60.00%	60.00%	
290	355	0	0	355	28	18	1	308	45	42	3	263	78.98%	85.39%	86.23%	
291	4	0	0	4	0	1	0	3	1	1	0	2	66.67%	66.67%	66.67%	
292	131	0	0	131	14	3	3	111	16	13	3	95	77.87%	85.59%	87.96%	
293	4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%	100.00%	
294	23	0	0	23	1	5	0	17	8	5	3	9	60.00%	52.94%	64.29%	
295	11	0	0	11	0	1	0	10	1	1	0	9	90.00%	90.00%	90.00%	
296	6	0	0	6	0	0	3	3	3	2	1	0	0.00%	0.00%	0.00%	
297	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
298	0	0	73	73	7	15	0	51	12	9	3	39	70.91%	76.47%	81.25%	
299	18	0	0	18	2	3	0	13	2	2	0	11	73.33%	84.62%	84.62%	
300	26	0	0	26	10	1	2	13	5	1	4	8	42.11%	61.54%	88.89%	
301	381	0	0	381	36	41	3	301	103	85	18	198	62.07%	65.78%	69.96%	
302	1,556	0	0	1,556	107	30	4	1,415	62	51	11	1,353	89.54%	95.62%	96.37%	
303	2,061	0	0	2,061	192	86	2	1,781	191	119	72	1,590	83.64%	89.28%	93.04%	
304	4	0	0	4	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%	
305	9	0	0	9	1	1	0	7	4	3	1	3	42.86%	42.86%	50.00%	
306	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%	

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
307	2,505	0	0	2,505	327	133	8	2,037	238	181	57	1,799	77.98%	88.32%	90.86%
308	2,229	0	0	2,229	143	65	8	2,013	84	68	16	1,929	90.14%	95.83%	96.59%
309	0	0	13,097	13,097	963	4,347	73	7,714	2,083	1,251	832	5,631	71.78%	73.00%	81.82%
310	0	0	7	7	0	1	0	6	0	0	0	6	100.00%	100.00%	100.00%
311	267	0	0	267	41	15	1	210	18	18	0	192	76.49%	91.43%	91.43%
312	47	0	0	47	16	3	0	28	0	0	0	28	63.64%	100.00%	100.00%
313	63	0	0	63	13	2	0	48	1	0	1	47	78.33%	97.92%	100.00%
314	20	0	0	20	2	3	0	15	0	0	0	15	88.24%	100.00%	100.00%
315	79	0	0	79	18	8	3	50	8	4	4	42	65.63%	84.00%	91.30%
316	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
317	0	0	113	113	3	14	0	96	3	2	1	93	94.90%	96.88%	97.89%
318	1,663	0	0	1,663	139	137	0	1,387	85	71	14	1,302	86.11%	93.87%	94.83%
319	394	0	0	394	37	30	3	324	47	46	1	277	76.94%	85.49%	85.76%
320	8,391	0	0	8,391	390	572	14	7,415	818	638	180	6,597	86.52%	88.97%	91.18%
321	115	0	0	115	23	6	0	86	2	2	0	84	77.06%	97.67%	97.67%
322	7	0	0	7	3	0	0	4	2	2	0	2	28.57%	50.00%	50.00%
323	42	0	0	42	8	2	3	29	4	3	1	25	69.44%	86.21%	89.29%
324	668	0	0	668	89	71	1	507	41	36	5	466	78.85%	91.91%	92.83%
325	1,604	0	0	1,604	106	96	1	1,401	85	76	9	1,316	87.85%	93.93%	94.54%
326	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
327	0	0	82	82	2	12	2	66	31	14	17	35	68.63%	53.03%	71.43%
328	105	0	0	105	4	18	1	82	17	12	5	65	80.25%	79.27%	84.42%
329	25	0	0	25	1	0	1	23	1	0	1	22	95.65%	95.65%	100.00%
330	377	0	0	377	48	39	9	281	60	52	8	221	68.85%	78.65%	80.95%
331	2,517	0	0	2,517	279	186	7	2,045	181	145	36	1,864	81.47%	91.15%	92.78%
332	59	0	0	59	2	23	1	33	10	4	6	23	79.31%	69.70%	85.19%
333	33	0	0	33	4	0	0	29	8	8	0	21	63.64%	72.41%	72.41%
334	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
335	0	0	47	47	14	9	0	24	10	2	8	14	46.67%	58.33%	87.50%
336	14	0	0	14	0	6	0	8	4	3	1	4	57.14%	50.00%	57.14%
337	1,106	0	0	1,106	112	130	11	853	194	142	52	659	72.18%	77.26%	82.27%
338	504	0	0	504	43	19	1	441	32	24	8	409	85.92%	92.74%	94.46%
339	0	0	84	84	2	9	2	71	18	9	9	53	82.81%	74.65%	85.48%
340	3	0	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
341	0	0	20	20	4	7	0	9	5	1	4	4	44.44%	44.44%	80.00%	
342	0	0	253	253	59	26	1	167	36	31	5	131	59.28%	78.44%	80.86%	
343	847	0	0	847	84	63	12	688	124	93	31	564	76.11%	81.98%	85.84%	
344	135	0	0	135	25	13	3	94	34	27	7	60	53.57%	63.83%	68.97%	
345	10	0	0	10	0	1	0	9	0	0	0	9	100.00%	100.00%	100.00%	
346	0	8	0	8	0	2	0	6	3	2	1	3	60.00%	50.00%	60.00%	
347	965	0	0	965	79	85	4	797	62	38	24	735	86.27%	92.22%	95.08%	
348	13	0	0	13	6	0	0	7	4	2	2	3	27.27%	42.86%	60.00%	
349	11	0	0	11	1	0	0	10	2	2	0	8	72.73%	80.00%	80.00%	
350	385	0	0	385	49	20	0	316	23	13	10	293	82.54%	92.72%	95.75%	
351	170	0	0	170	7	13	0	150	4	4	0	146	92.99%	97.33%	97.33%	
352	4	0	0	4	0	1	1	2	1	1	0	1	50.00%	50.00%	50.00%	
353	1,412	0	0	1,412	1,222	60	1	129	13	6	7	116	8.63%	89.92%	95.08%	
354	379	0	0	379	291	7	0	81	7	3	4	74	20.11%	91.36%	96.10%	
355	0	7	0	7	0	5	0	2	1	1	0	1	50.00%	50.00%	50.00%	
356	4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%	
357	4	0	0	4	1	0	0	3	1	1	0	2	50.00%	66.67%	66.67%	
358	41	0	0	41	35	2	0	4	1	1	0	3	7.69%	75.00%	75.00%	
359	5	0	0	5	0	3	0	2	2	1	1	0	0.00%	0.00%	0.00%	
360	3,117	0	0	3,117	329	203	14	2,571	175	133	42	2,396	83.83%	93.19%	94.74%	
361	1,625	0	0	1,625	114	68	6	1,437	92	68	24	1,345	88.08%	93.60%	95.19%	
362	1,088	0	0	1,088	134	45	9	900	130	115	15	770	75.56%	85.56%	87.01%	
363	0	0	2,244	2,244	339	53	80	1,772	398	349	49	1,374	66.63%	77.54%	79.74%	
364	2,284	0	0	2,284	247	70	5	1,962	124	110	14	1,838	83.74%	93.68%	94.35%	
365	219	0	0	219	20	11	4	184	21	13	8	163	83.16%	88.59%	92.61%	
366	100	0	0	100	18	1	0	81	2	2	0	79	79.80%	97.53%	97.53%	
367	0	72	0	72	8	7	0	57	13	12	1	44	68.75%	77.19%	78.57%	
368	33	0	0	33	13	3	1	16	4	4	0	12	41.38%	75.00%	75.00%	
369	30	0	0	30	2	2	2	24	3	1	2	21	87.50%	87.50%	95.45%	
370	237	0	0	237	29	23	4	181	104	79	25	77	41.62%	42.54%	49.36%	
371	129	0	0	129	10	8	1	110	9	7	2	101	85.59%	91.82%	93.52%	
372	341	0	0	341	44	31	3	263	54	36	18	209	72.32%	79.47%	85.31%	
373	7	0	0	7	0	0	0	7	2	0	2	5	100.00%	71.43%	100.00%	
374	35	0	0	35	6	1	1	27	7	6	1	20	62.50%	74.07%	76.92%	

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
375	150	0	0	150	12	7	1	130	53	44	9	77	57.89%	59.23%	63.64%	
376	0	196	0	196	20	47	0	129	41	26	15	88	65.67%	68.22%	77.19%	
377	70	0	0	70	22	6	0	42	7	3	4	35	58.33%	83.33%	92.11%	
378	771	0	0	771	130	34	1	606	40	32	8	566	77.75%	93.40%	94.65%	
379	192	0	0	192	18	6	1	167	14	12	2	153	83.61%	91.62%	92.73%	
380	0	0	917	917	49	96	2	770	30	22	8	740	91.25%	96.10%	97.11%	
381	3,538	0	0	3,538	180	196	47	3,115	335	105	230	2,780	90.70%	89.25%	96.36%	
382	0	0	528	528	7	46	0	475	5	3	2	470	97.92%	98.95%	99.37%	
383	565	0	0	565	63	23	0	479	45	39	6	434	80.97%	90.61%	91.75%	
384	0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
385	72	0	0	72	6	31	0	35	3	2	1	32	80.00%	91.43%	94.12%	
386	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
387	394	0	0	394	42	21	2	329	34	24	10	295	81.72%	89.67%	92.48%	
388	311	0	0	311	53	8	3	247	36	30	6	211	71.77%	85.43%	87.55%	
389	168	0	0	168	16	6	1	145	13	12	1	132	82.50%	91.03%	91.67%	
390	142	0	0	142	23	8	0	111	5	4	1	106	79.70%	95.50%	96.36%	
391	12	0	0	12	1	2	1	8	2	2	0	6	66.67%	75.00%	75.00%	
392	0	0	320	320	10	38	0	272	14	13	1	258	91.81%	94.85%	95.20%	
393	613	0	0	613	44	38	3	528	44	39	5	484	85.36%	91.67%	92.54%	
394	0	29	0	29	15	2	1	11	8	5	3	3	13.04%	27.27%	37.50%	
395	24	0	0	24	6	0	2	16	8	6	2	8	40.00%	50.00%	57.14%	
396	813	0	0	813	77	73	2	661	69	61	8	592	81.10%	89.56%	90.66%	
397	44	0	0	44	3	1	0	40	7	5	2	33	80.49%	82.50%	86.84%	
398	248	0	0	248	21	8	2	217	31	26	5	186	79.83%	85.71%	87.74%	
399	24	0	0	24	9	6	0	9	7	7	0	2	11.11%	22.22%	22.22%	
400	0	74	0	74	15	12	0	47	13	9	4	34	58.62%	72.34%	79.07%	
401	0	35	0	35	3	6	0	26	7	6	1	19	67.86%	73.08%	76.00%	
402	10	0	0	10	3	2	0	5	1	0	1	4	57.14%	80.00%	100.00%	
403	98	0	0	98	6	5	0	87	20	18	2	67	73.63%	77.01%	78.82%	
404	163	0	0	163	44	5	6	108	49	40	9	59	41.26%	54.63%	59.60%	
405	282	0	0	282	24	21	2	235	45	36	9	190	76.00%	80.85%	84.07%	
406	0	0	256	256	48	12	1	195	58	45	13	137	59.57%	70.26%	75.27%	
407	285	0	0	285	67	14	12	192	46	31	15	146	59.84%	76.04%	82.49%	
408	23	0	0	23	2	2	0	19	10	3	7	9	64.29%	47.37%	75.00%	

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
409	0	0	11	11	6	0	1	4	0	0	0	4	40.00%	100.00%	100.00%
410	8	0	0	8	0	2	1	5	3	2	1	2	50.00%	40.00%	50.00%
411	303	0	0	303	27	21	1	254	14	13	1	240	85.71%	94.49%	94.86%
412	20	0	0	20	0	1	0	19	1	1	0	18	94.74%	94.74%	94.74%
413	13	0	0	13	2	0	0	11	3	1	2	8	72.73%	72.73%	88.89%
414	6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%
415	165	0	0	165	35	39	5	86	29	16	13	57	52.78%	66.28%	78.08%
416	180	0	0	180	31	13	0	136	35	23	12	101	65.16%	74.26%	81.45%
417	0	0	126	126	33	13	1	79	18	14	4	61	56.48%	77.22%	81.33%
418	1,779	0	0	1,779	264	147	11	1,357	106	90	16	1,251	77.94%	92.19%	93.29%
419	116	0	0	116	23	6	1	86	16	11	5	70	67.31%	81.40%	86.42%
420	0	0	2	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
421	17	0	0	17	2	6	0	9	3	3	0	6	54.55%	66.67%	66.67%
422	76	0	0	76	11	6	0	59	12	10	2	47	69.12%	79.66%	82.46%
423	74	0	0	74	15	5	1	53	11	9	2	42	63.64%	79.25%	82.35%
424	17	0	0	17	2	1	0	14	2	1	1	12	80.00%	85.71%	92.31%
425	4	0	0	4	0	0	0	4	1	1	0	3	75.00%	75.00%	75.00%
426	0	182	0	182	46	28	0	108	33	32	1	75	49.02%	69.44%	70.09%
427	57	0	0	57	5	5	0	47	8	6	2	39	78.00%	82.98%	86.67%
428	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
429	26	0	0	26	4	3	0	19	4	2	2	15	71.43%	78.95%	88.24%
430	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
431	0	22	0	22	5	2	0	15	6	3	3	9	52.94%	60.00%	75.00%
432	7	0	0	7	0	0	0	7	5	2	3	2	50.00%	28.57%	50.00%
433	30	0	0	30	3	7	0	20	9	7	2	11	52.38%	55.00%	61.11%
434	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
435	49	0	0	49	2	6	0	41	12	12	0	29	67.44%	70.73%	70.73%
436	0	20	0	20	11	3	0	6	0	0	0	6	35.29%	100.00%	100.00%
437	203	0	0	203	26	18	1	158	18	13	5	140	78.21%	88.61%	91.50%
438	0	0	61	61	7	10	0	44	9	3	6	35	77.78%	79.55%	92.11%
439	266	0	0	266	25	9	0	232	15	13	2	217	85.10%	93.53%	94.35%
440	5,174	0	0	5,174	368	415	19	4,372	670	467	203	3,702	81.60%	84.68%	88.80%
441	2,262	0	0	2,262	244	154	15	1,849	126	92	34	1,723	83.68%	93.19%	94.93%
442	0	0	582	582	70	78	3	431	118	97	21	313	65.21%	72.62%	76.34%

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
443	992	0	0	992	138	68	12	774	135	105	30	639	72.45%	82.56%	85.89%
444	75	0	0	75	16	5	0	54	6	2	4	48	72.73%	88.89%	96.00%
445	2,150	0	0	2,150	199	113	6	1,832	410	372	38	1,422	71.35%	77.62%	79.26%
446	0	0	18	18	0	8	1	9	7	6	1	2	25.00%	22.22%	25.00%
447	599	0	0	599	13	23	59	504	341	261	80	163	37.30%	32.34%	38.44%
448	0	0	37	37	7	13	4	13	6	2	4	7	43.75%	53.85%	77.78%
449	740	0	0	740	34	56	5	645	62	33	29	583	89.69%	90.39%	94.64%
450	2,282	0	0	2,282	156	172	6	1,948	185	142	43	1,763	85.54%	90.50%	92.55%
451	868	0	0	868	133	15	5	715	185	183	2	530	62.65%	74.13%	74.33%
452	36	0	0	36	2	1	0	33	5	4	1	28	82.35%	84.85%	87.50%
453	56	0	0	56	4	3	1	48	3	3	0	45	86.54%	93.75%	93.75%
454	2,709	0	0	2,709	311	295	39	2,064	435	291	144	1,629	73.02%	78.92%	84.84%
455	1,071	0	0	1,071	128	133	19	791	182	118	64	609	71.23%	76.99%	83.77%
456	366	0	0	366	16	27	4	319	18	16	2	301	90.39%	94.36%	94.95%
457	0	0	20	20	7	2	1	10	1	0	1	9	56.25%	90.00%	100.00%
458	48	0	0	48	8	6	0	34	2	2	0	32	76.19%	94.12%	94.12%
459	9	0	0	9	1	2	0	6	0	0	0	6	85.71%	100.00%	100.00%
460	0	286	0	286	1	32	5	248	118	79	39	130	61.90%	52.42%	62.20%
461	594	0	0	594	156	69	2	367	82	71	11	285	55.66%	77.66%	80.06%
462	1,398	0	0	1,398	294	103	0	1,001	130	112	18	871	68.21%	87.01%	88.61%
463	67	0	0	67	14	9	0	44	1	1	0	43	74.14%	97.73%	97.73%
464	1,390	0	0	1,390	146	117	6	1,121	129	76	53	992	81.71%	88.49%	92.88%
465	0	0	907	907	160	90	8	649	219	179	40	430	55.92%	66.26%	70.61%
466	0	0	748	748	105	77	4	562	196	168	28	366	57.28%	65.12%	68.54%
467	9	0	0	9	3	0	1	5	0	0	0	5	62.50%	100.00%	100.00%
468	8	0	0	8	1	3	0	4	1	1	0	3	60.00%	75.00%	75.00%
469	8	0	0	8	5	0	0	3	0	0	0	3	37.50%	100.00%	100.00%
470	978	0	0	978	85	57	7	829	47	41	6	782	86.12%	94.33%	95.02%
471	0	220	0	220	99	33	1	87	42	32	10	45	25.57%	51.72%	58.44%
472	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
473	8	0	0	8	2	1	0	5	1	1	0	4	57.14%	80.00%	80.00%
474	6	0	0	6	0	0	0	6	3	1	2	3	75.00%	50.00%	75.00%
475	0	0	2,196	2,196	405	264	32	1,495	408	312	96	1,087	60.25%	72.71%	77.70%
476	33	0	0	33	6	1	0	26	3	2	1	23	74.19%	88.46%	92.00%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects		Validated	Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
477	108	0	0	108	9	17	0	82	11	10	1	71	78.89%	86.59%	87.65%	
478	0	0	11	11	0	7	0	4	2	0	2	2	100.00%	50.00%	100.00%	
479	0	0	1,170	1,170	173	132	7	858	260	191	69	598	62.16%	69.70%	75.79%	
480	125	0	0	125	19	11	0	95	29	25	4	66	60.00%	69.47%	72.53%	
481	93	0	0	93	16	6	3	68	14	9	5	54	68.35%	79.41%	85.71%	
482	180	0	0	180	23	8	0	149	19	17	2	130	76.47%	87.25%	88.44%	
483	0	0	2,308	2,308	284	244	15	1,765	436	320	116	1,329	68.75%	75.30%	80.59%	
484	0	0	4	4	0	3	0	1	0	0	0	1	100.00%	100.00%	100.00%	
485	3	0	0	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%	
486	252	0	0	252	227	9	0	16	0	0	0	16	6.58%	100.00%	100.00%	
487	0	98	0	98	9	12	0	77	22	18	4	55	67.07%	71.43%	75.34%	
488	50	0	0	50	14	6	2	28	6	6	0	22	52.38%	78.57%	78.57%	
489	50	0	0	50	1	4	3	42	15	4	11	27	84.38%	64.29%	87.10%	
490	0	30	0	30	1	9	0	20	18	13	5	2	12.50%	10.00%	13.33%	
491	0	0	5	5	1	0	0	4	3	3	0	1	20.00%	25.00%	25.00%	
492	2,286	0	0	2,286	224	66	18	1,978	172	148	24	1,806	82.92%	91.30%	92.43%	
493	415	0	0	415	68	31	4	312	36	32	4	276	73.40%	88.46%	89.61%	
494	329	0	0	329	36	21	1	271	31	28	3	240	78.95%	88.56%	89.55%	
495	2,619	0	0	2,619	192	255	46	2,126	305	198	107	1,821	82.36%	85.65%	90.19%	
496	29	0	0	29	3	3	1	22	5	4	1	17	70.83%	77.27%	80.95%	
497	0	0	34	34	5	9	0	20	3	1	2	17	73.91%	85.00%	94.44%	
498	1,522	0	0	1,522	145	176	7	1,194	110	78	32	1,084	82.94%	90.79%	93.29%	
499	98	0	0	98	20	10	0	68	27	24	3	41	48.24%	60.29%	63.08%	
500	0	0	3	3	0	1	0	2	2	0	2	0	0.00%	0.00%	0.00%	
501	832	0	0	832	98	32	3	699	54	54	0	645	80.93%	92.27%	92.27%	
502	5	0	0	5	0	0	0	5	2	1	1	3	75.00%	60.00%	75.00%	
503	0	26	0	26	3	4	0	19	5	5	0	14	63.64%	73.68%	73.68%	
504	0	21	0	21	12	0	0	9	5	1	4	4	23.53%	44.44%	80.00%	
505	4	0	0	4	2	0	0	2	1	0	1	1	33.33%	50.00%	100.00%	
506	5	0	0	5	0	2	0	3	2	0	2	1	100.00%	33.33%	100.00%	
507	0	1,320	0	1,320	109	199	0	1,012	340	147	193	672	72.41%	66.40%	82.05%	
508	2,164	0	0	2,164	323	152	7	1,682	136	84	52	1,546	79.16%	91.91%	94.85%	
509	0	112	0	112	14	24	0	74	14	6	8	60	75.00%	81.08%	90.91%	

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING									FLOWTHROUGH		
				LESOG											
Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
510	94	0	0	94	45	4	1	44	8	6	2	36	41.38%	81.82%	85.71%
<i>LENS Subtotal</i>	299,191	0	0	299,191	27,993	28,996	1,770	240,432	34,630	26,915	7,715	205,802	78.94%	85.60%	88.43%
<i>EDI Subtotal</i>	0	83,752	0	83,752	5,005	12,622	211	65,914	16,698	9,235	7,463	49,216	77.56%	74.67%	84.20%
<i>TAG Subtotal</i>	0	0	51,897	51,897	4,541	8,043	398	38,915	8,172	5,584	2,588	30,743	75.23%	79.00%	84.63%
TOTAL INTERFACES	299,191	83,752	51,897	434,840	37,539	49,661	2,379	345,261	59,500	41,734	17,766	285,761	78.28%	82.77%	87.26%

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
1	2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%	
2	29	0	0	29	0	4	5	20	11	7	4	9	56.25%	45.00%	56.25%	
3	26	0	0	26	2	6	0	18	8	7	1	10	52.63%	55.56%	58.82%	
4	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
5	0	0	3	3	1	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
6	82	0	0	82	2	45	0	35	2	0	2	33	94.29%	94.29%	100.00%	
7	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
8	78	0	0	78	18	10	1	49	16	7	9	33	56.90%	67.35%	82.50%	
9	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
10	90	0	0	90	14	17	0	59	3	3	0	56	76.71%	94.92%	94.92%	
11	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
12	6	0	0	6	1	2	0	3	0	0	0	3	75.00%	100.00%	100.00%	
13	29	0	0	29	4	0	0	25	10	7	3	15	57.69%	60.00%	68.18%	
14	1,805	0	0	1,805	216	38	12	1,539	202	180	22	1,337	77.15%	86.87%	88.13%	
15	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
16	4	0	0	4	3	0	0	1	0	0	0	1	25.00%	100.00%	100.00%	
17	7	0	0	7	0	3	0	4	1	1	0	3	75.00%	75.00%	75.00%	
18	74	0	0	74	5	8	1	60	0	0	0	60	92.31%	100.00%	100.00%	
19	115	0	0	115	11	3	1	100	19	19	0	81	72.97%	81.00%	81.00%	
20	534	0	0	534	21	25	2	486	80	72	8	406	81.36%	83.54%	84.94%	
21	0	29	0	29	4	2	0	23	5	3	2	18	72.00%	78.26%	85.71%	
22	87	0	0	87	4	7	0	76	6	6	0	70	87.50%	92.11%	92.11%	
23	55	0	0	55	18	12	0	25	5	3	2	20	48.78%	80.00%	86.96%	
24	737	0	0	737	67	89	0	581	37	30	7	544	84.87%	93.63%	94.77%	
25	700	0	0	700	62	42	0	596	58	36	22	538	84.59%	90.27%	93.73%	
26	515	0	0	515	40	10	2	463	24	21	3	439	87.80%	94.82%	95.43%	
27	2,244	0	0	2,244	190	165	9	1,880	162	126	36	1,718	84.46%	91.38%	93.17%	
28	49	0	0	49	5	5	0	39	1	1	0	38	86.36%	97.44%	97.44%	
29	174	0	0	174	15	26	1	132	18	15	3	114	79.17%	86.36%	88.37%	
30	26	0	0	26	1	5	0	20	2	2	0	18	85.71%	90.00%	90.00%	
31	109	0	0	109	11	8	1	89	7	7	0	82	82.00%	92.13%	92.13%	
32	331	0	0	331	13	24	0	294	15	15	0	279	90.88%	94.90%	94.90%	
33	85	0	0	85	5	10	0	70	4	4	0	66	88.00%	94.29%	94.29%	
34	151	0	0	151	18	27	0	106	12	11	1	94	76.42%	88.68%	89.52%	
35	510	0	0	510	122	26	1	361	45	27	18	316	67.96%	87.53%	92.13%	

AGGREGATE ORDER TYPES																											
Company Info				LSR PROCESSING									FLOWTHROUGH														
				LESOG																							
Mechanized Interface Used				Manual	Rejects	Validated			Errors																		
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through												
36	90	0	0	90	21	0	0	69	10	9	1	59	66.29%	85.51%	86.76%												
37	446	0	0	446	33	23	5	385	22	20	2	363	87.26%	94.29%	94.78%												
38	114	0	0	114	11	9	2	92	19	15	4	73	73.74%	79.35%	82.95%												
39	32,469	0	0	32,469	2,452	1,859	51	28,107	2,082	1,820	262	26,025	85.90%	92.59%	93.46%												
40	101	0	0	101	15	16	1	69	10	9	1	59	71.08%	85.51%	86.76%												
41	6,029	0	0	6,029	433	530	9	5,057	485	416	69	4,572	84.34%	90.41%	91.66%												
42	562	0	0	562	34	13	2	513	30	27	3	483	88.79%	94.15%	94.71%												
43	22	0	0	22	3	3	0	16	1	1	0	15	78.95%	93.75%	93.75%												
44	68	0	0	68	6	2	0	60	5	5	0	55	83.33%	91.67%	91.67%												
45	71	0	0	71	14	12	0	45	3	3	0	42	71.19%	93.33%	93.33%												
46	552	0	0	552	52	90	2	408	76	56	20	332	75.45%	81.37%	85.57%												
47	528	0	0	528	35	165	0	328	42	34	8	286	80.56%	87.20%	89.38%												
48	0	1,774	0	1,774	50	119	1	1,604	518	484	34	1,086	67.04%	67.71%	69.17%												
49	5	0	0	5	0	0	0	5	1	1	0	4	80.00%	80.00%	80.00%												
50	0	0	86	86	6	8	1	71	4	3	1	67	88.16%	94.37%	95.71%												
51	0	0	4	4	0	1	0	3	0	0	0	3	100.00%	100.00%	100.00%												
52	15	0	0	15	0	0	0	15	1	1	0	14	93.33%	93.33%	93.33%												
53	370	0	0	370	22	12	0	336	17	17	0	319	89.11%	94.94%	94.94%												
54	810	0	0	810	112	60	7	631	139	128	11	492	67.21%	77.97%	79.35%												
55	72	0	0	72	5	12	0	55	9	5	4	46	82.14%	83.64%	90.20%												
56	0	0	78	78	0	14	1	63	1	0	1	62	100.00%	98.41%	100.00%												
57	9	0	0	9	1	1	0	7	0	0	0	7	87.50%	100.00%	100.00%												
58	0	0	358	358	21	21	1	315	39	29	10	276	84.66%	87.62%	90.49%												
59	815	0	0	815	81	49	0	685	79	66	13	606	80.48%	88.47%	90.18%												
60	5	0	0	5	2	0	0	3	0	0	0	3	60.00%	100.00%	100.00%												
61	17	0	0	17	3	1	0	13	1	1	0	12	75.00%	92.31%	92.31%												
62	0	0	265	265	9	24	0	232	2	2	0	230	95.44%	99.14%	99.14%												
63	9	0	0	9	5	1	0	3	1	1	0	2	25.00%	66.67%	66.67%												
64	1,675	0	0	1,675	112	79	11	1,473	314	257	57	1,159	75.85%	78.68%	81.85%												
65	0	1,669	0	1,669	153	145	0	1,371	155	136	19	1,216	80.80%	88.69%	89.94%												
66	4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%												
67	0	0	1,499	1,499	259	127	7	1,106	220	188	32	886	66.47%	80.11%	82.50%												
68	6	0	0	6	1	0	0	5	0	0	0	5	83.33%	100.00%	100.00%												
69	1,309	0	0	1,309	84	99	9	1,117	183	144	39	934	80.38%	83.62%	86.64%												

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
70	82	0	0	82	9	1	0	72	11	10	1	61	76.25%	84.72%	85.92%	
71	9	0	0	9	0	2	0	7	2	1	1	5	83.33%	71.43%	83.33%	
72	147	0	0	147	15	9	2	121	16	11	5	105	80.15%	86.78%	90.52%	
73	58	0	0	58	3	5	0	50	8	7	1	42	80.77%	84.00%	85.71%	
74	0	0	772	772	10	70	0	692	6	4	2	686	98.00%	99.13%	99.42%	
75	138	0	0	138	4	15	0	119	10	3	7	109	93.97%	91.60%	97.32%	
76	1,057	0	0	1,057	144	62	4	847	54	42	12	793	81.00%	93.62%	94.97%	
77	13	0	0	13	1	0	0	12	2	2	0	10	76.92%	83.33%	83.33%	
78	133	0	0	133	15	17	0	101	32	25	7	69	63.30%	68.32%	73.40%	
79	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
80	5	0	0	5	1	2	0	2	0	0	0	2	66.67%	100.00%	100.00%	
81	29	0	0	29	5	1	0	23	4	3	1	19	70.37%	82.61%	86.36%	
82	127	0	0	127	13	12	2	100	15	12	3	85	77.27%	85.00%	87.63%	
83	1,158	0	0	1,158	92	83	10	973	132	96	36	841	81.73%	86.43%	89.75%	
84	0	0	8,660	8,660	173	843	17	7,627	734	611	123	6,893	89.79%	90.38%	91.86%	
85	5	0	0	5	0	2	0	3	1	1	0	2	66.67%	66.67%	66.67%	
86	0	54	0	54	3	7	0	44	16	11	5	28	66.67%	63.64%	71.79%	
87	111	0	0	111	16	12	0	83	16	12	4	67	70.53%	80.72%	84.81%	
88	448	0	0	448	13	11	0	424	55	42	13	369	87.03%	87.03%	89.78%	
89	0	42	0	42	0	8	0	34	7	7	0	27	79.41%	79.41%	79.41%	
90	80	0	0	80	2	3	1	74	7	5	2	67	90.54%	90.54%	93.06%	
91	8,675	0	0	8,675	345	638	23	7,669	365	276	89	7,304	92.16%	95.24%	96.36%	
92	0	51	0	51	1	8	1	41	18	10	8	23	67.65%	56.10%	69.70%	
93	3,203	0	0	3,203	235	191	5	2,772	269	234	35	2,503	84.22%	90.30%	91.45%	
94	22	0	0	22	0	9	0	13	1	1	0	12	92.31%	92.31%	92.31%	
95	105	0	0	105	8	21	2	74	23	17	6	51	67.11%	68.92%	75.00%	
96	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
97	41	0	0	41	9	2	0	30	6	4	2	24	64.86%	80.00%	85.71%	
98	713	0	0	713	17	35	0	661	54	49	5	607	90.19%	91.83%	92.53%	
99	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
100	11	0	0	11	0	0	0	11	0	0	0	11	100.00%	100.00%	100.00%	
101	80	0	0	80	1	9	0	70	0	0	0	70	98.59%	100.00%	100.00%	
102	0	12,323	0	12,323	220	4,111	5	7,987	4,836	589	4,247	3,151	79.57%	39.45%	84.25%	
103	249	0	0	249	20	49	0	180	31	29	2	149	75.25%	82.78%	83.71%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
104	278	0	0	278	35	14	4	225	46	37	9	179	71.31%	79.56%	82.87%	
105	547	0	0	547	35	31	2	479	74	62	12	405	80.68%	84.55%	86.72%	
106	0	0	2	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%	
107	10	0	0	10	0	2	0	8	0	0	0	8	100.00%	100.00%	100.00%	
108	0	0	518	518	154	39	1	324	27	18	9	297	63.33%	91.67%	94.29%	
109	2	0	0	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%	
110	1,244	0	0	1,244	82	369	0	793	30	20	10	763	88.21%	96.22%	97.45%	
111	0	4,349	0	4,349	99	454	2	3,794	1,340	1,221	119	2,454	65.02%	64.68%	66.78%	
112	0	3,064	0	3,064	43	425	0	2,596	752	686	66	1,844	71.67%	71.03%	72.89%	
113	805	0	0	805	62	295	0	448	14	8	6	434	86.11%	96.88%	98.19%	
114	0	2	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
115	36	0	0	36	4	0	0	32	3	3	0	29	80.56%	90.63%	90.63%	
116	5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
117	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
118	24	0	0	24	0	8	0	16	2	0	2	14	100.00%	87.50%	100.00%	
119	0	530	0	530	34	22	0	474	9	3	6	465	92.63%	98.10%	99.36%	
120	23	0	0	23	1	6	0	16	3	1	2	13	86.67%	81.25%	92.86%	
121	0	4,342	0	4,342	70	956	1	3,315	1,567	901	666	1,748	64.29%	52.73%	65.99%	
122	0	0	3	3	0	0	0	3	2	1	1	1	50.00%	33.33%	50.00%	
123	0	1,440	0	1,440	19	441	0	980	64	30	34	916	94.92%	93.47%	96.83%	
124	3,369	0	0	3,369	211	378	4	2,776	120	99	21	2,656	89.55%	95.68%	96.41%	
125	22	0	0	22	0	1	0	21	5	4	1	16	80.00%	76.19%	80.00%	
126	704	0	0	704	80	35	0	589	45	37	8	544	82.30%	92.36%	93.63%	
127	363	0	0	363	21	5	3	334	16	13	3	318	90.34%	95.21%	96.07%	
128	4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%	
129	10	0	0	10	0	1	0	9	2	2	0	7	77.78%	77.78%	77.78%	
130	0	0	4	4	1	1	0	2	2	1	1	0	0.00%	0.00%	0.00%	
131	94	0	0	94	8	17	2	67	9	6	3	58	80.56%	86.57%	90.63%	
132	0	0	179	179	16	25	2	136	39	29	10	97	68.31%	71.32%	76.98%	
133	334	0	0	334	25	49	3	257	45	34	11	212	78.23%	82.49%	86.18%	
134	514	0	0	514	36	52	0	426	19	16	3	407	88.67%	95.54%	96.22%	
135	64,373	0	0	64,373	5,501	11,710	480	46,682	10,907	8,066	2,841	35,775	72.50%	76.64%	81.60%	
136	577	0	0	577	28	450	7	92	7	2	5	85	73.91%	92.39%	97.70%	
137	494	0	0	494	49	28	1	416	34	27	7	382	83.41%	91.83%	93.40%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual		Rejects		Validated		Errors						
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
138	0	0	238	238	1	38	0	199	4	4	0	195	97.50%	97.99%	97.99%	
139	17	0	0	17	3	0	0	14	0	0	0	14	82.35%	100.00%	100.00%	
140	9	0	0	9	1	3	0	5	2	1	1	3	60.00%	60.00%	75.00%	
141	1,254	0	0	1,254	108	67	5	1,074	36	30	6	1,038	88.27%	96.65%	97.19%	
142	328	0	0	328	6	6	0	316	21	20	1	295	91.90%	93.35%	93.65%	
143	37	0	0	37	0	11	0	26	5	4	1	21	84.00%	80.77%	84.00%	
144	477	0	0	477	41	35	1	400	44	41	3	356	81.28%	89.00%	89.67%	
145	370	0	0	370	49	10	0	311	20	19	1	291	81.06%	93.57%	93.87%	
146	858	0	0	858	53	19	1	785	56	48	8	729	87.83%	92.87%	93.82%	
147	1,294	0	0	1,294	91	19	1	1,183	24	22	2	1,159	91.12%	97.97%	98.14%	
148	0	0	3,273	3,273	18	491	31	2,733	1,018	502	516	1,715	76.73%	62.75%	77.36%	
149	0	0	3,441	3,441	112	45	17	3,267	655	580	75	2,612	79.06%	79.95%	81.83%	
150	12,163	0	0	12,163	728	531	8	10,896	551	500	51	10,345	89.39%	94.94%	95.39%	
151	633	0	0	633	33	48	2	550	31	24	7	519	90.10%	94.36%	95.58%	
152	341	0	0	341	32	59	1	249	45	28	17	204	77.27%	81.93%	87.93%	
153	13	0	0	13	0	2	0	11	8	6	2	3	33.33%	27.27%	33.33%	
154	12	0	0	12	0	8	0	4	2	1	1	2	66.67%	50.00%	66.67%	
155	4	0	0	4	0	3	0	1	1	1	0	0	0.00%	0.00%	0.00%	
156	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
157	0	42	0	42	1	7	0	34	2	1	1	32	94.12%	94.12%	96.97%	
158	11	0	0	11	1	1	0	9	1	1	0	8	80.00%	88.89%	88.89%	
159	409	0	0	409	39	15	5	350	47	37	10	303	79.95%	86.57%	89.12%	
160	93	0	0	93	18	5	2	68	7	6	1	61	71.76%	89.71%	91.04%	
161	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
162	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
163	49	0	0	49	6	15	6	22	10	1	9	12	63.16%	54.55%	92.31%	
164	451	0	0	451	82	25	1	343	66	57	9	277	66.59%	80.76%	82.93%	
165	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
166	14	0	0	14	2	4	0	8	4	0	4	4	66.67%	50.00%	100.00%	
167	36	0	0	36	4	10	0	22	0	0	0	22	84.62%	100.00%	100.00%	
168	75	0	0	75	3	7	0	65	6	3	3	59	90.77%	90.77%	95.16%	
169	355	0	0	355	28	18	1	308	45	42	3	263	78.98%	85.39%	86.23%	
170	4	0	0	4	0	1	0	3	1	1	0	2	66.67%	66.67%	66.67%	
171	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	

AGGREGATE ORDER TYPES																											
Company Info				LSR PROCESSING									FLOWTHROUGH														
				LESOG																							
Mechanized Interface Used				Manual	Rejects	Validated			Errors																		
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through												
172	18	0	0	18	2	3	0	13	2	2	0	11	73.33%	84.62%	84.62%												
173	26	0	0	26	10	1	2	13	5	1	4	8	42.11%	61.54%	88.89%												
174	16	0	0	16	0	12	0	4	0	0	0	4	100.00%	100.00%	100.00%												
175	1,556	0	0	1,556	107	30	4	1,415	62	51	11	1,353	89.54%	95.62%	96.37%												
176	2,061	0	0	2,061	192	86	2	1,781	191	119	72	1,590	83.64%	89.28%	93.04%												
177	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%												
178	2,488	0	0	2,488	324	130	8	2,026	235	178	57	1,791	78.11%	88.40%	90.96%												
179	5	0	0	5	0	2	0	3	1	1	0	2	66.67%	66.67%	66.67%												
180	0	0	31	31	5	23	0	3	2	1	1	1	14.29%	33.33%	50.00%												
181	0	0	7	7	0	1	0	6	0	0	0	6	100.00%	100.00%	100.00%												
182	267	0	0	267	41	15	1	210	18	18	0	192	76.49%	91.43%	91.43%												
183	47	0	0	47	16	3	0	28	0	0	0	28	63.64%	100.00%	100.00%												
184	63	0	0	63	13	2	0	48	1	0	1	47	78.33%	97.92%	100.00%												
185	20	0	0	20	2	3	0	15	0	0	0	15	88.24%	100.00%	100.00%												
186	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%												
187	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%												
188	0	0	113	113	3	14	0	96	3	2	1	93	94.90%	96.88%	97.89%												
189	1,663	0	0	1,663	139	137	0	1,387	85	71	14	1,302	86.11%	93.87%	94.83%												
190	392	0	0	392	37	30	3	322	46	45	1	276	77.09%	85.71%	85.98%												
191	8,391	0	0	8,391	390	572	14	7,415	818	638	180	6,597	86.52%	88.97%	91.18%												
192	115	0	0	115	23	6	0	86	2	2	0	84	77.06%	97.67%	97.67%												
193	7	0	0	7	3	0	0	4	2	2	0	2	28.57%	50.00%	50.00%												
194	23	0	0	23	5	0	1	17	0	0	0	17	77.27%	100.00%	100.00%												
195	661	0	0	661	87	70	1	503	40	35	5	463	79.15%	92.05%	92.97%												
196	1,597	0	0	1,597	106	94	1	1,396	84	75	9	1,312	87.88%	93.98%	94.59%												
197	0	0	3	3	0	0	0	3	3	0	3	0	0.00%	0.00%	0.00%												
198	65	0	0	65	3	8	1	53	11	7	4	42	80.77%	79.25%	85.71%												
199	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%												
200	2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%												
201	2,517	0	0	2,517	279	186	7	2,045	181	145	36	1,864	81.47%	91.15%	92.78%												
202	33	0	0	33	4	0	0	29	8	8	0	21	63.64%	72.41%	72.41%												
203	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%												
204	6	0	0	6	0	0	0	6	2	2	0	4	66.67%	66.67%	66.67%												
205	10	0	0	10	1	3	0	6	0	0	0	6	85.71%	100.00%	100.00%												

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
206	504	0	0	504	43	19	1	441	32	24	8	409	85.92%	92.74%	94.46%	
207	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
208	10	0	0	10	0	1	0	9	0	0	0	9	100.00%	100.00%	100.00%	
209	0	8	0	8	0	2	0	6	3	2	1	3	60.00%	50.00%	60.00%	
210	965	0	0	965	79	85	4	797	62	38	24	735	86.27%	92.22%	95.08%	
211	2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%	
212	383	0	0	383	49	20	0	314	23	13	10	291	82.44%	92.68%	95.72%	
213	170	0	0	170	7	13	0	150	4	4	0	146	92.99%	97.33%	97.33%	
214	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
215	4	0	0	4	1	0	0	3	1	1	0	2	50.00%	66.67%	66.67%	
216	5	0	0	5	0	3	0	2	2	1	1	0	0.00%	0.00%	0.00%	
217	3,115	0	0	3,115	329	203	14	2,569	173	132	41	2,396	83.86%	93.27%	94.78%	
218	1,617	0	0	1,617	110	67	6	1,434	91	67	24	1,343	88.36%	93.65%	95.25%	
219	1,072	0	0	1,072	132	44	9	887	128	114	14	759	75.52%	85.57%	86.94%	
220	2,283	0	0	2,283	247	70	5	1,961	124	110	14	1,837	83.73%	93.68%	94.35%	
221	219	0	0	219	20	11	4	184	21	13	8	163	83.16%	88.59%	92.61%	
222	94	0	0	94	17	1	0	76	2	2	0	74	79.57%	97.37%	97.37%	
223	0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
224	24	0	0	24	1	0	2	21	2	1	1	19	90.48%	90.48%	95.00%	
225	221	0	0	221	26	19	1	175	104	79	25	71	40.34%	40.57%	47.33%	
226	129	0	0	129	10	8	1	110	9	7	2	101	85.59%	91.82%	93.52%	
227	304	0	0	304	28	26	3	247	52	36	16	195	75.29%	78.95%	84.42%	
228	22	0	0	22	0	1	1	20	6	5	1	14	73.68%	70.00%	73.68%	
229	150	0	0	150	12	7	1	130	53	44	9	77	57.89%	59.23%	63.64%	
230	0	2	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
231	771	0	0	771	130	34	1	606	40	32	8	566	77.75%	93.40%	94.65%	
232	192	0	0	192	18	6	1	167	14	12	2	153	83.61%	91.62%	92.73%	
233	56	0	0	56	5	17	4	30	4	1	3	26	81.25%	86.67%	96.30%	
234	0	0	528	528	7	46	0	475	5	3	2	470	97.92%	98.95%	99.37%	
235	565	0	0	565	63	23	0	479	45	39	6	434	80.97%	90.61%	91.75%	
236	6	0	0	6	0	3	0	3	0	0	0	3	100.00%	100.00%	100.00%	
237	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
238	394	0	0	394	42	21	2	329	34	24	10	295	81.72%	89.67%	92.48%	
239	311	0	0	311	53	8	3	247	36	30	6	211	71.77%	85.43%	87.55%	

AGGREGATE ORDER TYPES																											
Company Info				LSR PROCESSING									FLOWTHROUGH														
				LESOG																							
Mechanized Interface Used				Manual	Rejects	Validated			Errors																		
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through												
240	168	0	0	168	16	6	1	145	13	12	1	132	82.50%	91.03%	91.67%												
241	142	0	0	142	23	8	0	111	5	4	1	106	79.70%	95.50%	96.36%												
242	12	0	0	12	1	2	1	8	2	2	0	6	66.67%	75.00%	75.00%												
243	0	0	320	320	10	38	0	272	14	13	1	258	91.81%	94.85%	95.20%												
244	613	0	0	613	44	38	3	528	44	39	5	484	85.36%	91.67%	92.54%												
245	4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%	100.00%												
246	813	0	0	813	77	73	2	661	69	61	8	592	81.10%	89.56%	90.66%												
247	38	0	0	38	0	1	0	37	7	5	2	30	85.71%	81.08%	85.71%												
248	247	0	0	247	21	8	2	216	31	26	5	185	79.74%	85.65%	87.68%												
249	0	2	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%												
250	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%												
251	98	0	0	98	6	5	0	87	20	18	2	67	73.63%	77.01%	78.82%												
252	100	0	0	100	36	5	0	59	19	19	0	40	42.11%	67.80%	67.80%												
253	8	0	0	8	0	2	1	5	3	2	1	2	50.00%	40.00%	50.00%												
254	295	0	0	295	25	20	1	249	13	13	0	236	86.13%	94.78%	94.78%												
255	19	0	0	19	0	1	0	18	1	1	0	17	94.44%	94.44%	94.44%												
256	147	0	0	147	29	35	5	78	26	15	11	52	54.17%	66.67%	77.61%												
257	1,779	0	0	1,779	264	147	11	1,357	106	90	16	1,251	77.94%	92.19%	93.29%												
258	105	0	0	105	16	6	1	82	14	10	4	68	72.34%	82.93%	87.18%												
259	52	0	0	52	5	5	0	42	7	5	2	35	77.78%	83.33%	87.50%												
260	3	0	0	3	1	1	0	1	0	0	0	1	50.00%	100.00%	100.00%												
261	4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%												
262	266	0	0	266	25	9	0	232	15	13	2	217	85.10%	93.53%	94.35%												
263	5,174	0	0	5,174	368	415	19	4,372	670	467	203	3,702	81.60%	84.68%	88.80%												
264	2,262	0	0	2,262	244	154	15	1,849	126	92	34	1,723	83.68%	93.19%	94.93%												
265	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%												
266	73	0	0	73	15	5	0	53	6	2	4	47	73.44%	88.68%	95.92%												
267	2,147	0	0	2,147	196	113	6	1,832	410	372	38	1,422	71.46%	77.62%	79.26%												
268	4	0	0	4	0	1	0	3	1	0	1	2	100.00%	66.67%	100.00%												
269	0	0	27	27	7	12	1	7	1	1	0	6	42.86%	85.71%	85.71%												
270	709	0	0	709	32	56	4	617	57	29	28	560	90.18%	90.76%	95.08%												
271	2,282	0	0	2,282	156	172	6	1,948	185	142	43	1,763	85.54%	90.50%	92.55%												
272	867	0	0	867	133	15	5	714	185	183	2	529	62.60%	74.09%	74.30%												
273	36	0	0	36	2	1	0	33	5	4	1	28	82.35%	84.85%	87.50%												

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
274	56	0	0	56	4	3	1	48	3	3	0	45	86.54%	93.75%	93.75%	
275	6	0	0	6	0	2	1	3	1	0	1	2	100.00%	66.67%	100.00%	
276	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
277	366	0	0	366	16	27	4	319	18	16	2	301	90.39%	94.36%	94.95%	
278	9	0	0	9	1	2	0	6	0	0	0	6	85.71%	100.00%	100.00%	
279	1,398	0	0	1,398	294	103	0	1,001	130	112	18	871	68.21%	87.01%	88.61%	
280	1,390	0	0	1,390	146	117	6	1,121	129	76	53	992	81.71%	88.49%	92.88%	
281	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
282	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
283	6	0	0	6	0	0	1	5	0	0	0	5	100.00%	100.00%	100.00%	
284	0	1	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
285	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
286	33	0	0	33	6	1	0	26	3	2	1	23	74.19%	88.46%	92.00%	
287	16	0	0	16	2	0	0	14	1	1	0	13	81.25%	92.86%	92.86%	
288	93	0	0	93	16	6	3	68	14	9	5	54	68.35%	79.41%	85.71%	
289	178	0	0	178	23	8	0	147	19	17	2	128	76.19%	87.07%	88.28%	
290	7	0	0	7	0	4	0	3	2	1	1	1	50.00%	33.33%	50.00%	
291	2,285	0	0	2,285	224	66	18	1,977	172	148	24	1,805	82.91%	91.30%	92.42%	
292	412	0	0	412	68	30	4	310	36	32	4	274	73.26%	88.39%	89.54%	
293	328	0	0	328	35	21	1	271	31	28	3	240	79.21%	88.56%	89.55%	
294	26	0	0	26	3	5	0	18	2	0	2	16	84.21%	88.89%	100.00%	
295	415	0	0	415	45	76	2	292	33	23	10	259	79.20%	88.70%	91.84%	
296	98	0	0	98	20	10	0	68	27	24	3	41	48.24%	60.29%	63.08%	
297	832	0	0	832	98	32	3	699	54	54	0	645	80.93%	92.27%	92.27%	
298	5	0	0	5	0	2	0	3	2	0	2	1	100.00%	33.33%	100.00%	
299	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
300	0	17	0	17	3	1	0	13	4	1	3	9	69.23%	69.23%	90.00%	
301	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
<i>LENS Subtotal</i>	226,767	0	0	226,767	18,829	23,155	959	183,824	23,388	18,260	5,128	160,436	81.22%	87.28%	89.78%	
<i>EDI Subtotal</i>	0	29,744	0	29,744	703	6,709	10	22,322	9,297	4,086	5,211	13,025	73.12%	58.35%	76.12%	
<i>TAG Subtotal</i>	0	0	20,415	20,415	813	1,884	79	17,639	2,782	1,992	790	14,857	84.12%	84.23%	88.18%	
TOTAL INTERFACES	226,767	29,744	20,415	276,926	20,345	31,748	1,048	223,785	35,467	24,338	11,129	188,318	80.82%	84.15%	88.56%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES															
Company Info				LSR PROCESSING								FLOWTHROUGH			
				LESOG											
Mechanized Interface Used				Manual	Rejects	Validated			Errors						
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
1	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
2	16	0	0	16	5	4	0	7	4	4	0	3	25.00%	42.86%	42.86%
3	0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
4	3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
5	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
6	5	0	0	5	0	2	0	3	2	0	2	1	100.00%	33.33%	100.00%
7	22	0	0	22	10	1	0	11	4	3	1	7	35.00%	63.64%	70.00%
8	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
9	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
10	3	0	0	3	0	0	0	3	1	0	1	2	100.00%	66.67%	100.00%
11	0	0	34	34	9	6	0	19	12	1	11	7	41.18%	36.84%	47.50%
12	16	0	0	16	5	1	0	10	1	1	0	9	60.00%	90.00%	90.00%
13	403	0	0	403	344	14	1	44	13	6	7	31	8.14%	70.45%	83.78%
14	11	0	0	11	1	0	0	10	3	2	1	7	70.00%	70.00%	77.78%
15	0	1	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
16	34	0	0	34	2	6	0	26	2	2	0	24	85.71%	92.31%	92.31%
17	0	117	0	117	11	26	2	78	44	27	17	34	47.22%	43.59%	55.74%
18	305	0	0	305	45	34	1	225	26	21	5	199	75.09%	88.44%	90.45%
19	21	0	0	21	3	2	0	16	10	3	7	6	50.00%	37.50%	66.67%
20	41	0	0	41	11	4	3	23	14	9	5	9	31.03%	39.13%	50.00%
21	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
22	15	0	0	15	4	1	1	9	2	1	1	7	58.33%	77.78%	87.50%
23	56	0	0	56	7	1	0	48	8	8	0	40	72.73%	83.33%	83.33%
24	73	0	0	73	9	4	0	60	8	7	1	52	76.47%	86.67%	88.14%
25	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
26	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
27	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
28	143	0	0	143	36	21	1	85	15	11	4	70	59.83%	82.35%	86.42%
29	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
30	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
31	47	0	0	47	2	11	1	33	12	10	2	21	63.64%	63.64%	67.74%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
32	5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
33	32	0	0	32	2	3	1	26	5	5	0	21	75.00%	80.77%	80.77%	
34	31	0	0	31	4	4	0	23	4	3	1	19	73.08%	82.61%	86.36%	
35	118	0	0	118	25	24	1	68	12	9	3	56	62.22%	82.35%	86.15%	
36	63	0	0	63	3	7	3	50	10	9	1	40	76.92%	80.00%	81.63%	
37	3	0	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%	
38	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
39	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
40	809	0	0	809	221	101	6	481	85	60	25	396	58.49%	82.33%	86.84%	
41	17	0	0	17	1	2	0	14	2	1	1	12	85.71%	85.71%	92.31%	
42	0	0	101	101	38	11	0	52	22	10	12	30	38.46%	57.69%	75.00%	
43	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
44	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
45	10	0	0	10	2	3	0	5	0	0	0	5	71.43%	100.00%	100.00%	
46	3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%	
47	0	0	13	13	6	0	0	7	2	2	0	5	38.46%	71.43%	71.43%	
48	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
49	38	0	0	38	12	4	0	22	7	5	2	15	46.88%	68.18%	75.00%	
50	37	0	0	37	10	10	3	14	7	6	1	7	30.43%	50.00%	53.85%	
51	10	0	0	10	0	1	0	9	0	0	0	9	100.00%	100.00%	100.00%	
52	0	0	2	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
53	6	0	0	6	0	1	0	5	1	1	0	4	80.00%	80.00%	80.00%	
54	4	0	0	4	1	0	0	3	1	1	0	2	50.00%	66.67%	66.67%	
55	150	0	0	150	60	17	1	72	13	11	2	59	45.38%	81.94%	84.29%	
56	20	0	0	20	1	7	2	10	1	1	0	9	81.82%	90.00%	90.00%	
57	0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
58	357	0	0	357	44	44	2	267	77	60	17	190	64.63%	71.16%	76.00%	
59	24	0	0	24	5	7	1	11	0	0	0	11	68.75%	100.00%	100.00%	
60	0	45	0	45	14	9	0	22	7	4	3	15	45.45%	68.18%	78.95%	
61	92	0	0	92	16	12	0	64	20	16	4	44	57.89%	68.75%	73.33%	
62	55	0	0	55	3	8	2	42	16	13	3	26	61.90%	61.90%	66.67%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual		Rejects		Validated		Errors						
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
63	0	0	5	5	0	3	0	2	0	0	0	2	100.00%	100.00%	100.00%	
64	22	0	0	22	4	0	0	18	9	5	4	9	50.00%	50.00%	64.29%	
65	58	0	0	58	11	0	0	47	39	29	10	8	16.67%	17.02%	21.62%	
66	0	228	0	228	20	35	3	170	68	55	13	102	57.63%	60.00%	64.97%	
67	117	0	0	117	12	10	3	92	15	13	2	77	75.49%	83.70%	85.56%	
68	917	0	0	917	190	176	13	538	246	174	72	292	44.51%	54.28%	62.66%	
69	0	0	3	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
70	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
71	23	0	0	23	9	1	0	13	5	4	1	8	38.10%	61.54%	66.67%	
72	0	0	8	8	0	5	0	3	1	0	1	2	100.00%	66.67%	100.00%	
73	0	0	344	344	169	19	2	154	35	20	15	119	38.64%	77.27%	85.61%	
74	11	0	0	11	3	0	0	8	3	3	0	5	45.45%	62.50%	62.50%	
75	8	0	0	8	0	1	0	7	4	3	1	3	50.00%	42.86%	50.00%	
76	486	0	0	486	64	95	2	325	79	57	22	246	67.03%	75.69%	81.19%	
77	103	0	0	103	17	7	0	79	11	9	2	68	72.34%	86.08%	88.31%	
78	59	0	0	59	5	8	0	46	17	14	3	29	60.42%	63.04%	67.44%	
79	13	0	0	13	4	7	0	2	0	0	0	2	33.33%	100.00%	100.00%	
80	2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%	
81	53	0	0	53	7	4	0	42	14	9	5	28	63.64%	66.67%	75.68%	
82	0	0	138	138	55	16	2	65	22	14	8	43	38.39%	66.15%	75.44%	
83	37	0	0	37	9	3	0	25	6	1	5	19	65.52%	76.00%	95.00%	
84	0	10	0	10	4	1	0	5	2	0	2	3	42.86%	60.00%	100.00%	
85	25	0	0	25	7	0	1	17	13	9	4	4	20.00%	23.53%	30.77%	
86	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
87	5	0	0	5	0	0	0	5	1	0	1	4	100.00%	80.00%	100.00%	
88	0	0	5	5	3	0	0	2	0	0	0	2	40.00%	100.00%	100.00%	
89	0	40	0	40	30	0	0	10	0	0	0	10	25.00%	100.00%	100.00%	
90	5	0	0	5	1	3	0	1	1	1	0	0	0.00%	0.00%	0.00%	
91	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
92	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
93	3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
94	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
95	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
96	118	0	0	118	22	27	1	68	18	12	6	50	59.52%	73.53%	80.65%	
97	21	0	0	21	3	4	0	14	3	2	1	11	68.75%	78.57%	84.62%	
98	0	0	21	21	11	6	0	4	0	0	0	4	26.67%	100.00%	100.00%	
99	3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%	
100	7	0	0	7	4	0	0	3	0	0	0	3	42.86%	100.00%	100.00%	
101	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
102	2	0	0	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%	
103	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
104	7	0	0	7	1	0	0	6	4	2	2	2	40.00%	33.33%	50.00%	
105	0	12	0	12	1	2	0	9	5	3	2	4	50.00%	44.44%	57.14%	
106	179	0	0	179	42	28	3	106	32	25	7	74	52.48%	69.81%	74.75%	
107	0	0	88	88	47	7	0	34	16	13	3	18	23.08%	52.94%	58.06%	
108	3,494	0	0	3,494	478	608	79	2,329	847	601	246	1,482	57.87%	63.63%	71.15%	
109	45	0	0	45	1	35	0	9	0	0	0	9	90.00%	100.00%	100.00%	
110	6	0	0	6	1	3	0	2	0	0	0	2	66.67%	100.00%	100.00%	
111	75	0	0	75	12	5	1	57	13	10	3	44	66.67%	77.19%	81.48%	
112	2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%	
113	250	0	0	250	18	48	6	178	116	86	30	62	37.35%	34.83%	41.89%	
114	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
115	5	0	0	5	1	0	1	3	1	1	0	2	50.00%	66.67%	66.67%	
116	13	0	0	13	1	0	0	12	2	1	1	10	83.33%	83.33%	90.91%	
117	17	0	0	17	4	0	0	13	1	1	0	12	70.59%	92.31%	92.31%	
118	6	0	0	6	2	0	0	4	3	2	1	1	20.00%	25.00%	33.33%	
119	6	0	0	6	2	0	0	4	3	3	0	1	16.67%	25.00%	25.00%	
120	0	0	27	27	0	3	0	24	15	8	7	9	52.94%	37.50%	52.94%	
121	7	0	0	7	3	0	1	3	1	0	1	2	40.00%	66.67%	100.00%	
122	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
123	27	0	0	27	0	2	0	25	1	1	0	24	96.00%	96.00%	96.00%	
124	16	0	0	16	0	6	0	10	6	4	2	4	50.00%	40.00%	50.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated		Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
125	6	0	0	6	0	1	0	5	3	1	2	2	66.67%	40.00%	66.67%	
126	5	0	0	5	0	4	0	1	0	0	0	1	100.00%	100.00%	100.00%	
127	25	0	0	25	10	0	3	12	4	1	3	8	42.11%	66.67%	88.89%	
128	0	42	0	42	21	3	0	18	14	11	3	4	11.11%	22.22%	26.67%	
129	11	0	0	11	2	5	0	4	0	0	0	4	66.67%	100.00%	100.00%	
130	2	0	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
131	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
132	17	0	0	17	6	0	0	11	4	3	1	7	43.75%	63.64%	70.00%	
133	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
134	4	0	0	4	3	0	0	1	0	0	0	1	25.00%	100.00%	100.00%	
135	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
136	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
137	4	0	0	4	0	4	0	0	0	0	0	0	0.00%	0.00%	0.00%	
138	4	0	0	4	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%	
139	9	0	0	9	1	1	0	7	4	3	1	3	42.86%	42.86%	50.00%	
140	17	0	0	17	3	3	0	11	3	3	0	8	57.14%	72.73%	72.73%	
141	0	0	4	4	2	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
142	13	0	0	13	2	0	0	11	0	0	0	11	84.62%	100.00%	100.00%	
143	78	0	0	78	18	8	3	49	8	4	4	41	65.08%	83.67%	91.11%	
144	2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%	
145	19	0	0	19	3	2	2	12	4	3	1	8	57.14%	66.67%	72.73%	
146	7	0	0	7	2	1	0	4	1	1	0	3	50.00%	75.00%	75.00%	
147	7	0	0	7	0	2	0	5	1	1	0	4	80.00%	80.00%	80.00%	
148	0	0	4	4	0	1	0	3	2	0	2	1	100.00%	33.33%	100.00%	
149	38	0	0	38	1	9	0	28	6	5	1	22	78.57%	78.57%	81.48%	
150	24	0	0	24	0	0	1	23	1	0	1	22	100.00%	95.65%	100.00%	
151	14	0	0	14	2	0	0	12	5	4	1	7	53.85%	58.33%	63.64%	
152	28	0	0	28	2	6	0	20	4	3	1	16	76.19%	80.00%	84.21%	
153	0	0	33	33	10	7	0	16	4	0	4	12	54.55%	75.00%	100.00%	
154	8	0	0	8	0	6	0	2	2	1	1	0	0.00%	0.00%	0.00%	
155	5	0	0	5	1	1	0	3	0	0	0	3	75.00%	100.00%	100.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
156	0	0	3	3	1	0	0	2	2	0	2	0	0.00%	0.00%	0.00%	
157	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
158	0	0	20	20	4	7	0	9	5	1	4	4	44.44%	44.44%	80.00%	
159	28	0	0	28	2	3	0	23	6	6	0	17	68.00%	73.91%	73.91%	
160	23	0	0	23	1	0	0	22	18	13	5	4	22.22%	18.18%	23.53%	
161	13	0	0	13	6	0	0	7	4	2	2	3	27.27%	42.86%	60.00%	
162	9	0	0	9	1	0	0	8	1	1	0	7	77.78%	87.50%	87.50%	
163	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
164	3	0	0	3	0	0	1	2	1	1	0	1	50.00%	50.00%	50.00%	
165	20	0	0	20	17	1	0	2	0	0	0	2	10.53%	100.00%	100.00%	
166	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
167	30	0	0	30	27	2	0	1	1	1	0	0	0.00%	0.00%	0.00%	
168	2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%	
169	8	0	0	8	4	1	0	3	1	1	0	2	28.57%	66.67%	66.67%	
170	16	0	0	16	2	1	0	13	2	1	1	11	78.57%	84.62%	91.67%	
171	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
172	6	0	0	6	1	0	0	5	0	0	0	5	83.33%	100.00%	100.00%	
173	6	0	0	6	1	2	0	3	1	0	1	2	66.67%	66.67%	100.00%	
174	10	0	0	10	5	0	0	5	1	0	1	4	44.44%	80.00%	100.00%	
175	13	0	0	13	6	0	0	7	1	1	0	6	46.15%	85.71%	85.71%	
176	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
177	20	0	0	20	5	0	2	13	8	6	2	5	31.25%	38.46%	45.45%	
178	6	0	0	6	3	0	0	3	0	0	0	3	50.00%	100.00%	100.00%	
179	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
180	63	0	0	63	8	0	6	49	30	21	9	19	39.58%	38.78%	47.50%	
181	8	0	0	8	0	1	0	7	5	3	2	2	40.00%	28.57%	40.00%	
182	40	0	0	40	1	1	1	37	12	4	8	25	83.33%	67.57%	86.21%	
183	8	0	0	8	2	1	0	5	1	0	1	4	66.67%	80.00%	100.00%	
184	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
185	18	0	0	18	6	4	0	8	3	1	2	5	41.67%	62.50%	83.33%	
186	15	0	0	15	1	2	0	12	3	1	2	9	81.82%	75.00%	90.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																	
Company Info				LSR PROCESSING									FLOWTHROUGH				
				LESOG													
Mechanized Interface Used				Manual	Rejects	Validated			Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through		
187	11	0	0	11	7	0	0	4	2	1	1	2	20.00%	50.00%	66.67%		
188	4	0	0	4	0	4	0	0	0	0	0	0	0.00%	0.00%	0.00%		
189	5	0	0	5	0	0	0	5	1	1	0	4	80.00%	80.00%	80.00%		
190	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%		
191	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%		
192	7	0	0	7	0	0	0	7	5	2	3	2	50.00%	28.57%	50.00%		
193	4	0	0	4	0	3	0	1	0	0	0	1	100.00%	100.00%	100.00%		
194	1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%		
195	5	0	0	5	0	4	0	1	0	0	0	1	100.00%	100.00%	100.00%		
196	31	0	0	31	10	2	1	18	5	2	3	13	52.00%	72.22%	86.67%		
197	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%		
198	3	0	0	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
199	0	0	10	10	0	1	3	6	5	1	4	1	50.00%	16.67%	50.00%		
200	27	0	0	27	2	0	0	25	3	3	0	22	81.48%	88.00%	88.00%		
201	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%		
202	45	0	0	45	4	12	1	28	8	3	5	20	74.07%	71.43%	86.96%		
203	15	0	0	15	3	6	0	6	2	1	1	4	50.00%	66.67%	80.00%		
204	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%		
205	0	3	0	3	1	0	0	2	1	0	1	1	50.00%	50.00%	100.00%		
206	16	0	0	16	0	4	0	12	1	1	0	11	91.67%	91.67%	91.67%		
207	67	0	0	67	14	9	0	44	1	1	0	43	74.14%	97.73%	97.73%		
208	0	0	11	11	1	1	0	9	6	4	2	3	37.50%	33.33%	42.86%		
209	0	0	10	10	0	3	0	7	3	3	0	4	57.14%	57.14%	57.14%		
210	9	0	0	9	3	0	1	5	0	0	0	5	62.50%	100.00%	100.00%		
211	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
212	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%		
213	0	105	0	105	5	20	1	79	40	30	10	39	52.70%	49.37%	56.52%		
214	0	0	39	39	5	0	0	34	9	5	4	25	71.43%	73.53%	83.33%		
215	11	0	0	11	0	7	0	4	0	0	0	4	100.00%	100.00%	100.00%		
216	0	0	26	26	4	0	0	22	12	8	4	10	45.45%	45.45%	55.56%		
217	107	0	0	107	16	11	0	80	28	24	4	52	56.52%	65.00%	68.42%		

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																	
Company Info				LSR PROCESSING									FLOWTHROUGH				
				LESOG													
Mechanized Interface Used				Manual	Rejects	Validated			Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through		
218	2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%		
219	0	0	42	42	6	2	0	34	12	7	5	22	62.86%	64.71%	75.86%		
220	7	0	0	7	2	2	0	3	0	0	0	3	60.00%	100.00%	100.00%		
221	0	8	0	8	1	2	0	5	3	0	3	2	66.67%	40.00%	100.00%		
222	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%		
223	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%		
224	1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
225	8	0	0	8	0	1	1	6	0	0	0	6	100.00%	100.00%	100.00%		
<i>LENS Subtotal</i>	10,516	0	0	10,516	2,069	1,598	164	6,685	2,118	1,515	603	4,567	56.03%	68.32%	75.09%		
<i>EDI Subtotal</i>	0	613	0	613	108	99	6	400	185	130	55	215	47.46%	53.75%	62.32%		
<i>TAG Subtotal</i>	0	0	993	993	376	101	7	509	185	97	88	324	40.65%	63.65%	76.96%		
TOTAL INTERFACES	10,516	613	993	12,122	2,553	1,798	177	7,594	2,488	1,742	746	5,106	54.31%	67.24%	74.56%		

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated		Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
1	0	0	2	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%	
2	20	0	0	20	1	0	1	18	3	2	1	15	83.33%	83.33%	88.24%	
3	103	0	0	103	17	5	0	81	15	11	4	66	70.21%	81.48%	85.71%	
4	12	0	0	12	4	0	0	8	5	2	3	3	33.33%	37.50%	60.00%	
5	7	0	0	7	1	0	0	6	0	0	0	6	85.71%	100.00%	100.00%	
6	9	0	0	9	1	0	1	7	2	1	1	5	71.43%	71.43%	83.33%	
7	3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%	
8	16	0	0	16	0	0	0	16	10	1	9	6	85.71%	37.50%	85.71%	
9	4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%	
10	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
11	248	0	0	248	7	25	0	216	45	37	8	171	79.53%	79.17%	82.21%	
12	247	0	0	247	13	24	0	210	41	24	17	169	82.04%	80.48%	87.56%	
13	16	0	0	16	0	1	2	13	1	1	0	12	92.31%	92.31%	92.31%	
14	0	0	31	31	14	1	0	16	1	0	1	15	51.72%	93.75%	100.00%	
15	4	0	0	4	0	1	1	2	0	0	0	2	100.00%	100.00%	100.00%	
16	28	0	0	28	2	1	0	25	7	5	2	18	72.00%	72.00%	78.26%	
17	0	0	500	500	64	20	5	411	17	15	2	394	83.30%	95.86%	96.33%	
18	0	0	3	3	0	1	0	2	2	0	2	0	0.00%	0.00%	0.00%	
19	13	0	0	13	0	0	0	13	3	2	1	10	83.33%	76.92%	83.33%	
20	0	0	52	52	16	9	0	27	11	4	7	16	44.44%	59.26%	80.00%	
21	4	0	0	4	1	0	0	3	1	0	1	2	66.67%	66.67%	100.00%	
22	0	0	29	29	12	4	0	13	10	7	3	3	13.64%	23.08%	30.00%	
23	11,481	0	0	11,481	280	245	48	10,908	437	393	44	10,471	93.96%	95.99%	96.38%	
24	0	0	3,026	3,026	332	276	33	2,385	393	189	204	1,992	79.27%	83.52%	91.33%	
25	98	0	0	98	12	8	1	77	10	9	1	67	76.14%	87.01%	88.16%	
26	0	330	0	330	35	32	1	262	65	56	9	197	68.40%	75.19%	77.87%	
27	8	0	0	8	1	3	0	4	2	2	0	2	40.00%	50.00%	50.00%	
28	120	0	0	120	1	10	0	109	27	23	4	82	77.36%	75.23%	78.10%	
29	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
30	10	0	0	10	0	1	0	9	3	2	1	6	75.00%	66.67%	75.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
31	27	0	0	27	4	4	0	19	12	7	5	7	38.89%	36.84%	50.00%	
32	26	0	0	26	2	2	0	22	3	1	2	19	86.36%	86.36%	95.00%	
33	0	132	0	132	13	16	3	100	32	22	10	68	66.02%	68.00%	75.56%	
34	0	0	8	8	0	4	0	4	0	0	0	4	100.00%	100.00%	100.00%	
35	807	0	0	807	110	132	8	557	147	114	33	410	64.67%	73.61%	78.24%	
36	2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%	
37	904	0	0	904	102	82	17	703	168	140	28	535	68.85%	76.10%	79.26%	
38	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
39	1,146	0	0	1,146	254	108	18	766	222	162	60	544	56.67%	71.02%	77.05%	
40	0	1,128	0	1,128	334	174	8	612	226	192	34	386	42.32%	63.07%	66.78%	
41	0	2	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
42	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
43	7	0	0	7	0	2	1	4	0	0	0	4	100.00%	100.00%	100.00%	
44	0	0	5	5	2	1	0	2	0	0	0	2	50.00%	100.00%	100.00%	
45	67	0	0	67	12	12	1	42	12	3	9	30	66.67%	71.43%	90.91%	
46	0	177	0	177	1	33	3	140	26	21	5	114	83.82%	81.43%	84.44%	
47	0	0	6	6	0	1	0	5	2	2	0	3	60.00%	60.00%	60.00%	
48	0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
49	0	0	15	15	0	5	0	10	4	4	0	6	60.00%	60.00%	60.00%	
50	0	0	28	28	0	3	0	25	3	3	0	22	88.00%	88.00%	88.00%	
51	0	0	120	120	0	25	0	95	16	16	0	79	83.16%	83.16%	83.16%	
52	24	0	0	24	20	1	0	3	0	0	0	3	13.04%	100.00%	100.00%	
53	4	0	0	4	0	1	1	2	1	1	0	1	50.00%	50.00%	50.00%	
54	0	485	0	485	42	69	8	366	93	78	15	273	69.47%	74.59%	77.78%	
55	1,026	0	0	1,026	81	91	25	829	228	166	62	601	70.87%	72.50%	78.36%	
56	9	0	0	9	1	5	1	2	0	0	0	2	66.67%	100.00%	100.00%	
57	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
58	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
59	28	0	0	28	0	2	4	22	16	12	4	6	33.33%	27.27%	33.33%	
60	0	97	0	97	79	7	2	9	4	2	2	5	5.81%	55.56%	71.43%	
61	480	0	0	480	111	16	6	347	113	80	33	234	55.06%	67.44%	74.52%	
62	410	0	0	410	58	18	6	328	121	93	28	207	57.82%	63.11%	69.00%	

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated		Errors								
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
63	0	326	0	326	275	21	2	28	16	9	7	12	4.05%	42.86%	57.14%	
64	3,820	0	0	3,820	442	304	46	3,028	534	441	93	2,494	73.85%	82.36%	84.97%	
65	88	0	0	88	2	14	3	69	26	21	5	43	65.15%	62.32%	67.19%	
66	2,229	0	0	2,229	523	207	18	1,481	412	349	63	1,069	55.07%	72.18%	75.39%	
67	0	0	4	4	0	0	1	3	1	1	0	2	66.67%	66.67%	66.67%	
68	19	0	0	19	0	3	0	16	2	1	1	14	93.33%	87.50%	93.33%	
69	0	193	0	193	153	16	1	23	10	8	2	13	7.47%	56.52%	61.90%	
70	0	491	0	491	15	173	2	301	128	88	40	173	62.68%	57.48%	66.28%	
71	975	0	0	975	54	33	5	883	318	215	103	565	67.75%	63.99%	72.44%	
72	13	0	0	13	5	2	1	5	0	0	0	5	50.00%	100.00%	100.00%	
73	21	0	0	21	1	10	0	10	1	0	1	9	90.00%	90.00%	100.00%	
74	0	469	0	469	129	49	2	289	78	52	26	211	53.83%	73.01%	80.23%	
75	855	0	0	855	191	84	9	571	119	85	34	452	62.09%	79.16%	84.17%	
76	8	0	0	8	3	1	1	3	0	0	0	3	50.00%	100.00%	100.00%	
77	203	0	0	203	1	96	8	98	8	8	0	90	90.91%	91.84%	91.84%	
78	82	0	0	82	25	7	1	49	13	6	7	36	53.73%	73.47%	85.71%	
79	0	2,060	0	2,060	283	210	18	1,549	533	384	149	1,016	60.37%	65.59%	72.57%	
80	15	0	0	15	2	7	2	4	1	1	0	3	50.00%	75.00%	75.00%	
81	35	0	0	35	10	17	1	7	1	0	1	6	37.50%	85.71%	100.00%	
82	0	0	291	291	11	34	2	244	137	75	62	107	55.44%	43.85%	58.79%	
83	5	0	0	5	1	0	0	4	1	1	0	3	60.00%	75.00%	75.00%	
84	0	0	67	67	1	15	0	51	9	5	4	42	87.50%	82.35%	89.36%	
85	0	0	111	111	15	16	1	79	28	14	14	51	63.75%	64.56%	78.46%	
86	0	0	191	191	2	43	5	141	57	24	33	84	76.36%	59.57%	77.78%	
87	0	0	209	209	44	39	8	118	77	58	19	41	28.67%	34.75%	41.41%	
88	9	0	0	9	1	5	0	3	0	0	0	3	75.00%	100.00%	100.00%	
89	20	0	0	20	2	1	0	17	8	3	5	9	64.29%	52.94%	75.00%	
90	5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%	
91	11	0	0	11	1	1	2	7	2	0	2	5	83.33%	71.43%	100.00%	
92	6	0	0	6	4	1	0	1	1	0	1	0	0.00%	0.00%	0.00%	
93	0	0	73	73	8	47	0	18	3	3	0	15	57.69%	83.33%	83.33%	
94	0	0	107	107	18	7	8	74	23	17	6	51	59.30%	68.92%	75.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
95	1	0	0	1	0	0	1	0	0	0	0	0	0.00%	0.00%	0.00%	
96	7	0	0	7	0	0	0	7	2	0	2	5	100.00%	71.43%	100.00%	
97	0	257	0	257	8	25	0	224	53	20	33	171	85.93%	76.34%	89.53%	
98	58	0	0	58	25	1	3	29	6	4	2	23	44.23%	79.31%	85.19%	
99	0	713	0	713	32	60	15	606	150	120	30	456	75.00%	75.25%	79.17%	
100	0	107	0	107	0	28	1	78	61	39	22	17	30.36%	21.79%	30.36%	
101	70	0	0	70	2	18	0	50	11	4	7	39	86.67%	78.00%	90.70%	
102	0	43,182	0	43,182	2,376	4,404	110	36,292	4,930	3,472	1,458	31,362	84.28%	86.42%	90.03%	
103	3	0	0	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%	
104	6	0	0	6	0	4	0	2	0	0	0	2	100.00%	100.00%	100.00%	
105	3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%	
106	0	0	53	53	21	10	0	22	20	10	10	2	6.06%	9.09%	16.67%	
107	22	0	0	22	0	1	1	20	6	3	3	14	82.35%	70.00%	82.35%	
108	1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
109	0	462	0	462	51	71	7	333	105	55	50	228	68.26%	68.47%	80.57%	
110	3	0	0	3	2	0	0	1	1	0	1	0	0.00%	0.00%	0.00%	
111	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
112	1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
113	0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
114	0	0	498	498	85	15	15	383	87	50	37	296	68.68%	77.28%	85.55%	
115	50	0	0	50	19	16	2	13	0	0	0	13	40.63%	100.00%	100.00%	
116	48	0	0	48	9	14	2	23	8	4	4	15	53.57%	65.22%	78.95%	
117	11	0	0	11	4	5	0	2	0	0	0	2	33.33%	100.00%	100.00%	
118	459	0	0	459	65	47	14	333	169	133	36	164	45.30%	49.25%	55.22%	
119	279	0	0	279	8	41	4	226	78	62	16	148	67.89%	65.49%	70.48%	
120	2	0	0	2	0	0	1	1	0	0	0	1	100.00%	100.00%	100.00%	
121	2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
122	7	0	0	7	2	4	0	1	0	0	0	1	33.33%	100.00%	100.00%	
123	0	92	0	92	0	6	6	80	51	28	23	29	50.88%	36.25%	50.88%	
124	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
125	394	0	0	394	20	34	4	336	71	51	20	265	78.87%	78.87%	83.86%	
126	134	0	0	134	27	9	1	97	25	20	5	72	60.50%	74.23%	78.26%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
127	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
128	118	0	0	118	17	6	1	94	12	10	2	82	75.23%	87.23%	89.13%	
129	1,078	0	0	1,078	73	76	29	900	250	198	52	650	70.58%	72.22%	76.65%	
130	1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
131	34	0	0	34	2	3	0	29	6	4	2	23	79.31%	79.31%	85.19%	
132	0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%	
133	0	51	0	51	4	13	0	34	6	4	2	28	77.78%	82.35%	87.50%	
134	21	0	0	21	7	0	0	14	7	1	6	7	46.67%	50.00%	87.50%	
135	67	0	0	67	6	10	0	51	13	10	3	38	70.37%	74.51%	79.17%	
136	4,116	0	0	4,116	151	112	14	3,839	155	128	27	3,684	92.96%	95.96%	96.64%	
137	6	0	0	6	1	0	1	4	0	0	0	4	80.00%	100.00%	100.00%	
138	0	30	0	30	4	4	0	22	12	6	6	10	50.00%	45.45%	62.50%	
139	8	0	0	8	1	1	3	3	0	0	0	3	75.00%	100.00%	100.00%	
140	3,823	0	0	3,823	164	334	12	3,313	2,256	2,088	168	1,057	31.94%	31.90%	33.61%	
141	6	0	0	6	0	3	0	3	0	0	0	3	100.00%	100.00%	100.00%	
142	18	0	0	18	0	0	0	18	2	2	0	16	88.89%	88.89%	88.89%	
143	5	0	0	5	0	0	0	5	2	2	0	3	60.00%	60.00%	60.00%	
144	129	0	0	129	14	3	3	109	16	13	3	93	77.50%	85.32%	87.74%	
145	4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%	100.00%	
146	21	0	0	21	1	3	0	17	8	5	3	9	60.00%	52.94%	64.29%	
147	11	0	0	11	0	1	0	10	1	1	0	9	90.00%	90.00%	90.00%	
148	6	0	0	6	0	0	3	3	3	2	1	0	0.00%	0.00%	0.00%	
149	0	0	73	73	7	15	0	51	12	9	3	39	70.91%	76.47%	81.25%	
150	361	0	0	361	36	25	3	297	103	85	18	194	61.59%	65.32%	69.53%	
151	2,211	0	0	2,211	141	63	8	1,999	83	67	16	1,916	90.21%	95.85%	96.62%	
152	0	0	13,062	13,062	956	4,322	73	7,711	2,081	1,250	831	5,630	71.85%	73.01%	81.83%	
153	2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	
154	0	0	75	75	2	11	2	60	26	14	12	34	68.00%	56.67%	70.83%	
155	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
156	361	0	0	361	46	39	9	267	53	47	6	214	69.71%	80.15%	81.99%	
157	31	0	0	31	0	17	1	13	6	1	5	7	87.50%	53.85%	87.50%	
158	0	0	14	14	4	2	0	8	6	2	4	2	25.00%	25.00%	50.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
159	1,091	0	0	1,091	110	126	11	844	194	142	52	650	72.06%	77.01%	82.07%	
160	0	0	81	81	1	9	2	69	16	9	7	53	84.13%	76.81%	85.48%	
161	0	0	253	253	59	26	1	167	36	31	5	131	59.28%	78.44%	80.86%	
162	819	0	0	819	82	60	12	665	118	87	31	547	76.40%	82.26%	86.28%	
163	112	0	0	112	24	13	3	72	16	14	2	56	59.57%	77.78%	80.00%	
164	1,392	0	0	1,392	1,205	59	1	127	13	6	7	114	8.60%	89.76%	95.00%	
165	377	0	0	377	289	7	0	81	7	3	4	74	20.22%	91.36%	96.10%	
166	0	7	0	7	0	5	0	2	1	1	0	1	50.00%	50.00%	50.00%	
167	4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%	
168	11	0	0	11	8	0	0	3	0	0	0	3	27.27%	100.00%	100.00%	
169	0	0	2,244	2,244	339	53	80	1,772	398	349	49	1,374	66.63%	77.54%	79.74%	
170	0	71	0	71	8	7	0	56	13	12	1	43	68.25%	76.79%	78.18%	
171	33	0	0	33	13	3	1	16	4	4	0	12	41.38%	75.00%	75.00%	
172	16	0	0	16	3	4	3	6	0	0	0	6	66.67%	100.00%	100.00%	
173	27	0	0	27	11	5	0	11	1	0	1	10	47.62%	90.91%	100.00%	
174	7	0	0	7	0	0	0	7	2	0	2	5	100.00%	71.43%	100.00%	
175	0	194	0	194	20	46	0	128	41	26	15	87	65.41%	67.97%	76.99%	
176	70	0	0	70	22	6	0	42	7	3	4	35	58.33%	83.33%	92.11%	
177	0	0	917	917	49	96	2	770	30	22	8	740	91.25%	96.10%	97.11%	
178	3,482	0	0	3,482	175	179	43	3,085	331	104	227	2,754	90.80%	89.27%	96.36%	
179	0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
180	64	0	0	64	6	27	0	31	3	2	1	28	77.78%	90.32%	93.33%	
181	0	29	0	29	15	2	1	11	8	5	3	3	13.04%	27.27%	37.50%	
182	23	0	0	23	8	6	0	9	7	7	0	2	11.76%	22.22%	22.22%	
183	0	72	0	72	14	12	0	46	13	9	4	33	58.93%	71.74%	78.57%	
184	0	35	0	35	3	6	0	26	7	6	1	19	67.86%	73.08%	76.00%	
185	10	0	0	10	3	2	0	5	1	0	1	4	57.14%	80.00%	100.00%	
186	274	0	0	274	24	20	2	228	40	33	7	188	76.73%	82.46%	85.07%	
187	0	0	256	256	48	12	1	195	58	45	13	137	59.57%	70.26%	75.27%	
188	245	0	0	245	66	13	11	155	34	27	7	121	56.54%	78.06%	81.76%	
189	23	0	0	23	2	2	0	19	10	3	7	9	64.29%	47.37%	75.00%	
190	0	0	11	11	6	0	1	4	0	0	0	4	40.00%	100.00%	100.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
				LESOG												
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
191	13	0	0	13	2	0	0	11	3	1	2	8	72.73%	72.73%	88.89%	
192	6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%	
193	165	0	0	165	30	11	0	124	32	22	10	92	63.89%	74.19%	80.70%	
194	0	0	126	126	33	13	1	79	18	14	4	61	56.48%	77.22%	81.33%	
195	0	0	2	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
196	13	0	0	13	2	2	0	9	3	3	0	6	54.55%	66.67%	66.67%	
197	76	0	0	76	11	6	0	59	12	10	2	47	69.12%	79.66%	82.46%	
198	74	0	0	74	15	5	1	53	11	9	2	42	63.64%	79.25%	82.35%	
199	17	0	0	17	2	1	0	14	2	1	1	12	80.00%	85.71%	92.31%	
200	4	0	0	4	0	0	0	4	1	1	0	3	75.00%	75.00%	75.00%	
201	0	182	0	182	46	28	0	108	33	32	1	75	49.02%	69.44%	70.09%	
202	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
203	25	0	0	25	4	2	0	19	4	2	2	15	71.43%	78.95%	88.24%	
204	0	22	0	22	5	2	0	15	6	3	3	9	52.94%	60.00%	75.00%	
205	23	0	0	23	2	3	0	18	9	7	2	9	50.00%	50.00%	56.25%	
206	49	0	0	49	2	6	0	41	12	12	0	29	67.44%	70.73%	70.73%	
207	0	20	0	20	11	3	0	6	0	0	0	6	35.29%	100.00%	100.00%	
208	194	0	0	194	26	12	1	155	18	13	5	137	77.84%	88.39%	91.33%	
209	0	0	61	61	7	10	0	44	9	3	6	35	77.78%	79.55%	92.11%	
210	0	0	582	582	70	78	3	431	118	97	21	313	65.21%	72.62%	76.34%	
211	958	0	0	958	128	64	11	755	130	103	27	625	73.01%	82.78%	85.85%	
212	0	0	18	18	0	8	1	9	7	6	1	2	25.00%	22.22%	25.00%	
213	595	0	0	595	13	22	59	501	340	261	79	161	37.01%	32.14%	38.15%	
214	4	0	0	4	0	0	1	3	2	1	1	1	50.00%	33.33%	50.00%	
215	2,658	0	0	2,658	307	281	37	2,033	426	288	138	1,607	72.98%	79.05%	84.80%	
216	1,055	0	0	1,055	125	127	19	784	179	117	62	605	71.43%	77.17%	83.80%	
217	0	0	20	20	7	2	1	10	1	0	1	9	56.25%	90.00%	100.00%	
218	46	0	0	46	7	6	0	33	2	2	0	31	77.50%	93.94%	93.94%	
219	0	283	0	283	0	32	5	246	117	79	38	129	62.02%	52.44%	62.02%	
220	578	0	0	578	156	65	2	355	81	70	11	274	54.80%	77.18%	79.65%	
221	0	0	896	896	159	89	8	640	213	175	38	427	56.11%	66.72%	70.93%	
222	0	0	737	737	105	73	4	555	193	165	28	362	57.28%	65.23%	68.69%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
223	7	0	0	7	0	3	0	4	1	1	0	3	75.00%	75.00%	75.00%	
224	6	0	0	6	3	0	0	3	0	0	0	3	50.00%	100.00%	100.00%	
225	971	0	0	971	85	57	6	823	46	40	6	777	86.14%	94.41%	95.10%	
226	0	114	0	114	94	13	0	7	1	1	0	6	5.94%	85.71%	85.71%	
227	0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
228	8	0	0	8	2	1	0	5	1	1	0	4	57.14%	80.00%	80.00%	
229	6	0	0	6	0	0	0	6	3	1	2	3	75.00%	50.00%	75.00%	
230	0	0	2,156	2,156	400	264	32	1,460	399	307	92	1,061	60.01%	72.67%	77.56%	
231	97	0	0	97	9	10	0	78	11	10	1	67	77.91%	85.90%	87.01%	
232	0	0	11	11	0	7	0	4	2	0	2	2	100.00%	50.00%	100.00%	
233	0	0	1,144	1,144	169	132	7	836	248	183	65	588	62.55%	70.33%	76.26%	
234	2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%	
235	0	0	2,266	2,266	278	242	15	1,731	424	313	111	1,307	68.86%	75.51%	80.68%	
236	0	0	4	4	0	3	0	1	0	0	0	1	100.00%	100.00%	100.00%	
237	3	0	0	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%	
238	252	0	0	252	227	9	0	16	0	0	0	16	6.58%	100.00%	100.00%	
239	0	98	0	98	9	12	0	77	22	18	4	55	67.07%	71.43%	75.34%	
240	43	0	0	43	12	4	2	25	6	6	0	19	51.35%	76.00%	76.00%	
241	43	0	0	43	1	0	3	39	13	3	10	26	86.67%	66.67%	89.66%	
242	0	22	0	22	0	7	0	15	15	13	2	0	0.00%	0.00%	0.00%	
243	0	0	5	5	1	0	0	4	3	3	0	1	20.00%	25.00%	25.00%	
244	2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%	
245	2,585	0	0	2,585	189	249	45	2,102	303	198	105	1,799	82.30%	85.59%	90.09%	
246	29	0	0	29	3	3	1	22	5	4	1	17	70.83%	77.27%	80.95%	
247	0	0	34	34	5	9	0	20	3	1	2	17	73.91%	85.00%	94.44%	
248	1,107	0	0	1,107	100	100	5	902	77	55	22	825	84.18%	91.46%	93.75%	
249	0	0	3	3	0	1	0	2	2	0	2	0	0.00%	0.00%	0.00%	
250	5	0	0	5	0	0	0	5	2	1	1	3	75.00%	60.00%	75.00%	
251	0	26	0	26	3	4	0	19	5	5	0	14	63.64%	73.68%	73.68%	
252	0	21	0	21	12	0	0	9	5	1	4	4	23.53%	44.44%	80.00%	
253	4	0	0	4	2	0	0	2	1	0	1	1	33.33%	50.00%	100.00%	

AGGREGATE ORDER TYPES																
Company Info				LSR PROCESSING									FLOWTHROUGH			
LESOG																
Mechanized Interface Used				Manual	Rejects	Validated			Errors							
Name	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through	
254	0	1,303	0	1,303	106	198	0	999	336	146	190	663	72.46%	66.37%	81.95%	
255	2,163	0	0	2,163	323	152	7	1,681	135	84	51	1,546	79.16%	91.97%	94.85%	
256	0	111	0	111	13	24	0	74	14	6	8	60	75.95%	81.08%	90.91%	
257	94	0	0	94	45	4	1	44	8	6	2	36	41.38%	81.82%	85.71%	
<i>LENS Subtotal</i>	61908	0	0	61908	7095	4243	647	49923	9124	7140	1984	40799	74.13%	81.72%	85.11%	
<i>EDI Subtotal</i>	0	53,395	0	53,395	4,194	5,814	195	43,192	7,216	5,019	2,197	35,976	79.61%	83.29%	87.76%	
<i>TAG Subtotal</i>	0	0	30,489	30,489	3,352	6,058	312	20,767	5,205	3,495	1,710	15,562	69.45%	74.94%	81.66%	
TOTAL INTERFACES	61,908	53,395	30,489	145,792	14,641	16,115	1,154	113,882	21,545	15,654	5,891	92,337	75.30%	81.08%	85.50%	

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
1	2
2	4
3	1
4	7
5	3
6	1
7	205
8	23
9	1
10	10
11	1
12	3
13	8
14	66
15	28
16	25
17	14
18	1
19	154
20	27
21	5
22	32
23	123
24	7
25	11
26	2

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
27	34
28	56
29	1
30	3
31	3
32	5
33	1
34	3
35	2
36	3
37	552
38	2
39	1,523
40	4
41	1
42	3
43	1
44	12
45	4
46	36
47	79
48	232
49	2
50	5
51	2
52	11

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
53	6
54	46
55	1
56	4
57	14
58	8
59	29
60	5
61	1
62	58
63	67
64	8
65	1
66	39
67	1
68	12
69	37
70	3
71	2
72	4
73	136
74	8
75	360
76	2
77	288
78	2

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
79	2
80	82
81	35
82	18
83	18
84	1
85	13
86	6
87	12
88	13
89	43
90	1
91	708
92	8
93	1
94	14
95	25
96	9
97	685
98	1
99	352
100	15
101	1
102	115
103	1
104	48

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
105	1,222
106	3
107	160
108	23
109	2
110	89
111	8
112	1
113	8
114	2
115	1
116	6
117	4
118	41
119	20
120	8
121	1,007
122	23
123	11
124	9
125	15
126	2
127	2
128	6
129	9
130	3

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
131	9
132	19
133	3
134	18
135	531
136	1
137	60
138	10
139	3
140	4
141	1
142	15
143	2
144	47
145	2
146	12
147	3
148	3
149	47
150	5
151	2
152	47
153	1
154	13
155	1
156	8

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
157	8
158	17
159	31
160	211
161	4
162	1
163	2
164	11
165	6
166	6
167	55
168	2
169	1
170	3
171	10
172	1
173	3
174	4
175	33
176	3
177	17
178	13
179	5
180	1
181	40
182	2

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
183	5
184	9
185	3
186	14
187	7
188	9
189	23
190	4
191	16
192	83
193	19
194	1
195	2
196	5
197	4
198	16
199	7
200	1
201	13
202	6
203	63
204	15
205	1
206	1
207	2
208	11

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
209	10
210	1
211	12
212	1
213	2
214	1
215	8
216	4
217	2
218	1
219	1
220	4
221	10
222	96
223	1
224	5
225	6
226	1
227	1
228	1
229	2
230	1
231	62
232	20
233	34
234	8

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
235	39
236	10
237	20
238	16
239	23
240	45
241	34
242	3
243	2
244	58
245	2
246	10
247	1
248	40
249	26
250	18
251	21
252	23
253	103
254	3
255	32
256	1
257	6
258	99
259	1
260	12

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
261	1
262	21
263	19
264	10
265	1
266	88
267	5
268	28
269	3
270	3
271	196
272	12
TOTAL	12,425

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
Attachment 2H

AGGREGATE ORDER TYPES				ERROR DETAILS (Auto Clarifications (A) & Errors (E))						
				CAUSATION						
Error Type (by error code)	Count	%	S %	Error Description	CLEC Caused			BST Caused		
					Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
1000	19,101	14.00%	14.00%	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT--	18,449	96.59%	19.88%	652	3.41%	1.495%
7020	2,934	2.15%	16.15%	NUM= TELNO= TN NOT FOUND IN CRIS	2,931	99.90%	3.16%	3	0.10%	0.007%
7055	2,172	1.59%	17.74%	NUM= TELNO= ACCOUNT IS FINAL	2,169	99.86%	2.34%	3	0.14%	0.007%
7095	39	0.03%	17.77%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	16	41.03%	0.02%	23	58.97%	0.053%
7109	162	0.12%	17.89%	UNABLE TO LOCATE MEMORYCALL OPTION IN COFFI	108	66.67%	0.12%	54	33.33%	0.124%
7110	176	0.13%	18.02%	COFFI NOT AVAILABLE	80	45.45%	0.09%	96	54.55%	0.220%
7115	8	0.01%	18.02%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	3	37.50%	0.00%	5	62.50%	0.011%
7150	3	0.00%	18.03%	UNE - ERROR GENERATING ECCKT	3	100.00%	0.00%	0	0.00%	0.000%
7235	671	0.49%	18.52%	10 DIGIT TN REQUIRED WITH USOC/FID=ZCRN	509	75.86%	0.55%	162	24.14%	0.371%
7245	678	0.50%	19.02%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	489	72.12%	0.53%	189	27.88%	0.433%
7250	240	0.18%	19.19%	LSR HOUSENUMBER INCORRECT	238	99.17%	0.26%	2	0.83%	0.005%
7267	17	0.01%	19.20%	UNE - LOCBAN MISSING FOR LINP ORDER	17	100.00%	0.02%	0	0.00%	0.000%
7270	1	0.00%	19.21%	UNE - MISCELLANEOUS ACCOUNT NUMBER MISSING ON LINP LSR	1	100.00%	0.00%	0	0.00%	0.000%
7295	39	0.03%	19.23%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	22	56.41%	0.02%	17	43.59%	0.039%
7300	6	0.00%	19.24%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	3	50.00%	0.00%	3	50.00%	0.007%
7315	519	0.38%	19.62%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	496	95.57%	0.53%	23	4.43%	0.053%
7375	38	0.03%	19.65%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	30	78.95%	0.03%	8	21.05%	0.018%
7380	124	0.09%	19.74%	UNE - ACTL INVALID	124	100.00%	0.13%	0	0.00%	0.000%
7400	9,160	6.71%	26.45%	CLEC DOES NOT OWN THIS ACCOUNT.	9,160	100.00%	9.87%	0	0.00%	0.000%
7445	48	0.04%	26.49%	UNE - CALL FORWARD TN REQUIRED	48	100.00%	0.05%	0	0.00%	0.000%
7465	2,851	2.09%	28.58%	CANNOT CANCEL ORDER	1,313	46.05%	1.41%	1,538	53.95%	3.527%
7495	53	0.04%	28.61%	UNE - DIR LOCATOR PROBLEM	6	11.32%	0.01%	47	88.68%	0.108%
7500	94	0.07%	28.68%	DUE DATE COULD NOT BE DETERMINED	3	3.19%	0.00%	91	96.81%	0.209%
7555	193	0.14%	28.83%	FID MISSING IN FEATURE DETAIL	171	88.60%	0.18%	22	11.40%	0.050%
7570	3	0.00%	28.83%	SEQ1X NOT ALLOWED WITH ZNB	3	100.00%	0.00%	0	0.00%	0.000%
7630	83	0.06%	28.89%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	39	46.99%	0.04%	44	53.01%	0.101%
7640	5	0.00%	28.89%	DUPLICATE CUSTOMERS EXCEED NINE ON CSR	2	40.00%	0.00%	3	60.00%	0.007%
7645	2,560	1.88%	30.77%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	1,311	51.21%	1.41%	1,249	48.79%	2.864%
7660	11	0.01%	30.78%	USOC FUJ1X NOT FOR RESALE	11	100.00%	0.01%	0	0.00%	0.000%
7690	32	0.02%	30.80%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	31	96.88%	0.03%	1	3.13%	0.002%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				ERROR DETAILS (Auto Clarifications (A) & Errors (E))							
				CAUSATION							
				CLEC Caused				BST Caused			
Error Type (by error code)	Count	%	S %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused	
7710	457	0.33%	31.13%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	290	63.46%	0.31%	167	36.54%	0.383%	
7715	8	0.01%	31.14%	SOCS TIMEOUT/NOT AVAILABLE	5	62.50%	0.01%	3	37.50%	0.007%	
7718	2,654	1.95%	33.09%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	888	33.46%	0.96%	1,766	66.54%	4.049%	
7725	118	0.09%	33.17%	WAITING PERIOD EQUALS 5 MINUTES	40	33.90%	0.04%	78	66.10%	0.179%	
7735	33	0.02%	33.20%	INVALID/MISSING LISTING NAME OR TYPE	33	100.00%	0.04%	0	0.00%	0.000%	
7740	16	0.01%	33.21%	LOCAL CALLING PLUS INDICATOR NOT FOUND	12	75.00%	0.01%	4	25.00%	0.009%	
7755	14	0.01%	33.22%	UNE - NPANXX NOT FOUND IN CLLI TABLE	11	78.57%	0.01%	3	21.43%	0.007%	
7805	461	0.34%	33.56%	SITE COULD NOT BE DETERMINED	172	37.31%	0.19%	289	62.69%	0.663%	
7815	61	0.04%	33.60%	FID=RCU INVALID OR MISSING DATA	44	72.13%	0.05%	17	27.87%	0.039%	
7860	167	0.12%	33.72%	RSAG - NO EXACT MATCH ON STREET NAME	167	100.00%	0.18%	0	0.00%	0.000%	
7890	18	0.01%	33.74%	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	18	100.00%	0.02%	0	0.00%	0.000%	
7900	18	0.01%	33.75%	RSAG - NO MATCH ON STREET NAME	18	100.00%	0.02%	0	0.00%	0.000%	
7905	4,198	3.08%	36.83%	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT	4,196	99.95%	4.52%	2	0.05%	0.005%	
7910	2,843	2.08%	38.91%	RSAG - NO MATCH ON EXACT STREET NAME	2,734	96.17%	2.95%	109	3.83%	0.250%	
7930	1	0.00%	38.91%	RSAG-STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	1	100.00%	0.00%	0	0.00%	0.000%	
7935	28	0.02%	38.93%	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	28	100.00%	0.03%	0	0.00%	0.000%	
7945	14	0.01%	38.94%	RSAG SYSTEM ERROR	11	78.57%	0.01%	3	21.43%	0.007%	
8150	106	0.08%	39.02%	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES	28	26.42%	0.03%	78	73.58%	0.179%	
8167	39	0.03%	39.05%	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI	39	100.00%	0.04%	0	0.00%	0.000%	
8170	452	0.33%	39.38%	USOC MAY ONLY APPEAR ONCE. FORMAT SAE 110 I1 CREX1 /TN	452	100.00%	0.49%	0	0.00%	0.000%	
8173	39	0.03%	39.41%	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=	39	100.00%	0.04%	0	0.00%	0.000%	
8180	216	0.16%	39.57%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED	216	100.00%	0.23%	0	0.00%	0.000%	
8183	15	0.01%	39.58%	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP :0000000 / LINE ASSIGN :0000001 USOC QUAN MIS	15	100.00%	0.02%	0	0.00%	0.000%	
8185	60	0.04%	39.62%	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT	60	100.00%	0.06%	0	0.00%	0.000%	
8187	2,120	1.55%	41.18%	USOC MAY NOT APPEAR ON REQUEST. FORMAT SAE 431 T1 EMP1S /TN	2,119	99.95%	2.28%	1	0.05%	0.002%	
8189	546	0.40%	41.58%	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6	544	99.63%	0.59%	2	0.37%	0.005%	
8190	1,271	0.93%	42.51%	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN	1,186	93.31%	1.28%	85	6.69%	0.195%	
8193	4	0.00%	42.51%	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN	4	100.00%	0.00%	0	0.00%	0.000%	
8195	760	0.56%	43.07%	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN	760	100.00%	0.82%	0	0.00%	0.000%	
8197	650	0.48%	43.54%	CALL FORWARDING USOC MUST APPEAR. FORMAT SAE 541	650	100.00%	0.70%	0	0.00%	0.000%	

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				ERROR DETAILS (Auto Clarifications (A) & Errors (E))							CAUSATION		
Error Type (by error code)	Count	%	S %	Error Description	CLEC Caused			BST Caused					
					Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused			
8199	104	0.08%	43.62%	GCJRC/GCJ COMBINATION INVALID. FORMAT SAE 560 I1 GCJRC /TN	104	100.00%	0.11%	0	0.00%	0.000%			
8204	174	0.13%	43.75%	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN	174	100.00%	0.19%	0	0.00%	0.000%			
8207	75	0.05%	43.80%	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN	75	100.00%	0.08%	0	0.00%	0.000%			
8209	756	0.55%	44.36%	USOC COMBINATION IS INVALID. FORMAT SAE 587 I1 ESXDC /TN	756	100.00%	0.81%	0	0.00%	0.000%			
8240	166	0.12%	44.48%	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE	166	100.00%	0.18%	0	0.00%	0.000%			
8250	65	0.05%	44.53%	USOC= NOT APPLICABLE TO PORT LOOP SERVICE	65	100.00%	0.07%	0	0.00%	0.000%			
8270	3	0.00%	44.53%	SUPPLEMENTAL ADDRESS NOT VALID	3	100.00%	0.00%	0	0.00%	0.000%			
8415	11	0.01%	44.54%	LSF LP ALREADY EXISTS ON ACCOUNT	11	100.00%	0.01%	0	0.00%	0.000%			
8430	2	0.00%	44.54%	LSF DOES NOT EXIST ON ACCOUNT	2	100.00%	0.00%	0	0.00%	0.000%			
8700	6	0.00%	44.54%	RSAG-INVALID SEARCH AREA	2	33.33%	0.00%	4	66.67%	0.009%			
8820	14,231	10.43%	54.97%	SOCs ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE	3,856	27.10%	4.15%	10,375	72.90%	23.789%			
8825	22,004	16.13%	71.10%	ORDER ERR:	4,696	21.34%	5.06%	17,308	78.66%	39.686%			
8830	533	0.39%	71.49%	CLEC ALREADY OWNS THIS ACCOUNT	533	100.00%	0.57%	0	0.00%	0.000%			
8850	69	0.05%	71.54%	CFA NOT FOUND,PLEASE VERIFY CFA	68	98.55%	0.07%	1	1.45%	0.002%			
8855	1	0.00%	71.54%	NO ACTL IN LSR	1	100.00%	0.00%	0	0.00%	0.000%			
8925	675	0.49%	72.04%	CFN HAS INVALID FORMAT ON COFFI SCREEN	217	32.15%	0.23%	458	67.85%	1.050%			
8940	1,519	1.11%	73.15%	CALL FORWARDING NUMBER MISSING OR INVALID	1,518	99.93%	1.64%	1	0.07%	0.002%			
8945	38	0.03%	73.18%	LINECLSSVC AND TOS DO NOT MATCH	38	100.00%	0.04%	0	0.00%	0.000%			
8970	1,005	0.74%	73.92%	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC	1,005	100.00%	1.08%	0	0.00%	0.000%			
8995	5	0.00%	73.92%	SEMICOLON DISALLOWED WITH (+) SIGN IN PERSONAL NAME LISTINGS	5	100.00%	0.01%	0	0.00%	0.000%			
9000	8	0.01%	73.92%	LSO/LOCBAN (NPANXX) MISSING OR INVALID	8	100.00%	0.01%	0	0.00%	0.000%			
9040	4	0.00%	73.93%	DDD/DDD-CC REQUIRED	0	0.00%	0.00%	4	100.00%	0.009%			
9110	2	0.00%	73.93%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TYPES	2	100.00%	0.00%	0	0.00%	0.000%			
9115	2	0.00%	73.93%	TELNO= LPIC REQUIRED PER UNIQUE TELNO ON A, V, P9 LINE ACTIVITY TYPES	2	100.00%	0.00%	0	0.00%	0.000%			
9155	116	0.09%	74.02%	UNE - PORTED OUT NUMBER	116	100.00%	0.12%	0	0.00%	0.000%			
9160	10	0.01%	74.02%	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY	10	100.00%	0.01%	0	0.00%	0.000%			
9245	342	0.25%	74.27%	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM	342	100.00%	0.37%	0	0.00%	0.000%			
9433	1	0.00%	74.27%	DLNUM=0001 LTN=HTN ACCOUNT NOT OWNED BY CLEC	1	100.00%	0.00%	0	0.00%	0.000%			
9438	10	0.01%	74.28%	DLNUM=0001 LTN= ACCOUNT ACTIVITY OF N CAN ONLY HAVE AN LACT OF N	9	90.00%	0.01%	1	10.00%	0.002%			
9439	165	0.12%	74.40%	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED	164	99.39%	0.18%	1	0.61%	0.002%			

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				ERROR DETAILS (Auto Clarifications (A) & Errors (E))							
				CAUSATION							
				CLEC Caused				BST Caused			
Error Type (by error code)	Count	%	S %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused	
9442	695	0.51%	74.91%	DLNUM=0002 LTN= ALI MUST BE UNIQUE	689	99.14%	0.74%	6	0.86%	0.014%	
9466	47	0.03%	74.95%	UNABLE TO DETERMINE BLOCK CHOICE	46	97.87%	0.05%	1	2.13%	0.002%	
9471	34	0.02%	74.97%	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ	33	97.06%	0.04%	1	2.94%	0.002%	
9475	312	0.23%	75.20%	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS	312	100.00%	0.34%	0	0.00%	0.000%	
9476	71	0.05%	75.25%	IS NOT FOUND ON CSR TO DISCONNECT	71	100.00%	0.08%	0	0.00%	0.000%	
9477	93	0.07%	75.32%	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER	91	97.85%	0.10%	2	2.15%	0.005%	
9479	97	0.07%	75.39%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY	96	98.97%	0.10%	1	1.03%	0.002%	
9481	2,585	1.89%	77.29%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT	2,570	99.42%	2.77%	15	0.58%	0.034%	
9484	39	0.03%	77.31%	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=	39	100.00%	0.04%	0	0.00%	0.000%	
9487	1	0.00%	77.32%	INVALID ACT TYPE FOR FULL MIGRATION	1	100.00%	0.00%	0	0.00%	0.000%	
9488	324	0.24%	77.55%	DISPOSITION OF ALL LINES REQUIRED ON ACT V	324	100.00%	0.35%	0	0.00%	0.000%	
9495	78	0.06%	77.61%	EATN= MUST EXIST FOR ACT P AND Q	77	98.72%	0.08%	1	1.28%	0.002%	
9496	2,432	1.78%	79.39%	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=	2,432	100.00%	2.62%	0	0.00%	0.000%	
9498	19	0.01%	79.41%	EAN= ON LNUM= AND LEAN= ARE POPULATED	19	100.00%	0.02%	0	0.00%	0.000%	
9515	1,610	1.18%	80.59%	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION	1,603	99.57%	1.73%	7	0.43%	0.016%	
9516	24	0.02%	80.60%	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN	22	91.67%	0.02%	2	8.33%	0.005%	
9517	29	0.02%	80.63%	UNDC INVALID IF PIC ALREADY EXISTS	29	100.00%	0.03%	0	0.00%	0.000%	
9523	7	0.01%	80.63%	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS SWITCH TYPE	7	100.00%	0.01%	0	0.00%	0.000%	
9526	6	0.00%	80.64%	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT	6	100.00%	0.01%	0	0.00%	0.000%	
9529	2,296	1.68%	82.32%	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED	2,291	99.78%	2.47%	5	0.22%	0.011%	
9530	2	0.00%	82.32%	APPOINTMENT TIME CANNOT BE PRIOR TO 800A OR LATER THAN 500P	2	100.00%	0.00%	0	0.00%	0.000%	
9543	62	0.05%	82.36%	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID	62	100.00%	0.07%	0	0.00%	0.000%	
9545	5	0.00%	82.37%	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED	4	80.00%	0.00%	1	20.00%	0.002%	
9602	5,285	3.87%	86.24%	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD	5,271	99.74%	5.68%	14	0.26%	0.032%	
9604	37	0.03%	86.27%	TN ON SUP DOES NOT MATCH ORIGINAL TN	21	56.76%	0.02%	16	43.24%	0.037%	
9605	172	0.13%	86.40%	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)	172	100.00%	0.19%	0	0.00%	0.000%	
9606	16	0.01%	86.41%	TNS CANNOT BE REASSIGNED FOR 90 DAYS	14	87.50%	0.02%	2	12.50%	0.005%	
9613	37	0.03%	86.43%	EXISTING ACCOUNT TYPE NOT AUTHORIZED FOR MIGRATION YET	37	100.00%	0.04%	0	0.00%	0.000%	
9616	34	0.02%	86.46%	YPH INVALID	34	100.00%	0.04%	0	0.00%	0.000%	
9623	9	0.01%	86.47%	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE	9	100.00%	0.01%	0	0.00%	0.000%	

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
Error Type (by error code)	Count	%	S %	Error Description	CLEC Caused			BST Caused			
					Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused	
9626	256	0.19%	86.65%	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP	256	100.00%	0.28%	0	0.00%	0.000%	
9627	1,430	1.05%	87.70%	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER	1,428	99.86%	1.54%	2	0.14%	0.005%	
9628	435	0.32%	88.02%	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE	435	100.00%	0.47%	0	0.00%	0.000%	
9629	44	0.03%	88.05%	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF	44	100.00%	0.05%	0	0.00%	0.000%	
9639	87	0.06%	88.12%	CATEGORY L USOC MUST APPEAR FOR SAME TN	87	100.00%	0.09%	0	0.00%	0.000%	
9641	1,992	1.46%	89.58%	REQUESTED ACTIVITY ALREADY PENDING DM4V32	1,991	99.95%	2.14%	1	0.05%	0.002%	
9647	361	0.26%	89.84%	BAN DOES NOT EXIST FOR COMPANY CODE	361	100.00%	0.39%	0	0.00%	0.000%	
9654	410	0.30%	90.14%	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUSER ADDRESS	410	100.00%	0.44%	0	0.00%	0.000%	
9656	4	0.00%	90.14%	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM	4	100.00%	0.00%	0	0.00%	0.000%	
9657	5	0.00%	90.15%	ECCKT/UNE1 MISMATCH	5	100.00%	0.01%	0	0.00%	0.000%	
9661	17	0.01%	90.16%	LINE SHARE AND ADSL REQUIRED BST VOICE SERVICE	10	58.82%	0.01%	7	41.18%	0.016%	
9670	16	0.01%	90.17%	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004	16	100.00%	0.02%	0	0.00%	0.000%	
9671	95	0.07%	90.24%	TOUCHTNE USOC REQUIRED - FORMAT SAE 245	95	100.00%	0.10%	0	0.00%	0.000%	
9673	25	0.02%	90.26%	RINGMASTER USOC REQUIRED - FORMAT SAE 387	25	100.00%	0.03%	0	0.00%	0.000%	
9674	28	0.02%	90.28%	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B	28	100.00%	0.03%	0	0.00%	0.000%	
9675	27	0.02%	90.30%	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN	27	100.00%	0.03%	0	0.00%	0.000%	
9680	94	0.07%	90.37%	INVALID REQTPY OR TOS FOR LIFELINE	94	100.00%	0.10%	0	0.00%	0.000%	
9681	37	0.03%	90.40%	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE	37	100.00%	0.04%	0	0.00%	0.000%	
9682	21	0.02%	90.41%	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS	21	100.00%	0.02%	0	0.00%	0.000%	
9685	9,772	7.16%	97.57%	DUE DATE COULD NOT BE CALCULATED	1,247	12.76%	1.34%	8,525	87.24%	19.547%	
9686	8	0.01%	97.58%	RESID NOT VALID IN LFACS	8	100.00%	0.01%	0	0.00%	0.000%	
9687	1	0.00%	97.58%	ACT=N/LNA=N IS INVALID WHEN THE REQUESTING CLEC ALREADY HAS A LINESHARE ON THE ACCOUNT	1	100.00%	0.00%	0	0.00%	0.000%	
9700	17	0.01%	97.59%	REQUESTED CIRCUIT NUMBER/ECCKT NOT FOUND	17	100.00%	0.02%	0	0.00%	0.000%	
9715	40	0.03%	97.62%	TOS IS INVALID FOR REQUESTED SERVICE	40	100.00%	0.04%	0	0.00%	0.000%	
9735	1	0.00%	97.62%	EATN ACCOUNT DOES NOT EXIST	1	100.00%	0.00%	0	0.00%	0.000%	
9772	1	0.00%	97.62%	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A	1	100.00%	0.00%	0	0.00%	0.000%	
9800	11	0.01%	97.63%	MAIN LISTING REQUIRED FOR NEW ACCOUNT	7	63.64%	0.01%	4	36.36%	0.009%	
9860	1,428	1.05%	98.68%	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN	1,427	99.93%	1.54%	1	0.07%	0.002%	
9861	1,080	0.79%	99.47%	ADSL NOT ALLOWED WITH THIS SERVICE	1,079	99.91%	1.16%	1	0.09%	0.002%	
9863	16	0.01%	99.48%	CLEC SHOULD HAVE THE ENDUSER CONTACT THEIR NSP/ISPFOR CHANGES TO ADSL SERVICES	16	100.00%	0.02%	0	0.00%	0.000%	

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002- 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
Error Type (by error code)	Count	%	S %	Error Description	CLEC Caused			BST Caused		
					Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9866	52	0.04%	99.52%	MULTILINE USOC DOES NOT APPLY	51	98.08%	0.05%	1	1.92%	0.002%
9867	63	0.05%	99.57%	MULTILINE USOC DOES NOT APPLY	62	98.41%	0.07%	1	1.59%	0.002%
9869	27	0.02%	99.59%	SINGLE LINE USOC DOES NOT APPLY	27	100.00%	0.03%	0	0.00%	0.000%
9871	262	0.19%	99.78%	ADDRESS/TN INVALID, DUE DATE COULD NOT BE CALCULATED	262	100.00%	0.28%	0	0.00%	0.000%
9881	4	0.00%	99.78%	CANNOT DETERMINE ADDRESS; TN WORKING AT MORE THAN ONE ADDRESS	4	100.00%	0.00%	0	0.00%	0.000%
9897	298	0.22%	100.00%	TN FOR NON WORKING ADDRESS; DUE DATE COULD NOT BE CALCULATED	298	100.00%	0.32%	0	0.00%	0.000%
	136,433	100.00%			92,821		100.00%	43,612		100.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
1007	13	0.14%	0.14%	DUPLICATE CC, PON, VER
1012	1	0.01%	0.15%	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	5753	62.83%	62.98%	PON DUPLICATE ON INITIAL LSR
1025	10	0.11%	63.09%	VER MUST BE GREATER THAN PREVIOUS VERSION
1030	547	5.97%	69.06%	VER MUST BE GREATER THAN PREVIOUS VERSION
1040	1	0.01%	69.07%	VER MUST BE SPACES OR ZEROES FOR 850
1050	7	0.08%	69.15%	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	2	0.02%	69.17%	AN REQUIRED FOR THIS REQTPY/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
1060	3	0.03%	69.20%	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTPY IS B
1065	12	0.13%	69.33%	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	1	0.01%	69.35%	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1075	2	0.02%	69.37%	ATN REQUIRED WITH THIS REQTPY/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1080	3	0.03%	69.40%	DDD/DDD-CC MUST BE A VALID DATE
1085	1	0.01%	69.41%	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1090	2	0.02%	69.43%	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1110	56	0.61%	70.04%	INVALID REQTPY - ACCOUNT ACTIVITY TYPE COMBINATION
1125	22	0.24%	70.29%	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1131	46	0.50%	70.79%	DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
1140	3	0.03%	70.82%	DDDO REQUIRED WHEN ACT IS T AND REQTPY IS A, E, M, OR N
1145	5	0.05%	70.87%	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1155	6	0.07%	70.94%	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
1157	2	0.02%	70.96%	DFDT PROHIBITED FOR THIS REQTPY/LNA COMBINATION
1166	2	0.02%	70.98%	CHC IS PROHIBITED WITH THIS REQTPY/ACT TYPE COMBINATION
1180	3	0.03%	71.02%	INVALID REQTPY/ACT TYPE COMBINATION (STOP EDIT)
1185	1	0.01%	71.03%	REQTPY VALID ENTRIES MUST BE AB, BB, CB, EB, FB, JB, MB OR NB (STOP EDIT)
1195	1	0.01%	71.04%	ACTIVITY TYPE VALID ENTRY MUST BE N, C, D, T, R, V, S, B, W, L, Y, P OR Q (STOP EDIT)
1200	2	0.02%	71.06%	SUP REQUIRED WHEN VER IS GREATER THAN 00

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
1215	16	0.17%	71.24%	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
1285	3	0.03%	71.27%	ACTL REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1290	4	0.04%	71.31%	ACTL MUST BE 11 ALPHANUMERIC
1335	3	0.03%	71.34%	LSO REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1340	2	0.02%	71.37%	LSO MUST BE 6 NUMERIC
1345	1	0.01%	71.38%	TOS REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION (STOP EDIT)
1390	48	0.52%	71.90%	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQ TYP IS JB
1392	2	0.02%	71.92%	TOS SECOND CHARACTER OF J IS PROHIBITED ON REQ TYP OF A,B,C,F OR J (STOP EDIT)
1395	2	0.02%	71.94%	TOS THIRD CHARACTER MUST BE - (HYPHEN) IF REQ TYP IS JB, BB OR CB
1430	2	0.02%	71.97%	CIC REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1453	2	0.02%	71.99%	BAN1 REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1455	14	0.15%	72.14%	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1470	1	0.01%	72.15%	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1510	4	0.04%	72.20%	TEL NO-INIT REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1515	5	0.05%	72.25%	TEL NO-INIT FORMAT MUST BE 10 NUMERIC OR UP TO 15 ALPHANUMERIC
1520	4	0.04%	72.29%	FAX NO-INIT REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1525	1	0.01%	72.31%	FAX NO-INIT MUST BE 10 NUMERIC
1530	7	0.08%	72.38%	IMPCON REQUIRED WITH THIS REQ TYP/ACT TYPE COMBINATION
1535	4	0.04%	72.43%	TEL NO IMPCON REQUIRED WHEN IMPCON IS POPULATED
1605	9	0.10%	72.52%	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1630	62	0.68%	73.20%	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	112	1.22%	74.42%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1640	10	0.11%	74.53%	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	65	0.71%	75.24%	LSR/PON AGED OFF
1650	715	7.81%	83.05%	LSR/PON COMPLETED
1664	1	0.01%	83.06%	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2040	4	0.04%	83.11%	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
2050	3	0.03%	83.14%	LOCNUM=000 SASD PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2055	8	0.09%	83.23%	LOCNUM=000 SASD VALID ENTRY IS E, W, N, S, NE, NW, SE, OR SW AT THIS LOCATION
2060	14	0.15%	83.38%	LOCNUM=000 SASN REQUIRED WITH THIS REQTP/ACT TYP COMBINATION AT THIS LOCATION
2065	2	0.02%	83.40%	LOCBAN REQUIRED
2070	3	0.03%	83.43%	LOCNUM=000 SATH PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2080	16	0.17%	83.61%	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
2085	34	0.37%	83.98%	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2095	7	0.08%	84.06%	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2109	7	0.08%	84.13%	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2110	22	0.24%	84.37%	LOCNUM=000 ZIP CODE-EU REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION AT THIS LOCATION
2115	4	0.04%	84.42%	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	258	2.82%	87.23%	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTP/ACT CODE
2130	6	0.07%	87.30%	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2355	2	0.02%	87.32%	ERL PROHIBITED WITH THIS REQTP/ACT TYPE COMBINATION
3005	2	0.02%	87.34%	REFNUM=001 -TELNO= REFNUM MUST BE 4 NUMERICS
3010	2	0.02%	87.36%	REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
3015	14	0.15%	87.52%	REFNUM=0001-TELNO= LNA REQUIRED
3020	14	0.15%	87.67%	LOCNUM=000 - LNUM=00001 FIRST CHARACTER OF CABLE ID MUST BE P OR V
3035	1	0.01%	87.68%	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3047	33	0.36%	88.04%	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	22	0.24%	88.28%	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3110	6	0.07%	88.35%	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	16	0.17%	88.52%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTP/ACT/LNA COMBINATION
3120	1	0.01%	88.53%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTP/ACT/LNA COMBINATION
3125	10	0.11%	88.64%	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
3130	1	0.01%	88.65%	REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE
3135	32	0.35%	89.00%	REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
3140	5	0.05%	89.06%	LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
3155	11	0.12%	89.18%	LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
3160	1	0.01%	89.19%	LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
3165	1	0.01%	89.20%	REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
3170	4	0.04%	89.24%	REFNUM=0001-TELNO= CFA INVALID FORMAT
3190	18	0.20%	89.44%	LOCNUM=000 LNUM=00001 TELNO= FEATURE MUST BE 3, 5 OR 6 ALPHANUMERICS
3200	11	0.12%	89.56%	LOCNUM=000 LNUM=00001 TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3205	2	0.02%	89.58%	LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
3245	2	0.02%	89.60%	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
3380	12	0.13%	89.73%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3385	1	0.01%	89.75%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE D, G, N, P, V, W OR X IF ACT IS V, P OR Q
3410	11	0.12%	89.87%	LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
3415	26	0.28%	90.15%	LOCNUM=000 LNUM=00002 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B
3420	2	0.02%	90.17%	LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C
3430	1	0.01%	90.18%	FOR REQTY E,F OR M, IF ACT IS P, Q OR V AT LEAST ONE LNA MUST BE G, P, V, W OR X
3431	1	0.01%	90.19%	ONLY LNA OF N OR D ALLOWED WITH LNA OF G
3439	5	0.05%	90.25%	LNUM=00001 TN= LNA MUST BE D ON ACT OF D WHEN REQTY IS A WITH SECNCI POPULATED
3460	6	0.07%	90.31%	LOCNUM=000 LNUM= TELNO= LNUM REQUIRED WITH THIS REQTY/LNA TYPE COMBINATION (STOP EDIT)
3470	1	0.01%	90.32%	LOCNUM=000 LNUM=00001 TELNO=LNUM MUST BE UNIQUE WITHIN EACH LOCNUM EXCEPT FOR REQTY E-IS
3730	21	0.23%	90.55%	LNUM=00004 TELNO= FPI INVALID ON REQTY/LNA COMBINATION
3745	12	0.13%	90.68%	LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
3750	22	0.24%	90.92%	LNUM=00001 TELNO= PIC INVALID ON REQTY/LNA COMBINATION
3755	2	0.02%	90.95%	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
3765	12	0.13%	91.08%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
3770	22	0.24%	91.32%	LNUM=00001 TELNO= LPIC INVALID ON REQTY/LNA COMBINATION
3935	1	0.01%	91.33%	LNUM=00001 TELNO= BA PROHIBITED ON REQTY/LNA COMBINATIONS
3970	1	0.01%	91.34%	LNUM=00001 TELNO= BLOCK PROHIBITED ON REQTY/LNA COMBINATION

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
4000	13	0.14%	91.48%	DL DATA ELEMENTS REQUIRED
4020	4	0.04%	91.53%	DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
4022	3	0.03%	91.56%	DLNUM=001 LTN=DLNUM MUST BE 4 NUMERICS
4030	1	0.01%	91.57%	DLNUM=0001 LTN= LACT REQUIRED
4035	3	0.03%	91.60%	DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML
4040	1	0.01%	91.61%	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTP AND ACTIVITY TYPE
4045	201	2.20%	93.81%	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4050	14	0.15%	93.96%	INVALID YPH ENTRY
4055	7	0.08%	94.04%	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4060	1	0.01%	94.05%	DLNUM=0001 LTN= VALID RTY REQUIRED
4061	9	0.10%	94.15%	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTP J, RTY OF LML, AND LACT OF N
4065	199	2.17%	96.32%	DLNUM=&DLNM LTN=<N ASSOCIATED LACT COMBINATION I AND O IS MISSING
4075	1	0.01%	96.33%	MAIN LISTING REQUIRED
4090	2	0.02%	96.35%	DLNUM=0001 LTN= VALID LTY REQUIRED
4095	1	0.01%	96.36%	REFNUM=0001-TELNO= DDA-CITY PROHIBITED FOR THIS REQTP AND ACTIVITY TYPE
4110	15	0.16%	96.53%	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4120	10	0.11%	96.64%	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4160	4	0.04%	96.68%	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4170	1	0.01%	96.69%	DLNUM=0003 LTN= DOI MUST BE 1
4180	4	0.04%	96.73%	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4195	1	0.01%	96.75%	DLNUM=0003 LTN PROHIBITED WITH RTY FCR OR LCR
4200	1	0.01%	96.76%	DLNUM=0001 LTN MUST BE 10 NUMERICS
4205	6	0.07%	96.82%	DLNUM=0001 LTN REQUIRED
4280	1	0.01%	96.83%	DLNUM=0001 LTN= TITLE1 DATA INVALID
4290	1	0.01%	96.84%	DLNUM=0002 LTN= TITLE2 DATA INVALID
4360	2	0.02%	96.87%	DLNUM=0001 LTN= LASS PROHIBITED WITH LACT Z
4385	10	0.11%	96.97%	DLNUM=0001 LTN= INVALID LAST ENTRY

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
4475	4	0.04%	97.02%	DLNUM=0002 LTN= INVALID YPH ENTRY
4478	34	0.37%	97.39%	DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
4480	1	0.01%	97.40%	DLNUM=0001 LTN= YPH PROHIBITED WITH LACT Z
4485	2	0.02%	97.42%	DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
4490	7	0.08%	97.50%	DLNUM=0001 LTN= YPH PROHIBITED WITH THIS RTY
4495	2	0.02%	97.52%	DLNUM=0001 LTN= SIC ENTRY MUST BE 4 OR 5 NUMERICS
4505	11	0.12%	97.64%	DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
4510	1	0.01%	97.65%	DLNUM=0001 LTN=ONLY ONE SIC ALLOWED PER ACCOUNT
4550	1	0.01%	97.66%	DLNUM=0003 LTN= DIRNAME REQUIRED ON FOREIGN OR SECONDARY LISTING
4830	1	0.01%	97.67%	ONLY ONE DACT PER LSR
4835	3	0.03%	97.71%	DACT ENTRY MUST BE N
4837	32	0.35%	98.06%	DACT REQUIRED
4870	1	0.01%	98.07%	DDASN IS REQUIRED
4895	1	0.01%	98.08%	DDALOC REQUIRED
4900	1	0.01%	98.09%	DDAST REQUIRED
4905	1	0.01%	98.10%	DDAZC REQUIRED
5005	9	0.10%	98.20%	LOCNUM=000 THE FOLLOWING FIELDS ARE REQUIRED; HNUM, HA, AND HID
5015	10	0.11%	98.31%	HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
5025	8	0.09%	98.39%	LOCNUM=000 HNUM= HA=G HA MUST BE N, E, C, OR D
5035	4	0.04%	98.44%	REFNUM=0001-TELNO= TER MUST BE 4 NUMERICS
5070	3	0.03%	98.47%	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5110	1	0.01%	98.48%	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
5115	2	0.02%	98.50%	LOCNUM=000 HNUM=00001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
5120	1	0.01%	98.51%	LOCNUM=000 HNUM=00001 HLA=D HLA OF D PROHIBITED WHEN HUNT GROUP ACTIVITY IS N OR E
5135	2	0.02%	98.54%	LOCNUM=000 HNUM=00001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E
5175	3	0.03%	98.57%	HNUM=00001 HT=T0001--T0002 HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4
6045	45	0.49%	99.06%	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	S %	Error Description
6050	11	0.12%	99.18%	REQTYP/LOOP TYPE COMBINATION INVALID
6055	1	0.01%	99.19%	LQTY IS REQUIRED FOR REQTP/ACT COMBINATION
7080	1	0.01%	99.20%	EATN AND AN ARE REQUIRED FOR REQTP
8005	4	0.04%	99.25%	DNUM=00001 TC OPT PROHIBITED WITH THIS REQTP/ACT TYPE COMBINATION
8115	1	0.01%	99.26%	LNUM=00001 TC OPT PROHIBITED WITH THIS REQTP/ACT TYPE COMBINATION
8120	4	0.04%	99.30%	LNUM=00002 TC OPT VALID ENTRY IS ST, NO, CA OR TC
8130	1	0.01%	99.31%	CONVERSION SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE
8140	10	0.11%	99.42%	LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTP E, F OR M FOR LNA C, G, N OR V
8165	1	0.01%	99.43%	LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
8180	7	0.08%	99.51%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
8210	4	0.04%	99.55%	LNUM=00002 TC PER PROHIBITED WHEN LNUM TC OPT IS NOT ST OR TC
8215	4	0.04%	99.60%	LNUM=00001 TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE
8255	10	0.11%	99.71%	INVALID ACTIVITY TYPE
8270	9	0.10%	99.80%	SUPPLEMENTAL ADDRESS NOT VALID
9892	12	0.13%	99.93%	NCON VALID VALUE MUST BE B OR BLANK
9893	3	0.03%	99.97%	NCON PROHIBITED ON ACT V WHEN EUMI IS BLANK
9894	3	0.03%	100.00%	NCON DATA NOT ALLOWED WHEN SUPPLEMENTAL ADDRESS IS BLANK
	9,157	100.00%		

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: - 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TLI IS REQUIRED FOR INWARD CATEGORY D USOCs!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQU!

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: - 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1

ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
 Attachment 2H

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CORRECT SYSTEM ERROS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#,
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCOSL & UEAMC-WHCH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 01/01/2002 - 01/31/2002

Supplemental Exhibit AJV-6
Attachment 2H

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)

	PERCENT ACHIEVED FLOW- THROUGH	PERCENT FLOW THROUGH
CLEC AGGREGATE		
REGION ALL SERVICES	50.70%	92.81%

AGGREGATE ORDER TYPES													
Company Info			LSR PROCESSING								FLOWTHROUGH		
Name	Mechanized Interface Used		Manual	Rejects	Validated	Errors				Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout				Issued SO's
1	0	24	24	7	5	12	2	1	1	10	55.56%	83.33%	90.91%
2	61	0	61	26	10	25	0	0	0	25	49.02%	100.00%	100.00%
3	139	0	139	68	19	52	7	6	1	45	37.82%	86.54%	88.24%
4	678	0	678	315	79	284	121	65	56	163	30.02%	57.39%	71.49%
5	0	2	2	1	0	1	0	0	0	1	50.00%	100.00%	100.00%
6	0	703	703	125	61	517	142	135	7	375	59.06%	72.53%	73.53%
7	597	0	597	278	109	210	57	27	30	153	33.41%	72.86%	85.00%
8	1	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
9	0	506	506	278	76	152	53	21	32	99	24.87%	65.13%	82.50%
10	5,150	0	5,150	982	335	3,833	131	29	102	3,702	78.55%	96.58%	99.22%
11	85	0	85	78	5	2	1	0	1	1	1.27%	50.00%	100.00%
12	174	0	174	92	28	54	18	13	5	36	25.53%	66.67%	73.47%
13	0	27	27	23	1	3	3	0	3	0	0.00%	0.00%	0.00%
14	110	0	110	46	28	36	9	2	7	27	36.00%	75.00%	93.10%
15	2,804	0	2,804	764	133	1,907	70	20	50	1,837	70.09%	96.33%	98.92%
16	0	32	32	19	3	10	4	3	1	6	21.43%	60.00%	66.67%
17	1,373	0	1,373	278	87	1,008	76	48	28	932	74.09%	92.46%	95.10%
18	51	0	51	38	8	5	0	0	0	5	11.63%	100.00%	100.00%
19	0	1,009	1,009	456	143	410	107	45	62	303	37.69%	73.90%	87.07%
20	197	0	197	102	36	59	21	8	13	38	25.68%	64.41%	82.61%
21	0	2,292	2,292	2,152	140	0	0	0	0	0	0.00%	0.00%	0.00%
22	0	127	127	58	19	50	15	8	7	35	34.65%	70.00%	81.40%
23	1,938	0	1,938	892	126	920	253	110	143	667	39.96%	72.50%	85.84%
24	0	1,644	1,644	750	216	678	189	78	111	489	37.13%	72.12%	86.24%
25	55	0	55	14	5	36	4	1	3	32	68.09%	88.89%	96.97%
26	0	8	8	5	0	3	2	1	1	1	14.29%	33.33%	50.00%
27	0	4	4	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
28	458	0	458	216	35	207	23	11	12	184	44.77%	88.89%	94.36%
29	338	0	338	182	11	145	95	80	15	50	16.03%	34.48%	38.46%
30	40	0	40	13	4	23	10	4	6	13	43.33%	56.52%	76.47%
31	0	12	12	8	1	3	1	0	1	2	20.00%	66.67%	100.00%
EDl Subtotal	14,249		14,249	4,384	1,058	8,807	896	424	472	7,911	62.20%	89.83%	94.91%
TAG Subtotal		6,390	6,390	3,882	665	1,843	518	292	226	1,325	24.10%	71.89%	81.94%
TOTAL INTERFACES	14,249	6,390	20,639	8,266	1,723	10,650	1,414	716	698	9,236	50.70%	86.72%	92.81%

REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS
 (FATAL REJECTS BY CLEC)
 REPORT PERIOD: 01/01/2002 - 01/31/2002

AGGREGATE ORDER TYPES	
Company Info	
Name	FATAL REJECTS
1	6
2	5
3	31
4	156
5	11
6	168
7	0
8	56
9	112
10	24
11	21
12	2
13	39
14	110
15	2
16	48
17	20
18	182
19	42
20	397
21	14
22	415
23	67
24	7
25	4
26	1
27	1
28	46
29	20
30	24
Total	2,031