

ORDERING

REPORT: PERCENT FLOW THROUGH SERVICE REQUESTS (SUMMARY)
 REPORT PERIOD: 03/01/2002 - 03/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

	PERCENT ACHIEVED FLOWTHROUGH	PERCENT FLOWTHROUGH
CLEC AGGREGATE		
REGION ALL SERVICES	75.79%	85.28%
BST AGGREGATE		
REGION	FLOWTHROUGH %	
- RETAIL RESIDENCE	93.40%	
- RETAIL BUSINESS*	TBD	
<p>*NOTE: BellSouth is reinstating the reporting of business retail flowthrough as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flowthrough for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete.</p>		

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Manual Total Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG						Total Mech LSR's	BST Caused Fallout				
1		0	0	2	2	1	0	0	1	1	0	0	0.00%	0.00%	0.00%
2		0	2	0	2	0	2	0	0	0	0	0	0.00%	0.00%	0.00%
3		48	0	0	48	3	2	0	43	6	0	37	92.50%	86.05%	100.00%
4		145	0	0	145	33	12	2	98	14	7	84	67.74%	85.71%	92.31%
5		2	0	0	2	0	2	0	0	0	0	0	0.00%	0.00%	0.00%
6		151	0	0	151	19	6	8	118	12	10	106	78.52%	89.83%	91.38%
7		6	0	0	6	0	3	0	3	1	1	2	66.67%	66.67%	66.67%
8		0	14	0	14	10	0	0	4	1	0	3	23.08%	75.00%	100.00%
9		0	5	0	5	1	1	0	3	1	1	2	50.00%	66.67%	66.67%
10		6	0	0	6	1	3	0	2	0	0	2	66.67%	100.00%	100.00%
11		0	0	24	24	4	4	0	16	7	5	9	50.00%	56.25%	64.29%
12		9	0	0	9	0	5	0	4	0	0	4	100.00%	100.00%	100.00%
13		10	0	0	10	0	5	0	5	2	2	3	60.00%	60.00%	60.00%
14		1	0	0	1	0	0	0	1	0	0	1	100.00%	100.00%	100.00%
15		6	0	0	6	0	2	0	4	0	0	4	100.00%	100.00%	100.00%
16		2	0	0	2	0	0	0	2	0	0	2	100.00%	100.00%	100.00%
17		58	0	0	58	1	8	1	48	14	13	34	70.83%	70.83%	72.34%
18		51	0	0	51	4	15	0	32	19	11	13	46.43%	40.63%	54.17%
19		0	3	0	3	1	0	0	2	0	0	2	66.67%	100.00%	100.00%
20		341	0	0	341	13	22	10	296	64	34	232	83.15%	78.38%	87.22%
21		1	0	0	1	0	0	0	1	0	0	1	100.00%	100.00%	100.00%
22		1	0	0	1	0	1	0	0	0	0	0	0.00%	0.00%	0.00%
23		2	0	0	2	0	1	0	1	0	0	1	100.00%	100.00%	100.00%
24		7	0	0	7	0	0	1	6	1	1	5	83.33%	83.33%	83.33%
25		8	0	0	8	1	1	0	6	4	0	2	66.67%	33.33%	100.00%
26		3	0	0	3	0	0	0	3	2	1	1	50.00%	33.33%	50.00%
27		0	0	19	19	0	0	2	17	12	5	5	50.00%	29.41%	50.00%
28		0	6	0	6	3	0	0	3	1	0	2	40.00%	66.67%	100.00%
29		279	0	0	279	15	29	7	228	59	41	169	75.11%	74.12%	80.48%
30		49	0	0	49	3	6	1	39	8	6	31	77.50%	79.49%	83.78%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING												FLOWTHROUGH		
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG					Manual Total Manual Fallout	Auto Clarification	Total System Fallout					BST Caused Fallout
31		0	0	651	29	38	2	582	42	29	13	540	90.30%	92.78%	94.90%	
32		6	0	0	0	5	0	1	0	0	0	1	100.00%	100.00%	100.00%	
33		32	0	0	5	11	1	15	5	0	5	10	66.67%	66.67%	100.00%	
34		269	0	0	55	82	4	128	54	31	23	74	46.25%	57.81%	70.48%	
35		67	0	0	5	1	1	60	1	1	0	59	90.77%	98.33%	98.33%	
36		0	0	862	28	224	8	602	28	17	11	574	92.73%	95.35%	97.12%	
37		4	0	0	1	0	0	3	2	1	1	1	33.33%	33.33%	50.00%	
38		0	0	76	9	6	1	60	4	4	0	56	81.16%	93.33%	93.33%	
39		58	0	0	4	0	1	53	6	3	3	47	87.04%	88.68%	94.00%	
40		0	0	350	42	23	8	277	41	24	17	236	78.15%	85.20%	90.77%	
41		44	0	0	4	5	0	35	4	3	1	31	81.58%	88.57%	91.18%	
42		0	0	376	12	23	0	341	12	6	6	329	94.81%	96.48%	98.21%	
43		13	0	0	0	7	0	6	2	1	1	4	80.00%	66.67%	80.00%	
44		464	0	0	13	21	11	419	35	27	8	384	90.57%	91.65%	93.43%	
45		0	0	6,606	149	492	70	5,895	685	415	270	5,210	90.23%	88.38%	92.62%	
46		69	0	0	24	12	2	31	6	5	1	25	46.30%	80.65%	83.33%	
47		0	510	0	46	42	1	421	123	105	18	298	66.37%	70.78%	73.95%	
48		3	0	0	0	1	0	2	1	1	0	1	50.00%	50.00%	50.00%	
49		119	0	0	19	18	4	78	22	19	3	56	59.57%	71.79%	74.67%	
50		15	0	0	1	14	0	0	0	0	0	0	0.00%	0.00%	0.00%	
51		3	0	0	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%	
52		186	0	0	30	32	5	119	27	21	6	92	64.34%	77.31%	81.42%	
53		89	0	0	18	5	0	66	5	4	1	61	73.49%	92.42%	93.85%	
54		2	0	0	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
55		0	119	0	3	16	0	100	21	20	1	79	77.45%	79.00%	79.80%	
56		2	0	0	1	0	0	1	1	1	0	0	0.00%	0.00%	0.00%	
57		0	0	166	7	8	0	151	33	25	8	118	78.67%	78.15%	82.52%	
58		1,796	0	0	190	253	18	1,335	159	111	48	1,176	79.62%	88.09%	91.38%	
59		41	0	0	12	3	0	26	7	5	2	19	52.78%	73.08%	79.17%	
60		273	0	0	41	43	4	185	70	53	17	115	55.02%	62.16%	68.45%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Manual Total Manual Fallout	Auto Clarification				BSY Caused Fallout	CLEC Caused Fallout				
61		21	0	0	2	2	0	17	7	6	1	10	55.56%	58.82%	62.50%
62		63	0	0	20	8	2	33	8	6	2	25	49.02%	75.76%	80.65%
63		0	277	0	33	46	0	198	54	32	22	144	68.90%	72.73%	81.82%
64		0	0	378	38	54	4	282	64	35	29	218	74.91%	77.30%	86.17%
65		904	0	0	121	167	4	612	204	168	36	408	58.54%	66.67%	70.83%
66		1,462	0	0	143	30	3	1,286	133	118	15	1,153	81.54%	89.66%	90.72%
67		1	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
68		7	0	0	0	0	0	7	3	3	0	4	57.14%	57.14%	57.14%
69		1	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
70		0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
71		0	0	4	0	1	0	3	0	0	0	3	100.00%	100.00%	100.00%
72		1,979	0	0	172	236	20	1,551	280	231	49	1,271	75.93%	81.95%	84.62%
73		1,067	0	0	681	30	0	356	34	22	12	322	31.41%	90.45%	93.60%
74		69	0	0	8	11	2	48	9	4	5	39	76.47%	81.25%	90.70%
75		547	0	0	27	27	0	493	50	47	3	443	85.69%	89.86%	90.41%
76		1,322	0	0	373	178	17	754	219	165	54	535	49.86%	70.95%	76.43%
77		0	1,859	0	654	158	7	1,040	276	223	53	764	46.56%	73.46%	77.41%
78		0	75	0	25	9	1	40	24	15	9	16	28.57%	40.00%	51.61%
79		192	0	0	40	25	0	127	27	22	5	100	61.73%	78.74%	81.97%
80		55	0	0	11	9	0	35	10	7	3	25	58.14%	71.43%	78.13%
81		20	0	0	0	5	0	15	1	1	0	14	93.33%	93.33%	93.33%
82		10	0	0	1	0	0	9	3	2	1	6	66.67%	66.67%	75.00%
83		0	182	0	11	12	6	153	17	14	3	136	84.47%	88.89%	90.67%
84		434	0	0	43	37	3	351	20	18	2	331	84.44%	94.30%	94.84%
85		0	0	47	0	14	0	33	13	13	0	20	60.61%	60.61%	60.61%
86		0	0	111	0	13	0	98	22	22	0	76	77.55%	77.55%	77.55%
87		11	0	0	0	3	0	8	4	1	3	4	80.00%	50.00%	80.00%
88		0	0	258	0	34	0	224	66	63	3	158	71.49%	70.54%	71.49%
89		717	0	0	28	45	0	644	54	39	15	590	89.80%	91.61%	93.80%
90		401	0	0	40	10	2	349	19	18	1	330	85.05%	94.56%	94.83%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Manual Fallout	Auto Clarification				BSI Caused Fallout	CLEC Caused Fallout				
91		789	0	0	19	0	3	717	72	59	13	645	88.72%	89.96%	91.62%
92		0	0	19	0	3	4	12	2	1	1	10	90.91%	83.33%	90.91%
93		0	362	0	362	53	2	281	111	78	33	170	62.04%	60.50%	68.55%
94		997	0	0	997	91	25	804	191	163	28	613	71.86%	76.24%	78.99%
95		32	0	0	32	7	2	18	4	3	1	14	63.64%	77.78%	82.35%
96		165	0	0	165	17	0	121	19	14	5	102	71.33%	84.30%	87.93%
97		16	0	0	16	3	0	13	4	2	2	9	81.82%	69.23%	81.82%
98		106	0	0	106	23	0	78	1	1	0	77	92.77%	98.72%	98.72%
99		141	0	0	141	15	0	120	16	12	4	104	85.25%	86.67%	89.66%
100		64	0	0	64	8	0	52	0	0	0	52	92.86%	100.00%	100.00%
101		109	0	0	109	13	2	67	14	8	6	53	60.23%	79.10%	86.89%
102		152	0	0	152	18	0	127	6	6	0	121	90.30%	95.28%	95.28%
103		482	0	0	482	44	0	387	57	47	10	330	77.10%	85.27%	87.53%
104		91	0	0	91	2	0	71	5	5	0	66	74.16%	92.96%	92.96%
105		307	0	0	307	11	1	268	18	16	2	250	85.32%	93.28%	93.98%
106		67	0	0	67	5	0	58	8	3	5	50	87.72%	86.21%	94.34%
107		6	0	0	6	0	0	4	2	2	0	2	33.33%	50.00%	50.00%
108		24,112	0	0	24,112	1,615	39	21,008	1,377	1,203	174	19,631	88.09%	93.45%	94.23%
109		30	0	0	30	4	0	24	8	5	3	16	69.57%	66.67%	76.19%
110		12	0	0	12	1	0	11	4	4	0	7	63.64%	63.64%	63.64%
111		25	0	0	25	0	0	23	2	2	0	21	84.00%	91.30%	91.30%
112		32	0	0	32	4	0	28	11	10	1	17	62.96%	60.71%	62.96%
113		6,067	0	0	6,067	608	15	5,104	485	398	87	4,619	86.22%	90.50%	92.07%
114		433	0	0	433	17	1	381	19	15	4	362	88.08%	95.01%	96.02%
115		76	0	0	76	5	0	55	7	4	3	48	70.59%	87.27%	92.31%
116		27	0	0	27	2	2	19	1	1	0	18	78.26%	94.74%	94.74%
117		0	51	0	51	0	0	8	6	5	1	2	4.00%	25.00%	28.57%
118		47	0	0	47	1	1	41	8	6	2	33	76.74%	80.49%	84.62%
119		52	0	0	52	3	0	47	1	1	0	46	93.88%	97.87%	97.87%
120		572	0	0	572	63	2	433	110	87	23	323	66.74%	74.60%	78.78%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects		Pending Supps (Z Status)	Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Auto Clarification	Total System Fallout	BSY Caused Fallout	CLEC Caused Fallout						
121		703	0	0	703	60	15	3	625	219	197	22	406	61.24%	64.96%	67.33%
122		76	0	0	76	28	5	0	43	11	6	5	32	48.48%	74.42%	84.21%
123		0	420	0	420	252	62	11	95	53	32	21	42	12.88%	44.21%	56.76%
124		5,930	0	0	5,930	808	508	68	4,546	934	753	181	3,612	69.82%	79.45%	82.75%
125		112	0	0	112	10	10	0	92	14	14	0	78	76.47%	84.78%	84.78%
126		0	1,396	0	1,396	38	70	0	1,288	115	101	14	1,173	89.41%	91.07%	92.07%
127		0	0	88	88	0	10	1	77	4	2	2	73	97.33%	94.81%	97.33%
128		34	0	0	34	5	3	2	24	6	2	4	18	72.00%	75.00%	90.00%
129		0	0	51	51	13	15	0	23	6	4	2	17	50.00%	73.91%	80.95%
130		290	0	0	290	18	13	2	257	17	14	3	240	88.24%	93.39%	94.49%
131		90	0	0	90	0	20	2	68	33	24	9	35	59.32%	51.47%	59.32%
132		671	0	0	671	62	58	3	548	83	78	5	465	76.86%	84.85%	85.64%
133		2,390	0	0	2,390	355	227	8	1,800	554	487	67	1,246	59.67%	69.22%	71.90%
134		39	0	0	39	2	5	0	32	7	6	1	25	75.76%	78.13%	80.65%
135		3	0	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
136		0	0	21	21	0	3	0	18	0	0	0	18	100.00%	100.00%	100.00%
137		20	0	0	20	0	2	1	17	5	4	1	12	75.00%	70.59%	75.00%
138		0	0	609	609	124	15	2	468	81	71	10	387	66.49%	82.69%	84.50%
139		6	0	0	6	6	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
140		0	113	0	113	88	8	0	17	10	6	4	7	6.93%	41.18%	53.85%
141		90	0	0	90	29	17	0	44	4	3	1	40	55.56%	90.91%	93.02%
142		834	0	0	834	85	51	3	695	102	86	16	593	77.62%	85.32%	87.33%
143		7	0	0	7	0	0	0	7	0	0	0	7	100.00%	100.00%	100.00%
144		0	0	129	129	5	8	0	116	3	3	0	113	93.39%	97.41%	97.41%
145		36	0	0	36	1	6	4	25	16	6	10	9	56.25%	36.00%	60.00%
146		0	1,133	0	1,133	151	92	0	890	79	58	21	811	79.51%	91.12%	93.33%
147		1,221	0	0	1,221	59	76	6	1,080	255	212	43	825	75.27%	76.39%	79.56%
148		3	0	0	3	1	0	0	2	2	0	2	0	0.00%	0.00%	0.00%
149		0	0	1,498	1,498	181	155	9	1,153	218	173	45	935	72.54%	81.09%	84.39%
150		7	0	0	7	0	2	0	5	2	2	0	3	60.00%	60.00%	60.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Manual Total Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG						Total Mech LSR's	Total System Fallout	BST Caused Fallout				
151		897	0	0	897	87	98	8	704	75	60	15	629	81.06%	89.35%	91.29%
152		87	0	0	87	5	5	0	77	3	2	1	74	91.36%	96.10%	97.37%
153		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
154		0	2,153	0	2,153	66	468	5	1,614	709	410	299	905	65.53%	56.07%	68.82%
155		2,485	0	0	2,485	942	196	8	1,339	498	352	146	841	39.39%	62.81%	70.49%
156		34	0	0	34	0	1	1	32	4	0	4	28	100.00%	87.50%	100.00%
157		8	0	0	8	1	1	0	6	3	3	0	3	42.86%	50.00%	50.00%
158		256	0	0	256	74	23	0	159	23	15	8	136	60.44%	85.53%	90.07%
159		32	0	0	32	6	5	0	21	4	4	0	17	62.96%	80.95%	80.95%
160		0	0	397	397	4	28	0	365	3	2	1	362	98.37%	99.18%	99.45%
161		82	0	0	82	0	8	0	74	8	6	2	66	91.67%	89.19%	91.67%
162		10	0	0	10	0	3	1	6	4	0	4	2	100.00%	33.33%	100.00%
163		892	0	0	892	140	24	3	725	35	30	5	690	80.23%	95.17%	95.83%
164		40	0	0	40	11	6	0	23	4	1	3	19	61.29%	82.61%	95.00%
165		0	4	0	4	0	1	0	3	2	2	0	1	33.33%	33.33%	33.33%
166		371	0	0	371	82	30	5	254	56	34	22	198	63.06%	77.95%	85.34%
167		0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
168		0	601	0	601	130	100	5	366	69	35	34	297	64.29%	81.15%	89.46%
169		1,123	0	0	1,123	260	118	21	724	197	137	60	527	57.03%	72.79%	79.37%
170		76	0	0	76	10	13	1	52	13	13	0	39	62.90%	75.00%	75.00%
171		705	0	0	705	78	51	8	568	106	76	30	462	75.00%	81.34%	85.87%
172		0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
173		181	0	0	181	20	19	1	141	12	9	3	129	81.65%	91.49%	93.48%
174		0	0	2,552	2,552	58	188	9	2,297	141	109	32	2,156	92.81%	93.86%	95.19%
175		9	0	0	9	1	2	0	6	0	0	0	6	85.71%	100.00%	100.00%
176		185	0	0	185	77	24	4	80	36	24	12	44	30.34%	55.00%	64.71%
177		0	2,832	0	2,832	386	406	45	1,995	688	492	196	1,307	59.82%	65.51%	72.65%
178		169	0	0	169	23	8	4	134	29	23	6	105	69.54%	78.36%	82.03%
179		389	0	0	389	13	15	0	361	14	7	7	347	94.55%	96.12%	98.02%
180		0	59	0	59	1	8	0	50	5	4	1	45	90.00%	90.00%	91.84%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Manual Total Manual Fallout	Auto Clarification				BST Caused Fallout	CLEC Caused Fallout					
181		126	0	0	126	2	8	0	116	11	9	2	105	90.52%	90.52%	92.11%
182		4,768	0	0	4,768	91	620	5	4,052	203	143	60	3,849	94.27%	94.99%	96.42%
183		810	0	0	810	148	29	6	627	134	114	20	493	65.30%	78.63%	81.22%
184		0	2,282	0	2,282	26	351	0	1,905	182	135	47	1,723	91.45%	90.45%	92.73%
185		31	0	0	31	1	11	0	19	2	1	1	17	89.47%	89.47%	94.44%
186		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
187		0	8	0	8	0	4	0	4	4	2	2	0	0.00%	0.00%	0.00%
188		425	0	0	425	96	34	3	292	83	57	26	209	57.73%	71.58%	78.57%
189		3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
190		0	0	109	109	6	12	0	91	21	17	4	70	75.27%	76.92%	80.46%
191		32	0	0	32	6	2	0	24	3	1	2	21	75.00%	87.50%	95.45%
192		650	0	0	650	18	28	2	602	51	45	6	551	89.74%	91.53%	92.45%
193		23	0	0	23	8	0	0	15	1	0	1	14	63.64%	93.33%	100.00%
194		6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%
195		0	0	17	17	0	5	0	12	4	2	2	8	80.00%	66.67%	80.00%
196		0	0	67	67	10	7	0	50	18	16	2	32	55.17%	64.00%	66.67%
197		0	0	82	82	1	27	1	53	22	16	6	31	64.58%	58.49%	65.96%
198		5	0	0	5	0	0	0	5	2	0	2	3	100.00%	60.00%	100.00%
199		0	0	357	357	132	24	9	192	85	47	38	107	37.41%	55.73%	69.48%
200		41	0	0	41	7	2	0	32	1	0	1	31	81.58%	96.88%	100.00%
201		6	0	0	6	1	3	0	2	1	1	0	1	33.33%	50.00%	50.00%
202		0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
203		63	0	0	63	9	8	0	46	21	13	8	25	53.19%	54.35%	65.79%
204		0	20,502	0	20,502	1,185	5,902	8	13,407	8,404	4,065	4,339	5,003	48.80%	37.32%	55.17%
205		8	0	0	8	0	2	0	6	5	4	1	1	20.00%	16.67%	20.00%
206		997	0	0	997	170	258	3	566	196	118	78	370	56.23%	65.37%	75.82%
207		323	0	0	323	42	21	2	258	61	46	15	197	69.12%	76.36%	81.07%
208		462	0	0	462	37	33	1	391	72	62	10	319	76.32%	81.59%	83.73%
209		10	0	0	10	8	0	0	2	0	0	0	2	20.00%	100.00%	100.00%
210		63	0	0	63	16	6	1	40	11	10	1	29	52.73%	72.50%	74.36%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Falout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Falout				Auto Clarification	BST Caused Falout				
211		0	0	639	639	118	85	9	427	72	48	24	355	83.14%	88.09%
212		0	0	75	75	3	3	2	67	26	18	8	41	61.19%	69.49%
213		196	0	0	196	17	21	2	156	6	3	3	150	96.15%	98.04%
214		0	2,995	0	2,995	59	197	2	2,737	230	170	60	2,507	91.63%	93.65%
215		39	0	0	39	2	15	0	22	8	3	5	14	73.68%	82.35%
216		133	0	0	133	6	16	0	111	7	4	3	104	91.23%	96.30%
217		0	1,720	0	1,720	38	172	0	1,510	119	95	24	1,391	91.27%	93.61%
218		466	0	0	466	7	116	5	338	101	63	38	237	77.20%	79.00%
219		0	7,752	0	7,752	452	698	6	6,596	1,032	768	264	5,564	82.02%	87.87%
220		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%
221		39	0	0	39	0	4	1	34	8	3	5	26	89.66%	89.66%
222		14	0	0	14	4	2	0	8	1	1	0	7	58.33%	87.50%
223		0	693	0	693	40	58	4	591	72	56	16	519	84.39%	90.26%
224		2	0	0	2	0	1	0	1	1	0	1	0	0.00%	0.00%
225		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%
226		11	0	0	11	1	0	0	10	4	4	0	6	54.55%	60.00%
227		5	0	0	5	0	5	0	0	0	0	0	0	0.00%	0.00%
228		0	672	0	672	41	184	17	430	135	54	81	295	75.64%	84.53%
229		7	0	0	7	0	3	0	4	2	1	1	2	66.67%	66.67%
230		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%
231		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%
232		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%
233		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%
234		131	0	0	131	3	43	0	85	10	4	6	75	91.46%	94.94%
235		0	41,702	0	41,702	3,139	3,158	407	34,998	5,052	3,368	1,684	29,946	82.15%	89.89%
236		3	0	0	3	0	0	0	3	2	2	0	1	33.33%	33.33%
237		3	0	0	3	0	1	0	2	1	0	1	1	100.00%	100.00%
238		6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%
239		0	0	7	7	7	0	0	0	0	0	0	0	0.00%	0.00%
240		83	0	0	83	21	7	1	54	8	7	1	46	62.16%	86.79%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through		
		LENS	EDI	TAG					Manual Total Manual Fallout	Auto Clarification					BSI Caused Fallout	CLEC Caused Fallout
241		0	2,980	0	2,980	40	350	0	2,590	1,150	760	390	1,440	64.29%	55.60%	65.45%
242		32	0	0	32	8	0	0	24	16	9	7	8	32.00%	33.33%	47.06%
243		0	0	113	113	41	37	0	35	32	11	21	3	5.45%	8.57%	21.43%
244		21	0	0	21	0	2	0	19	6	3	3	13	81.25%	68.42%	81.25%
245		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
246		0	1,498	0	1,498	61	220	13	1,204	190	110	80	1,014	85.57%	84.22%	90.21%
247		2,878	0	0	2,878	203	453	11	2,211	136	114	22	2,075	86.75%	93.85%	94.79%
248		115	0	0	115	9	5	0	101	12	11	1	89	81.65%	88.12%	89.00%
249		604	0	0	604	23	21	0	560	26	24	2	534	91.91%	95.36%	95.70%
250		362	0	0	362	21	1	0	340	15	15	0	325	90.03%	95.59%	95.59%
251		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
252		9	0	0	9	4	0	0	5	2	1	1	3	37.50%	60.00%	75.00%
253		0	0	13	13	6	0	0	7	2	2	0	5	38.46%	71.43%	71.43%
254		0	26	0	26	0	10	1	15	8	4	4	7	63.64%	46.67%	63.64%
255		100	0	0	100	6	13	1	80	7	7	0	73	84.88%	91.25%	91.25%
256		0	0	534	534	91	23	51	369	218	160	58	151	37.56%	40.92%	48.55%
257		0	0	443	443	41	72	2	328	90	69	21	238	68.39%	72.56%	77.52%
258		640	0	0	640	149	114	2	375	91	73	18	284	56.13%	75.73%	79.55%
259		370	0	0	370	34	62	1	273	21	17	4	252	83.17%	92.31%	93.68%
260		42	0	0	42	3	12	0	27	8	7	1	19	65.52%	70.37%	73.08%
261		61,889	0	0	61,889	5,004	11,074	551	45,260	13,322	10,154	3,168	31,938	67.81%	70.57%	75.88%
262		13,564	0	0	13,564	481	1,749	162	11,172	4,150	2,501	1,649	7,022	70.19%	62.85%	73.74%
263		397	0	0	397	40	28	2	327	36	29	7	291	80.83%	88.99%	90.94%
264		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
265		0	0	50	50	1	5	1	43	2	2	0	41	93.18%	95.35%	95.35%
266		185	0	0	185	6	50	6	123	59	52	7	64	52.46%	52.03%	55.17%
267		89	0	0	89	12	10	2	65	10	8	2	55	73.33%	84.62%	87.30%
268		996	0	0	996	94	50	3	849	60	51	9	789	84.48%	92.93%	93.93%
269		175	0	0	175	3	2	2	168	26	19	7	142	86.59%	84.52%	88.20%
270		220	0	0	220	21	33	10	156	60	49	11	96	57.83%	61.54%	66.21%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG					Manual Total Manual Fallout	Auto Clarification					Total System Fallout
271		349	0	0	349	0	0	286	14	8	6	272	86.90%	95.10%	97.14%
272		263	0	0	263	2	2	221	14	12	2	207	81.82%	93.67%	94.52%
273		841	0	0	841	3	3	742	49	37	12	693	86.52%	93.40%	94.93%
274		21	0	0	21	0	0	19	1	1	0	18	85.71%	94.74%	94.74%
275		1,324	0	0	1,324	3	3	1,216	71	58	13	1,145	88.83%	94.16%	95.18%
276		13	0	0	13	0	0	4	1	1	0	3	37.50%	75.00%	75.00%
277		12	0	0	12	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
278		0	98	0	98	5	5	80	29	11	18	51	82.26%	63.75%	82.26%
279		0	0	3,323	3,323	13	13	2,795	1,022	562	460	1,773	75.51%	63.43%	75.93%
280		5	0	0	5	0	0	3	1	1	0	2	50.00%	66.67%	66.67%
281		0	0	2,629	2,629	78	78	2,492	468	401	67	2,024	80.86%	81.22%	83.46%
282		10,104	0	0	10,104	584	584	8,902	635	589	46	8,267	87.57%	92.87%	93.35%
283		576	0	0	576	32	32	496	23	18	5	473	90.44%	95.36%	96.33%
284		7	0	0	7	0	0	4	2	0	2	2	100.00%	50.00%	100.00%
285		383	0	0	383	55	55	293	32	22	10	261	77.22%	89.08%	92.23%
286		0	3	0	3	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
287		272	0	0	272	12	12	224	43	28	15	181	81.90%	80.80%	86.60%
288		54	0	0	54	11	11	37	12	6	6	25	59.52%	67.57%	80.65%
289		16	0	0	16	6	6	9	2	2	0	7	46.67%	77.78%	77.78%
290		25	0	0	25	0	0	16	2	1	1	14	93.33%	87.50%	93.33%
291		67	0	0	67	13	13	40	16	16	0	24	45.28%	60.00%	60.00%
292		95	0	0	95	8	8	75	27	21	6	48	62.34%	64.00%	69.57%
293		60	0	0	60	11	11	42	11	7	4	31	63.27%	73.81%	81.58%
294		0	94	0	94	32	32	42	10	9	1	32	43.84%	76.19%	78.05%
295		110	0	0	110	12	12	87	20	15	5	67	71.28%	77.01%	81.71%
296		376	0	0	376	39	39	319	18	15	3	301	84.79%	94.36%	95.25%
297		125	0	0	125	20	20	90	5	4	1	85	77.98%	94.44%	95.51%
298		0	21	0	21	2	2	13	1	0	1	12	85.71%	92.31%	100.00%
299		1,585	0	0	1,585	78	78	1,335	387	250	137	948	74.29%	71.01%	79.19%
300		165	0	0	165	28	28	120	66	47	19	54	41.86%	45.00%	53.47%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects			Errors				Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout					CLEC Caused Fallout
301		0	31	0	31	3	2	0	26	8	5	3	18	69.23%	69.23%	78.26%
302		47	0	0	47	24	4	1	18	3	3	0	15	35.71%	83.33%	83.33%
303		216	0	0	216	73	44	1	98	50	42	8	48	29.45%	48.98%	53.33%
304		2,313	0	0	2,313	42	57	11	2,203	91	71	20	2,112	94.92%	95.87%	96.75%
305		17	0	0	17	3	0	1	13	1	0	1	12	80.00%	92.31%	100.00%
306		0	30	0	30	0	3	0	27	9	4	5	18	81.82%	66.67%	81.82%
307		488	0	0	488	51	35	1	401	31	26	5	370	82.77%	92.27%	93.43%
308		21	0	0	21	8	2	0	11	1	1	0	10	52.63%	90.91%	90.91%
309		561	0	0	561	97	71	6	387	69	44	25	318	69.28%	82.17%	87.85%
310		4	0	0	4	2	0	0	2	0	0	0	2	50.00%	100.00%	100.00%
311		16	0	0	16	0	1	0	15	12	6	6	3	33.33%	20.00%	33.33%
312		20	0	0	20	3	2	0	15	0	0	0	15	83.33%	100.00%	100.00%
313		88	0	0	88	12	6	0	70	9	6	3	61	77.22%	87.14%	91.04%
314		7	0	0	7	1	1	0	5	1	1	0	4	66.67%	80.00%	80.00%
315		11	0	0	11	1	2	0	8	3	2	1	5	62.50%	62.50%	71.43%
316		217	0	0	217	23	12	2	180	29	25	4	151	75.88%	83.89%	85.80%
317		101	0	0	101	15	12	0	74	7	6	1	67	76.14%	90.54%	91.78%
318		150	0	0	150	25	20	0	105	25	17	8	80	65.57%	76.19%	82.47%
319		6	0	0	6	0	1	0	5	4	2	2	1	33.33%	20.00%	33.33%
320		11	0	0	11	0	3	0	8	3	3	0	5	62.50%	62.50%	62.50%
321		9	0	0	9	0	1	1	7	2	1	1	5	83.33%	71.43%	83.33%
322		0	0	70	70	11	14	0	45	10	7	3	35	66.04%	77.78%	83.33%
323		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
324		6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%
325		5	0	0	5	1	0	0	4	1	1	0	3	60.00%	75.00%	75.00%
326		502	0	0	502	43	47	1	411	42	40	2	369	81.64%	89.78%	90.22%
327		4	0	0	4	0	0	0	4	3	3	0	1	25.00%	25.00%	25.00%
328		1,247	0	0	1,247	62	37	0	1,148	40	36	4	1,108	91.87%	96.52%	96.85%
329		1,935	0	0	1,935	57	118	1	1,759	160	94	66	1,599	91.37%	90.90%	94.45%
330		6	0	0	6	1	1	0	4	1	1	0	3	60.00%	75.00%	75.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used			Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow- through
		LENS	EDI	TAG					Manual Total Manual Fallout	BSI Caused Fallout				
331		21	0	0	1	0	19	8	8	0	11	55.00%	57.89%	57.89%
332		2,600	0	0	365	10	2,024	185	157	28	1,839	77.89%	90.86%	92.13%
333		469	0	0	48	5	371	49	30	19	322	80.50%	86.79%	91.48%
334		0	0	9,817	763	58	5,999	1,386	807	579	4,613	74.61%	76.90%	85.11%
335		0	0	4	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
336		250	0	0	36	0	197	14	14	0	183	78.54%	92.89%	92.89%
337		43	0	0	7	0	35	6	5	1	29	70.73%	82.86%	85.29%
338		53	0	0	11	0	38	6	6	0	32	65.31%	84.21%	84.21%
339		22	0	0	2	0	19	0	0	0	19	90.48%	100.00%	100.00%
340		23	0	0	1	0	21	6	4	2	15	75.00%	71.43%	78.95%
341		4	0	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
342		0	0	49	0	0	40	0	0	0	40	100.00%	100.00%	100.00%
343		1,458	0	0	126	5	1,201	83	64	19	1,118	85.47%	93.09%	94.59%
344		413	0	0	33	2	344	26	25	1	318	84.57%	92.44%	92.71%
345		7,920	0	0	267	6	6,889	689	555	134	6,200	88.29%	90.00%	91.78%
346		157	0	0	15	0	127	8	8	0	119	83.80%	93.70%	93.70%
347		6	0	0	1	0	4	2	2	0	2	40.00%	50.00%	50.00%
348		75	0	0	16	3	55	10	9	1	45	64.29%	81.82%	83.33%
349		1,032	0	0	76	1	808	33	31	2	775	87.87%	95.92%	96.15%
350		1,207	0	0	84	5	1,048	75	61	14	973	87.03%	92.84%	94.10%
351		0	0	9	0	0	4	4	4	0	0	0.00%	0.00%	0.00%
352		43	0	0	0	0	35	35	35	0	0	0.00%	0.00%	0.00%
353		0	70	0	0	0	51	9	9	0	42	82.35%	82.35%	82.35%
354		0	0	4	0	0	4	1	1	0	3	75.00%	75.00%	75.00%
355		63	0	0	8	1	48	13	11	2	35	64.81%	72.92%	76.09%
356		34	0	0	1	1	25	5	5	0	20	76.92%	80.00%	80.00%
357		406	0	0	62	8	280	73	52	21	207	64.49%	73.93%	79.92%
358		2,418	0	0	230	9	1,946	164	137	27	1,782	82.92%	91.57%	92.86%
359		46	0	0	1	2	41	8	4	4	33	86.84%	80.49%	89.19%
360		21	0	0	0	0	20	0	0	0	20	100.00%	100.00%	100.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG										Percent Achieved Flowthrough			
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)			Errors			Issued SO's	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallo	Auto Clarification	Validated LSR's	Total System Fallo	BSI Caused Fallo	CLEC Caused Fallo				
361		0	0	58	58	13	5	3	37	23	12	11	14	37.84%	53.85%
362		3	0	0	3	0	0	0	3	3	1	2	0	0.00%	0.00%
363		4	0	0	4	2	0	0	2	0	0	0	2	50.00%	100.00%
364		1,495	0	0	1,495	113	258	25	1,099	285	166	119	814	74.47%	83.06%
365		433	0	0	433	39	21	2	371	23	15	8	348	86.57%	95.87%
366		0	0	53	53	0	6	0	47	9	5	4	38	88.37%	88.37%
367		0	0	15	15	0	1	0	14	2	1	1	12	92.31%	92.31%
368		0	0	504	504	95	76	0	333	87	67	20	246	60.29%	78.59%
369		978	0	0	978	102	94	12	770	147	104	43	623	75.15%	85.69%
370		127	0	0	127	18	16	3	90	16	14	2	74	69.81%	84.09%
371		10	0	0	10	0	0	0	10	1	0	1	9	100.00%	100.00%
372		3	0	0	3	0	0	0	3	1	0	1	2	100.00%	100.00%
373		276	0	0	276	62	10	2	202	31	11	20	171	70.08%	93.96%
374		0	703	0	703	12	110	0	581	48	37	11	533	91.58%	93.51%
375		11	0	0	11	7	0	0	4	1	1	0	3	27.27%	75.00%
376		2	0	0	2	1	0	0	1	1	1	0	0	0.00%	0.00%
377		359	0	0	359	34	21	3	301	22	16	6	279	84.80%	94.58%
378		188	0	0	188	10	17	1	160	11	11	0	149	87.65%	93.13%
379		4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%
380		1,193	0	0	1,193	1,017	18	4	154	8	4	4	146	12.51%	97.33%
381		1,264	0	0	1,264	1,106	47	0	111	7	3	4	104	8.57%	97.20%
382		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%
383		5	0	0	5	0	2	0	3	0	0	0	3	100.00%	100.00%
384		36	0	0	36	29	6	0	1	0	0	0	1	3.33%	100.00%
385		2,041	0	0	2,041	160	269	7	1,605	118	100	18	1,487	85.12%	93.70%
386		1,262	0	0	1,262	112	78	3	1,069	73	61	12	996	85.20%	94.23%
387		982	0	0	982	111	39	4	828	108	104	4	720	77.01%	87.38%
388		0	0	2,316	2,316	699	27	102	1,488	527	424	103	961	46.11%	69.39%
389		2,225	0	0	2,225	183	104	2	1,936	84	70	14	1,852	87.98%	96.36%
390		199	0	0	199	33	5	2	159	8	3	5	151	80.75%	98.05%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Manual Fallout	Auto Clarification				BSY Caused Fallout	CLEC Caused Fallout				
391		81	0	0	81	13	2	0	66	6	5	1	76.92%	90.91%	92.31%
392		0	84	0	84	7	15	0	62	13	8	5	76.56%	79.03%	85.96%
393		99	0	0	99	13	15	0	71	9	6	3	76.54%	87.32%	91.18%
394		7	0	0	7	1	0	0	6	0	0	0	85.71%	100.00%	100.00%
395		706	0	0	706	58	92	25	531	395	315	80	26.72%	25.61%	30.16%
396		173	0	0	173	15	17	0	141	34	30	4	70.39%	75.89%	78.10%
397		293	0	0	293	35	25	3	230	48	26	22	74.90%	79.13%	87.50%
398		2	0	0	2	0	0	0	2	0	0	0	100.00%	100.00%	100.00%
399		0	0	7	7	0	2	0	5	1	0	1	100.00%	80.00%	100.00%
400		35	0	0	35	6	1	0	28	7	7	0	61.76%	75.00%	75.00%
401		129	0	0	129	13	6	3	107	43	38	5	55.65%	59.81%	62.75%
402		138	0	0	138	25	19	4	90	13	7	6	70.64%	85.56%	91.67%
403		0	169	0	169	26	24	0	119	53	25	28	56.41%	55.46%	72.53%
404		697	0	0	697	72	36	0	589	47	45	2	82.25%	92.02%	92.33%
405		187	0	0	187	10	4	0	173	24	19	5	83.71%	86.13%	88.69%
406		149	0	0	149	5	14	3	127	11	8	3	89.92%	91.34%	93.55%
407		0	0	1,713	1,713	42	195	8	1,468	62	41	21	94.43%	95.78%	97.17%
408		0	0	228	228	1	19	0	208	1	1	0	99.04%	99.52%	99.52%
409		442	0	0	442	34	17	2	389	18	15	3	88.33%	95.37%	96.11%
410		0	0	3	3	2	0	0	1	0	0	0	33.33%	100.00%	100.00%
411		47	0	0	47	2	12	0	33	3	3	0	85.71%	90.91%	90.91%
412		17	0	0	17	1	4	0	12	7	4	3	50.00%	41.67%	55.56%
413		299	0	0	299	28	14	2	255	17	15	2	84.70%	93.33%	94.07%
414		297	0	0	297	49	12	0	236	17	17	0	76.84%	92.80%	92.80%
415		26	0	0	26	4	2	0	20	15	10	5	26.32%	25.00%	33.33%
416		142	0	0	142	10	3	1	128	4	4	0	89.86%	96.88%	96.88%
417		130	0	0	130	32	16	0	82	6	5	1	67.26%	92.68%	93.83%
418		11	0	0	11	0	0	0	11	0	0	0	100.00%	100.00%	100.00%
419		0	0	216	216	3	25	0	188	5	4	1	96.32%	97.34%	97.86%
420		637	0	0	637	50	27	4	556	37	31	6	86.50%	93.35%	94.36%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout				Auto Clarification	Total System Fallout				
421		0	3	0	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
422		36	0	0	36	1	1	33	8	6	2	25	78.13%	75.76%	80.65%
423		856	0	0	856	62	4	739	78	62	16	661	84.20%	89.45%	91.42%
424		47	0	0	47	7	1	37	7	2	5	30	76.92%	81.08%	93.75%
425		201	0	0	201	7	1	181	23	23	0	158	84.04%	87.29%	87.29%
426		32	0	0	32	14	1	15	3	2	1	12	42.86%	80.00%	85.71%
427		0	60	0	60	4	0	49	15	6	9	34	77.27%	69.39%	85.00%
428		9	0	0	9	0	0	8	3	2	1	5	71.43%	62.50%	71.43%
429		0	24	0	24	6	0	12	4	1	3	8	53.33%	66.67%	88.89%
430		121	0	0	121	12	0	104	14	13	1	90	78.26%	86.54%	87.38%
431		168	0	0	168	40	1	109	34	30	4	75	51.72%	68.81%	71.43%
432		451	0	0	451	103	5	301	44	32	12	257	65.56%	85.38%	88.93%
433		0	0	557	557	63	0	406	130	112	18	276	61.20%	67.98%	71.13%
434		189	0	0	189	33	9	116	34	25	9	82	58.57%	70.69%	76.64%
435		13	0	0	13	0	0	11	3	3	0	8	72.73%	72.73%	72.73%
436		4	0	0	4	2	0	2	0	0	0	2	50.00%	100.00%	100.00%
437		25	0	0	25	4	0	17	4	2	2	13	68.42%	76.47%	86.67%
438		342	0	0	342	45	1	283	21	20	1	262	80.12%	92.58%	92.91%
439		4	0	0	4	0	0	4	3	3	0	1	25.00%	25.00%	25.00%
440		5	0	0	5	2	0	2	1	1	0	1	25.00%	50.00%	50.00%
441		180	0	0	180	25	2	128	23	10	13	105	75.00%	82.03%	91.30%
442		250	0	0	250	27	5	188	49	37	12	139	68.47%	73.94%	78.98%
443		0	0	268	268	61	1	167	46	32	14	121	56.54%	72.46%	79.08%
444		1,261	0	0	1,261	145	7	1,017	85	64	21	932	81.68%	91.64%	93.57%
445		62	0	0	62	4	1	53	8	4	4	45	84.91%	84.91%	91.84%
446		16	0	0	16	0	0	8	0	0	0	8	100.00%	100.00%	100.00%
447		105	0	0	105	27	1	68	14	9	5	54	60.00%	79.41%	85.71%
448		92	0	0	92	14	1	64	12	11	1	52	67.53%	81.25%	82.54%
449		43	0	0	43	7	0	32	8	3	5	24	70.59%	75.00%	88.89%
450		1	0	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout				Auto Clarification	BST Caused Fallout				
451		0	402	0	402	112	78	0	212	66	61	5	146	68.87%	70.53%
452		34	0	0	34	3	5	0	26	1	1	0	25	96.15%	96.15%
453		19	0	0	19	0	10	0	9	2	2	0	7	77.78%	77.78%
454		0	23	0	23	2	6	1	14	3	1	2	11	78.57%	91.67%
455		17	0	0	17	3	5	0	9	5	2	3	4	44.44%	66.67%
456		25	0	0	25	0	3	0	22	10	10	0	12	54.55%	54.55%
457		77	0	0	77	3	5	0	69	12	8	4	57	83.82%	87.69%
458		54	0	0	54	4	6	0	44	6	5	1	38	80.85%	88.37%
459		0	0	32	32	6	1	2	23	7	6	1	16	57.14%	72.73%
460		300	0	0	300	32	21	1	246	12	8	4	234	85.40%	96.69%
461		4,997	0	0	4,997	508	412	13	4,064	448	319	129	3,616	88.98%	91.89%
462		1,695	0	0	1,695	181	214	12	1,288	111	87	24	1,177	81.45%	93.12%
463		0	0	1,131	1,131	178	204	3	746	194	153	41	552	62.51%	78.30%
464		1,425	0	0	1,425	204	175	28	1,018	190	141	49	828	70.59%	85.45%
465		103	0	0	103	14	11	0	78	9	7	2	69	76.67%	90.79%
466		1,817	0	0	1,817	272	245	7	1,293	174	158	16	1,119	72.24%	87.63%
467		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%
468		0	0	197	197	0	1	0	196	20	5	15	176	97.24%	97.24%
469		725	0	0	725	17	36	58	614	358	293	65	256	45.23%	46.63%
470		539	0	0	539	50	33	2	454	46	29	17	408	83.78%	93.36%
471		1,736	0	0	1,736	176	120	5	1,435	101	79	22	1,334	83.95%	94.41%
472		685	0	0	685	102	15	1	567	37	35	2	530	79.46%	93.81%
473		18	0	0	18	1	2	0	15	1	1	0	14	87.50%	93.33%
474		8	0	0	8	2	0	0	6	2	0	2	4	66.67%	100.00%
475		966	0	0	966	59	45	8	854	169	135	34	685	77.93%	83.54%
476		442	0	0	442	23	13	4	402	64	52	12	338	81.84%	86.67%
477		384	0	0	384	17	31	2	334	10	7	3	324	93.10%	97.89%
478		47	0	0	47	1	13	0	33	5	1	4	28	93.33%	96.55%
479		6	0	0	6	0	0	0	6	2	2	0	4	66.67%	66.67%
480		0	363	0	363	3	35	5	320	117	93	24	203	67.89%	68.58%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Manual Total Manual Fallo	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallo	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG						Total Mech LSR's	BST Caused Fallo				
481		543	0	0	191	87	5	260	58	35	23	202	47.20%	77.69%	85.23%
482		1,300	0	0	99	53	2	1,146	63	53	10	1,083	87.69%	94.50%	95.33%
483		80	0	0	11	12	1	56	13	7	6	43	70.49%	76.79%	86.00%
484		1,349	0	0	91	107	3	1,148	125	79	46	1,023	85.75%	89.11%	92.83%
485		0	0	884	160	116	11	597	201	162	39	396	55.15%	66.33%	70.97%
486		0	0	1,099	228	105	12	754	244	201	43	510	54.31%	67.64%	71.73%
487		14	0	0	6	2	1	5	2	2	0	3	27.27%	60.00%	60.00%
488		69	0	0	11	18	0	40	12	8	4	28	59.57%	70.00%	77.78%
489		2	0	0	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
490		485	0	0	53	17	0	415	24	20	4	391	84.27%	94.22%	95.13%
491		0	55	0	43	7	0	5	0	0	0	5	10.42%	100.00%	100.00%
492		14	0	0	5	0	0	9	0	0	0	9	64.29%	100.00%	100.00%
493		0	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
494		10	0	0	0	1	1	8	4	0	4	4	100.00%	50.00%	100.00%
495		0	0	2,115	382	269	20	1,444	434	321	113	1,010	58.96%	69.94%	75.88%
496		48	0	0	6	1	0	41	2	2	0	39	82.98%	95.12%	95.12%
497		71	0	0	11	7	1	52	15	7	8	37	67.27%	71.15%	84.09%
498		0	0	8	0	4	0	4	1	0	1	3	100.00%	75.00%	100.00%
499		0	0	989	163	107	5	714	216	177	39	498	59.43%	69.75%	73.78%
500		119	0	0	22	11	1	85	31	26	5	54	52.94%	63.53%	67.50%
501		108	0	0	16	6	0	86	11	10	1	75	74.26%	87.21%	88.24%
502		168	0	0	26	2	2	138	16	13	3	122	75.78%	88.41%	90.37%
503		0	0	1,774	249	176	9	1,340	420	341	79	920	60.93%	68.66%	72.96%
504		0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
505		2	0	0	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
506		9	0	0	5	0	0	4	0	0	0	4	44.44%	100.00%	100.00%
507		212	0	0	202	4	1	5	0	0	0	5	2.42%	100.00%	100.00%
508		310	0	0	299	7	0	4	1	0	1	3	0.99%	75.00%	100.00%
509		4	0	0	3	0	0	1	0	0	0	1	25.00%	100.00%	100.00%
510		15	0	0	3	3	1	8	3	1	2	5	55.56%	62.50%	83.33%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (AGGREGATE DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used			Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG					Manual Total Manual Fallout	Auto Clarification				
511		0	128	0	14	0	36	21	15	69	69.70%	65.71%	76.67%	
512		0	0	8	0	0	0	0	0	8	100.00%	100.00%	100.00%	
513		42	0	0	0	4	7	1	6	26	81.25%	78.79%	96.30%	
514		0	65	0	2	0	2	2	0	59	93.65%	96.72%	96.72%	
515		2,071	0	0	61	6	136	117	19	1,726	86.95%	92.70%	93.65%	
516		527	0	0	38	2	38	28	10	380	79.66%	90.91%	93.14%	
517		241	0	0	15	2	34	32	2	167	75.23%	83.08%	83.92%	
LENS Subtotal		252,250	0	0	27,584	1,667	34,713	26,218	8,495	163,394	76.17%	82.48%	86.17%	
EDI Subtotal		0	97,435	0	13,224	553	19,367	11,513	7,854	56,976	75.16%	74.63%	83.19%	
TAG Subtotal		0	0	47,888	6,692	464	7,602	5,284	2,318	28,759	74.87%	79.09%	84.48%	
TOTAL INTERFACES		252,250	97,435	47,888	47,500	2,684	61,682	43,015	18,667	249,129	75.79%	80.15%	85.28%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used				Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual	Auto Clarification	Total System	BST Caused					CLEC Caused
1		2	0	0	2	1	0	0	0	0	1	50.00%	100.00%	100.00%
2		151	0	0	151	19	6	10	2	106	78.52%	89.83%	91.38%	
3		4	0	0	4	0	2	0	0	2	100.00%	100.00%	100.00%	
4		3	0	0	3	0	3	0	0	0	0.00%	0.00%	0.00%	
5		58	0	0	58	1	8	13	1	34	70.83%	70.83%	72.34%	
6		2	0	0	2	0	1	1	0	0	0.00%	0.00%	0.00%	
7		1	0	0	1	0	0	0	0	1	100.00%	100.00%	100.00%	
8		1	0	0	1	0	1	0	0	0	0.00%	0.00%	0.00%	
9		2	0	0	2	0	1	0	0	1	100.00%	100.00%	100.00%	
10		8	0	0	8	1	1	0	4	2	66.67%	33.33%	100.00%	
11		5	0	0	5	0	4	0	0	1	100.00%	100.00%	100.00%	
12		3	0	0	3	1	1	0	0	1	50.00%	100.00%	100.00%	
13		133	0	0	133	41	21	22	8	40	38.83%	57.14%	64.52%	
14		2	0	0	2	1	0	0	0	1	50.00%	100.00%	100.00%	
15		3	0	0	3	0	1	1	0	1	50.00%	50.00%	50.00%	
16		3	0	0	3	0	3	0	0	0	0.00%	0.00%	0.00%	
17		1	0	0	1	0	1	0	0	0	0.00%	0.00%	0.00%	
18		4	0	0	4	0	4	0	0	0	0.00%	0.00%	0.00%	
19		3	0	0	3	0	0	0	0	3	100.00%	100.00%	100.00%	
20		156	0	0	156	25	26	16	1	84	67.20%	83.17%	84.00%	
21		89	0	0	89	18	5	4	1	61	73.49%	92.42%	93.85%	
22		2	0	0	2	1	0	1	0	0	0.00%	0.00%	0.00%	
23		65	0	0	65	1	43	1	7	13	86.67%	61.90%	92.86%	
24		10	0	0	10	0	8	0	0	2	100.00%	100.00%	100.00%	
25		21	0	0	21	2	2	6	1	10	55.56%	58.82%	62.50%	
26		1	0	0	1	1	0	0	0	0	0.00%	0.00%	0.00%	
27		4	0	0	4	0	0	0	0	4	100.00%	100.00%	100.00%	
28		1,462	0	0	1,462	143	30	118	15	1,153	81.54%	89.66%	90.72%	
29		11	0	0	11	0	5	0	0	6	100.00%	100.00%	100.00%	
30		187	0	0	187	13	10	7	2	155	88.57%	94.51%	95.68%	
31		57	0	0	57	8	7	3	5	33	75.00%	80.49%	91.67%	
32		547	0	0	547	27	27	47	3	443	85.69%	89.86%	90.41%	
33		0	25	0	25	7	0	2	4	11	55.00%	64.71%	84.62%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit A JV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH								
Company Info		LESOG																		
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects		Pending		Validated		Total		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Manual	Manual Fallback	Auto Clarification	Supps (Z Status)	LSR's	System Fallback	BST Caused Fallback	CLEC Caused Fallback	Total System Fallback	BST Caused Fallback	CLEC Caused Fallback				
34		51	0	0	0	6	9	0	0	36	5	4	1	31	75.61%	86.11%	88.57%			
35		33	0	0	0	8	4	0	0	21	6	3	3	15	57.69%	71.43%	83.33%			
36		434	0	0	0	43	37	3	3	351	20	18	2	331	84.44%	94.30%	94.84%			
37		715	0	0	0	28	45	0	0	642	54	39	15	588	89.77%	91.59%	93.78%			
38		401	0	0	0	40	10	2	2	349	19	18	1	330	85.05%	94.56%	94.83%			
39		789	0	0	0	23	46	3	3	717	72	59	13	645	88.72%	89.96%	91.62%			
40		3	0	0	0	0	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%			
41		164	0	0	0	27	17	0	0	120	19	14	5	101	71.13%	84.17%	87.83%			
42		16	0	0	0	0	3	0	0	13	4	2	2	9	81.82%	69.23%	81.82%			
43		84	0	0	0	4	14	0	0	66	1	1	0	65	92.86%	98.48%	98.48%			
44		141	0	0	0	6	15	0	0	120	16	12	4	104	85.25%	86.67%	89.66%			
45		64	0	0	0	4	8	0	0	52	0	0	0	52	92.86%	100.00%	100.00%			
46		151	0	0	0	7	18	0	0	126	6	6	0	120	90.23%	95.24%	95.24%			
47		482	0	0	0	51	44	0	0	387	57	47	10	330	77.10%	85.27%	87.53%			
48		91	0	0	0	18	2	0	0	71	5	5	0	66	74.16%	92.96%	92.96%			
49		305	0	0	0	27	11	1	1	266	18	16	2	248	85.22%	93.23%	93.94%			
50		57	0	0	0	4	3	0	0	50	8	3	5	42	85.71%	84.00%	93.33%			
51		24,112	0	0	0	1,450	1,615	39	21,008	1,377	1,203	174	19,631	88.09%	93.45%	94.23%				
52		25	0	0	0	2	0	0	23	2	2	0	21	84.00%	91.30%	91.30%				
53		9	0	0	0	0	3	0	6	0	0	0	6	100.00%	100.00%	100.00%				
54		6,067	0	0	0	340	608	15	5,104	485	398	87	4,619	86.22%	90.50%	92.07%				
55		433	0	0	0	34	17	1	381	19	15	4	362	88.08%	95.01%	96.02%				
56		27	0	0	0	4	2	2	19	1	1	0	18	78.26%	94.74%	94.74%				
57		52	0	0	0	2	3	0	47	1	1	1	46	93.88%	97.87%	97.87%				
58		76	0	0	0	28	5	0	43	11	6	5	32	48.48%	74.42%	84.21%				
59		397	0	0	0	50	42	5	300	48	35	13	252	74.78%	84.00%	87.80%				
60		112	0	0	0	10	10	0	92	14	14	0	78	76.47%	84.78%	84.78%				
61		0	1,396	0	0	38	70	0	1,288	115	101	14	1,173	89.41%	91.07%	92.07%				
62		0	0	0	0	0	10	1	77	4	2	2	73	97.33%	94.81%	97.33%				
63		6	0	0	0	1	1	0	4	0	0	0	4	80.00%	100.00%	100.00%				
64		290	0	0	0	18	13	2	257	17	14	3	240	88.24%	93.39%	94.49%				
65		671	0	0	0	62	58	3	548	83	78	5	465	76.86%	84.85%	85.64%				
66		36	0	0	0	2	5	0	29	5	4	1	24	80.00%	82.76%	85.71%				

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used				Manual		Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flowthrough	
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Total Manual	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout					BST Caused Fallout
67		3	0	0	3	0	0	0	0	0	0	3	0	0	100.00%	100.00%
68		0	0	21	21	0	0	3	0	0	0	18	0	0	100.00%	100.00%
69		0	0	593	593	120	0	15	0	0	0	458	77	10	67.08%	85.04%
70		4	0	0	4	1	0	0	0	0	0	3	0	0	75.00%	100.00%
71		834	0	0	834	85	0	51	3	0	0	695	102	16	77.62%	87.33%
72		7	0	0	7	0	0	0	0	0	0	7	0	0	100.00%	100.00%
73		0	0	129	129	5	0	8	0	0	0	116	3	0	93.39%	97.41%
74		1	0	0	1	0	0	1	0	0	0	0	0	0	0.00%	0.00%
75		0	1,133	0	1,133	151	0	92	0	0	0	890	79	21	79.51%	93.33%
76		1,221	0	0	1,221	59	0	76	6	0	0	1,080	255	43	75.27%	79.56%
77		3	0	0	3	1	0	0	0	0	0	2	2	2	0.00%	0.00%
78		0	0	1,498	1,498	181	0	155	9	0	0	1,153	218	45	72.54%	84.39%
79		7	0	0	7	0	0	2	0	0	0	5	2	0	60.00%	60.00%
80		897	0	0	897	87	0	98	8	0	0	704	75	15	81.06%	91.29%
81		87	0	0	87	5	0	5	0	0	0	77	3	1	91.36%	97.37%
82		28	0	0	28	0	0	1	0	0	0	27	2	2	100.00%	100.00%
83		7	0	0	7	1	0	1	0	0	0	5	2	0	50.00%	60.00%
84		130	0	0	130	15	0	18	0	0	0	97	11	7	79.63%	92.47%
85		30	0	0	30	4	0	5	0	0	0	21	4	4	68.00%	80.95%
86		0	0	397	397	4	0	28	0	0	0	365	3	2	98.37%	99.45%
87		82	0	0	82	0	0	8	0	0	0	74	8	2	91.67%	91.67%
88		10	0	0	10	0	0	3	1	0	0	6	4	4	100.00%	100.00%
89		892	0	0	892	140	0	24	3	0	0	725	35	5	80.23%	95.83%
90		13	0	0	13	3	0	1	0	0	0	9	1	0	72.73%	88.89%
91		0	2	0	2	0	0	1	0	0	0	1	1	0	0.00%	0.00%
92		112	0	0	112	23	0	7	1	0	0	81	12	5	71.13%	85.19%
93		0	8	0	8	0	0	3	0	0	0	5	1	1	80.00%	80.00%
94		20	0	0	20	4	0	4	0	0	0	12	2	0	62.50%	83.33%
95		582	0	0	582	67	0	30	3	0	0	482	77	14	75.70%	84.02%
96		0	1	0	1	0	0	0	0	0	0	1	0	0	100.00%	100.00%
97		161	0	0	161	15	0	13	0	0	0	133	9	8	84.35%	93.94%
98		0	0	2,552	2,552	58	0	188	9	0	0	2,297	141	32	92.81%	93.86%
99		2	0	0	2	2	0	0	0	0	0	0	0	0	0.00%	0.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH			
Company Info		LESOG										Percent Achieved Flowthrough			Base Calculation			
Name	RESH / OCN	Mechanized Interface Used				Manual		Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Mech LSR's	Total Manual	Total Manual	Auto Clarification	Auto Clarification									
100		0	67	0	67	1	5	0	0	61	11	9	2	50	83.33%	81.97%	84.75%	
101		64	0	0	64	8	3	1	52	14	14	10	4	38	67.86%	73.08%	79.17%	
102		389	0	0	389	13	15	0	361	14	14	7	7	347	94.55%	96.12%	98.02%	
103		0	59	0	59	1	8	0	50	5	5	4	1	45	90.00%	90.00%	91.84%	
104		126	0	0	126	2	8	0	116	11	11	9	2	105	90.52%	90.52%	92.11%	
105		4,762	0	0	4,762	91	617	4	4,050	203	203	143	60	3,847	94.27%	94.99%	96.42%	
106		810	0	0	810	148	29	6	627	134	134	114	20	493	65.30%	78.63%	81.22%	
107		0	2,282	0	2,282	26	351	0	1,905	182	182	135	47	1,723	91.45%	90.45%	92.73%	
108		31	0	0	31	1	11	0	19	2	2	1	1	17	89.47%	89.47%	94.44%	
109		0	8	0	8	0	4	0	4	4	4	2	2	0	0.00%	0.00%	0.00%	
110		60	0	0	60	3	5	0	52	11	11	5	6	41	83.67%	78.85%	89.13%	
111		3	0	0	3	0	2	0	1	0	0	0	0	1	100.00%	100.00%	100.00%	
112		32	0	0	32	6	2	0	24	3	3	1	2	21	75.00%	87.50%	95.45%	
113		650	0	0	650	18	28	2	602	51	51	45	6	551	89.74%	91.53%	92.45%	
114		0	0	1	1	1	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
115		39	0	0	39	7	1	0	31	1	1	0	1	30	81.08%	96.77%	100.00%	
116		0	1	0	1	0	0	0	1	1	1	0	1	0	0.00%	0.00%	0.00%	
117		0	20,502	0	20,502	1,185	5,902	8	13,407	8,404	8,404	4,065	4,339	5,003	48.80%	37.32%	55.17%	
118		272	0	0	272	31	53	0	188	39	39	34	5	149	69.63%	79.26%	81.42%	
119		227	0	0	227	24	10	1	192	46	46	34	12	146	71.57%	76.04%	81.11%	
120		416	0	0	416	27	26	1	362	65	65	56	9	297	78.16%	82.04%	84.14%	
121		14	0	0	14	4	1	0	9	1	1	0	1	8	66.67%	86.89%	100.00%	
122		0	0	501	501	70	59	6	366	48	48	34	14	318	75.36%	86.89%	90.34%	
123		196	0	0	196	17	21	2	156	6	6	3	3	150	88.24%	96.15%	98.04%	
124		0	2,995	0	2,995	59	197	2	2,737	230	230	170	60	2,507	91.63%	91.60%	93.65%	
125		133	0	0	133	6	16	0	111	7	7	4	3	104	91.23%	93.69%	96.30%	
126		0	1,720	0	1,720	38	172	0	1,510	119	119	95	24	1,391	91.27%	92.12%	93.61%	
127		0	35	0	35	1	2	0	32	1	1	0	1	31	96.88%	96.88%	100.00%	
128		235	0	0	235	0	103	0	132	6	6	4	2	126	96.92%	95.45%	96.92%	
129		1	0	0	1	0	0	0	1	1	1	0	1	0	0.00%	0.00%	0.00%	
130		2	0	0	2	0	0	0	2	0	0	0	0	2	100.00%	100.00%	100.00%	
131		2	0	0	2	0	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	
132		0	524	0	524	55	15	0	454	6	6	3	3	448	88.54%	98.68%	99.33%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH		
Company Info		LESOG										Percent Achieved Flowthrough			Base Calculation		
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flowthrough	
		LENS	EDI	TAG	Total Mech LSR's	Total Manual											Auto Clarification
133		30	0	0	30	10	3	0	17	2	2	0	15	88.24%	88.24%	88.24%	
134		0	2,977	0	2,977	38	350	0	2,589	1,149	760	389	1,440	55.62%	55.62%	65.45%	
135		0	1,010	0	1,010	18	180	0	812	83	47	36	729	91.81%	89.78%	93.94%	
136		2,878	0	0	2,878	203	453	11	2,211	136	114	22	2,075	93.85%	93.85%	94.79%	
137		106	0	0	106	8	5	0	93	10	9	1	83	83.00%	89.25%	90.22%	
138		600	0	0	600	23	21	0	556	26	24	2	530	91.85%	95.32%	95.67%	
139		362	0	0	362	21	1	0	340	15	15	0	325	90.03%	95.59%	95.59%	
140		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	
141		0	0	6	6	3	0	0	3	1	1	0	2	33.33%	66.67%	66.67%	
142		100	0	0	100	6	13	1	80	7	7	0	73	84.88%	91.25%	91.25%	
143		0	0	376	376	24	64	1	287	67	55	12	220	73.58%	76.66%	80.00%	
144		383	0	0	383	64	60	1	258	55	42	13	203	65.70%	78.68%	82.86%	
145		370	0	0	370	34	62	1	273	21	17	4	252	83.17%	92.31%	93.68%	
146		59,164	0	0	59,164	4,680	10,598	485	43,401	12,400	9,503	2,897	31,001	68.61%	71.43%	76.54%	
147		1,182	0	0	1,182	16	903	30	233	33	22	11	200	84.03%	85.84%	90.09%	
148		397	0	0	397	40	28	2	327	36	29	7	291	80.83%	88.99%	90.94%	
149		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
150		0	0	50	50	1	5	1	43	2	2	0	41	93.18%	95.35%	95.35%	
151		22	0	0	22	0	5	0	17	1	1	0	16	94.12%	94.12%	94.12%	
152		11	0	0	11	2	1	0	8	2	2	0	6	60.00%	75.00%	75.00%	
153		987	0	0	987	92	50	3	842	59	50	9	783	84.65%	92.99%	94.00%	
154		175	0	0	175	3	2	2	168	26	19	7	142	86.59%	84.52%	88.20%	
155		41	0	0	41	1	7	0	33	8	6	2	25	78.13%	75.76%	80.65%	
156		348	0	0	348	33	30	0	285	13	8	5	272	86.90%	95.44%	97.14%	
157		263	0	0	263	34	6	2	221	14	12	2	207	81.82%	93.67%	94.52%	
158		837	0	0	837	71	23	3	740	48	36	12	692	86.61%	93.51%	95.05%	
159		1,287	0	0	1,287	84	17	3	1,183	66	54	12	1,117	89.00%	94.42%	95.39%	
160		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	
161		0	0	3,274	3,274	13	494	11	2,756	1,011	553	458	1,745	75.51%	63.32%	75.94%	
162		0	0	2,629	2,629	78	37	22	2,492	468	401	67	2,024	80.86%	81.22%	83.46%	
163		10,104	0	0	10,104	584	601	17	8,902	635	589	46	8,267	87.57%	92.87%	93.35%	
164		576	0	0	576	32	45	3	496	23	18	5	473	90.44%	95.36%	96.33%	
165		366	0	0	366	50	29	0	287	31	21	10	256	78.29%	89.20%	92.42%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES Company Info	RESH / OCN	LSR PROCESSING										Errors			FLOWTHROUGH				
		Mechanized Interface Used					Rejects					Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Percent Achieved Flowthrough	Base Calculation	Percent Flow- through		
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Issued SO's								
166		1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	100.00%	100.00%	100.00%
167		54	0	0	54	11	6	6	0	37	6	6	6	6	6	25	59.52%	67.57%	80.65%
168		9	0	0	9	1	0	0	0	8	2	2	0	0	6	6	66.67%	75.00%	75.00%
169		21	0	0	21	0	5	5	1	15	2	1	1	1	13	13	92.86%	86.67%	92.86%
170		64	0	0	64	11	13	13	1	39	16	16	0	0	23	23	46.00%	58.97%	58.97%
171		6	0	0	6	0	2	2	0	4	4	4	0	0	0	0	0.00%	0.00%	0.00%
172		0	24	0	24	4	1	1	0	19	2	2	0	0	17	17	73.91%	89.47%	89.47%
173		376	0	0	376	39	17	17	1	319	18	15	3	3	301	301	84.79%	94.36%	95.25%
174		120	0	0	120	20	9	9	2	89	5	4	1	1	84	84	77.78%	94.38%	95.45%
175		6	0	0	6	1	1	1	0	4	1	0	1	1	3	3	75.00%	75.00%	100.00%
176		26	0	0	26	0	8	8	8	10	1	1	0	0	9	9	90.00%	90.00%	90.00%
177		488	0	0	488	51	35	35	1	401	31	26	5	5	370	370	82.77%	92.27%	93.43%
178		5	0	0	5	2	1	1	0	2	0	0	0	0	2	2	50.00%	100.00%	100.00%
179		6	0	0	6	0	2	2	0	4	2	2	0	0	2	2	50.00%	50.00%	50.00%
180		4	0	0	4	2	0	0	0	2	0	0	0	0	2	2	50.00%	100.00%	100.00%
181		20	0	0	20	3	2	2	0	15	0	0	0	0	15	15	83.33%	100.00%	100.00%
182		68	0	0	68	2	5	5	0	61	8	5	3	3	53	53	88.33%	86.89%	91.38%
183		214	0	0	214	22	11	11	2	179	28	25	3	3	151	151	76.26%	84.36%	85.80%
184		89	0	0	89	10	9	9	0	70	6	5	1	1	64	64	81.01%	91.43%	92.75%
185		1	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
186		6	0	0	6	0	0	0	0	6	0	0	0	0	6	6	100.00%	100.00%	100.00%
187		5	0	0	5	1	0	0	0	4	1	1	0	0	3	3	60.00%	75.00%	75.00%
188		6	0	0	6	0	4	4	0	2	0	0	0	0	2	2	100.00%	100.00%	100.00%
189		1,247	0	0	1,247	62	37	37	0	1,148	40	36	4	4	1,108	1,108	91.87%	96.52%	96.85%
190		1,935	0	0	1,935	57	118	118	1	1,759	160	94	66	66	1,599	1,599	91.37%	90.90%	94.45%
191		1	0	0	1	0	0	0	0	1	1	1	0	0	0	0	0.00%	0.00%	0.00%
192		2,571	0	0	2,571	354	200	200	10	2,007	183	156	27	27	1,824	1,824	78.15%	90.88%	92.12%
193		7	0	0	7	3	0	0	0	4	0	0	0	0	4	4	57.14%	100.00%	100.00%
194		0	0	0	0	0	4	4	2	3	0	0	0	0	3	3	100.00%	100.00%	100.00%
195		0	0	0	0	0	4	4	0	2	0	0	0	0	2	2	100.00%	100.00%	100.00%
196		250	0	0	250	36	17	17	0	197	14	14	0	0	183	183	78.54%	92.89%	92.89%
197		43	0	0	43	7	1	1	0	35	6	5	1	1	29	29	70.73%	82.86%	85.29%
198		53	0	0	53	11	4	4	0	38	6	6	0	0	32	32	65.31%	84.21%	84.21%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
Attachment 2J

AGGREGATE ORDER TYPES	Company Info	LSR PROCESSING										Errors			FLOWTHROUGH				
		LESOG										Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow- through	
		RESH / OCN	LENS	EDI	TAG	Mechanized Interface Used	Manual Total Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout								BST Caused Fallout
199		22	0	0	0	22	2	1	0	0	0	0	0	0	0	19	90.48%	100.00%	100.00%
200		4	0	0	0	4	0	0	0	0	0	0	0	0	0	4	100.00%	100.00%	100.00%
201		0	0	0	49	49	0	9	0	0	0	0	0	0	0	40	100.00%	100.00%	100.00%
202		1,458	0	0	0	1,458	126	126	5	1,201	83	64	19	1,118	85.47%	93.09%	94.59%	92.69%	
203		410	0	0	0	410	33	32	2	343	26	25	1	317	84.53%	92.42%	91.78%	91.78%	
204		7,920	0	0	0	7,920	267	758	6	6,889	689	555	134	6,200	88.29%	90.00%	93.70%	93.70%	
205		156	0	0	0	156	14	15	0	127	8	8	0	119	84.40%	93.70%	93.70%	93.70%	
206		5	0	0	0	5	1	1	0	3	2	2	0	1	25.00%	33.33%	33.33%	33.33%	
207		21	0	0	0	21	2	0	0	19	0	0	0	19	90.48%	100.00%	100.00%	100.00%	
208		1,020	0	0	0	1,020	74	147	1	798	33	31	2	765	87.93%	95.86%	96.11%	96.11%	
209		1,199	0	0	0	1,199	84	69	5	1,041	71	59	12	970	87.15%	93.18%	94.27%	94.27%	
210		33	0	0	0	33	0	2	0	31	8	7	1	23	76.67%	74.19%	76.67%	76.67%	
211		2	0	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%	
212		2,418	0	0	0	2,418	230	233	9	1,946	164	137	27	1,782	82.92%	91.57%	92.86%	92.86%	
213		1	0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	100.00%	
214		21	0	0	0	21	0	1	0	20	0	0	0	20	100.00%	100.00%	100.00%	100.00%	
215		0	0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%	
216		4	0	0	0	4	2	0	0	2	0	0	0	2	50.00%	100.00%	100.00%	100.00%	
217		9	0	0	0	9	2	4	0	3	0	0	0	3	60.00%	100.00%	100.00%	100.00%	
218		433	0	0	0	433	39	21	2	371	23	15	8	348	86.57%	93.80%	95.87%	95.87%	
219		14	0	0	0	14	3	6	0	5	0	0	0	5	62.50%	100.00%	100.00%	100.00%	
220		10	0	0	0	10	0	0	0	10	1	0	1	9	100.00%	90.00%	100.00%	100.00%	
221		2	0	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%	100.00%	
222		276	0	0	0	276	62	10	2	202	31	11	20	171	70.08%	84.65%	93.96%	93.96%	
223		0	703	0	0	703	12	110	0	581	48	37	11	533	91.58%	91.74%	93.51%	93.51%	
224		1	0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%	100.00%	
225		1	0	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%	0.00%	
226		350	0	0	0	350	34	20	3	293	16	13	3	277	85.49%	94.54%	95.52%	95.52%	
227		188	0	0	0	188	10	17	1	160	11	11	0	149	87.65%	93.13%	93.13%	93.13%	
228		4	0	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%	100.00%	100.00%	
229		5	0	0	0	5	0	2	0	3	0	0	0	3	100.00%	100.00%	100.00%	100.00%	
230		1,964	0	0	0	1,964	144	250	6	1,564	113	97	16	1,451	85.76%	92.77%	93.73%	93.73%	
231		1,259	0	0	0	1,259	110	78	3	1,088	73	61	12	995	85.33%	93.16%	94.22%	94.22%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES	Company Info	RESH / OCN	LSR PROCESSING										Errors				FLOWTHROUGH			
			Mechanized Interface Used					Rejects					BST		Total System Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow- through
			LENS	EDI	TAG	Total Mech LSR's	Manual Manual Fallout	Auto Clarification	Rejects	Pending Supps (Z Status)	Validated LSR's	Caused Fallout	Caused Fallout	CLEC Caused Fallout						
232			971	0	0	971	109	37	4	821	108	104	4	4	713	77.00%	86.85%	87.27%		
233			2,225	0	0	2,225	183	104	2	1,936	84	70	14	1,852	1,852	87.98%	95.66%	96.36%		
234			199	0	0	199	33	5	2	159	8	3	5	151	151	80.75%	94.97%	98.05%		
235			76	0	0	76	10	2	0	64	6	5	1	58	58	79.45%	90.63%	92.06%		
236			9	0	0	9	0	9	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
237			5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100.00%	100.00%			
238			669	0	0	669	51	81	24	513	391	315	76	122	122	25.00%	23.78%	27.92%		
239			173	0	0	173	15	17	0	141	34	30	4	107	107	70.39%	75.89%	78.10%		
240			280	0	0	280	34	23	3	220	45	24	21	175	175	75.11%	79.55%	87.94%		
241			0	0	7	7	0	2	0	5	1	0	1	4	100.00%	80.00%	100.00%			
242			14	0	0	14	0	0	0	14	4	4	0	10	10	71.43%	71.43%	71.43%		
243			129	0	0	129	13	6	3	107	43	38	5	64	64	55.85%	59.81%	62.75%		
244			2	0	0	2	0	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
245			697	0	0	697	72	36	0	589	47	45	2	542	542	82.25%	92.02%	92.33%		
246			187	0	0	187	10	4	0	173	24	19	5	149	149	83.71%	86.13%	88.69%		
247			7	0	0	7	2	2	0	3	0	0	0	3	100.00%	100.00%	100.00%			
248			0	0	228	228	1	19	0	208	1	1	0	207	207	99.04%	99.52%	99.52%		
249			442	0	0	442	34	17	2	389	18	15	3	371	371	88.33%	95.37%	96.11%		
250			6	0	0	6	1	2	0	3	1	1	0	2	2	50.00%	66.67%	66.67%		
251			299	0	0	299	28	14	2	255	17	15	2	238	238	84.70%	93.33%	94.07%		
252			297	0	0	297	49	12	0	236	17	17	0	219	219	76.84%	92.80%	92.80%		
253			142	0	0	142	10	3	1	128	4	4	0	124	124	89.86%	96.88%	96.88%		
254			130	0	0	130	32	16	0	82	6	5	1	76	76	67.26%	92.68%	93.83%		
255			11	0	0	11	0	0	0	11	0	0	0	11	100.00%	100.00%	100.00%			
256			0	0	216	216	3	25	0	188	5	4	1	183	183	96.32%	97.34%	97.86%		
257			637	0	0	637	50	27	4	556	37	31	6	519	519	86.50%	93.35%	94.36%		
258			856	0	0	856	62	51	4	739	78	62	16	661	661	84.20%	89.45%	91.42%		
259			33	0	0	33	2	2	1	28	3	2	1	25	25	86.21%	89.29%	92.59%		
260			200	0	0	200	7	11	1	181	23	23	0	158	158	84.04%	87.29%	87.29%		
261			121	0	0	121	12	5	0	104	14	13	1	90	90	78.26%	86.54%	87.38%		
262			153	0	0	153	37	17	1	98	32	28	4	66	66	50.38%	67.35%	70.21%		
263			1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%			
264			25	0	0	25	4	4	0	17	4	2	2	13	13	68.42%	76.47%	86.67%		

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used				Manual		Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout					CLEC Caused Fallout
265		339	0	0	339	44	12	1	282	21	20	1	261	80.31%	92.55%	92.88%
266		163	0	0	163	23	19	2	119	21	8	13	98	75.97%	82.35%	92.45%
267		2	0	0	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
268		1,261	0	0	1,261	145	92	7	1,017	85	64	21	932	81.68%	91.64%	93.57%
269		48	0	0	48	2	4	1	41	3	3	0	38	88.37%	92.68%	92.68%
270		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
271		24	0	0	24	3	0	0	21	1	1	0	20	83.33%	95.24%	95.24%
272		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
273		295	0	0	295	32	20	1	242	11	8	3	231	85.24%	95.45%	96.65%
274		4,997	0	0	4,997	508	412	13	4,064	448	319	129	3,616	81.39%	88.98%	91.89%
275		1,675	0	0	1,675	168	214	12	1,281	109	86	23	1,172	82.19%	91.49%	93.16%
276		3	0	0	3	0	2	0	1	1	1	0	0	0.00%	0.00%	0.00%
277		103	0	0	103	14	11	0	78	9	7	2	69	76.67%	88.46%	90.79%
278		1,817	0	0	1,817	272	245	7	1,293	174	158	16	1,119	72.24%	86.54%	87.63%
279		36	0	0	36	0	3	0	33	5	0	5	28	100.00%	84.85%	100.00%
280		0	0	0	0	0	0	0	192	19	4	15	173	97.74%	90.10%	97.74%
281		517	0	0	517	47	29	1	440	41	25	16	399	84.71%	90.68%	94.10%
282		1,736	0	0	1,736	176	120	5	1,435	101	79	22	1,334	83.95%	92.96%	94.41%
283		685	0	0	685	102	15	1	567	37	35	2	530	79.46%	93.47%	93.81%
284		18	0	0	18	1	2	0	15	1	1	0	14	87.50%	93.33%	93.33%
285		2	0	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
286		384	0	0	384	17	31	2	334	10	7	3	324	93.10%	97.01%	97.89%
287		6	0	0	6	0	0	0	6	2	2	0	4	66.67%	66.67%	66.67%
288		1,300	0	0	1,300	99	53	2	1,146	63	53	10	1,083	87.69%	94.50%	95.33%
289		5	0	0	5	1	1	0	3	1	1	0	2	50.00%	66.67%	66.67%
290		1,349	0	0	1,349	91	107	3	1,148	125	79	46	1,023	85.75%	89.11%	92.83%
291		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
292		9	0	0	9	0	1	0	8	2	2	0	6	75.00%	75.00%	75.00%
293		3	0	0	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
294		0	0	0	0	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
295		0	0	0	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
296		48	0	0	48	6	1	0	41	2	2	0	39	82.98%	95.12%	95.12%
297		30	0	0	30	1	3	0	26	4	4	0	22	81.48%	84.62%	84.62%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (RESIDENCE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used				Manual		Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout					BST Caused Fallout
298		99	0	0	99	13	6	0	0	80	8	0	72	90.00%	90.00%	90.00%
299		168	0	0	168	26	2	2	2	138	16	3	122	75.78%	88.41%	90.37%
300		2	0	0	2	0	1	0	0	1	0	0	1	100.00%	100.00%	100.00%
301		0	0	8	8	0	0	0	0	8	0	0	8	100.00%	100.00%	100.00%
302		2,071	0	0	2,071	142	61	6	6	1,862	136	19	1,726	86.95%	92.70%	93.65%
303		517	0	0	517	69	36	1	1	411	33	6	378	79.75%	91.97%	93.33%
304		239	0	0	239	22	15	2	2	200	33	2	167	75.91%	83.50%	84.34%
LENS Subtotal		189,347	0	0	189,347	14,447	21,485	895	895	152,520	22,012	4,628	130,508	80.39%	85.57%	88.25%
EDI Subtotal		0	35,472	0	35,472	1,634	7,463	11	11	26,364	10,447	4,955	15,917	69.08%	60.37%	74.35%
TAG Subtotal		0	0	12,833	12,833	563	1,127	62	62	11,081	2,069	658	9,012	82.03%	81.33%	86.46%
TOTAL INTERFACES		189,347	35,472	12,833	237,652	16,644	30,075	968	968	189,965	34,528	10,241	155,437	79.16%	81.82%	86.49%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used			Rejects		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's					Total System Fallout
1		2	0	0	2	0	0	0	0	0	0	0	0.00%	0.00%
2		2	0	0	2	0	0	0	0	0	0	0	0.00%	0.00%
3		5	0	0	5	4	1	0	0	0	0	0	0.00%	0.00%
4		93	0	0	93	11	40	2	40	23	14	17	45.95%	42.50%
5		2	0	0	2	0	1	0	1	1	0	0	0.00%	0.00%
6		1	0	0	1	0	0	0	1	0	0	1	100.00%	100.00%
7		2	0	0	2	1	1	0	0	0	0	0	0.00%	0.00%
8		16	0	0	16	2	0	1	13	10	5	3	30.00%	23.08%
9		1	0	0	1	0	0	0	1	1	0	0	0.00%	0.00%
10		6	0	0	6	2	2	0	2	0	0	2	50.00%	100.00%
11		35	0	0	35	2	2	0	31	13	12	18	56.25%	58.06%
12		1	0	0	1	0	0	0	1	0	0	1	100.00%	100.00%
13		1	0	0	1	0	0	0	1	0	0	1	100.00%	100.00%
14		0	1	0	1	0	0	0	1	0	0	1	100.00%	100.00%
15		0	0	4	4	0	1	0	3	0	0	3	100.00%	100.00%
16		8	0	0	8	0	1	0	7	3	2	4	66.67%	57.14%
17		815	0	0	815	617	14	0	184	24	14	160	20.23%	86.96%
18		8	0	0	8	0	3	0	5	1	1	4	80.00%	80.00%
19		0	1	0	1	0	0	0	1	1	0	0	0.00%	0.00%
20		46	0	0	46	5	5	0	36	13	10	23	60.53%	63.89%
21		0	49	0	49	17	9	0	23	18	13	5	14.29%	21.74%
22		126	0	0	126	33	11	0	82	22	18	60	54.05%	73.17%
23		22	0	0	22	3	5	0	14	4	4	10	58.82%	71.43%
24		10	0	0	10	1	0	0	9	3	2	6	66.67%	66.67%
25		2	0	0	2	0	0	0	2	0	0	2	100.00%	100.00%
26		73	0	0	73	13	3	0	57	17	15	40	58.82%	70.18%
27		15	0	0	15	3	3	0	9	2	2	7	58.33%	77.78%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through		
		LENS	EDI	TAG	Total Manual	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System					BST Caused	CLEC Caused
					Total Manual	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System	BST Caused	CLEC Caused	Fallout			
28		1	0	0	0	0	0	1	0	0	0	0	100.00%	100.00%	100.00%
29		22	0	0	1	9	0	12	0	0	0	0	92.31%	100.00%	100.00%
30		106	0	0	27	12	2	65	13	8	5	5	59.77%	80.00%	86.67%
31		1	0	0	0	0	0	1	0	0	0	0	100.00%	100.00%	100.00%
32		2	0	0	0	0	0	2	0	0	0	0	100.00%	100.00%	100.00%
33		10	0	0	0	2	0	8	0	0	0	0	100.00%	100.00%	100.00%
34		6	0	0	2	0	0	4	2	2	0	0	33.33%	50.00%	50.00%
35		30	0	0	2	4	0	24	8	5	3	3	69.57%	66.67%	76.19%
36		12	0	0	0	1	0	11	4	4	0	0	63.64%	63.64%	63.64%
37		2	0	0	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
38		76	0	0	16	5	0	55	7	4	3	48	70.59%	87.27%	92.31%
39		43	0	0	4	1	0	38	7	5	2	31	77.50%	81.58%	86.11%
40		961	0	0	299	101	12	549	97	66	31	452	55.32%	82.33%	87.26%
41		28	0	0	4	2	2	20	6	2	4	14	70.00%	70.00%	87.50%
42		0	0	51	13	15	0	23	6	4	2	17	50.00%	73.91%	80.95%
43		16	0	0	0	2	2	12	4	3	1	8	72.73%	66.67%	72.73%
44		3	0	0	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
45		3	0	0	0	0	0	3	2	2	0	1	33.33%	33.33%	33.33%
46		0	0	9	4	0	0	5	2	2	0	3	33.33%	60.00%	60.00%
47		6	0	0	6	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
48		86	0	0	28	17	0	41	4	3	1	37	54.41%	90.24%	92.50%
49		35	0	0	1	5	4	25	16	6	10	9	56.25%	36.00%	60.00%
50		6	0	0	0	0	1	5	2	0	2	3	100.00%	60.00%	100.00%
51		1	0	0	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
52		125	0	0	58	5	0	62	12	8	4	50	43.10%	80.65%	86.21%
53		27	0	0	8	5	0	14	3	1	2	11	55.00%	78.57%	91.67%
54		0	2	0	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
55		237	0	0	53	15	4	165	44	29	15	121	59.61%	73.33%	80.67%
56		25	0	0	2	5	1	17	5	4	1	12	66.67%	70.59%	75.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
		Mechanized Interface Used				Manual		Rejects		Errors						
RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual	Total Manual	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System	BST Caused	CLEC Caused	Issued SO's	Percent Achieved	Base Calculation	Percent Flow-through
Name					Fallout	Fallout		(Z Status)		Fallout	Fallout	Fallout		Flowthrough		
57	0	133	0	133	38	38	22	0	73	15	6	9	58	56.86%	79.45%	90.63%
58	56	0	0	56	6	6	9	1	40	11	11	0	29	63.04%	72.50%	72.50%
59	72	0	0	72	7	7	10	1	54	11	8	3	43	74.14%	79.63%	84.31%
60	9	0	0	9	1	1	2	0	6	0	0	0	6	85.71%	100.00%	100.00%
61	87	0	0	87	27	27	16	3	41	20	14	6	21	33.87%	51.22%	60.00%
62	0	196	0	196	19	19	32	4	141	59	40	19	82	58.16%	58.16%	67.21%
63	105	0	0	105	15	15	5	3	82	15	13	2	67	70.53%	81.71%	83.75%
64	345	0	0	345	83	83	25	3	234	72	52	20	162	54.55%	69.23%	75.70%
65	21	0	0	21	7	7	0	0	14	0	0	0	14	66.67%	100.00%	100.00%
66	6	0	0	6	0	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%
67	0	0	2	2	1	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
68	4	0	0	4	0	0	0	0	4	2	0	2	2	100.00%	50.00%	100.00%
69	0	0	217	217	98	98	13	0	106	23	13	10	83	42.78%	78.30%	86.46%
70	6	0	0	6	1	1	3	0	2	1	1	0	1	33.33%	50.00%	50.00%
71	33	0	0	33	9	9	4	0	20	6	3	3	14	53.85%	70.00%	82.35%
72	8	0	0	8	0	0	2	0	6	5	4	1	1	20.00%	16.67%	20.00%
73	640	0	0	640	132	132	159	3	346	146	81	65	200	48.43%	57.80%	71.17%
74	94	0	0	94	18	18	10	1	65	14	11	3	51	63.75%	78.46%	82.26%
75	46	0	0	46	10	10	7	0	29	7	6	1	22	57.89%	75.86%	78.57%
76	10	0	0	10	8	8	0	0	2	0	0	0	2	20.00%	100.00%	100.00%
77	44	0	0	44	11	11	3	1	29	10	10	0	19	47.50%	65.52%	65.52%
78	0	0	137	137	48	48	25	3	61	24	14	10	37	37.37%	60.66%	72.55%
79	0	0	1	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
80	20	0	0	20	2	2	7	0	11	2	1	1	9	75.00%	81.82%	90.00%
81	0	2	0	2	1	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
82	1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
83	14	0	0	14	4	4	2	0	8	1	1	0	7	58.33%	87.50%	87.50%
84	0	17	0	17	11	11	0	0	6	1	1	0	5	29.41%	83.33%	83.33%
85	1	0	0	1	0	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used				Rejects		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through		
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout					BST Caused Fallout	CLEC Caused Fallout
86		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
87		9	0	0	9	1	0	0	8	4	4	0	4	44.44%	50.00%	50.00%
88		5	0	0	5	0	5	0	0	0	0	0	0	0.00%	0.00%	0.00%
89		0	16	0	16	16	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
90		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
91		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
92		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
93		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
94		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
95		6	0	0	6	0	0	0	6	0	0	0	6	100.00%	100.00%	100.00%
96		0	0	7	7	7	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
97		53	0	0	53	11	4	1	37	6	5	1	31	65.96%	83.78%	86.11%
98		0	3	0	3	2	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
99		0	0	3	3	1	0	0	2	2	0	2	0	0.00%	0.00%	0.00%
100		31	0	0	31	8	0	0	23	16	9	7	7	29.17%	30.43%	43.75%
101		9	0	0	9	1	0	0	8	2	2	0	6	66.67%	75.00%	75.00%
102		4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
103		0	0	7	7	3	0	0	4	1	1	1	3	42.86%	75.00%	75.00%
104		7	0	0	7	4	0	0	3	2	1	1	1	16.67%	33.33%	50.00%
105		0	26	0	26	0	10	1	15	8	4	4	7	63.64%	46.67%	63.64%
106		0	0	7	7	7	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
107		0	0	67	67	17	8	1	41	23	14	14	18	36.73%	43.90%	56.25%
108		213	0	0	213	69	35	1	108	35	30	5	73	42.44%	67.59%	70.87%
109		2,654	0	0	2,654	301	450	65	1,838	920	651	269	918	49.09%	49.95%	58.51%
110		124	0	0	124	4	64	4	52	10	10	0	42	75.00%	80.77%	80.77%
111		18	0	0	18	0	9	0	9	2	1	1	7	87.50%	77.78%	87.50%
112		74	0	0	74	10	8	1	55	8	6	2	47	74.60%	85.45%	88.68%
113		9	0	0	9	2	0	0	7	1	1	0	6	66.67%	85.71%	85.71%
114		179	0	0	179	20	26	10	123	52	43	9	71	52.99%	57.72%	62.28%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
		Mechanized Interface Used				Rejects		Errors				Percent Achieved Flowthrough				
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
115		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
116		4	0	0	4	0	2	0	2	1	1	0	1	50.00%	50.00%	50.00%
117		21	0	0	21	2	0	0	19	1	1	0	18	85.71%	94.74%	94.74%
118		37	0	0	37	2	2	0	33	5	4	1	28	82.35%	84.85%	87.50%
119		10	0	0	10	4	3	0	3	1	1	0	2	28.57%	66.67%	66.67%
120		0	0	49	49	0	8	2	39	11	9	2	28	75.68%	71.79%	75.68%
121		5	0	0	5	1	1	0	3	1	1	0	2	50.00%	66.67%	66.67%
122		17	0	0	17	5	6	0	6	1	1	0	5	45.45%	83.33%	83.33%
123		7	0	0	7	5	1	0	1	0	0	0	1	16.67%	100.00%	100.00%
124		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
125		3	0	0	3	2	0	0	1	0	0	0	1	33.33%	100.00%	100.00%
126		54	0	0	54	11	2	3	38	7	3	4	31	68.89%	81.58%	91.18%
127		0	70	0	70	28	19	0	23	8	7	1	15	30.00%	65.22%	68.18%
128		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
129		5	0	0	5	0	4	0	1	0	0	0	1	100.00%	100.00%	100.00%
130		3	0	0	3	0	0	0	3	1	1	0	2	66.67%	66.67%	66.67%
131		14	0	0	14	5	1	0	8	1	1	0	7	53.85%	87.50%	87.50%
132		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
133		20	0	0	20	10	1	0	9	1	1	0	8	42.11%	88.89%	88.89%
134		3	0	0	3	1	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
135		3	0	0	3	0	1	1	1	0	0	0	1	100.00%	100.00%	100.00%
136		0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
137		6	0	0	6	1	1	0	4	1	1	0	3	60.00%	75.00%	75.00%
138		20	0	0	20	1	1	0	18	7	7	0	11	57.89%	61.11%	61.11%
139		29	0	0	29	11	1	0	17	2	1	1	15	55.56%	88.24%	93.75%
140		13	0	0	13	1	2	0	10	2	1	1	8	80.00%	80.00%	88.89%
141		23	0	0	23	1	1	0	21	6	4	2	15	75.00%	71.43%	78.95%
142		3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
143		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)			Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout						
144		1	0	0	1	0	0	0	0	0	1	0	0	100.00%	100.00%	100.00%
145		54	0	0	54	14	1	3	36	10	9	1	26	53.06%	72.22%	74.29%
146		12	0	0	12	2	0	0	10	0	0	0	10	83.33%	100.00%	100.00%
147		8	0	0	8	0	1	0	7	4	2	2	3	60.00%	42.86%	60.00%
148		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
149		30	0	0	30	8	4	1	17	5	4	1	12	50.00%	70.59%	75.00%
150		32	0	0	32	1	5	1	25	5	5	0	20	76.92%	80.00%	80.00%
151		14	0	0	14	2	0	0	12	2	2	0	10	71.43%	83.33%	83.33%
152		45	0	0	45	1	2	2	40	8	4	4	32	86.49%	80.00%	88.89%
153		0	0	31	31	8	3	0	20	13	4	9	7	36.84%	35.00%	63.64%
154		8	0	0	8	2	5	0	1	0	0	0	1	33.33%	100.00%	100.00%
155		0	0	15	15	0	1	0	14	2	1	1	12	92.31%	85.71%	92.31%
156		38	0	0	38	7	2	1	28	7	5	2	21	63.64%	75.00%	80.77%
157		13	0	0	13	0	1	1	11	4	2	2	7	77.78%	63.64%	77.78%
158		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
159		10	0	0	10	7	0	0	3	1	1	0	2	20.00%	66.67%	66.67%
160		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
161		9	0	0	9	0	1	0	8	6	3	3	2	40.00%	25.00%	40.00%
162		10	0	0	10	9	0	0	1	0	0	0	1	10.00%	100.00%	100.00%
163		10	0	0	10	10	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
164		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
165		25	0	0	25	22	3	0	0	0	0	0	0	0.00%	0.00%	0.00%
166		33	0	0	33	11	0	0	22	0	0	0	22	66.67%	100.00%	100.00%
167		3	0	0	3	2	0	0	1	0	0	0	1	33.33%	100.00%	100.00%
168		11	0	0	11	2	2	0	7	0	0	0	7	77.78%	100.00%	100.00%
169		5	0	0	5	3	0	0	2	0	0	0	2	40.00%	100.00%	100.00%
170		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
171		9	0	0	9	0	1	0	8	3	2	1	5	71.43%	62.50%	71.43%
172		19	0	0	19	6	0	0	13	3	3	0	10	52.63%	76.92%	76.92%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Manual Total Manual Fallout	Rejects Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG						Total Mech LSR's	BST Caused Fallout				
173		2	0	0	0	1	0	0	0	0	0	1	100.00%	100.00%	100.00%
174		10	0	0	0	8	0	5	3	2	3	3	50.00%	37.50%	50.00%
175		36	0	0	1	33	1	8	6	2	25	25	78.13%	75.76%	80.65%
176		14	0	0	5	9	0	4	0	4	5	5	50.00%	55.56%	100.00%
177		1	0	0	0	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
178		15	0	0	3	11	0	2	2	0	9	9	64.29%	81.82%	81.82%
179		17	0	0	2	13	0	2	2	0	11	11	73.33%	84.62%	84.62%
180		12	0	0	2	8	0	3	3	0	5	5	50.00%	62.50%	62.50%
181		4	0	0	2	2	0	0	0	0	2	2	50.00%	100.00%	100.00%
182		3	0	0	1	1	0	0	0	0	1	1	50.00%	100.00%	100.00%
183		17	0	0	2	9	0	2	2	0	7	7	63.64%	77.78%	77.78%
184		5	0	0	0	5	0	1	1	0	4	4	80.00%	80.00%	80.00%
185		14	0	0	2	12	0	5	1	4	7	7	70.00%	58.33%	87.50%
186		4	0	0	0	3	0	0	0	0	3	3	100.00%	100.00%	100.00%
187		1	0	0	0	1	0	1	1	0	0	0	0.00%	0.00%	0.00%
188		10	0	0	0	5	0	0	0	0	5	5	100.00%	100.00%	100.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING												FLOWTHROUGH	
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used			Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Manual Total Manual Fallout	Auto Clarification				BST Caused Fallout	CLEC Caused Fallout				
189		2	0	0	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
190		17	0	0	17	3	0	9	5	2	3	4	44.44%	44.44%	66.67%
191		3	0	0	3	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
192		5	0	0	5	0	0	4	1	0	1	3	100.00%	75.00%	100.00%
193		20	0	0	20	13	0	7	2	1	1	5	26.32%	71.43%	83.33%
194		49	0	0	49	4	0	37	7	6	1	30	75.00%	81.08%	83.33%
195		1	0	0	1	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
196		1	0	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
197		0	0	5	5	0	0	4	1	1	0	3	75.00%	75.00%	75.00%
198		10	0	0	10	3	0	7	0	0	0	7	70.00%	100.00%	100.00%
199		8	0	0	8	2	0	6	2	0	2	4	66.67%	66.67%	100.00%
200		25	0	0	25	0	0	19	6	2	4	13	86.67%	68.42%	86.67%
201		8	0	0	8	0	0	6	3	1	2	3	75.00%	50.00%	75.00%
202		2	0	0	2	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
203		39	0	0	39	23	0	16	0	0	0	16	41.03%	100.00%	100.00%
204		75	0	0	75	10	1	53	12	6	6	41	71.93%	77.36%	87.23%
205		0	0	17	17	2	0	15	4	0	4	11	84.62%	73.33%	100.00%
206		0	0	29	29	2	0	24	10	9	1	14	56.00%	58.33%	60.87%
207		9	0	0	9	5	0	4	1	1	0	3	33.33%	75.00%	75.00%
208		1	0	0	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
209		0	0	54	54	2	0	47	16	9	7	31	73.81%	65.96%	77.50%
210		14	0	0	14	0	0	12	8	3	5	4	57.14%	33.33%	57.14%
211		0	0	43	43	11	0	32	11	9	2	21	51.22%	65.63%	70.00%
212		89	0	0	89	21	1	59	27	22	5	32	42.67%	54.24%	59.26%
213		9	0	0	9	3	0	6	3	2	1	3	37.50%	50.00%	60.00%
214		0	0	63	63	19	0	43	11	9	2	32	53.33%	74.42%	78.05%
215		2	0	0	2	0	1	1	0	0	0	1	100.00%	100.00%	100.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (BUSINESS DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING												FLOWTHROUGH				
Company Info		LESOG																
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects		Pending			Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout					
216		10	0	0	10	0	2	1	7	5	1	4	2	66.67%	28.57%	66.67%		
217		2	0	0	2	1	0	0	1	1	1	0	0	0.00%	0.00%	0.00%		
<i>LENS Subtotal</i>		9,462	0	0	9,462	2,264	1,294	147	5,757	1,974	1,371	603	3,783	51.00%	65.71%	73.40%		
<i>EDI Subtotal</i>		0	516	0	516	132	92	5	287	112	72	40	175	46.17%	60.98%	70.85%		
<i>TAG Subtotal</i>		0	0	822	822	243	84	6	489	160	99	61	329	49.03%	67.28%	76.87%		
TOTAL INTERFACES		9,462	516	822	10,800	2,639	1,470	158	6,533	2,246	1,542	704	4,287	50.63%	65.62%	73.55%		

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects			Errors				Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BSY Caused Fallout					CLEC Caused Fallout
1		0	0	2	2	1	0	0	1	1	0	0	0	0.00%	0.00%	0.00%
2		0	2	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
3		46	0	0	46	2	2	0	42	6	0	0	36	94.74%	85.71%	100.00%
4		145	0	0	145	33	12	2	98	14	7	0	84	67.74%	85.71%	92.31%
5		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
6		6	0	0	6	0	3	0	3	1	1	0	2	66.67%	66.67%	66.67%
7		0	14	0	14	10	0	0	4	1	0	1	3	23.08%	75.00%	100.00%
8		0	5	0	5	1	1	0	3	1	1	0	2	50.00%	66.67%	66.67%
9		6	0	0	6	1	3	0	2	0	0	0	2	66.67%	100.00%	100.00%
10		0	0	24	24	4	4	0	16	7	5	2	9	50.00%	56.25%	64.29%
11		3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%
12		7	0	0	7	0	2	0	5	2	2	0	3	60.00%	60.00%	60.00%
13		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
14		4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
15		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
16		49	0	0	49	4	14	0	31	18	10	8	13	48.15%	41.94%	56.52%
17		0	3	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%
18		341	0	0	341	13	22	10	296	64	34	30	232	83.15%	78.38%	87.22%
19		7	0	0	7	0	0	1	6	1	1	0	5	83.33%	83.33%	83.33%
20		3	0	0	3	0	0	0	3	2	1	1	1	50.00%	33.33%	50.00%
21		0	0	19	19	0	0	2	17	12	5	7	5	50.00%	29.41%	50.00%
22		0	6	0	6	3	0	0	3	1	0	1	2	40.00%	66.67%	100.00%
23		279	0	0	279	15	29	7	228	59	41	18	169	75.11%	74.12%	80.48%
24		49	0	0	49	3	6	1	39	8	6	2	31	77.50%	79.49%	83.78%
25		0	0	651	651	29	38	2	582	42	29	13	540	90.30%	92.78%	94.90%
26		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
27		24	0	0	24	0	9	1	14	5	0	5	9	100.00%	64.29%	100.00%
28		43	0	0	43	3	21	1	18	1	0	1	17	85.00%	94.44%	100.00%
29		65	0	0	65	4	1	1	59	1	1	0	58	92.06%	98.31%	98.31%
30		0	0	862	862	28	224	8	602	28	17	11	574	92.73%	95.35%	97.12%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH			
Company Info		LESOG													
Name	RESH / OCN	Mechanized Interface Used				Manual		Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual	Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout				
31		4	0	0	4	1	0	0	3	2	1	1	33.33%	33.33%	50.00%
32		0	0	76	76	9	6	1	60	4	4	0	81.16%	93.33%	93.33%
33		58	0	0	58	4	0	1	53	6	3	3	87.04%	88.68%	94.00%
34		0	0	350	350	42	23	8	277	41	24	17	78.15%	85.20%	90.77%
35		44	0	0	44	4	5	0	35	4	3	1	81.58%	88.57%	91.18%
36		0	0	376	376	12	23	0	341	12	6	6	94.81%	96.48%	98.21%
37		13	0	0	13	0	7	0	6	2	1	1	80.00%	66.67%	80.00%
38		461	0	0	461	13	20	11	417	34	26	8	90.76%	91.85%	93.64%
39		0	0	6,606	6,606	149	492	70	5,895	685	415	270	90.23%	88.38%	92.62%
40		64	0	0	64	24	8	2	30	5	4	1	47.17%	83.33%	86.21%
41		0	510	0	510	46	42	1	421	123	105	18	66.37%	70.78%	73.95%
42		2	0	0	2	0	0	0	2	1	1	0	50.00%	50.00%	50.00%
43		118	0	0	118	19	18	4	77	22	19	3	59.14%	71.43%	74.32%
44		9	0	0	9	0	9	0	0	0	0	0	0.00%	0.00%	0.00%
45		14	0	0	14	3	6	0	5	0	0	0	62.50%	100.00%	100.00%
46		2	0	0	2	0	0	0	2	0	0	0	100.00%	100.00%	100.00%
47		0	119	0	119	3	16	0	100	21	20	1	77.45%	79.00%	79.80%
48		0	0	166	166	7	8	0	151	33	25	8	78.67%	78.15%	82.52%
49		1,731	0	0	1,731	189	210	18	1,314	151	110	41	79.55%	88.51%	91.36%
50		40	0	0	40	12	3	0	25	6	4	2	54.29%	76.00%	82.61%
51		257	0	0	257	39	33	4	181	70	53	17	54.68%	61.33%	67.68%
52		62	0	0	62	19	8	2	33	8	6	2	50.00%	75.76%	80.65%
53		0	277	0	277	33	46	0	198	54	32	22	68.90%	72.73%	81.82%
54		0	0	378	378	38	54	4	282	64	35	29	74.91%	77.30%	86.17%
55		865	0	0	865	119	165	4	577	191	156	35	58.40%	66.90%	71.22%
56		7	0	0	7	0	0	0	7	3	3	0	57.14%	57.14%	57.14%
57		1,960	0	0	1,960	172	230	20	1,538	277	229	48	75.87%	81.99%	84.63%
58		65	0	0	65	51	6	0	8	1	1	0	11.86%	87.50%	87.50%
59		4	0	0	4	0	1	1	2	0	0	0	100.00%	100.00%	100.00%
60		1,276	0	0	1,276	368	173	17	718	206	155	51	49.47%	71.31%	76.76%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										Errors			FLOWTHROUGH	
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Manual		Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout										
61		0	1,858	0	1,858	654	158	7	1,039	275	223	52	764	73.53%	77.41%	
62		0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	
63		15	0	0	15	1	5	0	9	0	0	0	9	90.00%	100.00%	
64		20	0	0	20	0	5	0	15	1	1	0	14	93.33%	93.33%	
65		0	182	0	182	11	12	6	153	17	14	3	136	88.89%	90.67%	
66		0	0	47	47	0	14	0	33	13	13	0	20	60.61%	60.61%	
67		0	0	111	111	0	13	0	98	22	22	0	76	77.55%	77.55%	
68		11	0	0	11	0	3	0	8	4	1	3	4	80.00%	80.00%	
69		0	0	258	258	0	34	0	224	66	63	3	158	71.49%	71.49%	
70		0	0	19	19	0	3	4	12	2	1	1	10	90.91%	90.91%	
71		0	362	0	362	26	53	2	281	111	78	33	170	62.04%	68.55%	
72		924	0	0	924	64	88	25	747	174	148	26	573	72.99%	79.47%	
73		14	0	0	14	2	4	2	6	2	1	1	4	57.14%	80.00%	
74		3	0	0	3	0	1	0	2	1	0	1	1	100.00%	100.00%	
75		21	0	0	21	0	0	0	21	10	10	0	11	52.38%	52.38%	
76		0	51	0	51	43	0	0	8	6	5	1	2	4.00%	28.57%	
77		4	0	0	4	0	0	1	3	1	1	0	2	66.67%	66.67%	
78		572	0	0	572	74	63	2	433	110	87	23	323	66.74%	78.78%	
79		703	0	0	703	60	15	3	625	219	197	22	406	61.24%	67.33%	
80		0	420	0	420	252	62	11	95	53	32	21	42	12.88%	56.76%	
81		4,572	0	0	4,572	459	365	51	3,697	789	652	137	2,908	72.36%	81.69%	
82		74	0	0	74	0	18	0	56	29	21	8	27	56.25%	56.25%	
83		2,387	0	0	2,387	355	225	8	1,799	554	487	67	1,245	59.66%	71.88%	
84		0	0	7	7	0	0	2	5	2	2	0	3	60.00%	60.00%	
85		20	0	0	20	0	2	1	17	5	4	1	12	75.00%	75.00%	
86		0	113	0	113	88	8	0	17	10	6	4	7	6.93%	53.85%	
87		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	
88		0	2,153	0	2,153	66	468	5	1,614	709	410	299	905	65.53%	68.82%	
89		2,485	0	0	2,485	942	196	8	1,339	498	352	146	841	39.39%	70.49%	
90		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout				
91		2	0	0	2	2	0	0	0	0	0	0.00%	0.00%	0.00%
92		22	0	0	22	6	8	0	0	0	8	57.14%	100.00%	100.00%
93		0	0	2	2	0	0	0	0	0	2	100.00%	100.00%	100.00%
94		0	460	0	460	92	75	5	288	53	235	66.20%	81.60%	89.35%
95		1,098	0	0	1,098	258	113	20	707	192	515	56.84%	72.84%	79.48%
96		51	0	0	51	4	11	4	32	18	14	60.87%	43.75%	73.68%
97		20	0	0	20	5	6	1	8	3	5	45.45%	62.50%	83.33%
98		96	0	0	96	48	8	1	39	16	23	28.40%	58.97%	69.70%
99		0	2,569	0	2,569	366	369	41	1,793	618	1,175	59.22%	65.53%	72.62%
100		6	0	0	6	0	3	1	2	0	2	100.00%	100.00%	100.00%
101		4	0	0	4	0	2	0	2	0	2	100.00%	100.00%	100.00%
102		20	0	0	20	10	4	0	6	0	6	37.50%	100.00%	100.00%
103		0	0	109	109	6	12	0	91	21	70	75.27%	76.92%	80.46%
104		2	0	0	2	1	0	0	1	1	0	0.00%	0.00%	0.00%
105		0	0	17	17	0	5	0	12	4	8	80.00%	66.67%	80.00%
106		0	0	65	65	9	7	0	49	18	31	55.36%	63.27%	65.96%
107		0	0	82	82	1	27	1	53	22	31	64.58%	58.49%	65.96%
108		1	0	0	1	0	0	0	1	0	1	100.00%	100.00%	100.00%
109		0	0	139	139	33	11	9	86	62	24	26.37%	27.91%	41.38%
110		2	0	0	2	0	1	0	1	0	1	100.00%	100.00%	100.00%
111		30	0	0	30	0	4	0	26	15	11	52.38%	42.31%	52.38%
112		85	0	0	85	7	46	0	32	11	21	67.74%	65.63%	87.50%
113		2	0	0	2	0	1	0	1	1	0	0.00%	0.00%	0.00%
114		0	0	1	1	0	1	0	0	0	0	0.00%	0.00%	0.00%
115		5	0	0	5	1	2	0	2	0	2	66.67%	100.00%	100.00%
116		0	0	74	74	3	3	2	66	26	40	65.57%	60.61%	68.97%
117		19	0	0	19	0	8	0	11	6	5	71.43%	45.45%	71.43%
118		231	0	0	231	7	13	5	206	95	111	62.71%	53.88%	65.29%
119		0	7,715	0	7,715	450	696	6	6,563	1,031	5,532	81.96%	84.29%	87.81%
120		39	0	0	39	0	4	1	34	8	26	89.66%	76.47%	89.66%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used			Rejects			Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through		
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout					BST Caused Fallout	CLEC Caused Fallout
121		0	676	0	676	29	58	4	585	71	55	16	514	85.95%	87.86%	90.33%
122		0	656	0	656	25	184	17	430	135	54	81	295	78.88%	68.60%	84.53%
123		6	0	0	6	0	2	0	4	2	1	1	2	66.67%	50.00%	66.67%
124		129	0	0	129	3	41	0	85	10	4	6	75	91.46%	88.24%	94.94%
125		0	41,178	0	41,178	3,084	3,143	407	34,544	5,046	3,365	1,681	29,498	82.06%	85.39%	89.76%
126		3	0	0	3	0	0	0	3	2	2	0	1	33.33%	33.33%	33.33%
127		3	0	0	3	0	1	0	2	1	0	1	1	100.00%	50.00%	100.00%
128		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
129		0	0	110	110	40	37	0	33	30	11	19	3	5.56%	9.09%	21.43%
130		21	0	0	21	0	2	0	19	6	3	3	13	81.25%	68.42%	81.25%
131		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
132		0	488	0	488	43	40	13	392	107	63	44	285	72.89%	72.70%	81.90%
133		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
134		0	0	527	527	84	23	51	369	218	160	58	151	38.23%	40.92%	48.55%
135		44	0	0	44	16	19	0	9	1	1	0	8	32.00%	88.89%	88.89%
136		42	0	0	42	3	12	0	27	8	7	1	19	65.52%	70.37%	73.08%
137		71	0	0	71	23	26	1	21	2	0	2	19	45.24%	90.48%	100.00%
138		12,258	0	0	12,258	461	782	128	10,887	4,107	2,469	1,638	6,780	69.82%	62.28%	73.31%
139		145	0	0	145	6	36	6	97	56	50	6	41	42.27%	42.27%	45.05%
140		4	0	0	4	0	1	1	2	0	0	0	2	100.00%	100.00%	100.00%
141		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
142		12	0	0	12	11	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
143		0	98	0	98	0	13	5	80	29	11	18	51	82.26%	63.75%	82.26%
144		7	0	0	7	0	3	0	4	2	0	2	2	100.00%	50.00%	100.00%
145		0	3	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
146		271	0	0	271	12	35	1	223	43	28	15	180	81.82%	80.72%	86.54%
147		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
148		95	0	0	95	8	6	6	75	27	21	6	48	62.34%	64.00%	69.57%
149		108	0	0	108	11	11	0	86	20	15	5	66	71.74%	76.74%	81.48%
150		0	21	0	21	2	5	1	13	1	0	1	12	85.71%	92.31%	100.00%

ORDERING

**REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002**

**Supplemental Exhibit AJV-6
Attachment 2J**

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH				
Company Info		LESOG														
Name	RESH / OCN	Mechanized Interface Used				Rejects		Errors		Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through			
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's					Total System Fallout	BST Caused Fallout	CLEC Caused Fallout
151		1,579	0	0	1,579	77	146	25	1,331	386	250	136	945	74.29%	71.00%	79.08%
152		165	0	0	165	28	13	4	120	66	47	19	54	41.86%	45.00%	53.47%
153		0	31	0	31	3	2	0	26	8	5	3	18	69.23%	69.23%	78.26%
154		47	0	0	47	24	4	1	18	3	3	0	15	35.71%	83.33%	83.33%
155		213	0	0	213	73	44	1	95	49	41	8	46	28.75%	48.42%	52.87%
156		2,287	0	0	2,287	42	49	3	2,193	90	70	20	2,103	94.94%	95.90%	96.78%
157		17	0	0	17	3	0	1	13	1	0	1	12	80.00%	92.31%	100.00%
158		0	30	0	30	0	3	0	27	9	4	5	18	81.82%	66.67%	81.82%
159		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
160		554	0	0	554	97	69	6	382	66	41	25	316	69.60%	82.72%	88.52%
161		16	0	0	16	0	1	0	15	12	6	6	3	33.33%	20.00%	33.33%
162		7	0	0	7	1	1	0	5	1	1	0	4	66.67%	80.00%	80.00%
163		11	0	0	11	1	2	0	8	3	2	1	5	62.50%	62.50%	71.43%
164		12	0	0	12	5	3	0	4	1	1	0	3	33.33%	75.00%	75.00%
165		150	0	0	150	25	20	0	105	25	17	8	80	65.57%	76.19%	82.47%
166		6	0	0	6	0	1	0	5	4	2	2	1	33.33%	20.00%	33.33%
167		11	0	0	11	0	3	0	8	3	3	0	5	62.50%	62.50%	62.50%
168		6	0	0	6	0	0	0	6	2	1	1	4	80.00%	66.67%	80.00%
169		0	0	68	68	11	14	0	43	10	7	3	33	64.71%	76.74%	82.50%
170		496	0	0	496	43	43	1	409	42	40	2	367	81.56%	89.73%	90.17%
171		4	0	0	4	0	0	0	4	3	3	0	1	25.00%	25.00%	25.00%
172		449	0	0	449	44	43	5	357	47	29	18	310	80.94%	86.83%	91.45%
173		0	0	9,808	9,808	763	2,993	56	5,996	1,386	807	579	4,610	74.60%	76.88%	85.10%
174		0	0	9	9	0	5	0	4	4	4	0	0	0.00%	0.00%	0.00%
175		43	0	0	43	0	8	0	35	35	35	0	0	0.00%	0.00%	0.00%
176		0	70	0	70	0	19	0	51	9	9	0	42	82.35%	82.35%	82.35%
177		0	0	3	3	0	0	0	3	1	1	0	2	66.67%	66.67%	66.67%
178		392	0	0	392	60	56	8	268	71	50	21	197	64.17%	73.51%	79.76%
179		0	0	26	26	4	2	3	17	10	8	2	7	36.84%	41.18%	46.67%
180		3	0	0	3	0	0	0	3	3	1	2	0	0.00%	0.00%	0.00%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH						
Company Info		LESOG																
Name	RESH / OCN	Mechanized Interface Used			Manual		Rejects		Pending Supps (Z Status)	Validated LSR's	Total System Fallout	Errors		CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	BST Caused Fallout				CLEC Caused Fallout						
181		1,478	0	0	1,478	109	249	25	1,095	285	166	119	810	74.65%	73.97%	82.99%		
182		0	0	53	53	0	6	0	47	9	5	4	38	88.37%	80.85%	88.37%		
183		0	0	504	504	95	76	0	333	87	67	20	246	60.29%	73.87%	78.59%		
184		926	0	0	926	92	86	11	737	140	99	41	597	75.76%	81.00%	85.78%		
185		114	0	0	114	18	15	2	79	12	12	0	67	69.07%	84.81%	84.81%		
186		1,183	0	0	1,183	1,008	18	4	153	8	4	4	145	12.53%	94.77%	97.32%		
187		1,254	0	0	1,254	1,096	47	0	111	7	3	4	104	8.65%	93.69%	97.20%		
188		11	0	0	11	7	3	0	1	0	0	0	1	12.50%	100.00%	100.00%		
189		44	0	0	44	5	19	1	19	5	3	2	14	63.64%	73.68%	82.35%		
190		0	0	2,316	2,316	699	27	102	1,488	527	424	103	961	46.11%	64.58%	69.39%		
191		0	84	0	84	7	15	0	62	13	8	5	49	76.56%	79.03%	85.96%		
192		90	0	0	90	13	6	0	71	9	6	3	62	76.54%	87.32%	91.18%		
193		37	0	0	37	7	11	1	18	4	0	4	14	66.67%	77.78%	100.00%		
194		4	0	0	4	1	1	0	2	0	0	0	2	66.67%	100.00%	100.00%		
195		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%		
196		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%		
197		136	0	0	136	25	17	4	90	13	7	6	77	70.64%	85.56%	91.67%		
198		0	169	0	169	26	24	0	119	53	25	28	66	56.41%	55.46%	72.53%		
199		142	0	0	142	3	12	3	124	11	8	3	113	91.13%	91.13%	93.39%		
200		0	0	1,713	1,713	42	195	8	1,468	62	41	21	1,406	94.43%	95.78%	97.17%		
201		0	0	3	3	2	0	0	1	0	0	0	1	33.33%	100.00%	100.00%		
202		45	0	0	45	2	11	0	32	3	3	0	29	85.29%	90.63%	90.63%		
203		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%		
204		26	0	0	26	4	2	0	20	15	10	5	5	26.32%	25.00%	33.33%		
205		0	3	0	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%		
206		32	0	0	32	14	2	1	15	3	2	1	12	42.86%	80.00%	85.71%		
207		0	60	0	60	4	7	0	49	15	6	9	34	77.27%	69.39%	85.00%		
208		9	0	0	9	0	1	0	8	3	2	1	5	71.43%	62.50%	71.43%		
209		0	24	0	24	6	6	0	12	4	1	3	8	53.33%	66.67%	88.89%		
210		434	0	0	434	101	40	5	288	42	30	12	246	65.25%	85.42%	89.13%		

ORDERING

**REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
REPORT PERIOD: 3/01/2002 - 3/31/2002**

**Supplemental Exhibit AJV-6
Attachment 2J**

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH					
Company Info		LESOG															
Name	RESH / OCN	Mechanized Interface Used			Rejects			Errors				Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through		
		LENS	EDI	TAG	Total Mech LSR's	Manual	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's	Total System Fallout					BST Caused Fallout	CLEC Caused Fallout
211		0	0	557	557	63	88	0	0	406	130	112	18	276	61.20%	67.98%	71.13%
212		176	0	0	176	31	29	9	9	107	31	22	9	76	58.91%	71.03%	77.55%
213		13	0	0	13	0	2	0	0	11	3	3	0	8	72.73%	72.73%	72.73%
214		4	0	0	4	0	0	0	0	4	3	3	0	1	25.00%	25.00%	25.00%
215		5	0	0	5	2	1	0	0	2	1	1	0	1	25.00%	50.00%	50.00%
216		243	0	0	243	27	29	5	5	182	47	36	11	135	68.18%	74.18%	78.95%
217		0	0	268	268	61	39	1	1	167	46	32	14	121	56.54%	72.46%	79.08%
218		16	0	0	16	0	8	0	0	8	0	0	0	8	100.00%	100.00%	100.00%
219		101	0	0	101	27	8	1	1	65	14	9	5	51	58.62%	78.46%	85.00%
220		91	0	0	91	14	13	1	1	63	11	10	1	52	68.42%	82.54%	83.87%
221		42	0	0	42	7	4	0	0	31	8	3	5	23	69.70%	74.19%	88.48%
222		1	0	0	1	0	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
223		0	402	0	402	112	78	0	0	212	66	61	5	146	45.77%	68.87%	70.53%
224		17	0	0	17	0	8	0	0	9	2	2	0	7	77.78%	77.78%	77.78%
225		0	23	0	23	2	6	1	1	14	3	1	2	11	78.57%	78.57%	91.67%
226		24	0	0	24	0	3	0	0	21	10	10	0	11	52.38%	52.38%	52.38%
227		77	0	0	77	3	5	0	0	69	12	8	4	57	83.82%	82.61%	87.69%
228		51	0	0	51	4	4	0	0	43	6	5	1	37	80.43%	86.05%	88.10%
229		0	0	32	32	6	1	2	2	23	7	6	1	16	57.14%	69.57%	72.73%
230		0	0	1,131	1,131	178	204	3	3	746	194	153	41	552	62.51%	73.99%	78.30%
231		1,373	0	0	1,373	200	165	28	28	980	182	134	48	798	70.49%	81.43%	85.62%
232		688	0	0	688	17	33	58	58	580	353	293	60	227	42.27%	39.14%	43.65%
233		12	0	0	12	0	4	1	1	7	5	4	1	2	33.33%	28.57%	33.33%
234		939	0	0	939	58	38	8	8	835	163	133	30	672	77.87%	80.48%	83.48%
235		434	0	0	434	23	11	4	4	396	61	51	10	335	81.91%	84.60%	86.79%
236		45	0	0	45	1	13	0	0	31	5	1	4	26	92.86%	83.87%	96.30%
237		0	363	0	363	3	35	5	5	320	117	93	24	203	67.89%	63.44%	68.58%
238		504	0	0	504	168	87	5	5	244	58	35	23	186	47.81%	76.23%	84.16%
239		0	0	867	867	158	116	11	11	582	197	162	35	385	54.61%	66.15%	70.38%
240		0	0	1,070	1,070	226	102	12	12	730	234	192	42	496	54.27%	67.95%	72.09%

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (UNE DETAIL)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		LSR PROCESSING										FLOWTHROUGH		
Company Info		LESOG												
Name	RESH / OCN	Mechanized Interface Used			Rejects		Errors			Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through	
		LENS	EDI	TAG	Total Mech LSR's	Manual Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	Validated LSR's					Total System Fallout
241		5	0	0	5	1	2	1	1	1	0	0.00%	0.00%	
242		69	0	0	69	11	18	0	8	4	28	59.57%	77.78%	
243		1	0	0	1	0	1	0	0	0	0	0.00%	0.00%	
244		475	0	0	475	52	16	0	18	4	385	84.62%	94.59%	
245		0	55	0	55	43	7	0	0	0	5	10.42%	100.00%	
246		11	0	0	11	2	0	0	0	0	9	81.82%	100.00%	
247		10	0	0	10	0	1	1	0	4	4	100.00%	100.00%	
248		0	0	2,060	2,060	380	264	20	312	106	978	58.56%	70.06%	
249		57	0	0	57	11	5	1	4	3	33	68.75%	82.50%	
250		0	0	8	8	0	4	0	0	1	3	100.00%	75.00%	
251		0	0	946	946	152	107	5	168	37	477	59.85%	69.94%	
252		0	0	1,711	1,711	230	175	9	332	77	888	61.24%	68.47%	
253		0	0	1	1	0	1	0	0	0	0	0.00%	0.00%	
254		9	0	0	9	5	0	0	0	0	4	44.44%	100.00%	
255		212	0	0	212	202	4	1	0	0	5	2.42%	100.00%	
256		310	0	0	310	299	7	0	0	1	3	0.99%	100.00%	
257		4	0	0	4	3	0	0	0	0	1	25.00%	100.00%	
258		13	0	0	13	3	3	0	1	2	4	50.00%	80.00%	
259		0	128	0	128	9	14	0	21	15	69	69.70%	76.67%	
260		42	0	0	42	5	0	4	1	6	26	81.25%	96.30%	
261		0	65	0	65	2	2	0	2	0	59	93.65%	96.72%	
LENS Subtotal/		53,441	0	0	53,441	8,181	4,805	625	7,463	3,264	29,103	65.04%	73.07%	
EDI Subtotal/		0	61,447	0	61,447	5,549	5,669	537	5,949	2,859	40,884	78.05%	82.27%	
TAG Subtotal/		0	0	34,233	34,233	3,565	5,481	396	3,774	1,599	19,418	72.57%	78.33%	
TOTAL INTERFACES		53,441	61,447	34,233	149,121	17,295	15,955	1,558	17,186	7,722	89,405	72.17%	83.88%	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
1		3	
2		3	
3		1	
4		1	
5		10	
6		8	
7		6	
8		12	
9		2	
10		51	
11		15	
12		7	
13		6	
14		232	
15		24	
16		4	
17		22	
18		67	
19		6	
20		25	
21		50	
22		5	
23		1	
24		1	
25		35	
26		10	
27		177	
28		18	
29		16	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
Company Info			
Name		FRESH / OCN	FATAL REJECTS
30			46
31			4
32			70
33			10
34			1
35			1
36			2
37			2
38			1
39			185
40			1
41			136
42			6
43			1
44			7
45			8
46			3
47			81
48			52
49			37
50			2
51			2
52			6
53			10
54			14
55			34
56			1
57			1
58			5

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
59		3	
60		6	
61		10	
62		43	
63		35	
64		5	
65		2	
66		169	
67		4	
68		23	
69		3	
70		1	
71		3	
72		111	
73		2	
74		14	
75		83	
76		368	
77		2	
78		2	
79		2	
80		13	
81		159	
82		2	
83		3	
84		5	
85		1	
86		3	
87		3	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AUV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
88		8	
89		24	
90		1	
91		8	
92		549	
93		39	
94		1	
95		3	
96		32	
97		7	
98		86	
99		53	
100		100	
101		90	
102		183	
103		1,793	
104		8	
105		23	
106		23	
107		1	
108		86	
109		21	
110		2	
111		2	
112		4	
113		22	
114		29	
115		17	
116		910	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
117		182
118		2
119		2
120		5
121		1
122		2
123		1
124		17
125		4
126		8
127		1
128		21
129		371
130		49
131		9
132		3
133		6
134		1
135		3
136		23
137		1
138		19
139		30
140		1
141		5
142		11
143		4
144		8
145		18

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
146		1	
147		2	
148		2	
149		1	
150		1	
151		5	
152		3	
153		11	
154		23	
155		73	
156		1	
157		1	
158		2	
159		3	
160		21	
161		5	
162		1	
163		4	
164		3	
165		1	
166		3	
167		12	
168		1	
169		1	
170		38	
171		18	
172		1	
173		4	
174		39	

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
175		2	
176		49	
177		3	
178		25	
179		6	
180		12	
181		2	
182		15	
183		72	
184		7	
185		1	
186		7	
187		20	
188		5	
189		2	
190		4	
191		10	
192		9	
193		2	
194		58	
195		51	
196		7	
197		2	
198		2	
199		10	
200		6	
201		2	
202		9	
203		1	

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
204		3	
205		1	
206		3	
207		1	
208		3	
209		30	
210		1	
211		5	
212		3	
213		12	
214		11	
215		1	
216		3	
217		1	
218		29	
219		12	
220		78	
221		27	
222		62	
223		1	
224		6	
225		11	
226		5	
227		11	
228		3	
229		1	
230		1	
231		3	
232		2	

ORDERING

REPORT: PERCENT FLOWTHROUGH SERVICE REQUESTS (FATAL REJECTS)
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
Company Info			
Name		RESH / OCN	FATAL REJECTS
233			53
234			4
235			8
236			5
237			13
238			22
239			23
240			1
241			1
242			8
243			10
244			25
245			1
246			30
247			2
248			3
249			1
250			48
251			1
252			2
253			11
254			2
255			8
256			16
257			19
258			1
TOTAL			8,890

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION				
Error Type (by error code)	Count	%	Σ %	CLEC Caused	BST Caused			
				Count	% of Agg			
				% of CLEC	Count			
				% of Agg	% of BST Caused			
1000	20,769	15.42%	15.42%	20,255	97.53%	514	2.47%	1,190%
7020	1,179	0.88%	16.29%	1,177	99.83%	2	0.17%	0.005%
7055	1,874	1.39%	17.69%	1,871	99.84%	3	0.16%	0.007%
7095	6	0.00%	17.69%	0	0.00%	6	100.00%	0.014%
7109	146	0.11%	17.80%	93	63.70%	53	36.30%	0.123%
7110	184	0.14%	17.93%	85	46.20%	99	53.80%	0.229%
7115	6	0.00%	17.94%	2	33.33%	4	66.67%	0.009%
7150	20	0.01%	17.95%	10	50.00%	10	50.00%	0.023%
7235	653	0.48%	18.44%	505	77.34%	148	22.66%	0.343%
7245	773	0.57%	19.01%	511	66.11%	262	33.89%	0.607%
7250	236	0.18%	19.19%	235	99.58%	1	0.42%	0.002%
7267	5	0.00%	19.19%	5	100.00%	0	0.00%	0.000%
7295	19	0.01%	19.21%	9	47.37%	10	52.63%	0.023%
7300	10	0.01%	19.21%	9	90.00%	1	10.00%	0.002%
7315	292	0.22%	19.43%	271	92.81%	21	7.19%	0.049%
7375	44	0.03%	19.46%	39	88.64%	5	11.36%	0.012%
7380	143	0.11%	19.57%	143	100.00%	0	0.00%	0.000%
7400	9,474	7.03%	26.60%	9,474	100.00%	0	0.00%	0.000%
7445	24	0.02%	26.62%	24	100.00%	0	0.00%	0.000%
7465	2,866	2.13%	28.75%	1,174	40.96%	1,692	59.04%	3.917%
7495	14	0.01%	28.76%	3	21.43%	11	78.57%	0.025%
7500	219	0.16%	28.92%	7	3.20%	212	96.80%	0.491%
7555	188	0.14%	29.06%	173	92.02%	15	7.98%	0.035%
7570	4	0.00%	29.06%	4	100.00%	0	0.00%	0.000%
7630	111	0.08%	29.15%	60	54.05%	51	45.95%	0.118%
7645	4	0.00%	29.15%	4	100.00%	0	0.00%	0.000%
7660	5	0.00%	29.15%	5	100.00%	0	0.00%	0.000%
7690	37	0.03%	29.18%	37	100.00%	0	0.00%	0.000%
7710	532	0.39%	29.58%	332	62.41%	200	37.59%	0.463%
7715	270	0.20%	29.78%	92	34.07%	178	65.93%	0.412%
7718	3,087	2.30%	32.07%	1,175	37.94%	1,922	62.06%	4.449%
7725	83	0.06%	32.14%	22	26.51%	61	73.49%	0.141%
7735	17	0.01%	32.15%	17	100.00%	0	0.00%	0.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION					
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7740	16	0.01%	32.16%	14	87.50%	0.02%	2	12.50%	0.005%
7755	19	0.01%	32.17%	15	78.95%	0.02%	4	21.05%	0.009%
7805	1,832	1.36%	33.54%	345	18.83%	0.38%	1,487	81.17%	3.442%
7815	41	0.03%	33.57%	33	80.49%	0.04%	8	19.51%	0.019%
7825	1	0.00%	33.57%	0	0.00%	0.00%	1	100.00%	0.002%
7860	125	0.09%	33.66%	125	100.00%	0.14%	0	0.00%	0.000%
7890	16	0.01%	33.67%	16	100.00%	0.02%	0	0.00%	0.000%
7900	7	0.01%	33.68%	7	100.00%	0.01%	0	0.00%	0.000%
7905	4,383	3.25%	36.93%	4,377	99.86%	4.78%	6	0.14%	0.014%
7910	2,541	1.89%	38.82%	2,432	95.71%	2.66%	109	4.29%	0.252%
7945	2	0.00%	38.82%	1	50.00%	0.00%	1	50.00%	0.002%
8150	514	0.38%	39.20%	149	28.99%	0.16%	365	71.01%	0.845%
8167	41	0.03%	39.23%	41	100.00%	0.04%	0	0.00%	0.000%
8170	428	0.32%	39.55%	428	100.00%	0.47%	0	0.00%	0.000%
8175	54	0.04%	39.59%	54	100.00%	0.06%	0	0.00%	0.000%
8175	433	0.32%	39.91%	433	100.00%	0.47%	0	0.00%	0.000%
8180	194	0.14%	40.05%	193	99.48%	0.21%	1	0.52%	0.002%
8183	12	0.01%	40.06%	12	100.00%	0.01%	0	0.00%	0.000%
8185	35	0.03%	40.09%	35	100.00%	0.04%	0	0.00%	0.000%
8187	1,819	1.35%	41.44%	1,818	99.95%	1.99%	1	0.05%	0.002%
8189	567	0.42%	41.86%	567	100.00%	0.62%	0	0.00%	0.000%
8190	927	0.69%	42.55%	880	94.93%	0.96%	47	5.07%	0.109%
8195	584	0.43%	42.98%	584	100.00%	0.64%	0	0.00%	0.000%
8197	646	0.48%	43.46%	646	100.00%	0.71%	0	0.00%	0.000%
8199	86	0.06%	43.52%	86	100.00%	0.09%	0	0.00%	0.000%
8204	136	0.10%	43.63%	136	100.00%	0.15%	0	0.00%	0.000%
8207	53	0.04%	43.67%	53	100.00%	0.06%	0	0.00%	0.000%
8209	612	0.45%	44.12%	612	100.00%	0.67%	0	0.00%	0.000%
8240	285	0.21%	44.33%	285	100.00%	0.31%	0	0.00%	0.000%
8250	486	0.36%	44.69%	486	100.00%	0.53%	0	0.00%	0.000%
8270	4	0.00%	44.69%	4	100.00%	0.00%	0	0.00%	0.000%
8275	9	0.01%	44.70%	9	100.00%	0.01%	0	0.00%	0.000%
8278	7	0.01%	44.71%	7	100.00%	0.01%	0	0.00%	0.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION					
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
8410	1	0.00%	44.71%	1	100.00%	0.00%	0	0.00%	0.0000%
8415	18	0.01%	44.72%	18	100.00%	0.02%	0	0.00%	0.0000%
8430	2	0.00%	44.72%	2	100.00%	0.00%	0	0.00%	0.0000%
8820	21,668	16.09%	60.81%	6,902	31.85%	7.54%	17,342	68.15%	34.184%
8825	22,091	16.40%	77.21%	4,749	21.50%	5.19%	17,342	78.50%	40.147%
8830	328	0.24%	77.45%	325	99.09%	0.36%	3	0.91%	0.007%
8850	78	0.06%	77.51%	78	100.00%	0.09%	0	0.00%	0.0000%
8855	3	0.00%	77.51%	3	100.00%	0.00%	0	0.00%	0.0000%
8925	1	0.00%	77.51%	0	0.00%	0.00%	1	100.00%	0.002%
8940	1,455	1.08%	78.59%	1,454	99.93%	1.59%	1	0.07%	0.002%
8945	55	0.04%	78.63%	55	100.00%	0.06%	0	0.00%	0.0000%
8970	968	0.72%	79.35%	963	99.48%	1.05%	5	0.52%	0.012%
9000	16	0.01%	79.36%	16	100.00%	0.02%	0	0.00%	0.0000%
9015	2	0.00%	79.37%	1	50.00%	0.00%	1	50.00%	0.002%
9040	2	0.00%	79.37%	1	50.00%	0.00%	1	50.00%	0.002%
9110	6	0.00%	79.37%	6	100.00%	0.01%	0	0.00%	0.0000%
9115	6	0.00%	79.38%	6	100.00%	0.01%	0	0.00%	0.0000%
9145	1	0.00%	79.38%	0	0.00%	0.00%	1	100.00%	0.002%
9155	244	0.18%	79.56%	244	100.00%	0.27%	0	0.00%	0.0000%
9245	447	0.33%	79.89%	447	100.00%	0.49%	0	0.00%	0.0000%
9432	7	0.01%	79.90%	7	100.00%	0.01%	0	0.00%	0.0000%
9433	2	0.00%	79.90%	2	100.00%	0.00%	0	0.00%	0.0000%
9438	13	0.01%	79.91%	13	100.00%	0.01%	0	0.00%	0.0000%
9439	154	0.11%	80.02%	154	100.00%	0.17%	0	0.00%	0.0000%
9441	2	0.00%	80.02%	2	100.00%	0.00%	0	0.00%	0.0000%
9442	859	0.64%	80.66%	853	99.30%	0.93%	6	0.70%	0.014%
9466	57	0.04%	80.70%	57	100.00%	0.06%	0	0.00%	0.0000%
9471	23	0.02%	80.72%	20	86.96%	0.02%	3	13.04%	0.007%
9474	2	0.00%	80.72%	2	100.00%	0.00%	0	0.00%	0.0000%
9475	4	0.00%	80.72%	4	100.00%	0.00%	0	0.00%	0.0000%
9476	61	0.05%	80.77%	61	100.00%	0.07%	0	0.00%	0.0000%
9477	88	0.07%	80.83%	87	98.98%	0.10%	1	1.14%	0.002%
9479	110	0.08%	80.92%	107	97.27%	0.12%	3	2.73%	0.007%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION				
Error Type (by error code)	Count	%	Σ %	Count	% of CLEC	Count	% of Agg	% of BST Caused
9481	3,283	2.44%	83.35%	3,266	99.48%	17	0.52%	0.0399%
9484	22	0.02%	83.37%	22	100.00%	0	0.00%	0.0000%
9487	1	0.00%	83.37%	1	100.00%	0	0.00%	0.0000%
9488	401	0.30%	83.67%	401	100.00%	0	0.00%	0.0000%
9495	102	0.08%	83.74%	99	97.06%	3	2.94%	0.0007%
9496	1,750	1.30%	85.04%	1,725	98.57%	25	1.43%	0.0588%
9498	41	0.03%	85.07%	41	100.00%	0	0.00%	0.0000%
9504	6	0.00%	85.08%	6	100.00%	0	0.00%	0.0000%
9508	1	0.00%	85.08%	1	100.00%	0	0.00%	0.0000%
9515	1,390	1.03%	86.11%	1,386	99.71%	4	0.29%	0.0099%
9516	25	0.02%	86.13%	25	100.00%	0	0.00%	0.0000%
9517	29	0.02%	86.15%	29	100.00%	0	0.00%	0.0000%
9518	1	0.00%	86.15%	1	100.00%	0	0.00%	0.0000%
9523	10	0.01%	86.16%	10	100.00%	0	0.00%	0.0000%
9526	3	0.00%	86.16%	3	100.00%	0	0.00%	0.0000%
9529	1,542	1.14%	87.31%	1,520	98.57%	22	1.43%	0.0519%
9530	4	0.00%	87.31%	3	75.00%	1	25.00%	0.002%
9543	373	0.28%	87.59%	368	98.66%	5	1.34%	0.012%
9545	3	0.00%	87.59%	3	100.00%	0	0.00%	0.0000%
9602	4,329	3.21%	90.80%	4,308	99.51%	21	0.49%	0.049%
9604	33	0.02%	90.83%	16	48.48%	17	51.52%	0.0399%
9605	181	0.13%	90.96%	15	100.00%	0	0.00%	0.0000%
9606	16	0.01%	90.97%	6	100.00%	1	6.25%	0.002%
9613	6	0.00%	90.98%	25	100.00%	0	0.00%	0.0000%
9616	25	0.02%	91.00%	4	100.00%	0	0.00%	0.0000%
9623	4	0.00%	91.00%	1	100.00%	0	0.00%	0.0000%
9624	1	0.00%	91.00%	331	100.00%	0	0.00%	0.0000%
9626	331	0.25%	91.25%	1,193	99.92%	1	0.08%	0.002%
9627	1,194	0.89%	92.13%	427	99.77%	1	0.23%	0.002%
9628	428	0.32%	92.45%	69	98.57%	1	1.43%	0.002%
9629	70	0.05%	92.50%	183	100.00%	0	0.00%	0.0000%
9639	183	0.14%	92.64%	1,771	99.89%	2	0.11%	0.005%
9641	1,773	1.32%	93.95%					

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION					
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9647	345	0.26%	94.21%	345	100.00%	0.38%	0	0.00%	0.000%
9654	270	0.20%	94.41%	269	99.63%	0.29%	1	0.37%	0.002%
9656	4	0.00%	94.41%	4	100.00%	0.00%	0	0.00%	0.000%
9657	28	0.02%	94.43%	28	100.00%	0.03%	0	0.00%	0.000%
9661	29	0.02%	94.46%	17	58.62%	0.02%	12	41.38%	0.028%
9666	1	0.00%	94.46%	1	100.00%	0.00%	0	0.00%	0.000%
9670	16	0.01%	94.47%	16	100.00%	0.02%	0	0.00%	0.000%
9671	93	0.07%	94.54%	93	100.00%	0.10%	0	0.00%	0.000%
9673	40	0.03%	94.57%	40	100.00%	0.04%	0	0.00%	0.000%
9674	26	0.02%	94.59%	26	100.00%	0.03%	0	0.00%	0.000%
9675	20	0.01%	94.60%	20	100.00%	0.02%	0	0.00%	0.000%
9679	4	0.00%	94.60%	4	100.00%	0.00%	0	0.00%	0.000%
9680	8	0.01%	94.61%	8	100.00%	0.01%	0	0.00%	0.000%
9681	33	0.02%	94.63%	33	100.00%	0.04%	0	0.00%	0.000%
9682	10	0.01%	94.64%	10	100.00%	0.01%	0	0.00%	0.000%
9685	4,021	2.99%	97.63%	10	100.00%	0.01%	0	0.00%	0.000%
9686	13	0.01%	97.64%	646	16.07%	0.71%	3,375	83.93%	7.813%
9687	12	0.01%	97.65%	10	76.92%	0.01%	3	23.08%	0.007%
9690	1	0.00%	97.65%	12	100.00%	0.01%	0	0.00%	0.000%
9692	1	0.00%	97.65%	1	100.00%	0.00%	0	0.00%	0.000%
9700	49	0.04%	97.68%	1	100.00%	0.00%	0	0.00%	0.000%
9715	28	0.02%	97.70%	49	100.00%	0.05%	0	0.00%	0.000%
9735	3	0.00%	97.71%	28	100.00%	0.03%	0	0.00%	0.000%
9772	1	0.00%	97.71%	3	100.00%	0.00%	0	0.00%	0.000%
9800	44	0.03%	97.74%	0	0.00%	0.00%	1	100.00%	0.002%
9860	1,232	0.91%	98.65%	16	36.36%	0.02%	28	63.64%	0.065%
9861	1,041	0.77%	99.43%	1,232	100.00%	1.35%	0	0.00%	0.000%
9862	2	0.00%	99.43%	1,037	99.62%	1.13%	4	0.38%	0.009%
9863	16	0.01%	99.44%	2	100.00%	0.00%	0	0.00%	0.000%
9866	43	0.03%	99.47%	16	100.00%	0.02%	0	0.00%	0.000%
9867	49	0.04%	99.51%	42	97.67%	0.05%	1	2.33%	0.002%
9869	17	0.01%	99.52%	48	97.96%	0.05%	1	2.04%	0.002%
9871	9	0.01%	99.53%	17	100.00%	0.02%	0	0.00%	0.000%
9897	7	0.01%	99.53%	9	100.00%	0.01%	0	0.00%	0.000%
9908	306	0.23%	99.76%	7	100.00%	0.01%	0	0.00%	0.000%
				306	100.00%	0.33%	0	0.00%	0.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES		ERROR DETAILS (Auto Clarifications (A) & Errors (E))		CAUSATION					
Error Type (by error code)	Count	%	Σ %	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9909	129	0.10%	99.86%	128	99.22%	0.14%	1	0.78%	0.002%
9910	134	0.10%	99.96%	133	99.25%	0.15%	1	0.75%	0.002%
9911	9	0.01%	99.96%	9	100.00%	0.01%	0	0.00%	0.000%
9912	50	0.04%	100.00%	50	100.00%	0.05%	0	0.00%	0.000%
	134,698	100.00%		91,502	67.93%	100.00%	43,196	32.07%	100.000%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1005	10	0.07%	0.07%
1007	11	0.07%	0.14%
1012	4	0.03%	0.17%
1015	3,009	20.47%	20.64%
1020	1	0.01%	20.64%
1023	12	0.08%	20.73%
1025	11	0.07%	20.80%
1030	432	2.94%	23.74%
1035	1	0.01%	23.75%
1040	45	0.31%	24.05%
1050	40	0.27%	24.32%
1055	10	0.07%	24.39%
1060	23	0.16%	24.55%
1065	16	0.11%	24.66%
1070	7	0.05%	24.70%
1074	1	0.01%	24.71%
1075	10	0.07%	24.78%
1078	40	0.27%	25.05%
1080	23	0.16%	25.21%
1085	3	0.02%	25.23%
1090	2	0.01%	25.24%
1110	32	0.22%	25.46%
1120	8	0.05%	25.51%
1125	50	0.34%	25.85%
1131	317	2.16%	28.01%
1135	1	0.01%	28.02%
1140	7	0.05%	28.06%

Error Description
CCNA REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION
DUPLICATE CC, PON, VER
CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
PON DUPLICATE ON INITIAL LSR
PON VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS ., - , ' , .
NO ORIGINAL LSR FOUND FOR THIS SUP
VER MUST BE GREATER THAN PREVIOUS VERSION
VER MUST BE GREATER THAN PREVIOUS VERSION
VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
VER MUST BE SPACES OR ZEROES FOR 850
D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
AN REQUIRED FOR THIS REQTY/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTY IS B
AN MUST BE 10 OR 13 ALPHANUMERICS
DDD/DDDD-CC MUST BE CURRENT OR FUTURE DATE
ATN REQUIRED FOR THIS ACT TYPE WHEN NO LNA OF N IS PRESENT
ATN REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
ATN MUST EQUAL EATN OR LEATN WHEN EATN OR LEATN IS POPULATED
DDD/DDDD-CC MUST BE A VALID DATE
DDDDO-CC/DDDDO MUST BE CURRENT OR FUTURE DATE
ATN OR AN REQUIRED WHEN EATN IS POPULATED
INVALID REQTY - ACCOUNT ACTIVITY TYPE COMBINATION
DDD REQUIRED
DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER
DDDO REQUIRED WHEN ACT IS T AND REQTY IS A, E, M, OR N

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1145	3	0.02%	28.08%
1155	1	0.01%	28.09%
1157	6	0.04%	28.13%
1175	3	0.02%	28.15%
1180	9	0.06%	28.21%
1190	5	0.03%	28.25%
1200	45	0.31%	28.55%
1215	51	0.35%	28.90%
1225	16	0.11%	29.01%
1230	2,970	20.20%	49.21%
1235	2	0.01%	49.22%
1265	2	0.01%	49.24%
1270	7	0.05%	49.29%
1285	5	0.03%	49.32%
1290	1	0.01%	49.33%
1300	2	0.01%	49.34%
1305	1	0.01%	49.35%
1330	2	0.01%	49.36%
1335	6	0.04%	49.40%
1345	4	0.03%	49.43%
1355	3	0.02%	49.45%
1390	27	0.18%	49.63%
1392	2	0.01%	49.65%
1430	21	0.14%	49.79%
1435	1	0.01%	49.80%
1453	24	0.16%	49.96%
1455	84	0.57%	50.53%
1457	13	0.09%	50.62%
1490	1	0.01%	50.63%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
1505	10	0.07%	50.69%
1510	19	0.13%	50.82%
1515	27	0.18%	51.01%
1520	23	0.16%	51.16%
1525	2	0.01%	51.18%
1530	20	0.14%	51.31%
1535	9	0.06%	51.37%
1540	1	0.01%	51.38%
1570	2	0.01%	51.39%
1580	1	0.01%	51.40%
1585	1	0.01%	51.41%
1590	1	0.01%	51.41%
1595	1	0.01%	51.42%
1600	1	0.01%	51.43%
1605	25	0.17%	51.60%
1610	1	0.01%	51.61%
1630	121	0.82%	52.43%
1635	76	0.52%	52.95%
1640	544	3.70%	56.65%
1645	901	6.13%	62.77%
1650	521	3.54%	66.32%
1660	52	0.35%	66.67%
1661	3	0.02%	66.69%
1662	18	0.12%	66.81%
1663	1	0.01%	66.82%
1664	44	0.30%	67.12%
2015	3	0.02%	67.14%
2025	1	0.01%	67.15%
2030	1	0.01%	67.15%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
2035	7	0.05%	67.20%
2040	17	0.12%	67.32%
2050	17	0.12%	67.43%
2055	21	0.14%	67.58%
2059	1	0.01%	67.58%
2060	14	0.10%	67.68%
2065	15	0.10%	67.78%
2070	17	0.12%	67.90%
2080	12	0.08%	67.98%
2084	4	0.03%	68.00%
2085	24	0.16%	68.17%
2090	8	0.05%	68.22%
2095	13	0.09%	68.31%
2098	1	0.01%	68.32%
2099	1	0.01%	68.32%
2100	1	0.01%	68.33%
2104	1	0.01%	68.34%
2105	2	0.01%	68.35%
2106	1	0.01%	68.36%
2109	9	0.06%	68.42%
2110	4	0.03%	68.45%
2111	6	0.04%	68.49%
2115	8	0.05%	68.54%
2120	381	2.59%	71.13%
2130	7	0.05%	71.18%
2145	2	0.01%	71.19%
2150	1	0.01%	71.20%
2155	2	0.01%	71.21%
2165	1	0.01%	71.22%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
2175	1	0.01%	71.23%
2185	2	0.01%	71.24%
2200	1	0.01%	71.25%
2220	1	0.01%	71.26%
2285	6	0.04%	71.30%
2295	6	0.04%	71.34%
2350	21	0.14%	71.48%
2355	2	0.01%	71.49%
3005	6	0.04%	71.53%
3010	42	0.29%	71.82%
3015	3	0.02%	71.84%
3020	1	0.01%	71.85%
3035	17	0.12%	71.96%
3045	33	0.22%	72.19%
3047	66	0.45%	72.64%
3050	37	0.25%	72.89%
3055	1	0.01%	72.89%
3085	3	0.02%	72.92%
3090	39	0.27%	73.18%
3100	2	0.01%	73.19%
3105	1	0.01%	73.20%
3110	13	0.09%	73.29%
3115	69	0.47%	73.76%
3120	13	0.09%	73.85%
3125	31	0.21%	74.06%
3130	13	0.09%	74.15%
3135	101	0.69%	74.83%
3140	3	0.02%	74.85%
3155	3	0.02%	74.87%

Error Description
IWCON-TEL NO PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS
EATN MUST BE 10 NUMERICS
SBILLNM-FB MUST BE UP TO 25 ALPHANUMERICS WITH EMBEDDED BLANKS
LOCNUM= DNUM MUST BE 5 NUMERIC
DNUM MUST BE GREATER THAN PREVIOUS DNUM
ERL REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION
ERL PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
REFNUM=001 -TELNO= REFNUM MUST BE 4 NUMERICS
REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
REFNUM=0001-TELNO= LNA REQUIRED
LOCNUM=000 - LNUM=00001 FIRST CHARACTER OF CABLE ID MUST BE P OR V
REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
REFNUM=0001 ECCKT MUST BE CLT, CLF OR GLS FORMAT
LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
REFNUM=0001-TELNO= FPI MUST BE VALID VALUE FOR REQTY AND ACTIVITY
REFNUM=0001-TELNO= TC OPT VALID ENTRIES ARE:00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81
REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTY
LOCNUM=000 LNUM=00001 TELNO= CHAN/PAIR REQUIRED WHEN CABLE ID IS POPULATED
LOCNUM=000 LNUM=22 TELNO= CHAN/PAIR MUST BE UP TO 5 ALPHANUMERICS
LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTY/ACT/LNA COMBINATION
LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTY/ACT/LNA COMBINATION
LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE
REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
3160	5	0.03%	74.91%
3165	8	0.05%	74.96%
3170	22	0.15%	75.11%
3190	40	0.27%	75.38%
3200	2	0.01%	75.40%
3205	25	0.17%	75.57%
3380	54	0.37%	75.94%
3385	10	0.07%	76.00%
3395	2	0.01%	76.02%
3400	6	0.04%	76.06%
3405	1	0.01%	76.06%
3410	194	1.32%	77.38%
3415	6	0.04%	77.42%
3420	2	0.01%	77.44%
3422	10	0.07%	77.51%
3427	2	0.01%	77.52%
3430	10	0.07%	77.59%
3431	2	0.01%	77.60%
3433	8	0.05%	77.66%
3439	5	0.03%	77.69%
3460	4	0.03%	77.72%
3470	200	1.36%	79.08%
3480	1	0.01%	79.08%
3485	21	0.14%	79.23%
3545	1	0.01%	79.23%
3630	1	0.01%	79.24%
3705	2	0.01%	79.25%
3735	44	0.30%	79.55%
3745	19	0.13%	79.68%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

ERROR DETAILS (Fatal Errors)				AGGREGATE ORDER TYPES
Error Type (by error code)	Count	%	Σ %	Error Description
3755	44	0.30%	79.98%	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
3760	1	0.01%	79.99%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC, NC OR VALID LPIC CODE WHEN LNA IS C P
3765	19	0.13%	80.12%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
3930	12	0.08%	80.20%	LNUM=00001 TELNO=
4000	17	0.12%	80.32%	DL DATA ELEMENTS REQUIRED
4015	7	0.05%	80.36%	REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
4020	9	0.06%	80.42%	DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
4030	8	0.05%	80.48%	DLNUM=0001 LTN= LACT REQUIRED
4035	2	0.01%	80.49%	DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML
4040	48	0.33%	80.82%	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTP AND ACTIVITY TYPE
4045	388	2.64%	83.46%	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4050	47	0.32%	83.78%	INVALID YPH ENTRY
4055	95	0.65%	84.42%	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4060	3	0.02%	84.44%	DLNUM=0001 LTN= VALID RTY REQUIRED
4061	48	0.33%	84.77%	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTP J, RTY OF LML, AND LACT OF N
4065	358	2.44%	87.21%	DLNUM=&DLNM LTN=<N ASSOCIATED LACT COMBINATION I AND O IS MISSING
4075	18	0.12%	87.33%	MAIN LISTING REQUIRED
4080	21	0.14%	87.47%	DLNUM=0001 LTN= VALID LTY REQUIRED
4097	1	0.01%	87.48%	DLNUM=0001 LTN= LTY PROHIBITED WITH LACT Z
4110	21	0.14%	87.62%	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4115	4	0.03%	87.65%	SIC REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4120	12	0.08%	87.73%	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4125	3	0.02%	87.75%	SIC MUST BE 4 NUMERICS
4160	4	0.03%	87.78%	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4165	3	0.02%	87.80%	DLNUM=0001 LTN= DOI PROHIBITED WITH LACT Z
4180	3	0.02%	87.82%	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4185	2	0.01%	87.83%	DLNUM=0002 LTN= DOI DATA INVALID WITH LTY 3
4190	4	0.03%	87.86%	DLNUM=0002 LTN= DOI VALUE INVALID FOR STYLE CODE
4195	3	0.02%	87.88%	DLNUM=0003 LTN PROHIBITED WITH RTY FCR OR LCR

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
4200	1	0.01%	87.89%
4205	6	0.04%	87.93%
4220	6	0.04%	87.97%
4225	3	0.02%	87.99%
4230	3	0.02%	88.01%
4265	3	0.02%	88.03%
4280	8	0.05%	88.08%
4310	1	0.01%	88.09%
4315	3	0.02%	88.11%
4320	2	0.01%	88.12%
4345	3	0.02%	88.14%
4350	3	0.02%	88.16%
4355	1	0.01%	88.17%
4365	8	0.05%	88.23%
4370	1	0.01%	88.23%
4380	2	0.01%	88.25%
4385	13	0.09%	88.33%
4455	1	0.01%	88.34%
4470	1	0.01%	88.35%
4475	6	0.04%	88.39%
4478	37	0.25%	88.64%
4480	2	0.01%	88.65%
4485	13	0.09%	88.74%
4490	21	0.14%	88.89%
4495	1	0.01%	88.89%
4505	24	0.16%	89.06%
4510	25	0.17%	89.23%
4515	1	0.01%	89.23%
4525	4	0.03%	89.26%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
4550	3	0.02%	89.28%
4600	28	0.19%	89.47%
4685	12	0.08%	89.55%
4740	6	0.04%	89.59%
4765	8	0.05%	89.65%
4810	6	0.04%	89.69%
4825	6	0.04%	89.73%
4830	1	0.01%	89.74%
4837	33	0.22%	89.96%
4890	1	0.01%	89.97%
5000	1	0.01%	89.97%
5005	5	0.03%	90.01%
5015	19	0.13%	90.14%
5030	9	0.06%	90.20%
5035	4	0.03%	90.23%
5065	1	0.01%	90.23%
5070	13	0.09%	90.32%
5080	4	0.03%	90.35%
5090	1	0.01%	90.36%
5105	6	0.04%	90.40%
5110	10	0.07%	90.46%
5115	4	0.03%	90.49%
5120	4	0.03%	90.52%
5135	36	0.24%	90.76%
5175	1	0.01%	90.77%
5185	13	0.09%	90.86%
6005	10	0.07%	90.93%
6045	65	0.44%	91.37%
6050	33	0.22%	91.59%

ORDERING

REPORT: FLOWTHROUGH ERROR ANALYSIS - FATALS
 REPORT PERIOD: 3/01/2002 - 3/31/2002

Supplemental Exhibit AJV-6
 Attachment 2J

AGGREGATE ORDER TYPES			
ERROR DETAILS (Fatal Errors)			
Error Type (by error code)	Count	%	Σ %
6055	6	0.04%	91.63%
7000	2	0.01%	91.65%
7005	1	0.01%	91.65%
8005	12	0.08%	91.74%
8040	3	0.02%	91.76%
8115	9	0.06%	91.82%
8140	187	1.27%	93.09%
8165	2	0.01%	93.10%
8180	28	0.19%	93.29%
8255	187	1.27%	94.57%
8265	1	0.01%	94.57%
8270	48	0.33%	94.90%
8275	349	2.37%	97.27%
8276	7	0.05%	97.32%
8278	379	2.58%	99.90%
9874	2	0.01%	99.91%
9875	3	0.02%	99.93%
9895	10	0.07%	100.00%
	14,702	100.00%	

Error Description

LQTY IS REQUIRED FOR REQTY/ACT COMBINATION
 EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
 EAN, EATN, LEATN, AND LEAN ARE MUTUALLY EXCLUSIVE
 DNUM=00001 TC OPT PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
 LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY CANNOT BE THE SAME AS THE NUMBER BEING REFERRED
 LNUM=00001 TC OPT PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
 LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTY E, F OR M FOR LNA C, G, N OR V
 LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
 LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
 INVALID ACTIVITY TYPE
 LNUM=12345 TC FR IS PROHIBITED WITH REQTY/LNA COMBINATION
 SUPPLEMENTAL ADDRESS NOT VALID
 ADDRESS/TN INVALID DUE DATE COULD NOT BE CALCULATED
 ADDRESS/TN LSO INVALID; DUE DATE COULD NOT BE CALCULATED
 IS NOT A WORKING NUMBER; DUE DATE CANNOT BE CALCULATED
 AN PROHIBITED WITH THIS REQTY/ACT TYPE COMBINATION
 ATN REQUIRED WITH THIS REQTY/ACT TYPE COMBINATION
 SUPPLEMENTAL ADDRESS NOT VALID

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXXI
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TL IS REQUIRED FOR INWARD CATEGORY D USOC!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	Error Description
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKD0 CPX 06-08-00..
1000	ACCOUNT, SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERROS

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#.
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCSL & JEAMC-WHICH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERRAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF. ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	Error Description
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)

ORDERING

Supplemental Exhibit AJV-6
Attachment 2J

REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS (SUMMARY)
REPORT PERIOD: 03/01/2002 - 03/31/2002

	PERCENT ACHIEVED FLOW- THROUGH	PERCENT FLOW THROUGH
CLEC AGGREGATE REGION ALL SERVICES	52.33%	92.25%

Company Info		AGGREGATE ORDER TYPES										LSR PROCESSING			FLOWTHROUGH				
Name	RESH / OCN	Mechanized Interface Used			Manual			Rejects			Validated			Errors			Percent Achieved Flowthrough	Base Calculation	Percent Flow-through
		EDI	TAG	Total Mech LSP's	Total Manual Fallout	Total Manual Fallout	Auto Clarification	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow-through				
1		0	205	0	53	40	112	25	12	13	87	57.24%	77.68%	87.88%					
2		8	0	8	1	4	3	3	1	1	0	50.00%	66.67%	66.67%					
3		197	0	197	27	10	160	9	6	3	151	82.07%	94.38%	96.18%					
4		117	0	117	42	22	53	10	4	6	43	48.31%	81.13%	91.49%					
5		1	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%					
6		864	0	864	396	63	405	156	91	65	249	33.83%	61.48%	73.24%					
7		0	983	983	172	52	759	131	120	11	628	68.26%	82.74%	83.96%					
8		509	0	509	222	90	197	51	29	22	146	36.78%	74.11%	83.49%					
9		0	337	337	184	49	104	43	25	18	61	22.59%	58.65%	70.93%					
10		4,831	0	4,831	1,257	290	3,284	122	18	104	3,162	71.26%	96.29%	99.49%					
11		82	0	82	54	10	18	6	4	2	12	17.14%	66.67%	75.00%					
12		287	0	287	96	23	148	56	37	19	92	40.89%	62.16%	71.32%					
13		1,479	0	1,479	33	11	0	0	0	0	0	0.00%	0.00%	0.00%					
14		84	0	84	39	26	19	10	3	7	9	17.65%	47.37%	75.00%					
15		0	26	26	13	5	8	1	0	1	7	35.00%	87.50%	96.96%					
16		1,981	0	1,981	405	126	1,450	92	63	29	1,358	74.37%	93.66%	95.57%					
17		36	0	36	13	11	12	11	9	2	1	4.35%	8.33%	10.00%					
18		13	0	13	2	4	7	2	1	1	5	62.50%	71.43%	83.33%					
19		0	943	943	420	113	410	114	66	48	296	37.85%	72.20%	81.77%					
20		155	0	155	85	28	42	8	3	5	34	27.87%	80.95%	91.89%					
21		0	1,748	1,748	1,642	106	0	0	0	0	0	0.00%	0.00%	0.00%					
22		0	84	84	39	7	38	7	4	3	31	41.89%	81.58%	88.57%					
23		1	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%					
24		12	0	12	2	0	10	0	0	0	10	83.33%	100.00%	100.00%					
25		0	2,980	2,980	1,230	321	1,429	462	176	286	967	40.75%	67.87%	84.60%					
26		11	0	11	1	1	9	2	2	0	7	70.00%	77.78%	77.78%					
27		27	0	27	10	3	14	3	0	3	11	52.38%	78.57%	100.00%					
28		551	0	551	197	40	314	37	16	21	277	56.53%	88.22%	94.54%					
29		129	0	129	79	8	42	29	23	6	13	11.30%	30.95%	36.11%					
30		11,355	0	11,355	3,334	847	7,174	640	320	320	6,534	64.13%	91.08%	95.33%					
EDJ Subtotal		7,350	7,350	7,350	3,786	704	2,860	783	403	380	2,077	33.15%	72.62%	83.75%					
TAG Subtotal		11,355	7,350	18,705	7,120	1,551	10,034	1,423	723	700	8,611	52.33%	85.82%	92.25%					
TOTAL INTERFACES		11,355	7,350	18,705	7,120	1,551	10,034	1,423	723	700	8,611	52.33%	85.82%	92.25%					

REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS
(FATAL REJECTS BY CLEC)

REPORT PERIOD: 03/01/2002 - 03/31/2002

AGGREGATE ORDER TYPES			
Company Info			
Name	RESH / OCN	FATAL REJECTS	
1		15	
2		24	
3		6	
4		9	
5		0	
6		142	
7		18	
8		91	
9		53	
10		85	
11		14	
12		24	
13		0	
14		37	
15		40	
16		0	
17		62	
18		52	
19		127	
20		12	
21		303	
22		6	
23		0	
24		55	
25		0	
26		8	
27		81	
28		10	
		1,274	

