

EXHIBIT OSS – 24

Local Service Request Error Message (for version 9.0)

BellSouth ENCORE System

Local Service Request (LSR) Error Messages (TCIF 9)

Final Version for Release 9.0 – January 6, 2001

Column 1 – Error Code – This column contains the number of the error message that is returned to the user.

Column 2 – Sev Type – This column contains the severity of the error.

REJ/FATAL – Errors classified as “REJECTS” or “FATAL” will be returned to the CLECs and a new LSR should be sent with the error corrected.

ERR/LCSC (LCSC Review) – Errors in this classification are sent to the LCSC for review. The LCSC will determine whether they can correct it. If they cannot, the CLEC will have to return a supplement with the corrected information.

AUTO CLAR(Auto Clarification) – Errors in this category will be returned to the CLECs and a supplement will have to be sent with the corrected information.

Column 3 – Error Message Text – This is the error message that is returned.

Changes in messages are in bold face.

Error Code	Sev	Type	Error Message Text	Changes in Bold
D4000	REJ/FATAL	DL DATA ELEMENTS REQUIRED	DL DATA ELEMENTS REQUIRED	
D4005	REJ/FATAL	DL DATA ELEMENTS PROHIBITED	DL DATA ELEMENTS PROHIBITED	
D4010	REJ/FATAL	DL DATA PROHIBITED WHEN ERL Y IS POPULATED	DL DATA PROHIBITED WHEN ERL Y IS POPULATED	
D4015	REJ/FATAL	VALID DLNUM REQUIRED	VALID DLNUM REQUIRED	
D4020	REJ/FATAL	DLNUM= LTN= DLNUM MUST BE UNIQUE	DLNUM= LTN= DLNUM MUST BE UNIQUE	
D4022	REJ/FATAL	DLNUM= LTN= DLNUM MUST BE 4 NUMERICS	DLNUM= LTN= DLNUM MUST BE 4 NUMERICS	
D4025	REJ/FATAL	DLNUM= LTN= VALID LACT REQUIRED	DLNUM= LTN= VALID LACT REQUIRED	
D4030	REJ/FATAL	DLNUM= LTN= LACT REQUIRED	DLNUM= LTN= LACT REQUIRED	
D4035	REJ/FATAL	DLNUM= LTN= ALL CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML	DLNUM= LTN= ALL CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML	
D4040	REJ/FATAL	DLNUM= LTN= ALL DATA MUST BE 1 - 3 ALPHAS	DLNUM= LTN= ALL DATA MUST BE 1 - 3 ALPHAS	
D4045	REJ/FATAL	DLNUM= LTN= ASSOCIATED LACT COMBINATION I OR O MISSING	DLNUM= LTN= ASSOCIATED LACT COMBINATION I OR O MISSING	
D4050	REJ/FATAL	DLNUM= LTN= ALL CODE REQUIRED	DLNUM= LTN= ALL CODE REQUIRED	
D4055	REJ/FATAL	DLNUM= LTN= ALL MUST BE UNIQUE	DLNUM= LTN= ALL MUST BE UNIQUE	
D4060	REJ/FATAL	DLNUM= LTN= VALID RTY REQUIRED	DLNUM= LTN= VALID RTY REQUIRED	
D4061	REJ/FATAL	DLNUM= LTN= LASN, ADI, OR LALOC DATA REQUIRED FOR REQTYP IS J, RTY OF LML AND LACT OF N OR I	DLNUM= LTN= LASN, ADI, OR LALOC DATA REQUIRED FOR REQTYP IS J, RTY OF LML AND LACT OF N OR I	
D4065	REJ/FATAL	DLNUM= LTN= ASSOCIATED LACT COMBINATION I AND O IS MISSING	DLNUM= LTN= ASSOCIATED LACT COMBINATION I AND O IS MISSING	
D4075	REJ/FATAL	MAIN LISTING REQUIRED	MAIN LISTING REQUIRED	
D4080	REJ/FATAL	DLNUM= LTN= INVALID FOREIGN LISTING TYPE	DLNUM= LTN= INVALID FOREIGN LISTING TYPE	
D4085	REJ/FATAL	DLNUM= LTN= INVALID SECONDARY LISTING TYPE	DLNUM= LTN= INVALID SECONDARY LISTING TYPE	
D4090	REJ/FATAL	DLNUM= LTN= VALID LTY REQUIRED	DLNUM= LTN= VALID LTY REQUIRED	
D4095	REJ/FATAL	DLNUM= LTN= LTY AND RTY COMBINATION INVALID	DLNUM= LTN= LTY AND RTY COMBINATION INVALID	
D4100	REJ/FATAL	DLNUM= LTN= LTY PROHIBITED WITH LACT Z	DLNUM= LTN= LTY PROHIBITED WITH LACT Z	
D4105	REJ/FATAL	DLNUM= LTN= TT VALUE MUST BE 1 OR 8	DLNUM= LTN= TT PROHIBITED WITH LACT Z	
D4110	REJ/FATAL	DLNUM= LTN= VALID STYC CI, SH, SI, OR SL REQUIRED	DLNUM= LTN= VALID STYC CI, SH, SI, OR SL REQUIRED	
D4115	REJ/FATAL	DLNUM= LTN= STYC PROHIBITED WITH LACT OF Z	DLNUM= LTN= STYC PROHIBITED WITH LACT OF Z	
D4120	REJ/FATAL	DLNUM= LTN= TOA B, R, RP OR BP REQUIRED	DLNUM= LTN= TOA B, R, RP OR BP REQUIRED	
D4125	REJ/FATAL	DLNUM= LTN= TOA PROHIBITED WITH LACT OF Z	DLNUM= LTN= TOA PROHIBITED WITH LACT OF Z	
D4130	REJ/FATAL	DLNUM= LTN= WPP REQUIRES TOA OF R	DLNUM= LTN= WPP REQUIRES TOA OF R	
D4135	REJ/FATAL	DLNUM= LTN= TOA DATA MUST BE BP	DLNUM= LTN= TOA DATA MUST BE BP	
D4140	REJ/FATAL	DLNUM= LTN= WPP PROHIBITED WITH LACT OF Z	DLNUM= LTN= WPP PROHIBITED WITH LACT OF Z	
D4145	REJ/FATAL	DLNUM= LTN= WPP REQUIRES AN RTY FIRST CHARACTER OF L	DLNUM= LTN= WPP REQUIRES AN RTY FIRST CHARACTER OF L	
D4150	REJ/FATAL	DLNUM= LTN= VALID VALUES OF WPP ARE DB, DBP, DS, OR DSP	DLNUM= LTN= VALID VALUES OF WPP ARE DB, DBP, DS, OR DSP	
D4155	REJ/FATAL	DLNUM= LTN= WPP PROHIBITED FOR STATE	DLNUM= LTN= WPP PROHIBITED FOR STATE	
D4160	REJ/FATAL	DLNUM= LTN= DOI REQUIRED VALUE MUST BE 0 - 6	DLNUM= LTN= DOI REQUIRED VALUE MUST BE 0 - 6	
D4165	REJ/FATAL	DLNUM= LTN= DOI PROHIBITED WITH LACT Z	DLNUM= LTN= DOI PROHIBITED WITH LACT Z	
D4170	REJ/FATAL	DLNUM= LTN= DOI MUST BE 1	DLNUM= LTN= DOI MUST BE 1	

Error Code	Sev	Type	Error Message Text	Changes in Bold
D4175	REJ/FATAL	DLNUM=	LTN=	DOI MUST BE GREATER THAN ZERO
D4180	REJ/FATAL	DLNUM=	LTN=	DOI VALUE MUST BE ZERO
D4185	REJ/FATAL	DLNUM=	LTN=	DOI DATA INVALID WITH LTY 3
D4190	REJ/FATAL	DLNUM=	LTN=	DOI VALUE INVALID FOR STYLE CODE
D4195	REJ/FATAL	DLNUM=	LTN=	LTN PROHIBITED WITH RTY FCR OR LCR
D4200	REJ/FATAL	DLNUM=	LTN=	LTN MUST BE 10 NUMERICS
D4205	REJ/FATAL	DLNUM=	LTN=	LTN REQUIRED
D4210	REJ/FATAL	DLNUM=	LTN=	NSTN PROHIBITED WITH LACT Z
D4215	REJ/FATAL	DLNUM=	LTN=	INVALID CHARACTERS FOR NSTN
D4220	REJ/FATAL	DLNUM=	LTN=	LNLN REQUIRED
D4225	REJ/FATAL	DLNUM=	LTN=	LNLN PROHIBITED WITH LACT Z
D4230	REJ/FATAL	DLNUM=	LTN=	LNFN PROHIBITED WITH LACT Z
D4235	REJ/FATAL	DLNUM=	LTN=	LNPL CHARACTER MUST BE Y
D4240	REJ/FATAL	DLNUM=	LTN=	LNPL PROHIBITED WITH LACT Z
D4245	REJ/FATAL	DLNUM=	LTN=	LNPL PROHIBITED WHEN PLA IS POPULATED
D4250	REJ/FATAL	DLNUM=	LTN=	PLA PROHIBITED WITH LACT Z
D4255	REJ/FATAL	DLNUM=	LTN=	DES PROHIBITED WITH LACT Z
D4265	REJ/FATAL	DLNUM=	LTN=	TITLE OF LINEAGE INVALID
D4270	REJ/FATAL	DLNUM=	LTN=	TL PROHIBITED WITH LACT Z
D4275	REJ/FATAL	DLNUM=	LTN=	TITLE1 PROHIBITED WITH LACT Z
D4280	REJ/FATAL	DLNUM=	LTN=	TITLE1 DATA INVALID
D4285	REJ/FATAL	DLNUM=	LTN=	TITLE2 PROHIBITED WITH LACT Z
D4290	REJ/FATAL	DLNUM=	LTN=	TITLE2 DATA INVALID
D4295	REJ/FATAL	DLNUM=	LTN=	NICK PROHIBITED WITH LACT Z
D4300	REJ/FATAL	DLNUM=	LTN=	LAPR PROHIBITED WITHOUT LANO
D4305	REJ/FATAL	DLNUM=	LTN=	LAPR PROHIBITED WITH LACT Z
D4310	REJ/FATAL	DLNUM=	LTN=	LANO PROHIBITED WITHOUT LASN
D4315	REJ/FATAL	DLNUM=	LTN=	LANO PROHIBITED WITH LACT Z
D4320	REJ/FATAL	DLNUM=	LTN=	LASF PROHIBITED WITHOUT LANO
D4325	REJ/FATAL	DLNUM=	LTN=	LASF PROHIBITED WITH LACT Z
D4330	REJ/FATAL	DLNUM=	LTN=	LASD PROHIBITED WITH LACT Z
D4335	REJ/FATAL	DLNUM=	LTN=	LASD ENTRY INVALID
D4340	REJ/FATAL	DLNUM=	LTN=	LASD PROHIBITED WITHOUT LASN
D4345	REJ/FATAL	DLNUM=	LTN=	LASN PROHIBITED WITH LACT Z
D4350	REJ/FATAL	DLNUM=	LTN=	LATH PROHIBITED WITH LACT Z
D4355	REJ/FATAL	DLNUM=	LTN=	LATH PROHIBITED WITHOUT LASN
D4360	REJ/FATAL	DLNUM=	LTN=	LASS PROHIBITED WITH LACT Z

Error Code	Sev Type	Error Message Text	Changes in Bold
D4365	REJ/FATAL	DLNUM= LTN= LASS ENTRY INVALID	
D4370	REJ/FATAL	DLNUM= LTN= LASS PROHIBITED WITHOUT LASN	
D4375	REJ/FATAL	DLNUM= LTN= LALOC PROHIBITED WITH LACT Z	
D4380	REJ/FATAL	DLNUM= LTN= LALOC REQUIRED WITH FOREIGN LISTING	
D4385	REJ/FATAL	DLNUM= LTN= INVALID LAST ENTRY	
D4390	REJ/FATAL	DLNUM= LTN= LAST PROHIBITED WITH LACT Z	
D4395	REJ/FATAL	DLNUM= LTN= LAST PROHIBITED WITH ADI	
D4400	REJ/FATAL	DLNUM= LTN= LTEXT PROHIBITED WITH LACT Z	
D4405	REJ/FATAL	DLNUM= LTN= LTEXT REQUIRED	
D4410	REJ/FATAL	DLNUM= LTN= LTEXT NUMERIC INVALID	
D4415	REJ/FATAL	DLNUM= LTN= LTEXT MUST NOT EXCEED 90 CHARACTERS FOR SPECIAL TEXT	
D4420	REJ/FATAL	DLNUM= LTN= LTXTY PROHIBITED WITH LACT Z	
D4425	REJ/FATAL	DLNUM= LTN= LTXTY REQUIRED	
D4430	REJ/FATAL	DLNUM= LTN= INVALID LTXTY DATA	
D4435	REJ/FATAL	DLNUM= LTN= LTXTY AND RTY VALUES MUST MATCH	
D4445	REJ/FATAL	DLNUM= LTN= RTY VALUE MUST BE AC WHEN LTXTY IS AC OR WPP	
D4450	REJ/FATAL	DLNUM= LTN= LTXTY INVALID FOR STATE	
D4455	REJ/FATAL	DLNUM= LTN= LTXNUM VALUE MUST BE 4 NUMERICS	
D4460	REJ/FATAL	DLNUM= LTN= LTXNUM PROHIBITED WITH LACT Z	
D4465	REJ/FATAL	DLNUM= LTN= LTXNUM IS REQUIRED	
D4470	REJ/FATAL	DLNUM= LTN= LTXNUM MUST BE CONSECUTIVE AND UNIQUE WITHIN THE DLNUM	
D4475	REJ/FATAL	DLNUM= LTN= INVALID YPH ENTRY	
D4478	REJ/FATAL	DLNUM= LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3	
D4480	REJ/FATAL	DLNUM= LTN= YPH PROHIBITED WITH LACT Z	
D4485	REJ/FATAL	DLNUM= LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM	
D4490	REJ/FATAL	DLNUM= LTN= YPH PROHIBITED WITH THIS RTY	
D4495	REJ/FATAL	DLNUM= LTN= SIC ENTRY MUST BE 4 OR 5 NUMERICS	
D4500	REJ/FATAL	DLNUM= LTN= SIC PROHIBITED WITH LACT Z	
D4505	REJ/FATAL	DLNUM= LTN= SIC REQUIRED WHEN ACT IS N, V, OR P	
D4510	REJ/FATAL	DLNUM= LTN= ONLY ONE SIC ALLOWED PER ACCOUNT	
D4515	REJ/FATAL	DLNUM= LTN= SIC IS PROHIBITED WITH RESIDENCE	
D4520	REJ/FATAL	DLNUM= LTN= ADI VALID ENTRY IS Y	
D4525	REJ/FATAL	DLNUM= LTN= ADI PROHIBITED WITH LACT Z	
D4530	REJ/FATAL	DLNUM= LTN= ADI PROHIBITED WHEN LASN OR LALOC IS POPULATED	
D4535	REJ/FATAL	DLNUM= LTN= ADI PROHIBITED WITH CROSS REFERENCE	
D4540	REJ/FATAL	DLNUM= LTN= ADI PROHIBITED WITH FOREIGN LISTINGS	
D4545	REJ/FATAL	DLNUM= LTN= DIRNAME PROHIBITED WITH LACT Z	

BellSouth ENCORE System
Local Service Request Error Message (TCIF 9)

Error Code Sev Type Error Message Text **Changes in Bold**

D4550	REJ/FATAL	DLNUM=	LTN=	DIRNAME REQUIRED ON FOREIGN OR SECONDARY LISTING
D4555	REJ/FATAL	DLNUM=	LTN=	DIRSUB PROHIBITED WITH LACT Z
D4560	REJ/FATAL	DLNUM=	LTN=	ADV VALID ENTRY IS Y
D4565	REJ/FATAL	DLNUM=	LTN=	ADV PROHIBITED WITH LACT Z
D4570	REJ/FATAL	DLNUM=	LTN=	ADV IS PROHIBITED WHEN WPP IS POPULATED
D4575	REJ/FATAL	DLNUM=	LTN=	ADV IS PROHIBITED WITH DESIGNER LISTINGS
D4580	REJ/FATAL	DLNUM=	LTN=	DML VALUE MUST BE Y
D4585	REJ/FATAL	DLNUM=	LTN=	DML PROHIBITED WITH LACT Z
D4590	REJ/FATAL	DLNUM=	LTN=	DLNM VALID ENTRY IS Y
D4595	REJ/FATAL	DLNUM=	LTN=	DLNM PROHIBITED WITH LACT Z
D4600	REJ/FATAL	DLNUM=	LTN=	AMPERSAND REQUIRED WITH DLNM
D4605	REJ/FATAL	DLNUM=	LTN=	BRO MUST BE B OR R
D4610	REJ/FATAL	DLNUM=	LTN=	BRO PROHIBITED WITH LACT OF Z
D4615	REJ/FATAL	DLNUM=	LTN=	DSCR PROHIBITED WHEN STYC IS NOT CI, SH OR SI (STOP EDIT)
D4620	REJ/FATAL	DLNUM=	LTN=	SO VALUE MUST BE A OR F
D4625	REJ/FATAL	DLNUM=	LTN=	SO PROHIBITED WITH LACT OF Z
D4630	REJ/FATAL	DLNUM=	LTN=	SEQTEXT PROHIBITED WITHOUT THE SO FIELD OF A
D4635	REJ/FATAL	DLNUM=	LTN=	SEQTEXT PROHIBITED WITH LACT OF Z
D4640	REJ/FATAL	DLNUM=	LTN=	SEQADDR PROHIBITED WHEN THE SO FIELD IS NOT A
D4645	REJ/FATAL	DLNUM=	LTN=	SEQADDR PROHIBITED WITH LACT OF Z
D4650	REJ/FATAL	DLNUM=	LTN=	SEQTN PROHIBITED WHEN THE SEQTEXT OR SEQADDR IS NOT POPULATED
D4655	REJ/FATAL	DLNUM=	LTN=	SEQTN PROHIBITED WITH LACT OF Z
D4660	REJ/FATAL	DLNUM=	LTN=	SEQTN MUST BE 3 OR 10 NUMERICS
D4665	REJ/FATAL	DLNUM=	LTN=	SEQTN 2ND AND 3RD NUMERICS MUST BE 1 1
D4670	REJ/FATAL	DLNUM=	LTN=	LVL REQUIRED WHEN STYC IS CI (STOP EDIT)
D4675	REJ/FATAL	DLNUM=	LTN=	INVALID LVL VALUE
D4680	REJ/FATAL	DLNUM=	LTN=	LVL PROHIBITED WITH LACT OF Z
D4685	REJ/FATAL	DLNUM=	LTN=	LVL ENTRIES MUST BE SEQUENTIAL, SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
D4690	REJ/FATAL	DLNUM=	LTN=	HS PROHIBITED WHEN THE STYC IS NOT CI, SH OR SI
D4695	REJ/FATAL	DLNUM=	LTN=	HS VALUE MUST BE E OR N
D4700	REJ/FATAL	DLNUM=	LTN=	HS PROHIBITED WITH LACT OF Z
D4705	REJ/FATAL	DLNUM=	LTN=	HS REQUIRED
D4710	REJ/FATAL	DLNUM=	LTN=	INVALID HTN DATA
D4715	REJ/FATAL	DLNUM=	LTN=	HTN PROHIBITED WHEN THE STYC IS NOT SI OR SH
D4720	REJ/FATAL	DLNUM=	LTN=	HTN PROHIBITED WITH LACT OF Z
D4725	REJ/FATAL	DLNUM=	LTN=	INS1 VALUE MUST BE E OR N
D4730	REJ/FATAL	DLNUM=	LTN=	INS1 REQUIRED WHEN DOI IS GREATER THAN 1

Error Code	Sev Type	Error Message Text
D4735	REJ/FATAL	DLNUM= LTN= INS1 REQUIRED WHEN LVL IS GREATER THAN 1
D4740	REJ/FATAL	DLNUM= LTN= INS1 REQUIRED WHEN INTEXT OR INADDR IS POPULATED
D4745	REJ/FATAL	DLNUM= LTN= INS1 PROHIBITED WITH LACT OF Z
D4750	REJ/FATAL	DLNUM= LTN= SO1 VALUE MUST BE A OR F
D4755	REJ/FATAL	DLNUM= LTN= SO1 PROHIBITED WITH LACT OF Z
D4760	REJ/FATAL	DLNUM= LTN= SEQTEXT1 PROHIBITED WITH LACT OF Z
D4765	REJ/FATAL	DLNUM= LTN= SEQADDR1 REQUIRES SO1
D4770	REJ/FATAL	DLNUM= LTN= SEQADDR1 PROHIBITED WITH LACT OF Z
D4775	REJ/FATAL	DLNUM= LTN= SEQTN1 REQUIRES SO1
D4780	REJ/FATAL	DLNUM= LTN= SEQTN1 PROHIBITED WITH LACT OF Z
D4785	REJ/FATAL	DLNUM= LTN= SEQTN1 MUST BE 3 OR 10 NUMERICS
D4790	REJ/FATAL	DLNUM= LTN= SEQTN1 2ND AND 3RD NUMERICS MUST BE 1 1
D4795	REJ/FATAL	DLNUM= LTN= INTN REQUIRES INADDR OR INTEXT
D4800	REJ/FATAL	DLNUM= LTN= INTN PROHIBITED WITH LACT OF Z
D4805	REJ/FATAL	DLNUM= LTN= INNSTN PROHIBITED WITH LACT OF Z
D4810	REJ/FATAL	DLNUM= LTN= INS1 REQUIRED WHEN INTEXT IS POPULATED
D4815	REJ/FATAL	DLNUM= LTN= INTEXT PROHIBITED WITH LACT OF Z
D4820	REJ/FATAL	DLNUM= LTN= INADDR PROHIBITED WITH LACT OF Z
D4825	REJ/FATAL	DLNUM= LTN= INS1 REQUIRED WHEN INADDR IS POPULATED
D4830	REJ/FATAL	ONLY ONE DACT PER LSR
D4835	REJ/FATAL	DACT ENTRY MUST BE N
D4837	REJ/FATAL	DACT REQUIRED
D4840	REJ/FATAL	NAME REQUIRED
D4845	REJ/FATAL	DDAPR PROHIBITED
D4850	REJ/FATAL	DDANO PROHIBITED
D4855	REJ/FATAL	DDASF PROHIBITED
D4860	REJ/FATAL	DDASD PROHIBITED
D4865	REJ/FATAL	DDASD INVALID ENTRY
D4870	REJ/FATAL	DDASN IS REQUIRED
D4875	REJ/FATAL	DDATH PROHIBITED
D4880	REJ/FATAL	DDASS PROHIBITED
D4885	REJ/FATAL	DDALO PROHIBITED
D4890	REJ/FATAL	DDADLO IS PROHIBITED
D4895	REJ/FATAL	DDALOC REQUIRED
D4900	REJ/FATAL	DDAST REQUIRED
D4905	REJ/FATAL	DDAZC REQUIRED
D4910	REJ/FATAL	VALID DIRTYPE ENTRY IS W, Y, B OR O

Changes in Bold

Error Code	Sev Type	Error Message Text	Changes in Bold
D4915	REJ/FATAL	DIRTP PROHIBITED WITHOUT DIRQTY A OR DIRQTY NC	
D4920	REJ/FATAL	DIRTP A PROHIBITED WITHOUT DIRTP	
D4923	REJ/FATAL	DIRQTY A MUST BE 14 NUMERICS OR BLANK	
D4924	REJ/FATAL	DIRQTY NC MUST BE 14 NUMERICS OR BLANK	
D4925	REJ/FATAL	DIRTP NC PROHIBITED WITHOUT DIRTP	
D9496	REJ/FATAL	CAPTION DATA EXPECTED WHEN LVL IS 0	
D9497	REJ/FATAL	MULTIPLE ENTRIES OF ADV ARE PROHIBITED ON LSR	
D9498	REJ/FATAL	RTY COMBINATION REQUIRES AN ADI OF Y	
D9499	REJ/FATAL	LAST PROHIBITED WITH RTY COMBINATION	
D9500	REJ/FATAL	THE NSTN ASSOCIATED WITH A MAIN LISTING PROHIBITED	
D9501	REJ/FATAL	DACT IS REQUIRED	
D9502	REJ/FATAL	HS REQUIRED	
D9503	REJ/FATAL	WHEN BOTH THE DIRTP A IS 0 AND DIRQTY IS 0 OTHER OCCURANCES OF THESE FIELDS ARE PROHIBITED	
D9504	REJ/FATAL	DLNUM= LTN= INTN MUST HAVE 10 NUMERICS	
D9505	REJ/FATAL	DLNUM= LTN= LNPL CHARACTER MUST BE Y IF EDI AND L IF FAX	
D9506	REJ/FATAL	LTY OF 2 OR 3 PROHIBITED WHEN THE WPP FIELD IS POPULATED	
D9510	REJ/FATAL	DLNUM= LTN= LTEXT, LXTY AND LTXNUM ARE ALL REQUIRED WHEN ANY ONE IS POPULATED	
D9511	REJ/FATAL	ONLY 3 OCCURRENCES OF THE COMBINED FIELDS OF LTXNUM, LXTY AND LTEXT ARE ALLOWED PER DLNUM	
D9512	REJ/FATAL	DLNUM= LTN= MORE THAN ONE MAIN LISTING PROHIBITED	
D9513	REJ/FATAL	DLNUM= LTN= PLA REQUIRED WHEN LNLN IS NUMERIC	
D9515	REJ/FATAL	DLNUM= LTN= SIC ENTRY MUST BE MIN OF 4 AND MAX OF 5 NUMERICS	
D9517	REJ/FATAL	DLNUM= LTN= SIC REQUIRED FOR TOS	
D9555	AUTO CLAR	INVALID CAPITALIZATION RULES	
D9614	AUTO CLAR	INCALID YPH CODE	
D9618	AUTO CLAR	INCORRECT YPH PROVIDED FOR NON-LISTED OR NON-PUBLISHED SERVICES	
D9620	AUTO CLAR	ALI VALUE INVALID	
D9621	AUTO CLAR	NO YELLOW PAGE DIRECTORIES FOUND FOR THIS NPA NXX	
D9622	AUTO CLAR	NO WHITE PAGE DIRECTORIES FOUND FOR THIS NPA NXX	
D9624	AUTO CLAR	UNABLE TO LOCATE Q ACCOUNT IN CRIS	
D9626	AUTO CLAR	REQUEST FOR ADVANCE DIRECTORY LISTING PASS DIRECTORY CLOSE	
D9773	AUTO CLAR	DUAL NAME LISTING PROHIBITED WITH TOS 1 OR 3	
D9791	AUTO CLAR	THE FIRST CHARACTER OF NSTN MUST BE NUMERIC	
D9803	AUTO CLAR	INVALID END USER ADDRESS	
D9815	AUTO CLAR	CLASS OF SERVICE OR OBSOLETE OFFERING NOT ELIGIBLE FOR PORTING	
E2000	REJ/FATAL	DOTY REQUIRED TO BE GREATER THAN ZERO WHEN DISC NBR IS POPULATED	
E2005	REJ/FATAL	DOTY PROHIBITED WITH THIS REQTP/ACT TYPE COMBINATION	
E2010	REJ/FATAL	DOTY MUST BE 000 IF REQTP IS A AND LNA IS D	

Error Code	Sev Type	Error Message Text	Changes in Bold
E2015	REJ/FATAL	LOCNUM= LOCNUM FOR MAIN LOCATION MUST BE 000	
E2020	REJ/FATAL	LOCNUM= LOCNUM REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION AT THIS LOCATION	
E2025	REJ/FATAL	LOCNUM= LOCNUM MUST BE 3 NUMERICS AND GREATER THAN 000 AT THIS LOCATION	
E2030	REJ/FATAL	LOCNUM= LOCNUM MUST BE UNIQUE FOR EACH LOCATION	
E2035	REJ/FATAL	LOCNUM= NAME EU REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION AT THIS LOCATION	
E2040	REJ/FATAL	LOCNUM= SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION	
E2045	REJ/FATAL	LOCNUM= SASF PROHIBITED WHEN SASN AND SANO ARE NOT POPULATED AT THIS LOCATION	
E2050	REJ/FATAL	LOCNUM= SASD PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION	
E2055	REJ/FATAL	LOCNUM= SASD VALID ENTRY IS E, W, N, S, NE, NW, SE, OR SW AT THIS LOCATION	
E2060	REJ/FATAL	LOCNUM= SASN REQUIRED WITH THIS REQTY/PACT TYP COMBINATION AT THIS LOCATION	
E2065	REJ/FATAL	LOCNUM= SASN WITHOUT SANO MUST HAVE AN @ SYMBOL IN THE FIRST POSITION AT THIS LOCATION	
E2070	REJ/FATAL	LOCNUM= SATH PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION	
E2075	REJ/FATAL	LOCNUM= SASS PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION	
E2080	REJ/FATAL	LOCNUM= SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION	
E2085	REJ/FATAL	LOCNUM= FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION	
E2090	REJ/FATAL	LOCNUM= ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION	
E2095	REJ/FATAL	LOCNUM= BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION	
E2100	REJ/FATAL	LOCNUM= CITY-EU REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION AT THIS LOCATION	
E2105	REJ/FATAL	LOCNUM= STATE-EU REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION AT THIS LOCATION	
E2110	REJ/FATAL	LOCNUM= ZIP CODE-EU REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION AT THIS LOCATION	
E2115	REJ/FATAL	LOCNUM= ZIP CODE-EU MUST BE 5 OR 9 NUMERICS AT THIS LOCATION	
E2120	REJ/FATAL	LOCN-NAME MUST BE UP TO 15 ALPHANUMERICS WITH EMBEDDED BLANKS AT MAIN LOCATION	
E2125	REJ/FATAL	LOCN-NAME MUST BE UP TO 15 ALPHANUMERICS WITH EMBEDDED BLANKS AT EACH SECONDARY LOCATION	
E2130	REJ/FATAL	LOCNUM= TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION	
E2135	REJ/FATAL	LOCNUM= EUMI VALID ENTRY IS Y OR N AT THIS LOCATION	
E2140	REJ/FATAL	IBT VALID ENTRY IS 1, 2 OR 3	
E2145	REJ/FATAL	IWO VALID ENTRY IS S, U, OR W	
E2150	REJ/FATAL	IWO PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2155	REJ/FATAL	IWO VALID ENTRY FOR REQTY P A, B, OR M IS W	
E2160	REJ/FATAL	IWCON REQUIRED WHEN IWO IS POPULATED WITH U OR W	
E2165	REJ/FATAL	IWCON PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2170	REJ/FATAL	IWCON-TEL NO REQUIRED WHEN IWCON IS POPULATED	
E2175	REJ/FATAL	IWCON-TEL NO PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2185	REJ/FATAL	EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS	
E2200	REJ/FATAL	EATN MUST BE 10 NUMERICS	
E2210	REJ/FATAL	FBI VALID ENTRY IS Y OR N	
E2215	REJ/FATAL	BILLNM-FB REQUIRED WHEN THE FBI FIELD IS POPULATED WITH Y	

Error Code	Sev	Type	Error Message Text	Changes in Bold
E2220		REJ/FATAL	SBILLNM-FB MUST BE UP TO 25 ALPHANUMERICS WITH EMBEDDED BLANKS	
E2225		REJ/FATAL	STREET BILLNM-FB REQUIRED WHEN FBI FIELD IS POPULATED WITH Y	
E2230		REJ/FATAL	FLOOR BILLNM-FB MUST BE UP TO 12 ALPHANUMERICS	
E2235		REJ/FATAL	ROOM BILLNM-FB MUST BE UP TO 9 ALPHANUMERICS	
E2240		REJ/FATAL	CITY BILLNM-FB REQUIRED WHEN THE FBI IS POPULATED WITH Y	
E2245		REJ/FATAL	STATE BILLNM-FB REQUIRED WHEN FBI IS POPULATED WITH Y	
E2250		REJ/FATAL	STATE BILLNM-FB MUST BE 2 ALPHAS	
E2255		REJ/FATAL	ZIP CODE BILLNM-FB REQUIRED WHEN FBI IS POPULATED WITH Y	
E2260		REJ/FATAL	ZIP CODE BILLNM-FB MUST BE 5 OR 9 NUMERICS	
E2265		REJ/FATAL	BILLCON-FB REQUIRED WHEN FBI IS POPULATED WITH Y	
E2270		REJ/FATAL	TEL NO-FBCON MUST BE 10 NUMERICS IN THE FIRST TEN POSITIONS	
E2275		REJ/FATAL	TEL NO-FBCON REQUIRED WHEN FBI IS POPULATED WITH Y	
E2280		REJ/FATAL	LOCNUM= DNUM REQUIRED WHEN DISC NBR IS POPULATED	
E2285		REJ/FATAL	LOCNUM= DNUM MUST BE 5 NUMERIC	
E2290		REJ/FATAL	DNUM PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2295		REJ/FATAL	DNUM MUST BE GREATER THAN THE PREVIOUS DNUM	
E2300		REJ/FATAL	LOCNUM= DNUM REQUIRED WHEN TC OPT IS POPULATED	
E2305		REJ/FATAL	LOCNUM= DISC NBR MUST BE 10 NUMERICS	
E2310		REJ/FATAL	DISC NBR PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2315		REJ/FATAL	LOCNUM= DISC NBR REQUIRED IF DNUM IS POPULATED	
E2320		REJ/FATAL	LOCNUM= DISC NBR REQUIRED IF TER IS POPULATED	
E2325		REJ/FATAL	LOCNUM= TER MUST BE UP TO 10 ALPHANUMERICS	
E2330		REJ/FATAL	TER PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2335		REJ/FATAL	AACT VALID ENTRY IS N	
E2340		REJ/FATAL	ERL WITH THE DATA OF Y PROHIBITED WHEN LEATN IS POPULATED	
E2345		REJ/FATAL	AACT PROHIBITED FOR THIS REQTY/PACT TYPE COMBINATION	
E2350		REJ/FATAL	ERL REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION	
E2355		REJ/FATAL	ERL PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
E2360		REJ/FATAL	ERL VALID ENTRY IS Y OR N	
E2365		REJ/FATAL	LOCNUM= LOCACT VALID ENTRY IS N, D, OR E	
E2370		REJ/FATAL	LOCNUM= LOCACT REQUIRED WHEN LOCNUM IS POPULATED	
E2375		REJ/FATAL	LOCNUM= WSOP MUST BE V OR BLANK	
E9100		REJ/FATAL	ERL WITH THE DATA OF Y PROHIBITED WHEN LEAN OR LEATN IS POPULATED	
E9101		REJ/FATAL	BILLCON-FB REQUIRED WHEN THE FBI FIELD IS POPULATED WITH Y IF EDI OR D IS FAX	
E9102		REJ/FATAL	BILLNM-FB REQUIRED WHEN THE FBI FIELD IS POPULATED WITH D FOR FAX OR Y FOR EDI	
E9105		REJ/FATAL	THE ONLY VALID TEXT ENTRIES FOR THE BLDG-EU ARE WNG OR PIER FOLLOWED BY A SPACE AT EACH SECONDARY LOCATION	

Error Code	Scv Type	Error Message Text	Changes in Bold
E9106	REJ/FATAL	CITY-FB REQUIRED WHEN THE FBI FIELD FOR EDI IS Y OR FOR FAX IS A D	
E9110	REJ/FATAL	DOTY INVALID DATA	
E9112	REJ/FATAL	EAN REQUIRED WHEN LEAN, LEATN AND EATN ARE NOT POPULATED AND ACT IS V, P OR Q	
E9114	REJ/FATAL	EATN REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION WHEN EAN OR LEAN OR LEATN IS NOT POPULATED AND THE ACT IS V, P OR Q	
E9120	REJ/FATAL	ERL MUST BE N WHEN EUMI IS Y	
E9121	REJ/FATAL	LOCNUM= EUMI CAMMPT BE Y IF ERL FIELD IS Y	
E9123	REJ/FATAL	FBI - VALID ENTRIES ARE EDI Y OR N OR FOR FAX D OR E	
E9128	REJ/FATAL	THE ONLY VALID TEXT ENTRIES FOR THE ROOM FIELD ARE SLIP, LOT, UNIT, APT, SUIT FOLLOWED BY A SPACE AT EACH SECONDARY LOCATION	
E9130	REJ/FATAL	STATE-FB REQUIRED WHEN THE FBI FIELD IS POPULATED WITH Y IF EDI OR D IF FAX	
E9135	REJ/FATAL	STREET BILLNM-FB- REQUIRED WHEN THE FBI FIELD IS POPULATED WITH D FOR FAX OR Y FOR EDI	
E9140	REJ/FATAL	TEL NO-FBCON REQUIRED WHEN FBI FIELD IS POPULATED WITH Y IF EDI OR D IF FAX	
E9145	REJ/FATAL	ZIO CODE-FB REQUIRED WHEN THE FBI FIELD IS POPULATED WITH Y IF EDIT OR D IF FAX	
E9305	REJ/FATAL	LNUM= TELNO= LOCACT VALUE MUST BE E FOR REQTY P B OR C WHEN NPT IS D	
G7020	AUTO CLAR	NUM= -TELNO= TN NOT FOUND IN CRIS	
G7025	AUTO CLAR	USOC= CANNOT BE REMOVED	
G7030	AUTO CLAR	INSUFFICIENT END USER DATA	
G7055	AUTO CLAR	NUM= -TELNO= ACCOUNT IS FINAL	
G7095	ERR/LCSC	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	
G7100	AUTO CLAR	PIC/LPIC IS REQUIRED ON INWARD ACTIVITY	
G7120	ERR/LCSC	CFN NOT FOUND OR MISMATCH IN COFFI	
G7135	AUTO CLAR	USOC= INVALID FOR SWITCH TYPE	
G7140	AUTO CLAR	NUMBER OF LSR AND NUMBER OF CSR LINES ARE NOT THE SAME	
G7145	AUTO CLAR	INTERVAL BETWEEN DATE RECEIVED AND DDD IS INVALID	
G7205	AUTO CLAR	NUM= TELNO= LISTED ADDRESS MISSING	
G7215	AUTO CLAR	UNE - CABLE ID IS MISSING ON LSR	
G7220	AUTO CLAR	UNE - DATA FOR CA AND PR FIDS ARE MISSING ON LSR	
G7225	AUTO CLAR	USOC= IS MISSING	
G7230	AUTO CLAR	REFERENCE OF CALL OPTION NOT VALID ON THIS ACCOUNT ACTIVITY TYPE	
G7235	AUTO CLAR	10 DIGIT TN REQUIRED WITH USOC/FID=	
G7245	ERR/LCSC	FID, DATA, OR DELIMITER IS MISSING	
G7250	AUTO CLAR	LSR HOUSENUMBER INCORRECT	
G7255	AUTO CLAR	NUM= TELNO= DEGREE OR PROF AFFILIATION NOT ALLOWED ON RESIDENTIAL SERVICE	
G7260	AUTO CLAR	LISTING TYPE INVALID	
G7267	AUTO CLAR	UNE - LOCBAN MISSING FOR LNP ORDER	
G7270	AUTO CLAR	UNE - MISCELLANEOUS ACCOUNT NUMBER MISSING ON LNP LSR	

Error Code	Sev	Type	Error Message Text
------------	-----	------	--------------------

G7275		AUTO CLAR	UNE - LOCBAN INVALID FOR INP AND PORT
G7295		ERR/LCSC	LINE CLASS OF SERVICE IS MISSING. REFNUM AND TN REQUIRED
G7300		AUTO CLAR	UNE - CANNOT GENERATE CLASS OF SERVICE USOC
G7305		AUTO CLAR	UNE - CIC REQUIRED
G7310		AUTO CLAR	UNE - DIR END USER NAME MISSING
G7315		ERR/LCSC	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS
G7320		AUTO CLAR	REQTYP INVALID FOR COMPANY CODE AND STATE (State Name)
G7325		AUTO CLAR	NUM= TELNO= LISTING INSTRUCTION CODE IS MISSING
G7330		AUTO CLAR	NUM= TELNO= FDN IS MISSING
G7335		AUTO CLAR	NUM= TELNO= ALL CODE NOT AVAILABLE
G7340		AUTO CLAR	UNE - CANNOT GENERATE LOOP COS USOC
G7345		AUTO CLAR	UNE - PE1P2 AND UEAC2 MAY NOT APPEAR ON SAME ORDER
G7350		AUTO CLAR	NUM= TELNO= LA DATA REQUIRED
G7360		ERR/LCSC	LIFELINE SERVICE NOT AVAILABLE
G7365		AUTO CLAR	UNE - CANNOT GENERATE PORT COS
G7380		AUTO CLAR	ACTL INVALID
G7400		AUTO CLAR	CLEC DOES NOT OWN ACCOUNT.
G7405		ERR/LCSC	NUM= TELNO= LISTING PHRASE CODE INVALID
G7415		ERR/LCSC	CANNOT GENERATE SI ON SERVICE ORDER
G7425		AUTO CLAR	UNE - CANNOT GENERATE CS ON UNE ORDER
G7435		AUTO CLAR	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAN STA
G7440		AUTO CLAR	UNE - CFA AND ECKKT/TN MISMATCH
G7445		AUTO CLAR	UNE - CALL FORWARD TN REQUIRED
G7450		AUTO CLAR	USOC INVALID
G7500		ERR/LCSC	DUE DATE COULD NOT BE DETERMINED
G7515		AUTO CLAR	ONLY A & D LINE ACTIVITY VALID FOR ADDITIONAL LISTINGS
G7535		AUTO CLAR	NUM= - TELNO= ALL CODE NOT FOUND
G7540		AUTO CLAR	LISTING MISSING IN CUSTOMER CSR
G7545		AUTO CLAR	LINE ACT CODE INVALID IN LISTING
G7555		AUTO CLAR	FID MISSING ON FEATURE DETAIL
G7570		ERR/LCSC	SEQ1X NOT ALLOWED WITH ZNB
G7585		AUTO CLAR	INSUFFICIENT END USER BILLING INFORMATION
G7590		AUTO CLAR	REQUESTED ACTIVITY TYPE NOT MECHANIZED FOR SERVICE
G7600		AUTO CLAR	DDA OR END USER NAME MISSING FOR DIR SECTION
G7605		AUTO CLAR	DDA OR END USER STREET MISSING FOR DIR SECTION
G7610		AUTO CLAR	DDA OR END USER CITY MISSING FOR DIR SECTION
G7615		AUTO CLAR	DDA OR END USER STATE MISSING FOR DIR SECTION

Changes in Bold

Error Code	Sev	Error Message Text	Changes in Bold
G7620		AUTO CLAR DDA OR END USER ZIP CODE MISSING FOR DIR SECTION	
G7630		ERR/LCSC MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	
G7645		ERR/LCSC MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	
G7660		AUTO CLAR USOC NOT FOR RESALE	
G7680		AUTO CLAR SERVICE DETAIL SECTION MISSING ON LSR FILE	
G7690		AUTO CLAR ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	
G7700		AUTO CLAR UNE - COMPANY CODE INVALID	
G7705		ERR/LCSC UNE - ACTL/CLI CODE MISSING	
G7710		ERR/LCSC CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	
G7718		ERR/LCSC UNABLE TO RETRIEVE PSO TO PROCESS SUP	
G7720		ERR/LCSC CANNOT REMOVE AVN	
G7730		AUTO CLAR INCORRECT LISTING FORMAT FOR BUSINESS	
G7735		AUTO CLAR INVALID/MISSING LISTING NAME OR TYPE	
G7740		ERR/LCSC LOCAL CALLING PLUS INDICATOR NOT FOUND	
G7755		ERR/LCSC UNE - NPANXX NOT FOUND IN CLI TABLE	
G7760		ERR/LCSC UNE - CLI NOT FOUND IN PSIM TABLE	
G7770		ERR/LCSC COULD NOT DETERMINE SITE FROM END USER STATE	
G7775		ERR/LCSC DSAP/SOCS SITE TABLE LOOKUP FAILED TO FIND A MATCH	
G7780		ERR/LCSC COULD NOT DETERMINE SITE FROM ENDUSER ZIP	
G7785		ERR/LCSC RSAG SITE TABLE LOOKUP FAILED TO FIND A MATCH	
G7790		AUTO CLAR BILLING USOC FOR DESIGNER LISTING NOT FOUND	
G7805		ERR/LCSC SITE COULD NOT BE DETERMINED	
G7815		AUTO CLAR FID= INVALID OR MISSING DATA	
G7835		ERR/LCSC RSAG - PAIR MUST BE NUMERIC	
G7840		ERR/LCSC RSAG - CUSTOMER PROFILE DATA INPUT INVALID	
G7845		AUTO CLAR RSAG - NPANXX NOT FOUND	
G7850		AUTO CLAR RSAG - NEED ADDITIONAL ADDRESS OR TN	
G7860		AUTO CLAR RSAG - NO EXACT MATCH ON STREET NAME	
G7865		AUTO CLAR RSAG - NO MATCH ON HOUSE NUMBER OR AHN	
G7870		AUTO CLAR RSAG - NO MATCH ON HOUSE NUMBER OR AHN - ONLY UNNUMBERED RANGES	
G7875		AUTO CLAR RSAG - NO MATCH ON HOUSE NUMBER OR AHN - ONLY NUMBERED RANGES	
G7880		ERR/LCSC RSAG - NO MATCH ON TELEPHONE NUMBER	
G7885		AUTO CLAR RSAG - REVIEW LOCATION STANDARDS (ROOM, SUIT, BLDG, ETC.)	
G7890		AUTO CLAR RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	
G7895		ERR/LCSC RSAG - MORE THAN ONE MATCH ON TELEPHONE NUMBER	
G7900		AUTO CLAR RSAG - NO MATCH ON STREET NAME	
G7905		AUTO CLAR RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE, OR INVALID ADDRESS FORMAT	

Error Code	Sev	Type	Error Message Text
G7910		ERR/LCSC	RSAG - NO MATCH ON EXACT STREET NAME
G7930		AUTO CLAR	RSAG - STREET FOUND IN DIFFERENT COMMUNITY AND OR ZIP
G7935		AUTO CLAR	RSAG - SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND OR ZIP
G7940		ERR/LCSC	CANNOT REMOVE AVNL
G7985		AUTO CLAR	PON REQUIRED
G8025		AUTO CLAR	REQTYP INVALID FOR COMPANY CODE
G8075		ERR/LCSC	DATA NOT FOUND IN CLEC DATA BASE
G8130		AUTO CLAR	CONVERSION AS SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE
G8140		AUTO CLAR	PROFESSIONAL SERVICE USOCs NOT AUTHORIZED BY REQUESTER IN STATE
G8145		AUTO CLAR	PROFESSIONAL SERVICE AND CLASS OF SERVICE USOCs REQUIRED FOR EACH LINE
G8155		AUTO CLAR	DIRECTORY DELIVERY INVALID WHEN ACT IS W
G8165		AUTO CLAR	CFA INCOMPATIBLE WITH NON-DESIGNED LOOP
G8167		AUTO CLAR	INVALID USOC CHARACTER
G8169		AUTO CLAR	TN INVALID FOR THE NPA NXX
G8170		AUTO CLAR	USOC MAY ONLY APPEAR ONCE
G8173		AUTO CLAR	INVALID CLASS OF SERVICE
G8175		AUTO CLAR	USOC NOT AVAILABLE IN SWITCH
G8177		AUTO CLAR	USOC INVALID FOR THIS SWITCH
G8179		AUTO CLAR	NPA NXX NOT VALID
G8180		AUTO CLAR	CALL WAITING DELUXE USOC MUST CHANGE
G8183		AUTO CLAR	AREA CALLING PLAN USOC MISMATCH
G8185		AUTO CLAR	ESC/ESCWT NOT VALID COMBINATION
G8187		AUTO CLAR	USOC MAY NOT APPEAR ON REQUEST
G8189		AUTO CLAR	USOC IS NOT VALID ON BST FILE
G8190		AUTO CLAR	INVALID USOC FOR BASIC CLASS OF SERVICE
G8193		AUTO CLAR	USOC NOT VALID WITH CALLER ID
G8195		AUTO CLAR	CALL FORWARDING USOC MUST NOT APPEAR
G8197		AUTO CLAR	CALL FORWARDING USOC MUST APPEAR
G8199		AUTO CLAR	GCJRC/GCJ COMBINATION INVALID
G8203		AUTO CLAR	USOC NOT ALLOWED
G8204		AUTO CLAR	BCR/NSS/NX8 INVALID USOC COMBINATION
G8207		AUTO CLAR	BRD/NSQ/NX9 INVALID COMBINATION
G8209		AUTO CLAR	USOC COMBINATION IS INVALID
G8211		AUTO CLAR	INVALID RATE GROUP FOR REQTYP M REQUEST
G8213		AUTO CLAR	CLEC NOT AUTHORIZED FOR REQUESTED SERVICE
G8220		AUTO CLAR	LPIC DATA OF NA IS REQUIRED
G8225		AUTO CLAR	ACCOUNT MUST BE TN IDENTIFIED

Changes in Bold

Error Code	Sev Type	Error Message Text
G8230		AUTO CLAR BASIC CLASS OF SERVICE NOT SUPPORTED FOR REQUESTED FUNCTIONALITY
G8240		AUTO CLAR INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE
G8245		AUTO CLAR REQUESTED ACTIVITY TYPE NOT VALID FOR SERVICE
G8250		AUTO CLAR USOC= NOT APPLICABLE TO PORT LOOP SERVICE
G8255		AUTO CLAR INVALID ACTIVITY TYPE
G8395		AUTO CLAR LSF INVALID FOR REQTY/PACT TYPE COMBO
G8405		AUTO CLAR LSF VALID VALUES ARE EU, LP, OR DE
G8410		AUTO CLAR LSF INVALID IN (STATE)
G8415		AUTO CLAR LSF= ALREADY EXISTS ON ACCOUNT
G8425		AUTO CLAR LSF OF DE INVALID ON ACT TYPE A OR V
G8430		AUTO CLAR LSF DOES NOT EXIST ON ACCOUNT
G8690		ERR/LCSC RSAG - NO MATCH ON DESCRIPTIVE ADDRESS
G8695		ERR/LCSC RSAG - FACCS WC CODE AND F1 CP REQUIRED FOR SEARCH
G8725		AUTO CLAR RSAG - AHN ASSIGNMENT NOT ALLOWED. OBTAIN VALID HOUSENUMBER
G8735		ERR/LCSC RSAG - NO MATCH ON FACCS WIRE CENTER CODE
G8750		AUTO CLAR RSAG - MORE THAN ONE ROUTE AND BOX
G8760		ERR/LCSC RSAG - INVALID GSG, RANGE AND/OR COMM STREET KEY
G8765		ERR/LCSC RSAG - INVALID GSG AND/OR COMM STREET UNIQUE KEY
G8785		AUTO CLAR RSAG - NO MATCH ON 3-DIGIT ZIP SEARCH AREA
G8800		AUTO CLAR RSAG - (RNS) STREET IN DIFF COMM/ZIP - NO MATCH ON HSE NUMBER/AHN
G8805		AUTO CLAR RSAG - (RNS) SIMILAR STREET NAME FOUND - NO MATCH ON HOUSE NUMBER/AHN
G8815		AUTO CLAR RSAG - ADDRESS NOT RSAG VALID. CANNOT UPDATE BST CUSTOMER PROFILE
G8820		ERR/LCSC SOCS= (SOCS Error)
G8825		ERR/LCSC ORDER ERR:
G8830		AUTO CLAR CIEC ALREADY OWNS ACCOUNT
G8835		AUTO CLAR USOC/FID CANNOT BE DELETED FOR WORKING TN
G8850		AUTO CLAR UNE - CFA NOT FOUND
G8855		AUTO CLAR UNE - NO ACTL IN LSR
G8860		AUTO CLAR MULTIPLE CHANGES TO MAIN LISTINGS NOT ALLOWED
G8865		AUTO CLAR FINAL BILL ADDRESS TOO LONG. VERIFY NUMBER OF LINES/CHARACTERS.
G8870		AUTO CLAR FEATURES NOT ALLOWED ON SWITCH-AS-IS ACTIVITY TYPE
G8885		AUTO CLAR LINE ACT IS V AND LINE IS NOT ON CUSTOMER RECORD
G8890		AUTO CLAR UNE - INVALID ACT TYPE/LNA/FEATURE COMBINATION
G8930		AUTO CLAR ORDER WITH ENDUSERADDR SECTION
G8940		AUTO CLAR CALL FORWARDING NUMBER MISSING OR INVALID
G8945		AUTO CLAR LINECLASSVC AND TOS DO NOT MATCH
G8955		AUTO CLAR LPIC DATA OF A VALID LPIC CODE OR NONE IS REQUIRED

Changes in Bold

Error Code	Sev	Type	Error Message Text
G89660		AUTO CLAR	PIC/CLAR IS APPLICABLE TO ACCOUNT ACTIVITY C ONLY
G89665		AUTO CLAR	ERROR CHECKING USOC FOR MULTI-FEATURE DISCOUNT
G8970		AUTO CLAR	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC
G8975		AUTO CLAR	CANNOT ADD LISTED ADDRESS WHERE IT ALREADY EXISTS
G8980		ERR/LCSC	LINE ACTIVITY INVALID
G8995		AUTO CLAR	SEMICOLON DISALLOWED WITH PLUS SIGN (+) IN PERSONAL NAME LISTINGS
G9000		AUTO CLAR	LSO/LOGBAN (NPA/XXX) MISSING OR INVALID
G9005		AUTO CLAR	LINECLASSVC NOT ALLOWED ON R ACCOUNT ACTIVITY
G9010		AUTO CLAR	LISTING USOCs PROVIDED DO NOT MATCH ALL LIST TYPES
G9015		ERR/LCSC	SUP FAILED TO UPDATE DUE DATE
G9025		ERR/LCSC	EXISTING ACCOUNT LACKS REQUIRED LISTING INFORMATION
G9030		AUTO CLAR	PIC DATA OF A VALID PIC CODE OR NONE IS REQUIRED
G9035		AUTO CLAR	D/SENT -D/SENT CENTURY - FIELDS REQUIRED
G9040		AUTO CLAR	DDD/DDD-CC REQUIRED
G9045		AUTO CLAR	TYPE OF ORDER NOT DETERMINED - CLS SVC AND TOS BLANK OR MISSING
G9050		AUTO CLAR	BAN1 MUST BE E, N, OR VALID BILLING ACCOUNT NUMBER FORMAT
G9060		AUTO CLAR	EU-STREET 1 REQUIRED
G9065		AUTO CLAR	FB-BILLNM REQUIRED IF FBI=D
G9070		AUTO CLAR	FB-STREET REQUIRED IF FBI=D
G9075		AUTO CLAR	FB-CITY REQUIRED IF FBI=D
G9080		AUTO CLAR	FB-STATE REQUIRED IF FBI=D
G9085		AUTO CLAR	FB-ZIP CODE REQUIRED IF FBI=D
G9090		AUTO CLAR	NUM= -TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
G9100		AUTO CLAR	NUM= TN REQUIRED
G9105		AUTO CLAR	NUM= -TELNO= FPI VALID ENTRIES ARE A, B, E, R, S, OR T
G9110		AUTO CLAR	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, OR P9 ACTIVITY TYPE
G9115		AUTO CLAR	TELNO= LPIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, OR P9 ACTIVITY TYPE
G9120		AUTO CLAR	NUM= -TELNO= TBE MUST BE VALID ENTRY OF A, B, C, R OR S
G9125		AUTO CLAR	NUM= -TELNO- TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
G9130		AUTO CLAR	NUM= -TELNO= CFA INVALID FORMAT
G9135		AUTO CLAR	NUM= -TELNO= FA REQUIRED WHEN THE FEATURE FIELD IS POPULATED
G9140		AUTO CLAR	NUM= -TELNO= FA VALID ENTRIES ARE A, C OR D
G9145		AUTO CLAR	ACCOUNT IS DENIED
G9155		AUTO CLAR	UNE - PORTED OUT NUMBER
G9160		AUTO CLAR	LOGBAN INVALID FOR PORTED NUMBER ACTIVITY
G9165		AUTO CLAR	INVALID NPA NXX
G9175		AUTO CLAR	NCI AND SECNCI ARE REQUIRED FIELDS FOR DESIGNED LOOPS

Changes in Bold

Error Code	Sev	Type	Error Message Text
G9180		AUTO CLAR	UNABLE TO DETERMINE PIC/LPIC CHOICE OR PCALPCA CHOICE
G9185		AUTO CLAR	UNABLE TO DETERMINE TBE CHOICE
G9190		AUTO CLAR	ZIP CODE IS NOT NUMERIC
G9195		AUTO CLAR	CANNOT DETERMINE EFFECTIVE BILL DATE (EBD)
G9245		AUTO CLAR	CORRECT ECCKT= IS REQUIRED FOR LNA= , LNUM=
G9263		AUTO CLAR	NC CODE IS REQUIRED FOR LOOP REQUEST
G9428		AUTO CLAR	DLNUM= LTN= INVALID NICK DATA
G9432		AUTO CLAR	DLNUM= LTN= LTXTY OF CR REQUIRES SEE AS FIRST WORD IN LTEXT
G9433		AUTO CLAR	DLNUM= LTN= HTN ACCOUNT NOT OWNED BY CLEC
G9434		AUTO CLAR	DLNUM= LTN= HTN ACCOUNT DOES NOT HAVE AN EXACT MATCH WITH DL DATA
G9438		AUTO CLAR	DLNUM= LTN= ACCOUNT ACTIVITY OF N CAN ONLY HAVE AN LACT OF N
G9439		AUTO CLAR	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED
G9441		AUTO CLAR	DLNUM= LTN= ALL VALUE INVALID
G9442		AUTO CLAR	DLNUM= LTN= ALL MUST BE UNIQUE
G9446		AUTO CLAR	LNUM= =TC FR REFERENCE OF CALLS UNAVAILABLE FOR THIS NUMBER
G9456		ERR/LCSC	LOCNUM= HNUM= LOCNUM NOT FOUND ON LSR
G9466		AUTO CLAR	UNABLE TO DETERMINE BLOCK CHOICE
G9470		AUTO CLAR	LOCATION QUANTITY DOES NOT EQUAL THE NUMBER OF END USER DETAIL RECORDS RECEIVED
G9471		AUTO CLAR	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ
G9473		AUTO CLAR	ONLY FOUR DIFFERENT LEATNS ALLOWED PER LSR
G9474		AUTO CLAR	MINIMUM OF TWO DIFFERENT LEATNS/LEANS REQUIRED FOR LSR
G9475		AUTO CLAR	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS
G9476		AUTO CLAR	(TN) IS NOT FOUND ON CSR TO DISCONNECT
G9477		AUTO CLAR	LSR LNUM= INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER
G9478		AUTO CLAR	LSR LNUM= INVALID LNA, CHANGE ACTIVITY INVALID
G9479		AUTO CLAR	LNUM= FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY
G9480		AUTO CLAR	CIC REQUIRED FOR REQTY P C
G9481		AUTO CLAR	LNUM= FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT
G9482		AUTO CLAR	FEATURE DETAIL IS NOT FOUND ON EATN
G9483		AUTO CLAR	LNUM= CHANGES RESTRICTED TO PIC, LPIC, OR FPI WHEN LNA IS P
G9484		AUTO CLAR	TNS= FOR LNUM= ALREADY EXIST ON ATN=
G9485		AUTO CLAR	MIXTURE OF RESIDENTIAL AND BUSINESS SERVICE IS NOT ALLOWED FOR THIS REQTY P
G9487		AUTO CLAR	INVALID ACT TYPE FOR FULL MIGRATION
G9488		AUTO CLAR	DISPOSITION OF ALL LINES REQUIRED ON ACT V
G9492		AUTO CLAR	ATN= CANNOT EXIST AS A MAIN ACCOUNT FOR ACT P
G9494		AUTO CLAR	ATN= MUST BE AN EXISTING MAIN ACCOUNT FOR ACT TYPE Q
G9495		AUTO CLAR	EATN= MUST EXIST FOR ACT P AND Q

Changes in Bold

Error Code	Sev	Type	Error Message Text
------------	-----	------	--------------------

G9496		AUTO CLAR	TNS= ON LNUM= NOT FOUND ON EATN= FOR ACT=
G9497		AUTO CLAR	LEATN= ON LNUM= AND EATN= ARE NOT COMPATIBLE
G9498		AUTO CLAR	EAN= ON LNUM= AND LEAN= ARE POPULATED
G9500		AUTO CLAR	TNS= NOT FOUND ON
G9501		AUTO CLAR	FEATURE= CANNOT BE APPLIED TO ALL LINES, CONFLICT FOUND
G9502		AUTO CLAR	NUMBER CHANGES ARE NOT ALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN
G9503		AUTO CLAR	FA OF D AND C ARE DISALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN
G9504		AUTO CLAR	DISCONNECTION OF LINES ARE NOT ALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN
G9506		AUTO CLAR	NO FEATURES ALLOWED FOR REQTP
G9507		AUTO CLAR	CIC REQUIRED FOR REQTP B
G9508		AUTO CLAR	DLNUM= LTN= FIRST THREE CHARACTERS OF NSTN MUST BE NUMERIC
G9510		AUTO CLAR	ONLY ONE TC PER ALLOWED PER LOCATION
G9515		AUTO CLAR	WKG SVC-INPUT ADL. CONVERSION ORDER OR NOTE ABANDONED STATION
G9516		AUTO CLAR	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN
G9517		AUTO CLAR	UNDC INVALID IF PIC ALREADY EXISTS
G9518		AUTO CLAR	UNDC INVALID IF LPIC ALREADY EXISTS
G9519		AUTO CLAR	LOCNUM= HNUN= HT= TN NOT FOUND ON CSR OR LSR
G9520		AUTO CLAR	ERR/LCSC LOCNUM= HNUN= HID MUST BE A NUMERIC OR N IN DMS10 SWITCH TYPE
G9522		AUTO CLAR	LOCNUM= HNUN= HID MUST BE AN ALPHA OR N FOR NEW
G9523		AUTO CLAR	LOCNUM= HNUN= HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS SWITCH TYPE
G9524		AUTO CLAR	LOCNUM= HNUN= HT ENTRIES CAN NOT EXCEED 16 FOR THIS HNTYPE
G9526		AUTO CLAR	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT
G9527		AUTO CLAR	UNDC INVALID IF LPIC ALREADY EXISTS
G9528		AUTO CLAR	CANNOT HAVE ANY FEATURE ACTIVITY ON LSR WITH ACT OF S, B, L OR Y
G9529		AUTO CLAR	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED
G9530		AUTO CLAR	APPOINTMENT TIME CANNOT BE PRIOR TO 800A OR LATER THAN 500P
G9541		AUTO CLAR	DLNUM= ALT CALL DESIGNER LISTING MAY NOT BE DESIGNER BOLD PLUS OR DESIGNER SCRIPT PLUS
G9543		AUTO CLAR	LOCNUM= HNUN= HT= HT CANNOT BE IN MORE THAN ONE HID
G9544		AUTO CLAR	DLNUM= LTN= WPP PROHIBITED WITH LTY OF 2 OR 3
G9545		AUTO CLAR	LOCNUM= HNUN= HA OF D NOT ALLOWED
G9602		AUTO CLAR	USOC= ALREADY EXISTS ON CUSTOMER RECORD
G9603		AUTO CLAR	INVALID LENGTH IN THE FRN FIELD
G9605		AUTO CLAR	USOC NOT FOR RESALE
G9606		AUTO CLAR	TNS CANNOT BE REASSIGNED FOR 90 DAYS
G9612		AUTO CLAR	LNUM=&LNUM USOC UEG++ IS NOT COMPATIBLE WITH USOCs UEPVF OR USA++
G9613		AUTO CLAR	EXISTING ACCOUNT TYPE NOT AUTHORIZED FOR MIGRATION YET
G9616		AUTO CLAR	YPH INVALID

Changes in Bold

Error Code	Sev Type	Error Message Text
------------	----------	--------------------

Changes in Bold

G9617		AUTO CLAR COMPLETE CHOICE CREDIT USOCs MUST APPEAR OUTWARD OR RECAPPED
G9618		AUTO CLAR EQUAL NUMBER OF COMPLETE CHOICE AND COMPLETE CHOICE CREDIT USOCs REQUIRED
G9619		AUTO CLAR COMPLETE CHOICE CREDIT USOCs INVALID WHEN CHANGING FROM AREA PLUS W/COMPLETE CHOICE
G9620		AUTO CLAR INP NOT AVAILABLE IN THIS AREA
G9621		AUTO CLAR NUMBER PORTABILITY (NPT=D) SHOULD BE USED FOR THIS ACCOUNT
G9623		AUTO CLAR TOUCHTONE IS INVALID WITH AREA PLUS SERVICE
G9624		AUTO CLAR USOCs AR6 AND AR6CL ARE VALID ONLY ON REQTP E
G9625		AUTO CLAR OCP IS INVALID WITH AREA PLUS SERVICE
G9626		AUTO CLAR CLASS OF SERVICE NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP
G9627		AUTO CLAR ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER
G9628		AUTO CLAR REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE
G9629		AUTO CLAR CALL FORWARDING FID (DFND) AND CFND TN REQUIRED BEHIND USOC S98AF
G9630		AUTO CLAR CFND TN DOES NOT MATCH S98AF AND CALL FORWARDING USOC
G9631		AUTO CLAR STAR 98 PACKAGE USOC REQUIRED
G9632		AUTO CLAR THE FID PACKAGE VM-BUS-S98CP IS MISSING OR INCORRECT
G9634		AUTO CLAR THE FID PACKAGE VM-CSP-S98PK IS MISSING OR INCORRECT
G9635		AUTO CLAR USOC S981A REQUIRED
G9636		AUTO CLAR S981A NOT AVAILABLE FOR THIS CENTRAL OFFICE
G9637		AUTO CLAR STAR 98 SERVICE IS NOT AVAILABLE FOR THIS CENTRAL OFFICE
G9638		AUTO CLAR USOC VSB MUST NOT APPEAR
G9639		AUTO CLAR CATEGORY L USOC MUST APPEAR FOR SAME TN
G9641		AUTO CLAR REQUESTED ACTIVITY ALREADY PENDING
G9645		AUTO CLAR STAR 98 PACKAGE IS NOT VALID
G9646		AUTO CLAR INVALID BAN FOR REQTP/COMPANY CODE COMBINATION OR INVALID COMPANY CODE FOR REQTP
G9647		AUTO CLAR BAN DOES NOT EXIST FOR COMPANY CODE
G9648		AUTO CLAR USOC 999MC IS NOT VALID FOR THIS REQUEST
G9649		AUTO CLAR THIS SERVICE DOES NOT QUALIFY FOR USOC 999MC
G9650		AUTO CLAR USOCs 999MC AND S98PK MUST APPEAR
G9651		AUTO CLAR USOC 999MC MUST APPEAR OUTWARD
G9652		AUTO CLAR USOC 999MC IS NOT VALID FOR THIS SERVICE
G9654		AUTO CLAR DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED END USERS ADDRESS
G9656		AUTO CLAR SLTN= NOT FOUND ON CRIS ACCOUNT FOR LAN= , LNUM=
G9657		AUTO CLAR ECCKT/JUNE1 MISMATCH
G9666		AUTO CLAR LINESHARE IS APPLICABLE ONLY ON BELL SOUTH RETAIL ACCOUNTS
G9670		AUTO CLAR TOUCHTONE USOC REQUIRED INWARD OR RECAPPED -
G9671		AUTO CLAR TOUCHTONE USOC REQUIRED -
G9673		AUTO CLAR RINGMASTER USOC REQUIRED -

Error Code	Sev	Type	Error Message Text
G9674			AUTO CLAR INVALID TN/PN DATA -
G9675			AUTO CLAR BBC USOC MUST NOT APPEAR -
G9677			AUTO CLAR FID BIR WITH CODESET OF DAY ONLY VALID FOR TENNESSEE RESIDENCE SUBSCRIBERS
G9679			AUTO CLAR FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI
G9705			AUTO CLAR NO DATA FOUND TO SUPPORT THE ACTIVITY REQUIRED
G9715			AUTO CLAR TOS IS INVALID FOR REQUESTED SERVICE
G9720			AUTO CLAR DFDT CANNOT BE A RANGE FOR THE REQUESTED SERVICE
G9735			AUTO CLAR EATN ACCOUNT DOES NOT EXIST
G9740			AUTO CLAR ATN ACCOUNT DOES NOT EXIST
G9755			AUTO CLAR ACTIVITY V ON PARTIAL MIGRATION ATN OR AN CANNOT BE AN EXISTING ACCOUNT
G9765			AUTO CLAR UNE - CHC IS REQUIRED WHEN DFDT IS POPULATED
G9770			AUTO CLAR UNE - CABLE ID AND CHAN-PAIR, OR CFA IS REQUIRED FOR REQUESTED SERVICE
G9772			AUTO CLAR UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A
G9785			AUTO CLAR LESOG CANNOT PROCESS PARTIAL MIGRATIONS AT THIS TIME
G9800			AUTO CLAR MAIN LISTING REQUIRED FOR NEW ACCOUNT
G9805			AUTO CLAR NO DENIAL INDICATOR ON CUSTOMER RECORD
G9810			AUTO CLAR FEATURE DETAIL ACTIVITY NOT VALID WITH ACCOUNT ACTIVITY TYPES OF RS OR SS
G9815			AUTO CLAR INVALID LINE ACTIVITY FOR DENIED ACCOUNT
G9820			AUTO CLAR INVALID LINE ACTIVITY FOR SUSPENDED ACCOUNT
G9825			AUTO CLAR ACCOUNT ACTIVITY MUST BE SS OR RS WHEN LINE ACTIVITY IS Y OR L
G9830			AUTO CLAR NUM= -S&E LINE DATA FIELD TBE, FREEZE, PIC AND LPIC NOT ALLOWED ON DENY, SUSPEND OR RESTORE
G9835			AUTO CLAR SUP 02 OR 03 CANNOT BE USED ON DENIAL OR RESTORAL ORDER
G9840			AUTO CLAR FPI CODE FOR LPIC IS NOT VALID IN (State Name)
G9845			AUTO CLAR COMPATIBLE FEATURE USOC REQUIRED WITH THIS CLASS OF SERVICE IN (State Name)
G9850			AUTO CLAR USOC INVALID WITH USOC= IN (State Name)
G9855			AUTO CLAR SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY
G9860			AUTO CLAR UNABLE TO HANDLE REQUEST, END USER ACCOUNT FROZEN
H5000			REJ/FATAL HUNTING PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION
H5005			REJ/FATAL LOCNUM= THE FOLLOWING FIELDS ARE REQUIRED: HNUM, HA AND HID
H5010			REJ/FATAL HTQTY MUST BE 2 NUMERICS, 01 THRU 99
H5015			REJ/FATAL HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
H5020			REJ/FATAL HUNTING PROHIBITED WHEN HTQTY IS BLANK OR ZERO
H5025			REJ/FATAL LOCNUM= HNUM= HA= HA MUST BE N, E, C OR D
H5030			REJ/FATAL LOCNUM= HNUM= HA OF E PROHIBITED ON ACT TYPE N, T, P OR Q
H5035			REJ/FATAL LOCNUM= HNUM= HA OF C PROHIBITED ON ACT TYPE N, T, P OR Q
H5040			REJ/FATAL LOCNUM= HNUM= HA OF D PROHIBITED ON ACT TYPE N OR T
H5045			REJ/FATAL LOCNUM= LOCNUM MUST BE 3 NUMERICS

Changes in Bold

Error Code	Sev Type	Error Message Text	Changes in Bold
H5050	REJ/FATAL	LOGNUM= DOES NOT MATCH AN END USER LOGNUM ON THIS LSR	
H5055	REJ/FATAL	LOGNUM= HNUM= HNUM MUST BE 5 NUMERICS	
H5060	REJ/FATAL	LOGNUM= HNUM= HNUM MUST BE UNIQUE WITHIN EACH LOGNUM	
H5065	REJ/FATAL	LOGNUM= HNUM= HID ENTRY FOR HNTYP 1, 2, 3 OR 4 MUST BE AN N OR UP TO 3 ALPHAS OR 4 NUMERICS	
H5070	REJ/FATAL	LOGNUM= HNUM= HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4	
H5075	REJ/FATAL	LOGNUM= HNUM= HID MUST BE N OR HID NUMBER IF HA IS N AND HNTYP IS 5 OR 6	
H5080	REJ/FATAL	LOGNUM= HNUM= HID MUST BE AN HID NUMBER WHEN HA IS C, D, OR E, AND HNTYP IS 5 OR 6	
H5085	REJ/FATAL	LOGNUM= HNUM= TLI MUST BE 10 NUMERICS	
H5090	REJ/FATAL	LOGNUM= HNUM= TLI REQUIRED IF HNTYP IS 5 OR 6	
H5095	REJ/FATAL	LOGNUM= HNUM= TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T	
H5098	REJ/FATAL	LOGNUM= HNUM= HNTYP REQUIRED FOR THIS ACT TYPE/HA COMBINATION	
H5100	REJ/FATAL	LOGNUM= HNUM= HNTYP VALID ENTRIES ARE: 1, 2, 3, 4, 5 OR 6	
H5103	REJ/FATAL	LOGNUM= HNUM= HLA REQUIRED FOR THIS ACT TYPE/HA COMBINATION	
H5105	REJ/FATAL	LOGNUM= HNUM= HLA= HLA VALID ENTRIES ARE: N, E OR D	
H5110	REJ/FATAL	LOGNUM= HNUM= HLA= HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E	
H5115	REJ/FATAL	LOGNUM= HNUM= HLA= HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N	
H5120	REJ/FATAL	LOGNUM= HNUM= HLA= HLA OF D PROHIBITED WHEN HUNT GROUP ACTIVITY IS N OR E	
H5123	REJ/FATAL	LOGNUM= HNUM= HTSEQ REQUIRED FOR THIS HA/HLA COMBINATION	
H5125	REJ/FATAL	LOGNUM= HNUM= HTSEQ= SAME HTSEQ NOT ALLOWED FOR MORE THAN ONE HT WHEN HLA IS N OR E	
H5130	REJ/FATAL	LOGNUM= HNUM= HTSEQ= HTSEQ MUST BE 4 NUMERICS	
H5135	REJ/FATAL	LOGNUM= HNUM= HTSEQ= SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E	
H5138	REJ/FATAL	LOGNUM= HNUM= NOTYP REQUIRED FOR THIS HA/HLA COMBINATION	
H5140	REJ/FATAL	LOGNUM= HNUM= NOTYP= VALID ENTRIES FOR NOTYP ARE T OR L	
H5145	REJ/FATAL	LOGNUM= HNUM= NOTYP= NOTYP MUST BE L IF HNTYP IS 5 OR 6	
H5150	REJ/FATAL	LOGNUM= HNUM= NOTYP= NOTYP MUST BE T IF HNTYP IS 1, 2, 3 OR 4	
H5153	REJ/FATAL	LOGNUM= HNUM= HT REQUIRED FOR THIS HA/HLA COMBINATION	
H5155	REJ/FATAL	LOGNUM= HNUM= HT CANNOT EXCEED 16 IN AN HID WHEN HNTYP IS 1, 2, 3 OR 4 AND HA IS N	
H5160	REJ/FATAL	LOGNUM= HNUM= HT WITH HLA OF E OR N, CANNOT EXCEED 3 IN AN HID WHEN TOS IS 2A-- IN (State Name)	
H5165	REJ/FATAL	LOGNUM= HNUM= HT WITH HLA OF E OR N, CANNOT EXCEED 5 IN AN HID WHEN TOS IS 2A-- IN FL	
H5170	REJ/FATAL	LOGNUM= HNUM= HT WITH HLA OF E OR N, CANNOT EXCEED 10 IN AN HID WHEN TOS IS 2A-- IN LA	
H5175	REJ/FATAL	HNUM= HT= HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4	
H5180	REJ/FATAL	LOGNUM= HNUM= HT= TN OR TER SCOPED NUMBER RANGES MUST BE IN ASCENDING ORDER	
H5185	REJ/FATAL	LOGNUM= HNUM= HT= FOR HNTYP 5 OR 6, HT MUST BE 5 OR 10 ALPHANUMERIC	
L9550	REJ/FATAL	GENERIC-FOR GENERAL USE FOR LNPGW	
L9558	AUTO CLAR	MINIMUM OF TWO DIFFERENT LEATNS REQUIRED	
L9601	AUTO CLAR	UNABLE TO DETERMINE Q ACCOUNT IN BAN1 OR BAN2 FIELDS	
L9602	AUTO CLAR	(ACCOUNT NUMBER) NOT FOUND	

Error Code	Sev	Type	Error Message Text	Changes in Bold
L9604		AUTO CLAR	(ACCOUNT NUMBER) TN CANNOT BE REPORTED	
L9605		AUTO CLAR	(ACCOUNT NUMBER) LOCAL SERVICE FREEZE ON ACCOUNT	
L9606		AUTO CLAR	LNP NOT AVAILABLE FOR NPA NXX	
L9608		AUTO CLAR	LSR ADDRESS AND PORTING TN NOT IN SAME RATE CENTER	
L9610		AUTO CLAR	IF ERL IS Y ALL DIRECTORY FIELDS ARE PROHIBITED	
L9718		AUTO CLAR	LNP NOT AVAILABLE DUE TO MULTIPLE RATE CENTERS	
L9719		AUTO CLAR	LNP AVAILABLE MM-DD-YY FOR NPA NXX	
L9736		AUTO CLAR	LESS THAN STANDARD DUE DATE REQUESTED FOR REQTP	
L9821		AUTO CLAR	CABS CSR NOT FOUND	
L9996		AUTO CLAR	GENERIC-FOR GENERAL USE FOR LAUTO AUTO ERRORS OTHER LNP ERROR: (TEXT)	
P7000		REJ/FATAL	EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V	
P7005		REJ/FATAL	EAN, EATN, LEATN, AND LEAN ARE MUTUALLY EXCLUSIVE	
P7010		REJ/FATAL	EATN OR EAN REQUIRED WHEN ACT IS P, Q OR V	
P7015		REJ/FATAL	LEAN AND LEATN PROHIBITED WHEN 2ND CHARACTER OF TOS IS NOT A OR B OR FOR REQTP N ON ACT P, Q OR V	
P7040		REJ/FATAL	LNUM= TELNO= FA PROHIBITED FOR REQTP	
P7050		REJ/FATAL	LNUM= TELNO= LNA CANNOT BE N WHEN TNS IS POPULATED	
P7055		REJ/FATAL	LNUM= TELNO= LNA MUST BE V FOR REQTP C	
P7075		REJ/FATAL	EATN, AN AND ATN ARE REQUIRED FOR REQTP B	
P9556		AUTO CLAR	INVALID ACT TYPE FOR PARTIAL MIGRATION	
P9557		AUTO CLAR	INVALID ACT TYPE FOR FULL MIGRATION	
R1001		REJ/FATAL	CCNA MUST BE 3 ALPHAS	
R1005		REJ/FATAL	CCNA REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1010		REJ/FATAL	PN REQUIRED (STOP EDIT)	
R1015		REJ/FATAL	PN DUPLICATE ON INITIAL LSR	
R1020		REJ/FATAL	PN VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - ' .	
R1025		REJ/FATAL	VER REQUIRED FOR SUPS	
R1030		REJ/FATAL	VER MUST BE GREATER THAN PREVIOUS VERSION	
R1035		REJ/FATAL	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860	
R1040		REJ/FATAL	VER MUST BE SPACES OR ZEROES FOR 850	
R1045		REJ/FATAL	LOCQTY REQUIRED, GREATER THAN ZERO, WHEN MORE THAN ONE LOCATION APPEARS ON LSR	
R1050		REJ/FATAL	LOCQTY MUST BE 3 NUMERICS	
R1055		REJ/FATAL	AN REQUIRED FOR THIS REQTP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED	
R1060		REJ/FATAL	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTP IS B	
R1065		REJ/FATAL	AN MUST BE 10 OR 13 ALPHANUMERICS	
R1070		REJ/FATAL	AN OR ATN REQUIRED WHEN EAN IS POPULATED	
R1071		REJ/FATAL	AN REQUIRED	
R1075		REJ/FATAL	ATN REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED	

Error Code	Scv Type	Error Message Text	Changes in Bold
------------	----------	--------------------	-----------------

R1080	REJ/FATAL	ATN PROHIBITED WHEN AN IS POPULATED UNLESS REQTYP IS B	
R1085	REJ/FATAL	ATN MUST BE 10 NUMERICS	
R1090	REJ/FATAL	ATN OR AN REQUIRED WHEN EATN IS POPULATED	
R1095	REJ/FATAL	SERVICE CENTER REQUIRED	
R1100	REJ/FATAL	SERVICE CENTER MUST BE LCSC	
R1105	REJ/FATAL	D/SENT REQUIRED	
R1110	REJ/FATAL	D/SENT MUST BE CURRENT DATE OR A FUTURE DATE	
R1115	REJ/FATAL	D/SENT MUST BE A VALID DATE	
R1120	REJ/FATAL	DDD REQUIRED	
R1125	REJ/FATAL	DDD MUST BE GREATER THAN OR EQUAL TO D/SENT	
R1130	REJ/FATAL	DDD MUST BE A VALID DATE	
R1135	REJ/FATAL	APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER	
R1140	REJ/FATAL	DDDO REQUIRED WHEN ACT IS T AND REQTYP IS A, E, M OR N	
R1145	REJ/FATAL	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS	
R1150	REJ/FATAL	DDDO MUST BE A VALID DATE	
R1155	REJ/FATAL	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y	
R1157	REJ/FATAL	DFDT PROHIBITED FOR THIS REQTYP/LNA COMBINATION	
R1158	REJ/FATAL	DFDT PROHIBITED WITH THIS REQTYP/PACT TYPE COMBINATION	
R1165	REJ/FATAL	CHC ONLY VALID ENTRY IS Y OR N	
R1170	REJ/FATAL	CHC REQUIRED WHEN REQTYP IS A OR B AND DFDT IS POPULATED	
R1175	REJ/FATAL	REQTYP REQUIRED (STOP EDIT)	
R1180	REJ/FATAL	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)	
R1185	REJ/FATAL	REQTYP VALID ENTRIES MUST BE: AB, BB, CB, EB, FB, JB, MB, OR NB (STOP EDIT)	
R1190	REJ/FATAL	ACTIVITY TYPE REQUIRED (STOP EDIT)	
R1195	REJ/FATAL	ACTIVITY TYPE VALID ENTRY MUST BE N, C, D, T, R, V, S, B, W, L, Y, P OR Q (STOP EDIT)	
R1200	REJ/FATAL	SUP REQUIRED WHEN VER IS GREATER THAN 00	
R1205	REJ/FATAL	SUP VALID ENTRIES ARE 01, 04, OR 05	
R1210	REJ/FATAL	SUP PROHIBITED ON 850	
R1215	REJ/FATAL	SUP PROHIBITED WHEN FIRST CHARACTER OF REQTYP CHANGES	
R1220	REJ/FATAL	EXPEDITE VALID ENTRY IS Y OR N	
R1225	REJ/FATAL	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)	
R1230	REJ/FATAL	CC MUST BE 4 ALPHANUMBERICS (STOP EDIT)	
R1235	REJ/FATAL	ALBR ONLY VALID ENTRY IS Y OR N	
R1240	REJ/FATAL	SCA MUST BE Y OR N	
R1245	REJ/FATAL	AGAUTH MUST BE Y OR N	
R1250	REJ/FATAL	DATED REQUIRED WHEN AGAUTH IS POPULATED WITH Y	
R1255	REJ/FATAL	DATED MUST BE A VALID DATE	

Error Code	Sev	Type	Error Message Text	Changes in Bold
R1260		REJ/FATAL	DATED PROHIBITED WHEN AGAUTH IS NOT POPULATED	
R1265		REJ/FATAL	AUTNHM MUST BE 1 TO 15 ALPHANUMERICS	
R1270		REJ/FATAL	PORTYP REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION	
R1275		REJ/FATAL	PORTYP PROHIBITED ON THIS REQTY/PACT TYPE COMBINATION	
R1280		REJ/FATAL	PROTTY MUST BE L OR T	
R1285		REJ/FATAL	ACTL REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION	
R1290		REJ/FATAL	ACTL MUST BE 11 ALPHANUMERICS	
R1295		REJ/FATAL	AI PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
R1300		REJ/FATAL	AI REQUIRED WHEN THE APOT FIELD IS POPULATED	
R1305		REJ/FATAL	AI VALID ENTRY IS Y OR N	
R1310		REJ/FATAL	APOT REQUIRED IF AI IS POPULATED	
R1315		REJ/FATAL	APOT MUST BE 11 ALPHANUMERICS IF AI IS Y	
R1320		REJ/FATAL	APOT PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
R1325		REJ/FATAL	LST MUST BE 11 ALPHANUMERICS	
R1330		REJ/FATAL	LST REQUIRED IF REQTY IS F	
R1335		REJ/FATAL	LSO REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION	
R1340		REJ/FATAL	LSO MUST BE 6 NUMERICS	
R1345		REJ/FATAL	TOS REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION (STOP EDIT)	
R1350		REJ/FATAL	TOS MUST BE 3 ALPHANUMERICS INCLUDING HYPHENS	
R1355		REJ/FATAL	TOS FIRST CHARACTER MUST BE 1, 2, 3, OR 4	
R1360		REJ/FATAL	TOS SECOND CHARACTER MUST BE A, B, C, D, H, J OR - (HYPHEN) (STOP EDIT)	
R1365		REJ/FATAL	TOS THIRD CHARACTER MUST BE M, F, G, OR - (HYPHEN)	
R1370		REJ/FATAL	TOS THRD CHARACTER MUST NOT BE F IF REQTY IS FB	
R1375		REJ/FATAL	TOS FIRST CHARACTER IS 2, SECOND CHARACTER MUST BE A, B, H, J OR (HYPHEN)	
R1377		REJ/FATAL	EBD MUST BE A VALID DATE	
R1380		REJ/FATAL	TOS FIRST CHARACTER IS 1 OR 3, SECOND CHARACTER MUST NOT BE C (STOP EDIT)	
R1385		REJ/FATAL	TOS FIRST CHARACTER IS 4, SECOND CHARACTER MUST BE C	
R1390		REJ/FATAL	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTY IS JB	
R1391		REJ/FATAL	TOS SECOND CHARACTER MUST BE J WHEN REQTY IS NB. (STOP EDIT)	
R1392		REJ/FATAL	TOS SECOND CHARACTER OF J IS PROHIBITED ON REQTY OF A, B, C, F OR J (STOP EDIT)	
R1395		REJ/FATAL	TOS THIRD CHARACTER MUST BE - (HYPHEN) IF REQTY IS JB, BB, OR CB	
R1400		REJ/FATAL	SPEC MUST BE 5 OR 7 ALPHANUMERICS	
R1404		REJ/FATAL	RESID REQUIRED	
R1405		REJ/FATAL	RPON VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - ' .	
R1406		REJ/FATAL	LSR WITH RESID CAN ONLY REFERENCE SERVICES AT ONE LOCATION	
R1407		REJ/FATAL	RESID IS REQUIRED WITH ANY LNA OF N OR V	
R1408		REJ/FATAL	RESID MUST BE ALPHA OR NUMERIC ONLY UP TO 20 CHARACTERS WITH NO EMBEDDED SPACES	

Error Code	Sev Type	Error Message Text	Changes in Bold
R1409	REJ/FATAL	RESID CANNOT BE ALL X'S WHEN LNA IS N	
R1410	REJ/FATAL	LSP AUTH MUST BE 4 ALPHANUMERICS	
R1415	REJ/FATAL	LSP AUTH DATE REQUIRED WHEN LSP AUTH IS POPULATED	
R1420	REJ/FATAL	LSP AUTH DATE MUST BE A VALID DATE	
R1425	REJ/FATAL	LSP AUTH NAME REQUIRED WHEN LSP AUTH IS POPULATED	
R1430	REJ/FATAL	CIC REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1435	REJ/FATAL	CIC MUST BE 4 NUMERICS	
R1440	REJ/FATAL	CUST REQUIRED WHEN CCNA IS CUS	
R1445	REJ/FATAL	B1 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED	
R1450	REJ/FATAL	B1 VALID ENTRIES ARE A, D, L, M, N, P, R, U, V, W OR Z	
R1453	REJ/FATAL	BAN1 REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1455	REJ/FATAL	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS	
R1457	REJ/FATAL	BAN1 MUST BE ENTRY OF E IF REQTP A-LINE SHARE CO BASED	
R1460	REJ/FATAL	BAN1 REQUIRED ON REQTP A WHEN NC IS TY, OTHERWISE NOT EDITED	
R1470	REJ/FATAL	B12 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED	
R1475	REJ/FATAL	B12 VALID ENTRIES ARE A, D, L, M, N, P, R, U, V, W OR Z	
R1480	REJ/FATAL	BAN2 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS	
R1485	REJ/FATAL	BAN2 REQUIRED WHEN B12 IS POPULATED	
R1488	REJ/FATAL	BAN2 REQUIRED ON REQTP B WHEN NC IS TY, OTHERWISE NOT EDITED	
R1490	REJ/FATAL	ACNA REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1495	REJ/FATAL	ACNA MUST BE 3 ALPHAS	
R1500	REJ/FATAL	VTA MUST BE ALPHANUMERICS	
R1505	REJ/FATAL	INIT REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1510	REJ/FATAL	TEL NO-INIT REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1515	REJ/FATAL	TEL NO-INIT FORMAT MUST BE 10 NUMERICS OR UP TO 15 ALPHANUMERICS	
R1520	REJ/FATAL	FAX NO-INIT REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1525	REJ/FATAL	FAX NO-INIT MUST BE 10 NUMERICS	
R1530	REJ/FATAL	IMPCON REQUIRED WITH THIS REQTP/ACT TYPE COMBINATION	
R1535	REJ/FATAL	TEL NO IMPCON REQUIRED WHEN IMPCON IS POPULATED	
R1540	REJ/FATAL	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITONS	
R1545	REJ/FATAL	PAGER-IMPCON MUST BE ALPHANUMERICS	
R1550	REJ/FATAL	TEL NO ALTIMPCON REQUIRED WHEN ALTIMPCON IS POPULATED	
R1555	REJ/FATAL	TEL NO ALTIMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS\	
R1560	REJ/FATAL	DSGCON REQUIRED WHEN DRC IS POPULATED	
R1565	REJ/FATAL	DRC MUST BE 3 ALPHANUMERICS	
R1570	REJ/FATAL	TEL NO DSGCON REQUIRED WHEN DSGCON IS POPULATED	
R1575	REJ/FATAL	TEL NO DSGCON MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS	

Error Code	Sev	Type	Error Message Text
R1580		REJ/FATAL	FAX NO-DSGCON MUST BE 10 NUMERICS
R1585		REJ/FATAL	STREET-DSGCON REQUIRED WHEN DSGCON IS POPULATED
R1590		REJ/FATAL	CITY-DSGCON REQUIRED WHEN DSGCON IS POPULATED
R1595		REJ/FATAL	STATE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
R1600		REJ/FATAL	ZIP CODE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
R1605		REJ/FATAL	REMARKS VIRGULES (!) AND ASTERISKS NOT ALLOWED IN THIS FIELD
R1610		REJ/FATAL	PBT REQUIRED WITH THIS REQTY/PACT TYPE COMBINATION
R1615		REJ/FATAL	PBT VALID ENTRY IS A, B, OR C
R1620		REJ/FATAL	BCS REQUIRED WITH REQTY/PACT TYPE/TOS COMBINATION
R1625		REJ/FATAL	BCS MUST BE 3 OR 5 ALPHANUMERIC
R1630		REJ/FATAL	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
R1635		REJ/FATAL	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
R1640		REJ/FATAL	NO ORIGINAL LSR FOUND FOR THIS SUP
R1645		REJ/FATAL	LSR/PON AGED OFF
R1650		REJ/FATAL	LSR/PON COMPLETED
R1655		REJ/FATAL	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
R1660		REJ/FATAL	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
R1662		REJ/FATAL	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
R1664		REJ/FATAL	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
R9000		REJ/FATAL	ONLY AN ACT OF V, P OR Q IS ALLOWED FOR REQTY B WHEN NPT IS D
R9001		REJ/FATAL	HNUM, DNUM OR LNUM REQUIRED FOR THIS REQUEST
R9003		REJ/FATAL	ACT OF SUP LSR IS DIFFERENT THAN ACT ON ORIGINAL LSR
R9004		REJ/FATAL	SUP VALID ENTRIES: 1, 2 OR 3 AND EDI ARE 01, 04 OR 05
R9005		REJ/FATAL	INVALID ACT IF NPT IS D
R9010		REJ/FATAL	AN OR ATN REQUIRED WHEN LNLN IS POPULATED
R9015		REJ/FATAL	ACTIVITY TYPE VALID ENTRIES MUST BE V, P OR Q WHEN AN IS POPULATED
R9020		REJ/FATAL	AN IS PROHIBITED WHEN ATN IS POPULATED FOR REQTY C
R9025		REJ/FATAL	APOT MUST BE 11 ALPHANUMERICS IF AI IS Y FOR EDI OR C FOR FAX
R9026		REJ/FATAL	ATN OR AN REQUIRED WHEN LNLN IS POPULATED
R9028		REJ/FATAL	ATN IS PROHIBITED WHEN AN IS POPULATED ON REQTY C
R9030		REJ/FATAL	BAN1 REQUIRED WITH THE REQTY/PACT TYPE COMBINATION
R9035		REJ/FATAL	B1 VALID ENTRIES ARE D, L, N FOR LNP
R9040		REJ/FATAL	B12 VALID ENTRIES ARE D, L AND N
R9045		REJ/FATAL	INVALID CC CODE FOR LNP
R9050		REJ/FATAL	CHC OF Y IS REQUIRED WHEN NC IS LY
R9055		REJ/FATAL	DFDT MUST BE VALID FORMAT OF HHMM OR HHMM-HHMM
R9056		REJ/FATAL	WHEN NC IS LY AND CHC IS Y, DFDT IS REQUIRED

Changes in Bold

Error Code	Sev Type	Error Message Text	Changes in Bold
R9065	REJ/FATAL	DSGCON IS REQUIRED WHEN NC IS LY --, LY	
R9071	REJ/FATAL	NNSP MUST BE 4 ALPHANUMERICS	
R9072	REJ/FATAL	INVALID NNSP CODE FOR LNP	
R9073	REJ/FATAL	SERVICE CENTER MUST BE LCSC, ATLU, ATLC, COMP OR LCSC	
R9075	REJ/FATAL	TOS COMBINATION INVALID	
R9076	REJ/FATAL	TOS THIRD CHARACTER MUST BE - (HYPHEN)	
S3000	REJ/FATAL	LOCNUM= LNUM= CABLE ID REQUIRED FOR SERVICE TYPE	
S3005	REJ/FATAL	LOCNUM= LNUM= CABLE ID PROHIBITED FOR SERVICE TYPE	
S3010	REJ/FATAL	LOCNUM= LNUM= CABLE ID PROHIBITED FOR NCI SELECTION	
S3013	REJ/FATAL	LOCNUM= LNUM= CABLE ID PROHIBITED FOR NCI SELECTION	
S3015	REJ/FATAL	LOCNUM= LNUM= CABLE ID MUST BE 5 ALPHANUMERICS	
S3020	REJ/FATAL	LOCNUM= LNUM= FIRST CHARACTER OF CABLE ID MUST BE P OR V	
S3025	REJ/FATAL	LOCNUM= LNUM= TELNO= CABLE ID REQUIRED WHEN CHAN/PAIR IS POPULATED FOR REQTYP F	
S3027	REJ/FATAL	LOCNUM= HNUM= DIDNUM= DNUM= ONLY ONE HNUM, DIDNUM, DNUM, LNUM ALLOWED	
S3030	REJ/FATAL	LOCNUM= LNUM= CFA PROHIBITED FOR THIS SERVICE TYPE	
S3035	REJ/FATAL	LOCNUM= LNUM= CFA REQUIRED FOR THIS SERVICE TYPE	
S3040	REJ/FATAL	LOCNUM= LNUM= CFA REQUIRED FOR NCI SELECTION	
S3045	REJ/FATAL	LOCNUM= LNUM= CFA PROHIBITED FOR NCI SELECTION	
S3050	REJ/FATAL	LOCNUM= LNUM= CFA FORMAT IS INVALID	
S3055	REJ/FATAL	LOCNUM= LNUM= TELNO= CFA REQUIRED IF CHAN/PAIR AND CABLE ID ARE NOT POP. ON REQTYP F	
S3060	REJ/FATAL	LOCNUM= LNUM= TELNO= CFA PROHIBITED IF CABLE ID OR CHAN/PAIR IS POPULATED ON REQTYP F	
S3065	REJ/FATAL	LOCNUM= LNUM= CFTN REQUIRED FOR REQTYP B OR C WHEN NPT IS B	
S3070	REJ/FATAL	LOCNUM= LNUM= CFTN MUST BE 10 NUMERICS	
S3075	REJ/FATAL	LOCNUM= LNUM= TELNO= CFTN REQUIRED WHEN NPT IS B AND ACT IS C, V, P OR Q	
S3080	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR REQUIRED FOR SERVICE TYPE	
S3085	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR PROHIBITED FOR SERVICE TYPE	
S3090	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR REQUIRED FOR NCI SELECTION	
S3095	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR PROHIBITED FOR NCI SELECTION	
S3100	REJ/FATAL	LOCNUM= LNUM= TELNO= CHAN/PAIR REQUIRED WHEN CABLE ID IS POPULATED	
S3104	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR MUST BE 4 ALPHANUMERIC FOR LINE SHARE	
S3105	REJ/FATAL	LOCNUM= LNUM= TELNO= CHAN/PAIR MUST BE UP TO 5 ALPHANUMERICS	
S3106	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR2 REQUIRED FOR THIS SERVICE TYPE	
S3107	REJ/FATAL	LOCNUM= LNUM= CHAN/PAIR2 IS PROHIBITED WITH REQTYP/LNA COMBINATION	
S3108	REJ/FATAL	LNUM= TELNO= CHAN/PAIR2 MUST BE UP TO 5 ALPHANUMERIC	
S3110	REJ/FATAL	LOCNUM= LNUM= TELNO= CKR FORMAT INVALID	
S3115	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION	
S3120	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION	

Error Code	Sev Type	Error Message Text
S3125	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT FORMAT INVALID
S3130	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT REQUIRED WITH A LAN/NC/SECNCI COMBINATION
S3135	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT HAS INVALID FORMAT
S3140	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
S3145	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT REQUIRED WITH LINE ACTIVITY OF C, L, B, R OR X FOR REQTYP F
S3150	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT REQUIRED WITH LINE ACTIVITY OF C FOR REQTYP E
S3153	REJ/FATAL	LOCNUM= LNUM= TELNO= ECCKT REQUIRED WHEN LNA IS D
S3155	REJ/FATAL	LOCNUM= LNUM= TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
S3160	REJ/FATAL	LOCNUM= LNUM= TELNO= FA VALID ENTRY MUST BE N, C, OR D
S3165	REJ/FATAL	LOCNUM= LNUM= TELNO= FA REQUIRED WHEN FEATURE FIELD IS POPULATED
S3170	REJ/FATAL	LOCNUM= LNUM= TELNO= FA MUST BE N WHEN LNA IS N OR G
S3172	REJ/FATAL	LNUM= TELNO= FA PROHIBITED WITH REQTYP J
S3180	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE REQUIRED WHEN FA FIELD IS POPULATED
S3190	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE MUST BE 3, 5 OR 6 ALPHANUMERICS
S3195	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE PROHIBITED IF REQTYP IS B OR C AND ACT IS V, P, OR Q
S3200	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
S3202	REJ/FATAL	LNUM= TELNO= FEATURE PROHIBITED WITH REQTYP J
S3205	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
S3207	REJ/FATAL	LNUM= TELNO= FEATURE DETAIL PROHIBITED WITH REQTYP J
S3210	REJ/FATAL	LOCNUM= LNUM= TELNO= FEATURE DETAIL PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
S3215	REJ/FATAL	LOCNUM= LNUM= TELNO= ISPD REQUIRED FOR THIS REQTYP/LNA TYPE COMBINATION
S3220	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJK MUST BE 5 ALPHANUMERICS
S3225	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJK REQUIRED WHEN IWJQ IS POPULATED
S3230	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJK PROHIBITED WITH LINE ACTIVITY OF L OR B
S3235	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJQ MUST BE 2 NUMERICS
S3240	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJQ REQUIRED WHEN IWJK IS POPULATED
S3245	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJQ REQUIRED WHEN JR IS Y
S3250	REJ/FATAL	LOCNUM= LNUM= TELNO= IWJQ PROHIBITED WITH LINE ACTIVITY OF L OR B
S3255	REJ/FATAL	LOCNUM= LNUM= TELNO= JK CODE MUST BE 5 ALPHANUMERICS
S3260	REJ/FATAL	LOCNUM= LNUM= TELNO= JK CODE REQUIRED WHEN NIDR IS POPULATED WITH Y
S3265	REJ/FATAL	LOCNUM= LNUM= TELNO= JK CODE PROHIBITED WITH LINE ACTIVITY OF L OR B
S3270	REJ/FATAL	LOCNUM= LNUM= TELNO= JK NUM MUST BE 2 ALPHANUMERICS
S3275	REJ/FATAL	LOCNUM= LNUM= TELNO= JK NUM REQUIRED WHEN JK NUM REQUIRED
S3280	REJ/FATAL	LOCNUM= LNUM= TELNO= JK NUM PROHIBITED WITH LINE ACTIVITY OF L OR B
S3285	REJ/FATAL	LOCNUM= LNUM= TELNO= JK POS REQUIRED WHEN JK CODE IS POPULATED
S3290	REJ/FATAL	LOCNUM= LNUM= TELNO= JK POS MUST BE TWO NUMERICS
S3295	REJ/FATAL	LOCNUM= LNUM= TELNO= JK POS PROHIBITED WITH LINE ACTIVITY OF L OR B

Changes in Bold

Error Code	Sev Type	Error Message Text	Changes in Bold
S3300	REJ/FATAL	LOCNUM= LNUM= TELNO= JR MUST BE Y OR N	
S3305	REJ/FATAL	LOCNUM= LNUM= TELNO= JR PROHIBITED WITH LINE ACTIVITY OF L OR B	
S3325	REJ/FATAL	LOCNUM= LNUM= TELNO= LEAN PROHIBITED WHEN FIRST CHARACTER OF TOS IS NOT 1 OR 2	
S3330	REJ/FATAL	LOCNUM= LNUM= TELNO= LEAN PROHIBITED WHEN SECOND CHARACTER OF TOS IS NOT A OR B	
S3335	REJ/FATAL	LOCNUM= LNUM= TELNO= LEAN MUST BE 10 OR 13 ALPHANUMERICS	
S3345	REJ/FATAL	LNUM= TELNO= LEATN REQUIRED IF ACT IS V, W, P OR Q & LEAN, EAN OR EATN IS NOT POPULATED	
S3360	REJ/FATAL	LOCNUM= LNUM= TELNO= LEATN PROHIBITED WHEN FIRST CHARACTER OF TOS IS NOT 1 OR 2	
S3365	REJ/FATAL	LOCNUM= LNUM= TELNO= LEATN PROHIBITED WHEN SECOND CHARACTER OF TOS IS NOT A OR B	
S3370	REJ/FATAL	LOCNUM= LNUM= TELNO= LEATN MUST BE 10 NUMERICS	
S3380	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE N IF ACT IS N	
S3385	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE D, G, N, P, V, W OR X IF ACT IS V, P OR Q	
S3387	REJ/FATAL	LNUM= LNA OF D, N, OR V ONLY ALLOWED ON THIS REQTY/PACTY/PNCI/SECNCI COMBINATION	
S3390	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA REQUIRED UNLESS ACT IS N, C, T, R, V, S, P OR Q	
S3395	REJ/FATAL	LOCNUM= LNUM= TELNO= ASSOCIATED DATA PROHIBITED ON ACT TYPE B, L, W OR Y	
S3400	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE N OR C IF ACT IS T	
S3405	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE R IF ACT IS R	
S3410	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE X OR GIF OTN IS POPULATED	
S3415	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B	
S3420	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE N, C, D, P OR X IF ACT IS C	
S3425	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE L OR B IF ACT TYPE IS S	
S3427	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA OF G PROHIBITED ON REQTY/PACT TYPE COMBINATION	
S3430	REJ/FATAL	FOR REQTY P, E, F OR M, IF ACT IS P, Q OR V, AT LEAST ONE LNA MUST BE G, P, V, W OR X	
S3431	REJ/FATAL	ONLY LNA OF N OR D ALLOWED WITH LNA OF G	
S3433	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA PROHIBITED ON THIS REQTY/PACT TYP/SECNCI COMBINATION	
S3435	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE D, N OR V IF ACT IS P, Q, OR V AND REQTY IS B OR C	
S3436	REJ/FATAL	LNUM= LNA MUST BE C, D OR N IF ACT IS C AND REQTY IS A LINE SHARE UNE CO BASED	
S3437	REJ/FATAL	LNUM= TELNO= LNA PROHIBITED ON REQTY P C	
S3438	REJ/FATAL	LNUM= TELNO= LNA OF N PROHIBITED FOR REQTY B WHEN NPT IS A, B OR C	
S3439	REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE D ON ACT TYPE OF D WHEN REQTY IS A WITH SECNCI DATA POPULATED	
S3440	REJ/FATAL	LOCNUM= LNUM= TELNO= LNECLSSVC REQUIRED WHEN BCS IS POPULATED	
S3445	REJ/FATAL	LOCNUM= LNUM= TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS	
S3450	REJ/FATAL	LOCNUM= LNUM= TELNO= LNEC PROHIBITED WITH THIS REQTY/P/LNA TYPE COMBINATION	
S3455	REJ/FATAL	LOCNUM= LNUM= TELNO= LNEC MUST BE 5 NUMERICS	
S3460	REJ/FATAL	LOCNUM= LNUM= TELNO= LNUM REQUIRED WITH THIS REQTY/P/LNA TYPE COMBINATION (STOP EDIT)	
S3465	REJ/FATAL	LOCNUM= LNUM= TELNO= LNUM MUST BE 5 NUMERICS	
S3470	REJ/FATAL	LNUM= TELNO= LNUM MUST BE UNIQUE WITHIN EACH LOCNUM EXCEPT FOR REQTY E-1SDN BRI	
S3475	REJ/FATAL	LOCNUM= LNUM= TELNO= LNUM INVALID FOR ACT TYPE OF D, L, B OR Y (STOP EDIT)	

Error Code	Sev	Type	Error Message Text	Changes in Bold
S3480	REJ/FATAL	LOCNUM= LNUM= TELNO=	LOCNUM MUST BE 3 NUMERICS	
S3485	REJ/FATAL	LOCNUM= LNUM= LOCNUM=	LOCNUM DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR	
S3487	REJ/FATAL	ONLY ONE LOCNUM=	ALLOWED FOR REQTYP A LINE SHARE UNE CO BASED	
S3490	REJ/FATAL	LOCNUM= LNUM= TELNO=	MATN VALID ENTRIES MUST BE M OR A	
S3495	REJ/FATAL	NIDR MUST BE Y OR N		
S3500	REJ/FATAL	LOCNUM= LNUM= TELNO=	NIDR PROHIBITED WITH LINE ACTIVITY L OR B	
S3505	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPI VALID ENTRY MUST BE C OR D FOR REQTYP E, F, OR M	
S3510	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPI VALID ENTRY MUST BE A FOR REQTYP C	
S3515	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPI PROHIBITED WITH LINE ACTIVITY OF L OR B	
S3520	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPTY REQUIRED ON THIS REQTYPLNA TYPE COMBINATION	
S3525	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPTY MUST BE 5 NUMERICS GREATER THAN ZERO	
S3530	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPT REQUIRED WITH THIS REQTYPLNA TYPE COMBINATION	
S3535	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPT VALID ENTRY IS A, B, OR C	
S3540	REJ/FATAL	LOCNUM= LNUM= TELNO=	NPTG REQUIRED ON REQTYP C OR B WHEN LNA IS C OR V AND NPT IS A	
S3545	REJ/FATAL	LOCNUM= LNUM= TELNO=	OTN REQUIRED WHEN LNA IS X FOR REQTYP E, F AND M	
S3550	REJ/FATAL	LOCNUM= LNUM= TELNO=	OTN MUST BE 10 NUMERICS	
S3555	REJ/FATAL	LOCNUM= LNUM= TELNO=	OTN PROHIBITED WITH LNA OF L OR B	
S3560	REJ/FATAL	LOCNUM= LNUM=	PORTED NBR REQUIRED WITH REQTYP B WHEN NPT IS A, B, C OR D AND LNA IS V	
S3565	REJ/FATAL	LOCNUM= LNUM=	PORTED NBR PROHIBITED WITH REQTYP B WHEN NPT IS A, B, C OR D AND LNA IS N	
S3570	REJ/FATAL	LOCNUM= LNUM=	PORTED NBR MUST BE 10 NUMERICS	
S3575	REJ/FATAL	LOCNUM= LNUM= TELNO=	PORTED NBR REQUIRED WITH THIS REQTYPLNA TYPE COMBINATION	
S3580	REJ/FATAL	PQTY REQUIRED WITH THIS REQTYPLNA TYPE COMBINATION		
S3585	REJ/FATAL	LOCNUM= LNUM= TELNO=	PQTY MUST BE 3 NUMERICS GREATER THAN ZERO	
S3590	REJ/FATAL	LOCNUM= LNUM= TELNO=	PULSE VALID ENTRY MUST BE DP, MF OR DTMF	
S3595	REJ/FATAL	LOCNUM= LNUM= TELNO=	PULSE PROHIBITED WITH LNA L OR B	
S3596	REJ/FATAL	LNUM=	RELAY RACK REQUIRED WITH THIS REQTYPLNA COMBINATION	
S3597	REJ/FATAL	LNUM=	RELAY RACK MUST BE 8 ALPHANUMERICS FOR LINE SHARE	
S3600	REJ/FATAL	RSQTY REQUIRED WITH THIS REQTYPLNA TYPE COMBINATION		
S3605	REJ/FATAL	RSQTY MUST BE 3 NUMERICS GREATER THAN ZERO		
S3610	REJ/FATAL	LOCNUM= LNUM= TELNO=	RTI REQUIRED WHEN LNA IS C OR V AND NPT IS A OR C ON REQTYP C	
S3613	REJ/FATAL	LOCNUM= LNUM= TELNO=	RTI REQUIRED ON REQTYP B WHEN LNA IS V AND NPT IS A OR C	
S3615	REJ/FATAL	LOCNUM= LNUM= TELNO=	SDI VALID ENTRY MUST BE E, F, G, H, I, J, K, L OR M	
S3620	REJ/FATAL	LOCNUM= LNUM= TELNO=	SGNL VALID ENTRY MUST BE LP, E1, E2, OR E3	
S3625	REJ/FATAL	LOCNUM= LNUM= TELNO=	SGNL PROHIBITED WITH LNA L OR B	
S3630	REJ/FATAL	LOCNUM= LNUM= TELNO=	SHELF REQUIRED ON REQTYP F IF LNA IS C, G, N OR V	
S3635	REJ/FATAL	LOCNUM= LNUM= TELNO=	SHELF MUST BE 6 ALPHANUMERICS	
S3636	REJ/FATAL	LNUM= TELNO=	SHELF MUST BE 2 NUMERICS FOR LINE SHARE	

Error Code	Scv	Type	Error Message Text	Changes in Bold
S3640	REJ/FATAL	LOCNUM=	LNUM= TELNO= SLOT MUST BE 6 ALPHANUMERICS	
S3641	REJ/FATAL	LNUM=	SLOT MUST BE 3 NUMERICS FOR LINE SHARE	
S3642	REJ/FATAL	LNUM=	TELNO= SLOT REQUIRED FOR THIS REQTY/PLNA COMBINATION	
S3643	REJ/FATAL	LNUM=	SLTN MUST BE 10 NUMERIC WITH TWO HYPHENS	
S3644	REJ/FATAL	LNUM=	SLTN REQUIRED WITH THIS REQTY/PLNA COMBINATION	
S3645	REJ/FATAL	LOCNUM=	LNUM= TELNO= SSIG VALID ENTRY MUST BE LS, WS, IM, GS, OR DD	
S3650	REJ/FATAL	LOCNUM=	LNUM= TELNO= SSIG VALID ENTRY OF WS, IM OR DD IS ALLOWED WHEN SGNL IS E1, E2 OR E3	
S3655	REJ/FATAL	LOCNUM=	LNUM= TELNO= SSIG VALID ENTRY IS LS OR GS WHEN SGNL IS LP	
S3660	REJ/FATAL	LOCNUM=	LNUM= TELNO= SSIG PROHIBITED WITH LINE ACTIVITY OF L OR B	
S3665	REJ/FATAL	LOCNUM=	LNUM= TELNO= SYSTEM ID MUST BE 5 ALPHANUMERICS	
S3670	REJ/FATAL	LOCNUM=	LNUM= TELNO= TERS REQUIRED WHEN TLI POPULATED	
S3675	REJ/FATAL	LOCNUM=	LNUM= TELNO= TLI MUST BE 10 NUMERICS	
S3680	REJ/FATAL	LOCNUM=	LNUM= TELNO= TLI REQUIRED WHEN TERS IS POPULATED	
S3685	REJ/FATAL	LOCNUM=	LNUM= TNP REQUIRED FOR REQTY P B OR C, NPT IS B AND LNA IS V	
S3690	REJ/FATAL	LOCNUM=	LNUM= TNP MUST BE 3 NUMERICS GREATER THAN ZERO	
S3695	REJ/FATAL	LNUM=	TELNO= TNS RANGE NOT ALLOWED WHEN LNA IS X	
S3700	REJ/FATAL	LOCNUM=	LNUM= TELNO= TNS REQUIRED WITH THIS REQTY/PLNA TYPE COMBINATION	
S3705	REJ/FATAL	LNUM=	BLNUM TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMERIC INCLUDING HYPHEN	
S3710	REJ/FATAL	LOCNUM=	LNUM= TELNO= TNS MUST BE A MINIMUM OF 10 NUMERICS WHEN ACT IS P OR Q	
S3715	REJ/FATAL	LOCNUM=	LNUM= TELNO= WHEN TNS CONTAINS 15 AN THE 11TH CHARACTER MUST BE A HYPHEN	
S3718	REJ/FATAL	LOCNUM=	LNUM= TELNO= TNS RANGE NOT ALLOWED WHEN LNA IS G OR X	
S3720	REJ/FATAL	LOCNUM=	LNUM= TELNO= TSP MUST BE 12 ALPHANUMERICS WITH HYPHEN IN 10TH POSITION	
S3725	REJ/FATAL	LOCNUM=	LNUM= TELNO= FPI MUST BE VALID VALUE FOR REQTY P AND ACTIVITY	
S3730	REJ/FATAL	LNUM=	TELNO= FPI INVALID ON REQTY/PLNA COMBINATION	
S3735	REJ/FATAL	LNUM=	TELNO= PIC REQUIRED ON LNA G, N, P OR V	
S3740	REJ/FATAL	LNUM=	TELNO= PIC VALID ENTRIES ARE NONE, UNDC, NC OR A VALID PIC CODE WHEN LNA IS C, P OR X	
S3745	REJ/FATAL	LNUM=	TELNO= PIC VALID ENTRIES ARE NONE, UNDC, OR A VALID PIC CODE WHEN LNA IS G, N OR V	
S3750	REJ/FATAL	LNUM=	TELNO= PIC INVALID ON REQTY/PLNA COMBINATION	
S3755	REJ/FATAL	LNUM=	TELNO= LPIC REQUIRED ON LNA G, N, P, OR V	
S3760	REJ/FATAL	LNUM=	TELNO= LPIC VALID ENTRIES ARE NONE, UNDC, NC OR VALID LPIC CODE WHEN LNA IS C P OR X	
S3765	REJ/FATAL	LNUM=	TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N OR V	
S3770	REJ/FATAL	LNUM=	TELNO= LPIC INVALID ON REQTY/PLNA COMBINATION	
S3775	REJ/FATAL	LNUM=	TELNO= PTKTYP REQUIRED WHEN TLI IS POPULATED	
S3780	REJ/FATAL	LNUM=	TELNO= PTKTYP VALID ENTRY MUST BE Y	
S3785	REJ/FATAL	LNUM=	TELNO= PTKCON MUST BE T, I, OR O	
S3790	REJ/FATAL	LNUM=	TELNO= PTKCON REQUIRED WHEN THE LNA IS G, N or V	
S3795	REJ/FATAL	LOCNUM	DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR	

Error Code	Sev	Type	Error Message Text	Changes in Bold
S3800		REJ/FATAL	DIDNUM= TELNO= DIDNUM REQUIRED	
S3805		REJ/FATAL	DIDNUM= TELNO= DIDNUM MUST BE 5 ALPHANUMERICS	
S3807		REJ/FATAL	DIDNUM= DIDNUM PROHIBITED WHEN REQTYP IS A, B, C, E, F, J OR M (STOP EDIT)	
S3810		REJ/FATAL	DIDNUM= TELNO= DTNRACT VALID ENTRY MUST BE N, D, A OR R	
S3815		REJ/FATAL	DIDNUM= TELNO= DTNRACT REQUIRED WHEN DTNR IS POPULATED	
S3820		REJ/FATAL	DIDNUM= TELNO= DTNRACT A OR R IS PROHIBITED FOR (State Name)	
S3825		REJ/FATAL	DIDNUM= TELNO= DTNRACT PROHIBITED FOR ACT N, D OR T	
S3830		REJ/FATAL	DIDNUM= TELNO= DTNRQ VALID ENTRY MUST BE IN INCREMENTS OF 20 AND GREATER THAN 0	
S3840		REJ/FATAL	DIDNUM= TELNO= DTNR MUST BE 10 NUMERICS OR 15 NUMERICS WITH A HYPHEN IN THE 11TH POS	
S3845		REJ/FATAL	DIDNUM= TELNO= DTNR REQUIRED WHEN DTNRACT IS POPULATED	
S3846		REJ/FATAL	DIDNUM= DTNR RANGE INVALID	
S3850		REJ/FATAL	DIDNUM= TELNO= DTKACT VALID ENTRY MUST BE N, C, D, V OR W	
S3855		REJ/FATAL	DIDNUM= TELNO= DTKACT REQUIRED WHEN DTK IS POPULATED	
S3860		REJ/FATAL	DIDNUM= TELNO= ENTRY OF D INVALID, SERVICE REQUEST REQUIRED	
S3865		REJ/FATAL	DIDNUM= TELNO= DTKACT PROHIBITED WHEN ACT IS N, D, T OR W	
S3866		REJ/FATAL	AT LEAST ONE DTKACT OF V OR W REQUIRED WHEN ACT IS V	
S3870		REJ/FATAL	DIDNUM= TELNO= REQUIRED WHEN DTKACT IS POPULATED WITH N, C, D OR V	
S3871		REJ/FATAL	DIDNUM= TELNO= DTKID MUST BE UP TO 10 ALPHANUMERIC	
S3872		REJ/FATAL	DIDNUM= TELNO= DTKID REQUIRED WHEN DTKACT IS C, D OR V	
S3875		REJ/FATAL	DIDNUM= TELNO= DTGN MUST BE MINIMUM OF 3 OR MAXIMUM OF 4 ALPHANUMERIC	
S3876		REJ/FATAL	DIDNUM= TELNO= DTGN REQUIRED WHEN DTKACT IS D	
S3880		REJ/FATAL	DIDNUM= TELNO= DRTI MUST BE MINIMUM OF 3 OR MAXIMUM OF 10 ALPHANUMERIC	
S3881		REJ/FATAL	DIDNUM= TELNO= DRTI REQUIRED WHEN DTKACT IS D	
S3885		REJ/FATAL	DIDNUM= TELNO= DTLI MUST BE 10 NUMERIC	
S3890		REJ/FATAL	DIDNUM= TELNO= DTLI REQUIRED WHEN DTKACT IS N, C, D OR V	
S3895		REJ/FATAL	DIDNUM= TELNO= DGOUT MUST BE 2 NUMERIC	
S3900		REJ/FATAL	DIDNUM= TELNO= DGOUT REQUIRED WHEN DTKACT IS N	
S3905		REJ/FATAL	DIDNUM= TELNO= DPULSE VALID ENTRIES ARE DP, MP OR DTMF	
S3910		REJ/FATAL	DIDNUM= TELNO= DPULSE REQUIRED WHEN DTKACT IS N	
S3915		REJ/FATAL	DIDNUM= TELNO= DSGNL VALID ENTRY IS DD, IM OR WS	
S3920		REJ/FATAL	LNUM= TELNO= BA VALID VALUES ARE A, D, N, Z OR BLANK	
S3925		REJ/FATAL	LNUM= TELNO= BA OF D, N, OR Z PROHIBITED ON LNA OF N	
S3930		REJ/FATAL	LNUM= TELNO= BA VALID COMBINATIONS ARE AD OR AZ ONLY	
S3935		REJ/FATAL	LNUM= TELNO= BA PROHIBITED ON REQTYP/LNA COMBINATIONS	
S3940		REJ/FATAL	LNUM= TELNO= BLOCK PROHIBITED WHEN BA IS BLANK	
S3945		REJ/FATAL	LNUM= TELNO= BLOCK ENTRY OF A, B, OR C ALLOWED ONLY IN FIRST POSITION IN THIS FIELD	
S3950		REJ/FATAL	LNUM= TELNO= BLOCK CANNOT BE A COMBINATION OF SAME ENTRIES	

Error Code	Sev	Type	Error Message Text	Changes in Bold
------------	-----	------	--------------------	-----------------

S3955		REJ/FATAL	LNUM= TELNO= BLOCK VALID VALUES ARE A, B, C, H OR BLANK ON REQTYP E, F, OR M	
S3960		REJ/FATAL	LNUM= TELNO= BLOCK VALID VALUES ARE A, B, C, OR BLANK ON REQTYP B, C, OR N	
S3963		REJ/FATAL	LNUM= TELNO= BLOCK IS REQUIRED WITH BA ENTRY OF A OR D	
S3965		REJ/FATAL	LNUM= TELNO= BLOCK INVALID WITH BA ENTRY OF N OR Z	
S3970		REJ/FATAL	LNUM= TELNO= BLOCK PROHIBITED ON REQTYPLNA COMBINATIONS	
S9239		REJ/FATAL	LOCNUM= HNUM= DNUM= LNUM= ONLY ONE HNUM, DNUM, LNUM ALLOWED PER RECORD	
S9240		REJ/FATAL	LOCNUM= LNUM= TELNO= BA PROHIBITED WHEN NPT IS D	
S9242		REJ/FATAL	LOCNUM= LNUM= TELNO= BLOCK PROHIBITED WHEN NPT IS D	
S9244		REJ/FATAL	LOCNUM= LNUM= TELNO= CFTN PROHIBITED WHEN NPT IS D	
S9245		REJ/FATAL	FPI PROHIBITED FOR REQTYP B AND C WHEN NPT IS D	
S9247		REJ/FATAL	LOCNUM= LNUM= TELNO= WHEN ACT IS V, P OR Q ONE OF THE FOLLOWING FIELDS IS REQUIRED: EAN, EATN, LEAN OR LEATN. LEAN REQUIRED WHEN ACT IS V, P OR Q AND NONE OF THE FOLLOWING FIELDS ARE POPULATED: LEATN, EAN OR EATN	

S9250		REJ/FATAL	LOCNUM= LNUM= TELNO= NO MORE THAN 4 UNIQUE LEANS ARE ALLOWED PER LSR	
S9252		REJ/FATAL	LOCNUM= LNUM= TELNO= PORTED NUMBER REQUIRED WITH LEAN FOR LNP	
S9253		REJ/FATAL	LNUM= TELNO= LEAN IS REQUIRED WHEN THE ACT IS V, P OR Q AND THE LEATN, EAN OR EATN IS NOT POPULATED	
S9254		REJ/FATAL	LOCNUM= LNUM= TELNO= LEATN NO MORE THAN 4 UNIQUE LEANTN ARE ALLOWED PER LSR	
S9256		REJ/FATAL	LOCNUM= LNUM= TELNO= PORTED NBR REQUIRED WHEN LEATN OR LEAN IS POPULATED	
S9257		REJ/FATAL	LOCNUM= LNUM= TELNO= LEATN REQUIRED WHEN ACT IS V, P OR Q AND NONE OF THE FOLLOWING FIELDS ARE POPULATED: LEAN, EAN OR EATN	

S9258		REJ/FATAL	LOCNUM= LNUM= TELNO= LNA MUST BE V IF ACT IS V, P OR Q FOR LNP	
S9259		REJ/FATAL	LNUM= TELNO= LNA MUST BE V OR N IF ACT IS V, P OR Q AND REQTYP IS B	
S9260		REJ/FATAL	LNA MUST BE C IF THE ACT IS C FOR REQTYP C WHEN NPT IS D	
S9261		REJ/FATAL	LOCNUM= LNUM= TELNO= ATA LEAST ONE LNA MUST BE V IF ACT IS V, P OR Q AND REQTYP IS B	
S9264		REJ/FATAL	LOCNUM= LNUM= TELNO= LPIC PROHIBITED WHEN REQTYP IS B OR C AND NPT IS D	
S9266		REJ/FATAL	LOCNUM= LNUM= TELNO= NPT VALID ENTRY IS D	
S9268		REJ/FATAL	LOCNUM= LNUM= TELNO= NPTG IS PROHIBITED WHEN NPT IS D	
S9269		REJ/FATAL	LOCNUM= LNUM= TELNO= PORTED NBR PROHIBITED WHEN LNA IS N ON REQTYP B	
S9272		REJ/FATAL	LOCNUM= LNUM= TELNO= RTI PROHIBITED WHEN NPT IS D	
S9274		REJ/FATAL	DNUM= VALID LNUM TC OPT PROHIBITED WITH THIS REQTYP/ACT TYP COMBINATION	
S9276		REJ/FATAL	LOCNUM= LNUM= TELNO= TNP PROHIBITED WHEN NPT IS D	
S9280		REJ/FATAL	LOCNUM= LNUM= TELNO= CABLE ID REQUIRED WHEN CFA NOT POPULATED	
S9284		REJ/FATAL	LOCNUM= LNUM= TELNO= CFA REQUIRED WHEN CHAN/PAIR IS NOT POPULATED	
S9286		REJ/FATAL	LOCNUM= LNUM= TELNO= CFA PROHIBITED WHEN CABLE ID OR CHAN/PAIR ARE POPULATED	
S9290		REJ/FATAL	LOCNUM= LNUM= TELNO= CABLE ID AND CHAN/PAIR ARE REQUIRED WHEN NC IS TY	
S9292		REJ/FATAL	LOCNUM= LNUM= TELNO= IWJQ PROHIBITED WHEN JR IS NOT Y	
S9298		REJ/FATAL	LOCNUM= LNUM= TELNO= MULTIPLE INSTANCES OF LEAN MUST APPLY TO SAME SERVICE ADDRESS (LOC)	

Error Code	Sev	Type	Error Message Text	Changes in Bold
S9469		REJ/FATAL	LOGNUM= LNUM= TELNO= LNUM MUST BE UNIQUE WITHIN EACH LOCNUM	
S9470		REJ/FATAL	LOGNUM= LNUM= TELNO= RANGE OF NUMBER IS PROHIBITED FOR LNP	
S9482		REJ/FATAL	LOGNUM= LNUM= TELNO= CABLE ID AND CHAN/PAIR ARE REQUIRED WHEN NC IS TY	
T8000		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC OPT VALID ENTRY IS ST, NO OR TC	
T8005		REJ/FATAL	DNUM= TC OPT PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
T8010		REJ/FATAL	DNUM= TC OPT PROHIBITED WHEN DNUM AND DISC NBR IS NOT POPULATED ON ACT TYPE D	
T8015		REJ/FATAL	DNUM= TC OPT PROHIBITED WHEN ATN IS NOT POPULATED ON ACT TYPE L	
T8020		REJ/FATAL	DNUM= TC OPT OF ST PROHIBITED FOR ACT TYPE L	
T8025		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO PRIMARY IS REQUIRED WHEN DNUM TC OPT IS TC OR ST	
T8030		REJ/FATAL	LOGNUM= DISCNBR= DNUM= VALID DNUM TC TO PRIMARY ENTRY MUST BE 10 NUMERICS	
T8035		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO PRIMARY PROHIBITED WHEN DNUM TC OPT IS NOT TC OR ST	
T8040		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO PRIMARY CANNOT BE THE SAME AS THE NUMBER BEING REFERRED	
T8043		REJ/FATAL	DNUM= TC TO PRIMARY PROHIBITED WITH THIS REQTY/PACTYP COMBINATION	
T8045		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO SECONDARY REQUIRED WHEN DNUM TC OPT IS ST	
T8050		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO SECONDARY MUST BE 10 NUMERICS	
T8055		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO SECONDARY PROHIBITED WHEN DNUM TC OPT IS NOT ST	
T8060		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC TO SECONDARY CANNOT BE THE SAME AS THE NUMBER BEING REFERRED	
T8063		REJ/FATAL	DNUM= TC TO SECONDARY PROHIBITED WITH THIS REQTY/PACTYP COMBINATION	
T8065		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TCID VALID ENTRY IS NUMERIC 01 OR 02	
T8070		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TCID IS PROHIBITED WHEN DNUM TC OPT DATA IS NOT ST	
T8075		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TCID 01 AND TCID 02 ARE REQUIRED WHEN DNUM TC OPT IS ST	
T8080		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TCID (01) AND TCID (02) CANNOT CONTAIN THE SAME VALUE	
T8083		REJ/FATAL	DNUM= TCID PROHIBITED WITH THIS REQTY/PACTYP COMBINATION	
T8085		REJ/FATAL	LOGNUM= DISCNBR= DNUM= BOTH TC NAME (01 AND 02) ARE REQUIRED WHEN DNUM TC OPT IS ST	
T8090		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC NAME IS PROHIBITED WHEN DNUM TC OPT IS NOT ST	
T8095		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC NAME INVALID	
T8098		REJ/FATAL	DNUM= TC NAME PROHIBITED WITH THIS REQTY/PACTYP COMBINATION	
T8100		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC PER FORMAT MUST BE CCYYMMDD	
T8105		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC PER PROHIBITED WHEN DNUM TC OPT IS NOT ST OR TC	
T8110		REJ/FATAL	LOGNUM= DISCNBR= DNUM= TC PER DATE INVALID MUST BE LATER THAN THE LSR RECEIPT DATE	
T8115		REJ/FATAL	TC OPT PROHIBITED WITH THIS REQTY/PACT TYPE COMBINATION	
T8120		REJ/FATAL	LNUM= TC OPT VALID ENTRY IS ST, NO, CA OR TC	
T8125		REJ/FATAL	LNUM= TC OPT OF CA IS INVALID WHEN LNA IS ANYTHING BUT C, G, N OR V	
T8130		REJ/FATAL	LNUM= TC OPT PROHIBITED WITH THIS REQTY/PACTYP COMBINATION	
T8135		REJ/FATAL	LNUM= TC OPT OF CA PROHIBITED FOR REQTY P, A, B OR C	
T8140		REJ/FATAL	LNUM= TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTY P, E, F OR M FOR LNA C, G, N OR V	
T8145		REJ/FATAL	LNUM= TC OPT PROHIBITED IF OTN IS NOT POPULATED ON REQTY P, E, F OR M FOR LNA X	

Error Code	Sev	Type	Error Message Text
T8150		REJ/FATAL	LNUM= TC OPT PROHIBITED IF LNUM ECKCT IS NOT POPULATED ON REQTP B OR C
T8155		REJ/FATAL	LNUM= TC OPT PROHIBITED IF LNUM DISC NBR IS NOT POPULATED ON REQTP A
T8160		REJ/FATAL	LNUM= TC OPT PROHIBITED IF TNS IS NOT POPULATED ON REQTP E, F OR M FOR LNA D OR L
T8165		REJ/FATAL	LNUM= TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
T8170		REJ/FATAL	LNUM= VALID LNUM TC TO PRIMARY ENTRY MUST CONTAIN 10 NUMERICS
T8175		REJ/FATAL	LNUM= TC TO PRIMARY PROHIBITED WHEN LNUM TC OPT IS NOT TC OR ST
T8180		REJ/FATAL	LNUM= TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
T8183		REJ/FATAL	LNUM= TC TO PRIMARY PROHIBITED WITH THIS REQTP/LNA COMBINATION
T8185		REJ/FATAL	LNUM= TC TO SECONDARY REQUIRED WHEN LNUM TC OPT IS ST
T8190		REJ/FATAL	LNUM= TC TO SECONDARY MUST BE 10 NUMERICS
T8195		REJ/FATAL	LNUM= TC TO SECONDARY PROHIBITED WHEN LNUM TC OPT IS NOT ST
T8200		REJ/FATAL	LNUM= TC TO SECONDARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED.
T8203		REJ/FATAL	LNUM= TC TO SECONDARY PROHIBITED WITH THIS REQTP/LNA COMBINATION
T8205		REJ/FATAL	LNUM= TC PER FORMAT MUST BE CCYYMMDD
T8210		REJ/FATAL	LNUM= TC PER PROHIBITED WHEN LNUM TC OPT IS NOT ST OR TC
T8215		REJ/FATAL	LNUM= TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE
T8220		REJ/FATAL	LNUM= TCID VALID ENTRY IS NUMERIC 01 OR 02
T8225		REJ/FATAL	LNUM= TCID (01 OR 02) REQUIRED WHEN LNUM TC OPT IS ST
T8230		REJ/FATAL	LNUM= TCID (01 OR 02) ARE PROHIBITED WHEN LNUM TC OPT DATA IS NOT ST
T8235		REJ/FATAL	LNUM= TCID (01) AND TCID (02) CANNOT CONTAIN THE SAME VALUE
T8238		REJ/FATAL	LNUM= TCID PROHIBITED WITH THIS REQTP/LNA COMBINATION
T8240		REJ/FATAL	LNUM= BOTH TC NAME (01 AND 02) ARE REQUIRED WHEN LNUM TC OPT IS ST
T8245		REJ/FATAL	LNUM= BOTH TC NAME (01 OR 02) ARE PROHIBITED WHEN LNUM TC OPT IS NOT ST
T8250		REJ/FATAL	LNUM= TC NAME INVALID
T8253		REJ/FATAL	LNUM= TC NAME PROHIBITED WITH THIS REQTP/LNA COMBINATION
T8255		REJ/FATAL	LNUM= TC FR IS REQUIRED IF LNUM TC OPT IS POPULATED AND LNA IS C G N OR V AND REQTP IS E F OR M
T8260		REJ/FATAL	LNUM= TC FR MUST BE 10 NUMERICS
T8265		REJ/FATAL	LNUM= TC FR IS PROHIBITED WITH REQTP/LNA COMBINATION
T9400		REJ/FATAL	DNUM= TC OPT PROHIBITED WHEN EAN/LEAN IS POPULATED FOR REQTP B AND C AND ACT V, P OR Q
T9401		REJ/FATAL	DNUM= TC OPT PROHIBITED WHEN DNUM AND DISC NBR IS NOT POPULATED
T9405		REJ/FATAL	DNUM= TC TO SECONDARY IS ALLOWED ONLY WHEN TC TO PRI IS PRESENT
T9438		REJ/FATAL	DNUM= TCID 02 NOT ALLOWED IF TCID 01 NOT PRESENT
U6000		REJ/FATAL	NC CODE REQUIRED
U6005		REJ/FATAL	NC CODE INVALID
U6010		REJ/FATAL	NCI REQUIRED FOR NC
U6015		REJ/FATAL	NCI AND SECNCI REQUIRED FOR NC
U6020		REJ/FATAL	NCI PROHIBITED WITH NC

Changes in Bold

Error Code	Sev Type	Error Message Text	Changes in Bold
U6021	REJ/FATAL	NCI CODE INVALID	
U6025	REJ/FATAL	NCI MUST BE 5 TO 12 ALPHANUMERICS OR PERIODS	
U6030	REJ/FATAL	SECNCI REQUIRED FOR NC	
U6035	REJ/FATAL	SECNCI PROHIBITED WITH NC	
U6040	REJ/FATAL	SECNCI MUST BE 5 TO 12 ALPHANUMERICS OR PERIODS	
U6045	REJ/FATAL	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)	
U6046	REJ/FATAL	SECNCI CODE INVALID	
U6048	REJ/FATAL	COMPANY IS NOT QUALIFIED FOR XDSL/UCL	
U6050	REJ/FATAL	REQTYP/LOOP TYPE COMBINATION INVALID	
U6055	REJ/FATAL	LOTY IS REQUIRED FOR REQTYP/ACT COMBINATION	
U6060	REJ/FATAL	LOTY MUST BE 3 NUMERICS	
U9099	REJ/FATAL	NCI AND SECNCI REQUIRED FOR NC	
U9743	AUTO CLAR	CCNAACNA ON LSR AND CCNA ON CSR DO NOT MATCH	
U9750	AUTO CLAR	INCORRECT BAN SHOWN FOR CABS ACCOUNT	

Errors Deleted

None