

**Correcting BellSouth's Business Line Count for  
Unreasonable Digital Line Assumptions – 2004 Data**

Wire Center	BellSouth Claimed Lines <sup>1</sup>	Corrections		Corrected Business Lines
		Retail Lines <sup>2</sup>	Wholesale Lines <sup>3</sup>	
LSVLKYAP	49,159	0	(3,514)	45,645
LSVLKYWE	20,756	(183)	(868)	19,705
BWLGKYMA	20,717	(307)	(513)	19,897
LSVLKYBR	16,989	(144)	(1,125)	15,720
OWBOKYMA	16,304	(264)	(372)	15,668
LSVLKYSM	14,813	(76)	(711)	14,026
FRFTKYMA	14,341	(344)	(99)	13,898
PDCHKYMA	12,334	(246)	(430)	11,658
LSVLKYOAO	12,326	(84)	(571)	11,671
LSVLKYBE	11,028	0	(447)	10,581
LSVLKYJT	10,071	(372)	(711)	8,988

<sup>1</sup> Source: BellSouth Exhibit PAT-4.

<sup>2</sup> Correction to BellSouth retail lines eliminates BellSouth adjustment to its ARMIS 43-08 business line data that increased the *actual* number of switched business lines to include the maximum *potential* capacity of such facilities.

<sup>3</sup> Correction to UNE-L assumes that the average utilization of CLEC digital UNE-L to provide switched access line service to business customers is the same as BellSouth's average utilization.