


Kentucky Utilities

All Divisions

352.20 STRUCT. & IMPROVE.-SYS CONTROL/COM

Original And Smooth Survivor Curves

(Codes 0-7)



Kentucky Utilities**All Divisions****352.20 STRUCT. & IMPROVE.-SYS CONTROL/COM****Observed Life Table****Retirement Expr. 2000 TO 2002****Placement Years 1956 TO 1997**

(Codes 0-7)

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$0.00	\$0.00	0.00000	100.00
0.5 - 1.5	\$0.00	\$0.00	0.00000	100.00
1.5 - 2.5	\$0.00	\$0.00	0.00000	100.00
2.5 - 3.5	\$77,868.93	\$0.00	0.00000	100.00
3.5 - 4.5	\$77,868.93	\$0.00	0.00000	100.00
4.5 - 5.5	\$77,868.93	\$0.00	0.00000	100.00
5.5 - 6.5	\$0.00	\$0.00	0.00000	100.00
6.5 - 7.5	\$0.00	\$0.00	0.00000	100.00
7.5 - 8.5	\$4,768.63	\$0.00	0.00000	100.00
8.5 - 9.5	\$4,768.63	\$0.00	0.00000	100.00
9.5 - 10.5	\$4,768.63	\$0.00	0.00000	100.00
10.5 - 11.5	\$5,584.75	\$0.00	0.00000	100.00
11.5 - 12.5	\$10,125.82	\$0.00	0.00000	100.00
12.5 - 13.5	\$16,575.59	\$0.00	0.00000	100.00
13.5 - 14.5	\$10,990.84	\$0.00	0.00000	100.00
14.5 - 15.5	\$6,449.77	\$0.00	0.00000	100.00
15.5 - 16.5	\$0.00	\$0.00	0.00000	100.00
16.5 - 17.5	\$0.00	\$0.00	0.00000	100.00
17.5 - 18.5	\$0.00	\$0.00	0.00000	100.00
18.5 - 19.5	\$894,139.63	\$0.00	0.00000	100.00
19.5 - 20.5	\$894,139.63	\$16,626.11	0.01859	100.00
20.5 - 21.5	\$877,653.22	\$0.00	0.00000	98.14
21.5 - 22.5	\$139.70	\$0.00	0.00000	98.14
22.5 - 23.5	\$139.70	\$0.00	0.00000	98.14
23.5 - 24.5	\$1,298.83	\$0.00	0.00000	98.14
24.5 - 25.5	\$1,298.83	\$0.00	0.00000	98.14
25.5 - 26.5	\$7,912.85	\$0.00	0.00000	98.14
26.5 - 27.5	\$6,614.02	\$0.00	0.00000	98.14
27.5 - 28.5	\$8,221.61	\$0.00	0.00000	98.14
28.5 - 29.5	\$3,840.22	\$0.00	0.00000	98.14
29.5 - 30.5	\$3,840.22	\$1,348.92	0.35126	98.14
30.5 - 31.5	\$883.71	\$0.00	0.00000	63.67
31.5 - 32.5	\$9,709.73	\$0.00	0.00000	63.67
32.5 - 33.5	\$9,709.73	\$0.00	0.00000	63.67
33.5 - 34.5	\$9,709.73	\$0.00	0.00000	63.67
34.5 - 35.5	\$0.00	\$0.00	0.00000	63.67
35.5 - 36.5	\$0.00	\$0.00	0.00000	63.67

Kentucky Utilities***All Divisions******352.20 STRUCT. & IMPROVE.-SYS CONTROL/COM******Observed Life Table******Retirement Expr. 2000 TO 2002******Placement Years 1956 TO 1997******(Codes 0-7)***


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$0.00	\$0.00	0.00000	63.67
37.5 - 38.5	\$26.03	\$0.00	0.00000	63.67
38.5 - 39.5	\$26.03	\$0.00	0.00000	63.67
39.5 - 40.5	\$61.11	\$0.00	0.00000	63.67
40.5 - 41.5	\$35.08	\$0.00	0.00000	63.67
41.5 - 42.5	\$9,508.44	\$230.00	0.02419	63.67
42.5 - 43.5	\$9,243.36	\$0.00	0.00000	62.13
43.5 - 44.5	\$169,589.89	\$197.00	0.00116	62.13
44.5 - 45.5	\$160,149.53	\$0.00	0.00000	62.06
45.5 - 46.5	\$160,149.53	\$0.00	0.00000	62.06

Kentucky Utilities

All Divisions

353.10 STATION EQ.-NON SYS. CONTROL/COM

Original And Smooth Survivor Curves



Kentucky Utilities**All Divisions****353.10 STATION EQ.-NON SYS. CONTROL/COM****Observed Life Table****Retirement Expr. 1952 TO 1997****Placement Years 1901 TO 1997**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$131,631,470.81	\$20,984.00	0.00016	100.00
0.5 - 1.5	\$127,838,413.38	\$97,606.00	0.00076	99.98
1.5 - 2.5	\$123,669,892.27	\$53,026.00	0.00043	99.91
2.5 - 3.5	\$115,046,566.32	\$109,387.00	0.00095	99.86
3.5 - 4.5	\$109,915,668.97	\$1,264,695.00	0.01151	99.77
4.5 - 5.5	\$104,829,997.72	\$595,667.00	0.00568	98.62
5.5 - 6.5	\$103,134,771.85	\$77,837.00	0.00075	98.06
6.5 - 7.5	\$102,419,681.40	\$60,823.00	0.00059	97.99
7.5 - 8.5	\$99,236,004.61	\$750,017.00	0.00756	97.93
8.5 - 9.5	\$96,370,194.42	\$76,320.00	0.00079	97.19
9.5 - 10.5	\$92,827,880.52	\$211,015.00	0.00227	97.11
10.5 - 11.5	\$85,922,395.52	\$130,352.00	0.00152	96.89
11.5 - 12.5	\$84,521,346.01	\$343,491.00	0.00406	96.74
12.5 - 13.5	\$80,831,824.68	\$256,679.00	0.00318	96.35
13.5 - 14.5	\$72,791,028.90	\$243,313.00	0.00334	96.05
14.5 - 15.5	\$69,539,775.38	\$95,668.00	0.00138	95.72
15.5 - 16.5	\$62,728,783.25	\$178,359.00	0.00284	95.59
16.5 - 17.5	\$57,521,083.51	\$402,962.00	0.00701	95.32
17.5 - 18.5	\$50,387,405.34	\$75,807.00	0.00150	94.65
18.5 - 19.5	\$46,208,498.97	\$243,728.00	0.00527	94.51
19.5 - 20.5	\$36,647,919.78	\$86,973.00	0.00237	94.01
20.5 - 21.5	\$33,663,599.78	\$211,592.00	0.00629	93.79
21.5 - 22.5	\$31,514,506.93	\$104,777.00	0.00332	93.20
22.5 - 23.5	\$29,645,556.01	\$64,793.00	0.00219	92.89
23.5 - 24.5	\$27,072,499.47	\$108,366.00	0.00400	92.69
24.5 - 25.5	\$25,737,030.19	\$259,812.00	0.01009	92.32
25.5 - 26.5	\$23,002,138.38	\$113,137.00	0.00492	91.38
26.5 - 27.5	\$19,754,336.57	\$125,794.00	0.00637	90.93
27.5 - 28.5	\$17,473,099.23	\$71,994.00	0.00412	90.36
28.5 - 29.5	\$15,928,259.00	\$79,906.00	0.00502	89.98
29.5 - 30.5	\$15,543,205.07	\$83,802.00	0.00539	89.53
30.5 - 31.5	\$15,155,090.73	\$77,921.00	0.00514	89.05
31.5 - 32.5	\$14,322,639.02	\$67,596.00	0.00472	88.59
32.5 - 33.5	\$13,286,600.30	\$73,852.00	0.00556	88.17
33.5 - 34.5	\$11,895,769.03	\$60,106.00	0.00505	87.68
34.5 - 35.5	\$11,002,274.34	\$66,876.00	0.00608	87.24
35.5 - 36.5	\$10,553,592.98	\$64,705.00	0.00613	86.71

Kentucky Utilities
All Divisions
353.10 STATION EQ.-NON SYS. CONTROL/COM

Observed Life Table
Retirement Expr. 1952 TO 1997
Placement Years 1901 TO 1997

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$10,107,411.44	\$72,246.00	0.00715	86.18
37.5 - 38.5	\$9,092,609.98	\$73,420.00	0.00807	85.56
38.5 - 39.5	\$8,427,262.52	\$115,707.00	0.01373	84.87
39.5 - 40.5	\$7,019,504.75	\$106,889.00	0.01523	83.71
40.5 - 41.5	\$6,525,773.33	\$43,955.00	0.00674	82.43
41.5 - 42.5	\$5,663,421.86	\$17,142.00	0.00303	81.88
42.5 - 43.5	\$5,107,034.14	\$44,301.00	0.00867	81.63
43.5 - 44.5	\$3,502,466.42	\$146,790.00	0.04191	80.92
44.5 - 45.5	\$2,694,324.02	\$58,132.00	0.02158	77.53
45.5 - 46.5	\$2,520,982.29	\$131,451.00	0.05214	75.86
46.5 - 47.5	\$2,068,459.77	\$10,910.00	0.00527	71.90
47.5 - 48.5	\$1,300,968.24	\$24,905.00	0.01914	71.52
48.5 - 49.5	\$1,059,286.35	\$79,992.00	0.07551	70.15
49.5 - 50.5	\$945,020.51	\$40,625.00	0.04299	64.85
50.5 - 51.5	\$830,062.69	\$121.00	0.00015	62.07
51.5 - 52.5	\$780,202.72	\$95.00	0.00012	62.06
52.5 - 53.5	\$777,996.87	\$14,819.00	0.01905	62.05
53.5 - 54.5	\$759,208.94	\$48,855.00	0.06435	60.87
54.5 - 55.5	\$680,683.43	\$11,828.00	0.01738	56.95
55.5 - 56.5	\$646,415.46	\$0.00	0.00000	55.96
56.5 - 57.5	\$368,807.06	\$34,598.00	0.09381	55.96
57.5 - 58.5	\$230,494.31	\$51,840.00	0.22491	50.71
58.5 - 59.5	\$178,654.31	\$10,878.00	0.06089	39.31
59.5 - 60.5	\$167,776.31	\$0.00	0.00000	36.91
60.5 - 61.5	\$171,388.31	\$83,115.00	0.48495	36.91
61.5 - 62.5	\$88,273.31	\$48,803.00	0.55286	19.01
62.5 - 63.5	\$39,470.31	\$0.00	0.00000	8.50
63.5 - 64.5	\$39,470.31	\$0.00	0.00000	8.50
64.5 - 65.5	\$39,470.31	\$7,493.00	0.18984	8.50
65.5 - 66.5	\$31,977.31	\$0.00	0.00000	6.89
66.5 - 67.5	\$31,977.31	\$0.00	0.00000	6.89
67.5 - 68.5	\$31,977.31	\$0.00	0.00000	6.89
68.5 - 69.5	\$14,191.27	\$0.00	0.00000	6.89
69.5 - 70.5	\$14,191.27	\$0.00	0.00000	6.89
70.5 - 71.5	\$14,191.27	\$0.00	0.00000	6.89
71.5 - 72.5	\$14,191.27	\$0.00	0.00000	6.89
72.5 - 73.5	\$14,191.27	\$0.00	0.00000	6.89

Kentucky Utilities**All Divisions****353.10 STATION EQ.-NON SYS. CONTROL/COM****Observed Life Table****Retirement Expr. 1952 TO 1997****Placement Years 1901 TO 1997**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
73.5 - 74.5	\$14,191.27	\$0.00	0.00000	6.89
74.5 - 75.5	\$14,191.27	\$0.00	0.00000	6.89
75.5 - 76.5	\$14,191.27	\$0.00	0.00000	6.89
76.5 - 77.5	\$14,191.27	\$0.00	0.00000	6.89
77.5 - 78.5	\$14,191.27	\$0.00	0.00000	6.89
78.5 - 79.5	\$14,191.27	\$0.00	0.00000	6.89
79.5 - 80.5	\$14,191.27	\$0.00	0.00000	6.89
80.5 - 81.5	\$14,191.27	\$0.00	0.00000	6.89
81.5 - 82.5	\$14,191.27	\$0.00	0.00000	6.89
82.5 - 83.5	\$14,191.27	\$0.00	0.00000	6.89
83.5 - 84.5	(\$7,186.07)	\$0.00	0.00000	6.89
84.5 - 85.5	(\$7,186.07)	\$0.00	0.00000	6.89
85.5 - 86.5	(\$7,186.07)	\$0.00	0.00000	6.89
86.5 - 87.5	(\$7,186.07)	\$0.00	0.00000	6.89
87.5 - 88.5	(\$7,186.07)	\$0.00	0.00000	6.89
88.5 - 89.5	(\$7,186.07)	\$0.00	0.00000	6.89
89.5 - 90.5	(\$7,186.07)	\$0.00	0.00000	6.89
90.5 - 91.5	(\$7,186.07)	\$0.00	0.00000	6.89
91.5 - 92.5	(\$7,186.07)	\$0.00	0.00000	6.89
92.5 - 93.5	(\$7,186.07)	\$0.00	0.00000	6.89
93.5 - 94.5	(\$7,186.07)	\$0.00	0.00000	6.89
94.5 - 95.5	(\$7,369.00)	\$0.00	0.00000	6.89
95.5 - 96.5	\$0.00	\$0.00	0.00000	6.89
96.5 - 97.5	\$0.00	\$0.00	0.00000	6.89
97.5 - 98.5	\$0.00	\$0.00	0.00000	6.89
98.5 - 99.5	\$0.00	\$0.00	0.00000	6.89
99.5 - 100.5	\$0.00	\$0.00	0.00000	6.89
100.5 - 101.5	\$0.00	\$0.00	0.00000	6.89

Kentucky Utilities

All Divisions

353.20 STATION EQ. - SYS CONTROL/COM (MICROWAVE)

Original And Smooth Survivor Curves



5-48

Charras

Kentucky Utilities**All Divisions****353.20 STATION EQ. - SYS CONTROL/COM (MICROWAVE)****Observed Life Table****Retirement Expr. 1956 TO 2002****Placement Years 1953 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$16,165,985.92	\$0.00	0.00000	100.00
0.5 - 1.5	\$16,171,331.92	\$87,826.00	0.00543	100.00
1.5 - 2.5	\$15,610,173.94	\$0.00	0.00000	99.46
2.5 - 3.5	\$12,668,662.37	\$85,124.00	0.00672	99.46
3.5 - 4.5	\$12,507,472.84	\$0.00	0.00000	98.79
4.5 - 5.5	\$10,732,357.28	\$0.00	0.00000	98.79
5.5 - 6.5	\$9,487,983.54	\$40,094.00	0.00423	98.79
6.5 - 7.5	\$9,112,274.34	\$102,190.00	0.01121	98.37
7.5 - 8.5	\$7,867,764.60	\$0.00	0.00000	97.27
8.5 - 9.5	\$7,643,266.60	\$19,327.00	0.00253	97.27
9.5 - 10.5	\$7,597,527.85	\$31,127.00	0.00410	97.02
10.5 - 11.5	\$7,473,314.08	\$29,159.00	0.00390	96.62
11.5 - 12.5	\$7,374,461.98	\$303,252.00	0.04112	96.25
12.5 - 13.5	\$7,007,755.26	\$4,219.00	0.00060	92.29
13.5 - 14.5	\$6,895,405.71	\$18,261.00	0.00265	92.23
14.5 - 15.5	\$6,774,725.54	\$1,138.00	0.00017	91.99
15.5 - 16.5	\$6,771,266.16	\$1,272.00	0.00019	91.97
16.5 - 17.5	\$6,410,907.35	\$342,279.00	0.05339	91.96
17.5 - 18.5	\$6,068,628.35	\$33,697.00	0.00555	87.05
18.5 - 19.5	\$6,033,675.45	\$7,904.00	0.00131	86.56
19.5 - 20.5	\$5,978,659.37	\$381,290.00	0.06378	86.45
20.5 - 21.5	\$5,595,894.65	\$116,507.00	0.02082	80.94
21.5 - 22.5	\$866,349.74	\$2,646.00	0.00305	79.25
22.5 - 23.5	\$852,922.05	\$2,830.00	0.00332	79.01
23.5 - 24.5	\$844,696.97	\$22,217.00	0.02630	78.75
24.5 - 25.5	\$784,776.68	\$148,646.00	0.18941	76.68
25.5 - 26.5	\$634,418.25	\$30,057.00	0.04738	62.15
26.5 - 27.5	\$562,003.56	\$301.00	0.00054	59.21
27.5 - 28.5	\$340,293.29	\$1,961.00	0.00576	59.18
28.5 - 29.5	\$313,969.22	\$2,432.00	0.00775	58.84
29.5 - 30.5	\$311,466.19	\$15,802.00	0.05073	58.38
30.5 - 31.5	\$295,071.26	\$6,928.00	0.02348	55.42
31.5 - 32.5	\$152,402.47	\$160.00	0.00105	54.12
32.5 - 33.5	\$138,766.43	\$0.00	0.00000	54.06
33.5 - 34.5	\$133,202.87	\$0.00	0.00000	54.06
34.5 - 35.5	\$132,626.20	\$5,098.00	0.03844	54.06
35.5 - 36.5	\$125,513.07	\$47.00	0.00037	51.98

Kentucky Utilities***All Divisions******353.20 STATION EQ. - SYS CONTROL/COM (MICROWAVE)******Observed Life Table******Retirement Expr. 1956 TO 2002******Placement Years 1953 TO 2002***

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$121,501.83	\$20,742.00	0.17071	51.96
37.5 - 38.5	\$98,536.91	\$2,218.00	0.02251	43.09
38.5 - 39.5	\$95,689.84	\$10,928.00	0.11420	42.12
39.5 - 40.5	\$84,744.17	\$0.00	0.00000	37.31
40.5 - 41.5	\$84,727.60	\$3,386.00	0.03996	37.31
41.5 - 42.5	\$81,341.60	\$1,004.00	0.01234	35.82
42.5 - 43.5	\$80,337.60	\$0.00	0.00000	35.38
43.5 - 44.5	\$79,036.57	\$2,433.00	0.03078	35.38
44.5 - 45.5	\$45,807.79	\$0.00	0.00000	34.29
45.5 - 46.5	\$45,587.97	\$0.00	0.00000	34.29
46.5 - 47.5	\$4,484.28	\$0.00	0.00000	34.29
47.5 - 48.5	\$4,484.28	\$0.00	0.00000	34.29
48.5 - 49.5	\$2,691.79	\$0.00	0.00000	34.29

Kentucky Utilities

All Divisions
354.00 TOWERS AND FIXTURES
Original And Smooth Survivor Curves



Kentucky Utilities
All Divisions
354.00 TOWERS AND FIXTURES

Observed Life Table

Retirement Expr. 1952 TO 2002

Placement Years 1904 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$58,596,866.12	\$0.00	0.00000	100.00
0.5 - 1.5	\$58,157,155.09	\$0.00	0.00000	100.00
1.5 - 2.5	\$58,182,015.34	\$12,672.00	0.00022	100.00
2.5 - 3.5	\$59,508,632.33	\$39,786.00	0.00067	99.98
3.5 - 4.5	\$59,367,875.19	\$0.00	0.00000	99.91
4.5 - 5.5	\$59,372,640.19	\$1,280.00	0.00002	99.91
5.5 - 6.5	\$59,271,026.17	\$8,526.00	0.00014	99.91
6.5 - 7.5	\$59,154,400.71	\$17,863.00	0.00030	99.89
7.5 - 8.5	\$57,804,164.27	\$7,904.00	0.00014	99.86
8.5 - 9.5	\$57,760,407.28	\$107,904.00	0.00187	99.85
9.5 - 10.5	\$57,655,484.67	\$3,044.00	0.00005	99.66
10.5 - 11.5	\$58,760,431.11	\$31,530.00	0.00054	99.66
11.5 - 12.5	\$58,728,901.11	\$0.00	0.00000	99.61
12.5 - 13.5	\$58,490,626.10	\$116,798.00	0.00200	99.61
13.5 - 14.5	\$58,362,710.48	\$36,307.00	0.00062	99.41
14.5 - 15.5	\$57,079,155.93	\$11,221.00	0.00020	99.35
15.5 - 16.5	\$46,915,379.44	\$0.00	0.00000	99.33
16.5 - 17.5	\$32,723,560.68	\$11,213.00	0.00034	99.33
17.5 - 18.5	\$32,694,396.14	\$7,066.00	0.00022	99.29
18.5 - 19.5	\$32,504,929.75	\$3,393.00	0.00010	99.27
19.5 - 20.5	\$32,497,174.88	\$0.00	0.00000	99.26
20.5 - 21.5	\$32,317,497.78	\$10,354.00	0.00032	99.26
21.5 - 22.5	\$32,148,080.51	\$22,318.00	0.00069	99.23
22.5 - 23.5	\$19,352,848.97	\$7,714.00	0.00040	99.16
23.5 - 24.5	\$19,172,089.23	\$0.00	0.00000	99.12
24.5 - 25.5	\$13,364,488.35	\$3,651.00	0.00027	99.12
25.5 - 26.5	\$12,405,805.00	\$0.00	0.00000	99.09
26.5 - 27.5	\$11,922,600.05	\$4,643.00	0.00039	99.09
27.5 - 28.5	\$11,729,357.51	\$0.00	0.00000	99.05
28.5 - 29.5	\$11,453,153.26	\$16,006.00	0.00140	99.05
29.5 - 30.5	\$10,375,188.64	\$1,881.00	0.00018	98.92
30.5 - 31.5	\$10,101,455.40	\$3,757.00	0.00037	98.90
31.5 - 32.5	\$8,767,570.26	\$4,765.00	0.00054	98.86
32.5 - 33.5	\$6,288,936.72	\$0.00	0.00000	98.81
33.5 - 34.5	\$5,748,928.89	\$0.00	0.00000	98.81
34.5 - 35.5	\$5,749,256.89	\$9,002.00	0.00157	98.81
35.5 - 36.5	\$5,599,758.78	\$0.00	0.00000	98.65


Kentucky Utilities
All Divisions
354.00 TOWERS AND FIXTURES

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1904 TO 2002

<u>Age Interval</u>	<u>\$ Surviving At Beginning of Age Interval</u>	<u>\$ Retired During The Age Interval</u>	<u>Retirement Ratio</u>	<u>% Surviving At Beginning of Age Interval</u>
36.5 - 37.5	\$5,527,200.95	\$11,836.00	0.00214	98.65
37.5 - 38.5	\$5,455,828.26	\$5,798.00	0.00106	98.44
38.5 - 39.5	\$5,369,183.03	\$8,203.00	0.00153	98.34
39.5 - 40.5	\$4,928,314.52	\$763.00	0.00015	98.19
40.5 - 41.5	\$4,629,662.53	\$43,914.00	0.00949	98.17
41.5 - 42.5	\$3,819,317.04	\$0.00	0.00000	97.24
42.5 - 43.5	\$3,802,928.46	\$0.00	0.00000	97.24
43.5 - 44.5	\$3,785,404.08	\$0.00	0.00000	97.24
44.5 - 45.5	\$2,722,596.14	\$3,349.00	0.00123	97.24
45.5 - 46.5	\$2,716,302.14	\$77,541.00	0.02855	97.12
46.5 - 47.5	\$2,614,732.20	\$15,694.00	0.00600	94.35
47.5 - 48.5	\$2,594,507.81	\$0.00	0.00000	93.78
48.5 - 49.5	\$2,591,562.81	\$2,430.00	0.00094	93.78
49.5 - 50.5	\$2,512,501.99	\$20,708.00	0.00824	93.69
50.5 - 51.5	\$2,491,793.99	\$0.00	0.00000	92.92
51.5 - 52.5	\$2,469,441.19	\$0.00	0.00000	92.92
52.5 - 53.5	\$2,463,101.94	\$0.00	0.00000	92.92
53.5 - 54.5	\$1,091,926.05	\$0.00	0.00000	92.92
54.5 - 55.5	\$1,091,846.15	\$28,851.00	0.02642	92.92
55.5 - 56.5	\$1,056,768.15	\$10,622.00	0.01005	90.47
56.5 - 57.5	\$1,046,146.15	\$600.00	0.00057	89.56
57.5 - 58.5	\$1,045,546.15	\$999.00	0.00096	89.51
58.5 - 59.5	\$1,044,547.15	\$3,388.00	0.00324	89.42
59.5 - 60.5	\$1,041,159.15	\$0.00	0.00000	89.13
60.5 - 61.5	\$1,039,770.76	\$1,201.00	0.00116	89.13
61.5 - 62.5	\$0.00	\$0.00	0.00000	89.03
62.5 - 63.5	\$0.00	\$0.00	0.00000	89.03
63.5 - 64.5	\$0.00	\$0.00	0.00000	89.03
64.5 - 65.5	\$0.00	\$0.00	0.00000	89.03
65.5 - 66.5	\$0.00	\$0.00	0.00000	89.03
66.5 - 67.5	\$0.00	\$0.00	0.00000	89.03
67.5 - 68.5	\$0.00	\$0.00	0.00000	89.03
68.5 - 69.5	\$0.00	\$0.00	0.00000	89.03
69.5 - 70.5	\$0.00	\$0.00	0.00000	89.03
70.5 - 71.5	\$0.00	\$0.00	0.00000	89.03
71.5 - 72.5	\$0.00	\$0.00	0.00000	89.03
72.5 - 73.5	\$0.00	\$0.00	0.00000	89.03

Kentucky Utilities

All Divisions
355.00 POLES AND FIXTURES
Original And Smooth Survivor Curves



5-54

Charanas

Kentucky Utilities
All Divisions
355.00 POLES AND FIXTURES

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1900 TO 2002

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$81,254,416.77	\$192,010.00	0.00236	100.00
0.5 - 1.5	\$79,480,430.02	\$124,895.00	0.00157	99.76
1.5 - 2.5	\$76,572,549.14	\$306,177.00	0.00400	99.61
2.5 - 3.5	\$74,674,091.66	\$137,766.00	0.00184	99.21
3.5 - 4.5	\$71,131,708.04	\$243,315.00	0.00342	99.03
4.5 - 5.5	\$68,641,929.03	\$114,112.00	0.00166	98.69
5.5 - 6.5	\$66,015,790.42	\$200,225.00	0.00303	98.52
6.5 - 7.5	\$62,184,116.63	\$127,819.00	0.00206	98.22
7.5 - 8.5	\$57,841,521.74	\$171,122.00	0.00296	98.02
8.5 - 9.5	\$55,583,576.13	\$181,414.00	0.00326	97.73
9.5 - 10.5	\$54,936,821.59	\$162,093.00	0.00295	97.41
10.5 - 11.5	\$53,456,274.15	\$158,375.00	0.00296	97.13
11.5 - 12.5	\$51,681,069.99	\$304,467.00	0.00589	96.84
12.5 - 13.5	\$49,124,276.20	\$242,221.00	0.00493	96.27
13.5 - 14.5	\$47,391,915.13	\$287,258.00	0.00606	95.79
14.5 - 15.5	\$44,516,163.73	\$169,093.00	0.00380	95.21
15.5 - 16.5	\$41,901,460.63	\$94,467.00	0.00225	94.85
16.5 - 17.5	\$39,361,000.98	\$228,586.00	0.00581	94.64
17.5 - 18.5	\$37,199,743.93	\$232,062.00	0.00624	94.09
18.5 - 19.5	\$34,971,515.75	\$210,119.00	0.00601	93.50
19.5 - 20.5	\$33,234,212.66	\$216,438.00	0.00651	92.94
20.5 - 21.5	\$31,534,776.42	\$282,040.00	0.00894	92.33
21.5 - 22.5	\$29,126,115.75	\$148,395.00	0.00509	91.51
22.5 - 23.5	\$27,690,988.10	\$202,715.00	0.00732	91.04
23.5 - 24.5	\$26,058,797.49	\$288,728.00	0.01108	90.37
24.5 - 25.5	\$24,448,800.70	\$213,716.00	0.00874	89.37
25.5 - 26.5	\$23,552,274.20	\$239,214.00	0.01016	88.59
26.5 - 27.5	\$21,574,714.99	\$157,941.00	0.00732	87.69
27.5 - 28.5	\$20,375,480.49	\$217,594.00	0.01068	87.05
28.5 - 29.5	\$19,077,458.09	\$207,689.00	0.01089	86.12
29.5 - 30.5	\$16,067,580.44	\$202,785.00	0.01262	85.18
30.5 - 31.5	\$14,592,563.08	\$255,683.00	0.01752	84.11
31.5 - 32.5	\$13,570,377.22	\$159,335.00	0.01174	82.63
32.5 - 33.5	\$12,516,793.57	\$145,691.00	0.01164	81.66
33.5 - 34.5	\$10,497,485.25	\$278,544.00	0.02653	80.71
34.5 - 35.5	\$9,922,492.26	\$432,452.00	0.04358	78.57
35.5 - 36.5	\$8,587,181.16	\$257,565.00	0.02999	75.15

Kentucky Utilities
All Divisions
355.00 POLES AND FIXTURES

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1900 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$7,687,125.85	\$287,036.00	0.03734	72.89
37.5 - 38.5	\$6,732,209.52	\$301,559.00	0.04479	70.17
38.5 - 39.5	\$5,989,632.37	\$174,207.00	0.02908	67.03
39.5 - 40.5	\$5,102,823.59	\$57,600.00	0.01129	65.08
40.5 - 41.5	\$4,714,210.92	\$37,698.00	0.00800	64.34
41.5 - 42.5	\$4,212,688.46	\$31,617.00	0.00751	63.83
42.5 - 43.5	\$3,778,405.74	\$79,279.00	0.02098	63.35
43.5 - 44.5	\$3,136,660.33	\$29,444.00	0.00939	62.02
44.5 - 45.5	\$2,605,937.75	\$40,886.00	0.01569	61.44
45.5 - 46.5	\$2,405,937.00	\$50,619.00	0.02104	60.48
46.5 - 47.5	\$2,122,354.02	\$15,133.00	0.00713	59.20
47.5 - 48.5	\$1,788,612.22	\$14,380.00	0.00804	58.78
48.5 - 49.5	\$1,778,958.10	\$27,432.00	0.01542	58.31
49.5 - 50.5	\$1,155,172.73	\$8,155.00	0.00706	57.41
50.5 - 51.5	\$945,446.61	\$2,102.00	0.00222	57.00
51.5 - 52.5	\$755,280.33	\$4,417.00	0.00585	56.88
52.5 - 53.5	\$697,337.46	\$16,753.00	0.02402	56.54
53.5 - 54.5	\$582,660.43	\$3,770.00	0.00647	55.19
54.5 - 55.5	\$535,208.72	\$36,379.00	0.06797	54.83
55.5 - 56.5	\$399,609.99	\$26.00	0.00007	51.10
56.5 - 57.5	\$364,756.12	\$58,549.00	0.16052	51.10
57.5 - 58.5	\$293,992.21	\$43,211.00	0.14698	42.90
58.5 - 59.5	\$241,407.25	\$16,443.00	0.06811	36.59
59.5 - 60.5	\$208,692.38	\$11,877.00	0.05691	34.10
60.5 - 61.5	\$164,612.36	\$41,507.00	0.25215	32.16

Kentucky Utilities

All Divisions

356.00 OVERHEAD CONDUCTORS AND DEVICES

Original And Smooth Survivor Curves



5-57

Charman

Kentucky Utilities
All Divisions

356.00 OVERHEAD CONDUCTORS AND DEVICES

Observed Life Table

Retirement Expr. 1952 TO 2002

Placement Years 1900 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$123,912,954.61	\$106,554.00	0.00086	100.00
0.5 - 1.5	\$122,879,093.43	\$131,668.00	0.00107	99.91
1.5 - 2.5	\$120,369,058.26	\$201,425.00	0.00167	99.81
2.5 - 3.5	\$119,508,341.78	\$123,788.00	0.00104	99.64
3.5 - 4.5	\$117,730,534.70	\$178,243.00	0.00151	99.54
4.5 - 5.5	\$116,096,891.85	\$88,441.00	0.00076	99.39
5.5 - 6.5	\$113,826,639.58	\$173,744.00	0.00153	99.31
6.5 - 7.5	\$111,172,157.31	\$164,667.00	0.00148	99.16
7.5 - 8.5	\$107,491,149.87	\$207,754.00	0.00193	99.01
8.5 - 9.5	\$106,017,679.35	\$175,200.00	0.00165	98.82
9.5 - 10.5	\$105,986,938.33	\$225,687.00	0.00213	98.66
10.5 - 11.5	\$106,287,007.69	\$157,786.00	0.00148	98.45
11.5 - 12.5	\$105,275,171.44	\$369,574.00	0.00351	98.30
12.5 - 13.5	\$103,003,294.49	\$226,193.00	0.00220	97.96
13.5 - 14.5	\$101,943,222.57	\$353,375.00	0.00347	97.74
14.5 - 15.5	\$98,113,918.80	\$101,274.00	0.00103	97.40
15.5 - 16.5	\$90,296,684.74	\$124,159.00	0.00138	97.30
16.5 - 17.5	\$72,564,529.44	\$130,316.00	0.00180	97.17
17.5 - 18.5	\$70,496,844.41	\$119,757.00	0.00170	96.99
18.5 - 19.5	\$68,187,197.99	\$75,062.00	0.00110	96.83
19.5 - 20.5	\$66,711,420.38	\$145,617.00	0.00218	96.72
20.5 - 21.5	\$65,195,304.01	\$124,795.00	0.00191	96.51
21.5 - 22.5	\$62,757,967.65	\$115,750.00	0.00184	96.33
22.5 - 23.5	\$51,207,412.84	\$91,459.00	0.00179	96.15
23.5 - 24.5	\$49,064,946.73	\$142,473.00	0.00290	95.98
24.5 - 25.5	\$43,058,027.23	\$115,425.00	0.00268	95.70
25.5 - 26.5	\$41,640,834.23	\$60,767.00	0.00146	95.44
26.5 - 27.5	\$39,073,777.15	\$97,256.00	0.00249	95.30
27.5 - 28.5	\$37,833,068.84	\$162,067.00	0.00428	95.06
28.5 - 29.5	\$36,920,579.83	\$80,300.00	0.00217	94.66
29.5 - 30.5	\$33,433,527.76	\$176,197.00	0.00527	94.45
30.5 - 31.5	\$31,292,467.09	\$154,584.00	0.00494	93.95
31.5 - 32.5	\$29,330,665.92	\$258,809.00	0.00882	93.49
32.5 - 33.5	\$25,633,013.06	\$125,978.00	0.00491	92.66
33.5 - 34.5	\$23,038,000.56	\$211,437.00	0.00918	92.21
34.5 - 35.5	\$22,430,041.57	\$48,576.00	0.00217	91.36
35.5 - 36.5	\$21,403,426.94	\$83,337.00	0.00389	91.17

Kentucky Utilities**All Divisions****356.00 OVERHEAD CONDUCTORS AND DEVICES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1900 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$19,653,980.44	\$124,891.00	0.00635	90.81
37.5 - 38.5	\$18,232,913.43	\$128,403.00	0.00704	90.23
38.5 - 39.5	\$17,083,855.75	\$169,703.00	0.00993	89.60
39.5 - 40.5	\$15,287,957.32	\$167,577.00	0.01096	88.71
40.5 - 41.5	\$14,429,490.93	\$153,704.00	0.01065	87.74
41.5 - 42.5	\$13,037,462.87	\$65,409.00	0.00502	86.80
42.5 - 43.5	\$12,326,680.10	\$356,003.00	0.02888	86.37
43.5 - 44.5	\$11,162,263.95	\$107,458.00	0.00963	83.87
44.5 - 45.5	\$9,060,193.06	\$175,064.00	0.01932	83.06
45.5 - 46.5	\$8,689,068.84	\$136,893.00	0.01575	81.46
46.5 - 47.5	\$7,636,482.29	\$16,808.00	0.00220	80.18
47.5 - 48.5	\$7,235,252.83	\$123,591.00	0.01708	80.00
48.5 - 49.5	\$6,900,808.88	\$26,834.00	0.00389	78.63
49.5 - 50.5	\$5,358,665.70	\$18,272.00	0.00341	78.33
50.5 - 51.5	\$4,994,582.90	\$62,828.00	0.01258	78.06
51.5 - 52.5	\$4,415,830.25	\$206,260.00	0.04671	77.08
52.5 - 53.5	\$4,062,835.90	\$159,805.00	0.03933	73.48
53.5 - 54.5	\$2,503,797.00	\$183,469.00	0.07328	70.59
54.5 - 55.5	\$2,157,475.89	\$23,706.00	0.01099	65.41
55.5 - 56.5	\$1,865,171.04	\$50,999.00	0.02734	64.70
56.5 - 57.5	\$1,758,185.51	\$56,957.00	0.03240	62.93
57.5 - 58.5	\$1,685,313.72	\$71,473.00	0.04241	60.89
58.5 - 59.5	\$1,604,521.27	\$17,304.00	0.01078	58.31
59.5 - 60.5	\$1,567,179.99	\$352,930.00	0.22520	57.68
60.5 - 61.5	\$1,071,700.62	\$2,765.00	0.00258	44.69

Kentucky Utilities

All Divisions

356.00 OVERHEAD CONDUCTORS AND DEVICES

Original And Smooth Survivor Curves



5-60

Change


Kentucky Utilities**All Divisions****356.00 OVERHEAD CONDUCTORS AND DEVICES****Observed Life Table****Retirement Expr. 1952 TO 1997****Placement Years 1900 TO 1997**

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$113,735,940.99	\$46,302.00	0.00041	100.00
0.5 - 1.5	\$112,087,779.84	\$121,396.00	0.00108	99.96
1.5 - 2.5	\$109,627,578.13	\$184,151.00	0.00168	99.85
2.5 - 3.5	\$107,437,477.14	\$99,262.00	0.00092	99.68
3.5 - 4.5	\$106,342,165.45	\$168,405.00	0.00158	99.59
4.5 - 5.5	\$106,413,910.91	\$88,202.00	0.00083	99.43
5.5 - 6.5	\$105,720,623.18	\$171,789.00	0.00162	99.35
6.5 - 7.5	\$104,737,152.72	\$164,234.00	0.00157	99.19
7.5 - 8.5	\$102,617,095.22	\$198,018.00	0.00193	99.03
8.5 - 9.5	\$101,568,058.58	\$171,140.00	0.00168	98.84
9.5 - 10.5	\$98,150,261.18	\$215,671.00	0.00220	98.68
10.5 - 11.5	\$91,439,500.74	\$147,771.00	0.00162	98.46
11.5 - 12.5	\$73,724,017.44	\$368,382.00	0.00500	98.30
12.5 - 13.5	\$71,506,786.41	\$273,112.00	0.00382	97.81
13.5 - 14.5	\$69,070,147.99	\$347,469.00	0.00503	97.44
14.5 - 15.5	\$67,341,407.38	\$100,850.00	0.00150	96.95
15.5 - 16.5	\$65,827,869.01	\$120,558.00	0.00183	96.80
16.5 - 17.5	\$63,217,632.65	\$126,243.00	0.00200	96.62
17.5 - 18.5	\$51,494,729.84	\$115,379.00	0.00224	96.43
18.5 - 19.5	\$49,200,817.73	\$71,418.00	0.00145	96.21
19.5 - 20.5	\$42,873,692.23	\$139,618.00	0.00326	96.07
20.5 - 21.5	\$40,977,397.23	\$119,605.00	0.00292	95.76
21.5 - 22.5	\$38,463,584.15	\$113,140.00	0.00294	95.48
22.5 - 23.5	\$37,049,345.84	\$84,147.00	0.00227	95.20
23.5 - 24.5	\$36,057,931.83	\$129,561.00	0.00359	94.98
24.5 - 25.5	\$32,969,942.76	\$110,069.00	0.00334	94.64
25.5 - 26.5	\$31,316,337.09	\$59,361.00	0.00190	94.33
26.5 - 27.5	\$29,485,511.92	\$95,462.00	0.00324	94.15
27.5 - 28.5	\$26,242,610.06	\$153,735.00	0.00586	93.84
28.5 - 29.5	\$23,867,897.56	\$75,589.00	0.00317	93.29
29.5 - 30.5	\$23,389,534.57	\$169,620.00	0.00725	93.00
30.5 - 31.5	\$22,241,366.94	\$151,554.00	0.00681	92.32
31.5 - 32.5	\$20,388,105.44	\$255,692.00	0.01254	91.70
32.5 - 33.5	\$18,779,278.43	\$124,453.00	0.00663	90.55
33.5 - 34.5	\$17,606,115.75	\$203,382.00	0.01155	89.95
34.5 - 35.5	\$15,768,758.32	\$43,225.00	0.00274	88.91
35.5 - 36.5	\$15,037,442.93	\$75,933.00	0.00505	88.66

Kentucky Utilities***All Divisions******356.00 OVERHEAD CONDUCTORS AND DEVICES******Observed Life Table******Retirement Expr. 1952 TO 1997******Placement Years 1900 TO 1997***

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$13,723,201.87	\$119,386.00	0.00870	88.21
37.5 - 38.5	\$13,022,562.10	\$125,790.00	0.00966	87.45
38.5 - 39.5	\$12,088,058.95	\$167,809.00	0.01388	86.60
39.5 - 40.5	\$9,918,248.06	\$160,910.00	0.01622	85.40
40.5 - 41.5	\$9,522,546.84	\$110,308.00	0.01158	84.02
41.5 - 42.5	\$8,379,716.29	\$64,561.00	0.00770	83.04
42.5 - 43.5	\$7,522,662.83	\$354,910.00	0.04718	82.40
43.5 - 44.5	\$6,904,149.88	\$105,362.00	0.01526	78.51
44.5 - 45.5	\$5,258,343.70	\$173,826.00	0.03306	77.32
45.5 - 46.5	\$4,739,769.90	\$116,068.00	0.02449	74.76
46.5 - 47.5	\$4,207,785.25	\$13,418.00	0.00319	72.93
47.5 - 48.5	\$4,449,554.90	\$116,323.00	0.02614	72.70
48.5 - 49.5	\$2,927,825.00	\$24,627.00	0.00841	70.80
49.5 - 50.5	\$2,737,467.89	\$5,485.00	0.00200	70.20
50.5 - 51.5	\$2,399,442.04	\$62,275.00	0.02595	70.06
51.5 - 52.5	\$2,290,116.51	\$160,638.00	0.07014	68.24
52.5 - 53.5	\$2,109,953.72	\$155,337.00	0.07362	63.46
53.5 - 54.5	\$1,945,297.27	\$118,348.00	0.06084	58.78
54.5 - 55.5	\$1,806,046.99	\$23,706.00	0.01313	55.21
55.5 - 56.5	\$1,621,363.62	\$50,999.00	0.03145	54.48
56.5 - 57.5	\$543,086.00	\$49,310.00	0.09080	52.77
57.5 - 58.5	\$493,776.00	\$69,888.00	0.14154	47.98
58.5 - 59.5	\$423,888.00	\$15,973.00	0.03768	41.19
59.5 - 60.5	\$407,915.00	\$352,862.00	0.86504	39.64
60.5 - 61.5	\$55,053.00	\$0.00	0.00000	5.35

Kentucky Utilities
 All Divisions
 357.00 UNDERGROUND CONDUIT
 Original And Smooth Survivor Curves



Kentucky Utilities
All Divisions
357.00 UNDERGROUND CONDUIT

Observed Life Table
Retirement Expr. 1960 TO 2002
Placement Years 1960 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$452,706.80	\$0.00	0.00000	100.00
0.5 - 1.5	\$449,255.39	\$0.00	0.00000	100.00
1.5 - 2.5	\$449,255.39	\$0.00	0.00000	100.00
2.5 - 3.5	\$449,255.39	\$0.00	0.00000	100.00
3.5 - 4.5	\$449,255.39	\$0.00	0.00000	100.00
4.5 - 5.5	\$448,805.57	\$0.00	0.00000	100.00
5.5 - 6.5	\$129,144.45	\$0.00	0.00000	100.00
6.5 - 7.5	\$129,144.45	\$0.00	0.00000	100.00
7.5 - 8.5	\$129,144.45	\$0.00	0.00000	100.00
8.5 - 9.5	\$129,144.45	\$0.00	0.00000	100.00
9.5 - 10.5	\$129,144.45	\$0.00	0.00000	100.00
10.5 - 11.5	\$129,144.45	\$0.00	0.00000	100.00
11.5 - 12.5	\$129,144.45	\$0.00	0.00000	100.00
12.5 - 13.5	\$129,144.45	\$0.00	0.00000	100.00
13.5 - 14.5	\$129,144.45	\$16,282.00	0.12608	100.00
14.5 - 15.5	\$112,862.45	\$0.00	0.00000	87.39
15.5 - 16.5	\$112,862.45	\$0.00	0.00000	87.39
16.5 - 17.5	\$112,862.45	\$0.00	0.00000	87.39
17.5 - 18.5	\$112,862.45	\$0.00	0.00000	87.39
18.5 - 19.5	\$112,862.45	\$0.00	0.00000	87.39
19.5 - 20.5	\$112,862.45	\$0.00	0.00000	87.39
20.5 - 21.5	\$112,862.45	\$0.00	0.00000	87.39
21.5 - 22.5	\$112,862.45	\$0.00	0.00000	87.39
22.5 - 23.5	\$86,309.16	\$0.00	0.00000	87.39
23.5 - 24.5	\$86,309.16	\$0.00	0.00000	87.39
24.5 - 25.5	\$86,309.16	\$0.00	0.00000	87.39
25.5 - 26.5	\$86,938.16	\$0.00	0.00000	87.39
26.5 - 27.5	\$86,938.16	\$0.00	0.00000	87.39
27.5 - 28.5	\$86,938.16	\$0.00	0.00000	87.39
28.5 - 29.5	\$85,754.78	\$0.00	0.00000	87.39
29.5 - 30.5	\$18,882.51	\$0.00	0.00000	87.39
30.5 - 31.5	\$17,858.99	\$0.00	0.00000	87.39
31.5 - 32.5	\$17,858.99	\$0.00	0.00000	87.39
32.5 - 33.5	\$16,731.99	\$0.00	0.00000	87.39
33.5 - 34.5	\$16,102.50	\$0.00	0.00000	87.39
34.5 - 35.5	\$16,102.50	\$0.00	0.00000	87.39
35.5 - 36.5	\$16,102.50	\$0.00	0.00000	87.39

Kentucky Utilities
All Divisions
357.00 UNDERGROUND CONDUIT

Observed Life Table
Retirement Expr. 1960 TO 2002
Placement Years 1960 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$16,102.50	\$0.00	0.00000	87.39
37.5 - 38.5	\$16,102.50	\$0.00	0.00000	87.39
38.5 - 39.5	\$16,102.50	\$0.00	0.00000	87.39
39.5 - 40.5	\$16,102.50	\$0.00	0.00000	87.39
40.5 - 41.5	\$0.00	\$0.00	0.00000	87.39
41.5 - 42.5	\$0.00	\$0.00	0.00000	87.39

Kentucky Utilities

All Divisions

358.00 UNDERGROUND CONDUCTORS & DEVICES

Original And Smooth Survivor Curves



5-66

Charnas

Kentucky Utilities**All Divisions****358.00 UNDERGROUND CONDUCTORS & DEVICES****Observed Life Table****Retirement Expr. 1960 TO 2002****Placement Years 1960 TO 1997**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$1,192,777.90	\$0.00	0.00000	100.00
0.5 - 1.5	\$1,192,777.90	\$0.00	0.00000	100.00
1.5 - 2.5	\$1,192,876.90	\$0.00	0.00000	100.00
2.5 - 3.5	\$1,192,876.90	\$0.00	0.00000	100.00
3.5 - 4.5	\$1,192,876.90	\$0.00	0.00000	100.00
4.5 - 5.5	\$1,192,876.90	\$0.00	0.00000	100.00
5.5 - 6.5	\$879,853.37	\$0.00	0.00000	100.00
6.5 - 7.5	\$879,853.37	\$0.00	0.00000	100.00
7.5 - 8.5	\$763,613.56	\$0.00	0.00000	100.00
8.5 - 9.5	\$766,547.56	\$0.00	0.00000	100.00
9.5 - 10.5	\$766,448.84	\$19,944.00	0.02602	100.00
10.5 - 11.5	\$746,504.84	\$0.00	0.00000	97.40
11.5 - 12.5	\$766,467.84	\$0.00	0.00000	97.40
12.5 - 13.5	\$622,737.35	\$0.00	0.00000	97.40
13.5 - 14.5	\$622,737.35	\$40,080.00	0.06436	97.40
14.5 - 15.5	\$582,657.35	\$0.00	0.00000	91.13
15.5 - 16.5	\$582,657.35	\$0.00	0.00000	91.13
16.5 - 17.5	\$579,723.47	\$0.00	0.00000	91.13
17.5 - 18.5	\$579,723.47	\$0.00	0.00000	91.13
18.5 - 19.5	\$579,723.47	\$0.00	0.00000	91.13
19.5 - 20.5	\$579,723.47	\$0.00	0.00000	91.13
20.5 - 21.5	\$523,341.34	\$0.00	0.00000	91.13
21.5 - 22.5	\$543,304.34	\$0.00	0.00000	91.13
22.5 - 23.5	\$329,987.15	\$0.00	0.00000	91.13
23.5 - 24.5	\$328,132.15	\$0.00	0.00000	91.13
24.5 - 25.5	\$235,166.15	\$0.00	0.00000	91.13
25.5 - 26.5	\$408,548.15	\$0.00	0.00000	91.13
26.5 - 27.5	\$311,872.15	\$0.00	0.00000	91.13
27.5 - 28.5	\$311,872.15	\$0.00	0.00000	91.13
28.5 - 29.5	\$195,451.84	\$0.00	0.00000	91.13
29.5 - 30.5	\$117,046.50	\$0.00	0.00000	91.13
30.5 - 31.5	\$101,171.31	\$0.00	0.00000	91.13
31.5 - 32.5	\$101,171.31	\$0.00	0.00000	91.13
32.5 - 33.5	\$101,171.31	\$0.00	0.00000	91.13
33.5 - 34.5	\$13,546.53	\$0.00	0.00000	91.13
34.5 - 35.5	\$13,218.53	\$0.00	0.00000	91.13
35.5 - 36.5	\$13,218.53	\$0.00	0.00000	91.13

Kentucky Utilities***All Divisions******358.00 UNDERGROUND CONDUCTORS & DEVICES******Observed Life Table******Retirement Expr. 1960 TO 2002******Placement Years 1960 TO 1997***


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$13,218.53	\$0.00	0.00000	91.13
37.5 - 38.5	\$13,218.53	\$0.00	0.00000	91.13
38.5 - 39.5	\$13,218.53	\$0.00	0.00000	91.13
39.5 - 40.5	\$13,218.53	\$0.00	0.00000	91.13
40.5 - 41.5	\$0.00	\$0.00	0.00000	91.13
41.5 - 42.5	\$0.00	\$0.00	0.00000	91.13

Kentucky Utilities

All Divisions

361.00 STRUCTURES AND IMPROVEMENTS

Original And Smooth Survivor Curves



Kentucky Utilities**All Divisions****361.00 STRUCTURES AND IMPROVEMENTS****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1904 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$4,027,144.63	\$550.00	0.00014	100.00
0.5 - 1.5	\$3,894,206.40	\$3,039.00	0.00078	99.99
1.5 - 2.5	\$3,542,722.83	\$4,905.00	0.00138	99.91
2.5 - 3.5	\$3,440,235.43	\$6,358.00	0.00185	99.77
3.5 - 4.5	\$3,304,597.82	\$7,057.00	0.00214	99.59
4.5 - 5.5	\$3,013,315.45	\$16,295.00	0.00541	99.37
5.5 - 6.5	\$2,784,293.18	\$1,689.00	0.00061	98.84
6.5 - 7.5	\$2,546,659.29	\$3,697.00	0.00145	98.78
7.5 - 8.5	\$2,257,194.38	\$7,149.00	0.00317	98.63
8.5 - 9.5	\$2,142,393.65	\$6,304.00	0.00294	98.32
9.5 - 10.5	\$2,118,431.80	\$6,044.00	0.00285	98.03
10.5 - 11.5	\$2,099,778.40	\$8,223.00	0.00392	97.75
11.5 - 12.5	\$1,966,710.58	\$16,494.00	0.00839	97.37
12.5 - 13.5	\$1,872,092.76	\$3,360.00	0.00179	96.55
13.5 - 14.5	\$1,854,164.98	\$10,213.00	0.00551	96.38
14.5 - 15.5	\$1,779,172.64	\$10,990.00	0.00618	95.85
15.5 - 16.5	\$1,731,745.62	\$7,377.00	0.00426	95.26
16.5 - 17.5	\$1,676,493.09	\$1,528.00	0.00091	94.85
17.5 - 18.5	\$1,662,230.93	\$4,721.00	0.00284	94.76
18.5 - 19.5	\$1,592,304.90	\$13,119.00	0.00824	94.49
19.5 - 20.5	\$1,559,336.61	\$10,791.00	0.00692	93.72
20.5 - 21.5	\$1,415,070.29	\$2,232.00	0.00158	93.07
21.5 - 22.5	\$1,369,022.88	\$4,536.00	0.00331	92.92
22.5 - 23.5	\$1,205,356.94	\$3,570.00	0.00296	92.61
23.5 - 24.5	\$1,119,862.42	\$22,606.00	0.02019	92.34
24.5 - 25.5	\$1,029,788.74	\$3,822.00	0.00371	90.47
25.5 - 26.5	\$943,228.88	\$5,125.00	0.00543	90.14
26.5 - 27.5	\$911,352.12	\$3,622.00	0.00397	89.65
27.5 - 28.5	\$850,886.01	\$2,077.00	0.00244	89.29
28.5 - 29.5	\$800,603.56	\$2,061.00	0.00257	89.07
29.5 - 30.5	\$733,553.69	\$3,678.00	0.00501	88.84
30.5 - 31.5	\$684,325.57	\$6,350.00	0.00928	88.40
31.5 - 32.5	\$587,705.62	\$204.00	0.00035	87.58
32.5 - 33.5	\$546,239.21	\$3,654.00	0.00669	87.55
33.5 - 34.5	\$508,687.54	\$3,481.00	0.00684	86.96
34.5 - 35.5	\$474,964.13	\$1,645.00	0.00346	86.37
35.5 - 36.5	\$444,207.65	\$3,256.00	0.00733	86.07

Kentucky Utilities**All Divisions****361.00 STRUCTURES AND IMPROVEMENTS****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1904 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$417,812.34	\$1,159.00	0.00277	85.44
37.5 - 38.5	\$357,718.33	\$1,402.00	0.00392	85.20
38.5 - 39.5	\$336,942.83	\$4,532.00	0.01345	84.87
39.5 - 40.5	\$301,474.06	\$9,622.00	0.03192	83.73
40.5 - 41.5	\$261,409.97	\$15,136.00	0.05790	81.05
41.5 - 42.5	\$219,859.75	\$7,532.00	0.03426	76.36
42.5 - 43.5	\$196,577.94	\$868.00	0.00442	73.74
43.5 - 44.5	\$185,044.04	\$2,763.00	0.01493	73.42
44.5 - 45.5	\$151,334.25	\$1,745.00	0.01153	72.32
45.5 - 46.5	\$131,589.28	\$530.00	0.00403	71.49
46.5 - 47.5	\$106,273.51	\$1,712.00	0.01611	71.20
47.5 - 48.5	\$90,084.30	\$2,259.00	0.02508	70.05
48.5 - 49.5	\$72,021.62	\$3,838.00	0.05329	68.30
49.5 - 50.5	\$64,772.76	\$1,160.00	0.01791	64.66
50.5 - 51.5	\$55,044.78	\$966.00	0.01755	63.50
51.5 - 52.5	\$48,990.76	\$625.00	0.01276	62.38
52.5 - 53.5	\$34,865.72	\$0.00	0.00000	61.59
53.5 - 54.5	\$32,102.39	\$28.00	0.00087	61.59
54.5 - 55.5	\$30,340.55	\$568.00	0.01872	61.54
55.5 - 56.5	\$27,693.39	\$127.00	0.00459	60.38
56.5 - 57.5	\$26,626.50	\$430.00	0.01615	60.11
57.5 - 58.5	\$26,196.50	\$34.00	0.00130	59.14
58.5 - 59.5	\$26,137.35	\$1,255.00	0.04802	59.06
59.5 - 60.5	\$24,882.35	\$0.00	0.00000	56.22
60.5 - 61.5	\$24,600.43	\$2,228.00	0.09057	56.22
61.5 - 62.5	\$12,055.99	\$6,061.00	0.50274	51.13
62.5 - 63.5	\$5,756.09	\$1,490.00	0.25886	25.43
63.5 - 64.5	\$4,266.09	\$186.00	0.04360	18.84
64.5 - 65.5	\$4,080.09	\$370.00	0.09068	18.02
65.5 - 66.5	\$3,710.09	\$841.00	0.22668	16.39
66.5 - 67.5	\$2,869.09	\$0.00	0.00000	12.67
67.5 - 68.5	\$2,869.09	\$0.00	0.00000	12.67
68.5 - 69.5	\$2,869.09	\$0.00	0.00000	12.67
69.5 - 70.5	\$2,869.09	\$0.00	0.00000	12.67
70.5 - 71.5	\$2,869.09	\$0.00	0.00000	12.67
71.5 - 72.5	\$1,662.59	\$0.00	0.00000	12.67
72.5 - 73.5	\$1,662.59	\$0.00	0.00000	12.67

Kentucky Utilities
All Divisions
361.00 STRUCTURES AND IMPROVEMENTS

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1904 TO 2002

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
73.5 - 74.5	\$1,662.59	\$0.00	0.00000	12.67
74.5 - 75.5	\$1,662.59	\$0.00	0.00000	12.67
75.5 - 76.5	\$1,662.59	\$0.00	0.00000	12.67
76.5 - 77.5	\$1,662.59	\$0.00	0.00000	12.67
77.5 - 78.5	\$1,662.59	\$0.00	0.00000	12.67
78.5 - 79.5	\$1,662.59	\$0.00	0.00000	12.67
79.5 - 80.5	\$1,662.59	\$0.00	0.00000	12.67
80.5 - 81.5	\$1,662.59	\$0.00	0.00000	12.67
81.5 - 82.5	\$1,662.59	\$0.00	0.00000	12.67
82.5 - 83.5	\$1,662.59	\$0.00	0.00000	12.67
83.5 - 84.5	\$1,662.59	\$0.00	0.00000	12.67
84.5 - 85.5	\$1,662.59	\$0.00	0.00000	12.67
85.5 - 86.5	\$1,662.59	\$0.00	0.00000	12.67
86.5 - 87.5	\$1,662.59	\$0.00	0.00000	12.67
87.5 - 88.5	\$1,662.59	\$0.00	0.00000	12.67
88.5 - 89.5	\$1,662.59	\$0.00	0.00000	12.67
89.5 - 90.5	\$1,662.59	\$0.00	0.00000	12.67
90.5 - 91.5	\$1,662.59	\$0.00	0.00000	12.67
91.5 - 92.5	\$1,662.59	\$0.00	0.00000	12.67
92.5 - 93.5	\$1,662.59	\$0.00	0.00000	12.67
93.5 - 94.5	\$0.00	\$0.00	0.00000	12.67
94.5 - 95.5	\$0.00	\$0.00	0.00000	12.67
95.5 - 96.5	\$0.00	\$0.00	0.00000	12.67
96.5 - 97.5	\$0.00	\$0.00	0.00000	12.67
97.5 - 98.5	\$0.00	\$0.00	0.00000	12.67

Kentucky Utilities
 All Divisions
 362.00 STATION EQUIPMENT
 Original And Smooth Survivor Curves



Kentucky Utilities
All Divisions
362.00 STATION EQUIPMENT

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1904 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$99,941,161.76	\$50,131.00	0.00050	100.00
0.5 - 1.5	\$97,917,523.63	\$122,861.00	0.00125	99.95
1.5 - 2.5	\$93,336,623.55	\$144,791.00	0.00155	99.82
2.5 - 3.5	\$92,921,168.66	\$274,019.00	0.00295	99.67
3.5 - 4.5	\$90,684,261.92	\$283,395.00	0.00313	99.38
4.5 - 5.5	\$86,305,935.20	\$157,968.00	0.00183	99.07
5.5 - 6.5	\$76,484,703.28	\$132,103.00	0.00173	98.88
6.5 - 7.5	\$69,748,782.67	\$634,687.00	0.00910	98.71
7.5 - 8.5	\$60,904,043.78	\$131,147.00	0.00215	97.81
8.5 - 9.5	\$56,967,610.85	\$149,275.00	0.00262	97.60
9.5 - 10.5	\$56,147,674.93	\$263,072.00	0.00469	97.35
10.5 - 11.5	\$54,583,292.53	\$112,915.00	0.00207	96.89
11.5 - 12.5	\$52,968,020.60	\$359,519.00	0.00679	96.69
12.5 - 13.5	\$50,637,173.90	\$90,162.00	0.00178	96.04
13.5 - 14.5	\$49,407,802.62	\$180,353.00	0.00365	95.86
14.5 - 15.5	\$47,949,140.79	\$303,858.00	0.00634	95.51
15.5 - 16.5	\$45,694,852.78	\$184,316.00	0.00403	94.91
16.5 - 17.5	\$44,539,370.79	\$2,982,205.00	0.06696	94.53
17.5 - 18.5	\$40,381,388.43	\$259,693.00	0.00643	88.20
18.5 - 19.5	\$38,569,611.66	\$439,051.00	0.01138	87.63
19.5 - 20.5	\$37,409,756.58	\$224,556.00	0.00600	86.63
20.5 - 21.5	\$34,630,755.80	\$245,867.00	0.00710	86.11
21.5 - 22.5	\$33,916,646.61	\$330,753.00	0.00975	85.50
22.5 - 23.5	\$32,189,837.96	\$262,071.00	0.00814	84.67
23.5 - 24.5	\$29,527,031.16	\$194,913.00	0.00660	83.98
24.5 - 25.5	\$26,113,267.26	\$336,835.00	0.01290	83.42
25.5 - 26.5	\$24,057,531.46	\$238,473.00	0.00991	82.35
26.5 - 27.5	\$23,184,673.07	\$215,062.00	0.00928	81.53
27.5 - 28.5	\$21,796,395.07	\$135,192.00	0.00620	80.78
28.5 - 29.5	\$20,207,902.53	\$97,500.00	0.00482	80.27
29.5 - 30.5	\$18,614,028.66	\$207,550.00	0.01115	79.89
30.5 - 31.5	\$17,386,004.89	\$124,931.00	0.00719	79.00
31.5 - 32.5	\$16,202,562.24	\$55,212.00	0.00341	78.43
32.5 - 33.5	\$15,002,431.07	\$107,904.00	0.00719	78.16
33.5 - 34.5	\$13,677,994.18	\$103,659.00	0.00758	77.60
34.5 - 35.5	\$12,820,762.75	\$116,368.00	0.00908	77.01
35.5 - 36.5	\$11,453,318.17	\$63,063.00	0.00551	76.31

Kentucky Utilities**All Divisions****364.00 POLES, TOWER AND FIXTURES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1905 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$189,401,826.03	\$583,417.00	0.00308	100.00
0.5 - 1.5	\$182,858,793.19	\$1,585,346.00	0.00867	99.69
1.5 - 2.5	\$177,722,427.68	\$1,235,057.00	0.00695	98.83
2.5 - 3.5	\$168,104,944.72	\$1,038,409.00	0.00618	98.14
3.5 - 4.5	\$159,766,773.69	\$957,953.00	0.00600	97.53
4.5 - 5.5	\$152,019,544.82	\$1,005,846.00	0.00662	96.95
5.5 - 6.5	\$142,804,519.69	\$919,889.00	0.00644	96.31
6.5 - 7.5	\$133,113,393.81	\$868,489.00	0.00652	95.69
7.5 - 8.5	\$122,962,023.77	\$929,328.00	0.00756	95.06
8.5 - 9.5	\$114,131,499.30	\$820,952.00	0.00719	94.35
9.5 - 10.5	\$106,771,515.70	\$763,506.00	0.00715	93.67
10.5 - 11.5	\$100,320,844.39	\$785,125.00	0.00783	93.00
11.5 - 12.5	\$94,507,603.88	\$713,811.00	0.00755	92.27
12.5 - 13.5	\$88,586,985.50	\$666,159.00	0.00752	91.57
13.5 - 14.5	\$82,922,517.72	\$670,375.00	0.00808	90.88
14.5 - 15.5	\$77,579,829.60	\$760,217.00	0.00980	90.15
15.5 - 16.5	\$71,950,237.28	\$703,304.00	0.00977	89.27
16.5 - 17.5	\$66,812,146.81	\$616,689.00	0.00923	88.39
17.5 - 18.5	\$62,778,903.09	\$637,089.00	0.01015	87.58
18.5 - 19.5	\$58,953,743.96	\$623,943.00	0.01058	86.69
19.5 - 20.5	\$54,074,466.29	\$702,906.00	0.01300	85.77
20.5 - 21.5	\$50,100,047.91	\$588,547.00	0.01175	84.66
21.5 - 22.5	\$46,636,716.80	\$540,646.00	0.01159	83.66
22.5 - 23.5	\$43,288,930.30	\$505,576.00	0.01168	82.69
23.5 - 24.5	\$40,155,263.41	\$516,564.00	0.01286	81.73
24.5 - 25.5	\$37,706,278.05	\$642,996.00	0.01705	80.67
25.5 - 26.5	\$35,037,730.04	\$714,677.00	0.02040	79.30
26.5 - 27.5	\$32,522,773.93	\$1,407,594.00	0.04328	77.68
27.5 - 28.5	\$29,639,438.28	\$1,123,568.00	0.03791	74.32
28.5 - 29.5	\$26,574,462.27	\$607,964.00	0.02288	71.50
29.5 - 30.5	\$24,057,410.42	\$506,327.00	0.02105	69.87
30.5 - 31.5	\$21,906,035.78	\$539,175.00	0.02461	68.40
31.5 - 32.5	\$19,616,607.24	\$623,359.00	0.03178	66.71
32.5 - 33.5	\$18,102,677.57	\$488,024.00	0.02696	64.59
33.5 - 34.5	\$16,363,451.44	\$420,201.00	0.02568	62.85
34.5 - 35.5	\$14,755,936.97	\$473,653.00	0.03210	61.24
35.5 - 36.5	\$13,176,330.42	\$409,419.00	0.03107	59.27

Kentucky Utilities

All Divisions

364.00 POLES, TOWER AND FIXTURES

Original And Smooth Survivor Curves



5-76

Charman

Kentucky Utilities**All Divisions****364.00 POLES, TOWER AND FIXTURES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1905 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$189,401,826.03	\$583,417.00	0.00308	100.00
0.5 - 1.5	\$182,858,793.19	\$1,585,346.00	0.00867	99.69
1.5 - 2.5	\$177,722,427.68	\$1,235,057.00	0.00695	98.83
2.5 - 3.5	\$168,104,944.72	\$1,038,409.00	0.00618	98.14
3.5 - 4.5	\$159,766,773.69	\$957,953.00	0.00600	97.53
4.5 - 5.5	\$152,019,544.82	\$1,005,846.00	0.00662	96.95
5.5 - 6.5	\$142,804,519.69	\$919,889.00	0.00644	96.31
6.5 - 7.5	\$133,113,393.81	\$868,489.00	0.00652	95.69
7.5 - 8.5	\$122,962,023.77	\$929,328.00	0.00756	95.06
8.5 - 9.5	\$114,131,499.30	\$820,952.00	0.00719	94.35
9.5 - 10.5	\$106,771,515.70	\$763,506.00	0.00715	93.67
10.5 - 11.5	\$100,320,844.39	\$785,125.00	0.00783	93.00
11.5 - 12.5	\$94,507,603.88	\$713,811.00	0.00755	92.27
12.5 - 13.5	\$88,586,985.50	\$666,159.00	0.00752	91.57
13.5 - 14.5	\$82,922,517.72	\$670,375.00	0.00808	90.88
14.5 - 15.5	\$77,579,829.60	\$760,217.00	0.00980	90.15
15.5 - 16.5	\$71,950,237.28	\$703,304.00	0.00977	89.27
16.5 - 17.5	\$66,812,146.81	\$616,689.00	0.00923	88.39
17.5 - 18.5	\$62,778,903.09	\$637,089.00	0.01015	87.58
18.5 - 19.5	\$58,953,743.96	\$623,943.00	0.01058	86.69
19.5 - 20.5	\$54,074,466.29	\$702,906.00	0.01300	85.77
20.5 - 21.5	\$50,100,047.91	\$588,547.00	0.01175	84.66
21.5 - 22.5	\$46,636,716.80	\$540,646.00	0.01159	83.66
22.5 - 23.5	\$43,288,930.30	\$505,576.00	0.01168	82.69
23.5 - 24.5	\$40,155,263.41	\$516,564.00	0.01286	81.73
24.5 - 25.5	\$37,706,278.05	\$642,996.00	0.01705	80.67
25.5 - 26.5	\$35,037,730.04	\$714,677.00	0.02040	79.30
26.5 - 27.5	\$32,522,773.93	\$1,407,594.00	0.04328	77.68
27.5 - 28.5	\$29,639,438.28	\$1,123,568.00	0.03791	74.32
28.5 - 29.5	\$26,574,462.27	\$607,964.00	0.02288	71.50
29.5 - 30.5	\$24,057,410.42	\$506,327.00	0.02105	69.87
30.5 - 31.5	\$21,906,035.78	\$539,175.00	0.02461	68.40
31.5 - 32.5	\$19,616,607.24	\$623,359.00	0.03178	66.71
32.5 - 33.5	\$18,102,677.57	\$488,024.00	0.02696	64.59
33.5 - 34.5	\$16,363,451.44	\$420,201.00	0.02568	62.85
34.5 - 35.5	\$14,755,936.97	\$473,653.00	0.03210	61.24
35.5 - 36.5	\$13,176,330.42	\$409,419.00	0.03107	59.27

Kentucky Utilities**All Divisions****364.00 POLES, TOWER AND FIXTURES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1905 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$11,759,623.21	\$293,795.00	0.02498	57.43
37.5 - 38.5	\$10,520,147.82	\$389,996.00	0.03707	55.99
38.5 - 39.5	\$9,176,157.67	\$140,478.00	0.01531	53.92
39.5 - 40.5	\$8,177,086.40	\$106,166.00	0.01298	53.09
40.5 - 41.5	\$7,437,480.40	\$133,210.00	0.01791	52.40
41.5 - 42.5	\$6,662,877.71	\$104,253.00	0.01565	51.47
42.5 - 43.5	\$6,427,355.72	\$101,728.00	0.01583	50.66
43.5 - 44.5	\$5,777,151.03	\$159,783.00	0.02766	49.86
44.5 - 45.5	\$5,216,997.03	\$121,957.00	0.02338	48.48
45.5 - 46.5	\$4,517,521.35	\$81,728.00	0.01809	47.35
46.5 - 47.5	\$4,113,285.32	\$74,266.00	0.01806	46.49
47.5 - 48.5	\$3,691,356.93	\$17,727.00	0.00480	45.65
48.5 - 49.5	\$3,550,037.98	\$55,315.00	0.01558	45.43
49.5 - 50.5	\$3,122,513.66	\$13,702.00	0.00439	44.72
50.5 - 51.5	\$2,457,581.63	\$19,824.00	0.00807	44.53
51.5 - 52.5	\$1,847,637.62	\$3,677.00	0.00199	44.17
52.5 - 53.5	\$1,226,183.65	\$5,304.00	0.00433	44.08
53.5 - 54.5	\$813,000.99	\$3,987.00	0.00490	43.89
54.5 - 55.5	\$573,926.93	\$4,633.00	0.00807	43.67
55.5 - 56.5	\$407,283.77	\$3,396.00	0.00834	43.32
56.5 - 57.5	\$328,647.95	\$2,451.00	0.00746	42.96
57.5 - 58.5	\$309,380.00	\$144,557.00	0.46725	42.64
58.5 - 59.5	\$151,900.47	\$939.00	0.00618	22.72
59.5 - 60.5	\$140,983.36	\$3,621.00	0.02568	22.58
60.5 - 61.5	\$122,434.18	\$0.00	0.00000	22.00
61.5 - 62.5	\$8,703.53	\$0.00	0.00000	22.00
62.5 - 63.5	\$8,703.53	\$42.00	0.00483	22.00
63.5 - 64.5	\$8,661.53	\$60.00	0.00693	21.89
64.5 - 65.5	\$8,601.53	\$0.00	0.00000	21.74
65.5 - 66.5	\$8,601.53	\$0.00	0.00000	21.74
66.5 - 67.5	\$8,601.53	\$0.00	0.00000	21.74
67.5 - 68.5	\$8,601.53	\$0.00	0.00000	21.74
68.5 - 69.5	\$8,601.53	\$0.00	0.00000	21.74
69.5 - 70.5	\$8,601.53	\$0.00	0.00000	21.74
70.5 - 71.5	\$0.00	\$0.00	0.00000	21.74
71.5 - 72.5	\$0.00	\$0.00	0.00000	21.74
72.5 - 73.5	\$0.00	\$0.00	0.00000	21.74

Kentucky Utilities
All Divisions
364.00 POLES, TOWER AND FIXTURES

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1905 TO 2002

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
73.5 - 74.5	\$0.00	\$0.00	0.00000	21.74
74.5 - 75.5	\$0.00	\$0.00	0.00000	21.74
75.5 - 76.5	\$0.00	\$0.00	0.00000	21.74
76.5 - 77.5	\$0.00	\$0.00	0.00000	21.74
77.5 - 78.5	\$0.00	\$0.00	0.00000	21.74
78.5 - 79.5	\$0.00	\$0.00	0.00000	21.74
79.5 - 80.5	\$0.00	\$0.00	0.00000	21.74
80.5 - 81.5	\$0.00	\$0.00	0.00000	21.74
81.5 - 82.5	\$0.00	\$0.00	0.00000	21.74
82.5 - 83.5	\$0.00	\$0.00	0.00000	21.74
83.5 - 84.5	\$0.00	\$0.00	0.00000	21.74
84.5 - 85.5	\$0.00	\$0.00	0.00000	21.74
85.5 - 86.5	\$0.00	\$0.00	0.00000	21.74
86.5 - 87.5	\$0.00	\$0.00	0.00000	21.74
87.5 - 88.5	\$0.00	\$0.00	0.00000	21.74
88.5 - 89.5	\$0.00	\$0.00	0.00000	21.74
89.5 - 90.5	\$0.00	\$0.00	0.00000	21.74
90.5 - 91.5	\$0.00	\$0.00	0.00000	21.74
91.5 - 92.5	\$0.00	\$0.00	0.00000	21.74
92.5 - 93.5	\$0.00	\$0.00	0.00000	21.74
93.5 - 94.5	\$0.00	\$0.00	0.00000	21.74
94.5 - 95.5	\$0.00	\$0.00	0.00000	21.74
95.5 - 96.5	\$0.00	\$0.00	0.00000	21.74
96.5 - 97.5	\$0.00	\$0.00	0.00000	21.74

Kentucky Utilities
All Divisions
365.00 OVERHEAD CONDUCTORS & DEVICES
Original And Smooth Survivor Curves



5-80

Kentucky Utilities**All Divisions****365.00 OVERHEAD CONDUCTORS & DEVICES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1929 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$174,218,851.34	\$775,011.00	0.00445	100.00
0.5 - 1.5	\$168,051,357.60	\$1,161,027.00	0.00691	99.56
1.5 - 2.5	\$159,122,841.62	\$621,916.00	0.00391	98.87
2.5 - 3.5	\$152,759,933.52	\$531,163.00	0.00348	98.48
3.5 - 4.5	\$146,760,426.91	\$549,261.00	0.00374	98.14
4.5 - 5.5	\$141,596,664.23	\$511,143.00	0.00361	97.77
5.5 - 6.5	\$135,058,573.56	\$496,658.00	0.00368	97.42
6.5 - 7.5	\$127,280,531.40	\$581,982.00	0.00457	97.06
7.5 - 8.5	\$118,519,152.25	\$512,900.00	0.00433	96.62
8.5 - 9.5	\$111,709,047.53	\$515,320.00	0.00461	96.20
9.5 - 10.5	\$106,298,894.15	\$552,897.00	0.00520	95.75
10.5 - 11.5	\$101,584,238.03	\$491,349.00	0.00484	95.26
11.5 - 12.5	\$96,492,048.35	\$510,653.00	0.00529	94.80
12.5 - 13.5	\$90,797,917.00	\$527,553.00	0.00581	94.29
13.5 - 14.5	\$84,549,690.22	\$461,139.00	0.00545	93.75
14.5 - 15.5	\$79,663,343.76	\$503,010.00	0.00631	93.23
15.5 - 16.5	\$74,868,005.64	\$538,510.00	0.00719	92.65
16.5 - 17.5	\$70,828,882.57	\$453,529.00	0.00640	91.98
17.5 - 18.5	\$67,771,646.16	\$473,952.00	0.00699	91.39
18.5 - 19.5	\$64,334,727.33	\$537,889.00	0.00836	90.75
19.5 - 20.5	\$60,422,303.00	\$507,823.00	0.00840	89.99
20.5 - 21.5	\$56,225,049.97	\$408,440.00	0.00726	89.24
21.5 - 22.5	\$52,862,856.60	\$366,609.00	0.00694	88.59
22.5 - 23.5	\$49,148,807.00	\$394,580.00	0.00803	87.97
23.5 - 24.5	\$45,371,886.66	\$353,176.00	0.00778	87.27
24.5 - 25.5	\$42,168,256.67	\$457,622.00	0.01085	86.59
25.5 - 26.5	\$39,307,723.15	\$404,254.00	0.01028	85.65
26.5 - 27.5	\$36,951,585.45	\$409,854.00	0.01109	84.77
27.5 - 28.5	\$34,813,439.07	\$342,047.00	0.00983	83.83
28.5 - 29.5	\$31,743,906.08	\$1,081,880.00	0.03408	83.00
29.5 - 30.5	\$28,608,188.84	\$1,123,437.00	0.03927	80.18
30.5 - 31.5	\$25,712,873.97	\$556,188.00	0.02163	77.03
31.5 - 32.5	\$22,874,357.23	\$583,454.00	0.02551	75.36
32.5 - 33.5	\$21,027,709.04	\$413,080.00	0.01964	73.44
33.5 - 34.5	\$19,053,782.75	\$367,717.00	0.01930	72.00
34.5 - 35.5	\$17,021,074.17	\$351,498.00	0.02065	70.61
35.5 - 36.5	\$15,384,430.11	\$238,250.00	0.01549	69.15

Kentucky Utilities**All Divisions****365.00 OVERHEAD CONDUCTORS & DEVICES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1929 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$14,027,912.69	\$195,348.00	0.01393	68.08
37.5 - 38.5	\$12,442,154.17	\$185,877.00	0.01494	67.13
38.5 - 39.5	\$11,168,865.53	\$92,581.00	0.00829	66.13
39.5 - 40.5	\$10,126,365.00	\$105,456.00	0.01041	65.58
40.5 - 41.5	\$9,297,813.59	\$90,706.00	0.00976	64.90
41.5 - 42.5	\$8,548,157.81	\$68,457.00	0.00801	64.26
42.5 - 43.5	\$8,081,767.60	\$63,217.00	0.00782	63.75
43.5 - 44.5	\$7,486,636.72	\$67,635.00	0.00903	63.25
44.5 - 45.5	\$6,836,763.05	\$53,863.00	0.00788	62.68
45.5 - 46.5	\$6,224,337.69	\$47,967.00	0.00771	62.18
46.5 - 47.5	\$5,597,701.18	\$45,922.00	0.00820	61.70
47.5 - 48.5	\$4,953,912.26	\$51,836.00	0.01046	61.20
48.5 - 49.5	\$4,510,244.82	\$29,002.00	0.00643	60.56
49.5 - 50.5	\$3,847,762.92	\$21,990.00	0.00572	60.17
50.5 - 51.5	\$3,209,954.19	\$11,694.00	0.00364	59.82
51.5 - 52.5	\$2,741,379.45	\$8,573.00	0.00313	59.61
52.5 - 53.5	\$2,133,396.34	\$5,198.00	0.00244	59.42
53.5 - 54.5	\$1,540,329.12	\$4,746.00	0.00308	59.28
54.5 - 55.5	\$1,084,150.38	\$4,058.00	0.00374	59.09
55.5 - 56.5	\$751,211.81	\$2,048.00	0.00273	58.87
56.5 - 57.5	\$594,751.89	\$4,651.00	0.00782	58.71
57.5 - 58.5	\$460,660.47	\$4,673.00	0.01014	58.25
58.5 - 59.5	\$409,754.59	\$585.00	0.00143	57.66
59.5 - 60.5	\$370,923.92	\$3,814.00	0.01028	57.58
60.5 - 61.5	\$341,232.85	\$0.00	0.00000	56.99
61.5 - 62.5	\$0.00	\$0.00	0.00000	56.99
62.5 - 63.5	\$0.00	\$0.00	0.00000	56.99
63.5 - 64.5	\$0.00	\$0.00	0.00000	56.99
64.5 - 65.5	\$0.00	\$0.00	0.00000	56.99
65.5 - 66.5	\$0.00	\$0.00	0.00000	56.99
66.5 - 67.5	\$0.00	\$0.00	0.00000	56.99
67.5 - 68.5	\$0.00	\$0.00	0.00000	56.99
68.5 - 69.5	\$0.00	\$0.00	0.00000	56.99
69.5 - 70.5	\$0.00	\$0.00	0.00000	56.99
70.5 - 71.5	\$0.00	\$0.00	0.00000	56.99
71.5 - 72.5	\$0.00	\$0.00	0.00000	56.99
72.5 - 73.5	\$0.00	\$0.00	0.00000	56.99

Kentucky Utilities

All Divisions

367.00 UNDERGROUND CONDUCTORS & DEVICES

Original And Smooth Survivor Curves




Kentucky Utilities**All Divisions****367.00 UNDERGROUND CONDUCTORS & DEVICES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1938 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$52,430,618.32	\$254,366.00	0.00485	100.00
0.5 - 1.5	\$46,574,691.33	\$366,211.00	0.00786	99.51
1.5 - 2.5	\$39,762,156.17	\$238,312.00	0.00599	98.73
2.5 - 3.5	\$33,659,788.50	\$204,117.00	0.00606	98.14
3.5 - 4.5	\$29,163,235.27	\$133,578.00	0.00458	97.55
4.5 - 5.5	\$25,374,050.32	\$117,421.00	0.00463	97.10
5.5 - 6.5	\$21,714,700.77	\$91,689.00	0.00422	96.65
6.5 - 7.5	\$18,183,563.88	\$107,181.00	0.00589	96.24
7.5 - 8.5	\$13,907,990.36	\$114,050.00	0.00820	95.67
8.5 - 9.5	\$11,302,368.29	\$58,861.00	0.00521	94.89
9.5 - 10.5	\$10,204,915.32	\$107,871.00	0.01057	94.40
10.5 - 11.5	\$9,436,758.29	\$67,250.00	0.00713	93.40
11.5 - 12.5	\$8,658,766.76	\$121,618.00	0.01405	92.73
12.5 - 13.5	\$8,047,397.14	\$77,534.00	0.00963	91.43
13.5 - 14.5	\$6,728,830.13	\$45,363.00	0.00674	90.55
14.5 - 15.5	\$5,888,979.05	\$87,677.00	0.01489	89.94
15.5 - 16.5	\$4,875,235.23	\$30,378.00	0.00623	88.60
16.5 - 17.5	\$4,330,521.21	\$78,781.00	0.01819	88.05
17.5 - 18.5	\$3,931,976.23	\$33,344.00	0.00848	86.45
18.5 - 19.5	\$3,549,458.45	\$36,368.00	0.01025	85.71
19.5 - 20.5	\$3,174,956.28	\$18,120.00	0.00571	84.83
20.5 - 21.5	\$2,853,493.85	\$17,132.00	0.00600	84.35
21.5 - 22.5	\$2,490,255.61	\$26,056.00	0.01046	83.84
22.5 - 23.5	\$2,035,347.63	\$15,327.00	0.00753	82.97
23.5 - 24.5	\$1,661,097.42	\$13,865.00	0.00835	82.34
24.5 - 25.5	\$1,366,219.99	\$12,791.00	0.00936	81.65
25.5 - 26.5	\$1,153,436.81	\$5,307.00	0.00460	80.89
26.5 - 27.5	\$880,152.34	\$1,539.00	0.00175	80.52
27.5 - 28.5	\$627,347.19	\$5,253.00	0.00837	80.38
28.5 - 29.5	\$315,501.18	\$4,348.00	0.01378	79.70
29.5 - 30.5	\$252,862.87	\$1,207.00	0.00477	78.61
30.5 - 31.5	\$137,993.12	\$4,118.00	0.02984	78.23
31.5 - 32.5	\$118,376.77	\$0.00	0.00000	75.90
32.5 - 33.5	\$97,713.61	\$124.00	0.00127	75.90
33.5 - 34.5	\$42,733.12	\$0.00	0.00000	75.80
34.5 - 35.5	\$16,441.67	\$248.00	0.01508	75.80
35.5 - 36.5	\$11,039.17	\$4,155.00	0.37639	74.66

Kentucky Utilities**All Divisions****367.00 UNDERGROUND CONDUCTORS & DEVICES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1938 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$3,588.03	\$2,292.00	0.63879	46.56
37.5 - 38.5	\$844.11	\$0.00	0.00000	16.82
38.5 - 39.5	\$668.56	\$0.00	0.00000	16.82
39.5 - 40.5	\$403.94	\$0.00	0.00000	16.82
40.5 - 41.5	\$403.94	\$0.00	0.00000	16.82
41.5 - 42.5	\$403.94	\$0.00	0.00000	16.82
42.5 - 43.5	\$403.94	\$0.00	0.00000	16.82
43.5 - 44.5	\$531.94	\$0.00	0.00000	16.82
44.5 - 45.5	\$531.94	\$0.00	0.00000	16.82
45.5 - 46.5	\$531.94	\$0.00	0.00000	16.82
46.5 - 47.5	\$531.94	\$0.00	0.00000	16.82
47.5 - 48.5	\$531.94	\$0.00	0.00000	16.82
48.5 - 49.5	\$531.94	\$0.00	0.00000	16.82
49.5 - 50.5	\$531.94	\$0.00	0.00000	16.82
50.5 - 51.5	\$531.94	\$0.00	0.00000	16.82
51.5 - 52.5	\$404.26	\$0.00	0.00000	16.82
52.5 - 53.5	\$404.26	\$0.00	0.00000	16.82
53.5 - 54.5	\$3,873.26	\$0.00	0.00000	16.82
54.5 - 55.5	\$3,873.26	\$0.00	0.00000	16.82
55.5 - 56.5	\$3,873.26	\$528.00	0.13632	16.82
56.5 - 57.5	\$3,345.26	\$0.00	0.00000	14.52
57.5 - 58.5	\$3,345.26	\$0.00	0.00000	14.52
58.5 - 59.5	\$3,345.26	\$0.00	0.00000	14.52
59.5 - 60.5	\$3,345.26	\$0.00	0.00000	14.52
60.5 - 61.5	\$3,345.26	\$0.00	0.00000	14.52
61.5 - 62.5	\$0.00	\$0.00	0.00000	14.52
62.5 - 63.5	\$0.00	\$0.00	0.00000	14.52
63.5 - 64.5	\$0.00	\$0.00	0.00000	14.52

Kentucky Utilities
 All Divisions
 368.00 LINE TRANSFORMERS
 Original And Smooth Survivor Curves



5-86

Charras

Kentucky Utilities
All Divisions
368.00 LINE TRANSFORMERS

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1900 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$234,818,218.72	\$284,615.00	0.00121	100.00
0.5 - 1.5	\$228,911,481.26	\$889,861.00	0.00389	99.88
1.5 - 2.5	\$218,561,051.46	\$741,385.00	0.00339	99.49
2.5 - 3.5	\$207,219,267.50	\$673,172.00	0.00325	99.15
3.5 - 4.5	\$199,297,122.25	\$720,538.00	0.00362	98.83
4.5 - 5.5	\$189,698,247.99	\$683,129.00	0.00360	98.47
5.5 - 6.5	\$179,950,350.01	\$691,609.00	0.00384	98.12
6.5 - 7.5	\$170,610,609.10	\$590,812.00	0.00346	97.74
7.5 - 8.5	\$160,432,441.04	\$650,578.00	0.00406	97.40
8.5 - 9.5	\$150,601,266.63	\$629,907.00	0.00418	97.01
9.5 - 10.5	\$141,490,665.63	\$658,120.00	0.00465	96.60
10.5 - 11.5	\$134,317,633.32	\$814,070.00	0.00606	96.15
11.5 - 12.5	\$127,609,732.18	\$963,076.00	0.00755	95.57
12.5 - 13.5	\$120,009,175.88	\$731,121.00	0.00609	94.85
13.5 - 14.5	\$112,382,956.84	\$707,217.00	0.00629	94.27
14.5 - 15.5	\$103,059,164.18	\$589,805.00	0.00572	93.68
15.5 - 16.5	\$96,435,379.72	\$819,766.00	0.00850	93.14
16.5 - 17.5	\$90,237,194.99	\$1,109,972.00	0.01230	92.35
17.5 - 18.5	\$84,360,710.52	\$1,292,876.00	0.01533	91.21
18.5 - 19.5	\$79,110,051.67	\$1,150,307.00	0.01454	89.82
19.5 - 20.5	\$72,389,491.64	\$970,093.00	0.01340	88.51
20.5 - 21.5	\$66,231,917.63	\$868,584.00	0.01311	87.32
21.5 - 22.5	\$61,908,214.71	\$794,786.00	0.01284	86.18
22.5 - 23.5	\$57,690,711.73	\$826,668.00	0.01433	85.07
23.5 - 24.5	\$51,946,993.91	\$1,151,044.00	0.02216	83.85
24.5 - 25.5	\$45,873,424.07	\$760,676.00	0.01658	82.00
25.5 - 26.5	\$40,037,366.57	\$795,740.00	0.01987	80.64
26.5 - 27.5	\$36,577,357.36	\$846,909.00	0.02315	79.03
27.5 - 28.5	\$33,629,765.44	\$808,914.00	0.02405	77.20
28.5 - 29.5	\$28,234,643.20	\$676,969.00	0.02398	75.35
29.5 - 30.5	\$23,783,680.52	\$635,130.00	0.02670	73.54
30.5 - 31.5	\$20,853,414.70	\$702,535.00	0.03369	71.58
31.5 - 32.5	\$18,020,931.12	\$411,302.00	0.02282	69.16
32.5 - 33.5	\$15,574,205.58	\$401,650.00	0.02579	67.59
33.5 - 34.5	\$13,712,801.95	\$582,634.00	0.04249	65.84
34.5 - 35.5	\$12,144,490.23	\$386,020.00	0.03179	63.05
35.5 - 36.5	\$10,288,097.70	\$716,693.00	0.06966	61.04

Kentucky Utilities
All Divisions
368.00 LINE TRANSFORMERS

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1900 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$8,612,831.50	\$403,888.00	0.04689	56.79
37.5 - 38.5	\$7,442,310.59	\$157,595.00	0.02118	54.13
38.5 - 39.5	\$6,721,960.09	\$134,914.00	0.02007	52.98
39.5 - 40.5	\$6,039,103.40	\$161,343.00	0.02672	51.92
40.5 - 41.5	\$5,313,664.53	\$150,189.00	0.02826	50.53
41.5 - 42.5	\$4,696,710.46	\$160,753.00	0.03423	49.10
42.5 - 43.5	\$4,131,787.47	\$114,532.00	0.02772	47.42
43.5 - 44.5	\$3,419,697.73	\$82,502.00	0.02413	46.11
44.5 - 45.5	\$2,911,880.76	\$69,471.00	0.02386	44.99
45.5 - 46.5	\$2,461,060.74	\$46,189.00	0.01877	43.92
46.5 - 47.5	\$2,423,458.82	\$87,084.00	0.03593	43.10
47.5 - 48.5	\$2,048,339.28	\$58,573.00	0.02860	41.55
48.5 - 49.5	\$1,760,971.56	\$27,422.00	0.01557	40.36
49.5 - 50.5	\$1,582,185.74	\$54,443.00	0.03441	39.73
50.5 - 51.5	\$1,260,179.03	\$16,537.00	0.01312	38.36
51.5 - 52.5	\$1,108,442.06	\$20,150.00	0.01818	37.86
52.5 - 53.5	\$961,908.37	\$10,025.00	0.01042	37.17
53.5 - 54.5	\$847,429.75	\$5,361.00	0.00633	36.78
54.5 - 55.5	\$785,569.20	\$21,217.00	0.02701	36.55
55.5 - 56.5	\$699,950.46	\$32,149.00	0.04593	35.56
56.5 - 57.5	\$609,143.38	\$2,136.00	0.00351	33.93
57.5 - 58.5	\$570,945.15	\$56,064.00	0.09820	33.81
58.5 - 59.5	\$502,232.59	\$72,065.00	0.14349	30.49
59.5 - 60.5	\$424,235.37	\$97,593.00	0.23004	26.12
60.5 - 61.5	\$322,827.05	\$145,807.00	0.45166	20.11
61.5 - 62.5	\$48,813.00	\$48,376.00	0.99105	11.03
62.5 - 63.5	\$437.00	\$0.00	0.00000	0.10
63.5 - 64.5	\$437.00	\$0.00	0.00000	0.10
64.5 - 65.5	\$437.00	\$0.00	0.00000	0.10
65.5 - 66.5	\$437.00	\$0.00	0.00000	0.10
66.5 - 67.5	\$437.00	\$0.00	0.00000	0.10
67.5 - 68.5	\$437.00	\$0.00	0.00000	0.10
68.5 - 69.5	\$437.00	\$0.00	0.00000	0.10
69.5 - 70.5	\$437.00	\$0.00	0.00000	0.10
70.5 - 71.5	\$437.00	\$0.00	0.00000	0.10
71.5 - 72.5	\$437.00	\$0.00	0.00000	0.10
72.5 - 73.5	\$437.00	\$0.00	0.00000	0.10

Kentucky Utilities
All Divisions
368.00 LINE TRANSFORMERS

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1900 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
73.5 - 74.5	\$437.00	\$0.00	0.00000	0.10
74.5 - 75.5	\$437.00	\$0.00	0.00000	0.10
75.5 - 76.5	\$437.00	\$0.00	0.00000	0.10
76.5 - 77.5	\$437.00	\$0.00	0.00000	0.10
77.5 - 78.5	\$437.00	\$0.00	0.00000	0.10
78.5 - 79.5	\$437.00	\$0.00	0.00000	0.10
79.5 - 80.5	\$437.00	\$0.00	0.00000	0.10
80.5 - 81.5	\$437.00	\$399.00	0.91304	0.10
81.5 - 82.5	\$38.00	\$0.00	0.00000	0.01
82.5 - 83.5	\$38.00	\$0.00	0.00000	0.01
83.5 - 84.5	\$38.00	\$0.00	0.00000	0.01
84.5 - 85.5	\$38.00	\$0.00	0.00000	0.01
85.5 - 86.5	\$38.00	\$0.00	0.00000	0.01
86.5 - 87.5	\$38.00	\$0.00	0.00000	0.01

Kentucky Utilities
All Divisions
369.00 SERVICES
Actual And Simulated Balances



5-90

Kentucky Utilities
All Divisions
370.00 METERS
Original And Smooth Survivor Curves



5-91

Charras

Kentucky Utilities***All Divisions******370.00 METERS******Observed Life Table******Retirement Expr. 1952 TO 2002******Placement Years 1904 TO 2002***

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$72,183,685.20	\$4,293.00	0.00006	100.00
0.5 - 1.5	\$70,617,499.84	\$532,613.00	0.00754	99.99
1.5 - 2.5	\$68,099,065.34	\$577,557.00	0.00848	99.24
2.5 - 3.5	\$65,384,016.16	\$308,885.00	0.00472	98.40
3.5 - 4.5	\$63,546,162.97	\$232,997.00	0.00367	97.93
4.5 - 5.5	\$61,394,684.87	\$348,348.00	0.00567	97.57
5.5 - 6.5	\$58,526,540.01	\$281,303.00	0.00481	97.02
6.5 - 7.5	\$55,444,328.37	\$392,203.00	0.00707	96.55
7.5 - 8.5	\$52,799,083.97	\$310,842.00	0.00589	95.87
8.5 - 9.5	\$50,642,349.31	\$351,604.00	0.00694	95.31
9.5 - 10.5	\$48,780,702.47	\$328,564.00	0.00674	94.65
10.5 - 11.5	\$47,309,769.31	\$300,348.00	0.00635	94.01
11.5 - 12.5	\$44,395,158.53	\$284,712.00	0.00641	93.41
12.5 - 13.5	\$42,935,466.09	\$456,777.00	0.01064	92.81
13.5 - 14.5	\$41,097,203.27	\$513,848.00	0.01250	91.82
14.5 - 15.5	\$39,091,816.91	\$616,902.00	0.01578	90.68
15.5 - 16.5	\$37,062,535.30	\$382,676.00	0.01033	89.25
16.5 - 17.5	\$35,222,456.27	\$334,376.00	0.00949	88.32
17.5 - 18.5	\$33,623,846.65	\$266,875.00	0.00794	87.49
18.5 - 19.5	\$32,142,269.48	\$247,893.00	0.00771	86.79
19.5 - 20.5	\$30,348,296.72	\$241,143.00	0.00795	86.12
20.5 - 21.5	\$28,882,823.13	\$241,617.00	0.00837	85.44
21.5 - 22.5	\$27,671,445.20	\$225,322.00	0.00814	84.72
22.5 - 23.5	\$26,480,922.61	\$193,442.00	0.00730	84.03
23.5 - 24.5	\$24,350,174.10	\$255,571.00	0.01050	83.42
24.5 - 25.5	\$22,499,363.23	\$288,720.00	0.01283	82.54
25.5 - 26.5	\$20,231,352.65	\$287,595.00	0.01422	81.48
26.5 - 27.5	\$18,690,203.69	\$260,412.00	0.01393	80.33
27.5 - 28.5	\$17,638,653.93	\$260,444.00	0.01477	79.21
28.5 - 29.5	\$15,542,414.69	\$203,958.00	0.01312	78.04
29.5 - 30.5	\$14,303,229.76	\$225,542.00	0.01577	77.01
30.5 - 31.5	\$13,121,289.03	\$187,514.00	0.01429	75.80
31.5 - 32.5	\$12,125,843.71	\$184,997.00	0.01526	74.72
32.5 - 33.5	\$11,298,942.32	\$265,796.00	0.02352	73.58
33.5 - 34.5	\$10,347,109.43	\$187,310.00	0.01810	71.84
34.5 - 35.5	\$9,583,109.89	\$264,016.00	0.02755	70.54
35.5 - 36.5	\$8,808,298.77	\$695,635.00	0.07897	68.60

Kentucky Utilities***All Divisions******370.00 METERS******Observed Life Table******Retirement Expr. 1952 TO 2002******Placement Years 1904 TO 2002***


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$7,571,968.30	\$383,650.00	0.05067	63.18
37.5 - 38.5	\$6,589,130.74	\$383,200.00	0.05816	59.98
38.5 - 39.5	\$5,714,799.80	\$299,146.00	0.05235	56.49
39.5 - 40.5	\$4,958,072.82	\$162,573.00	0.03279	53.54
40.5 - 41.5	\$4,401,479.97	\$152,086.00	0.03455	51.78
41.5 - 42.5	\$3,891,541.39	\$62,682.00	0.01611	49.99
42.5 - 43.5	\$3,490,701.58	\$88,737.00	0.02542	49.19
43.5 - 44.5	\$3,090,628.26	\$98,971.00	0.03202	47.94
44.5 - 45.5	\$2,638,925.55	\$97,445.00	0.03693	46.40
45.5 - 46.5	\$2,274,129.62	\$28,848.00	0.01269	44.69
46.5 - 47.5	\$2,045,973.92	\$18,920.00	0.00925	44.12
47.5 - 48.5	\$1,877,167.00	\$1,952.00	0.00104	43.71
48.5 - 49.5	\$1,653,319.82	\$8,615.00	0.00521	43.67
49.5 - 50.5	\$1,491,299.62	\$30,269.00	0.02030	43.44
50.5 - 51.5	\$1,207,967.06	\$14,093.00	0.01167	42.56
51.5 - 52.5	\$930,632.76	\$21,493.00	0.02310	42.06
52.5 - 53.5	\$686,492.27	\$14,652.00	0.02134	41.09
53.5 - 54.5	\$558,715.27	\$24,087.00	0.04311	40.21
54.5 - 55.5	\$444,064.47	\$9,287.00	0.02091	38.48
55.5 - 56.5	\$332,699.54	\$86.00	0.00026	37.67
56.5 - 57.5	\$286,532.55	\$10.00	0.00003	37.66
57.5 - 58.5	\$254,119.69	\$188.00	0.00074	37.66
58.5 - 59.5	\$238,948.12	\$10,672.00	0.04466	37.64
59.5 - 60.5	\$223,516.53	\$0.00	0.00000	35.95
60.5 - 61.5	\$214,680.88	\$44,963.00	0.20944	35.95

Kentucky Utilities

All Divisions

371.00 INSTALLATIONS ON CUST.S' PREMISES

Original And Smooth Survivor Curves



5-94

Charra

Kentucky Utilities**All Divisions****371.00 INSTALLATIONS ON CUST.S' PREMISES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1938 TO 2001**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$28,134,694.33	\$224,710.00	0.00799	100.00
0.5 - 1.5	\$27,909,984.33	\$1,110,271.00	0.03978	99.20
1.5 - 2.5	\$26,702,699.58	\$774,921.00	0.02902	95.26
2.5 - 3.5	\$25,473,666.22	\$689,165.00	0.02705	92.49
3.5 - 4.5	\$22,852,737.77	\$601,405.00	0.02632	89.99
4.5 - 5.5	\$20,092,616.28	\$625,602.00	0.03114	87.62
5.5 - 6.5	\$17,463,861.22	\$604,337.00	0.03461	84.89
6.5 - 7.5	\$15,128,433.06	\$555,918.00	0.03675	81.95
7.5 - 8.5	\$13,076,089.91	\$504,707.00	0.03860	78.94
8.5 - 9.5	\$11,174,558.45	\$431,517.00	0.03862	75.90
9.5 - 10.5	\$9,400,935.55	\$411,464.00	0.04377	72.97
10.5 - 11.5	\$8,112,956.64	\$333,220.00	0.04107	69.77
11.5 - 12.5	\$7,246,130.05	\$302,653.00	0.04177	66.91
12.5 - 13.5	\$6,345,752.18	\$282,375.00	0.04450	64.11
13.5 - 14.5	\$5,450,974.90	\$246,599.00	0.04524	61.26
14.5 - 15.5	\$5,000,485.17	\$282,744.00	0.05654	58.49
15.5 - 16.5	\$4,543,453.93	\$306,517.00	0.06746	55.18
16.5 - 17.5	\$3,848,028.46	\$220,094.00	0.05720	51.46
17.5 - 18.5	\$3,427,121.98	\$181,684.00	0.05301	48.51
18.5 - 19.5	\$2,876,449.60	\$209,937.00	0.07298	45.94
19.5 - 20.5	\$2,309,312.64	\$156,495.00	0.06777	42.59
20.5 - 21.5	\$1,801,085.37	\$128,456.00	0.07132	39.70
21.5 - 22.5	\$1,295,564.98	\$138,758.00	0.10710	36.87
22.5 - 23.5	\$1,082,354.59	\$37,916.00	0.03503	32.92
23.5 - 24.5	\$883,180.51	\$87,606.00	0.09919	31.77
24.5 - 25.5	\$758,644.24	\$121,770.00	0.16051	28.62
25.5 - 26.5	\$489,400.25	\$156,934.00	0.32067	24.02
26.5 - 27.5	\$191,657.96	\$84,988.00	0.44344	16.32
27.5 - 28.5	\$101,326.27	\$31,773.00	0.31357	9.08
28.5 - 29.5	\$67,595.06	\$17,812.00	0.26351	6.24
29.5 - 30.5	\$4,035.49	\$197.00	0.04882	4.59
30.5 - 31.5	\$3,420.68	\$113.00	0.03303	4.37
31.5 - 32.5	\$3,307.68	\$18.00	0.00544	4.22
32.5 - 33.5	\$3,289.68	\$124.00	0.03769	4.20
33.5 - 34.5	\$2,232.91	\$40.00	0.01791	4.04
34.5 - 35.5	\$1,917.38	\$36.00	0.01878	3.97
35.5 - 36.5	\$1,718.53	\$0.00	0.00000	3.90

Kentucky Utilities**All Divisions****371.00 INSTALLATIONS ON CUST.S' PREMISES****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1938 TO 2001**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$1,718.53	\$0.00	0.00000	3.90
37.5 - 38.5	\$1,718.53	\$0.00	0.00000	3.90
38.5 - 39.5	\$1,718.53	\$0.00	0.00000	3.90
39.5 - 40.5	\$977.47	\$0.00	0.00000	3.90
40.5 - 41.5	\$0.00	\$0.00	0.00000	3.90
41.5 - 42.5	\$0.00	\$0.00	0.00000	3.90
42.5 - 43.5	\$0.00	\$0.00	0.00000	3.90
43.5 - 44.5	\$0.00	\$0.00	0.00000	3.90
44.5 - 45.5	\$0.00	\$0.00	0.00000	3.90
45.5 - 46.5	\$0.00	\$0.00	0.00000	3.90
46.5 - 47.5	\$0.00	\$0.00	0.00000	3.90
47.5 - 48.5	\$0.00	\$0.00	0.00000	3.90
48.5 - 49.5	\$0.00	\$0.00	0.00000	3.90
49.5 - 50.5	\$0.00	\$0.00	0.00000	3.90
50.5 - 51.5	\$0.00	\$0.00	0.00000	3.90
51.5 - 52.5	\$0.00	\$0.00	0.00000	3.90
52.5 - 53.5	\$0.00	\$0.00	0.00000	3.90
53.5 - 54.5	\$0.00	\$0.00	0.00000	3.90
54.5 - 55.5	\$0.00	\$0.00	0.00000	3.90
55.5 - 56.5	\$0.00	\$0.00	0.00000	3.90
56.5 - 57.5	\$0.00	\$0.00	0.00000	3.90
57.5 - 58.5	\$0.00	\$0.00	0.00000	3.90
58.5 - 59.5	\$0.00	\$0.00	0.00000	3.90
59.5 - 60.5	\$0.00	\$0.00	0.00000	3.90
60.5 - 61.5	\$0.00	\$0.00	0.00000	3.90
61.5 - 62.5	\$0.00	\$0.00	0.00000	3.90
62.5 - 63.5	\$0.00	\$0.00	0.00000	3.90
63.5 - 64.5	\$0.00	\$0.00	0.00000	3.90

Kentucky Utilities

All Divisions

373.00 STREET LIGHTING & SINGAL SYSTEMS

Original And Smooth Survivor Curves



5-97

Charra

Kentucky Utilities**All Divisions****373.00 STREET LIGHTING & SINGAL SYSTEMS****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1929 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$55,437,543.51	\$181,864.00	0.00328	100.00
0.5 - 1.5	\$51,940,836.03	\$464,311.00	0.00894	99.67
1.5 - 2.5	\$48,684,897.81	\$445,308.00	0.00915	98.78
2.5 - 3.5	\$44,680,402.26	\$465,108.00	0.01041	97.88
3.5 - 4.5	\$40,713,607.33	\$434,226.00	0.01067	96.86
4.5 - 5.5	\$38,662,378.12	\$451,873.00	0.01169	95.83
5.5 - 6.5	\$35,761,858.45	\$440,481.00	0.01232	94.71
6.5 - 7.5	\$32,022,218.89	\$533,094.00	0.01665	93.54
7.5 - 8.5	\$29,854,711.11	\$445,037.00	0.01491	91.98
8.5 - 9.5	\$26,086,385.21	\$396,923.00	0.01522	90.61
9.5 - 10.5	\$24,768,956.41	\$497,337.00	0.02008	89.23
10.5 - 11.5	\$23,457,816.37	\$337,404.00	0.01438	87.44
11.5 - 12.5	\$21,193,164.35	\$321,597.00	0.01517	86.18
12.5 - 13.5	\$19,417,643.40	\$287,928.00	0.01483	84.87
13.5 - 14.5	\$18,340,634.93	\$296,259.00	0.01615	83.62
14.5 - 15.5	\$15,809,799.51	\$319,922.00	0.02024	82.27
15.5 - 16.5	\$14,333,604.94	\$305,940.00	0.02134	80.60
16.5 - 17.5	\$12,408,466.59	\$247,095.00	0.01991	78.88
17.5 - 18.5	\$11,937,443.85	\$307,791.00	0.02578	77.31
18.5 - 19.5	\$10,404,032.73	\$337,343.00	0.03242	75.32
19.5 - 20.5	\$9,797,503.58	\$303,437.00	0.03097	72.87
20.5 - 21.5	\$8,884,035.73	\$513,356.00	0.05778	70.62
21.5 - 22.5	\$7,218,348.30	\$337,545.00	0.04676	66.54
22.5 - 23.5	\$6,851,277.19	\$193,724.00	0.02828	63.43
23.5 - 24.5	\$5,520,637.97	\$156,854.00	0.02841	61.63
24.5 - 25.5	\$5,140,440.56	\$130,344.00	0.02536	59.88
25.5 - 26.5	\$4,790,110.29	\$168,178.00	0.03511	58.36
26.5 - 27.5	\$4,479,963.52	\$202,974.00	0.04531	56.31
27.5 - 28.5	\$4,053,680.61	\$214,788.00	0.05299	53.76
28.5 - 29.5	\$3,506,058.34	\$169,573.00	0.04837	50.91
29.5 - 30.5	\$3,122,848.80	\$170,438.00	0.05458	48.45
30.5 - 31.5	\$2,821,623.16	\$135,787.00	0.04812	45.81
31.5 - 32.5	\$2,492,337.27	\$257,572.00	0.10335	43.60
32.5 - 33.5	\$2,200,079.55	\$126,772.00	0.05762	39.10
33.5 - 34.5	\$1,879,986.95	\$85,476.00	0.04547	36.84
34.5 - 35.5	\$1,643,964.77	\$1,720.00	0.00105	35.17
35.5 - 36.5	\$1,450,177.88	\$1,797.00	0.00124	35.13

Kentucky Utilities
All Divisions

373.00 STREET LIGHTING & SINGAL SYSTEMS

Observed Life Table

Retirement Expr. 1952 TO 2002

Placement Years 1929 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$1,133,924.31	\$1,256.00	0.00111	35.09
37.5 - 38.5	\$1,082,735.07	\$2,572.00	0.00238	35.05
38.5 - 39.5	\$896,541.06	\$2,788.00	0.00311	34.97
39.5 - 40.5	\$755,748.01	\$228.00	0.00030	34.86
40.5 - 41.5	\$642,812.40	\$1,189.00	0.00185	34.85
41.5 - 42.5	\$591,062.68	\$1,291.00	0.00218	34.78
42.5 - 43.5	\$534,172.60	\$573.00	0.00107	34.71
43.5 - 44.5	\$478,681.59	\$637.00	0.00133	34.67
44.5 - 45.5	\$423,896.62	\$175.00	0.00041	34.62
45.5 - 46.5	\$382,112.39	\$0.00	0.00000	34.61
46.5 - 47.5	\$335,076.99	\$836.00	0.00249	34.61
47.5 - 48.5	\$281,388.83	\$61.00	0.00022	34.52
48.5 - 49.5	\$246,435.02	\$804.00	0.00326	34.51
49.5 - 50.5	\$206,400.24	\$590.00	0.00286	34.40
50.5 - 51.5	\$195,247.99	\$296.00	0.00152	34.30
51.5 - 52.5	\$183,070.42	\$145.00	0.00079	34.25
52.5 - 53.5	\$175,171.58	\$145.00	0.00083	34.22
53.5 - 54.5	\$164,404.09	\$0.00	0.00000	34.20
54.5 - 55.5	\$148,215.04	\$211.00	0.00142	34.20
55.5 - 56.5	\$138,653.96	\$0.00	0.00000	34.15
56.5 - 57.5	\$134,030.43	\$726.00	0.00542	34.15
57.5 - 58.5	\$132,404.40	\$0.00	0.00000	33.96
58.5 - 59.5	\$131,143.01	\$145.00	0.00111	33.96
59.5 - 60.5	\$130,768.30	\$0.00	0.00000	33.93
60.5 - 61.5	\$126,472.07	\$0.00	0.00000	33.93
61.5 - 62.5	\$3,148.43	\$0.00	0.00000	33.93
62.5 - 63.5	\$3,148.43	\$0.00	0.00000	33.93
63.5 - 64.5	\$3,148.43	\$0.00	0.00000	33.93
64.5 - 65.5	\$3,148.43	\$0.00	0.00000	33.93
65.5 - 66.5	\$3,148.43	\$0.00	0.00000	33.93
66.5 - 67.5	\$3,073.11	\$0.00	0.00000	33.93
67.5 - 68.5	\$3,073.11	\$0.00	0.00000	33.93
68.5 - 69.5	\$3,073.11	\$0.00	0.00000	33.93
69.5 - 70.5	\$3,073.11	\$0.00	0.00000	33.93
70.5 - 71.5	\$0.00	\$0.00	0.00000	33.93
71.5 - 72.5	\$0.00	\$0.00	0.00000	33.93
72.5 - 73.5	\$0.00	\$0.00	0.00000	33.93

Kentucky Utilities

All Divisions

390.10 STRUCT. & IMPROVE. TO OWNED PROPERTY

Original And Smooth Survivor Curves



5-100

Charman

Kentucky Utilities**All Divisions****390.10 STRUCT. & IMPROVE. TO OWNED PROPERTY****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1900 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$34,342,675.60	\$0.00	0.00000	100.00
0.5 - 1.5	\$34,326,827.79	\$848.00	0.00002	100.00
1.5 - 2.5	\$33,953,062.40	\$125,392.00	0.00369	100.00
2.5 - 3.5	\$33,215,684.50	\$21,214.00	0.00064	99.63
3.5 - 4.5	\$30,892,436.65	\$26,862.00	0.00087	99.56
4.5 - 5.5	\$30,089,997.51	\$26,599.00	0.00088	99.48
5.5 - 6.5	\$29,666,224.47	\$20,503.00	0.00069	99.39
6.5 - 7.5	\$28,137,579.31	\$311,595.00	0.01107	99.32
7.5 - 8.5	\$25,157,521.83	\$29,810.00	0.00118	98.22
8.5 - 9.5	\$23,132,929.87	\$63,984.00	0.00277	98.11
9.5 - 10.5	\$22,353,776.75	\$120,817.00	0.00540	97.83
10.5 - 11.5	\$21,801,540.34	\$48,483.00	0.00222	97.31
11.5 - 12.5	\$20,942,914.49	\$113,197.00	0.00541	97.09
12.5 - 13.5	\$19,164,850.91	\$101,851.00	0.00531	96.56
13.5 - 14.5	\$13,467,865.76	\$246,714.00	0.01832	96.05
14.5 - 15.5	\$11,729,741.41	\$176,055.00	0.01501	94.29
15.5 - 16.5	\$10,106,293.08	\$131,829.00	0.01304	92.88
16.5 - 17.5	\$9,435,011.94	\$204,595.00	0.02168	91.66
17.5 - 18.5	\$8,998,075.37	\$106,518.00	0.01184	89.68
18.5 - 19.5	\$8,669,213.60	\$119,547.00	0.01379	88.62
19.5 - 20.5	\$7,904,272.64	\$28,279.00	0.00358	87.39
20.5 - 21.5	\$7,721,130.32	\$54,039.00	0.00700	87.08
21.5 - 22.5	\$5,805,621.48	\$11,995.00	0.00207	86.47
22.5 - 23.5	\$5,594,739.28	\$47,110.00	0.00842	86.29
23.5 - 24.5	\$5,558,294.18	\$11,435.00	0.00206	85.57
24.5 - 25.5	\$5,497,617.27	\$93,115.00	0.01694	85.39
25.5 - 26.5	\$5,358,343.64	\$103,364.00	0.01929	83.94
26.5 - 27.5	\$5,114,007.85	\$14,485.00	0.00283	82.32
27.5 - 28.5	\$4,908,181.80	\$19,838.00	0.00404	82.09
28.5 - 29.5	\$4,772,073.92	\$52,046.00	0.01091	81.76
29.5 - 30.5	\$3,071,587.95	\$26,568.00	0.00865	80.87
30.5 - 31.5	\$2,949,222.48	\$33,741.00	0.01144	80.17
31.5 - 32.5	\$2,703,820.22	\$40,770.00	0.01508	79.25
32.5 - 33.5	\$2,238,967.52	\$40,763.00	0.01821	78.06
33.5 - 34.5	\$2,121,368.31	\$39,446.00	0.01859	76.63
34.5 - 35.5	\$1,946,785.45	\$41,123.00	0.02112	75.21
35.5 - 36.5	\$1,699,171.80	\$31,155.00	0.01834	73.62

Kentucky Utilities**All Divisions****390.10 STRUCT. & IMPROVE. TO OWNED PROPERTY****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1900 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$1,522,704.55	\$39,151.00	0.02571	72.27
37.5 - 38.5	\$1,406,863.15	\$9,519.00	0.00677	70.41
38.5 - 39.5	\$1,178,824.15	\$24,696.00	0.02095	69.94
39.5 - 40.5	\$1,059,204.08	\$8,061.00	0.00761	68.47
40.5 - 41.5	\$970,424.60	\$7,560.00	0.00779	67.95
41.5 - 42.5	\$941,003.26	\$485.00	0.00052	67.42
42.5 - 43.5	\$763,447.68	\$2,518.00	0.00330	67.39
43.5 - 44.5	\$741,824.77	\$6,760.00	0.00911	67.16
44.5 - 45.5	\$430,579.83	\$3,420.00	0.00794	66.55
45.5 - 46.5	\$425,115.02	\$0.00	0.00000	66.02
46.5 - 47.5	\$139,804.75	\$273.00	0.00195	66.02
47.5 - 48.5	\$130,360.02	\$500.00	0.00384	65.89
48.5 - 49.5	\$129,860.02	\$27,685.00	0.21319	65.64
49.5 - 50.5	\$101,145.19	\$1,193.00	0.01179	51.65
50.5 - 51.5	\$86,279.64	\$0.00	0.00000	51.04
51.5 - 52.5	\$138,459.70	\$0.00	0.00000	51.04
52.5 - 53.5	\$135,986.67	\$9,500.00	0.06986	51.04
53.5 - 54.5	\$126,259.47	\$175.00	0.00139	47.47
54.5 - 55.5	\$126,084.47	\$0.00	0.00000	47.41
55.5 - 56.5	\$126,016.08	\$0.00	0.00000	47.41
56.5 - 57.5	\$125,559.43	\$0.00	0.00000	47.41
57.5 - 58.5	\$125,559.43	\$0.00	0.00000	47.41
58.5 - 59.5	\$123,919.43	\$0.00	0.00000	47.41
59.5 - 60.5	\$123,919.43	\$0.00	0.00000	47.41
60.5 - 61.5	\$123,026.67	\$250.00	0.00203	47.41
61.5 - 62.5	\$94,088.00	\$8,442.00	0.08972	47.31
62.5 - 63.5	\$85,646.00	\$12,154.00	0.14191	43.07
63.5 - 64.5	\$73,492.00	\$2,717.00	0.03697	36.95
64.5 - 65.5	\$70,775.00	\$3,341.00	0.04721	35.59
65.5 - 66.5	\$67,434.00	\$14,832.00	0.21995	33.91
66.5 - 67.5	\$52,602.00	\$6,425.00	0.12214	26.45
67.5 - 68.5	\$46,177.00	\$4,374.00	0.09472	23.22
68.5 - 69.5	\$41,803.00	\$34,803.00	0.83255	21.02
69.5 - 70.5	\$7,000.00	\$0.00	0.00000	3.52

Kentucky Utilities

All Divisions
391.10 OFFICE EQUIPMENT
Original And Smooth Survivor Curves



5-103

Charman

Kentucky Utilities
All Divisions
391.10 OFFICE EQUIPMENT

Observed Life Table

Retirement Expr. 1952 TO 2002

Placement Years 1903 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$10,214,313.98	\$57,357.00	0.00562	100.00
0.5 - 1.5	\$10,182,819.98	\$142,885.00	0.01403	99.44
1.5 - 2.5	\$9,923,466.95	\$88,937.00	0.00896	98.04
2.5 - 3.5	\$6,205,305.58	\$52,447.00	0.00845	97.16
3.5 - 4.5	\$5,991,834.78	\$312,301.00	0.05212	96.34
4.5 - 5.5	\$5,476,192.52	\$172,776.00	0.03155	91.32
5.5 - 6.5	\$5,036,320.13	\$88,662.00	0.01760	88.44
6.5 - 7.5	\$4,730,783.78	\$580,694.00	0.12275	86.88
7.5 - 8.5	\$3,774,664.11	\$66,773.00	0.01769	76.22
8.5 - 9.5	\$3,564,560.77	\$74,699.00	0.02096	74.87
9.5 - 10.5	\$3,396,929.60	\$86,886.00	0.02558	73.30
10.5 - 11.5	\$3,230,679.30	\$278,721.00	0.08627	71.43
11.5 - 12.5	\$2,803,676.21	\$258,883.00	0.09234	65.26
12.5 - 13.5	\$2,347,764.23	\$57,460.00	0.02447	59.24
13.5 - 14.5	\$2,142,066.65	\$51,951.00	0.02425	57.79
14.5 - 15.5	\$1,976,984.06	\$43,967.00	0.02224	56.39
15.5 - 16.5	\$1,855,024.16	\$584,768.00	0.31523	55.13
16.5 - 17.5	\$1,271,192.19	\$313,755.00	0.24682	37.75
17.5 - 18.5	\$965,437.19	\$157,622.00	0.16326	28.43
18.5 - 19.5	\$810,616.00	\$76,009.00	0.09377	23.79
19.5 - 20.5	\$739,607.00	\$76,551.00	0.10350	21.56
20.5 - 21.5	\$668,056.00	\$51,829.00	0.07758	19.33
21.5 - 22.5	\$626,471.00	\$106,218.00	0.16955	17.83
22.5 - 23.5	\$530,253.00	\$58,166.00	0.10969	14.81
23.5 - 24.5	\$487,087.00	\$67,953.00	0.13951	13.18
24.5 - 25.5	\$425,665.00	\$23,354.00	0.05486	11.34
25.5 - 26.5	\$402,311.00	\$49,316.00	0.12258	10.72
26.5 - 27.5	\$352,995.00	\$26,651.00	0.07550	9.41
27.5 - 28.5	\$326,344.00	\$63,063.00	0.19324	8.70
28.5 - 29.5	\$263,281.00	\$21,905.00	0.08320	7.02
29.5 - 30.5	\$241,376.00	\$26,579.00	0.11011	6.43
30.5 - 31.5	\$214,797.00	\$28,548.00	0.13291	5.72
31.5 - 32.5	\$186,249.00	\$50,284.00	0.26998	4.96
32.5 - 33.5	\$135,965.00	\$18,271.00	0.13438	3.62
33.5 - 34.5	\$117,694.00	\$39,296.00	0.33388	3.14
34.5 - 35.5	\$78,398.00	\$25,214.00	0.32162	2.09
35.5 - 36.5	\$53,184.00	\$5,594.00	0.10518	1.42

Kentucky Utilities
All Divisions
391.10 OFFICE EQUIPMENT

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1903 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$47,590.00	\$17,329.00	0.36413	1.27
37.5 - 38.5	\$30,261.00	\$7,863.00	0.25984	0.81
38.5 - 39.5	\$22,431.00	\$4,667.00	0.20806	0.60
39.5 - 40.5	\$17,764.00	\$569.00	0.03203	0.47
40.5 - 41.5	\$17,195.00	\$2,664.00	0.15493	0.46
41.5 - 42.5	\$14,531.00	\$7,910.00	0.54435	0.39
42.5 - 43.5	\$6,621.00	\$1,344.00	0.20299	0.18
43.5 - 44.5	\$5,277.00	\$338.00	0.06405	0.14
44.5 - 45.5	\$4,939.00	\$1,445.00	0.29257	0.13
45.5 - 46.5	\$3,494.00	\$634.00	0.18145	0.09
46.5 - 47.5	\$14,250.00	\$0.00	0.00000	0.08
47.5 - 48.5	\$17,687.00	\$0.00	0.00000	0.08
48.5 - 49.5	\$19,860.00	\$758.00	0.03817	0.08
49.5 - 50.5	\$19,102.00	\$594.00	0.03110	0.07
50.5 - 51.5	\$18,508.00	\$41.00	0.00222	0.07
51.5 - 52.5	\$18,467.00	\$0.00	0.00000	0.07
52.5 - 53.5	\$18,467.00	\$0.00	0.00000	0.07
53.5 - 54.5	\$18,467.00	\$1,467.00	0.07944	0.07
54.5 - 55.5	\$17,000.00	\$7,232.00	0.42541	0.07
55.5 - 56.5	\$9,768.00	\$0.00	0.00000	0.04
56.5 - 57.5	\$9,768.00	\$2,173.00	0.22246	0.04
57.5 - 58.5	\$7,595.00	\$0.00	0.00000	0.03
58.5 - 59.5	\$7,595.00	\$0.00	0.00000	0.03
59.5 - 60.5	\$7,595.00	\$5,203.00	0.68506	0.03

Kentucky Utilities
 All Divisions
 393.00 STORES EQUIPMENT
 Original And Smooth Survivor Curves



5-106

Charras

Kentucky Utilities
All Divisions
393.00 STORES EQUIPMENT

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1905 TO 1999

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$723,047.05	\$0.00	0.00000	100.00
0.5 - 1.5	\$723,381.05	\$0.00	0.00000	100.00
1.5 - 2.5	\$723,721.05	\$2,043.00	0.00282	100.00
2.5 - 3.5	\$722,189.05	\$6,583.00	0.00912	99.72
3.5 - 4.5	\$708,500.69	\$0.00	0.00000	98.81
4.5 - 5.5	\$705,834.14	\$471.00	0.00067	98.81
5.5 - 6.5	\$704,499.52	\$607.00	0.00086	98.74
6.5 - 7.5	\$613,223.24	\$0.00	0.00000	98.66
7.5 - 8.5	\$563,977.00	\$43.00	0.00008	98.66
8.5 - 9.5	\$513,557.99	\$566.00	0.00110	98.65
9.5 - 10.5	\$497,205.33	\$1,396.00	0.00281	98.54
10.5 - 11.5	\$455,213.77	\$12,012.00	0.02639	98.26
11.5 - 12.5	\$427,675.74	\$1,395.00	0.00326	95.67
12.5 - 13.5	\$383,706.91	\$10,694.00	0.02787	95.36
13.5 - 14.5	\$328,774.31	\$6,455.00	0.01963	92.70
14.5 - 15.5	\$317,654.21	\$1,197.00	0.00377	90.88
15.5 - 16.5	\$291,004.62	\$1,510.00	0.00519	90.54
16.5 - 17.5	\$243,092.05	\$0.00	0.00000	90.07
17.5 - 18.5	\$237,993.44	\$2,706.00	0.01137	90.07
18.5 - 19.5	\$227,591.16	\$5,700.00	0.02504	89.05
19.5 - 20.5	\$214,835.54	\$1,328.00	0.00618	86.82
20.5 - 21.5	\$183,973.88	\$3,470.00	0.01886	86.28
21.5 - 22.5	\$180,503.88	\$3,324.00	0.01842	84.65
22.5 - 23.5	\$172,817.15	\$1,438.00	0.00832	83.09
23.5 - 24.5	\$168,978.80	\$2,427.00	0.01436	82.40
24.5 - 25.5	\$160,808.68	\$884.00	0.00550	81.22
25.5 - 26.5	\$151,910.55	\$1,110.00	0.00731	80.77
26.5 - 27.5	\$138,715.06	\$594.00	0.00428	80.18
27.5 - 28.5	\$123,518.31	\$1,178.00	0.00954	79.84
28.5 - 29.5	\$119,604.62	\$625.00	0.00523	79.08
29.5 - 30.5	\$106,721.01	\$61,983.00	0.58079	78.66
30.5 - 31.5	\$30,883.28	\$3,053.00	0.09886	32.98
31.5 - 32.5	\$27,049.00	\$1,121.00	0.04144	29.72
32.5 - 33.5	\$25,928.00	\$1,249.00	0.04817	28.48
33.5 - 34.5	\$24,679.00	\$640.00	0.02593	27.11
34.5 - 35.5	\$24,039.00	\$357.00	0.01485	26.41
35.5 - 36.5	\$23,682.00	\$8,229.00	0.34748	26.02

Kentucky Utilities
All Divisions
393.00 STORES EQUIPMENT

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1905 TO 1999


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$15,453.00	\$11,688.00	0.75636	16.98
37.5 - 38.5	\$3,765.00	\$0.00	0.00000	4.14
38.5 - 39.5	\$3,765.00	\$1,529.00	0.40611	4.14
39.5 - 40.5	\$2,236.00	\$0.00	0.00000	2.46
40.5 - 41.5	\$2,236.00	\$1,050.00	0.46959	2.46
41.5 - 42.5	\$1,186.00	\$0.00	0.00000	1.30
42.5 - 43.5	\$1,186.00	\$0.00	0.00000	1.30
43.5 - 44.5	\$1,186.00	\$0.00	0.00000	1.30
44.5 - 45.5	\$1,186.00	\$0.00	0.00000	1.30
45.5 - 46.5	\$1,186.00	\$0.00	0.00000	1.30
46.5 - 47.5	\$1,894.00	\$0.00	0.00000	1.30
47.5 - 48.5	\$1,894.00	\$154.00	0.08131	1.30
48.5 - 49.5	\$1,740.00	\$1,032.00	0.59310	1.20
49.5 - 50.5	\$708.00	\$0.00	0.00000	0.49
50.5 - 51.5	\$708.00	\$0.00	0.00000	0.49
51.5 - 52.5	\$708.00	\$0.00	0.00000	0.49
52.5 - 53.5	\$708.00	\$0.00	0.00000	0.49
53.5 - 54.5	\$708.00	\$0.00	0.00000	0.49

Kentucky Utilities

All Divisions

394.00 TOOLS, SHOP AND GARAGE EQUIPMENT

Original And Smooth Survivor Curves



5-109

Kentucky Utilities**All Divisions****394.00 TOOLS, SHOP AND GARAGE EQUIPMENT****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1903 TO 2002**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$4,040,995.83	\$720.00	0.00018	100.00
0.5 - 1.5	\$3,741,764.29	\$3,194.00	0.00085	99.98
1.5 - 2.5	\$3,482,470.49	\$2,897.00	0.00083	99.90
2.5 - 3.5	\$3,238,363.72	\$7,238.00	0.00224	99.81
3.5 - 4.5	\$2,882,070.45	\$3,201.00	0.00111	99.59
4.5 - 5.5	\$2,712,350.96	\$3,857.00	0.00142	99.48
5.5 - 6.5	\$2,434,920.07	\$6,629.00	0.00272	99.34
6.5 - 7.5	\$2,101,354.65	\$10,724.00	0.00510	99.07
7.5 - 8.5	\$1,961,803.11	\$10,076.00	0.00514	98.56
8.5 - 9.5	\$1,843,755.79	\$20,922.00	0.01135	98.06
9.5 - 10.5	\$1,780,279.72	\$15,178.00	0.00853	96.94
10.5 - 11.5	\$1,503,426.31	\$20,458.00	0.01361	96.12
11.5 - 12.5	\$1,403,124.20	\$12,403.00	0.00884	94.81
12.5 - 13.5	\$1,353,038.82	\$6,501.00	0.00480	93.97
13.5 - 14.5	\$1,269,115.18	\$14,391.00	0.01134	93.52
14.5 - 15.5	\$1,173,636.34	\$10,669.00	0.00909	92.46
15.5 - 16.5	\$1,001,669.60	\$5,290.00	0.00528	91.62
16.5 - 17.5	\$968,278.02	\$3,395.00	0.00351	91.13
17.5 - 18.5	\$907,611.97	\$6,855.00	0.00755	90.82
18.5 - 19.5	\$831,068.94	\$52,605.00	0.06330	90.13
19.5 - 20.5	\$684,329.55	\$8,724.00	0.01275	84.42
20.5 - 21.5	\$605,602.15	\$6,689.00	0.01105	83.35
21.5 - 22.5	\$553,429.78	\$6,061.00	0.01095	82.43
22.5 - 23.5	\$493,678.23	\$21,519.00	0.04359	81.52
23.5 - 24.5	\$444,420.90	\$3,205.00	0.00721	77.97
24.5 - 25.5	\$396,191.49	\$3,002.00	0.00758	77.41
25.5 - 26.5	\$358,831.05	\$5,659.00	0.01577	76.82
26.5 - 27.5	\$337,061.02	\$4,802.00	0.01425	75.61
27.5 - 28.5	\$219,362.23	\$13,732.00	0.06260	74.53
28.5 - 29.5	\$186,959.31	\$2,601.00	0.01391	69.87
29.5 - 30.5	\$179,051.69	\$36,528.00	0.20401	68.90
30.5 - 31.5	\$129,077.05	\$5,888.00	0.04562	54.84
31.5 - 32.5	\$117,395.59	\$11,272.00	0.09602	52.34
32.5 - 33.5	\$102,770.00	\$15,580.00	0.15160	47.31
33.5 - 34.5	\$87,190.00	\$13,726.00	0.15743	40.14
34.5 - 35.5	\$73,464.00	\$5,144.00	0.07002	33.82
35.5 - 36.5	\$68,320.00	\$3,269.00	0.04785	31.45

Kentucky Utilities
All Divisions

394.00 TOOLS, SHOP AND GARAGE EQUIPMENT

Observed Life Table


Retirement Expr. 1952 TO 2002

Placement Years 1903 TO 2002

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$65,051.00	\$9,696.00	0.14905	29.95
37.5 - 38.5	\$55,355.00	\$3,370.00	0.06088	25.48
38.5 - 39.5	\$51,985.00	\$6,927.00	0.13325	23.93
39.5 - 40.5	\$45,058.00	\$2,604.00	0.05779	20.74
40.5 - 41.5	\$42,454.00	\$12,388.00	0.29180	19.55
41.5 - 42.5	\$30,066.00	\$754.00	0.02508	13.84
42.5 - 43.5	\$29,312.00	\$8,245.00	0.28128	13.49
43.5 - 44.5	\$21,067.00	\$0.00	0.00000	9.70
44.5 - 45.5	\$21,067.00	\$1,466.00	0.06959	9.70
45.5 - 46.5	\$19,601.00	\$2,870.00	0.14642	9.02
46.5 - 47.5	\$17,944.00	\$2,647.00	0.14751	7.70
47.5 - 48.5	\$15,297.00	\$1,425.00	0.09316	6.57
48.5 - 49.5	\$13,932.00	\$0.00	0.00000	5.95
49.5 - 50.5	\$13,932.00	\$10,252.00	0.73586	5.95
50.5 - 51.5	\$3,680.00	\$0.00	0.00000	1.57
51.5 - 52.5	\$3,680.00	\$2,007.00	0.54538	1.57
52.5 - 53.5	\$1,673.00	\$0.00	0.00000	0.72
53.5 - 54.5	\$1,673.00	\$400.00	0.23909	0.72
54.5 - 55.5	\$1,273.00	\$1,213.00	0.95287	0.54
55.5 - 56.5	\$60.00	\$0.00	0.00000	0.03

Kentucky Utilities

All Divisions
395.00 LABORATORY EQUIPMENT
Original And Smooth Survivor Curves



5-112

Charras

Kentucky Utilities**All Divisions****395.00 LABORATORY EQUIPMENT****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1937 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$3,798,765.77	\$0.00	0.00000	100.00
0.5 - 1.5	\$3,802,419.77	\$5,498.00	0.00145	100.00
1.5 - 2.5	\$3,789,656.27	\$3,748.00	0.00099	99.86
2.5 - 3.5	\$3,641,132.55	\$10,367.00	0.00285	99.76
3.5 - 4.5	\$3,551,221.47	\$3,279.00	0.00092	99.47
4.5 - 5.5	\$3,345,078.98	\$4,711.00	0.00141	99.38
5.5 - 6.5	\$3,175,645.02	\$6,798.00	0.00214	99.24
6.5 - 7.5	\$2,938,729.45	\$8,992.00	0.00306	99.03
7.5 - 8.5	\$2,708,881.18	\$10,751.00	0.00397	98.73
8.5 - 9.5	\$2,599,571.43	\$5,900.00	0.00227	98.33
9.5 - 10.5	\$2,286,224.41	\$10,135.00	0.00443	98.11
10.5 - 11.5	\$1,236,097.76	\$5,143.00	0.00416	97.68
11.5 - 12.5	\$1,162,784.52	\$7,742.00	0.00666	97.27
12.5 - 13.5	\$1,121,441.95	\$11,750.00	0.01048	96.62
13.5 - 14.5	\$956,447.74	\$6,359.00	0.00665	95.61
14.5 - 15.5	\$853,754.54	\$11,811.00	0.01383	94.97
15.5 - 16.5	\$747,528.87	\$7,786.00	0.01042	93.66
16.5 - 17.5	\$709,203.41	\$180,891.00	0.25506	92.68
17.5 - 18.5	\$515,378.61	\$6,751.00	0.01310	69.04
18.5 - 19.5	\$486,841.97	\$7,771.00	0.01596	68.14
19.5 - 20.5	\$452,156.43	\$6,723.00	0.01487	67.05
20.5 - 21.5	\$418,972.75	\$23,943.00	0.05715	66.05
21.5 - 22.5	\$359,770.26	\$12,400.00	0.03447	62.28
22.5 - 23.5	\$305,550.75	\$10,171.00	0.03329	60.13
23.5 - 24.5	\$277,710.27	\$4,349.00	0.01566	58.13
24.5 - 25.5	\$244,269.43	\$4,112.00	0.01683	57.22
25.5 - 26.5	\$232,839.51	\$4,850.00	0.02083	56.26
26.5 - 27.5	\$195,051.28	\$54,222.00	0.27799	55.09
27.5 - 28.5	\$124,479.35	\$6,733.00	0.05409	39.77
28.5 - 29.5	\$115,602.00	\$6,668.00	0.05768	37.62
29.5 - 30.5	\$108,934.00	\$3,316.00	0.03044	35.45
30.5 - 31.5	\$105,618.00	\$16,924.00	0.16024	34.37
31.5 - 32.5	\$88,694.00	\$4,875.00	0.05496	28.86
32.5 - 33.5	\$83,819.00	\$2,455.00	0.02929	27.28
33.5 - 34.5	\$81,364.00	\$3,747.00	0.04605	26.48
34.5 - 35.5	\$77,617.00	\$6,822.00	0.08789	25.26
35.5 - 36.5	\$70,795.00	\$1,389.00	0.01962	23.04

Kentucky Utilities
All Divisions
395.00 LABORATORY EQUIPMENT

Observed Life Table
Retirement Expr. 1952 TO 2002
Placement Years 1937 TO 2002

<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
36.5 - 37.5	\$69,406.00	\$8,686.00	0.12515	22.59
37.5 - 38.5	\$60,720.00	\$7,114.00	0.11716	19.76
38.5 - 39.5	\$53,606.00	\$1,791.00	0.03341	17.45
39.5 - 40.5	\$51,815.00	\$5,101.00	0.09845	16.86
40.5 - 41.5	\$46,714.00	\$24,301.00	0.52021	15.20
41.5 - 42.5	\$22,413.00	\$1,650.00	0.07362	7.29
42.5 - 43.5	\$20,763.00	\$8,221.00	0.39594	6.76
43.5 - 44.5	\$12,542.00	\$8,393.00	0.66919	4.08
44.5 - 45.5	\$4,149.00	\$856.00	0.20631	1.35
45.5 - 46.5	\$3,293.00	\$0.00	0.00000	1.07
46.5 - 47.5	\$3,293.00	\$589.00	0.17886	1.07
47.5 - 48.5	\$2,704.00	\$1,793.00	0.66309	0.88
48.5 - 49.5	\$911.00	\$286.00	0.31394	0.30
49.5 - 50.5	\$625.00	\$269.00	0.43040	0.20

Kentucky Utilities
 All Divisions
396.00 POWER OPERATED EQUIPEMENT
 Original And Smooth Survivor Curves



5-115

Charman

Kentucky Utilities**All Divisions****396.00 POWER OPERATED EQUIPEMENT****Observed Life Table****Retirement Expr. 1969 TO 2002****Placement Years 1969 TO 2000**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$300,510.14	\$0.00	0.00000	100.00
0.5 - 1.5	\$300,510.14	\$0.00	0.00000	100.00
1.5 - 2.5	\$300,510.14	\$0.00	0.00000	100.00
2.5 - 3.5	\$279,679.14	\$0.00	0.00000	100.00
3.5 - 4.5	\$275,974.00	\$0.00	0.00000	100.00
4.5 - 5.5	\$275,974.00	\$0.00	0.00000	100.00
5.5 - 6.5	\$269,876.00	\$0.00	0.00000	100.00
6.5 - 7.5	\$266,874.80	\$0.00	0.00000	100.00
7.5 - 8.5	\$210,979.44	\$0.00	0.00000	100.00
8.5 - 9.5	\$162,275.82	\$0.00	0.00000	100.00
9.5 - 10.5	\$162,275.82	\$367.00	0.00226	100.00
10.5 - 11.5	\$161,908.82	\$0.00	0.00000	99.77
11.5 - 12.5	\$161,908.82	\$0.00	0.00000	99.77
12.5 - 13.5	\$131,949.46	\$0.00	0.00000	99.77
13.5 - 14.5	\$108,979.39	\$0.00	0.00000	99.77
14.5 - 15.5	\$108,979.39	\$24,071.00	0.22088	99.77
15.5 - 16.5	\$75,395.00	\$2,067.00	0.02742	77.74
16.5 - 17.5	\$73,328.00	\$17,056.00	0.23260	75.60
17.5 - 18.5	\$56,272.00	\$0.00	0.00000	58.02
18.5 - 19.5	\$56,272.00	\$41,283.00	0.73363	58.02
19.5 - 20.5	\$14,989.00	\$14,025.00	0.93569	15.45
20.5 - 21.5	\$964.00	\$0.00	0.00000	0.99
21.5 - 22.5	\$964.00	\$0.00	0.00000	0.99
22.5 - 23.5	\$964.00	\$0.00	0.00000	0.99
23.5 - 24.5	\$964.00	\$0.00	0.00000	0.99
24.5 - 25.5	\$964.00	\$0.00	0.00000	0.99
25.5 - 26.5	\$964.00	\$0.00	0.00000	0.99
26.5 - 27.5	\$964.00	\$0.00	0.00000	0.99

Kentucky Utilities

All Divisions

397.10 CARRIER COMMUNICATION EQUIPMENT

Original And Smooth Survivor Curves



5-117

Charnas

Kentucky Utilities
All Divisions

397.10 CARRIER COMMUNICATION EQUIPMENT

Observed Life Table

Retirement Expr. 2000 TO 2002

Placement Years 1981 TO 2002


<i>Age Interval</i>	<i>\$ Surviving At Beginning of Age Interval</i>	<i>\$ Retired During The Age Interval</i>	<i>Retirement Ratio</i>	<i>% Surviving At Beginning of Age Interval</i>
0.0 - 0.5	\$1,384,200.25	\$0.00	0.00000	100.00
0.5 - 1.5	\$1,359,708.17	\$0.00	0.00000	100.00
1.5 - 2.5	\$1,021,738.28	\$0.00	0.00000	100.00
2.5 - 3.5	\$792,710.98	\$0.00	0.00000	100.00
3.5 - 4.5	\$362,239.96	\$0.00	0.00000	100.00
4.5 - 5.5	\$341,273.77	\$0.00	0.00000	100.00
5.5 - 6.5	\$283,019.32	\$0.00	0.00000	100.00
6.5 - 7.5	\$43,751.12	\$0.00	0.00000	100.00
7.5 - 8.5	\$49,872.17	\$0.00	0.00000	100.00
8.5 - 9.5	\$64,779.64	\$0.00	0.00000	100.00
9.5 - 10.5	\$49,179.88	\$0.00	0.00000	100.00
10.5 - 11.5	\$43,058.83	\$0.00	0.00000	100.00
11.5 - 12.5	\$152,310.17	\$0.00	0.00000	100.00
12.5 - 13.5	\$258,234.76	\$0.00	0.00000	100.00
13.5 - 14.5	\$353,237.64	\$0.00	0.00000	100.00
14.5 - 15.5	\$380,228.93	\$0.00	0.00000	100.00
15.5 - 16.5	\$292,222.10	\$0.00	0.00000	100.00
16.5 - 17.5	\$981,636.22	\$0.00	0.00000	100.00
17.5 - 18.5	\$980,694.41	\$201,550.00	0.20552	100.00
18.5 - 19.5	\$743,700.21	\$743,199.00	0.99933	79.45
19.5 - 20.5	\$501.21	\$0.00	0.00000	0.05
20.5 - 21.5	\$0.00	\$0.00	0.00000	0.05

Kentucky Utilities

All Divisions

397.20 REMOTE CONTROL COMMUNICATION EQ.

Original And Smooth Survivor Curves



5-119

Charnas

Kentucky Utilities
All Divisions

397.20 REMOTE CONTROL COMMUNICATION EQ.

Observed Life Table

Retirement Expr. 2000 TO 2002

Placement Years 1981 TO 2001


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$2,886,902.47	\$0.00	0.00000	100.00
0.5 - 1.5	\$3,131,505.64	\$0.00	0.00000	100.00
1.5 - 2.5	\$2,747,586.10	\$0.00	0.00000	100.00
2.5 - 3.5	\$322,267.16	\$0.00	0.00000	100.00
3.5 - 4.5	\$111,577.75	\$0.00	0.00000	100.00
4.5 - 5.5	\$108,231.66	\$0.00	0.00000	100.00
5.5 - 6.5	\$120,741.72	\$0.00	0.00000	100.00
6.5 - 7.5	\$90,018.57	\$0.00	0.00000	100.00
7.5 - 8.5	\$285,590.50	\$0.00	0.00000	100.00
8.5 - 9.5	\$262,110.95	\$0.00	0.00000	100.00
9.5 - 10.5	\$261,845.71	\$0.00	0.00000	100.00
10.5 - 11.5	\$38,543.26	\$0.00	0.00000	100.00
11.5 - 12.5	\$40,360.55	\$0.00	0.00000	100.00
12.5 - 13.5	\$76,087.97	\$0.00	0.00000	100.00
13.5 - 14.5	\$78,322.64	\$0.00	0.00000	100.00
14.5 - 15.5	\$193,387.70	\$0.00	0.00000	100.00
15.5 - 16.5	\$203,357.29	\$0.00	0.00000	100.00
16.5 - 17.5	\$192,595.06	\$0.00	0.00000	100.00
17.5 - 18.5	\$103,493.03	\$39,353.00	0.38025	100.00
18.5 - 19.5	\$15,517.65	\$0.00	0.00000	61.98
19.5 - 20.5	\$0.00	\$0.00	0.00000	61.98
20.5 - 21.5	\$0.00	\$0.00	0.00000	61.98

Kentucky Utilities

All Divisions

397.30 MOBILE COMMUNICATION EQUIP.

Original And Smooth Survivor Curves



5-121

Kentucky Utilities**All Divisions****397.30 MOBILE COMMUNICATION EQUIP.****Observed Life Table****Retirement Expr. 2000 TO 2002****Placement Years 1981 TO 2002**


Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$4,294,983.50	\$0.00	0.00000	100.00
0.5 - 1.5	\$4,182,831.53	\$0.00	0.00000	100.00
1.5 - 2.5	\$4,182,831.53	\$0.00	0.00000	100.00
2.5 - 3.5	\$0.00	\$0.00	0.00000	100.00
3.5 - 4.5	\$21,697.08	\$0.00	0.00000	100.00
4.5 - 5.5	\$147,043.61	\$0.00	0.00000	100.00
5.5 - 6.5	\$164,868.13	\$0.00	0.00000	100.00
6.5 - 7.5	\$147,185.24	\$0.00	0.00000	100.00
7.5 - 8.5	\$31,560.83	\$0.00	0.00000	100.00
8.5 - 9.5	\$17,480.18	\$0.00	0.00000	100.00
9.5 - 10.5	\$17,642.12	\$0.00	0.00000	100.00
10.5 - 11.5	\$23,457.37	\$0.00	0.00000	100.00
11.5 - 12.5	\$19,713.50	\$0.00	0.00000	100.00
12.5 - 13.5	\$17,298.90	\$0.00	0.00000	100.00
13.5 - 14.5	\$7,768.99	\$0.00	0.00000	100.00
14.5 - 15.5	\$73,475.56	\$0.00	0.00000	100.00
15.5 - 16.5	\$71,714.03	\$0.00	0.00000	100.00
16.5 - 17.5	\$75,081.32	\$0.00	0.00000	100.00
17.5 - 18.5	\$268,910.75	\$259,536.00	0.96514	100.00
18.5 - 19.5	\$9,374.75	\$0.00	0.00000	3.49
19.5 - 20.5	\$0.00	\$0.00	0.00000	3.49
20.5 - 21.5	\$0.00	\$0.00	0.00000	3.49

Kentucky Utilities

All Divisions

398.00 MISCELLANEOUS EQUIPMENT

Original And Smooth Survivor Curves



5-123

Kentucky Utilities**All Divisions****398.00 MISCELLANEOUS EQUIPMENT****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1905 TO 2001**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
0.0 - 0.5	\$1,138,353.94	\$0.00	0.00000	100.00
0.5 - 1.5	\$1,138,668.94	\$4,940.00	0.00434	100.00
1.5 - 2.5	\$1,133,957.13	\$21,032.00	0.01855	99.57
2.5 - 3.5	\$1,113,677.13	\$8,005.00	0.00719	97.72
3.5 - 4.5	\$1,093,155.08	\$20,986.00	0.01920	97.02
4.5 - 5.5	\$997,145.93	\$9,262.00	0.00929	95.15
5.5 - 6.5	\$910,554.01	\$10,601.00	0.01164	94.27
6.5 - 7.5	\$866,209.73	\$22,455.00	0.02592	93.17
7.5 - 8.5	\$803,357.97	\$23,891.00	0.02974	90.76
8.5 - 9.5	\$715,324.36	\$15,325.00	0.02142	88.06
9.5 - 10.5	\$678,314.06	\$11,782.00	0.01737	86.17
10.5 - 11.5	\$645,313.62	\$35,269.00	0.05465	84.68
11.5 - 12.5	\$603,829.94	\$42,890.00	0.07103	80.05
12.5 - 13.5	\$553,496.86	\$18,718.00	0.03382	74.36
13.5 - 14.5	\$538,095.18	\$26,367.00	0.04900	71.85
14.5 - 15.5	\$469,796.63	\$129,323.00	0.27527	68.33
15.5 - 16.5	\$308,119.28	\$14,486.00	0.04701	49.52
16.5 - 17.5	\$287,051.00	\$29,217.00	0.10178	47.19
17.5 - 18.5	\$257,834.00	\$14,037.00	0.05444	42.39
18.5 - 19.5	\$243,797.00	\$24,653.00	0.10112	40.08
19.5 - 20.5	\$219,144.00	\$17,739.00	0.08095	36.03
20.5 - 21.5	\$201,405.00	\$13,456.00	0.06681	33.11
21.5 - 22.5	\$187,949.00	\$25,214.00	0.13415	30.90
22.5 - 23.5	\$162,735.00	\$12,800.00	0.07866	26.75
23.5 - 24.5	\$149,935.00	\$7,991.00	0.05330	24.65
24.5 - 25.5	\$141,944.00	\$12,377.00	0.08720	23.33
25.5 - 26.5	\$129,567.00	\$2,800.00	0.02161	21.30
26.5 - 27.5	\$126,767.00	\$3,882.00	0.03062	20.84
27.5 - 28.5	\$122,885.00	\$8,797.00	0.07159	20.20
28.5 - 29.5	\$114,088.00	\$4,877.00	0.04275	18.76
29.5 - 30.5	\$109,211.00	\$5,958.00	0.05455	17.95
30.5 - 31.5	\$103,253.00	\$5,234.00	0.05069	16.97
31.5 - 32.5	\$98,019.00	\$8,496.00	0.08668	16.11
32.5 - 33.5	\$89,641.00	\$2,630.00	0.02934	14.72
33.5 - 34.5	\$87,011.00	\$4,883.00	0.05612	14.29
34.5 - 35.5	\$82,128.00	\$7,553.00	0.09197	13.48
35.5 - 36.5	\$74,575.00	\$3,010.00	0.04036	12.24

Kentucky Utilities**All Divisions****398.00 MISCELLANEOUS EQUIPMENT****Observed Life Table****Retirement Expr. 1952 TO 2002****Placement Years 1905 TO 2001**

Age Interval	\$ Surviving At Beginning of Age Interval	\$ Retired During The Age Interval	Retirement Ratio	% Surviving At Beginning of Age Interval
36.5 - 37.5	\$71,565.00	\$2,993.00	0.04182	11.75
37.5 - 38.5	\$68,572.00	\$1,190.00	0.01735	11.26
38.5 - 39.5	\$67,382.00	\$0.00	0.00000	11.06
39.5 - 40.5	\$67,382.00	\$3,300.00	0.04897	11.06
40.5 - 41.5	\$64,082.00	\$1,965.00	0.03066	10.52
41.5 - 42.5	\$62,117.00	\$7,459.00	0.12008	10.20
42.5 - 43.5	\$54,658.00	\$3,385.00	0.06193	8.97
43.5 - 44.5	\$51,273.00	\$4,579.00	0.08931	8.42
44.5 - 45.5	\$46,694.00	\$46,131.00	0.98794	7.67
45.5 - 46.5	\$563.00	\$0.00	0.00000	0.09
46.5 - 47.5	\$1,666.00	\$0.00	0.00000	0.09
47.5 - 48.5	\$1,666.00	\$502.00	0.30132	0.09
48.5 - 49.5	\$1,164.00	\$0.00	0.00000	0.06
49.5 - 50.5	\$1,164.00	\$61.00	0.05241	0.06
50.5 - 51.5	\$1,103.00	\$0.00	0.00000	0.06
51.5 - 52.5	\$1,103.00	\$0.00	0.00000	0.06
52.5 - 53.5	\$1,103.00	\$0.00	0.00000	0.06
53.5 - 54.5	\$1,103.00	\$0.00	0.00000	0.06

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-KU GENERATION - COMMON

*Interim Survivor Curve: Iowa 90 S1.5**Probable Retirement Year: 2032*

1989	782,876.82	42.20	18,552.22	28.78	533,965.88
1994	6,176.00	37.50	164.67	29.03	4,779.90
1997	16,663.00	34.64	481.03	29.15	14,020.39
Total	805,715.82	41.97	19,197.92	28.79	552,766.16

KY-Tyrone Unit 3

*Interim Survivor Curve: Iowa 90 S1.5**Probable Retirement Year: 2020*

1948	1,963,409.00	66.22	29,649.50	16.00	474,471.59
1949	35,780.65	65.51	546.16	16.05	8,766.05
1951	18,304.15	64.07	285.70	16.14	4,611.46
1954	1,988,055.07	61.83	32,155.06	16.27	523,237.75
1955	24,709.56	61.06	404.67	16.31	6,602.11
1957	447.74	59.50	7.52	16.40	123.39
1960	1,560.22	57.09	27.33	16.52	451.42
1964	16,215.88	53.77	301.58	16.67	5,027.02
1967	336.14	51.20	6.57	16.77	110.14
1968	270.05	50.32	5.37	16.81	90.20
1970	28,525.19	48.56	587.42	16.87	9,911.78
1971	207.88	47.67	4.36	16.90	73.72
1973	1,457.52	45.87	31.78	16.96	539.08
1975	121.74	44.04	2.76	17.02	47.05
1977	378,416.12	42.20	8,967.52	17.08	153,129.90
1978	9,981.92	41.27	241.88	17.10	4,136.50

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1980	426,730.47	39.40	10,832.01	17.15	185,774.34
1986	10,631.59	33.68	315.67	17.28	5,454.08
1991	11,976.68	28.83	415.47	17.36	7,212.60
1993	27,091.19	26.87	1,008.27	17.39	17,531.44
1994	19,770.52	25.89	763.73	17.40	13,289.32
1995	39,470.30	24.90	1,584.98	17.41	27,598.11
1996	137,342.48	23.92	5,742.48	17.42	100,052.63
1997	50,594.22	22.93	2,206.51	17.43	38,467.00
2000	40,880.36	19.96	2,048.23	17.46	35,760.53
2001	61,596.21	18.97	3,247.68	17.47	56,724.83
Total	5,293,882.85	52.21	101,390.20	16.56	1,679,194.03

KY-Tyrone Units 1 & 2**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2005**

1948	464,845.35	54.61	8,511.73	2.47	21,048.56
1970	301.56	34.64	8.71	2.49	21.68
1971	127.60	33.68	3.79	2.49	9.44
2000	36,257.09	5.00	7,251.71	2.50	18,128.26
2001	87,873.54	4.00	21,968.85	2.50	54,920.40
Total	589,405.14	15.62	37,744.78	2.49	94,128.33

KY-Green River Unit 3**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2020**

1954	1,701,263.91	61.83	27,516.46	16.27	447,756.96
1955	40,229.27	61.06	658.84	16.31	10,748.79
1961	984.15	56.27	17.49	16.56	289.56

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1967	799.68	51.20	15.62	16.77	262.02
1971	7,661.07	47.67	160.72	16.90	2,716.83
1972	864.02	46.77	18.47	16.93	312.85
1977	995,922.22	42.20	23,600.87	17.08	403,009.98
1984	24,088.27	35.60	676.66	17.24	11,664.18
1987	10,662.27	32.71	325.92	17.30	5,637.06
1990	902.16	29.80	30.27	17.35	525.06
1997	26,427.69	22.93	1,152.56	17.43	20,093.09
Total	2,809,804.71	51.87	54,173.88	16.67	903,016.38

KY-Green River Unit 4**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2020**

1959	100,084.83	57.90	1,728.44	16.48	28,484.03
1960	34,112.90	57.09	597.49	16.52	9,869.84
1961	12,937.09	56.27	229.89	16.56	3,806.42
1967	257.26	51.20	5.03	16.77	84.29
1969	2,082.16	49.45	42.11	16.84	709.20
1970	1,875.26	48.56	38.62	16.87	651.61
1971	408.14	47.67	8.56	16.90	144.74
1972	16,184.53	46.77	346.04	16.93	5,860.15
1979	851.60	40.33	21.11	17.13	361.60
1980	168,134.35	39.40	4,267.88	17.15	73,196.20
1981	4,544.71	38.45	118.19	17.17	2,029.77
1982	143,541.81	37.50	3,827.29	17.20	65,813.60
1984	38,673.36	35.60	1,086.37	17.24	18,726.67
1985	25,615.40	34.64	739.46	17.26	12,761.99
1986	60,991.13	33.68	1,810.96	17.28	31,288.86
1987	11,334.28	32.71	346.46	17.30	5,992.35

Kentucky Utilities
All Divisions
311.00 STRUCTURES & IMPROVEMENTS
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1988	68,738.83	31.75	2,165.24	17.31	37,487.11
1989	2,293,668.78	30.78	74,528.11	17.33	1,291,543.93
1990	13,579.65	29.80	455.65	17.35	7,903.43
1991	28,697.80	28.83	995.52	17.36	17,282.39
1994	12,332.80	25.89	476.41	17.40	8,289.85
1995	20,105.57	24.90	807.37	17.41	14,058.06
1996	721,730.26	23.92	30,176.55	17.42	525,773.31
1997	164,536.32	22.93	7,175.74	17.43	125,097.66
1998	5,406.14	21.94	246.40	17.44	4,297.88
1999	23,270.12	20.95	1,110.73	17.45	19,383.73
2000	125,695.86	19.96	6,297.74	17.46	109,953.78
Total	4,099,390.94	29.35	139,649.34	17.34	2,420,852.44

KY-Green River Units 1 & 2

Interim Survivor Curve: Iowa 90 S1.5
Probable Retirement Year: 2004

1950	2,866,362.59	52.06	55,058.00	1.49	82,093.59
1951	45,392.04	51.20	886.64	1.49	1,322.31
1954	1,205.59	48.56	24.83	1.49	37.05
1955	151.90	47.67	3.19	1.49	4.76
1965	36,475.06	38.45	948.58	1.50	1,418.49
1967	2,328.58	36.55	63.70	1.50	95.30
1969	30,207.24	34.64	872.02	1.50	1,304.82
1970	22,172.92	33.68	658.36	1.50	985.26
1973	12,227.86	30.78	397.32	1.50	594.83
1975	581,198.35	28.83	20,161.57	1.50	30,191.50
1985	21,268.96	18.97	1,121.41	1.50	1,680.96
1987	16,289.40	16.98	959.44	1.50	1,438.35
1989	38,651.67	14.99	2,579.12	1.50	3,866.98

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1996	23,653.49	8.00	2,957.15	1.50	4,435.17
2000	95,835.94	4.00	23,959.49	1.50	35,938.19
2001	3,738.61	3.00	1,246.21	1.50	1,869.29
Total	3,797,160.20	33.93	111,897.04	1.49	167,276.85

KY-E W Brown Steam Unit 1**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2020**

1956	74,988.23	60.29	1,243.89	16.36	20,345.67
1958	2,418,828.89	58.71	41,201.63	16.44	677,340.86
1959	79,334.93	57.90	1,370.09	16.48	22,578.63
1964	2,388.00	53.77	44.41	16.67	740.29
1979	18,329.62	40.33	454.44	17.13	7,783.04
1987	43,137.68	32.71	1,318.62	17.30	22,806.55
1988	49,348.54	31.75	1,554.46	17.31	26,912.50
1990	143,320.23	29.80	4,808.97	17.35	83,413.14
1991	712,308.69	28.83	24,709.75	17.36	428,966.68
1994	14,811.14	25.89	572.15	17.40	9,955.73
1995	352,899.61	24.90	14,171.14	17.41	246,751.70
1996	94,854.89	23.92	3,966.02	17.42	69,100.84
1997	72,522.04	22.93	3,162.82	17.43	55,138.82
1998	11,065.00	21.94	504.32	17.44	8,796.67
Total	4,088,137.49	41.26	99,082.71	16.96	1,680,631.15

KY-E W Brown Steam Unit 2**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2020**

1963	739,604.50	54.61	13,542.81	16.63	225,250.17
------	------------	-------	-----------	-------	------------

Kentucky Utilities
All Divisions
311.00 STRUCTURES & IMPROVEMENTS
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1965	552,312.15	52.92	10,436.99	16.70	174,344.07
1966	11,534.23	52.06	221.55	16.74	3,708.65
1967	2,142.72	51.20	41.85	16.77	702.09
1979	24,545.95	40.33	608.56	17.13	10,422.59
1983	1,964.23	36.55	53.74	17.22	925.18
1991	4,830.08	28.83	167.55	17.36	2,908.77
1992	96,409.90	27.85	3,461.88	17.37	60,147.65
1993	19,477.46	26.87	724.91	17.39	12,604.39
Total	1,452,821.22	49.65	29,259.84	16.78	491,013.55

KY-E W Brown Steam Unit 3

Interim Survivor Curve: Iowa 90 S1.5
Probable Retirement Year: 2020

1967	1,440.97	51.20	28.15	16.77	472.15
1968	93.83	50.32	1.86	16.81	31.34
1972	7,895,972.78	46.77	168,822.75	16.93	2,859,002.57
1973	11,995.55	45.87	261.53	16.96	4,436.69
1975	15,098.31	44.04	342.81	17.02	5,834.98
1977	1,459,705.52	42.20	34,591.37	17.08	590,684.58
1979	8,850.03	40.33	219.42	17.13	3,757.86
1980	27,152.41	39.40	689.23	17.15	11,820.63
1981	11,971.69	38.45	311.34	17.17	5,346.84
1983	3,928.40	36.55	107.47	17.22	1,850.33
1984	147,992.90	35.60	4,157.24	17.24	71,662.09
1985	63,828.89	34.64	1,842.61	17.26	31,800.55
1986	104,340.12	33.68	3,098.08	17.28	53,527.18
1987	566,216.60	32.71	17,307.99	17.30	299,354.28
1988	86,490.96	31.75	2,724.43	17.31	47,168.33
1989	88,953.26	30.78	2,890.36	17.33	50,088.77

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1990	135,219.45	29.80	4,537.15	17.35	78,698.45
1991	13,480.17	28.83	467.62	17.36	8,118.03
1992	89,509.82	27.85	3,214.11	17.37	55,842.86
1994	150,189.76	25.89	5,801.81	17.40	100,954.36
1995	23,013.59	24.90	924.14	17.41	16,091.38
1996	656,396.68	23.92	27,444.86	17.42	478,178.45
1997	283,084.50	22.93	12,345.85	17.43	215,230.35
1998	137,945.59	21.94	6,287.22	17.44	109,666.71
2001	95,859.83	18.97	5,054.24	17.47	88,278.69
Total	12,078,731.61	39.80	303,473.62	17.10	5,187,898.45

KY-Ghent Unit 1 Scrubber**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2022**

1994	24,352,142.19	27.85	874,434.08	19.36	16,932,707.63
Total	24,352,142.19	27.85	874,434.08	19.36	16,932,707.63

KY-Ghent Unit 1**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2022**

1974	15,413,277.44	46.77	329,549.25	18.85	6,210,937.80
1975	113,947.63	45.87	2,484.29	18.88	46,908.37
1976	18,907.18	44.96	420.55	18.92	7,955.76
1979	20,711.07	42.20	490.80	19.01	9,332.38
1985	107,260.53	36.55	2,934.33	19.18	56,286.27
1987	322,828.55	34.64	9,319.38	19.23	179,206.99
1988	97,360.62	33.68	2,890.85	19.25	55,653.75
1992	29,300.00	29.80	983.13	19.33	19,004.35

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1994	74,967.60	27.85	2,691.93	19.36	52,127.01
1995	112,445.66	26.87	4,184.98	19.38	81,102.44
1996	493,720.63	25.89	19,072.35	19.39	369,883.25
1997	33,704.37	24.90	1,353.44	19.41	26,266.25
Total	16,838,431.28	44.74	376,375.28	18.90	7,114,664.62

KY-Ghent Unit 2

*Interim Survivor Curve: Iowa 90 S1.5**Probable Retirement Year: 2025*

1977	595,210.86	46.77	12,726.12	21.72	276,442.50
1978	14,892,383.22	45.87	324,684.35	21.77	7,067,255.27
1980	4,264.62	44.04	96.83	21.85	2,115.76
1986	385,657.47	38.45	10,029.55	22.07	221,378.31
1988	13,292.75	36.55	363.65	22.14	8,049.60
1989	11,294.78	35.60	317.28	22.17	7,032.51
1991	1,929.73	33.68	57.30	22.22	1,273.16
1995	27,739.56	29.80	930.77	22.31	20,769.92
1997	13,603.48	27.85	488.47	22.35	10,919.28
1998	67,159.90	26.87	2,499.54	22.37	55,918.80
Total	16,012,536.37	45.47	352,193.87	21.78	7,671,155.11

KY-Ghent Unit 3

*Interim Survivor Curve: Iowa 90 S1.5**Probable Retirement Year: 2029*

1980	129,201.97	47.67	2,710.43	25.52	69,160.67
1981	34,934,524.79	46.77	746,930.47	25.57	19,102,038.25
1983	511.16	44.96	11.37	25.68	292.02
1987	4,772,647.61	41.27	115,648.01	25.88	2,993,329.51

Kentucky Utilities**All Divisions****311.00 STRUCTURES & IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1995	9,779.16	33.68	290.36	26.19	7,605.47
1996	195,780.51	32.71	5,984.58	26.22	156,935.96
2001	263,336.76	27.85	9,455.87	26.35	249,153.58
2002	234,131.24	26.87	8,713.85	26.37	229,773.85
Total	40,539,913.20	45.56	889,744.94	25.63	22,808,289.30

KY-Ghent Unit 4**Interim Survivor Curve: Iowa 90 S1.5****Probable Retirement Year: 2032**

1984	17,958,771.17	46.77	383,974.12	28.48	10,935,835.49
1985	373,135.47	45.87	8,135.11	28.55	232,226.46
1986	517,736.84	44.96	11,516.00	28.61	329,454.21
1987	15,868.56	44.04	360.29	28.67	10,329.04
1988	8,118.45	43.12	188.26	28.73	5,408.01
1989	20,053.20	42.20	475.21	28.78	13,677.41
1990	26,872.26	41.27	651.15	28.84	18,776.07
1991	16,217.48	40.33	402.08	28.89	11,614.48
1994	1,775,782.36	37.50	47,348.08	29.03	1,374,362.39
1995	74,199.44	36.55	2,029.88	29.07	59,006.48
1996	240,468.81	35.60	6,754.96	29.11	196,630.30
1997	85,583.36	34.64	2,470.61	29.15	72,010.56
2001	653,951.00	30.78	21,248.81	29.28	622,079.35
2002	186,500.80	29.80	6,257.85	29.30	183,371.50
Total	21,953,259.20	44.64	491,812.41	28.60	14,064,781.76

Kentucky Utilities
All Divisions
311.00 STRUCTURES & IMPROVEMENTS
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
<i>Account</i>					
<i>Total</i>	154,711,332.22	39.87	3,880,429.91	21.07	81,768,375.77

Composite Average Remaining Life ... 21.07 Years

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-Tyrone Unit 3					
<i>Interim Survivor Curve: Iowa 70 L1.5</i>					
<i>Probable Retirement Year: 2020</i>					
1952	11,058.16	55.57	199.00	14.74	2,933.15
1954	3,520,409.91	54.60	64,475.23	14.83	955,922.91
1966	43,754.00	47.80	915.28	15.46	14,151.89
1972	87,664.56	43.74	2,004.31	15.85	31,767.62
1973	81,263.15	43.02	1,889.09	15.92	30,070.99
1974	1,166,209.75	42.28	27,580.34	15.98	440,870.80
1977	625,715.92	40.01	15,637.67	16.19	253,101.17
1978	40,374.93	39.23	1,029.10	16.25	16,722.34
1982	468,208.20	36.00	13,005.34	16.49	214,460.17
1984	11,342.44	34.32	330.47	16.60	5,485.52
1988	6,128.44	30.85	198.65	16.80	3,336.68
1989	4,809.52	29.96	160.53	16.84	2,703.79
1990	19,745.79	29.06	679.40	16.89	11,473.30
1994	476,971.96	25.40	18,776.55	17.05	320,187.03
1995	39,942.28	24.47	1,632.22	17.09	27,894.51
1996	873,554.89	23.53	37,119.03	17.13	635,725.00
1997	472,530.50	22.59	20,916.63	17.16	358,953.84
1998	30,461.69	21.64	1,407.45	17.19	24,200.47
1999	496,838.27	20.69	24,012.99	17.23	413,644.69
2000	18,550.02	19.73	940.05	17.26	16,220.81
2001	167,686.04	18.77	8,933.19	17.28	154,394.27
Total	8,663,220.42	35.82	241,842.52	16.27	3,934,220.91

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Tyrone Units 1 & 2**Interim Survivor Curve: Iowa 70 L1.5****Probable Retirement Year: 2005**

1948	2,583,581.22	49.67	52,016.41	2.44	126,842.71
1949	265,408.51	49.06	5,409.93	2.44	13,198.05
1950	891.85	48.44	18.41	2.44	44.94
1951	41,020.02	47.80	858.09	2.44	2,095.32
1954	108,463.20	45.83	2,366.80	2.45	5,788.02
1955	1,738.90	45.14	38.52	2.45	94.25
1960	2,172.29	41.54	52.30	2.45	128.30
1971	447,739.25	32.60	13,732.49	2.47	33,925.41
1972	3,390.14	31.73	106.84	2.47	264.09
1974	35,937.44	29.96	1,199.47	2.47	2,968.62
1978	21,030.05	26.33	798.78	2.48	1,981.18
1979	31,240.93	25.40	1,229.84	2.48	3,051.60
1986	6,754.70	18.77	359.85	2.49	895.36
Total	3,549,368.50	45.40	78,187.70	2.45	191,277.85

KY-Green River Unit 3**Interim Survivor Curve: Iowa 70 L1.5****Probable Retirement Year: 2020**

1954	3,307,911.22	54.60	60,583.38	14.83	898,221.57
1963	10,025.06	49.67	201.84	15.28	3,085.02
1965	15,430.52	48.44	318.56	15.40	4,905.92
1967	13,837.13	47.16	293.42	15.52	4,554.85
1968	10,632.95	46.50	228.67	15.59	3,564.41
1971	26,302.52	44.45	591.78	15.78	9,340.34
1973	1,397,624.47	43.02	32,489.94	15.92	517,183.35

Kentucky Utilities
All Divisions
312.00 BOILER PLANT EQUIPMENT

Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1974	116,001.56	42.28	2,743.39	15.98	43,852.92
1975	318,136.82	41.54	7,658.75	16.05	122,946.16
1977	15,305.27	40.01	382.50	16.19	6,190.96
1978	1,843,411.86	39.23	46,986.07	16.25	763,497.50
1979	10,667.84	38.44	277.51	16.31	4,526.60
1980	24,753.53	37.64	657.66	16.37	10,768.25
1983	13,605.63	35.17	386.89	16.55	6,401.12
1984	237,343.04	34.32	6,915.16	16.60	114,785.64
1985	9,880.63	33.47	295.23	16.65	4,915.75
1987	4,435.78	31.73	139.79	16.75	2,341.48
1988	64,601.22	30.85	2,094.00	16.80	35,172.66
1989	52,783.80	29.96	1,761.74	16.84	29,673.68
1995	4,557.49	24.47	186.24	17.09	3,182.82
1996	488,792.19	23.53	20,769.72	17.13	355,715.96
1997	87,118.60	22.59	3,856.32	17.16	66,178.92
1998	53,012.53	21.64	2,449.38	17.19	42,116.11
1999	205,341.81	20.69	9,924.50	17.23	170,958.14
2000	404,352.84	19.73	20,491.24	17.26	353,580.69
2001	325,193.45	18.77	17,324.14	17.28	299,416.73
Total	9,061,059.76	37.75	240,007.81	16.15	3,877,077.56

KY-Green River Unit 4

Interim Survivor Curve: Iowa 70 L1.5
Probable Retirement Year: 2020

1951	53,096.23	56.03	947.58	14.70	13,926.94
1959	4,475,616.44	51.98	86,100.42	15.07	1,297,321.34
1965	14,432.24	48.44	297.95	15.40	4,588.53
1967	352.56	47.16	7.48	15.52	116.05
1968	419.45	46.50	9.02	15.59	140.61

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1970	185,323.48	45.14	4,105.25	15.72	64,524.44
1971	9,635.55	44.45	216.79	15.78	3,421.70
1972	89,188.34	43.74	2,039.15	15.85	32,319.80
1973	1,711.15	43.02	39.78	15.92	633.20
1974	11,163.17	42.28	264.00	15.98	4,220.09
1975	3,209.41	41.54	77.26	16.05	1,240.30
1976	968,309.25	40.78	23,743.52	16.12	382,723.92
1978	2,057,706.36	39.23	52,448.14	16.25	852,253.21
1980	158,636.38	37.64	4,214.69	16.37	69,009.83
1981	96,250.71	36.83	2,613.70	16.43	42,949.11
1982	401,646.49	36.00	11,156.47	16.49	183,971.95
1983	23,819.19	35.17	677.32	16.55	11,206.35
1984	715.73	34.32	20.85	16.60	346.15
1986	354,157.91	32.60	10,862.28	16.70	181,404.79
1987	571,021.68	31.73	17,995.26	16.75	301,421.25
1988	378,196.33	30.85	12,258.96	16.80	205,912.06
1991	16,932.46	28.16	601.32	16.93	10,180.99
1994	164,225.25	25.40	6,464.92	17.05	110,242.95
1995	1,555,047.41	24.47	63,546.22	17.09	1,085,999.32
1996	3,055,996.02	23.53	129,855.17	17.13	2,223,985.11
1997	273,588.62	22.59	12,110.44	17.16	207,829.31
1998	639,655.47	21.64	29,554.53	17.19	508,177.99
1999	2,319,792.98	20.69	112,119.30	17.23	1,931,352.92
2000	312,824.20	19.73	15,852.88	17.26	273,544.75
2001	282,515.88	18.77	15,050.56	17.28	260,122.03
2002	301,312.73	17.81	16,922.70	17.31	292,909.85
Total	18,776,499.07	29.70	632,173.92	16.70	10,557,996.83

Kentucky Utilities
All Divisions
312.00 BOILER PLANT EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Green River Units 1 & 2

Interim Survivor Curve: Iowa 70 L1.5

Probable Retirement Year: 2004

1950	3,672,735.50	47.80	76,829.03	1.48	113,603.66
1952	3,521.83	46.50	75.74	1.48	112.06
1954	3,492.49	45.14	77.36	1.48	114.53
1955	1,593.31	44.45	35.85	1.48	53.09
1970	10,529.17	32.60	322.94	1.49	480.85
1971	7,631.70	31.73	240.51	1.49	358.23
1973	5,899.52	29.96	196.91	1.49	293.52
1974	29,679.15	29.06	1,021.18	1.49	1,522.67
1975	3,651,771.69	28.16	129,685.04	1.49	193,448.50
1976	5,603.81	27.25	205.67	1.49	306.88
1977	14,239.24	26.33	540.84	1.49	807.28
1980	974,370.47	23.53	41,402.88	1.49	61,849.54
1982	25,989.47	21.64	1,200.81	1.49	1,794.68
1984	13,200.19	19.73	668.94	1.50	1,000.24
1988	329,858.71	15.86	20,795.25	1.50	31,119.77
1991	281,948.18	12.92	21,816.19	1.50	32,667.82
1995	4,557.51	8.97	507.99	1.50	761.14
1996	471,606.01	7.98	59,105.61	1.50	88,575.16
1997	614,614.02	6.98	87,990.81	1.50	131,876.52
1998	244,837.40	5.99	40,876.48	1.50	61,272.28
1999	449,665.53	4.99	90,053.87	1.50	134,999.20
2000	774,054.14	4.00	193,707.46	1.50	290,411.66
2001	178,900.53	3.00	59,675.51	1.50	89,476.21
2002	479,574.42	2.00	239,893.23	1.50	359,710.39
Total	12,249,873.99	11.48	1,066,926.08	1.50	1,596,615.89

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-E W Brown Steam Unit 1					
<i>Interim Survivor Curve: Iowa 70 L1.5</i>					
<i>Probable Retirement Year: 2020</i>					
1958	5,310,881.96	52.53	101,103.70	15.02	1,518,173.67
1959	13,000.91	51.98	250.11	15.07	3,768.50
1965	11,524.63	48.44	237.93	15.40	3,664.10
1966	34.45	47.80	0.72	15.46	11.14
1968	1,948.40	46.50	41.90	15.59	653.15
1973	1,255,383.96	43.02	29,183.34	15.92	464,548.02
1975	26,118.41	41.54	628.77	16.05	10,093.64
1977	7,170.50	40.01	179.20	16.19	2,900.46
1978	399,608.65	39.23	10,185.48	16.25	165,508.43
1984	4,372.64	34.32	127.40	16.60	2,114.73
1985	65,758.28	33.47	1,964.82	16.65	32,715.66
1987	651,006.11	31.73	20,515.90	16.75	343,642.07
1988	468,088.76	30.85	15,172.76	16.80	254,854.72
1989	12,314.44	29.96	411.01	16.84	6,922.86
1990	16,466.34	29.06	566.56	16.89	9,567.78
1991	505,709.17	28.16	17,959.20	16.93	304,068.14
1992	15,256.78	27.25	559.95	16.97	9,503.83
1994	145,735.61	25.40	5,737.05	17.05	97,831.02
1995	18,082,018.04	24.47	738,912.44	17.09	12,627,948.99
1996	4,227,489.94	23.53	179,634.21	17.13	3,076,533.68
1997	265,338.70	22.59	11,745.25	17.16	201,562.32
2001	1,316,698.83	18.77	70,144.92	17.28	1,212,329.64
2002	13,656.04	17.81	766.97	17.31	13,275.21
Total	32,815,581.55	27.21	1,206,029.60	16.88	20,362,191.76

Kentucky Utilities
All Divisions
312.00 BOILER PLANT EQUIPMENT

Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown Steam Unit 2

Interim Survivor Curve: Iowa 70 L1.5

Probable Retirement Year: 2020

1963	6,139,153.51	49.67	123,602.35	15.28	1,889,203.79
1964	3,474.16	49.06	70.82	15.34	1,086.44
1965	177,748.33	48.44	3,669.60	15.40	56,512.64
1966	425.52	47.80	8.90	15.46	137.63
1975	493,880.83	41.54	11,889.57	16.05	190,863.64
1976	2,887,192.59	40.78	70,795.68	16.12	1,141,161.94
1978	24,635.42	39.23	627.92	16.25	10,203.41
1988	138,153.62	30.85	4,478.15	16.80	75,218.86
1989	17,411.58	29.96	581.14	16.84	9,788.34
1990	178,899.57	29.06	6,155.43	16.89	103,949.70
1991	38,859.41	28.16	1,380.01	16.93	23,365.03
1992	26,618.83	27.25	976.96	16.97	16,581.54
1993	5,740,377.70	26.33	218,034.34	17.01	3,709,347.55
1994	3,263,872.76	25.40	128,486.14	17.05	2,191,008.74
1995	4,706,329.26	24.47	192,321.74	17.09	3,286,761.78
1996	192,250.66	23.53	8,169.10	17.13	139,909.41
1999	1,950,733.14	20.69	94,282.05	17.23	1,624,090.67
2001	30,184.70	18.77	1,608.04	17.28	27,792.09
Total	26,010,201.59	30.00	867,137.95	16.72	14,496,983.19

KY-E W Brown Steam Unit 3

Interim Survivor Curve: Iowa 70 L1.5

Probable Retirement Year: 2020

1972	28,182,392.64	43.74	644,344.65	15.85	10,212,649.72
1973	131,768.35	43.02	3,063.16	15.92	48,760.16

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1974	40,102.37	42.28	948.40	15.98	15,160.19
1975	704,752.22	41.54	16,966.03	16.05	272,356.34
1976	8,566,631.32	40.78	210,058.90	16.12	3,385,958.27
1977	244,282.57	40.01	6,105.02	16.19	98,811.94
1979	35,116.74	38.44	913.51	16.31	14,900.80
1980	328,418.20	37.64	8,725.49	16.37	142,868.13
1981	62,941.42	36.83	1,709.18	16.43	28,085.80
1982	1,752,316.82	36.00	48,673.83	16.49	802,639.00
1983	209,335.82	35.17	5,952.67	16.55	98,487.42
1984	375,356.85	34.32	10,936.28	16.60	181,532.93
1985	365,882.07	33.47	10,932.32	16.65	182,031.43
1987	2,260,663.70	31.73	71,242.89	16.75	1,193,320.85
1988	301,421.08	30.85	9,770.35	16.80	164,111.15
1989	17,150.74	29.96	572.43	16.84	9,641.70
1990	896,897.03	29.06	30,859.71	16.89	521,142.54
1991	109,853.73	28.16	3,901.23	16.93	66,051.84
1992	8,554,902.66	27.25	313,979.42	16.97	5,329,063.47
1993	931,015.10	26.33	35,362.35	17.01	601,608.25
1994	332,652.33	25.40	13,095.25	17.05	223,306.55
1995	3,206,106.04	24.47	131,015.89	17.09	2,239,050.06
1996	7,660,134.98	23.53	325,493.93	17.13	5,574,623.14
1997	5,018,268.42	22.59	222,134.32	17.16	3,812,085.62
1998	147,741.92	21.64	6,826.24	17.19	117,374.42
1999	229,914.08	20.69	11,112.11	17.23	191,415.89
2000	141,345.50	19.73	7,162.92	17.26	123,597.60
2001	518,005.51	18.77	27,595.88	17.28	476,945.39
2002	211,085.57	17.81	11,855.25	17.31	205,198.91
Total	71,536,455.78	32.65	2,191,309.61	16.58	36,332,779.48

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Pineville Unit 3

*Interim Survivor Curve: Iowa 70 L1.5**Probable Retirement Year: 2003*

1977	226,832.50	25.40	8,929.52	0.50	4,457.56
Total	226,832.50	25.40	8,929.52	0.50	4,457.56

KY-Ghent Unit 1 Scrubber

*Interim Survivor Curve: Iowa 70 L1.5**Probable Retirement Year: 2020*

1994	85,740,225.71	25.40	3,375,263.52	17.05	57,556,650.46
2001	77,437.91	18.77	4,125.37	17.28	71,299.73
2002	491,092.43	17.81	27,581.35	17.31	477,397.05
Total	86,308,756.05	25.33	3,406,970.24	17.05	58,105,347.24

KY-Ghent Unit 1

*Interim Survivor Curve: Iowa 70 L1.5**Probable Retirement Year: 2022*

1974	95,050.42	43.74	2,173.17	17.58	38,202.21
1975	57,178,346.80	43.02	1,329,198.92	17.66	23,475,852.66
1977	43,377.82	41.54	1,044.27	17.82	18,612.25
1978	1,629,626.72	40.78	39,959.42	17.90	715,353.95
1980	671,924.59	39.23	17,126.45	18.06	309,225.42
1982	3,400.78	37.64	90.35	18.20	1,644.47
1983	83,202.23	36.83	2,259.37	18.27	41,277.69
1984	705.60	36.00	19.60	18.34	359.40
1985	3,913.34	35.17	111.28	18.40	2,047.83
1986	20,989.71	34.32	611.55	18.47	11,292.44

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1987	291,629.34	33.47	8,713.70	18.53	161,446.04
1988	9,252.46	32.60	283.78	18.59	5,274.65
1989	102,014.92	31.73	3,214.91	18.65	59,944.87
1990	46,665.92	30.85	1,512.64	18.70	28,289.18
1991	2,078,243.72	29.96	69,364.75	18.76	1,301,065.49
1992	47,223.92	29.06	1,624.84	18.81	30,562.47
1993	90,815.89	28.16	3,225.14	18.86	60,826.45
1994	6,534,028.17	27.25	239,809.90	18.91	4,534,885.66
1995	1,747,240.59	26.33	66,364.70	18.96	1,258,120.99
1996	7,150,856.96	25.40	281,501.79	19.00	5,349,688.91
1997	1,020,038.18	24.47	41,683.34	19.05	793,981.35
1998	110,330.47	23.53	4,688.15	19.09	89,498.38
1999	513,182.02	22.59	22,716.07	19.13	434,563.27
2000	96,225.60	21.64	4,445.99	19.17	85,219.82
2001	5,706,061.25	20.69	275,783.06	19.20	5,296,077.19
2002	2,993,743.54	19.73	151,712.87	19.24	2,918,468.87
Total	88,268,090.96	34.36	2,569,240.01	18.30	47,021,781.91

KY-Ghent Unit 2

Interim Survivor Curve: Iowa 70 L1.5**Probable Retirement Year: 2025**

1977	64,289,323.04	43.74	1,469,870.99	20.18	29,668,135.67
1979	2,150,965.44	42.28	50,869.37	20.39	1,037,086.71
1980	336,331.57	41.54	8,096.76	20.49	165,886.00
1982	457,135.08	40.01	11,424.56	20.68	236,265.44
1986	779,494.76	36.83	21,167.31	21.04	445,298.92
1987	972,084.87	36.00	27,001.45	21.12	570,322.85
1988	84,660.08	35.17	2,407.39	21.20	51,043.47
1989	1,724,548.16	34.32	50,245.92	21.28	1,069,375.37

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1990	101,949.14	33.47	3,046.17	21.36	65,064.33
1991	159,334.17	32.60	4,886.90	21.43	104,748.74
1992	3,882,514.50	31.73	122,354.14	21.51	2,631,439.00
1994	1,625,831.47	29.96	54,264.76	21.64	1,174,552.80
1995	105,233.82	29.06	3,620.80	21.71	78,606.74
1996	3,014,068.77	28.16	107,038.35	21.77	2,330,580.79
1997	21,535.61	27.25	790.39	21.83	17,257.06
1998	31,095.95	26.33	1,181.10	21.89	25,856.52
1999	1,201,045.54	25.40	47,280.55	21.95	1,037,662.12
2000	152,573.82	24.47	6,234.85	22.00	137,161.13
2001	406,215.26	23.53	17,260.87	22.05	380,587.93
2002	5,238,048.25	22.59	231,862.90	22.10	5,123,136.34
Total	86,733,989.30	38.70	2,240,905.54	20.68	46,350,067.93

KY-Ghent Unit 3

Interim Survivor Curve: Iowa 70 L1.5**Probable Retirement Year: 2029**

1981	144,970,512.30	43.74	3,314,515.38	23.69	78,510,157.41
1982	7,024,091.45	43.02	163,285.85	23.82	3,889,086.63
1984	555,790.93	41.54	13,379.98	24.07	322,064.02
1985	13,041.58	40.78	319.79	24.19	7,736.62
1986	5,003.81	40.01	125.05	24.31	3,040.35
1987	7,175,303.53	39.23	182,888.75	24.43	4,468,237.38
1988	64,537.48	38.44	1,678.84	24.55	41,208.73
1990	273,207.55	36.83	7,419.00	24.77	183,756.72
1992	211,905.90	35.17	6,025.76	24.98	150,518.49
1994	1,614,934.85	33.47	48,253.21	25.18	1,214,904.28
1995	835,599.27	32.60	25,628.44	25.27	647,669.07
1996	546,677.33	31.73	17,228.07	25.36	436,958.14

Kentucky Utilities**All Divisions****312.00 BOILER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1997	1,325.14	30.85	42.95	25.45	1,093.18
1998	206,918.25	29.96	6,906.23	25.53	176,349.35
1999	5,783,320.84	29.06	198,987.87	25.61	5,097,072.55
2000	144,156.74	28.16	5,119.43	25.69	131,524.22
2002	222,103.47	26.33	8,436.06	25.83	217,928.74
Total	169,648,430.42	42.41	4,000,240.66	23.87	95,499,305.88

KY-Ghent Unit 4**Interim Survivor Curve: Iowa 70 L1.5****Probable Retirement Year: 2032**

1984	138,842,029.40	43.74	3,174,397.57	26.35	83,636,620.52
1985	61,605.42	43.02	1,432.11	26.50	37,947.90
1986	221,687.17	42.28	5,242.80	26.65	139,696.29
1988	39,950.36	40.78	979.61	26.94	26,385.74
1989	677,547.72	40.01	16,933.03	27.08	458,485.34
1990	473,218.94	39.23	12,061.71	27.21	328,236.98
1991	11,823.20	38.44	307.56	27.35	8,411.21
1992	185,895.84	37.64	4,938.92	27.48	135,713.98
1994	19,215,354.97	36.00	533,741.87	27.73	14,800,533.56
1995	561,299.79	35.17	15,961.12	27.85	444,501.89
1996	505,530.88	34.32	14,729.00	27.97	411,906.99
1997	452,423.18	33.47	13,518.11	28.08	379,550.24
1998	226,792.57	32.60	6,955.89	28.19	196,053.28
1999	1,777,445.43	31.73	56,014.68	28.29	1,584,550.50
2000	58,121.19	30.85	1,883.96	28.39	53,478.53
2001	4,984,812.00	29.96	166,376.18	28.48	4,738,510.86
2002	406,374.35	29.06	13,982.20	28.57	399,462.54
Total	168,701,912.41	41.76	4,039,456.33	26.68	107,780,046.35

Kentucky Utilities
All Divisions
312.00 BOILER PLANT EQUIPMENT

Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 4 Railroad Cars

Interim Survivor Curve: Iowa 70 L1.5

Probable Retirement Year: 2032

1991	7,647,232.19	38.44	198,931.03	27.35	5,440,363.76
Total	7,647,232.19	38.44	198,931.03	27.35	5,440,363.76
<i>Account</i>					
Total	790,197,504.49	34.37	22,988,288.51	19.64	451,550,514.09

Composite Average Remaining Life ... 19.64 Years

Kentucky Utilities**All Divisions****314.00 TURBOGENERATOR UNITS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Tyrone Unit 3**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2020**

1954	2,268,659.12	54.07	41,958.83	13.79	578,598.26
1997	313,128.24	22.77	13,749.80	17.29	237,670.22
1998	68,053.80	21.81	3,120.40	17.32	54,033.28
Total	2,649,841.16	45.04	58,829.03	14.79	870,301.76

KY-Tyrone Units 1 & 2**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2005**

1948	1,591,358.48	49.80	31,952.81	2.41	76,999.33
1954	670.56	46.18	14.52	2.43	35.26
Total	1,592,029.04	49.80	31,967.33	2.41	77,034.59

KY-Green River Unit 3**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2020**

1954	2,499,365.13	54.07	46,225.73	13.79	637,437.46
1959	1,852.62	51.87	35.71	14.36	512.87
1970	889.30	45.52	19.54	15.50	302.82
1983	40,515.91	35.56	1,139.28	16.57	18,883.26
1984	105,301.67	34.71	3,034.03	16.64	50,495.25
1985	3,720.95	33.84	109.96	16.71	1,837.20
Total	2,651,645.58	52.44	50,564.25	14.03	709,468.86

Kentucky Utilities***All Divisions******314.00 TURBOGENERATOR UNITS******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique***

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Green River Unit 4***Interim Survivor Curve: Iowa 60 S1.5******Probable Retirement Year: 2020***

1959	3,138,597.90	51.87	60,505.11	14.36	868,870.34
1961	6,866.47	50.87	134.97	14.58	1,968.04
1971	107.97	44.84	2.41	15.59	37.55
1972	18,466.22	44.15	418.29	15.69	6,561.48
1982	7,573.80	36.41	208.03	16.51	3,433.66
1985	18,281.63	33.84	540.24	16.71	9,026.45
1995	277,398.34	24.69	11,236.93	17.22	193,448.97
1996	176,069.37	23.73	7,418.94	17.25	127,990.13
1997	4,608,783.66	22.77	202,376.71	17.29	3,498,153.41
2001	71,476.94	18.89	3,783.43	17.39	65,802.51
Total	8,323,622.30	29.04	286,625.06	16.66	4,775,292.55

KY-Green River Units 1 & 2***Interim Survivor Curve: Iowa 60 S1.5******Probable Retirement Year: 2004***

1950	378,768.80	48.07	7,879.74	1.47	11,582.60
1951	1,900,253.21	47.46	40,042.18	1.47	58,902.51
1954	2,829.18	45.52	62.15	1.47	91.63
1965	5,582.67	37.24	149.91	1.48	222.52
1968	7,580.04	34.71	218.40	1.49	324.73
1971	13,327.84	32.08	415.50	1.49	618.64
1984	14,816.57	19.87	745.74	1.50	1,115.71
1985	2,411.28	18.89	127.63	1.50	191.01
2000	437,177.71	4.00	109,302.02	1.50	163,939.38

Kentucky Utilities**All Divisions****314.00 TURBOGENERATOR UNITS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
Total	2,762,747.30	17.38	158,943.28	1.49	236,988.73

KY-E W Brown Steam Unit 1**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2020**

1958	4,141,832.64	52.35	79,122.56	14.25	1,127,469.33
1959	14,882.13	51.87	286.89	14.36	4,119.88
1968	5,774.91	46.83	123.32	15.31	1,887.65
1985	11,462.31	33.84	338.72	16.71	5,659.45
1996	32,670.87	23.73	1,376.63	17.25	23,749.44
1997	17,942.90	22.77	787.89	17.29	13,619.00
2001	470,281.25	18.89	24,892.98	17.39	432,946.44
Total	4,694,847.01	43.91	106,929.01	15.05	1,609,451.18

KY-E W Brown Steam Unit 2**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2020**

1963	4,688,198.13	49.80	94,134.09	14.79	1,392,699.70
1965	26,627.53	48.66	547.17	15.00	8,209.06
1985	8,768.76	33.84	259.12	16.71	4,329.53
1990	23,666.17	29.36	806.01	17.00	13,698.23
1993	33,152.66	26.58	1,247.43	17.14	21,375.45
1995	2,274,365.65	24.69	92,130.65	17.22	1,586,071.82
1996	32,822.53	23.73	1,383.03	17.25	23,859.69
2001	1,642,314.94	18.89	86,931.21	17.39	1,511,934.40
Total	8,729,916.37	31.47	277,438.72	16.44	4,562,177.88

Kentucky Utilities**All Divisions****314.00 TURBOGENERATOR UNITS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown Steam Unit 3**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2020**

1972	10,628,534.78	44.15	240,755.98	15.69	3,776,568.60
1984	13,467.21	34.71	388.03	16.64	6,457.92
1993	6,448.62	26.58	242.64	17.14	4,157.80
1994	11,458.71	25.63	447.00	17.18	7,678.23
1995	421,673.53	24.69	17,081.27	17.22	294,062.00
1996	116,519.84	23.73	4,909.73	17.25	84,701.78
1997	11,787,107.79	22.77	517,584.73	17.29	8,946,636.33
Total	22,985,210.48	29.42	781,409.38	16.79	13,120,262.67

KY-Ghent Unit 1**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2022**

1975	19,506,000.56	43.44	449,066.46	17.52	7,867,128.83
1980	3,163.50	39.67	79.75	18.02	1,437.41
1985	156,856.25	35.56	4,410.67	18.46	81,427.98
1989	252,974.07	32.08	7,886.64	18.76	147,939.67
1992	58,228.11	29.36	1,983.11	18.95	37,577.64
1995	744,932.07	26.58	28,029.54	19.11	535,608.16
1996	1,364,019.77	25.63	53,210.21	19.16	1,019,288.80
2001	424,030.20	20.84	20,346.07	19.34	393,515.32
2002	162,461.62	19.87	8,176.90	19.37	158,373.18
Total	22,672,666.15	39.56	573,189.35	17.87	10,242,296.98

Kentucky Utilities
All Divisions
314.00 TURBOGENERATOR UNITS

Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-Ghent Unit 2					
<i>Interim Survivor Curve: Iowa 60 S1.5</i>					
<i>Probable Retirement Year: 2025</i>					
1975	16,017,987.10	45.52	351,896.41	19.74	6,947,958.05
1977	1,417,400.49	44.15	32,106.74	20.02	642,776.04
1985	156,856.24	38.06	4,121.04	21.01	86,562.84
1992	6,203,464.78	32.08	193,397.18	21.67	4,191,697.29
1993	21,038.91	31.18	674.75	21.75	14,677.81
1996	3,340,445.59	28.44	117,452.43	21.97	2,579,847.81
1997	33,889.20	27.51	1,231.79	22.03	27,133.00
1998	64,136.87	26.58	2,413.28	22.09	53,297.81
1999	965,142.21	25.63	37,650.05	22.14	833,520.74
2002	137,999.16	22.77	6,059.69	22.27	134,969.32
Total	28,358,360.55	37.96	747,003.36	20.77	15,512,440.71

KY-Ghent Unit 3

Interim Survivor Curve: Iowa 60 S1.5
Probable Retirement Year: 2029

1964	231,096.55	53.66	4,306.35	20.21	87,017.07
1981	35,159,627.61	44.15	796,430.62	23.56	18,766,541.35
1983	29,912.17	42.71	700.33	23.90	16,735.81
1985	156,856.24	41.22	3,805.57	24.22	92,155.92
1987	44,239.03	39.67	1,115.27	24.51	27,340.50
1995	2,429,540.25	32.96	73,704.88	25.50	1,879,828.98
1999	60,118.00	29.36	2,047.48	25.87	52,961.54
Total	38,111,389.85	43.20	882,110.50	23.72	20,922,581.16

Kentucky Utilities**All Divisions****314.00 TURBOGENERATOR UNITS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 4**Interim Survivor Curve: Iowa 60 S1.5****Probable Retirement Year: 2032**

1984	47,159,221.95	44.15	1,068,243.63	26.28	28,072,170.83
1985	156,856.24	43.44	3,611.14	26.47	95,603.01
1986	43,457.68	42.71	1,017.46	26.66	27,128.71
1989	118,897.45	40.45	2,939.44	27.20	79,952.44
1990	12,957.34	39.67	326.66	27.37	8,939.84
1991	21,490.78	38.87	552.88	27.53	15,220.21
1993	322,179.43	37.24	8,651.19	27.83	240,779.63
1996	355,508.40	34.71	10,243.19	28.24	289,241.21
Total	48,190,569.27	43.99	1,095,585.59	26.31	28,829,035.88
Account					
Total	191,722,845.06	37.96	5,050,594.86	20.09	101,467,332.95

Composite Average Remaining Life ... 20.09 Years

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Tyrone Unit 3

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2020

1954	503,094.53	60.36	8,335.14	15.41	128,430.36
1955	689.47	59.71	11.55	15.49	178.90
1960	656.22	56.25	11.67	15.89	185.36
1971	974.70	47.50	20.52	16.64	341.38
1984	31,304.89	35.66	877.82	17.23	15,120.93
1991	4,218.75	28.89	146.04	17.39	2,540.34
1995	20,889.20	24.95	837.33	17.45	14,610.13
2001	8,908.46	18.99	469.17	17.49	8,204.70
Total	570,736.22	53.29	10,709.24	15.84	169,612.11

KY-Tyrone Units 1 & 2

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2005

1948	623,485.04	54.01	11,543.52	2.45	28,304.55
1949	77,347.80	53.24	1,452.84	2.45	3,565.64
1950	20,247.09	52.45	386.00	2.46	948.06
1951	20,058.14	51.66	388.30	2.46	954.41
1954	16,856.59	49.20	342.64	2.46	844.10
1955	21,874.27	48.35	452.38	2.47	1,115.36
1957	1,938.70	46.64	41.57	2.47	102.62
1959	4,406.22	44.89	98.16	2.47	242.67
1960	1,312.42	44.00	29.83	2.47	73.79
1965	21,252.17	39.43	538.96	2.48	1,337.07
1991	19,238.00	14.00	1,374.38	2.50	3,435.13

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
Total	828,016.44	49.73	16,648.58	2.46	40,923.39

KY-Green River Unit 3

Interim Survivor Curve: Iowa 75 S2
Probable Retirement Year: 2020

1954	505,138.53	60.36	8,369.01	15.41	128,952.15
1955	1,874.24	59.71	31.39	15.49	486.31
1960	2,697.82	56.25	47.96	15.89	762.06
1972	905.20	46.64	19.41	16.69	324.00
1995	78,347.55	24.95	3,140.50	17.45	54,797.12
1996	107,389.55	23.96	4,482.49	17.46	78,255.68
Total	696,352.89	43.28	16,090.76	16.38	263,577.34

KY-Green River Unit 4

Interim Survivor Curve: Iowa 75 S2
Probable Retirement Year: 2020

1953	4,089.92	60.99	67.06	15.32	1,027.63
1959	568,751.77	56.97	9,982.96	15.81	157,866.83
1960	144.40	56.25	2.57	15.89	40.79
1965	28,850.36	52.45	550.02	16.25	8,939.93
1991	58,482.37	28.89	2,024.54	17.39	35,215.49
1994	17,114.18	25.94	659.87	17.44	11,506.52
1995	98,246.10	24.95	3,938.12	17.45	68,714.38
2001	33,590.25	18.99	1,769.06	17.49	30,936.67
Total	809,269.35	42.61	18,994.18	16.54	314,248.24

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Green River Units 1 & 2

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2004

1950	350,376.26	51.66	6,782.82	1.48	10,067.94
1951	122,713.62	50.85	2,413.37	1.49	3,583.87
1952	2,125.00	50.03	42.48	1.49	63.11
1953	3,425.86	49.20	69.64	1.49	103.51
1954	70,679.22	48.35	1,461.72	1.49	2,173.60
1955	735.22	47.50	15.48	1.49	23.03
1960	1,425.26	43.10	33.07	1.49	49.29
1965	32,591.85	38.50	846.59	1.49	1,264.14
Total	584,072.29	50.07	11,665.16	1.49	17,328.49

KY-E W Brown Steam Unit 1

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2020

1958	967,593.54	57.68	16,775.69	15.74	263,978.39
1963	48,957.24	54.01	906.42	16.11	14,604.49
1968	25,001.30	50.03	499.76	16.45	8,222.57
1979	114,770.06	40.36	2,843.73	17.04	48,461.80
1992	1,344.04	27.91	48.16	17.41	838.56
1995	1,428,056.08	24.95	57,242.52	17.45	998,797.85
2001	77,917.83	18.99	4,103.60	17.49	71,762.44
Total	2,663,640.09	32.32	82,419.88	17.07	1,406,666.10

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown Steam Unit 2

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2020

1963	671,751.22	54.01	12,437.14	16.11	200,390.86
1965	2,307.36	52.45	43.99	16.25	714.99
1966	781.21	51.66	15.12	16.32	246.83
1970	793.56	48.35	16.41	16.58	272.07
1984	38,251.57	35.66	1,072.62	17.23	18,476.32
1993	53,428.68	26.92	1,984.60	17.42	34,581.08
1994	162,860.50	25.94	6,279.42	17.44	109,497.39
1997	17,927.15	22.97	780.59	17.47	13,634.09
1998	22,494.85	21.97	1,023.74	17.47	17,888.11
Total	970,596.10	41.03	23,653.64	16.73	395,701.74

KY-E W Brown Steam Unit 3

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2020

1972	4,221,813.29	46.64	90,521.36	16.69	1,511,137.45
1984	4,842.13	35.66	135.78	17.23	2,338.85
1988	8,408.74	31.81	264.32	17.33	4,581.82
1989	8,164.40	30.84	264.73	17.36	4,594.69
1990	9,591.76	29.87	321.17	17.38	5,580.65
1991	5,344.58	28.89	185.02	17.39	3,218.27
1993	778,846.24	26.92	28,930.13	17.42	504,098.94
1995	39,628.38	24.95	1,588.47	17.45	27,716.52
Total	5,076,639.52	41.54	122,210.97	16.88	2,063,267.18

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 1 Scrubber

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2020

1994	2,922,882.41	25.94	112,697.78	17.44	1,965,166.56
1995	93,901.86	24.95	3,763.98	17.45	65,675.98
Total	3,016,784.27	25.90	116,461.76	17.44	2,030,842.54

KY-Ghent Unit 1

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2022

1975	6,515,111.55	45.77	142,353.42	18.65	2,655,499.84
1994	911,088.59	27.91	32,649.13	19.41	633,639.85
1996	15,989.00	25.94	616.49	19.44	11,982.18
2000	14,398.00	21.97	655.25	19.47	12,759.87
Total	7,456,587.14	42.30	176,274.29	18.80	3,313,881.74

KY-Ghent Unit 2

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2025

1977	10,098,145.06	46.64	216,517.81	21.45	4,644,723.35
1989	43,953.90	35.66	1,232.52	22.18	27,338.75
1996	389,079.01	28.89	13,469.11	22.39	301,538.65
1997	254,781.53	27.91	9,130.17	22.41	204,568.62
Total	10,785,959.50	44.88	240,349.61	21.54	5,178,169.38

Kentucky Utilities
All Divisions
315.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

Year	Original Cost	Avg. Service Life	Avg. Annual Accrual	Avg. Remaining Life	Future Annual Accruals
(1)	(2)	(3)	(4)	(5)	(6)

KY-Ghent Unit 3

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2029

1981	25,790,020.70	46.64	552,972.73	25.31	13,995,706.67
1984	84,128.27	44.00	1,912.15	25.59	48,924.05
1987	68,793.51	41.28	1,666.53	25.82	43,030.48
1988	18,279.36	40.36	452.92	25.89	11,725.97
Total	25,961,221.84	46.61	557,004.33	25.31	14,099,387.16

KY-Ghent Unit 4

Interim Survivor Curve: Iowa 75 S2

Probable Retirement Year: 2032

1984	21,602,688.63	46.64	463,190.70	28.24	13,078,741.75
1985	4,557.88	45.77	99.59	28.34	2,822.75
1986	65,752.27	44.89	1,464.86	28.45	41,668.98
1988	20,564.21	43.10	477.14	28.63	13,661.76
1991	5,683.09	40.36	140.81	28.87	4,065.43
1994	24,278.82	37.56	646.43	29.06	18,786.13
1995	145,713.92	36.61	3,979.88	29.11	115,871.67
Total	21,869,238.82	46.53	469,999.42	28.25	13,275,618.46

Account

Total	81,289,114.47	43.65	1,862,481.83	22.86	42,569,223.86
--------------	----------------------	--------------	---------------------	--------------	----------------------

Composite Average Remaining Life ... 22.86 Years

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-KU GENERATION - COMMON

*Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2032*

1989	28,831.51	39.73	725.61	26.67	19,350.00
1990	259,444.03	38.98	6,655.38	26.83	178,594.94
1991	50,436.70	38.22	1,319.69	27.00	35,630.93
1992	37,200.94	37.44	993.56	27.16	26,986.27
1994	4,476.87	35.85	124.87	27.47	3,430.78
1995	3,198.74	35.04	91.29	27.63	2,521.89
1996	5,552.69	34.22	162.28	27.77	4,507.27
1997	151,143.13	33.38	4,527.70	27.92	126,406.89
1998	204,188.60	32.54	6,275.66	28.06	176,080.45
1999	145,847.84	31.68	4,603.65	28.19	129,781.89
2000	191,330.00	30.82	6,208.94	28.32	175,833.05
2001	235,631.20	29.94	7,870.14	28.44	223,830.76
2002	13,001.82	29.06	447.49	28.56	12,778.08
Total	1,330,284.07	33.25	40,006.26	27.89	1,115,733.19

KY-Tyrone Unit 3

*Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2020*

1948	34,362.98	55.29	621.49	13.56	8,426.29
1950	1,191.53	54.62	21.82	13.75	300.06
1952	2,738.46	53.89	50.82	13.94	708.61
1954	8,496.49	53.10	160.02	14.13	2,260.68
1955	3,370.38	52.68	63.98	14.22	909.64
1970	775.59	44.62	17.38	15.44	268.43
1971	2,584.05	43.96	58.78	15.52	912.03

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1972	903.70	43.29	20.87	15.59	325.45
1974	1,027.32	41.91	24.51	15.74	385.77
1981	2,877.23	36.65	78.50	16.22	1,273.60
1985	5,673.98	33.38	169.97	16.49	2,802.19
1986	9,140.80	32.54	280.94	16.55	4,649.07
1987	13,491.30	31.68	425.85	16.61	7,073.78
1988	2,681.06	30.82	87.00	16.67	1,450.56
1989	45,161.70	29.94	1,508.41	16.73	25,237.49
1990	35,070.17	29.06	1,207.02	16.79	20,266.19
1991	1,799.80	28.16	63.91	16.85	1,076.74
1992	14,615.41	27.26	536.16	16.90	9,063.07
1994	38,591.06	25.43	1,517.48	17.01	25,812.99
1995	9,025.85	24.51	368.32	17.06	6,283.74
1997	13,683.62	22.63	604.58	17.16	10,372.50
1998	37,060.60	21.69	1,708.84	17.20	29,393.49
1999	49,531.03	20.74	2,388.65	17.24	41,185.91
2000	62,550.80	19.78	3,162.52	17.28	54,652.50
2001	7,144.23	18.82	379.68	17.32	6,574.85
Total	403,549.14	25.99	15,527.50	16.85	261,665.63

KY-Tyrone Units 1 & 2

Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2005**

1948	38,357.24	48.80	786.01	2.42	1,901.95
1949	2,711.84	48.25	56.21	2.42	136.14
1950	66.84	47.68	1.40	2.42	3.40
1954	993.60	45.26	21.95	2.43	53.42
1955	2,269.38	44.62	50.86	2.44	123.88
1961	1,394.89	40.47	34.47	2.45	84.36

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1969	989.11	34.22	28.91	2.46	71.16
1972	769.64	31.68	24.29	2.47	59.92
Total	47,552.54	47.36	1,004.10	2.42	2,434.23

KY-Green River Unit 3**Interim Survivor Curve: Iowa 60 S1****Probable Retirement Year: 2020**

1954	6,727.09	53.10	126.70	14.13	1,789.89
1957	3,175.40	51.80	61.30	14.39	882.36
1974	1,494.86	41.91	35.67	15.74	561.33
1975	9,951.35	41.20	241.55	15.81	3,818.58
1976	717.85	40.47	17.74	15.88	281.66
1977	5,757.22	39.73	144.89	15.95	2,310.98
1983	11,349.75	35.04	323.91	16.36	5,297.89
1986	1,370.06	32.54	42.11	16.55	696.82
1988	11,015.58	30.82	357.47	16.67	5,959.88
1989	1,954.27	29.94	65.27	16.73	1,092.09
1999	17,320.10	20.74	835.27	17.24	14,401.96
Total	70,833.53	31.46	2,251.88	16.47	37,093.45

KY-Green River Unit 4**Interim Survivor Curve: Iowa 60 S1****Probable Retirement Year: 2020**

1959	75,759.83	50.86	1,489.57	14.57	21,695.59
1966	3,777.83	47.10	80.21	15.14	1,214.08
1971	1,172.60	43.96	26.67	15.52	413.87
1972	2,868.90	43.29	66.27	15.59	1,033.19
1974	784.63	41.91	18.72	15.74	294.63

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1975	9,951.36	41.20	241.55	15.81	3,818.59
1978	2,868.12	38.98	73.57	16.02	1,178.65
1979	79,839.67	38.22	2,089.03	16.09	33,610.83
1980	53,020.30	37.44	1,416.07	16.16	22,880.14
1981	10,793.10	36.65	294.47	16.22	4,777.54
1982	13,835.18	35.85	385.89	16.29	6,286.74
1983	26,209.30	35.04	747.98	16.36	12,234.11
1984	8,591.35	34.22	251.09	16.42	4,123.32
1985	19,046.68	33.38	570.57	16.49	9,406.53
1986	23,334.82	32.54	717.19	16.55	11,868.24
1987	201,043.84	31.68	6,345.90	16.61	105,411.68
1988	77,870.33	30.82	2,527.01	16.67	42,131.01
1989	28,935.30	29.94	966.45	16.73	16,169.77
1990	8,187.16	29.06	281.78	16.79	4,731.16
1991	34,287.91	28.16	1,217.54	16.85	20,512.91
1992	60,189.53	27.26	2,208.01	16.90	37,323.77
1993	11,062.12	26.35	419.83	16.96	7,119.26
1994	223,971.61	25.43	8,807.01	17.01	149,811.32
1995	160,138.77	24.51	6,534.84	17.06	111,487.56
1996	43,557.52	23.57	1,847.80	17.11	31,615.27
1997	499,812.31	22.63	22,083.06	17.16	378,869.14
1998	24,421.43	21.69	1,126.05	17.20	19,369.12
1999	143,518.15	20.74	6,921.22	17.24	119,337.83
2000	26,395.50	19.78	1,334.54	17.28	23,062.54
2001	86,720.61	18.82	4,608.78	17.32	79,809.16
Total	1,961,965.76	25.92	75,698.66	16.93	1,281,597.53

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-Green River Units 1 & 2					
<i>Interim Survivor Curve: Iowa 60 S1</i>					
<i>Probable Retirement Year: 2004</i>					
1950	113,553.34	47.10	2,411.09	1.47	3,551.24
1951	152.04	46.50	3.27	1.47	4.82
1952	677.82	45.89	14.77	1.47	21.78
1953	74.00	45.26	1.64	1.48	2.41
1955	1,134.69	43.96	25.81	1.48	38.12
1962	3,464.72	38.98	88.88	1.48	131.71
1965	5,832.35	36.65	159.12	1.48	236.11
1975	19,917.55	28.16	707.26	1.49	1,053.66
1980	1,142.31	23.57	48.46	1.49	72.32
1981	4,159.66	22.63	183.79	1.49	274.38
1983	13,310.12	20.74	641.89	1.49	958.89
1988	9,486.07	15.90	596.53	1.50	892.51
1995	7,249.32	8.99	806.52	1.50	1,208.65
2001	10,070.49	3.00	3,357.04	1.50	5,035.08
Total	190,224.48	21.03	9,046.05	1.49	13,481.68

KY-E W Brown Steam Unit 1**Interim Survivor Curve: Iowa 60 S1****Probable Retirement Year: 2020**

1958	151,203.74	51.34	2,945.28	14.48	42,648.91
1965	7,417.73	47.68	155.58	15.06	2,342.36
1971	672.02	43.96	15.29	15.52	237.19
1975	1,315.46	41.20	31.93	15.81	504.77
1977	1,382.76	39.73	34.80	15.95	555.05
1980	1,078.44	37.44	28.80	16.16	465.39

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1988	1,387.17	30.82	45.02	16.67	750.52
1990	18,405.09	29.06	633.45	16.79	10,635.85
1992	7,705.00	27.26	282.65	16.90	4,777.90
1994	9,227.37	25.43	362.84	17.01	6,172.05
1995	1,940.96	24.51	79.21	17.06	1,351.28
1996	2,858.88	23.57	121.28	17.11	2,075.06
2001	89,264.86	18.82	4,744.00	17.32	82,150.63
Total	293,859.48	31.00	9,480.11	16.31	154,666.95

KY-E W Brown Steam Unit 2**Interim Survivor Curve: Iowa 60 S1****Probable Retirement Year: 2020**

1963	63,377.24	48.80	1,298.72	14.90	19,346.51
1965	541.89	47.68	11.37	15.06	171.12
1968	520.36	45.89	11.34	15.29	173.40
1969	4,400.82	45.26	97.24	15.37	1,494.17
1970	555.08	44.62	12.44	15.44	192.12
1995	3,998.73	24.51	163.18	17.06	2,783.89
1996	2,858.69	23.57	121.27	17.11	2,074.92
1998	5,685.52	21.69	262.16	17.20	4,509.30
2000	3,709.49	19.78	187.55	17.28	3,241.09
Total	85,647.82	39.56	2,165.25	15.70	33,986.51

KY-E W Brown Steam Unit 3**Interim Survivor Curve: Iowa 60 S1****Probable Retirement Year: 2020**

1968	1,111.17	45.89	24.22	15.29	370.28
1972	480,400.68	43.29	11,096.87	15.59	173,009.20

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1973	1,002.85	42.61	23.54	15.66	368.70
1974	3,141.96	41.91	74.97	15.74	1,179.83
1976	2,020.37	40.47	49.92	15.88	792.73
1977	41,494.87	39.73	1,044.32	15.95	16,656.28
1978	1,172.75	38.98	30.08	16.02	481.94
1980	1,958.19	37.44	52.30	16.16	845.03
1981	1,699.55	36.65	46.37	16.22	752.30
1982	6,494.37	35.85	181.14	16.29	2,951.06
1983	51,269.33	35.04	1,463.16	16.36	23,931.76
1984	16,131.89	34.22	471.47	16.42	7,742.31
1985	14,814.73	33.38	443.80	16.49	7,316.51
1986	154,112.47	32.54	4,736.59	16.55	78,382.62
1987	220,951.75	31.68	6,974.29	16.61	115,849.83
1988	93,468.11	30.82	3,033.18	16.67	50,570.04
1989	216,749.02	29.94	7,239.47	16.73	121,124.77
1990	330,769.03	29.06	11,384.13	16.79	191,143.26
1991	259,733.19	28.16	9,222.92	16.85	155,386.69
1992	170,650.38	27.26	6,260.19	16.90	105,820.98
1993	214,801.76	26.35	8,152.10	16.96	138,240.27
1994	290,630.46	25.43	11,428.17	17.01	194,398.44
1995	453,393.26	24.51	18,501.77	17.06	315,649.41
1996	192,256.62	23.57	8,155.91	17.11	139,545.24
1997	257,628.11	22.63	11,382.71	17.16	195,287.99
1998	67,673.92	21.69	3,120.40	17.20	53,673.52
1999	61,757.14	20.74	2,978.26	17.24	51,352.13
2000	12,637.80	19.78	638.96	17.28	11,042.02
2001	75,511.21	18.82	4,013.06	17.32	69,493.12
Total	3,695,436.94	27.95	132,224.25	16.82	2,223,358.25

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 1 Scrubber

*Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2020*

1994	982,956.01	25.43	38,651.80	17.01	657,484.83
2000	2,454.00	19.78	124.07	17.28	2,144.13
Total	985,410.01	25.41	38,775.87	17.01	659,628.96

KY-Ghent Unit 1

*Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2022*

1975	1,126,254.73	42.61	26,433.35	17.36	458,804.93
1976	12,177.76	41.91	290.57	17.44	5,069.05
1978	6,426.62	40.47	158.79	17.62	2,797.41
1983	4,043.88	36.65	110.33	18.03	1,989.46
1986	21,481.98	34.22	627.83	18.27	11,470.41
1988	53,453.52	32.54	1,642.87	18.42	30,268.29
1989	2,178.22	31.68	68.75	18.50	1,271.79
1990	137,000.67	30.82	4,445.87	18.57	82,564.50
1994	7,318.47	27.26	268.47	18.85	5,059.80
1995	59,093.91	26.35	2,242.72	18.91	42,409.07
1996	153,652.05	25.43	6,041.91	18.97	114,625.48
1997	18,479.11	24.51	754.08	19.03	14,350.96
1999	79,194.16	22.63	3,499.01	19.14	66,972.16
2000	2,880.81	21.69	132.83	19.19	2,549.10
Total	1,583,635.89	36.04	46,717.39	17.98	840,202.40

Kentucky Utilities***All Divisions******316.00 MISC. POWER PLANT EQUIPMENT******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique***

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 2***Interim Survivor Curve: Iowa 60 S1******Probable Retirement Year: 2025***

1977	1,351,756.37	43.29	31,224.49	19.79	618,008.03
1980	2,018.11	41.20	48.99	20.13	986.02
1985	7,576.54	37.44	202.35	20.67	4,181.65
1989	51,128.40	34.22	1,494.26	21.07	31,483.63
1990	7,692.02	33.38	230.43	21.17	4,877.62
1991	6,857.97	32.54	210.78	21.26	4,481.96
1992	1,605.25	31.68	50.67	21.36	1,082.18
1997	49,383.03	27.26	1,811.58	21.79	39,471.93
Total	1,478,017.69	41.90	35,273.55	19.97	704,573.03

KY-Ghent Unit 3***Interim Survivor Curve: Iowa 60 S1******Probable Retirement Year: 2029***

1981	3,060,422.54	43.29	70,693.31	23.20	1,640,067.11
1982	7,412.21	42.61	173.97	23.35	4,061.79
1983	9,393.97	41.91	224.15	23.49	5,266.05
1984	3,065.83	41.20	74.42	23.64	1,759.21
1987	14,126.58	38.98	362.38	24.07	8,721.29
1988	8,279.00	38.22	216.62	24.21	5,243.59
1993	31,841.79	34.22	930.60	24.87	23,142.85
1994	1,429.72	33.38	42.83	24.99	1,070.48
Total	3,135,971.64	43.12	72,718.28	23.23	1,689,332.36

Kentucky Utilities**All Divisions****316.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Ghent Unit 4

*Interim Survivor Curve: Iowa 60 S1**Probable Retirement Year: 2032*

1984	1,921,096.33	43.29	44,375.79	25.80	1,145,101.00
1985	179,084.06	42.61	4,203.13	25.98	109,203.15
1986	63,158.97	41.91	1,507.04	26.15	39,415.76
1987	48,243.60	41.20	1,171.03	26.33	30,831.16
1988	248,096.56	40.47	6,130.02	26.50	162,443.68
1989	228,575.84	39.73	5,752.65	26.67	153,406.53
1990	339,495.80	38.98	8,708.90	26.83	233,700.62
1991	220,267.55	38.22	5,763.37	27.00	155,607.67
1992	64,681.94	37.44	1,727.53	27.16	46,921.51
1993	7,234.00	36.65	197.36	27.32	5,391.79
1994	294,878.19	35.85	8,224.76	27.47	225,975.05
1995	439,616.96	35.04	12,546.10	27.63	346,594.93
1996	328,133.20	34.22	9,589.91	27.77	266,354.60
1997	261,371.59	33.38	7,829.75	27.92	218,595.25
1998	38,861.86	32.54	1,194.41	28.06	33,512.22
1999	604,006.19	31.68	19,065.30	28.19	537,471.56
2000	69,889.51	30.82	2,268.02	28.32	64,228.75
Total	5,356,692.15	38.19	140,255.05	26.91	3,774,755.23

Account

Total	20,719,081.14	33.36	621,144.21	20.60	12,792,509.40
--------------	----------------------	--------------	-------------------	--------------	----------------------

Composite Average Remaining Life ... 20.60 Years

Kentucky Utilities***All Divisions******330.10 HYDRAULIC LAND RIGHTS******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique****Average Service Life: 50**Survivor Curve: R2.5*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1941	879,311.47	50.00	17,586.19	7.76	136,451.45
Total	879,311.47	50.00	17,586.19	7.76	136,451.45

Composite Average Remaining Life ... 7.76 Years

Kentucky Utilities**All Divisions****331.00 STRUCTURES AND IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Dix Dam

*Interim Survivor Curve: Iowa 140 L1**Probable Retirement Year: 2022*

1941	267,186.25	74.35	3,593.43	18.41	66,156.74
1955	4,487.68	63.20	71.00	18.65	1,324.54
1961	2,999.30	58.12	51.60	18.77	968.31
1967	1,419.40	52.88	26.84	18.88	506.68
1975	293.52	45.66	6.43	19.02	122.24
1988	21,653.40	33.46	647.07	19.22	12,434.42
1990	53,300.27	31.55	1,689.62	19.24	32,512.23
1994	78,184.89	27.68	2,824.32	19.29	54,483.22
Total	429,524.71	48.21	8,910.32	18.91	168,508.37

KY-Lock #7

*Interim Survivor Curve: Iowa 140 L1**Probable Retirement Year: 2004*

1941	67,902.49	59.84	1,134.81	1.49	1,695.34
Total	67,902.49	59.84	1,134.81	1.49	1,695.34

Account

Total	497,427.20	49.52	10,045.12	16.94	170,203.71
--------------	-------------------	--------------	------------------	--------------	-------------------

Composite Average Remaining Life ... 16.94 Years

Kentucky Utilities**All Divisions****332.00 RESERVOIRS, DAMS AND WATERWAYS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Dix Dam

*Interim Survivor Curve: Iowa 150 L1.5**Probable Retirement Year: 2022*

1941	107,387.96	76.79	1,398.45	18.70	26,157.66
1944	5,872,823.56	74.28	79,068.46	18.76	1,483,497.52
1950	74,403.00	69.12	1,076.40	18.87	20,311.46
1958	154,985.08	62.02	2,498.85	18.99	47,460.87
1971	3,719.85	50.03	74.36	19.16	1,424.70
1990	7,354.12	31.76	231.56	19.36	4,482.04
1994	10,861.26	27.83	390.21	19.39	7,564.60
1995	1,586,495.53	26.85	59,086.08	19.39	1,145,887.78
Total	7,818,030.36	54.36	143,824.36	19.03	2,736,786.63

KY-Lock #7

*Interim Survivor Curve: Iowa 150 L1.5**Probable Retirement Year: 2004*

1941	58,987.38	61.12	965.13	1.50	1,443.75
1959	179,747.14	44.34	4,054.10	1.50	6,071.21
1983	17,565.21	20.92	839.46	1.50	1,258.45
1986	56,935.31	17.95	3,172.01	1.50	4,755.68
1988	8,886.67	15.96	558.73	1.50	834.71
1993	2,024.17	10.98	184.27	1.50	276.32
Total	324,145.88	33.17	9,771.69	1.50	14,640.11

Kentucky Utilities***All Divisions******332.00 RESERVOIRS, DAMS AND WATERWAYS******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique***

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
<i>Account</i>					
<i>Total</i>	8,142,176.24	53.01	153,596.05	17.91	2,751,426.74

Composite Average Remaining Life ... 17.91 Years

Kentucky Utilities**All Divisions****333.00 WATERWHEELS, TURBINES AND GENERATORS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Dix Dam

*Interim Survivor Curve: Iowa 150 LI.5**Probable Retirement Year: 2022*

1941	364,148.01	76.79	4,742.07	18.70	88,699.50
1958	4,321.72	62.02	69.68	18.99	1,323.43
1962	12,808.80	58.39	219.38	19.05	4,178.79
1963	31.46	57.47	0.55	19.06	10.43
1992	12,412.14	29.80	416.53	19.37	8,068.71
1997	24,821.61	24.88	997.69	19.41	19,361.79
Total	418,543.74	64.93	6,445.90	18.87	121,642.65

KY-Lock #7

*Interim Survivor Curve: Iowa 150 LI.5**Probable Retirement Year: 2004*

1941	69,633.51	61.12	1,139.32	1.50	1,704.32
1959	44,451.98	44.34	1,002.59	1.50	1,501.43
Total	114,085.49	53.26	2,141.91	1.50	3,205.74

Account

Total	532,629.23	62.02	8,587.80	14.54	124,848.39
--------------	-------------------	--------------	-----------------	--------------	-------------------

Composite Average Remaining Life ... 14.54 Years

Kentucky Utilities**All Divisions****334.00 ACCESSORY ELECTRIC EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Dix Dam

*Interim Survivor Curve: Iowa 55 L1**Probable Retirement Year: 2022*

1941	55,266.98	51.44	1,074.30	14.41	15,485.15
1947	9,781.74	50.14	195.10	14.80	2,887.50
1949	290.00	49.63	5.84	14.92	87.20
1950	411.49	49.37	8.34	14.99	124.91
1952	206.57	48.80	4.23	15.11	63.94
1953	772.14	48.51	15.92	15.17	241.42
1960	1,738.80	46.15	37.68	15.57	586.71
1961	56.97	45.77	1.24	15.63	19.45
1962	3,720.56	45.38	81.99	15.68	1,285.91
1963	171.41	44.97	3.81	15.74	59.98
1974	3,361.97	39.74	84.59	16.33	1,381.36
1975	4,094.59	39.19	104.47	16.39	1,712.27
1989	5,509.91	30.10	183.08	17.59	3,220.65
Total	85,383.13	47.42	1,800.58	15.08	27,156.47

KY-Lock #7

*Interim Survivor Curve: Iowa 55 L1**Probable Retirement Year: 2004*

1959	869.93	38.05	22.86	1.48	33.73
1983	263,524.85	20.23	13,023.91	1.49	19,376.99
1991	91.13	12.80	7.12	1.49	10.63
Total	264,485.91	20.26	13,053.89	1.49	19,421.35

Kentucky Utilities**All Divisions****334.00 ACCESSORY ELECTRIC EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
<i>Account</i>					
Total	349,869.04	23.55	14,854.47	3.14	46,577.82

Composite Average Remaining Life ... 3.14 Years

Kentucky Utilities**All Divisions****335.00 MISCELLANEOUS POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-Dix Dam					
<i>Interim Survivor Curve: Iowa 55 R3</i>					
<i>Probable Retirement Year: 2022</i>					
1941	4,394.17	54.94	79.99	8.23	658.07
1948	2,570.25	54.58	47.09	10.58	498.37
1949	490.66	54.48	9.01	10.94	98.50
1950	580.91	54.37	10.68	11.29	120.66
1951	55.74	54.24	1.03	11.65	11.97
1952	509.41	54.09	9.42	12.00	113.04
1953	382.54	53.92	7.09	12.36	87.65
1954	1,687.33	53.73	31.40	12.70	398.94
1955	164.19	53.52	3.07	13.05	40.03
1959	389.50	52.43	7.43	14.34	106.55
1961	279.83	51.72	5.41	14.93	80.77
1962	5,159.17	51.32	100.52	15.20	1,528.21
1966	274.34	49.46	5.55	16.18	89.76
1967	19,185.92	48.92	392.15	16.39	6,428.71
1972	165.40	45.88	3.61	17.29	62.34
1975	1,855.88	43.78	42.39	17.71	750.73
1990	1,449.67	31.24	46.40	18.95	879.40
1992	11,230.37	29.39	382.05	19.04	7,275.74
1994	22,393.40	27.52	813.62	19.12	15,559.69
1995	14,300.79	26.58	538.06	19.16	10,308.95
1996	9,512.12	25.63	371.15	19.19	7,123.41
Total	97,031.59	33.38	2,907.13	17.96	52,221.50

Kentucky Utilities**All Divisions****335.00 MISCELLANEOUS POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-Lock #7

Interim Survivor Curve: Iowa 55 R3**Probable Retirement Year: 2004**

1941	184.93	52.43	3.53	1.42	4.99
1959	20,306.12	42.29	480.18	1.48	709.34
1983	17,666.14	20.81	848.78	1.50	1,270.28
1984	793.72	19.84	40.01	1.50	59.88
1988	1,746.05	15.92	109.69	1.50	164.31
1990	9,725.47	13.94	697.50	1.50	1,045.07
1994	15,672.46	9.98	1,570.89	1.50	2,354.67
Total	66,094.89	17.62	3,750.57	1.50	5,608.55
Account					
Total	163,126.48	24.50	6,657.70	8.69	57,830.05

Composite Average Remaining Life ... 8.69 Years

Kentucky Utilities**All Divisions****336.00 ROADS, RAILROADS AND BRIDGES****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-Dix Dam					
<i>Interim Survivor Curve: Iowa 80 R5</i>					
<i>Probable Retirement Year: 2022</i>					
1941	46,976.12	76.26	616.03	16.01	9,861.30
Total	46,976.12	76.26	616.03	16.01	9,861.30
KY-Lock #7					
<i>Interim Survivor Curve: Iowa 80 R5</i>					
<i>Probable Retirement Year: 2004</i>					
1941	1,169.79	62.57	18.70	1.49	27.85
Total	1,169.79	62.57	18.70	1.49	27.85
<i>Account</i>					
Total	48,145.91	75.85	634.72	15.58	9,889.15

Composite Average Remaining Life ... 15.58 Years

Kentucky Utilities***All Divisions******340.10 OTHER PRODUCTION LAND RIGHTS******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique****Average Service Life: 50**Survivor Curve: R2.5*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1996	176,409.31	50.00	3,528.18	43.93	155,009.05
Total	176,409.31	50.00	3,528.18	43.93	155,009.05

Composite Average Remaining Life ... 43.93 Years

Kentucky Utilities**All Divisions****341.00 STRUCTURES AND IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-PADDY'S RUN GT 13

*Interim Survivor Curve: Iowa 45 R0.5**Probable Retirement Year: 2031*

2001	1,910,327.76	25.81	74,010.44	24.63	1,823,184.45
Total	1,910,327.76	25.81	74,010.44	24.63	1,823,184.45

KY-TRIMBLE COUNTY #5 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 45 R0.5**Probable Retirement Year: 2032*

2002	3,566,217.06	25.81	138,163.35	25.42	3,512,079.65
Total	3,566,217.06	25.81	138,163.35	25.42	3,512,079.65

KY-TRIMBLE COUNTY #6 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 45 R0.5**Probable Retirement Year: 2032*

2002	3,564,353.91	25.81	138,091.17	25.42	3,510,244.79
Total	3,564,353.91	25.81	138,091.17	25.42	3,510,244.79

KY-E W Brown CT Unit 5

*Interim Survivor Curve: Iowa 45 R0.5**Probable Retirement Year: 2031*

2001	755,148.65	25.81	29,256.17	24.63	720,701.08
Total	755,148.65	25.81	29,256.17	24.63	720,701.08

Kentucky Utilities**All Divisions****341.00 STRUCTURES AND IMPROVEMENTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-E W Brown CT Unit 6					
<i>Interim Survivor Curve: Iowa 45 R0.5</i>					
<i>Probable Retirement Year: 2028</i>					
1999	133,678.33	25.10	5,325.79	22.32	118,877.01
Total	133,678.33	25.10	5,325.79	22.32	118,877.01
KY-E W Brown CT Unit 7					
<i>Interim Survivor Curve: Iowa 45 R0.5</i>					
<i>Probable Retirement Year: 2029</i>					
1999	488,353.77	25.81	18,919.93	23.05	436,187.55
Total	488,353.77	25.81	18,919.93	23.05	436,187.55
KY-E W Brown CT Unit 8					
<i>Interim Survivor Curve: Iowa 45 R0.5</i>					
<i>Probable Retirement Year: 2029</i>					
1994	143,477.30	29.19	4,915.02	22.70	111,566.37
1995	1,850,608.89	28.54	64,843.26	22.78	1,476,809.34
2001	18,568.76	24.38	761.72	23.18	17,657.81
Total	2,012,654.95	28.54	70,520.00	22.77	1,606,033.52
KY-E W Brown CT Unit 9					
<i>Interim Survivor Curve: Iowa 45 R0.5</i>					
<i>Probable Retirement Year: 2024</i>					
1994	4,183,617.99	25.81	162,082.86	19.05	3,087,088.39
1996	438,868.12	24.38	18,003.08	19.14	344,593.77
2001	18,568.75	20.60	901.52	19.35	17,446.75

Kentucky Utilities
All Divisions
341.00 STRUCTURES AND IMPROVEMENTS
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
Total	4,641,054.86	25.64	180,987.46	19.06	3,449,128.91

KY-E W Brown CT Unit 10

Interim Survivor Curve: Iowa 45 R0.5
Probable Retirement Year: 2025

1995	1,847,149.45	25.81	71,562.77	19.86	1,420,921.59
2001	18,568.75	21.37	868.72	20.14	17,496.27
Total	1,865,718.20	25.76	72,431.48	19.86	1,438,417.86

KY-E W Brown CT Unit 11

Interim Survivor Curve: Iowa 45 R0.5
Probable Retirement Year: 2025

1996	1,721,326.76	25.10	68,578.20	19.91	1,365,181.61
2001	81,268.89	21.37	3,802.08	20.14	76,575.03
Total	1,802,595.65	24.90	72,380.27	19.92	1,441,756.63

KY-Haefling Units 1 2 & 3

Interim Survivor Curve: Iowa 45 R0.5
Probable Retirement Year: 2010

1994	3,638.00	14.86	244.76	7.21	1,765.94
2000	431,215.46	9.56	45,083.31	7.25	326,654.22
Total	434,853.46	9.59	45,328.07	7.25	328,420.16

Kentucky Utilities***All Divisions******341.00 STRUCTURES AND IMPROVEMENTS******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique***

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
<i>Account</i>					
<i>Total</i>	21,174,956.60	25.05	845,414.14	21.75	18,385,031.62

Composite Average Remaining Life ... 21.75 Years

Kentucky Utilities**All Divisions****342.00 FUEL HOLDERS, PRODUCERS AND ACCESS.****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-PADDY'S RUN GT 13

*Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2031*

2001	1,975,977.95	27.37	72,203.71	26.06	1,881,448.31
Total	1,975,977.95	27.37	72,203.71	26.06	1,881,448.31

KY-TRIMBLE COUNTY #5 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2032*

2002	237,747.79	27.37	8,687.48	26.93	233,957.28
Total	237,747.79	27.37	8,687.48	26.93	233,957.28

KY-TRIMBLE COUNTY #6 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2032*

2002	237,623.60	27.37	8,682.94	26.93	233,835.07
Total	237,623.60	27.37	8,682.94	26.93	233,835.07

KY-TRIMBLE COUNTY CT PIPELINE - CAPITAL ONL

*Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2032*

2002	4,474,853.28	27.37	163,514.48	26.93	4,403,508.78
Total	4,474,853.28	27.37	163,514.48	26.93	4,403,508.78

Kentucky Utilities**All Divisions****342.00 FUEL HOLDERS, PRODUCERS AND ACCESS.****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-E W Brown CT Unit 5					
<i>Interim Survivor Curve: Iowa 55 R1</i>					
<i>Probable Retirement Year: 2031</i>					
2001	727,929.28	27.37	26,599.08	26.06	693,105.56
Total	727,929.28	27.37	26,599.08	26.06	693,105.56
KY-E W Brown CT Unit 6					
<i>Interim Survivor Curve: Iowa 55 R1</i>					
<i>Probable Retirement Year: 2028</i>					
1999	146,514.66	26.56	5,517.07	23.49	129,576.28
Total	146,514.66	26.56	5,517.07	23.49	129,576.28
KY-E W Brown CT Unit 7					
<i>Interim Survivor Curve: Iowa 55 R1</i>					
<i>Probable Retirement Year: 2029</i>					
1999	145,745.15	27.37	5,325.64	24.31	129,469.33
Total	145,745.15	27.37	5,325.64	24.31	129,469.33
KY-E W Brown CT Unit 8					
<i>Interim Survivor Curve: Iowa 55 R1</i>					
<i>Probable Retirement Year: 2029</i>					
1995	19,612.88	30.52	642.63	24.08	15,475.78
Total	19,612.88	30.52	642.63	24.08	15,475.78

Kentucky Utilities**All Divisions****342.00 FUEL HOLDERS, PRODUCERS AND ACCESS.****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 9

Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2024**

1994	1,081,584.77	27.37	39,521.91	19.92	787,391.68
1995	488,559.96	26.56	18,396.92	19.96	367,220.23
1996	196,934.56	25.74	7,651.46	20.00	153,017.83
1997	176,375.15	24.91	7,080.06	20.04	141,850.74
Total	1,943,454.44	26.75	72,650.36	19.95	1,449,480.49

KY-E W Brown CT Unit 10

Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2025**

1995	31,737.96	27.37	1,159.73	20.80	24,126.22
Total	31,737.96	27.37	1,159.73	20.80	24,126.22

KY-E W Brown CT Unit 11

Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2025**

1996	33,737.68	26.56	1,270.41	20.84	26,481.28
1997	18,692.16	25.74	726.24	20.89	15,167.73
Total	52,429.84	26.26	1,996.65	20.86	41,649.01

KY-E W Brown CT Unit 9 Gas Pipeline

Interim Survivor Curve: Iowa 55 R1**Probable Retirement Year: 2024**

1996	7,769,250.01	25.74	301,857.21	20.00	6,036,694.69
------	--------------	-------	------------	-------	--------------

Kentucky Utilities**All Divisions****342.00 FUEL HOLDERS, PRODUCERS AND ACCESS.****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1999	381,881.80	23.23	16,436.09	20.11	330,473.02
Total	8,151,131.81	25.61	318,293.30	20.00	6,367,167.71

KY-Haefting Units 1 2 & 3

Interim Survivor Curve: Iowa 55 RI**Probable Retirement Year: 2010**

1971	114,453.11	34.25	3,341.72	7.17	23,957.84
1977	66,537.25	29.74	2,236.93	7.23	16,164.58
1978	142.25	28.96	4.91	7.23	35.53
Total	181,132.61	32.44	5,583.56	7.19	40,157.95
Account Total	18,325,891.25	26.53	690,856.62	22.64	15,642,957.76

Composite Average Remaining Life ... 22.64 Years

Kentucky Utilities**All Divisions**

343.00 PRIME MOVERS

**Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-PADDY'S RUN GT 13

*Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2031*

2001	17,355,293.47	25.22	688,101.32	24.08	16,567,509.59
Total	17,355,293.47	25.22	688,101.32	24.08	16,567,509.59

KY-TRIMBLE COUNTY #5 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2032*

2002	29,842,502.10	25.22	1,183,193.20	24.84	29,391,702.11
Total	29,842,502.10	25.22	1,183,193.20	24.84	29,391,702.11

KY-TRIMBLE COUNTY #6 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2032*

2002	29,826,880.91	25.22	1,182,573.85	24.84	29,376,316.89
Total	29,826,880.91	25.22	1,182,573.85	24.84	29,376,316.89

KY-E W Brown CT Unit 5

*Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2031*

2001	12,440,942.32	25.22	493,257.51	24.08	11,876,228.52
Total	12,440,942.32	25.22	493,257.51	24.08	11,876,228.52

Kentucky Utilities
All Divisions
343.00 PRIME MOVERS

Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

Year	Original Cost	Avg. Service Life	Avg. Annual Accrual	Avg. Remaining Life	Future Annual Accruals
(1)	(2)	(3)	(4)	(5)	(6)

KY-E W Brown CT Unit 6

Interim Survivor Curve: Iowa 40 R0.5

Probable Retirement Year: 2028

1999	30,887,424.43	24.55	1,257,932.34	21.85	27,487,071.08
2002	704,287.12	22.47	31,343.05	22.08	691,934.34
Total	31,591,711.55	24.50	1,289,275.39	21.86	28,179,005.42

KY-E W Brown CT Unit 7

Interim Survivor Curve: Iowa 40 R0.5

Probable Retirement Year: 2029

1999	31,771,887.36	25.22	1,259,689.31	22.54	28,396,198.23
2001	7,299,560.18	23.87	305,769.70	22.71	6,943,507.42
Total	39,071,447.54	24.96	1,565,459.01	22.57	35,339,705.65

KY-E W Brown CT Unit 8

Interim Survivor Curve: Iowa 40 R0.5

Probable Retirement Year: 2029

1995	16,007,894.26	27.75	576,768.02	22.17	12,787,473.61
1998	2,617,425.32	25.88	101,151.93	22.45	2,271,341.51
Total	18,625,319.58	27.47	677,919.94	22.21	15,058,815.12

KY-E W Brown CT Unit 9

Interim Survivor Curve: Iowa 40 R0.5

Probable Retirement Year: 2024

1994	17,549,645.58	25.22	695,806.98	18.65	12,976,836.70
1998	3,125,156.08	22.47	139,079.53	18.89	2,627,663.65

Kentucky Utilities**All Divisions****343.00 PRIME MOVERS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
Total	20,674,801.66	24.76	834,886.51	18.69	15,604,500.35

KY-E W Brown CT Unit 10

Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2025**

1995	15,989,312.40	25.22	633,943.01	19.44	12,321,196.80
1997	2,810,784.29	23.87	117,740.34	19.57	2,304,176.03
Total	18,800,096.69	25.01	751,683.35	19.46	14,625,372.83

KY-E W Brown CT Unit 11

Interim Survivor Curve: Iowa 40 R0.5**Probable Retirement Year: 2025**

1996	16,059,543.14	24.55	654,046.72	19.50	12,756,739.81
1999	2,301,039.86	22.47	102,403.70	19.69	2,016,768.99
2000	14,689,445.28	21.75	675,389.13	19.75	13,341,196.80
Total	33,050,028.28	23.08	1,431,839.56	19.64	28,114,705.60

Account

Total	251,279,024.10	24.88	10,098,189.65	22.20	224,133,862.06
--------------	----------------	-------	---------------	-------	----------------

Composite Average Remaining Life ... 22.20 Years

Kentucky Utilities**All Divisions**

344.00 GENERATORS

**Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-PADDY'S RUN GT 13

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2031*

2001	5,185,636.11	29.92	173,321.62	28.42	4,925,653.67
Total	5,185,636.11	29.92	173,321.62	28.42	4,925,653.67

KY-TRIMBLE COUNTY #5 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2032*

2002	3,734,423.83	29.92	124,817.17	29.42	3,672,015.25
Total	3,734,423.83	29.92	124,817.17	29.42	3,672,015.25

KY-TRIMBLE COUNTY #6 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2032*

2002	3,732,468.71	29.92	124,751.82	29.42	3,670,092.80
Total	3,732,468.71	29.92	124,751.82	29.42	3,670,092.80

KY-E W Brown CT Unit 5

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2031*

2001	2,831,528.33	29.92	94,639.32	28.42	2,689,569.35
Total	2,831,528.33	29.92	94,639.32	28.42	2,689,569.35

Kentucky Utilities**All Divisions****344.00 GENERATORS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 6

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2028*

1999	3,712,619.52	28.94	128,265.18	25.44	3,263,691.38
Total	3,712,619.52	28.94	128,265.18	25.44	3,263,691.38

KY-E W Brown CT Unit 7

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2029*

1999	3,722,788.46	29.92	124,428.27	26.42	3,287,289.51
Total	3,722,788.46	29.92	124,428.27	26.42	3,287,289.51

KY-E W Brown CT Unit 8

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2029*

1995	4,953,960.72	33.70	147,010.24	26.20	3,851,383.94
Total	4,953,960.72	33.70	147,010.24	26.20	3,851,383.94

KY-E W Brown CT Unit 9

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2024*

1994	5,452,040.97	29.92	182,225.78	21.42	3,903,121.83
Total	5,452,040.97	29.92	182,225.78	21.42	3,903,121.83

Kentucky Utilities**All Divisions**

344.00 GENERATORS

**Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 10

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2025*

1995	4,944,422.71	29.92	165,259.45	22.42	3,704,976.83
Total	4,944,422.71	29.92	165,259.45	22.42	3,704,976.83

KY-E W Brown CT Unit 11

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2025*

1996	5,187,040.30	28.94	179,204.11	22.44	4,022,213.60
Total	5,187,040.30	28.94	179,204.11	22.44	4,022,213.60

KY-Haefling Units 1 2 & 3

*Interim Survivor Curve: Iowa 42 R5**Probable Retirement Year: 2010*

1971	3,668,011.72	37.85	96,897.67	6.81	659,400.82
2001	354,990.65	9.00	39,443.41	7.50	295,825.54
Total	4,023,002.37	29.51	136,341.08	7.01	955,226.36

Account

Total	47,479,932.03	30.05	1,580,264.04	24.01	37,945,234.53
--------------	---------------	-------	--------------	-------	---------------

Composite Average Remaining Life ... 24.01 Years

Kentucky Utilities**All Divisions****345.00 ACCESSORY ELECTRIC EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-PADDY'S RUN GT 13

*Interim Survivor Curve: Iowa 45 R5**Probable Retirement Year: 2031*

2001	2,456,320.01	29.96	81,984.13	28.46	2,333,343.82
Total	2,456,320.01	29.96	81,984.13	28.46	2,333,343.82

KY-TRIMBLE COUNTY #5 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 45 R5**Probable Retirement Year: 2032*

2002	1,664,234.64	29.96	55,546.84	29.46	1,636,461.22
Total	1,664,234.64	29.96	55,546.84	29.46	1,636,461.22

KY-TRIMBLE COUNTY #6 COMBUSTION TURBINE

*Interim Survivor Curve: Iowa 45 R5**Probable Retirement Year: 2032*

2002	1,663,365.15	29.96	55,517.82	29.46	1,635,606.24
Total	1,663,365.15	29.96	55,517.82	29.46	1,635,606.24

KY-E W Brown CT Unit 5

*Interim Survivor Curve: Iowa 45 R5**Probable Retirement Year: 2031*

2001	2,265,166.84	29.96	75,604.04	28.46	2,151,760.77
Total	2,265,166.84	29.96	75,604.04	28.46	2,151,760.77

Kentucky Utilities
All Divisions
345.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

Year	Original Cost	Avg. Service Life	Avg. Annual Accrual	Avg. Remaining Life	Future Annual Accruals
(1)	(2)	(3)	(4)	(5)	(6)

KY-E W Brown CT Unit 6

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2028

1999	1,354,816.11	28.97	46,759.64	25.47	1,191,157.35
Total	1,354,816.11	28.97	46,759.64	25.47	1,191,157.35

KY-E W Brown CT Unit 7

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2029

1999	1,347,700.35	29.96	44,981.94	26.46	1,190,263.56
Total	1,347,700.35	29.96	44,981.94	26.46	1,190,263.56

KY-E W Brown CT Unit 8

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2029

1995	1,797,053.82	33.84	53,102.54	26.34	1,398,784.81
Total	1,797,053.82	33.84	53,102.54	26.34	1,398,784.81

KY-E W Brown CT Unit 9

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2024

1994	2,932,701.85	29.96	97,884.23	21.46	2,100,685.86
1996	293,484.41	27.98	10,487.83	21.48	225,313.54
Total	3,226,186.26	29.77	108,372.06	21.46	2,325,999.40

Kentucky Utilities
All Divisions
345.00 ACCESSORY ELECTRIC EQUIPMENT
Original Cost Of Utility Plant In Service
And Development Of Composite Remaining Life as of December 31, 2002
Based Upon Broad Group/Remaining Life Procedure and Technique

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 10

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2025

1995	1,804,419.47	29.96	60,225.77	22.46	1,352,726.22
Total	1,804,419.47	29.96	60,225.77	22.46	1,352,726.22

KY-E W Brown CT Unit 11

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2025

1996	913,738.76	28.97	31,536.46	22.47	708,751.79
1997	2,587.52	27.98	92.47	22.48	2,078.95
Total	916,326.28	28.97	31,628.92	22.47	710,830.74

KY-Haeffling Units 1 2 & 3

Interim Survivor Curve: Iowa 45 R5

Probable Retirement Year: 2010

1971	603,775.61	38.37	15,737.57	7.11	111,886.25
1994	17,431.19	16.00	1,089.45	7.50	8,170.87
Total	621,206.80	36.92	16,827.02	7.13	120,057.12

Account

Total	19,116,795.73	30.32	630,550.73	25.45	16,046,991.24
--------------	----------------------	--------------	-------------------	--------------	----------------------

Composite Average Remaining Life ... 25.45 Years

Kentucky Utilities**All Divisions****346.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
KY-PADDY'S RUN GT 13					
<i>Interim Survivor Curve: Iowa 30 R1</i>					
<i>Probable Retirement Year: 2031</i>					
2001	1,089,550.03	24.17	45,075.49	22.99	1,036,129.01
Total	1,089,550.03	24.17	45,075.49	22.99	1,036,129.01
KY-E W Brown CT Unit 5					
<i>Interim Survivor Curve: Iowa 30 R1</i>					
<i>Probable Retirement Year: 2031</i>					
2001	2,085,163.17	24.17	86,264.74	22.99	1,982,926.88
Total	2,085,163.17	24.17	86,264.74	22.99	1,982,926.88
KY-E W Brown CT Unit 6					
<i>Interim Survivor Curve: Iowa 30 R1</i>					
<i>Probable Retirement Year: 2028</i>					
1999	15,859.83	23.63	671.16	20.86	14,001.02
2001	2,143.99	22.48	95.39	21.27	2,028.77
Total	18,003.82	23.49	766.55	20.91	16,029.79
KY-E W Brown CT Unit 7					
<i>Interim Survivor Curve: Iowa 30 R1</i>					
<i>Probable Retirement Year: 2029</i>					
1999	15,776.54	24.17	652.69	21.42	13,980.70
Total	15,776.54	24.17	652.69	21.42	13,980.70

Kentucky Utilities**All Divisions****346.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 8

Interim Survivor Curve: Iowa 30 RI**Probable Retirement Year: 2029**

1994	34,743.80	26.50	1,311.10	20.10	26,353.08
1995	185,434.07	26.09	7,108.66	20.39	144,952.83
2001	9,890.85	23.07	428.82	21.87	9,376.25
Total	230,068.72	26.00	8,848.58	20.42	180,682.16

KY-E W Brown CT Unit 9

Interim Survivor Curve: Iowa 30 RI**Probable Retirement Year: 2024**

1994	718,816.54	24.17	29,737.97	17.55	521,896.62
1995	25,312.93	23.63	1,071.20	17.74	18,998.52
1996	6,235.01	23.07	270.32	17.91	4,841.68
2001	9,890.89	19.90	497.09	18.65	9,273.19
Total	760,255.37	24.08	31,576.58	17.58	555,010.02

KY-E W Brown CT Unit 10

Interim Survivor Curve: Iowa 30 RI**Probable Retirement Year: 2025**

1995	185,241.72	24.17	7,663.59	18.32	140,405.00
1996	9,306.95	23.63	393.85	18.51	7,292.12
1997	37,083.75	23.07	1,607.78	18.70	30,062.70
2001	9,890.89	20.57	480.74	19.34	9,297.89
Total	241,523.31	23.80	10,145.96	18.44	187,057.71

Kentucky Utilities**All Divisions****346.00 MISC. POWER PLANT EQUIPMENT****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique**

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>

KY-E W Brown CT Unit 11

Interim Survivor Curve: Iowa 30 RI**Probable Retirement Year: 2025**

1996	160,514.51	23.63	6,792.68	18.51	125,765.31
1997	10,316.87	23.07	447.29	18.70	8,363.58
1999	9,686.29	21.86	443.02	19.04	8,433.16
2001	24,336.86	20.57	1,182.88	19.34	22,877.76
Total	204,854.53	23.11	8,865.87	18.66	165,439.82

KY-Haeffling Units 1 2 & 3

Interim Survivor Curve: Iowa 30 RI**Probable Retirement Year: 2010**

1971	35,805.20	27.90	1,283.52	6.02	7,727.98
Total	35,805.20	27.90	1,283.52	6.02	7,727.98

Account

Total	4,681,000.69	24.19	193,479.97	21.42	4,144,984.06
--------------	---------------------	--------------	-------------------	--------------	---------------------

Composite Average Remaining Life ... 21.42 Years

*Kentucky Utilities**All Divisions**350.10 TRANSMISSION LAND RIGHTS**Original Cost Of Utility Plant In Service**And Development Of Composite Remaining Life as of December 31, 2002**Based Upon Broad Group/Remaining Life Procedure and Technique**Average Service Life: 50**Survivor Curve: R2.5*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1941	2,377,567.53	50.00	47,551.23	7.76	368,950.64
1942	1,823,442.18	50.00	36,468.75	8.05	293,517.61
1947	102,220.83	50.00	2,044.41	9.69	19,808.73
1948	241,376.13	50.00	4,827.51	10.06	48,575.64
1949	348,937.77	50.00	6,978.74	10.45	72,940.55
1951	198,525.57	50.00	3,970.50	11.28	44,795.69
1952	678.81	50.00	13.58	11.72	159.16
1953	2,289,166.86	50.00	45,783.22	12.18	557,735.16
1954	22,699.26	50.00	453.98	12.66	5,746.68
1955	64,673.99	50.00	1,293.48	13.15	17,011.72
1956	863,408.68	50.00	17,268.13	13.66	235,929.40
1957	194,543.78	50.00	3,890.87	14.19	55,212.82
1958	49,193.55	50.00	983.87	14.73	14,496.88
1959	281,489.93	50.00	5,629.78	15.29	86,107.05
1960	230,270.20	50.00	4,605.39	15.87	73,091.97
1962	360.64	50.00	7.21	17.07	123.11
1963	174,671.01	50.00	3,493.41	17.69	61,793.47
1964	535.56	50.00	10.71	18.32	196.26
1965	1,020,665.01	50.00	20,413.25	18.97	387,240.13
1966	3,388.21	50.00	67.76	19.63	1,330.23
1967	439.53	50.00	8.79	20.30	178.47
1968	187,959.94	50.00	3,759.19	20.99	78,896.21
1969	3,333.16	50.00	66.66	21.68	1,445.51
1970	987,589.34	50.00	19,751.74	22.39	442,268.05
1971	86,308.48	50.00	1,726.17	23.11	39,891.36
1972	520,713.24	50.00	10,414.24	23.84	248,264.23
1973	4,851.12	50.00	97.02	24.58	2,384.65

Kentucky Utilities**All Divisions****350.10 TRANSMISSION LAND RIGHTS****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique***Average Service Life: 50**Survivor Curve: R2.5*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1974	1,871,401.30	50.00	37,427.93	25.33	947,973.46
1975	60,312.80	50.00	1,206.25	26.09	31,468.02
1976	3,511.74	50.00	70.23	26.86	1,886.26
1977	1,655,822.24	50.00	33,116.36	27.63	915,170.58
1978	2,495,613.04	50.00	49,912.14	28.42	1,418,638.81
1979	64,353.54	50.00	1,287.07	29.22	37,607.42
1981	1,589.74	50.00	31.79	30.84	980.52
1982	6.85	50.00	0.14	31.66	4.34
1984	1,511.24	50.00	30.22	33.33	1,007.43
1986	1,296.02	50.00	25.92	35.03	908.03
1987	261,987.74	50.00	5,239.74	35.89	188,070.24
1988	11,092.15	50.00	221.84	36.76	8,155.25
1992	321,187.46	50.00	6,423.73	40.30	258,883.33
1993	893,720.54	50.00	17,874.37	41.20	736,446.38
1994	2,005,834.18	50.00	40,116.58	42.11	1,689,191.95
1995	720,573.79	50.00	14,411.44	43.02	619,955.16
1996	30,275.48	50.00	605.51	43.93	26,602.75
1997	133,551.48	50.00	2,671.02	44.86	119,810.97
1998	47,536.09	50.00	950.72	45.78	43,525.58
1999	261,241.76	50.00	5,224.82	46.71	244,062.34
2000	70,003.97	50.00	1,400.08	47.65	66,708.93
Total	22,991,433.46	50.00	459,827.53	22.87	10,515,149.10

Composite Average Remaining Life ... 22.87 Years

Kentucky Utilities***All Divisions******352.10 STRUCTURES & IMPROVE. NON-SYS. CONTROL/COM******Original Cost Of Utility Plant In Service******And Development Of Composite Remaining Life as of December 31, 2002******Based Upon Broad Group/Remaining Life Procedure and Technique****Average Service Life: 45**Survivor Curve: R3*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1940	8,528.63	45.00	189.53	3.36	637.24
1941	48,670.91	45.00	1,081.58	3.62	3,916.59
1946	278.16	45.00	6.18	4.94	30.52
1947	3,222.45	45.00	71.61	5.21	373.39
1948	1,400.35	45.00	31.12	5.51	171.36
1949	27,602.72	45.00	613.39	5.81	3,564.75
1950	23,525.37	45.00	522.79	6.13	3,204.63
1951	27,162.79	45.00	603.62	6.46	3,900.36
1952	2,055.05	45.00	45.67	6.81	311.09
1953	34,001.35	45.00	755.59	7.18	5,425.31
1954	46,120.83	45.00	1,024.91	7.57	7,755.80
1955	16,414.47	45.00	364.77	7.97	2,908.60
1956	36,509.26	45.00	811.32	8.40	6,816.70
1957	13,839.54	45.00	307.55	8.85	2,721.82
1958	51,802.82	45.00	1,151.17	9.32	10,727.98
1959	37,746.86	45.00	838.82	9.81	8,228.12
1960	37,268.81	45.00	828.20	10.32	8,549.07
1961	19,023.00	45.00	422.73	10.86	4,588.81
1962	18,041.89	45.00	400.93	11.41	4,573.84
1963	12,095.08	45.00	268.78	11.98	3,220.22
1964	45,747.68	45.00	1,016.61	12.57	12,782.03
1965	41,927.54	45.00	931.72	13.19	12,287.04
1966	51,469.71	45.00	1,143.77	13.82	15,803.95
1967	12,866.81	45.00	285.93	14.46	4,135.89
1968	13,800.95	45.00	306.69	15.13	4,639.80
1969	45,978.86	45.00	1,021.75	15.81	16,155.21
1970	74,419.82	45.00	1,653.77	16.51	27,299.53

Kentucky Utilities**All Divisions****352.10 STRUCTURES & IMPROVE. NON-SYS. CONTROL/COM****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique***Average Service Life: 45**Survivor Curve: R3*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1971	128,561.05	45.00	2,856.91	17.22	49,190.91
1972	201,552.65	45.00	4,478.95	17.94	80,366.19
1973	27,875.15	45.00	619.45	18.68	11,572.26
1974	38,488.58	45.00	855.30	19.44	16,623.45
1975	88,204.77	45.00	1,960.10	20.20	39,595.58
1976	43,828.79	45.00	973.97	20.98	20,432.00
1977	232,274.10	45.00	5,161.64	21.77	112,354.62
1978	213,086.99	45.00	4,735.26	22.57	106,874.79
1979	222,550.36	45.00	4,945.56	23.38	115,641.33
1980	225,948.77	45.00	5,021.08	24.21	121,544.35
1981	104,849.01	45.00	2,329.98	25.04	58,346.32
1982	706,042.04	45.00	15,689.81	25.89	406,161.33
1983	432,390.30	45.00	9,608.67	26.74	256,978.87
1984	217,749.69	45.00	4,838.88	27.61	133,604.65
1985	140,292.86	45.00	3,117.62	28.49	88,810.10
1986	62,161.72	45.00	1,381.37	29.37	40,573.31
1987	126,741.07	45.00	2,816.47	30.27	85,247.05
1988	114,353.09	45.00	2,541.18	31.17	79,210.52
1989	11,515.59	45.00	255.90	32.08	8,209.97
1990	171,913.94	45.00	3,820.31	33.00	126,078.12
1991	7,702.35	45.00	171.16	33.93	5,807.43
1992	145,496.77	45.00	3,233.26	34.86	112,726.16
1993	111,491.48	45.00	2,477.59	35.81	88,711.77
1994	303,430.92	45.00	6,742.91	36.75	247,822.54
1995	479,982.26	45.00	10,666.27	37.71	402,184.83
1996	105,458.55	45.00	2,343.52	38.67	90,613.32
1997	109,754.62	45.00	2,438.99	39.63	96,655.01

Kentucky Utilities**All Divisions****352.10 STRUCTURES & IMPROVE. NON-SYS. CONTROL/COM****Original Cost Of Utility Plant In Service****And Development Of Composite Remaining Life as of December 31, 2002****Based Upon Broad Group/Remaining Life Procedure and Technique***Average Service Life: 45**Survivor Curve: R3*

<i>Year</i>	<i>Original Cost</i>	<i>Avg. Service Life</i>	<i>Avg. Annual Accrual</i>	<i>Avg. Remaining Life</i>	<i>Future Annual Accruals</i>
<i>(1)</i>	<i>(2)</i>	<i>(3)</i>	<i>(4)</i>	<i>(5)</i>	<i>(6)</i>
1998	633,320.49	45.00	14,073.78	40.60	571,357.04
1999	30,113.28	45.00	669.18	41.57	27,817.65
2000	179,601.55	45.00	3,991.14	42.55	169,805.29
2001	58,292.26	45.00	1,295.38	43.53	56,381.99
Total	6,426,546.76	45.00	142,812.07	28.02	4,002,028.39

Composite Average Remaining Life ... 28.02 Years