



**STOLL  
KEENON  
OGDEN**

300 WEST VINE STREET  
SUITE 2100  
LEXINGTON, KY 40507-1801  
MAIN: (859) 231-3000  
FAX: (859) 253-1093

**MONICA H. BRAUN**  
DIRECT DIAL: (859) 231-3903  
DIRECT FAX: (859) 253-1093  
Monica.Braun@skofirm.com

January 28, 2013

***HAND DELIVERED AND ELECTRONICALLY FILED***

Jeff Derouen  
Executive Director  
Kentucky Public Service Commission  
211 Sower Boulevard  
Frankfort, KY 40601

Re: Case No. 2012-00520

Dear Mr. Derouen:

Kentucky-American Water Company has discovered a typographical error in Dr. James H. Vander Weide's Direct Testimony. On page 4, line 13, "10.8" should instead state "10.4." A replacement page 4 is enclosed. In accordance with Ordering Paragraphs 5 and 10 of the Commission's December 17, 2012 Order in this matter, I certify that: (1) the electronically filed documents are a true and accurate copy of the original documents that will be submitted in paper medium; (2) the electronic documents have been transmitted to the Commission on January 28, 2013; and (3) no party has been excused from participating in this case by electronic means.

Sincerely,

Stoll Keenon Ogden PLLC

Monica H. Braun

Enclosure