COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

| In the Matter of: |) | |
|---------------------------------------|---|---------------------|
| THE APPLICATION OF KENTUCKY-AMERICAN |) | |
| WATER COMPANY FOR A CERTIFICATE OF |) | CASE NO. 2014-00258 |
| CONVENIENCE AND NECESSITY AUTHORIZING |) | |
| THE CONSTRUCTION OF RICHMOND ROAD |) | |
| STATION FILTER BUILDING IMPROVEMENTS |) | |

PETITION OF KENTUCKY-AMERICAN WATER COMPANY FOR CONFIDENTIAL PROTECTION OF AS-BUILT CONSTRUCTION DRAWINGS

Kentucky-American Water Company ("KAW") hereby petitions the Kentucky Public Service Commission ("Commission") pursuant to 807 KAR 5:001, Section 13, and KRS 61.878 to grant confidential protection for the item described herein, which KAW is providing in accordance with Ordering Paragraph 5 of the Commission's December 23, 2014 Order in this case. In support of this Petition, KAW states as follows:

- 1. The Kentucky Open Records Act exempts from disclosure certain public safety information. KRS 61.878(1)(m). To qualify for the exemption and, therefore, maintain the confidentiality of the information, a party must establish that the material is of a kind generally recognized to be confidential or proprietary.
- 2. Ordering Paragraph 5 of the Commission's December 23, 2014 Order requires KAW to file a copy of the "as-built" drawings of the construction authorized in that Order. Those drawings reveal critical utility infrastructure which, if disclosed publicly, would threaten public safety. KRS 61.878(1)(m)1.f exempts from disclosure the following: "Infrastructure records that expose a vulnerability referred to in this subparagraph through the disclosure of the location, configuration, or security of critical systems, including public utility critical systems.

These critical systems shall include but not be limited to ... water ... systems[.]" This information is highly confidential, the disclosure of which could be useful to anyone seeking to threaten or harm public safety. It is therefore highly confidential and must be protected from public disclosure. The entire set of drawings is confidential, and, therefore, it is not highlighted as permitted by 807 KAR 5:001, Section 13(2)(a)3.b.

- 3. If the Commission disagrees with this request for confidential protection, it must hold an evidentiary hearing (a) to protect Kentucky American's due process rights and (b) to supply with the Commission with a complete record to enable it to reach a decision with regard to this matter. Utility Regulatory Commission v. Kentucky Water Service Company, Inc., 642 S.W.2d 591, 592-94 (Ky. App. 1982).
- 4. The information for which KAW is seeking confidential treatment is not known outside of KAW and its consultants and contractors, is not disseminated within KAW except to those employees with a legitimate business need to know and act upon the information, and is generally recognized as confidential information in the water industry. Due to its public safety nature, KAW requests that the information be treated confidentially indefinitely.

WHEREFORE, KAW respectfully requests that the Commission grant confidential protection for the information at issue, or in the alternative, schedule an evidentiary hearing on all factual issues while maintaining the confidentiality of the information pending the outcome of the hearing.

Date: August 1, 2016 Respectfully submitted,

> STOLL KEENON OGDEN PLLC 300 West Vine Street, Suite 2100 Lexington, KY 40507-1801

Telephone: (859) 231-3000

Fax: (859) 253-1093

Email: L.Ingram@skofirm.com Monica.Braun@skofirm.com

By:

Lindsey W. Ingram III Monica H. Braun

CERTIFICATE OF SERVICE

This is to certify that Kentucky American Water's August 1, 2016 electronic filing is a true and accurate copy of the documents being filed in paper medium except that the confidential document will not be electronically filed; that the electronic filing was transmitted to the Commission on August 1, 2016; that there are currently no parties that the Commission has excused from participation by electronic means in this proceeding; and that a paper copy of the filing will be hand-delivered to the Commission no later than two business days after the electronic filing

Counsel for Kentucky American Water