

**BULLITT COUNTY ENCROACHMENT PERMIT
FOR TILE PLACEMENT ON COUNTY MAINTAINED ROADS**

Issued by
BULLITT COUNTY ROAD DEPARTMENT
1679 SOUTH PRESTON HWY.
P.O. BOX 768
SHEPHERDSVILLE, KY 40165
PHONE: 502-543-2510 FAX PHONE: 502-543-6889

Date: 01/09/2019 Permit No. 1473

Applicants Name: Stephen A. Beatty, P.E.

Applicants Address: 6900 Enterprise Drive, Louisville, KY 40214

Applicants Phone Number: 502-364-8332 Cell#: _____

Location of Installation: Temporary Entrance at Ridgeview Dr. (CR-1109) Mile Post: 0.481 LONG: -85.5809763 LAT: 37.97760631

Signature of Applicant: SABeatty

By signing above, I hereby certify and affirm that I am the wonder or legal occupant of the above-referenced property pursuant to Ordinance No.86-24 VIA EASEMENT
NOTIFICATION DATE FOR SIZES WAS _____

Size of tile to be installed with approval of the Bullitt County Road Department.

Diameter: 15" LENGTH 40'

No tile to be installed less than fifteen (15) inches in diameter and twenty (20) feet in length unless approval is given by the Road Dept. No plastic PVC tiles are to be installed, only galvanized, concrete, or steel will be approved.

ON SITE

Date Tile Installed: _____


INSTALLED BY _____

METAL OR CONCRETE _____


COUNTY ROAD SUPERINTENDENT [Signature]

LG&E Bullitt County Pipeline Project
Access Road





PLAN VIEW



PROFILE

NOTES:

1. ACCESS PADS, AS ILLUSTRATED ABOVE, ARE TO BE INSTALLED ADJACENT TO EXISTING PAVED ROADS AT LOCATIONS IDENTIFIED ON THE CONSTRUCTION DRAWINGS OR AS DIRECTED BY THE COMPANY'S INSPECTOR.
2. IF USED IN AGRICULTURAL LAND, ROCK SHALL BE PLACED ON A GEOTEXTILE FABRIC TO FACILITATE ROCK REMOVAL.
3. SHOULD THE ROCK PAD BECOME INEFFECTIVE FOR REDUCING THE BUILDUP OF MUD AND DIRT AND MINIMIZING TRACKING ONTO THE PAVED ROAD, THE CONTRACTOR SHALL WASH THE EXISTING ROCK FILL SURFACE OR ADD A ROCK FILL LAYER TO THE ACCESS PAD.
4. CONTRACTOR SHALL KEEP PAVED ROAD SURFACES CLEAR OF MUD AND DEBRIS.
5. PRIOR TO PERMANENT SEEDING, CONTRACTOR SHALL REMOVE ALL IMPORTED ROCK FILL MATERIAL, GEOTEXTILE FABRIC AND CULVERT (IF INSTALLED) AND RESTORE THE GROUND TO NATURAL CONTOURS UNLESS OTHERWISE DIRECTED BY COMPANY'S INSPECTOR.

ENEngineering
 28100 TORCH PARKWAY
 WARRENVILLE, IL 60555
 TEL 630-353-4000
 FAX 630-353-7777
 WWW.ENENGINEERING.COM

DRAWN BY	BK (ENE)
CHECKED BY	MDW (ENE)
PROJECT ENG.	MDW (ENE)
APPROVED BY	DAD (ENE)
DATE	08-08-18
SCALE	N.T.S.

TYPICAL STABILIZED
 CONSTRUCTION ENTRANCE



DRAWING:

EXHIBIT-04