



**Andy Beshear**  
GOVERNOR

**ENERGY AND ENVIRONMENT CABINET**  
**DEPARTMENT FOR ENVIRONMENTAL PROTECTION**

300 Sower Boulevard  
Frankfort, Kentucky 40601  
Phone: (502) 564-2150  
Fax: 502-564-4245

**Rebecca W. Goodman**  
SECRETARY

**Anthony R. Hatton**  
COMMISSIONER

May 27, 2025

Steve Beatty  
LG&E Pipeline - Bullitt Co  
6900 Enterprise Dr  
Louisville, KY 40214

Re: KYR10 Change in Coverage Acknowledgment  
KPDES No.: KYR10S569  
Bullitt County Pipeline  
Permit Type: Construction Stormwater w/Hydrostatic Test Water  
AI ID: 120218  
Bullitt County, Kentucky

Dear Steve Beatty:

The discharges associated with the Notice of Intent you submitted to include the addition of hydrostatic test water have been approved for a Change in Coverage under the "Kentucky Pollutant Discharge Elimination System (KPDES) General Permit for Storm Water Discharges Associated with Construction Activities (KYR100000)" master general permit. Your change in coverage becomes effective on the date of this letter. This coverage automatically terminates two years from the effective date of your change in coverage unless an extension is requested prior to the termination date, or the Division of Water revokes coverage, whichever comes first. During this period of coverage all discharges shall comply with the conditions of the KYR100000 master general permit. This permit and links to the eNOI (and permit coverage extension) and eNOT forms can be found on our website:

<https://eec.ky.gov/Environmental-Protection/Water/PermitCert/KPDES/Documents/KYR10PermitPage.pdf>.

Any person aggrieved by the issuance of a permit final decision may demand a hearing pursuant to KRS 224.10-420(2) within thirty (30) days from the date of the issuance of this letter. Any demand for a hearing on the permit shall be filed in accordance with the procedures specified in KRS 224.10-420, 224.10-440, 224.10-470, and the regulations promulgated thereto. The request for hearing should be submitted in writing to the Energy and Environment Cabinet, Office of Administrative Hearings, 211 Sower Boulevard, Frankfort, Kentucky 40601 and the Commonwealth of Kentucky, Energy and Environment Cabinet, Division of Water, 300 Sower Boulevard, Frankfort, Kentucky 40601. For your record keeping purposes, it is recommended that these requests be sent by certified mail. The written request must conform to the appropriate statutes referenced above.

Any questions concerning the general permit and its requirements should be directed to me at [502-782-6944](tel:502-782-6944) or email me at [Barry.Elmore@ky.gov](mailto:Barry.Elmore@ky.gov)

Construction Site GPS Coordinates: 37.96817, -85.60934

Receiving Waters:

Unnamed Tributaries to East Fork Cox Creek, Cox Creek, Rocky Run, Unnamed Tributary to Long Lick Creek, Unnamed Tributary to Cedar Creek, Unnamed Tributary to Greens Branch, Greens Branch, Unnamed Tributaries to Salt River, Unnamed Tributaries to Lickskillet Creek, Lickskillet Creek, and Unnamed Tributaries to Buffalo Run,

Sincerely,

**Barry Elmore**  
Surface Water Permits Branch  
Division of Water

cc: Nate Beckman, eNOI Preparer  
Tom Reith, LGE-KU  
Todd Giles, Louisville Regional Office