



Sturgill, Turner, Barker & Moloney, PLLC
333 West Vine Street, Suite 1500
Lexington, KY 40507
p: 859.255.8581 f: 859.231.0851
www.sturgillturner.com

M. Todd Osterloh
Member
tosterloh@sturgillturner.com

October 26, 2018

Gwen R. Pinson, Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602-0615

RE: Water Service Corporation of Kentucky
Case No. 2018-00208

Dear Ms. Pinson:

Applicant Water Service Corporation of Kentucky, by counsel, hereby provides notice that it is electronically filing its Corrected Responses to the Commission's Second Request for Information, Item 4 and Third Request for Information, Items 1(a), 15, and 18. In response to Staff 2-4, WSCK clarifies the rate it charges for public hydrant service, as opposed to the proposed rate. In response to Staff 3-1(a), WSCK corrects the heading letters identified in the response. In response to Staff 3-15, WSCK references column headings on the attachment, instead of column letters. In response to Staff 3-18, WSCK corrects a cross-reference from response 15 to 16.

The undersigned counsel certifies that the document filed electronically is a true, accurate and complete representation of the original document and has been transmitted to the Commission. No party to this case has been excused from participation by electronic means. Pursuant to the 807 KAR 5:001, Section 8, an original in paper medium of the Supplemental Response shall be filed with the Commission within two business days following the electronic transmission.

Please contact me if you have any questions.

Sincerely,
STURGILL, TURNER, BARKER & MOLONEY, PLLC

A handwritten signature in black ink, appearing to read "M. Todd Osterloh".

M. Todd Osterloh