

CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)



Drakesboro Work Order

Work Order #: _____

Date: 7/18/22 Time: 1:44pm Gas Water WW Acct #: 000 0040-55350-001

Name: Brenda Thatcher Mobile Number: 270-707-6648

Address: 600 Broad St Drakesboro Ky 42337

Work to be Done:

New Meter# 19910765 New Reading 2931

Turn on & Read _____ Old Reading 2929

Read and Lock _____ Set Meter and Lock

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Moving Out

COMPLETED

*8/3- accont still has balance, hold deposit until Acct payment is made
By: MA Date: 7/20/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

Comments:

Work Completed By: B. Jones

Date Completed: 7-18-2022

Time Started: _____

Time Ended: _____

Customer signature _____

date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable

CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)



Drakesboro Work Order

Work Order #: _____

Date: 7/18/22 Time: 1:44pm Gas Water WW Acct #: 0042-55350-001

Name: Terrri Leann Vandiver Mobile Number: 270-820-3344

Address: 600 Broad St Drakesboro Ky 42337

Work to be Done:

New Meter# 19910765 New Reading 2931

Turn on & Read _____ Old Reading 2929

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line _____ (See Below)

Read and Lock (Nonpayment) _____ Get Meter _____

Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions New Customer moving in

COMPLETED

By: MA Date: 7/20/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

Comments: _____


Work Completed By: B. Jones Date Completed: 7-19-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7/28/22 Time: 10:20 Gas Water WW Acct #: 10-4100-15

Name: Anisa Greer Mobile Number: 563-726-4612

Address: 3510 US Hwy 431 S Bmont

Work to be Done:

New Meter# 297516 New Reading 3209

Turn on & Read _____ Old Reading 3208

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line _____ (See Below)

Read and Lock (Nonpayment) _____ Get Meter _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Moved to 156 Bradford rd.

Take deposit

COMPLETED

By: AP Date: 7/28

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

Comments: Meter turned off and locked


Work Completed By: BA + BJ Date Completed: 7-27-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 6/27/22 Time: _____ Gas Water WW Acct #: 10-5725-1

Name: Danny Knight (Garage) Mobile Number: _____

Address: 3351e Hwy 431 S

Work to be Done:

New Meter# 2208 835 New Reading 9511

Turn on & Read _____ Old Reading 9511

Read and Lock _____ Set Meter and Lock

Reading Only _____ Locate Line (See Below)

Read and Lock (~~Nonpayment~~) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Summer turn off.

* Put inactive 1st July
in final
added meter #

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

COMPLETED

Comments: Service turned off locked out

By: MIA Date: 7/27/22


Work Completed By: B. Jones Date Completed: 6-28-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 6/27/22 Time: _____ Gas Water WW Acct #: 50-79300-2

Name: Danny/Melody Knight Mobile Number: _____

Address: 4081 St Rt 70 E

Work to be Done:

New Meter# 2096477 New Reading 9167

Turn on & Read _____ Old Reading 9167

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below)

Read and Lock (~~Nonpayment~~) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Summer turn off.

* make meter
1st
put in final read

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

COMPLETED
By: MA Date: 7/27/22

Comments: Service turned off locked out

Work Completed By: B. Jones Date Completed: 6-28-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7-15-22 Time: _____ Gas Water WW Acct #: 0050-83126-002

Name: Wesley Rager Mobile Number: _____

Address: 3735 Riverside Road

Work to be Done:

New Meter# 254487 New Reading _____

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only 0524 Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED

By: MA Date: 7/15/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

Comments: Checked meter

Work Completed By: BA & BJ Date Completed: 7-15-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order Work Order #: _____

Date: 7-14-22 Time: _____ Gas Water WW Acct #: _____

Name: _____ Mobile Number: _____

Address: Riverside Road

Work to be Done:

- New Meter# _____ New Reading _____
- Turn on & Read _____ Old Reading _____
- Read and Lock _____ Set Meter and Lock _____
- Reading Only _____ Locate Line (See Below)
- Read and Lock (Nonpayment) _____ Get Meter _____
- Number _____
- Check Pressure _____ Flush Line _____ Check & Leak _____
- Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED
By: MA Date: 7/14/22

Work Done:

- Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____
- Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

140ft. 1" poly gas line
2- Perma sent 1" stab fittings

Comments: Finished with road work repairs gas line uncapped
put back together tested no leaks


Work Completed By: BA4 BJ Date Completed: 7-14-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.









CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: 71322

Date: 7-13-2022 Time: _____ Gas Water WW Acct #: 001-01688-03

Name: Jeremy Smith Mobile Number: 270-543-3758

Address: 110 Gregory Lake Road

Work to be Done:

New Meter# 17652731 New Reading 043679

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED

By: SMG Date: 7/15/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

*Customer can turn water off at chicken house not the meter. SMG

Comments: 2" inch meter installed for back up on Gregory Lake chicken houses

(meter installed just calibrated) SMG


Work Completed By: BA + BJ Date Completed: 7-13-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7/13/22 Time: _____ Gas Water WW Acct #: 40-64100-3

Name: Billy Bratcher Mobile Number: (615) 681-5660

Address: 317 Buffalo dr

Work to be Done:

- New Meter# 485931 New Reading 9710
- Turn on & Read _____ Old Reading 9710 6/29/22
- Read and Lock 9710 Set Meter and Lock
- Reading Only _____ Locate Line (See Below)
- Read and Lock (Nonpayment) _____ Get Meter Number _____
- Check Pressure _____ Flush Line _____ Check & Leak _____
- Unlock Only and Read (Do Not Turn On) _____
- Special Instructions Turning off for Summer - Jan. 13th, 2022

Water: Verbal okay from owner

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

#7/14:
\$21.00 toward acct.
\$79.00 to Customer for deposit.

Parts Used to Complete Job:

Comments: Meter turned off

COMPLETED

By: MA Date: 7/14/22

Work Completed By: BA4 BJ Date Completed: 7-13-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662 - 2406 (Voice/TTY); (866) 557 - 5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7-11-22 Time: _____ Gas Water WW Acct #: _____

Name: _____ Mobile Number: _____

Address: Entire Drakesboro Gas system

Work to be Done:

New Meter# _____ New Reading _____

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below) _____

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED
By: MA Date: 7/11/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

Comments: Replaced pressure gauges at all emergency valves and regulator stations in system

Work Completed By: BA & BJ Date Completed: 7-11-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 6/7/22 Time: _____ Gas Water WW Acct #: _____

Name: Mark Sticker Mobile Number: 303-263-5965

Address: 118 Mose Rager

Work to be Done:

New Meter# _____ New Reading _____

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Customer says on his property beside the house has a gas meter that the tree roots are pushing on it badly - NO smell of gas.

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

COMPLETED

By: MA Date: 7/11/22

Comments: Going to cut tree out and mark this service to be taken out by USAI

Work Completed By: B. Jones Date Completed: 7-7-2022


Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.





CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662 - 2406 (Voice/TTY); (866) 557 - 5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7/1/22 Time: _____ Gas Water WW Acct #: 50-83075-1

Name: Chris Groves Mobile Number: (270) 977-2131

Address: 4239 Riverside rd

Work to be Done:

- New Meter# 19013970 New Reading 1015

Turn on & Read _____ Old Reading 1013 6/29

Read and Lock _____ Set Meter and Lock

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions Moving, turn off and read.

438 st Rt 949 Dunmore, Ky 42339

COMPLETED

By: MA Date: 7/1/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

Comments: Turned off and locked

Work Completed By: BA & BJ Date Completed: 7-7-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662 - 2406 (Voice/TTY); (866) 557 - 5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7-7-2022 Time: _____ Gas Water WW Acct #: _____

Name: _____ Mobile Number: _____

Address: Riverside Rd.

Work to be Done:

New Meter# _____ New Reading _____

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED

By: MA Date: 7/11/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

1" inch stub coupling

Comments: Muhlenberg Co. Road Dept. has large job where road washed out had to dig up road and tile down about 20ft. clamped off gas line and capped till road repairs can be made


Work Completed By: BA & BJ Date Completed: 7-7-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.





CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662 - 2406 (Voice/TTY); (866) 557 - 5762 (Español)

Drakesboro Work Order Work Order #: _____

Date: 7-5-2022 Time: _____ Gas Water WW Acct #: _____

Name: _____ Mobile Number: _____

Address: 150 Tiger Drive

Work to be Done:

- New Meter# _____ New Reading _____
- Turn on & Read _____ Old Reading _____
- Read and Lock _____ Set Meter and Lock _____
- Reading Only _____ Locate Line (See Below)
- Read and Lock (Nonpayment) _____ Get Meter _____
Number _____
- Check Pressure _____ Flush Line _____ Check & Leak _____
- Unlock Only and Read (Do Not Turn On) _____
- Special Instructions _____

COMPLETED
By: MA Date: 7/11/22

Work Done:

- Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____
- Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

Comments: Responded to house fire with AFD + BFD no gas is used no service at this residence

Work Completed By: B. Jones Date Completed: 7-7-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.

Incident Number: 22-022858

Incident Type: E911

Incident State: CLOSED

Global Number:

Linked Numbers:

Incident Detail

Received At:	Created At:	Dispatched At:	Created By:
07/05/2022 16:51:50	07/05/2022 16:52:01	07/05/2022 16:52:58	DMOORE

Event Type: FIRE-STRUCTURE

Incident Case Numbers:

Incident Dispositions: CALL COMPLETED

Disposition Comment:

Caller Location: 1317 US HWY 431, DRAKESBORO [238] (37.172651, -87.030758)

Event Location: 150 TIGER DR, BEECHMONT [235] (37.172525, -87.030912)

Location Kind: CIVIC ADDRESS

Caller Name: JORDAN BOGCESS

Business Name:

Phone Number: 2706194063 Service Class: RSOS Cell Sector: Callback Number:

Comment: SMOKE AND FLAMES

Narrative Log

Narrative By	Narrative At	Category	Is Sensitive	Narrative
ADEASON	07/05/2022 16:54:16		NO	300 10-8
ADEASON	07/05/2022 16:54:37		NO	315 10-8
ADEASON	07/05/2022 16:55:05		NO	501 10-8
DMOORE	07/05/2022 16:56:09		NO	KU NOTIFIED
SSCOTT	07/05/2022 16:56:15		NO	306 10-8
ADEASON	07/05/2022 16:57:49		NO	BRIAN WITH DRAKESBORO GAS EN ROUTE TO SEE IF THEY HAVE GAS THERE
DMOORE	07/05/2022 16:59:18		NO	SMOKE SHOWING PER 300
ADEASON	07/05/2022 17:13:05		NO	BRIAN 10-97
ADEASON	07/05/2022 17:20:53		NO	FIRE OUT AT THIS TIME
ADEASON	07/05/2022 17:21:05		NO	KU 10-97
ADEASON	07/05/2022 17:24:20		NO	BRIAN 10-98
DMOORE	07/05/2022 17:44:05		NO	RED CROSS NOTIFIED - HOMEOWNER CAROLYN BOGCESS - 270-619-4063 - FAMILY OF 3

Event Type Log

Event Type By	Event Type At	Event Type
DMOORE	07/05/2022 16:52:25	FIRE-STRUCTURE

Location Log

Location By	Location At	Location Kind	Location
DMOORE	07/05/2022 16:52:30	CIVIC ADDRESS	150 TIGER DR, BEECHMONT [235] (37.172525, -87.030912)

Disposition Log

DISPATCHED 07/05/2022 16:52:58 DMOORE NO

E53

Case Numbers:

Personnel:

Dispositions:

Comment:

Dispatch State	Dispatch State At	Dispatch State By	Odometer	Was Voided
DISPATCHED	07/05/2022 16:59:40	ADEASON		NO
ENROUTE	07/05/2022 16:59:40	ADEASON		NO
ON SCENE	07/05/2022 17:00:24	ADEASON		NO
CLEAR	07/05/2022 17:48:25	CSMITH		NO

T52

Case Numbers:

Personnel:

Dispositions:

Comment:

Dispatch State	Dispatch State At	Dispatch State By	Odometer	Was Voided
DISPATCHED	07/05/2022 16:59:59	ADEASON		NO
ENROUTE	07/05/2022 16:59:59	ADEASON		NO
ON SCENE	07/05/2022 17:30:13	ADEASON		NO
CLEAR	07/05/2022 17:47:04	CSMITH		NO

DRAKESBORO FIRE DEPARTMENT

FIRE

Dispositions:

Resource	Assigned Station:	Resource Run Numbers:
----------	-------------------	-----------------------

DRAKESBORO FD

Case Numbers:

Personnel:

Dispositions:

Comment:

Dispatch State	Dispatch State At	Dispatch State By	Odometer	Was Voided
DISPATCHED	07/05/2022 16:53:01	DMOORE		NO

E3

Case Numbers:


Personnel:

Dispositions:

Comment:

Dispatch State	Dispatch State At	Dispatch State By	Odometer	Was Voided
DISPATCHED	07/05/2022 16:58:58	DMOORE		NO

Dispatch State	Dispatch State At	Dispatch State By	Odometer	Was Voided
DISPATCHED	07/05/2022 16:55:30	ADEASON		NO
ENROUTE	07/05/2022 16:55:30	ADEASON		NO
ON SCENE	07/05/2022 17:14:22	ADEASON		NO
CLEAR	07/05/2022 17:41:45	CSMITH		NO



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 7/8/22 Time: _____ Gas Water WW Acct #: 40-54300-1

Name: Anna F Roberson Mobile Number: (270) 476-8919

Address: 408 Broad St.

Work to be Done:

New Meter# 486271 New Reading 5930

Turn on & Read Old Reading 5930 6/29/22

Read and Lock Set Meter and Lock

Reading Only Locate Line (See Below)

Read and Lock (Nonpayment) Get Meter
Number _____

Check Pressure Flush Line Check & Leak

Unlock Only and Read (Do Not Turn On)

Special Instructions had some remodeling done and wants gas turned back on and be checked for leaks where remodeling was done.

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

COMPLETED
By: MA Date: 7/11/22

Comments: Turned gas back on no leaks lit hot water heater and stove to ensure working properly

Work Completed By: BA + BJ Date Completed: 7-8-2022

Time Started: _____ Time Ended: _____

Customer signature Anna Roberson date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662-2406 (Voice/TTY); (866) 557-5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 6/30/22 Time: _____ Gas Water WW Acct #: _____

Name: Donella Poore Mobile Number: 5431816

Address: 232 Lakeview Dr. Beechmont

Work to be Done:

New Meter# _____ New Reading _____

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below)

Read and Lock (Nonpayment) _____ Get Meter
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions wants new gas service @ garage beside house
need to see what the cost will be.

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job:

_____ **COMPLETED**
By: MA Date: 7/6/22

Comments: Advised owners of \$500.00 charge to put in
new service

Work Completed By: BA & BJ Date Completed: 7-1-2022

Time Started: _____ Time Ended: _____

Customer signature _____ date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888) 662 - 2406 (Voice/TTY); (866) 557 - 5762 (Español)

Drakesboro Work Order

Work Order #: _____

Date: 6-29-2022 Time: _____ Gas Water WW Acct #: _____

Name: Sherry Grubbs Mobile Number: _____

Address: 3827 Hwy 431

Work to be Done:

New Meter# 485963 New Reading 6943

Turn on & Read _____ Old Reading _____

Read and Lock _____ Set Meter and Lock _____

Reading Only _____ Locate Line (See Below) _____

Read and Lock (Nonpayment) _____ Get Meter _____
Number _____

Check Pressure _____ Flush Line _____ Check & Leak _____

Unlock Only and Read (Do Not Turn On) _____

Special Instructions _____

COMPLETED
By: MA Date: 7/1/22

Work Done:

Flushed: Yes No GPM: _____ How Long: _____ Water Logs: _____

Water Leak: Yes No GPM: _____ How Long: _____ Water Logs: _____

Parts Used to Complete Job: _____

Comments: Gas turned back on, plumber advised found leak behind stove and at furnace pressure test done passed all gas back on

Work Completed By: BAJ BJ Date Completed: 6-29-2022

Time Started: _____ Time Ended: _____

Customer signature [Signature] date _____

Equal Opportunity Employer and Service Provider

The employees of Drakesboro are not trained HVAC personnel. Lighting of pilots are a courtesy and the City can not be held liable.



CITY OF DRAKESBORO

P.O. Box 129 • Mose Rager Blvd. • Drakesboro, KY 42337
270-476-8986
(888)662-2406 (Voice/TTY): (866)577-5762 (Español)

Date 6-29-2022

Time 10:59

Pressure Test for Gas Line

Plumber Information:

License # J17103

Phone # 270-245-2922

Name: Jan Jarvis

Address: Proow Brothers Plumbing

Hanson Ky

Meter read at time of Pressure Test 6943


Customer: Sherry Grubbs

Pressure Tested for 10 minutes.

Address: 3827 Hwy 431

At 5 lbs of Pressure.

Beechmont Ky


Signature of Licensed Plumber


Signature of City of Drakesboro gas Employee and Russmar Representative