## STITES & HARBISON PLLC

ATTORNEYS

421 West Main Street Post Office Box 634 Frankfort, KY 40602-0634 [502] 223-3477

December 22, 2020

## **ELECTRONICALLY FILED**

Linda C. Bridwell Executive Director Public Service Commission 211 Sower Boulevard P.O. Box 615 Frankfort, KY 40602-0615

## RE: <u>Case No. 2019-00443</u>

Dear Ms. Bridwell:

This letter constitutes the Read1st file required by 807 KAR 5:001, Section 8(5).

(a) <u>General Description of the Filing</u> – Kentucky Power Company is electronically filing today the following materials:

(i) The Read1st file required by 807 KAR 5:001, Section 8(5); and

(ii) Kentucky Power Company's responses to Staff's December 11, 2020 posthearing data requests.

(b) <u>Materials Not Included In The Electronic Filing</u> – Kentucky Power is filing in paper or electronic format only:

(i) The paper medium copy of the electronic mail message required to be filed by 807 KAR 5:001, Section 8(5)(a).

(c) <u>Attestation</u> – The electronically-filed documents are a true representation of the original documents.

(d) <u>Service</u> – There are no parties to this proceeding who have been excused from electronic filing procedures [807 KAR 5:001, Section 8(7)(c)]. A copy of the materials identified above as being electronically filed was served by using the Public Service Commission of Kentucky's electronic filing service, which will send an e-mail message to:

Mark R. Overstreet (502) 209-1219 (502) 779-8349 FAX moverstreet@stites.com

## STITES & HARBISON PLLC

ATTORNEYS

Ms. Bridwell December 22, 2020 Page 2

Michael L. Kurtz Kurt J. Boehm Jody Kyler Cohn Boehm, Kurtz & Lowry 36 East Seventh Street, Suite 1510 Cincinnati, Ohio 45202 <u>mkurtz@bkllawfirm.com</u> <u>kBoehm@bkllawfirm.com</u> jkylercohn@bkllawfirm.com John G. Horne Lawrence W. Cook Michael West Assistant Attorneys General Office for Rate Intervention 700 Capital Avenue, Suite 20 Frankfort, KY 40601 John.Horne@ky.gov Larry.Cook@ky.gov Michael.West@ky.gov

truly yours, 0. Mark R. Overstreet

(e) <u>Other Matters</u> – None.

MRO