

**COMMONWEALTH OF KENTUCKY**  
**BEFORE THE PUBLIC SERVICE COMMISSION**

**IN THE MATTER OF:** )  
 )  
**APPLICATION OF KENTUCKY-AMERICAN )**  
**WATER COMPANY FOR AN ADJUSTMENT )** **CASE NO. 2021-00434**  
**OF ITS WASTEWATER RATES PURSUANT )**  
**TO 807 KAR 5:076 )**


**MOTION FOR LEAVE TO FILE SUPPLEMENTAL**  
**TESTIMONY AND NOTICE OF FILING OF SUPPLEMENTAL TESTIMONY**

Kentucky-American Water Company (“KAW”) hereby moves the Commission for leave to file the accompanying Supplemental Testimony of Tricia Sinopole, Director of Rates and Regulatory for KAW. As grounds for this motion, KAW states that it recently discovered an inadvertent error in the billing determinants and rate design that have been proposed for the requested rate increase in this matter. Ms. Sinopole’s Supplemental Testimony explains that inadvertent error, the effects of that error, and the proposed modified billing determinants and a modified rate design to correct the error.

Date: February 28, 2022


Respectfully submitted,

STOLL KEENON OGDEN PLLC  
300 West Vine Street, Suite 2100  
Lexington, KY 40507-1801  
Telephone: (859) 231-3000  
Fax: (859) 253-1093  
Email: [L.Ingram@skofirm.com](mailto:L.Ingram@skofirm.com)

By:   
Lindsey W. Ingram III

**CERTIFICATE**

This is to certify that Kentucky American Water's February 28, 2022 electronic filing is a true and accurate copy of the original documents in paper medium; that the electronic filing was transmitted to the Commission on February 28, 2022; and that there are currently no parties that the Commission has excused from participation by electronic means in this proceeding.

  
\_\_\_\_\_  
*Counsel for Kentucky American Water*