

**COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION**

In the Matter of:

THE APPLICATION OF)
NEW CINGULAR WIRELESS PCS, LLC,)
A DELAWARE LIMITED LIABILITY COMPANY,)
D/B/A AT&T MOBILITY)
AND HARMONI TOWERS LLC, A DELAWARE)
LIMITED LIABILITY COMPANY)
FOR ISSUANCE OF A CERTIFICATE OF PUBLIC) CASE NO.: 2022-00010
CONVENIENCE AND NECESSITY TO CONSTRUCT)
A WIRELESS COMMUNICATIONS FACILITY)
IN THE COMMONWEALTH OF KENTUCKY)
IN THE COUNTY OF RUSSELL)

SITE NAME: HORN ROAD

**APPLICATION FOR
CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY
FOR CONSTRUCTION OF A WIRELESS COMMUNICATIONS FACILITY**

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company (formerly known as Uniti Towers LLC) ("Applicants"), by counsel, pursuant to (i) KRS §§ 278.020, 278.040, 278.650, 278.665, and other statutory authority, and the rules and regulations applicable thereto, and (ii) the Telecommunications Act of 1996, respectfully submit this Application requesting issuance of a Certificate of Public Convenience and Necessity ("CPCN") from the Kentucky Public Service Commission ("PSC") to construct, maintain, and operate a Wireless Communications Facility ("WCF") to serve the customers of the Applicants with wireless communications services.

In support of this Application, Applicants respectfully provide and state the following

information:

1. The complete names and addresses of the Applicants are: New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility, having an address of Meidinger Tower, 462 S. 4th Street, Suite 2400, Louisville, Kentucky 40202 and Harmoni Towers LLC, a Delaware limited liability company having an address of 10802 Executive Center Drive, Benton Building, Suite 300, Little Rock, Arkansas 72211.

2. Applicants propose construction of an antenna tower for communications services, which is to be located in an area outside the jurisdiction of a planning commission, and Applicants submit this application to the PSC for a certificate of public convenience and necessity pursuant to KRS §§ 278.020(1), 278.040, 278.650, 278.665, and other statutory authority.

3. AT&T Mobility is a limited liability company organized in the State of Delaware on October 20, 1994. Harmoni Towers is a limited liability company organized in the State of Delaware on December 2, 2015.

4. Applicants attest that they are in good standing in the state in which they are organized and further state that they are authorized to transact business in Kentucky.

5. The Certificates of Authority filed with the Kentucky Secretary of State for both Applicants are attached as part of **Exhibit A** pursuant to 807 KAR 5:001: Section 14(3). Note that Harmoni Towers LLC was formerly organized as Uniti Towers LLC (see an Amended Certificate of Authority to change entity name dated March 22, 2021 attached as part of **Exhibit A**). The Certificates of Authority for Uniti Towers LLC along with the Amended Certificate of Authority for Harmoni Towers LLC is attached as part of **Exhibit A**.

6. AT&T Mobility operates on frequencies licensed by the Federal Communications Commission ("FCC") pursuant to applicable FCC requirements. Copies of AT&T Mobility's FCC licenses to provide wireless services are attached to this Application or described as part of **Exhibit A**, and the facility will be constructed and operated in accordance with applicable FCC regulations.

7. The public convenience and necessity require the construction of the proposed WCF. The construction of the WCF will bring or improve AT&T Mobility's services to an area currently not served or not adequately served by AT&T Mobility by increasing coverage or capacity and thereby enhancing the public's access to innovative and competitive wireless communications services. The WCF will provide a necessary link in AT&T Mobility's communications network that is designed to meet the increasing demands for wireless services in Kentucky's wireless communications service area. The WCF is an integral link in AT&T Mobility's network design that must be in place to provide adequate coverage to the service area.

8. To address the above-described service needs, Applicants propose to construct a WCF at 1853 KY Hwy No. 910, Russell Springs, KY 42642 (37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude), on a parcel of land located entirely within the county referenced in the caption of this application. The property on which the WCF will be located is owned by Rebecca Ann Hopper pursuant to a deed recorded at Deed Book 337, Page 425 in the office of the County Clerk. The proposed WCF will consist of a 2-foot tall foundation below a 255-foot tall tower with an approximately 10-foot tall lightning arrestor attached at the top, for a total height of 267-feet. The WCF will also include concrete

foundations and a shelter or cabinets to accommodate the placement of AT&T Mobility's radio electronics equipment and appurtenant equipment. The Applicants' equipment cabinet or shelter will be approved for use in the Commonwealth of Kentucky by the relevant building inspector. The WCF compound will be fenced and all access gate(s) will be secured. A description of the manner in which the proposed WCF will be constructed is attached as **Exhibit B** and **Exhibit C**.

9. A list of utilities, corporations, or persons with whom the proposed WCF is likely to compete is attached as **Exhibit D**.

10. The site development plan and a vertical profile sketch of the WCF signed and sealed by a professional engineer registered in Kentucky depicting the tower height, as well as a proposed configuration for AT&T Mobility's antennas has also been included as part of **Exhibit B**.

11. Foundation design plans signed and sealed by a professional engineer registered in Kentucky and a description of the standards according to which the tower was designed are included as part of **Exhibit C**.

12. Applicants have considered the likely effects of the installation of the proposed WCF on nearby land uses and values and have concluded that there is no more suitable location reasonably available from which adequate services can be provided, and that there are no reasonably available opportunities to co-locate AT&T Mobility's antennas on an existing structure. When suitable towers or structures exist, AT&T Mobility attempts to co-locate on existing structures such as communications towers or other structures capable of supporting AT&T Mobility's facilities; however, no other suitable or available co-

location site was found to be located in the vicinity of the site.

13. A copy of the Determination of No Hazard to Air Navigation issued by the Federal Aviation Administration ("FAA") is attached as **Exhibit E**.

14. A copy of the Kentucky Airport Zoning Commission ("KAZC") approval for the proposed construction is attached as **Exhibit F**.

15. A geotechnical engineering firm has performed soil boring(s) and subsequent geotechnical engineering studies at the WCF site. A copy of the geotechnical engineering report, signed and sealed by a professional engineer registered in the Commonwealth of Kentucky, is attached as **Exhibit G**. The name and address of the geotechnical engineering firm and the professional engineer registered in the Commonwealth of Kentucky who supervised the examination of this WCF site are included as part of this exhibit.

16. Clear directions to the proposed WCF site from the County seat are attached as **Exhibit H**. The name and telephone number of the preparer of **Exhibit H** are included as part of this exhibit.

17. Harmoni Towers LLC, pursuant to a written agreement, has acquired the right to use the WCF site and associated property rights. A copy of the agreements or abbreviated agreements recorded with the County Clerk are attached as **Exhibit I**.

18. Personnel directly responsible for the design and construction of the proposed WCF are well qualified and experienced. The tower and foundation drawings for the proposed tower submitted as part of **Exhibit C** bear the signature and stamp of a professional engineer registered in the Commonwealth of Kentucky. All tower designs

meet or exceed the minimum requirements of applicable laws and regulations.

19. The Construction Manager for the proposed facility is Marshall Corbin and the identity and qualifications of each person directly responsible for design and construction of the proposed tower are contained in **Exhibits B & C**.

20. As noted on the Survey attached as part of **Exhibit B**, the surveyor has determined that the site is not within any flood hazard area.

21. **Exhibit B** includes a map drawn to an appropriate scale that shows the location of the proposed tower and identifies every owner of real estate within 500 feet of the proposed tower (according to the records maintained by the County Property Valuation Administrator). Every structure and every easement within 500 feet of the proposed tower or within 200 feet of the access road including intersection with the public street system is illustrated in **Exhibit B**.

22. Applicants have notified every person who, according to the records of the County Property Valuation Administrator, owns property which is within 500 feet of the proposed tower or contiguous to the site property, by certified mail, return receipt requested, of the proposed construction. Each notified property owner has been provided with a map of the location of the proposed construction, the PSC docket number for this application, the address of the PSC, and has been informed of his or her right to request intervention. A list of the notified property owners and a copy of the form of the notice sent by certified mail to each landowner are attached as **Exhibit J** and **Exhibit K**, respectively.

23. Applicants have notified the applicable County Judge/Executive by certified mail, return receipt requested, of the proposed construction. This notice included the PSC

docket number under which the application will be processed and informed the County Judge/Executive of his/her right to request intervention. A copy of this notice is attached as **Exhibit L**.

24. Notice signs meeting the requirements prescribed by 807 KAR 5:063, Section 1(2) that measure at least 2 feet in height and 4 feet in width and that contain all required language in letters of required height, have been posted, one in a visible location on the proposed site and on the nearest public road. Such signs shall remain posted for at least two weeks after filing of the Application, and a copy of the posted text is attached as **Exhibit M**. A legal notice advertisement regarding the location of the proposed facility has been published in a newspaper of general circulation in the county in which the WCF is proposed to be located. A copy of the newspaper legal notice advertisement is attached as part of **Exhibit M**.

25. The general area where the proposed facility is to be located is rural in character.

26. The process that was used by AT&T Mobility's radio frequency engineers in selecting the site for the proposed WCF was consistent with the general process used for selecting all other existing and proposed WCF facilities within the proposed network design area. AT&T Mobility's radio frequency engineers have conducted studies and tests in order to develop a highly efficient network that is designed to handle voice and data traffic in the service area. The engineers determined an optimum area for the placement of the proposed facility in terms of elevation and location to provide the best quality service to customers in the service area. A radio frequency design search area prepared in reference

to these radio frequency studies was considered by the Applicants when searching for sites for its antennas that would provide the coverage deemed necessary by AT&T Mobility. A map of the area in which the tower is proposed to be located which is drawn to scale and clearly depicts the necessary search area within which the site should be located pursuant to radio frequency requirements is attached as **Exhibit N**.

27. The tower must be located at the proposed location and proposed height to provide necessary service to wireless communications users in the subject area.

28. All Exhibits to this Application are hereby incorporated by reference as if fully set out as part of the Application.

29. All responses and requests associated with this Application may be directed to:

David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpike@pikelegal.com

WHEREFORE, Applicants respectfully request that the PSC accept the foregoing Application for filing, and having met the requirements of KRS §§ 278.020(1), 278.650, and 278.665 and all applicable rules and regulations of the PSC, grant a Certificate of Public Convenience and Necessity to construct and operate the WCF at the location set forth herein.

Respectfully submitted,



David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpike@pikelegal.com
Attorney for Applicants

LIST OF EXHIBITS

- A - Certificate of Authority & FCC License Documentation
- B - Site Development Plan:
 - 500' Vicinity Map
 - Legal Descriptions
 - Flood Plain Certification
 - Site Plan
 - Vertical Tower Profile
- C - Tower and Foundation Design
- D - Competing Utilities, Corporations, or Persons List
- E - FAA
- F - Kentucky Airport Zoning Commission
- G - Geotechnical Report
- H - Directions to WCF Site
- I - Copy of Real Estate Agreement
- J - Notification Listing
- K - Copy of Property Owner Notification
- L - Copy of County Judge/Executive Notice
- M - Copy of Posted Notices and Newspaper Notice Advertisement
- N - Copy of Radio Frequency Design Search Area

EXHIBIT A
CERTIFICATE OF AUTHORITY & FCC LICENSE
DOCUMENTATION

Commonwealth of Kentucky
Alison Lundergan Grimes, Secretary of State

Alison Lundergan Grimes
Secretary of State
P. O. Box 718
Frankfort, KY 40602-0718
(502) 564-3490
<http://www.sos.ky.gov>

Certificate of Authorization

Authentication number: 216299
Visit <https://app.sos.ky.gov/ftshow/certvalidate.aspx> to authenticate this certificate.

I, Alison Lundergan Grimes, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,


NEW CINGULAR WIRELESS PCS, LLC

, a limited liability company authorized under the laws of the state of Delaware, is authorized to transact business in the Commonwealth of Kentucky, and received the authority to transact business in Kentucky on October 14, 1999.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that an application for certificate of withdrawal has not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 28th day of May, 2019, in the 227th year of the Commonwealth.




Alison Lundergan Grimes
Secretary of State
Commonwealth of Kentucky
216299/0481848

0972004.06

vmiller
AMD

Michael G. Adams
Kentucky Secretary of State
Received and Filed:
3/22/2021 12:28 PM
Fee Receipt: \$40.00



COMMONWEALTH OF KENTUCKY
MICHAEL ADAMS, SECRETARY OF STATE

Division of Business Filings
P.O. Box 718
Frankfort, KY 40602
(502) 564-3490
www.sos.ky.gov

Amended Certificate of Authority
(Foreign Business Entity)

FCA

Pursuant to the provisions of KRS Chapter KRS 14A and 271B, 273, 274, 275, 362 or 386 the undersigned hereby applies for an amended certificate of authority on behalf of the entity named below and, for that purpose, submits the following statements:

1. The business entity is:
- | | |
|---|---|
| <input type="checkbox"/> profit corporation (KRS 271B) | <input type="checkbox"/> nonprofit corporation (KRS 273). |
| <input type="checkbox"/> professional service corporation (KRS 274). | <input type="checkbox"/> business trust (KRS 386). |
| <input checked="" type="checkbox"/> limited liability company (KRS 275). | <input type="checkbox"/> limited partnership (KRS 362). |
| <input type="checkbox"/> professional limited liability company (KRS 275) | <input type="checkbox"/> statutory trust (KRS 386) |
| <input type="checkbox"/> limited cooperative association | <input type="checkbox"/> non-profit LLC (KRS 275). |
| <input type="checkbox"/> cooperative association | |

2. The name of the company is: Uniti Towers LLC
(The name must be identical to the name on record with the Secretary of State.)

3. It is an entity organized and existing under the laws of the state or country of Delaware.

4. The entity received authority to transact business in Kentucky on 1/3/2017.

5. The entity has changed its (check all that apply)

- Domicile name to Harmoni Towers LLC
- Name to be used in Kentucky to Harmoni Towers LLC
- Jurisdiction of organization to _____
- Period of duration _____
- Form of organization _____
- Management type: Member managed Manager managed

6. This application will be effective upon filing, unless a delayed effective date and/or time is provided. The effective date or the delayed effective date cannot be prior to the date the application is filed. The effective date is _____.

Please indicate the county in which your business operates: County: <u>Franklin</u>	
<i>To complete the following, please shade the box completely.</i>	
Please indicate the size of your business: <input type="checkbox"/> Small (Fewer than 50 employees) <input checked="" type="checkbox"/> Large (50 or more employees)	Please indicate whether any of the following make up more than fifty percent (50%) of your business ownership: <input type="checkbox"/> Women-Owned <input type="checkbox"/> Veteran Owned <input type="checkbox"/> Minority Owned
Please indicate which of the following best describes your business:	
<input type="checkbox"/> Agriculture <input type="checkbox"/> Wholesale Trade <input type="checkbox"/> Public Administration <input type="checkbox"/> Other	<input type="checkbox"/> Mining <input type="checkbox"/> Retail Trade <input checked="" type="checkbox"/> Transportation, Communications, Electric, Gas, Sanitary Services
<input type="checkbox"/> Services <input type="checkbox"/> Manufacturing	<input type="checkbox"/> Construction <input type="checkbox"/> Finance, Insurance, Real Estate

I declare under penalty of perjury under the laws of the state of Kentucky that the foregoing is true and correct.

	Dara Hoey	In-House Counsel	2/25/21
Signature of Authorized Representative	Printed Name	Title	Date

Delaware

The First State


Page 1

I, JEFFREY W. BULLOCK, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THAT THE SAID "UNITI TOWERS LLC", FILED A CERTIFICATE OF AMENDMENT, CHANGING ITS NAME TO "HARMONI TOWERS LLC" ON THE EIGHTEENTH DAY OF SEPTEMBER, A.D. 2020, AT 5:13 O`CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE AFORESAID LIMITED LIABILITY COMPANY IS DULY FORMED UNDER THE LAWS OF THE STATE OF DELAWARE AND IS IN GOOD STANDING AND HAS A LEGAL EXISTENCE NOT HAVING BEEN CANCELLED OR REVOKED SO FAR AS THE RECORDS OF THIS OFFICE SHOW AND IS DULY AUTHORIZED TO TRANSACT BUSINESS.

AND I DO HEREBY FURTHER CERTIFY THAT THE SAID "HARMONI TOWERS LLC" WAS FORMED ON THE SECOND DAY OF DECEMBER, A.D. 2015.




Jeffrey W. Bullock, Secretary of State

5896640 8320
SR# 20210417869

Authentication: 202491953
Date: 02-11-21

You may verify this certificate online at corp.delaware.gov/authver.shtml

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau**

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1015
DALLAS, TX 75202

Call Sign KNKN666	File Number
Radio Service CL - Cellular	
Market Numer CMA447	Channel Block A
Sub-Market Designator 0	

FCC Registration Number (FRN): 0003291192

Market Name Kentucky 5 - Barren				
Grant Date 08-30-2011	Effective Date 08-31-2018	Expiration Date 10-01-2021	Five Yr Build-Out Date	Print Date

Site Information:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
7	37-10-00.0 N	085-18-37.0 W	282.5	291.4	1062332
Address: 1210 Cane Valley Road (94238)					
City: Columbia County: ADAIR State: KY Construction Deadline:					

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	250.037	98.154	10.266	2.559	0.527	0.738	12.510	102.333

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	1.408	30.262	153.476	217.337	49.025	5.207	1.772	0.660

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	2.948	0.454	0.942	4.366	59.310	210.546	155.347	22.706

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
8	36-43-12.0 N	084-28-13.0 W	409.3	91.1	1042231

Address: 100 Manor Circle (94260)

City: Whitley City County: MCCREARY State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	244.175	220.925	36.790	4.400	1.072	1.113	3.637	56.485

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	2.526	8.109	37.053	64.172	73.466	23.019	4.143	0.935

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	13.438	3.125	0.649	0.912	15.291	122.113	297.793	117.856

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
17	36-56-36.9 N	086-00-52.2 W	218.8	91.1	1063506

Address: 638 GRAHAM ROAD (87368)

City: GLASGOW County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	138.618	59.574	7.477	1.200	0.283	0.661	10.185	66.521

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	2.142	19.146	94.547	124.562	33.322	3.559	0.817	0.257

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	2.434	0.360	0.244	4.119	40.205	121.384	90.927	17.264

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
18	36-48-31.1 N	084-50-43.5 W	466.6	61.0	1004214

Address: 6565 MORRIS HILL ROAD (87856)

City: MONTICELLO County: WAYNE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	159.083	70.430	5.874	0.769	0.334	0.371	9.558	76.538

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	1.547	33.128	166.094	241.154	55.397	5.855	1.952	0.731

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	1.611	0.321	0.293	4.972	42.968	145.725	111.912	13.218

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
19	36-53-52.1 N	084-47-02.5 W	353.6	94.2	1238700

Address: ROUTE 5, BOX 9516 (87058)

City: Monticello County: WAYNE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	151.264	65.591	5.815	0.740	0.328	0.344	9.075	72.988

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	2.029	20.018	108.704	142.806	33.266	2.825	0.395	0.478

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	1.536	0.299	0.287	4.752	41.633	135.419	106.546	12.709

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
20	37-05-19.7 N	084-54-47.3 W	331.6	106.4	1232264

Address: 1101 PINE TOP ROAD (86918)

City: RUSSELL SPRINGS County: RUSSELL State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	106.145	47.603	4.827	0.278	0.215	0.233	6.909	51.527

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	2.313	23.146	119.606	157.272	35.853	3.353	0.454	0.536

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	1.748	0.347	0.313	5.295	45.951	158.160	122.299	14.137

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	36-45-21.5 N	085-03-35.7 W	353.6	78.6	1258266

Address: RR BOX 200 STATE ROUTE 90 (97275)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	61.485	218.225	164.915	26.293	2.922	0.471	0.954	4.500

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	1.000	4.591	60.220	229.906	159.544	23.590	2.912	0.466

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	7.041	2.307	0.511	1.072	23.419	142.307	232.641	64.969

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
23	36-44-36.2 N	085-08-34.1 W	350.5	78.0	1258265

Address: 127 North Cross (Route 6 Box 991) (94257)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	31.597	145.107	168.768	30.884	3.418	1.072	0.669	1.670

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	1.105	1.668	14.838	36.641	44.724	30.421	5.045	2.474

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	40.424	4.384	1.518	0.529	1.123	24.617	125.244	176.237

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
26	37-18-17.2 N	085-55-38.3 W	285.3	99.1	1200030

Address: 824 I CHILDRESS ROAD (37618)

City: Munfordville County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	87.882	116.157	30.423	3.076	0.288	0.394	1.136	15.107

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	0.236	4.016	34.037	111.204	87.767	11.936	0.954	0.231

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	0.893	0.228	0.217	2.143	29.130	110.300	94.526	17.072

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
27	36-41-54.0 N	085-41-07.0 W	286.5	90.2	1065560

Address: 403 MARTIN SUBDIVISION (87881)

City: TOMPKINSVILLE County: MONROE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	271.841	109.386	7.417	0.800	0.553	0.537	18.630	138.505

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	1.721	17.109	89.000	121.386	26.164	2.348	0.328	0.400

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	1.247	0.244	0.229	4.118	34.693	116.367	90.021	10.295

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
28	37-21-17.2 N	085-52-24.7 W	352.0	83.8	1220496

Address: 2830 Frenchman's Knob Road (94236)

City: Bonnieville County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	184.924	99.849	11.423	0.450	0.602	0.510	8.026	87.512

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	2.115	37.767	246.087	328.098	100.148	5.709	0.676	0.788

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	1.310	0.350	0.339	3.061	46.385	170.557	144.024	26.849

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
32	37-04-19.5 N	084-59-59.4 W	317.0	78.0	1257488

Address: 227 Horn Rd (94247)

City: Russell Springs County: RUSSELL State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	221.223	212.121	177.242	71.356	77.801	28.148	33.937	155.008

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	18.208	41.435	173.839	236.936	272.788	110.954	36.898	14.156

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	68.660	39.848	0.532	12.732	74.296	228.506	206.369	227.920

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	36-50-28.6 N	086-02-47.1 W	225.9	60.7	

Address: Austin Tracy Rd (115120)

City: Lucas County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	79.481	128.527	48.267	34.537	0.275	16.613	58.629	118.330

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	16.424	105.957	212.448	227.867	141.232	41.336	29.497	11.208

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	3.736	0.847	2.276	7.728	35.347	59.316	65.492	20.964

Antenna: 4

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	80.215	129.717	48.867	34.856	0.278	16.767	59.174	119.427

Antenna: 5

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	16.576	106.934	215.086	229.984	142.541	41.717	29.770	11.312

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	36-50-28.6 N	086-02-47.1 W	225.9	60.7	

Address: Austin Tracy Rd (115120)

City: Lucas County: BARREN State: KY Construction Deadline:

Antenna: 6

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	3.770	0.854	2.304	7.800	35.674	59.863	66.098	21.158

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
34	36-46-44.5 N	084-56-33.7 W	396.2	78.0	1258267

Address: 9096 W. Hwy 90 (94262)

City: Monticello County: WAYNE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	147.841	143.877	130.052	39.637	24.482	1.946	8.038	54.683

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	0.742	5.202	57.406	186.618	115.460	13.939	2.131	0.396

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	27.223	19.327	10.778	15.109	86.367	155.385	168.892	88.819

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
35	36-39-45.3 N	084-26-36.2 W	428.2	79.9	1275397

Address: 6135 Hwy 1651 (115765)

City: Pine Knot County: MCCREARY State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	69.450	261.545	232.470	44.008	2.017	0.559	0.530	4.304

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	0.210	0.184	2.662	25.143	50.189	30.009	3.791	0.206

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
35	36-39-45.3 N	084-26-36.2 W	428.2	79.9	1275397

Address: 6135 Hwy 1651 (115765)

City: Pine Knot County: MCCREARY State: KY Construction Deadline:

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	113.680	6.615	0.792	0.868	2.269	39.368	258.605	358.864

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
36	36-50-27.1 N	084-28-44.2 W	425.5	79.6	1233359

Address: 165 HWY 90 (114139)

City: Parkers Lake County: MCCREARY State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	23.185	14.817	1.670	0.153	0.104	0.150	1.655	13.513

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	2.683	26.605	140.903	189.301	44.170	3.813	0.542	0.629

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	2.063	0.405	0.373	6.243	54.676	179.706	144.196	16.857

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
37	36-41-51.7 N	085-07-19.1 W	303.9	78.0	1273817

Address: 399 Daylton Road (112920)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	255.895	112.531	6.303	1.065	0.524	0.886	15.778	134.111

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	1.151	13.278	68.092	80.326	20.259	1.984	0.205	0.284

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
37	36-41-51.7 N	085-07-19.1 W	303.9	78.0	1273817

Address: 399 Daylton Road (112920)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	0.327	0.106	0.101	1.174	12.741	41.443	34.130	5.644

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
38	36-44-13.0 N	085-42-10.0 W	309.7	91.1	1042225

Address: 3151 EDMONTON ROAD (94259)

City: TOMPKINSVILLE County: MONROE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	189.524	72.806	7.444	1.950	0.393	0.557	9.583	77.626

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	1.067	23.007	114.837	166.790	36.523	3.864	1.339	0.493

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	2.199	0.335	0.702	3.359	45.136	159.373	117.688	16.866

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
39	36-38-51.6 N	085-17-33.1 W	317.0	60.7	

Address: 5163 State Park (117828)

City: Cumberland County: CUMBERLAND State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	100.500	86.500	93.600	115.600	123.000	167.100	133.100	121.800
Transmitting ERP (watts)	24.683	224.514	184.090	16.413	0.520	0.462	0.466	0.469

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	100.500	86.500	93.600	115.600	123.000	167.100	133.100	121.800
Transmitting ERP (watts)	46.321	0.611	0.527	0.529	0.541	7.711	140.237	265.546

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
40	37-11-42.5 N	085-57-13.0 W	267.6	99.1	1224165

Address: 1515 FISHER RIDGE ROAD (37620)

City: Horse Cave County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	96.574	101.465	19.855	1.861	0.214	0.322	2.056	21.126

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	8.514	101.153	307.468	229.726	25.253	1.925	0.630	0.630

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	0.226	0.222	3.795	33.295	109.116	83.424	11.320	0.928

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
41	37-01-03.9 N	085-54-42.3 W	254.8	68.6	1230168

Address: 170 Robert Bishop Lane (94244)

City: Glasgow County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	104.518	139.218	43.033	2.862	0.290	0.325	1.008	15.797

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	0.395	3.203	50.041	189.424	165.261	28.863	1.290	0.398

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	11.785	0.490	0.619	0.543	8.652	98.226	207.121	111.304

Control Points:

Control Pt. No. 1

Address: 124 South Keeneland Drive (Suite 103)

City: RICHMOND County: MADISON State: KY Telephone Number: (859)544-4804

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number:

Print Date:

Waivers/Conditions:

NONE

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau**

RADIO STATION AUTHORIZATION

LICENSEE: **NEW CINGULAR WIRELESS PCS, LLC**

ATTN: CECIL J MATHEW
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1015
DALLAS, TX 75202

Call Sign WPOI255	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 05-27-2015	Effective Date 03-12-2020	Expiration Date 06-23-2025	Print Date
Market Number MTA026	Channel Block A	Sub-Market Designator 19	
Market Name Louisville-Lexington-Evansvill			
1st Build-out Date 06-23-2000	2nd Build-out Date 06-23-2005	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), **this license** is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOI255

File Number:

Print Date:

This license **is conditioned upon** compliance with the provisions of Applications of AT&T Wireless Services, Inc. and Cingular Wireless Corporation **For Consent** to Transfer Control of Licenses and Authorizations, Memorandum Opinion and Order, FCC 04-255 (rel. Oct. 26, 2004).

Spectrum Lease **Associated with this** License. See Spectrum Leasing Arrangement Letter dated 12/06/2004 and File # 0001918558.

The Spectrum Leasing Arrangement, **which became** effective upon approval of application file number 0001918558, was terminated on 04/14/2005. See **file number** 0002135370.

Commission approval of this application **and the** licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, **adopted on** December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released **on March** 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, **Memorandum Opinion and Order**, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. **06-74, Order on Reconsideration**, FCC 07-44 (rel. Mar. 26, 2007).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOI255

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau**

RADIO STATION AUTHORIZATION

LICENSEE: **NEW CINGULAR WIRELESS PCS, LLC**

ATTN: CECIL J MATHEW
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1015
DALLAS, TX 75202

Call Sign WPOK659	File Number 0008716070
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 09-12-2019	Effective Date 09-12-2019	Expiration Date 09-29-2029	Print Date 09-13-2019
Market Number BTA423	Channel Block C	Sub-Market Designator 1	
Market Name Somerset, KY			
1st Build-out Date 09-29-2004	2nd Build-out Date 09-29-2009	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOK659

File Number: 0008716070

Print Date: 09-13-2019

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION**

LICENSEE: **NEW CINGULAR WIRELESS PCS, LLC**

ATTN: CECIL J MATHEW
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1015
DALLAS, TX 75202

Call Sign WPXT205	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 06-02-2015	Effective Date 08-31-2018	Expiration Date 06-23-2025	Print Date
Market Number MTA026	Channel Block A	Sub-Market Designator 8	
Market Name Louisville-Lexington-Evansvill			
1st Build-out Date 06-23-2000	2nd Build-out Date 06-23-2005	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:
Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPXT205

File Number:

Print Date:

Commission **approval** of this **application** and the licenses contained therein are subject to the conditions set forth in the Memorandum **Opinion and Order**, adopted on December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, **adopted** and released on March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC **Docket** No. 06-74, Memorandum Opinion and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, **WC Docket** No. 06-74, Order on Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPXT205

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., 21ST FL
 DALLAS, TX 75202

Call Sign WQDIS28	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 08-17-2015	Effective Date 05-27-2021	Expiration Date 09-06-2025	Print Date
Market Number BTA263	Channel Block C	Sub-Market Designator 7	
Market Name Louisville, KY			
1st Build-out Date 09-06-2010	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

NONE

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), **this license** is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any **right** in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized **herein**. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control **conferred** by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified **on the hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQDI528

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: **NEW CINGULAR WIRELESS PCS, LLC**

ATTN: LESLIE WILSON
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1016
 DALLAS, TX 75202

Call Sign WQFA872	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 04-14-2017	Effective Date 08-31-2018	Expiration Date 04-28-2027	Print Date
Market Number BTA423	Channel Block E	Sub-Market Designator 7	
Market Name Somerset, KY			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:
 Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), **this license** is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any **right** in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy** version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market** Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQFA872

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHREW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WQGA818	File Number
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 11-29-2006	Effective Date 08-31-2018	Expiration Date 11-29-2021	Print Date
Market Number CMA447	Channel Block A	Sub-Market Designator 0	
Market Name Kentucky 5 - Barren			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, **WTB Docket No. 02-353**, rel. April 20, 2006.

Conditions:
 Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), **this license** is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor **any right** in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than **authorized herein**. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control **conferred** by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGA818

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WQGD755	File Number
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 12-18-2006	Effective Date 08-31-2018	Expiration Date 12-18-2021	Print Date
Market Number BEA047	Channel Block C	Sub-Market Designator 9	
Market Name Lexington, KY-TN-VA-WV			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, **WTB Docket No. 02-353**, rel. April 20, 2006.

Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:
 Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), **this license** is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGD755

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: **NEW CINGULAR WIRELESS PCS, LLC**

ATTN: FCC GROUP
 NEW CINGULAR WIRELESS **PCS, LLC**
 208 S AKARD ST. RM 2100
 DALLAS, TX 75202

Call Sign WQGD758	File Number 0009724700
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 12-22-2021	Effective Date 12-22-2021	Expiration Date 12-18-2036	Print Date 12-23-2021
Market Number BEA071	Channel Block C	Sub-Market Designator 5	
Market Name Nashville, TN-KY			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTBS Docket No. 02-353, rel. April 20, 2006.

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGD758

File Number: 0009724700

Print Date: 12-23-2021

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: FCC GROUP
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST. RM 2100
 DALLAS, TX 75202

Call Sign WQUZ670	File Number 0009696437
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 11-16-2021	Effective Date 11-16-2021	Expiration Date 11-29-2036	Print Date 11-17-2021
Market Number REA004	Channel Block D		Sub-Market Designator 10
Market Name Mississippi Valley			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTB Docket No. 02-353, rel. April 20, 2006.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQUZ670

File Number: 0009696437

Print Date: 11-17-2021

The license is **subject to compliance** with the provisions of the January 12, 2001 Agreement between Deutsche Telekom AG, VoiceStream Wireless **Corporation**, VoiceStream Wireless Holding Corporation and the Department of Justice (DOJ) and the Federal Bureau of **Investigation** (FBI), which addresses national security, law enforcement, and public safety issues of the FBI and the DOJ regarding **the authority** granted by this license. Nothing in the Agreement is intended to limit any obligation imposed by Federal law or **regulation** including, but not limited to, 47 U.S.C. Section 222(a) and (c)(1) and the FCC's implementing regulations. **The Agreement** is published at VoiceStream-DT Order, IB Docket No. 00-187, FCC 01-142, 16 FCC Rcd 9779, 9853 (2001).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQUZ670

File Number: 0009696437

Print Date: 11-17-2021

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

EXHIBIT B

SITE DEVELOPMENT PLAN:

**500' VICINITY MAP
LEGAL DESCRIPTIONS
FLOOD PLAIN CERTIFICATION
SITE PLAN
VERTICAL TOWER PROFILE**



PARENT PARCEL

OWNER: REBECCA ANN HOPPER
 SITE ADDRESS: 1853 KY HWY NO. 910, RUSSELL SPRINGS, KENTUCKY 42642
 PARCEL ID: 053-00-00-076.00
 AREA: 4.7 ACRES (PER TAX ASSESSOR)
 ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER ZONING OFFICIALS
 REFERENCE: DEED BOOK 337 PAGE 425

GPS NOTES

THE FOLLOWING GPS STATISTICS UPON WHICH THIS SURVEY IS BASED HAVE BEEN PRODUCED AT THE 95% CONFIDENCE LEVEL:
 POSITIONAL ACCURACY: 0.03 FEET (HORZ) 0.12 FEET (VERT)
 TYPE OF EQUIPMENT: GEOMAX ZENITH35 PRO BASE AND ROVER, DUAL FREQUENCY
 TYPE OF GPS FIELD PROCEDURE: ONLINE POSITION USER INTERFACE
 DATES OF SURVEY: 01/05/2021
 DATUM / EPOCH: NAD_83(2011)EPOCH:2010.00000
 PUBLISHED / FIXED CONTROL USE: N/A
 GEOID MODEL: 18
 COMBINED GRID FACTOR(S): 0.99995863 CENTERED ON THE GPS BASE POINT AS SHOWN HEREON.
 CONVERGENCE ANGLE: 0.46114444"
 BENCHMARKS USED: DK3330, DL6169, DK7555, DK4051, DK3324, DJ9538, DK3320, DH7117



VICINITY MAP
NOT TO SCALE

GENERAL NOTES

* THIS SPECIFIC PURPOSE SURVEY IS FOR THE LEASED PREMISES AND EASEMENTS ONLY. THIS SPECIFIC PURPOSE SURVEY WAS PREPARED FOR THE EXCLUSIVE USE OF HARMONI TOWERS AND EXCLUSIVELY FOR THE TRANSFERRAL OF THE LEASED PREMISES AND THE RIGHTS OF EASEMENT SHOWN HEREON AND SHALL NOT BE USED AS AN EXHIBIT OR EVIDENCE IN THE FEE SIMPLE TRANSFERRAL OF THE PARENT PARCEL NOR ANY PORTION OR PORTIONS THEREOF. BOUNDARY INFORMATION SHOWN HEREON HAS BEEN COMPILED FROM TAX MAPS AND DEED DESCRIPTIONS ONLY. NO BOUNDARY SURVEY OF THE PARENT PARCEL WAS PERFORMED.

THIS DRAWING DOES NOT REPRESENT A BOUNDARY SURVEY.

THIS SPECIFIC PURPOSE SURVEY WAS PREPARED WITHOUT BENEFIT OF A TITLE REPORT WHICH MAY REVEAL ADDITIONAL CONVEYANCES, EASEMENTS, OR RIGHTS-OF-WAY NOT SHOWN HEREON.

THE FIELD DATA UPON WHICH THIS SPECIFIC PURPOSE SURVEY IS BASED HAS A CLOSURE PRECISION OF ONE FOOT IN 10,000+ FEET AND AN ANGULAR ERROR OF 5.0" PER ANGLE POINT AND WAS NOT ADJUSTED FOR CLOSURE.

EQUIPMENT USED FOR ANGULAR & LINEAR MEASUREMENTS: LEICA TPS 1200 ROBOTIC & GEOMAX ZENITH 35. (DATE OF LAST FIELD VISIT: 01/05/2021)

THE 1' CONTOURS AND SPOT ELEVATIONS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE ADJUSTED TO NAVD 88 DATUM (COMPUTED USING GEOID18) AND HAVE A VERTICAL ACCURACY OF ± 0.5'. CONTOURS OUTSIDE THE IMMEDIATE SITE AREA ARE APPROXIMATE.



BEARINGS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE BASED ON GRID NORTH (NAD 83) KENTUCKY SINGLE ZONE.

PER THE FEMA FLOODPLAIN MAPS, THE SITE IS LOCATED IN AN AREA DESIGNATED AS ZONE X (AREA OF MINIMAL FLOOD HAZARD). COMMUNITY PANEL NO. : 21207C0125C DATED: 08/19/2010

NO WETLAND AREAS HAVE BEEN INVESTIGATED BY THIS SPECIFIC PURPOSE SURVEY.

ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER ZONING OFFICIALS.

ANY UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM ABOVE GROUND FIELD SURVEY INFORMATION. THE SURVEYOR MAKES NO GUARANTEES THAT ANY UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN-SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT ANY UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED ANY UNDERGROUND UTILITIES.



- LEGEND**
- POB POINT OF BEGINNING
 - POC POINT OF COMMENCEMENT
 - UP UTILITY POLE
 - O/U OVERHEAD UTILITY
 - N/F NOW OR FORMERLY
 - C/L CENTERLINE
 - BWF BARBED WIRE FENCE
 - EP EDGE OF PAVEMENT
 - RCP REINFORCED CONCRETE PIPE
 - TBM TEMPORARY BENCHMARK

SURVEYOR'S CERTIFICATE

I, G. DARRELL TAYLOR, A KENTUCKY PROFESSIONAL LAND SURVEYOR, CERTIFY THAT THE INFORMATION SHOWN HEREON WAS COMPILED USING DATA FROM AN ACTUAL FIELD SURVEY MADE UNDER MY DIRECT SUPERVISION BY METHOD OF RANDOM TRAVERSE WITH SIDE SHOTS. THE UNADJUSTED PRECISION RATIO OF THE TRAVERSE EXCEEDED 1:10,000 AND WAS NOT ADJUSTED FOR CLOSURE. THIS SURVEY MEETS OR EXCEEDS THE MINIMUM STANDARDS FOR AN URBAN SURVEY AS ESTABLISHED BY THE STATE OF KENTUCKY, PER 201 KAR 18:150 AND IN EFFECT ON THE DATE OF THIS SURVEY.

[Signature] 01/28/2021
 G. DARRELL TAYLOR, PLS 4179 DATE



**Know what's below.
Call before you dig.**



NO.	DATE	REVISION

* SPECIFIC PURPOSE SURVEY PREPARED BY:
POINT TO POINT LAND SURVEYORS
 100 Governors Trace, Ste. 103
 Peachtree City, GA 30269
 (p) 678.565.4440 (f) 678.565.4497
 (w) pointpointsurvey.com



SPECIFIC PURPOSE SURVEY PREPARED FOR:


HARMONI TOWERS
 10801 EXECUTIVE CENTER DRIVE
 SHANNON BLDG., STE 100
 LITTLE ROCK, AR 72211

HORN ROAD
SITE NO. KYLEX2054
 RUSSELL COUNTY, KENTUCKY

DRAWN BY: AJT
 CHECKED BY: JKL
 APPROVED: D. MILLER
 DATE: JANUARY 28, 2021
 P2P JOB #: 202598KY

SHEET:
1
 OF 2

SURVEY NOT VALID WITHOUT SHEET 2 OF 2



- LEGEND**
- POB POINT OF BEGINNING
 - POC POINT OF COMMENCEMENT
 - UP UTILITY POLE
 - OU OVERHEAD UTILITY
 - N/F NOW OR FORMERLY
 - C/L CENTERLINE
 - BWF BARBED WIRE FENCE
 - EP EDGE OF PAVEMENT
 - RCP REINFORCED CONCRETE PIPE
 - TBM TEMPORARY BENCHMARK



SITE INFORMATION

LEASE AREA = 10,000 SQUARE FEET (0.2296 ACRES)
 LATITUDE = 37°04'06.78" (NAD 83) (37.068550°)
 LONGITUDE = -84°59'55.83" (NAD 83) (-84.998842°)
 AT CENTER LEASE AREA
 ELEVATION AT CENTER OF LEASE AREA = 1049.7' A.M.S.L.

STATE of KENTUCKY
 G. DARRELL TAYLOR
 4179
 LICENSED PROFESSIONAL LAND SURVEYOR

NO.	DATE	REVISION

LEASE AREA

ALL THAT TRACT OR PARCEL OF LAND, LYING AND BEING IN RUSSELL COUNTY, KENTUCKY, AND BEING A PORTION OF THE LANDS OF REBECCA ANN HOPPER, AS RECORDED IN DEED BOOK 337, PAGE 425, RUSSELL COUNTY RECORDS, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

TO FIND THE POINT OF BEGINNING, COMMENCE, AT A FENCE POST AT THE NORTHEAST PROPERTY CORNER OF SAID LANDS, SAID FENCE POST HAVING A KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUE OF N: 3549491.0188 E: 5140476.5816; THENCE RUNNING ALONG A TIE-LINE, SOUTH 40°11'04" WEST, 19.67 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE, SOUTH 00°00'20" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 89°59'40" WEST, 100.00 FEET TO A POINT, PASSING A POINT AT 50.00 FEET HAVING A KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUE OF N: 3549375.9883 E: 5140413.9008; THENCE, NORTH 00°00'20" WEST, 100.00 FEET TO A POINT; THENCE, NORTH 89°59'40" EAST, 100.00 FEET TO A POINT; AND THE POINT OF BEGINNING.

BEARINGS BASED ON KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUES.
 SAID TRACT CONTAINS 0.2296 ACRES (10,000 SQUARE FEET), MORE OR LESS.

30' INGRESS-EGRESS & UTILITY EASEMENT

TOGETHER WITH A 30-FOOT WIDE INGRESS-EGRESS AND UTILITY EASEMENT (LYING 15 FEET EACH SIDE OF CENTERLINE), LYING AND BEING IN RUSSELL COUNTY, KENTUCKY, AND BEING A PORTION OF THE LANDS OF REBECCA ANN HOPPER, AS RECORDED IN DEED BOOK 337, PAGE 425, RUSSELL COUNTY RECORDS, AND BEING MORE PARTICULARLY DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE, AT A FENCE POST AT THE NORTHEAST PROPERTY CORNER OF SAID LANDS, SAID FENCE POST HAVING A KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUE OF N: 3549491.0188 E: 5140476.5816; THENCE RUNNING ALONG A TIE-LINE, SOUTH 40°11'04" WEST, 19.67 FEET TO A POINT ON THE LEASE AREA; THENCE RUNNING ALONG SAID LEASE AREA, SOUTH 00°00'20" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 89°59'40" WEST, 50.00 FEET TO A POINT HAVING A KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUE OF N: 3549375.9883 E: 5140413.9008 AND BEING THE TRUE POINT OF BEGINNING; THENCE LEAVING SAID LEASE AREA AND RUNNING, SOUTH 00°00'20" EAST, 215.75 FEET TO A POINT; THENCE, NORTH 89°53'42" WEST, 43.75 FEET TO A POINT; THENCE, SOUTH 08°37'20" WEST, 41.75 FEET TO A POINT ON THE NORTHEASTERLY RIGHT-OF-WAY LINE OF KENTUCKY HIGHWAY NO. 910.

BEARINGS BASED ON KENTUCKY GRID NORTH, NAD 83, SINGLE ZONE VALUES.

* SPECIFIC PURPOSE SURVEY PREPARED BY:

POINT TO POINT LAND SURVEYORS
 100 Governors Trace, Ste. 103
 Peachtree City, GA 30269
 (p) 678.565.4440 (f) 678.565.4497
 (w) pointtopointsurvey.com



SPECIFIC PURPOSE SURVEY PREPARED FOR:


HARMONITOWERS
 10801 EXECUTIVE CENTER DRIVE
 SHANNON BLDG., STE 100
 LITTLE ROCK, AR 72211

HORN ROAD
SITE NO. KYLEX2054
 RUSSELL COUNTY, KENTUCKY

DRAWN BY: AJT
 CHECKED BY: JKL
 APPROVED: D. MILLER
 DATE: JANUARY 28, 2021
 P2P JOB #: 202598KY

SHEET:
2
 OF 2

144560_KYLEX2054_Horn_Road_ZD's (0).dwg - SheetC-1.0 - User: mspeidle - Jan 10, 2022 - 6:43pm



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00 00 011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERIA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00 00 073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00 00 073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00 00 001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

- NOTE:
1. PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
HORN ROAD
 FA# 15415627
 PACE# MRTNK052249
 PT# 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: G0144560.002.06
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MAS	FINAL
1	1/10/22	MAS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

500' RADIUS & ADJOINER'S DRAWING


SHEET NUMBER:
C-1.0



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



144560_KYLEX2054_Horn_Road_ZD's (0).dwg - SheetC-1.1 - User: mspeedie - Jan 10, 2022 - 6:43pm



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00 00 011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERIA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00 00 073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00 00 073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00 00 001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00 00 074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

- NOTE:
1. PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
HORN ROAD
 FA# 15415627
 PACE# MRTNK052249
 PT# 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: G0144560.002.06
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MAS	FINAL
1	1/10/22	MAS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

1 OVERALL ADJOINER'S DRAWING
 SCALE: 1"=200'
 0' 100' 200' 300' 400'




CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



OVERALL
 ADJOINER'S
 DRAWING

SHEET NUMBER:
C-1.1

144560_KYLEX2054_Horn_Road_ZD's (0).dwg - SheetC-2 - User: mspeedie - Jan 10, 2022 - 6:43pm



NOTES:

1. TOWER LATITUDE, LONGITUDE & ELEVATION MEET FAA"1-A" ACCURACY REQUIREMENTS.

2. CENTER OF TOWER:

LATITUDE: NORTH 37°04'06.78" (37.068550) NAD 83
 LONGITUDE: WEST -84°59'55.83" (-84.998842) NAD 83
 GROUND ELEVATION @ 1049.7' A.M.S.L. NAVD 88

3. THE APPROXIMATE PERPENDICULAR DISTANCES FROM THE OUTER EDGE OF THE PROPOSED TOWER TO PARENT TRACT NEAREST PROPERTY LINE ARE AS FOLLOWS:

NORTH: 49.4'±
 SOUTHWEST: 300.1'±
 EAST: 52.6'±
 NORTHWEST: 393.8'±



HARMONI TOWERS
HORN ROAD
 FA# 15415627
 PACE# MRTNK052249
 PT# 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: G0144560.002.06
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MAS	FINAL
1	1/10/22	MAS	FINAL


B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

OVERALL SITE LAYOUT


SHEET NUMBER:
C-2



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



144560_KYLEX2054_Horn_Road_ZD's (0).dwg - SheetC-3 - User: mspeedie - Jan 10, 2022 - 6:43pm



1 ENLARGED COMPOUND LAYOUT
 SCALE: 1" = 20'



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



HARMONI TOWERS
HORN ROAD
 F.A# 15415627
 PACE# MRTNK052249
 PT# 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: G0144560.002.06
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MAS	FINAL
1	1/10/22	MAS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21




IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

ENLARGED
 COMPOUND
 LAYOUT

SHEET NUMBER:
C-3

144560_KYLEX2054_Horn_Road_ZD's (0).dwg - SheetC-4 - User: mspeedie - Jan 10, 2022 - 6:43pm



STRUCTURAL ANALYSIS NOTES:
 1. ANTENNA PLACEMENT WAS DETERMINED WITHOUT VERIFICATION OF STRUCTURAL ANALYSIS.
 2. REFER TO STRUCTURAL ANALYSIS OR STRUCTURAL LETTER FOR APPROVAL OF ADDITIONAL NEW APPURTENANCES.

NOTES: CONTRACTOR TO REFER TO THE STRUCTURAL DESIGN REPORT PREPARED BY HARMONI TOWERS PRIOR TO CONSTRUCTION.

1 PROPOSED TOWER ELEVATION
 SCALE: N.T.S.



HARMONI TOWERS
HORN ROAD
 FA# 15415627
 PACE# MRTNK052249
 PT# 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: G0144560.002.06
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MAS	FINAL
1	1/10/22	MAS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

TOWER ELEVATION

SHEET NUMBER:
C-4

EXHIBIT C
TOWER AND FOUNDATION DESIGN



January 5, 2022

Kentucky Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, KY 40602-0615

RE: Site Name – Horntown Relo/Horn Road
Proposed Cell Tower
37.068550 North Latitude, 84.998842 West Longitude

Dear Commissioners:

The Construction Manager for the proposed new communications facility will be Marshall Corbin. His contact information is (540) 287-8142 or Marshall Corbin@harmonitowers.com. Marshall has been in the industry completing civil construction and constructing towers since 1996. He has worked at Harmoni Towers LLC since 2021 completing project and construction management on new site build projects.


Thank you,

Marshall Corbin

Marshall Corbin
Construction Manager – Tennessee/Kentucky Market
Harmoni Towers LLC

Feed Line Plan

Round Flat App In Face App Out Face




STATE OF KENTUCKY
 BRAD R. MILANOWSKI
 25211
 LICENSED PROFESSIONAL ENGINEER
BRAD R. MILANOWSKI
 12/30/21



B+T Group
 1717 S Boulder Ave, Suite 300
 Tulsa, OK 74119
 Phone: (918) 587-4630
 FAX: (918) 295-0265

Job: **ATS#9320 - Horn Road (Site# KYLEX2054)**
 Project: **255' SST/37.068564, -84.998776**
 Client: Harmoni Towers
 Code: TIA-222-H
 Path:
 Drawn by: mwilliams
 Date: 12/29/21
 App'd:
 Scale: NTS
 Dwg No. E-7



NOTES

1. REINFORCEMENT STEEL SHALL CONFORM TO THE REQUIREMENT OF ASTM A615 UNLESS NOTED OTHERWISE. MINIMUM CLEAR COVER SHALL BE 2 INCHES.
2. REINFORCEMENT STEEL SHALL BE DELIVERED, FABRICATED, BENT, AND PLACED IN ACCORDANCE WITH THE ORIGINAL OF STANDARD PRACTICE AND THE AIA 1010 (LATEST EDITION).
3. THE CONTRACTOR SHALL INDIVIDUALLY REVIEW THE GEOTECH REPORT FOR THIS PROJECT AND FOLLOW THE RECOMMENDATIONS IN THAT REPORT WHEN CONSTRUCTING THE FOUNDATION.
4. GEOTECHNICAL REPORT BY: AUSTIN ENGINEERING, INC. PROJECT NUMBER: 2206017 DATE: 12/15/2022
5. THIS FOUNDATION HAS BEEN DESIGNED IN ACCORDANCE WITH THE 10,000 LB STANDARD SPECIFICALLY FOR THE TOWER AND SOIL CONDITION REFERENCED ABOVE. IF ANYTHING DIFFERS THIS DESIGN SHALL BE CONSIDERED INVALID AND MUST BE REDESIGNED PRIOR TO CONSTRUCTION.
6. TOTAL CONCRETE VOLUME FOR ALL COLUMNS IN CUBIC YARDS: 208.36
7. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4000 PSI AT 28 DAYS.
8. CONCRETE MIXTURES SHALL MEET DURABILITY REQUIREMENTS OF CHAPTER 24 OF THE ACI 308.1R.
9. ALL CONCRETE TESTING SHALL BE IN ACCORDANCE WITH ACI 308.1R. A MINIMUM OF 120'S (12" OR 22" X 4" X 4" CONCRETE CYLINDERS PER INDIVIDUAL FOUNDATION AND A MINIMUM OF 30'S (6" X 6" X 6" OR 8" X 8" X 8" CONCRETE CYLINDERS PER BATCH REQUIRED).
10. SLUMP TESTS SHALL BE MADE IN ACCORDANCE WITH ASTM C137. THE ALLOWABLE CONCRETE SLUMP SHALL BE 8 INCHES (12" LINES) USING TYPES AND UNITS AS LISTED. REMOVAL SHALL BE IN ACCORDANCE WITH ASTM STANDARD TYPES A, B, & C. THE ENGINEER SHALL PREPARE APPROPRIATE SUPER PLAT/SLIP USE. DO NOT USE CHAIRS OR WIRING ADAPTERS UNLESS AS SHOWN IN THE DRAWING. ALL WIRING ADAPTERS SHALL CONFORM TO ASTM D190.
11. BACKFILL MATERIAL SHALL BE COMPACTED TO A MINIMUM UNIT WEIGHT SPECIFIED IN GEOTECH REPORT. THE SITE SHALL BE INSTALLED IN 6" TO 8" LIFTS AND COMPACTED INDEPENDENTLY TO ACHIEVE APPROPRIATE UNIT WEIGHT UNLESS NOTED OTHERWISE IN THE CONSTRUCTION REQUIREMENTS. VERIFY ALL DIMENSIONS AGAINST MANUFACTURER'S DRAWINGS.


INTENTION FOR REUSE

1. THIS DRAWING WAS SPECIFICALLY DESIGNED FOR USE BY THE CUSTOMER ON HIS DRAWING AT THE SPECIFIED LOCATION. USE OF THIS DRAWING FOR REFERENCE OR EXAMPLE ON ANOTHER PROJECT REQUIRES THE SERVICES OF A PROPERLY LICENSED ENGINEER.

DIMENSIONING SCHEDULE	
Ø	Ø 36" (Ø 36")
Ø	Ø 30" (Ø 30")
Ø	Ø 24" (Ø 24")
Ø	Ø 18" (Ø 18")
Ø	Ø 12" (Ø 12")
Ø	Ø 6" (Ø 6")
Ø	Ø 3" (Ø 3")
Ø	Ø 1.5" (Ø 1.5")
Ø	Ø 0.75" (Ø 0.75")

REINFORCING SCHEDULE	SIZE	TOTAL QTY
Ø 36" (Ø 36")	Ø 36"	12
Ø 30" (Ø 30")	Ø 30"	12
Ø 24" (Ø 24")	Ø 24"	12
Ø 18" (Ø 18")	Ø 18"	12

BASE REACTIONS (FACTORED LOADS)		
GEOMETRIC REACTIONS		
AXIAL	120.00	120.00
MOY	0.00	0.00
MOZ	0.00	0.00
MOYENTRE REACTIONS		
MOYENTRE MOY	0.00	0.00
MOYENTRE MOZ	0.00	0.00
MOYENTRE MOZ	0.00	0.00
MOYENTRE MOY	0.00	0.00





17215 BROADWAY AVE #100 TAMPA, FL 33613
(813) 987-4633

ARCOSA
TELECOM STRUCTURES

800 WALLACE AVENUE, ORLANDO, FL 32817

REV	DATE	DESCRIPTION

COR-4011

EXPIRES: 12/31/2022



THIS DOCUMENT IS THE PROPERTY OF B+T GROUP. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

PROJECT INFORMATION

PROJECT NO: DRISDA BELLS
SITE NAME: WORN ROAD
SITE NO: 1201
CLIENT NAME: ARCOSA TELECOM STRUCTURES

DESIGN BY: MRM
CHECKED BY:

SHEET TITLE

DRILLED PIER FOUNDATION

SHEET NUMBER	REVISION
SST-DPF	0



17111 BOULDER AVE #100, TUSA, OK 74133
(800) 977-6630

ARCOSA
TELECOM STRUCTURES

FOR ALL NEW MATERIALS, SEE PRICE

ISSUED FOR

REV	DATE	DESCRIPTION
1	12/30/21	ISSUE FOR CONSTRUCTION

CSA 4031

EXPIRES 12/31/22



I, BRAD R. McLAUGHLIN, AM A LICENSED PROFESSIONAL ENGINEER IN THE STATE OF KENTUCKY. MY EXPIRES DATE IS 12/31/22. I HEREBY CERTIFY THAT I AM THE DESIGNER OF THIS DOCUMENT.

PROJECT INFORMATION

PROJECT NO: 2402R-001-03
SITE NAME: HOAN ROAD
SITE NO: 1432
CLIENT NAME: ARCOSA TELECOM STRUCTURES
DRAWN BY: MRK
CHECKED BY:


SHEET TITLE

DIMENSIONING DETAIL

SHEET NUMBER	REVISION
SST-DTL	0

DIMENSIONING SCHEDULE	
20"	0'-0" 5/16"
30"	0'-0" 11/16"
40"	0'-0" 3/4"
50"	0'-0" 13/16"
60"	0'-0" 1"

*NOTE: CONTRACTOR TO VERIFY DIMENSIONS PRIOR TO FABRICATION




1 L-BAR
SCALE: N/T/L




2 HORIZONTAL U-BAR
SCALE: N/T/L



3 VERTICAL U-BAR
SCALE: N/T/L



4 CORNER BAR
SCALE: N/T/L



5 ANCHOR ROD DETAIL
SCALE: N/T/L

SST Unit Base Foundation

Site Name: Horn Road

TIA-222 Revision: H

Top & Bot. Pad Rein. Different?:	<input type="checkbox"/>
Tower Centroid Offset?:	<input checked="" type="checkbox"/>
Block Foundation?:	<input type="checkbox"/>
Rectangular Pad?:	<input type="checkbox"/>

Superstructure Analysis Reactions		
Global Moment, M :	9967	ft-kips
Global Axial, P :	78	kips
Global Shear, V :	65	kips
Leg Compression, P_{comp} :	505	kips
Leg Comp. Shear, V_{u,comp} :	38	kips
Leg Uplift, P_{uplit} :	437	kips
Leg Uplift. Shear, V_{u,uplit} :	35	kips
Tower Height, H :	255	ft
Base Face Width, BW :	24	ft
BP Dist. Above Fdn, bp_{dist} :	3	in

Foundation Analysis Checks				
	Capacity	Demand	Rating	Check
<i>Lateral (Sliding) (kips)</i>	1109.55	65.00	5.9%	Pass
<i>Bearing Pressure (ksf)</i>	5.06	4.54	89.8%	Pass
<i>Overturning (kip*ft)</i>	11106.32	10725.46	96.6%	Pass
<i>Pier Flexure (Comp.) (kip*ft)</i>	976.28	199.50	20.4%	Pass
<i>Pier Flexure (Tension) (kip*ft)</i>	190.42	183.75	96.5%	Pass
<i>Pier Compression (kip)</i>	4499.01	511.68	11.4%	Pass
<i>Pad Flexure (kip*ft)</i>	3103.05	2217.03	71.4%	Pass
<i>Pad Shear - 1-way (kips)</i>	787.27	325.57	41.4%	Pass
<i>Pad Shear - Comp 2-way (ksi)</i>	0.190	0.130	68.4%	Pass
<i>Flexural 2-way (Comp) (kip*ft)</i>	1384.71	119.70	8.6%	Pass
<i>Pad Shear - Tension 2-way (ksi)</i>	0.190	0.135	71.2%	Pass
<i>Flexural 2-way (Tension) (kip*ft)</i>	1384.71	110.25	8.0%	Pass

Pier Properties		
Pier Shape:	Circular	
Pier Diameter, dpier :	3.00	ft
Ext. Above Grade, E :	0.50	ft
Pier Rebar Size, Sc :	9	
Pier Rebar Quantity, mc :	10	
Pier Tie/Spiral Size, St :	4	
Pier Tie/Spiral Quantity, mt :	11	
Pier Reinforcement Type:	Tie	
Pier Clear Cover, cc_{pier} :	3	in

Structural Rating:	96.5%
Soil Rating:	96.6%

Pad Properties		
Depth, D :	7.00	ft
Pad Width, W₁ :	31.00	ft
Pad Thickness, T :	2.25	ft
Pad Rebar Size (Bottom dir. 2), Sp₂ :	9	
Pad Rebar Quantity (Bottom dir. 2), mp₂ :	32	
Pad Clear Cover, cc_{pad} :	3	in

Material Properties		
Rebar Grade, Fy :	60	ksi
Concrete Compressive Strength, F'c :	4	ksi
Dry Concrete Density, δc :	150	pcf

Soil Properties		
Total Soil Unit Weight, γ :	110	pcf
Ultimate Gross Bearing, Qult :	6.750	ksf
Cohesion, Cu :	1.250	ksf
Friction Angle, φ :		degrees
SPT Blow Count, N_{blows} :		
Base Friction, μ_b :		
Neglected Depth, N :	2.5	ft
Foundation Bearing on Rock?	No	
Groundwater Depth, gw :	13	ft

← Toggle between Gross and Net

Drilled Pier Foundation

Site Name:	Hom Road
TIA-222 Revision:	H
Tower Type:	Self Support

Applied Loads		
	Comp.	Uplift
Moment (kip-ft)		
Axial Force (kips)	505	437
Shear Force (kips)	38	35

Material Properties	
Concrete Strength, f_c	4 ksi
Rebar Strength, F_y	60 ksi
Tie Yield Strength, F_{yt}	40 ksi

Pier Design Data	
Depth	34 ft
Ext. Above Grade	0.5 ft
Pier Section 1	
From 0.5' above grade to 34' below grade	
Pier Diameter	6 ft
Rebar Quantity	26
Rebar Size	8
Clear Cover to Ties	3 in
Tie Size	4
Tie Spacing	12 in

Rebar & Pier Options
 Embedded Rebar Inputs
 Drilled Pier Inputs

Analysis Results		
Soil Lateral Check		
	Compression	Uplift
D_{req} (ft from TOC)	16.46	16.46
Soil Safety Factor	14.81	16.08
Max Moment (kip-ft)	432.36	398.23
Rating	9.0%	8.3%
Soil Vertical Check		
	Compression	Uplift
Skin Friction (kips)	366.15	366.15
End Bearing (kips)	721.00	-
Weight of Concrete (kips)	131.10	98.33
Total Capacity (kips)	1087.15	464.48
Axial (kips)	636.10	437.00
Rating	58.5%	94.1%
Reinforced Concrete Flexure		
	Compression	Uplift
Critical Depth (ft from TOC)	17.08	13.80
Critical Moment (kip-ft)	431.74	387.67
Critical Moment Capacity	3796.70	2169.06
Rating	11.4%	17.9%
Reinforced Concrete Shear		
	Compression	Uplift
Critical Depth (ft from TOC)	29.96	29.96
Critical Shear (kip)	55.41	51.03
Critical Shear Capacity	688.96	388.20
Rating	8.0%	13.1%
Structural Foundation Rating		17.9%
Soil Interaction Rating		94.1%

Check Limitation	
Apply TIA-222-H Section 15.5:	<input type="checkbox"/>
N/A	<input type="checkbox"/>
Additional Longitudinal Rebar	
Input Effective Depths (else Actual):	<input type="checkbox"/>
Shear Design Options	
Check Shear along Depth of Pier:	<input type="checkbox"/>
Utilize Shear-Friction Methodology:	<input type="checkbox"/>
Override Critical Depth:	<input type="checkbox"/>

[Go to Soil Calculations](#)

Soil Profile														
Groundwater Depth		13		# of Layers		5								
Layer	Top (ft)	Bottom (ft)	Thickness (ft)	γ_{sat} (pcf)	γ_{minor} (pcf)	Cohesion (ksf)	Angle of Friction (degrees)	Calculated Ultimate Skin Friction Comp (ksf)	Calculated Ultimate Skin Friction Uplift (ksf)	Ultimate Skin Friction Comp Override (ksf)	Ultimate Skin Friction Uplift Override (ksf)	Ult. Gross Bearing Capacity (ksf)	SPT Blow Count	Soil Type
1	0	3	3	120	150			0.000	0.000	0.00	0.00			Cohesionless
2	3	6	3	120	150			0.000	0.000	0.00	0.00			Cohesionless
3	6	13	7	57.6	150	1.25		0.688	0.688	0.70	0.70			Cohesive
4	13	28	15	67.6	87.6	1		0.550	0.550	1.40	1.40			Cohesive
5	28	34	6	67.6	87.6		38	0.000	0.000	0.00	0.00	34		Cohesionless

<p>tnxTower</p> <p>B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265</p>	<p>Job</p> <p>ATS#9320 - Horn Road (Site# KYLEX2054)</p>	<p>Page</p> <p>1 of 34</p>
	<p>Project</p> <p>255' SST/37.068564, -84.998776</p>	<p>Date</p> <p>14:33:28 12/29/21</p>
	<p>Client</p> <p>Harmoni Towers</p>	<p>Designed by</p> <p>mwilliams</p>

Tower Input Data

The main tower is a 3x free standing tower with an overall height of 255.000 ft above the ground line.

The base of the tower is set at an elevation of 0.000 ft above the ground line.

The face width of the tower is 4.875 ft at the top and 24.000 ft at the base.

This tower is designed using the TIA-222-H standard.

The following design criteria apply:

Tower is located in Russell County, Kentucky.

Tower base elevation above sea level: 1052.000 ft.

Basic wind speed of 105 mph.

Risk Category II.

Exposure Category C.

Simplified Topographic Factor Procedure for wind speed-up calculations is used.

Topographic Category: 1.

Crest Height: 0.000 ft.

Nominal ice thickness of 1.500 in.

Ice thickness is considered to increase with height.

Ice density of 56.000 pcf.

A wind speed of 30 mph is used in combination with ice.

Temperature drop of 50.000 °F.

Deflections calculated using a wind speed of 60 mph.

Please see feedline plan for proper feedline placement..

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.


Stress ratio used in tower member design is 1.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

<ul style="list-style-type: none"> Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification √ Use Code Stress Ratios √ Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile √ Include Bolts In Member Capacity √ Leg Bolts Are At Top Of Section √ Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric 	<ul style="list-style-type: none"> Distribute Leg Loads As Uniform Assume Legs Pinned √ Assume Rigid Index Plate √ Use Clear Spans For Wind Area √ Use Clear Spans For KL/r Retension Guys To Initial Tension √ Bypass Mast Stability Checks √ Use Azimuth Dish Coefficients √ Project Wind Area of Appurt Autocalc Torque Arm Areas Add IBC 6D+W Combination √ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs 	<ul style="list-style-type: none"> Use ASCE 10 X-Brace Ly Rules √ Calculate Redundant Bracing Forces Ignore Redundant Members in FEA √ SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation √ Consider Feed Line Torque √ Include Angle Block Shear Check Use TIA-222-H Bracing Resist. Exemption Use TIA-222-H Tension Splice Exemption <li style="text-align: center;">Poles Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets Pole Without Linear Attachments Pole With Shroud Or No Appurtenances Outside and Inside Corner Radii Are Known
--	---	--

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 2 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams



Triangular Tower

Tower Section Geometry

Tower Section	Tower Elevation	Assembly Database	Description	Section Width	Number of Sections	Section Length
	ft			ft		ft
T1	255.000-240.000			4.875	1	15.000
T2	240.000-220.000			6.000	1	20.000
T3	220.000-200.000			7.500	1	20.000
T4	200.000-180.000			9.000	1	20.000
T5	180.000-160.000			10.500	1	20.000
T6	160.000-140.000			12.000	1	20.000
T7	140.000-120.000			13.500	1	20.000
T8	120.000-100.000			15.000	1	20.000
T9	100.000-80.000			16.500	1	20.000
T10	80.000-60.000			18.000	1	20.000
T11	60.000-40.000			19.500	1	20.000
T12	40.000-20.000			21.000	1	20.000
T13	20.000-0.000			22.500	1	20.000

Tower Section Geometry (cont'd)

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	255.000-240.000	4.667	X Brace	No	No	6.000	6.000
T2	240.000-220.000	4.750	X Brace	No	No	6.000	6.000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 3 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T3	220.000-200.000	4.750	X Brace	No	No	6.000	6.000
T4	200.000-180.000	4.750	X Brace	No	No	6.000	6.000
T5	180.000-160.000	4.750	X Brace	No	No	6.000	6.000
T6	160.000-140.000	4.750	X Brace	No	No	6.000	6.000
T7	140.000-120.000	4.750	X Brace	No	No	6.000	6.000
T8	120.000-100.000	4.750	X Brace	No	No	6.000	6.000
T9	100.000-80.000	4.750	X Brace	No	No	6.000	6.000
T10	80.000-60.000	4.750	Double K	No	Yes	6.000	6.000
T11	60.000-40.000	4.750	Double K	No	Yes	6.000	6.000
T12	40.000-20.000	4.750	Double K	No	Yes	6.000	6.000
T13	20.000-0.000	4.750	Double K	No	Yes	6.000	6.000

Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade	
ft							
255.000-240.000	T1	Solid Round	1 3/4	A529-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
240.000-220.000	T2	Solid Round	2	A529-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
220.000-200.000	T3	Solid Round	2 1/2	A529-50 (50 ksi)	Equal Angle	L2x2x3/16	A36M-50 (50 ksi)
200.000-180.000	T4	Solid Round	2 3/4	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
180.000-160.000	T5	Solid Round	3	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
160.000-140.000	T6	Solid Round	3 1/4	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
140.000-120.000	T7	Solid Round	3 1/2	A529-50 (50 ksi)	Equal Angle	L3x3x3/16	A36M-50 (50 ksi)
120.000-100.000	T8	Solid Round	3 1/2	A529-50 (50 ksi)	Equal Angle	L3x3x3/16	A36M-50 (50 ksi)
100.000-80.000	T9	Solid Round	3 3/4	A529-50 (50 ksi)	Equal Angle	L3x3x1/4	A36M-50 (50 ksi)
80.000-60.000	T10	Solid Round	4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
60.000-40.000	T11	Solid Round	4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
40.000-20.000	T12	Solid Round	4 1/4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
T13 20.000-0.000	T13	Solid Round	4 1/4	A529-50 (50 ksi)	Double Angle	2L3x3x3/16x3/8	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
ft						
255.000-240.000	T1	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)	Solid Round	A529-50 (50 ksi)

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 4 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section Geometry (cont'd)

Tower Elevation ft	No. of Mid Girts	Mid Girt Type	Mid Girt Size	Mid Girt Grade	Horizontal Type	Horizontal Size	Horizontal Grade
80 000-60 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L1 3/4x1 3/4x3/16x3/8	A36M-50 (50 ksi)
60 000-40 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2x2x3/16x3/8	A36M-50 (50 ksi)
40 000-20 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2x2x3/16x3/8	A36M-50 (50 ksi)
T13 20 000-0 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Secondary Horizontal Type	Secondary Horizontal Size	Secondary Horizontal Grade	Inner Bracing Type	Inner Bracing Size	Inner Bracing Grade
80 000-60 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
60 000-40 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
40 000-20 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
T13 20 000-0 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A ₁	Adjust. Factor A ₂	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
255 000-240 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36.000	36.000	36.000
240 000-220 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36.000	36.000	36.000
220 000-200 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36.000	36.000	36.000
200 000-180 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36.000	36.000	36.000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 7 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T11 60 000-40 000	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T12 40 000-20 000	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T13 20 000-0 000	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75

Tower Elevation ft	Redundant Horizontal		Redundant Diagonal		Redundant Sub-Diagonal		Redundant Sub-Horizontal		Redundant Vertical		Redundant Hip		Redundant Hip Diagonal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T1 255 000-240 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T2 240 000-220 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T3 220 000-200 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T4 200 000-180 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T5 180 000-160 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T6 160 000-140 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T7 140 000-120 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T8 120 000-100 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T9 100 000-80 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T10 80 000-60 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T11 60 000-40 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T12 40 000-20 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T13 20 000-0 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75

Tower Section Geometry (cont'd)

<p>tnxTower</p> <p>B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265</p>	<p>Job</p> <p>ATS#9320 - Horn Road (Site# KYLEX2054)</p>	<p>Page</p> <p>8 of 34</p>
	<p>Project</p> <p>255' SST/37.068564, -84.998776</p>	<p>Date</p> <p>14:33:28 12/29/21</p>
	<p>Client</p> <p>Harmoni Towers</p>	<p>Designed by</p> <p>mwilliams</p>

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
255 000-240 000	T1 Flange	0 000 A325N	0	0 625 A325X	1	0 625 A325X	1	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
240 000-220 000	T2 Flange	0 750 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
220 000-200 000	T3 Flange	0 750 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
200 000-180 000	T4 Flange	0 750 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
180 000-160 000	T5 Flange	1 000 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
160 000-140 000	T6 Flange	1 000 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
140 000-120 000	T7 Flange	1 000 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
120 000-100 000	T8 Flange	1 000 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
100 000-80 000	T9 Flange	1 250 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 000 A325X	0	0 625 A325N	0
80 000-60 000	T10 Flange	1 250 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 625 A325X	1	0 625 A325N	0
60 000-40 000	T11 Flange	1 250 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 625 A325X	1	0 625 A325N	0
40 000-20 000	T12 Flange	1 250 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 625 A325X	1	0 625 A325N	0
20 000-0 000	T13 Flange	1 250 A325N	6	0 625 A325X	1	0 000 A325N	0	0 000 A325N	0	0 625 A325N	0	0 625 A325X	1	0 625 A325N	0

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight klf
1-5/8" (Carrier 1)	C	No	No	Ar (CaAa)	250 000 - 10 000	0 000	0	9	5	0 750	1 980		0 001
1 5" Hybrid (Carrier 1)	C	No	No	Ar (CaAa)	250 000 - 10 000	0 000	-0 25	6	3	0 750	1 500		0 001
**													
1-5/8" (Carrier 2)	B	No	No	Ar (CaAa)	238 000 - 10 000	0 000	0	9	5	0 750	1 980		0 001
1 5" Hybrid (Carrier 2)	B	No	No	Ar (CaAa)	238 000 - 10 000	0 000	-0 25	6	3	0 750	1 500		0 001
**													
1-5/8"	A	No	No	Ar (CaAa)	226 000 -	0 000	0	9	5	0 750	1 980		0 001

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 9 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight klf
(Carrier 3) 1.5" Hybrid (Carrier 3) **	A	No	No	Ar (CaAa)	10 000 226 000 - 10 000	0 000	-0.25	6	3	0.750	1.500		0.001
1-5/8" (Carrier 4) **	C	No	No	Ar (CaAa)	214 000 - 10 000	0 000	0.35	2	1	0.750	1.980		0.001
1-5/8" (Carrier 5) **	C	No	No	Ar (CaAa)	202 000 - 10 000	0 000	0.4	2	1	0.750	1.980		0.001
Safety Line 3/8	A	No	No	Ar (CaAa)	255 000 - 10 000	0 000	0.45	1	1	0.375	0.375		0.000
Strobe Cable **	A	No	No	Ar (CaAa)	255 000 - 10 000	0 000	-0.45	1	1	1.250	1.250		0.001
Feedline Ladder (Af) **	C	No	No	Af (CaAa)	250 000 - 10 000	0 000	0.3	1	1	3.000	0.250		0.008
Feedline Ladder (Af)	B	No	No	Af (CaAa)	238 000 - 10 000	0 000	0.3	1	1	3.000	0.250		0.008
Feedline Ladder (Af)	A	No	No	Af (CaAa)	226 000 - 10 000	0 000	0.3	1	1	3.000	0.250		0.008

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A _B ft ²	A _T ft ²	C ₁ A ₁ In Face ft ²	C ₁ A ₁ Out Face ft ²	Weight K
T1	255 000-240 000	A	0.000	0.000	2.438	0.000	0.014
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	27.237	0.000	0.205
T2	240 000-220 000	A	0.000	0.000	19.592	0.000	0.142
		B	0.000	0.000	49.026	0.000	0.369
		C	0.000	0.000	54.473	0.000	0.410
T3	220 000-200 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	60.809	0.000	0.433
T4	200 000-180 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T5	180 000-160 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T6	160 000-140 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T7	140 000-120 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T8	120 000-100 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T9	100 000-80 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410
		C	0.000	0.000	70.313	0.000	0.468
T10	80 000-60 000	A	0.000	0.000	57.723	0.000	0.429
		B	0.000	0.000	54.473	0.000	0.410

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job	ATS#9320 - Horn Road (Site# KYLEX2054)	Page	10 of 34
	Project	255' SST/37.068564, -84.998776	Date	14:33:28 12/29/21
	Client	Harmoni Towers	Designed by	mwilliams

Tower Section	Tower Elevation ft	Face	A_R	A_F	C_1A_1	C_1A_1	Weight K
			ft ²	ft ²	In Face ft ²	Out Face ft ²	
T11	60 000-40 000	C	0 000	0 000	70 313	0 000	0 468
		A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
T12	40 000-20 000	C	0 000	0 000	70 313	0 000	0 468
		A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
T13	20 000-0 000	C	0 000	0 000	70 313	0 000	0 468
		A	0 000	0 000	28 862	0 000	0 214
		B	0 000	0 000	27 237	0 000	0 205
		C	0 000	0 000	35 157	0 000	0 234

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R	A_F	C_1A_1	C_1A_1	Weight K
				ft ²	ft ²	In Face ft ²	Out Face ft ²	
T1	255 000-240 000	A	1 835	0 000	0 000	13 447	0 000	0 192
		B		0 000	0 000	0 000	0 000	0 000
		C		0 000	0 000	42 532	0 000	0 872
T2	240 000-220 000	A	1 821	0 000	0 000	43 269	0 000	0 773
		B		0 000	0 000	76 343	0 000	1 561
		C		0 000	0 000	84 826	0 000	1 735
T3	220 000-200 000	A	1 805	0 000	0 000	102 223	0 000	1 972
		B		0 000	0 000	84 533	0 000	1 723
		C		0 000	0 000	104 580	0 000	2 013
T4	200 000-180 000	A	1 787	0 000	0 000	101 761	0 000	1 956
		B		0 000	0 000	84 215	0 000	1 710
		C		0 000	0 000	134 082	0 000	2 426
T5	180 000-160 000	A	1 767	0 000	0 000	101 252	0 000	1 938
		B		0 000	0 000	83 865	0 000	1 696
		C		0 000	0 000	133 458	0 000	2 401
T6	160 000-140 000	A	1 745	0 000	0 000	100 687	0 000	1 918
		B		0 000	0 000	83 475	0 000	1 681
		C		0 000	0 000	132 763	0 000	2 374
T7	140 000-120 000	A	1 720	0 000	0 000	100 049	0 000	1 895
		B		0 000	0 000	83 036	0 000	1 664
		C		0 000	0 000	131 980	0 000	2 344
T8	120 000-100 000	A	1 692	0 000	0 000	99 316	0 000	1 869
		B		0 000	0 000	82 531	0 000	1 644
		C		0 000	0 000	131 080	0 000	2 309
T9	100 000-80 000	A	1 658	0 000	0 000	98 452	0 000	1 839
		B		0 000	0 000	81 936	0 000	1 621
		C		0 000	0 000	130 019	0 000	2 268
T10	80 000-60 000	A	1 617	0 000	0 000	97 395	0 000	1 803
		B		0 000	0 000	81 207	0 000	1 592
		C		0 000	0 000	128 721	0 000	2 219
T11	60 000-40 000	A	1 564	0 000	0 000	96 020	0 000	1 756
		B		0 000	0 000	80 261	0 000	1 556
		C		0 000	0 000	127 033	0 000	2 155
T12	40 000-20 000	A	1 486	0 000	0 000	94 020	0 000	1 689
		B		0 000	0 000	78 884	0 000	1 504
		C		0 000	0 000	124 579	0 000	2 065
T13	20 000-0 000	A	1 331	0 000	0 000	45 026	0 000	0 781
		B		0 000	0 000	38 076	0 000	0 702
		C		0 000	0 000	59 857	0 000	0 946

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 11 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Feed Line Center of Pressure

Section	Elevation <i>ft</i>	CP_x	CP_z	CP_x	CP_z
		<i>in</i>	<i>in</i>	<i>Ice</i>	<i>Ice</i>
T1	255.000-240.000	0.856	4.712	-0.907	3.502
T2	240.000-220.000	2.937	-1.564	1.665	-0.522
T3	220.000-200.000	-0.798	-2.030	-2.227	-0.743
T4	200.000-180.000	-1.976	-0.496	-4.177	1.423
T5	180.000-160.000	-2.151	-0.538	-4.572	1.547
T6	160.000-140.000	-2.305	-0.575	-4.922	1.658
T7	140.000-120.000	-2.274	-0.572	-5.057	1.707
T8	120.000-100.000	-2.393	-0.602	-5.320	1.793
T9	100.000-80.000	-2.488	-0.626	-5.536	1.865
T10	80.000-60.000	-3.197	-0.786	-6.566	2.178
T11	60.000-40.000	-3.303	-0.814	-6.761	2.245
T12	40.000-20.000	-3.418	-0.843	-6.910	2.298
T13	20.000-0.000	-1.956	-0.501	-4.075	1.403

Shielding Factor Ka

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K_a No Ice	K_a Ice
T1	1	1-5/8"	240.00 - 250.00	0.6000	0.6000
T1	2	1.5" Hybrid	240.00 - 250.00	0.6000	0.6000
T1	14	Safety Line 3/8	240.00 - 255.00	0.6000	0.6000
T1	15	Strobe Cable	240.00 - 255.00	0.6000	0.6000
T1	17	Feedline Ladder (Af)	240.00 - 250.00	0.6000	0.6000
T2	1	1-5/8"	220.00 - 240.00	0.6000	0.6000
T2	2	1.5" Hybrid	220.00 - 240.00	0.6000	0.6000
T2	4	1-5/8"	220.00 - 238.00	0.6000	0.6000
T2	5	1.5" Hybrid	220.00 - 238.00	0.6000	0.6000
T2	7	1-5/8"	220.00 - 226.00	0.6000	0.6000
T2	8	1.5" Hybrid	220.00 - 226.00	0.6000	0.6000
T2	14	Safety Line 3/8	220.00 - 240.00	0.6000	0.6000
T2	15	Strobe Cable	220.00 - 240.00	0.6000	0.6000
T2	17	Feedline Ladder (Af)	220.00 - 240.00	0.6000	0.6000
T2	18	Feedline Ladder (Af)	220.00 - 238.00	0.6000	0.6000
T2	19	Feedline Ladder (Af)	220.00 - 226.00	0.6000	0.6000
T3	1	1-5/8"	200.00 -	0.6000	0.6000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 12 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _{no ice}	K _{ice}
			220.00		
T3	2	1.5" Hybrid	200.00 -	0.6000	0.6000
			220.00		
T3	4	1-5/8"	200.00 -	0.6000	0.6000
			220.00		
T3	5	1.5" Hybrid	200.00 -	0.6000	0.6000
			220.00		
T3	7	1-5/8"	200.00 -	0.6000	0.6000
			220.00		
T3	8	1.5" Hybrid	200.00 -	0.6000	0.6000
			220.00		
T3	10	1-5/8"	200.00 -	0.6000	0.6000
			214.00		
T3	12	1-5/8"	200.00 -	0.6000	0.6000
			202.00		
T3	14	Safety Line 3/8	200.00 -	0.6000	0.6000
			220.00		
T3	15	Strobe Cable	200.00 -	0.6000	0.6000
			220.00		
T3	17	Feedline Ladder (Af)	200.00 -	0.6000	0.6000
			220.00		
T3	18	Feedline Ladder (Af)	200.00 -	0.6000	0.6000
			220.00		
T3	19	Feedline Ladder (Af)	200.00 -	0.6000	0.6000
			220.00		
T4	1	1-5/8"	180.00 -	0.6000	0.6000
			200.00		
T4	2	1.5" Hybrid	180.00 -	0.6000	0.6000
			200.00		
T4	4	1-5/8"	180.00 -	0.6000	0.6000
			200.00		
T4	5	1.5" Hybrid	180.00 -	0.6000	0.6000
			200.00		
T4	7	1-5/8"	180.00 -	0.6000	0.6000
			200.00		
T4	8	1.5" Hybrid	180.00 -	0.6000	0.6000
			200.00		
T4	10	1-5/8"	180.00 -	0.6000	0.6000
			200.00		
T4	12	1-5/8"	180.00 -	0.6000	0.6000
			200.00		
T4	14	Safety Line 3/8	180.00 -	0.6000	0.6000
			200.00		
T4	15	Strobe Cable	180.00 -	0.6000	0.6000
			200.00		
T4	17	Feedline Ladder (Af)	180.00 -	0.6000	0.6000
			200.00		
T4	18	Feedline Ladder (Af)	180.00 -	0.6000	0.6000
			200.00		
T4	19	Feedline Ladder (Af)	180.00 -	0.6000	0.6000
			200.00		
T5	1	1-5/8"	160.00 -	0.6000	0.6000
			180.00		
T5	2	1.5" Hybrid	160.00 -	0.6000	0.6000
			180.00		
T5	4	1-5/8"	160.00 -	0.6000	0.6000
			180.00		
T5	5	1.5" Hybrid	160.00 -	0.6000	0.6000
			180.00		
T5	7	1-5/8"	160.00 -	0.6000	0.6000
			180.00		
T5	8	1.5" Hybrid	160.00 -	0.6000	0.6000

<p>tnxTower</p> <p>B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265</p>	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 13 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev	K _{no ice}	K _{ice}
T5	10	1-5/8"	180.00 160.00 -	0.6000	0.6000
T5	12	1-5/8"	180.00 160.00 -	0.6000	0.6000
T5	14	Safety Line 3/8	180.00 160.00 -	0.6000	0.6000
T5	15	Strobe Cable	180.00 160.00 -	0.6000	0.6000
T5	17	Feedline Ladder (Af)	180.00 160.00 -	0.6000	0.6000
T5	18	Feedline Ladder (Af)	180.00 160.00 -	0.6000	0.6000
T5	19	Feedline Ladder (Af)	180.00 160.00 -	0.6000	0.6000
T6	1	1-5/8"	140.00 - 160.00	0.6000	0.6000
T6	2	1 5" Hybrid	140.00 - 160.00	0.6000	0.6000
T6	4	1-5/8"	140.00 - 160.00	0.6000	0.6000
T6	5	1 5" Hybrid	140.00 - 160.00	0.6000	0.6000
T6	7	1-5/8"	140.00 - 160.00	0.6000	0.6000
T6	8	1 5" Hybrid	140.00 - 160.00	0.6000	0.6000
T6	10	1-5/8"	140.00 - 160.00	0.6000	0.6000
T6	12	1-5/8"	140.00 - 160.00	0.6000	0.6000
T6	14	Safety Line 3/8	140.00 - 160.00	0.6000	0.6000
T6	15	Strobe Cable	140.00 - 160.00	0.6000	0.6000
T6	17	Feedline Ladder (Af)	140.00 - 160.00	0.6000	0.6000
T6	18	Feedline Ladder (Af)	140.00 - 160.00	0.6000	0.6000
T6	19	Feedline Ladder (Af)	140.00 - 160.00	0.6000	0.6000
T7	1	1-5/8"	120.00 - 140.00	0.6000	0.6000
T7	2	1 5" Hybrid	120.00 - 140.00	0.6000	0.6000
T7	4	1-5/8"	120.00 - 140.00	0.6000	0.6000
T7	5	1 5" Hybrid	120.00 - 140.00	0.6000	0.6000
T7	7	1-5/8"	120.00 - 140.00	0.6000	0.6000
T7	8	1 5" Hybrid	120.00 - 140.00	0.6000	0.6000
T7	10	1-5/8"	120.00 - 140.00	0.6000	0.6000
T7	12	1-5/8"	120.00 - 140.00	0.6000	0.6000
T7	14	Safety Line 3/8	120.00 - 140.00	0.6000	0.6000
T7	15	Strobe Cable	120.00 - 140.00	0.6000	0.6000
T7	17	Feedline Ladder (Af)	120.00 -	0.6000	0.6000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 14 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section	Feed Line Record No	Description	Feed Line Segment Elev	K _a No Ice	K _a Ice
T7	18	Feedline Ladder (Af)	140 00 - 120 00	0.6000	0.6000
T7	19	Feedline Ladder (Af)	140 00 - 120 00	0.6000	0.6000
T8	1	1-5/8"	100 00 - 120 00	0.6000	0.6000
T8	2	1.5" Hybrid	100 00 - 120 00	0.6000	0.6000
T8	4	1-5/8"	100 00 - 120 00	0.6000	0.6000
T8	5	1.5" Hybrid	100 00 - 120 00	0.6000	0.6000
T8	7	1-5/8"	100 00 - 120 00	0.6000	0.6000
T8	8	1.5" Hybrid	100 00 - 120 00	0.6000	0.6000
T8	10	1-5/8"	100 00 - 120 00	0.6000	0.6000
T8	12	1-5/8"	100 00 - 120 00	0.6000	0.6000
T8	14	Safety Line 3/8	100 00 - 120 00	0.6000	0.6000
T8	15	Strobe Cable	100 00 - 120 00	0.6000	0.6000
T8	17	Feedline Ladder (Af)	100 00 - 120 00	0.6000	0.6000
T8	18	Feedline Ladder (Af)	100 00 - 120 00	0.6000	0.6000
T8	19	Feedline Ladder (Af)	100 00 - 120 00	0.6000	0.6000
T9	1	1-5/8"	80 00 - 100 00	0.6000	0.6000
T9	2	1.5" Hybrid	80 00 - 100 00	0.6000	0.6000
T9	4	1-5/8"	80 00 - 100 00	0.6000	0.6000
T9	5	1.5" Hybrid	80 00 - 100 00	0.6000	0.6000
T9	7	1-5/8"	80 00 - 100 00	0.6000	0.6000
T9	8	1.5" Hybrid	80 00 - 100 00	0.6000	0.6000
T9	10	1-5/8"	80 00 - 100 00	0.6000	0.6000
T9	12	1-5/8"	80 00 - 100 00	0.6000	0.6000
T9	14	Safety Line 3/8	80 00 - 100 00	0.6000	0.6000
T9	15	Strobe Cable	80 00 - 100 00	0.6000	0.6000
T9	17	Feedline Ladder (Af)	80 00 - 100 00	0.6000	0.6000
T9	18	Feedline Ladder (Af)	80 00 - 100 00	0.6000	0.6000
T9	19	Feedline Ladder (Af)	80 00 - 100 00	0.6000	0.6000
T10	1	1-5/8"	60 00 - 80 00	0.6000	0.6000
T10	2	1.5" Hybrid	60 00 - 80 00	0.6000	0.6000
T10	4	1-5/8"	60 00 - 80 00	0.6000	0.6000
T10	5	1.5" Hybrid	60 00 - 80 00	0.6000	0.6000
T10	7	1-5/8"	60 00 - 80 00	0.6000	0.6000
T10	8	1.5" Hybrid	60 00 - 80 00	0.6000	0.6000
T10	10	1-5/8"	60 00 - 80 00	0.6000	0.6000
T10	12	1-5/8"	60 00 - 80 00	0.6000	0.6000
T10	14	Safety Line 3/8	60 00 - 80 00	0.6000	0.6000
T10	15	Strobe Cable	60 00 - 80 00	0.6000	0.6000
T10	17	Feedline Ladder (Af)	60 00 - 80 00	0.6000	0.6000
T10	18	Feedline Ladder (Af)	60 00 - 80 00	0.6000	0.6000
T10	19	Feedline Ladder (Af)	60 00 - 80 00	0.6000	0.6000
T11	1	1-5/8"	40 00 - 60 00	0.6000	0.6000
T11	2	1.5" Hybrid	40 00 - 60 00	0.6000	0.6000
T11	4	1-5/8"	40 00 - 60 00	0.6000	0.6000
T11	5	1.5" Hybrid	40 00 - 60 00	0.6000	0.6000
T11	7	1-5/8"	40 00 - 60 00	0.6000	0.6000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 15 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _{no} No Ice	K _{ice} Ice
T11	8	1 5" Hybrid	40 00 - 60 00	0.6000	0.6000
T11	10	1-5/8"	40 00 - 60 00	0.6000	0.6000
T11	12	1-5/8"	40 00 - 60 00	0.6000	0.6000
T11	14	Safety Line 3/8	40 00 - 60 00	0.6000	0.6000
T11	15	Strobe Cable	40 00 - 60 00	0.6000	0.6000
T11	17	Feedline Ladder (Af)	40 00 - 60 00	0.6000	0.6000
T11	18	Feedline Ladder (Af)	40 00 - 60 00	0.6000	0.6000
T11	19	Feedline Ladder (Af)	40 00 - 60 00	0.6000	0.6000
T12	1	1-5/8"	20 00 - 40 00	0.6000	0.6000
T12	2	1 5" Hybrid	20 00 - 40 00	0.6000	0.6000
T12	4	1-5/8"	20 00 - 40 00	0.6000	0.6000
T12	5	1 5" Hybrid	20 00 - 40 00	0.6000	0.6000
T12	7	1-5/8"	20 00 - 40 00	0.6000	0.6000
T12	8	1 5" Hybrid	20 00 - 40 00	0.6000	0.6000
T12	10	1-5/8"	20 00 - 40 00	0.6000	0.6000
T12	12	1-5/8"	20 00 - 40 00	0.6000	0.6000
T12	14	Safety Line 3/8	20 00 - 40 00	0.6000	0.6000
T12	15	Strobe Cable	20 00 - 40 00	0.6000	0.6000
T12	17	Feedline Ladder (Af)	20 00 - 40 00	0.6000	0.6000
T12	18	Feedline Ladder (Af)	20 00 - 40 00	0.6000	0.6000
T12	19	Feedline Ladder (Af)	20 00 - 40 00	0.6000	0.6000
T13	1	1-5/8"	10 00 - 20 00	0.6000	0.6000
T13	2	1 5" Hybrid	10 00 - 20 00	0.6000	0.6000
T13	4	1-5/8"	10 00 - 20 00	0.6000	0.6000
T13	5	1 5" Hybrid	10 00 - 20 00	0.6000	0.6000
T13	7	1-5/8"	10 00 - 20 00	0.6000	0.6000
T13	8	1 5" Hybrid	10 00 - 20 00	0.6000	0.6000
T13	10	1-5/8"	10 00 - 20 00	0.6000	0.6000
T13	12	1-5/8"	10 00 - 20 00	0.6000	0.6000
T13	14	Safety Line 3/8	10 00 - 20 00	0.6000	0.6000
T13	15	Strobe Cable	10 00 - 20 00	0.6000	0.6000
T13	17	Feedline Ladder (Af)	10 00 - 20 00	0.6000	0.6000
T13	18	Feedline Ladder (Af)	10 00 - 20 00	0.6000	0.6000
T13	19	Feedline Ladder (Af)	10 00 - 20 00	0.6000	0.6000

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	Placement	C ₁ A ₁ Front	C ₂ A ₁ Side	Weight	
			ft ft ft	°	ft	ft ²	ft ²	K	
Lightning Rod 1"x10'	C	From Leg	0.000	0.000	255.000	No Ice	1.000	1.000	0.040
			0.000			1/2" Ice	2.017	2.017	0.049
			5.000			1" Ice	3.050	3.050	0.065
						2" Ice	5.148	5.148	0.116
Top Beacon	B	From Leg	0.000	0.000	255.000	No Ice	2.700	2.700	0.050
			0.000			1/2" Ice	3.100	3.100	0.070
			1.000			1" Ice	3.500	3.500	0.090
						2" Ice	4.300	4.300	0.130
** Sector 1(CaAa=13333.33 Sq in)No Ice	A	From Leg	4.000	0.000	250.000	No Ice	92.592	62.037	0.700
			0.000			1/2" Ice	115.740	77.546	1.400

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job		ATS#9320 - Horn Road (Site# KYLEX2054)		Page		16 of 34	
	Project		255' SST/37.068564, -84.998776		Date		14:33:28 12/29/21	
	Client		Harmoni Towers		Designed by		mwilliams	

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _v A ₁ Front ft ²	C _v A ₁ Side ft ²	Weight K
(Carrier 1)			0 000			1" Ice 138 888	93 055	2 100
Sector2(CaAa=13333 33 Sq in)No Ice (Carrier 1)	B	From Leg	4 000 0 000 0 000	0 000	250 000	2" Ice 185 184 No Ice 92 592 1/2" Ice 115 740	124 073 62 037 77 546	3 500 0 700 1 400
Sector3(CaAa=13333 33 Sq in)No Ice (Carrier 1)	C	From Leg	4 000 0 000 0 000	0 000	250 000	1" Ice 138 888 2" Ice 185 184 No Ice 92 592 1/2" Ice 115 740	93 055 124 073 62 037 77 546	2 100 3 500 0 700 1 400
**						1" Ice 138 888	93 055	2 100
Sector1(CaAa=10000 Sq in)No Ice (Carrier 2)	A	From Leg	4 000 0 000 0 000	0 000	238 000	No Ice 69 444 1/2" Ice 86 805 1" Ice 104 166	46 527 58 159 69 791	0 700 1 400 2 100
Sector2(CaAa=10000 Sq in)No Ice (Carrier 2)	B	From Leg	4 000 0 000 0 000	0 000	238 000	2" Ice 138 888 No Ice 69 444 1/2" Ice 86 805	93 055 46 527 58 159	3 500 0 700 1 400
Sector3(CaAa=10000 Sq in)No Ice (Carrier 2)	C	From Leg	4 000 0 000 0 000	0 000	238 000	1" Ice 104 166 2" Ice 138 888 No Ice 69 444	69 791 93 055 46 527	2 100 3 500 0 700
**						1/2" Ice 86 805	58 159	1 400
Sector1(CaAa=10000 Sq in)No Ice (Carrier 3)	A	From Leg	4 000 0 000 0 000	0 000	226 000	1" Ice 104 166 2" Ice 138 888 No Ice 69 444	69 791 93 055 46 527	2 100 3 500 0 700
Sector2(CaAa=10000 Sq in)No Ice (Carrier 3)	B	From Leg	4 000 0 000 0 000	0 000	226 000	1/2" Ice 86 805 1" Ice 104 166 2" Ice 138 888	58 159 69 791 93 055	1 400 2 100 3 500
Sector3(CaAa=10000 Sq in)No Ice (Carrier 3)	C	From Leg	4 000 0 000 0 000	0 000	226 000	No Ice 69 444 1/2" Ice 86 805 1" Ice 104 166	46 527 58 159 69 791	0 700 1 400 2 100
**						2" Ice 138 888	93 055	3 500
4 1/2" OD Dish Mount (Carrier 4)	C	From Leg	0 500 0 000 0 000	0 000	214 000	No Ice 1 646 1/2" Ice 2 207 1" Ice 2 543	1 646 2 207 2 543	0 057 0 074 0 094
4 1/2" OD Dish Mount (Carrier 4)	B	From Leg	0 500 0 000 0 000	0 000	214 000	2" Ice 3 241 No Ice 1 646 1/2" Ice 2 207	3 241 1 646 2 207	0 148 0 057 0 074
**						1" Ice 2 543	2 543	0 094
4 1/2" OD Dish Mount (Carrier 5)	C	From Leg	0 500 0 000 0 000	0 000	202 000	2" Ice 3 241 No Ice 1 646 1/2" Ice 2 207	3 241 1 646 2 207	0 148 0 057 0 074
4 1/2" OD Dish Mount (Carrier 5)	B	From Leg	0 500 0 000 0 000	0 000	202 000	1" Ice 2 543 2" Ice 3 241 No Ice 1 646	2 543 3 241 1 646	0 094 0 148 0 057
**						1/2" Ice 2 207	2 207	0 074
**						1" Ice 2 543	2 543	0 094
**						2" Ice 3 241	3 241	0 148

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 17 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets:		Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight
				Horz	Vert						
				ft	°	°	ft	ft	ft ²	K	
6' MW Dish (Carrier 4)	C	Paraboloid w/o Radome	From Leg	1 000	0 000	0 000	214 000	6 000	No Ice	28 270	0.143
				0 000	0 000				1/2" Ice	29 050	0.292
				0 000	0 000				1" Ice	29 831	0.441
				0 000	0 000				2" Ice	31 392	0.740
6' MW Dish (Carrier 4)	B	Paraboloid w/o Radome	From Leg	1 000	0 000	0 000	214 000	6 000	No Ice	28 270	0.143
				0 000	0 000				1/2" Ice	29 050	0.292
				0 000	0 000				1" Ice	29 831	0.441
				0 000	0 000				2" Ice	31 392	0.740
**											
6' MW Dish (Carrier 5)	C	Paraboloid w/o Radome	From Leg	1 000	0 000	0 000	202 000	6 000	No Ice	28 270	0.143
				0 000	0 000				1/2" Ice	29 050	0.292
				0 000	0 000				1" Ice	29 831	0.441
				0 000	0 000				2" Ice	31 392	0.740
6' MW Dish (Carrier 5)	B	Paraboloid w/o Radome	From Leg	1 000	0 000	0 000	202 000	6 000	No Ice	28 270	0.143
				0 000	0 000				1/2" Ice	29 050	0.292
				0 000	0 000				1" Ice	29 831	0.441
				0 000	0 000				2" Ice	31 392	0.740
**											

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.0 Wind 0 deg - No Ice
3	0.9 Dead+1.0 Wind 0 deg - No Ice
4	1.2 Dead+1.0 Wind 30 deg - No Ice
5	0.9 Dead+1.0 Wind 30 deg - No Ice
6	1.2 Dead+1.0 Wind 60 deg - No Ice
7	0.9 Dead+1.0 Wind 60 deg - No Ice
8	1.2 Dead+1.0 Wind 90 deg - No Ice
9	0.9 Dead+1.0 Wind 90 deg - No Ice
10	1.2 Dead+1.0 Wind 120 deg - No Ice
11	0.9 Dead+1.0 Wind 120 deg - No Ice
12	1.2 Dead+1.0 Wind 150 deg - No Ice
13	0.9 Dead+1.0 Wind 150 deg - No Ice
14	1.2 Dead+1.0 Wind 180 deg - No Ice
15	0.9 Dead+1.0 Wind 180 deg - No Ice
16	1.2 Dead+1.0 Wind 210 deg - No Ice
17	0.9 Dead+1.0 Wind 210 deg - No Ice
18	1.2 Dead+1.0 Wind 240 deg - No Ice
19	0.9 Dead+1.0 Wind 240 deg - No Ice
20	1.2 Dead+1.0 Wind 270 deg - No Ice
21	0.9 Dead+1.0 Wind 270 deg - No Ice
22	1.2 Dead+1.0 Wind 300 deg - No Ice
23	0.9 Dead+1.0 Wind 300 deg - No Ice
24	1.2 Dead+1.0 Wind 330 deg - No Ice
25	0.9 Dead+1.0 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 18 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Comb No.	Description
27	1 2 Dead+1 0 Wind 0 deg+1 0 Ice+1 0 Temp
28	1 2 Dead+1 0 Wind 30 deg+1 0 Ice+1 0 Temp
29	1 2 Dead+1 0 Wind 60 deg+1 0 Ice+1 0 Temp
30	1 2 Dead+1 0 Wind 90 deg+1 0 Ice+1 0 Temp
31	1 2 Dead+1 0 Wind 120 deg+1 0 Ice+1 0 Temp
32	1 2 Dead+1 0 Wind 150 deg+1 0 Ice+1 0 Temp
33	1 2 Dead+1 0 Wind 180 deg+1 0 Ice+1 0 Temp
34	1 2 Dead+1 0 Wind 210 deg+1 0 Ice+1 0 Temp
35	1 2 Dead+1 0 Wind 240 deg+1 0 Ice+1 0 Temp
36	1 2 Dead+1 0 Wind 270 deg+1 0 Ice+1 0 Temp
37	1 2 Dead+1 0 Wind 300 deg+1 0 Ice+1 0 Temp
38	1 2 Dead+1 0 Wind 330 deg+1 0 Ice+1 0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T1	255 - 240	Leg	Max Tension	15	11 938	0 611	-0 006
			Max Compression	2	-13 937	0 547	-0 004
			Max Mx	2	-13 935	-0 653	0 007
			Max My	4	-1 254	-0 030	-0 551
			Max Vy	2	-2 399	0 547	-0 004
			Max Vx	24	-1 861	-0 005	0 144
		Diagonal	Max Tension	2	3 117	0 000	0 000
			Max Compression	2	-3 139	0 000	0 000
			Max Mx	2	-1 015	0 019	-0 001
			Max My	8	-2 639	-0 001	-0 009
			Max Vy	35	0 023	0 018	-0 002
			Max Vx	8	0 003	0 000	0 000
		Top Girt	Max Tension	23	0 122	0 000	0 000
			Max Compression	21	-0 197	0 000	0 000
			Max Mx	26	-0 022	-0 037	0 000
			Max My	38	-0 028	0 000	0 001
			Max Vy	26	0 030	0 000	0 000
			Max Vx	38	0 001	0 000	0 000
T2	240 - 220	Leg	Max Tension	15	48 505	2 090	-0 017
			Max Compression	2	-55 011	1 167	-0 016
			Max Mx	2	-55 007	-2 590	0 023
			Max My	4	-1 267	-0 076	-1 438
			Max Vy	2	-7 509	1 167	-0 016
			Max Vx	4	3 234	-0 056	-0 668
		Diagonal	Max Tension	12	6 621	0 000	0 000
			Max Compression	20	-6 055	0 000	0 000
			Max Mx	2	-0 989	0 038	-0 002
			Max My	20	-6 031	-0 008	0 035
			Max Vy	35	0 029	0 027	-0 003

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 19 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft		
T3	220 - 200	Leg	Max Vx	20	-0.008	0.000	0.000		
			Max Tension	15	91.421	2.786	-0.017		
			Max Compression	2	-102.280	1.035	-0.003		
			Max Mx	2	-55.031	4.887	-0.055		
			Max My	4	-3.876	-0.086	-2.286		
			Max Vy	2	-9.736	1.035	-0.003		
			Max Vx	4	4.311	0.086	-0.702		
		Diagonal	Max Tension	20	7.938	0.000	0.000		
			Max Compression	20	-7.049	0.000	0.000		
			Max Mx	28	0.418	0.038	0.003		
			Max My	20	-7.008	-0.006	0.019		
			Max Vy	28	0.037	0.038	0.003		
			Max Vx	20	-0.004	0.000	0.000		
			T4	200 - 180	Leg	Max Tension	7	135.061	3.352
Max Compression	2	-149.495				0.855	0.002		
Max Mx	2	-102.299				5.869	-0.026		
Max My	4	-6.877				0.350	-2.859		
Max Vy	2	-10.317				0.855	0.002		
Max Vx	24	-4.417				0.026	0.384		
Diagonal	Max Tension	8				8.461	0.000	0.000	
	Max Compression	20			-8.880	0.000	0.000		
	Max Mx	37			1.152	0.059	-0.005		
	Max My	20			-8.820	-0.007	0.024		
	Max Vy	32			0.050	0.058	0.005		
	Max Vx	20			-0.005	0.000	0.000		
	T5	180 - 160			Leg	Max Tension	7	174.665	3.670
Max Compression						2	-192.915	0.882	0.005
Max Mx			2	-149.514		5.989	0.003		
Max My			24	-11.188		0.237	2.595		
Max Vy			18	-11.237		0.883	0.031		
Max Vx			24	-4.546		0.027	0.388		
Diagonal			Max Tension	8		8.685	0.000	0.000	
			Max Compression	8	-8.823	0.000	0.000		
			Max Mx	32	0.404	0.073	0.007		
			Max My	8	-8.749	-0.003	-0.019		
			Max Vy	32	0.057	0.073	0.007		
			Max Vx	8	0.004	0.000	0.000		
			T6	160 - 140	Leg	Max Tension	7	211.663	3.975
Max Compression						18	-234.136	0.960	0.037
Max Mx	18	-192.661				6.478	0.282		
Max My	24	-14.782				0.215	2.665		
Max Vy	18	-12.150				0.960	0.037		
Max Vx	24	-4.773				0.025	0.506		
Diagonal	Max Tension	8				9.022	0.000	0.000	
	Max Compression	8			-9.086	0.000	0.000		
	Max Mx	32			0.422	0.090	0.008		
	Max My	22			-7.814	0.016	0.015		
	Max Vy	32			0.063	0.090	0.008		
	Max Vx	22			-0.003	0.000	0.000		
	T7	140 - 120			Leg	Max Tension	7	247.191	5.012
Max Compression						18	-274.855	0.150	0.007
Max Mx			18	-234.160		7.012	0.249		
Max My			24	-18.016		0.202	2.896		
Max Vy			18	-13.369		0.150	0.007		
Max Vx			24	-5.145		0.003	0.149		
Diagonal			Max Tension	8		9.816	0.000	0.000	
			Max Compression	8	-9.560	0.000	0.000		
			Max Mx	32	0.440	0.123	0.011		
			Max My	22	-8.847	0.026	0.017		
			Max Vy	32	0.079	0.123	0.011		
			Max Vx	38	0.003	0.000	0.000		

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 20 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft			
T8	120 - 100	Leg	Max Tension	7	281 598	4 651	0 097			
			Max Compression	18	-314 814	1 159	0 038			
			Max Mx	18	-274 877	6 835	0 194			
			Max My	24	-21 143	0 170	2 725			
			Max Vy	18	-14 630	1 159	0 038			
			Max Vx	24	-5 540	0 024	0 659			
		Diagonal	Max Tension	8	10 282	0 000	0 000			
			Max Compression	8	-10 069	0 000	0 000			
			Max Mx	38	0 530	0 144	-0 013			
			Max My	22	-9 300	0 033	0 018			
			Max Vy	38	0 086	0 144	-0 013			
			Max Vx	38	0 003	0 000	0 000			
			T9	100 - 80	Leg	Max Tension	7	315 229	5 146	0 085
						Max Compression	18	-354 924	0 880	0 052
Max Mx	18	-314 841				8 444	0 202			
Max My	24	-24 064				0 183	3 431			
Max Vy	18	-15 297				0 880	0 052			
Max Vx	24	-6 282				-0 007	1 061			
Diagonal	Max Tension	10			11 025	0 000	0 000			
	Max Compression	8			-11 001	0 000	0 000			
	Max Mx	35			1 098	0 184	0 016			
	Max My	22			-10 129	0 058	0 023			
	Max Vy	36			0 099	0 173	0 017			
	Max Vx	38			0 004	0 000	0 000			
	T10	80 - 60			Leg	Max Tension	7	348 009	6 615	0 096
						Max Compression	18	-394 525	-0 504	0 020
Max Mx			18	-394 498		-8 543	-0 116			
Max My			24	-27 192		0 171	4 204			
Max Vy			18	-16 066		-0 504	0 020			
Max Vx			24	-6 406		-0 031	0 432			
Diagonal			Max Tension	9	12 408	0 000	0 000			
			Max Compression	10	-12 858	0 000	0 000			
			Max Mx	36	1 714	0 279	0 000			
			Max My	31	-0 116	0 000	-0 007			
			Max Vy	36	-0 103	0 000	0 000			
			Max Vx	31	0 003	0 000	0 000			
			Horizontal	Max Tension	10	1 842	-0 058	0 000		
				Max Compression	8	-1 849	0 000	0 000		
Max Mx	26	0 082		-0 178	0 004					
Max My	6	0 669		-0 050	0 005					
Max Vy	26	-0 095		-0 178	0 004					
Max Vx	35	-0 002		-0 178	0 004					
Inner Bracing	Max Tension	1		0 000	0 000	0 000				
	Max Compression	37		-0 010	0 000	0 000				
	Max Mx	26	-0 009	-0 121	0 000					
	Max My	18	-0 005	0 000	-0 000					
	Max Vy	26	-0 051	0 000	0 000					
	Max Vx	18	0 000	0 000	0 000					
	T11	60 - 40	Leg	Max Tension	7	379 278	6 302	0 078		
				Max Compression	18	-432 728	0 307	0 029		
Max Mx				18	-432 701	-8 198	-0 092			
Max My				24	-30 346	0 130	3 639			
Max Vy				18	-16 997	0 307	0 029			
Max Vx				24	-6 516	-0 011	0 746			
Diagonal			Max Tension	9	12 538	0 000	0 000			
			Max Compression	11	-12 801	0 000	0 000			
			Max Mx	36	1 772	0 311	0 000			
			Max My	31	-0 024	0 000	-0 007			
			Max Vy	36	-0 108	0 000	0 000			
			Max Vx	31	0 003	0 000	0 000			
			Horizontal	Max Tension	10	1 755	-0 078	0 001		

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 21 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T12	40 - 20	Inner Bracing	Max Compression	23	-1 688	-0 058	0 002	
			Max Mx	31	0 017	-0 220	0 005	
			Max My	6	0 619	-0 066	0 005	
			Max Vy	31	-0 110	-0 220	0 005	
			Max Vx	35	-0 002	-0 220	0 005	
			Max Tension	1	0 000	0 000	0 000	
			Max Compression	37	-0 011	0 000	0 000	
			Max Mx	26	-0 010	-0 136	0 000	
			Max My	18	-0 005	0 000	-0 000	
			Max Vy	26	0 053	0 000	0 000	
			Max Vx	18	0 000	0 000	0 000	
			Leg	Max Tension	7	409 386	7 145	0 076
			Max Compression	18	-470 120	-0 424	0 018	
			Max Mx	18	-470 089	-9 319	-0 088	
			Max My	24	-33 472	0 141	4 007	
		Max Vy	18	-17 776	-0 424	0 018		
		Max Vx	24	-6 560	-0 021	0 512		
		Diagonal	Max Tension	9	12 866	0 000	0 000	
		Max Compression	11	-13 081	0 000	0 000		
		Max Mx	36	1 997	0 339	0 000		
		Max My	31	0 223	0 000	-0 008		
		Max Vy	36	0 111	0 000	0 000		
		Max Vx	31	-0 003	0 000	0 000		
		Horizontal	Max Tension	10	2 012	-0 090	0 001	
		Max Compression	8	-1 829	0 000	0 000		
		Max Mx	27	-0 055	-0 244	0 005		
		Max My	29	0 106	-0 244	0 006		
		Max Vy	31	-0 113	-0 240	0 005		
		Max Vx	31	-0 002	-0 240	0 005		
		Inner Bracing	Max Tension	1	0 000	0 000	0 000	
Max Compression	37	-0 011	0 000	0 000				
Max Mx	26	-0 010	-0 149	0 000				
Max My	18	-0 005	0 000	-0 000				
Max Vy	26	0 054	0 000	0 000				
Max Vx	18	0 000	0 000	0 000				
T13	20 - 0	Leg	Max Tension	7	437 977	7 043	0 075	
			Max Compression	18	-506 004	0 000	0 000	
			Max Mx	18	-505 975	-9 286	-0 095	
			Max My	24	-36 684	0 133	3 795	
			Max Vy	18	-18 558	0 000	0 000	
			Max Vx	24	-6 562	0 133	3 795	
			Diagonal	Max Tension	9	12 917	0 000	0 000
			Max Compression	11	-13 098	0 000	0 000	
			Max Mx	31	2 395	0 414	0 000	
			Max My	31	0 752	0 000	-0 010	
			Max Vy	31	-0 128	0 000	0 000	
			Max Vx	31	0 003	0 000	0 000	
			Horizontal	Max Tension	10	2 008	-0 131	0 002
			Max Compression	23	-1 850	-0 092	0 003	
			Max Mx	35	-0 092	-0 327	0 007	
		Max My	29	0 114	-0 324	0 008		
		Max Vy	35	0 133	-0 327	0 007		
		Max Vx	29	0 003	-0 324	0 008		
		Inner Bracing	Max Tension	1	0 000	0 000	0 000	
		Max Compression	29	-0 012	0 000	0 000		
		Max Mx	35	-0 011	-0 152	0 000		
		Max My	35	-0 011	0 000	-0 000		
		Max Vy	35	0 051	0 000	0 000		
		Max Vx	35	0 000	0 000	0 000		

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 22 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg C	Max Vert	18	504 918	32 973	-18 861
	Max H _x	18	504 918	32 973	-18 861
	Max H _y	5	-380 657	-25 034	17 244
	Min Vert	7	-436 807	-30 123	17 189
	Min H _x	7	-436 807	-30 123	17 189
	Min H _y	18	504 918	32 973	-18 861
Leg B	Max Vert	10	502 191	-33 094	-18 391
	Max H _x	23	-434 825	30 272	16 672
	Max H _y	25	-378 964	25 211	16 678
	Min Vert	23	-434 825	30 272	16 672
	Min H _x	10	502 191	-33 094	-18 391
	Min H _y	10	502 191	-33 094	-18 391
Leg A	Max Vert	2	501 423	-0 175	37 627
	Max H _x	21	31 608	5 324	1 551
	Max H _y	2	501 423	-0 175	37 627
	Min Vert	15	-419 670	0 191	-33 366
	Min H _x	9	31 608	-5 329	1 551
	Min H _y	15	-419 670	0 191	-33 366

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _y K	Overturning Moment, M _x kip-ft	Overturning Moment, M _y kip-ft	Torque kip-ft
Dead Only	64 657	-0 000	0 000	6 075	4 212	0 000
1.2 Dead+1.0 Wind 0 deg - No Ice	77 588	0 000	-63 837	-9884 332	5 104	-7 638
0.9 Dead+1.0 Wind 0 deg - No Ice	58 191	0 000	-63 834	-9866 836	3 827	-7 628
1.2 Dead+1.0 Wind 30 deg - No Ice	77 588	31 492	-51 870	-8049 224	-4970 540	13 528
0.9 Dead+1.0 Wind 30 deg - No Ice	58 191	31 491	-51 868	-8035 315	-4962 103	13 523
1.2 Dead+1.0 Wind 60 deg - No Ice	77 588	52 609	-30 057	-4696 032	-8256 708	6 357
0.9 Dead+1.0 Wind 60 deg - No Ice	58 191	52 607	-30 056	-4688 720	-8241 851	6 338
1.2 Dead+1.0 Wind 90 deg - No Ice	77 588	61 470	-1 239	-252 412	-9581 811	2 503
0.9 Dead+1.0 Wind 90 deg - No Ice	58 191	61 468	-1 239	-253 792	-9564 367	2 475
1.2 Dead+1.0 Wind 120 deg - No Ice	77 588	56 774	30 306	4569 151	-8793 874	22 714
0.9 Dead+1.0 Wind 120 deg - No Ice	58 191	56 772	30 305	4558 463	-8777 973	22 685
1.2 Dead+1.0 Wind 150 deg - No Ice	77 588	29 899	51 668	8017 618	-4633 988	30 822
0.9 Dead+1.0 Wind 150 deg - No Ice	58 191	29 898	51 666	8000 162	-4626 151	30 803
1.2 Dead+1.0 Wind 180 deg - No Ice	77 588	0 000	58 415	9145 542	5 101	7 636

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 23 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Load Combination	Vertical K	Shear _x K	Shear _y K	Overturning Moment, M _x kip-ft	Overturning Moment, M _y kip-ft	Torque kip-ft
0.9 Dead+1.0 Wind 180 deg - No Ice	58.191	0.000	58.413	9125.832	3.824	7.627
1.2 Dead+1.0 Wind 210 deg - No Ice	77.588	-30.004	51.848	8059.495	4668.410	-8.002
0.9 Dead+1.0 Wind 210 deg - No Ice	58.191	-30.003	51.847	8041.945	4657.964	-7.999
1.2 Dead+1.0 Wind 240 deg - No Ice	77.588	-56.953	30.410	4593.024	8845.538	-2.052
0.9 Dead+1.0 Wind 240 deg - No Ice	58.191	-56.950	30.408	4582.282	8826.989	-2.032
1.2 Dead+1.0 Wind 270 deg - No Ice	77.588	-61.470	-1.239	-252.413	9591.978	-2.505
0.9 Dead+1.0 Wind 270 deg - No Ice	58.191	-61.468	-1.239	-253.793	9571.981	-2.476
1.2 Dead+1.0 Wind 300 deg - No Ice	77.588	-52.430	-29.954	-4672.030	8225.444	-27.022
0.9 Dead+1.0 Wind 300 deg - No Ice	58.191	-52.429	-29.953	-4664.773	8208.128	-26.994
1.2 Dead+1.0 Wind 330 deg - No Ice	77.588	-31.387	-51.690	-8007.278	4956.571	-36.349
0.9 Dead+1.0 Wind 330 deg - No Ice	58.191	-31.387	-51.688	-7993.464	4945.634	-36.328
1.2 Dead+1.0 Ice+1.0 Temp	213.169	0.001	-0.001	42.107	47.676	-0.001
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	213.169	0.000	-8.872	-1395.580	48.131	-2.471
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	213.169	4.427	-7.428	-1162.851	-677.490	-0.089
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	213.169	7.560	-4.336	-662.815	-1184.250	0.318
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	213.169	8.811	-0.111	18.850	-1381.157	1.347
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	213.169	7.858	4.315	729.546	-1223.840	3.721
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	213.169	4.285	7.411	1244.172	-646.929	4.452
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	213.169	0.000	8.474	1423.327	48.124	2.469
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	213.169	-4.294	7.426	1247.662	745.197	0.587
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	213.169	-7.873	4.323	731.558	1323.588	0.066
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	213.169	-8.811	-0.111	18.845	1477.412	-1.349
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	213.169	-7.545	-4.328	-660.804	1277.018	-4.107
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	213.169	-4.419	-7.413	-1159.362	771.739	-4.951
Dead+Wind 0 deg - Service	64.657	0.000	-20.844	-3219.730	4.235	-2.492
Dead+Wind 30 deg - Service	64.657	10.283	-16.937	-2621.287	-1618.342	4.438
Dead+Wind 60 deg - Service	64.657	17.178	-9.814	-1527.755	-2690.046	2.072
Dead+Wind 90 deg - Service	64.657	20.071	-0.405	-78.594	-3122.215	0.789
Dead+Wind 120 deg - Service	64.657	18.538	9.896	1493.788	-2865.290	7.407
Dead+Wind 150 deg - Service	64.657	9.763	16.870	2618.374	-1508.683	10.082
Dead+Wind 180 deg - Service	64.657	0.000	19.073	2986.214	4.234	2.492
Dead+Wind 210 deg - Service	64.657	-9.797	16.929	2632.039	1525.044	-2.634
Dead+Wind 240 deg - Service	64.657	-18.596	9.929	1501.587	2887.280	-0.662
Dead+Wind 270 deg - Service	64.657	-20.071	-0.405	-78.594	3130.679	-0.790
Dead+Wind 300 deg - Service	64.657	-17.119	-9.781	-1519.940	2684.993	-8.818
Dead+Wind 330 deg - Service	64.657	-10.249	-16.878	-2607.616	1618.924	-11.888

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 24 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Solution Summary

Load Comb	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.000	-64.657	0.000	0.000	64.657	-0.000	0.000%
2	-0.000	-77.588	-63.840	-0.000	77.588	63.837	0.003%
3	-0.000	-58.191	-63.840	-0.000	58.191	63.834	0.007%
4	31.493	-77.588	-51.873	-31.492	77.588	51.870	0.003%
5	31.493	-58.191	-51.873	-31.491	58.191	51.868	0.006%
6	52.611	-77.588	-30.059	-52.609	77.588	30.057	0.003%
7	52.611	-58.191	-30.059	-52.607	58.191	30.056	0.005%
8	61.472	-77.588	-1.239	-61.470	77.588	1.239	0.003%
9	61.472	-58.191	-1.239	-61.468	58.191	1.239	0.006%
10	56.777	-77.588	30.308	-56.774	77.588	-30.306	0.003%
11	56.777	-58.191	30.308	-56.772	58.191	-30.305	0.006%
12	29.901	-77.588	51.670	-29.899	77.588	-51.668	0.003%
13	29.901	-58.191	51.670	-29.898	58.191	-51.666	0.006%
14	0.000	-77.588	58.417	-0.000	77.588	-58.415	0.003%
15	0.000	-58.191	58.417	-0.000	58.191	-58.413	0.005%
16	-30.005	-77.588	51.851	30.004	77.588	-51.848	0.003%
17	-30.005	-58.191	51.851	30.003	58.191	-51.847	0.006%
18	-56.955	-77.588	30.411	56.953	77.588	-30.410	0.003%
19	-56.955	-58.191	30.411	56.950	58.191	-30.408	0.007%
20	-61.472	-77.588	-1.239	61.470	77.588	1.239	0.003%
21	-61.472	-58.191	-1.239	61.468	58.191	1.239	0.006%
22	-52.433	-77.588	-29.955	52.430	77.588	29.954	0.003%
23	-52.433	-58.191	-29.955	52.429	58.191	29.953	0.005%
24	-31.389	-77.588	-51.692	31.387	77.588	51.690	0.003%
25	-31.389	-58.191	-51.692	31.387	58.191	51.688	0.006%
26	0.000	-213.169	0.000	-0.001	213.169	0.001	0.001%
27	0.000	-213.169	-8.873	-0.000	213.169	8.872	0.000%
28	4.428	-213.169	-7.429	-4.427	213.169	7.428	0.000%
29	7.560	-213.169	-4.336	-7.560	213.169	4.336	0.000%
30	8.811	-213.169	-0.111	-8.811	213.169	0.111	0.000%
31	7.859	-213.169	4.315	-7.858	213.169	-4.315	0.000%
32	4.286	-213.169	7.412	-4.285	213.169	-7.411	0.000%
33	0.000	-213.169	8.475	-0.000	213.169	-8.474	0.000%
34	-4.294	-213.169	7.427	4.294	213.169	-7.426	0.000%
35	-7.873	-213.169	4.324	7.873	213.169	-4.323	0.000%
36	-8.811	-213.169	-0.111	8.811	213.169	0.111	0.000%
37	-7.545	-213.169	-4.328	7.545	213.169	4.328	0.000%
38	-4.419	-213.169	-7.414	4.419	213.169	7.413	0.000%
39	0.000	-64.657	-20.846	-0.000	64.657	20.844	0.003%
40	10.283	-64.657	-16.938	-10.283	64.657	16.937	0.003%
41	17.179	-64.657	-9.815	-17.178	64.657	9.814	0.002%
42	20.073	-64.657	-0.405	-20.071	64.657	0.405	0.003%
43	18.539	-64.657	9.896	-18.538	64.657	-9.896	0.003%
44	9.764	-64.657	16.872	-9.763	64.657	-16.870	0.002%
45	0.000	-64.657	19.075	-0.000	64.657	-19.073	0.002%
46	-9.798	-64.657	16.931	9.797	64.657	-16.929	0.003%
47	-18.598	-64.657	9.930	18.596	64.657	-9.929	0.003%
48	-20.073	-64.657	-0.405	20.071	64.657	0.405	0.003%
49	-17.121	-64.657	-9.781	17.119	64.657	9.781	0.002%
50	-10.249	-64.657	-16.879	10.249	64.657	16.878	0.003%

Non-Linear Convergence Results

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 25 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	6	0.0000001	0.0000001
2	Yes	13	0.00004047	0.00009032
3	Yes	12	0.00006993	0.00014925
4	Yes	13	0.00003704	0.00008294
5	Yes	12	0.00006258	0.00013400
6	Yes	13	0.00003415	0.00007673
7	Yes	12	0.00005630	0.00012092
8	Yes	13	0.00003710	0.00008303
9	Yes	12	0.00006272	0.00013422
10	Yes	13	0.00004040	0.00009007
11	Yes	12	0.00006978	0.00014881
12	Yes	13	0.00003729	0.00008349
13	Yes	12	0.00006314	0.00013515
14	Yes	13	0.00003424	0.00007696
15	Yes	12	0.00005646	0.00012136
16	Yes	13	0.00003732	0.00008355
17	Yes	12	0.00006320	0.00013529
18	Yes	13	0.00004043	0.00009015
19	Yes	12	0.00006985	0.00014896
20	Yes	13	0.00003710	0.00008301
21	Yes	12	0.00006272	0.00013421
22	Yes	13	0.00003417	0.00007674
23	Yes	12	0.00005633	0.00012096
24	Yes	13	0.00003701	0.00008287
25	Yes	12	0.00006253	0.00013387
26	Yes	9	0.0000001	0.00012061
27	Yes	14	0.0000001	0.00008346
28	Yes	14	0.0000001	0.00008149
29	Yes	14	0.0000001	0.00008199
30	Yes	14	0.0000001	0.00008355
31	Yes	14	0.0000001	0.00008654
32	Yes	14	0.0000001	0.00008507
33	Yes	14	0.0000001	0.00008574
34	Yes	14	0.0000001	0.00008677
35	Yes	14	0.0000001	0.00008856
36	Yes	14	0.0000001	0.00008670
37	Yes	14	0.0000001	0.00008470
38	Yes	14	0.0000001	0.00008309
39	Yes	12	0.0000001	0.00014916
40	Yes	12	0.0000001	0.00014429
41	Yes	12	0.0000001	0.00014033
42	Yes	12	0.0000001	0.00014430
43	Yes	12	0.0000001	0.00014892
44	Yes	12	0.0000001	0.00014462
45	Yes	12	0.0000001	0.00014055
46	Yes	12	0.0000001	0.00014468
47	Yes	12	0.0000001	0.00014896
48	Yes	12	0.0000001	0.00014426
49	Yes	12	0.0000001	0.00014028
50	Yes	12	0.0000001	0.00014419

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz Deflection in	Gov. Load Comb.	Tilt °	Twist °
-------------	-----------------	-----------------------	-----------------	-----------	------------

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 26 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	255 - 240	12 930	47	0.432	0.075
T2	240 - 220	11 550	47	0.428	0.074
T3	220 - 200	9 709	47	0.401	0.073
T4	200 - 180	7 983	47	0.366	0.066
T5	180 - 160	6 435	47	0.323	0.055
T6	160 - 140	5 072	47	0.280	0.046
T7	140 - 120	3 882	47	0.240	0.037
T8	120 - 100	2 861	47	0.202	0.028
T9	100 - 80	1 991	47	0.163	0.020
T10	80 - 60	1 289	47	0.127	0.014
T11	60 - 40	0 764	47	0.094	0.010
T12	40 - 20	0 377	47	0.061	0.006
T13	20 - 0	0 121	47	0.031	0.003

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
255 000	Lightning Rod 1"x10'	47	12 930	0.432	0.075	348465
250 000	Sector1(CaAa=13333 33 Sq in)No Ice	47	12 471	0.432	0.075	348465
238 000	Sector1(CaAa=10000 Sq in)No Ice	47	11 365	0.426	0.074	222607
226 000	Sector1(CaAa=10000 Sq in)No Ice	47	10 255	0.411	0.074	54438
214 000	6' MW Dish	47	9 175	0.391	0.071	30610
202 000	6' MW Dish	47	8 148	0.370	0.067	25662

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	255 - 240	39 636	18	1.323	0.229
T2	240 - 220	35 407	18	1.311	0.227
T3	220 - 200	29 766	18	1.228	0.222
T4	200 - 180	24 472	18	1.120	0.201
T5	180 - 160	19 727	18	0.990	0.170
T6	160 - 140	15 550	18	0.858	0.141
T7	140 - 120	11 902	18	0.734	0.112
T8	120 - 100	8 773	18	0.619	0.087
T9	100 - 80	6 104	18	0.499	0.062
T10	80 - 60	3 953	18	0.389	0.042
T11	60 - 40	2 344	18	0.288	0.031
T12	40 - 20	1 157	18	0.186	0.020
T13	20 - 0	0 372	18	0.094	0.009

Critical Deflections and Radius of Curvature - Design Wind

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 27 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Elevation	Appurtenance	Gov. Load Comb	Deflection	Tilt	Twist	Radius of Curvature
ft			in	°	°	ft
255.000	Lightning Rod 1"x10'	18	39.636	1.323	0.229	113212
250.000	Sector1(CaAa=13333.33 Sq in)No Ice	18	38.230	1.322	0.228	113212
238.000	Sector1(CaAa=10000 Sq in)No Ice	18	34.840	1.306	0.227	72532
226.000	Sector1(CaAa=10000 Sq in)No Ice	18	31.440	1.258	0.225	17891
214.000	6' MW Dish	18	28.127	1.198	0.218	10048
202.000	6' MW Dish	18	24.978	1.132	0.204	8416

Bolt Design Data

Section No.	Elevation	Component Type	Bolt Grade	Bolt Size	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria	
	ft			in							
T1	255	Diagonal	A325X	0.625	1	3.117	9.598	0.325	✓	1	Member Block Shear
		Top Girt	A325X	0.625	1	0.197	14.625	0.013	✓	1	Member Bearing
T2	240	Leg	A325N	0.750	6	1.989	30.101	0.066	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	6.621	9.598	0.690	✓	1	Member Block Shear
T3	220	Leg	A325N	0.750	6	8.082	30.101	0.269	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	7.938	10.740	0.739	✓	1	Member Block Shear
T4	200	Leg	A325N	0.750	6	15.235	30.101	0.506	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	8.461	13.025	0.650	✓	1	Member Block Shear
T5	180	Leg	A325N	1.000	6	22.508	54.517	0.413	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	8.685	13.025	0.667	✓	1	Member Block Shear
T6	160	Leg	A325N	1.000	6	29.109	54.517	0.534	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	9.022	13.025	0.693	✓	1	Member Block Shear
T7	140	Leg	A325N	1.000	6	35.275	54.517	0.647	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	9.816	14.168	0.693	✓	1	Member Block Shear
T8	120	Leg	A325N	1.000	6	41.196	54.517	0.756	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	10.282	14.168	0.726	✓	1	Member Block Shear
T9	100	Leg	A325N	1.250	6	46.930	87.220	0.538	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	11.025	17.257	0.639	✓	1	Bolt Shear
T10	80	Leg	A325N	1.250	6	52.535	87.220	0.602	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12.408	26.051	0.476	✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	6.838	19.195	0.356	✓	1	Member Block Shear
T11	60	Leg	A325N	1.250	6	57.998	87.220	0.665	✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12.538	26.051	0.481	✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	7.500	21.480	0.349	✓	1	Member Block Shear

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 28 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria
T12	40	Leg	A325N	1.250	6	63.210	87.220	0.725 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12.866	26.051	0.494 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	8.148	21.480	0.379 ✓	1	Member Block Shear
T13	20	Leg	A325N	1.250	6	68.227	87.220	0.782 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12.917	28.336	0.456 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	8.770	26.051	0.337 ✓	1	Member Block Shear

Compression Checks

Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _c ft	Kl/r	A in ²	P _c K	φP _c K	Ratio P _c / φP _c
T1	255 - 240	1 3/4	15.014	4.671	128.1 K=1.00	2.405	-11.560	33.103	0.349 ¹ ✓
T2	240 - 220	2	20.019	4.754	114.1 K=1.00	3.142	-49.410	54.509	0.906 ¹ ✓
T3	220 - 200	2 1/2	20.019	4.754	91.3 K=1.00	4.909	-96.498	120.108	0.803 ¹ ✓
T4	200 - 180	2 3/4	20.019	4.754	83.0 K=1.00	5.940	-143.879	161.540	0.891 ¹ ✓
T5	180 - 160	3	20.019	4.754	76.1 K=1.00	7.069	-187.447	208.347	0.900 ¹ ✓
T6	160 - 140	3 1/4	20.019	4.754	70.2 K=1.00	8.296	-228.715	260.312	0.879 ¹ ✓
T7	140 - 120	3 1/2	20.019	4.754	65.2 K=1.00	9.621	-269.337	317.273	0.849 ¹ ✓
T8	120 - 100	3 1/2	20.019	4.754	65.2 K=1.00	9.621	-309.362	317.273	0.975 ¹ ✓
T9	100 - 80	3 3/4	20.019	4.754	60.9 K=1.00	11.045	-349.513	379.106	0.922 ¹ ✓
T10	80 - 60	4	20.019	4.754	57.1 K=1.00	12.566	-384.292	445.717	0.862 ¹ ✓
T11	60 - 40	4	20.019	4.754	57.1 K=1.00	12.566	-422.725	445.717	0.948 ¹ ✓
T12	40 - 20	4 1/4	20.019	4.754	53.7 K=1.00	14.186	-460.108	517.034	0.890 ¹ ✓
T13	20 - 0	4 1/4	20.019	4.754	53.7 K=1.00	14.186	-496.245	517.034	0.960 ¹ ✓

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 29 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

¹ $P_u / \phi P_n$ controls

Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
T1	255 - 240	L1 3/4x1 3/4x3/16	7.166	3.605	125.9 K=1.00	0.621	-3.139	11.206	0.280 ¹ ✓
T2	240 - 220	L1 3/4x1 3/4x3/16	8.697	4.355	152.2 K=1.00	0.621	-6.055	7.677	0.789 ¹ ✓
T3	220 - 200	L2x2x3/16	9.987	4.976	151.6 K=1.00	0.715	-7.049	8.909	0.791 ¹ ✓
T4	200 - 180	L2 1/2x2 1/2x3/16	11.329	5.636	136.6 K=1.00	0.902	-7.888	13.828	0.570 ¹ ✓
T5	180 - 160	L2 1/2x2 1/2x3/16	12.706	6.314	153.1 K=1.00	0.902	-8.219	11.018	0.746 ¹ ✓
T6	160 - 140	L2 1/2x2 1/2x3/16	14.108	7.005	169.8 K=1.00	0.902	-8.684	8.952	0.970 ¹ ✓
T7	140 - 120	L3x3x3/16	15.529	7.705	155.1 K=1.00	1.090	-9.424	12.964	0.727 ¹ ✓
T8	120 - 100	L3x3x3/16	16.963	8.422	169.6 K=1.00	1.090	-9.947	10.849	0.917 ¹ ✓
T9	100 - 80	L3x3x1/4	18.408	9.134	185.2 K=1.00	1.440	-10.682	12.022	0.889 ¹ ✓
T10	80 - 60	2L2 1/2x2 1/2x3/16x3/8	10.829	10.644	168.4 K=1.00	1.800	-12.223	17.598	0.695 ¹ ✓
T11	60 - 40	2L 'a' > 60.948 in - 246 2L2 1/2x2 1/2x3/16x3/8	11.508	11.325	179.2 K=1.00	1.800	-12.459	15.610	0.798 ¹ ✓
T12	40 - 20	2L 'a' > 64.848 in - 285 2L2 1/2x2 1/2x3/16x3/8	12.195	12.003	189.9 K=1.00	1.800	-12.929	13.944	0.927 ¹ ✓
T13	20 - 0	2L 'a' > 68.729 in - 324 2L3x3x3/16x3/8 2L 'a' > 72.539 in - 363	12.889	12.698	168.9 K=1.00	2.180	-13.086	20.815	0.629 ¹ ✓

¹ $P_u / \phi P_n$ controls

Horizontal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
T10	80 - 60	2L1 3/4x1 3/4x3/16x3/8	19.106	9.386	209.8 K=1.00	1.242	-6.838	8.079	0.846 ¹ ✓
T11	60 - 40	2L 'a' > 54.035 in - 250 2L2x2x3/16x3/8 2L 'a' > 58.256 in - 289	20.606	10.136	198.3 K=1.00	1.430	-7.500	10.268	0.730 ¹ ✓

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 30 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwiliams

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T12	40 - 20	2L 2x2x3/16x3/8	22 106	10 876	212 8 K=1 00	1 430	-8 148	8 936	0 912 ¹ ✓
T13	20 - 0	2L 'a' > 62 506 in - 328 2L 2 1/2x2 1/2x3/16x3/8 2L 'a' > 66 573 in - 367	23 606	11 626	183 9 K=1 00	1 800	-8 770	14 835	0 591 ¹ ✓

¹ P_u / φP_u controls

Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T1	255 - 240	L1 3/4x1 3/4x3/16	4 913	4 767	166 5 K=1 00	0 621	-0 197	6 409	0 031 ¹ ✓

¹ P_u / φP_u controls

Inner Bracing Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T10	80 - 60	L1 3/4x1 3/4x3/16	9 553	9 553	333 8 K=1 00	0 621	-0 010	1 596	0 006 ¹ ✓
T11	60 - 40	KL/R > 250 (C) - 253 L1 3/4x1 3/4x3/16	10 303	10 303	360 0 K=1 00	0 621	-0 011	1 372	0 008 ¹ ✓
T12	40 - 20	KL/R > 250 (C) - 292 L1 3/4x1 3/4x3/16	11 053	11 053	386 2 K=1 00	0 621	-0 011	1 192	0 009 ¹ ✓
T13	20 - 0	KL/R > 250 (C) - 331 L1 3/4x1 3/4x3/16 KL/R > 250 (C) - 372	11 803	11 803	412 4 K=1 00	0 621	-0 012	1 045	0 011 ¹ ✓

¹ P_u / φP_u controls

Tension Checks

Leg Design Data (Tension)

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 31 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Size	L ft	L _w ft	K/r	A in ²	P _c K	φP _c K	Ratio $\frac{P_u}{\phi P_c}$
T1	255 - 240	1 3/4	15.014	0.500	13.7	2.405	11.938	108.238	0.110 ¹
T2	240 - 220	2	20.019	0.500	12.0	3.142	48.505	141.372	0.343 ¹
T3	220 - 200	2 1/2	20.019	0.500	9.6	4.909	91.421	220.893	0.414 ¹
T4	200 - 180	2 3/4	20.019	0.500	8.7	5.940	135.061	267.281	0.505 ¹
T5	180 - 160	3	20.019	0.500	8.0	7.069	174.665	318.086	0.549 ¹
T6	160 - 140	3 1/4	20.019	0.500	7.4	8.296	211.663	373.310	0.567 ¹
T7	140 - 120	3 1/2	20.019	0.500	6.9	9.621	247.191	432.951	0.571 ¹
T8	120 - 100	3 1/2	20.019	0.500	6.9	9.621	281.598	432.951	0.650 ¹
T9	100 - 80	3 3/4	20.019	0.500	6.4	11.045	315.229	497.010	0.634 ¹
T10	80 - 60	4	20.019	0.500	6.0	12.566	348.009	565.487	0.615 ¹
T11	60 - 40	4	20.019	0.500	6.0	12.566	379.278	565.487	0.671 ¹
T12	40 - 20	4 1/4	20.019	0.500	5.7	14.186	409.386	638.381	0.641 ¹
T13	20 - 0	4 1/4	20.019	0.500	5.7	14.186	437.977	638.381	0.686 ¹

¹ P_u / φP_c controls

Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _w ft	K/r	A in ²	P _c K	φP _c K	Ratio $\frac{P_u}{\phi P_c}$
T1	255 - 240	L1 3/4x1 3/4x3/16	7.435	3.736	83.5	0.360	3.117	17.567	0.177 ¹
T2	240 - 220	L1 3/4x1 3/4x3/16	8.697	4.355	97.3	0.360	6.621	17.567	0.377 ¹
T3	220 - 200	L2x2x3/16	9.987	4.976	96.8	0.431	7.938	21.001	0.378 ¹
T4	200 - 180	L2 1/2x2 1/2x3/16	11.329	5.636	86.9	0.571	8.461	27.838	0.304 ¹
T5	180 - 160	L2 1/2x2 1/2x3/16	12.706	6.314	97.4	0.571	8.685	27.838	0.312 ¹
T6	160 - 140	L2 1/2x2 1/2x3/16	14.108	7.005	108.0	0.571	9.022	27.838	0.324 ¹
T7	140 - 120	L3x3x3/16	15.529	7.705	98.5	0.712	9.816	34.712	0.283 ¹
T8	120 - 100	L3x3x3/16	16.963	8.422	107.6	0.712	10.282	34.712	0.296 ¹

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 32 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio $\frac{P_n}{\phi P_n}$
T9	100 - 80	L3x3x1/4	18.408	9.134	117.9	0.939	11.025	45.794	0.241 ¹ ✓
T10	80 - 60	2L2 1/2x2 1/2x3/16x3/8	10.829	10.644	164.2	1.139	12.408	55.529	0.223 ¹ ✓
T11	60 - 40	2L 'a' > 60.948 in - 245 2L2 1/2x2 1/2x3/16x3/8	11.508	11.325	174.7	1.139	12.538	55.529	0.226 ¹ ✓
T12	40 - 20	2L 'a' > 64.848 in - 284 2L2 1/2x2 1/2x3/16x3/8	12.195	12.003	185.1	1.139	12.866	55.529	0.232 ¹ ✓
T13	20 - 0	2L 'a' > 68.729 in - 323 2L3x3x3/16x3/8 2L 'a' > 72.539 in - 362	12.889	12.698	162.3	1.424	12.917	69.423	0.186 ¹ ✓

¹ P_n / φP_n controls

Horizontal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio $\frac{P_n}{\phi P_n}$
T10	80 - 60	2L1 3/4x1 3/4x3/16x3/8	19.106	9.386	209.8	0.721	6.838	35.134	0.195 ¹ ✓
T11	60 - 40	2L 'a' > 54.035 in - 250 2L2x2x3/16x3/8	20.606	10.136	197.1	0.862	7.500	42.001	0.179 ¹ ✓
T12	40 - 20	2L 'a' > 58.256 in - 289 2L2x2x3/16x3/8	22.106	10.876	211.5	0.862	8.148	42.001	0.194 ¹ ✓
T13	20 - 0	2L 'a' > 62.506 in - 328 2L2 1/2x2 1/2x3/16x3/8 2L 'a' > 64.533 in - 385	22.894	11.270	173.8	1.139	8.770	55.529	0.158 ¹ ✓

¹ P_n / φP_n controls

Top Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio $\frac{P_n}{\phi P_n}$
T1	255 - 240	L1 3/4x1 3/4x3/16	4.913	4.767	106.5	0.360	0.122	17.567	0.007 ¹ ✓

<i>tnxTower</i> <i>B+T Group</i> <i>1717 S Boulder Ave, Suite 300</i> <i>Tulsa, OK 74119</i> <i>Phone: (918) 587-4630</i> <i>FAX: (918) 295-0265</i>	Job ATS#9320 - Horn Road (Site# KYLEX2054)	Page 34 of 34
	Project 255' SST/37.068564, -84.998776	Date 14:33:28 12/29/21
	Client Harmoni Towers	Designed by mwilliams

Program Version 8.1.1.0 - 6/3/2021 File S:/Projects/Arcosa Telecom Structures/160108_9320_Horn Road/Engineering/001/001_tnxTower/1221-116_255SST_Horn Road.eri

EXHIBIT D
COMPETING UTILITIES, CORPORATIONS, OR PERSONS LIST

KY Public Service Commission

Master Utility Search

- Search for the utility of interest by using any single or combination of criteria.
- Enter Partial names to return the closest match for Utility Name and Address/City/Contact entries.

Utility ID	Utility Name	Address/City/Contact	Utility Type	Status
				▼ Active ▼
<input type="text" value="Search"/>				

	Utility ID	Utility Name	Utility Type	Class	City	State
<input type="button" value="View"/>	4111300	2600Hz, Inc. dba ZSWITCH	Cellular	D	San Francisco	CA
<input type="button" value="View"/>	4108300	Air Voice Wireless, LLC	Cellular	B	Bloomfield Hill	MI
<input type="button" value="View"/>	4110650	Alliant Technologies of KY, L.L.C.	Cellular	D	Morristown	NJ
<input type="button" value="View"/>	4111900	ALLNETAIR, INC.	Cellular	D	West Palm Beach	FL
<input type="button" value="View"/>	44451184	Alltel Corporation d/b/a Verizon Wireless	Cellular	A	Lisle	IL
<input type="button" value="View"/>	4110850	AltaWorx, LLC	Cellular	D	Fairhope	AL
<input type="button" value="View"/>	4107800	American Broadband and Telecommunications Company	Cellular	D	Toledo	OH
<input type="button" value="View"/>	4108650	AmeriMex Communications Corp.	Cellular	A	Dunedin	FL
<input type="button" value="View"/>	4105100	AmeriVision Communications, Inc. d/b/a Affinity 4	Cellular	D	Virginia Beach	VA
<input type="button" value="View"/>	4110700	Andrew David Balholm dba Norcell	Cellular	D	Buford	GA
<input type="button" value="View"/>	4105700	Assurance Wireless USA, L.P.	Cellular	A	Atlanta	GA
<input type="button" value="View"/>	4108600	BCN Telecom, Inc.	Cellular	D	Morristown	NJ
<input type="button" value="View"/>	4106000	Best Buy Health, Inc. d/b/a GreatCall d/b/a Jitterbug	Cellular	A	San Diego	CA
<input type="button" value="View"/>	4110550	Blue Casa Mobile, LLC	Cellular	D	Santa Barbara	CA
<input type="button" value="View"/>	4111050	BlueBird Communications, LLC	Cellular	D	New York	NY
<input type="button" value="View"/>	4202300	Bluegrass Wireless, LLC	Cellular	A	Elizabethtown	KY

View	4107600	Boomerang Wireless, LLC	Cellular	C	Hiawatha	IA
View	4105500	BullsEye Telecom, Inc.	Cellular	D	Southfield	MI
View	4100700	Cellco Partnership dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4106600	Cintex Wireless, LLC	Cellular	D	Houston	TX
View	4111150	Comcast OTR1, LLC	Cellular	B	Phoeniexville	PA
View	4101900	Consumer Cellular, Incorporated	Cellular	A	Portland	OR
View	4106400	Credo Mobile, Inc.	Cellular	A	San Francisco	CA
View	4108850	Cricket Wireless, LLC	Cellular	A	San Antonio	TX
View	4111500	CSC Wireless, LLC d/b/a Altice Wireless	Cellular	D	Long Island City	NY
View	10640	Cumberland Cellular Partnership	Cellular	A	Elizabethtown	KY
View	4111650	DataBytes, Inc.	Cellular	D	Rogers	AR
View	4112000	DISH Wireless L.L.C.	Cellular	A	Englewood	CO
View	4111200	Dynalink Communications, Inc.	Cellular	C	Brooklyn	NY
View	4111800	Earthlink, LLC	Cellular	D	Atlanta	GA
View	4101000	East Kentucky Network, LLC dba Appalachian Wireless	Cellular	A	Ivel	KY
View	4002300	Easy Telephone Service Company dba Easy Wireless	Cellular	D	Ocala	FL
View	4109500	Enhanced Communications Group, LLC	Cellular	D	Bartlesville	OK
View	4110450	Excellus Communications, LLC	Cellular	D	Chattanooga	TN
View	4112400	Excess Telecom Inc.	Cellular	C	Beverly Hills	CA
View	4105900	Flash Wireless, LLC	Cellular	C	Concord	NC
View	4104800	France Telecom Corporate Solutions L.L.C.	Cellular	D	Herndon	VA
View	4111750	Gabb Wireless, Inc.	Cellular	D	Provo	UT
View	4112300	Gen Mobile Inc.	Cellular	C	Redondo Beach	CA
View	4109350	Global Connection Inc. of America	Cellular	D	Newport	KY
View	4102200	Globalstar USA, LLC	Cellular	B	Covington	LA
View	4112050	GLOTELL US, Corp.	Cellular	D	Hallandale	FL
View	4109600	Google North America Inc.	Cellular	A	Mountain View	CA
View	33350363	Granite Telecommunications, LLC	Cellular	D	Quincy	MA
View	4111350	HELLO MOBILE TELECOM LLC	Cellular	D	Dania Beach	FL
View	4103100	i-Wireless, LLC	Cellular	B	Newport	KY
View	4109800	IM Telecom, LLC d/b/a Infiniti Mobile	Cellular	D	Plano	TX
View	4111950	J Rhodes Enterprises LLC	Cellular	D	Gulf Breeze	FL
View	22215360	KDDI America, Inc.	Cellular	D	Staten Island	NY
View	10872	Kentucky RSA #1 Partnership	Cellular	A	Basking Ridge	NJ
View	10680	Kentucky RSA #3 Cellular	Cellular	A	Elizabethtown	KY

		General				
View	10681	Kentucky RSA #4 Cellular General	Cellular	A	Elizabethtown	KY
View	4109550	Kynect Communications, LLC	Cellular	D	Dallas	TX
View	4112200	Lexvor Inc.	Cellular	D	Irvine	CA
View	4111250	Liberty Mobile Wireless, LLC	Cellular	A	Sunny Isles Beach	FL
View	4111400	Locus Telecommunications, LLC	Cellular	A	Fort Lee	NJ
View	4107300	Lycamobile USA, Inc.	Cellular	D	Newark	NJ
View	4112450	Matrix Telecom, LLC dba Excel Telecommunications	Cellular	C	Irving	TX
View	4108800	MetroPCS Michigan, LLC	Cellular	A	Bellevue	WA
View	4111700	Mint Mobile, LLC	Cellular	D	Costa Mesa	CA
View	4109650	Mitel Cloud Services, Inc.	Cellular	D	Mesa	AZ
View	4111850	Mobi, Inc.	Cellular	D	Honolulu	HI
View	4202400	New Cingular Wireless PCS, LLC dba AT&T Mobility, PCS	Cellular	A	San Antonio	TX
View	4112350	NewPhone Wireless, L.L.C.	Cellular	C	Houston	TX
View	4000800	Nextel West Corporation	Cellular	D	Overland Park	KS
View	4001300	NPCR, Inc. dba Nextel Partners	Cellular	D	Overland Park	KS
View	4001800	OnStar, LLC	Cellular	A	Detroit	MI
View	4110750	Onvoy Spectrum, LLC	Cellular	D	Chicago	IL
View	4109050	Patriot Mobile LLC	Cellular	D	Irving	TX
View	4110250	Plintron Technologies USA LLC	Cellular	D	Bellevue	WA
View	33351182	PNG Telecommunications, Inc. dba PowerNet Global Communications	Cellular	D	Cincinnati	OH
View	4107700	Puretalk Holdings, Inc.	Cellular	A	Covington	GA
View	4106700	Q Link Wireless, LLC	Cellular	A	Dania	FL
View	4108700	Ready Wireless, LLC	Cellular	C	Hiawatha	IA
View	4110500	Republic Wireless, Inc.	Cellular	A	Raleigh	NC
View	4106200	Rural Cellular Corporation	Cellular	A	Basking Ridge	NJ
View	4108550	Sage Telecom Communications, LLC dba TruConnect	Cellular	B	Los Angeles	CA
View	4109150	SelecTel, Inc. d/b/a SelecTel Wireless	Cellular	D	Fremont	NE
View	4110150	Spectrotel of the South LLC dba Touch Base Communications	Cellular	D	Neptune	NJ
View	4111450	Spectrum Mobile, LLC	Cellular	A	St. Louis	MO
View	4200100	Sprint Spectrum, L.P.	Cellular	A	Atlanta	GA
View	4200500	SprintCom, Inc.	Cellular	A	Atlanta	GA
View	4111600	STX Group LLC dba Twigby	Cellular	D	Murfreesboro	TN
View	4202200	T-Mobile Central, LLC dba T-Mobile	Cellular	A	Bellevue	WA
View	4002500	TAG Mobile, LLC	Cellular	D	Plano	TX

View	4109700	Telecom Management, Inc. dba Pioneer Telephone	Cellular	D	Portland	ME
View	4107200	Telefonica USA, Inc.	Cellular	D	Miami	FL
View	4112100	Tello LLC	Cellular	D	Atlanta	GA
View	4108900	Telrite Corporation	Cellular	D	Covington	GA
View	4108450	Tempo Telecom, LLC	Cellular	C	Atlanta	GA
View	4109000	Ting, Inc.	Cellular	B	Toronto	ON
View	4110400	Torch Wireless Corp.	Cellular	D	Jacksonville	FL
View	4103300	Touchtone Communications, Inc.	Cellular	D	Cedar Knolls	NJ
View	4104200	TracFone Wireless, Inc.	Cellular	D	Miami	FL
View	4112250	TROOMI WIRELESS, Inc.	Cellular	C	Lehi	UT
View	4002000	Truphone, Inc.	Cellular	D	Durham	NC
View	4110300	UVNV, Inc. d/b/a Mint Mobile	Cellular	D	Costa Mesa	CA
View	10630	Verizon Americas LLC dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4110800	Visible Service LLC	Cellular	D	Basking Ridge	NJ
View	4106500	WiMacTel, Inc.	Cellular	D	Palo Alto	CA
View	4110950	Wing Tel Inc.	Cellular	D	New York	NY
View	4112150	Zefcom, LLC	Cellular	C	Wichita Falls	TX

EXHIBIT E
FAA



Mail Processing Center
 Federal Aviation Administration
 Southwest Regional Office
 Obstruction Evaluation Group
 10101 Hillwood Parkway
 Fort Worth, TX 76177

Aeronautical Study No.
 2021-ASO-37298-OE
 Prior Study No.
 2021-ASO-27161-OE

Issued Date: 10/25/2021

Andrew Smith
 RESCOM Environmental Corp
 PO Box 361
 Petoskey, MI 49770

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Antenna Tower Horn Road 1
 Location: Russell Springs, KY
 Latitude: 37-04-06.80N NAD 83
 Longitude: 84-59-55.80W
 Heights: 1050 feet site elevation (SE)
 267 feet above ground level (AGL)
 1317 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, a med-dual system-Chapters 4,8(M-Dual),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

This determination expires on 04/25/2023 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within

6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission (FCC) because the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (718) 553-2611, or angelique.eersteling@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-37298-OE.

Signature Control No: 495050729-498585981
Angelique Eersteling
Technician

(DNE)


Attachment(s)
Frequency Data
Map(s)

cc: FCC

Frequency Data for ASN 2021-ASO-37298-OE

LOW FREQUENCY	HIGH FREQUENCY	FREQUENCY UNIT	ERP	ERP UNIT
6	7	GHz	55	dBW
6	7	GHz	42	dBW
10	11.7	GHz	55	dBW
10	11.7	GHz	42	dBW
17.7	19.7	GHz	55	dBW
17.7	19.7	GHz	42	dBW
21.2	23.6	GHz	55	dBW
21.2	23.6	GHz	42	dBW
614	698	MHz	1000	W
614	698	MHz	2000	W
698	806	MHz	1000	W
806	901	MHz	500	W
806	824	MHz	500	W
824	849	MHz	500	W
851	866	MHz	500	W
869	894	MHz	500	W
896	901	MHz	500	W
901	902	MHz	7	W
929	932	MHz	3500	W
930	931	MHz	3500	W
931	932	MHz	3500	W
932	932.5	MHz	17	dBW
935	940	MHz	1000	W
940	941	MHz	3500	W
1670	1675	MHz	500	W
1710	1755	MHz	500	W
1850	1910	MHz	1640	W
1850	1990	MHz	1640	W
1930	1990	MHz	1640	W
1990	2025	MHz	500	W
2110	2200	MHz	500	W
2305	2360	MHz	2000	W
2305	2310	MHz	2000	W
2345	2360	MHz	2000	W
2496	2690	MHz	500	W








EXHIBIT F
KENTUCKY AIRPORT ZONING COMMISSION



KENTUCKY AIRPORT ZONING COMMISSION

ANDY BESHEAR
Governor

Office of Audits, 200 Mero Street, 4th floor
Frankfort, KY 40622
www.transportation.ky.gov
502-782-4043

JIM GRAY
Secretary

APPROVAL OF APPLICATION

December 15, 2021

APPLICANT

Harmoni Tower LLC
Cheryl Marlin - B+T Group
10801 Executive Center Drive, #100
Little Rock, Arkansas 72211

SUBJECT: AS-RUSSELL-K24-2021-132

STRUCTURE: Antenna Tower
LOCATION: Russell Springs, KY
COORDINATES: 37° 4' 6.8" N / 84° 59' 55.8" W
HEIGHT: 267' AGL/1317' AMSL

The Kentucky Airport Zoning Commission has approved your application for a permit to construct 267' AGL/1317' AMSL Antenna Tower near Russell Springs, KY 37° 4' 6.8" N / 84° 59' 55.8" W.

This permit is valid for a period of 18 Month(s) from its date of issuance. If construction is not completed within said 18-Month period, this permit shall lapse and be void, and no work shall be performed without the issuance of a new permit.

No Hazard, medium dual obstruction lighting required.

Randall S. Royer

Randall S. Royer, Executive Director
Office of Audits
Acting Administrator
Randall.Royer@ky.gov
Jason.Salazar-Munoz@ky.gov



An Equal Opportunity Employer M/F/D

EXHIBIT G
GEOTECHNICAL REPORT

**SUBSURFACE INVESTIGATION &
GEOTECHNICAL RECOMMENDATIONS**

**HARMONI TOWER – KYLEX2054
RUSSELL SPRINGS, KENTUCKY
A&W PROJECT NO: 21IN0857**

**PREPARED FOR:
B+T GROUP
TULSA, OKLAHOMA**

**PREPARED BY:
ALT & WITZIG ENGINEERING, INC.
GEOTECHNICAL DIVISION**

DECEMBER 17, 2021



Alt & Witzig Engineering, Inc.

4105 West 99th Street • Carmel, Indiana 46032
(317) 875-7000 • Fax (317) 876-3705

December 17, 2021

B+T Group
1717 S. Boulder Ave., Suite 300
Tulsa, Oklahoma 74119
ATTN: Patricia Parr

Report of Subsurface Investigation & Geotechnical Recommendations

RE: Harmoni KYLEX2054 Tower – Horn Road
Russell Springs, Kentucky
B+T Group # 144560.002.01
Alt & Witzig File: **21IN0857**

Dear Ms. Parr:

In compliance with your request, we have completed a subsurface investigation and geotechnical evaluation for the above referenced project. It is our pleasure to transmit herewith one (1) electronic copy of our report.

The purpose of this subsurface investigation was to determine the various soils profile components and the engineering characteristics of the materials encountered to provide design parameters for the design and construction of the proposed 255-foot-tall self-support communication tower.

Project Description

The site is located on the north side of KY HWY 910 approximately 400 feet east of the intersection with Horn Road on the east side of Russell Springs, Kentucky (Exhibit 1). The nearest street address of the property owner is 1853 KY 910. The center elevation of the tower is listed on the survey provided by the client at 1049.5 feet.

The site consists of a pasture with grass and reasonably firm subgrade. The shallow soil types as mapped for this site were derived from the USDA's Web Soil Survey. A Custom Soil Resource Report for this site is included in the Appendix.

Offices:

Cincinnati, Ohio • Dayton, Ohio
Indianapolis • Evansville • Ft. Wayne • Lafayette • South Bend • Terre Haute, Indiana

*Subsurface Investigation and Foundation Engineering
Construction Materials Testing and Inspection
Environmental Services*

Exhibit 1: 2021 Aerial Photograph



Field Methods

The field investigation included a reconnaissance of the project site, performing one (1) soil boring near the tower center, and obtaining soil samples for laboratory testing. The apparent groundwater level at the boring location was also determined.

Laboratory Investigation

A laboratory investigation was conducted to ascertain additional pertinent engineering characteristics of the subsurface materials at the site of the proposed tower. The laboratory testing program included visual classification of all soils, and pocket penetrometer and moisture content testing of cohesive samples.

Site Specific Subsurface Conditions

At the ground surface, the boring encountered approximately six (6) inches of topsoil. Beneath the topsoil the boring encountered medium stiff clayey silt soils extending to a depth of 13 feet underlain by a medium stiff, residual clay loam soil. The boring then encountered a hard, completely weathered sandy siltstone extending to the boring termination depth of 38 feet (Elev. ~1012). The weathered material also contained significant amounts of clay, as the moisture contents of this material was above 40%. The completely weathered rock will be treated as a very dense granular soil in the generation of soil parameters.



Water level observations made during and upon completion of drilling operations indicated water as shallow as thirteen (13) feet below the surface. It should be noted that the groundwater level measurement recorded on the individual *Boring Logs* in the Appendix of this report is accurate for the specific date on which the measurements was performed. It must be understood that the groundwater level will fluctuate throughout the year. The *Boring Logs* do not indicate these fluctuations.

Seismic Parameters

An evaluation of the seismic site class has been performed for this site. The Commonwealth of Kentucky has integrated the 2015 International Building Code into the Kentucky Building Code (KBC). The seismic site class is determined by averaging soil conditions within the top 100 feet with respect to the shear wave velocity in accordance with ASCE 7. Our evaluation is based on data obtained for a single boring performed to a depth of 38 feet at this site and limited information provided by the Kentucky Geological Survey for a depth of 100 feet. A detailed report generated by data from USGS and formatted by SEAOC and OSHPD (seismicmaps.org) has been attached to this letter. Following are the summarized requested seismic parameters.

Seismic Parameters

Site Soil Classification	Site Class C
MCE Spectral Response Accelerations	$S_s = 0.190$ $S_1 = 0.102$



Geotechnical Recommendations

Information provided by B+T Group indicates that a new 255-foot-tall self-support communications tower will be constructed at this site. This investigation was conducted to provide information for use in the design and construction of the foundations for the proposed structure.

Tower Foundation Recommendations

Extended Footing or Extended Mat Foundation

The soil parameters presented in *Table 1* may be utilized for the evaluation of a shallow foundation at the tower location.

Table 1: Shallow Foundation Soil Parameters

Soil Description	Depth Below Existing Grade (feet)	Allowable Bearing Pressure (psf) FS=3	Unit Weight (pcf)	C (psf)/ Φ (°)	Adhesion (psf)
Clayey Silt	3-13	2,250	120	1,250	1,250

Drilled Piers

Drilled shaft foundations may be designed using the soil parameters provided in *Table 2*.

Table 2: Deep Foundation Soil Parameters

Depth Below Grade (Feet)	Allowable Skin Friction for Gravity Loads SF=2	Design End Bearing Pressure SF=3	Unit Weight (pcf)	C (psf) / Φ (°)	e50	Lateral p-y Model
3-13 Clayey Silt	350 psf	NA	120	1,250	0.009	Stiff Clay
13-28 Sandy Clay Loam	350 psf	3,000 psf	120	1,000	0.011	Soft Clay
28-38 Sandy Siltstone	700 psf	8,000 psf	130	38°	NA	Very Dense Sand

*Skin friction may be utilized in shaft compression and tension

** Skin friction shall be ignored for IB at the top and bottom of the shaft, where B is the diameter.

It should be noted that free water will be encountered during drilling and casing or drilling mud may be necessary to avoid sidewall collapse in the shallower soils.



Equipment Building Foundation Recommendations

A net allowable bearing pressure of **2,500 psf** is recommended for evaluating continuous wall footings at this site for lightly loaded ancillary buildings. The above-suggested bearing pressure is provided assuming the footings will be founded on stiff natural soils or properly compacted fill materials at a minimum depth of two (2) feet below grade.

Statement of Limitations

Our subsurface investigation was conducted in accordance with guidelines set forth in the scope of services and applicable industry standards.

An inherent limitation of any geotechnical engineering study is that conclusions must be drawn based on data collected at a limited number of discrete locations. The geotechnical parameters provided in this report were developed from the information obtained from the test borings that depict subsurface conditions only at these specific locations and on the date indicated on the boring logs. Soil conditions at other locations may differ from conditions encountered at these boring locations and groundwater levels shall be expected to vary with time. The nature and extent of variations between the borings may not become evident until the course of construction.

Often, because of design and construction details that occur on a project, questions rise concerning the soil conditions. If we can give further service in these matters, please contact us at your convenience.

Sincerely,

Alt & Witzig Engineering, Inc.

A handwritten signature in black ink that reads "David C. Harness".

David C. Harness, P.E.
Sr. Geotechnical Engineer



APPENDIX

Boring Log

General Notes

U.S. Seismic Design Maps

Custom Soil Resource Report



BORING LOG

BORING NO.: **B-1**
 SHEET: 1 OF 1
 LATITUDE: 37.06855
 LONGITUDE: -84.998842
 DATUM: NAVD88
 DATE STARTED: 12-13-21
 DATE COMPLETED: 12-13-21

CLIENT: B+T Group
 PROJECT: KYLEX2054
 LOCATION: Horn Road, Russell Springs
 COUNTY: Russell
 AW PROJECT NO.: 21IN0857

ELEVATION: 1049.7
 STATION: _____
 OFFSET: 0.0 ft
 LINE: _____
 DEPTH: 38.0 ft
 BORING METHOD: DC
 RIG TYPE: Geoprobe 6712DT
 CASING DIA.: 3.25
 CORE SIZE: _____
 HAMMER: Auto
 DRILLER/INSP: D. Samsel/D. Harness
 TEMPERATURE: 40 °F
 WEATHER: Sunny

GROUNDWATER: Encountered at 28.0 ft At completion 13.0 ft

ELEVATION	SAMPLE DEPTH	SOIL/MATERIAL DESCRIPTION	SAMPLE NUMBER	SPT per 6"	% RECOVERY	MOISTURE CONTENT	DRY DENSITY, pcf	POCKET PEN., tsf	UNCONF. COMP., tsf	ATTERBERG LIMITS			REMARKS
										LL	PL	PI	
	0.5	Dark Brown, TOPSOIL				20.6							
1045.0	5	Tan to Gray, Moist, Stiff Clayey SILT	MC 1		80	25.4		2.50					
	6.0					31.6							
1040.0	10	Reddish Brown, Moist, Medium Stiff Clayey SILT	MC 2		100	28.0		1.50					
	13.0		MC 3		100	25.6							
1035.0	15					21.9		1.00					
	20	Tan Mottled Gray, Very Moist, Stiff Sandy CLAY LOAM ((Residual Soil))	MC 4		100	28.3		1.25					
1030.0	25		MC 5		80	32.6		1.00					
1025.0	28.0		MC 6		60	22.5		3.00					
1020.0	30												
	35	Tan and Gray, Very Moist, Very Stiff Completely weathered Sandy Siltstone fine to medium grained,	MC 7		80	41.3							
1015.0	38.0		MC 8		80	44.3							
		(Refusal of Tooling)				22.3							
1010.0	40	Bottom of Boring at 38.0 ft											
1005.0	45												
1000.0	50												

AW ALTERNATE LOG 21IN0857 LOGS.GPJ 2015 AW TEMPLATE.GDT 12/17/21

MATERIAL GRAPHICS LEGEND



IN CLAY LOAM: Indiana DOT: Clay Loam



IN SANDY CLAY LOAM: Indiana DOT: Sandy Clay Loam



SILTSTONE: Siltstone



TOPSOIL

SOIL PROPERTY SYMBOLS

N: Standard "N" penetration value. Blows per foot of a 140-lb hammer falling 30" on a 2" O.D. split-spoon.

Qu: Unconfined Compressive Strength, tsf

PP: Pocket Penetrometer, tsf

LL: Liquid Limit, %

PL: Plastic Limit, %

PI: Plasticity Index, %

DRILLING AND SAMPLING SYMBOLS

GROUNDWATER SYMBOLS

- Apparent water level noted while drilling.
- ∇ Apparent water level noted upon completion.
- ▼ Apparent water level noted upon delayed time.

SAMPLER SYMBOLS

 MC: Macro Core

**RELATIVE DENSITY & CONSISTANCY CLASSIFICATION
(NON-COHESIVE SOILS)**

<u>TERM</u>	<u>BLOWS PER FOOT</u>
Very Loose	0 - 5
Loose	6 - 10
Medium Dense	11 - 30
Dense	31 - 50
Very Dense	>51

**RELATIVE DENSITY & CONSISTANCY CLASSIFICATION
(COHESIVE SOILS)**

<u>TERM</u>	<u>BLOWS PER FOOT</u>
Very Soft	0 - 3
Soft	4 - 5
Medium Stiff	6 - 10
Stiff	11 - 15
Very Stiff	16 - 30
Hard	>31

GENERAL NOTES - PROJECT SPECIFIC: 21IN0857 LOGS GPJ US EVAL GDT: 12/17/21




Alt & Witzig Engineering, Inc.
4105 West 99th St.
Carmel, IN 46032
Telephone:
Fax:

GENERAL NOTES

Project: KYLEX2054
Location: Horn Road, Russell Springs
Number: 21IN0857

Harmoni KLEX2054 - Horn Road

Latitude, Longitude: 37.06816546, -84.99929734



Google

Map data ©2021

Date	12/17/2021, 12:09:49 PM
Design Code Reference Document	IBC-2015
Risk Category	II
Site Class	C - Very Dense Soil and Soft Rock

Type	Value	Description
S_S	0.19	MCE_R ground motion. (for 0.2 second period)
S_1	0.102	MCE_R ground motion. (for 1.0s period)
S_{MS}	0.228	Site-modified spectral acceleration value
S_{M1}	0.173	Site-modified spectral acceleration value
S_{DS}	0.152	Numeric seismic design value at 0.2 second SA
S_{D1}	0.115	Numeric seismic design value at 1.0 second SA

Type	Value	Description
SDC	B	Seismic design category
F_a	1.2	Site amplification factor at 0.2 second
F_v	1.698	Site amplification factor at 1.0 second
PGA	0.085	MCE_G peak ground acceleration
F_{PGA}	1.2	Site amplification factor at PGA
PGA_M	0.102	Site modified peak ground acceleration
T_L	12	Long-period transition period in seconds
S_{sRT}	0.19	Probabilistic risk-targeted ground motion. (0.2 second)
S_{sUH}	0.208	Factored uniform-hazard (2% probability of exceedance in 50 years) spectral acceleration
S_{sD}	1.5	Factored deterministic acceleration value. (0.2 second)
S_{1RT}	0.102	Probabilistic risk-targeted ground motion. (1.0 second)
S_{1UH}	0.117	Factored uniform-hazard (2% probability of exceedance in 50 years) spectral acceleration.
S_{1D}	0.6	Factored deterministic acceleration value. (1.0 second)
PGA_d	0.6	Factored deterministic acceleration value. (Peak Ground Acceleration)
C_{RS}	0.91	Mapped value of the risk coefficient at short periods
C_{R1}	0.872	Mapped value of the risk coefficient at a period of 1 s

DISCLAIMER

While the information presented on this website is believed to be correct, SEAOC / OSHPD and its sponsors and contributors assume no responsibility or liability for its accuracy. The material presented in this web application should not be used or relied upon for any specific application without competent examination and verification of its accuracy and applicability by engineers or other licensed professionals. SEAOC / OSHPD do not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the seismic data provided by this website. Users of the information from this website assume all liability arising from such use. Use of the output of this website does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site described by latitude/longitude in the search results of this website.

Custom Soil Resource Report for Russell County, Kentucky



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map.....	9
Legend.....	10
Map Unit Legend.....	11
Map Unit Descriptions.....	11
Russell County, Kentucky.....	13
GpC—Gilpin silt loam, 6 to 12 percent.....	13
LoB—Lonewood loam, 2 to 6 percent slopes.....	14
LoC—Lonewood loam, 6 to 12 percent slopes.....	15
References	17

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.


Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report Soil Map







































Map Scale: 1:1,130 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84

MAP LEGEND

Area of Interest (AOI)		 Spoil Area	
	Area of Interest (AOI)	 Stony Spot	
Soils		 Very Stony Spot	
	Soil Map Unit Polygons	 Wet Spot	
	Soil Map Unit Lines	 Other	
	Soil Map Unit Points	 Special Line Features	
Special Point Features		Water Features	
	Blowout	 Streams and Canals	
	Borrow Pit	Transportation	
	Clay Spot	 Rails	
	Closed Depression	 Interstate Highways	
	Gravel Pit	 US Routes	
	Gravelly Spot	 Major Roads	
	Landfill	 Local Roads	
	Lava Flow	Background	
	Marsh or swamp	 Aerial Photography	
	Mine or Quarry		
	Miscellaneous Water		
	Perennial Water		
	Rock Outcrop		
	Saline Spot		
	Sandy Spot		
	Severely Eroded Spot		
	Sinkhole		
	Slide or Slip		
	Sodic Spot		

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Russell County, Kentucky
 Survey Area Data: Version 18, Sep 8, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Oct 23, 2019—Oct 24, 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
GpC	Gilpin silt loam, 6 to 12 percent	0.1	2.8%
LoB	Lonewood loam, 2 to 6 percent slopes	3.9	83.4%
LoC	Lonewood loam, 6 to 12 percent slopes	0.6	13.8%
Totals for Area of Interest		4.6	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The

Custom Soil Resource Report

delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Russell County, Kentucky

GpC—Gilpin silt loam, 6 to 12 percent

Map Unit Setting

National map unit symbol: ljxb
Elevation: 550 to 1,140 feet
Mean annual precipitation: 44 to 56 inches
Mean annual air temperature: 44 to 67 degrees F
Frost-free period: 154 to 200 days
Farmland classification: Farmland of statewide importance

Map Unit Composition

Gilpin and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Gilpin

Setting

Landform: Ridges
Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Fine-loamy residuum weathered from sandstone and shale and/or acid siltstone

Typical profile

H1 - 0 to 9 inches: silt loam
H2 - 9 to 25 inches: channery silt loam
H3 - 25 to 30 inches: very channery silty clay loam
R - 30 to 40 inches: bedrock

Properties and qualities

Slope: 6 to 12 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Low (about 4.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3e
Hydrologic Soil Group: C
Hydric soil rating: No

Minor Components

Lonewood

Percent of map unit: 8 percent

Custom Soil Resource Report

Hydric soil rating: No

Frederick

Percent of map unit: 4 percent

Hydric soil rating: No

Mountview

Percent of map unit: 3 percent

Hydric soil rating: No

LoB—Lonewood loam, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: ljxd

Elevation: 550 to 1,140 feet

Mean annual precipitation: 44 to 56 inches

Mean annual air temperature: 44 to 67 degrees F

Frost-free period: 154 to 200 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Lonewood and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Lonewood

Setting

Landform: Ridges

Landform position (two-dimensional): Summit

Landform position (three-dimensional): Interfluve

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Fine-loamy noncalcareous loess over residuum weathered from sandstone and siltstone

Typical profile

H1 - 0 to 7 inches: loam

H2 - 7 to 45 inches: loam

R - 45 to 55 inches: bedrock

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: 40 to 72 inches to lithic bedrock

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Custom Soil Resource Report

Available water supply, 0 to 60 inches: Moderate (about 7.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: B

Hydric soil rating: No

Minor Components

Mountview

Percent of map unit: 6 percent

Hydric soil rating: No

Gilpin

Percent of map unit: 4 percent

Hydric soil rating: No

LoC—Lonewood loam, 6 to 12 percent slopes

Map Unit Setting

National map unit symbol: ljxf

Elevation: 550 to 1,130 feet

Mean annual precipitation: 44 to 56 inches

Mean annual air temperature: 44 to 67 degrees F

Frost-free period: 154 to 200 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Lonewood and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Lonewood

Setting

Landform: Ridges

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Side slope

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Fine-loamy noncalcareous loess over residuum weathered from sandstone and siltstone

Typical profile

H1 - 0 to 7 inches: loam

H2 - 7 to 45 inches: loam

R - 45 to 55 inches: bedrock

Properties and qualities

Slope: 6 to 12 percent

Depth to restrictive feature: 40 to 72 inches to lithic bedrock

Custom Soil Resource Report

Drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water supply, 0 to 60 inches: Moderate (about 7.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 3e

Hydrologic Soil Group: B

Hydric soil rating: No

Minor Components

Gilpin

Percent of map unit: 6 percent

Hydric soil rating: No

Mountview

Percent of map unit: 4 percent

Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

EXHIBIT H
DIRECTIONS TO WCF SITE

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head northwest on N Main Street toward Harris Lane and travel approximately 2.5 miles.
2. Continue onto US-127 N and travel approximately 3.3 miles.
3. Turn right onto KY-80 E / E Steve Wariner Drive and travel approximately 2.6 miles.
4. Turn right onto KY-910 and travel approximately 1.9 miles.
5. The site is located on the left at 1853 KY-910, Russell Springs, KY 42642. The site coordinates are: 37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293

EXHIBIT I
COPY OF REAL ESTATE AGREEMENT

OPTION AND LEASE AGREEMENT

THIS OPTION AND LEASE AGREEMENT ("**Agreement**"), dated as of the latter of the signature dates below (the "**Effective Date**"), is entered into by Rebecca Ann Hopper, single, ("**Landlord**") having a mailing address of 1853 Highway 910, Russell Springs, Kentucky 42642, and Harmoni Towers LLC, a Delaware limited liability company having a mailing address of 10801 Executive Center Drive, Shannon Building, Suite 100, Little Rock AR 72211 ("**Tenant**").

BACKGROUND

Landlord owns or controls that certain plot, parcel or tract of land, as described on **Exhibit 1**, together with all rights and privileges arising in connection therewith, located at 1853 Highway 910, in the City/Town of Russell Springs, County of Duval, State of Kentucky (collectively, the "**Property**"). Landlord desires to grant to Tenant the right to use a portion of the Property in accordance with this Agreement.

The parties agree as follows:

1. OPTION TO LEASE.

(a) Landlord grants to Tenant an exclusive option (the "**Option**") to lease a certain portion of the Property containing approximately ten thousand (10,000) square feet including the air space above such ground space, as described on attached **Exhibit 1**, (the "**Premises**"), for the placement of a Communication Facility.

(b) During the Option Term, and during the Term, Tenant and its agents, engineers, surveyors and other representatives will have the right to enter upon the Property to inspect, examine, conduct soil borings, drainage testing, material sampling, radio frequency testing and other geological or engineering tests or studies of the Property (collectively, the "**Tests**"), to apply for and obtain licenses, permits, approvals, or other relief required of or deemed necessary or appropriate at Tenant's sole discretion for its use of the Premises and include, without limitation, applications for zoning variances, zoning ordinances, amendments, special use permits, and construction permits (collectively, the "**Government Approvals**"), initiate the ordering and/or scheduling of necessary utilities, and otherwise to do those things on or off the Property that, in the opinion of Tenant, are necessary in Tenant's sole discretion to determine the physical condition of the Property, the environmental history of the Property, Landlord's title to the Property and the feasibility or suitability of the Property for Tenant's Permitted Use, all at Tenant's expense. Tenant will not be liable to Landlord or any third party on account of any pre-existing defect or condition on or with respect to the Property, whether or not such defect or condition is disclosed by Tenant's inspection. Tenant will restore the Property to its condition as it existed at the commencement of the Option Term, reasonable wear and tear and loss by casualty or other causes beyond Tenant's control excepted.

(c) In consideration of Landlord granting Tenant the Option, Tenant agrees to pay Landlord the sum of [REDACTED] within thirty (30) business days after the Effective Date. The Option may be exercised during an initial term of one (1) year commencing on the Effective Date (the "**Initial Option Term**") which term may be renewed by Tenant for an additional one (1) year (the "**Renewal Option Term**") upon written notification to Landlord and the payment of an additional [REDACTED] no later than five (5) days prior to the expiration date of the Initial Option Term. The Initial Option Term and any Renewal Option Term are collectively referred to as the "**Option Term**."

(d) The Option may be sold, assigned or transferred at any time by Tenant without the written consent of Landlord. Upon notification to Landlord of such sale, assignment, or transfer, Tenant shall immediately be released from any and all liability under this Agreement, including the payment of any rental or other sums due, without any further action.

(e) During the Option Term, Tenant may exercise the Option by notifying Landlord in writing. If Tenant exercises the Option, then Landlord leases the Premises to Tenant subject to the terms and conditions of

this Agreement. If Tenant does not exercise the Option during the Initial Option Term or any extension thereof, this Agreement will terminate, and the parties will have no further liability to each other.

(f) If during the Option Term, or during the Term if the Option is exercised, Landlord decides to subdivide, sell, or change the status of the zoning of the Premises, Property or any of Landlord's contiguous, adjoining or surrounding property (the "**Surrounding Property**,") or in the event of a threatened foreclosure, Landlord shall immediately notify Tenant in writing. Landlord agrees that during the Option Term, or during the Term if the Option is exercised, Landlord shall not initiate or consent to any change in the zoning of the Premises, Property or Surrounding Property or impose or consent to any other use or restriction that would prevent or limit Tenant from using the Premises for the Permitted Use. Any and all terms and conditions of this Agreement that by their sense and context are intended to be applicable during the Option Term shall be so applicable.

2. **PERMITTED USE.** Tenant may use the Premises for the transmission and reception of communications signals and the installation, construction, maintenance, operation, repair, replacement and upgrade of communications fixtures and related equipment, cables, accessories and improvements, which may include a suitable support structure ("**Structure**"), associated antennas, equipment shelters or cabinets and fencing and any other items necessary to the successful and secure use of the Premises (collectively, the "**Communication Facility**"), as well as the right to test, survey and review title on the Property; Tenant further has the right but not the obligation to add, modify and/or replace equipment in order to be in compliance with any current or future federal, state or local mandated application, including, but not limited to, emergency 911 communication services, at no additional cost to Tenant or Landlord (collectively, the "**Permitted Use**"). Landlord and Tenant agree that any portion of the Communication Facility that may be conceptually described on **Exhibit 1** will not be deemed to limit Tenant's Permitted Use. If **Exhibit 1** includes drawings of the initial installation of the Communication Facility, Landlord's execution of this Agreement will signify Landlord's approval of **Exhibit 1**. For a period of ninety (90) days following the start of construction, Landlord grants Tenant, its subtenants, licensees and sublicensees, the right to use such portions of the **Surrounding Property** as may reasonably be required during construction and installation of the Communication Facility. Tenant has the right to install and operate transmission cables from the equipment shelter or cabinet to the antennas, electric lines from the main feed to the equipment shelter or cabinet and communication lines from the Property's main entry point to the equipment shelter or cabinet, install a generator and to make other improvements, alterations, upgrades or additions appropriate for Tenant's Permitted Use including the right to construct a fence around the Premises or equipment, install warning signs to make individuals aware of risks, install protective barriers, install any other control measures reasonably required by Tenant's safety procedures or applicable law, and undertake any other appropriate means to secure the Premises or equipment at Tenant's expense. Tenant has the right to modify, supplement, replace, upgrade, expand the Communication Facility (including, for example, increasing the number of antennas or adding microwave dishes) or relocate the Communication Facility within the Premises at any time during the Term. Tenant will be allowed to make such alterations to the Property in order to ensure that the Communication Facility complies with all applicable federal, state or local laws, rules or regulations. In the event Tenant desires to modify or upgrade the Communication Facility, in a manner that requires an additional portion of the Property (the "**Additional Premises**") for such modification or upgrade, Landlord agrees to lease to Tenant the Additional Premises, upon the same terms and conditions set forth herein, except that the Rent shall increase, in conjunction with the lease of the Additional Premises by the amount equivalent to the then-current per square foot rental rate charged by Landlord to Tenant times the square footage of the Additional Premises. Landlord agrees to take such actions and enter into and deliver to Tenant such documents as Tenant reasonably requests in order to effect and memorialize the lease of the Additional Premises to Tenant.

3. **TERM.**

(a) The initial lease term will be five (5) years (the "**Initial Term**"), commencing on the effective date of written notification by Tenant to Landlord of Tenant's exercise of the Option (the "**Term Commencement Date**"). The Initial Term will terminate on the fifth (5th) anniversary of the Term Commencement Date.

(b) This Agreement will automatically renew for seventeen (17) additional five (5) year term(s) (each additional five (5) year term shall be defined as an "**Extension Term**"), upon the same terms and conditions set forth herein unless Tenant notifies Landlord in writing of Tenant's intention not to renew this Agreement at least sixty (60) days prior to the expiration of the Initial Term or then-existing Extension Term.

(c) Unless (i) Landlord or Tenant notifies the other in writing of its intention to terminate this Agreement at least six (6) months prior to the expiration of the final Extension Term, or (ii) the Agreement is terminated as otherwise permitted by this Agreement prior to the end of the final Extension Term, this Agreement shall continue in force upon the same covenants, terms and conditions for a further term of one (1) year, and for annual terms thereafter ("**Annual Term**") until terminated by either party by giving to the other party written notice of its intention to so terminate at least six (6) months prior to the end of any such Annual Term. Monthly rent during such Annual Terms shall be [REDACTED]

[REDACTED] If Tenant remains in possession of the Premises after the termination of this Agreement, then Tenant will be deemed to be occupying the Premises on a month-to-month basis (the "**Holdover Term**"), subject to the terms and conditions of this Agreement.

(d) The Initial Term, any Extension Terms, any Annual Terms and any Holdover Term are collectively referred to as the "**Term**".

4. RENT.

(a) Commencing on the first day of the month following the date that Tenant commences construction (the "**Rent Commencement Date**"), Tenant will pay Landlord on or before the fifth (5th) day of each calendar month in advance, [REDACTED] (the "**Rent**"), at the address set forth above. In any partial month occurring after the Rent Commencement Date, Rent will be prorated. The initial Rent payment will be forwarded by Tenant to Landlord within forty-five (45) days after the Rent Commencement Date.

(b) In the first year of an Extension Term, the monthly Rent will increase by [REDACTED] over the Rent paid during the previous five (5) year term, effective the first day of the month in which the anniversary of the Term Commencement Date occurs.

(c) All charges payable under this Agreement such as utilities and taxes shall be billed by Landlord within one (1) year from the end of the calendar year in which the charges were incurred; any charges beyond such period shall not be billed by Landlord, and shall not be payable by Tenant. The foregoing shall not apply to monthly Rent which is due and payable without a requirement that it be billed by Landlord. The provisions of this subsection shall survive the termination or expiration of this Agreement.

5. APPROVALS.

(a) Landlord agrees that Tenant's ability to use the Premises is contingent upon the suitability of the Premises and Property for the Permitted Use and Tenant's ability to obtain and maintain all Government Approvals. Landlord authorizes Tenant to prepare, execute and file all required applications to obtain Government Approvals for the Permitted Use and agrees to reasonably assist Tenant with such applications and with obtaining and maintaining the Government Approvals.

(b) Tenant has the right to obtain a title report or commitment for a leasehold title policy from a title insurance company of its choice and to have the Property surveyed by a surveyor of its choice.

(c) Tenant may also perform and obtain, at Tenant's sole cost and expense, soil borings, percolation tests, engineering procedures, environmental investigation or other tests or reports on, over, and under the Property, necessary to determine if Tenant's use of the Premises will be compatible with Tenant's engineering specifications, system, design, operations or Government Approvals.

6. TERMINATION. This Agreement may be terminated, without penalty or further liability, as follows:

(a) by either party on thirty (30) days prior written notice, if the other party remains in default under Section 15 of this Agreement after the applicable cure periods;

(b) by Tenant upon written notice to Landlord, if Tenant is unable to obtain, or maintain, any required approval(s) or the issuance of a license or permit by any agency, board, court or other governmental authority necessary for the construction or operation of the Communication Facility as now or hereafter

intended by Tenant; or if Tenant determines, in its sole discretion that the cost of or delay in obtaining or retaining the same is commercially unreasonable;

(c) by Tenant, upon written notice to Landlord, if Tenant determines, in its sole discretion, due to the title report results or survey results, that the condition of the Premises is unsatisfactory for its intended uses;

(d) by Tenant upon written notice to Landlord for any reason or no reason, at any time prior to commencement of construction by Tenant; or

(e) by Tenant upon sixty (60) days' prior written notice to Landlord for any reason or no reason, so long as Tenant pays Landlord a termination fee [REDACTED] provided, however, that no such termination fee will be payable on account of the termination of this Agreement by Tenant under any termination provision contained in any other Section of this Agreement, including the following: Section 5 Approvals, Section 6(a) Termination, Section 6(b) Termination, Section 6(c) Termination, Section 6(d) Termination, Section 11(d) Environmental, Section 18 Condemnation or Section 19 Casualty.

7. **INSURANCE.** During the Option Term and throughout the Term, Tenant will purchase and maintain in full force and effect such general liability policy as Tenant may deem necessary. Said policy of general liability insurance will at a minimum provide a combined single limit of [REDACTED] [REDACTED]. Notwithstanding the foregoing, Tenant shall have the right to self-insure such general liability coverage.

8. **INTERFERENCE.**

(a) Prior to or concurrent with the execution of this Agreement, Landlord has provided or will provide Tenant with a list of radio frequency user(s) and frequencies used on the Property as of the Effective Date. Tenant warrants that its use of the Premises will not interfere with those existing radio frequency uses on the Property, as long as the existing radio frequency user(s) operate and continue to operate within their respective frequencies and in accordance with all applicable laws and regulations.

(b) Landlord will not grant, after the Effective Date, a lease, license or any other right to any third party, if the exercise of such grant may in any way adversely affect or interfere with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will notify Tenant in writing prior to granting any third party the right to install and operate communications equipment on the Property.

(c) Landlord will not, nor will Landlord permit its employees, tenants, licensees, invitees, agents or independent contractors to interfere in any way with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will cause such interference to cease within twenty-four (24) hours after receipt of notice of interference from Tenant. In the event any such interference does not cease within the aforementioned cure period, Landlord shall cease all operations which are suspected of causing interference (except for intermittent testing to determine the cause of such interference) until the interference has been corrected.

(d) For the purposes of this Agreement, "interference" may include, but is not limited to, any use on the Property or Surrounding Property that causes electronic or physical obstruction with, or degradation of, the communications signals from the Communication Facility.

9. **INDEMNIFICATION.**

(a) Tenant agrees to indemnify, defend and hold Landlord harmless from and against any and all injury, loss, damage or liability, costs or expenses in connection with a third party claim (including reasonable attorneys' fees and court costs) arising directly from the installation, use, maintenance, repair or removal of the Communication Facility or Tenant's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Landlord, its employees, invitees, agents or independent contractors.

(b) Landlord agrees to indemnify, defend and hold Tenant harmless from and against any and all injury, loss, damage or liability, costs or expenses in connection with a third party claim (including reasonable attorneys' fees and court costs) arising directly from the actions or failure to act of Landlord, its employees,

invitees agents or independent contractors, or Landlord's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Tenant, its employees, agents or independent contractors.

(c) The indemnified party: (i) shall promptly provide the indemnifying party with written notice of any claim, demand, lawsuit, or the like for which it seeks indemnification pursuant to this Section and provide the indemnifying party with copies of any demands, notices, summonses, or legal papers received in connection with such claim, demand, lawsuit, or the like; (ii) shall not settle any such claim, demand, lawsuit, or the like without the prior written consent of the indemnifying party; and (iii) shall fully cooperate with the indemnifying party in the defense of the claim, demand, lawsuit, or the like. A delay in notice shall not relieve the indemnifying party of its indemnity obligation, except (1) to the extent the indemnifying party can show it was prejudiced by the delay; and (2) the indemnifying party shall not be liable for any settlement or litigation expenses incurred before the time when notice is given.

10. WARRANTIES.

(a) Each of Tenant and Landlord (to the extent not a natural person) acknowledge and represent that it is duly organized, validly existing and in good standing and has the right, power and authority or capacity, as applicable, to enter into this Agreement and bind itself hereto through the party or individual set forth as signatory for the party below.

(b) Landlord represents, warrants and agrees that: (i) Landlord solely owns the Property as a legal lot in fee simple, or controls the Property by lease or license; (ii) the Property is not and will not be encumbered by any liens, restrictions, mortgages, covenants, conditions, easements, leases, or any other agreements of record or not of record, which would adversely affect Tenant's Permitted Use and enjoyment of the Premises under this Agreement; (iii) as long as Tenant is not in default then Landlord grants to Tenant sole, actual, quiet and peaceful use, enjoyment and possession of the Premises without hindrance or ejection by any persons lawfully claiming under Landlord ; (iv) Landlord's execution and performance of this Agreement will not violate any laws, ordinances, covenants or the provisions of any mortgage, lease or other agreement binding on Landlord; and (v) if the Property is or becomes encumbered by a deed to secure a debt, mortgage or other security interest, Landlord will provide promptly to Tenant a mutually agreeable subordination, non-disturbance and attornment agreement executed by Landlord and the holder of such security interest in the form attached hereto as **Exhibit 10(b)**.

11. ENVIRONMENTAL.

(a) Landlord represents and warrants, except as may be identified in **Exhibit 11** attached to this Agreement, (i) the Property, as of the Effective Date, is free of hazardous substances, including asbestos-containing materials and lead paint, and (ii) the Property has never been subject to any contamination or hazardous conditions resulting in any environmental investigation, inquiry or remediation. Landlord and Tenant agree that each will be responsible for compliance with any and all applicable governmental laws, rules, statutes, regulations, codes, ordinances, or principles of common law regulating or imposing standards of liability or standards of conduct with regard to protection of the environment or worker health and safety, as may now or at any time hereafter be in effect, to the extent such apply to that party's activity conducted in or on the Property.

(b) Landlord and Tenant agree to hold harmless and indemnify the other from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of the indemnifying party for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any action, notice, claim, order, summons, citation, directive, litigation, investigation or proceeding ("**Claims**"), to the extent arising from that party's breach of its obligations or representations under Section 11(a). Landlord agrees to hold harmless and indemnify Tenant from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Landlord for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any Claims, to the extent arising from subsurface or other contamination of the Property with hazardous substances prior to the Effective Date or from such contamination caused by the acts or omissions of Landlord during the Term. Tenant agrees to hold harmless and indemnify Landlord from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Tenant for, payment of penalties, sanctions, forfeitures, losses,

costs or damages, and for responding to any Claims, to the extent arising from hazardous substances brought onto the Property by Tenant.

(c) The indemnification provisions contained in this Section 11 specifically include reasonable costs, expenses and fees incurred in connection with any investigation of Property conditions or any clean-up, remediation, removal or restoration work required by any governmental authority. The provisions of this Section 11 will survive the expiration or termination of this Agreement.

(d) In the event Tenant becomes aware of any hazardous materials on the Property, or any environmental, health or safety condition or matter relating to the Property, that, in Tenant's sole determination, renders the condition of the Premises or Property unsuitable for Tenant's use, or if Tenant believes that the leasing or continued leasing of the Premises would expose Tenant to undue risks of liability to a government agency or other third party, Tenant will have the right, in addition to any other rights it may have at law or in equity, to terminate this Agreement upon written notice to Landlord.

12. **ACCESS.** At all times throughout the Term of this Agreement, and at no additional charge to Tenant, Tenant and its employees, agents, and subcontractors, will have twenty-four (24) hour per day, seven (7) day per week pedestrian and vehicular access ("**Access**") to and over the Property, from an open and improved public road to the Premises, for the installation, maintenance and operation of the Communication Facility and any utilities serving the Premises. If Tenant elects to utilize an Unmanned Aircraft System ("**UAS**") in connection with its installation, construction, monitoring, site audits, inspections, maintenance, repair, modification, or alteration activities at the Property, Landlord hereby grants Tenant, or any UAS operator acting on Tenant's behalf, express permission to fly over the applicable Property and Premises, and consents to the use of audio and video navigation and recording in connection with the use of the UAS. As may be described more fully in **Exhibit 1**, Landlord grants to Tenant an easement for such Access and Landlord agrees to provide to Tenant such codes, keys and other instruments necessary for such Access at no additional cost to Tenant. Upon Tenant's request, Landlord will execute a separate recordable easement evidencing this right. Landlord shall execute a letter granting Tenant Access to the Property substantially in the form attached as **Exhibit 12**; upon Tenant's request, Landlord shall execute additional letters during the Term. Landlord acknowledges that in the event Tenant cannot obtain Access to the Premises, Tenant shall incur significant damage. If Landlord fails to provide the Access granted by this Section 12, such failure shall be a default under this Agreement. In connection with such default, in addition to any other rights or remedies available to Tenant under this Agreement or at law or equity, Landlord shall pay Tenant, as liquidated damages and not as a penalty, [REDACTED] per day in consideration of Tenant's damages until Landlord cures such default. Landlord and Tenant agree that Tenant's damages in the event of a denial of Access are difficult, if not impossible, to ascertain, and the liquidated damages set forth above are a reasonable approximation of such damages.

13. **REMOVAL/RESTORATION.** All portions of the Communication Facility brought onto the Property by Tenant will be and remain Tenant's personal property and, at Tenant's option, may be removed by Tenant at any time during or after the Term. Landlord covenants and agrees that no part of the Communication Facility constructed, erected or placed on the Premises by Tenant will become, or be considered as being affixed to or a part of, the Property, it being the specific intention of Landlord that all improvements of every kind and nature constructed, erected or placed by Tenant on the Premises will be and remain the property of Tenant and may be removed by Tenant at any time during or after the Term. Tenant will repair any damage to the Property resulting from Tenant's removal activities. Any portions of the Communication Facility that Tenant does not remove within one hundred twenty (120) days after the later of the end of the Term and cessation of Tenant's operations at the Premises shall be deemed abandoned and owned by Landlord. Notwithstanding the foregoing, Tenant will not be responsible for the replacement of any trees, shrubs or other vegetation.

14. **MAINTENANCE/UTILITIES.**

(a) Tenant will keep and maintain the Premises in good condition, reasonable wear and tear and damage from the elements excepted. Landlord will maintain and repair the Property and access thereto and all areas of the Premises where Tenant does not have exclusive control, in good and tenantable condition, subject

to reasonable wear and tear and damage from the elements. Landlord will be responsible for maintenance of landscaping on the Property, including any landscaping installed by Tenant as a condition of this Agreement or any required permit.

(b) Tenant will be responsible for paying on a monthly or quarterly basis all utilities charges for electricity, telephone service or any other utility used or consumed by Tenant on the Premises. In the event Tenant cannot secure its own metered electrical supply, Tenant will have the right, at its own cost and expense, to sub-meter from Landlord. When sub-metering is required under this Agreement, Landlord will read the meter and provide Tenant with an invoice and usage data on a monthly basis. Tenant shall reimburse Landlord for such utility usage at the same rate charged to Landlord by the utility service provider. Landlord further agrees to provide the usage data and invoice on forms provided by Tenant and to send such forms to such address and/or agent designated by Tenant. Tenant will remit payment within sixty (60) days of receipt of the usage data and required forms. Landlord shall maintain accurate and detailed records of all utility expenses, invoices and payments applicable to Tenant's reimbursement obligations hereunder. Within fifteen (15) days after a request from Tenant, Landlord shall provide copies of such utility billing records to the Tenant in the form of copies of invoices, contracts and cancelled checks. If the utility billing records reflect an overpayment by Tenant, Tenant shall have the right to deduct the amount of such overpayment from any monies due to Landlord from Tenant.

(c) As noted in Section 4(c) above, any utility fee recovery by Landlord is limited to a twelve (12) month period. If Tenant submeters electricity from Landlord, Landlord agrees to give Tenant at least twenty-four (24) hours advance notice of any planned interruptions of said electricity. Landlord acknowledges that Tenant provides a communication service which requires electrical power to operate and must operate twenty-four (24) hours per day, seven (7) days per week. If the interruption is for an extended period of time, in Tenant's reasonable determination, Landlord agrees to allow Tenant the right to bring in a temporary source of power for the duration of the interruption. Landlord will not be responsible for interference with, interruption of or failure, beyond the reasonable control of Landlord, of such services to be furnished or supplied by Landlord.

(d) Tenant will have the right to install utilities, at Tenant's expense, and to improve present utilities on the Property and the Premises. Landlord hereby grants to any service company providing utility or similar services, including electric power and telecommunications, to Tenant an easement over the Property, from an open and improved public road to the Premises, and upon the Premises, for the purpose of constructing, operating and maintaining such lines, wires, circuits, and conduits, associated equipment cabinets and such appurtenances thereto, as such service companies may from time to time require in order to provide such services to the Premises. Upon Tenant's or service company's request, Landlord will execute a separate recordable easement evidencing this grant, at no cost to Tenant or the service company.

15. DEFAULT AND RIGHT TO CURE.

(a) The following will be deemed a default by Tenant and a breach of this Agreement: (i) non-payment of Rent if such Rent remains unpaid for more than thirty (30) days after written notice from Landlord of such failure to pay; or (ii) Tenant's failure to perform any other term or condition under this Agreement within forty-five (45) days after written notice from Landlord specifying the failure. No such failure, however, will be deemed to exist if Tenant has commenced to cure such default within such period and provided that such efforts are prosecuted to completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Tenant. If Tenant remains in default beyond any applicable cure period, Landlord will have the right to exercise any and all rights and remedies available to it under law and equity.

(b) The following will be deemed a default by Landlord and a breach of this Agreement: (i) Landlord's failure to provide Access to the Premises as required by Section 12 within twenty-four (24) hours after written notice of such failure; (ii) Landlord's failure to cure an interference problem as required by Section 8 within twenty-four (24) hours after written notice of such failure; or (iii) Landlord's failure to perform any term, condition or breach of any warranty or covenant under this Agreement within forty-five (45) days after written notice from Tenant specifying the failure. No such failure, however, will be deemed to exist if Landlord has commenced to cure the default within such period and provided such efforts are prosecuted to

completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Landlord. If Landlord remains in default beyond any applicable cure period, Tenant will have: (i) the right to cure Landlord's default and to deduct the costs of such cure from any monies due to Landlord from Tenant, and (ii) any and all other rights available to it under law and equity.

16. ASSIGNMENT/SUBLEASE. Tenant will have the right to assign this Agreement or sublease the Premises and its rights herein, in whole or in part, without Landlord's consent. Upon notification to Landlord of such assignment, Tenant will be relieved of all future performance, liabilities and obligations under this Agreement to the extent of such assignment.

17. NOTICES. All notices, requests and demands hereunder will be given by first class certified or registered mail, return receipt requested, or by a nationally recognized overnight courier, postage prepaid, to be effective when properly sent and received, refused or returned undelivered. Notices will be addressed to the parties as follows:

If to Tenant: Harmoni Towers LLC
 Attn: Real Estate
 10801 Executive Center Drive
 Shannon Building, Suite 100
 Little Rock AR 72211
 REAdmin@harmonitowers.com

cc:

Harmoni Towers LLC
c/o Symphony Wireless
Attn: Legal
44 South Broadway, Suite 601
White Plains, NY 10601

For Emergencies: NOC@harmonitowers.com

If to Landlord: Rebecca Ann Hopper
 322 Wilsontown Road
 Russell Springs, Kentucky 42642
 Telephone: [REDACTED]

Either party hereto may change the place for the giving of notice to it by thirty (30) days' prior written notice to the other party as provided herein.

18. CONDEMNATION. In the event Landlord receives notification of any condemnation proceedings affecting the Property, Landlord will provide notice of the proceeding to Tenant within twenty-four (24) hours. If a condemning authority takes all of the Property, or a portion sufficient, in Tenant's sole determination, to render the Premises unsuitable for Tenant, this Agreement will terminate as of the date the title vests in the condemning authority. The parties will each be entitled to pursue their own separate awards in the condemnation proceeds, which for Tenant will include, where applicable, the value of its Communication Facility, moving expenses, prepaid Rent, and business dislocation expenses. Tenant will be entitled to reimbursement for any prepaid Rent on a *pro rata* basis.

19. CASUALTY. Landlord will provide notice to Tenant of any casualty or other harm affecting the Property within twenty-four (24) hours of the casualty or other harm. If any part of the Communication Facility or Property is damaged by casualty or other harm as to render the Premises unsuitable, in Tenant's sole

completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Landlord. If Landlord remains in default beyond any applicable cure period, Tenant will have: (i) the right to cure Landlord's default and to deduct the costs of such cure from any monies due to Landlord from Tenant, and (ii) any and all other rights available to it under law and equity.

16. ASSIGNMENT/SUBLEASE. Tenant will have the right to assign this Agreement or sublease the Premises and its rights herein, in whole or in part, without Landlord's consent. Upon notification to Landlord of such assignment, Tenant will be relieved of all future performance, liabilities and obligations under this Agreement to the extent of such assignment.

17. NOTICES. All notices, requests and demands hereunder will be given by first class certified or registered mail, return receipt requested, or by a nationally recognized overnight courier, postage prepaid, to be effective when properly sent and received, refused or returned undelivered. Notices will be addressed to the parties as follows:

If to Tenant: Harmoni Towers LLC
 Attn: Real Estate
 10801 Executive Center Drive
 Shannon Building, Suite 100
 Little Rock AR 72211
 REAdmin@harmonitowers.com

cc:

Harmoni Towers LLC
c/o Symphony Wireless
Attn: Legal
44 South Broadway, Suite 601
White Plains, NY 10601

For Emergencies: NOC@harmonitowers.com

If to Landlord: Rebecca Ann Hopper
 1853 Highway 90
 Russell Springs, Kentucky 42642
 Telephone: [REDACTED]

Either party hereto may change the place for the giving of notice to it by thirty (30) days' prior written notice to the other party as provided herein.

18. CONDEMNATION. In the event Landlord receives notification of any condemnation proceedings affecting the Property, Landlord will provide notice of the proceeding to Tenant within twenty-four (24) hours. If a condemning authority takes all of the Property, or a portion sufficient, in Tenant's sole determination, to render the Premises unsuitable for Tenant, this Agreement will terminate as of the date the title vests in the condemning authority. The parties will each be entitled to pursue their own separate awards in the condemnation proceeds, which for Tenant will include, where applicable, the value of its Communication Facility, moving expenses, prepaid Rent, and business dislocation expenses. Tenant will be entitled to reimbursement for any prepaid Rent on a *pro rata* basis.

19. CASUALTY. Landlord will provide notice to Tenant of any casualty or other harm affecting the Property within twenty-four (24) hours of the casualty or other harm. If any part of the Communication Facility or Property is damaged by casualty or other harm as to render the Premises unsuitable, in Tenant's sole

determination, then Tenant may terminate this Agreement by providing written notice to Landlord, which termination will be effective as of the date of such casualty or other harm. Upon such termination, Tenant will be entitled to collect all insurance proceeds payable to Tenant on account thereof and to be reimbursed for any prepaid Rent on a *pro rata* basis. Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property, but only until such time as Tenant is able to activate a replacement transmission facility at another location; notwithstanding the termination of this Agreement, such temporary facilities will be governed by all of the terms and conditions of this Agreement, including Rent. If Landlord or Tenant undertakes to rebuild or restore the Premises and/or the Communication Facility, as applicable, Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property at no additional Rent until the reconstruction of the Premises and/or the Communication Facility is completed. If Landlord determines not to rebuild or restore the Property, Landlord will notify Tenant of such determination within thirty (30) days after the casualty or other harm. If Landlord does not so notify Tenant and Tenant decides not to terminate under this Section, then Landlord will promptly rebuild or restore any portion of the Property interfering with or required for Tenant's Permitted Use of the Premises to substantially the same condition as existed before the casualty or other harm. Landlord agrees that the Rent shall be abated until the Property and/or the Premises are rebuilt or restored, unless Tenant places temporary transmission and reception facilities on the Property.

20. WAIVER OF LANDLORD'S LIENS. Landlord waives any and all lien rights it may have, statutory or otherwise, concerning the Communication Facility or any portion thereof. The Communication Facility shall be deemed personal property for purposes of this Agreement, regardless of whether any portion is deemed real or personal property under applicable law; Landlord consents to Tenant's right to remove all or any portion of the Communication Facility from time to time in Tenant's sole discretion and without Landlord's consent.

21. TAXES.

(a) Landlord shall be responsible for (i) all taxes and assessments levied upon the lands, improvements and other property of Landlord including any such taxes that may be calculated by a taxing authority using any method, including the income method (ii) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with this Agreement and (iii) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with a sale of the Property or assignment of Rent payments by Landlord. Tenant shall be responsible for (y) any taxes and assessments attributable to and levied upon Tenant's leasehold improvements on the Premises if and as set forth in this Section 21 and (z) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with an assignment of this Agreement or sublease by Tenant. Nothing herein shall require Tenant to pay any inheritance, franchise, income, payroll, excise, privilege, rent, capital stock, stamp, documentary, estate or profit tax, or any tax of similar nature, that is or may be imposed upon Landlord.

(b) In the event Landlord receives a notice of assessment with respect to which taxes or assessments are imposed on Tenant's leasehold improvements on the Premises, Landlord shall provide Tenant with copies of each such notice immediately upon receipt, but in no event later than thirty (30) days after the date of such notice of assessment. If Landlord does not provide such notice or notices to Tenant in a timely manner and Tenant's rights with respect to such taxes are prejudiced by the delay, Landlord shall reimburse Tenant for any increased costs directly resulting from the delay and Landlord shall be responsible for payment of the tax or assessment set forth in the notice, and Landlord shall not have the right to reimbursement of such amount from Tenant. If Landlord provides a notice of assessment to Tenant within such time period and requests reimbursement from Tenant as set forth below, then Tenant shall reimburse Landlord for the tax or assessments identified on the notice of assessment on Tenant's leasehold improvements, which has been paid by Landlord. If Landlord seeks reimbursement from Tenant, Landlord shall, no later than thirty (30) days after Landlord's payment of the taxes or assessments for the assessed tax year, provide Tenant with written notice including

evidence that Landlord has timely paid same, and Landlord shall provide to Tenant any other documentation reasonably requested by Tenant to allow Tenant to evaluate the payment and to reimburse Landlord.

(c) For any tax amount for which Tenant is responsible under this Agreement, Tenant shall have the right to contest, in good faith, the validity or the amount thereof using such administrative, appellate or other proceedings as may be appropriate in the jurisdiction, and may defer payment of such obligations, pay same under protest, or take such other steps as permitted by law. This right shall include the ability to institute any legal, regulatory or informal action in the name of Landlord, Tenant, or both, with respect to the valuation of the Premises. Landlord shall cooperate with respect to the commencement and prosecution of any such proceedings and will execute any documents required therefor. The expense of any such proceedings shall be borne by Tenant and any refunds or rebates secured as a result of Tenant's action shall belong to Tenant, to the extent the amounts were originally paid by Tenant. In the event Tenant notifies Landlord by the due date for assessment of Tenant's intent to contest the assessment, Landlord shall not pay the assessment pending conclusion of the contest, unless required by applicable law.

(d) Landlord shall not split or cause the tax parcel on which the Premises are located to be split, bifurcated, separated or divided without the prior written consent of Tenant.

(e) Tenant shall have the right but not the obligation to pay any taxes due by Landlord hereunder if Landlord fails to timely do so, in addition to any other rights or remedies of Tenant. In the event that Tenant exercises its rights under this Section 21(e) due to such Landlord default, Tenant shall have the right to deduct such tax amounts paid from any monies due to Landlord from Tenant as provided in Section 15(b), provided that Tenant may exercise such right without having provided to Landlord notice and the opportunity to cure per Section 15(b).

(f) Any tax-related notices shall be sent to Tenant in the manner set forth in Section 17. Promptly after the Effective Date of this Agreement, Landlord shall provide the Notice address set forth in Section 17 to the taxing authority for the authority's use in the event the authority needs to communicate with Tenant. In the event that Tenant's tax address changes by notice to Landlord, Landlord shall be required to provide Tenant's new tax address to the taxing authority or authorities.

(g) Notwithstanding anything to the contrary contained in this Section 21, Tenant shall have no obligation to reimburse any tax or assessment for which the Landlord is reimbursed or rebated by a third party.

22. SALE OF PROPERTY.

(a) Landlord may sell the Property or a portion thereof to a third party, provided: (i) the sale is made subject to the terms of this Agreement; and (ii) if the sale does not include the assignment of Landlord's full interest in this Agreement, the purchaser must agree to perform, without requiring compensation from Tenant or any subtenant, any obligation of Landlord under this Agreement, including Landlord's obligation to cooperate with Tenant as provided hereunder.

(b) If Landlord, at any time during the Term of this Agreement, decides to rezone or sell, subdivide or otherwise transfer all or any part of the Premises, or all or any part of the Property or Surrounding Property, to a purchaser other than Tenant, Landlord shall promptly notify Tenant in writing, and such rezoning, sale, subdivision or transfer shall be subject to this Agreement and Tenant's rights hereunder. In the event of a change in ownership, transfer or sale of the Property, within ten (10) days of such transfer, Landlord or its successor shall send the documents listed below in this Section 22(b) to Tenant. Until Tenant receives all such documents, Tenant's failure to make payments under this Agreement shall not be an event of default and Tenant reserves the right to hold payments due under this Agreement.

- i. Old deed to Property
- ii. New deed to Property
- iii. Bill of Sale or Transfer
- iv. Copy of current Tax Bill
- v. New IRS Form W-9
- vi. Completed and Signed Tenant Payment Direction Form
- vii. Full contact information for new Landlord including phone number(s)

(c) Landlord agrees not to sell, lease or use any areas of the Property or Surrounding Property for the installation, operation or maintenance of other wireless communication facilities if such installation, operation or maintenance would interfere with Tenant's Permitted Use or communications equipment as determined by radio propagation tests performed by Tenant in its sole discretion. Landlord or Landlord's prospective purchaser shall reimburse Tenant for any costs and expenses of such testing. If the radio frequency propagation tests demonstrate levels of interference unacceptable to Tenant, Landlord shall be prohibited from selling, leasing or using any areas of the Property or the Surrounding Property for purposes of any installation, operation or maintenance of any other wireless communication facility or equipment.

(d) The provisions of this Section shall in no way limit or impair the obligations of Landlord under this Agreement, including interference and access obligations.

23. RIGHT OF FIRST REFUSAL. Notwithstanding the provisions contained in Section 22, if at any time after the Effective Date, Landlord receives a bona fide written offer from a third party seeking any sale, conveyance, assignment or transfer, whether in whole or in part, of any property interest in or related to the Premises, including without limitation any offer seeking an assignment or transfer of the Rent payments associated with this Agreement or an offer to purchase an easement with respect to the Premises ("**Offer**"), Landlord shall immediately furnish Tenant with a copy of the Offer. Tenant shall have the right within ninety (90) days after it receives such copy to match the Offer and agree in writing (the "**Exercise Notice**") to match the financial terms of the Offer. For the avoidance of doubt, to exercise its rights under this Section 23, Tenant shall not be required to match any compensation due to parties unrelated Landlord, including but not limited to broker compensation. The Exercise Notice shall be in the form of a contract substantially similar to the Offer (matching the financial terms as set forth herein); provided, however, that Landlord and Tenant acknowledge and agree that the Exercise Notice is intended to be a letter of intent or similar, and the parties shall thereafter negotiate in good faith the documents reasonably required to consummate Tenant's exercise of its rights under this Section 23. Tenant may assign its rights under this Section 23. If Tenant chooses not to exercise this right or fails to provide written notice to Landlord within the ninety (90) day period, Landlord may sell, convey, assign or transfer such property interest in or related to the Premises pursuant to the Offer, subject to the terms of this Agreement. If Landlord attempts to sell, convey, assign or transfer such property interest in or related to the Premises without complying with this Section 23, the sale, conveyance, assignment or transfer shall be void. Tenant shall not be responsible for any failure to make payments under this Agreement and reserves the right to hold payments due under this Agreement until Landlord complies with this Section 23. Tenant's failure to exercise the right of first refusal shall not be deemed a waiver of the rights contained in this Section 23 with respect to any future proposed conveyances as described herein.

24. MISCELLANEOUS.

(a) **Amendment/Waiver.** This Agreement cannot be amended, modified or revised unless done in writing and signed by Landlord and Tenant. No provision may be waived except in a writing signed by both parties. The failure by a party to enforce any provision of this Agreement or to require performance by the other party will not be construed to be a waiver, or in any way affect the right of either party to enforce such provision thereafter.

(b) **Memorandum.** Contemporaneously with the execution of this Agreement, the parties will execute a recordable Memorandum of Lease substantially in the form attached as **Exhibit 24b**. Either party may record this Memorandum of Lease at any time during the Term, in its absolute discretion. Thereafter during the Term, either party will, at any time upon fifteen (15) business days' prior written notice from the other, execute, acknowledge and deliver to the other a recordable Memorandum of Lease.

(c) **Limitation of Liability.** Except for the indemnity obligations set forth in this Agreement, and otherwise notwithstanding anything to the contrary in this Agreement, Tenant and Landlord each waives any claims that each may have against the other with respect to consequential, incidental or special damages, however caused, based on any theory of liability.

(d) **Compliance with Law.** Tenant agrees to comply with all federal, state and local laws, orders, rules and regulations ("**Laws**") applicable to Tenant's use of the Communication Facility on the Property.

Landlord agrees to comply with all Laws relating to Landlord's ownership and use of the Property and any improvements on the Property.

(e) **Bind and Benefit.** The terms and conditions contained in this Agreement will run with the Property and bind and inure to the benefit of the parties, their respective heirs, executors, administrators, successors and assigns.

(f) **Entire Agreement.** This Agreement and the exhibits attached hereto, all being a part hereof, constitute the entire agreement of the parties hereto and will supersede all prior offers, negotiations and agreements with respect to the subject matter of this Agreement. Exhibits are numbered to correspond to the Section wherein they are first referenced. Except as otherwise stated in this Agreement, each party shall bear its own fees and expenses (including the fees and expenses of its agents, brokers, representatives, attorneys, and accountants) incurred in connection with the negotiation, drafting, execution and performance of this Agreement and the transactions it contemplates.

(g) **Governing Law.** This Agreement will be governed by the laws of the state in which the Premises are located, without regard to conflicts of law.

(h) **Interpretation.** Unless otherwise specified, the following rules of construction and interpretation apply: (i) captions are for convenience and reference only and in no way define or limit the construction of the terms and conditions hereof; (ii) use of the term "including" will be interpreted to mean "including but not limited to"; (iii) whenever a party's consent is required under this Agreement, except as otherwise stated in the Agreement or as same may be duplicative, such consent will not be unreasonably withheld, conditioned or delayed; (iv) exhibits are an integral part of this Agreement and are incorporated by reference into this Agreement; (v) use of the terms "termination" or "expiration" are interchangeable; (vi) reference to a default will take into consideration any applicable notice, grace and cure periods; (vii) to the extent there is any issue with respect to any alleged, perceived or actual ambiguity in this Agreement, the ambiguity shall not be resolved on the basis of who drafted the Agreement; (viii) the singular use of words includes the plural where appropriate and (ix) if any provision of this Agreement is held invalid, illegal or unenforceable, the remaining provisions of this Agreement shall remain in full force if the overall purpose of the Agreement is not rendered impossible and the original purpose, intent or consideration is not materially impaired.

(i) **Affiliates.** All references to "Tenant" shall be deemed to include any Affiliate of Harmoni Towers LLC using the Premises for any Permitted Use or otherwise exercising the rights of Tenant pursuant to this Agreement. "Affiliate" means with respect to a party to this Agreement, any person or entity that (directly or indirectly) controls, is controlled by, or under common control with, that party. "Control" of a person or entity means the power (directly or indirectly) to direct the management or policies of that person or entity, whether through the ownership of voting securities, by contract, by agency or otherwise.

(j) **Survival.** Any provisions of this Agreement relating to indemnification shall survive the termination or expiration hereof. In addition, any terms and conditions contained in this Agreement that by their sense and context are intended to survive the termination or expiration of this Agreement shall so survive.

(k) **W-9.** As a condition precedent to payment, Landlord agrees to provide Tenant with a completed IRS Form W-9, or its equivalent, upon execution of this Agreement and at such other times as may be reasonably requested by Tenant, including any change in Landlord's name or address.

(l) **Execution/No Option.** The submission of this Agreement to any party for examination or consideration does not constitute an offer, reservation of or option for the Premises based on the terms set forth herein. This Agreement will become effective as a binding Agreement only upon the handwritten legal execution, acknowledgment and delivery hereof by Landlord and Tenant. This Agreement may be executed in two (2) or more counterparts, all of which shall be considered one and the same agreement and shall become effective when one or more counterparts have been signed by each of the parties. All parties need not sign the same counterpart.

(m) **Attorneys' Fees.** In the event that any dispute between the parties related to this Agreement should result in litigation, the prevailing party in such litigation shall be entitled to recover from the other party all reasonable fees and expenses of enforcing any right of the prevailing party, including reasonable attorneys' fees and expenses. Prevailing party means the party determined by the court to have most nearly prevailed

even if such party did not prevail in all matters. This provision will not be construed to entitle any party other than Landlord, Tenant and their respective Affiliates to recover their fees and expenses.

(n) **WAIVER OF JURY TRIAL.** EACH PARTY, TO THE EXTENT PERMITTED BY LAW, KNOWINGLY, VOLUNTARILY AND INTENTIONALLY WAIVES ITS RIGHT TO A TRIAL BY JURY IN ANY ACTION OR PROCEEDING UNDER ANY THEORY OF LIABILITY ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR THE TRANSACTIONS IT CONTEMPLATES.

(o) **Incidental Fees.** Unless specified in this Agreement, no unilateral fees or additional costs or expenses are to be applied by either party to the other party, including review of plans, structural analyses, consents, provision of documents or other communications between the parties.


(p) **Further Acts.** Upon request, Landlord will cause to be promptly and duly taken, executed, acknowledged and delivered all such further acts, documents, and assurances as Tenant may request from time to time in order to effectuate, carry out and perform all of the terms, provisions and conditions of this Agreement and all transactions and permitted use contemplated by this Agreement.

(q) **Force Majeure.** No party shall be liable or responsible to the other party, nor be deemed to have defaulted under or breached this Agreement, for any failure or delay in fulfilling or performing any term of this Agreement, when and to the extent such failure or delay is caused by or results from acts beyond the affected party's reasonable control, including, without limitation: (a) acts of God; (b) flood, fire, earthquake, or explosion; (c) war, invasion, hostilities (whether war is declared or not), terrorist threats or acts, riot, or other civil unrest; (d) government order or law; (e) embargoes, or blockades in effect on or after the date of this Agreement; (f) action by any governmental authority; (g) national or regional emergency; and (h) strikes, labor stoppages or slowdowns, or other industrial disturbances. The party suffering a force majeure event shall give written notice to the other party, stating the period of time the occurrence is expected to continue and shall use diligent efforts to end the failure or delay and ensure the effects of such force majeure event are minimized.

[SIGNATURES APPEAR ON NEXT PAGE]

IN WITNESS WHEREOF, the parties have caused this Agreement to be effective as of the last date written below.

"LANDLORD"

By: 
Print Name: Rebecca Ann Hopper
Its: _____
Date: 5/10/21

"TENANT"

Harmoni Towers LLC
By: 
Print Name: Ginger Majors
Its: VP-Real Estate
Date: 5-21-2021

[ACKNOWLEDGMENTS APPEAR ON NEXT PAGE]

TENANT ACKNOWLEDGMENT

STATE OF ARKANSAS

COUNTY OF PULASKI

On the 21st day of May, 2021, before me personally appeared Ginger Majors VP-Real Estate who acknowledged under oath that he/ she is the of Harmoni Towers LLC, the Tenant named in the attached instrument, and as such was authorized to execute this instrument on behalf of the Tenant.

Michelle Sutton
Notary Public: Michelle Sutton
My Commission Expires: 4-30-2028



LANDLORD ACKNOWLEDGMENT

STATE OF Kentucky

COUNTY OF Duo

BE IT REMEMBERED, that on this 10th day of May, 2021 before me, the subscriber, a person authorized to take oaths in the State of Kentucky, personally appeared Rebecca Ann Hopper who, being duly sworn on his/her/their oath, deposed and made proof to my satisfaction that he/she/they is/are the person(s) named in the within instrument; and I, having first made known to him/her/them the contents thereof, he/she/they did acknowledge that he/she/they signed, sealed and delivered the same as his/her/their voluntary act and deed for the purposes therein contained.

Linda McFarland
Notary Public: Linda McFarland
My Commission Expires: 12-15-2022




EXHIBIT 1

DESCRIPTION OF PREMISES

Page 1 of 3

to the Option and Lease Agreement dated May 21, 2021, by and between Rebecca Ann Hopper, single, as Landlord, and Harmoni Towers LLC, a Delaware limited liability company, as Tenant.


The Property is legally described as follows:

Beginning on a post oak and gum corner to William Shepherd's corner; thence S 89 E 26-3/4 poles to a stake in Shepherd's line E.C. Smith's corner, thence S 5-1/2 E 23-3/5 poles to right-of-way of Hoppertown Road; thence with said right-of-way about N 83 West 32-1/2 poles to a stone in said right-of-way and in middle of road leading to the Grimes place; thence North 3 E 20-1/3 poles to the beginning, containing five acres, more or less.

AND BEING the same property conveyed to Lowell Hopper and Mary Josephine Hopper from Claude Hopper and Faith Hopper by Deed of Conveyance dated June 6, 1970 and recorded July 25, 1970 in Deed Book 61, Page 147; AND FURTHER CONVEYED to Rebecca Ann Hopper from Lowell and Mary Josephine Hopper by General Warranty Deed dated October 23, 2017 and recorded November 9, 2018 in Deed Book 337, Page 425.

Tax Parcel No. 053-00-00-076.00

The Premises are described and/or depicted as follows:



LEASE AREA
HARMONI TOWERS
HORN ROAD
KYLEX2054

All that tract or parcel of land, lying and being in Russell County, Kentucky, and being a portion of the lands of Rebecca Ann Hopper, as recorded in Deed Book 337, Page 425, Russell County records, and being more particularly described as follows:

To find the point of beginning, COMMENCE, at a fence post at the northeast property corner of said lands, said fence post having a Kentucky Grid North, NAD 83, Single zone value of N: 3549491.0188 E: 5140476.5816; thence running along a tie-line, South 40°11'04" West, 19.67 feet to a point and the true POINT OF BEGINNING; Thence, South 00°00'20" East, 100.00 feet to a point; Thence, South 89°59'40" West, 100.00 feet to a point, passing a point at 50.00 feet having a Kentucky Grid North, NAD 83, Single zone value of N: 3549375.9883 E: 5140413.9008; Thence, North 00°00'20" West, 100.00 feet to a point; Thence, North 89°59'40" East, 100.00 feet to a point; and the POINT OF BEGINNING.

Bearings based on Kentucky Grid North, NAD 83, Single zone values.

Said tract contains 0.2296 acres (10,000 square feet), more or less, as shown in a survey prepared for Harmoni Towers by POINT TO POINT LAND SURVEYORS, INC. dated January 28, 2021.

30' INGRESS EGRESS & UTILITY EASEMENT
HARMONI TOWERS
HORN ROAD
KYLEX2054

Together with a 30 foot wide Ingress Egress and Utility Easement (lying 15 feet each side of centerline), lying and being in Russell County, Kentucky, and being a portion of the lands of Rebecca Ann Hopper, as recorded in Deed Book 337, Page 425, Russell County records, and being more particularly described by the following centerline data:

To find the point of beginning, COMMENCE, at a fence post at the northeast property corner of said lands, said fence post having a Kentucky Grid North, NAD 83, Single zone value of N: 3549491.0188 E: 5140476.5816; thence running along a tie line, South 40°11'04" West, 19.67 feet to a point on the Lease Area; thence running along said Lease Area, South 00°00'20" East, 100.00 feet to a point; thence, South 89°59'40" West, 50.00 feet to a point having a Kentucky Grid North, NAD 83, Single zone value of N: 3549375.9883 E: 5140413.9008 and being the true POINT OF BEGINNING; Thence leaving said Lease Area and running, South 00°00'20" East, 215.75 feet to a point; Thence, North 89°53'42" West, 43.75 feet to a point; Thence, South 08°37'20" West, 41.75 feet to a point on the northeasterly right of-way line of Kentucky Highway No. 910.

Bearings based on Kentucky Grid North, NAD 83, Single zone values.

As shown in a survey prepared for Harmoni Towers by POINT TO POINT LAND SURVEYORS, INC. dated January 28, 2021.

Notes:

1. THIS EXHIBIT MAY BE REPLACED BY A LAND SURVEY AND/OR CONSTRUCTION DRAWINGS OF THE PREMISES ONCE RECEIVED BY TENANT.
2. ANY SETBACK OF THE PREMISES FROM THE PROPERTY'S BOUNDARIES SHALL BE THE DISTANCE REQUIRED BY THE APPLICABLE GOVERNMENT AUTHORITIES.
3. WIDTH OF ACCESS ROAD SHALL BE THE WIDTH REQUIRED BY THE APPLICABLE GOVERNMENT AUTHORITIES, INCLUDING POLICE AND FIRE DEPARTMENTS.
4. THE TYPE, NUMBER AND MOUNTING POSITIONS AND LOCATIONS OF ANTENNAS AND TRANSMISSION LINES ARE ILLUSTRATIVE ONLY. ACTUAL TYPES, NUMBERS AND MOUNTING POSITIONS MAY VARY FROM WHAT IS SHOWN ABOVE.

EXHIBIT J
NOTIFICATION LISTING

Horn Road – Notice List

HOPPER REBECCA ANN
322 WILSONTOWN RD
RUSSELL SPRINGS KY 42642

HOLMES DOUGLAS K JR & BRIDGET R
1766 HWY 910
RUSSELL SPRINGS, KY 42642

WILSON ARVIN R. & JOYCE T.
2030 HWY. 910
RUSSELL SPRINGS, KY 42642

POPPLEWELL MICHAEL O. & SHARON
80 HORN RD.
RUSSELL SPRINGS, KY 42642

POPPLEWELL DEVERIA CELESTE
114 HORN RD
RUSSELL SPRINGS KY 42642

ALLEN TINA D
1976 HWY 910
RUSSELL SPRINGS KY 42642

POPPLEWELL JANICE C.
1950 HWY. 910
RUSSELL SPRINGS, KY 42642

HART RANDOLPH S. & LISHA
225 WILSON TOWN RD.
RUSSELL SPRINGS, KY 42642

GOSSER CHAD K & LINDSEY W &
BEYL CHASTITY
2340 SOUTH HWY 127
RUSSELL SPRINGS KY 42642

EXHIBIT K
COPY OF PROPERTY OWNER NOTIFICATION



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

**Notice of Proposed Construction of
Wireless Communications Facility
Site Name: Horn Road**

Dear Landowner:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at 1853 KY Hwy No. 910, Russell Springs, KY 42642 (37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude). The proposed facility will include a 2-foot tall foundation below a 255-foot tall tower, with an approximately 10-foot tall lightning arrestor attached at the top, for a total height of 267-feet, plus related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.

This notice is being sent to you because the County Property Valuation Administrator's records indicate that you may own property that is within a 500' radius of the proposed tower site or contiguous to the property on which the tower is to be constructed. You have a right to submit testimony to the Kentucky Public Service Commission ("PSC"), either in writing or to request intervention in the PSC's proceedings on the application. You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00010 in any correspondence sent in connection with this matter.

We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us toll free at (800) 516-4293 if you have any comments or questions about this proposal.

Sincerely,
David A. Pike
Attorney for Applicants

enclosures

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head northwest on N Main Street toward Harris Lane and travel approximately 2.5 miles.
2. Continue onto US-127 N and travel approximately 3.3 miles.
3. Turn right onto KY-80 E / E Steve Wariner Drive and travel approximately 2.6 miles.
4. Turn right onto KY-910 and travel approximately 1.9 miles.
5. The site is located on the left at 1853 KY-910, Russell Springs, KY 42642. The site coordinates are: 37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00-00-011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERIA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00-00-001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

- NOTE:
1. PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 HORN ROAD
 PAR 15415027
 PAC#B MINTNK05249
 PTH 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: C-1.0
 CHECKED BY: ELS

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	SLS	REVIEW
D	8/25/21	MKS	FINAL
1	1/10/22	MKS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER TO ALTER THIS DOCUMENT.

500' RADIUS & ADJOINER'S DRAWING

PROJECT NUMBER
C-1.0



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00-00-011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERSA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00-00-001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

- NOTE:
- PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 - THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 - NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 HORN ROAD
 PAR 15415627
 PAC#B MRLTKN05249
 PI# 2457AUNDID9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: 20144501402.DWG
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MKS	FINAL
1	1/10/22	MKS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER TO ALTER THIS DOCUMENT.

OVERALL ADJOINER'S DRAWING

SHEET NUMBER:
C-1.1

1 OVERALL ADJOINER'S DRAWING
 SCALE 1"=200'



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



EXHIBIT L
COPY OF COUNTY JUDGE/EXECUTIVE NOTICE



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA CERTIFIED MAIL

Gary D. Robertson
County Judge Executive
P. O. Box 397
410 Monument Square, Suite 205
Jamestown, KY 42629

RE: Notice of Proposal to Construct Wireless Communications Facility
Kentucky Public Service Commission Docket No. 2022-00010
Site Name: Horn Road

Dear Judge/Executive:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at 1853 KY Hwy No. 910, Russell Springs, KY 42642 (37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude). The proposed facility will include a 2-foot tall foundation below a 255-foot tall tower, with an approximately 10-foot tall lightning arrestor attached at the top, for a total height of 267-feet, plus related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.

You have a right to submit comments to the PSC or to request intervention in the PSC's proceedings on the application. You may contact the PSC at: Executive Director, Public Service Commission, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00010 in any correspondence sent in connection with this matter.

We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us with any comments or questions you may have.

Sincerely,
David A. Pike
Attorney for Applicants
enclosures

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head northwest on N Main Street toward Harris Lane and travel approximately 2.5 miles.
2. Continue onto US-127 N and travel approximately 3.3 miles.
3. Turn right onto KY-80 E / E Steve Wariner Drive and travel approximately 2.6 miles.
4. Turn right onto KY-910 and travel approximately 1.9 miles.
5. The site is located on the left at 1853 KY-910, Russell Springs, KY 42642. The site coordinates are: 37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00-00-011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERIA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00-00-001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

- NOTE:
1. PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 HORN ROAD
 PAR 15415027
 PAC#B MINTNK05249
 PTH 2457A0XDD9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: C-1.0
 CHECKED BY: ELS

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	SLS	REVIEW
D	8/25/21	MKS	FINAL
1	1/10/22	MKS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER TO ALTER THIS DOCUMENT.

500' RADIUS & ADJOINER'S DRAWING

PROJECT NUMBER
C-1.0



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



#	OWNER	ADDRESS	PID	REF
1	REBECCA ANN HOPPER	1853 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-076.00	DB 337 PG 425
2	DOUGLAS & BRIDGET HOLMES	1776 KY HWY 910 RUSSELL SPRINGS, KY 42642	054-00-00-011.05	-
3	ARVIN & JOYCE WILSON	KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-077.00	-
4	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.01	DB 73 OG 54
5	DEVERSA CELESTE POPPLEWELL	114 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.03	DB 347 PG 370
6	MICHAEL & SHARON POPPLEWELL	80 HORN ROAD RUSSELL SPRINGS, KY 42642	053-00-00-073.02	DB 114 PG 335
7	ARVIN & JOYCE WILSON	2030 KY HWY 910 RUSSELL SPRINGS, KY 42642	062-00-00-001.00	-
8	TINA D ALLEN	1976 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-074.00	DB 350 PG 104
9	JANICE C. POPPLEWELL	1950 KY HWY 910 RUSSELL SPRINGS, KY 42642	053-00-00-075.00	DB 47 PG 419
10	RANDOLPH & LISHA HART	225 WILSON TOWN ROAD RUSSELL SPRINGS, KY 42642	054-00-00-013.03	DB 187 PG 022
11	THOMAS & CHARLENE DUNBAR	2340 SOUTH HWY 127 RUSSELL SPRINGS, KY 42642	054-00-00-019.00	DB 349 PG 339

NOTE:

- PVA INFORMATION WAS OBTAINED ON 7/16/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
- THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
- NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 HORN ROAD
 PAR 15415627
 PAC#B MRLNK05249
 PI# 2457AUNDID9
 (PROPERTY) 1853 KY
 HWY NO. 910
 RUSSELL SPRINGS, KY 42642
 RUSSELL COUNTY
 PROPOSED 255' SELF-SUPPORT TOWER

PROJECT NO: 20144501402.DWG
 CHECKED BY: DLS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
A	8/25/21	DLS	REVIEW
0	8/25/21	MKS	FINAL
1	1/10/22	MKS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/21



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER TO ALTER THIS DOCUMENT.

OVERALL ADJOINER'S DRAWING

SHEET NUMBER:
C-1.1

1 OVERALL ADJOINER'S DRAWING
 SCALE 1"=200'



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



EXHIBIT M
COPY OF POSTED NOTICES
AND NEWSPAPER NOTICE ADVERTISEMENT

SITE NAME: HORN ROAD
NOTICE SIGNS

The signs are at least (2) feet by four (4) feet in size, of durable material, with the text printed in black letters at least one (1) inch in height against a white background, except for the word "**tower**," which is at least four (4) inches in height.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company propose to construct a telecommunications **tower** on this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00010 in your correspondence.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company propose to construct a telecommunications **tower** near this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00010 in your correspondence.



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA TELEPHONE: (270) 866-3191
VIA EMAIL: print@jpinews.com

Russell County Times Journal
P. O. Box 190
Russell Springs, KY 42642

RE: Legal Notice Advertisement
Site Name: Horn Road

Dear Russell County Times Journal:

Please publish the following legal notice advertisement in the next edition of *Russell County Times Journal*:


NOTICE

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located on 1853 KY Hwy No. 910, Russell Springs, KY 42642 (37° 04' 06.78" North latitude, 84° 59' 55.83" West longitude). You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00010 in any correspondence sent in connection with this matter.

After this advertisement has been published, please forward a tearsheet copy, affidavit of publication, and invoice to Pike Legal Group, PLLC, P. O. Box 369, Shepherdsville, KY 40165. Please call me at (800) 516-4293 if you have any questions. Thank you for your assistance.

Sincerely,
Chris Shouse
Pike Legal Group, PLLC

EXHIBIT N
COPY OF RADIO FREQUENCY DESIGN SEARCH AREA



Google Earth

© 2020 Google

2000 ft



D'Exroat Ln

Yellow Apple Ridge Rd

9008

76

N Pearl Rd

Wilson Rd

ertown Rd
n Cumberland Pkwy