

**COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION**

In the Matter of:

THE APPLICATION OF)
NEW CINGULAR WIRELESS PCS, LLC,)
A DELAWARE LIMITED LIABILITY COMPANY,)
D/B/A AT&T MOBILITY)
AND HARMONI TOWERS LLC, A DELAWARE)
LIMITED LIABILITY COMPANY)
FOR ISSUANCE OF A CERTIFICATE OF PUBLIC) CASE NO.: 2022-00027
CONVENIENCE AND NECESSITY TO CONSTRUCT)
A WIRELESS COMMUNICATIONS FACILITY)
IN THE COMMONWEALTH OF KENTUCKY)
IN THE COUNTY OF RUSSELL)

SITE NAME: CLIFTY CREEK ROAD

* * * * *

**APPLICATION FOR
CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY
FOR CONSTRUCTION OF A WIRELESS COMMUNICATIONS FACILITY**

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company (formerly known as Uniti Towers LLC) (“Applicants”), by counsel, pursuant to (i) KRS §§ 278.020, 278.040, 278.650, 278.665, and other statutory authority, and the rules and regulations applicable thereto, and (ii) the Telecommunications Act of 1996, respectfully submit this Application requesting issuance of a Certificate of Public Convenience and Necessity (“CPCN”) from the Kentucky Public Service Commission (“PSC”) to construct, maintain, and operate a Wireless Communications Facility (“WCF”) to serve the customers of the Applicants with wireless communications services.

In support of this Application, Applicants respectfully provide and state the following

information:

1. The complete names and addresses of the Applicants are: New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility, having an address of Meidinger Tower, 462 S. 4th Street, Suite 2400, Louisville, Kentucky 40202 and Harmoni Towers LLC, a Delaware limited liability company having an address of 11101 Anderson Drive, Suite 200, Little Rock, Arkansas 72212.

2. Applicants propose construction of an antenna tower for communications services, which is to be located in an area outside the jurisdiction of a planning commission, and Applicants submit this application to the PSC for a certificate of public convenience and necessity pursuant to KRS §§ 278.020(1), 278.040, 278.650, 278.665, and other statutory authority.

3. AT&T Mobility is a limited liability company organized in the State of Delaware on October 20, 1994. Harmoni Towers is a limited liability company organized in the State of Delaware on December 2, 2015.

4. Applicants attest that they are in good standing in the state in which they are organized and further state that they are authorized to transact business in Kentucky.

5. The Certificates of Authority filed with the Kentucky Secretary of State for both Applicants are attached as part of **Exhibit A** pursuant to 807 KAR 5:001: Section 14(3). Note that Harmoni Towers LLC was formerly organized as Uniti Towers LLC (see an Amended Certificate of Authority to change entity name dated March 22, 2021 attached as part of **Exhibit A**). The Certificates of Authority for Uniti Towers LLC along with the Amended Certificate of Authority for Harmoni Towers LLC is attached as part of **Exhibit A**.

6. AT&T Mobility operates on frequencies licensed by the Federal Communications Commission (“FCC”) pursuant to applicable FCC requirements. Copies of AT&T Mobility’s FCC licenses to provide wireless services are attached to this Application or described as part of **Exhibit A**, and the facility will be constructed and operated in accordance with applicable FCC regulations.

7. The public convenience and necessity require the construction of the proposed WCF. The construction of the WCF will bring or improve AT&T Mobility’s services to an area currently not served or not adequately served by AT&T Mobility by increasing coverage or capacity and thereby enhancing the public’s access to innovative and competitive wireless communications services. The WCF will provide a necessary link in AT&T Mobility’s communications network that is designed to meet the increasing demands for wireless services in Kentucky’s wireless communications service area. The WCF is an integral link in AT&T Mobility’s network design that must be in place to provide adequate coverage to the service area.

8. To address the above-described service needs, Applicants propose to construct a WCF at 570 Clifty Creek Road, Jamestown, KY 42629 (36° 55’ 26.19” North latitude, 85° 05’ 37.87” West longitude), on a parcel of land located entirely within the county referenced in the caption of this application. The property on which the WCF will be located is owned by Paula Glover Mann pursuant to a deed recorded at Deed Book 294, Page 636 in the office of the County Clerk. The proposed WCF will consist of a 2-foot tall foundation below a 270-foot tall tower, with an approximately 10-foot tall lightning arrestor attached at the top, for a total height of 282-feet, plus related ground facilities. The WCF

will also include concrete foundations and a shelter or cabinets to accommodate the placement of AT&T Mobility's radio electronics equipment and appurtenant equipment. The Applicants' equipment cabinet or shelter will be approved for use in the Commonwealth of Kentucky by the relevant building inspector. The WCF compound will be fenced and all access gate(s) will be secured. A description of the manner in which the proposed WCF will be constructed is attached as **Exhibit B** and **Exhibit C**.

9. A list of utilities, corporations, or persons with whom the proposed WCF is likely to compete is attached as **Exhibit D**.

10. The site development plan and a vertical profile sketch of the WCF signed and sealed by a professional engineer registered in Kentucky depicting the tower height, as well as a proposed configuration for AT&T Mobility's antennas has also been included as part of **Exhibit B**.

11. Foundation design plans signed and sealed by a professional engineer registered in Kentucky and a description of the standards according to which the tower was designed are included as part of **Exhibit C**.

12. Applicants have considered the likely effects of the installation of the proposed WCF on nearby land uses and values and have concluded that there is no more suitable location reasonably available from which adequate services can be provided, and that there are no reasonably available opportunities to co-locate AT&T Mobility's antennas on an existing structure. When suitable towers or structures exist, AT&T Mobility attempts to co-locate on existing structures such as communications towers or other structures capable of supporting AT&T Mobility's facilities; however, no other suitable or available co-

location site was found to be located in the vicinity of the site.

13. A copy of the Determination of No Hazard to Air Navigation issued by the Federal Aviation Administration ("FAA") is attached as **Exhibit E**.

14. A copy of the Kentucky Airport Zoning Commission ("KAZC") application for the proposed construction is attached as **Exhibit F**.

15. A geotechnical engineering firm has performed soil boring(s) and subsequent geotechnical engineering studies at the WCF site. A copy of the geotechnical engineering report, signed and sealed by a professional engineer registered in the Commonwealth of Kentucky, is attached as **Exhibit G**. The name and address of the geotechnical engineering firm and the professional engineer registered in the Commonwealth of Kentucky who supervised the examination of this WCF site are included as part of this exhibit.

16. Clear directions to the proposed WCF site from the County seat are attached as **Exhibit H**. The name and telephone number of the preparer of **Exhibit H** are included as part of this exhibit.

17. Harmoni Towers LLC, pursuant to a written agreement, has acquired the right to use the WCF site and associated property rights. A copy of the agreements or abbreviated agreements recorded with the County Clerk are attached as **Exhibit I**.

18. Personnel directly responsible for the design and construction of the proposed WCF are well qualified and experienced. The tower and foundation drawings for the proposed tower submitted as part of **Exhibit C** bear the signature and stamp of a professional engineer registered in the Commonwealth of Kentucky. All tower designs

meet or exceed the minimum requirements of applicable laws and regulations.

19. The Construction Manager for the proposed facility is Marshall Corbin and the identity and qualifications of each person directly responsible for design and construction of the proposed tower are contained in **Exhibits B & C**.

20. As noted on the Survey attached as part of **Exhibit B**, the surveyor has determined that the site is not within any flood hazard area.

21. **Exhibit B** includes a map drawn to an appropriate scale that shows the location of the proposed tower and identifies every owner of real estate within 500 feet of the proposed tower (according to the records maintained by the County Property Valuation Administrator). Every structure and every easement within 500 feet of the proposed tower or within 200 feet of the access road including intersection with the public street system is illustrated in **Exhibit B**.

22. Applicants have notified every person who, according to the records of the County Property Valuation Administrator, owns property which is within 500 feet of the proposed tower or contiguous to the site property, by certified mail, return receipt requested, of the proposed construction. Each notified property owner has been provided with a map of the location of the proposed construction, the PSC docket number for this application, the address of the PSC, and has been informed of his or her right to request intervention. A list of the notified property owners and a copy of the form of the notice sent by certified mail to each landowner are attached as **Exhibit J** and **Exhibit K**, respectively.

23. Applicants have notified the applicable County Judge/Executive by certified mail, return receipt requested, of the proposed construction. This notice included the PSC

docket number under which the application will be processed and informed the County Judge/Executive of his/her right to request intervention. A copy of this notice is attached as **Exhibit L**.

24. Notice signs meeting the requirements prescribed by 807 KAR 5:063, Section 1(2) that measure at least 2 feet in height and 4 feet in width and that contain all required language in letters of required height, have been posted, one in a visible location on the proposed site and on the nearest public road. Such signs shall remain posted for at least two weeks after filing of the Application, and a copy of the posted text is attached as **Exhibit M**. A legal notice advertisement regarding the location of the proposed facility has been published in a newspaper of general circulation in the county in which the WCF is proposed to be located. A copy of the newspaper legal notice advertisement is attached as part of **Exhibit M**.

25. The general area where the proposed facility is to be located is rural in character.

26. The process that was used by AT&T Mobility's radio frequency engineers in selecting the site for the proposed WCF was consistent with the general process used for selecting all other existing and proposed WCF facilities within the proposed network design area. AT&T Mobility's radio frequency engineers have conducted studies and tests in order to develop a highly efficient network that is designed to handle voice and data traffic in the service area. The engineers determined an optimum area for the placement of the proposed facility in terms of elevation and location to provide the best quality service to customers in the service area. A radio frequency design search area prepared in reference

to these radio frequency studies was considered by the Applicants when searching for sites for its antennas that would provide the coverage deemed necessary by AT&T Mobility. A map of the area in which the tower is proposed to be located which is drawn to scale and clearly depicts the necessary search area within which the site should be located pursuant to radio frequency requirements is attached as **Exhibit N**.

27. The tower must be located at the proposed location and proposed height to provide necessary service to wireless communications users in the subject area.

28. All Exhibits to this Application are hereby incorporated by reference as if fully set out as part of the Application.

29. All responses and requests associated with this Application may be directed to:

David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpike@pikelegal.com

WHEREFORE, Applicants respectfully request that the PSC accept the foregoing Application for filing, and having met the requirements of KRS §§ 278.020(1), 278.650, and 278.665 and all applicable rules and regulations of the PSC, grant a Certificate of Public Convenience and Necessity to construct and operate the WCF at the location set forth herein.

Respectfully submitted,



David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpike@pikelegal.com
Attorney for Applicants

LIST OF EXHIBITS

- A - Certificate of Authority & FCC License Documentation
- B - Site Development Plan:
 - 500' Vicinity Map
 - Legal Descriptions
 - Flood Plain Certification
 - Site Plan
 - Vertical Tower Profile
- C - Tower and Foundation Design
- D - Competing Utilities, Corporations, or Persons List
- E - FAA
- F - Kentucky Airport Zoning Commission
- G - Geotechnical Report
- H - Directions to WCF Site
- I - Copy of Real Estate Agreement
- J - Notification Listing
- K - Copy of Property Owner Notification
- L - Copy of County Judge/Executive Notice
- M - Copy of Posted Notices and Newspaper Notice Advertisement
- N - Copy of Radio Frequency Design Search Area

EXHIBIT A
CERTIFICATE OF AUTHORITY & FCC LICENSE
DOCUMENTATION

Commonwealth of Kentucky
Alison Lundergan Grimes, Secretary of State

Alison Lundergan Grimes
Secretary of State
P. O. Box 718
Frankfort, KY 40602-0718
(502) 564-3490
<http://www.sos.ky.gov>

Certificate of Authorization

Authentication number: 216299
Visit <https://app.sos.ky.gov/ftshow/certvalidate.aspx> to authenticate this certificate.

I, Alison Lundergan Grimes, Secretary of State of the Commonwealth of Kentucky, do hereby certify that according to the records in the Office of the Secretary of State,


NEW CINGULAR WIRELESS PCS, LLC

, a limited liability company authorized under the laws of the state of Delaware, is authorized to transact business in the Commonwealth of Kentucky, and received the authority to transact business in Kentucky on October 14, 1999.

I further certify that all fees and penalties owed to the Secretary of State have been paid; that an application for certificate of withdrawal has not been filed; and that the most recent annual report required by KRS 14A.6-010 has been delivered to the Secretary of State.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal at Frankfort, Kentucky, this 28th day of May, 2019, in the 227th year of the Commonwealth.




Alison Lundergan Grimes
Secretary of State
Commonwealth of Kentucky
216299/0481848



COMMONWEALTH OF KENTUCKY
ALISON LUNDERGAN GRIMES, SECRETARY OF STATE

0972004.06 mstratton
ADD
Allison Lundergan Grimes
Kentucky Secretary of State
Received and Filed:
1/3/2017 3:10 PM
Fee Receipt: \$90.00

Division of Business Filings Business Filings PO Box 718 Frankfort, KY 40602 (502) 564-3490 www.sos.ky.gov	Certificate of Authority (Foreign Business Entity)	FBE
---	---	-----

Pursuant to the provisions of KRS 14A and KRS 271B, 273, 274, 275, 362 and 386 the undersigned hereby applies for authority to transact business in Kentucky on behalf of the entity named below and, for that purpose, submits the following statements:

1. The entity is a : profit corporation (KRS 271B). nonprofit corporation (KRS 273). professional service corporation (KRS 274).
 business trust (KRS 386). limited liability company (KRS 275). professional limited liability company (KRS 275).
 limited partnership (KRS 362).

2. The name of the entity is Uniti Towers LLC
(The name must be identical to the name on record with the Secretary of State.)

3. The name of the entity to be used in Kentucky is (if applicable): _____
(Only provide if "real name" is unavailable for use; otherwise, leave blank.)

4. The state or country under whose law the entity is organized is Delaware

5. The date of organization is 12/2/2015 and the period of duration is _____
(if left blank, the period of duration is considered perpetual.)

6. The mailing address of the entity's principal office is
10802 Executive Center Drive, Benton Building, Suite 300 Little Rock AR 72211
Street Address City State Zip Code

7. The street address of the entity's registered office in Kentucky is
306 West Main Street - Suite 512 Frankfort KY 40601
Street Address (No P.O. Box Numbers) City State Zip Code

and the name of the registered agent at that office is C T Corporation System

8. The names and business addresses of the entity's representatives (secretary, officers and directors, managers, trustees or general partners):

Daniel L. Heard	10802 Executive Center Drive, Benton Building, Suite 300	Little Rock	AR	72211
Name	Street or P.O. Box	City	State	Zip Code
Kenneth Gunderman	10802 Executive Center Drive, Benton Building, Suite 300	Little Rock	AR	72211
Name	Street or P.O. Box	City	State	Zip Code
Mark A. Wallace	10802 Executive Center Drive, Benton Building, Suite 300	Little Rock	AR	72211
Name	Street or P.O. Box	City	State	Zip Code

9. If a professional service corporation, all the individual shareholders, not less than one half (1/2) of the directors, and all of the officers other than the secretary and treasurer are licensed in one or more states or territories of the United States or District of Columbia to render a professional service described in the statement of purposes of the corporation.

10. I certify that, as of the date of filing this application, the above-named entity validly exists under the laws of the jurisdiction of its formation.

11. If a limited partnership, it elects to be a limited liability limited partnership. Check the box if applicable:

12. If a limited liability company, check box if manager-managed:

13. This application will be effective upon filing, unless a delayed effective date and/or time is provided. The effective date or the delayed effective date cannot be prior to the date the application is filed. The date and/or time is _____
(Delayed effective date and/or time)

Keith Harvey Keith Harvey, VP - Deputy General Counsel 12/30/2016
Signature of Authorized Representative Printed Name & Title Date

I, C T Corporation System consent to serve as the registered agent on behalf of the business entity.
Type/Print Name of Registered Agent

Tristan Emrich Assistant Secretary 12/30/2016
Signature of Registered Agent Printed Name Title Date

0972004.06

vmiller
AMD

Michael G. Adams
Kentucky Secretary of State
Received and Filed:
3/22/2021 12:28 PM
Fee Receipt: \$40.00



COMMONWEALTH OF KENTUCKY
MICHAEL ADAMS, SECRETARY OF STATE

Division of Business Filings
P.O. Box 718
Frankfort, KY 40602
(502) 564-3490
www.sos.ky.gov

Amended Certificate of Authority
(Foreign Business Entity)

FCA

Pursuant to the provisions of KRS Chapter KRS 14A and 271B, 273, 274, 275, 362 or 386 the undersigned hereby applies for an amended certificate of authority on behalf of the entity named below and, for that purpose, submits the following statements:

1. The business entity is:
- profit corporation (KRS 271B)
 - professional service corporation (KRS 274).
 - limited liability company (KRS 275).
 - professional limited liability company (KRS 275)
 - limited cooperative association
 - cooperative association
 - nonprofit corporation (KRS 273).
 - business trust (KRS 386).
 - limited partnership (KRS 362).
 - statutory trust (KRS 386)
 - non-profit LLC (KRS 275).

2. The name of the company is: Uniti Towers LLC
(The name must be identical to the name on record with the Secretary of State.)

3. It is an entity organized and existing under the laws of the state or country of Delaware

4. The entity received authority to transact business in Kentucky on 1/3/2017

5. The entity has changed its (check all that apply)
- Domicile name to Harmoni Towers LLC
 - Name to be used in Kentucky to Harmoni Towers LLC
 - Jurisdiction of organization to _____
 - Period of duration _____
 - Form of organization _____
 - Management type: Member managed Manager managed

6. This application will be effective upon filing, unless a delayed effective date and/or time is provided. The effective date or the delayed effective date cannot be prior to the date the application is filed. The effective date is _____

Please indicate the county in which your business operates:
County: Franklin

To complete the following, please shade the box completely.

Please indicate the size of your business:		Please indicate whether any of the following make up more than fifty percent (50%) of your business ownership:	
<input type="checkbox"/> Small (Fewer than 50 employees)	<input checked="" type="checkbox"/> Large (50 or more employees)	<input type="checkbox"/> Women-Owned	<input type="checkbox"/> Veteran Owned <input type="checkbox"/> Minority Owned
Please indicate which of the following best describes your business:			
<input type="checkbox"/> Agriculture	<input type="checkbox"/> Mining	<input type="checkbox"/> Services	<input type="checkbox"/> Construction
<input type="checkbox"/> Wholesale Trade	<input type="checkbox"/> Retail Trade	<input type="checkbox"/> Manufacturing	<input type="checkbox"/> Finance, Insurance, Real Estate
<input type="checkbox"/> Public Administration	<input checked="" type="checkbox"/> Transportation, Communications, Electric, Gas, Sanitary Services		
<input type="checkbox"/> Other			

I declare under penalty of perjury under the laws of the state of Kentucky that the foregoing is true and correct.

	Dara Hoey	In-House Counsel	2/25/21
Signature of Authorized Representative	Printed Name	Title	Date

Delaware


The First State


Page 1

I, JEFFREY W. BULLOCK, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THAT THE SAID "UNITI TOWERS LLC", FILED A CERTIFICATE OF AMENDMENT, CHANGING ITS NAME TO "HARMONI TOWERS LLC" ON THE EIGHTEENTH DAY OF SEPTEMBER, A.D. 2020, AT 5:13 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE AFORESAID LIMITED LIABILITY COMPANY IS DULY FORMED UNDER THE LAWS OF THE STATE OF DELAWARE AND IS IN GOOD STANDING AND HAS A LEGAL EXISTENCE NOT HAVING BEEN CANCELLED OR REVOKED SO FAR AS THE RECORDS OF THIS OFFICE SHOW AND IS DULY AUTHORIZED TO TRANSACT BUSINESS.

AND I DO HEREBY FURTHER CERTIFY THAT THE SAID "HARMONI TOWERS LLC" WAS FORMED ON THE SECOND DAY OF DECEMBER, A.D. 2015.




Jeffrey W. Bullock, Secretary of State

5896640 8320
SR# 20210417869

Authentication: 202491953
Date: 02-11-21

You may verify this certificate online at corp.delaware.gov/authver.shtml

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau**

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: FCC GROUP
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 2100
DALLAS, TX 75202

Call Sign KNKN666	File Number 0009619100
Radio Service CL - Cellular	
Market Numer CMA447	Channel Block A
Sub-Market Designator 0	

FCC Registration Number (FRN): 0003291192

Market Name Kentucky 5 - Barren

Grant Date 09-08-2021	Effective Date 09-08-2021	Expiration Date 10-01-2031	Five Yr Build-Out Date	Print Date 09-08-2021
---------------------------------	-------------------------------------	--------------------------------------	-------------------------------	---------------------------------

Site Information:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
7	37-10-00.0 N	085-18-37.0 W	282.5	291.4	1062332

Address: 1210 Cane Valley Road (94238)

City: Columbia County: ADAIR State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	250.037	98.154	10.266	2.559	0.527	0.738	12.510	102.333

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	1.408	30.262	153.476	217.337	49.025	5.207	1.772	0.660

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	180.300	151.200	132.800	140.500	155.800	172.800	186.200	183.500
Transmitting ERP (watts)	2.948	0.454	0.942	4.366	59.310	210.546	155.347	22.706

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
8	36-43-12.0 N	084-28-13.0 W	409.3	91.1	1042231

Address: 100 Manor Circle (94260)

City: Whitley City County: MCCREARY State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	244.175	220.925	36.790	4.400	1.072	1.113	3.637	56.485

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	2.526	8.109	37.053	64.172	73.466	23.019	4.143	0.935

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	123.400	147.100	135.800	109.800	103.700	143.600	127.300	165.300
Transmitting ERP (watts)	13.438	3.125	0.649	0.912	15.291	122.113	297.793	117.856

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
17	36-56-36.9 N	086-00-52.2 W	218.8	91.1	1063506

Address: 638 GRAHAM ROAD (87368)

City: GLASGOW County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	138.618	59.574	7.477	1.200	0.283	0.661	10.185	66.521

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	2.142	19.146	94.547	124.562	33.322	3.559	0.817	0.257

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	76.900	78.700	69.100	74.800	91.600	116.000	101.800	89.500
Transmitting ERP (watts)	2.434	0.360	0.244	4.119	40.205	121.384	90.927	17.264

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
18	36-48-31.1 N	084-50-43.5 W	466.6	61.0	1004214

Address: 6565 MORRIS HILL ROAD (87856)

City: MONTICELLO County: WAYNE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	159.083	70.430	5.874	0.769	0.334	0.371	9.558	76.538

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	1.547	33.128	166.094	241.154	55.397	5.855	1.952	0.731

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	216.900	160.100	180.400	174.000	158.000	164.800	204.700	214.300
Transmitting ERP (watts)	1.611	0.321	0.293	4.972	42.968	145.725	111.912	13.218

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
19	36-53-52.1 N	084-47-02.5 W	353.6	94.2	1238700

Address: ROUTE 5, BOX 9516 (87058)

City: Monticello County: WAYNE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	151.264	65.591	5.815	0.740	0.328	0.344	9.075	72.988

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	2.029	20.018	108.704	142.806	33.266	2.825	0.395	0.478

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	153.300	160.500	119.100	104.500	62.300	124.200	155.000	148.700
Transmitting ERP (watts)	1.536	0.299	0.287	4.752	41.633	135.419	106.546	12.709

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
20	37-05-19.7 N	084-54-47.3 W	331.6	106.4	1232264
Address: 1101 PINE TOP ROAD (86918)					
City: RUSSELL SPRINGS County: RUSSELL State: KY Construction Deadline:					

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	106.145	47.603	4.827	0.278	0.215	0.233	6.909	51.527

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	2.313	23.146	119.606	157.272	35.853	3.353	0.454	0.536

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	118.700	77.600	105.400	136.900	148.600	127.700	120.400	134.300
Transmitting ERP (watts)	1.748	0.347	0.313	5.295	45.951	158.160	122.299	14.137

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	36-45-21.5 N	085-03-35.7 W	353.6	78.6	1258266
Address: RR BOX 200 STATE ROUTE 90 (97275)					
City: Albany County: CLINTON State: KY Construction Deadline:					

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	61.485	218.225	164.915	26.293	2.922	0.471	0.954	4.500

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	1.000	4.591	60.220	229.906	159.544	23.590	2.912	0.466

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	159.200	140.400	108.000	36.100	88.900	81.600	132.000	170.300
Transmitting ERP (watts)	7.041	2.307	0.511	1.072	23.419	142.307	232.641	64.969

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
23	36-44-36.2 N	085-08-34.1 W	350.5	78.0	1258265

Address: 127 North Cross (Route 6 Box 991) (94257)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	31.597	145.107	168.768	30.884	3.418	1.072	0.669	1.670

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	1.105	1.668	14.838	36.641	44.724	30.421	5.045	2.474

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	181.800	142.800	72.800	100.300	157.000	167.400	157.200	193.400
Transmitting ERP (watts)	40.424	4.384	1.518	0.529	1.123	24.617	125.244	176.237

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
26	37-18-17.2 N	085-55-38.3 W	285.3	99.1	1200030

Address: 824 I CHILDRESS ROAD (37618)

City: Munfordville County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	87.882	116.157	30.423	3.076	0.288	0.394	1.136	15.107

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	0.236	4.016	34.037	111.204	87.767	11.936	0.954	0.231

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	137.000	120.900	185.100	176.500	166.200	156.000	134.000	170.100
Transmitting ERP (watts)	0.893	0.228	0.217	2.143	29.130	110.300	94.526	17.072

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
27	36-41-54.0 N	085-41-07.0 W	286.5	90.2	1065560

Address: 403 MARTIN SUBDIVISION (87881)
City: TOMPKINSVILLE County: MONROE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	271.841	109.386	7.417	0.800	0.553	0.537	18.630	138.505

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	1.721	17.109	89.000	121.386	26.164	2.348	0.328	0.400

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	69.700	75.300	146.800	80.100	75.200	103.200	86.800	75.200
Transmitting ERP (watts)	1.247	0.244	0.229	4.118	34.693	116.367	90.021	10.295

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
28	37-21-17.2 N	085-52-24.7 W	352.0	83.8	1220496

Address: 2830 Frenchman's Knob Road (94236)
City: Bonnieville County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	184.924	99.849	11.423	0.450	0.602	0.510	8.026	87.512

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	2.115	37.767	246.087	328.098	100.148	5.709	0.676	0.788

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.700	191.000	195.200	238.600	217.000	184.800	226.800	216.700
Transmitting ERP (watts)	1.310	0.350	0.339	3.061	46.385	170.557	144.024	26.849

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
32	37-04-19.5 N	084-59-59.4 W	317.0	78.0	1257488

Address: 227 Horn Rd (94247)

City: Russell Springs County: RUSSELL State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	221.223	212.121	177.242	71.356	77.801	28.148	33.937	155.008

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	18.208	41.435	173.839	236.936	272.788	110.954	36.898	14.156

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	149.200	77.200	79.700	105.800	146.300	99.500	80.900	89.500
Transmitting ERP (watts)	68.660	39.848	0.532	12.732	74.296	228.506	206.369	227.920

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	36-50-28.6 N	086-02-47.1 W	225.9	60.7	

Address: Austin Tracy Rd (115120)

City: Lucas County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	79.481	128.527	48.267	34.537	0.275	16.613	58.629	118.330

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	16.424	105.957	212.448	227.867	141.232	41.336	29.497	11.208

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.800	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	3.736	0.847	2.276	7.728	35.347	59.316	65.492	20.964

Antenna: 4

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	80.215	129.717	48.867	34.856	0.278	16.767	59.174	119.427

Antenna: 5

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	16.576	106.934	215.086	229.984	142.541	41.717	29.770	11.312

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
33	36-50-28.6 N	086-02-47.1 W	225.9	60.7	
Address: Austin Tracy Rd (115120)					
City: Lucas County: BARREN State: KY Construction Deadline:					

Antenna: 6

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	91.800	79.300	63.700	43.400	95.100	66.500	80.300	112.900
Transmitting ERP (watts)	3.770	0.854	2.304	7.800	35.674	59.863	66.098	21.158

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
34	36-46-44.5 N	084-56-33.7 W	396.2	78.0	1258267
Address: 9096 W. Hwy 90 (94262)					
City: Monticello County: WAYNE State: KY Construction Deadline:					

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	147.841	143.877	130.052	39.637	24.482	1.946	8.038	54.683

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	0.742	5.202	57.406	186.618	115.460	13.939	2.131	0.396

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	194.500	173.000	138.200	103.300	102.200	140.500	166.900	201.300
Transmitting ERP (watts)	27.223	19.327	10.778	15.109	86.367	155.385	168.892	88.819

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
35	36-39-45.3 N	084-26-36.2 W	428.2	79.9	1275397
Address: 6135 Hwy 1651 (115765)					
City: Pine Knot County: MCCREARY State: KY Construction Deadline:					

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	69.450	261.545	232.470	44.008	2.017	0.559	0.530	4.304

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	0.210	0.184	2.662	25.143	50.189	30.009	3.791	0.206

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
35	36-39-45.3 N	084-26-36.2 W	428.2	79.9	1275397

Address: 6135 Hwy 1651 (115765)

City: Pine Knot County: MCCREARY State: KY Construction Deadline:

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	132.500	143.700	119.600	95.500	88.700	114.200	161.300	166.800
Transmitting ERP (watts)	113.680	6.615	0.792	0.868	2.269	39.368	258.605	358.864

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
36	36-50-27.1 N	084-28-44.2 W	425.5	79.6	1233359

Address: 165 HWY 90 (114139)

City: Parkers Lake County: MCCREARY State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	23.185	14.817	1.670	0.153	0.104	0.150	1.655	13.513

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	2.683	26.605	140.903	189.301	44.170	3.813	0.542	0.629

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	185.500	163.600	170.800	152.900	106.200	178.000	165.700	183.000
Transmitting ERP (watts)	2.063	0.405	0.373	6.243	54.676	179.706	144.196	16.857

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
37	36-41-51.7 N	085-07-19.1 W	303.9	78.0	1273817

Address: 399 Daylton Road (112920)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	255.895	112.531	6.303	1.065	0.524	0.886	15.778	134.111

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	1.151	13.278	68.092	80.326	20.259	1.984	0.205	0.284

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
37	36-41-51.7 N	085-07-19.1 W	303.9	78.0	1273817

Address: 399 Daylton Road (112920)

City: Albany County: CLINTON State: KY Construction Deadline:

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	103.500	53.600	30.000	64.200	100.300	112.300	94.400	76.300
Transmitting ERP (watts)	0.327	0.106	0.101	1.174	12.741	41.443	34.130	5.644

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
38	36-44-13.0 N	085-42-10.0 W	309.7	91.1	1042225

Address: 3151 EDMONTON ROAD (94259)

City: TOMPKINSVILLE County: MONROE State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	189.524	72.806	7.444	1.950	0.393	0.557	9.583	77.626

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	1.067	23.007	114.837	166.790	36.523	3.864	1.339	0.493

Antenna: 3

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	111.100	109.700	147.100	108.800	126.000	145.900	125.000	125.900
Transmitting ERP (watts)	2.199	0.335	0.702	3.359	45.136	159.373	117.688	16.866

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
39	36-38-51.6 N	085-17-33.1 W	317.0	60.7	

Address: 5163 State Park (117828)

City: Cumberland County: CUMBERLAND State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	100.500	86.500	93.600	115.600	123.000	167.100	133.100	121.800
Transmitting ERP (watts)	24.683	224.514	184.090	16.413	0.520	0.462	0.466	0.469

Antenna: 2

Maximum Transmitting ERP in Watts: 140.820

Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	100.500	86.500	93.600	115.600	123.000	167.100	133.100	121.800
Transmitting ERP (watts)	46.321	0.611	0.527	0.529	0.541	7.711	140.237	265.546

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
40	37-11-42.5 N	085-57-13.0 W	267.6	99.1	1224165

Address: 1515 FISHER RIDGE ROAD (37620)

City: Horse Cave County: HART State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	96.574	101.465	19.855	1.861	0.214	0.322	2.056	21.126

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	8.514	101.153	307.468	229.726	25.253	1.925	0.630	0.630

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	148.700	170.000	148.400	148.400	138.900	116.100	137.500	147.400
Transmitting ERP (watts)	0.226	0.222	3.795	33.295	109.116	83.424	11.320	0.928

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
41	37-01-03.9 N	085-54-42.3 W	254.8	68.6	1230168

Address: 170 Robert Bishop Lane (94244)

City: Glasgow County: BARREN State: KY Construction Deadline:

Antenna: 1

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	104.518	139.218	43.033	2.862	0.290	0.325	1.008	15.797

Antenna: 2

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	0.395	3.203	50.041	189.424	165.261	28.863	1.290	0.398

Antenna: 3

Maximum Transmitting ERP in Watts:	140.820							
Azimuth(from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	93.000	83.300	56.400	66.300	91.100	106.300	92.700	90.500
Transmitting ERP (watts)	11.785	0.490	0.619	0.543	8.652	98.226	207.121	111.304

Control Points:

Control Pt. No. 1

Address: 124 South Keeneland Drive (Suite 103)

City: RICHMOND County: MADISON State: KY Telephone Number: (859)544-4804

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN666

File Number: 0009619100

Print Date: 09-08-2021

Waivers/Conditions:

NONE

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WPOI255	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 05-27-2015	Effective Date 03-12-2020	Expiration Date 06-23-2025	Print Date
Market Number MTA026	Channel Block A	Sub-Market Designator 19	
Market Name Louisville-Lexington-Evansville			
1st Build-out Date 06-23-2000	2nd Build-out Date 06-23-2005	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOI255

File Number:

Print Date:

This license is **conditioned** upon compliance with the provisions of Applications of AT&T Wireless Services, Inc. and Cingular Wireless Corporation **For Consent** to Transfer Control of Licenses and Authorizations, Memorandum Opinion and Order, FCC 04-255 (rel. Oct. 26, **2004**).

Spectrum Lease Associated **with this** License. See Spectrum Leasing Arrangement Letter dated 12/06/2004 and File # 0001918558.

The Spectrum Leasing Arrangement, **which** became effective upon approval of application file number 0001918558, was terminated on 04/14/2005. See file number 0002135370.

Commission approval of this application **and the** licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, **adopted on** December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released **on** March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, Memorandum **Opinion** and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. 06-74, **Order on** Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOI255

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WPOK659	File Number 0008716070
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 09-12-2019	Effective Date 09-12-2019	Expiration Date 09-29-2029	Print Date 09-13-2019
Market Number BTA423	Channel Block C		Sub-Market Designator 1
Market Name Somerset, KY			
1st Build-out Date 09-29-2004	2nd Build-out Date 09-29-2009	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOK659

File Number: 0008716070

Print Date: 09-13-2019

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WPXT205	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 06-02-2015	Effective Date 08-31-2018	Expiration Date 06-23-2025	Print Date
Market Number MTA026	Channel Block A	Sub-Market Designator 8	
Market Name Louisville-Lexington-Evansvill			
1st Build-out Date 06-23-2000	2nd Build-out Date 06-23-2005	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPXT205

File Number:

Print Date:

Commission approval of this application and the licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, adopted on December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released on March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, Memorandum Opinion and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. 06-74, Order on Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPXT205

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., 21ST FL
 DALLAS, TX 75202

Call Sign WQDI528	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 08-17-2015	Effective Date 05-27-2021	Expiration Date 09-06-2025	Print Date
Market Number BTA263	Channel Block C	Sub-Market Designator 7	
Market Name Louisville, KY			
1st Build-out Date 09-06-2010	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

NONE

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this **license is** subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any **right in** the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized **herein**. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of **the Communications Act** of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control **conferred by** §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQDI528

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: LESLIE WILSON
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1016
 DALLAS, TX 75202

Call Sign WQFA872	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 04-14-2017	Effective Date 08-31-2018	Expiration Date 04-28-2027	Print Date
Market Number BTA423	Channel Block E	Sub-Market Designator 7	
Market Name Somerset, KY			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems **using the same frequencies** as granted herein are authorized in an adjacent foreign territory (Canada/United States), future **coordination** of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful **interference** to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by **both countries**.

This authorization is subject to the condition that the remaining balance of the winning bid amount **will** be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this **license is** subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any **right in** the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized **herein**. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of **the Communications Act** of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control **conferred by** §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQFA872

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: FCC GROUP
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 2100
DALLAS, TX 75202

Call Sign WQGA818	File Number 0009696747
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 11-16-2021	Effective Date 11-16-2021	Expiration Date 11-29-2036	Print Date 11-17-2021
Market Number CMA447	Channel Block A	Sub-Market Designator 0	
Market Name Kentucky 5 - Barren			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTBS Docket No. 02-353, rel. April 20, 2006.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGA818

File Number: 0009696747

Print Date: 11-17-2021

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST., RM 1015
 DALLAS, TX 75202

Call Sign WQGD755	File Number
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 12-18-2006	Effective Date 08-31-2018	Expiration Date 12-18-2021	Print Date
Market Number BEA047	Channel Block C	Sub-Market Designator 9	
Market Name Lexington, KY-TN-VA-WV			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTBS Docket No. 02-353, rel. April 20, 2006.

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGD755

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission

Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: CECIL J MATHEW
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST. RM 1015
 DALLAS, TX 75202

Call Sign WQGD758	File Number
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 12-18-2006	Effective Date 02-20-2019	Expiration Date 12-18-2021	Print Date
Market Number BEA071	Channel Block C	Sub-Market Designator 5	
Market Name Nashville, TN-KY			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTBS Docket No. 02-353, rel. April 20, 2006.

Special Condition for AU/name change (6/4/2016): Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQGD758

File Number:

Print Date:

700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau
RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: FCC GROUP
 NEW CINGULAR WIRELESS PCS, LLC
 208 S AKARD ST. RM 2100
 DALLAS, TX 75202

Call Sign WQUZ670	File Number 0009696437
Radio Service AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 11-16-2021	Effective Date 11-16-2021	Expiration Date 11-29-2036	Print Date 11-17-2021
Market Number REA004	Channel Block D	Sub-Market Designator 10	
Market Name Mississippi Valley			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTB Docket No. 02-353, rel. April 20, 2006.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the **hardcopy version**. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and **Market Area** information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQUZ670

File Number: 0009696437

Print Date: 11-17-2021

The license is **subject to compliance** with the provisions of the January 12, 2001 Agreement between Deutsche Telekom AG, VoiceStream Wireless **Corporation**, VoiceStream Wireless Holding Corporation and the Department of Justice (DOJ) and the Federal Bureau of **Investigation** (FBI), which addresses national security, law enforcement, and public safety issues of the FBI and the DOJ regarding the **authority** granted by this license. Nothing in the Agreement is intended to limit any obligation imposed by Federal law or **regulation** including, but not limited to, 47 U.S.C. Section 222(a) and (c)(1) and the FCC's implementing regulations. The **Agreement** is published at VoiceStream-DT Order, IB Docket No. 00-187, FCC 01-142, 16 FCC Rcd 9779, 9853 (2001).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WQUZ670

File Number: 0009696437

Print Date: 11-17-2021



700 MHz Relicensed Area Information:

Market	Market Name	Buildout Deadline	Buildout Notification	Status
---------------	--------------------	--------------------------	------------------------------	---------------

EXHIBIT B

SITE DEVELOPMENT PLAN:

**500' VICINITY MAP
LEGAL DESCRIPTIONS
FLOOD PLAIN CERTIFICATION
SITE PLAN
VERTICAL TOWER PROFILE**



VICINITY MAP
NOT TO SCALE

GENERAL NOTES

* THIS SPECIFIC PURPOSE SURVEY IS FOR THE LEASED PREMISES AND EASEMENTS ONLY. THIS SPECIFIC PURPOSE SURVEY WAS PREPARED FOR THE EXCLUSIVE USE OF HARMONI TOWERS AND EXCLUSIVELY FOR THE TRANSFERRAL OF THE LEASED PREMISES AND THE RIGHTS OF EASEMENT SHOWN HEREON AND SHALL NOT BE USED AS AN EXHIBIT OR EVIDENCE IN THE FEE SIMPLE TRANSFERRAL OF THE PARENT PARCEL NOR ANY PORTION OR PORTIONS THEREOF. BOUNDARY INFORMATION SHOWN HEREON HAS BEEN COMPILED FROM TAX MAPS AND DEED DESCRIPTIONS ONLY. NO BOUNDARY SURVEY OF THE PARENT PARCEL WAS PERFORMED.

THIS DRAWING DOES NOT REPRESENT A BOUNDARY SURVEY.

THIS SPECIFIC PURPOSE SURVEY WAS PREPARED WITHOUT BENEFIT OF A TITLE REPORT WHICH MAY REVEAL ADDITIONAL CONVEYANCES, EASEMENTS, OR RIGHTS-OF-WAY NOT SHOWN HEREON.

THE FIELD DATA UPON WHICH THIS SPECIFIC PURPOSE SURVEY IS BASED HAS A CLOSURE PRECISION OF ONE FOOT IN 10,000+ FEET AND AN ANGULAR ERROR OF 5.0" PER ANGLE POINT AND WAS NOT ADJUSTED FOR CLOSURE.

EQUIPMENT USED FOR ANGULAR & LINEAR MEASUREMENTS: LEICA TPS 1200 ROBOTIC & GEOMAX ZENITH 35. (DATE OF LAST FIELD VISIT: 04/13/2021)

THE 2' CONTOURS AND SPOT ELEVATIONS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE ADJUSTED TO NAVD 88 DATUM (COMPUTED USING GEOID18) AND HAVE A VERTICAL ACCURACY OF ± 1'. CONTOURS OUTSIDE THE IMMEDIATE SITE AREA ARE APPROXIMATE.

BEARINGS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE BASED ON KENTUCKY GRID NORTH (NAD 83) SINGLE ZONE.

PER THE FEMA FLOODPLAIN MAPS, THE SITE IS LOCATED IN AN AREA DESIGNATED AS ZONE X (AREA OF MINIMAL FLOOD HAZARD). COMMUNITY PANEL NO.: 21207C0215C DATED: 08/19/2010

NO WETLAND AREAS HAVE BEEN INVESTIGATED BY THIS SPECIFIC PURPOSE SURVEY.

ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER ZONING OFFICIALS.

ANY UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM ABOVE GROUND FIELD SURVEY INFORMATION. THE SURVEYOR MAKES NO GUARANTEES THAT ANY UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN-SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT ANY UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED ANY UNDERGROUND UTILITIES.

PARENT PARCEL

OWNER: PAULA GLOVER MANN
 SITE ADDRESS: 570 CLIFTY CREEK ROAD, JAMESTOWN, KY 42629
 PARCEL ID: 036-00-00-044.00
 AREA: 6.99 ACRES
 ZONED: NO ZONING IN RUSSELL COUNTY
 ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER ZONING OFFICIALS
 REFERENCE: BOOK 294 PAGE 636

GPS NOTES

THE FOLLOWING GPS STATISTICS UPON WHICH THIS SURVEY IS BASED HAVE BEEN PRODUCED AT THE 95% CONFIDENCE LEVEL:
 POSITIONAL ACCURACY: 0.02 FEET (HORZ) 0.21 FEET (VERT)
 TYPE OF EQUIPMENT: GEOMAX ZENITH35 PRO BASE AND ROVER, DUAL FREQUENCY
 TYPE OF GPS FIELD PROCEDURE: ONLINE POSITION USER INTERFACE
 DATES OF SURVEY: 04/13/2021
 DATUM / EPOCH: NAD_83(2011)EPOCH:2010.0000
 PUBLISHED / FIXED CONTROL USE: N/A
 GEOID MODEL: 18
 COMBINED GRID FACTORS: 0.99999378. CENTERED ON THE GPS BASE POINT AS SHOWN HEREON.
 CONVERGENCE ANGLE: 0.40311389
 BENCHMARKS USED: DJ9548, DL6169, DK3326

SURVEYOR'S CERTIFICATE

I, G. DARRELL TAYLOR, A KENTUCKY PROFESSIONAL LAND SURVEYOR, CERTIFY THAT THE INFORMATION SHOWN HEREON WAS COMPILED USING DATA FROM AN ACTUAL FIELD SURVEY MADE UNDER MY DIRECT SUPERVISION BY METHOD OF RANDOM TRAVERSE WITH SIDE SHOTS. THE UNADJUSTED PRECISION RATIO OF THE TRAVERSE EXCEEDED 1:10,000 AND WAS NOT ADJUSTED FOR CLOSURE. THIS SURVEY MEETS OR EXCEEDS THE MINIMUM STANDARDS FOR AN URBAN SURVEY AS ESTABLISHED BY THE STATE OF KENTUCKY, PER 201 KAR 18:150 AND IN EFFECT ON THE DATE OF THIS SURVEY.

G. Darrell Taylor
 G. DARRELL TAYLOR, PLS 4179
 04/29/2021
 DATE

LEGEND

- POB POINT OF BEGINNING
- POC POINT OF COMMENCEMENT
- IPS IRON PIN SET
- IPF IRON PIN FOUND
- UP UTILITY POLE
- FH FIRE HYDRANT
- EP EDGE OF PAVEMENT
- OJ OVERHEAD UTILITY
- GW GUY WIRE ANCHOR
- BWF BARBED WIRE FENCE
- WF WOOD FENCE
- WV WATER VALVE
- N/F NOW OR FORMERLY



SURVEY NOT VALID WITHOUT SHEET 2 OF 2



Know what's below.
 Call before you dig

STATE of KENTUCKY
 G. DARRELL TAYLOR
 4179
 LICENSED PROFESSIONAL LAND SURVEYOR

NO.	DATE	REVISION

SPECIFIC PURPOSE SURVEY PREPARED BY:
POINT TO POINT LAND SURVEYORS
 100 Governors Trace, Ste. 103
 Peachtree City, GA 30269
 (p) 678.565.4440 (f) 678.565.4497
 (w) pointtopointsurvey.com



SPECIFIC PURPOSE SURVEY PREPARED FOR:

HARMONI
 10801 EXECUTIVE CENTER DRIVE
 SHANNON BLDG., STE 100
 LITTLE ROCK, AR 72211

CLIFTY CREEK ROAD
 SITE NO.
 KYBGN2030
 RUSSELL COUNTY,
 KENTUCKY

DRAWN BY: KAL
 CHECKED BY: JKL
 APPROVED: D. MILLER
 DATE: APRIL 29, 2021
 P2P JOB #: 210494KY

SHEET:
1
 OF 2

L:\Dropbox (Point To Point)\P2P Current Jobs\2021\210494KY Clifty Creek Road\210494KY.dwg

LINE TABLE

LINE	BEARING	DISTANCE
L1	S73°15'21"W	29.79'
L2	S16°45'55"E	333.34'


SITE INFORMATION

LEASE AREA = 10,000 SQUARE FEET (0.2296 ACRES)
 LATITUDE = 36° 55' 26.19" (NAD 83) (36.923941°)
 LONGITUDE = -85° 05' 37.87" (NAD 83) (-85.093853°)
 AT CENTER LEASE AREA
 ELEVATION AT CENTER OF LEASE AREA = 1101.9' A.M.S.L.

STATE of KENTUCKY
 G. DARRELL TAYLOR
 4179
 LICENSED PROFESSIONAL LAND SURVEYOR

NO.	DATE	REVISION

* SPECIFIC PURPOSE SURVEY PREPARED BY:
POINT TO POINT LAND SURVEYORS
 100 Governors Trace, Ste. 103
 Peachtree City, GA 30269
 (p) 678.565.4440 (f) 678.565.4497
 (w) pointtosurvey.com




SPECIFIC PURPOSE SURVEY PREPARED FOR:

HARMONI
 10801 EXECUTIVE CENTER DRIVE
 SHANNON BLDG., STE 100
 LITTLE ROCK, AR 72211

CLIFTY CREEK ROAD
 SITE NO.
KYBGN2030
 RUSSELL COUNTY,
 KENTUCKY

DRAWN BY: KAL
 CHECKED BY: JKL
 APPROVED: D. MILLER
 DATE: APRIL 29, 2021
 P2P JOB #: 210494KY

SHEET:
2
 OF 2



30' INGRESS-EGRESS & UTILITY EASEMENT

TOGETHER WITH A 30-FOOT WIDE INGRESS-EGRESS & UTILITY EASEMENT (LYING 15 FEET EACH SIDE OF A CENTERLINE) LYING AND BEING IN RUSSELL COUNTY, COMMONWEALTH OF KENTUCKY, AND BEING A PORTION OF THE LANDS OF PAULA GLOVER MANN, AS RECORDED IN DEED BOOK 294 PAGE 636, RUSSELL COUNTY RECORDS, AND BEING MORE PARTICULARLY DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A CAPPED REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE TO CLIFTY CREEK ROAD MARKING THE COMMON CORNER OF THE LANDS OF SHERRY GRIDER MATNEY AS RECORDED IN DEED BOOK 274 PAGE 100, RUSSELL COUNTY RECORDS, AND SAID LANDS OF PAULA GLOVER MANN AND HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3496048.6268, E: 5113387.0368; THENCE RUNNING ALONG SAID RIGHT-OF-WAY LINE, SOUTH 63°52'14" WEST, 188.71 FEET TO A POINT AND THE TRUE POINT OF BEGINNING, SAID POINT BEING NORTH 63°52'20" EAST, 60.36 FEET FROM A 1/2-INCH REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE OF CLIFTY CREEK ROAD, SAID REBAR HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3495938.9369, E: 5113163.4184; THENCE LEAVING SAID RIGHT-OF-WAY LINE RUNNING NORTH 16°44'39" WEST, 553.44 FEET TO A POINT; THENCE, NORTH 73°15'21" EAST, 60.00 FEET TO A POINT; THENCE, NORTH 16°44'39" WEST, 15.00 FEET TO THE ENDING AT A POINT ON THE LEASE AREA.

BEARINGS ARE BASED ON KENTUCKY GRID NORTH, NAD83, SINGLE ZONE.

LEASE AREA

ALL THAT TRACT OR PARCEL OF LAND LYING AND BEING IN RUSSELL COUNTY, COMMONWEALTH OF KENTUCKY, AND BEING PART OF THE LANDS OF PAULA GLOVER MANN, AS RECORDED IN DEED BOOK 294 PAGE 636, RUSSELL COUNTY RECORDS, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A CAPPED REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE TO CLIFTY CREEK ROAD MARKING THE COMMON CORNER OF THE LANDS OF SHERRY GRIDER MATNEY AS RECORDED IN DEED BOOK 274 PAGE 100, RUSSELL COUNTY RECORDS, AND SAID LANDS OF PAULA GLOVER MANN AND HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3496048.6268, E: 5113387.0368; THENCE RUNNING ALONG SAID RIGHT-OF-WAY LINE, SOUTH 63°52'14" WEST, 188.71 FEET TO A POINT AND THE TRUE POINT OF BEGINNING, SAID POINT BEING NORTH 63°52'20" EAST, 60.36 FEET FROM A 1/2-INCH REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE OF CLIFTY CREEK ROAD, SAID REBAR HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3495938.9369, E: 5113163.4184; THENCE LEAVING SAID RIGHT-OF-WAY LINE RUNNING NORTH 16°44'39" WEST, 553.44 FEET TO A POINT; THENCE, NORTH 73°15'21" EAST, 60.00 FEET TO A POINT; THENCE, NORTH 16°44'39" WEST, 15.00 FEET TO A POINT ON THE LEASE AREA; THENCE, SOUTH 73°15'21" WEST, 85.00 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE NORTH 16°44'39" WEST, 100.00 FEET TO A POINT; THENCE, NORTH 73°15'21" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 73°15'21" WEST, 100.00 FEET TO A POINT AND THE POINT OF BEGINNING.

BEARINGS ARE BASED ON KENTUCKY GRID NORTH, NAD83, SINGLE ZONE.

SAID TRACT CONTAINS 0.2296 ACRES (10,000 SQUARE FEET), MORE OR LESS.


10' UTILITY EASEMENT

TOGETHER WITH A 10-FOOT WIDE INGRESS-EGRESS & UTILITY EASEMENT (LYING 5 FEET EACH SIDE OF A CENTERLINE) LYING AND BEING IN RUSSELL COUNTY, COMMONWEALTH OF KENTUCKY, AND BEING A PORTION OF THE LANDS OF PAULA GLOVER MANN, AS RECORDED IN DEED BOOK 294 PAGE 636, RUSSELL COUNTY RECORDS, AND BEING MORE PARTICULARLY DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A CAPPED REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE TO CLIFTY CREEK ROAD MARKING THE COMMON CORNER OF THE LANDS OF SHERRY GRIDER MATNEY AS RECORDED IN DEED BOOK 274 PAGE 100, RUSSELL COUNTY RECORDS, AND SAID LANDS OF PAULA GLOVER MANN AND HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3496048.6268, E: 5113387.0368; THENCE RUNNING ALONG SAID RIGHT-OF-WAY LINE, SOUTH 63°52'14" WEST, 188.71 FEET TO A POINT AND THE TRUE POINT OF BEGINNING, SAID POINT BEING NORTH 63°52'20" EAST, 60.36 FEET FROM A 1/2-INCH REBAR FOUND ON THE NORTHERLY RIGHT-OF-WAY LINE OF CLIFTY CREEK ROAD, SAID REBAR HAVING A KENTUCKY GRID NORTH, NAD83, SINGLE ZONE VALUE OF N: 3495938.9369, E: 5113163.4184; THENCE LEAVING SAID RIGHT-OF-WAY LINE RUNNING NORTH 16°44'39" WEST, 553.44 FEET TO A POINT; THENCE, NORTH 73°15'21" EAST, 60.00 FEET TO A POINT; THENCE, NORTH 16°44'39" WEST, 15.00 FEET TO A POINT ON THE LEASE AREA; THENCE, SOUTH 73°15'21" WEST, 85.00 FEET TO A POINT; THENCE, NORTH 16°44'39" WEST, 50.00 FEET TO A POINT AND THE POINT OF BEGINNING; THENCE, SOUTH 73°15'21" WEST, 29.79 FEET TO A POINT; THENCE, SOUTH 16°45'55" EAST, 333.34 FEET TO THE ENDING AT A POINT.

BEARINGS ARE BASED ON KENTUCKY GRID NORTH, NAD83, SINGLE ZONE.

- LEGEND**
- POB POINT OF BEGINNING
 - POC POINT OF COMMENCEMENT
 - IPS IRON PIN SET
 - IPF IRON PIN FOUND
 - UP UTILITY POLE
 - FH FIRE HYDRANT
 - EP EDGE OF PAVEMENT
 - OU OVERHEAD UTILITY
 - GW GUY WIRE ANCHOR
 - BWF BARBED WIRE FENCE
 - WF WOOD FENCE
 - WV WATER VALVE
 - N/F NOW OR FORMERLY



SURVEY NOT VALID WITHOUT SHEET 1 OF 2



#	OWNER	ADDRESS	PID	REF
1	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.00	DB 294 PG 636
2	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.02	DB 293 PG 369
3	SELBY SHERRY GRIDER & BRANDON	336 COLSON DR RUSSELL SPRINGS, KY 42642	036-00-00-044.01	DB 274 PG 100
4	ROUSE DIANA & OTHERS	12260 DONCASTER CT. FISHERS, IN 46038	036-00-00-048.01	-
5	LAWLESS ROY, MARY ALICE & LAWLESS JOSHUA RYAN	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.01	-
6	LAWLESS ROY, MARY ALICE & RYAN JOSHUA & MCGAHA LINDA & JIMMY	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.00	-
7	NATHAN & DIANA MCCLURE	535 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-002.00	DB 102, PG 616
8	MARK WILLIAMS	565 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.03	DB 169, PG 296
9	JOE WILLIAMS, HEIRS	815 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.00	DB 170, PG 101

NOTE:

1. PVA INFORMATION WAS OBTAINED ON 8/3/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 CLIFTY CREEK ROAD
 FA# 15411004
 PACE# MRTNK052355
 PT#
 (PROPERTY)
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO: G014642.001.15
 CHECKED BY: MAS

ISSUED FOR:			
REV	DATE	DRWN	DESCRIPTION
1	01/05/22	MAS	FINAL
2	01/14/22	DLS	FINAL
3	01/24/22	DLS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

500' RADIUS &
 ADJOINER'S
 DRAWING


SHEET NUMBER:
C-1.0

1 500' RADIUS & ADJOINER'S DRAWING
 SCALE: 1" = 200'
 0' 100' 200' 300' 400'



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!





#	OWNER	ADDRESS	PID	REF
1	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.00	DB 294 PG 636
2	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.02	DB 293 PG 369
3	SELBY SHERRY GRIDER & BRANDON	336 COLSON DR RUSSELL SPRINGS, KY 42642	036-00-00-044.01	DB 274 PG 100
4	ROUSE DIANA & OTHERS	12260 DONCASTER CT. FISHERS, IN 46038	036-00-00-048.01	-
5	LAWLESS ROY, MARY ALICE & LAWLESS JOSHUA RYAN	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.01	-
6	LAWLESS ROY, MARY ALICE & RYAN JOSHUA & MCGAHA LINDA & JIMMY	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.00	-
7	NATHAN & DIANA MCCLURE	535 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-002.00	DB 102, PG 616
8	MARK WILLIAMS	565 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.03	DB 169, PG 296
9	JOE WILLIAMS, HEIRS	815 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.00	DB 170, PG 101

NOTE:

1. PVA INFORMATION WAS OBTAINED ON 8/3/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
3. NOT FOR RECORDING OR PROPERTY TRANSFER.

1 OVERALL ADJOINER'S DRAWING
SCALE: 1" = 200'
0' 100' 200' 300' 400'



CALL KENTUCKY ONE CALL
(800) 752-6007
CALL 3 WORKING DAYS
BEFORE YOU DIG!



HARMONI TOWERS
CLIFTY CREEK ROAD
F/A# 15411004
PACE# MRTNKO52355
PT#
(PROPERTY)
570 CLIFTY CREEK ROAD
JAMESTOWN, KY 42629
RUSSELL COUNTY
PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO: G0144642.001.15
CHECKED BY: MAS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
1	01/05/22	MAS	FINAL
2	01/14/22	DLS	FINAL
3	01/24/22	DLS	FINAL


B&T ENGINEERING, INC.
4011
Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

OVERALL ADJOINER'S DRAWING

SHEET NUMBER:
C-1.1



NOTES:

1. TOWER LATITUDE, LONGITUDE & ELEVATION MEET FAA"1-A" ACCURACY REQUIREMENTS.

2. CENTER OF TOWER:

LATITUDE: NORTH 36°55'26.19" (36.923941) NAD 83
 LONGITUDE: WEST -85°05'37.87" (-85.093853) NAD 83
 GROUND ELEVATION @ 1101.9' A.M.S.L. NAVD 88

3. THE APPROXIMATE PERPENDICULAR DISTANCES FROM THE OUTER EDGE OF THE PROPOSED TOWER TO PARENT TRACT NEAREST PROPERTY LINE ARE AS FOLLOWS:

NORTH: 565.9'±
 SOUTHEAST : 592.3'±
 EAST: 164.4'±
 WEST: 68.0'±



HARMONI TOWERS
 CLIFTY CREEK ROAD
 F/A# 15411004
 PACE# MRTNK052355
 PT#
 (PROPERTY)
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO: G0144642.001.15
 CHECKED BY: MAS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
1	01/05/22	MAS	FINAL
2	01/14/22	DLS	FINAL
3	01/24/22	DLS	FINAL


B&T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

OVERALL SITE LAYOUT

SHEET NUMBER:
C-2



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!





HARMONI TOWERS
 CLIFTY CREEK ROAD
 F/A# 15411004
 PACE# MRTNK052355
 PT#
 (PROPERTY)
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO: G0144642.001.15
 CHECKED BY: MAS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
1	01/05/22	MAS	FINAL
2	01/14/22	DLS	FINAL
3	01/24/22	DLS	FINAL


B&T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

ENLARGED
 COMPOUND
 LAYOUT

SHEET NUMBER:
C-3




1 ENLARGED COMPOUND LAYOUT
 SCALE: 1"=20'
 0' 10' 20' 30' 40'



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!





TOTAL STRUCTURE HEIGHT = 282' TO TOP OF LIGHTNING ROD & APPURTENANCES
 270' TOWER STRUCTURE (272' ± TO TOP OF TOWER)

STRUCTURAL ANALYSIS NOTES:
 1. ANTENNA PLACEMENT WAS DETERMINED WITHOUT VERIFICATION OF STRUCTURAL ANALYSIS.
 2. REFER TO STRUCTURAL ANALYSIS OR STRUCTURAL LETTER FOR APPROVAL OF ADDITIONAL NEW APPURTENANCES.

NOTES: CONTRACTOR TO REFER TO THE STRUCTURAL DESIGN REPORT PREPARED BY HARMONI TOWERS PRIOR TO CONSTRUCTION.

1 PROPOSED TOWER ELEVATION
 SCALE: N.T.S.



HARMONI TOWERS
 CLIFTY CREEK ROAD
 FA# 15411004
 PACE# MRTNKK052355
 PT#
 (PROPERTY)
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO: G0144642.001.15
 CHECKED BY: MAS

ISSUED FOR:

REV	DATE	DRWN	DESCRIPTION
1	01/05/22	MAS	FINAL
2	01/14/22	DLS	FINAL
3	01/24/22	DLS	FINAL

B&T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

TOWER ELEVATION

SHEET NUMBER:
C-4

G:\44642_144642\052355_0504_Creek_Bldg_2022_01.dwg - 01/24/22 - 11:58:00 AM - 2022 - 1/24/22

EXHIBIT C
TOWER AND FOUNDATION DESIGN



January 5, 2022

Kentucky Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, KY 40602-0615

RE: Site Name – Freedom Relo/Clifty Creek Road
Proposed Cell Tower
36.923941 North Latitude, 85.093853 West Longitude

Dear Commissioners:


The Construction Manager for the proposed new communications facility will be Marshall Corbin. His contact information is (540) 287-8142 or Marshall Corbin@harmonitowers.com. Marshall has been in the industry completing civil construction and constructing towers since 1996. He has worked at Harmoni Towers LLC since 2021 completing project and construction management on new site build projects.

Thank you,

Marshall Corbin

Marshall Corbin
Construction Manager – Tennessee/Kentucky Market
Harmoni Towers LLC

Section	T14	T15	T16	T17	T18	T19	T20	T21	T22	T23	T24	T25	T26	T27	T28	T29	T30	T31	T32	T33	T34	T35	T36	T37	T38	T39	T40	T41	T42	T43	T44	T45	T46	T47	T48	T49	T50	T51	T52	T53	T54	T55	T56	T57	T58	T59	T60	T61	T62	T63	T64	T65	T66	T67	T68	T69	T70	T71	T72	T73	T74	T75	T76	T77	T78	T79	T80	T81	T82	T83	T84	T85	T86	T87	T88	T89	T90	T91	T92	T93	T94	T95	T96	T97	T98	T99	T100	T101	T102	T103	T104	T105	T106	T107	T108	T109	T110	T111	T112	T113	T114	T115	T116	T117	T118	T119	T120	T121	T122	T123	T124	T125	T126	T127	T128	T129	T130	T131	T132	T133	T134	T135	T136	T137	T138	T139	T140	T141	T142	T143	T144	T145	T146	T147	T148	T149	T150	T151	T152	T153	T154	T155	T156	T157	T158	T159	T160	T161	T162	T163	T164	T165	T166	T167	T168	T169	T170	T171	T172	T173	T174	T175	T176	T177	T178	T179	T180	T181	T182	T183	T184	T185	T186	T187	T188	T189	T190	T191	T192	T193	T194	T195	T196	T197	T198	T199	T200	T201	T202	T203	T204	T205	T206	T207	T208	T209	T210	T211	T212	T213	T214	T215	T216	T217	T218	T219	T220	T221	T222	T223	T224	T225	T226	T227	T228	T229	T230	T231	T232	T233	T234	T235	T236	T237	T238	T239	T240	T241	T242	T243	T244	T245	T246	T247	T248	T249	T250	T251	T252	T253	T254	T255	T256	T257	T258	T259	T260	T261	T262	T263	T264	T265	T266	T267	T268	T269	T270	T271	T272	T273	T274	T275	T276	T277	T278	T279	T280	T281	T282	T283	T284	T285	T286	T287	T288	T289	T290	T291	T292	T293	T294	T295	T296	T297	T298	T299	T300	T301	T302	T303	T304	T305	T306	T307	T308	T309	T310	T311	T312	T313	T314	T315	T316	T317	T318	T319	T320	T321	T322	T323	T324	T325	T326	T327	T328	T329	T330	T331	T332	T333	T334	T335	T336	T337	T338	T339	T340	T341	T342	T343	T344	T345	T346	T347	T348	T349	T350	T351	T352	T353	T354	T355	T356	T357	T358	T359	T360	T361	T362	T363	T364	T365	T366	T367	T368	T369	T370	T371	T372	T373	T374	T375	T376	T377	T378	T379	T380	T381	T382	T383	T384	T385	T386	T387	T388	T389	T390	T391	T392	T393	T394	T395	T396	T397	T398	T399	T400	T401	T402	T403	T404	T405	T406	T407	T408	T409	T410	T411	T412	T413	T414	T415	T416	T417	T418	T419	T420	T421	T422	T423	T424	T425	T426	T427	T428	T429	T430	T431	T432	T433	T434	T435	T436	T437	T438	T439	T440	T441	T442	T443	T444	T445	T446	T447	T448	T449	T450	T451	T452	T453	T454	T455	T456	T457	T458	T459	T460	T461	T462	T463	T464	T465	T466	T467	T468	T469	T470	T471	T472	T473	T474	T475	T476	T477	T478	T479	T480	T481	T482	T483	T484	T485	T486	T487	T488	T489	T490	T491	T492	T493	T494	T495	T496	T497	T498	T499	T500	T501	T502	T503	T504	T505	T506	T507	T508	T509	T510	T511	T512	T513	T514	T515	T516	T517	T518	T519	T520	T521	T522	T523	T524	T525	T526	T527	T528	T529	T530	T531	T532	T533	T534	T535	T536	T537	T538	T539	T540	T541	T542	T543	T544	T545	T546	T547	T548	T549	T550	T551	T552	T553	T554	T555	T556	T557	T558	T559	T560	T561	T562	T563	T564	T565	T566	T567	T568	T569	T570	T571	T572	T573	T574	T575	T576	T577	T578	T579	T580	T581	T582	T583	T584	T585	T586	T587	T588	T589	T590	T591	T592	T593	T594	T595	T596	T597	T598	T599	T600	T601	T602	T603	T604	T605	T606	T607	T608	T609	T610	T611	T612	T613	T614	T615	T616	T617	T618	T619	T620	T621	T622	T623	T624	T625	T626	T627	T628	T629	T630	T631	T632	T633	T634	T635	T636	T637	T638	T639	T640	T641	T642	T643	T644	T645	T646	T647	T648	T649	T650	T651	T652	T653	T654	T655	T656	T657	T658	T659	T660	T661	T662	T663	T664	T665	T666	T667	T668	T669	T670	T671	T672	T673	T674	T675	T676	T677	T678	T679	T680	T681	T682	T683	T684	T685	T686	T687	T688	T689	T690	T691	T692	T693	T694	T695	T696	T697	T698	T699	T700	T701	T702	T703	T704	T705	T706	T707	T708	T709	T710	T711	T712	T713	T714	T715	T716	T717	T718	T719	T720	T721	T722	T723	T724	T725	T726	T727	T728	T729	T730	T731	T732	T733	T734	T735	T736	T737	T738	T739	T740	T741	T742	T743	T744	T745	T746	T747	T748	T749	T750	T751	T752	T753	T754	T755	T756	T757	T758	T759	T760	T761	T762	T763	T764	T765	T766	T767	T768	T769	T770	T771	T772	T773	T774	T775	T776	T777	T778	T779	T780	T781	T782	T783	T784	T785	T786	T787	T788	T789	T790	T791	T792	T793	T794	T795	T796	T797	T798	T799	T800	T801	T802	T803	T804	T805	T806	T807	T808	T809	T810	T811	T812	T813	T814	T815	T816	T817	T818	T819	T820	T821	T822	T823	T824	T825	T826	T827	T828	T829	T830	T831	T832	T833	T834	T835	T836	T837	T838	T839	T840	T841	T842	T843	T844	T845	T846	T847	T848	T849	T850	T851	T852	T853	T854	T855	T856	T857	T858	T859	T860	T861	T862	T863	T864	T865	T866	T867	T868	T869	T870	T871	T872	T873	T874	T875	T876	T877	T878	T879	T880	T881	T882	T883	T884	T885	T886	T887	T888	T889	T890	T891	T892	T893	T894	T895	T896	T897	T898	T899	T900	T901	T902	T903	T904	T905	T906	T907	T908	T909	T910	T911	T912	T913	T914	T915	T916	T917	T918	T919	T920	T921	T922	T923	T924	T925	T926	T927	T928	T929	T930	T931	T932	T933	T934	T935	T936	T937	T938	T939	T940	T941	T942	T943	T944	T945	T946	T947	T948	T949	T950	T951	T952	T953	T954	T955	T956	T957	T958	T959	T960	T961	T962	T963	T964	T965	T966	T967	T968	T969	T970	T971	T972	T973	T974	T975	T976	T977	T978	T979	T980	T981	T982	T983	T984	T985	T986	T987	T988	T989	T990	T991	T992	T993	T994	T995	T996	T997	T998	T999	T1000
---------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------



DESIGNED APPURTENANCE LOADING

TYPE	ELEVATION	TYPE	ELEVATION
Lightning Rod 1"x10'	270	Sector1(CaAa=10000 Sq.in)No Ice (Carrier 3)	241
Top Beacon	270	Sector2(CaAa=10000 Sq.in)No Ice (Carrier 3)	241
Sector1(CaAa=13333.33 Sq.in)No Ice (Carrier 1)	265	Sector3(CaAa=10000 Sq.in)No Ice (Carrier 3)	241
Sector2(CaAa=13333.33 Sq.in)No Ice (Carrier 1)	265	4 1/2" OD Dish Mount (Carrier 4)	229
Sector3(CaAa=13333.33 Sq.in)No Ice (Carrier 1)	265	4 1/2" OD Dish Mount (Carrier 4)	229
Sector1(CaAa=10000 Sq.in)No Ice (Carrier 2)	253	6" MW Dish (Carrier 4)	229
Sector2(CaAa=10000 Sq.in)No Ice (Carrier 2)	253	6" MW Dish (Carrier 4)	229
Sector3(CaAa=10000 Sq.in)No Ice (Carrier 2)	253	4 1/2" OD Dish Mount (Carrier 5)	217
		4 1/2" OD Dish Mount (Carrier 5)	217
		6" MW Dish (Carrier 5)	217
		6" MW Dish (Carrier 5)	217

SYMBOL LIST

MARK	SIZE	MARK	SIZE
A	L1 3/4x1 3/4x3/16	B	2L1 3/4x1 3/4x3/16x3/8

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A529-50	50 ksi	65 ksi	A36M-50	50 ksi	65 ksi

TOWER DESIGN NOTES



1. Tower is located in Russell County, Kentucky.
2. Tower designed for Exposure C to the TIA-222-H Standard.
3. Tower designed for a 105 mph basic wind in accordance with the TIA-222-H Standard.
4. Tower is also designed for a 30 mph basic wind with 1.50 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60 mph wind.
6. Tower Risk Category II.
7. Topographic Category 1 with Crest Height of 0.000 ft
8. Please see feedline plan for proper feedline placement. Deviation from plan may reduce tower capacity.

ALL REACTIONS ARE FACTORED

MAX. CORNER REACTIONS AT BASE:

DOWN: 552 K
SHEAR: 40 K

UPLIFT: -480 K
SHEAR: 37 K




B+T Group
1717 S Boulder Ave, Suite 300
Tulsa, OK 74119
Phone: (918) 587-4630
Fax: (918) 295-0265

Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)
Project	270' SST/36.923941, -85.093853
Client	Harmoni Towers
Code	TIA-222-H
Path	
Drawn by	erik.perez
Date	12/29/21
App'd	
Scale	N1
Dwg No.	E



Feed Line Plan

Round _____ Flat _____ App In Face _____ App Out Face _____



B+T Group
 1717 S Boulder Ave, Suite 300
 Tulsa, OK 74119
 Phone: (918) 587-4630
 FAX: (918) 295-0265

Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)		
Project	270' SST/36.923941, -85.093853		
Client	Harmoni Towers	Drawn by	erik.perez
Code	TIA-222-H	Date	12/29/21
Path	1:\Projects\2021\9319 - Clifty Creek Rd\9319 - Clifty Creek Rd.dwg		
		App'd	
		Scale	N1
		Dwg No.	E




- NOTES:**
- REINFORCEMENT STEEL SHALL CONFIRM TO THE REQUIREMENT OF ASTM A-615 (GRADE 60) EXCEPT THAT TIES MAY BE ASTM 615 (GRADE 40) WITH 3" MINIMUM CLEAR COVER.
 - REINFORCEMENT STEEL SHALL BE DETAILED, FABRICATED, BENT, AND PLACED IN ACCORDANCE WITH THE CRSI MANUAL OF STANDARD PRACTICE AND THE ACI 315 (LATEST EDITION).
 - THE CONTRACTOR SHALL THOROUGHLY REVIEW THE GEOTECH REPORT FOR THIS PROJECT AND FOLLOW THE RECOMMENDATIONS IN THAT REPORT WHEN CONSTRUCTING THE FOUNDATION.
 GEOTECHNICAL PROPERTIES BY: ALT & WITZIG ENGINEERING, INC.
 PROJECT NUMBER: 210858
 DATE: 01/04/2022
 - THIS FOUNDATION HAS BEEN DESIGNED, IN ACCORDANCE WITH THE TIA 222-H STANDARD, SPECIFICALLY FOR THE TOWER AND SOIL CONDITION REFERENCED ABOVE. IF ANYTHING DIFFERS THIS DESIGN SHALL BE CONSIDERED INVALID AND MUST BE REDESIGNED PRIOR TO CONSTRUCTION.
 - TOTAL CONCRETE VOLUME FOR ALL (3) PIERS IN CUBIC YARDS: 35.6
 - ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4000 PSI AT 28 DAYS.
 - CONCRETE MIXTURES SHALL MEET DURABILITY REQUIREMENTS OF CHAPTER 19 OF THE ACI 318-14.
 - ALL CONCRETE TESTING SHALL BE IN ACCORDANCE WITH ACI 318-14. A MINIMUM OF (2) 6"x12" OR (3) 4"x8" CONCRETE CYLINDERS PER INDIVIDUAL FOUNDATION AND A MINIMUM OF (6) 6"x12" OR (6) 4"x8" CYLINDERS PER BATCH REQUIRED.
 - SUMP TEST SHALL BE MADE IN ACCORDANCE WITH ASTM C143. THE ALLOWABLE CONCRETE SLUMP SHALL BE 4 INCHES (±1") UNLESS ADJUSTMENTS ARE USED. ADMIXTURE SHALL BE IN ACCORDANCE WITH ASTM C494 STANDARD TYPES A, B, C, D OR E. THE ENGINEER SHALL PRE-APPROVE SUPER PLASTICIZER USE. DO NOT USE CHLORIDE-CONTAINING ADMIXTURES. AIR ENTRAINING ADMIXTURES SHALL CONFORM TO ASTM C260.
 - BACK-FILL MATERIAL SHALL BE COMPACTED TO A MINIMUM UNIT WEIGHT SPECIFIED IN GEOTECH REPORT. THE SOIL SHALL BE INSTALLED IN 6" TO 8" LIFTS AND COMPACTED THOROUGHLY TO ACHIEVE APPROPRIATE UNIT WEIGHT UNLESS GEOTECH SPECIFIES OTHER COMPACTION REQUIREMENTS.
 - VERIFY ALL DIMENSIONS AGAINST MANUFACTURER'S DRAWINGS.

STIPULATION FOR REUSE:
 1. THIS DRAWING WAS SPECIFICALLY DESIGNED FOR USE BY THE CUSTOMER ON THIS DRAWING AT THE SPECIFIED LOCATION. USE OF THIS DRAWING FOR REFERENCE OR EXAMPLE ON ANOTHER PROJECT REQUIRES THE SERVICES OF A PROPERLY LICENSED ENGINEER.

DIMENSIONING SCHEDULE	
A	30" 0"
B	30" 0" 3/16"
C	0" 11 1/8"
D	13" 00 1/8"
E	0" 0"
F	35" 0"
MIN OVERLAP "G"	7" 3"
DIAMETER	12" 0"

REINFORCING SCHEDULE			SIZE	TOTAL QTY
VERTICAL BARS			# 5	30
HORIZONTAL TIES			# 4	90
U BAR HORIZONTAL			# 3	12

BASE REACTIONS: (FACTORED LOADS)		
GLOBAL REACTIONS		
MOMENT	10500	K-IP-FT
AXIAL	83	KIPS
SHEAR	19	KIPS
REACTIONS PER LEG		
COMPRESSION AXIAL	55.1	KIPS
COMPRESSION SHEAR	40	KIPS
LIFT AXIAL	480	KIPS
LIFT SHEAR	17	KIPS



B+T GRP
 1717 S BOULDER AVE #300, TULSA, OK 74119
 (918) 587-4630

ARCOSA
 TELECOM STRUCTURES
 4020 TULL AVE. MUSKOGEE, OK 74403

ISSUED FOR:
 REV# DATE DESCRIPTION
 0 01/04/22 ISSUED FOR CONSTRUCTION
 COA: 4011
 EXPIRES: 12/31/2022



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.


PROJECT INFORMATION:
 PROJECT NO: 160107-001-01
 SITE NAME: CLIFTY CREEK
 SITE NO: 9319
 CLIENT NAME: ARCOSA TELECOM STRUCTURES
 DRAWN BY: EP
 CHECKED BY:

SHEET TITLE
 DRILLED PIER FOUNDATION


SHEET NUMBER: SST-DPF
 REVISION: 0

DIMENSIONING SCHEDULE	
AA*	5' 9 3/4"
BB	1' 6"
CC*	VARIES
DD*	1' 9"
EE	2' 0"

*NOTE: CONTRACTOR TO VERIFY DIMENSIONS PRIOR TO FABRICATION




① L-BAR
SCALE: N.T.S.




② HORIZONTAL U-BAR
SCALE: N.T.S.



③ VERTICAL U-BAR
SCALE: N.T.S.



④ CORNER BAR
SCALE: N.T.S.



⑤ ANCHOR ROD DETAIL
SCALE: N.T.S.



1717 S BOULDER AVE #300, TULSA, OK 74119
(918) 587-4630

ARCOSA
TELECOM STRUCTURES

4020 TULL AVE, MUSKOGEE, OK 74403

ISSUED FOR:

REV	DATE	DESCRIPTION
0	01/20/22	ISSUED FOR CONSTRUCTION

COA: 4011

EXPIRES: 12/31/2022



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTIONS OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT

PROJECT INFORMATION:

PROJECT NO: 160307.001.01
SITE NAME: CLIFTY CREEK
SITE NO: 9319
CLIENT NAME: ARCOSA TELECOM STRUCTURES
DRAWN BY: EP
CHECKED BY:

SHEET TITLE

DIMENSIONING DETAIL

SHEET NUMBER

REVISION

SST-DTL

0

SST Unit Base Foundation

Project #: 160107.001.01
 Site Name: Clifty Creek
 Site #: 9319

TIA-222 Revision: H

Top & Bot. Pad Rein. Different?:	<input type="checkbox"/>
Tower Centroid Offset?:	<input checked="" type="checkbox"/>
Block Foundation?:	<input type="checkbox"/>
Rectangular Pad?:	<input type="checkbox"/>

Superstructure Analysis Reactions			
Global Moment, M	10909	ft-kips	
Global Axial, P	83	kips	
Global Shear, V	67	kips	
Leg Compression, P_{comp}	552	kips	
Leg Comp. Shear, V_{u,comp}	40	kips	
Leg Uplift, P_{upl/n}	480	kips	
Leg Uplift. Shear, V_{u,upl/n}	37	kips	
Tower Height, H	270	ft	
Base Face Width, BW	24	ft	
BP Dist. Above Fdn, bp_{dist}	3	in	

Foundation Analysis Checks				
	Capacity	Demand	Rating	Check
<i>Lateral (Sliding) (kips)</i>	2235.08	67.00	3.0%	Pass
<i>Bearing Pressure (ksf)</i>	10.13	6.07	59.9%	Pass
<i>Overturning (kip*ft)</i>	12104.81	11619.04	96.0%	Pass
<i>Pier Flexure (Comp.) (kip*ft)</i>	1083.00	170.00	15.7%	Pass
<i>Pier Flexure (Tension) (kip*ft)</i>	271.92	157.25	57.8%	Pass
<i>Pier Compression (kip)</i>	4499.01	557.41	12.4%	Pass
<i>Pad Flexure (kip*ft)</i>	3662.99	3421.72	93.4%	Pass
<i>Pad Shear - 1-way (kips)</i>	799.97	736.31	92.0%	Pass
<i>Pad Shear - Comp 2-way (ksi)</i>	0.190	0.139	73.4%	Pass
<i>Flexural 2-way (Comp) (kip*ft)</i>	1731.56	102.00	5.9%	Pass
<i>Pad Shear - Tension 2-way (ksi)</i>	0.190	0.145	76.3%	Pass
<i>Flexural 2-way (Tension) (kip*ft)</i>	1731.56	94.35	5.4%	Pass

Pier Properties		
Pier Shape:	Circular	
Pier Diameter, dpier	3.0	ft
Ext. Above Grade, E	0.50	ft
Pier Rebar Size, Sc	9	
Pier Rebar Quantity, mc	12	
Pier Tie/Spiral Size, St	4	
Pier Tie/Spiral Quantity, mt	15	
Pier Reinforcement Type:	Tie	
Pier Clear Cover, cc_{pier}	3	in

Structural Rating:	93.4%
Soil Rating:	96.0%

Pad Properties		
Depth, D	6.00	ft
Pad Width, W₁	31.50	ft
Pad Thickness, T	2.25	ft
Pad Rebar Size (Bottom dir. 2), Sp₂	9	
Pad Rebar Quantity (Bottom dir. 2), mp₂	38	
Pad Clear Cover, cc_{pad}	3	in

Material Properties		
Rebar Grade, Fy	60	ksi
Concrete Compressive Strength, F'c	4	ksi
Dry Concrete Density, δc	150	pcf

Soil Properties		
Total Soil Unit Weight, γ	110	pcf
Ultimate Gross Bearing, Qult	13.500	ksf
Cohesion, Cu	2.500	ksf
Friction Angle, φ		degrees
SPT Blow Count, N_{blows}		
Base Friction, μ		
Neglected Depth, N	1.5	ft
Foundation Bearing on Rock?	No	
Groundwater Depth, gw	N/A	ft

← Toggle between Gross and Net

Drilled Pier Foundation

Project#	160107.001.01
Site Name	Clifty Creek
Site#	9319
TIA-222 Revision	H
Tower Type	Self Support

Report File:

Applied Loads		
	Comp.	Uplift
Moment (kip-ft)		
Axial Force (kips)	552	480
Shear Force (kips)	40	37

Material Properties	
Concrete Strength, f_c	4 ksi
Rebar Strength, F_y	60 ksi
Tie Yield Strength, F_{yt}	40 ksi

Pier Design Data	
Depth	25 ft
Ext. Above Grade	0.5 ft
Pier Section 1	
<i>From 0.5' above grade to 25' below grade</i>	
Pier Diameter	4 ft
Rebar Quantity	10
Rebar Size	9
Clear Cover to Ties	3 in
Tie Size	4
Tie Spacing	12 in

Rebar & Pier Options

Embedded Pole Inputs

Belled Pier Inputs

Analysis Results		
Soil Lateral Check		
	Compression	Uplift
D_{v90} (ft from TOC)	12.32	12.32
Soil Safety Factor	14.12	15.27
Max Moment (kip-ft)	314.66	291.06
Rating	9.4%	8.7%
Soil Vertical Check		
	Compression	Uplift
Skin Friction (kips)	481.61	481.61
End Bearing (kips)	282.74	-
Weight of Concrete (kips)	57.68	43.26
Total Capacity (kips)	764.35	524.87
Axial (kips)	609.68	480.00
Rating	79.8%	91.5%
Reinforced Concrete Flexure		
	Compression	Uplift
Critical Depth (ft from TOC)	12.74	8.43
Critical Moment (kip-ft)	314.26	259.28
Critical Moment Capacity	1476.21	307.00
Rating	21.3%	84.5%
Reinforced Concrete Shear		
	Compression	Uplift
Critical Depth (ft from TOC)	23.55	23.55
Critical Shear (kip)	68.80	63.64
Critical Shear Capacity	342.39	158.28
Rating	20.1%	40.2%
Structural Foundation Rating		84.5%
Soil Interaction Rating		91.5%

Check Limitation	
Apply TIA-222-H Section 15.5:	<input type="checkbox"/>
N/A	<input type="checkbox"/>
Additional Longitudinal Rebar	
Input Effective Depths (else Actual):	<input type="checkbox"/>
Shear Design Options	
Check Shear along Depth of Pier:	<input checked="" type="checkbox"/>
Utilize Shear-Friction Methodology:	<input type="checkbox"/>
Override Critical Depth:	<input type="checkbox"/>

[Go to Soil Calculations](#)

Soil Profile														
Groundwater Depth		N/A		# of Layers		5								
Layer	Top (ft)	Bottom (ft)	Thickness (ft)	γ_{soil} (pcf)	$\gamma_{concrete}$ (pcf)	Cohesion (ksf)	Angle of Friction (degrees)	Calculated Ultimate Skin Friction Comp (ksf)	Calculated Ultimate Skin Friction Uplift (ksf)	Ultimate Skin Friction Comp Override (ksf)	Ultimate Skin Friction Uplift Override (ksf)	Ult. Gross Bearing Capacity (ksf)	SPT Blow Count	Soil Type
1	0	3	3	120	150			0.000	0.000	0.00	0.00			Cohesionless
2	3	5	2	120	150	2		1.100	1.100	1.30	1.30			Cohesive
3	5	16	11	120	150	2		1.100	1.100	1.30	1.30			Cohesive
4	16	22	6	120	150	1		0.550	0.550	0.70	0.70			Cohesive
5	22	25	3	150	150	10	42	0.000	0.000	10.00	10.00	30		Cohesionless

<p>tnxTower</p> <p>B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265</p>	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 1 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Input Data

The main tower is a 3x free standing tower with an overall height of 270.000 ft above the ground line.

The base of the tower is set at an elevation of 0.000 ft above the ground line.

The face width of the tower is 3.750 ft at the top and 24.000 ft at the base.

This tower is designed using the TIA-222-H standard.

The following design criteria apply:

Tower is located in Russell County, Kentucky.

Tower base elevation above sea level: 1116.000 ft.

Basic wind speed of 105 mph.

Risk Category II.

Exposure Category C.

Simplified Topographic Factor Procedure for wind speed-up calculations is used.

Topographic Category: 1.

Crest Height: 0.000 ft.

Nominal ice thickness of 1.500 in.

Ice thickness is considered to increase with height.

Ice density of 56.000 pcf.

A wind speed of 30 mph is used in combination with ice.

Temperature drop of 50.000 °F.

Deflections calculated using a wind speed of 60 mph.

Please see feedline plan for proper feedline placement. Deviation from plan may reduce tower capacity..

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.


Stress ratio used in tower member design is 1.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification √ Use Code Stress Ratios √ Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile √ Include Bolts In Member Capacity √ Leg Bolts Are At Top Of Section √ Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric | <ul style="list-style-type: none"> Distribute Leg Loads As Uniform Assume Legs Pinned √ Assume Rigid Index Plate √ Use Clear Spans For Wind Area √ Use Clear Spans For KL/r Retension Guys To Initial Tension √ Bypass Mast Stability Checks √ Use Azimuth Dish Coefficients √ Project Wind Area of Appurt Autocalc Torque Arm Areas Add IBC 6D+W Combination √ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs | <ul style="list-style-type: none"> Use ASCE 10 X-Brace Ly Rules √ Calculate Redundant Bracing Forces Ignore Redundant Members in FEA √ SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation √ Consider Feed Line Torque √ Include Angle Block Shear Check Use TIA-222-H Bracing Resist Exemption Use TIA-222-H Tension Splice Exemption <li style="text-align: center;">Poles Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets Pole Without Linear Attachments Pole With Shroud Or No Appurtenances Outside and Inside Corner Radii Are Known |
|--|---|--|

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 2 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez



Triangular Tower

Tower Section Geometry

Tower Section	Tower Elevation	Assembly Database	Description	Section Width	Number of Sections	Section Length
	ft			ft		ft
T1	270 000-260 000			3 750	1	10 000
T2	260 000-240 000			4 500	1	20 000
T3	240 000-220 000			6 000	1	20 000
T4	220 000-200 000			7 500	1	20 000
T5	200 000-180 000			9 000	1	20 000
T6	180 000-160 000			10 500	1	20 000
T7	160 000-140 000			12 000	1	20 000
T8	140 000-120 000			13 500	1	20 000
T9	120 000-100 000			15 000	1	20 000
T10	100 000-80 000			16 500	1	20 000
T11	80 000-60 000			18 000	1	20 000
T12	60 000-40 000			19 500	1	20 000
T13	40 000-20 000			21 000	1	20 000
T14	20 000-0 000			22 500	1	20 000

Tower Section Geometry (cont'd)

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	270 000-260 000	4 500	X Brace	No	No	6 000	6 000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 3 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T2	260 000-240 000	4 750	X Brace	No	No	6 000	6 000
T3	240 000-220 000	4 750	X Brace	No	No	6 000	6 000
T4	220 000-200 000	4 750	X Brace	No	No	6 000	6 000
T5	200 000-180 000	4 750	X Brace	No	No	6 000	6 000
T6	180 000-160 000	4 750	X Brace	No	No	6 000	6 000
T7	160 000-140 000	4 750	X Brace	No	No	6 000	6 000
T8	140 000-120 000	4 750	X Brace	No	No	6 000	6 000
T9	120 000-100 000	4 750	X Brace	No	No	6 000	6 000
T10	100 000-80 000	4 750	X Brace	No	No	6 000	6 000
T11	80 000-60 000	4 750	Double K	No	Yes	6 000	6 000
T12	60 000-40 000	4 750	Double K	No	Yes	6 000	6 000
T13	40 000-20 000	4 750	Double K	No	Yes	6 000	6 000
T14	20 000-0 000	4 750	Double K	No	Yes	6 000	6 000

Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade	
ft							
270 000-260 000	T1	Solid Round	1 3/4	A529-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
260 000-240 000	T2	Solid Round	2	A529-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
240 000-220 000	T3	Solid Round	2 1/2	A529-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
220 000-200 000	T4	Solid Round	2 3/4	A529-50 (50 ksi)	Equal Angle	L2x2x3/16	A36M-50 (50 ksi)
200 000-180 000	T5	Solid Round	3	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
180 000-160 000	T6	Solid Round	3 1/4	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
160 000-140 000	T7	Solid Round	3 1/2	A529-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x3/16	A36M-50 (50 ksi)
140 000-120 000	T8	Solid Round	3 3/4	A529-50 (50 ksi)	Equal Angle	L3x3x3/16	A36M-50 (50 ksi)
120 000-100 000	T9	Solid Round	3 3/4	A529-50 (50 ksi)	Equal Angle	L3x3x3/16	A36M-50 (50 ksi)
100 000-80 000	T10	Solid Round	4	A529-50 (50 ksi)	Equal Angle	L3x3x1/4	A36M-50 (50 ksi)
80 000-60 000	T11	Solid Round	4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
60 000-40 000	T12	Solid Round	4 1/4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
40 000-20 000	T13	Solid Round	4 1/4	A529-50 (50 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
20 000-0 000	T14	Solid Round	4 1/2	A529-50 (50 ksi)	Double Angle	2L3x3x3/16x3/8	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 4 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Elevation ft	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
T1 270 000-260 000	Equal Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)	Solid Round		A529-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	No. of Mid Girts	Mid Girt Type	Mid Girt Size	Mid Girt Grade	Horizontal Type	Horizontal Size	Horizontal Grade
T11 80 000-60 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L1 3/4x1 3/4x3/16x3/8	A36M-50 (50 ksi)
T12 60 000-40 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2x2x3/16x3/8	A36M-50 (50 ksi)
T13 40 000-20 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)
T14 20 000-0 000	None	Flat Bar		A36 (36 ksi)	Double Angle	2L2 1/2x2 1/2x3/16x3/8	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Secondary Horizontal Type	Secondary Horizontal Size	Secondary Horizontal Grade	Inner Bracing Type	Inner Bracing Size	Inner Bracing Grade
T11 80 000-60 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
T12 60 000-40 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
T13 40 000-20 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)
T14 20 000-0 000	Solid Round		A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36M-50 (50 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A ₁	Adjust. Factor A ₂	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
T1 270 000-260 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36 000	36 000	36 000
T2 260 000-240 000	0.000	0.375	A36M-50 (50 ksi)	1	1	1	36 000	36 000	36 000
T3	0.000	0.375	A36M-50	1	1	1	36 000	36 000	36 000

<p>tnxTower</p> <p>B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265</p>	<p>Job</p> <p>ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)</p>	<p>Page</p> <p>8 of 35</p>
	<p>Project</p> <p>270' SST/36.923941, -85.093853</p>	<p>Date</p> <p>10:33:18 12/29/21</p>
	<p>Client</p> <p>Harmoni Towers</p>	<p>Designed by</p> <p>erik.perez</p>

Tower Elevation ft	Redundant Horizontal		Redundant Diagonal		Redundant Sub-Diagonal		Redundant Sub-Horizontal		Redundant Vertical		Redundant Hip		Redundant Hip Diagonal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T10 100 000-80 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T11 80 000-60 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T12 60 000-40 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T13 40 000-20 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T14 20 000-0 000	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75

Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 270 000-260 000	Flange	0.000 A325N	0	0.625 A325X	1	0.625 A325X	1	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T2 260 000-240 000	Flange	0.750 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T3 240 000-220 000	Flange	0.750 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T4 220 000-200 000	Flange	0.750 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T5 200 000-180 000	Flange	1.000 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T6 180 000-160 000	Flange	1.000 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T7 160 000-140 000	Flange	1.000 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T8 140 000-120 000	Flange	1.250 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T9 120 000-100 000	Flange	1.250 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T10 100 000-80 000	Flange	1.250 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.000 A325X	0	0.625 A325N	0
T11 80 000-60 000	Flange	1.250 A325N	6	0.625 A325X	1	0.000 A325N	0	0.000 A325N	0	0.625 A325N	0	0.625 A325X	1	0.625 A325N	0

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 9 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
60 000-40 000	T12 Flange	1 250	6	0.625	1	0.000	0	0.000	0	0.625	0	0.625	1	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325X		A325N	
40 000-20 000	T13 Flange	1 250	6	0.625	1	0.000	0	0.000	0	0.625	0	0.625	1	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325X		A325N	
20 000-0 000	T14 Flange	1 500	6	0.625	1	0.000	0	0.000	0	0.625	0	0.625	1	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325X		A325N	

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight klf
1-5/8" (Carrier 1)	C	No	No	Ar (CaAa)	265 000 - 10 000	0.000	0	9	5	0.750	1.980		0.001
1.5" Hybrid (Carrier 1)	C	No	No	Ar (CaAa)	265 000 - 10 000	0.000	-0.25	6	3	0.750	1.500		0.001
**													
1-5/8" (Carrier 2)	B	No	No	Ar (CaAa)	253 000 - 10 000	0.000	0	9	5	0.750	1.980		0.001
1.5" Hybrid (Carrier 2)	B	No	No	Ar (CaAa)	253 000 - 10 000	0.000	-0.25	6	3	0.750	1.500		0.001
**													
1-5/8" (Carrier 3)	A	No	No	Ar (CaAa)	241 000 - 10 000	0.000	0	9	5	0.750	1.980		0.001
1.5" Hybrid (Carrier 3)	A	No	No	Ar (CaAa)	241 000 - 10 000	0.000	-0.25	6	3	0.750	1.500		0.001
**													
1-5/8" (Carrier 4)	C	No	No	Ar (CaAa)	229 000 - 10 000	0.000	0.35	2	1	0.750	1.980		0.001
**													
1-5/8" (Carrier 5)	C	No	No	Ar (CaAa)	217 000 - 10 000	0.000	0.4	2	1	0.750	1.980		0.001
**													
Safety Line 3/8	A	No	No	Ar (CaAa)	270 000 - 10 000	0.000	0.45	1	1	0.375	0.375		0.000
Strobe Cable	A	No	No	Ar (CaAa)	270 000 - 10 000	0.000	-0.45	1	1	1.250	1.250		0.001
**													
Feedline Ladder (Af)	C	No	No	Af (CaAa)	265 000 - 10 000	0.000	0.3	1	1	3.000	0.250		0.008
Feedline Ladder (Af)	B	No	No	Af (CaAa)	253 000 - 10 000	0.000	0.3	1	1	3.000	0.250		0.008
Feedline Ladder (Af)	A	No	No	Af (CaAa)	241 000 - 10 000	0.000	0.3	1	1	3.000	0.250		0.008

Feed Line/Linear Appurtenances Section Areas

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 10 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Section	Tower Elevation ft	Face	A_R ft ²	A_L ft ²	C_1A_1 In Face ft ²	C_2A_1 Out Face ft ²	Weight K
T1	270 000-260 000	A	0 000	0 000	1 625	0 000	0 009
		B	0 000	0 000	0 000	0 000	0 000
		C	0 000	0 000	13 618	0 000	0 103
T2	260 000-240 000	A	0 000	0 000	5 974	0 000	0 039
		B	0 000	0 000	35 408	0 000	0 267
		C	0 000	0 000	54 473	0 000	0 410
T3	240 000-220 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	58 037	0 000	0 423
T4	220 000-200 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	69 125	0 000	0 464
T5	200 000-180 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T6	180 000-160 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T7	160 000-140 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T8	140 000-120 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T9	120 000-100 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T10	100 000-80 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T11	80 000-60 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T12	60 000-40 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T13	40 000-20 000	A	0 000	0 000	57 723	0 000	0 429
		B	0 000	0 000	54 473	0 000	0 410
		C	0 000	0 000	70 313	0 000	0 468
T14	20 000-0 000	A	0 000	0 000	28 862	0 000	0 214
		B	0 000	0 000	27 237	0 000	0 205
		C	0 000	0 000	35 157	0 000	0 234

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R ft ²	A_L ft ²	C_1A_1 In Face ft ²	C_2A_1 Out Face ft ²	Weight K
T1	270 000-260 000	A	1 847	0 000	0 000	9 015	0 000	0 129
		B		0 000	0 000	0 000	0 000	0 000
		C		0 000	0 000	21 322	0 000	0 438
T2	260 000-240 000	A	1 837	0 000	0 000	22 198	0 000	0 343
		B		0 000	0 000	55 313	0 000	1 135
		C		0 000	0 000	85 096	0 000	1 746
T3	240 000-220 000	A	1 821	0 000	0 000	102 647	0 000	1 988
		B		0 000	0 000	84 826	0 000	1 735
		C		0 000	0 000	96 154	0 000	1 900
T4	220 000-200 000	A	1 805	0 000	0 000	102 223	0 000	1 972

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 11 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_H ft ²	A_T ft ²	C_1A_1 In Face ft ²	C_1A_1 Out Face ft ²	Weight K
		B		0.000	0.000	84.533	0.000	1.723
		C		0.000	0.000	130.891	0.000	2.394
T5	200.000-180.000	A	1.787	0.000	0.000	101.761	0.000	1.956
		B		0.000	0.000	84.215	0.000	1.710
		C		0.000	0.000	134.082	0.000	2.426
T6	180.000-160.000	A	1.767	0.000	0.000	101.252	0.000	1.938
		B		0.000	0.000	83.865	0.000	1.696
		C		0.000	0.000	133.458	0.000	2.401
T7	160.000-140.000	A	1.745	0.000	0.000	100.687	0.000	1.918
		B		0.000	0.000	83.475	0.000	1.681
		C		0.000	0.000	132.763	0.000	2.374
T8	140.000-120.000	A	1.720	0.000	0.000	100.049	0.000	1.895
		B		0.000	0.000	83.036	0.000	1.664
		C		0.000	0.000	131.980	0.000	2.344
T9	120.000-100.000	A	1.692	0.000	0.000	99.316	0.000	1.869
		B		0.000	0.000	82.531	0.000	1.644
		C		0.000	0.000	131.080	0.000	2.309
T10	100.000-80.000	A	1.658	0.000	0.000	98.452	0.000	1.839
		B		0.000	0.000	81.936	0.000	1.621
		C		0.000	0.000	130.019	0.000	2.268
T11	80.000-60.000	A	1.617	0.000	0.000	97.395	0.000	1.803
		B		0.000	0.000	81.207	0.000	1.592
		C		0.000	0.000	128.721	0.000	2.219
T12	60.000-40.000	A	1.564	0.000	0.000	96.020	0.000	1.756
		B		0.000	0.000	80.261	0.000	1.556
		C		0.000	0.000	127.033	0.000	2.155
T13	40.000-20.000	A	1.486	0.000	0.000	94.020	0.000	1.689
		B		0.000	0.000	78.884	0.000	1.504
		C		0.000	0.000	124.579	0.000	2.065
T14	20.000-0.000	A	1.331	0.000	0.000	45.026	0.000	0.781
		B		0.000	0.000	38.076	0.000	0.702
		C		0.000	0.000	59.857	0.000	0.946

Feed Line Center of Pressure

Section	Elevation ft	CP_x in	CP_z in	CP_x Ice in	CP_z Ice in
T1	270.000-260.000	0.395	3.280	-0.923	2.006
T2	260.000-240.000	3.181	0.385	1.875	1.046
T3	240.000-220.000	-0.427	-2.257	-1.531	-1.232
T4	220.000-200.000	-1.746	-0.644	-3.628	1.079
T5	200.000-180.000	-1.963	-0.492	-4.164	1.419
T6	180.000-160.000	-2.137	-0.534	-4.559	1.542
T7	160.000-140.000	-2.291	-0.572	-4.908	1.653
T8	140.000-120.000	-2.263	-0.569	-5.044	1.703
T9	120.000-100.000	-2.381	-0.599	-5.307	1.789
T10	100.000-80.000	-2.477	-0.623	-5.522	1.860
T11	80.000-60.000	-3.197	-0.786	-6.566	2.178
T12	60.000-40.000	-3.282	-0.809	-6.740	2.238
T13	40.000-20.000	-3.327	-0.823	-6.814	2.271
T14	20.000-0.000	-1.944	-0.497	-4.061	1.398

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 12 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Shielding Factor Ka

Tower Section	Feed Line Record No	Description	Feed Line Segment Elev.	K _a No Ice	K _a Ice
T1	1	1-5/8"	260 00 - 265 00	0 6000	0 5321
T1	2	1.5" Hybrid	260 00 - 265 00	0 6000	0 5321
T1	14	Safety Line 3/8	260 00 - 270 00	0 6000	0 5321
T1	15	Strobe Cable	260 00 - 270 00	0 6000	0 5321
T1	17	Feedline Ladder (Af)	260 00 - 265 00	0 6000	0 5321
T2	1	1-5/8"	240 00 - 260 00	0 6000	0 6000
T2	2	1.5" Hybrid	240 00 - 260 00	0 6000	0 6000
T2	4	1-5/8"	240 00 - 253 00	0 6000	0 6000
T2	5	1.5" Hybrid	240 00 - 253 00	0 6000	0 6000
T2	7	1-5/8"	240 00 - 241 00	0 6000	0 6000
T2	8	1.5" Hybrid	240 00 - 241 00	0 6000	0 6000
T2	14	Safety Line 3/8	240 00 - 260 00	0 6000	0 6000
T2	15	Strobe Cable	240 00 - 260 00	0 6000	0 6000
T2	17	Feedline Ladder (Af)	240 00 - 260 00	0 6000	0 6000
T2	18	Feedline Ladder (Af)	240 00 - 253 00	0 6000	0 6000
T2	19	Feedline Ladder (Af)	240 00 - 241 00	0 6000	0 6000
T3	1	1-5/8"	220 00 - 240 00	0 6000	0 6000
T3	2	1.5" Hybrid	220 00 - 240 00	0 6000	0 6000
T3	4	1-5/8"	220 00 - 240 00	0 6000	0 6000
T3	5	1.5" Hybrid	220 00 - 240 00	0 6000	0 6000
T3	7	1-5/8"	220 00 - 240 00	0 6000	0 6000
T3	8	1.5" Hybrid	220 00 - 240 00	0 6000	0 6000
T3	10	1-5/8"	220 00 - 229 00	0 6000	0 6000
T3	14	Safety Line 3/8	220 00 - 240 00	0 6000	0 6000
T3	15	Strobe Cable	220 00 - 240 00	0 6000	0 6000
T3	17	Feedline Ladder (Af)	220 00 - 240 00	0 6000	0 6000
T3	18	Feedline Ladder (Af)	220 00 - 240 00	0 6000	0 6000
T3	19	Feedline Ladder (Af)	220 00 - 240 00	0 6000	0 6000
T4	1	1-5/8"	200 00 -	0 6000	0 6000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 13 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _o No Ice	K _o Ice
			220 00		
T4	2	1.5" Hybrid	200 00 - 220 00	0 6000	0 6000
T4	4	1-5/8"	200 00 - 220 00	0 6000	0 6000
T4	5	1.5" Hybrid	200 00 - 220 00	0 6000	0 6000
T4	7	1-5/8"	200 00 - 220 00	0 6000	0 6000
T4	8	1.5" Hybrid	200 00 - 220 00	0 6000	0 6000
T4	10	1-5/8"	200 00 - 220 00	0 6000	0 6000
T4	12	1-5/8"	200 00 - 220 00	0 6000	0 6000
T4	14	Safety Line 3/8	200 00 - 220 00	0 6000	0 6000
T4	15	Strobe Cable	200 00 - 220 00	0 6000	0 6000
T4	17	Feedline Ladder (Af)	200 00 - 220 00	0 6000	0 6000
T4	18	Feedline Ladder (Af)	200 00 - 220 00	0 6000	0 6000
T4	19	Feedline Ladder (Af)	200 00 - 220 00	0 6000	0 6000
T5	1	1-5/8"	180 00 - 200 00	0 6000	0 6000
T5	2	1.5" Hybrid	180 00 - 200 00	0 6000	0 6000
T5	4	1-5/8"	180 00 - 200 00	0 6000	0 6000
T5	5	1.5" Hybrid	180 00 - 200 00	0 6000	0 6000
T5	7	1-5/8"	180 00 - 200 00	0 6000	0 6000
T5	8	1.5" Hybrid	180 00 - 200 00	0 6000	0 6000
T5	10	1-5/8"	180 00 - 200 00	0 6000	0 6000
T5	12	1-5/8"	180 00 - 200 00	0 6000	0 6000
T5	14	Safety Line 3/8	180 00 - 200 00	0 6000	0 6000
T5	15	Strobe Cable	180 00 - 200 00	0 6000	0 6000
T5	17	Feedline Ladder (Af)	180 00 - 200 00	0 6000	0 6000
T5	18	Feedline Ladder (Af)	180 00 - 200 00	0 6000	0 6000
T5	19	Feedline Ladder (Af)	180 00 - 200 00	0 6000	0 6000
T6	1	1-5/8"	160 00 - 180 00	0 6000	0 6000
T6	2	1.5" Hybrid	160 00 - 180 00	0 6000	0 6000
T6	4	1-5/8"	160 00 - 180 00	0 6000	0 6000
T6	5	1.5" Hybrid	160 00 - 180 00	0 6000	0 6000
T6	7	1-5/8"	160 00 - 180 00	0 6000	0 6000
T6	8	1.5" Hybrid	160 00 -	0 6000	0 6000

tnxTower

B+T Group
 1717 S Boulder Ave, Suite 300
 Tulsa, OK 74119
 Phone: (918) 587-4630
 FAX: (918) 295-0265

Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page	14 of 35
Project	270' SST/36.923941, -85.093853	Date	10:33:18 12/29/21
Client	Harmoni Towers	Designed by	erik.perez

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _a No Ice	K _a Ice
			180 00		
T6	10	1-5/8"	160 00 -	0 6000	0 6000
			180 00		
T6	12	1-5/8"	160 00 -	0 6000	0 6000
			180 00		
T6	14	Safety Line 3/8	160 00 -	0 6000	0 6000
			180 00		
T6	15	Strobe Cable	160 00 -	0 6000	0 6000
			180 00		
T6	17	Feedline Ladder (Af)	160 00 -	0 6000	0 6000
			180 00		
T6	18	Feedline Ladder (Af)	160 00 -	0 6000	0 6000
			180 00		
T6	19	Feedline Ladder (Af)	160 00 -	0 6000	0 6000
			180 00		
T7	1	1-5/8"	140 00 -	0 6000	0 6000
			160 00		
T7	2	1.5" Hybrid	140 00 -	0 6000	0 6000
			160 00		
T7	4	1-5/8"	140 00 -	0 6000	0 6000
			160 00		
T7	5	1.5" Hybrid	140 00 -	0 6000	0 6000
			160 00		
T7	7	1-5/8"	140 00 -	0 6000	0 6000
			160 00		
T7	8	1.5" Hybrid	140 00 -	0 6000	0 6000
			160 00		
T7	10	1-5/8"	140 00 -	0 6000	0 6000
			160 00		
T7	12	1-5/8"	140 00 -	0 6000	0 6000
			160 00		
T7	14	Safety Line 3/8	140 00 -	0 6000	0 6000
			160 00		
T7	15	Strobe Cable	140 00 -	0 6000	0 6000
			160 00		
T7	17	Feedline Ladder (Af)	140 00 -	0 6000	0 6000
			160 00		
T7	18	Feedline Ladder (Af)	140 00 -	0 6000	0 6000
			160 00		
T7	19	Feedline Ladder (Af)	140 00 -	0 6000	0 6000
			160 00		
T8	1	1-5/8"	120 00 -	0 6000	0 6000
			140 00		
T8	2	1.5" Hybrid	120 00 -	0 6000	0 6000
			140 00		
T8	4	1-5/8"	120 00 -	0 6000	0 6000
			140 00		
T8	5	1.5" Hybrid	120 00 -	0 6000	0 6000
			140 00		
T8	7	1-5/8"	120 00 -	0 6000	0 6000
			140 00		
T8	8	1.5" Hybrid	120 00 -	0 6000	0 6000
			140 00		
T8	10	1-5/8"	120 00 -	0 6000	0 6000
			140 00		
T8	12	1-5/8"	120 00 -	0 6000	0 6000
			140 00		
T8	14	Safety Line 3/8	120 00 -	0 6000	0 6000
			140 00		
T8	15	Strobe Cable	120 00 -	0 6000	0 6000
			140 00		
T8	17	Feedline Ladder (Af)	120 00 -	0 6000	0 6000

tnxTower

B+T Group
 1717 S Boulder Ave, Suite 300
 Tulsa, OK 74119
 Phone: (918) 587-4630
 FAX: (918) 295-0265

Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page	15 of 35
Project	270' SST/36.923941, -85.093853	Date	10:33:18 12/29/21
Client	Harmoni Towers	Designed by	erik.perez

Tower Section	Feed Line Record No	Description	Feed Line Segment Elev.	K _o No Ice	K _o Ice
			140 00		
T8	18	Feedline Ladder (Af)	120 00 -	0 6000	0 6000
			140 00		
T8	19	Feedline Ladder (Af)	120 00 -	0 6000	0 6000
			140 00		
T9	1	1-5/8"	100 00 -	0 6000	0 6000
			120 00		
T9	2	1.5" Hybrid	100 00 -	0 6000	0 6000
			120 00		
T9	4	1-5/8"	100 00 -	0 6000	0 6000
			120 00		
T9	5	1.5" Hybrid	100 00 -	0 6000	0 6000
			120 00		
T9	7	1-5/8"	100 00 -	0 6000	0 6000
			120 00		
T9	8	1.5" Hybrid	100 00 -	0 6000	0 6000
			120 00		
T9	10	1-5/8"	100 00 -	0 6000	0 6000
			120 00		
T9	12	1-5/8"	100 00 -	0 6000	0 6000
			120 00		
T9	14	Safety Line 3/8	100 00 -	0 6000	0 6000
			120 00		
T9	15	Strobe Cable	100 00 -	0 6000	0 6000
			120 00		
T9	17	Feedline Ladder (Af)	100 00 -	0 6000	0 6000
			120 00		
T9	18	Feedline Ladder (Af)	100 00 -	0 6000	0 6000
			120 00		
T9	19	Feedline Ladder (Af)	100 00 -	0 6000	0 6000
			120 00		
T10	1	1-5/8"	80 00 - 100 00	0 6000	0 6000
T10	2	1.5" Hybrid	80 00 - 100 00	0 6000	0 6000
T10	4	1-5/8"	80 00 - 100 00	0 6000	0 6000
T10	5	1.5" Hybrid	80 00 - 100 00	0 6000	0 6000
T10	7	1-5/8"	80 00 - 100 00	0 6000	0 6000
T10	8	1.5" Hybrid	80 00 - 100 00	0 6000	0 6000
T10	10	1-5/8"	80 00 - 100 00	0 6000	0 6000
T10	12	1-5/8"	80 00 - 100 00	0 6000	0 6000
T10	14	Safety Line 3/8	80 00 - 100 00	0 6000	0 6000
T10	15	Strobe Cable	80 00 - 100 00	0 6000	0 6000
T10	17	Feedline Ladder (Af)	80 00 - 100 00	0 6000	0 6000
T10	18	Feedline Ladder (Af)	80 00 - 100 00	0 6000	0 6000
T10	19	Feedline Ladder (Af)	80 00 - 100 00	0 6000	0 6000
T11	1	1-5/8"	60 00 - 80 00	0 6000	0 6000
T11	2	1.5" Hybrid	60 00 - 80 00	0 6000	0 6000
T11	4	1-5/8"	60 00 - 80 00	0 6000	0 6000
T11	5	1.5" Hybrid	60 00 - 80 00	0 6000	0 6000
T11	7	1-5/8"	60 00 - 80 00	0 6000	0 6000
T11	8	1.5" Hybrid	60 00 - 80 00	0 6000	0 6000
T11	10	1-5/8"	60 00 - 80 00	0 6000	0 6000
T11	12	1-5/8"	60 00 - 80 00	0 6000	0 6000
T11	14	Safety Line 3/8	60 00 - 80 00	0 6000	0 6000
T11	15	Strobe Cable	60 00 - 80 00	0 6000	0 6000
T11	17	Feedline Ladder (Af)	60 00 - 80 00	0 6000	0 6000
T11	18	Feedline Ladder (Af)	60 00 - 80 00	0 6000	0 6000
T11	19	Feedline Ladder (Af)	60 00 - 80 00	0 6000	0 6000
T12	1	1-5/8"	40 00 - 60 00	0 6000	0 6000
T12	2	1.5" Hybrid	40 00 - 60 00	0 6000	0 6000
T12	4	1-5/8"	40 00 - 60 00	0 6000	0 6000
T12	5	1.5" Hybrid	40 00 - 60 00	0 6000	0 6000
T12	7	1-5/8"	40 00 - 60 00	0 6000	0 6000

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 16 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K _n No Ice	K _n Ice
T12	8	1.5" Hybrid	40 00 - 60 00	0 6000	0 6000
T12	10	1-5/8"	40 00 - 60 00	0 6000	0 6000
T12	12	1-5/8"	40 00 - 60 00	0 6000	0 6000
T12	14	Safety Line 3/8	40 00 - 60 00	0 6000	0 6000
T12	15	Strobe Cable	40 00 - 60 00	0 6000	0 6000
T12	17	Feedline Ladder (Af)	40 00 - 60 00	0 6000	0 6000
T12	18	Feedline Ladder (Af)	40 00 - 60 00	0 6000	0 6000
T12	19	Feedline Ladder (Af)	40 00 - 60 00	0 6000	0 6000
T13	1	1-5/8"	20 00 - 40 00	0 6000	0 6000
T13	2	1.5" Hybrid	20 00 - 40 00	0 6000	0 6000
T13	4	1-5/8"	20 00 - 40 00	0 6000	0 6000
T13	5	1.5" Hybrid	20 00 - 40 00	0 6000	0 6000
T13	7	1-5/8"	20 00 - 40 00	0 6000	0 6000
T13	8	1.5" Hybrid	20 00 - 40 00	0 6000	0 6000
T13	10	1-5/8"	20 00 - 40 00	0 6000	0 6000
T13	12	1-5/8"	20 00 - 40 00	0 6000	0 6000
T13	14	Safety Line 3/8	20 00 - 40 00	0 6000	0 6000
T13	15	Strobe Cable	20 00 - 40 00	0 6000	0 6000
T13	17	Feedline Ladder (Af)	20 00 - 40 00	0 6000	0 6000
T13	18	Feedline Ladder (Af)	20 00 - 40 00	0 6000	0 6000
T13	19	Feedline Ladder (Af)	20 00 - 40 00	0 6000	0 6000
T14	1	1-5/8"	10 00 - 20 00	0 6000	0 6000
T14	2	1.5" Hybrid	10 00 - 20 00	0 6000	0 6000
T14	4	1-5/8"	10 00 - 20 00	0 6000	0 6000
T14	5	1.5" Hybrid	10 00 - 20 00	0 6000	0 6000
T14	7	1-5/8"	10 00 - 20 00	0 6000	0 6000
T14	8	1.5" Hybrid	10 00 - 20 00	0 6000	0 6000
T14	10	1-5/8"	10 00 - 20 00	0 6000	0 6000
T14	12	1-5/8"	10 00 - 20 00	0 6000	0 6000
T14	14	Safety Line 3/8	10 00 - 20 00	0 6000	0 6000
T14	15	Strobe Cable	10 00 - 20 00	0 6000	0 6000
T14	17	Feedline Ladder (Af)	10 00 - 20 00	0 6000	0 6000
T14	18	Feedline Ladder (Af)	10 00 - 20 00	0 6000	0 6000
T14	19	Feedline Ladder (Af)	10 00 - 20 00	0 6000	0 6000

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _v A ₁ Front ft ²	C _v A ₁ Side ft ²	Weight K	
Lightning Rod 1"x10'	C	From Leg	0 000	0 000	270 000	No Ice	1 000	1 000	0 040
			0 000			1/2" Ice	2 017	2 017	0 049
			5 000			1" Ice	3 050	3 050	0 065
						2" Ice	5 148	5 148	0 116
Top Beacon	B	From Leg	0 000	0 000	270 000	No Ice	2 700	2 700	0 050
			0 000			1/2" Ice	3 100	3 100	0 070
			1 000			1" Ice	3 500	3 500	0 090
						2" Ice	4 300	4 300	0 130
** Sector I(CaAa=13333.33 Sq in)No Ice	A	From Leg	4 000 0 000	0 000	265 000	No Ice 1/2" Ice	92 592 115 740	62 037 77 546	0 700 1 400

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 18 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight	
				ft	°	°	ft	ft	ft ²	K	
6' MW Dish (Carrier 4)	C	Paraboloid w/o Radome	From Leg	1 000	0 000		229 000	6 000	No Ice	28 270	0 143
				0 000					1/2" Ice	29 050	0 292
				0 000					1" Ice	29 831	0 441
									2" Ice	31 392	0 740
6' MW Dish (Carrier 4)	B	Paraboloid w/o Radome	From Leg	1 000	0 000		229 000	6 000	No Ice	28 270	0 143
				0 000					1/2" Ice	29 050	0 292
				0 000					1" Ice	29 831	0 441
									2" Ice	31 392	0 740
**											
6' MW Dish (Carrier 5)	C	Paraboloid w/o Radome	From Leg	1 000	0 000		217 000	6 000	No Ice	28 270	0 143
				0 000					1/2" Ice	29 050	0 292
				0 000					1" Ice	29 831	0 441
									2" Ice	31 392	0 740
6' MW Dish (Carrier 5)	B	Paraboloid w/o Radome	From Leg	1 000	0 000		217 000	6 000	No Ice	28 270	0 143
				0 000					1/2" Ice	29 050	0 292
				0 000					1" Ice	29 831	0 441
									2" Ice	31 392	0 740
**											

Load Combinations

Comb. No.	Description
1	Dead Only
2	1 2 Dead+1 0 Wind 0 deg - No Ice
3	0 9 Dead+1 0 Wind 0 deg - No Ice
4	1 2 Dead+1 0 Wind 30 deg - No Ice
5	0 9 Dead+1 0 Wind 30 deg - No Ice
6	1 2 Dead+1 0 Wind 60 deg - No Ice
7	0 9 Dead+1 0 Wind 60 deg - No Ice
8	1 2 Dead+1 0 Wind 90 deg - No Ice
9	0 9 Dead+1 0 Wind 90 deg - No Ice
10	1 2 Dead+1 0 Wind 120 deg - No Ice
11	0 9 Dead+1 0 Wind 120 deg - No Ice
12	1 2 Dead+1 0 Wind 150 deg - No Ice
13	0 9 Dead+1 0 Wind 150 deg - No Ice
14	1 2 Dead+1 0 Wind 180 deg - No Ice
15	0 9 Dead+1 0 Wind 180 deg - No Ice
16	1 2 Dead+1 0 Wind 210 deg - No Ice
17	0 9 Dead+1 0 Wind 210 deg - No Ice
18	1 2 Dead+1 0 Wind 240 deg - No Ice
19	0 9 Dead+1 0 Wind 240 deg - No Ice
20	1 2 Dead+1 0 Wind 270 deg - No Ice
21	0 9 Dead+1 0 Wind 270 deg - No Ice
22	1 2 Dead+1 0 Wind 300 deg - No Ice
23	0 9 Dead+1 0 Wind 300 deg - No Ice
24	1 2 Dead+1 0 Wind 330 deg - No Ice
25	0 9 Dead+1 0 Wind 330 deg - No Ice
26	1 2 Dead+1 0 Ice+1 0 Temp

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 19 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Comb No.	Description
27	1 2 Dead+1 0 Wind 0 deg+1 0 Ice+1 0 Temp
28	1 2 Dead+1 0 Wind 30 deg+1 0 Ice+1 0 Temp
29	1 2 Dead+1 0 Wind 60 deg+1 0 Ice+1 0 Temp
30	1 2 Dead+1 0 Wind 90 deg+1 0 Ice+1 0 Temp
31	1 2 Dead+1 0 Wind 120 deg+1 0 Ice+1 0 Temp
32	1 2 Dead+1 0 Wind 150 deg+1 0 Ice+1 0 Temp
33	1 2 Dead+1 0 Wind 180 deg+1 0 Ice+1 0 Temp
34	1 2 Dead+1 0 Wind 210 deg+1 0 Ice+1 0 Temp
35	1 2 Dead+1 0 Wind 240 deg+1 0 Ice+1 0 Temp
36	1 2 Dead+1 0 Wind 270 deg+1 0 Ice+1 0 Temp
37	1 2 Dead+1 0 Wind 300 deg+1 0 Ice+1 0 Temp
38	1 2 Dead+1 0 Wind 330 deg+1 0 Ice+1 0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T1	270 - 260	Leg	Max Tension	15	7 869	1 092	-0 004
			Max Compression	18	-9 542	0 152	0 006
			Max Mx	2	-9 533	-1 133	0 004
			Max My	4	-1 081	0 003	0 591
			Max Vy	2	-2 577	0 155	-0 004
			Max Vx	4	-2 073	0 001	-0 079
		Diagonal	Max Tension	8	3 432	0 000	0 000
			Max Compression	6	-3 126	0 000	0 000
			Max Mx	2	-0 802	0 041	-0 002
			Max My	20	-3 099	-0 002	0 029
			Max Vy	35	0 018	0 012	-0 002
			Max Vx	20	-0 010	0 000	0 000
		Top Girt	Max Tension	14	1 786	0 000	0 000
			Max Compression	2	-1 771	0 000	0 000
			Max Mx	35	-0 254	-0 022	0 000
			Max My	38	0 041	0 000	0 000
			Max Vy	26	0 023	0 000	0 000
			Max Vx	38	0 001	0 000	0 000
T2	260 - 240	Leg	Max Tension	15	44 379	1 442	-0 017
			Max Compression	2	-50 304	1 620	-0 017
			Max Mx	2	-45 146	-2 267	0 024
			Max My	4	-3 544	-0 008	1 321
			Max Vy	2	-7 069	1 620	-0 017
			Max Vx	16	-3 383	-0 030	0 904
		Diagonal	Max Tension	24	5 184	0 000	0 000
			Max Compression	20	-4 720	0 000	0 000
			Max Mx	2	-0 484	0 022	-0 002
			Max My	2	-4 048	-0 019	-0 013
			Max Vy	34	0 023	0 020	-0 002

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 20 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T3	240 - 220	Leg	Max Vx	2	0.004	0.000	0.000	
			Max Tension	15	93.558	2.422	-0.019	
			Max Compression	2	-103.352	0.845	-0.003	
			Max Mx	2	-50.331	5.096	-0.057	
			Max My	16	-3.488	-0.053	2.595	
			Max Vy	2	-8.083	0.845	-0.003	
		Diagonal	Max Vx	4	3.725	0.041	-0.456	
			Max Tension	20	7.303	0.000	0.000	
			Max Compression	20	-7.315	0.000	0.000	
			Max Mx	2	1.387	0.030	-0.002	
			Max My	20	-7.289	-0.002	0.026	
			Max Vy	34	0.028	0.026	-0.003	
			Max Vx	20	-0.007	0.000	0.000	
			Max Tension	7	140.788	3.070	0.163	
T4	220 - 200	Leg	Max Compression	2	-154.205	0.821	0.002	
			Max Mx	2	-103.369	4.858	-0.030	
			Max My	4	-5.939	0.128	-2.320	
			Max Vy	2	-9.582	0.821	0.002	
			Max Vx	24	-4.059	0.020	0.453	
			Max Tension	20	8.098	0.000	0.000	
		Diagonal	Max Compression	20	-7.855	0.000	0.000	
			Max Mx	36	1.249	0.038	-0.003	
			Max My	20	-7.816	-0.005	0.017	
			Max Vy	32	0.037	0.038	0.004	
			Max Vx	20	-0.004	0.000	0.000	
			Max Tension	7	182.932	3.319	0.144	
			Max Compression	2	-199.902	0.831	0.004	
			Max Mx	2	-154.222	5.586	-0.001	
T5	200 - 180	Leg	Max My	24	-10.741	0.239	2.485	
			Max Vy	18	-10.240	0.832	0.035	
			Max Vx	24	-4.211	0.025	0.399	
			Max Tension	8	8.154	0.000	0.000	
			Max Compression	8	-8.459	0.000	0.000	
			Max Mx	36	1.308	0.059	-0.004	
		Diagonal	Max My	20	-8.397	-0.012	0.017	
			Max Vy	32	0.050	0.058	0.006	
			Max Vx	20	-0.004	0.000	0.000	
			Max Tension	7	221.407	3.640	0.128	
			Max Compression	2	-242.304	0.857	0.006	
			Max Mx	18	-199.539	5.928	0.280	
			Max My	24	-14.658	0.212	2.508	
			Max Vy	18	-11.100	0.861	0.029	
T6	180 - 160	Leg	Max Vx	24	-4.384	0.024	0.413	
			Max Tension	8	8.412	0.000	0.000	
			Max Compression	8	-8.538	0.000	0.000	
			Max Mx	32	0.419	0.073	0.007	
			Max My	22	-7.363	0.009	0.015	
			Max Vy	32	0.057	0.073	0.007	
		Diagonal	Max Vx	22	-0.003	0.000	0.000	
			Max Tension	7	257.527	3.931	0.109	
			Max Compression	18	-283.082	0.969	0.036	
			Max Mx	18	-242.243	6.390	0.233	
			Max My	24	-18.069	0.195	2.608	
			Max Vy	18	-11.985	0.969	0.036	
			Max Vx	24	-4.642	0.024	0.547	
			Max Tension	8	8.781	0.000	0.000	
T7	160 - 140	Leg	Max Compression	8	-8.835	0.000	0.000	
			Max Mx	32	0.429	0.090	0.009	
			Max My	22	-7.718	0.014	0.013	
			Max Vy	32	0.063	0.090	0.009	
			Max Vx	38	0.002	0.000	0.000	
			Max Tension	18	283.082	0.969	0.036	
		Diagonal	Max Compression	18	-242.243	6.390	0.233	
			Max Mx	24	-18.069	0.195	2.608	
			Max Vy	18	-11.985	0.969	0.036	
			Max Vx	24	-4.642	0.024	0.547	
			Max Tension	8	8.781	0.000	0.000	
			Max Compression	8	-8.835	0.000	0.000	
			Max Mx	32	0.429	0.090	0.009	
			Max My	22	-7.718	0.014	0.013	

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 21 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft			
T8	140 - 120	Leg	Max Tension	7	292 349	4 955	0 115			
			Max Compression	18	-323 342	0 207	0 011			
			Max Mx	18	-283 109	6 939	0 209			
			Max My	24	-21 186	0 187	2 871			
			Max Vy	18	-13 179	0 207	0 011			
			Max Vx	24	-5 027	0 007	0 197			
		Diagonal	Max Tension	8	9 592	0 000	0 000	0 000		
			Max Compression	8	-9 347	0 000	0 000	0 000		
			Max Mx	38	0 511	0 123	-0 011			
			Max My	22	-8 722	0 025	0 016			
			Max Vy	38	0 079	0 123	-0 011			
			Max Vx	38	0 003	0 000	0 000			
			T9	120 - 100	Leg	Max Tension	7	326 186	4 624	0 085
						Max Compression	18	-362 967	1 189	0 037
Max Mx	18	-323 366				6 795	0 163			
Max My	24	-24 249				0 160	2 715			
Max Vy	18	-14 426				1 189	0 037			
Max Vx	24	-5 425				0 029	0 710			
Diagonal	Max Tension	8			10 074	0 000	0 000	0 000		
	Max Compression	8			-9 881	0 000	0 000	0 000		
	Max Mx	38			0 517	0 145	-0 013			
	Max My	22			-9 194	0 032	0 016			
	Max Vy	38			0 086	0 145	-0 013			
	Max Vx	38			0 003	0 000	0 000			
	T10	100 - 80			Leg	Max Tension	7	359 438	5 726	0 084
						Max Compression	18	-402 918	0 043	0 039
Max Mx			18	-362 997		8 374	0 170			
Max My			24	-27 135		0 179	3 425			
Max Vy			18	-15 212		0 043	0 039			
Max Vx			24	-6 248		-0 020	0 822			
Diagonal			Max Tension	10	11 006	0 000	0 000	0 000		
			Max Compression	8	-10 817	0 000	0 000	0 000		
			Max Mx	36	0 678	0 183	-0 016			
			Max My	22	-10 175	0 058	0 022			
			Max Vy	36	0 099	0 175	0 017			
			Max Vx	38	0 004	0 000	0 000			
			T11	80 - 60	Leg	Max Tension	7	391 710	6 014	0 076
						Max Compression	18	-442 005	0 223	0 034
Max Mx	18	-441 978				-7 787	-0 079			
Max My	24	-30 258				0 150	3 948			
Max Vy	18	-16 006				0 223	0 034			
Max Vx	24	-6 344				-0 015	0 802			
Diagonal	Max Tension	9			12 136	0 000	0 000	0 000		
	Max Compression	10			-12 620	0 000	0 000	0 000		
	Max Mx	36			1 656	0 279	0 000			
	Max My	31			-0 107	0 000	-0 007			
	Max Vy	36			-0 103	0 000	0 000			
	Max Vx	31			0 003	0 000	0 000			
	Horizontal	Max Tension			10	1 683	-0 059	0 001		
		Max Compression			8	-1 721	0 000	0 000		
Max Mx		33	0 196	-0 179	0 003					
Max My		6	0 736	-0 049	0 005					
Max Vy		33	0 095	-0 179	0 003					
Max Vx		35	-0 002	-0 179	0 004					
Inner Bracing		Max Tension	1	0 000	0 000	0 000				
		Max Compression	37	-0 010	0 000	0 000				
	Max Mx	26	-0 009	-0 121	0 000					
	Max My	18	-0 005	0 000	-0 000					
	Max Vy	26	0 051	0 000	0 000					
	Max Vx	18	0 000	0 000	0 000					
	T12	60 - 40	Leg	Max Tension	7	422 746	6 996	0 076		

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 22 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T13	40 - 20	Diagonal	Max Compression	18	-480 231	-0 618	0 024	
			Max Mx	18	-480 200	-9 089	-0 075	
			Max My	24	-33 323	0 125	3 978	
			Max Vy	18	-16 929	-0 618	0 024	
			Max Vx	24	-6 433	-0 022	0 540	
			Max Tension	9	12 533	0 000	0 000	
			Max Compression	11	-12 764	0 000	0 000	
			Max Mx	36	1 770	0 311	0 000	
			Max My	31	0 006	0 000	-0 007	
			Max Vy	36	0 108	0 000	0 000	
			Max Vx	31	0 003	0 000	0 000	
			Max Tension	10	1 986	-0 078	0 001	
			Horizontal	Max Compression	23	-1 880	-0 058	0 002
				Max Mx	31	0 005	-0 221	0 005
				Max My	6	0 696	-0 067	0 006
				Max Vy	31	-0 110	-0 221	0 005
				Max Vx	35	-0 002	-0 220	0 005
				Max Tension	1	0 000	0 000	0 000
		Inner Bracing		Max Compression	37	-0 011	0 000	0 000
				Max Mx	26	-0 010	-0 136	0 000
				Max My	18	-0 004	0 000	-0 000
				Max Vy	26	0 053	0 000	0 000
				Max Vx	18	0 000	0 000	0 000
				Max Tension	7	452 432	6 574	0 061
		Leg	Max Compression	18	-517 314	0 319	0 028	
			Max Mx	18	-517 284	-8 591	-0 058	
			Max My	24	-36 489	0 124	3 760	
			Max Vy	18	-17 806	0 319	0 028	
			Max Vx	24	-6 467	-0 010	0 850	
			Diagonal	Max Tension	9	12 644	0 000	0 000
				Max Compression	11	-12 845	0 000	0 000
				Max Mx	36	1 956	0 339	0 000
				Max My	31	0 253	0 000	-0 008
				Max Vy	36	0 111	0 000	0 000
				Max Vx	31	0 003	0 000	0 000
			Horizontal	Max Tension	10	1 865	-0 114	0 001
				Max Compression	23	-1 824	-0 083	0 003
				Max Mx	27	-0 052	-0 300	0 006
				Max My	6	0 714	-0 094	0 008
				Max Vy	33	-0 135	-0 279	0 005
				Max Vx	29	0 003	-0 299	0 008
				Inner Bracing	Max Tension	1	0 000	0 000
Max Compression	37				-0 011	0 000	0 000	
Max Mx	26				-0 011	-0 149	0 000	
Max My	18				-0 006	0 000	-0 000	
Max Vy	26				0 054	0 000	0 000	
Max Vx	18				0 000	0 000	0 000	
T14	20 - 0		Leg	Max Tension	7	480 817	7 131	0 067
		Max Compression		18	-553 278	0 000	-0 000	
		Max Mx		18	-517 348	9 232	0 113	
		Max My		24	-39 698	0 131	4 086	
		Max Vy		18	-18 432	0 000	-0 000	
		Max Vx		24	-6 469	0 131	4 086	
		Diagonal	Max Tension	9	12 811	0 000	0 000	
			Max Compression	8	-13 070	0 000	0 000	
			Max Mx	31	2 473	0 414	0 000	
			Max My	31	0 906	0 000	-0 010	
			Max Vy	31	-0 128	0 000	0 000	
			Max Vx	31	0 003	0 000	0 000	
		Horizontal	Max Tension	10	2 054	-0 131	0 002	
			Max Compression	23	-1 923	-0 093	0 003	

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 23 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
		Inner Bracing	Max Mx	35	-0.131	-0.326	0.007
			Max My	29	0.097	-0.324	0.009
			Max Vy	35	0.133	-0.326	0.007
			Max Vx	29	0.003	-0.324	0.009
			Max Tension	1	0.000	0.000	0.000
			Max Compression	29	-0.012	0.000	0.000
			Max Mx	35	-0.011	-0.152	0.000
			Max My	35	-0.011	0.000	-0.000
			Max Vy	35	-0.051	0.000	0.000
			Max Vx	35	0.000	0.000	0.000

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg C	Max Vert	18	552.125	34.852	-19.984
	Max H _x	18	552.125	34.852	-19.984
	Max H _y	7	-479.612	-31.746	18.148
	Min Vert	7	-479.612	-31.746	18.148
	Min H _x	7	-479.612	-31.746	18.148
	Min H _y	18	552.125	34.852	-19.984
Leg B	Max Vert	10	549.135	-34.978	-19.492
	Max H _x	23	-477.405	31.904	17.607
	Max H _y	23	-477.405	31.904	17.607
	Min Vert	23	-477.405	31.904	17.607
	Min H _x	10	549.135	-34.978	-19.492
	Min H _y	10	549.135	-34.978	-19.492
Leg A	Max Vert	2	547.951	-0.186	39.769
	Max H _x	21	34.140	5.158	1.652
	Max H _y	2	547.951	-0.186	39.769
	Min Vert	15	-460.479	0.204	-35.179
	Min H _x	9	34.140	-5.163	1.652
	Min H _y	15	-460.479	0.204	-35.179

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _y K	Overturning Moment, M _x kip-ft	Overturning Moment, M _y kip-ft	Torque kip-ft
Dead Only	69.454	-0.000	0.000	5.762	4.414	0.000
12 Dead+1.0 Wind 0 deg - No Ice	83.345	0.000	-66.552	-10811.520	5.366	-8.157
09 Dead+1.0 Wind 0 deg - No Ice	62.509	0.000	-66.550	-10789.553	4.025	-8.146
12 Dead+1.0 Wind 30 deg - No Ice	83.345	32.854	-54.197	-8826.809	-5446.718	13.129
09 Dead+1.0 Wind 30 deg - No Ice	62.509	32.854	-54.196	-8809.163	-5436.054	13.125
12 Dead+1.0 Wind 60 deg - No Ice	83.345	54.962	-31.412	-5154.287	-9059.043	5.713
09 Dead+1.0 Wind 60 deg - No Ice	62.509	54.961	-31.411	-5144.715	-9040.448	5.694

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 24 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Load Combination	Vertical K	Shear _x K	Shear _y K	Overturning Moment, M _x kip-ft	Overturning Moment, M _y kip-ft	Torque kip-ft
1 2 Dead+1 0 Wind 90 deg - No Ice	83 345	64 204	-1 254	-275 386	-10507 450	2 011
0 9 Dead+1 0 Wind 90 deg - No Ice	62 509	64 202	-1 254	-276 513	-10485 716	1 981
1 2 Dead+1 0 Wind 120 deg - No Ice	83 345	59 201	31 677	5003 074	-9623 964	23 218
0 9 Dead+1 0 Wind 120 deg - No Ice	62 509	59 199	31 676	4990 492	-9604 219	23 187
1 2 Dead+1 0 Wind 150 deg - No Ice	83 345	31 242	53 992	8789 430	-5080 973	32 064
0 9 Dead+1 0 Wind 150 deg - No Ice	62 509	31 241	53 990	8768 429	-5071 118	32 042
1 2 Dead+1 0 Wind 180 deg - No Ice	83 345	0 000	61 036	10027 753	5 362	8 155
0 9 Dead+1 0 Wind 180 deg - No Ice	62 509	0 000	61 035	10003 939	4 023	8 144
1 2 Dead+1 0 Wind 210 deg - No Ice	83 345	-31 348	54 175	8835 699	5118 463	-7 994
0 9 Dead+1 0 Wind 210 deg - No Ice	62 509	-31 347	54 173	8814 576	5105 857	-7 991
1 2 Dead+1 0 Wind 240 deg - No Ice	83 345	-59 382	31 782	5029 445	9680 496	-1 586
0 9 Dead+1 0 Wind 240 deg - No Ice	62 509	-59 380	31 781	5016 794	9657 950	-1 565
1 2 Dead+1 0 Wind 270 deg - No Ice	83 345	-64 204	-1 254	-275 388	10518 113	-2 013
0 9 Dead+1 0 Wind 270 deg - No Ice	62 509	-64 202	-1 254	-276 514	10493 699	-1 983
1 2 Dead+1 0 Wind 300 deg - No Ice	83 345	-54 781	-31 307	-5127 747	9023 927	-27 349
0 9 Dead+1 0 Wind 300 deg - No Ice	62 509	-54 779	-31 306	-5118 244	9002 773	-27 319
1 2 Dead+1 0 Wind 330 deg - No Ice	83 345	-32 748	-54 014	-8780 438	5430 730	-37 199
0 9 Dead+1 0 Wind 330 deg - No Ice	62 509	-32 748	-54 012	-8762 914	5417 455	-37 176
1 2 Dead+1 0 Ice+1 0 Temp	224 828	0 001	-0 001	41 867	49 995	-0 000
1 2 Dead+1 0 Wind 0 deg+1 0 Ice+1 0 Temp	224 828	0 000	-9 269	-1539 743	50 552	-2 597
1 2 Dead+1 0 Wind 30 deg+1 0 Ice+1 0 Temp	224 828	4 627	-7 771	-1285 556	-748 462	-0 185
1 2 Dead+1 0 Wind 60 deg+1 0 Ice+1 0 Temp	224 828	7 909	-4 538	-735 275	-1307 930	0 246
1 2 Dead+1 0 Wind 90 deg+1 0 Ice+1 0 Temp	224 828	9 219	-0 113	16 510	-1524 944	1 348
1 2 Dead+1 0 Wind 120 deg+1 0 Ice+1 0 Temp	224 828	8 213	4 517	799 101	-1349 629	3 837
1 2 Dead+1 0 Wind 150 deg+1 0 Ice+1 0 Temp	224 828	4 483	7 754	1366 055	-715 114	-4 636
1 2 Dead+1 0 Wind 180 deg+1 0 Ice+1 0 Temp	224 828	0 000	8 864	1563 451	50 543	2 594
1 2 Dead+1 0 Wind 210 deg+1 0 Ice+1 0 Temp	224 828	-4 491	7 769	1369 923	818 438	0 648
1 2 Dead+1 0 Wind 240 deg+1 0 Ice+1 0 Temp	224 828	-8 228	4 525	801 330	1454 591	0 123
1 2 Dead+1 0 Wind 270 deg+1 0 Ice+1 0 Temp	224 828	-9 219	-0 113	16 504	1626 036	-1 351
1 2 Dead+1 0 Wind 300 deg+1 0 Ice+1 0 Temp	224 828	-7 894	-4 529	-733 043	1405 153	-4 208
1 2 Dead+1 0 Wind 330 deg+1 0 Ice+1 0 Temp	224 828	-4 618	-7 756	-1281 687	847 329	-5 099

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page	25 of 35
	Project	270' SST/36.923941, -85.093853	Date	10:33:18 12/29/21
	Client	Harmoni Towers	Designed by	erik.perez

Load Combination	Vertical K	Shear _x K	Shear _y K	Overturning Moment, M _x kip-ft	Overturning Moment, M _y kip-ft	Torque kip-ft
Dead+Wind 0 deg - Service	69 454	0 000	-21 730	-3521 785	4 442	-2 661
Dead+Wind 30 deg - Service	69 454	10 728	-17 696	-2874 585	-1773 323	4 303
Dead+Wind 60 deg - Service	69 454	17 946	-10 257	-1677 075	-2951 172	1 861
Dead+Wind 90 deg - Service	69 454	20 964	-0 410	-86 226	-3423 457	0 632
Dead+Wind 120 deg - Service	69 454	19 330	10 343	1634 931	-3135 399	7 573
Dead+Wind 150 deg - Service	69 454	10 201	17 629	2869 487	-1654 048	10 482
Dead+Wind 180 deg - Service	69 454	0 000	19 929	3273 239	4 441	2 661
Dead+Wind 210 deg - Service	69 454	-10 236	17 689	2884 586	1671 651	-2 627
Dead+Wind 240 deg - Service	69 454	-19 389	10 377	1643 548	3159 222	-0 511
Dead+Wind 270 deg - Service	69 454	-20 964	-0 410	-86 226	3432 334	-0 633
Dead+Wind 300 deg - Service	69 454	-17 887	-10 222	-1668 439	2945 113	-8 923
Dead+Wind 330 deg - Service	69 454	-10 693	-17 637	-2859 478	1773 491	-12 160

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0 000	-69 454	0 000	0 000	69 454	-0 000	0 000%
2	0 000	-83 345	-66 555	-0 000	83 345	66 552	0 003%
3	0 000	-62 509	-66 555	-0 000	62 509	66 550	0 006%
4	32 856	-83 345	-54 200	-32 854	83 345	54 197	0 003%
5	32 856	-62 509	-54 200	-32 854	62 509	54 196	0 006%
6	54 965	-83 345	-31 413	-54 962	83 345	31 412	0 003%
7	54 965	-62 509	-31 413	-54 961	62 509	31 411	0 005%
8	64 208	-83 345	-1 254	-64 204	83 345	1 254	0 003%
9	64 208	-62 509	-1 254	-64 202	62 509	1 254	0 006%
10	59 204	-83 345	31 678	-59 201	83 345	-31 677	0 003%
11	59 204	-62 509	31 678	-59 199	62 509	-31 676	0 006%
12	31 244	-83 345	53 994	-31 242	83 345	-53 992	0 003%
13	31 244	-62 509	53 994	-31 241	62 509	-53 990	0 006%
14	0 000	-83 345	61 039	-0 000	83 345	-61 036	0 003%
15	0 000	-62 509	61 039	-0 000	62 509	-61 035	0 005%
16	-31 350	-83 345	54 178	31 348	83 345	-54 175	0 003%
17	-31 350	-62 509	54 178	31 347	62 509	-54 173	0 006%
18	-59 385	-83 345	31 783	59 382	83 345	-31 782	0 003%
19	-59 385	-62 509	31 783	59 380	62 509	-31 781	0 006%
20	-64 208	-83 345	-1 254	64 204	83 345	1 254	0 003%
21	-64 208	-62 509	-1 254	64 202	62 509	1 254	0 006%
22	-54 783	-83 345	-31 309	54 781	83 345	31 307	0 003%
23	-54 783	-62 509	-31 309	54 779	62 509	31 306	0 005%
24	-32 750	-83 345	-54 017	32 748	83 345	54 014	0 003%
25	-32 750	-62 509	-54 017	32 748	62 509	54 012	0 006%
26	0 000	-224 828	0 000	-0 001	224 828	0 001	0 001%
27	0 000	-224 828	-9 270	-0 000	224 828	9 269	0 000%
28	4 627	-224 828	-7 771	-4 627	224 828	7 771	0 000%
29	7 910	-224 828	-4 538	-7 909	224 828	4 538	0 000%
30	9 220	-224 828	-0 113	-9 219	224 828	0 113	0 000%
31	8 213	-224 828	4 517	-8 213	224 828	-4 517	0 000%
32	4 483	-224 828	7 754	-4 483	224 828	-7 754	0 000%
33	0 000	-224 828	8 865	-0 000	224 828	-8 864	0 000%
34	-4 492	-224 828	7 769	4 491	224 828	-7 769	0 000%
35	-8 228	-224 828	4 526	8 228	224 828	-4 525	0 000%
36	-9 220	-224 828	-0 113	9 219	224 828	0 113	0 000%
37	-7 895	-224 828	-4 529	7 894	224 828	4 529	0 000%
38	-4 619	-224 828	-7 756	4 618	224 828	7 756	0 000%
39	0 000	-69 454	-21 732	-0 000	69 454	21 730	0 003%
40	10 728	-69 454	-17 698	-10 728	69 454	17 696	0 002%

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 26 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Load Comb	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
41	17 948	-69 454	-10 257	-17 946	69 454	10 257	0.002%
42	20 966	-69 454	-0 410	-20 964	69 454	0 410	0.003%
43	19 332	-69 454	10 344	-19 330	69 454	-10 343	0.003%
44	10 202	-69 454	17 631	-10 201	69 454	-17 629	0.002%
45	0 000	-69 454	19 931	-0 000	69 454	-19 929	0.002%
46	-10 237	-69 454	17 691	10 236	69 454	-17 689	0.002%
47	-19 391	-69 454	10 378	19 389	69 454	-10 377	0.003%
48	-20 966	-69 454	-0 410	20 964	69 454	0 410	0.003%
49	-17 888	-69 454	-10 223	17 887	69 454	10 222	0.002%
50	-10 694	-69 454	-17 638	10 693	69 454	17 637	0.002%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	6	0.00000001	0.00000001
2	Yes	14	0.00004040	0.00008349
3	Yes	13	0.00006356	0.00012729
4	Yes	14	0.00003850	0.00007978
5	Yes	13	0.00005981	0.00012009
6	Yes	14	0.00003689	0.00007657
7	Yes	13	0.00005657	0.00011379
8	Yes	14	0.00003850	0.00007972
9	Yes	13	0.00005980	0.00011999
10	Yes	14	0.00004034	0.00008329
11	Yes	13	0.00006345	0.00012695
12	Yes	14	0.00003863	0.00008002
13	Yes	13	0.00006005	0.00012055
14	Yes	14	0.00003694	0.00007674
15	Yes	13	0.00005667	0.00011407
16	Yes	14	0.00003865	0.00008007
17	Yes	13	0.00006009	0.00012064
18	Yes	14	0.00004036	0.00008334
19	Yes	13	0.00006349	0.00012705
20	Yes	14	0.00003850	0.00007971
21	Yes	13	0.00005980	0.00011998
22	Yes	14	0.00003689	0.00007655
23	Yes	13	0.00005659	0.00011378
24	Yes	14	0.00003849	0.00007973
25	Yes	13	0.00005978	0.00012000
26	Yes	10	0.00000001	0.00010128
27	Yes	15	0.00000001	0.00009252
28	Yes	15	0.00000001	0.00009069
29	Yes	15	0.00000001	0.00009138
30	Yes	15	0.00000001	0.00009274
31	Yes	15	0.00000001	0.00009471
32	Yes	15	0.00000001	0.00009414
33	Yes	15	0.00000001	0.00009496
34	Yes	15	0.00000001	0.00009586
35	Yes	15	0.00000001	0.00009754
36	Yes	15	0.00000001	0.00009590
37	Yes	15	0.00000001	0.00009405
38	Yes	15	0.00000001	0.00009227
39	Yes	13	0.00000001	0.00013321
40	Yes	13	0.00000001	0.00013098
41	Yes	13	0.00000001	0.00012907

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job	ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page	27 of 35
	Project	270' SST/36.923941, -85.093853	Date	10:33:18 12/29/21
	Client	Harmoni Towers	Designed by	erik.perez

42	Yes	13	0.00000001	0.00013091
43	Yes	13	0.00000001	0.00013300
44	Yes	13	0.00000001	0.00013110
45	Yes	13	0.00000001	0.00012925
46	Yes	13	0.00000001	0.00013117
47	Yes	13	0.00000001	0.00013305
48	Yes	13	0.00000001	0.00013087
49	Yes	13	0.00000001	0.00012899
50	Yes	13	0.00000001	0.00013089

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz Deflection in	Gov. Load Comb	Tilt °	Twist °
T1	270 - 260	15.523	47	0.513	0.085
T2	260 - 240	14.403	47	0.515	0.085
T3	240 - 220	12.189	47	0.488	0.084
T4	220 - 200	10.112	47	0.445	0.079
T5	200 - 180	8.253	47	0.393	0.067
T6	180 - 160	6.628	47	0.341	0.057
T7	160 - 140	5.213	47	0.293	0.047
T8	140 - 120	3.985	47	0.249	0.037
T9	120 - 100	2.935	47	0.210	0.029
T10	100 - 80	2.039	47	0.170	0.021
T11	80 - 60	1.313	47	0.134	0.014
T12	60 - 40	0.771	47	0.097	0.010
T13	40 - 20	0.375	47	0.063	0.007
T14	20 - 0	0.117	47	0.030	0.003

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb	Deflection in	Tilt °	Twist °	Radius of Curvature ft
270.000	Lightning Rod 1"x10'	47	15.523	0.513	0.085	Inf
265.000	Sector I (CaAa=13333.33 Sq in) No Ice	47	14.963	0.515	0.085	Inf
253.000	Sector I (CaAa=10000 Sq in) No Ice	47	13.621	0.509	0.085	89275
241.000	Sector I (CaAa=10000 Sq in) No Ice	47	12.297	0.490	0.084	33438
229.000	6' MW Dish	47	11.023	0.465	0.082	24093
217.000	6' MW Dish	47	9.818	0.438	0.078	20272

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz Deflection in	Gov. Load Comb	Tilt °	Twist °
T1	270 - 260	47.588	18	1.573	0.261
T2	260 - 240	44.156	18	1.578	0.260
T3	240 - 220	37.367	18	1.494	0.257

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 28 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Horz Deflection in	Gov. Load Comb	Tilt °	Twist °
T4	220 - 200	31 000	18	1 363	0 242
T5	200 - 180	25 303	18	1 205	0 206
T6	180 - 160	20 321	18	1 045	0 174
T7	160 - 140	15 983	18	0 897	0 144
T8	140 - 120	12 219	18	0 764	0 114
T9	120 - 100	8 998	18	0 643	0 089
T10	100 - 80	6 253	18	0 520	0 063
T11	80 - 60	4 026	18	0 410	0 043
T12	60 - 40	2 365	18	0 296	0 031
T13	40 - 20	1 152	18	0 194	0 020
T14	20 - 0	0 361	18	0 092	0 009

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb	Deflection in	Tilt °	Twist °	Radius of Curvature ft
270 000	Lightning Rod 1"x10'	18	47 588	1 573	0 261	Inf
265 000	Sector1(CaAa=13333 33 Sq in)No Ice	18	45 872	1 578	0 261	Inf
253 000	Sector1(CaAa=10000 Sq in)No Ice	18	41 757	1 560	0 260	29799
241 000	Sector1(CaAa=10000 Sq in)No Ice	18	37 699	1 500	0 257	10961
229 000	6' MW Dish	18	33 793	1 426	0 252	7892
217 000	6' MW Dish	18	30 100	1 341	0 238	6643

Bolt Design Data

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria	
T1	270	Diagonal	A325X	0 625	1	3 432	9 598	0 358	✓	1	Member Block Shear
		Top Girt	A325X	0 625	1	1 786	9 598	0 186	✓	1	Member Block Shear
T2	260	Leg	A325N	0 750	6	1 311	30 101	0 044	✓	1	Bolt Tension
		Diagonal	A325X	0 625	1	5 184	9 598	0 540	✓	1	Member Block Shear
T3	240	Leg	A325N	0 750	6	7 394	30 101	0 246	✓	1	Bolt Tension
		Diagonal	A325X	0 625	1	7 303	9 598	0 761	✓	1	Member Block Shear
T4	220	Leg	A325N	0 750	6	15 591	30 101	0 518	✓	1	Bolt Tension
		Diagonal	A325X	0 625	1	8 098	10 740	0 754	✓	1	Member Block Shear
T5	200	Leg	A325N	1 000	6	23 463	54 517	0 430	✓	1	Bolt Tension
		Diagonal	A325X	0 625	1	8 154	13 025	0 626	✓	1	Member Block Shear
T6	180	Leg	A325N	1 000	6	30 486	54 517	0 559	✓	1	Bolt Tension
		Diagonal	A325X	0 625	1	8 412	13 025	0 646	✓	1	Member Block Shear

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 29 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria
T7	160	Leg	A325N	1 000	6	36 899	54 517	0.677 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	8 781	13 025	0.674 ✓	1	Member Block Shear
T8	140	Leg	A325N	1 250	6	42 918	87 220	0.492 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	9 592	14 168	0.677 ✓	1	Member Block Shear
T9	120	Leg	A325N	1 250	6	48 722	87 220	0.559 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	10 074	14 168	0.711 ✓	1	Member Block Shear
T10	100	Leg	A325N	1 250	6	54 361	87 220	0.623 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	11 006	17 257	0.638 ✓	1	Bolt Shear
T11	80	Leg	A325N	1 250	6	59 903	87 220	0.687 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12 136	26 051	0.466 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	7 661	19 195	0.399 ✓	1	Member Block Shear
T12	60	Leg	A325N	1 250	6	65 282	87 220	0.748 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12 533	26 051	0.481 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	8 324	21 480	0.387 ✓	1	Member Block Shear
T13	40	Leg	A325N	1 250	6	70 454	87 220	0.808 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12 644	26 051	0.485 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	8 966	26 051	0.344 ✓	1	Member Block Shear
T14	20	Leg	A325N	1 500	6	75 402	126 472	0.596 ✓	1	Bolt Tension
		Diagonal	A325X	0.625	1	12 811	28 336	0.452 ✓	1	Member Block Shear
		Horizontal	A325X	0.625	1	9 590	26 051	0.368 ✓	1	Member Block Shear

Compression Checks

Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _c ft	Kl/r	A in ²	P _n K	φP _n K	Ratio P _n / φP _n
T1	270 - 260	1 3/4	10.009	4.504	123.5 K=1.00	2.405	-6.095	35.601	0.171 ¹ ✓
T2	260 - 240	2	20.019	4.754	114.1 K=1.00	3.142	-45.146	54.509	0.828 ¹ ✓
T3	240 - 220	2 1/2	20.019	4.754	91.3 K=1.00	4.909	-97.201	120.108	0.809 ¹ ✓
T4	220 - 200	2 3/4	20.019	4.754	83.0	5.940	-148.148	161.540	0.917 ¹ ✓

tnxTower B+T Group 1717 S Boulder Ave. Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 30 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T5	200 - 180	3	20 019	4 754	K=1 00 76 1	7 069	-194 246	208 347	0 932 ¹
T6	180 - 160	3 1/4	20 019	4 754	K=1 00 70 2	8 296	-236 806	260 312	0 910 ¹
T7	160 - 140	3 1/2	20 019	4 754	K=1 00 65 2	9 621	-277 614	317 273	0 875 ¹
T8	140 - 120	3 3/4	20 019	4 754	K=1 00 60 9	11 045	-317 790	379 106	0 838 ¹
T9	120 - 100	3 3/4	20 019	4 754	K=1 00 60 9	11 045	-357 469	379 106	0 943 ¹
T10	100 - 80	4	20 019	4 754	K=1 00 57 1	12 566	-397 436	445 717	0 892 ¹
T11	80 - 60	4	20 019	4 754	K=1 00 57 1	12 566	-431 896	445 717	0 969 ¹
T12	60 - 40	4 1/4	20 019	4 754	K=1 00 53 7	14 186	-470 056	517 034	0 909 ¹
T13	40 - 20	4 1/4	20 019	4 754	K=1 00 53 7	14 186	-507 350	517 034	0 981 ¹
T14	20 - 0	4 1/2	20 019	4 754	K=1 00 50 7	15 904	-543 392	593 004	0 916 ¹

¹ P_u / φP_u controls

Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T1	270 - 260	L1 3/4x1 3/4x3/16	6 221	3 127	K=1 00 109 3	0 621	-3 126	14 893	0 210 ¹
T2	260 - 240	L1 3/4x1 3/4x3/16	7 485	3 750	K=1 00 131 0	0 621	-4 542	10 354	0 439 ¹
T3	240 - 220	L1 3/4x1 3/4x3/16	8 697	4 330	K=1 00 151 3	0 621	-6 919	7 765	0 891 ¹
T4	220 - 200	L2x2x3/16	9 987	4 964	K=1 00 151 2	0 715	-7 583	8 951	0 847 ¹
T5	200 - 180	L2 1/2x2 1/2x3/16	11 329	5 625	K=1 00 136 4	0 902	-7 719	13 885	0 556 ¹
T6	180 - 160	L2 1/2x2 1/2x3/16	12 706	6 303	K=1 00 152 8	0 902	-8 090	11 057	0 732 ¹
T7	160 - 140	L2 1/2x2 1/2x3/16	14 108	6 994	K=1 00 169 6	0 902	-8 573	8 981	0 955 ¹
T8	140 - 120	L3x3x3/16	15 529	7 694	K=1 00 154 9	1 090	-9 329	13 000	0 718 ¹
T9	120 - 100	L3x3x3/16	16 963	8 412	K=1 00 169 4	1 090	-9 881	10 877	0 908 ¹
T10	100 - 80	L3x3x1/4	18 408	9 124	K=1 00 184 9	1 440	-10 733	12 050	0 891 ¹

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 31 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T11	80 - 60	2L2 1/2x2 1/2x3/16x3/8	10 829	10 644	168 4 K=1 00	1 800	-11 991	17 598	0 681 ¹ ✓
T12	60 - 40	2L 'a' > 60 948 in - 267 2L2 1/2x2 1/2x3/16x3/8	11 508	11 313	179 0 K=1 00	1 800	-12 544	15 641	0 802 ¹ ✓
T13	40 - 20	2L 'a' > 64 783 in - 306 2L2 1/2x2 1/2x3/16x3/8	12 195	12 003	189 9 K=1 00	1 800	-12 752	13 944	0 914 ¹ ✓
T14	20 - 0	2L 'a' > 68 729 in - 345 2L3x3x3/16x3/8 2L 'a' > 72 475 in - 384	12 889	12 687	168 8 K=1 00	2 180	-13 070	20 849	0 627 ¹ ✓

¹ P_u / φP_u controls

Horizontal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T11	80 - 60	2L1 3/4x1 3/4x3/16x3/8	19 106	9 386	209 8 K=1 00	1 242	-7 661	8 079	0 948 ¹ ✓
T12	60 - 40	2L 'a' > 54 035 in - 271 2L2x2x3/16x3/8	20 606	10 126	198 1 K=1 00	1 430	-8 324	10 289	0 809 ¹ ✓
T13	40 - 20	2L 'a' > 58 196 in - 310 2L2 1/2x2 1/2x3/16x3/8	22 106	10 876	172 1 K=1 00	1 800	-8 966	16 880	0 531 ¹ ✓
T14	20 - 0	2L 'a' > 62 279 in - 349 2L2 1/2x2 1/2x3/16x3/8 2L 'a' > 66 514 in - 388	23 606	11 616	183 8 K=1 00	1 800	-9 590	14 861	0 645 ¹ ✓

¹ P_u / φP_u controls

Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _u K	Ratio $\frac{P_u}{\phi P_u}$
T1	270 - 260	L1 3/4x1 3/4x3/16	3 788	3 642	127 2 K=1 00	0 621	-1 771	10 980	0 161 ¹ ✓

¹ P_u / φP_u controls

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 32 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Inner Bracing Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio P _n / φP _n
T11	80 - 60	L1 3/4x1 3/4x3/16	9.553	9.553	333.8 K=1.00	0.621	-0.010	1.596	0.006 ¹ ✓
T12	60 - 40	KL/R > 250 (C) - 274 L1 3/4x1 3/4x3/16	10.303	10.303	360.0 K=1.00	0.621	-0.011	1.372	0.008 ¹ ✓
T13	40 - 20	KL/R > 250 (C) - 313 L1 3/4x1 3/4x3/16	11.053	11.053	386.2 K=1.00	0.621	-0.011	1.192	0.009 ¹ ✓
T14	20 - 0	KL/R > 250 (C) - 352 L1 3/4x1 3/4x3/16 KL/R > 250 (C) - 393	11.803	11.803	412.4 K=1.00	0.621	-0.012	1.045	0.011 ¹ ✓

¹ P_n / φP_n controls

Tension Checks

Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio P _n / φP _n
T1	270 - 260	1 3/4	10.009	0.500	13.7	2.405	7.869	108.238	0.073 ¹ ✓
T2	260 - 240	2	20.019	0.500	12.0	3.142	44.379	141.372	0.314 ¹ ✓
T3	240 - 220	2 1/2	20.019	0.500	9.6	4.909	93.558	220.893	0.424 ¹ ✓
T4	220 - 200	2 3/4	20.019	0.500	8.7	5.940	140.788	267.281	0.527 ¹ ✓
T5	200 - 180	3	20.019	0.500	8.0	7.069	182.932	318.086	0.575 ¹ ✓
T6	180 - 160	3 1/4	20.019	0.500	7.4	8.296	221.407	373.310	0.593 ¹ ✓
T7	160 - 140	3 1/2	20.019	0.500	6.9	9.621	257.527	432.951	0.595 ¹ ✓
T8	140 - 120	3 3/4	20.019	0.500	6.4	11.045	292.349	497.010	0.588 ¹ ✓
T9	120 - 100	3 3/4	20.019	0.500	6.4	11.045	326.186	497.010	0.656 ¹ ✓
T10	100 - 80	4	20.019	0.500	6.0	12.566	359.438	565.487	0.636 ¹ ✓
T11	80 - 60	4	20.019	0.500	6.0	12.566	391.710	565.487	0.693 ¹ ✓
T12	60 - 40	4 1/4	20.019	0.500	5.7	14.186	422.746	638.381	0.662 ¹ ✓

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 33 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio $\frac{P_n}{\phi P_n}$
T13	40 - 20	4 1/4	20.019	0.500	5.7	14.186	452.432	638.381	0.709 ¹
T14	20 - 0	4 1/2	20.019	0.500	5.3	15.904	480.817	715.694	0.672 ¹

¹ P_n / φP_n controls

Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _n K	φP _n K	Ratio $\frac{P_n}{\phi P_n}$
T1	270 - 260	L1 3/4x1 3/4x3/16	6.221	3.127	69.9	0.360	3.432	17.567	0.195 ¹
T2	260 - 240	L1 3/4x1 3/4x3/16	7.485	3.750	83.8	0.360	5.184	17.567	0.295 ¹
T3	240 - 220	L1 3/4x1 3/4x3/16	8.697	4.330	96.8	0.360	7.303	17.567	0.416 ¹
T4	220 - 200	L2x2x3/16	9.987	4.964	96.6	0.431	8.098	21.001	0.386 ¹
T5	200 - 180	L2 1/2x2 1/2x3/16	11.329	5.625	86.8	0.571	8.154	27.838	0.293 ¹
T6	180 - 160	L2 1/2x2 1/2x3/16	12.706	6.303	97.2	0.571	8.412	27.838	0.302 ¹
T7	160 - 140	L2 1/2x2 1/2x3/16	14.108	6.994	107.9	0.571	8.781	27.838	0.315 ¹
T8	140 - 120	L3x3x3/16	15.529	7.694	98.3	0.712	9.592	34.712	0.276 ¹
T9	120 - 100	L3x3x3/16	16.963	8.412	107.5	0.712	10.074	34.712	0.290 ¹
T10	100 - 80	L3x3x1/4	18.408	9.124	117.7	0.939	11.006	45.794	0.240 ¹
T11	80 - 60	2L2 1/2x2 1/2x3/16x3/8	10.829	10.644	164.2	1.139	12.136	55.529	0.219 ¹
T12	60 - 40	2L 'a' > 60.948 in - 266 2L2 1/2x2 1/2x3/16x3/8	11.508	11.313	174.5	1.139	12.533	55.529	0.226 ¹
T13	40 - 20	2L 'a' > 64.783 in - 305 2L2 1/2x2 1/2x3/16x3/8	12.195	12.003	185.1	1.139	12.644	55.529	0.228 ¹
T14	20 - 0	2L 'a' > 68.729 in - 344 2L3x3x3/16x3/8	12.889	12.687	162.1	1.424	12.811	69.423	0.185 ¹
		2L 'a' > 72.475 in - 383							

¹ P_n / φP_n controls

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 34 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Horizontal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _u K	Ratio P _u / φP _u
T11	80 - 60	2L1 3/4x1 3/4x3/16x3/8	19 106	9 386	209 8	0 721	7 661	35 134	0 218 ¹ ✓
T12	60 - 40	2L 'a' > 54 035 in - 271 2L2x2x3/16x3/8	19 894	9 770	190 0	0 862	8 324	42 001	0 198 ¹ ✓
T13	40 - 20	2L 'a' > 56 149 in - 328 2L2 1/2x2 1/2x3/16x3/8	21 394	10 520	162 3	1 139	8 966	55 529	0 161 ¹ ✓
T14	20 - 0	2L 'a' > 60 239 in - 367 2L2 1/2x2 1/2x3/16x3/8 2L 'a' > 66 514 in - 388	23 606	11 616	179 2	1 139	9 590	55 529	0 173 ¹ ✓

¹ P_u / φP_u controls

Top Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _u K	Ratio P _u / φP _u
T1	270 - 260	L1 3/4x1 3/4x3/16	3 788	3 642	81 4	0 360	1 786	17 567	0 102 ¹ ✓

¹ P_u / φP_u controls

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	oP _{allow} K	% Capacity	Pass Fail
T1	270 - 260	Leg	1 3/4	1	-6 095	35 601	17 1	Pass
T2	260 - 240	Leg	2	21	-45 146	54 509	82 8	Pass
T3	240 - 220	Leg	2 1/2	48	-97 201	120 108	80 9	Pass
T4	220 - 200	Leg	2 3/4	75	-148 148	161 540	91 7	Pass
T5	200 - 180	Leg	3	102	-194 246	208 347	93 2	Pass
T6	180 - 160	Leg	3 1/4	129	-236 806	260 312	91 0	Pass
T7	160 - 140	Leg	3 1/2	154	-277 614	317 273	87 5	Pass
T8	140 - 120	Leg	3 3/4	181	-317 790	379 106	83 8	Pass
T9	120 - 100	Leg	3 3/4	208	-357 469	379 106	94 3	Pass
T10	100 - 80	Leg	4	235	-397 436	445 717	89 2	Pass
T11	80 - 60	Leg	4	262	-431 896	445 717	96 9	Pass
T12	60 - 40	Leg	4 1/4	301	-470 056	517 034	90 9	Pass
T13	40 - 20	Leg	4 1/4	340	-507 350	517 034	98 1	Pass
T14	20 - 0	Leg	4 1/2	379	-543 392	593 004	91 6	Pass
T1	270 - 260	Diagonal	L1 3/4x1 3/4x3/16	8	-3 126	14 893	21 0	Pass
T2	260 - 240	Diagonal	L1 3/4x1 3/4x3/16	25	-4 542	10 354	35 8 (b) 43 9 54 0 (b)	Pass

tnxTower B+T Group 1717 S Boulder Ave, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 295-0265	Job ATS# 9319 - Clifty Creek Rd (Site# KYBGN2030)	Page 35 of 35
	Project 270' SST/36.923941, -85.093853	Date 10:33:18 12/29/21
	Client Harmoni Towers	Designed by erik.perez

Section No	Elevation ft	Component Type	Size	Critical Element	P K	σP_{allow} K	% Capacity	Pass Fail	
T3	240 - 220	Diagonal	L1 3/4x1 3/4x3/16	49	-6 919	7 765	89.1	Pass	
T4	220 - 200	Diagonal	L2x2x3/16	77	-7 583	8 951	84.7	Pass	
T5	200 - 180	Diagonal	L2 1/2x2 1/2x3/16	104	-7.719	13 885	55.6	Pass	
							62.6 (b)		
T6	180 - 160	Diagonal	L2 1/2x2 1/2x3/16	131	-8 090	11 057	73.2	Pass	
T7	160 - 140	Diagonal	L2 1/2x2 1/2x3/16	158	-8 573	8 981	95.5	Pass	
T8	140 - 120	Diagonal	L3x3x3/16	185	-9 329	13 000	71.8	Pass	
T9	120 - 100	Diagonal	L3x3x3/16	212	-9 881	10 877	90.8	Pass	
T10	100 - 80	Diagonal	L3x3x1/4	239	-10 733	12 050	89.1	Pass	
T11	80 - 60	Diagonal	2L2 1/2x2 1/2x3/16x3/8	267	-11 991	17 598	68.1	Pass	
T12	60 - 40	Diagonal	2L2 1/2x2 1/2x3/16x3/8	306	-12 544	15 641	80.2	Pass	
T13	40 - 20	Diagonal	2L2 1/2x2 1/2x3/16x3/8	345	-12 752	13 944	91.4	Pass	
T14	20 - 0	Diagonal	2L3x3x3/16x3/8	384	-13 070	20 849	62.7	Pass	
T11	80 - 60	Horizontal	2L1 3/4x1 3/4x3/16x3/8	271	-7 661	8 079	94.8	Pass	
T12	60 - 40	Horizontal	2L2x2x3/16x3/8	310	-8 324	10 289	80.9	Pass	
T13	40 - 20	Horizontal	2L2 1/2x2 1/2x3/16x3/8	349	-8 966	16 880	53.1	Pass	
T14	20 - 0	Horizontal	2L2 1/2x2 1/2x3/16x3/8	388	-9 590	14 861	64.5	Pass	
T1	270 - 260	Top Girt	L1 3/4x1 3/4x3/16	4	-1 771	10 980	16.1	Pass	
							18.6 (b)		
T11	80 - 60	Inner Bracing	L1 3/4x1 3/4x3/16	274	-0 010	1 596	0.6	Pass	
T12	60 - 40	Inner Bracing	L1 3/4x1 3/4x3/16	313	-0 011	1 372	0.8	Pass	
T13	40 - 20	Inner Bracing	L1 3/4x1 3/4x3/16	352	-0 011	1 192	0.9	Pass	
T14	20 - 0	Inner Bracing	L1 3/4x1 3/4x3/16	393	-0 012	1 045	1.1	Pass	
							Summary		
							Leg (T13)	98.1	Pass
							Diagonal (T7)	95.5	Pass
							Horizontal (T11)	94.8	Pass
							Top Girt (T1)	18.6	Pass
							Inner Bracing (T14)	1.1	Pass
							Bolt Checks	80.8	Pass
							RATING =	98.1	Pass

EXHIBIT D
COMPETING UTILITIES, CORPORATIONS, OR PERSONS LIST

KY Public Service Commission

Master Utility Search

- Search for the utility of interest by using any single or combination of criteria.
- Enter Partial names to return the closest match for Utility Name and Address/City/Contact entries.

Utility ID	Utility Name	Address/City/Contact	Utility Type	Status
------------	--------------	----------------------	--------------	--------

▼ Active ▼

	Utility ID	Utility Name	Utility Type	Class	City	State
<input type="button" value="View"/>	4111300	2600Hz, Inc. dba ZSWITCH	Cellular	D	San Francisco	CA
<input type="button" value="View"/>	4108300	Air Voice Wireless, LLC	Cellular	B	Bloomfield Hill	MI
<input type="button" value="View"/>	4110650	Alliant Technologies of KY, L.L.C.	Cellular	D	Morristown	NJ
<input type="button" value="View"/>	4111900	ALLNETAIR, INC.	Cellular	D	West Palm Beach	FL
<input type="button" value="View"/>	44451184	Alltel Corporation d/b/a Verizon Wireless	Cellular	A	Lisle	IL
<input type="button" value="View"/>	4110850	AltaWorx, LLC	Cellular	D	Fairhope	AL
<input type="button" value="View"/>	4107800	American Broadband and Telecommunications Company	Cellular	D	Toledo	OH
<input type="button" value="View"/>	4108650	AmeriMex Communications Corp.	Cellular	A	Safety Harbor	FL
<input type="button" value="View"/>	4105100	AmeriVision Communications, Inc. d/b/a Affinity 4	Cellular	D	Virginia Beach	VA
<input type="button" value="View"/>	4105700	Assurance Wireless USA, L.P.	Cellular	A	Atlanta	GA
<input type="button" value="View"/>	4108600	BCN Telecom, Inc.	Cellular	D	Morristown	NJ
<input type="button" value="View"/>	4106000	Best Buy Health, Inc. d/b/a GreatCall d/b/a Jitterbug	Cellular	A	San Diego	CA
<input type="button" value="View"/>	4110550	Blue Casa Mobile, LLC	Cellular	D	Santa Barbara	CA
<input type="button" value="View"/>	4111050	BlueBird Communications, LLC	Cellular	D	New York	NY
<input type="button" value="View"/>	4202300	Bluegrass Wireless, LLC	Cellular	A	Elizabethtown	KY
<input type="button" value="View"/>	4107600	Boomerang Wireless, LLC	Cellular	C	Hiawatha	IA

View	4105500	BullsEye Telecom, Inc.	Cellular	D	Southfield	MI
View	4100700	Cellco Partnership dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4106600	Cintex Wireless, LLC	Cellular	D	Houston	TX
View	4111150	Comcast OTR1, LLC	Cellular	B	Phoeniexville	PA
View	4101900	Consumer Cellular, Incorporated	Cellular	A	Portland	OR
View	4106400	Credo Mobile, Inc.	Cellular	A	San Francisco	CA
View	4108850	Cricket Wireless, LLC	Cellular	A	San Antonio	TX
View	4111500	CSC Wireless, LLC d/b/a Altice Wireless	Cellular	D	Long Island City	NY
View	10640	Cumberland Cellular Partnership	Cellular	A	Elizabethtown	KY
View	4111650	DataBytes, Inc.	Cellular	D	Rogers	AR
View	4112000	DISH Wireless L.L.C.	Cellular	A	Englewood	CO
View	4111200	Dynalink Communications, Inc.	Cellular	C	Brooklyn	NY
View	4111800	Earthlink, LLC	Cellular	D	Atlanta	GA
View	4101000	East Kentucky Network, LLC dba Appalachian Wireless	Cellular	A	Ivel	KY
View	4002300	Easy Telephone Service Company dba Easy Wireless	Cellular	D	Ocala	FL
View	4109500	Enhanced Communications Group, LLC	Cellular	D	Bartlesville	OK
View	4110450	Excellus Communications, LLC	Cellular	D	Chattanooga	TN
View	4112400	Excess Telecom Inc.	Cellular	C	Beverly Hills	CA
View	4105900	Flash Wireless, LLC	Cellular	C	Concord	NC
View	4104800	France Telecom Corporate Solutions L.L.C.	Cellular	D	Herndon	VA
View	4111750	Gabb Wireless, Inc.	Cellular	D	Provo	UT
View	4112300	Gen Mobile Inc.	Cellular	C	Redondo Beach	CA
View	4109350	Global Connection Inc. of America	Cellular	D	Newport	KY
View	4102200	Globalstar USA, LLC	Cellular	B	Covington	LA
View	4112050	GLOTELL US, Corp.	Cellular	D	Hallandale	FL
View	4109600	Google North America Inc.	Cellular	A	Mountain View	CA
View	33350363	Granite Telecommunications, LLC	Cellular	D	Quincy	MA
View	4111350	HELLO MOBILE TELECOM LLC	Cellular	D	Dania Beach	FL
View	4103100	i-Wireless, LLC	Cellular	B	Newport	KY
View	4112550	IDT Domestic Telecom, Inc.	Cellular	C	Newark	NJ
View	4109800	IM Telecom, LLC d/b/a Infiniti Mobile	Cellular	D	Plano	TX
View	4111950	J Rhodes Enterprises LLC	Cellular	D	Gulf Breeze	FL
View	22215360	KDDI America, Inc.	Cellular	D	Staten Island	NY
View	10872	Kentucky RSA #1 Partnership	Cellular	A	Basking Ridge	NJ
View	10680	Kentucky RSA #3 Cellular General	Cellular	A	Elizabethtown	KY

View	10681	Kentucky RSA #4 Cellular General	Cellular	A	Elizabethtown	KY
View	4109550	Kynect Communications, LLC	Cellular	D	Dallas	TX
View	4112200	Lexvor Inc.	Cellular	D	Irvine	CA
View	4111250	Liberty Mobile Wireless, LLC	Cellular	A	Sunny Isles Beach	FL
View	4111400	Locus Telecommunications, LLC	Cellular	A	Fort Lee	NJ
View	4107300	Lycamobile USA, Inc.	Cellular	D	Newark	NJ
View	4112500	Marconi Wireless Holdings, LLC	Cellular	C	Westlake Village	CA
View	4112450	Matrix Telecom, LLC dba Excel Telecommunications	Cellular	C	Irving	TX
View	4108800	MetroPCS Michigan, LLC	Cellular	A	Bellevue	WA
View	4111700	Mint Mobile, LLC	Cellular	D	Costa Mesa	CA
View	4109650	Mitel Cloud Services, Inc.	Cellular	D	Mesa	AZ
View	4111850	Mobi, Inc.	Cellular	D	Honolulu	HI
View	4109400	NetZero Wireless, Inc. dba magicJack Wireless	Cellular	D	Westlake Village	CA
View	4202400	New Cingular Wireless PCS, LLC dba AT&T Mobility, PCS	Cellular	A	San Antonio	TX
View	4112350	NewPhone Wireless, L.L.C.	Cellular	C	Houston	TX
View	4000800	Nextel West Corporation	Cellular	D	Overland Park	KS
View	4110700	Norcell, LLC	Cellular	D	Buford	GA
View	4001300	NPCR, Inc. dba Nextel Partners	Cellular	D	Overland Park	KS
View	4001800	OnStar, LLC	Cellular	A	Detroit	MI
View	4110750	Onvoy Spectrum, LLC	Cellular	D	Chicago	IL
View	4109050	Patriot Mobile LLC	Cellular	D	Irving	TX
View	4110250	Plintron Technologies USA LLC	Cellular	D	Bellevue	WA
View	33351182	PNG Telecommunications, Inc. dba PowerNet Global Communications	Cellular	D	Cincinnati	OH
View	4107700	Puretalk Holdings, Inc.	Cellular	A	Covington	GA
View	4106700	Q Link Wireless, LLC	Cellular	A	Dania	FL
View	4108700	Ready Wireless, LLC	Cellular	C	Hiawatha	IA
View	4110500	Republic Wireless, Inc.	Cellular	A	Raleigh	NC
View	4106200	Rural Cellular Corporation	Cellular	A	Basking Ridge	NJ
View	4108550	Sage Telecom Communications, LLC dba TruConnect	Cellular	B	Los Angeles	CA
View	4109150	SelecTel, Inc. d/b/a SelecTel Wireless	Cellular	D	Fremont	NE
View	4110150	Spectrotel of the South LLC dba Touch Base Communications	Cellular	D	Neptune	NJ
View	4111450	Spectrum Mobile, LLC	Cellular	A	St. Louis	MO
View	4200100	Sprint Spectrum, L.P.	Cellular	A	Atlanta	GA
View	4200500	SprintCom, Inc.	Cellular	A	Atlanta	GA
View	4111600	STX Group LLC dba Twigby	Cellular	D	Murfreesboro	TN
	4202200	T-Mobile Central, LLC dba T-	Cellular	A	Bellevue	WA

View		Mobile				
View	4002500	TAG Mobile, LLC	Cellular	D	Plano	TX
View	4109700	Telecom Management, Inc. dba Pioneer Telephone	Cellular	D	Portland	ME
View	4107200	Telefonica USA, Inc.	Cellular	D	Miami	FL
View	4112100	Tello LLC	Cellular	D	Atlanta	GA
View	4108900	Telrite Corporation	Cellular	D	Covington	GA
View	4108450	Tempo Telecom, LLC	Cellular	C	Atlanta	GA
View	4109000	Ting, Inc.	Cellular	B	Toronto	ON
View	4110400	Torch Wireless Corp.	Cellular	D	Jacksonville	FL
View	4103300	Touchtone Communications, Inc.	Cellular	D	Cedar Knolls	NJ
View	4104200	TracFone Wireless, Inc.	Cellular	D	Miami	FL
View	4112250	TROOMI WIRELESS, Inc.	Cellular	C	Lehi	UT
View	4002000	Truphone, Inc.	Cellular	D	Durham	NC
View	4110300	UVNV, Inc. d/b/a Mint Mobile	Cellular	D	Costa Mesa	CA
View	10630	Verizon Americas LLC dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4110800	Visible Service LLC	Cellular	D	Basking Ridge	NJ
View	4106500	WiMacTel, Inc.	Cellular	D	Palo Alto	CA
View	4110950	Wing Tel Inc.	Cellular	D	New York	NY
View	4112150	Zefcom, LLC	Cellular	C	Wichita Falls	TX

EXHIBIT E
FAA



Mail Processing Center
 Federal Aviation Administration
 Southwest Regional Office
 Obstruction Evaluation Group
 10101 Hillwood Parkway
 Fort Worth, TX 76177

Aeronautical Study No.
 2021-ASO-37301-OE
 Prior Study No.
 2021-ASO-34270-OE

Issued Date: 10/25/2021

Andrew Smith
 RESCOM Environmental Corp
 PO Box 361
 Petoskey, MI 49770

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Antenna Tower Clifty Creek 1
 Location: Jamestown, KY
 Latitude: 36-55-26.20N NAD 83
 Longitude: 85-05-37.90W
 Heights: 1102 feet site elevation (SE)
 282 feet above ground level (AGL)
 1384 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, a med-dual system-Chapters 4,8(M-Dual),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

This determination expires on 04/25/2023 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.
- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within

6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission (FCC) because the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (718) 553-2611, or angelique.eersteling@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2021-ASO-37301-OE.

Signature Control No: 495053544-498588248

(DNE)

Angelique Eersteling
Technician

Attachment(s)
Case Description
Frequency Data
Map(s)


cc: FCC


Case Description for ASN 2021-ASO-37301-OE

This stury should replace 2021-ASO-34270-OE for an increase in height.
Telecommunications tower.

Frequency Data for ASN 2021-ASO-37301-OE

LOW FREQUENCY	HIGH FREQUENCY	FREQUENCY UNIT	ERP	ERP UNIT
6	7	GHz	55	dBW
6	7	GHz	42	dBW
10	11.7	GHz	55	dBW
10	11.7	GHz	42	dBW
17.7	19.7	GHz	55	dBW
17.7	19.7	GHz	42	dBW
21.2	23.6	GHz	55	dBW
21.2	23.6	GHz	42	dBW
614	698	MHz	1000	W
614	698	MHz	2000	W
698	806	MHz	1000	W
806	901	MHz	500	W
806	824	MHz	500	W
824	849	MHz	500	W
851	866	MHz	500	W
869	894	MHz	500	W
896	901	MHz	500	W
901	902	MHz	7	W
929	932	MHz	3500	W
930	931	MHz	3500	W
931	932	MHz	3500	W
932	932.5	MHz	17	dBW
935	940	MHz	1000	W
940	941	MHz	3500	W
1670	1675	MHz	500	W
1710	1755	MHz	500	W
1850	1910	MHz	1640	W
1850	1990	MHz	1640	W
1930	1990	MHz	1640	W
1990	2025	MHz	500	W
2110	2200	MHz	500	W
2305	2360	MHz	2000	W
2305	2310	MHz	2000	W
2345	2360	MHz	2000	W
2496	2690	MHz	500	W









EXHIBIT F
KENTUCKY AIRPORT ZONING COMMISSION



KENTUCKY TRANSPORTATION CABINET

KENTUCKY AIRPORT ZONING COMMISSION

APPLICATION FOR PERMIT TO CONSTRUCT OR ALTER A STRUCTURE

APPLICANT (name) Harmoni Towers		PHONE	FAX	KY AERONAUTICAL STUDY #	
ADDRESS (street) 10801 Executive Center Dr. Ste. 100		CITY Little Rock		STATE AR	ZIP 72211
APPLICANT'S REPRESENTATIVE (name) B&T Group - Patricia Parr		PHONE 501-232-7860	FAX 918-295-0265		
ADDRESS (street) 1717 S Boulder Ave Ste 300		CITY Tulsa		STATE OK	ZIP 74119
APPLICATION FOR <input checked="" type="checkbox"/> New Construction <input type="checkbox"/> Alteration <input type="checkbox"/> Existing				WORK SCHEDULE	
DURATION <input type="checkbox"/> Permanent <input type="checkbox"/> Temporary (months days)				Start End	
TYPE <input type="checkbox"/> Crane <input type="checkbox"/> Building <input checked="" type="checkbox"/> Antenna Tower <input type="checkbox"/> Power Line <input type="checkbox"/> Water Tank <input type="checkbox"/> Landfill <input type="checkbox"/> Other		MARKING/PAINTING/LIGHTING PREFERRED <input type="checkbox"/> Red Lights & Paint <input type="checkbox"/> White- medium intensity <input type="checkbox"/> White- high intensity <input checked="" type="checkbox"/> Dual- red & medium intensity white <input type="checkbox"/> Dual- red & high intensity white <input type="checkbox"/> Other			
LATITUDE 36 ° 55 ' 26.20 "		LONGITUDE -85 ° 05' 37.90 "		DATUM <input checked="" type="checkbox"/> NAD83 <input type="checkbox"/> NAD27 <input type="checkbox"/> Other	
NEAREST KENTUCKY City ^{Jamestown} County Russell		NEAREST KENTUCKY PUBLIC USE OR MILITARY AIRPORT Russell County Airport - K24			
SITE ELEVATION (AMSL, feet) 1,102 ft		TOTAL STRUCTURE HEIGHT (AGL, feet) 282 ft		CURRENT (FAA aeronautical study #) 2021-ASO-37301-OE	
OVERALL HEIGHT (site elevation plus total structure height, feet) 1,384 ft		PREVIOUS (FAA aeronautical study #) 2021-ASO-34270-OE			
DISTANCE (from nearest Kentucky public use or Military airport to structure) 31,329.21 ft		PREVIOUS (KY aeronautical study #)			
DIRECTION (from nearest Kentucky public use or Military airport to structure)					
DESCRIPTION OF LOCATION (Attach USGS 7.5 minute quadrangle map or an airport layout drawing with the precise site marked and any certified survey.)					
DESCRIPTION OF PROPOSAL Harmoni Towers LLC. proposes to construct a 282' antenna tower for the purpose of enhancing the coverage of their tenants' subscribers.					
FAA Form 7460-1 (Has the "Notice of Construction or Alteration" been filed with the Federal Aviation Administration?) <input type="checkbox"/> No <input type="checkbox"/> Yes, when?					
CERTIFICATION (I hereby certify that all the above entries, made by me, are true, complete, and correct to the best of my knowledge and belief.)					
PENALTIES (Persons failing to comply with KRS 183.861 to 183.990 and 602 KAR 050 are liable for fines and/or imprisonment as set forth in KRS 183.990(3). Noncompliance with FAA regulations may result in further penalties.)					
NAME Patricia Parr	TITLE Project Manager	SIGNATURE 		DATE 11/16/2021	
COMMISSION ACTION		<input type="checkbox"/> Chairperson, KAZC <input type="checkbox"/> Administrator, KAZC			
<input type="checkbox"/> Approved	SIGNATURE		DATE		
<input type="checkbox"/> Disapproved					

Close

Print




EXHIBIT G
GEOTECHNICAL REPORT

**SUBSURFACE INVESTIGATION &
GEOTECHNICAL RECOMMENDATIONS**

**HARMONI TOWER – KYBGN2030 CLIFTY CREEK
JAMESTOWN, KENTUCKY
A&W PROJECT No: 21IN0858**

**PREPARED FOR:
B+T GROUP
TULSA, OKLAHOMA**

**PREPARED BY:
ALT & WITZIG ENGINEERING, INC.
GEOTECHNICAL DIVISION**

**DECEMBER 17, 2021
AMENDED JANUARY 4, 2022**

December 17, 2021
Amended January 4, 2022

B+T Group
1717 S. Boulder Ave., Suite 300
Tulsa, Oklahoma 74119
ATTN: Patricia Parr

Report of Subsurface Investigation & Geotechnical Recommendations

RE: Harmoni KYBGN2030 Tower – Clifty Creek Road
Jamestown, Kentucky
B+T Group # 144642.001.08
Alt & Witzig File: **21IN0858**

Dear Ms. Parr:

In compliance with your request, we have completed a subsurface investigation and geotechnical evaluation for the above referenced project. It is our pleasure to transmit herewith one (1) electronic copy of our report.


The purpose of this subsurface investigation was to determine the various soils profile components and the engineering characteristics of the materials encountered to provide design parameters for the design and construction of the proposed 270-foot-tall self-support communication tower.

Project Description

The site is located approximately north of Clifty Creek Road and approximately 3000 feet northeast of KY HWY 127 on the south side of Jamestown, Kentucky (Exhibit 1). The nearest street address of the adjoining property owner is 570 Clifty Creek Road. The center elevation of the tower is listed on the survey provided by the client at 1101.9 feet.

The ground surface at the time of our investigation consisted of a fallow patch of land adjacent to an agricultural field. The subgrade was relatively firm and well drained. The shallow soil types as mapped for this site were derived from the USDA's Web Soil Survey. A Custom Soil Resource Report for this site is included in the Appendix.

Exhibit 1: 2015 Aerial Photograph



Field Methods

The field investigation included a reconnaissance of the project site, performing one (1) soil boring near the tower center, and obtaining soil samples for laboratory testing. The apparent groundwater level at the boring location was also determined.

Laboratory Investigation

A laboratory investigation was conducted to ascertain additional pertinent engineering characteristics of the subsurface materials at the site of the proposed tower. The laboratory testing program included visual classification of all soils, and pocket penetrometer and moisture content testing of cohesive samples.

Site Specific Subsurface Conditions

At the ground surface, the boring encountered approximately six (6) inches of topsoil. Beneath the topsoil the boring encountered medium stiff to very stiff, reddish brown clay with limestone fragments extending to a depth of fifteen and 16 feet. The clay soil transitioned to a medium stiff, tan to gray soil which terminated at a depth 22 feet where tooling refusal was met (Elev. 1080 feet).

Limestone bedrock of St. Louis Limestone formation was then cored for a length of 13 feet, terminating at a depth of 35 feet below the ground surface (Elev. 1067). The bedrock was inspected by downhole camera and found to contain a 12" thick weathered zone at a depth of 30



feet. However, no large voids were noted in the depth investigated. Images of the core hole are presented in the appendix for reference.

Water level observations made during and upon completion of drilling operations indicated dry conditions. It should be noted that the groundwater level measurement recorded on the individual *Boring Logs* in the Appendix of this report is accurate for the specific date on which the measurements was performed. It must be understood that the groundwater level will fluctuate throughout the year. The *Boring Logs* do not indicate these fluctuations.

Seismic Parameters

An evaluation of the seismic site class has been performed for this site. The Commonwealth of Kentucky has integrated the 2015 International Building Code into the Kentucky Building Code (KBC). The seismic site class is determined by averaging soil conditions within the top 100 feet with respect to the shear wave velocity in accordance with ASCE 7. Our evaluation is based on data obtained for a single boring performed to a depth of 35 feet at this site and limited information provided by the Kentucky Geological Survey for a depth of 100 feet. A detailed report generated by data from USGS and formatted by SEAOC and OSHPD (seismicmaps.org) has been attached to this letter. Following are the summarized requested seismic parameters.

Seismic Parameters

Site Soil Classification	Site Class C
MCE Spectral Response Accelerations	$S_s = 0.194$ $S_1 = 0.104$



Geotechnical Recommendations

Information provided by B+T Group indicates that a new 270-foot-tall self-support communications tower will be constructed at this site. This investigation was conducted to provide information for use in the design and construction of the foundations for the proposed structure.

Tower Foundation Recommendations

Extended Footing or Extended Mat Foundation

The soil parameters presented in *Table 1* may be utilized for the evaluation of a shallow foundation at the tower location.

Soil Description	Depth Below Existing Grade (feet)	Allowable Bearing Pressure (psf) FS=3	Unit Weight (pcf)	C (psf)/ Φ (°)	Adhesion (psf)
Stiff Clay	3-10	4,500	120	2,500	1,750

Drilled Piers

Drilled shaft foundations may be designed using the soil parameters provided in *Table 2*. Skin friction within the soil shall not be summed for support of vertical loads for foundations that are embedded in the underlying bedrock.

Table 2: Deep Foundation Soil/Bedrock Parameters

Depth Below Grade (Feet)	Allowable Skin Friction for Gravity Loads SF=2	Design End Bearing Pressure SF=3	Effective Unit Weight (pcf)	C (psf) / Φ (°)	e50	Lateral p-y Model
3-16 Red Clay	650 psf	5,000 psf	120	2,000	0.006	Stiff Clay
16-22 Gray Clay	350 psf	3,000 psf	120	1,000	0.010	Soft Clay
22-30 Limestone	5,000 psf	10,000 psf	150		NA	Bedrock

*Skin friction may be utilized in shaft compression and tension

** For shafts entirely in cohesive soil, skin friction shall be ignored for 1B at the top and bottom of the shaft, where B is the diameter.



Equipment Building Foundation Recommendations

A net allowable bearing pressure of **2,500 psf** is recommended for evaluating continuous wall footings at this site for lightly loaded ancillary buildings. The above-suggested bearing pressure is provided assuming the footings will be founded on medium stiff natural soils or properly compacted fill materials at a minimum depth of two (2) feet below grade.

Statement of Limitations

Our subsurface investigation was conducted in accordance with guidelines set forth in the scope of services and applicable industry standards.

An inherent limitation of any geotechnical engineering study is that conclusions must be drawn based on data collected at a limited number of discrete locations. The geotechnical parameters provided in this report were developed from the information obtained from the test borings that depict subsurface conditions only at these specific locations and on the date indicated on the boring logs. Soil conditions at other locations may differ from conditions encountered at these boring locations and groundwater levels shall be expected to vary with time. The nature and extent of variations between the borings may not become evident until the course of construction.

Often, because of design and construction details that occur on a project, questions rise concerning the soil conditions. If we can give further service in these matters, please contact us at your convenience.

Sincerely,

Alt & Witzig Engineering, Inc.

David C. Harness, P.E.
Sr. Geotechnical Engineer



APPENDIX

Boring Log
General Notes
Bedrock Core Hole Images
U.S. Seismic Design Maps
Custom Soil Resource Report



BORING LOG

BORING NO.: **B-1**
 SHEET 1 OF 1
 LATITUDE : 36.923941
 LONGITUDE : -85.093853
 DATUM : NAVD88
 DATE STARTED : 12-13-21
 DATE COMPLETED : 12-13-21

CLIENT : B+T Group
 PROJECT : KYBGN2030
 LOCATION : Clifty Creek Road
 COUNTY : Russell AW PROJECT NO.: 21IN0858

ELEVATION : 1101.9 BORING METHOD : DC HAMMER : Auto
 STATION : RIG TYPE : Geoprobe 6712DT DRILLER/INSP : D. Samsel/D. Harness
 OFFSET : 0.0 ft CASING DIA. : 3.25 TEMPERATURE : 60 °F
 LINE : CORE SIZE : 3 WEATHER : Sunny
 DEPTH : 35.0 ft

GROUNDWATER: Encountered at Dry At completion Dry

ELEVATION	SAMPLE DEPTH	SOIL/MATERIAL DESCRIPTION	SAMPLE NUMBER	SPT per 6"	% RECOVERY	MOISTURE CONTENT	DRY DENSITY, pcf	POCKET PEN., tsf	UNCONF. COMP., tsf	ATTERBERG LIMITS			REMARKS
										LL	PL	PI	
1100.0	0.5	Brown, Moist, TOPSOIL											
1095.0	5	Reddish Brown, Moist, Stiff CLAY with trace Limestone Fragments.	MC 1		100	22.4		1.50					
1090.0	6.0		MC 2		100	30.0		4.50					
1085.0	10	Red, Moist, Very Stiff to Stiff CLAY with trace Limestone Fragments.	MC 3		100	30.5		2.50					
1080.0	15		MC 4		80	30.9		1.00					
1075.0	16.0	Tan to Gray, Moist, Stiff CLAY	MC 5		80								20.0, 6" Silt soil layer at 20'
1070.0	20												
1065.0	22.0	Gray, Dry, Limestone Carbonate Mudstone, Slightly Weathered, Moderately Hard, Slightly fractured	RC 6										30.0, Horizontal Fracture in Limestone, 30-31'
1060.0	25												
1055.0	30												
1050.0	35.0	Bottom of Boring at 35.0 ft											35.0, Bit advancement 6 min/ft. under 2500#
1045.0													
1040.0													

AW-ALTERNATE LOG 21IN0858 LOGS.GPJ 2015 AW TEMPLATE GDT 12/17/21

MATERIAL GRAPHICS LEGEND



IN CLAY: Indiana DOT: Clay



IN LIMESTONE: Indiana DOT: Limestone



TOPSOIL

SOIL PROPERTY SYMBOLS

N: Standard "N" penetration value. Blows per foot of a 140-lb hammer falling 30" on a 2" O.D. split-spoon.
 Qu: Unconfined Compressive Strength, tsf
 PP: Pocket Penetrometer, tsf
 LL: Liquid Limit, %
 PL: Plastic Limit, %
 PI: Plasticity Index, %

DRILLING AND SAMPLING SYMBOLS

GROUNDWATER SYMBOLS

- Apparent water level noted while drilling.
- ∇ Apparent water level noted upon completion.
- ▼ Apparent water level noted upon delayed time.

SAMPLER SYMBOLS

- ⊠ MC: Macro Core
- ▮ RC

**RELATIVE DENSITY & CONSISTANCY CLASSIFICATION
(NON-COHESIVE SOILS)**

<u>TERM</u>	<u>BLOWS PER FOOT</u>
Very Loose	0 - 5
Loose	6 - 10
Medium Dense	11 - 30
Dense	31 - 50
Very Dense	>51

**RELATIVE DENSITY & CONSISTANCY CLASSIFICATION
(COHESIVE SOILS)**

<u>TERM</u>	<u>BLOWS PER FOOT</u>
Very Soft	0 - 3
Soft	4 - 5
Medium Stiff	6 - 10
Stiff	11 - 15
Very Stiff	16 - 30
Hard	>31

GENERAL NOTES - PROJECT SPECIFIC 21IN0858 LOGS.GPJ US EVAL.GDT 12/17/21



Alt & Witzig Engineering, Inc.
 4105 West 99th St.
 Carmel, IN 46032
 Telephone:
 Fax:

GENERAL NOTES

Project: KYBGN2030
 Location: Clifty Creek Road
 Number: 21IN0858

Photo 1



Competent Limestone bedrock at a depth of 25'

Photo 2



Void/weathering at a depth of 30'

Photo 3



View of limestone with dark staining at -33'.

Photo 4



Closeup of the base of the core hole at -35'



Harmoni Clifty Creek KYBGN2030

Latitude, Longitude: 36.92288831, -85.09378533



Date 12/17/2021, 12:17:30 PM
Design Code Reference Document IBC-2015
Risk Category II
Site Class C - Very Dense Soil and Soft Rock

Type	Value	Description
S_S	0.194	MCE_R ground motion. (for 0.2 second period)
S_1	0.104	MCE_R ground motion. (for 1.0s period)
S_{MS}	0.232	Site-modified spectral acceleration value
S_{M1}	0.176	Site-modified spectral acceleration value
S_{DS}	0.155	Numeric seismic design value at 0.2 second SA
S_{D1}	0.117	Numeric seismic design value at 1.0 second SA

Type	Value	Description
SDC	B	Seismic design category
F_a	1.2	Site amplification factor at 0.2 second
F_v	1.696	Site amplification factor at 1.0 second
PGA	0.087	MCE_G peak ground acceleration
F_{PGA}	1.2	Site amplification factor at PGA
PGA_M	0.104	Site modified peak ground acceleration
T_L	12	Long-period transition period in seconds
$SsRT$	0.194	Probabilistic risk-targeted ground motion. (0.2 second)
$SsUH$	0.214	Factored uniform-hazard (2% probability of exceedance in 50 years) spectral acceleration
SsD	1.5	Factored deterministic acceleration value. (0.2 second)
$S1RT$	0.104	Probabilistic risk-targeted ground motion. (1.0 second)
$S1UH$	0.119	Factored uniform-hazard (2% probability of exceedance in 50 years) spectral acceleration.
$S1D$	0.6	Factored deterministic acceleration value. (1.0 second)
PGAd	0.6	Factored deterministic acceleration value. (Peak Ground Acceleration)
C_{RS}	0.907	Mapped value of the risk coefficient at short periods
C_{R1}	0.869	Mapped value of the risk coefficient at a period of 1 s

DISCLAIMER

While the information presented on this website is believed to be correct, SEAOC / OSHPD and its sponsors and contributors assume no responsibility or liability for its accuracy. The material presented in this web application should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. SEAOC / OSHPD do not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the seismic data provided by this website. Users of the information from this website assume all liability arising from such use. Use of the output of this website does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site described by latitude/longitude location in the search results of this website.



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Russell County, Kentucky**



December 8, 2021

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map (21IN0858).....	9
Legend.....	10
Map Unit Legend (21IN0858).....	11
Map Unit Descriptions (21IN0858).....	11
Russell County, Kentucky.....	13
FeB—Frederick silt loam, 2 to 6 percent slopes.....	13
FeC—Frederick silt loam, 6 to 12 percent slopes.....	14
FeD—Frederick silt loam, 12 to 20 percent slopes.....	16
References	18

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map (21IN0858)



Map Scale: 1:1,430 if printed on A portrait (8.5" x 11") sheet.




































0 20 40 80 120 Meters

0 50 100 200 300 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84

Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)			Spoil Area
	Area of Interest (AOI)		Stony Spot
Soils			Very Stony Spot
	Soil Map Unit Polygons		Wet Spot
	Soil Map Unit Lines		Other
	Soil Map Unit Points		Special Line Features
Special Point Features		Water Features	
	Blowout		Streams and Canals
	Borrow Pit	Transportation	
	Clay Spot		Rails
	Closed Depression		Interstate Highways
	Gravel Pit		US Routes
	Gravelly Spot		Major Roads
	Landfill		Local Roads
	Lava Flow	Background	
	Marsh or swamp		Aerial Photography
	Mine or Quarry		
	Miscellaneous Water		
	Perennial Water		
	Rock Outcrop		
	Saline Spot		
	Sandy Spot		
	Severely Eroded Spot		
	Sinkhole		
	Slide or Slip		
	Sodic Spot		

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Russell County, Kentucky
 Survey Area Data: Version 18, Sep 8, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 18, 2019—Nov 10, 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend (21IN0858)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
FeB	Frederick silt loam, 2 to 6 percent slopes	2.8	47.0%
FeC	Frederick silt loam, 6 to 12 percent slopes	2.2	36.9%
FeD	Frederick silt loam, 12 to 20 percent slopes	1.0	16.2%
Totals for Area of Interest		5.9	100.0%

Map Unit Descriptions (21IN0858)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or

Custom Soil Resource Report

landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Russell County, Kentucky

FeB—Frederick silt loam, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 2v5b9
Elevation: 590 to 1,380 feet
Mean annual precipitation: 42 to 61 inches
Mean annual air temperature: 44 to 68 degrees F
Frost-free period: 154 to 210 days
Farmland classification: All areas are prime farmland

Map Unit Composition

Frederick and similar soils: 88 percent
Minor components: 12 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Frederick

Setting

Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Clayey residuum weathered from limestone and sandstone

Typical profile

Ap - 0 to 10 inches: silt loam
Bt1 - 10 to 16 inches: silty clay loam
Bt2 - 16 to 70 inches: clay

Properties and qualities

Slope: 2 to 6 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Moderate (about 8.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2e
Hydrologic Soil Group: B
Hydric soil rating: No

Minor Components

Pricetown

Percent of map unit: 7 percent
Landform: Ridges
Landform position (two-dimensional): Summit

Custom Soil Resource Report

Landform position (three-dimensional): Crest
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: No

Frankstown

Percent of map unit: 3 percent
Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Concave
Hydric soil rating: No

Canmer

Percent of map unit: 1 percent
Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

Caneyville

Percent of map unit: 1 percent
Landform: Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

FeC—Frederick silt loam, 6 to 12 percent slopes

Map Unit Setting

National map unit symbol: 2v5b4
Elevation: 510 to 1,530 feet
Mean annual precipitation: 42 to 61 inches
Mean annual air temperature: 44 to 68 degrees F
Frost-free period: 154 to 210 days
Farmland classification: Farmland of statewide importance

Map Unit Composition

Frederick and similar soils: 88 percent
Minor components: 12 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Frederick

Setting

Landform: Ridges

Custom Soil Resource Report

Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Clayey residuum weathered from limestone and sandstone

Typical profile

Ap - 0 to 10 inches: silt loam
Bt1 - 10 to 16 inches: silty clay loam
Bt2 - 16 to 70 inches: clay

Properties and qualities

Slope: 6 to 12 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Moderate (about 8.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3e
Hydrologic Soil Group: B
Hydric soil rating: No

Minor Components

Pricetown

Percent of map unit: 7 percent
Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Crest
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: No

Frankstown

Percent of map unit: 3 percent
Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Concave
Hydric soil rating: No

Canmer

Percent of map unit: 1 percent
Landform: Ridges
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

Custom Soil Resource Report

Caneyville

Percent of map unit: 1 percent
Landform: Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

FeD—Frederick silt loam, 12 to 20 percent slopes

Map Unit Setting

National map unit symbol: 2v5b7
Elevation: 510 to 1,480 feet
Mean annual precipitation: 42 to 61 inches
Mean annual air temperature: 44 to 68 degrees F
Frost-free period: 154 to 210 days
Farmland classification: Not prime farmland

Map Unit Composition

Frederick and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Frederick

Setting

Landform: Hills
Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Clayey residuum weathered from limestone and sandstone

Typical profile

Ap - 0 to 10 inches: silt loam
Bt1 - 10 to 16 inches: silty clay loam
Bt2 - 16 to 70 inches: clay

Properties and qualities

Slope: 12 to 20 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Moderate (about 8.8 inches)

Custom Soil Resource Report

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: B
Hydric soil rating: No

Minor Components

Caneyville

Percent of map unit: 7 percent
Landform: Hills
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Side slope
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

Frankstown

Percent of map unit: 5 percent
Landform: Hills
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Concave
Hydric soil rating: No

Canmer

Percent of map unit: 3 percent
Landform: Hills
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelpdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

EXHIBIT H
DIRECTIONS TO WCF SITE

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head southeast on US-127 Business S / N Main Street toward Pike Alley and travel approximately 0.2 miles.
2. At the traffic circle, take the first exit onto US-127 Business S / E Cumberland Ave and travel approximately 2.1 miles.
3. Turn left onto US-127 S and travel approximately 3.5 miles.
4. Turn left onto Clifty Creek Road and travel approximately 0.6 miles.
5. The site is located on the left at 570 Clifty Creek Road, Jamestown, KY 42629. The site coordinates are: 36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293

EXHIBIT I
COPY OF REAL ESTATE AGREEMENT

OPTION AND LEASE AGREEMENT

THIS OPTION AND LEASE AGREEMENT ("**Agreement**"), dated as of the latter of the signature dates below (the "**Effective Date**"), is entered into by Paula Glover Mann, a single person, ("**Landlord**") having a mailing address of 570 Clifty Creek Road, Jamestown, Kentucky 42629, and Harmoni Towers LLC, a Delaware limited liability company having a mailing address of 10801 Executive Center Drive, Shannon Building, Suite 100, Little Rock AR 72211 ("**Tenant**").

BACKGROUND

Landlord owns or controls that certain plot, parcel or tract of land, as described on **Exhibit 1**, together with all rights and privileges arising in connection therewith, located at 570 Clifty Creek Road, in the City/Town of Jamestown, County of Russell, State of Kentucky (collectively, the "**Property**"). Landlord desires to grant to Tenant the right to use a portion of the Property in accordance with this Agreement.

The parties agree as follows:

1. OPTION TO LEASE.

(a) Landlord grants to Tenant an exclusive option (the "**Option**") to lease a certain portion of the Property containing approximately ten thousand (10,000) square feet including the air space above such ground space, as described on attached **Exhibit 1**, (the "**Premises**"), for the placement of a Communication Facility.

(b) During the Option Term, and during the Term, Tenant and its agents, engineers, surveyors and other representatives will have the right to enter upon the Property to inspect, examine, conduct soil borings, drainage testing, material sampling, radio frequency testing and other geological or engineering tests or studies of the Property (collectively, the "**Tests**"), to apply for and obtain licenses, permits, approvals, or other relief required of or deemed necessary or appropriate at Tenant's sole discretion for its use of the Premises and include, without limitation, applications for zoning variances, zoning ordinances, amendments, special use permits, and construction permits (collectively, the "**Government Approvals**"), initiate the ordering and/or scheduling of necessary utilities, and otherwise to do those things on or off the Property that, in the opinion of Tenant, are necessary in Tenant's sole discretion to determine the physical condition of the Property, the environmental history of the Property, Landlord's title to the Property and the feasibility or suitability of the Property for Tenant's Permitted Use, all at Tenant's expense. Tenant will not be liable to Landlord or any third party on account of any pre-existing defect or condition on or with respect to the Property, whether or not such defect or condition is disclosed by Tenant's inspection. Tenant will restore the Property to its condition as it existed at the commencement of the Option Term, reasonable wear and tear and loss by casualty or other causes beyond Tenant's control excepted.

(c) In consideration of Landlord granting Tenant the Option, Tenant agrees to pay Landlord the sum of [REDACTED] within thirty (30) business days after the Effective Date. The Option may be exercised during an initial term of one (1) year commencing on the Effective Date (the "**Initial Option Term**") which term may be renewed by Tenant for an additional one (1) year (the "**Renewal Option Term**") upon written notification to Landlord and the payment of an additional [REDACTED] no later than five (5) days prior to the expiration date of the Initial Option Term. The Initial Option Term and any Renewal Option Term are collectively referred to as the "**Option Term**."

(d) The Option may be sold, assigned or transferred at any time by Tenant without the written consent of Landlord. Upon notification to Landlord of such sale, assignment, or transfer, Tenant shall immediately be released from any and all liability under this Agreement, including the payment of any rental or other sums due, without any further action.

(e) During the Option Term, Tenant may exercise the Option by notifying Landlord in writing. If Tenant exercises the Option, then Landlord leases the Premises to Tenant subject to the terms and conditions of this Agreement. If Tenant does not exercise the Option during the Initial Option Term or any extension thereof, this Agreement will terminate, and the parties will have no further liability to each other.

(f) If during the Option Term, or during the Term if the Option is exercised, Landlord decides to subdivide, sell, or change the status of the zoning of the Premises, Property or any of Landlord's contiguous, adjoining or surrounding property (the "**Surrounding Property**,") or in the event of a threatened foreclosure, Landlord shall immediately notify Tenant in writing. Landlord agrees that during the Option Term, or during the Term if the Option is exercised, Landlord shall not initiate or consent to any change in the zoning of the Premises, Property or Surrounding Property or impose or consent to any other use or restriction that would prevent or limit Tenant from using the Premises for the Permitted Use. Any and all terms and conditions of this Agreement that by their sense and context are intended to be applicable during the Option Term shall be so applicable.

2. **PERMITTED USE.** Tenant may use the Premises for the transmission and reception of communications signals and the installation, construction, maintenance, operation, repair, replacement and upgrade of communications fixtures and related equipment, cables, accessories and improvements, which may include a suitable support structure ("**Structure**"), associated antennas, equipment shelters or cabinets and fencing and any other items necessary to the successful and secure use of the Premises (collectively, the "**Communication Facility**"), as well as the right to test, survey and review title on the Property; Tenant further has the right but not the obligation to add, modify and/or replace equipment in order to be in compliance with any current or future federal, state or local mandated application, including, but not limited to, emergency 911 communication services, at no additional cost to Tenant or Landlord (collectively, the "**Permitted Use**"). Landlord and Tenant agree that any portion of the Communication Facility that may be conceptually described on **Exhibit 1** will not be deemed to limit Tenant's Permitted Use. If **Exhibit 1** includes drawings of the initial installation of the Communication Facility, Landlord's execution of this Agreement will signify Landlord's approval of **Exhibit 1**. For a period of ninety (90) days following the start of construction, Landlord grants Tenant, its subtenants, licensees and sublicensees, the right to use such portions of the **Surrounding Property** as may reasonably be required during construction and installation of the Communication Facility. Tenant has the right to install and operate transmission cables from the equipment shelter or cabinet to the antennas, electric lines from the main feed to the equipment shelter or cabinet and communication lines from the Property's main entry point to the equipment shelter or cabinet, install a generator and to make other improvements, alterations, upgrades or additions appropriate for Tenant's Permitted Use including the right to construct a fence around the Premises or equipment, install warning signs to make individuals aware of risks, install protective barriers, install any other control measures reasonably required by Tenant's safety procedures or applicable law, and undertake any other appropriate means to secure the Premises or equipment at Tenant's expense. Tenant has the right to modify, supplement, replace, upgrade, expand the Communication Facility (including, for example, increasing the number of antennas or adding microwave dishes) or relocate the Communication Facility within the Premises at any time during the Term. Tenant will be allowed to make such alterations to the Property in order to ensure that the Communication Facility complies with all applicable federal, state or local laws, rules or regulations. In the event Tenant desires to modify or upgrade the Communication Facility, in a manner that requires an additional portion of the Property (the "**Additional Premises**") for such modification or upgrade, Landlord agrees to lease to Tenant the Additional Premises, upon the same terms and conditions set forth herein, except that the Rent shall increase, in conjunction with the lease of the Additional Premises by the amount equivalent to the then-current per square foot rental rate charged by Landlord to Tenant times the square footage of the Additional Premises. Landlord agrees to take such actions and enter into and deliver to Tenant such documents as Tenant reasonably requests in order to effect and memorialize the lease of the Additional Premises to Tenant.

3. **TERM.**

(a) The initial lease term will be five (5) years (the "**Initial Term**"), commencing on the effective date of written notification by Tenant to Landlord of Tenant's exercise of the Option (the "**Term**")

Commencement Date). The Initial Term will terminate on the fifth (5th) anniversary of the Term Commencement Date.

(b) This Agreement will automatically renew for seventeen (17) additional five (5) year term(s) (each additional five (5) year term shall be defined as an "Extension Term"), upon the same terms and conditions set forth herein unless Tenant notifies Landlord in writing of Tenant's intention not to renew this Agreement at least sixty (60) days prior to the expiration of the Initial Term or then-existing Extension Term.

(c) Unless (i) Landlord or Tenant notifies the other in writing of its intention to terminate this Agreement at least six (6) months prior to the expiration of the final Extension Term, or (ii) the Agreement is terminated as otherwise permitted by this Agreement prior to the end of the final Extension Term, this Agreement shall continue in force upon the same covenants, terms and conditions for a further term of one (1) year, and for annual terms thereafter ("Annual Term") until terminated by either party by giving to the other party written notice of its intention to so terminate at least six (6) months prior to the end of any such Annual Term. Monthly rent during such Annual Terms shall be [REDACTED]

[REDACTED] If Tenant remains in possession of the Premises after the termination of this Agreement, then Tenant will be deemed to be occupying the Premises on a month-to-month basis (the "Holdover Term"), subject to the terms and conditions of this Agreement.

(d) The Initial Term, any Extension Terms, any Annual Terms and any Holdover Term are collectively referred to as the "Term".

4. **RENT.**

(a) Commencing on the first day of the month following the date that Tenant commences construction (the "Rent Commencement Date"), Tenant will pay Landlord on or before the fifth (5th) day of each calendar month in advance, [REDACTED] (the "Rent"), at the address set forth above. In any partial month occurring after the Rent Commencement Date, Rent will be prorated. The initial Rent payment will be forwarded by Tenant to Landlord within forty-five (45) days after the Rent Commencement Date.

(b) In the first year of an Extension Term, the monthly Rent will increase by [REDACTED] over the Rent paid during the previous five (5) year term, effective the first day of the month in which the anniversary of the Term Commencement Date occurs.

(c) All charges payable under this Agreement such as utilities and taxes shall be billed by Landlord within one (1) year from the end of the calendar year in which the charges were incurred; any charges beyond such period shall not be billed by Landlord, and shall not be payable by Tenant. The foregoing shall not apply to monthly Rent which is due and payable without a requirement that it be billed by Landlord. The provisions of this subsection shall survive the termination or expiration of this Agreement.

5. **APPROVALS.**

(a) Landlord agrees that Tenant's ability to use the Premises is contingent upon the suitability of the Premises and Property for the Permitted Use and Tenant's ability to obtain and maintain all Government Approvals. Landlord authorizes Tenant to prepare, execute and file all required applications to obtain Government Approvals for the Permitted Use and agrees to reasonably assist Tenant with such applications and with obtaining and maintaining the Government Approvals.

(b) Tenant has the right to obtain a title report or commitment for a leasehold title policy from a title insurance company of its choice and to have the Property surveyed by a surveyor of its choice.

(c) Tenant may also perform and obtain, at Tenant's sole cost and expense, soil borings, percolation tests, engineering procedures, environmental investigation or other tests or reports on, over, and under the Property, necessary to determine if Tenant's use of the Premises will be compatible with Tenant's engineering specifications, system, design, operations or Government Approvals.

6. **TERMINATION.** This Agreement may be terminated, without penalty or further liability, as follows:

(a) by either party on thirty (30) days prior written notice, if the other party remains in default under Section 15 of this Agreement after the applicable cure periods;

(b) by Tenant upon written notice to Landlord, if Tenant is unable to obtain, or maintain, any required approval(s) or the issuance of a license or permit by any agency, board, court or other governmental authority necessary for the construction or operation of the Communication Facility as now or hereafter intended by Tenant; or if Tenant determines, in its sole discretion that the cost of or delay in obtaining or retaining the same is commercially unreasonable;

(c) by Tenant, upon written notice to Landlord, if Tenant determines, in its sole discretion, due to the title report results or survey results, that the condition of the Premises is unsatisfactory for its intended uses;

(d) by Tenant upon written notice to Landlord for any reason or no reason, at any time prior to commencement of construction by Tenant; or

(e) by Tenant upon sixty (60) days' prior written notice to Landlord for any reason or no reason, so long as Tenant pays Landlord a termination fee [REDACTED] provided, however, that no such termination fee will be payable on account of the termination of this Agreement by Tenant under any termination provision contained in any other Section of this Agreement, including the following: Section 5 Approvals, Section 6(a) Termination, Section 6(b) Termination, Section 6(c) Termination, Section 6(d) Termination, Section 11(d) Environmental, Section 18 Condemnation or Section 19 Casualty.

7. **INSURANCE.** During the Option Term and throughout the Term, Tenant will purchase and maintain in full force and effect such general liability policy as Tenant may deem necessary. Said policy of general liability insurance will at a minimum provide a combined single limit of [REDACTED]. Notwithstanding the foregoing, Tenant shall have the right to self-insure such general liability coverage.

8. **INTERFERENCE.**

(a) Prior to or concurrent with the execution of this Agreement, Landlord has provided or will provide Tenant with a list of radio frequency user(s) and frequencies used on the Property as of the Effective Date. Tenant warrants that its use of the Premises will not interfere with those existing radio frequency uses on the Property, as long as the existing radio frequency user(s) operate and continue to operate within their respective frequencies and in accordance with all applicable laws and regulations.

(b) Landlord will not grant, after the Effective Date, a lease, license or any other right to any third party, if the exercise of such grant may in any way adversely affect or interfere with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will notify Tenant in writing prior to granting any third party the right to install and operate communications equipment on the Property.

(c) Landlord will not, nor will Landlord permit its employees, tenants, licensees, invitees, agents or independent contractors to interfere in any way with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will cause such interference to cease within twenty-four (24) hours after receipt of notice of interference from Tenant. In the event any such interference does not cease within the aforementioned cure period, Landlord shall cease all operations which are suspected of causing interference (except for intermittent testing to determine the cause of such interference) until the interference has been corrected.

(d) For the purposes of this Agreement, "interference" may include, but is not limited to, any use on the Property or Surrounding Property that causes electronic or physical obstruction with, or degradation of, the communications signals from the Communication Facility.

9. **INDEMNIFICATION.**

(a) Tenant agrees to indemnify, defend and hold Landlord harmless from and against any and all injury, loss, damage or liability, costs or expenses in connection with a third party claim (including reasonable attorneys' fees and court costs) arising directly from the installation, use, maintenance, repair or removal of the Communication Facility or Tenant's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Landlord, its employees, invitees, agents or independent contractors.

(b) Landlord agrees to indemnify, defend and hold Tenant harmless from and against any and all injury, loss, damage or liability, costs or expenses in connection with a third party claim (including reasonable attorneys' fees and court costs) arising directly from the actions or failure to act of Landlord, its employees, invitees agents or independent contractors, or Landlord's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Tenant, its employees, agents or independent contractors.

(c) The indemnified party: (i) shall promptly provide the indemnifying party with written notice of any claim, demand, lawsuit, or the like for which it seeks indemnification pursuant to this Section and provide the indemnifying party with copies of any demands, notices, summonses, or legal papers received in connection with such claim, demand, lawsuit, or the like; (ii) shall not settle any such claim, demand, lawsuit, or the like without the prior written consent of the indemnifying party; and (iii) shall fully cooperate with the indemnifying party in the defense of the claim, demand, lawsuit, or the like. A delay in notice shall not relieve the indemnifying party of its indemnity obligation, except (1) to the extent the indemnifying party can show it was prejudiced by the delay; and (2) the indemnifying party shall not be liable for any settlement or litigation expenses incurred before the time when notice is given.

10. WARRANTIES.

(a) Each of Tenant and Landlord (to the extent not a natural person) acknowledge and represent that it is duly organized, validly existing and in good standing and has the right, power and authority or capacity, as applicable, to enter into this Agreement and bind itself hereto through the party or individual set forth as signatory for the party below.

(b) Landlord represents, warrants and agrees that: (i) Landlord solely owns the Property as a legal lot in fee simple, or controls the Property by lease or license; (ii) the Property is not and will not be encumbered by any liens, restrictions, mortgages, covenants, conditions, easements, leases, or any other agreements of record or not of record, which would adversely affect Tenant's Permitted Use and enjoyment of the Premises under this Agreement; (iii) as long as Tenant is not in default then Landlord grants to Tenant sole, actual, quiet and peaceful use, enjoyment and possession of the Premises without hindrance or ejection by any persons lawfully claiming under Landlord; (iv) Landlord's execution and performance of this Agreement will not violate any laws, ordinances, covenants or the provisions of any mortgage, lease or other agreement binding on Landlord; and (v) if the Property is or becomes encumbered by a deed to secure a debt, mortgage or other security interest, Landlord will provide promptly to Tenant a mutually agreeable subordination, non-disturbance and attornment agreement executed by Landlord and the holder of such security interest in the form attached hereto as **Exhibit 10(b)**.

11. ENVIRONMENTAL.

(a) Landlord represents and warrants, except as may be identified in **Exhibit 11** attached to this Agreement, (i) the Property, as of the Effective Date, is free of hazardous substances, including asbestos-containing materials and lead paint, and (ii) the Property has never been subject to any contamination or hazardous conditions resulting in any environmental investigation, inquiry or remediation. Landlord and Tenant agree that each will be responsible for compliance with any and all applicable governmental laws, rules, statutes, regulations, codes, ordinances, or principles of common law regulating or imposing standards of liability or standards of conduct with regard to protection of the environment or worker health and safety, as may now or at any time hereafter be in effect, to the extent such apply to that party's activity conducted in or on the Property.

(b) Landlord and Tenant agree to hold harmless and indemnify the other from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of the indemnifying party for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any action, notice, claim, order, summons, citation, directive, litigation, investigation or proceeding ("**Claims**"), to the extent arising from that party's breach of its obligations or representations under Section 11(a). Landlord agrees to hold harmless and indemnify Tenant from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Landlord for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any Claims, to the extent arising from subsurface or other contamination of the Property with hazardous substances

prior to the Effective Date or from such contamination caused by the acts or omissions of Landlord during the Term. Tenant agrees to hold harmless and indemnify Landlord from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Tenant for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any Claims, to the extent arising from hazardous substances brought onto the Property by Tenant.

(c) The indemnification provisions contained in this Section 11 specifically include reasonable costs, expenses and fees incurred in connection with any investigation of Property conditions or any clean-up, remediation, removal or restoration work required by any governmental authority. The provisions of this Section 11 will survive the expiration or termination of this Agreement.

(d) In the event Tenant becomes aware of any hazardous materials on the Property, or any environmental, health or safety condition or matter relating to the Property, that, in Tenant's sole determination, renders the condition of the Premises or Property unsuitable for Tenant's use, or if Tenant believes that the leasing or continued leasing of the Premises would expose Tenant to undue risks of liability to a government agency or other third party, Tenant will have the right, in addition to any other rights it may have at law or in equity, to terminate this Agreement upon written notice to Landlord.

12. **ACCESS.** At all times throughout the Term of this Agreement, and at no additional charge to Tenant, Tenant and its employees, agents, and subcontractors, will have twenty-four (24) hour per day, seven (7) day per week pedestrian and vehicular access ("Access") to and over the Property, from an open and improved public road to the Premises, for the installation, maintenance and operation of the Communication Facility and any utilities serving the Premises. If Tenant elects to utilize an Unmanned Aircraft System ("UAS") in connection with its installation, construction, monitoring, site audits, inspections, maintenance, repair, modification, or alteration activities at the Property, Landlord hereby grants Tenant, or any UAS operator acting on Tenant's behalf, express permission to fly over the applicable Property and Premises, and consents to the use of audio and video navigation and recording in connection with the use of the UAS. As may be described more fully in Exhibit 1, Landlord grants to Tenant an easement for such Access and Landlord agrees to provide to Tenant such codes, keys and other instruments necessary for such Access at no additional cost to Tenant. Upon Tenant's request, Landlord will execute a separate recordable easement evidencing this right. Landlord shall execute a letter granting Tenant Access to the Property substantially in the form attached as Exhibit 12; upon Tenant's request, Landlord shall execute additional letters during the Term. Landlord acknowledges that in the event Tenant cannot obtain Access to the Premises, Tenant shall incur significant damage. If Landlord fails to provide the Access granted by this Section 12, such failure shall be a default under this Agreement. In connection with such default, in addition to any other rights or remedies available to Tenant under this Agreement or at law or equity, Landlord shall pay Tenant, as liquidated damages and not as a penalty, [REDACTED] per day in consideration of Tenant's damages until Landlord cures such default. Landlord and Tenant agree that Tenant's damages in the event of a denial of Access are difficult, if not impossible, to ascertain, and the liquidated damages set forth above are a reasonable approximation of such damages.

13. **REMOVAL/RESTORATION.** All portions of the Communication Facility brought onto the Property by Tenant will be and remain Tenant's personal property and, at Tenant's option, may be removed by Tenant at any time during or after the Term. Landlord covenants and agrees that no part of the Communication Facility constructed, erected or placed on the Premises by Tenant will become, or be considered as being affixed to or a part of, the Property, it being the specific intention of Landlord that all improvements of every kind and nature constructed, erected or placed by Tenant on the Premises will be and remain the property of Tenant and may be removed by Tenant at any time during or after the Term. Tenant will repair any damage to the Property resulting from Tenant's removal activities. Any portions of the Communication Facility that Tenant does not remove within one hundred twenty (120) days after the later of the end of the Term and cessation of Tenant's operations at the Premises shall be deemed abandoned and owned by Landlord. Notwithstanding the foregoing, Tenant will not be responsible for the replacement of any trees, shrubs or other vegetation.

14. MAINTENANCE/UTILITIES.

(a) Tenant will keep and maintain the Premises in good condition, reasonable wear and tear and damage from the elements excepted. Landlord will maintain and repair the Property and access thereto and all areas of the Premises where Tenant does not have exclusive control, in good and tenantable condition, subject to reasonable wear and tear and damage from the elements. Landlord will be responsible for maintenance of landscaping on the Property, including any landscaping installed by Tenant as a condition of this Agreement or any required permit.

(b) Tenant will be responsible for paying on a monthly or quarterly basis all utilities charges for electricity, telephone service or any other utility used or consumed by Tenant on the Premises. In the event Tenant cannot secure its own metered electrical supply, Tenant will have the right, at its own cost and expense, to sub-meter from Landlord. When sub-metering is required under this Agreement, Landlord will read the meter and provide Tenant with an invoice and usage data on a monthly basis. Tenant shall reimburse Landlord for such utility usage at the same rate charged to Landlord by the utility service provider. Landlord further agrees to provide the usage data and invoice on forms provided by Tenant and to send such forms to such address and/or agent designated by Tenant. Tenant will remit payment within sixty (60) days of receipt of the usage data and required forms. Landlord shall maintain accurate and detailed records of all utility expenses, invoices and payments applicable to Tenant's reimbursement obligations hereunder. Within fifteen (15) days after a request from Tenant, Landlord shall provide copies of such utility billing records to the Tenant in the form of copies of invoices, contracts and cancelled checks. If the utility billing records reflect an overpayment by Tenant, Tenant shall have the right to deduct the amount of such overpayment from any monies due to Landlord from Tenant.

(c) As noted in Section 4(c) above, any utility fee recovery by Landlord is limited to a twelve (12) month period. If Tenant submeters electricity from Landlord, Landlord agrees to give Tenant at least twenty-four (24) hours advance notice of any planned interruptions of said electricity. Landlord acknowledges that Tenant provides a communication service which requires electrical power to operate and must operate twenty-four (24) hours per day, seven (7) days per week. If the interruption is for an extended period of time, in Tenant's reasonable determination, Landlord agrees to allow Tenant the right to bring in a temporary source of power for the duration of the interruption. Landlord will not be responsible for interference with, interruption of or failure, beyond the reasonable control of Landlord, of such services to be furnished or supplied by Landlord.

(d) Tenant will have the right to install utilities on the Property and the Premises, at Tenant's expense and to improve present utilities on the Property and the Premises; by way of example, such utilities shall include overhead and underground electric, water, data transmission, and other necessary utility facilities (including guys, wires, poles, and other appurtenant equipment). Landlord hereby grants to Tenant and any service company providing utility or similar services, including electric power and telecommunications, an easement over the Property, from an open and improved public road to the Premises, and upon the Premises, for the purpose of constructing, operating and maintaining such lines, guys, wires, poles, circuits, conduits, associated equipment cabinets, and appurtenances thereto, as may from time to time be required. Upon Tenant's or service company's request, Landlord will execute a separate recordable easement evidencing this grant, at no cost to Tenant or service company.

15. DEFAULT AND RIGHT TO CURE.

(a) The following will be deemed a default by Tenant and a breach of this Agreement: (i) non-payment of Rent if such Rent remains unpaid for more than thirty (30) days after written notice from Landlord of such failure to pay; or (ii) Tenant's failure to perform any other term or condition under this Agreement within forty-five (45) days after written notice from Landlord specifying the failure. No such failure, however, will be deemed to exist if Tenant has commenced to cure such default within such period and provided that such efforts are prosecuted to completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Tenant. If Tenant remains in default beyond any applicable cure period, Landlord will have the right to exercise any and all rights and remedies available to it under law and equity.

(b) The following will be deemed a default by Landlord and a breach of this Agreement: (i) Landlord's failure to provide Access to the Premises as required by Section 12 within twenty-four (24) hours after written notice of such failure; (ii) Landlord's failure to cure an interference problem as required by Section 8 within twenty-four (24) hours after written notice of such failure; or (iii) Landlord's failure to perform any term, condition or breach of any warranty or covenant under this Agreement within forty-five (45) days after written notice from Tenant specifying the failure. No such failure, however, will be deemed to exist if Landlord has commenced to cure the default within such period and provided such efforts are prosecuted to completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Landlord. If Landlord remains in default beyond any applicable cure period, Tenant will have: (i) the right to cure Landlord's default and to deduct the costs of such cure from any monies due to Landlord from Tenant, and (ii) any and all other rights available to it under law and equity.

16. **ASSIGNMENT/SUBLEASE.** Tenant will have the right to assign this Agreement or sublease the Premises and its rights herein, in whole or in part, without Landlord's consent. Upon notification to Landlord of such assignment, Tenant will be relieved of all future performance, liabilities and obligations under this Agreement to the extent of such assignment.

17. **NOTICES.** All notices, requests and demands hereunder will be given by first class certified or registered mail, return receipt requested, or by a nationally recognized overnight courier, postage prepaid, to be effective when properly sent and received, refused or returned undelivered. Notices will be addressed to the parties as follows:

If to Tenant: Harmoni Towers LLC
 Attn: Real Estate
 10801 Executive Center Drive
 Shannon Building, Suite 100
 Little Rock AR 72211
 REAdmin@harmonitowers.com

cc:

 Harmoni Towers LLC
 c/o Symphony Wireless
 Attn: Legal
 44 South Broadway, Suite 601
 White Plains, NY 10601

For Emergencies: NOC@harmonitowers.com

If to Landlord: Paula Glover Mann
 570 Clifty Creek Road
 Jamestown, Kentucky 42629
 Telephone: [REDACTED]

Either party hereto may change the place for the giving of notice to it by thirty (30) days' prior written notice to the other party as provided herein.

18. **CONDEMNATION.** In the event Landlord receives notification of any condemnation proceedings affecting the Property, Landlord will provide notice of the proceeding to Tenant within twenty-four (24) hours. If a condemning authority takes all of the Property, or a portion sufficient, in Tenant's sole determination, to render the Premises unsuitable for Tenant, this Agreement will terminate as of the date the title vests in the condemning authority. The parties will each be entitled to pursue their own separate awards in the

condemnation proceeds, which for Tenant will include, where applicable, the value of its Communication Facility, moving expenses, prepaid Rent, and business dislocation expenses. Tenant will be entitled to reimbursement for any prepaid Rent on a *pro rata* basis.

19. **CASUALTY.** Landlord will provide notice to Tenant of any casualty or other harm affecting the Property within twenty-four (24) hours of the casualty or other harm. If any part of the Communication Facility or Property is damaged by casualty or other harm as to render the Premises unsuitable, in Tenant's sole determination, then Tenant may terminate this Agreement by providing written notice to Landlord, which termination will be effective as of the date of such casualty or other harm. Upon such termination, Tenant will be entitled to collect all insurance proceeds payable to Tenant on account thereof and to be reimbursed for any prepaid Rent on a *pro rata* basis. Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property, but only until such time as Tenant is able to activate a replacement transmission facility at another location; notwithstanding the termination of this Agreement, such temporary facilities will be governed by all of the terms and conditions of this Agreement, including Rent. If Landlord or Tenant undertakes to rebuild or restore the Premises and/or the Communication Facility, as applicable, Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property at no additional Rent until the reconstruction of the Premises and/or the Communication Facility is completed. If Landlord determines not to rebuild or restore the Property, Landlord will notify Tenant of such determination within thirty (30) days after the casualty or other harm. If Landlord does not so notify Tenant and Tenant decides not to terminate under this Section, then Landlord will promptly rebuild or restore any portion of the Property interfering with or required for Tenant's Permitted Use of the Premises to substantially the same condition as existed before the casualty or other harm. Landlord agrees that the Rent shall be abated until the Property and/or the Premises are rebuilt or restored, unless Tenant places temporary transmission and reception facilities on the Property.

20. **WAIVER OF LANDLORD'S LIENS.** Landlord waives any and all lien rights it may have, statutory or otherwise, concerning the Communication Facility or any portion thereof. The Communication Facility shall be deemed personal property for purposes of this Agreement, regardless of whether any portion is deemed real or personal property under applicable law; Landlord consents to Tenant's right to remove all or any portion of the Communication Facility from time to time in Tenant's sole discretion and without Landlord's consent.

21. **TAXES.**

(a) Landlord shall be responsible for (i) all taxes and assessments levied upon the lands, improvements and other property of Landlord including any such taxes that may be calculated by a taxing authority using any method, including the income method (ii) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with this Agreement and (iii) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with a sale of the Property or assignment of Rent payments by Landlord. Tenant shall be responsible for (y) any taxes and assessments attributable to and levied upon Tenant's leasehold improvements on the Premises if and as set forth in this Section 21 and (z) all sales, use, license, value added, documentary, stamp, gross receipts, registration, real estate transfer, conveyance, excise, recording, and other similar taxes and fees imposed in connection with an assignment of this Agreement or sublease by Tenant. Nothing herein shall require Tenant to pay any inheritance, franchise, income, payroll, excise, privilege, rent, capital stock, stamp, documentary, estate or profit tax, or any tax of similar nature, that is or may be imposed upon Landlord.

(b) In the event Landlord receives a notice of assessment with respect to which taxes or assessments are imposed on Tenant's leasehold improvements on the Premises, Landlord shall provide Tenant with copies of each such notice immediately upon receipt, but in no event later than thirty (30) days after the date of such notice of assessment. If Landlord does not provide such notice or notices to Tenant in a timely manner and Tenant's rights with respect to such taxes are prejudiced by the delay, Landlord shall reimburse Tenant for any increased costs directly resulting from the delay and Landlord shall be responsible for payment of the tax or

assessment set forth in the notice, and Landlord shall not have the right to reimbursement of such amount from Tenant. If Landlord provides a notice of assessment to Tenant within such time period and requests reimbursement from Tenant as set forth below, then Tenant shall reimburse Landlord for the tax or assessments identified on the notice of assessment on Tenant's leasehold improvements, which has been paid by Landlord. If Landlord seeks reimbursement from Tenant, Landlord shall, no later than thirty (30) days after Landlord's payment of the taxes or assessments for the assessed tax year, provide Tenant with written notice including evidence that Landlord has timely paid same, and Landlord shall provide to Tenant any other documentation reasonably requested by Tenant to allow Tenant to evaluate the payment and to reimburse Landlord.

(c) For any tax amount for which Tenant is responsible under this Agreement, Tenant shall have the right to contest, in good faith, the validity or the amount thereof using such administrative, appellate or other proceedings as may be appropriate in the jurisdiction, and may defer payment of such obligations, pay same under protest, or take such other steps as permitted by law. This right shall include the ability to institute any legal, regulatory or informal action in the name of Landlord, Tenant, or both, with respect to the valuation of the Premises. Landlord shall cooperate with respect to the commencement and prosecution of any such proceedings and will execute any documents required therefor. The expense of any such proceedings shall be borne by Tenant and any refunds or rebates secured as a result of Tenant's action shall belong to Tenant, to the extent the amounts were originally paid by Tenant. In the event Tenant notifies Landlord by the due date for assessment of Tenant's intent to contest the assessment, Landlord shall not pay the assessment pending conclusion of the contest, unless required by applicable law.

(d) Landlord shall not split or cause the tax parcel on which the Premises are located to be split, bifurcated, separated or divided without the prior written consent of Tenant.

(e) Tenant shall have the right but not the obligation to pay any taxes due by Landlord hereunder if Landlord fails to timely do so, in addition to any other rights or remedies of Tenant. In the event that Tenant exercises its rights under this Section 21(e) due to such Landlord default, Tenant shall have the right to deduct such tax amounts paid from any monies due to Landlord from Tenant as provided in Section 15(b), provided that Tenant may exercise such right without having provided to Landlord notice and the opportunity to cure per Section 15(b).

(f) Any tax-related notices shall be sent to Tenant in the manner set forth in Section 17. Promptly after the Effective Date of this Agreement, Landlord shall provide the Notice address set forth in Section 17 to the taxing authority for the authority's use in the event the authority needs to communicate with Tenant. In the event that Tenant's tax address changes by notice to Landlord, Landlord shall be required to provide Tenant's new tax address to the taxing authority or authorities.

(g) Notwithstanding anything to the contrary contained in this Section 21, Tenant shall have no obligation to reimburse any tax or assessment for which the Landlord is reimbursed or rebated by a third party.

22. SALE OF PROPERTY.

(a) Landlord may sell the Property or a portion thereof to a third party, provided: (i) the sale is made subject to the terms of this Agreement; and (ii) if the sale does not include the assignment of Landlord's full interest in this Agreement, the purchaser must agree to perform, without requiring compensation from Tenant or any subtenant, any obligation of Landlord under this Agreement, including Landlord's obligation to cooperate with Tenant as provided hereunder.

(b) If Landlord, at any time during the Term of this Agreement, decides to rezone or sell, subdivide or otherwise transfer all or any part of the Premises, or all or any part of the Property or Surrounding Property, to a purchaser other than Tenant, Landlord shall promptly notify Tenant in writing, and such rezoning, sale, subdivision or transfer shall be subject to this Agreement and Tenant's rights hereunder. In the event of a change in ownership, transfer or sale of the Property, within ten (10) days of such transfer, Landlord or its successor shall send the documents listed below in this Section 22(b) to Tenant. Until Tenant receives all such documents, Tenant's failure to make payments under this Agreement shall not be an event of default and Tenant reserves the right to hold payments due under this Agreement.

- i. Old deed to Property
- ii. New deed to Property

- iii. Bill of Sale or Transfer
- iv. Copy of current Tax Bill
- v. New IRS Form W-9
- vi. Completed and Signed Tenant Payment Direction Form
- vii. Full contact information for new Landlord including phone number(s)

(c) Landlord agrees not to sell, lease or use any areas of the Property or Surrounding Property for the installation, operation or maintenance of other wireless communication facilities if such installation, operation or maintenance would interfere with Tenant's Permitted Use or communications equipment as determined by radio propagation tests performed by Tenant in its sole discretion. Landlord or Landlord's prospective purchaser shall reimburse Tenant for any costs and expenses of such testing. If the radio frequency propagation tests demonstrate levels of interference unacceptable to Tenant, Landlord shall be prohibited from selling, leasing or using any areas of the Property or the Surrounding Property for purposes of any installation, operation or maintenance of any other wireless communication facility or equipment.

(d) The provisions of this Section shall in no way limit or impair the obligations of Landlord under this Agreement, including interference and access obligations.

23. RIGHT OF FIRST REFUSAL. Notwithstanding the provisions contained in Section 22, if at any time after the Effective Date, Landlord receives a bona fide written offer from a third party seeking any sale, conveyance, assignment or transfer, whether in whole or in part, of any property interest in or related to the Premises, including without limitation any offer seeking an assignment or transfer of the Rent payments associated with this Agreement or an offer to purchase an easement with respect to the Premises ("**Offer**"), Landlord shall immediately furnish Tenant with a copy of the Offer. Tenant shall have the right within ninety (90) days after it receives such copy to match the Offer and agree in writing (the "**Exercise Notice**") to match the financial terms of the Offer. For the avoidance of doubt, to exercise its rights under this Section 23, Tenant shall not be required to match any compensation due to parties unrelated Landlord, including but not limited to broker compensation. The Exercise Notice shall be in the form of a contract substantially similar to the Offer (matching the financial terms as set forth herein); provided, however, that Landlord and Tenant acknowledge and agree that the Exercise Notice is intended to be a letter of intent or similar, and the parties shall thereafter negotiate in good faith the documents reasonably required to consummate Tenant's exercise of its rights under this Section 23. Tenant may assign its rights under this Section 23. If Tenant chooses not to exercise this right or fails to provide written notice to Landlord within the ninety (90) day period, Landlord may sell, convey, assign or transfer such property interest in or related to the Premises pursuant to the Offer, subject to the terms of this Agreement. If Landlord attempts to sell, convey, assign or transfer such property interest in or related to the Premises without complying with this Section 23, the sale, conveyance, assignment or transfer shall be void. Tenant shall not be responsible for any failure to make payments under this Agreement and reserves the right to hold payments due under this Agreement until Landlord complies with this Section 23. Tenant's failure to exercise the right of first refusal shall not be deemed a waiver of the rights contained in this Section 23 with respect to any future proposed conveyances as described herein.

24. MISCELLANEOUS.

(a) **Amendment/Waiver.** This Agreement cannot be amended, modified or revised unless done in writing and signed by Landlord and Tenant. No provision may be waived except in a writing signed by both parties. The failure by a party to enforce any provision of this Agreement or to require performance by the other party will not be construed to be a waiver, or in any way affect the right of either party to enforce such provision thereafter.

(b) **Memorandum.** Contemporaneously with the execution of this Agreement, the parties will execute a recordable Memorandum of Lease substantially in the form attached as **Exhibit 24b**. Either party may record this Memorandum of Lease at any time during the Term, in its absolute discretion. Thereafter during the Term, either party will, at any time upon fifteen (15) business days' prior written notice from the other, execute, acknowledge and deliver to the other a recordable Memorandum of Lease.

(c) **Limitation of Liability.** Except for the indemnity obligations set forth in this Agreement, and otherwise notwithstanding anything to the contrary in this Agreement, Tenant and Landlord each waives any claims that each may have against the other with respect to consequential, incidental or special damages, however caused, based on any theory of liability.

(d) **Compliance with Law.** Tenant agrees to comply with all federal, state and local laws, orders, rules and regulations ("Laws") applicable to Tenant's use of the Communication Facility on the Property. Landlord agrees to comply with all Laws relating to Landlord's ownership and use of the Property and any improvements on the Property.

(e) **Bind and Benefit.** The terms and conditions contained in this Agreement will run with the Property and bind and inure to the benefit of the parties, their respective heirs, executors, administrators, successors and assigns.

(f) **Entire Agreement.** This Agreement and the exhibits attached hereto, all being a part hereof, constitute the entire agreement of the parties hereto and will supersede all prior offers, negotiations and agreements with respect to the subject matter of this Agreement. Exhibits are numbered to correspond to the Section wherein they are first referenced. Except as otherwise stated in this Agreement, each party shall bear its own fees and expenses (including the fees and expenses of its agents, brokers, representatives, attorneys, and accountants) incurred in connection with the negotiation, drafting, execution and performance of this Agreement and the transactions it contemplates.

(g) **Governing Law.** This Agreement will be governed by the laws of the state in which the Premises are located, without regard to conflicts of law.

(h) **Interpretation.** Unless otherwise specified, the following rules of construction and interpretation apply: (i) captions are for convenience and reference only and in no way define or limit the construction of the terms and conditions hereof; (ii) use of the term "including" will be interpreted to mean "including but not limited to"; (iii) whenever a party's consent is required under this Agreement, except as otherwise stated in the Agreement or as same may be duplicative, such consent will not be unreasonably withheld, conditioned or delayed; (iv) exhibits are an integral part of this Agreement and are incorporated by reference into this Agreement; (v) use of the terms "termination" or "expiration" are interchangeable; (vi) reference to a default will take into consideration any applicable notice, grace and cure periods; (vii) to the extent there is any issue with respect to any alleged, perceived or actual ambiguity in this Agreement, the ambiguity shall not be resolved on the basis of who drafted the Agreement; (viii) the singular use of words includes the plural where appropriate and (ix) if any provision of this Agreement is held invalid, illegal or unenforceable, the remaining provisions of this Agreement shall remain in full force if the overall purpose of the Agreement is not rendered impossible and the original purpose, intent or consideration is not materially impaired.

(i) **Affiliates.** All references to "Tenant" shall be deemed to include any Affiliate of Harmoni Towers LLC using the Premises for any Permitted Use or otherwise exercising the rights of Tenant pursuant to this Agreement. "Affiliate" means with respect to a party to this Agreement, any person or entity that (directly or indirectly) controls, is controlled by, or under common control with, that party. "Control" of a person or entity means the power (directly or indirectly) to direct the management or policies of that person or entity, whether through the ownership of voting securities, by contract, by agency or otherwise.

(j) **Survival.** Any provisions of this Agreement relating to indemnification shall survive the termination or expiration hereof. In addition, any terms and conditions contained in this Agreement that by their sense and context are intended to survive the termination or expiration of this Agreement shall so survive.

(k) **W-9.** As a condition precedent to payment, Landlord agrees to provide Tenant with a completed IRS Form W-9, or its equivalent, upon execution of this Agreement and at such other times as may be reasonably requested by Tenant, including any change in Landlord's name or address.

(l) **Execution/No Option.** The submission of this Agreement to any party for examination or consideration does not constitute an offer, reservation of or option for the Premises based on the terms set forth herein. This Agreement will become effective as a binding Agreement only upon the handwritten legal execution, acknowledgment and delivery hereof by Landlord and Tenant. This Agreement may be executed in two (2) or more counterparts, all of which shall be considered one and the same agreement and shall become

effective when one or more counterparts have been signed by each of the parties. All parties need not sign the same counterpart.

(m) **Attorneys' Fees.** In the event that any dispute between the parties related to this Agreement should result in litigation, the prevailing party in such litigation shall be entitled to recover from the other party all reasonable fees and expenses of enforcing any right of the prevailing party, including reasonable attorneys' fees and expenses. Prevailing party means the party determined by the court to have most nearly prevailed even if such party did not prevail in all matters. This provision will not be construed to entitle any party other than Landlord, Tenant and their respective Affiliates to recover their fees and expenses.

(n) **WAIVER OF JURY TRIAL.** EACH PARTY, TO THE EXTENT PERMITTED BY LAW, KNOWINGLY, VOLUNTARILY AND INTENTIONALLY WAIVES ITS RIGHT TO A TRIAL BY JURY IN ANY ACTION OR PROCEEDING UNDER ANY THEORY OF LIABILITY ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR THE TRANSACTIONS IT CONTEMPLATES.

(o) **Incidental Fees.** Unless specified in this Agreement, no unilateral fees or additional costs or expenses are to be applied by either party to the other party, including review of plans, structural analyses, consents, provision of documents or other communications between the parties.

(p) **Further Acts.** Upon request, Landlord will cause to be promptly and duly taken, executed, acknowledged and delivered all such further acts, documents, and assurances as Tenant may request from time to time in order to effectuate, carry out and perform all of the terms, provisions and conditions of this Agreement and all transactions and permitted use contemplated by this Agreement.

(q) **Force Majeure.** No party shall be liable or responsible to the other party, nor be deemed to have defaulted under or breached this Agreement, for any failure or delay in fulfilling or performing any term of this Agreement, when and to the extent such failure or delay is caused by or results from acts beyond the affected party's reasonable control, including, without limitation: (a) acts of God; (b) flood, fire, earthquake, or explosion; (c) war, invasion, hostilities (whether war is declared or not), terrorist threats or acts, riot, or other civil unrest; (d) government order or law; (e) embargoes, or blockades in effect on or after the date of this Agreement; (f) action by any governmental authority; (g) national or regional emergency; and (h) strikes, labor stoppages or slowdowns, or other industrial disturbances. The party suffering a force majeure event shall give written notice to the other party, stating the period of time the occurrence is expected to continue and shall use diligent efforts to end the failure or delay and ensure the effects of such force majeure event are minimized.

[SIGNATURES APPEAR ON NEXT PAGE]

IN WITNESS WHEREOF, the parties have caused this Agreement to be effective as of the last date written below.

"LANDLORD"

Paula Glover Mann

By: 

Print Name: Paula Glover Mann

Date: 7-21

"TENANT"

Harmoni Towers LLC

By: 

Print Name: Ginger Major

Its: VP-Real Estate

Date: 7-28-21

[ACKNOWLEDGMENTS APPEAR ON NEXT PAGE]

TENANT ACKNOWLEDGMENT

STATE OF ARKANSAS

COUNTY OF PULASKI

On the 28 day of JULY, 2021, before me personally appeared Ginger MAJORS, who acknowledged under oath that he/ (she) is the VP- REAL ESTATE of Harmoni Towers LLC, the Tenant named in the attached instrument, and as such was authorized to execute this instrument on behalf of the Tenant.

SAM HOWARD
Saline County
Commission Number 12704184
Notary Public - Arkansas
My Commission Expires April 30, 2028

Sam Howard
Notary Public: SAM Howard
My Commission Expires: 4-30-2028

LANDLORD ACKNOWLEDGMENT

STATE OF Kentucky

COUNTY OF Russell

BE IT REMEMBERED, that on this 9th day of July, 20__ before me, the subscriber, a person authorized to take oaths in the State of Kentucky, personally appeared Paula Glover Mann who, being duly sworn on his/her/their oath, deposed and made proof to my satisfaction that he/she/they is/are the person(s) named in the within instrument; and I, having first made known to him/her/them the contents thereof, he/she/they did acknowledge that he/she/they signed, sealed and delivered the same as his/her/their voluntary act and deed for the purposes therein contained.

Regina W. McFarland
Notary Public: _____
My Commission Expires: 07-08-22

REGINA W. MCFARLAND
NOTARY PUBLIC
STATE AT LARGE
KENTUCKY
MY COMMISSION EXPIRES JULY 08, 2022
ID 604082

EXHIBIT 1

DESCRIPTION OF PREMISES

Page 1 of 5

to the Option and Lease Agreement dated July 28, 2021, by and between Paula Glover Mann, a single person, as Landlord, and Harmoni Towers LLC, a Delaware limited liability company, as Tenant.

The Property is legally described as follows:

EXHIBIT "A"
Legal Description

An interest in land, said interest being over a portion of the following described parent parcel:


Description of land, by a new division survey, the property of Billy Frank Grider, Deed Book 159, Page 426 in the Russell County Clerk's Office, located approximately 4,155.00 feet Northeast of Highway #127 and on the corner of Clifty Creek road in Russell County, Commonwealth of Kentucky and more particularly described as follows:

BEGINNING at a 3/8" re-bar with cap #2677 (deed call) witness by a set 1/2" x 18" re-bar with cap #3318 and a wood post on the northwest right of way of Clifty Creek Road S 9° 32' 21" E 738.03 feet from the southwest corner of the barn located on subject tract and corner with Ronald Mann (Deed Book 197, Page 204); thence leaving the right of way and with R. Mann N 12° 23' 05" W 632.53 feet to a set 1/2" x 18" rebar with cap #3318; thence leaving R. Mann and with new division lines of the parent tract N 12° 23' 05" W 531.78 feet to a set 1/2" x 18" re-bar pin with cap #3318; thence N 58° 37' 55" E 265.10 feet to a 20" walnut with new marks /// as pointer to a set 1/2" x 18" re-bar witness pin with cap #3318; thence S 14° 14' 45" E 467.57 feet to a set 1/2" x 18" re-bar pin with cap #3318 witness by a wood post; thence S 10° 49' 40" E 742.89 feet to a set 1/2" x 18" re-bar pin with cap #3318 on the aforementioned right of way; thence with right of way S 68° 13' 48" W 249.03 feet to the point of beginning, contains 6.99 acres and plat to be recorded in the deed books of the Russell County Clerk's Office. By survey of Mike McKinney, P.L.S. #3318 dated September 8, 2004.

AND BEING the same property conveyed to Paula Glover Mann from Brandon Selby and Sherry Selby by General Warranty Deed dated February 8, 2013 and recorded February 8, 2013 in Deed Book 294, Page 636.

Tax Parcel No. 036-00-00-044.00

The Premises are described and/or depicted as follows:



30' INGRESS-EGRESS & UTILITY EASEMENT
HARMONI TOWERS
CLIFTY CREEK ROAD
KYBGN2030

Together with a 30-foot wide Ingress-Egress & Utility Easement (lying 15 feet each side of a centerline) lying and being in Russell County, Commonwealth of Kentucky, and being a portion of the lands of Paula Glover Mann, as recorded in Deed Book 294 page 636, Russell County records, and being more particularly described by the following centerline data:

To find the point of beginning, COMMENCE at a capped rebar found on the northerly right-of-way line to Clifty Creek Road marking the common corner of the lands of Sherry Grider Matney as recorded in Deed Book 274 Page 100, Russell County records, and said lands of Paula Glover Mann and having a Kentucky Grid North, NAD83, Single Zone value of N: 3496048.6268, E: 5113387.0368; thence running along said right-of-way line, South 63°52'14" West, 188.71 feet to a point and the true POINT OF BEGINNING, said point being North 63°52'20" East, 60.36 feet from a ½-inch rebar found on the Northerly right-of-way line of Clifty Creek Road, said rebar having a Kentucky Grid North, NAD83, Single Zone value of N: 3495938.9369, E: 5113163.4184; Thence leaving said right-of-way line running North 16°44'39" West, 553.44 feet to a point; Thence, North 73°15'21" East, 60.00 feet to a point; Thence, North 16°44'39" West, 15.00 feet to the ENDING at a point on the Lease Area.

Bearings are based on Kentucky Grid North, NAD83, Single Zone.

As shown in a survey prepared for Harmoni Towers by POINT TO POINT LAND SURVEYORS, INC. dated April 29, 2021.

LEASE AREA
HARMONI TOWERS
CLIFTY CREEK ROAD
KYBGN2030

All that tract or parcel of land lying and being in Russell County, Commonwealth of Kentucky, and being part of the lands of Paula Glover Mann, as recorded in Deed Book 294 Page 636, Russell County Records, and being more particularly described as follows:

To find the point of beginning, COMMENCE at a capped rebar found on the northerly right-of-way line to Clifty Creek Road marking the common corner of the lands of Sherry Grider Matney as recorded in Deed Book 274 Page 100, Russell County records, and said lands of Paula Glover Mann and having a Kentucky Grid North, NAD83, Single Zone value of N: 3496048.6268, E: 5113387.0368; thence running along said right-of-way line, South 63°52'14" West, 188.71 feet to a point and the true POINT OF BEGINNING, said point being North 63°52'20" East, 60.36 feet from a ½-inch rebar found on the Northerly right-of-way line of Clifty Creek Road, said rebar having a Kentucky Grid North, NAD83, Single Zone value of N: 3495938.9369, E: 5113163.4184; Thence leaving said right-of-way line running North 16°44'39" West, 553.44 feet to a point; Thence, North 73°15'21" East, 60.00 feet to a point; Thence, North 16°44'39" West, 15.00 feet to a point on the Lease Area; thence, South 73°15'21" West, 85.00 feet to a point and the true POINT OF BEGINNING; Thence North 16°44'39" West, 100.00 feet to a point; Thence, North 73°15'21" East, 100.00 feet to a point; Thence, South 16°44'39" East, 100.00 feet to a point; Thence South. 73°15'21" West, 100.00 to a point and the POINT OF BEGINNING.

Bearings are based on Kentucky Grid North, NAD83, Single Zone.

Said tract contains 0.2296 acres (10,000 square feet), more or less, as shown in a survey prepared for Harmoni Towers by POINT TO POINT LAND SURVEYORS, INC. dated April 29, 2021.

10' UTILITY EASEMENT
HARMONI TOWERS
CLIFTY CREEK ROAD
KYBGN2030

Together with a 10-foot wide Ingress-Egress & Utility Easement (lying 5 feet each side of a centerline) lying and being in Russell County, Commonwealth of Kentucky, and being a portion of the lands of Paula Glover Mann, as recorded in Deed Book 294 page 636, Russell County records, and being more particularly described by the following centerline data:

To find the point of beginning, COMMENCE at a capped rebar found on the northerly right-of-way line to Clifty Creek Road marking the common corner of the lands of Sherry Grider Matney as recorded in Deed Book 274 Page 100, Russell County records, and said lands of Paula Glover Mann and having a Kentucky Grid North, NAD83, Single Zone value of N: 3496048.6268, E: 5113387.0368; thence running along said right-of-way line, South 63°52'14" West, 188.71 feet to a point and the true POINT OF BEGINNING, said point being North 63°52'20" East, 60.36 feet from a ½-inch rebar found on the Northerly right-of-way line of Clifty Creek Road, said rebar having a Kentucky Grid North, NAD83, Single Zone value of N: 3495938.9369, E: 5113163.4184; Thence leaving said right-of-way line running North 16°44'39" West, 553.44 feet to a point; Thence, North 73°15'21" East, 60.00 feet to a point; Thence, North 16°44'39" West, 15.00 feet to a point on the Lease Area; thence, South 73°15'21" West, 85.00 feet to a point; thence, North 16°44'39" West, 50.00 feet to a point and the POINT OF BEGINNING; Thence, South 73°15'21" West, 29.79 feet to a point; Thence, South 16°45'55" East, 333.34 feet to the ENDING at a point.

Bearings are based on Kentucky Grid North, NAD83, Single Zone.

As shown in a survey prepared for Harmoni Towers by POINT TO POINT LAND SURVEYORS, INC. dated April 29, 2021.

Notes:

1. THIS EXHIBIT MAY BE REPLACED BY A LAND SURVEY AND/OR CONSTRUCTION DRAWINGS OF THE PREMISES ONCE RECEIVED BY TENANT.
2. ANY SETBACK OF THE PREMISES FROM THE PROPERTY'S BOUNDARIES SHALL BE THE DISTANCE REQUIRED BY THE APPLICABLE GOVERNMENT AUTHORITIES.
3. WIDTH OF ACCESS ROAD SHALL BE THE WIDTH REQUIRED BY THE APPLICABLE GOVERNMENT AUTHORITIES, INCLUDING POLICE AND FIRE DEPARTMENTS.
4. THE TYPE, NUMBER AND MOUNTING POSITIONS AND LOCATIONS OF ANTENNAS AND TRANSMISSION LINES ARE ILLUSTRATIVE ONLY. ACTUAL TYPES, NUMBERS AND MOUNTING POSITIONS MAY VARY FROM WHAT IS SHOWN ABOVE.

EXHIBIT J
NOTIFICATION LISTING

Clifty Creek Road – Notice List

MANN PAULA GLOVER
570 CLIFTY CREEK RD.
JAMESTOWN, KY 42629

MANN PAULA
570 CLIFTY CREEK RD.
JAMESTOWN, KY 42629

SELBY SHERRY GRIDER & BRANDON
336 COLSON DR
RUSSELL SPRINGS, KY 42642

ROUSE DIANA & OTHERS
12260 DONCASTER CT.
FISHERS, IN 46038

LAWLESS ROY ROGERS & MARY ALICE &
LAWLESS JOSHUA RYAN
435 YORK RD
JAMESTOWN KY 42629

LAWLESS ROY, MARY ALICE & JOSHUA RYAN &
MCGAHA LINDA & JIMMY
435 YORK RD
JAMESTOWN KY 42629

MCCLURE NATHAN L. & DIANA K.
535 CLIFTY CREEK RD.
JAMESTOWN, KY 42629

WILLIAMS MARK A.
565 CLIFTY CREEK RD
JAMESTOWN, KY 42629

WILLIAMS JOE L., HEIRS
815 CLIFTY CREEK RD.
JAMESTOWN, KY 42629

EXHIBIT K
COPY OF PROPERTY OWNER NOTIFICATION



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

**Notice of Proposed Construction of
Wireless Communications Facility
Site Name: Clifty Creek Road**

Dear Landowner:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at 570 Clifty Creek Road, Jamestown, KY 42629 (36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude). The proposed WCF will consist of a 2-foot tall foundation below a 270-foot tall tower, with an approximately 10-foot tall lightning arrestor attached at the top, for a total height of 282-feet, plus related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.

This notice is being sent to you because the County Property Valuation Administrator's records indicate that you may own property that is within a 500' radius of the proposed tower site or contiguous to the property on which the tower is to be constructed. You have a right to submit testimony to the Kentucky Public Service Commission ("PSC"), either in writing or to request intervention in the PSC's proceedings on the application. You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00027 in any correspondence sent in connection with this matter.


We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us toll free at (800) 516-4293 if you have any comments or questions about this proposal.

Sincerely,
David A. Pike
Attorney for Applicants


enclosures

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head southeast on US-127 Business S / N Main Street toward Pike Alley and travel approximately 0.2 miles.
2. At the traffic circle, take the first exit onto US-127 Business S / E Cumberland Ave and travel approximately 2.1 miles.
3. Turn left onto US-127 S and travel approximately 3.5 miles.
4. Turn left onto Clifty Creek Road and travel approximately 0.6 miles.
5. The site is located on the left at 570 Clifty Creek Road, Jamestown, KY 42629. The site coordinates are: 36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293



#	OWNER	ADDRESS	PSD	REF
1	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.00	DB 294 PG 636
2	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.02	DB 293 PG 369
3	SELBY SHERRY GRIDER & BRANDON	336 COLSON DR RUSSELL SPRINGS, KY 42642	036-00-00-044.01	DB 274 PG 100
4	ROUSE DIANA & OTHERS	12260 DONCASTER CT. FISHERS, IN 46038	036-00-00-048.01	-
5	LAWLESS ROY, MARY ALICE & LAWLESS JOSHUA RYAN	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.01	-
6	LAWLESS ROY, MARY ALICE & RYAN JOSHUA & MCGAHA LINDA & JIMMY	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.00	-
7	NATHAN & DIANA MCCLURE	535 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-002.00	DB 102, PG 616
8	MARK WILLIAMS	565 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.03	DB 169, PG 296
9	JOE WILLIAMS, HEIRS	815 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.00	DB 170, PG 101

NOTE:

1. PVA INFORMATION WAS OBTAINED ON 8/3/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 CLIFTY CREEK ROAD
 PAR 15411004
 PACE # MRTNKN02355
 P1/P
 (PROPERTY)
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO.: 2018042.01.11
 CHECKED BY: MAS

ISSUED FOR			
REV	DATE	DRWN	DESCRIPTION
0	11/22/21	MAS	FINAL
1	01/08/22	MAS	FINAL
2	01/14/22	DLS	FINAL

B+T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

OVERALL
 ADJOINER'S
 DRAWING

SHEET NUMBER
C-1.1

1 OVERALL ADJOINER'S DRAWING
 SCALE 1"=200'
 0 100 200 300 400



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!

EXHIBIT L
COPY OF COUNTY JUDGE/EXECUTIVE NOTICE



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA CERTIFIED MAIL

Gary D. Robertson
County Judge Executive
P. O. Box 397
410 Monument Square, Suite 205
Jamestown, KY 42629

RE: Notice of Proposal to Construct Wireless Communications Facility
Kentucky Public Service Commission Docket No. 2022-00027
Site Name: Clifty Creek Road

Dear Judge/Executive:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at 570 Clifty Creek Road, Jamestown, KY 42629 (36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude). The proposed WCF will consist of a 2-foot tall foundation below a 270-foot tall tower, with an approximately 10-foot tall lightning arrester attached at the top, for a total height of 282-feet, plus related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.


You have a right to submit comments to the PSC or to request intervention in the PSC's proceedings on the application. You may contact the PSC at: Executive Director, Public Service Commission, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00027 in any correspondence sent in connection with this matter.

We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us with any comments or questions you may have.


Sincerely,
David A. Pike
Attorney for Applicants
enclosures

Driving Directions to Proposed Tower Site:

1. Beginning at the intersection of N. Main Street and Virginia Avenue in Jamestown, KY head southeast on US-127 Business S / N Main Street toward Pike Alley and travel approximately 0.2 miles.
2. At the traffic circle, take the first exit onto US-127 Business S / E Cumberland Ave and travel approximately 2.1 miles.
3. Turn left onto US-127 S and travel approximately 3.5 miles.
4. Turn left onto Clifty Creek Road and travel approximately 0.6 miles.
5. The site is located on the left at 570 Clifty Creek Road, Jamestown, KY 42629. The site coordinates are: 36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude.



Prepared by:
Chris Shouse
Pike Legal Group
1578 Highway 44 East, Suite 6
P.O. Box 396
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293



1 OVERALL ADJOINER'S DRAWING
 SCALE 0 100 200 300 400 1"=200'



#	OWNER	ADDRESS	PID	REF
1	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.00	DB 294 PG 636
2	PAULA GLOVER MANN	570 CLIFTY CREEK RD JAMESTOWN, KY 42629	036-00-00-044.02	DB 293 PG 369
3	SELBY SHERRY GRIDER & BRANDON	336 COLSON DR RUSSELL SPRINGS, KY 42642	036-00-00-044.01	DB 274 PG 100
4	ROUSE DIANA & OTHERS	12260 DONCASTER CT. FISHERS, IN 46038	036-00-00-048.01	-
5	LAWLESS ROY, MARY ALICE & LAWLESS JOSHUA RYAN	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.01	-
6	LAWLESS ROY, MARY ALICE & RYAN JOSHUA & MCGAHA LINDA & JIMMY	435 YORK RD JAMESTOWN, KY 42629	025-00-00-059.00	-
7	NATHAN & DIANA MCCLURE	535 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-002.00	DB 102, PG 516
8	MARK WILLIAMS	565 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.03	DB 169, PG 296
9	JOE WILLIAMS, HEIRS	815 CLIFTY CREEK ROAD JAMESTOWN, KY 42629	037-00-00-003.00	DB 170, PG 101

- NOTE:
1. PVA INFORMATION WAS OBTAINED ON 8/3/2021 FROM THE OFFICIAL RECORDS OF THE COUNTY'S PROPERTY VALUATION ADMINISTRATOR.
 2. THIS MAP IS FOR GENERAL INFORMATION PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY.
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.



HARMONI TOWERS
 CLIFTY CREEK ROAD
 PAR 15411004
 PACLR# MRTN#062355
 (PROPERTY)
 PT#
 570 CLIFTY CREEK ROAD
 JAMESTOWN, KY 42629
 RUSSELL COUNTY
 PROPOSED 270' SELF-SUPPORT TOWER

PROJECT NO. G0004203.15
 CHECKED BY: MAX

ISSUED FOR

REV	DATE	DRWN	DESCRIPTION
0	11/22/21	NAS	FINAL
1	01/05/22	NAS	FINAL
2	01/14/22	CLS	FINAL

B+T ENGINEERING, INC.
 4011
 Expires 12/31/22



IT IS A VIOLATION OF LAW FOR ANY PERSON UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

OVERALL
 ADJOINER'S
 DRAWING

SHEET NUMBER
C-1.1



CALL KENTUCKY ONE CALL
 (800) 752-6007
 CALL 3 WORKING DAYS
 BEFORE YOU DIG!



**EXHIBIT M
COPY OF POSTED NOTICES
AND NEWSPAPER NOTICE ADVERTISEMENT**

SITE NAME: CLIFTY CREEK ROAD
NOTICE SIGNS

The signs are at least (2) feet by four (4) feet in size, of durable material, with the text printed in black letters at least one (1) inch in height against a white background, except for the word “**tower**,” which is at least four (4) inches in height.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company propose to construct a telecommunications **tower** on this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00027 in your correspondence.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company propose to construct a telecommunications **tower** near this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00027 in your correspondence.



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA TELEPHONE: (270) 866-3191
VIA EMAIL: print@jpinews.com

Russell County Times Journal
P. O. Box 190
Russell Springs, KY 42642

RE: Legal Notice Advertisement
Site Name: Clifty Creek Road

Dear Russell County Times Journal:

Please publish the following legal notice advertisement in the next edition of *Russell County Times Journal*:

NOTICE

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility and Harmoni Towers LLC, a Delaware limited liability company have filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located on 570 Clifty Creek Road, Jamestown, KY 42629 (36° 55' 26.19" North latitude, 85° 05' 37.87" West longitude). You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2022-00027 in any correspondence sent in connection with this matter.

After this advertisement has been published, please forward a tearsheet copy, affidavit of publication, and invoice to Pike Legal Group, PLLC, P. O. Box 369, Shepherdsville, KY 40165. Please call me at (800) 516-4293 if you have any questions. Thank you for your assistance.

Sincerely,
Chris Shouse
Pike Legal Group, PLLC

EXHIBIT N
COPY OF RADIO FREQUENCY DESIGN SEARCH AREA



Bell Rd

Hunter's Hideaway

Freedom Rd

127

55

Kean Cemetery Rd

Williams

Crabtree Ln

Holt Rd

Gilly Cr Rd

Bernard Rd

Gate Rd

Glover Rd

Blackfish Rd

Jumpoff Rd

2000 ft

N