

**BRUCE E. SMITH LAW OFFICES, PLLC**

201 SOUTH MAIN STREET

NICHOLASVILLE, KENTUCKY 40356

(859) 885-3393 + (859) 885-1152 FAX

**BRUCE E. SMITH**  
bruce@smithlawoffice.net

**HENRY E. SMITH**  
henry@smithlawoffice.net

July 25, 2022

Ms. Linda C. Bridwell, P.E.  
Executive Director  
Kentucky Public Service Commission  
211 Sower Boulevard  
P.O. Box 615  
Frankfort, Kentucky 40601  
**Submitted Electronically:** <https://psc.ky.gov>

Re: Jessamine-South Elkhorn Water District (“District”)  
P.O. Box 731, Nicholasville, KY 40340-0731  
ALTERNATIVE RATE ADJUSTMENT FILING OF ) CASE NO.  
JESSAMINE-SOUTH ELKHORN WATER DISTRICT ) 2022-00050  
Purchased Water Adjustment to be filed concurrently

Dear Executive Director Bridwell and Staff,

I am writing, as I did previously in South Elkhorn’s sewer case, to give notice and seek guidance. I have filed this letter in Case No. 2022-00050, wherein Jessamine-South Elkhorn proposes an Alternative Rate Adjustment. During this case’s pendency, South Elkhorn’s supplier, the City of Nicholasville, seeks to raise its water rate. I am writing to give notice that South Elkhorn will be filing a Purchased Water Adjustment, passing through this rate increase. And I wish to solicit any input the PSC may have about doing so during case 2022-00050.

Because of the timing of Nicholasville’s rate increase – an August 1<sup>st</sup> effective date – South Elkhorn will prepare to file around the same date; the District will have to post notice on that date; and I am even now beginning preparatory work.

Any timely input about the advisability of moving forward with the Purchased Water Adjustment would be greatly appreciated.

South Elkhorn would likewise welcome any guidance as to how filing a Purchased Water Adjustment might change the procedure or substance of this Alternative Rate Adjustment case.

Sincerely,

/s/ Henry E. Smith