

JOHN N. HUGHES
Attorney at Law
124 West Todd Street
Frankfort, Kentucky 40601

Telephone: (502) 227-7270

jnhughes@johnnhughespsc.com

February 3, 2023

Linda C. Bridwell
Executive Director
Public Service Commission
211 Sower Blvd.
Frankfort, KY 40601

Re: Atmos Energy Corporation
Case No. 2022-00343

Dear Ms. Bridwell:


Atmos Energy Corporation submits its responses to staff DR-1. I certify that the electronic documents are true and correct copies of the original documents and that no party has been excused from electronic service.

If you have any questions about this filing, please contact me.

Submitted By:

Mark R. Hutchinson
Wilson, Hutchinson and Littlepage
611 Frederica St.
Owensboro, KY 42301
270 926 5011
randy@whplawfirm.com

And



John N. Hughes
124 West Todd St.
Frankfort, KY 40601
502 227 7270
jnhughes@johnnhughespsc.com

Attorneys for Atmos Energy Corporation

COMMONWEALTH OF KENTUCKY


BEFORE THE PUBLIC SERVICE COMMISSION

APPLICATION OF ATMOS ENERGY)
CORPORATION FOR A DEMAND-SIDE)
MANAGEMENT PROGRAM)

Case No. 2022-00343

CERTIFICATE AND AFFIDAVIT

The Affiant, Brannon C. Taylor, being duly sworn, deposes and states that the attached responses to Commission Staff's first request for information are true and correct to the best of his knowledge and belief.



Brannon C. Taylor

STATE OF TENNESSEE
COUNTY OF WILLIAMSON

SUBSCRIBED AND SWORN to before me by Brannon C. Taylor on this the 1st day of February, 2023.



Notary Public

My Commission Expires: MARCH 6, 2024



Case No. 2022-00343
Atmos Energy Corporation, Kentucky Division
Staff DR Set No. 1
Question No. 1-01
Page 1 of 1

REQUEST:

Refer to the Application, paragraph 7. Atmos is proposing to return the commercial class amount that will be refunded or collected through the Gas Cost Adjustment (GCA).

- a. Confirm that Atmos is requesting to keep the current rates effective until May 1, 2023.
- b. Provide the updated demand-side management balancing adjustment for the residential and commercial class that includes the amount Atmos is proposing to recover through the GCA.

RESPONSE:

- a. Atmos Energy is requesting to keep the current commercial DSM balancing adjustment rate of \$0.00 in effect until May 1, 2023 or until such time that the remaining commercial DSM balancing adjustment balance as shown in response 1B below is incorporated into the calculation of the Atmos Energy GCA rates.
- b. Since Atmos Energy proposed in its Application to only return the commercial class balancing adjustment balance via the GCA, Atmos Energy is providing the following update for the commercial balancing adjustment only.

ATMOS ENERGY CORPORATION				
Kentucky/Mid-States Division				
DSM Balancing Adjustment				
DSMRC = DCRC + DLSA + DIA + DBA				
G-1 Commercial	(a)	(b)	(c)	(d)
	DSMRC Recoveries	DSMRC Costs	DIA + DLSA Revenue	Under/(Over) DSMRC Balance
Previous DBA Balancing Adjustment				(\$21,598.34)
Sep-22	\$1,148.83	\$ -	\$0.00	\$1,148.83
Oct-22	\$1,624.66	\$ -	\$0.00	\$1,624.66
Nov-22	\$1,895.20	\$ -	\$0.00	\$1,895.20
Dec-22	\$3,933.04	\$ -	\$0.00	\$3,933.04
Jan-23	\$3,444.76	\$ -	\$0.00	\$3,444.76
	<u>\$12,046.49</u>	<u>\$ -</u>	<u>\$ -</u>	<u>(\$9,551.85)</u>
Annual Average Commercial Paper Rate at January 2023			4.17%	\$ (265.54)
Total Commercial DSMRC Balance				(\$9,817.39)

The commercial DSM balancing adjustment includes activity through January 2023, because customers' January invoices included December 2022 DSM activity. There is no adjustment for residential that Atmos proposed to roll into the GCA.

Respondent: Brannon Taylor