

COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ELECTRONIC INVESTIGATION INTO	)	
COMPLIANCE WITH EXCAVATOR LOCATE	)	CASE NO.
REQUESTS PURSUANT TO KRS 367.4909 AND	)	2022-00363
KRS 367.4917(7)	)	

RESPONSE

East Daviess County Water Association files this response to the Kentucky Public Service Commission Case Number 2022-00363. In response to Case Number 2022-00363, our response is as follows:

- a. Since January 1, 2022, East Daviess County Water Association has received 289 locate requests. Of these 289 requests, 68 were electric, 47 were contractors, 18 were gas, 69 were transportation, 80 were customer requests and 7 were Emergency locates.
- b. Since January 1, 2022, East Daviess County Water Association has had 6 second or subsequent requests for the same locate request.
- c. Since January 1, 2022, the length of time to respond to each request is two business days. East Daviess County Water has responded by the next business day to normal requests and on the same day for any emergency requests.
- d. Since January 1, 2022, there hasn't been an agreement with an excavator outside the statutory time limits required.
- e. Since January 1, 2022, all locate requests have been performed by East Daviess County Water employees. East Daviess County Water does not contract third-party contractors.
- f. East Daviess County Water Association keeps records of locate requests on work orders as locates are requested. Since January 1, 2022, there haven't been any inaccurately located water lines.
- g. To ensure the water lines have been located accurately, employees utilize maps and probe water lines.
- h. East Daviess County Water Association utilizes various methods to locate water mains. Our employees use the ArcGIS Mapping system, hardcopy maps, tracer wire and

probing to ensure lines are properly marked. East Daviess County Water maintains an up-to-date map of our utility.

East Daviess County Water Association

 \_\_\_\_\_

Mary Edge  
Administrative Assistant

Date