Grant County Sanitary Sewer Rate Increase Response (Case No.2022-00377) Intervenor City of Crittenden's Request for an Alternative Rate Adjustment- 2nd Request

## Question # 2

Provide copies of any and all documents, correspondences, newsletters, and/or annual reports mailed or provided electronically to GCSD's customers from 1/1/2015 up to the present time, which address or otherwise discuss the need for a rate adjustment.

Witness Dianne Cook

### Answer

Attached please find 5 documents.

- 1. A customer notice from December 2019 notifying customers where we expected to file an application with the PSC for a proposed rate increase.
- 2. A customer's billing from May 2020 where we notified them of the approved rate increase.
- 3. A mailing to sewer customers in the month of January 2023 (December 2022 billing) notifying them of the filing for the proposed rate increase in December 2022. This was an insert with our regular monthly billing. Smart Bill sent this out to our customers who are set to receive a paper invoice. Office staff stuffed this notice to be mailed individually to customers who don't receive a paper invoice monthly.
- 4. The invoice from Smart Bill where we paid the \$151.80 for an insert to be added to our monthly billing in January 2023. The insert which was added is the attachment detailed above in #3. This amount paid to Smart Bill was only for customers who receive a paper invoice.
- 5. Instructions from GCSSD to Smart Bill on how many notices we wanted, etc. sent with the paper billing.

## **CUSTOMER NOTICE**

Notice is hereby given that Grant County Sanitary Sewer District expects to file an application on or about December 9, 2019 with the Public Service Commission of Kentucky ("PSC") seeking approval of revised sewer rates. The District plans to implement the proposed rates upon approval of the PSC.

RESIDENTIAL CUSTOMERS 5/8" X 3/4" Water Meter		Present Rates	Proposed Rates	Dollar Increase	Percent Increase
First 2,000 gallons	Minimum Bill	\$21.06	\$25.16	\$4.10	19.5%
Next 3,000 gallons	per 1000	\$8.25	\$9.86	\$1.61	19.5%
Next 5,000 gallons	per 1000	\$6.76	\$8.08	\$1.32	19.5%
All Over 10,000 gallons	per 1000	\$5.31	\$6.34	\$1.03	19.4%

The average residential customer uses 3,700 gallons. If the PSC appoves the proposed sewer rates the monthly bill for an average residential customer will increase from \$35.19 to \$42.05. That is an increase of \$6.86 or 19.5%

1" Water Meter First 5,000 gailons	Minimum Bill	\$45.81	\$54.74	\$8.93	19.5%
Next 5,000 gallons	William Din	\$6.76	\$8.08	\$1.32	19.5%
All Over 10,000 gailons		\$5.31	\$6.34	\$1.03	19.4%
There are currently no re	sidential customers	with a 1 inch	water meter.		
1 1/2" Water Meter					
First 10,000 gallons	Minimum Bill	\$79.61	\$95.14	\$15.53	19.5%
All Over 10,000 gallons		\$5.31	\$6.34	\$1.03	19.4%
There are currently no re	sidential customers	with a 1 1/2 i	inch water mete	er.	
2" Water Meter					
First 20,000 gallons	Minimum Bill	\$132.71	\$158.54	\$25.83	19.5%
All Over 20,000 gallons		\$5.31	\$6.34	\$1.03	19.4%
			water meter.		
		141 0 1 1	water meter		

The average commercial customer with a 5/8 X 3/4 inch water meter uses 3,300 gallons. If the PSC approves the proposed sewer rates, the monthly bill for an average commercial customer with a 5/8 X 3/4 inch water meter will increase from \$36.50 to \$43.61. That is an increase of \$7.11 or 19.5%.

\$30.00

\$5.00

\$3.00

\$2.50

Minimum Bill

per 1000

per 1000

per 1000

First 2,000 gallons

Next 3,000 gallons

Next 5,000 gallons

All Over 10,000 gallons

\$35.84

\$5.97

\$3.58

\$2.99

\$5.84

\$0.97

\$0.58

\$0,49

19.5%

19.4%

19.3%

19.6%

1" Water Meter					
First 5,000 gallons	Minimum Bill	\$45.00	\$53.75	\$8.75	19.4%
Next 5,000 gallons	per 1000	\$3.00	\$3.58	\$0.58	19.3%
All Over 10,000 gallons	per 1000	\$2.50	\$2.99	\$0.49	19.6%

The average commercial customer with a 1 inch water meter uses 9,700 gallons. If the PSC approves the proposed sewer rates, the monthly bill for an average commercial customer with a 1 inch water meter will increase from \$59.11 to \$70.61. That is an increase of \$11.50 or 19.5%.

SEE REVERSE SIDE FOR ADDITIONAL RATES AND OTHER IMPORTANT INFORMATION

## **CUSTOMER NOTICE**

## 1 1/2" Water Meter

First 10,000 gallons	Minimum Bill	\$60.00	\$71.65	\$11.65	19.4%
All Over 10,000 gallons	per 1000	\$2.50	\$2.99	\$0.49	19.6%

The average commercial customer with a 1 1/2 inch water meter uses 17,900 gallons. If the PSC approves the proposed sewer rates, the monthly bill for an average commercial customer with a 1 1/2 inch water meter will increase from \$79.72 to \$95.24. That is an increase of \$15.52 or 19.5%

## 2" Water Meter

First 20,000 gallons	Minimum Bill	\$85.00	\$101.55	\$16.55	19.5%
All Over 20,000 gallons	per 1000	\$2.50	\$2.99	\$0.49	19.6%

The average commercial customer with a 2 inch water meter uses 30,400 gallons. If the PSC approves the proposed sewer rates, the monthly bill for an average commercial customer with a 2 inch water meter will increase from \$111.07 to \$132.72. That is an increase of \$21.65 or 19.5%.

The rates contained in this notice are the rates proposed by the District. However, the PSC may order rates to be charged that differ from these proposed rates. Such action may result in rates for customers other than the rates included in this notice.

Any person may examine the rate application and any other filings made by the District at the the District's main office located at 1 Farrell Drive, Crittenden, KY, or at the PSC's office located at 211 Sower Blvd., Frankfort, KY, Monday through Friday 8 AM - 4:30 PM or through the Commission's website at http://psc.ky.gov.

Any customer may submit comments regarding the District's Application by submitting them to the Public Service Commission through the Commission's website @ http://psc.ky.gov or by mail to: Public Service Commission, P. O. Box 615, Frankfort, KY 40602.

Customers of the District are advised that any corporation, District, body public, or person with a substantial interest in the matter may submit a timely written request to intervene to the Public Service Commission, P. O. Box 615, Frantfort, KY 40602, establishing the grounds for the request and including the statutes and interest of the party. If the Commission does not receive a written request for intervention within 30 days of the initial mailing of this notice, the Commission may take final action on the application.

Grant County Sanitary Sewer District PO Box 460 Crittenden KY 41030

SERVICE ADDRESS	
ACCOUNT NUMBER	204-22100-00
TOTAL AMOUNT DUE ON OR BEFORE 06/20/2020	\$41.46
TOTAL DUE IF PAID AFTER 06/20/2020	\$43.53







TYPE OF	METER RI	METER READ DATES		METER READINGS		AMOUNT	
SERVICE	PREVIOUS	CURRENT	PREVIOUS	CURRENT	(GALLONS)	AWOUNT	
Main Meter SEWER	04/14/2020	05/14/2020	167000	171000	4000 A 4000 A	0.00 41.46	

# **MESSAGES**

### STATEMENT DATE: 06/01/2020

Due date is for CURRENT month's bill only.

Any account with a previous amount due is subject to disconnection.

## **NOTICE OF SEWER RATE ADJUSTMENT**

By Order of the Kentucky Public Service Commission entered May 6, 2020, in Case No. 2019-00424, sewer rates will increase effective ------May 6, 2020, by \$2.18 per thousand gallons. As an example, a customer using 5,000 gallons per month will see an increase of \$4.76 per month. All other rates and charges will remain the same. For more information concerning this water rate adjustment, please visit the District's website.

ACH BANK DRAFT MEMO DO NOT REMIT

SERVICE ADDRESS	
CUSTOMER NAME	
ACCOUNT NUMBER	204-22100-00
TOTAL AMOUNT DUE ON OR BEFORE 06/20/2020	\$41.46
TOTAL DUE IF PAID AFTER 06/20/2020	\$43.53

1

#### CUSTOMER NOTICE

Notice is hereby given that Grant County Sanitary Sewer District expects to file an application on or about December 9, 2022 with the Public Service Commission of Kentucky ("PSC") seeking approval of revised sewer rates. The District plans to implement the proposed rates upon approval of the PSC.

		Present	Proposed	Dollar	Percent
5/8" X 3/4" Water Meter		Rates	Rates	Increase	Increase
First 2,000 gallons	Minimum Bill	\$23.24	\$26.06	\$2.82	12.1%
Next 3,000 gallons	per 1000	\$9.11	\$10.21	\$1.10	12.1%
Next 5,000 gallons	per 1000	\$7.46	\$8.36	\$0.90	12.1%
All Over 10,000 gallon	s per 1000	\$5.86	\$6.57	\$0.71	12.1%

The average customer uses 3,710 gallons. If the PSC approves the proposed sewer rates the monthly bill for an average customer will increase from \$38.82 to \$43.52. That is an increase of \$4.70 or 12.1%.

1" Water Meter					
First 5,000 gallons	Minimum Bill	\$50.57	\$56.69	\$6.12	12.1%
Next 5,000 gallons	per 1000	\$7.46	\$8.36	\$0.90	12.1%
All over 10,000 gallor	ns per 1000	\$5.86	\$6.57	\$0.71	12.1%

The average customer uses 15,380 gallons. If the PSC approves the proposed sewer rates the monthly bill for an average customer will increase from \$119.39 to \$133.84. That is an increase of \$14.45 or 12.1%.

1 1/2" Water Meter					
First 10,000 gallons	Minimum Bill	\$87.87	\$98.51	\$10.64	12.1%
All Over 10,000 gallo	ns	\$5.86	\$6.57	\$0.71	12.1%

There are currently 4 customers with a 1 1/2 inch water meter. All but one of these customers is receiving the minimum bill for the month of \$87.87. If the PSC approves the proposed sewer rates the monthly bill for these customers will increase to \$98.51. This is an increase of \$10.64 or 12.1%.

2" Water Meter					
First 20,000 gallons	Minimum Bill	\$146.47	\$164.20	\$17.73	12.1%
All Over 20,000 gallo	ns	\$5.86	\$6.57	\$0.71	12.1%

The average customer uses 26,540 gallons. If the PSC approves the proposed sewer rates the monthly bill for an average customer will increase from \$184.81 to \$207.18. That is an increase of \$22.37 or 12.1%.

The rates contained in this notice are the rates proposed by the District. However, the PSC may order rates to be charged that differ from these proposed rates. Such action may result in rates for customers other than the rates included in this notice.

Any person may examine the rate application and any other filings made by the District at the District's main office located at 1 Farrell Drive, Crittenden, KY, or at the PSC's office located at 211 Sower Blvd, Frankfort, KY, Monday through Friday 8 AM – 4:30 PM or through the Commission's website at <a href="https://psc.ky.gov">https://psc.ky.gov</a>.

**GCSSD** 

Any customer may submit comments regarding the District's Application by submitting them to the Public Service Commission through the Commission's website @ <a href="https://psc.ky.gov">https://psc.ky.gov</a> or by mail to: Public Service Commission, P.O. Box 615, Frankfort, KY 40602.

2

Customers of the District are advised that any corporation, District, body public, or person with a substantial interest in the matter may submit a timely written request to intervene to the Public Service Commission, P.O. Box 615, Frankfort, KY 40602, establishing the grounds for the request and including the statutes and interest of the party. If the Commission does not receive a written request for intervention within 30 days of the initial mailing of this notice, the Commission may take final action on the application.



740-928-6909 P.O. Box 105

# Invoice

Date	Invoice #
11/30/2022	59550-1

Bullock Pen Water District Amy Ruark P. O. Box 188 Crittenden, KY 41030

Terms	Due Date
Net 15	12/15/2022

Quantity	Description	Rate	Amount
Quantity 1,320	Custom Insert-rate increase notification insert-Grar Co.	t 0.115	151.80
	We appreciate your business.	Total	\$151.80
		T. H.	

Email: Accountspayable@smartbillcorp.com Web: www.smartbillcorp.com

# **SmartBill Insert Request Form**

Today's Date
Company/Organization Name:
Insert Contact (Name):
Insert Contact (Phone #):
Insert Name (description):  Is Insert Selective (give details): Yes No
Paper Size (choose one): 8.5 x 11 8.5 x 14 11 x 17 8.5 x 3 2/3 (1/3 page)
Format (choose one): One (1) sided Two (2) sided
Print: Black/White Color
Paper Color: White Color
Quantity Needed:
Please include the Date or Dates of the Cycles to insert with: (If not applicable please write N/A on line)
Regular bills Delinquent bills Finals Other
What's to be done with any leftovers (choose one):
Recycle Return
(If returned please include a physical address to ship to)
Address: