COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

In	tha	Matter	Λf•
	1116	VIALLEL	

ELECTRONIC JOINT APPLICATION OF KENTUCKY UTILITIES COMPANY AND LOUISVILLE GAS AND ELECTRIC COMPANY FOR CERTIFICATES OF PUBLIC CONVENIENCE AND NECESSITY AND APPROVAL OF A DEMAND SIDE MANAGEMENT PLAN AND APPROVAL OF FOSSIL FUEL-FIRED GENERATING UNIT RETIREMENTS) CASE NO. 2022-00402)))
RETIREMENTS)

AUGUST 9, 2023 SUPPLEMENTAL RESPONSE OF
KENTUCKY UTILITIES COMPANY
AND
LOUISVILLE GAS AND ELECTRIC COMPANY
TO
THE KENTUCKY COAL ASSOCIATION'S
LAST SUPPLEMENTAL REQUEST FOR INFORMATION
DATED JUNE 27, 2023

FILED: AUGUST 9, 2023

VERIFICATION

COMMONWEALTH OF KENTUCKY	,
COUNTY OF JEFFERSON	,


The undersigned, **Philip A. Imber**, being duly sworn, deposes and says that he is Director – Environmental and Federal Regulatory Compliance for LG&E and KU Services Company, 220 West Main Street, Louisville, KY 40202, and that he has personal knowledge of the matters set forth in the responses for which he is identified as the witness, and the answers contained therein are true and correct to the best of his information, knowledge and belief.

Philip A. Imber

Notary Public

Notary Public ID No. KYNP 63286

My Commission Expires:





KENTUCKY UTILITIES COMPANY AND LOUISVILLE GAS AND ELECTRIC COMPANY

August 9, 2023 Supplemental Response to Kentucky Coal Association's Last Supplemental Request for Information Dated June 27, 2023

Case No. 2022-00402

Question No. 4.5

Responding Witness: Philip A. Imber

Q.4.5. Are the Companies planning to provide comments on the EPA proposals for Sections 111(b) and 111(d) of the CAA currently due August 8, 2023? If yes, please characterize expected comments. If no, why not?

A.4.5. Original Response

The Companies have not made a final decision related to submittal of comments to the EPA proposals for Section 111(b) and 111(d). If comments are submitted, the Companies will supplement the data response.

August 9, 2023 Supplemental Response

PPL Corporation filed comments on August 8, 2023. See attachment being provided in a separate file.