

State	Facility Name	Facility ID	Unit ID	Date	MATS	MATS	Hg		
					Gross Load (MW)	Heat Input (mmBtu)	Output Rate (lb/GWh)	Hg Input Rate (lb/TBtu)	Hg Mass (lbs)
KY	H L Spurlo	6041	1	7/1/2022	324	3110.2	0.000916	0.0954	0.000297
KY	H L Spurlo	6041	1	7/1/2022	323	3116.1	0.000918	0.0952	0.000297
KY	H L Spurlo	6041	1	7/1/2022	323	3099.3	0.000921	0.096	0.000298
KY	H L Spurlo	6041	1	7/1/2022	324	3099.9	0.000918	0.096	0.000298
KY	H L Spurlo	6041	1	7/1/2022	323	3076.9	0.000914	0.096	0.000295
KY	H L Spurlo	6041	1	7/1/2022	323	3080.9	0.000917	0.0961	0.000296
KY	H L Spurlo	6041	1	7/1/2022	323	3088.5	0.000919	0.0961	0.000297
KY	H L Spurlo	6041	1	7/1/2022	323	3097.1	0.000918	0.0957	0.000296
KY	H L Spurlo	6041	1	7/1/2022	324	3118.7	0.000919	0.0955	0.000298
KY	H L Spurlo	6041	1	7/1/2022	323	3112.3	0.000919	0.0954	0.000297
KY	H L Spurlo	6041	1	7/1/2022	323	3120.7	0.000924	0.0956	0.000298
KY	H L Spurlo	6041	1	7/1/2022	323	3137.7	0.000923	0.095	0.000298
KY	H L Spurlo	6041	1	7/1/2022	324	3135	0.000924	0.0955	0.000299
KY	H L Spurlo	6041	1	7/1/2022	325	3147.9	0.000925	0.0955	0.000301
KY	H L Spurlo	6041	1	7/1/2022	324	3151.7	0.000928	0.0954	0.000301
KY	H L Spurlo	6041	1	7/1/2022	325	3151.8	0.000923	0.0952	0.0003
KY	H L Spurlo	6041	1	7/1/2022	324	3152	0.000927	0.0953	0.0003
KY	H L Spurlo	6041	1	7/1/2022	323	3141.2	0.000927	0.0953	0.000299
KY	H L Spurlo	6041	1	7/1/2022	324	3130.1	0.000927	0.096	0.0003
KY	H L Spurlo	6041	1	7/1/2022	325	3169.8	0.000925	0.0948	0.0003
KY	H L Spurlo	6041	1	7/1/2022	325	3139.4	0.00092	0.0952	0.000299
KY	H L Spurlo	6041	1	7/1/2022	324	3096.1	0.000914	0.0957	0.000296
KY	H L Spurlo	6041	1	7/1/2022	324	3095.9	0.000915	0.0958	0.000297
KY	H L Spurlo	6041	1	7/1/2022	265	2547	0.001009	0.105	0.000267
KY	H L Spurlo	6041	1	7/2/2022	193	1866.8	0.001161	0.12	0.000224
KY	H L Spurlo	6041	1	7/2/2022	177	1709.8	0.001198	0.124	0.000212
KY	H L Spurlo	6041	1	7/2/2022	165	1617	0.001225	0.125	0.000202
KY	H L Spurlo	6041	1	7/2/2022	164	1620.3	0.001245	0.126	0.000204
KY	H L Spurlo	6041	1	7/2/2022	175	1699.4	0.001214	0.125	0.000212
KY	H L Spurlo	6041	1	7/2/2022	175	1715.2	0.001215	0.124	0.000213
KY	H L Spurlo	6041	1	7/2/2022	180	1740.6	0.001189	0.123	0.000214
KY	H L Spurlo	6041	1	7/2/2022	208	2013.9	0.001113	0.115	0.000232
KY	H L Spurlo	6041	1	7/2/2022	191	1831.9	0.001141	0.119	0.000218
KY	H L Spurlo	6041	1	7/2/2022	184	1782.6	0.001172	0.121	0.000216
KY	H L Spurlo	6041	1	7/2/2022	183	1762	0.001175	0.122	0.000215
KY	H L Spurlo	6041	1	7/2/2022	175	1695.8	0.001192	0.123	0.000209
KY	H L Spurlo	6041	1	7/2/2022	178	1722.4	0.00119	0.123	0.000212
KY	H L Spurlo	6041	1	7/2/2022	241	2324.5	0.001022	0.106	0.000246
KY	H L Spurlo	6041	1	7/2/2022	265	2548.8	0.000991	0.103	0.000263
KY	H L Spurlo	6041	1	7/2/2022	311	2970.6	0.000907	0.095	0.000282
KY	H L Spurlo	6041	1	7/2/2022	299	2853.7	0.00093	0.0974	0.000278
KY	H L Spurlo	6041	1	7/2/2022	204	1938.7	0.001112	0.117	0.000227

KY	H L Spurloc	6041	1	7/2/2022	171	1679	0.001218	0.124	0.000208
KY	H L Spurloc	6041	1	7/2/2022	167	1632.1	0.001241	0.127	0.000207
KY	H L Spurloc	6041	1	7/2/2022	204	1972.8	0.001151	0.119	0.000235
KY	H L Spurloc	6041	1	7/2/2022	185	1809.4	0.001183	0.121	0.000219
KY	H L Spurloc	6041	1	7/2/2022	202	1944.8	0.001146	0.119	0.000231
KY	H L Spurloc	6041	1	7/2/2022	191	1854.9	0.001156	0.119	0.000221
KY	H L Spurloc	6041	1	7/3/2022	167	1609.7	0.001215	0.126	0.000203
KY	H L Spurloc	6041	1	7/3/2022	166	1637.4	0.001243	0.126	0.000206
KY	H L Spurloc	6041	1	7/3/2022	169	1638.4	0.001222	0.126	0.000206
KY	H L Spurloc	6041	1	7/3/2022	169	1654.4	0.001233	0.126	0.000208
KY	H L Spurloc	6041	1	7/3/2022	170	1642.4	0.001217	0.126	0.000207
KY	H L Spurloc	6041	1	7/3/2022	169	1665.2	0.001242	0.126	0.00021
KY	H L Spurloc	6041	1	7/3/2022	170	1668.5	0.001237	0.126	0.00021
KY	H L Spurloc	6041	1	7/3/2022	205	1991.2	0.001127	0.116	0.000231
KY	H L Spurloc	6041	1	7/3/2022	184	1810	0.00118	0.12	0.000217
KY	H L Spurloc	6041	1	7/3/2022	147	1455.3	0.001307	0.132	0.000192
KY	H L Spurloc	6041	1	7/3/2022	82	850.738	0.001948	0.184	0.000157
KY	H L Spurloc	6041	1	7/4/2022	0	29.718		0.249	7.4E-06
KY	H L Spurloc	6041	1	7/4/2022	0	139.7		0.248	3.46E-05
KY	H L Spurloc	6041	1	7/4/2022	0	152.4		0.247	3.76E-05
KY	H L Spurloc	6041	1	7/4/2022	0	191.5		0.245	4.69E-05
KY	H L Spurloc	6041	1	7/4/2022	0	181.9		0.243	4.42E-05
KY	H L Spurloc	6041	1	7/4/2022	17	337.5	0.009986	0.503	0.00017
KY	H L Spurloc	6041	1	7/4/2022	116	1227.7	0.001577	0.149	0.000183
KY	H L Spurloc	6041	1	7/4/2022	126	1324.2	0.001471	0.14	0.000185
KY	H L Spurloc	6041	1	7/4/2022	147	1508.2	0.001375	0.134	0.000202
KY	H L Spurloc	6041	1	7/4/2022	150	1534.8	0.00134	0.131	0.000201
KY	H L Spurloc	6041	1	7/4/2022	175	1773.3	0.001267	0.125	0.000222
KY	H L Spurloc	6041	1	7/4/2022	233	2292.6	0.001112	0.113	0.000259
KY	H L Spurloc	6041	1	7/4/2022	249	2422	0.00107	0.11	0.000266
KY	H L Spurloc	6041	1	7/4/2022	250	2427.7	0.001058	0.109	0.000265
KY	H L Spurloc	6041	1	7/4/2022	250	2430.4	0.001069	0.11	0.000267
KY	H L Spurloc	6041	1	7/5/2022	250	2431.9	0.00107	0.11	0.000268
KY	H L Spurloc	6041	1	7/5/2022	269	2576.7	0.001025	0.107	0.000276
KY	H L Spurloc	6041	1	7/5/2022	323	3125.6	0.000945	0.0977	0.000305
KY	H L Spurloc	6041	1	7/5/2022	324	3141.8	0.000944	0.0974	0.000306
KY	H L Spurloc	6041	1	7/5/2022	310	3006.8	0.000958	0.0988	0.000297
KY	H L Spurloc	6041	1	7/5/2022	323	3099.7	0.00094	0.098	0.000304
KY	H L Spurloc	6041	1	7/5/2022	323	3115.5	0.000924	0.0958	0.000298
KY	H L Spurloc	6041	1	7/5/2022	323	3116.7	0.000953	0.0988	0.000308
KY	H L Spurloc	6041	1	7/5/2022	323	3141.9	0.000956	0.0983	0.000309
KY	H L Spurloc	6041	1	7/5/2022	313	3043.2	0.000972	0.1	0.000304
KY	H L Spurloc	6041	1	7/5/2022	323	3153.2	0.000963	0.0986	0.000311
KY	H L Spurloc	6041	1	7/5/2022	323	3154.6	0.000966	0.0989	0.000312
KY	H L Spurloc	6041	1	7/5/2022	323	3191	0.000971	0.0983	0.000314
KY	H L Spurloc	6041	1	7/5/2022	323	3148.6	0.000956	0.0981	0.000309
KY	H L Spurloc	6041	1	7/5/2022	323	3166	0.000962	0.0981	0.000311

KY	H L Spurloc	6041	1	7/5/2022	323	3178.9	0.000966	0.0982	0.000312
KY	H L Spurloc	6041	1	7/5/2022	323	3203.7	0.00097	0.0978	0.000313
KY	H L Spurloc	6041	1	7/5/2022	307	3023.2	0.000985	0.1	0.000302
KY	H L Spurloc	6041	1	7/5/2022	323	3204.2	0.000963	0.0971	0.000311
KY	H L Spurloc	6041	1	7/5/2022	323	3202.4	0.000968	0.0976	0.000313
KY	H L Spurloc	6041	1	7/5/2022	323	3186.3	0.000966	0.0979	0.000312
KY	H L Spurloc	6041	1	7/5/2022	323	3180.1	0.000963	0.0978	0.000311
KY	H L Spurloc	6041	1	7/5/2022	323	3176.4	0.00096	0.0976	0.00031
KY	H L Spurloc	6041	1	7/5/2022	270	2660	0.001054	0.107	0.000285
KY	H L Spurloc	6041	1	7/6/2022	192	1902.4	0.001219	0.123	0.000234
KY	H L Spurloc	6041	1	7/6/2022	170	1699.2	0.001319	0.132	0.000224
KY	H L Spurloc	6041	1	7/6/2022	170	1700.8	0.001301	0.13	0.000221
KY	H L Spurloc	6041	1	7/6/2022	170	1721	0.001316	0.13	0.000224
KY	H L Spurloc	6041	1	7/6/2022	185	1852.7	0.001262	0.126	0.000233
KY	H L Spurloc	6041	1	7/6/2022	192	1912.7	0.001225	0.123	0.000235
KY	H L Spurloc	6041	1	7/6/2022	170	1696.5	0.001277	0.128	0.000217
KY	H L Spurloc	6041	1	7/6/2022	215	2117.8	0.001162	0.118	0.00025
KY	H L Spurloc	6041	1	7/6/2022	193	1896.7	0.001209	0.123	0.000233
KY	H L Spurloc	6041	1	7/6/2022	186	1816.6	0.001231	0.126	0.000229
KY	H L Spurloc	6041	1	7/6/2022	265	2559.9	0.001043	0.108	0.000276
KY	H L Spurloc	6041	1	7/6/2022	319	3103.5	0.000966	0.0993	0.000308
KY	H L Spurloc	6041	1	7/6/2022	323	3173.4	0.000961	0.0978	0.00031
KY	H L Spurloc	6041	1	7/6/2022	322	3175.3	0.000971	0.0985	0.000313
KY	H L Spurloc	6041	1	7/6/2022	323	3156.9	0.00097	0.0992	0.000313
KY	H L Spurloc	6041	1	7/6/2022	325	3158.4	0.000955	0.0983	0.00031
KY	H L Spurloc	6041	1	7/6/2022	324	3110.4	0.000952	0.0992	0.000309
KY	H L Spurloc	6041	1	7/6/2022	323	3116.1	0.000949	0.0984	0.000307
KY	H L Spurloc	6041	1	7/6/2022	322	3101.1	0.000952	0.0988	0.000306
KY	H L Spurloc	6041	1	7/6/2022	323	3126.2	0.000949	0.0981	0.000307
KY	H L Spurloc	6041	1	7/6/2022	317	3085.3	0.000959	0.0985	0.000304
KY	H L Spurloc	6041	1	7/6/2022	319	3075	0.000948	0.0983	0.000302
KY	H L Spurloc	6041	1	7/6/2022	245	2375.5	0.001086	0.112	0.000266
KY	H L Spurloc	6041	1	7/6/2022	199	1934.1	0.001215	0.125	0.000242
KY	H L Spurloc	6041	1	7/7/2022	191	1891.9	0.001238	0.125	0.000236
KY	H L Spurloc	6041	1	7/7/2022	171	1705.4	0.001297	0.13	0.000222
KY	H L Spurloc	6041	1	7/7/2022	170	1692.5	0.001304	0.131	0.000222
KY	H L Spurloc	6041	1	7/7/2022	170	1693.8	0.001305	0.131	0.000222
KY	H L Spurloc	6041	1	7/7/2022	170	1685.4	0.001299	0.131	0.000221
KY	H L Spurloc	6041	1	7/7/2022	170	1687.3	0.0013	0.131	0.000221
KY	H L Spurloc	6041	1	7/7/2022	199	1937.5	0.001207	0.124	0.00024
KY	H L Spurloc	6041	1	7/7/2022	188	1842.6	0.001235	0.126	0.000232
KY	H L Spurloc	6041	1	7/7/2022	214	2083.2	0.001168	0.12	0.00025
KY	H L Spurloc	6041	1	7/7/2022	261	2516.7	0.001061	0.11	0.000277
KY	H L Spurloc	6041	1	7/7/2022	271	2629.2	0.001038	0.107	0.000281
KY	H L Spurloc	6041	1	7/7/2022	300	2924.4	0.000985	0.101	0.000295
KY	H L Spurloc	6041	1	7/7/2022	324	3174.2	0.000955	0.0975	0.000309
KY	H L Spurloc	6041	1	7/7/2022	315	3062.3	0.000962	0.099	0.000303

KY	H L Spurloc	6041	1	7/7/2022	320	3111.6	0.00096	0.0987	0.000307
KY	H L Spurloc	6041	1	7/7/2022	323	3118.9	0.000946	0.098	0.000306
KY	H L Spurloc	6041	1	7/7/2022	323	3121.8	0.000943	0.0976	0.000305
KY	H L Spurloc	6041	1	7/7/2022	321	3119.5	0.00095	0.0978	0.000305
KY	H L Spurloc	6041	1	7/7/2022	322	3109.4	0.00095	0.0984	0.000306
KY	H L Spurloc	6041	1	7/7/2022	322	3124.3	0.000955	0.0984	0.000307
KY	H L Spurloc	6041	1	7/7/2022	319	3126.8	0.000967	0.0987	0.000309
KY	H L Spurloc	6041	1	7/7/2022	320	3135.7	0.000961	0.0981	0.000308
KY	H L Spurloc	6041	1	7/7/2022	279	2741	0.001041	0.106	0.000291
KY	H L Spurloc	6041	1	7/7/2022	201	1978.1	0.00123	0.125	0.000247
KY	H L Spurloc	6041	1	7/8/2022	167	1666.1	0.001317	0.132	0.00022
KY	H L Spurloc	6041	1	7/8/2022	168	1683.1	0.001312	0.131	0.00022
KY	H L Spurloc	6041	1	7/8/2022	168	1696.8	0.001313	0.13	0.000221
KY	H L Spurloc	6041	1	7/8/2022	168	1699.4	0.001305	0.129	0.000219
KY	H L Spurloc	6041	1	7/8/2022	167	1676.1	0.001295	0.129	0.000216
KY	H L Spurloc	6041	1	7/8/2022	168	1690	0.001298	0.129	0.000218
KY	H L Spurloc	6041	1	7/8/2022	169	1684	0.001285	0.129	0.000217
KY	H L Spurloc	6041	1	7/8/2022	168	1674.8	0.001286	0.129	0.000216
KY	H L Spurloc	6041	1	7/8/2022	175	1751.8	0.001271	0.127	0.000222
KY	H L Spurloc	6041	1	7/8/2022	174	1736.2	0.001277	0.128	0.000222
KY	H L Spurloc	6041	1	7/8/2022	173	1748.5	0.001294	0.128	0.000224
KY	H L Spurloc	6041	1	7/8/2022	227	2232.1	0.001141	0.116	0.000259
KY	H L Spurloc	6041	1	7/8/2022	224	2206	0.001172	0.119	0.000263
KY	H L Spurloc	6041	1	7/8/2022	184	1801.8	0.001273	0.13	0.000234
KY	H L Spurloc	6041	1	7/8/2022	207	2002.5	0.0012	0.124	0.000248
KY	H L Spurloc	6041	1	7/8/2022	228	2204.4	0.001151	0.119	0.000262
KY	H L Spurloc	6041	1	7/8/2022	245	2369.5	0.001112	0.115	0.000272
KY	H L Spurloc	6041	1	7/8/2022	221	2141.6	0.001173	0.121	0.000259
KY	H L Spurloc	6041	1	7/8/2022	255	2480.1	0.001099	0.113	0.00028
KY	H L Spurloc	6041	1	7/8/2022	268	2586.2	0.001071	0.111	0.000287
KY	H L Spurloc	6041	1	7/8/2022	270	2622.5	0.001068	0.11	0.000288
KY	H L Spurloc	6041	1	7/8/2022	200	1939.6	0.001212	0.125	0.000242
KY	H L Spurloc	6041	1	7/8/2022	193	1864.5	0.001217	0.126	0.000235
KY	H L Spurloc	6041	1	7/8/2022	230	2232.9	0.001146	0.118	0.000263
KY	H L Spurloc	6041	1	7/9/2022	229	2227.6	0.001138	0.117	0.000261
KY	H L Spurloc	6041	1	7/9/2022	176	1698.9	0.001265	0.131	0.000223
KY	H L Spurloc	6041	1	7/9/2022	165	1620.3	0.001296	0.132	0.000214
KY	H L Spurloc	6041	1	7/9/2022	164	1605	0.001282	0.131	0.00021
KY	H L Spurloc	6041	1	7/9/2022	165	1617.1	0.001274	0.13	0.00021
KY	H L Spurloc	6041	1	7/9/2022	165	1600.7	0.001271	0.131	0.00021
KY	H L Spurloc	6041	1	7/9/2022	165	1602.7	0.001263	0.13	0.000208
KY	H L Spurloc	6041	1	7/9/2022	165	1604.9	0.001264	0.13	0.000209
KY	H L Spurloc	6041	1	7/9/2022	173	1675.1	0.001239	0.128	0.000214
KY	H L Spurloc	6041	1	7/9/2022	170	1627.3	0.001235	0.129	0.00021
KY	H L Spurloc	6041	1	7/9/2022	168	1618.7	0.001243	0.129	0.000209
KY	H L Spurloc	6041	1	7/9/2022	170	1638.4	0.001243	0.129	0.000211
KY	H L Spurloc	6041	1	7/9/2022	166	1617.5	0.001257	0.129	0.000209

KY	H L Spurloc	6041	1	7/9/2022	167	1592	0.001239	0.13	0.000207
KY	H L Spurloc	6041	1	7/9/2022	170	1665.8	0.001254	0.128	0.000213
KY	H L Spurloc	6041	1	7/9/2022	179	1734.6	0.00124	0.128	0.000222
KY	H L Spurloc	6041	1	7/9/2022	209	1987.1	0.00115	0.121	0.00024
KY	H L Spurloc	6041	1	7/9/2022	205	1946.3	0.001177	0.124	0.000241
KY	H L Spurloc	6041	1	7/9/2022	165	1593.4	0.001284	0.133	0.000212
KY	H L Spurloc	6041	1	7/9/2022	177	1704.9	0.001252	0.13	0.000222
KY	H L Spurloc	6041	1	7/9/2022	191	1846.9	0.001218	0.126	0.000233
KY	H L Spurloc	6041	1	7/9/2022	174	1705.4	0.001284	0.131	0.000223
KY	H L Spurloc	6041	1	7/9/2022	165	1600.3	0.00129	0.133	0.000213
KY	H L Spurloc	6041	1	7/9/2022	166	1611.8	0.001282	0.132	0.000213
KY	H L Spurloc	6041	1	#####	230	2154.2	0.001105	0.118	0.000254
KY	H L Spurloc	6041	1	#####	315	2967	0.000961	0.102	0.000303
KY	H L Spurloc	6041	1	#####	312	2936	0.000969	0.103	0.000302
KY	H L Spurloc	6041	1	#####	286	2657.9	0.001004	0.108	0.000287
KY	H L Spurloc	6041	1	#####	285	2671.3	0.001003	0.107	0.000286
KY	H L Spurloc	6041	1	#####	235	2155.8	0.00111	0.121	0.000261
KY	H L Spurloc	6041	1	#####	241	2248.7	0.001092	0.117	0.000263
KY	H L Spurloc	6041	1	#####	283	2668.1	0.001009	0.107	0.000285
KY	H L Spurloc	6041	1	#####	315	2966.3	0.000951	0.101	0.0003
KY	H L Spurloc	6041	1	#####	311	2949.3	0.000977	0.103	0.000304
KY	H L Spurloc	6041	1	#####	323	3103.3	0.000961	0.1	0.00031
KY	H L Spurloc	6041	1	#####	323	3093.6	0.000958	0.1	0.000309
KY	H L Spurloc	6041	1	#####	324	3098.6	0.000956	0.1	0.00031
KY	H L Spurloc	6041	1	#####	323	3102.5	0.000953	0.0992	0.000308
KY	H L Spurloc	6041	1	#####	323	3108.2	0.000946	0.0983	0.000306
KY	H L Spurloc	6041	1	#####	323	3116.8	0.000947	0.0981	0.000306
KY	H L Spurloc	6041	1	#####	323	3115.9	0.000955	0.099	0.000308
KY	H L Spurloc	6041	1	#####	323	3121.1	0.000957	0.099	0.000309
KY	H L Spurloc	6041	1	#####	323	3103	0.00096	0.0999	0.00031
KY	H L Spurloc	6041	1	#####	323	3127.9	0.000959	0.099	0.00031
KY	H L Spurloc	6041	1	#####	323	3120.5	0.000955	0.0989	0.000309
KY	H L Spurloc	6041	1	#####	311	2982.3	0.000969	0.101	0.000301
KY	H L Spurloc	6041	1	#####	310	2988.9	0.000974	0.101	0.000302
KY	H L Spurloc	6041	1	#####	245	2374.8	0.001095	0.113	0.000268
KY	H L Spurloc	6041	1	#####	174	1679	0.001274	0.132	0.000222
KY	H L Spurloc	6041	1	#####	165	1773.3	0.001376	0.128	0.000227
KY	H L Spurloc	6041	1	#####	170	1704.5	0.001303	0.13	0.000222
KY	H L Spurloc	6041	1	#####	168	1634.4	0.001274	0.131	0.000214
KY	H L Spurloc	6041	1	#####	168	1629.3	0.00127	0.131	0.000213
KY	H L Spurloc	6041	1	#####	167	1622.5	0.001282	0.132	0.000214
KY	H L Spurloc	6041	1	#####	168	1617.6	0.001271	0.132	0.000214
KY	H L Spurloc	6041	1	#####	168	1609.5	0.001265	0.132	0.000212
KY	H L Spurloc	6041	1	#####	168	1622.8	0.000811	0.084	0.000136
KY	H L Spurloc	6041	1	#####	168	1635.1	0.000817	0.0839	0.000137
KY	H L Spurloc	6041	1	#####	167	1633	0.00082	0.0839	0.000137
KY	H L Spurloc	6041	1	#####	180	1749.9	0.000798	0.0821	0.000144

KY	H L Spurloc	6041	1	#####	225	2183.2	0.000723	0.0745	0.000163
KY	H L Spurloc	6041	1	#####	235	2258.3	0.000714	0.0743	0.000168
KY	H L Spurloc	6041	1	#####	282	2719.3	0.000647	0.0671	0.000182
KY	H L Spurloc	6041	1	#####	325	3149	0.000605	0.0624	0.000196
KY	H L Spurloc	6041	1	#####	317	3065.8	0.000616	0.0637	0.000195
KY	H L Spurloc	6041	1	#####	323	3128.6	0.000606	0.0626	0.000196
KY	H L Spurloc	6041	1	#####	289	2795.2	0.00064	0.0662	0.000185
KY	H L Spurloc	6041	1	#####	255	2472.7	0.000689	0.0711	0.000176
KY	H L Spurloc	6041	1	#####	254	2490.8	0.000695	0.0709	0.000177
KY	H L Spurloc	6041	1	#####	255	2512.6	0.000693	0.0703	0.000177
KY	H L Spurloc	6041	1	#####	214	2103.1	0.000759	0.0772	0.000162
KY	H L Spurloc	6041	1	#####	165	1630.5	0.000849	0.0859	0.00014
KY	H L Spurloc	6041	1	#####	166	1644.1	0.000835	0.0843	0.000139
KY	H L Spurloc	6041	1	#####	165	1652	0.000835	0.0834	0.000138
KY	H L Spurloc	6041	1	#####	165	1629.2	0.000832	0.0843	0.000137
KY	H L Spurloc	6041	1	#####	164	1616	0.000837	0.0849	0.000137
KY	H L Spurloc	6041	1	#####	165	1603.8	0.000826	0.085	0.000136
KY	H L Spurloc	6041	1	#####	170	1659.5	0.000828	0.0848	0.000141
KY	H L Spurloc	6041	1	#####	169	1638.1	0.000832	0.0858	0.000141
KY	H L Spurloc	6041	1	#####	218	2102.2	0.000745	0.0773	0.000163
KY	H L Spurloc	6041	1	#####	221	2124.4	0.000739	0.0769	0.000163
KY	H L Spurloc	6041	1	#####	233	2259.4	0.000715	0.0737	0.000167
KY	H L Spurloc	6041	1	#####	229	2215.6	0.000727	0.0751	0.000166
KY	H L Spurloc	6041	1	#####	236	2295.2	0.000715	0.0735	0.000169
KY	H L Spurloc	6041	1	#####	214	2066.6	0.000746	0.0773	0.00016
KY	H L Spurloc	6041	1	#####	237	2324.7	0.000714	0.0728	0.000169
KY	H L Spurloc	6041	1	#####	236	2289.9	0.000716	0.0738	0.000169
KY	H L Spurloc	6041	1	#####	231	2234.8	0.000723	0.0747	0.000167
KY	H L Spurloc	6041	1	#####	290	2812.4	0.000646	0.0666	0.000187
KY	H L Spurloc	6041	1	#####	304	2959.7	0.000637	0.0654	0.000194
KY	H L Spurloc	6041	1	#####	253	2427.4	0.000691	0.072	0.000175
KY	H L Spurloc	6041	1	#####	216	2088.9	0.000745	0.077	0.000161
KY	H L Spurloc	6041	1	#####	225	2196.3	0.000744	0.0762	0.000167
KY	H L Spurloc	6041	1	#####	184	1797	0.000805	0.0824	0.000148
KY	H L Spurloc	6041	1	#####	208	2010	0.000757	0.0783	0.000157
KY	H L Spurloc	6041	1	#####	214	2067.7	0.000747	0.0773	0.00016
KY	H L Spurloc	6041	1	#####	165	1606.6	0.000832	0.0854	0.000137
KY	H L Spurloc	6041	1	#####	165	1626.1	0.000835	0.0847	0.000138
KY	H L Spurloc	6041	1	#####	165	1602.5	0.000833	0.0858	0.000137
KY	H L Spurloc	6041	1	#####	165	1599.7	0.000834	0.086	0.000138
KY	H L Spurloc	6041	1	#####	164	1606	0.000842	0.086	0.000138
KY	H L Spurloc	6041	1	#####	165	1614.2	0.000833	0.0851	0.000137
KY	H L Spurloc	6041	1	#####	181	1741	0.0008	0.0832	0.000145
KY	H L Spurloc	6041	1	#####	181	1760.1	0.000795	0.0818	0.000144
KY	H L Spurloc	6041	1	#####	229	2209.1	0.000715	0.0741	0.000164
KY	H L Spurloc	6041	1	#####	240	2312.3	0.000699	0.0726	0.000168
KY	H L Spurloc	6041	1	#####	225	2151.7	0.000726	0.0759	0.000163

KY	H L Spurloc	6041	1	#####	237	2270.6	0.000707	0.0738	0.000168
KY	H L Spurloc	6041	1	#####	276	2653.1	0.000658	0.0684	0.000181
KY	H L Spurloc	6041	1	#####	294	2847.6	0.000641	0.0662	0.000189
KY	H L Spurloc	6041	1	#####	307	2976.3	0.000627	0.0647	0.000193
KY	H L Spurloc	6041	1	#####	320	3109.5	0.000618	0.0636	0.000198
KY	H L Spurloc	6041	1	#####	318	3062.7	0.000618	0.0642	0.000197
KY	H L Spurloc	6041	1	#####	305	2939.2	0.000635	0.0659	0.000194
KY	H L Spurloc	6041	1	#####	265	2544.8	0.000682	0.071	0.000181
KY	H L Spurloc	6041	1	#####	206	1986.4	0.000759	0.0787	0.000156
KY	H L Spurloc	6041	1	#####	220	2120.4	0.00074	0.0768	0.000163
KY	H L Spurloc	6041	1	#####	185	1795.7	0.000797	0.0821	0.000147
KY	H L Spurloc	6041	1	#####	166	1631.6	0.000845	0.086	0.00014
KY	H L Spurloc	6041	1	#####	165	1643.9	0.000857	0.086	0.000141
KY	H L Spurloc	6041	1	#####	164	1638.1	0.000859	0.086	0.000141
KY	H L Spurloc	6041	1	#####	187	1833.1	0.000807	0.0823	0.000151
KY	H L Spurloc	6041	1	#####	226	2174.9	0.000739	0.0768	0.000167
KY	H L Spurloc	6041	1	#####	183	1778.1	0.000794	0.0817	0.000145
KY	H L Spurloc	6041	1	#####	164	1634	0.000834	0.0837	0.000137
KY	H L Spurloc	6041	1	#####	165	1619.1	0.000823	0.0839	0.000136
KY	H L Spurloc	6041	1	#####	164	1622.2	0.000831	0.084	0.000136
KY	H L Spurloc	6041	1	#####	164	1631.1	0.000825	0.083	0.000135
KY	H L Spurloc	6041	1	#####	165	1640.6	0.000829	0.0834	0.000137
KY	H L Spurloc	6041	1	#####	172	1706.9	0.000817	0.0823	0.00014
KY	H L Spurloc	6041	1	#####	167	1660.3	0.000833	0.0838	0.000139
KY	H L Spurloc	6041	1	#####	218	2135.1	0.000744	0.076	0.000162
KY	H L Spurloc	6041	1	#####	181	1783.1	0.000801	0.0813	0.000145
KY	H L Spurloc	6041	1	#####	172	1702	0.000816	0.0825	0.00014
KY	H L Spurloc	6041	1	#####	198	1943.2	0.000782	0.0797	0.000155
KY	H L Spurloc	6041	1	#####	180	1759.6	0.000803	0.0821	0.000144
KY	H L Spurloc	6041	1	#####	224	2196.7	0.000736	0.0751	0.000165
KY	H L Spurloc	6041	1	#####	208	2035.3	0.000756	0.0773	0.000157
KY	H L Spurloc	6041	1	#####	169	1661	0.000822	0.0836	0.000139
KY	H L Spurloc	6041	1	#####	187	1835.9	0.000786	0.0801	0.000147
KY	H L Spurloc	6041	1	#####	186	1815.9	0.00079	0.0809	0.000147
KY	H L Spurloc	6041	1	#####	168	1664.6	0.000826	0.0834	0.000139
KY	H L Spurloc	6041	1	#####	210	2060.8	0.000752	0.0766	0.000158
KY	H L Spurloc	6041	1	#####	191	1863	0.000774	0.0794	0.000148
KY	H L Spurloc	6041	1	#####	188	1820.6	0.000781	0.0806	0.000147
KY	H L Spurloc	6041	1	#####	184	1795	0.000783	0.0803	0.000144
KY	H L Spurloc	6041	1	#####	167	1650	0.000819	0.0829	0.000137
KY	H L Spurloc	6041	1	#####	165	1627.6	0.000822	0.0833	0.000136
KY	H L Spurloc	6041	1	#####	165	1629	0.000822	0.0833	0.000136
KY	H L Spurloc	6041	1	#####	165	1628.1	0.000831	0.0842	0.000137
KY	H L Spurloc	6041	1	#####	164	1646.1	0.000837	0.0834	0.000137
KY	H L Spurloc	6041	1	#####	165	1662.1	0.000836	0.083	0.000138
KY	H L Spurloc	6041	1	#####	165	1647.2	0.000826	0.0827	0.000136
KY	H L Spurloc	6041	1	#####	165	1641.2	0.000825	0.0829	0.000136

KY	H L Spurloc	6041	1	#####	217	2134	0.000741	0.0753	0.000161
KY	H L Spurloc	6041	1	#####	183	1810.8	0.000792	0.08	0.000145
KY	H L Spurloc	6041	1	#####	171	1696.5	0.000817	0.0823	0.00014
KY	H L Spurloc	6041	1	#####	228	2212	0.000724	0.0746	0.000165
KY	H L Spurloc	6041	1	#####	229	2219	0.00072	0.0743	0.000165
KY	H L Spurloc	6041	1	#####	205	1997.3	0.000755	0.0775	0.000155
KY	H L Spurloc	6041	1	#####	263	2573	0.000679	0.0694	0.000179
KY	H L Spurloc	6041	1	#####	265	2577.4	0.000673	0.0692	0.000178
KY	H L Spurloc	6041	1	#####	213	2066.1	0.000748	0.0771	0.000159
KY	H L Spurloc	6041	1	#####	202	1953.5	0.000764	0.079	0.000154
KY	H L Spurloc	6041	1	#####	264	2566.3	0.00068	0.07	0.00018
KY	H L Spurloc	6041	1	#####	204	1990.9	0.00077	0.0789	0.000157
KY	H L Spurloc	6041	1	#####	168	1851.9	0.000894	0.0811	0.00015
KY	H L Spurloc	6041	1	#####	174	1712.7	0.000827	0.084	0.000144
KY	H L Spurloc	6041	1	#####	165	1638.1	0.000846	0.0852	0.00014
KY	H L Spurloc	6041	1	#####	168	1668.4	0.000837	0.0843	0.000141
KY	H L Spurloc	6041	1	#####	184	1825.2	0.000806	0.0813	0.000148
KY	H L Spurloc	6041	1	#####	185	1794.1	0.000796	0.0821	0.000147
KY	H L Spurloc	6041	1	#####	185	1787.4	0.000793	0.0821	0.000147
KY	H L Spurloc	6041	1	#####	185	1798.1	0.000797	0.082	0.000147
KY	H L Spurloc	6041	1	#####	185	1803.5	0.000799	0.082	0.000148
KY	H L Spurloc	6041	1	#####	223	2200.4	0.000741	0.0751	0.000165
KY	H L Spurloc	6041	1	#####	194	1909.4	0.000781	0.0794	0.000152
KY	H L Spurloc	6041	1	#####	217	2101.8	0.000747	0.0771	0.000162
KY	H L Spurloc	6041	1	#####	231	2264.4	0.000731	0.0746	0.000169
KY	H L Spurloc	6041	1	#####	210	2069.5	0.000766	0.0777	0.000161
KY	H L Spurloc	6041	1	#####	227	2227.7	0.00074	0.0754	0.000168
KY	H L Spurloc	6041	1	#####	237	2321.8	0.000718	0.0733	0.00017
KY	H L Spurloc	6041	1	#####	275	2698.8	0.000682	0.0695	0.000188
KY	H L Spurloc	6041	1	#####	305	2983.1	0.000648	0.0663	0.000198
KY	H L Spurloc	6041	1	#####	320	3118.9	0.000635	0.0652	0.000203
KY	H L Spurloc	6041	1	#####	324	3175.6	0.000632	0.0645	0.000205
KY	H L Spurloc	6041	1	#####	322	3167.8	0.000639	0.065	0.000206
KY	H L Spurloc	6041	1	#####	298	2914.3	0.000658	0.0673	0.000196
KY	H L Spurloc	6041	1	#####	286	2792.6	0.000673	0.0689	0.000192
KY	H L Spurloc	6041	1	#####	254	2476.5	0.000718	0.0736	0.000182
KY	H L Spurloc	6041	1	#####	263	2562.1	0.000704	0.0723	0.000185
KY	H L Spurloc	6041	1	#####	193	1894.8	0.000806	0.0821	0.000156
KY	H L Spurloc	6041	1	#####	173	1696.8	0.000846	0.0863	0.000146
KY	H L Spurloc	6041	1	#####	165	1643.1	0.000862	0.0866	0.000142
KY	H L Spurloc	6041	1	#####	165	1641.4	0.000862	0.0867	0.000142
KY	H L Spurloc	6041	1	#####	165	1635.5	0.00086	0.0868	0.000142
KY	H L Spurloc	6041	1	#####	165	1616.8	0.000851	0.0868	0.00014
KY	H L Spurloc	6041	1	#####	164	1644.2	0.000861	0.0859	0.000141
KY	H L Spurloc	6041	1	#####	165	1637.9	0.000855	0.0861	0.000141
KY	H L Spurloc	6041	1	#####	165	1628.4	0.000846	0.0857	0.00014
KY	H L Spurloc	6041	1	#####	165	1649.2	0.000845	0.0845	0.000139

KY	H L Spurloc	6041	1	#####	165	1626.7	0.000839	0.0851	0.000138
KY	H L Spurloc	6041	1	#####	170	1674.3	0.000827	0.084	0.000141
KY	H L Spurloc	6041	1	#####	182	1780.9	0.000811	0.0829	0.000148
KY	H L Spurloc	6041	1	#####	186	1795.8	0.000795	0.0823	0.000148
KY	H L Spurloc	6041	1	#####	221	2122.3	0.000737	0.0767	0.000163
KY	H L Spurloc	6041	1	#####	219	2119.4	0.000742	0.0767	0.000163
KY	H L Spurloc	6041	1	#####	247	2371.6	0.000696	0.0725	0.000172
KY	H L Spurloc	6041	1	#####	321	3104.3	0.000623	0.0644	0.0002
KY	H L Spurloc	6041	1	#####	307	2967.2	0.000632	0.0654	0.000194
KY	H L Spurloc	6041	1	#####	308	2969.4	0.000631	0.0654	0.000194
KY	H L Spurloc	6041	1	#####	316	3064.9	0.000626	0.0645	0.000198
KY	H L Spurloc	6041	1	#####	312	3010.8	0.00063	0.0653	0.000197
KY	H L Spurloc	6041	1	#####	293	2811.3	0.000651	0.0679	0.000191
KY	H L Spurloc	6041	1	#####	229	2167	0.000731	0.0772	0.000167
KY	H L Spurloc	6041	1	#####	173	1670.7	0.00082	0.0849	0.000142
KY	H L Spurloc	6041	1	#####	165	1597.2	0.000841	0.0869	0.000139
KY	H L Spurloc	6041	1	#####	185	1765	0.000803	0.0842	0.000149
KY	H L Spurloc	6041	1	#####	226	2146.7	0.000745	0.0784	0.000168
KY	H L Spurloc	6041	1	#####	184	1761	0.0008	0.0836	0.000147
KY	H L Spurloc	6041	1	#####	166	1592.3	0.000837	0.0873	0.000139
KY	H L Spurloc	6041	1	#####	185	1777.8	0.000796	0.0828	0.000147
KY	H L Spurloc	6041	1	#####	177	1682.3	0.000813	0.0855	0.000144
KY	H L Spurloc	6041	1	#####	165	1591.5	0.000838	0.0869	0.000138
KY	H L Spurloc	6041	1	#####	220	2062.4	0.001809	0.193	0.000398
KY	H L Spurloc	6041	1	#####	257	2404.5	0.001665	0.178	0.000428
KY	H L Spurloc	6041	1	#####	301	2835.1	0.001545	0.164	0.000465
KY	H L Spurloc	6041	1	#####	307	2898.4	0.00152	0.161	0.000467
KY	H L Spurloc	6041	1	#####	324	3068.3	0.001487	0.157	0.000482
KY	H L Spurloc	6041	1	#####	324	3061	0.001493	0.158	0.000484
KY	H L Spurloc	6041	1	#####	322	3072.3	0.001488	0.156	0.000479
KY	H L Spurloc	6041	1	#####	324	3079.4	0.001483	0.156	0.00048
KY	H L Spurloc	6041	1	#####	324	3054.7	0.001471	0.156	0.000477
KY	H L Spurloc	6041	1	#####	323	3055.2	0.001466	0.155	0.000474
KY	H L Spurloc	6041	1	#####	310	2928.4	0.001493	0.158	0.000463
KY	H L Spurloc	6041	1	#####	323	3080.2	0.001478	0.155	0.000477
KY	H L Spurloc	6041	1	#####	310	2948	0.001512	0.159	0.000469
KY	H L Spurloc	6041	1	#####	312	2961.4	0.001519	0.16	0.000474
KY	H L Spurloc	6041	1	#####	312	2980.6	0.001519	0.159	0.000474
KY	H L Spurloc	6041	1	#####	294	2797.8	0.001561	0.164	0.000459
KY	H L Spurloc	6041	1	#####	216	2056	0.001837	0.193	0.000397
KY	H L Spurloc	6041	1	#####	172	1667.2	0.002074	0.214	0.000357
KY	H L Spurloc	6041	1	#####	213	2012.2	0.00187	0.198	0.000398
KY	H L Spurloc	6041	1	#####	195	1841.1	0.001936	0.205	0.000377
KY	H L Spurloc	6041	1	#####	171	1623.8	0.002023	0.213	0.000346
KY	H L Spurloc	6041	1	#####	166	1608	0.002083	0.215	0.000346
KY	H L Spurloc	6041	1	#####	208	1960	0.001875	0.199	0.00039
KY	H L Spurloc	6041	1	#####	226	2119.8	0.001782	0.19	0.000403

KY	H L Spurloc	6041	1	#####	235	2234.2	0.00174	0.183	0.000409
KY	H L Spurloc	6041	1	#####	223	2111.5	0.00178	0.188	0.000397
KY	H L Spurloc	6041	1	#####	207	1963.6	0.00185	0.195	0.000383
KY	H L Spurloc	6041	1	#####	226	2153.7	0.001782	0.187	0.000403
KY	H L Spurloc	6041	1	#####	280	2671.5	0.001593	0.167	0.000446
KY	H L Spurloc	6041	1	#####	324	3126.6	0.001486	0.154	0.000481
KY	H L Spurloc	6041	1	#####	323	3113.2	0.001504	0.156	0.000486
KY	H L Spurloc	6041	1	#####	324	3105.6	0.001495	0.156	0.000484
KY	H L Spurloc	6041	1	#####	323	3111.8	0.001503	0.156	0.000485
KY	H L Spurloc	6041	1	#####	324	3116	0.00151	0.157	0.000489
KY	H L Spurloc	6041	1	#####	323	3097.6	0.001506	0.157	0.000486
KY	H L Spurloc	6041	1	#####	303	2944.2	0.001555	0.16	0.000471
KY	H L Spurloc	6041	1	#####	321	3114.6	0.001514	0.156	0.000486
KY	H L Spurloc	6041	1	#####	304	2905.4	0.001539	0.161	0.000468
KY	H L Spurloc	6041	1	#####	301	2903.9	0.001534	0.159	0.000462
KY	H L Spurloc	6041	1	#####	312	2986	0.001512	0.158	0.000472
KY	H L Spurloc	6041	1	#####	324	3093.6	0.00148	0.155	0.00048
KY	H L Spurloc	6041	1	#####	323	3066.2	0.001481	0.156	0.000478
KY	H L Spurloc	6041	1	#####	323	3046	0.00149	0.158	0.000481
KY	H L Spurloc	6041	1	#####	323	3101	0.001488	0.155	0.000481
KY	H L Spurloc	6041	1	#####	323	3085.8	0.00149	0.156	0.000481
KY	H L Spurloc	6041	1	#####	323	3085.2	0.00149	0.156	0.000481
KY	H L Spurloc	6041	1	#####	323	3086.5	0.001491	0.156	0.000481
KY	H L Spurloc	6041	1	#####	323	3083.8	0.001489	0.156	0.000481
KY	H L Spurloc	6041	1	#####	322	3101.7	0.001503	0.156	0.000484
KY	H L Spurloc	6041	1	#####	308	2994.2	0.001536	0.158	0.000473
KY	H L Spurloc	6041	1	#####	318	3083.6	0.001522	0.157	0.000484
KY	H L Spurloc	6041	1	#####	322	3129.1	0.001516	0.156	0.000488
KY	H L Spurloc	6041	1	#####	322	3106.5	0.001505	0.156	0.000485
KY	H L Spurloc	6041	1	#####	322	3133.8	0.001509	0.155	0.000486
KY	H L Spurloc	6041	1	#####	322	3139.1	0.001511	0.155	0.000487
KY	H L Spurloc	6041	1	#####	322	3122.6	0.001513	0.156	0.000487
KY	H L Spurloc	6041	1	#####	322	3140.1	0.001512	0.155	0.000487
KY	H L Spurloc	6041	1	#####	322	3122.4	0.001513	0.156	0.000487
KY	H L Spurloc	6041	1	#####	322	3128.6	0.001516	0.156	0.000488
KY	H L Spurloc	6041	1	#####	322	3146	0.001514	0.155	0.000488
KY	H L Spurloc	6041	1	#####	322	3151.8	0.001517	0.155	0.000489
KY	H L Spurloc	6041	1	#####	321	3152	0.001532	0.156	0.000492
KY	H L Spurloc	6041	1	#####	322	3140.3	0.001521	0.156	0.00049
KY	H L Spurloc	6041	1	#####	322	3157.7	0.00152	0.155	0.000489
KY	H L Spurloc	6041	1	#####	322	3165	0.001524	0.155	0.000491
KY	H L Spurloc	6041	1	#####	322	3145.2	0.001524	0.156	0.000491
KY	H L Spurloc	6041	1	#####	322	3150.1	0.001516	0.155	0.000488
KY	H L Spurloc	6041	1	#####	322	3128.6	0.001506	0.155	0.000485
KY	H L Spurloc	6041	1	#####	322	3118.1	0.001491	0.154	0.00048
KY	H L Spurloc	6041	1	#####	322	3134.4	0.00148	0.152	0.000476
KY	H L Spurloc	6041	1	#####	321	3124.7	0.001499	0.154	0.000481

KY	H L Spurloc	6041	1	#####	310	3015.3	0.001537	0.158	0.000476
KY	H L Spurloc	6041	1	#####	322	3171.4	0.001517	0.154	0.000488
KY	H L Spurloc	6041	1	#####	306	3010.2	0.001535	0.156	0.00047
KY	H L Spurloc	6041	1	#####	321	3140.2	0.001507	0.154	0.000484
KY	H L Spurloc	6041	1	#####	322	3136.6	0.00149	0.153	0.00048
KY	H L Spurloc	6041	1	#####	322	3122.9	0.001494	0.154	0.000481
KY	H L Spurloc	6041	1	#####	322	3150.6	0.001507	0.154	0.000485
KY	H L Spurloc	6041	1	#####	322	3157.2	0.0015	0.153	0.000483
KY	H L Spurloc	6041	1	#####	321	3149.2	0.001501	0.153	0.000482
KY	H L Spurloc	6041	1	#####	323	3170.5	0.001512	0.154	0.000488
KY	H L Spurloc	6041	1	#####	323	3178.5	0.001506	0.153	0.000486
KY	H L Spurloc	6041	1	#####	323	3195.5	0.001514	0.153	0.000489
KY	H L Spurloc	6041	1	#####	323	3206.7	0.001529	0.154	0.000494
KY	H L Spurloc	6041	1	#####	323	3215	0.001523	0.153	0.000492
KY	H L Spurloc	6041	1	#####	309	3040	0.001545	0.157	0.000477
KY	H L Spurloc	6041	1	#####	322	3187	0.001534	0.155	0.000494
KY	H L Spurloc	6041	1	#####	323	3163.4	0.001518	0.155	0.00049
KY	H L Spurloc	6041	1	#####	323	3149.5	0.001511	0.155	0.000488
KY	H L Spurloc	6041	1	#####	323	3146.2	0.00152	0.156	0.000491
KY	H L Spurloc	6041	1	#####	323	3118.4	0.001506	0.156	0.000486
KY	H L Spurloc	6041	1	#####	323	3110.1	0.001512	0.157	0.000488
KY	H L Spurloc	6041	1	#####	323	3115.7	0.001505	0.156	0.000486
KY	H L Spurloc	6041	1	#####	323	3109.7	0.001502	0.156	0.000485
KY	H L Spurloc	6041	1	#####	323	3093.4	0.001504	0.157	0.000486
KY	H L Spurloc	6041	1	#####	311	2999.1	0.001533	0.159	0.000477
KY	H L Spurloc	6041	1	#####	320	3109.9	0.001516	0.156	0.000485
KY	H L Spurloc	6041	1	#####	307	2995.6	0.001542	0.158	0.000473
KY	H L Spurloc	6041	1	#####	319	3123.3	0.001527	0.156	0.000487
KY	H L Spurloc	6041	1	#####	320	3149.1	0.001525	0.155	0.000488
KY	H L Spurloc	6041	1	#####	320	3139.9	0.001521	0.155	0.000487
KY	H L Spurloc	6041	1	#####	320	3144.6	0.001523	0.155	0.000487
KY	H L Spurloc	6041	1	#####	320	3138.1	0.00152	0.155	0.000486
KY	H L Spurloc	6041	1	#####	320	3145.8	0.001504	0.153	0.000481
KY	H L Spurloc	6041	1	#####	320	3145.7	0.001514	0.154	0.000484
KY	H L Spurloc	6041	1	#####	320	3130	0.001526	0.156	0.000488
KY	H L Spurloc	6041	1	#####	306	2991.2	0.001554	0.159	0.000476
KY	H L Spurloc	6041	1	#####	322	3135.9	0.00151	0.155	0.000486
KY	H L Spurloc	6041	1	#####	315	3082.4	0.001527	0.156	0.000481
KY	H L Spurloc	6041	1	#####	322	3150.1	0.001516	0.155	0.000488
KY	H L Spurloc	6041	1	#####	323	3190.1	0.001511	0.153	0.000488
KY	H L Spurloc	6041	1	#####	323	3171.4	0.001512	0.154	0.000488
KY	H L Spurloc	6041	1	#####	323	3185.9	0.001519	0.154	0.000491
KY	H L Spurloc	6041	1	#####	323	3171.4	0.001512	0.154	0.000488
KY	H L Spurloc	6041	1	#####	323	3148.9	0.001501	0.154	0.000485
KY	H L Spurloc	6041	1	#####	323	3154.8	0.001494	0.153	0.000483
KY	H L Spurloc	6041	1	#####	323	3147.1	0.001491	0.153	0.000482
KY	H L Spurloc	6041	1	#####	322	3160.3	0.001502	0.153	0.000484

KY	H L Spurloc	6041	1 #####	323	3156.2	0.001505	0.154	0.000486
KY	H L Spurloc	6041	1 #####	323	3166.1	0.0015	0.153	0.000484
KY	H L Spurloc	6041	1 #####	323	3160.2	0.001497	0.153	0.000484
KY	H L Spurloc	6041	1 #####	323	3166.6	0.0015	0.153	0.000484
KY	H L Spurloc	6041	1 #####	311	3049.2	0.00153	0.156	0.000476
KY	H L Spurloc	6041	1 #####	322	3162.9	0.001523	0.155	0.00049
KY	H L Spurloc	6041	1 #####	323	3180.3	0.001516	0.154	0.00049
KY	H L Spurloc	6041	1 #####	323	3151.2	0.001493	0.153	0.000482
KY	H L Spurloc	6041	1 #####	323	3153.6	0.001494	0.153	0.000483
KY	H L Spurloc	6041	1 #####	323	3159.9	0.001497	0.153	0.000483
KY	H L Spurloc	6041	1 #####	323	3165.3	0.001509	0.154	0.000487
KY	H L Spurloc	6041	1 #####	323	3184.5	0.001508	0.153	0.000487
KY	H L Spurloc	6041	1 #####	323	3162.7	0.001508	0.154	0.000487
KY	H L Spurloc	6041	1 #####	323	3185.7	0.001509	0.153	0.000487
KY	H L Spurloc	6041	1 #####	323	3180.3	0.001506	0.153	0.000487
KY	H L Spurloc	6041	1 #####	323	3150.8	0.001502	0.154	0.000485
KY	H L Spurloc	6041	1 #####	324	3155.2	0.0015	0.154	0.000486
KY	H L Spurloc	6041	1 #####	323	3153.7	0.001504	0.154	0.000486
KY	H L Spurloc	6041	1 #####	323	3127.9	0.001491	0.154	0.000482
KY	H L Spurloc	6041	1 #####	323	3144.4	0.001489	0.153	0.000481
KY	H L Spurloc	6041	1 #####	324	3155.8	0.00149	0.153	0.000483
KY	H L Spurloc	6041	1 #####	323	3172.3	0.001493	0.152	0.000482
KY	H L Spurloc	6041	1 #####	324	3182.3	0.001493	0.152	0.000484
KY	H L Spurloc	6041	1 #####	296	2869.1	0.00157	0.162	0.000465
KY	H L Spurloc	6041	1 #####	298	2918.9	0.001557	0.159	0.000464
KY	H L Spurloc	6041	1 #####	324	3183.9	0.001494	0.152	0.000484
KY	H L Spurloc	6041	1 #####	324	3170.9	0.001488	0.152	0.000482
KY	H L Spurloc	6041	1 #####	323	3176.3	0.001495	0.152	0.000483
KY	H L Spurloc	6041	1 #####	324	3191.4	0.001497	0.152	0.000485
KY	H L Spurloc	6041	1 #####	314	3083.5	0.001493	0.152	0.000469
KY	H L Spurloc	6041	1 #####	324	3204.3	0.001503	0.152	0.000487
KY	H L Spurloc	6041	1 #####	324	3187.1	0.001515	0.154	0.000491
KY	H L Spurloc	6041	1 #####	325	3200.1	0.001526	0.155	0.000496
KY	H L Spurloc	6041	1 #####	324	3179.7	0.001521	0.155	0.000493
KY	H L Spurloc	6041	1 #####	324	3187.5	0.001525	0.155	0.000494
KY	H L Spurloc	6041	1 #####	323	3206.1	0.001539	0.155	0.000497
KY	H L Spurloc	6041	1 #####	324	3215.7	0.001538	0.155	0.000498
KY	H L Spurloc	6041	1 #####	325	3199.7	0.001536	0.156	0.000499
KY	H L Spurloc	6041	1 #####	325	3224.2	0.001548	0.156	0.000503
KY	H L Spurloc	6041	1 #####	307	3044.5	0.001557	0.157	0.000478
KY	H L Spurloc	6041	1 #####	323	3188.3	0.00153	0.155	0.000494
KY	H L Spurloc	6041	1 #####	312	3090.2	0.001535	0.155	0.000479
KY	H L Spurloc	6041	1 #####	299	2961.2	0.001565	0.158	0.000468
KY	H L Spurloc	6041	1 #####	284	2798.1	0.001616	0.164	0.000459
KY	H L Spurloc	6041	1 #####	239	2340.2	0.001743	0.178	0.000417
KY	H L Spurloc	6041	1 #####	227	2195.4	0.001799	0.186	0.000408
KY	H L Spurloc	6041	1 #####	272	2659.7	0.001623	0.166	0.000442

KY	H L Spurloc	6041	1 #####	298	2972	0.001556	0.156	0.000464
KY	H L Spurloc	6041	1 #####	311	3038.7	0.001524	0.156	0.000474
KY	H L Spurloc	6041	1 #####	310	3061.9	0.001531	0.155	0.000475
KY	H L Spurloc	6041	1 #####	318	3131.7	0.001517	0.154	0.000482
KY	H L Spurloc	6041	1 #####	316	3075.9	0.001178	0.121	0.000372
KY	H L Spurloc	6041	1 #####	324	3165.1	0.001162	0.119	0.000377
KY	H L Spurloc	6041	1 #####	308	3025	0.001188	0.121	0.000366
KY	H L Spurloc	6041	1 #####	323	3179.1	0.001171	0.119	0.000378
KY	H L Spurloc	6041	1 #####	324	3170.6	0.001174	0.12	0.00038
KY	H L Spurloc	6041	1 #####	324	3156.1	0.001169	0.12	0.000379
KY	H L Spurloc	6041	1 #####	324	3131	0.001169	0.121	0.000379
KY	H L Spurloc	6041	1 #####	324	3161.2	0.001171	0.12	0.000379
KY	H L Spurloc	6041	1 #####	323	3145	0.001178	0.121	0.000381
KY	H L Spurloc	6041	1 #####	321	3136.7	0.001182	0.121	0.00038
KY	H L Spurloc	6041	1 #####	312	3046.8	0.001172	0.12	0.000366
KY	H L Spurloc	6041	1 #####	323	3161.5	0.001165	0.119	0.000376
KY	H L Spurloc	6041	1 #####	306	2968	0.001183	0.122	0.000362
KY	H L Spurloc	6041	1 #####	309	3011.3	0.001179	0.121	0.000364
KY	H L Spurloc	6041	1 #####	286	2794	0.001221	0.125	0.000349
KY	H L Spurloc	6041	1 #####	248	2428	0.001312	0.134	0.000325
KY	H L Spurloc	6041	1 #####	225	2201	0.001409	0.144	0.000317
KY	H L Spurloc	6041	1 #####	190	1856.9	0.001495	0.153	0.000284
KY	H L Spurloc	6041	1 #####	165	1631.7	0.001543	0.156	0.000255
KY	H L Spurloc	6041	1 #####	165	1640.9	0.001541	0.155	0.000254
KY	H L Spurloc	6041	1 #####	181	1797.2	0.001509	0.152	0.000273
KY	H L Spurloc	6041	1 #####	167	1666	0.001546	0.155	0.000258
KY	H L Spurloc	6041	1 #####	196	1928.4	0.001456	0.148	0.000285
KY	H L Spurloc	6041	1 #####	290	2810.7	0.001231	0.127	0.000357
KY	H L Spurloc	6041	1 #####	292	2808.8	0.001212	0.126	0.000354
KY	H L Spurloc	6041	1 #####	296	2880.7	0.001207	0.124	0.000357
KY	H L Spurloc	6041	1 #####	313	3045.2	0.001177	0.121	0.000368
KY	H L Spurloc	6041	1 #####	321	3118.5	0.001166	0.12	0.000374
KY	H L Spurloc	6041	1 #####	324	3168.4	0.001173	0.12	0.00038
KY	H L Spurloc	6041	1 #####	325	3173.2	0.001172	0.12	0.000381
KY	H L Spurloc	6041	1 #####	325	3192.3	0.001179	0.12	0.000383
KY	H L Spurloc	6041	1 #####	324	3196.9	0.001174	0.119	0.00038
KY	H L Spurloc	6041	1 #####	324	3183.2	0.001169	0.119	0.000379
KY	H L Spurloc	6041	1 #####	324	3193.6	0.001173	0.119	0.00038
KY	H L Spurloc	6041	1 #####	325	3182.5	0.001165	0.119	0.000379
KY	H L Spurloc	6041	1 #####	325	3161	0.001177	0.121	0.000382
KY	H L Spurloc	6041	1 #####	324	3140.2	0.001163	0.12	0.000377
KY	H L Spurloc	6041	1 #####	302	2938.4	0.001206	0.124	0.000364
KY	H L Spurloc	6041	1 #####	198	1922.3	0.001485	0.153	0.000294
KY	H L Spurloc	6041	1 #####	165	1629.8	0.00163	0.165	0.000269
KY	H L Spurloc	6041	1 #####	165	1644	0.001654	0.166	0.000273
KY	H L Spurloc	6041	1 #####	165	1628.3	0.001638	0.166	0.00027
KY	H L Spurloc	6041	1 #####	165	1620.9	0.001621	0.165	0.000267

KY	H L Spurloc	6041	1	#####	166	1631.2	0.001612	0.164	0.000268
KY	H L Spurloc	6041	1	#####	184	1819.4	0.001552	0.157	0.000286
KY	H L Spurloc	6041	1	#####	188	1832	0.00154	0.158	0.000289
KY	H L Spurloc	6041	1	#####	212	2074.7	0.001458	0.149	0.000309
KY	H L Spurloc	6041	1	#####	247	2413	0.001358	0.139	0.000335
KY	H L Spurloc	6041	1	#####	298	2888.4	0.001241	0.128	0.00037
KY	H L Spurloc	6041	1	#####	323	3155.1	0.001201	0.123	0.000388
KY	H L Spurloc	6041	1	#####	314	3063.1	0.0012	0.123	0.000377
KY	H L Spurloc	6041	1	#####	326	3149.3	0.001198	0.124	0.000391
KY	H L Spurloc	6041	1	#####	325	3170.7	0.0012	0.123	0.00039
KY	H L Spurloc	6041	1	#####	323	3164.4	0.001205	0.123	0.000389
KY	H L Spurloc	6041	1	#####	324	3146.5	0.001195	0.123	0.000387
KY	H L Spurloc	6041	1	#####	321	3108.4	0.001201	0.124	0.000385
KY	H L Spurloc	6041	1	#####	320	3117.8	0.001208	0.124	0.000387
KY	H L Spurloc	6041	1	#####	321	3116.6	0.001194	0.123	0.000383
KY	H L Spurloc	6041	1	#####	320	3116.1	0.001207	0.124	0.000386
KY	H L Spurloc	6041	1	#####	320	3103.3	0.001193	0.123	0.000382
KY	H L Spurloc	6041	1	#####	305	2951.5	0.001229	0.127	0.000375
KY	H L Spurloc	6041	1	#####	319	3102.2	0.001196	0.123	0.000382
KY	H L Spurloc	6041	1	#####	317	3085.3	0.001197	0.123	0.000379
KY	H L Spurloc	6041	1	#####	242	2350.4	0.001369	0.141	0.000331
KY	H L Spurloc	6041	1	#####	193	1877.3	0.001537	0.158	0.000297
KY	H L Spurloc	6041	1	#####	175	1706	0.001589	0.163	0.000278
KY	H L Spurloc	6041	1	#####	175	1717.1	0.00159	0.162	0.000278
KY	H L Spurloc	6041	1	#####	175	1721.5	0.001594	0.162	0.000279
KY	H L Spurloc	6041	1	#####	221	2182.3	0.001452	0.147	0.000321
KY	H L Spurloc	6041	1	#####	200	1926.4	0.001503	0.156	0.000301
KY	H L Spurloc	6041	1	#####	227	2154	0.001423	0.15	0.000323
KY	H L Spurloc	6041	1	#####	266	2522.8	0.001337	0.141	0.000356
KY	H L Spurloc	6041	1	#####	316	2923			
KY	H L Spurloc	6041	1	#####	316	2916.6			
KY	H L Spurloc	6041	1	#####	320	3083	0.001195	0.124	0.000382
KY	H L Spurloc	6041	1	#####	320	3124.3			
KY	H L Spurloc	6041	1	#####	320	3139.5			
KY	H L Spurloc	6041	1	#####	320	3127.8			
KY	H L Spurloc	6041	1	#####	322	3137.2			
KY	H L Spurloc	6041	1	#####	323	3134.9	0.001194	0.123	0.000386
KY	H L Spurloc	6041	1	#####	323	3127.3			
KY	H L Spurloc	6041	1	#####	323	3135.6			
KY	H L Spurloc	6041	1	#####	323	3164.1			
KY	H L Spurloc	6041	1	#####	323	3152.8			
KY	H L Spurloc	6041	1	#####	317	3117.7	0.0012	0.122	0.00038
KY	H L Spurloc	6041	1	#####	307	3011.5	0.001226	0.125	0.000376
KY	H L Spurloc	6041	1	#####	280	2723.1	0.001284	0.132	0.000359
KY	H L Spurloc	6041	1	#####	273	2658.1	0.001275	0.131	0.000348
KY	H L Spurloc	6041	1	#####	206	2014.1	0.001457	0.149	0.0003
KY	H L Spurloc	6041	1	#####	169	1665.4	0.001626	0.165	0.000275

KY	H L Spurloc	6041	1 #####	166	1637.8	0.001608	0.163	0.000267
KY	H L Spurloc	6041	1 #####	179	1755	0.001539	0.157	0.000276
KY	H L Spurloc	6041	1 #####	176	1914.8			
KY	H L Spurloc	6041	1 #####	204	2083.8			
KY	H L Spurloc	6041	1 #####	257	2394.4			
KY	H L Spurloc	6041	1 #####	273	2668.7	0.0013	0.133	0.000355
KY	H L Spurloc	6041	1 #####	257	2515.5	0.001321	0.135	0.00034
KY	H L Spurloc	6041	1 #####	306	2986.2	0.00122	0.125	0.000373
KY	H L Spurloc	6041	1 #####	323	2667.8	0.001189	0.144	0.000384
KY	H L Spurloc	6041	1 #####	305	2980.4	0.001221	0.125	0.000373
KY	H L Spurloc	6041	1 #####	320	3118.4	0.001189	0.122	0.00038
KY	H L Spurloc	6041	1 #####	324	3170.3	0.001184	0.121	0.000384
KY	H L Spurloc	6041	1 #####	323	3155.9	0.001182	0.121	0.000382
KY	H L Spurloc	6041	1 #####	323	3152.2	0.001181	0.121	0.000381
KY	H L Spurloc	6041	1 #####	323	3151.9	0.001171	0.12	0.000378
KY	H L Spurloc	6041	1 #####	324	3156.9	0.001179	0.121	0.000382
KY	H L Spurloc	6041	1 #####	315	3065.2	0.001187	0.122	0.000374
KY	H L Spurloc	6041	1 #####	322	3128.9	0.001176	0.121	0.000379
KY	H L Spurloc	6041	1 #####	308	3000.2	0.001198	0.123	0.000369
KY	H L Spurloc	6041	1 #####	250	2423.5	0.001338	0.138	0.000334
KY	H L Spurloc	6041	1 #####	200	1942.5	0.001467	0.151	0.000293
KY	H L Spurloc	6041	1 #####	185	1799	0.001498	0.154	0.000277
KY	H L Spurloc	6041	1 #####	165	1629.4	0.00157	0.159	0.000259
KY	H L Spurloc	6041	1 #####	166	1674.3	0.001594	0.158	0.000265
KY	H L Spurloc	6041	1 #####	164	1625.8	0.001586	0.16	0.00026
KY	H L Spurloc	6041	1 #####	167	1646.4	0.001558	0.158	0.00026
KY	H L Spurloc	6041	1 #####	169	1708.7	0.001577	0.156	0.000267
KY	H L Spurloc	6041	1 #####	171	1684.3	0.001537	0.156	0.000263
KY	H L Spurloc	6041	1 #####	220	2168.5	0.00139	0.141	0.000306
KY	H L Spurloc	6041	1 #####	247	2383.8	0.001303	0.135	0.000322
KY	H L Spurloc	6041	1 #####	204	1962.6	0.001414	0.147	0.000289
KY	H L Spurloc	6041	1 #####	264	2552.5	0.001267	0.131	0.000334
KY	H L Spurloc	6041	1 #####	323	3156.1	0.001173	0.12	0.000379
KY	H L Spurloc	6041	1 #####	319	3119.3	0.001173	0.12	0.000374
KY	H L Spurloc	6041	1 #####	323	3145.4	0.001178	0.121	0.000381
KY	H L Spurloc	6041	1 #####	323	3138.9	0.001176	0.121	0.00038
KY	H L Spurloc	6041	1 #####	323	3141.7	0.001177	0.121	0.00038
KY	H L Spurloc	6041	1 #####	323	3151.7	0.001181	0.121	0.000381
KY	H L Spurloc	6041	1 #####	323	3165.2	0.001186	0.121	0.000383
KY	H L Spurloc	6041	1 #####	323	3134	0.001174	0.121	0.000379
KY	H L Spurloc	6041	1 #####	323	3128.1	0.001172	0.121	0.000379
KY	H L Spurloc	6041	1 #####	322	3137	0.001179	0.121	0.00038
KY	H L Spurloc	6041	1 #####	312	3021.3	0.001191	0.123	0.000372
KY	H L Spurloc	6041	1 #####	272	2623.2	0.001273	0.132	0.000346
KY	H L Spurloc	6041	1 #####	234	2247.3	0.001364	0.142	0.000319
KY	H L Spurloc	6041	1 #####	174	1691.3	0.001526	0.157	0.000266
KY	H L Spurloc	6041	1 #####	168	1642.6	0.001545	0.158	0.00026

KY	H L Spurloc	6041	1 #####	168	1653.4	0.001545	0.157	0.00026
KY	H L Spurloc	6041	1 #####	166	1630	0.001551	0.158	0.000258
KY	H L Spurloc	6041	1 #####	165	1613	0.001545	0.158	0.000255
KY	H L Spurloc	6041	1 #####	164	1622.7	0.001573	0.159	0.000258
KY	H L Spurloc	6041	1 #####	165	1611.6	0.001553	0.159	0.000256
KY	H L Spurloc	6041	1 #####	165	1615.1	0.001547	0.158	0.000255
KY	H L Spurloc	6041	1 #####	165	1606.2	0.001538	0.158	0.000254
KY	H L Spurloc	6041	1 #####	172	1654.8	0.00152	0.158	0.000261
KY	H L Spurloc	6041	1 #####	233	2205.3	0.001316	0.139	0.000307
KY	H L Spurloc	6041	1 #####	280	2636.6	0.001205	0.128	0.000337
KY	H L Spurloc	6041	1 #####	321	3030.4	0.001142	0.121	0.000367
KY	H L Spurloc	6041	1 #####	283	2690.9	0.001217	0.128	0.000344
KY	H L Spurloc	6041	1 #####	312	2965.1	0.001159	0.122	0.000362
KY	H L Spurloc	6041	1 #####	321	3074.7	0.001149	0.12	0.000369
KY	H L Spurloc	6041	1 #####	316	3015.9	0.001155	0.121	0.000365
KY	H L Spurloc	6041	1 #####	315	3021.6	0.001161	0.121	0.000366
KY	H L Spurloc	6041	1 #####	322	3104.4	0.001147	0.119	0.000369
KY	H L Spurloc	6041	1 #####	319	3062.7	0.001162	0.121	0.000371
KY	H L Spurloc	6041	1 #####	306	2941.9	0.001183	0.123	0.000362
KY	H L Spurloc	6041	1 #####	283	2682.8	0.001223	0.129	0.000346
KY	H L Spurloc	6041	1 #####	197	1869.7	0.001452	0.153	0.000286
KY	H L Spurloc	6041	1 #####	164	1655.6	0.001625	0.161	0.000267
KY	H L Spurloc	6041	1 8/1/2022	168	1618.4	0.001561	0.162	0.000262
KY	H L Spurloc	6041	1 8/1/2022	165	1591.9	0.001573	0.163	0.000259
KY	H L Spurloc	6041	1 8/1/2022	165	1598.2	0.001589	0.164	0.000262
KY	H L Spurloc	6041	1 8/1/2022	168	1634.2	0.001576	0.162	0.000265
KY	H L Spurloc	6041	1 8/1/2022	170	1626.8	0.00156	0.163	0.000265
KY	H L Spurloc	6041	1 8/1/2022	175	1678.3	0.001544	0.161	0.00027
KY	H L Spurloc	6041	1 8/1/2022	176	1683.2	0.00154	0.161	0.000271
KY	H L Spurloc	6041	1 8/1/2022	175	1688.7	0.001554	0.161	0.000272
KY	H L Spurloc	6041	1 8/1/2022	188	1808.8	0.001511	0.157	0.000284
KY	H L Spurloc	6041	1 8/1/2022	229	2187	0.001375	0.144	0.000315
KY	H L Spurloc	6041	1 8/1/2022	313	3023.7	0.001372	0.142	0.000429
KY	H L Spurloc	6041	1 8/1/2022	318	3075.7	0.001364	0.141	0.000434
KY	H L Spurloc	6041	1 8/1/2022	323	3138.5	0.00137	0.141	0.000443
KY	H L Spurloc	6041	1 8/1/2022	324	3152.5	0.001391	0.143	0.000451
KY	H L Spurloc	6041	1 8/1/2022	323	3170.2	0.001404	0.143	0.000453
KY	H L Spurloc	6041	1 8/1/2022	323	3156.8	0.001398	0.143	0.000451
KY	H L Spurloc	6041	1 8/1/2022	322	3164.6	0.001396	0.142	0.000449
KY	H L Spurloc	6041	1 8/1/2022	322	3161.2	0.001394	0.142	0.000449
KY	H L Spurloc	6041	1 8/1/2022	322	3164.7	0.001396	0.142	0.000449
KY	H L Spurloc	6041	1 8/1/2022	322	3162.8	0.001395	0.142	0.000449
KY	H L Spurloc	6041	1 8/1/2022	322	3158.1	0.001412	0.144	0.000455
KY	H L Spurloc	6041	1 8/1/2022	304	2991.6	0.001456	0.148	0.000443
KY	H L Spurloc	6041	1 8/1/2022	309	3070.7	0.001451	0.146	0.000448
KY	H L Spurloc	6041	1 8/1/2022	248	2436.3	0.001631	0.166	0.000404
KY	H L Spurloc	6041	1 8/2/2022	176	1751.8	0.001891	0.19	0.000333

KY	H L Spurloc	6041	1	8/2/2022	188	1870.6	0.001821	0.183	0.000342
KY	H L Spurloc	6041	1	8/2/2022	185	1856	0.001826	0.182	0.000338
KY	H L Spurloc	6041	1	8/2/2022	165	1671.9	0.001915	0.189	0.000316
KY	H L Spurloc	6041	1	8/2/2022	165	1685.9	0.001941	0.19	0.00032
KY	H L Spurloc	6041	1	8/2/2022	181	1851.9	0.001862	0.182	0.000337
KY	H L Spurloc	6041	1	8/2/2022	276	2709.6	0.001502	0.153	0.000415
KY	H L Spurloc	6041	1	8/2/2022	322	3193.5	0.001379	0.139	0.000444
KY	H L Spurloc	6041	1	8/2/2022	322	3194.9	0.001399	0.141	0.00045
KY	H L Spurloc	6041	1	8/2/2022	322	3201	0.001372	0.138	0.000442
KY	H L Spurloc	6041	1	8/2/2022	322	3214.5	0.001398	0.14	0.00045
KY	H L Spurloc	6041	1	8/2/2022	322	3187.7	0.001386	0.14	0.000446
KY	H L Spurloc	6041	1	8/2/2022	322	3197.4	0.00138	0.139	0.000444
KY	H L Spurloc	6041	1	8/2/2022	322	3199	0.001371	0.138	0.000441
KY	H L Spurloc	6041	1	8/2/2022	322	3189.7	0.001387	0.14	0.000447
KY	H L Spurloc	6041	1	8/2/2022	322	3172.8	0.001379	0.14	0.000444
KY	H L Spurloc	6041	1	8/2/2022	322	3180.8	0.001383	0.14	0.000445
KY	H L Spurloc	6041	1	8/2/2022	322	3202.5	0.001382	0.139	0.000445
KY	H L Spurloc	6041	1	8/2/2022	318	3148.1	0.001376	0.139	0.000438
KY	H L Spurloc	6041	1	8/2/2022	323	3204.8	0.001379	0.139	0.000445
KY	H L Spurloc	6041	1	8/2/2022	323	3221.5	0.001376	0.138	0.000445
KY	H L Spurloc	6041	1	8/2/2022	309	3059.3	0.001406	0.142	0.000434
KY	H L Spurloc	6041	1	8/2/2022	322	3173.8	0.00138	0.14	0.000444
KY	H L Spurloc	6041	1	8/2/2022	323	3158.7	0.001369	0.14	0.000442
KY	H L Spurloc	6041	1	8/3/2022	323	3192.4	0.001384	0.14	0.000447
KY	H L Spurloc	6041	1	8/3/2022	323	3174.6	0.001366	0.139	0.000441
KY	H L Spurloc	6041	1	8/3/2022	323	3151.1	0.001366	0.14	0.000441
KY	H L Spurloc	6041	1	8/3/2022	323	3143.9	0.001372	0.141	0.000443
KY	H L Spurloc	6041	1	8/3/2022	321	3136.4	0.001368	0.14	0.000439
KY	H L Spurloc	6041	1	8/3/2022	320	3145	0.001356	0.138	0.000434
KY	H L Spurloc	6041	1	8/3/2022	320	3156.3	0.001371	0.139	0.000439
KY	H L Spurloc	6041	1	8/3/2022	320	3135.4	0.001362	0.139	0.000436
KY	H L Spurloc	6041	1	8/3/2022	319	3163.8	0.001389	0.14	0.000443
KY	H L Spurloc	6041	1	8/3/2022	320	3165.5	0.001375	0.139	0.00044
KY	H L Spurloc	6041	1	8/3/2022	320	3165.5	0.001365	0.138	0.000437
KY	H L Spurloc	6041	1	8/3/2022	320	3183.4	0.001373	0.138	0.000439
KY	H L Spurloc	6041	1	8/3/2022	320	3186.6	0.001374	0.138	0.00044
KY	H L Spurloc	6041	1	8/3/2022	320	3179.1	0.001381	0.139	0.000442
KY	H L Spurloc	6041	1	8/3/2022	320	3166.2	0.001375	0.139	0.00044
KY	H L Spurloc	6041	1	8/3/2022	320	3159.3	0.001372	0.139	0.000439
KY	H L Spurloc	6041	1	8/3/2022	320	3151.4	0.001369	0.139	0.000438
KY	H L Spurloc	6041	1	8/3/2022	320	3136.8	0.001382	0.141	0.000442
KY	H L Spurloc	6041	1	8/3/2022	320	3152	0.001379	0.14	0.000441
KY	H L Spurloc	6041	1	8/3/2022	320	3149.8	0.001378	0.14	0.000441
KY	H L Spurloc	6041	1	8/3/2022	320	3153.9	0.00137	0.139	0.000438
KY	H L Spurloc	6041	1	8/3/2022	320	3142.3	0.001365	0.139	0.000437
KY	H L Spurloc	6041	1	8/3/2022	309	3049.4	0.001401	0.142	0.000433
KY	H L Spurloc	6041	1	8/3/2022	312	3084.7	0.001424	0.144	0.000444

KY	H L Spurloc	6041	1	8/4/2022	289	2862.9	0.001486	0.15	0.000429
KY	H L Spurloc	6041	1	8/4/2022	214	2112.9	0.001708	0.173	0.000366
KY	H L Spurloc	6041	1	8/4/2022	172	1696.9	0.001865	0.189	0.000321
KY	H L Spurloc	6041	1	8/4/2022	183	1825.2	0.001825	0.183	0.000334
KY	H L Spurloc	6041	1	8/4/2022	180	1789.2	0.001839	0.185	0.000331
KY	H L Spurloc	6041	1	8/4/2022	274	2814.2	0.00152	0.148	0.000417
KY	H L Spurloc	6041	1	8/4/2022	320	3171	0.001407	0.142	0.00045
KY	H L Spurloc	6041	1	8/4/2022	320	3135.8	0.001382	0.141	0.000442
KY	H L Spurloc	6041	1	8/4/2022	320	3147.1	0.001387	0.141	0.000444
KY	H L Spurloc	6041	1	8/4/2022	320	3147.4	0.001377	0.14	0.000441
KY	H L Spurloc	6041	1	8/4/2022	320	3163.6	0.001374	0.139	0.00044
KY	H L Spurloc	6041	1	8/4/2022	320	3166.9	0.001395	0.141	0.000447
KY	H L Spurloc	6041	1	8/4/2022	320	3173.2	0.001408	0.142	0.000451
KY	H L Spurloc	6041	1	8/4/2022	319	3176.3	0.001404	0.141	0.000448
KY	H L Spurloc	6041	1	8/4/2022	320	3200.6	0.00141	0.141	0.000451
KY	H L Spurloc	6041	1	8/4/2022	320	3186.1	0.001434	0.144	0.000459
KY	H L Spurloc	6041	1	8/4/2022	320	3155.6	0.00142	0.144	0.000454
KY	H L Spurloc	6041	1	8/4/2022	320	3167	0.001415	0.143	0.000453
KY	H L Spurloc	6041	1	8/4/2022	320	3138.1	0.001422	0.145	0.000455
KY	H L Spurloc	6041	1	8/4/2022	319	3155.4	0.001414	0.143	0.000451
KY	H L Spurloc	6041	1	8/4/2022	314	3091.6	0.001437	0.146	0.000451
KY	H L Spurloc	6041	1	8/4/2022	313	3070.9	0.001432	0.146	0.000448
KY	H L Spurloc	6041	1	8/4/2022	317	3141.1	0.001417	0.143	0.000449
KY	H L Spurloc	6041	1	8/4/2022	267	2606	0.001552	0.159	0.000414
KY	H L Spurloc	6041	1	8/5/2022	255	2491.2	0.001592	0.163	0.000406
KY	H L Spurloc	6041	1	8/5/2022	194	1908.1	0.00182	0.185	0.000353
KY	H L Spurloc	6041	1	8/5/2022	176	1747.4	0.001847	0.186	0.000325
KY	H L Spurloc	6041	1	8/5/2022	174	1722.8	0.001861	0.188	0.000324
KY	H L Spurloc	6041	1	8/5/2022	170	1689	0.001888	0.19	0.000321
KY	H L Spurloc	6041	1	8/5/2022	172	1737.7	0.001879	0.186	0.000323
KY	H L Spurloc	6041	1	8/5/2022	185	1830.5	0.001821	0.184	0.000337
KY	H L Spurloc	6041	1	8/5/2022	174	1734.6	0.001874	0.188	0.000326
KY	H L Spurloc	6041	1	8/5/2022	217	2094.7	0.00168	0.174	0.000364
KY	H L Spurloc	6041	1	8/5/2022	264	2542.6	0.001541	0.16	0.000407
KY	H L Spurloc	6041	1	8/5/2022	326	3197	0.001402	0.143	0.000457
KY	H L Spurloc	6041	1	8/5/2022	325	3198.1	0.001407	0.143	0.000457
KY	H L Spurloc	6041	1	8/5/2022	324	3189	0.001407	0.143	0.000456
KY	H L Spurloc	6041	1	8/5/2022	325	3186.7	0.001412	0.144	0.000459
KY	H L Spurloc	6041	1	8/5/2022	324	3166.8	0.001407	0.144	0.000456
KY	H L Spurloc	6041	1	8/5/2022	324	3132.5	0.001402	0.145	0.000454
KY	H L Spurloc	6041	1	8/5/2022	324	3157.2	0.001403	0.144	0.000455
KY	H L Spurloc	6041	1	8/5/2022	315	3078.8	0.001427	0.146	0.00045
KY	H L Spurloc	6041	1	8/5/2022	323	3139	0.001409	0.145	0.000455
KY	H L Spurloc	6041	1	8/5/2022	311	3019.6	0.001418	0.146	0.000441
KY	H L Spurloc	6041	1	8/5/2022	323	3128.6	0.001404	0.145	0.000454
KY	H L Spurloc	6041	1	8/5/2022	305	2971.2	0.001432	0.147	0.000437
KY	H L Spurloc	6041	1	8/5/2022	319	3091.1	0.001405	0.145	0.000448

KY	H L Spurloc	6041	1	8/5/2022	304	2962.5	0.001442	0.148	0.000438
KY	H L Spurloc	6041	1	8/6/2022	286	2767.8	0.00149	0.154	0.000426
KY	H L Spurloc	6041	1	8/6/2022	210	2018.8	0.001711	0.178	0.000359
KY	H L Spurloc	6041	1	8/6/2022	165	1612.4	0.001876	0.192	0.00031
KY	H L Spurloc	6041	1	8/6/2022	166	1635	0.001881	0.191	0.000312
KY	H L Spurloc	6041	1	8/6/2022	166	1621.6	0.001846	0.189	0.000306
KY	H L Spurloc	6041	1	8/6/2022	165	1619.2	0.001874	0.191	0.000309
KY	H L Spurloc	6041	1	8/6/2022	164	1640.4	0.00191	0.191	0.000313
KY	H L Spurloc	6041	1	8/6/2022	206	1993.6	0.001723	0.178	0.000355
KY	H L Spurloc	6041	1	8/6/2022	291	2806.1	0.001466	0.152	0.000427
KY	H L Spurloc	6041	1	8/6/2022	311	3020.6	0.001428	0.147	0.000444
KY	H L Spurloc	6041	1	8/6/2022	324	3125.5	0.001399	0.145	0.000453
KY	H L Spurloc	6041	1	8/6/2022	321	3084.3	0.001393	0.145	0.000447
KY	H L Spurloc	6041	1	8/6/2022	324	3091.5	0.001384	0.145	0.000448
KY	H L Spurloc	6041	1	8/6/2022	324	3115.5	0.001385	0.144	0.000449
KY	H L Spurloc	6041	1	8/6/2022	324	3147.9	0.001399	0.144	0.000453
KY	H L Spurloc	6041	1	8/6/2022	323	3140.2	0.00141	0.145	0.000455
KY	H L Spurloc	6041	1	8/6/2022	319	3118	0.001447	0.148	0.000461
KY	H L Spurloc	6041	1	8/6/2022	324	3171.4	0.0014	0.143	0.000454
KY	H L Spurloc	6041	1	8/6/2022	324	3194.5	0.00141	0.143	0.000457
KY	H L Spurloc	6041	1	8/6/2022	314	3094.2	0.001439	0.146	0.000452
KY	H L Spurloc	6041	1	8/6/2022	324	3209.9	0.001417	0.143	0.000459
KY	H L Spurloc	6041	1	8/6/2022	306	3006.8	0.001435	0.146	0.000439
KY	H L Spurloc	6041	1	8/6/2022	323	3176.4	0.001396	0.142	0.000451
KY	H L Spurloc	6041	1	8/6/2022	263	2566.8	0.001532	0.157	0.000403
KY	H L Spurloc	6041	1	8/7/2022	223	2169.5	0.001634	0.168	0.000364
KY	H L Spurloc	6041	1	8/7/2022	182	1774.7	0.001784	0.183	0.000325
KY	H L Spurloc	6041	1	8/7/2022	166	1653.8	0.001853	0.186	0.000308
KY	H L Spurloc	6041	1	8/7/2022	165	1633.1	0.001861	0.188	0.000307
KY	H L Spurloc	6041	1	8/7/2022	165	1651.7	0.001872	0.187	0.000309
KY	H L Spurloc	6041	1	8/7/2022	166	1645.7	0.001874	0.189	0.000311
KY	H L Spurloc	6041	1	8/7/2022	168	1678.8	0.001869	0.187	0.000314
KY	H L Spurloc	6041	1	8/7/2022	168	1666.2	0.001855	0.187	0.000312
KY	H L Spurloc	6041	1	8/7/2022	187	1837.3	0.001788	0.182	0.000334
KY	H L Spurloc	6041	1	8/7/2022	238	2346.7	0.001607	0.163	0.000383
KY	H L Spurloc	6041	1	8/7/2022	217	2134.3	0.001682	0.171	0.000365
KY	H L Spurloc	6041	1	8/7/2022	261	2584.2	0.001545	0.156	0.000403
KY	H L Spurloc	6041	1	8/7/2022	239	2361.3	0.00164	0.166	0.000392
KY	H L Spurloc	6041	1	8/7/2022	261	2587	0.001556	0.157	0.000406
KY	H L Spurloc	6041	1	8/7/2022	319	3131	0.001423	0.145	0.000454
KY	H L Spurloc	6041	1	8/7/2022	322	3143	0.001406	0.144	0.000453
KY	H L Spurloc	6041	1	8/7/2022	324	3137	0.001404	0.145	0.000455
KY	H L Spurloc	6041	1	8/7/2022	323	3146.3	0.001412	0.145	0.000456
KY	H L Spurloc	6041	1	8/7/2022	255	2395.4	0.001522	0.162	0.000388
KY	H L Spurloc	6041	1	8/7/2022	179	1762.2	0.00193	0.196	0.000345
KY	H L Spurloc	6041	1	8/7/2022	274	2654.3	0.001531	0.158	0.000419
KY	H L Spurloc	6041	1	8/7/2022	319	3117.1	0.001417	0.145	0.000452

KY	H L Spurloc	6041	1	8/7/2022	306	2985.2	0.001415	0.145	0.000433
KY	H L Spurloc	6041	1	8/7/2022	319	3107.9	0.001383	0.142	0.000441
KY	H L Spurloc	6041	1	8/8/2022	286	2820	0.001459	0.148	0.000417
KY	H L Spurloc	6041	1	8/8/2022	188	1968.5	0.001811	0.173	0.000341
KY	H L Spurloc	6041	1	8/8/2022	165	1624.5	0.001851	0.188	0.000305
KY	H L Spurloc	6041	1	8/8/2022	166	1632.1	0.001848	0.188	0.000307
KY	H L Spurloc	6041	1	8/8/2022	218	2138	0.001677	0.171	0.000366
KY	H L Spurloc	6041	1	8/8/2022	249	2465.3	0.001554	0.157	0.000387
KY	H L Spurloc	6041	1	8/8/2022	296	2902.8	0.001432	0.146	0.000424
KY	H L Spurloc	6041	1	8/8/2022	292	2852.8	0.001446	0.148	0.000422
KY	H L Spurloc	6041	1	8/8/2022	307	3014.3	0.001424	0.145	0.000437
KY	H L Spurloc	6041	1	8/8/2022	308	3022.2	0.001423	0.145	0.000438
KY	H L Spurloc	6041	1	8/8/2022	321	3158.9	0.001142	0.116	0.000366
KY	H L Spurloc	6041	1	8/8/2022	309	3061.7	0.001169	0.118	0.000361
KY	H L Spurloc	6041	1	8/8/2022	314	3120.4	0.001153	0.116	0.000362
KY	H L Spurloc	6041	1	8/8/2022	313	3103.7	0.00116	0.117	0.000363
KY	H L Spurloc	6041	1	8/8/2022	317	3134.3	0.001147	0.116	0.000364
KY	H L Spurloc	6041	1	8/8/2022	305	3016.9	0.001167	0.118	0.000356
KY	H L Spurloc	6041	1	8/8/2022	311	3065.5	0.001153	0.117	0.000359
KY	H L Spurloc	6041	1	8/8/2022	312	3085.7	0.001157	0.117	0.000361
KY	H L Spurloc	6041	1	8/8/2022	296	2911.8	0.00119	0.121	0.000352
KY	H L Spurloc	6041	1	8/8/2022	311	3051.8	0.001158	0.118	0.00036
KY	H L Spurloc	6041	1	8/8/2022	305	3012.2	0.001175	0.119	0.000358
KY	H L Spurloc	6041	1	8/8/2022	312	3067.7	0.00116	0.118	0.000362
KY	H L Spurloc	6041	1	8/8/2022	312	3061	0.001158	0.118	0.000361
KY	H L Spurloc	6041	1	8/8/2022	311	3086.6	0.001171	0.118	0.000364
KY	H L Spurloc	6041	1	8/9/2022	304	3062.1	0.001189	0.118	0.000361
KY	H L Spurloc	6041	1	8/9/2022	269	2700.6	0.001275	0.127	0.000343
KY	H L Spurloc	6041	1	8/9/2022	187	1864.2	0.001465	0.147	0.000274
KY	H L Spurloc	6041	1	8/9/2022	166	1694.5	0.001552	0.152	0.000258
KY	H L Spurloc	6041	1	8/9/2022	224	2272.1	0.001359	0.134	0.000304
KY	H L Spurloc	6041	1	8/9/2022	258	2639.9	0.001289	0.126	0.000333
KY	H L Spurloc	6041	1	8/9/2022	297	2976.9	0.001213	0.121	0.00036
KY	H L Spurloc	6041	1	8/9/2022	286	2854.2	0.001218	0.122	0.000348
KY	H L Spurloc	6041	1	8/9/2022	301	3003.4	0.001187	0.119	0.000357
KY	H L Spurloc	6041	1	8/9/2022	299	2989.5	0.00119	0.119	0.000356
KY	H L Spurloc	6041	1	8/9/2022	301	3034.7	0.00119	0.118	0.000358
KY	H L Spurloc	6041	1	8/9/2022	291	2920.3	0.001234	0.123	0.000359
KY	H L Spurloc	6041	1	8/9/2022	296	2974.5	0.001206	0.12	0.000357
KY	H L Spurloc	6041	1	8/9/2022	321	3228.9	0.001147	0.114	0.000368
KY	H L Spurloc	6041	1	8/9/2022	322	3239.9	0.001147	0.114	0.000369
KY	H L Spurloc	6041	1	8/9/2022	322	3243.3	0.001148	0.114	0.00037
KY	H L Spurloc	6041	1	8/9/2022	314	3136.8	0.001149	0.115	0.000361
KY	H L Spurloc	6041	1	8/9/2022	309	3107.1	0.001166	0.116	0.00036
KY	H L Spurloc	6041	1	8/9/2022	306	3094.1	0.001183	0.117	0.000362
KY	H L Spurloc	6041	1	8/9/2022	291	2904.9	0.001208	0.121	0.000351
KY	H L Spurloc	6041	1	8/9/2022	313	3119.6	0.001166	0.117	0.000365

KY	H L Spurloc	6041	1	8/9/2022	309	3061.9	0.001169	0.118	0.000361
KY	H L Spurloc	6041	1	8/9/2022	311	3057.8	0.00116	0.118	0.000361
KY	H L Spurloc	6041	1	8/9/2022	310	3055.7	0.001153	0.117	0.000358
KY	H L Spurloc	6041	1	#####	294	2875.7	0.001184	0.121	0.000348
KY	H L Spurloc	6041	1	#####	198	1947.9	0.001436	0.146	0.000284
KY	H L Spurloc	6041	1	#####	165	1665.9	0.001585	0.157	0.000262
KY	H L Spurloc	6041	1	#####	180	1796.6	0.001507	0.151	0.000271
KY	H L Spurloc	6041	1	#####	172	1726.6	0.001566	0.156	0.000269
KY	H L Spurloc	6041	1	#####	194	1954.1	0.001461	0.145	0.000283
KY	H L Spurloc	6041	1	#####	194	1932.3	0.001464	0.147	0.000284
KY	H L Spurloc	6041	1	#####	195	1965.9	0.001462	0.145	0.000285
KY	H L Spurloc	6041	1	#####	228	2282.1	0.001371	0.137	0.000313
KY	H L Spurloc	6041	1	#####	232	2309.3	0.001364	0.137	0.000316
KY	H L Spurloc	6041	1	#####	289	2880.7	0.001216	0.122	0.000351
KY	H L Spurloc	6041	1	#####	292	2937.6	0.001227	0.122	0.000358
KY	H L Spurloc	6041	1	#####	278	2784.4	0.001242	0.124	0.000345
KY	H L Spurloc	6041	1	#####	314	3161.2	0.001168	0.116	0.000367
KY	H L Spurloc	6041	1	#####	311	3111.3	0.00117	0.117	0.000364
KY	H L Spurloc	6041	1	#####	320	3206.7	0.001152	0.115	0.000369
KY	H L Spurloc	6041	1	#####	322	3183.4	0.001137	0.115	0.000366
KY	H L Spurloc	6041	1	#####	322	3185.4	0.001138	0.115	0.000366
KY	H L Spurloc	6041	1	#####	309	3068.8	0.001162	0.117	0.000359
KY	H L Spurloc	6041	1	#####	321	3159.3	0.001142	0.116	0.000366
KY	H L Spurloc	6041	1	#####	304	2982.9	0.001168	0.119	0.000355
KY	H L Spurloc	6041	1	#####	312	3073.7	0.001153	0.117	0.00036
KY	H L Spurloc	6041	1	#####	277	2718.5	0.001227	0.125	0.00034
KY	H L Spurloc	6041	1	#####	296	2919.5	0.001193	0.121	0.000353
KY	H L Spurloc	6041	1	#####	242	2347.8	0.001329	0.137	0.000322
KY	H L Spurloc	6041	1	#####	183	1791.6	0.001459	0.149	0.000267
KY	H L Spurloc	6041	1	#####	169	1685.2	0.001506	0.151	0.000254
KY	H L Spurloc	6041	1	#####	170	1695.2	0.001506	0.151	0.000256
KY	H L Spurloc	6041	1	#####	175	1761.1	0.001499	0.149	0.000262
KY	H L Spurloc	6041	1	#####	193	1923.1	0.001445	0.145	0.000279
KY	H L Spurloc	6041	1	#####	191	1864.7	0.001435	0.147	0.000274
KY	H L Spurloc	6041	1	#####	216	2095.6	0.001358	0.14	0.000293
KY	H L Spurloc	6041	1	#####	249	2422.2	0.001274	0.131	0.000317
KY	H L Spurloc	6041	1	#####	231	2255.7	0.001357	0.139	0.000314
KY	H L Spurloc	6041	1	#####	244	2403.2	0.00132	0.134	0.000322
KY	H L Spurloc	6041	1	#####	257	2526.2	0.001298	0.132	0.000333
KY	H L Spurloc	6041	1	#####	261	2557.9	0.001294	0.132	0.000338
KY	H L Spurloc	6041	1	#####	318	3149.8	0.001169	0.118	0.000372
KY	H L Spurloc	6041	1	#####	322	3156.7	0.001147	0.117	0.000369
KY	H L Spurloc	6041	1	#####	322	3148.4	0.001134	0.116	0.000365
KY	H L Spurloc	6041	1	#####	323	3172.9	0.001139	0.116	0.000368
KY	H L Spurloc	6041	1	#####	306	3009.3	0.00116	0.118	0.000355
KY	H L Spurloc	6041	1	#####	323	3163.9	0.001146	0.117	0.00037
KY	H L Spurloc	6041	1	#####	306	3021.6	0.001175	0.119	0.00036

KY	H L Spurloc	6041	1	#####	315	3096.1	0.00116	0.118	0.000365
KY	H L Spurloc	6041	1	#####	278	2705.4	0.001216	0.125	0.000338
KY	H L Spurloc	6041	1	#####	227	2216.3	0.001328	0.136	0.000301
KY	H L Spurloc	6041	1	#####	167	1645.5	0.001478	0.15	0.000247
KY	H L Spurloc	6041	1	#####	165	1637.1	0.001478	0.149	0.000244
KY	H L Spurloc	6041	1	#####	164	1634.7	0.001495	0.15	0.000245
KY	H L Spurloc	6041	1	#####	164	1628.9	0.00151	0.152	0.000248
KY	H L Spurloc	6041	1	#####	167	1654.8	0.001496	0.151	0.00025
KY	H L Spurloc	6041	1	#####	169	1651.8	0.001466	0.15	0.000248
KY	H L Spurloc	6041	1	#####	169	1649.2	0.001493	0.153	0.000252
KY	H L Spurloc	6041	1	#####	219	2114.1	0.001323	0.137	0.00029
KY	H L Spurloc	6041	1	#####	184	1809.8	0.001407	0.143	0.000259
KY	H L Spurloc	6041	1	#####	219	2149.7	0.001355	0.138	0.000297
KY	H L Spurloc	6041	1	#####	251	2419	0.001253	0.13	0.000314
KY	H L Spurloc	6041	1	#####	277	2664.6	0.001212	0.126	0.000336
KY	H L Spurloc	6041	1	#####	311	2978.1	0.001149	0.12	0.000357
KY	H L Spurloc	6041	1	#####	311	2979.1	0.001159	0.121	0.00036
KY	H L Spurloc	6041	1	#####	324	3122.5	0.001128	0.117	0.000365
KY	H L Spurloc	6041	1	#####	323	3100.5	0.001133	0.118	0.000366
KY	H L Spurloc	6041	1	#####	324	3108.9	0.001132	0.118	0.000367
KY	H L Spurloc	6041	1	#####	323	3132.1	0.001135	0.117	0.000366
KY	H L Spurloc	6041	1	#####	323	3107.5	0.001135	0.118	0.000367
KY	H L Spurloc	6041	1	#####	308	2969.4	0.001157	0.12	0.000356
KY	H L Spurloc	6041	1	#####	322	3089.6	0.001142	0.119	0.000368
KY	H L Spurloc	6041	1	#####	313	2999.5	0.00115	0.12	0.00036
KY	H L Spurloc	6041	1	#####	262	2515.8	0.001258	0.131	0.00033
KY	H L Spurloc	6041	1	#####	217	2070.2	0.001355	0.142	0.000294
KY	H L Spurloc	6041	1	#####	227	2157.7	0.001331	0.14	0.000302
KY	H L Spurloc	6041	1	#####	297	2879.9	0.001193	0.123	0.000354
KY	H L Spurloc	6041	1	#####	291	2801	0.001213	0.126	0.000353
KY	H L Spurloc	6041	1	#####	290	2787.4	0.001201	0.125	0.000348
KY	H L Spurloc	6041	1	#####	311	2999.4	0.001167	0.121	0.000363
KY	H L Spurloc	6041	1	#####	309	2971.7	0.001164	0.121	0.00036
KY	H L Spurloc	6041	1	#####	319	3063.2	0.001143	0.119	0.000365
KY	H L Spurloc	6041	1	#####	307	2938.6	0.001158	0.121	0.000356
KY	H L Spurloc	6041	1	#####	319	3060.6	0.001142	0.119	0.000364
KY	H L Spurloc	6041	1	#####	309	2972.7	0.001154	0.12	0.000357
KY	H L Spurloc	6041	1	#####	323	3108	0.001116	0.116	0.000361
KY	H L Spurloc	6041	1	#####	311	2996.6	0.001137	0.118	0.000354
KY	H L Spurloc	6041	1	#####	324	3102.6	0.00112	0.117	0.000363
KY	H L Spurloc	6041	1	#####	324	3134.2	0.001112	0.115	0.00036
KY	H L Spurloc	6041	1	#####	323	3120.8	0.001121	0.116	0.000362
KY	H L Spurloc	6041	1	#####	323	3104.3	0.001124	0.117	0.000363
KY	H L Spurloc	6041	1	#####	324	3124	0.001118	0.116	0.000362
KY	H L Spurloc	6041	1	#####	324	3125.3	0.001109	0.115	0.000359
KY	H L Spurloc	6041	1	#####	323	3111.4	0.001108	0.115	0.000358
KY	H L Spurloc	6041	1	#####	324	3120.5	0.001108	0.115	0.000359

KY	H L Spurloc	6041	1 #####	324	3123.8	0.001109	0.115	0.000359
KY	H L Spurloc	6041	1 #####	324	3161.9	0.001113	0.114	0.00036
KY	H L Spurloc	6041	1 #####	312	3041.8	0.001121	0.115	0.00035
KY	H L Spurloc	6041	1 #####	324	3150.3	0.001099	0.113	0.000356
KY	H L Spurloc	6041	1 #####	269	2609.3	0.001203	0.124	0.000324
KY	H L Spurloc	6041	1 #####	191	1951	0.001461	0.143	0.000279
KY	H L Spurloc	6041	1 #####	176	1820.4	0.00152	0.147	0.000268
KY	H L Spurloc	6041	1 #####	175	1706.8	0.001473	0.151	0.000258
KY	H L Spurloc	6041	1 #####	175	1711.1	0.001476	0.151	0.000258
KY	H L Spurloc	6041	1 #####	175	1729.2	0.001472	0.149	0.000258
KY	H L Spurloc	6041	1 #####	175	1712.8	0.001488	0.152	0.00026
KY	H L Spurloc	6041	1 #####	175	1717.4	0.001492	0.152	0.000261
KY	H L Spurloc	6041	1 #####	175	1722.4	0.001486	0.151	0.00026
KY	H L Spurloc	6041	1 #####	175	1737.9	0.00149	0.15	0.000261
KY	H L Spurloc	6041	1 #####	175	1740.8	0.001492	0.15	0.000261
KY	H L Spurloc	6041	1 #####	179	1759.4	0.001474	0.15	0.000264
KY	H L Spurloc	6041	1 #####	186	1828	0.001455	0.148	0.000271
KY	H L Spurloc	6041	1 #####	245	2368.4	0.001276	0.132	0.000313
KY	H L Spurloc	6041	1 #####	311	3024	0.001147	0.118	0.000357
KY	H L Spurloc	6041	1 #####	283	2753	0.001216	0.125	0.000344
KY	H L Spurloc	6041	1 #####	318	3105.8	0.001143	0.117	0.000363
KY	H L Spurloc	6041	1 #####	323	3178.2	0.001132	0.115	0.000365
KY	H L Spurloc	6041	1 #####	324	3166.9	0.001134	0.116	0.000367
KY	H L Spurloc	6041	1 #####	312	3053.1	0.001145	0.117	0.000357
KY	H L Spurloc	6041	1 #####	323	3130	0.001124	0.116	0.000363
KY	H L Spurloc	6041	1 #####	307	2963.9	0.001139	0.118	0.00035
KY	H L Spurloc	6041	1 #####	298	2874.7	0.001167	0.121	0.000348
KY	H L Spurloc	6041	1 #####	272	2613.4	0.001211	0.126	0.000329
KY	H L Spurloc	6041	1 #####	206	1982.8	0.001396	0.145	0.000288
KY	H L Spurloc	6041	1 #####	187	1821.5	0.001451	0.149	0.000271
KY	H L Spurloc	6041	1 #####	178	1735.4	0.001492	0.153	0.000266
KY	H L Spurloc	6041	1 #####	172	1686.5	0.00153	0.156	0.000263
KY	H L Spurloc	6041	1 #####	170	1683.9	0.001545	0.156	0.000263
KY	H L Spurloc	6041	1 #####	176	1742.4	0.001515	0.153	0.000267
KY	H L Spurloc	6041	1 #####	191	1902.5	0.001474	0.148	0.000282
KY	H L Spurloc	6041	1 #####	223	2164.2	0.001388	0.143	0.000309
KY	H L Spurloc	6041	1 #####	199	1944.9	0.001456	0.149	0.00029
KY	H L Spurloc	6041	1 #####	271	2607.6	0.001251	0.13	0.000339
KY	H L Spurloc	6041	1 #####	312	2997	0.001162	0.121	0.000363
KY	H L Spurloc	6041	1 #####	320	3105.2	0.002018	0.208	0.000646
KY	H L Spurloc	6041	1 #####	322	3087.9	0.002004	0.209	0.000645
KY	H L Spurloc	6041	1 #####	323	3122.2	0.001982	0.205	0.00064
KY	H L Spurloc	6041	1 #####	323	3139.7	0.001983	0.204	0.00064
KY	H L Spurloc	6041	1 #####	322	3139.6	0.001989	0.204	0.00064
KY	H L Spurloc	6041	1 #####	320	3126.7	0.002003	0.205	0.000641
KY	H L Spurloc	6041	1 #####	320	3126.1	0.002003	0.205	0.000641
KY	H L Spurloc	6041	1 #####	320	3123.1	0.002001	0.205	0.00064

KY	H L Spurloc	6041	1	#####	313	3064.8	0.002027	0.207	0.000634
KY	H L Spurloc	6041	1	#####	319	3105.4	0.002005	0.206	0.00064
KY	H L Spurloc	6041	1	#####	309	2999.1	0.002029	0.209	0.000627
KY	H L Spurloc	6041	1	#####	291	2818.9	0.002083	0.215	0.000606
KY	H L Spurloc	6041	1	#####	213	2052.6	0.002438	0.253	0.000519
KY	H L Spurloc	6041	1	#####	215	2057.1	0.002354	0.246	0.000506
KY	H L Spurloc	6041	1	#####	230	2242	0.00232	0.238	0.000534
KY	H L Spurloc	6041	1	#####	234	2260.5	0.002299	0.238	0.000538
KY	H L Spurloc	6041	1	#####	188	1816	0.002521	0.261	0.000474
KY	H L Spurloc	6041	1	#####	171	1694	0.002625	0.265	0.000449
KY	H L Spurloc	6041	1	#####	175	1732.8	0.002604	0.263	0.000456
KY	H L Spurloc	6041	1	#####	175	1731	0.002601	0.263	0.000455
KY	H L Spurloc	6041	1	#####	174	1741.5	0.002632	0.263	0.000458
KY	H L Spurloc	6041	1	#####	170	1687.3	0.00266	0.268	0.000452
KY	H L Spurloc	6041	1	#####	170	1684.3	0.002655	0.268	0.000451
KY	H L Spurloc	6041	1	#####	221	2136.9	0.002359	0.244	0.000521
KY	H L Spurloc	6041	1	#####	264	2578.7	0.002217	0.227	0.000585
KY	H L Spurloc	6041	1	#####	300	2905.8	0.002082	0.215	0.000625
KY	H L Spurloc	6041	1	#####	291	2911.7			
KY	H L Spurloc	6041	1	#####	313	3060.6	0.002053	0.21	0.000643
KY	H L Spurloc	6041	1	#####	320	3115.5	0.002025	0.208	0.000648
KY	H L Spurloc	6041	1	#####	320	3114.3	0.002024	0.208	0.000648
KY	H L Spurloc	6041	1	#####	313	3033	0.002035	0.21	0.000637
KY	H L Spurloc	6041	1	#####	313	3034.5	0.002046	0.211	0.00064
KY	H L Spurloc	6041	1	#####	306	2958.5	0.002059	0.213	0.00063
KY	H L Spurloc	6041	1	#####	315	3073.3	0.002049	0.21	0.000645
KY	H L Spurloc	6041	1	#####	310	3023.9	0.002058	0.211	0.000638
KY	H L Spurloc	6041	1	#####	230	2218.4	0.002373	0.246	0.000546
KY	H L Spurloc	6041	1	#####	169	1650.4	0.002695	0.276	0.000456
KY	H L Spurloc	6041	1	#####	169	1667.6	0.002674	0.271	0.000452
KY	H L Spurloc	6041	1	#####	170	1671.3	0.002664	0.271	0.000453
KY	H L Spurloc	6041	1	#####	170	1674.5	0.002669	0.271	0.000454
KY	H L Spurloc	6041	1	#####	170	1670.6	0.002693	0.274	0.000458
KY	H L Spurloc	6041	1	#####	170	1671.6	0.002704	0.275	0.00046
KY	H L Spurloc	6041	1	#####	169	1669.3	0.002716	0.275	0.000459
KY	H L Spurloc	6041	1	#####	170	1676.6	0.002683	0.272	0.000456
KY	H L Spurloc	6041	1	#####	169	1676.6	0.002708	0.273	0.000458
KY	H L Spurloc	6041	1	#####	169	1697.5	0.002702	0.269	0.000457
KY	H L Spurloc	6041	1	#####	226	2189.7	0.002403	0.248	0.000543
KY	H L Spurloc	6041	1	#####	272	2609	0.002206	0.23	0.0006
KY	H L Spurloc	6041	1	#####	309	3000.8	0.002078	0.214	0.000642
KY	H L Spurloc	6041	1	#####	316	3090.7	0.002044	0.209	0.000646
KY	H L Spurloc	6041	1	#####	321	3118.2	0.002021	0.208	0.000649
KY	H L Spurloc	6041	1	#####	323	3133.6	0.001999	0.206	0.000646
KY	H L Spurloc	6041	1	#####	321	3103.8	0.001992	0.206	0.000639
KY	H L Spurloc	6041	1	#####	323	3114.4	0.001986	0.206	0.000642
KY	H L Spurloc	6041	1	#####	324	3127.3	0.001988	0.206	0.000644

KY	H L Spurloc	6041	1 #####	323	3137.3	0.001991	0.205	0.000643
KY	H L Spurloc	6041	1 #####	323	3147.3	0.001988	0.204	0.000642
KY	H L Spurloc	6041	1 #####	323	3162.6	0.001988	0.203	0.000642
KY	H L Spurloc	6041	1 #####	310	3023.9	0.002029	0.208	0.000629
KY	H L Spurloc	6041	1 #####	286	2757.7	0.002112	0.219	0.000604
KY	H L Spurloc	6041	1 #####	230	2222.5	0.002348	0.243	0.000054
KY	H L Spurloc	6041	1 #####	172	1664.3	0.002642	0.273	0.000454
KY	H L Spurloc	6041	1 #####	169	1682.1	0.002667	0.268	0.000451
KY	H L Spurloc	6041	1 #####	170	1655.7	0.002649	0.272	0.00045
KY	H L Spurloc	6041	1 #####	168	1653.6	0.002677	0.272	0.00045
KY	H L Spurloc	6041	1 #####	168	1652.8	0.002666	0.271	0.000448
KY	H L Spurloc	6041	1 #####	189	1872	0.002595	0.262	0.00049
KY	H L Spurloc	6041	1 #####	224	2190.6	0.002396	0.245	0.000537
KY	H L Spurloc	6041	1 #####	193	1885.2	0.002491	0.255	0.000481
KY	H L Spurloc	6041	1 #####	165	1618.5	0.002678	0.273	0.000442
KY	H L Spurloc	6041	1 #####	165	1623.7	0.002677	0.272	0.000442
KY	H L Spurloc	6041	1 #####	185	1797.5	0.002555	0.263	0.000473
KY	H L Spurloc	6041	1 #####	285	2730.8	0.002089	0.218	0.000595
KY	H L Spurloc	6041	1 #####	311	3008.3	0.002002	0.207	0.000623
KY	H L Spurloc	6041	1 #####	322	3121.6	0.001968	0.203	0.000634
KY	H L Spurloc	6041	1 #####	323	3114.9	0.001948	0.202	0.000629
KY	H L Spurloc	6041	1 #####	324	3137.9	0.001956	0.202	0.000634
KY	H L Spurloc	6041	1 #####	324	3123.9	0.001957	0.203	0.000634
KY	H L Spurloc	6041	1 #####	324	3119.4	0.001964	0.204	0.000636
KY	H L Spurloc	6041	1 #####	323	3133.2	0.001979	0.204	0.000639
KY	H L Spurloc	6041	1 #####	322	3119.1	0.001986	0.205	0.000639
KY	H L Spurloc	6041	1 #####	324	3146.1	0.001971	0.203	0.000639
KY	H L Spurloc	6041	1 #####	305	2951.2	0.002032	0.21	0.00062
KY	H L Spurloc	6041	1 #####	314	3036.7	0.002002	0.207	0.000629
KY	H L Spurloc	6041	1 #####	282	2691.8	0.00211	0.221	0.000595
KY	H L Spurloc	6041	1 #####	252	2435.4	0.002232	0.231	0.000563
KY	H L Spurloc	6041	1 #####	196	1875.7	0.002507	0.262	0.000491
KY	H L Spurloc	6041	1 #####	165	1604.8	0.002684	0.276	0.000443
KY	H L Spurloc	6041	1 #####	165	1619.7	0.00269	0.274	0.000444
KY	H L Spurloc	6041	1 #####	165	1619.2	0.002689	0.274	0.000444
KY	H L Spurloc	6041	1 #####	165	1609.8	0.002663	0.273	0.000439
KY	H L Spurloc	6041	1 #####	165	1631.3	0.002699	0.273	0.000445
KY	H L Spurloc	6041	1 #####	164	1638.8	0.002718	0.272	0.000446
KY	H L Spurloc	6041	1 #####	165	1649.5	0.002709	0.271	0.000447
KY	H L Spurloc	6041	1 #####	221	2137.5	0.002379	0.246	0.000526
KY	H L Spurloc	6041	1 #####	285	2749.1	0.002112	0.219	0.000602
KY	H L Spurloc	6041	1 #####	312	3063.6	0.002042	0.208	0.000637
KY	H L Spurloc	6041	1 #####	323	3155.3	0.002012	0.206	0.00065
KY	H L Spurloc	6041	1 #####	321	3144.8	0.002018	0.206	0.000648
KY	H L Spurloc	6041	1 #####	321	3133.2	0.002011	0.206	0.000645
KY	H L Spurloc	6041	1 #####	324	3141.8	0.001998	0.206	0.000647
KY	H L Spurloc	6041	1 #####	324	3143.1	0.001998	0.206	0.000647

KY	H L Spurloc	6041	1	#####	323	3153.7	0.002002	0.205	0.000647
KY	H L Spurloc	6041	1	#####	323	3146.5	0.002016	0.207	0.000651
KY	H L Spurloc	6041	1	#####	323	3147.6	0.002007	0.206	0.000648
KY	H L Spurloc	6041	1	#####	324	3154.1	0.002015	0.207	0.000653
KY	H L Spurloc	6041	1	#####	323	3145	0.002025	0.208	0.000654
KY	H L Spurloc	6041	1	#####	313	3029.1	0.002042	0.211	0.000639
KY	H L Spurloc	6041	1	#####	291	2830.3	0.00212	0.218	0.000617
KY	H L Spurloc	6041	1	#####	282	2733.6	0.002152	0.222	0.000607
KY	H L Spurloc	6041	1	#####	240	2308.4	0.002328	0.242	0.000559
KY	H L Spurloc	6041	1	#####	229	2231.5	0.002358	0.242	0.00054
KY	H L Spurloc	6041	1	#####	204	1987.6	0.002485	0.255	0.000507
KY	H L Spurloc	6041	1	#####	171	1685.6	0.002671	0.271	0.000457
KY	H L Spurloc	6041	1	#####	169	1670.4	0.002659	0.269	0.000449
KY	H L Spurloc	6041	1	#####	169	1704.5	0.002713	0.269	0.000459
KY	H L Spurloc	6041	1	#####	173	1720.8	0.002676	0.269	0.000463
KY	H L Spurloc	6041	1	#####	214	2108	0.002453	0.249	0.000525
KY	H L Spurloc	6041	1	#####	219	2158.2	0.002464	0.25	0.00054
KY	H L Spurloc	6041	1	#####	237	2348.1	0.002368	0.239	0.000561
KY	H L Spurloc	6041	1	#####	271	2672.8	0.002219	0.225	0.000601
KY	H L Spurloc	6041	1	#####	315	3120.6	0.002051	0.207	0.000646
KY	H L Spurloc	6041	1	#####	320	3157.1	0.002023	0.205	0.000647
KY	H L Spurloc	6041	1	#####	318	3112	0.002036	0.208	0.000647
KY	H L Spurloc	6041	1	#####	313	3092.7	0.002045	0.207	0.00064
KY	H L Spurloc	6041	1	#####	320	3160.4	0.002044	0.207	0.000654
KY	H L Spurloc	6041	1	#####	320	3166.3	0.002038	0.206	0.000652
KY	H L Spurloc	6041	1	#####	320	3163.4	0.002036	0.206	0.000652
KY	H L Spurloc	6041	1	#####	321	3156.3	0.002016	0.205	0.000647
KY	H L Spurloc	6041	1	#####	310	3009.8	0.002049	0.211	0.000635
KY	H L Spurloc	6041	1	#####	308	3000.8	0.002046	0.21	0.00063
KY	H L Spurloc	6041	1	#####	295	2909.7	0.002081	0.211	0.000614
KY	H L Spurloc	6041	1	#####	297	2913.1	0.002079	0.212	0.000618
KY	H L Spurloc	6041	1	#####	244	2367	0.002299	0.237	0.000561
KY	H L Spurloc	6041	1	#####	197	1974.4	0.002606	0.26	0.000513
KY	H L Spurloc	6041	1	#####	175	1971	0.002906	0.258	0.000509
KY	H L Spurloc	6041	1	#####	174	1711.2	0.002636	0.268	0.000459
KY	H L Spurloc	6041	1	#####	172	1680.7	0.002629	0.269	0.000452
KY	H L Spurloc	6041	1	#####	171	1680.1	0.002672	0.272	0.000457
KY	H L Spurloc	6041	1	#####	171	1686	0.002682	0.272	0.000459
KY	H L Spurloc	6041	1	#####	171	1695.8	0.002697	0.272	0.000461
KY	H L Spurloc	6041	1	#####	173	1695.6	0.002646	0.27	0.000458
KY	H L Spurloc	6041	1	#####	212	2055.1	0.002404	0.248	0.00051
KY	H L Spurloc	6041	1	#####	204	1972	0.002407	0.249	0.000491
KY	H L Spurloc	6041	1	#####	234	2279.6	0.002309	0.237	0.00054
KY	H L Spurloc	6041	1	#####	281	2717.6	0.002108	0.218	0.000592
KY	H L Spurloc	6041	1	#####	308	2997.4	0.002014	0.207	0.00062
KY	H L Spurloc	6041	1	#####	315	3032.4	0.001983	0.206	0.000625
KY	H L Spurloc	6041	1	#####	323	3096.9	0.001975	0.206	0.000638

KY	H L Spurloc	6041	1	#####	323	3109.8	0.001983	0.206	0.000641
KY	H L Spurloc	6041	1	#####	323	3119.4	0.001989	0.206	0.000643
KY	H L Spurloc	6041	1	#####	323	3114	0.001996	0.207	0.000645
KY	H L Spurloc	6041	1	#####	323	3124	0.001983	0.205	0.00064
KY	H L Spurloc	6041	1	#####	322	3129.2	0.001982	0.204	0.000638
KY	H L Spurloc	6041	1	#####	312	3033.7	0.002013	0.207	0.000628
KY	H L Spurloc	6041	1	#####	307	2987	0.002024	0.208	0.000621
KY	H L Spurloc	6041	1	#####	250	2410.9	0.002237	0.232	0.000559
KY	H L Spurloc	6041	1	#####	199	1906.7	0.002472	0.258	0.000492
KY	H L Spurloc	6041	1	#####	175	1731.6	0.002632	0.266	0.000461
KY	H L Spurloc	6041	1	#####	170	1643.4	0.002629	0.272	0.000447
KY	H L Spurloc	6041	1	#####	169	1667.3	0.002644	0.268	0.000447
KY	H L Spurloc	6041	1	#####	169	1661.8	0.002645	0.269	0.000447
KY	H L Spurloc	6041	1	#####	190	1870	0.002529	0.257	0.000481
KY	H L Spurloc	6041	1	#####	239	2358.3	0.002279	0.231	0.000545
KY	H L Spurloc	6041	1	#####	294	2805.4	0.002042	0.214	0.0006
KY	H L Spurloc	6041	1	#####	309	2960.7	0.001993	0.208	0.000616
KY	H L Spurloc	6041	1	#####	323	3112.9	0.00134	0.139	0.000433
KY	H L Spurloc	6041	1	#####	291	2784.9	0.001416	0.148	0.000412
KY	H L Spurloc	6041	1	#####	280	2665.8	0.001438	0.151	0.000403
KY	H L Spurloc	6041	1	#####	282	2696.7	0.001425	0.149	0.000402
KY	H L Spurloc	6041	1	#####	283	2704.4	0.001414	0.148	0.0004
KY	H L Spurloc	6041	1	#####	283	2719.1	0.001432	0.149	0.000405
KY	H L Spurloc	6041	1	#####	283	2716.6	0.00143	0.149	0.000405
KY	H L Spurloc	6041	1	#####	299	2854.4	0.001384	0.145	0.000414
KY	H L Spurloc	6041	1	#####	323	3127.8	0.001346	0.139	0.000435
KY	H L Spurloc	6041	1	#####	322	3114.4	0.001344	0.139	0.000433
KY	H L Spurloc	6041	1	#####	322	3090.6	0.001334	0.139	0.00043
KY	H L Spurloc	6041	1	#####	322	3082.1	0.00134	0.14	0.000431
KY	H L Spurloc	6041	1	#####	312	3007.1	0.001359	0.141	0.000424
KY	H L Spurloc	6041	1	#####	311	2997.1	0.001368	0.142	0.000426
KY	H L Spurloc	6041	1	#####	308	2999.3	0.001393	0.143	0.000429
KY	H L Spurloc	6041	1	#####	297	2861.2	0.001407	0.146	0.000418
KY	H L Spurloc	6041	1	#####	290	2794.6	0.001417	0.147	0.000411
KY	H L Spurloc	6041	1	#####	196	1854.5	0.001703	0.18	0.000334
KY	H L Spurloc	6041	1	#####	169	1618.6	0.001801	0.188	0.000304
KY	H L Spurloc	6041	1	#####	167	1603.9	0.001825	0.19	0.000305
KY	H L Spurloc	6041	1	#####	168	1629.2	0.001813	0.187	0.000305
KY	H L Spurloc	6041	1	#####	195	1934.9	0.001717	0.173	0.000335
KY	H L Spurloc	6041	1	#####	228	2193.5	0.001607	0.167	0.000366
KY	H L Spurloc	6041	1	#####	258	2478.9	0.001528	0.159	0.000394
KY	H L Spurloc	6041	1	#####	252	2415.8	0.001534	0.16	0.000387
KY	H L Spurloc	6041	1	#####	289	2767.8	0.001427	0.149	0.000412
KY	H L Spurloc	6041	1	#####	320	3097.7	0.001375	0.142	0.00044
KY	H L Spurloc	6041	1	#####	323	3158.6	0.001369	0.14	0.000442
KY	H L Spurloc	6041	1	#####	323	3161.9	0.00137	0.14	0.000443
KY	H L Spurloc	6041	1	#####	322	3142.3	0.001366	0.14	0.00044

KY	H L Spurloc	6041	1 #####	321	3120.2	0.001371	0.141	0.00044
KY	H L Spurloc	6041	1 #####	322	3131.3	0.001371	0.141	0.000442
KY	H L Spurloc	6041	1 #####	322	3127.3	0.001369	0.141	0.000441
KY	H L Spurloc	6041	1 #####	322	3092.3	0.001364	0.142	0.000439
KY	H L Spurloc	6041	1 #####	322	3110.5	0.001362	0.141	0.000439
KY	H L Spurloc	6041	1 #####	322	3137.6	0.001374	0.141	0.000442
KY	H L Spurloc	6041	1 #####	305	2963.5	0.001399	0.144	0.000427
KY	H L Spurloc	6041	1 #####	321	3120	0.00137	0.141	0.00044
KY	H L Spurloc	6041	1 #####	307	2952.9	0.001395	0.145	0.000428
KY	H L Spurloc	6041	1 #####	283	2703.4	0.001442	0.151	0.000408
KY	H L Spurloc	6041	1 #####	225	2146.6	0.001603	0.168	0.000361
KY	H L Spurloc	6041	1 #####	166	1601.6	0.001824	0.189	0.000303
KY	H L Spurloc	6041	1 #####	167	1624.4	0.001819	0.187	0.000304
KY	H L Spurloc	6041	1 #####	168	1634.7	0.0018	0.185	0.000302
KY	H L Spurloc	6041	1 #####	167	1646	0.001823	0.185	0.000305
KY	H L Spurloc	6041	1 #####	171	1675.4	0.001793	0.183	0.000307
KY	H L Spurloc	6041	1 #####	186	1772	0.001734	0.182	0.000323
KY	H L Spurloc	6041	1 #####	243	2340.4	0.001541	0.16	0.000374
KY	H L Spurloc	6041	1 #####	275	2653.6	0.001457	0.151	0.000401
KY	H L Spurloc	6041	1 #####	311	2980.7	0.00138	0.144	0.000429
KY	H L Spurloc	6041	1 #####	311	3047.9	0.001392	0.142	0.000433
KY	H L Spurloc	6041	1 #####	320	3128.7	0.001379	0.141	0.000441
KY	H L Spurloc	6041	1 #####	307	3007.6	0.001421	0.145	0.000436
KY	H L Spurloc	6041	1 #####	318	3119.2	0.001393	0.142	0.000443
KY	H L Spurloc	6041	1 #####	323	3161.9	0.00139	0.142	0.000449
KY	H L Spurloc	6041	1 #####	323	3175.6	0.001396	0.142	0.000451
KY	H L Spurloc	6041	1 #####	323	3202.1	0.001398	0.141	0.000451
KY	H L Spurloc	6041	1 #####	320	3164.7	0.001404	0.142	0.000449
KY	H L Spurloc	6041	1 #####	320	3146.5	0.001396	0.142	0.000447
KY	H L Spurloc	6041	1 #####	320	3161.9	0.001413	0.143	0.000452
KY	H L Spurloc	6041	1 #####	305	3006.2	0.001449	0.147	0.000442
KY	H L Spurloc	6041	1 #####	319	3159.8	0.001416	0.143	0.000452
KY	H L Spurloc	6041	1 #####	313	3072.8	0.001414	0.144	0.000442
KY	H L Spurloc	6041	1 #####	273	2691.5	0.001518	0.154	0.000414
KY	H L Spurloc	6041	1 #####	187	1838.1	0.001789	0.182	0.000335
KY	H L Spurloc	6041	1 #####	168	1666.8	0.001855	0.187	0.000312
KY	H L Spurloc	6041	1 #####	167	1667.6	0.001867	0.187	0.000312
KY	H L Spurloc	6041	1 #####	166	1647.2	0.001875	0.189	0.000311
KY	H L Spurloc	6041	1 #####	164	1638.6	0.001888	0.189	0.00031
KY	H L Spurloc	6041	1 #####	165	1645.2	0.001885	0.189	0.000311
KY	H L Spurloc	6041	1 #####	209	2064.3	0.001719	0.174	0.000359
KY	H L Spurloc	6041	1 #####	189	1866.4	0.001787	0.181	0.000338
KY	H L Spurloc	6041	1 #####	219	2171.6	0.001676	0.169	0.000367
KY	H L Spurloc	6041	1 #####	284	2769.6	0.001492	0.153	0.000424
KY	H L Spurloc	6041	1 #####	312	3086.8	0.001415	0.143	0.000441
KY	H L Spurloc	6041	1 #####	323	3187.8	0.001401	0.142	0.000453
KY	H L Spurloc	6041	1 #####	313	3111.7	0.001412	0.142	0.000442

KY	H L Spurloc	6041	1 #####	324	3212.5	0.001398	0.141	0.000453
KY	H L Spurloc	6041	1 #####	324	3181.3	0.001404	0.143	0.000455
KY	H L Spurloc	6041	1 #####	325	3207.6	0.001401	0.142	0.000455
KY	H L Spurloc	6041	1 #####	325	3209.5	0.001402	0.142	0.000456
KY	H L Spurloc	6041	1 #####	323	3190.8	0.001413	0.143	0.000456
KY	H L Spurloc	6041	1 #####	323	3177.9	0.001397	0.142	0.000451
KY	H L Spurloc	6041	1 #####	322	3154.8	0.001391	0.142	0.000448
KY	H L Spurloc	6041	1 #####	307	2983.9	0.001409	0.145	0.000433
KY	H L Spurloc	6041	1 #####	311	3048.7	0.001392	0.142	0.000433
KY	H L Spurloc	6041	1 #####	301	2925.5	0.001419	0.146	0.000427
KY	H L Spurloc	6041	1 #####	295	2842.2	0.001426	0.148	0.000421
KY	H L Spurloc	6041	1 #####	269	2586.6	0.001481	0.154	0.000398
KY	H L Spurloc	6041	1 #####	227	2176.9	0.001592	0.166	0.000361
KY	H L Spurloc	6041	1 #####	177	1712.5	0.001761	0.182	0.000312
KY	H L Spurloc	6041	1 #####	174	1693.3	0.001781	0.183	0.00031
KY	H L Spurloc	6041	1 #####	181	1755.3	0.001765	0.182	0.000319
KY	H L Spurloc	6041	1 #####	255	2501.2	0.00152	0.155	0.000388
KY	H L Spurloc	6041	1 #####	298	2855.4	0.001418	0.148	0.000423
KY	H L Spurloc	6041	1 #####	319	3070.1	0.001376	0.143	0.000439
KY	H L Spurloc	6041	1 #####	310	2996.2	0.001392	0.144	0.000431
KY	H L Spurloc	6041	1 #####	320	3115.1	0.001373	0.141	0.000439
KY	H L Spurloc	6041	1 #####	311	3025.3	0.001391	0.143	0.000433
KY	H L Spurloc	6041	1 #####	321	3133.2	0.001376	0.141	0.000442
KY	H L Spurloc	6041	1 #####	322	3140.6	0.001375	0.141	0.000443
KY	H L Spurloc	6041	1 #####	322	3141.9	0.001376	0.141	0.000443
KY	H L Spurloc	6041	1 #####	322	3142	0.001386	0.142	0.000446
KY	H L Spurloc	6041	1 #####	322	3141.4	0.001385	0.142	0.000446
KY	H L Spurloc	6041	1 #####	322	3134.6	0.001382	0.142	0.000445
KY	H L Spurloc	6041	1 #####	322	3151.1	0.00139	0.142	0.000447
KY	H L Spurloc	6041	1 #####	322	3172.9	0.001389	0.141	0.000447
KY	H L Spurloc	6041	1 #####	322	3178.7	0.001402	0.142	0.000451
KY	H L Spurloc	6041	1 #####	308	3008.4	0.001436	0.147	0.000442
KY	H L Spurloc	6041	1 #####	317	3112.1	0.001424	0.145	0.000451
KY	H L Spurloc	6041	1 #####	289	2813.4	0.001489	0.153	0.00043
KY	H L Spurloc	6041	1 #####	281	2737.9	0.0015	0.154	0.000422
KY	H L Spurloc	6041	1 #####	245	2378.3	0.001602	0.165	0.000392
KY	H L Spurloc	6041	1 #####	192	1855	0.001758	0.182	0.000338
KY	H L Spurloc	6041	1 #####	167	1661.9	0.001861	0.187	0.000311
KY	H L Spurloc	6041	1 #####	170	1673.9	0.001861	0.189	0.000316
KY	H L Spurloc	6041	1 #####	169	1686.5	0.001866	0.187	0.000315
KY	H L Spurloc	6041	1 #####	209	2103.5	0.001691	0.168	0.000353
KY	H L Spurloc	6041	1 #####	189	1833.9	0.001747	0.18	0.00033
KY	H L Spurloc	6041	1 #####	169	1673.7	0.001832	0.185	0.00031
KY	H L Spurloc	6041	1 #####	217	2122.9	0.001673	0.171	0.000363
KY	H L Spurloc	6041	1 #####	248	2395	0.001574	0.163	0.00039
KY	H L Spurloc	6041	1 #####	296	2883	0.001442	0.148	0.000427
KY	H L Spurloc	6041	1 #####	318	3118.4	0.001392	0.142	0.000443

KY	H L Spurloc	6041	1	#####	311	3023.1	0.00139	0.143	0.000432
KY	H L Spurloc	6041	1	#####	321	3114.7	0.001378	0.142	0.000442
KY	H L Spurloc	6041	1	#####	323	3136.3	0.001379	0.142	0.000445
KY	H L Spurloc	6041	1	#####	325	3161.7	0.001372	0.141	0.000446
KY	H L Spurloc	6041	1	#####	324	3154.3	0.001363	0.14	0.000442
KY	H L Spurloc	6041	1	#####	324	3157.5	0.001364	0.14	0.000442
KY	H L Spurloc	6041	1	#####	324	3148.1	0.00137	0.141	0.000444
KY	H L Spurloc	6041	1	#####	325	3161.7	0.001372	0.141	0.000446
KY	H L Spurloc	6041	1	#####	303	2958.8	0.001416	0.145	0.000429
KY	H L Spurloc	6041	1	#####	272	2641.5	0.001496	0.154	0.000407
KY	H L Spurloc	6041	1	#####	238	2296.7	0.001583	0.164	0.000377
KY	H L Spurloc	6041	1	#####	187	1823.1	0.001765	0.181	0.00033
KY	H L Spurloc	6041	1	#####	169	1654.6	0.001831	0.187	0.000309
KY	H L Spurloc	6041	1	#####	168	1704.6	0.001877	0.185	0.000315
KY	H L Spurloc	6041	1	#####	171	1688	0.001826	0.185	0.000312
KY	H L Spurloc	6041	1	#####	170	1678.5	0.001827	0.185	0.000311
KY	H L Spurloc	6041	1	#####	170	1650.4	0.001806	0.186	0.000307
KY	H L Spurloc	6041	1	#####	171	1678.9	0.001816	0.185	0.000311
KY	H L Spurloc	6041	1	#####	172	1682	0.001809	0.185	0.000311
KY	H L Spurloc	6041	1	#####	172	1671.3	0.001807	0.186	0.000311
KY	H L Spurloc	6041	1	#####	172	1672.9	0.001799	0.185	0.000309
KY	H L Spurloc	6041	1	#####	184	1798.1	0.001769	0.181	0.000325
KY	H L Spurloc	6041	1	#####	269	2608.1	0.001483	0.153	0.000399
KY	H L Spurloc	6041	1	#####	317	3088.4	0.001374	0.141	0.000435
KY	H L Spurloc	6041	1	#####	324	3152.6	0.001362	0.14	0.000441
KY	H L Spurloc	6041	1	#####	324	3143.5	0.001358	0.14	0.00044
KY	H L Spurloc	6041	1	#####	324	3161.5	0.001356	0.139	0.000439
KY	H L Spurloc	6041	1	#####	324	3179	0.001364	0.139	0.000442
KY	H L Spurloc	6041	1	#####	325	3189.2	0.001364	0.139	0.000443
KY	H L Spurloc	6041	1	#####	324	3190.2	0.001359	0.138	0.00044
KY	H L Spurloc	6041	1	#####	324	3162.2	0.001366	0.14	0.000443
KY	H L Spurloc	6041	1	#####	325	3192.5	0.001356	0.138	0.000441
KY	H L Spurloc	6041	1	#####	306	2989.8	0.001397	0.143	0.000428
KY	H L Spurloc	6041	1	#####	323	3156.1	0.001368	0.14	0.000442
KY	H L Spurloc	6041	1	#####	305	2996.3	0.001405	0.143	0.000428
KY	H L Spurloc	6041	1	#####	323	3151.3	0.001376	0.141	0.000444
KY	H L Spurloc	6041	1	#####	308	2963.1	0.001385	0.144	0.000427
KY	H L Spurloc	6041	1	#####	259	2507	0.00151	0.156	0.000391
KY	H L Spurloc	6041	1	#####	172	1684.4	0.001802	0.184	0.00031
KY	H L Spurloc	6041	1	#####	170	1697	0.001827	0.183	0.000311
KY	H L Spurloc	6041	1	#####	237	2335.6	0.001596	0.162	0.000378
KY	H L Spurloc	6041	1	#####	319	3136.8	0.001367	0.139	0.000436
KY	H L Spurloc	6041	1	#####	307	3001.5	0.001398	0.143	0.000429
KY	H L Spurloc	6041	1	#####	324	3172	0.001361	0.139	0.000441
KY	H L Spurloc	6041	1	#####	309	3007.1	0.000983	0.101	0.000304
KY	H L Spurloc	6041	1	#####	324	3155.3	0.000966	0.0992	0.000313
KY	H L Spurloc	6041	1	#####	309	3036.8	0.000993	0.101	0.000307

KY	H L Spurloc	6041	1 #####	323	3151.6	0.000985	0.101	0.000318
KY	H L Spurloc	6041	1 #####	325	3161.8	0.000973	0.1	0.000316
KY	H L Spurloc	6041	1 #####	324	3158.3	0.000985	0.101	0.000319
KY	H L Spurloc	6041	1 #####	323	3154.3	0.000977	0.1	0.000315
KY	H L Spurloc	6041	1 #####	324	3173.7	0.00098	0.1	0.000317
KY	H L Spurloc	6041	1 #####	324	3177.8	0.000981	0.1	0.000318
KY	H L Spurloc	6041	1 #####	324	3148.2	0.000969	0.0997	0.000314
KY	H L Spurloc	6041	1 #####	306	2953.8	0.000994	0.103	0.000304
KY	H L Spurloc	6041	1 #####	324	3148.2	0.00097	0.0998	0.000314
KY	H L Spurloc	6041	1 #####	301	2928.9	0.001012	0.104	0.000305
KY	H L Spurloc	6041	1 #####	321	3116.8	0.000981	0.101	0.000315
KY	H L Spurloc	6041	1 #####	306	2961.6	0.000987	0.102	0.000302
KY	H L Spurloc	6041	1 #####	305	2923.5	0.000987	0.103	0.000301
KY	H L Spurloc	6041	1 #####	306	2909.6	0.000989	0.104	0.000303
KY	H L Spurloc	6041	1 #####	280	2652.1	0.001023	0.108	0.000286
KY	H L Spurloc	6041	1 #####	226	2154.5	0.001134	0.119	0.000256
KY	H L Spurloc	6041	1 #####	166	1612.6	0.001292	0.133	0.000214
KY	H L Spurloc	6041	1 #####	219	2120.5	0.001162	0.12	0.000254
KY	H L Spurloc	6041	1 #####	269	2652.3	0.001045	0.106	0.000281
KY	H L Spurloc	6041	1 #####	309	2979.6	0.000974	0.101	0.000301
KY	H L Spurloc	6041	1 #####	323	3100.7	0.000947	0.0986	0.000306
KY	H L Spurloc	6041	1 #####	307	2933.7	0.000956	0.1	0.000293
KY	H L Spurloc	6041	1 #####	316	3027.1	0.000954	0.0996	0.000301
KY	H L Spurloc	6041	1 #####	309	2940.4	0.000971	0.102	0.0003
KY	H L Spurloc	6041	1 #####	297	2821.8	0.000998	0.105	0.000296
KY	H L Spurloc	6041	1 #####	312	3016.2	0.000976	0.101	0.000305
KY	H L Spurloc	6041	1 #####	322	3102.2	0.000973	0.101	0.000313
KY	H L Spurloc	6041	1 #####	323	3120.6	0.000985	0.102	0.000318
KY	H L Spurloc	6041	1 #####	324	3142.6	0.00098	0.101	0.000317
KY	H L Spurloc	6041	1 #####	323	3124.4	0.000977	0.101	0.000316
KY	H L Spurloc	6041	1 #####	323	3116.1	0.000974	0.101	0.000315
KY	H L Spurloc	6041	1 #####	324	3129.7	0.000976	0.101	0.000316
KY	H L Spurloc	6041	1 #####	309	2997.1	0.000989	0.102	0.000306
KY	H L Spurloc	6041	1 #####	323	3135.8	0.000981	0.101	0.000317
KY	H L Spurloc	6041	1 #####	306	2959.4	0.000996	0.103	0.000305
KY	H L Spurloc	6041	1 #####	283	2734	0.001034	0.107	0.000293
KY	H L Spurloc	6041	1 #####	227	2181.9	0.001144	0.119	0.00026
KY	H L Spurloc	6041	1 #####	173	1687.5	0.001288	0.132	0.000223
KY	H L Spurloc	6041	1 #####	169	1650.8	0.001299	0.133	0.00022
KY	H L Spurloc	6041	1 #####	215	2068.6	0.001174	0.122	0.000252
KY	H L Spurloc	6041	1 #####	184	1781.1	0.001239	0.128	0.000228
KY	H L Spurloc	6041	1 #####	168	1649.1	0.001296	0.132	0.000218
KY	H L Spurloc	6041	1 #####	215	2116.4	0.001162	0.118	0.00025
KY	H L Spurloc	6041	1 #####	253	2408.2	0.001076	0.113	0.000272
KY	H L Spurloc	6041	1 #####	276	2641.9	0.001034	0.108	0.000285
KY	H L Spurloc	6041	1 #####	282	2699	0.001024	0.107	0.000289
KY	H L Spurloc	6041	1 #####	287	2719.6	0.001014	0.107	0.000291

KY	H L Spurloc	6041	1 #####	279	2662.6	0.001031	0.108	0.000288
KY	H L Spurloc	6041	1 #####	288	2767.8	0.001019	0.106	0.000293
KY	H L Spurloc	6041	1 #####	285	2755.1	0.001025	0.106	0.000292
KY	H L Spurloc	6041	1 #####	289	2798.2	0.001026	0.106	0.000297
KY	H L Spurloc	6041	1 #####	292	2850	0.001015	0.104	0.000296
KY	H L Spurloc	6041	1 #####	293	2840.9	0.001008	0.104	0.000295
KY	H L Spurloc	6041	1 #####	293	2847.6	0.001011	0.104	0.000296
KY	H L Spurloc	6041	1 #####	292	2840.1	0.001012	0.104	0.000295
KY	H L Spurloc	6041	1 #####	292	2848.6	0.001015	0.104	0.000296
KY	H L Spurloc	6041	1 #####	292	2874.8	0.001034	0.105	0.000302
KY	H L Spurloc	6041	1 #####	276	2649.1	0.001056	0.11	0.000291
KY	H L Spurloc	6041	1 #####	237	2289.3	0.00114	0.118	0.00027
KY	H L Spurloc	6041	1 #####	217	2094	0.001187	0.123	0.000258
KY	H L Spurloc	6041	1 #####	188	1809	0.001251	0.13	0.000235
KY	H L Spurloc	6041	1 9/1/2022	167	1643	0.001318	0.134	0.00022
KY	H L Spurloc	6041	1 9/1/2022	168	1654.6	0.00131	0.133	0.00022
KY	H L Spurloc	6041	1 9/1/2022	168	1651	0.001307	0.133	0.00022
KY	H L Spurloc	6041	1 9/1/2022	167	1658.1	0.001321	0.133	0.000221
KY	H L Spurloc	6041	1 9/1/2022	168	1648.5	0.001305	0.133	0.000219
KY	H L Spurloc	6041	1 9/1/2022	168	1649.3	0.001306	0.133	0.000219
KY	H L Spurloc	6041	1 9/1/2022	171	1684.5	0.0013	0.132	0.000222
KY	H L Spurloc	6041	1 9/1/2022	170	1661.7	0.0013	0.133	0.000221
KY	H L Spurloc	6041	1 9/1/2022	240	2316.1	0.001119	0.116	0.000269
KY	H L Spurloc	6041	1 9/1/2022	289	2763.8	0.001004	0.105	0.00029
KY	H L Spurloc	6041	1 9/1/2022	292	2783.8	0.001001	0.105	0.000292
KY	H L Spurloc	6041	1 9/1/2022	293	2795.7	0.001002	0.105	0.000294
KY	H L Spurloc	6041	1 9/1/2022	293	2832.7	0.001005	0.104	0.000295
KY	H L Spurloc	6041	1 9/1/2022	292	2803.5	0.000999	0.104	0.000292
KY	H L Spurloc	6041	1 9/1/2022	293	2833.9	0.000996	0.103	0.000292
KY	H L Spurloc	6041	1 9/1/2022	293	2833.3	0.001006	0.104	0.000295
KY	H L Spurloc	6041	1 9/1/2022	293	2812.2	0.001008	0.105	0.000295
KY	H L Spurloc	6041	1 9/1/2022	292	2840.7	0.001012	0.104	0.000295
KY	H L Spurloc	6041	1 9/1/2022	292	2829.8	0.001018	0.105	0.000297
KY	H L Spurloc	6041	1 9/1/2022	293	2854.6	0.001013	0.104	0.000297
KY	H L Spurloc	6041	1 9/1/2022	293	2863.3	0.001016	0.104	0.000298
KY	H L Spurloc	6041	1 9/1/2022	281	2726	0.001028	0.106	0.000289
KY	H L Spurloc	6041	1 9/1/2022	280	2703.6	0.001033	0.107	0.000289
KY	H L Spurloc	6041	1 9/1/2022	254	2421.1	0.001068	0.112	0.000271
KY	H L Spurloc	6041	1 9/2/2022	227	2176.7	0.001132	0.118	0.000257
KY	H L Spurloc	6041	1 9/2/2022	172	1668	0.001299	0.134	0.000224
KY	H L Spurloc	6041	1 9/2/2022	168	1643.3	0.001311	0.134	0.00022
KY	H L Spurloc	6041	1 9/2/2022	167	1646.2	0.001331	0.135	0.000222
KY	H L Spurloc	6041	1 9/2/2022	167	1666.5	0.001327	0.133	0.000222
KY	H L Spurloc	6041	1 9/2/2022	191	1889.2	0.001246	0.126	0.000238
KY	H L Spurloc	6041	1 9/2/2022	223	2157.3	0.001161	0.12	0.000259
KY	H L Spurloc	6041	1 9/2/2022	187	1803.4	0.001225	0.127	0.000229
KY	H L Spurloc	6041	1 9/2/2022	186	1793.3	0.001234	0.128	0.00023

KY	H L Spurloc	6041	1	9/2/2022	241	2341.9	0.001118	0.115	0.000269
KY	H L Spurloc	6041	1	9/2/2022	261	2518.8	0.001071	0.111	0.00028
KY	H L Spurloc	6041	1	9/2/2022	293	2839.2	0.001017	0.105	0.000298
KY	H L Spurloc	6041	1	9/2/2022	293	2849.7	0.001021	0.105	0.000299
KY	H L Spurloc	6041	1	9/2/2022	293	2843.9	0.001009	0.104	0.000296
KY	H L Spurloc	6041	1	9/2/2022	292	2835.4	0.00101	0.104	0.000295
KY	H L Spurloc	6041	1	9/2/2022	293	2842.5	0.001009	0.104	0.000296
KY	H L Spurloc	6041	1	9/2/2022	319	3138	0.000984	0.1	0.000314
KY	H L Spurloc	6041	1	9/2/2022	320	3130.1	0.000988	0.101	0.000316
KY	H L Spurloc	6041	1	9/2/2022	320	3150.8	0.000994	0.101	0.000318
KY	H L Spurloc	6041	1	9/2/2022	320	3129.3	0.000997	0.102	0.000319
KY	H L Spurloc	6041	1	9/2/2022	315	3082.1	0.000998	0.102	0.000314
KY	H L Spurloc	6041	1	9/2/2022	318	3119.9	0.000991	0.101	0.000315
KY	H L Spurloc	6041	1	9/2/2022	290	2847	0.001041	0.106	0.000302
KY	H L Spurloc	6041	1	9/2/2022	206	1998.4	0.001222	0.126	0.000252
KY	H L Spurloc	6041	1	9/3/2022	202	1937	0.001208	0.126	0.000244
KY	H L Spurloc	6041	1	9/3/2022	184	1789.6	0.001264	0.13	0.000233
KY	H L Spurloc	6041	1	9/3/2022	165	1613.5	0.00131	0.134	0.000216
KY	H L Spurloc	6041	1	9/3/2022	165	1644.6	0.001316	0.132	0.000217
KY	H L Spurloc	6041	1	9/3/2022	165	1646.4	0.001327	0.133	0.000219
KY	H L Spurloc	6041	1	9/3/2022	165	1643.7	0.001325	0.133	0.000219
KY	H L Spurloc	6041	1	9/3/2022	165	1644.3	0.001325	0.133	0.000219
KY	H L Spurloc	6041	1	9/3/2022	165	1642.6	0.001324	0.133	0.000218
KY	H L Spurloc	6041	1	9/3/2022	205	1998.5	0.001209	0.124	0.000248
KY	H L Spurloc	6041	1	9/3/2022	270	2641.4	0.001066	0.109	0.000288
KY	H L Spurloc	6041	1	9/3/2022	321	3158.5	0.000981	0.0997	0.000315
KY	H L Spurloc	6041	1	9/3/2022	323	3149.3	0.000985	0.101	0.000318
KY	H L Spurloc	6041	1	9/3/2022	323	3145.2	0.000983	0.101	0.000318
KY	H L Spurloc	6041	1	9/3/2022	324	3149.9	0.000992	0.102	0.000321
KY	H L Spurloc	6041	1	9/3/2022	323	3149.4	0.000995	0.102	0.000321
KY	H L Spurloc	6041	1	9/3/2022	324	3124.6	0.000984	0.102	0.000319
KY	H L Spurloc	6041	1	9/3/2022	324	3131.2	0.000986	0.102	0.000319
KY	H L Spurloc	6041	1	9/3/2022	323	3134.8	0.00098	0.101	0.000317
KY	H L Spurloc	6041	1	9/3/2022	323	3142.6	0.000992	0.102	0.000321
KY	H L Spurloc	6041	1	9/3/2022	324	3160.5	0.000995	0.102	0.000322
KY	H L Spurloc	6041	1	9/3/2022	309	3009.3	0.001003	0.103	0.00031
KY	H L Spurloc	6041	1	9/3/2022	310	3019.8	0.001013	0.104	0.000314
KY	H L Spurloc	6041	1	9/3/2022	290	2825	0.001042	0.107	0.000302
KY	H L Spurloc	6041	1	9/3/2022	276	2679.2	0.001087	0.112	0.0003
KY	H L Spurloc	6041	1	9/4/2022	225	2148.1	0.001184	0.124	0.000266
KY	H L Spurloc	6041	1	9/4/2022	181	1768.5	0.00129	0.132	0.000233
KY	H L Spurloc	6041	1	9/4/2022	165	1616.7	0.001342	0.137	0.000221
KY	H L Spurloc	6041	1	9/4/2022	165	1631.3	0.001335	0.135	0.00022
KY	H L Spurloc	6041	1	9/4/2022	165	1604.8	0.001323	0.136	0.000218
KY	H L Spurloc	6041	1	9/4/2022	218	2139.6	0.001197	0.122	0.000261
KY	H L Spurloc	6041	1	9/4/2022	189	1831.9	0.00127	0.131	0.00024
KY	H L Spurloc	6041	1	9/4/2022	169	1663.2	0.001309	0.133	0.000221

KY	H L Spurloc	6041	1	9/4/2022	170	1679.9	0.001314	0.133	0.000223
KY	H L Spurloc	6041	1	9/4/2022	172	1681	0.00131	0.134	0.000225
KY	H L Spurloc	6041	1	9/4/2022	223	2179.3	0.001173	0.12	0.000262
KY	H L Spurloc	6041	1	9/4/2022	246	2364.1	0.001124	0.117	0.000277
KY	H L Spurloc	6041	1	9/4/2022	289	2753.2	0.001048	0.11	0.000303
KY	H L Spurloc	6041	1	9/4/2022	313	3016.7	0.001012	0.105	0.000317
KY	H L Spurloc	6041	1	9/4/2022	289	2755.4	0.001049	0.11	0.000303
KY	H L Spurloc	6041	1	9/4/2022	257	2465.1	0.001113	0.116	0.000286
KY	H L Spurloc	6041	1	9/4/2022	233	2226.2	0.001156	0.121	0.000269
KY	H L Spurloc	6041	1	9/4/2022	281	2698.9	0.001066	0.111	0.0003
KY	H L Spurloc	6041	1	9/4/2022	312	3013.1	0.001024	0.106	0.000319
KY	H L Spurloc	6041	1	9/4/2022	254	2444.9	0.001117	0.116	0.000284
KY	H L Spurloc	6041	1	9/4/2022	186	1778.2	0.001252	0.131	0.000233
KY	H L Spurloc	6041	1	9/4/2022	183	1772.8	0.001259	0.13	0.00023
KY	H L Spurloc	6041	1	9/4/2022	207	1993	0.001204	0.125	0.000249
KY	H L Spurloc	6041	1	9/4/2022	211	2013.3	0.001193	0.125	0.000252
KY	H L Spurloc	6041	1	9/5/2022	179	1716.9	0.001266	0.132	0.000227
KY	H L Spurloc	6041	1	9/5/2022	167	1633.2	0.00132	0.135	0.00022
KY	H L Spurloc	6041	1	9/5/2022	167	1638.5	0.001325	0.135	0.000221
KY	H L Spurloc	6041	1	9/5/2022	168	1632.3	0.001312	0.135	0.00022
KY	H L Spurloc	6041	1	9/5/2022	167	1618.7	0.001309	0.135	0.000219
KY	H L Spurloc	6041	1	9/5/2022	174	1707.7	0.001305	0.133	0.000227
KY	H L Spurloc	6041	1	9/5/2022	168	1628	0.001318	0.136	0.000221
KY	H L Spurloc	6041	1	9/5/2022	168	1640.3	0.001308	0.134	0.00022
KY	H L Spurloc	6041	1	9/5/2022	168	1611.7	0.001305	0.136	0.000219
KY	H L Spurloc	6041	1	9/5/2022	221	2098.1	0.001168	0.123	0.000258
KY	H L Spurloc	6041	1	9/5/2022	274	2594.8	0.001061	0.112	0.000291
KY	H L Spurloc	6041	1	9/5/2022	290	2751.5	0.001044	0.11	0.000303
KY	H L Spurloc	6041	1	9/5/2022	319	3042	0.000992	0.104	0.000316
KY	H L Spurloc	6041	1	9/5/2022	304	2889.1	0.001007	0.106	0.000306
KY	H L Spurloc	6041	1	9/5/2022	319	3057.1	0.000997	0.104	0.000318
KY	H L Spurloc	6041	1	9/5/2022	323	3079.4	0.000992	0.104	0.00032
KY	H L Spurloc	6041	1	9/5/2022	306	2909.8	0.001008	0.106	0.000308
KY	H L Spurloc	6041	1	9/5/2022	315	2993.7	0.000998	0.105	0.000314
KY	H L Spurloc	6041	1	9/5/2022	323	3072.9	0.000989	0.104	0.00032
KY	H L Spurloc	6041	1	9/5/2022	322	3057.9	0.000988	0.104	0.000318
KY	H L Spurloc	6041	1	9/5/2022	292	2769.3	0.001024	0.108	0.000299
KY	H L Spurloc	6041	1	9/5/2022	244	2332.2	0.001128	0.118	0.000275
KY	H L Spurloc	6041	1	9/5/2022	190	1810.3	0.001267	0.133	0.000241
KY	H L Spurloc	6041	1	9/5/2022	192	1848.5	0.001261	0.131	0.000242
KY	H L Spurloc	6041	1	9/6/2022	165	1620.3	0.001355	0.138	0.000224
KY	H L Spurloc	6041	1	9/6/2022	165	1601.9	0.00134	0.138	0.000221
KY	H L Spurloc	6041	1	9/6/2022	165	1606.5	0.001353	0.139	0.000223
KY	H L Spurloc	6041	1	9/6/2022	167	1620.2	0.001349	0.139	0.000225
KY	H L Spurloc	6041	1	9/6/2022	216	2098	0.001214	0.125	0.000262
KY	H L Spurloc	6041	1	9/6/2022	224	2136.7	0.001211	0.127	0.000271
KY	H L Spurloc	6041	1	9/6/2022	272	2560.4	0.001073	0.114	0.000292

KY	H L Spurloc	6041	1	9/6/2022	269	2548.8	0.00108	0.114	0.000291
KY	H L Spurloc	6041	1	9/6/2022	250	2381	0.001295	0.136	0.000324
KY	H L Spurloc	6041	1	9/6/2022	231	2198	0.001332	0.14	0.000308
KY	H L Spurloc	6041	1	9/6/2022	281	2656.7	0.00121	0.128	0.00034
KY	H L Spurloc	6041	1	9/6/2022	324	3100	0.001148	0.12	0.000372
KY	H L Spurloc	6041	1	9/6/2022	323	3073.5	0.001142	0.12	0.000369
KY	H L Spurloc	6041	1	9/6/2022	321	3059.2	0.001144	0.12	0.000367
KY	H L Spurloc	6041	1	9/6/2022	320	3043	0.001141	0.12	0.000365
KY	H L Spurloc	6041	1	9/6/2022	319	3062.8	0.001143	0.119	0.000364
KY	H L Spurloc	6041	1	9/6/2022	322	3069.9	0.001144	0.12	0.000368
KY	H L Spurloc	6041	1	9/6/2022	323	3086.5	0.001137	0.119	0.000367
KY	H L Spurloc	6041	1	9/6/2022	320	3056.3	0.001156	0.121	0.00037
KY	H L Spurloc	6041	1	9/6/2022	324	3097.1	0.001147	0.12	0.000372
KY	H L Spurloc	6041	1	9/6/2022	299	2871.6	0.001191	0.124	0.000356
KY	H L Spurloc	6041	1	9/6/2022	306	2945.5	0.001174	0.122	0.000359
KY	H L Spurloc	6041	1	9/6/2022	300	2879.3	0.00119	0.124	0.000357
KY	H L Spurloc	6041	1	9/6/2022	249	2363.4	0.001329	0.14	0.000331
KY	H L Spurloc	6041	1	9/7/2022	271	2576.2	0.001283	0.135	0.000348
KY	H L Spurloc	6041	1	9/7/2022	200	1887.3	0.001463	0.155	0.000293
KY	H L Spurloc	6041	1	9/7/2022	165	1589.2	0.00156	0.162	0.000257
KY	H L Spurloc	6041	1	9/7/2022	166	1599.9	0.001571	0.163	0.000261
KY	H L Spurloc	6041	1	9/7/2022	167	1609.4	0.001571	0.163	0.000262
KY	H L Spurloc	6041	1	9/7/2022	218	2121.1	0.001401	0.144	0.000305
KY	H L Spurloc	6041	1	9/7/2022	263	2469.8	0.001287	0.137	0.000338
KY	H L Spurloc	6041	1	9/7/2022	281	2672.9	0.001227	0.129	0.000345
KY	H L Spurloc	6041	1	9/7/2022	270	2559.8	0.001242	0.131	0.000335
KY	H L Spurloc	6041	1	9/7/2022	284	2672	0.001214	0.129	0.000345
KY	H L Spurloc	6041	1	9/7/2022	316	3022.7	0.001167	0.122	0.000369
KY	H L Spurloc	6041	1	9/7/2022	314	2999.2	0.001156	0.121	0.000363
KY	H L Spurloc	6041	1	9/7/2022	322	3082.1	0.001149	0.12	0.00037
KY	H L Spurloc	6041	1	9/7/2022	322	3079.3	0.001157	0.121	0.000373
KY	H L Spurloc	6041	1	9/7/2022	322	3062.5	0.001151	0.121	0.000371
KY	H L Spurloc	6041	1	9/7/2022	322	3054.1	0.001148	0.121	0.00037
KY	H L Spurloc	6041	1	9/7/2022	322	3058.3	0.00114	0.12	0.000367
KY	H L Spurloc	6041	1	9/7/2022	322	3042	0.001134	0.12	0.000365
KY	H L Spurloc	6041	1	9/7/2022	322	3063.8	0.001142	0.12	0.000368
KY	H L Spurloc	6041	1	9/7/2022	319	3009	0.001141	0.121	0.000364
KY	H L Spurloc	6041	1	9/7/2022	319	3012.7	0.001133	0.12	0.000362
KY	H L Spurloc	6041	1	9/7/2022	296	2784.2	0.001185	0.126	0.000351
KY	H L Spurloc	6041	1	9/7/2022	279	2642.8	0.001231	0.13	0.000344
KY	H L Spurloc	6041	1	9/7/2022	196	1829.7	0.001438	0.154	0.000282
KY	H L Spurloc	6041	1	9/8/2022	175	1674.1	0.001502	0.157	0.000263
KY	H L Spurloc	6041	1	9/8/2022	167	1617	0.00153	0.158	0.000255
KY	H L Spurloc	6041	1	9/8/2022	169	1632.5	0.001555	0.161	0.000263
KY	H L Spurloc	6041	1	9/8/2022	170	1630.6	0.001535	0.16	0.000261
KY	H L Spurloc	6041	1	9/8/2022	173	1662.9	0.001519	0.158	0.000263
KY	H L Spurloc	6041	1	9/8/2022	236	2309.3	0.001331	0.136	0.000314

KY	H L Spurloc	6041	1	9/8/2022	257	2435.4	0.001279	0.135	0.000329
KY	H L Spurloc	6041	1	9/8/2022	250	2356.4	0.001282	0.136	0.00032
KY	H L Spurloc	6041	1	9/8/2022	275	2604	0.001222	0.129	0.000336
KY	H L Spurloc	6041	1	9/8/2022	240	2270	0.001305	0.138	0.000313
KY	H L Spurloc	6041	1	9/8/2022	281	2645.1	0.001195	0.127	0.000336
KY	H L Spurloc	6041	1	9/8/2022	264	2488.7	0.001244	0.132	0.000329
KY	H L Spurloc	6041	1	9/8/2022	282	2644.6	0.0012	0.128	0.000339
KY	H L Spurloc	6041	1	9/8/2022	325	3061.5	0.00113	0.12	0.000367
KY	H L Spurloc	6041	1	9/8/2022	320	3003.7	0.001126	0.12	0.00036
KY	H L Spurloc	6041	1	9/8/2022	324	3048.7	0.001129	0.12	0.000366
KY	H L Spurloc	6041	1	9/8/2022	324	3056.3	0.001132	0.12	0.000367
KY	H L Spurloc	6041	1	9/8/2022	323	3063	0.001138	0.12	0.000368
KY	H L Spurloc	6041	1	9/8/2022	325	3089.3	0.001131	0.119	0.000368
KY	H L Spurloc	6041	1	9/8/2022	324	3074.7	0.001139	0.12	0.000369
KY	H L Spurloc	6041	1	9/8/2022	305	2897.5	0.00115	0.121	0.000351
KY	H L Spurloc	6041	1	9/8/2022	316	2985.2	0.001143	0.121	0.000361
KY	H L Spurloc	6041	1	9/8/2022	310	2915.9	0.001148	0.122	0.000356
KY	H L Spurloc	6041	1	9/8/2022	226	2124.8	0.001373	0.146	0.00031
KY	H L Spurloc	6041	1	9/9/2022	169	1604.7	0.001538	0.162	0.00026
KY	H L Spurloc	6041	1	9/9/2022	170	1658.4	0.001522	0.156	0.000259
KY	H L Spurloc	6041	1	9/9/2022	176	1693.3	0.001482	0.154	0.000261
KY	H L Spurloc	6041	1	9/9/2022	169	1638	0.001493	0.154	0.000252
KY	H L Spurloc	6041	1	9/9/2022	210	2034.4	0.001395	0.144	0.000293
KY	H L Spurloc	6041	1	9/9/2022	185	1729.1	0.00143	0.153	0.000265
KY	H L Spurloc	6041	1	9/9/2022	166	1620.9	0.001504	0.154	0.00025
KY	H L Spurloc	6041	1	9/9/2022	207	1986.1	0.001382	0.144	0.000286
KY	H L Spurloc	6041	1	9/9/2022	195	1865.1	0.001406	0.147	0.000274
KY	H L Spurloc	6041	1	9/9/2022	232	2204.1	0.001302	0.137	0.000302
KY	H L Spurloc	6041	1	9/9/2022	273	2568.4	0.001195	0.127	0.000326
KY	H L Spurloc	6041	1	9/9/2022	282	2687.3	0.00122	0.128	0.000344
KY	H L Spurloc	6041	1	9/9/2022	320	3074.1	0.001153	0.12	0.000369
KY	H L Spurloc	6041	1	9/9/2022	320	3064.3	0.001149	0.12	0.000368
KY	H L Spurloc	6041	1	9/9/2022	308	2958.3	0.001181	0.123	0.000364
KY	H L Spurloc	6041	1	9/9/2022	270	2666.8	0.001304	0.132	0.000352
KY	H L Spurloc	6041	1	9/9/2022	272	2810	0.001322	0.128	0.00036
KY	H L Spurloc	6041	1	9/9/2022	270	2866.2	0.001338	0.126	0.000361
KY	H L Spurloc	6041	1	9/9/2022	275	2880	0.00132	0.126	0.000363
KY	H L Spurloc	6041	1	9/9/2022	275	2901.3	0.001319	0.125	0.000363
KY	H L Spurloc	6041	1	9/9/2022	268	2847.3	0.001349	0.127	0.000362
KY	H L Spurloc	6041	1	9/9/2022	275	2890.8	0.001314	0.125	0.000361
KY	H L Spurloc	6041	1	9/9/2022	275	2885.4	0.001322	0.126	0.000364
KY	H L Spurloc	6041	1	9/9/2022	274	2881.9	0.001325	0.126	0.000363
KY	H L Spurloc	6041	1	#####	273	2875.2	0.001306	0.124	0.000357
KY	H L Spurloc	6041	1	#####	274	2848.1	0.001279	0.123	0.00035
KY	H L Spurloc	6041	1	#####	254	2609.6	0.001315	0.128	0.000334
KY	H L Spurloc	6041	1	#####	174	1889.1	0.001639	0.151	0.000285
KY	H L Spurloc	6041	1	#####	171	1804	0.001604	0.152	0.000274

KY	H L Spurloc	6041	1	#####	188	1819.7	0.001471	0.152	0.000277
KY	H L Spurloc	6041	1	#####	170	1632	0.001536	0.16	0.000261
KY	H L Spurloc	6041	1	#####	173	1655.9	0.001522	0.159	0.000263
KY	H L Spurloc	6041	1	#####	182	1728.8	0.001482	0.156	0.00027
KY	H L Spurloc	6041	1	#####	169	1642.4	0.001526	0.157	0.000258
KY	H L Spurloc	6041	1	#####	207	1975.3	0.001403	0.147	0.00029
KY	H L Spurloc	6041	1	#####	269	2575.1	0.001254	0.131	0.000337
KY	H L Spurloc	6041	1	#####	317	3042.5	0.001161	0.121	0.000368
KY	H L Spurloc	6041	1	#####	324	3106.5	0.001141	0.119	0.00037
KY	H L Spurloc	6041	1	#####	323	3105.3	0.001144	0.119	0.00037
KY	H L Spurloc	6041	1	#####	324	3113.9	0.001144	0.119	0.000371
KY	H L Spurloc	6041	1	#####	324	3116.9	0.001135	0.118	0.000368
KY	H L Spurloc	6041	1	#####	322	3093.8	0.001143	0.119	0.000368
KY	H L Spurloc	6041	1	#####	324	3108.4	0.001142	0.119	0.00037
KY	H L Spurloc	6041	1	#####	324	3100.5	0.001139	0.119	0.000369
KY	H L Spurloc	6041	1	#####	319	3029	0.001139	0.12	0.000363
KY	H L Spurloc	6041	1	#####	313	2983.6	0.001153	0.121	0.000361
KY	H L Spurloc	6041	1	#####	305	2888.3	0.001165	0.123	0.000355
KY	H L Spurloc	6041	1	#####	211	1954.6	0.001371	0.148	0.000289
KY	H L Spurloc	6041	1	#####	115	1128.741	0.0019	0.18	0.000203
KY	H L Spurloc	6041	1	#####	0	24.815		0.28	6.95E-06
KY	H L Spurloc	6041	1	#####	0	56.9		1.05	5.97E-05
KY	H L Spurloc	6041	1	#####	0	92.6		1.05	9.72E-05
KY	H L Spurloc	6041	1	#####	0	114.3		1.04	0.000119
KY	H L Spurloc	6041	1	#####	0	142.6		1.04	0.000148
KY	H L Spurloc	6041	1	#####	0	143		1.04	0.000149
KY	H L Spurloc	6041	1	#####	0	144.6		1.03	0.000149
KY	H L Spurloc	6041	1	#####	0	144.7		1.02	0.000148
KY	H L Spurloc	6041	1	#####	0	144.8		1.02	0.000148
KY	H L Spurloc	6041	1	#####	0	142.3		1.01	0.000144
KY	H L Spurloc	6041	1	#####	0	139		1.01	0.00014
KY	H L Spurloc	6041	1	#####	25	568.7	0.035487	1.56	0.000887
KY	H L Spurloc	6041	1	#####	40	608.1	0.022804	1.5	0.000912
KY	H L Spurloc	6041	1	#####	46	554.5	0.019769	1.64	0.000909
KY	H L Spurloc	6041	1	#####	38	535.1	0.023939	1.7	0.00091
KY	H L Spurloc	6041	1	#####	41	555	0.0222	1.64	0.00091
KY	H L Spurloc	6041	1	#####	56	672.6	0.016455	1.37	0.000921
KY	H L Spurloc	6041	1	#####	84	898	0.010904	1.02	0.000916
KY	H L Spurloc	6041	1	#####	108	1094.7	0.007724	0.762	0.000834
KY	H L Spurloc	6041	1	#####	114	1152.3	0.007116	0.704	0.000811
KY	H L Spurloc	6041	1	#####	125	1266.5	0.006616	0.653	0.000827
KY	H L Spurloc	6041	1	#####	130	1310.7	0.006574	0.652	0.000855
KY	H L Spurloc	6041	1	#####	137	1352.8	0.005875	0.595	0.000805
KY	H L Spurloc	6041	1	#####	159	1595.8	0.00553	0.551	0.000879
KY	H L Spurloc	6041	1	#####	174	1741.6	0.005255	0.525	0.000914
KY	H L Spurloc	6041	1	#####	175	1710.3	0.00517	0.529	0.000905
KY	H L Spurloc	6041	1	#####	175	1689.9	0.005041	0.522	0.000882

KY	H L Spurloc	6041	1	#####	180	1748.1	0.00506	0.521	0.000911
KY	H L Spurloc	6041	1	#####	185	1785.7	0.005029	0.521	0.00093
KY	H L Spurloc	6041	1	#####	197	1878.8	0.004921	0.516	0.000969
KY	H L Spurloc	6041	1	#####	217	2075.1	0.004619	0.483	0.001002
KY	H L Spurloc	6041	1	#####	236	2257.5	0.004419	0.462	0.001043
KY	H L Spurloc	6041	1	#####	242	2303.5	0.004379	0.46	0.00106
KY	H L Spurloc	6041	1	#####	245	2349.1	0.004363	0.455	0.001069
KY	H L Spurloc	6041	1	#####	255	2433.3	0.004246	0.445	0.001083
KY	H L Spurloc	6041	1	#####	273	2603.3	0.0041	0.43	0.001119
KY	H L Spurloc	6041	1	#####	299	2839.6	0.003932	0.414	0.001176
KY	H L Spurloc	6041	1	#####	306	2921.9	0.003925	0.411	0.001201
KY	H L Spurloc	6041	1	#####	313	2961.6	0.003851	0.407	0.001205
KY	H L Spurloc	6041	1	#####	320	3016.1	0.003798	0.403	0.001215
KY	H L Spurloc	6041	1	#####	295	2751.2	0.003926	0.421	0.001158
KY	H L Spurloc	6041	1	#####	216	2020.9	0.004603	0.492	0.000994
KY	H L Spurloc	6041	1	#####	170	1606.5	0.004999	0.529	0.00085
KY	H L Spurloc	6041	1	#####	164	1580.1	0.005174	0.537	0.000849
KY	H L Spurloc	6041	1	#####	165	1581.9	0.00511	0.533	0.000843
KY	H L Spurloc	6041	1	#####	165	1591.9	0.005162	0.535	0.000852
KY	H L Spurloc	6041	1	#####	165	1594.1	0.005149	0.533	0.00085
KY	H L Spurloc	6041	1	#####	165	1601.2	0.005114	0.527	0.000844
KY	H L Spurloc	6041	1	#####	164	1600.4	0.005162	0.529	0.000847
KY	H L Spurloc	6041	1	#####	165	1599.9	0.005129	0.529	0.000846
KY	H L Spurloc	6041	1	#####	165	1610.5	0.005144	0.527	0.000849
KY	H L Spurloc	6041	1	#####	165	1610.7	0.005144	0.527	0.000849
KY	H L Spurloc	6041	1	#####	220	2088.6	0.004585	0.483	0.001009
KY	H L Spurloc	6041	1	#####	308	2970.6	0.003897	0.404	0.0012
KY	H L Spurloc	6041	1	#####	314	3013.5	0.003916	0.408	0.00123
KY	H L Spurloc	6041	1	#####	322	3084.4	0.00387	0.404	0.001246
KY	H L Spurloc	6041	1	#####	322	3079.6	0.003854	0.403	0.001241
KY	H L Spurloc	6041	1	#####	320	3065	0.00387	0.404	0.001238
KY	H L Spurloc	6041	1	#####	320	3048.4	0.003877	0.407	0.001241
KY	H L Spurloc	6041	1	#####	320	3053.1	0.003874	0.406	0.00124
KY	H L Spurloc	6041	1	#####	320	3048.2	0.003877	0.407	0.001241
KY	H L Spurloc	6041	1	#####	304	2907.5	0.003969	0.415	0.001207
KY	H L Spurloc	6041	1	#####	320	3037.1	0.003844	0.405	0.00123
KY	H L Spurloc	6041	1	#####	266	2509	0.004235	0.449	0.001127
KY	H L Spurloc	6041	1	#####	181	1733	0.005075	0.53	0.000918
KY	H L Spurloc	6041	1	#####	169	1636.9	0.005201	0.537	0.000879
KY	H L Spurloc	6041	1	#####	170	1633.9	0.005171	0.538	0.000879
KY	H L Spurloc	6041	1	#####	170	1630.6	0.00517	0.539	0.000879
KY	H L Spurloc	6041	1	#####	168	1609.9	0.005184	0.541	0.000871
KY	H L Spurloc	6041	1	#####	176	1685.8	0.005124	0.535	0.000902
KY	H L Spurloc	6041	1	#####	182	1744.9	0.005014	0.523	0.000913
KY	H L Spurloc	6041	1	#####	167	1616.2	0.005226	0.54	0.000873
KY	H L Spurloc	6041	1	#####	213	2022.4	0.004719	0.497	0.001005
KY	H L Spurloc	6041	1	#####	185	1749.1	0.004954	0.524	0.000917

KY	H L Spurloc	6041	1 #####	170	1639.6	0.00515	0.534	0.000876
KY	H L Spurloc	6041	1 #####	184	1768.1	0.005006	0.521	0.000921
KY	H L Spurloc	6041	1 #####	172	1671.2	0.005159	0.531	0.000887
KY	H L Spurloc	6041	1 #####	173	1817.4	0.005463	0.52	0.000945
KY	H L Spurloc	6041	1 #####	201	1929.6	0.004829	0.503	0.000971
KY	H L Spurloc	6041	1 #####	259	2472.5	0.004315	0.452	0.001118
KY	H L Spurloc	6041	1 #####	320	3065.1	0.00387	0.404	0.001238
KY	H L Spurloc	6041	1 #####	319	3065.1	0.003901	0.406	0.001244
KY	H L Spurloc	6041	1 #####	299	2861.7	0.004029	0.421	0.001205
KY	H L Spurloc	6041	1 #####	269	2580.4	0.00423	0.441	0.001138
KY	H L Spurloc	6041	1 #####	195	1873.8	0.004958	0.516	0.000967
KY	H L Spurloc	6041	1 #####	166	1593.5	0.005289	0.551	0.000878
KY	H L Spurloc	6041	1 #####	165	1578.9	0.005225	0.546	0.000862
KY	H L Spurloc	6041	1 #####	165	1608.7	0.005265	0.54	0.000869
KY	H L Spurloc	6041	1 #####	165	1587.8	0.005235	0.544	0.000864
KY	H L Spurloc	6041	1 #####	165	1594	0.005255	0.544	0.000867
KY	H L Spurloc	6041	1 #####	165	1587.2	0.005252	0.546	0.000867
KY	H L Spurloc	6041	1 #####	165	1599.6	0.005245	0.541	0.000865
KY	H L Spurloc	6041	1 #####	165	1578	0.005222	0.546	0.000862
KY	H L Spurloc	6041	1 #####	166	1595	0.005246	0.546	0.000871
KY	H L Spurloc	6041	1 #####	219	2077.4	0.004629	0.488	0.001014
KY	H L Spurloc	6041	1 #####	192	1813	0.004787	0.507	0.000919
KY	H L Spurloc	6041	1 #####	181	1711.9	0.004965	0.525	0.000899
KY	H L Spurloc	6041	1 #####	168	1621.3	0.005124	0.531	0.000861
KY	H L Spurloc	6041	1 #####	167	1625.3	0.005168	0.531	0.000863
KY	H L Spurloc	6041	1 #####	188	1795.3	0.004899	0.513	0.000921
KY	H L Spurloc	6041	1 #####	200	1894.3	0.004764	0.503	0.000953
KY	H L Spurloc	6041	1 #####	289	2728.4	0.003975	0.421	0.001149
KY	H L Spurloc	6041	1 #####	315	2983.4	0.003836	0.405	0.001208
KY	H L Spurloc	6041	1 #####	320	3031.3	0.003789	0.4	0.001213
KY	H L Spurloc	6041	1 #####	320	3034.2	0.003793	0.4	0.001214
KY	H L Spurloc	6041	1 #####	320	3019.1	0.003783	0.401	0.001211
KY	H L Spurloc	6041	1 #####	313	2959.8	0.003858	0.408	0.001208
KY	H L Spurloc	6041	1 #####	261	2462.7	0.004199	0.445	0.001096
KY	H L Spurloc	6041	1 #####	191	1808.4	0.004857	0.513	0.000928
KY	H L Spurloc	6041	1 #####	175	1665.4	0.005072	0.533	0.000888
KY	H L Spurloc	6041	1 #####	175	1658	0.005088	0.537	0.00089
KY	H L Spurloc	6041	1 #####	208	1956.7	0.004751	0.505	0.000988
KY	H L Spurloc	6041	1 #####	194	1817.3	0.004852	0.518	0.000941
KY	H L Spurloc	6041	1 #####	174	1654.7	0.005097	0.536	0.000887
KY	H L Spurloc	6041	1 #####	174	1647.8	0.005104	0.539	0.000888
KY	H L Spurloc	6041	1 #####	175	1643.6	0.005062	0.539	0.000886
KY	H L Spurloc	6041	1 #####	203	1921.3	0.004827	0.51	0.00098
KY	H L Spurloc	6041	1 #####	192	1748.1	0.004835	0.531	0.000928
KY	H L Spurloc	6041	1 #####	175	1645.4	0.004993	0.531	0.000874
KY	H L Spurloc	6041	1 #####	175	1664.9	0.005004	0.526	0.000876
KY	H L Spurloc	6041	1 #####	178	1688.3	0.005027	0.53	0.000895

KY	H L Spurloc	6041	1	#####	178	1695.5	0.005048	0.53	0.000899
KY	H L Spurloc	6041	1	#####	181	1731.6	0.005023	0.525	0.000909
KY	H L Spurloc	6041	1	#####	196	1884	0.002336	0.243	0.000458
KY	H L Spurloc	6041	1	#####	272	2612.3	0.001998	0.208	0.000543
KY	H L Spurloc	6041	1	#####	289	2754.1	0.001925	0.202	0.000556
KY	H L Spurloc	6041	1	#####	322	3052	0.001829	0.193	0.000589
KY	H L Spurloc	6041	1	#####	324	3063.9	0.001825	0.193	0.000591
KY	H L Spurloc	6041	1	#####	322	3030.9	0.001835	0.195	0.000591
KY	H L Spurloc	6041	1	#####	324	3079.9	0.001825	0.192	0.000591
KY	H L Spurloc	6041	1	#####	289	2720.1	0.001929	0.205	0.000558
KY	H L Spurloc	6041	1	#####	263	2492.2	0.002047	0.216	0.000538
KY	H L Spurloc	6041	1	#####	217	2068.6	0.00224	0.235	0.000486
KY	H L Spurloc	6041	1	#####	170	1615.5	0.002461	0.259	0.000418
KY	H L Spurloc	6041	1	#####	170	1613.6	0.002477	0.261	0.000421
KY	H L Spurloc	6041	1	#####	211	1973.3	0.002282	0.244	0.000481
KY	H L Spurloc	6041	1	#####	303	2856	0.001904	0.202	0.000577
KY	H L Spurloc	6041	1	#####	325	3063.9	0.001857	0.197	0.000604
KY	H L Spurloc	6041	1	#####	320	3004.5	0.001859	0.198	0.000595
KY	H L Spurloc	6041	1	#####	324	3051.1	0.001846	0.196	0.000598
KY	H L Spurloc	6041	1	#####	313	2932.7	0.001874	0.2	0.000587
KY	H L Spurloc	6041	1	#####	322	2989.6	0.001838	0.198	0.000592
KY	H L Spurloc	6041	1	#####	323	2987	0.001831	0.198	0.000591
KY	H L Spurloc	6041	1	#####	324	2984.6	0.001815	0.197	0.000588
KY	H L Spurloc	6041	1	#####	323	2986.3	0.001821	0.197	0.000588
KY	H L Spurloc	6041	1	#####	324	3013.9	0.001805	0.194	0.000585
KY	H L Spurloc	6041	1	#####	324	2994.5	0.001802	0.195	0.000584
KY	H L Spurloc	6041	1	#####	322	2985.3	0.001799	0.194	0.000579
KY	H L Spurloc	6041	1	#####	322	3000.7	0.001789	0.192	0.000576
KY	H L Spurloc	6041	1	#####	323	2983.4	0.001792	0.194	0.000579
KY	H L Spurloc	6041	1	#####	313	2897.3	0.001814	0.196	0.000568
KY	H L Spurloc	6041	1	#####	298	2755.9	0.00184	0.199	0.000548
KY	H L Spurloc	6041	1	#####	275	2525	0.001919	0.209	0.000528
KY	H L Spurloc	6041	1	#####	251	2295	0.002012	0.22	0.000505
KY	H L Spurloc	6041	1	#####	317	2937.6	0.001798	0.194	0.00057
KY	H L Spurloc	6041	1	#####	323	3006.5	0.001787	0.192	0.000577
KY	H L Spurloc	6041	1	#####	307	2857.5	0.001834	0.197	0.000563
KY	H L Spurloc	6041	1	#####	323	2991.6	0.001788	0.193	0.000577
KY	H L Spurloc	6041	1	#####	309	2875.5	0.001843	0.198	0.000569
KY	H L Spurloc	6041	1	#####	252	2346.1	0.00203	0.218	0.000511
KY	H L Spurloc	6041	1	#####	175	1736.5	0.00252	0.254	0.000441
KY	H L Spurloc	6041	1	#####	171	1776.7	0.002649	0.255	0.000453
KY	H L Spurloc	6041	1	#####	172	1775.9	0.002623	0.254	0.000451
KY	H L Spurloc	6041	1	#####	172	1782	0.0026	0.251	0.000447
KY	H L Spurloc	6041	1	#####	173	1796.1	0.002616	0.252	0.000453
KY	H L Spurloc	6041	1	#####	174	1800.2	0.002607	0.252	0.000454
KY	H L Spurloc	6041	1	#####	173	1816.3	0.002646	0.252	0.000458
KY	H L Spurloc	6041	1	#####	173	1809.5	0.002625	0.251	0.000454

KY	H L Spurloc	6041	1 #####	172	1802.6	0.00262	0.25	0.000451
KY	H L Spurloc	6041	1 #####	167	1731.2	0.002571	0.248	0.000429
KY	H L Spurloc	6041	1 #####	164	1707.7	0.002582	0.248	0.000424
KY	H L Spurloc	6041	1 #####	164	1732.9	0.002631	0.249	0.000431
KY	H L Spurloc	6041	1 #####	165	1731.7	0.002613	0.249	0.000431
KY	H L Spurloc	6041	1 #####	164	1758.8	0.00267	0.249	0.000438
KY	H L Spurloc	6041	1 #####	174	1850.4	0.002616	0.246	0.000455
KY	H L Spurloc	6041	1 #####	170	1898.3	0.002713	0.243	0.000461
KY	H L Spurloc	6041	1 #####	165	1844.5	0.00275	0.246	0.000454
KY	H L Spurloc	6041	1 #####	165	1852.7	0.002762	0.246	0.000456
KY	H L Spurloc	6041	1 #####	165	1820.9	0.002759	0.25	0.000455
KY	H L Spurloc	6041	1 #####	165	1818.1	0.002744	0.249	0.000453
KY	H L Spurloc	6041	1 #####	166	1829.2	0.002733	0.248	0.000454
KY	H L Spurloc	6041	1 #####	165	1847.5	0.002754	0.246	0.000454
KY	H L Spurloc	6041	1 #####	165	1844.5	0.00275	0.246	0.000454
KY	H L Spurloc	6041	1 #####	202	2164.7	0.002443	0.228	0.000494
KY	H L Spurloc	6041	1 #####	267	2769	0.002116	0.204	0.000565
KY	H L Spurloc	6041	1 #####	254	2617.6	0.002164	0.21	0.00055
KY	H L Spurloc	6041	1 #####	206	2173.2	0.002405	0.228	0.000495
KY	H L Spurloc	6041	1 #####	165	1816.8	0.002698	0.245	0.000445
KY	H L Spurloc	6041	1 #####	223	2338.6	0.002307	0.22	0.000514
KY	H L Spurloc	6041	1 #####	237	2518.3	0.002253	0.212	0.000534
KY	H L Spurloc	6041	1 #####	265	2752.3	0.002129	0.205	0.000564
KY	H L Spurloc	6041	1 #####	259	2692.2	0.002162	0.208	0.00056
KY	H L Spurloc	6041	1 #####	265	2768.4	0.002142	0.205	0.000568
KY	H L Spurloc	6041	1 #####	191	2069.9	0.002514	0.232	0.00048
KY	H L Spurloc	6041	1 #####	194	2079.1	0.002476	0.231	0.00048
KY	H L Spurloc	6041	1 #####	226	2393.2	0.002298	0.217	0.000519
KY	H L Spurloc	6041	1 #####	253	2643	0.002173	0.208	0.00055
KY	H L Spurloc	6041	1 #####	255	2733.8	0.002208	0.206	0.000563
KY	H L Spurloc	6041	1 #####	202	2203.3	0.002487	0.228	0.000502
KY	H L Spurloc	6041	1 #####	175	1949.2	0.00264	0.237	0.000462
KY	H L Spurloc	6041	1 #####	169	1906.6	0.002696	0.239	0.000456
KY	H L Spurloc	6041	1 #####	236	2494.8	0.002252	0.213	0.000531
KY	H L Spurloc	6041	1 #####	274	2839	0.002093	0.202	0.000573
KY	H L Spurloc	6041	1 #####	269	2799.2	0.002112	0.203	0.000568
KY	H L Spurloc	6041	1 #####	252	2622	0.002206	0.212	0.000556
KY	H L Spurloc	6041	1 #####	255	2641.3	0.002196	0.212	0.00056
KY	H L Spurloc	6041	1 #####	208	2230.7	0.002434	0.227	0.000506
KY	H L Spurloc	6041	1 #####	165	1843.5	0.002737	0.245	0.000452
KY	H L Spurloc	6041	1 #####	166	1844.3	0.002733	0.246	0.000454
KY	H L Spurloc	6041	1 #####	165	1839.5	0.002754	0.247	0.000454
KY	H L Spurloc	6041	1 #####	165	1851	0.00276	0.246	0.000455
KY	H L Spurloc	6041	1 #####	165	1844.9	0.002739	0.245	0.000452
KY	H L Spurloc	6041	1 #####	165	1858.8	0.002749	0.244	0.000454
KY	H L Spurloc	6041	1 #####	165	1848.7	0.002767	0.247	0.000457
KY	H L Spurloc	6041	1 #####	164	1845.7	0.00278	0.247	0.000456

KY	H L Spurloc	6041	1	#####	165	1871.6	0.002768	0.244	0.000457
KY	H L Spurloc	6041	1	#####	165	1878.2	0.002777	0.244	0.000458
KY	H L Spurloc	6041	1	#####	165	1836.8	0.002727	0.245	0.00045
KY	H L Spurloc	6041	1	#####	165	1841.7	0.002735	0.245	0.000451
KY	H L Spurloc	6041	1	#####	216	2272.9	0.002368	0.225	0.000511
KY	H L Spurloc	6041	1	#####	184	1986.3	0.002569	0.238	0.000473
KY	H L Spurloc	6041	1	#####	165	1811.1	0.002711	0.247	0.000447
KY	H L Spurloc	6041	1	#####	165	1836	0.002726	0.245	0.00045
KY	H L Spurloc	6041	1	#####	173	1887.1	0.00264	0.242	0.000457
KY	H L Spurloc	6041	1	#####	179	1931.9	0.002579	0.239	0.000462
KY	H L Spurloc	6041	1	#####	230	2396.2	0.002282	0.219	0.000525
KY	H L Spurloc	6041	1	#####	262	2699	0.002143	0.208	0.000561
KY	H L Spurloc	6041	1	#####	254	2639.5	0.002172	0.209	0.000552
KY	H L Spurloc	6041	1	#####	247	2613	0.002222	0.21	0.000549
KY	H L Spurloc	6041	1	#####	245	2577.8	0.00222	0.211	0.000544
KY	H L Spurloc	6041	1	#####	225	2402.2	0.002327	0.218	0.000524
KY	H L Spurloc	6041	1	#####	164	1849.2	0.002763	0.245	0.000453
KY	H L Spurloc	6041	1	#####	165	1879.4	0.002779	0.244	0.000459
KY	H L Spurloc	6041	1	#####	165	1884.9	0.002787	0.244	0.00046
KY	H L Spurloc	6041	1	#####	165	1867.2	0.002773	0.245	0.000457
KY	H L Spurloc	6041	1	#####	165	1858.3	0.002759	0.245	0.000455
KY	H L Spurloc	6041	1	#####	166	1861.3	0.002781	0.248	0.000462
KY	H L Spurloc	6041	1	#####	222	2409.7	0.002345	0.216	0.00052
KY	H L Spurloc	6041	1	#####	244	2610.7	0.002226	0.208	0.000543
KY	H L Spurloc	6041	1	#####	248	2650.4	0.002202	0.206	0.000546
KY	H L Spurloc	6041	1	#####	247	2624.7	0.002189	0.206	0.000541
KY	H L Spurloc	6041	1	#####	243	2505.8	0.002166	0.21	0.000526
KY	H L Spurloc	6041	1	#####	232	2442.8	0.002243	0.213	0.00052
KY	H L Spurloc	6041	1	#####	267	2782.8	0.002074	0.199	0.000554
KY	H L Spurloc	6041	1	#####	258	2685.9	0.000743	0.0714	0.000192
KY	H L Spurloc	6041	1	#####	251	2609.2	0.000754	0.0725	0.000189
KY	H L Spurloc	6041	1	#####	239	2494.2	0.00077	0.0738	0.000184
KY	H L Spurloc	6041	1	#####	207	2180.5	0.000834	0.0792	0.000173
KY	H L Spurloc	6041	1	#####	265	2736.3	0.000728	0.0705	0.000193
KY	H L Spurloc	6041	1	#####	260	2697.7	0.000742	0.0715	0.000193
KY	H L Spurloc	6041	1	#####	269	2773.6	0.000724	0.0702	0.000195
KY	H L Spurloc	6041	1	#####	270	2786.6	0.000718	0.0696	0.000194
KY	H L Spurloc	6041	1	#####	251	2602.8	0.000747	0.072	0.000187
KY	H L Spurloc	6041	1	#####	266	2733.7	0.000721	0.0702	0.000192
KY	H L Spurloc	6041	1	#####	255	2672.3	0.000765	0.073	0.000195
KY	H L Spurloc	6041	1	#####	221	2333.3	0.000827	0.0783	0.000183
KY	H L Spurloc	6041	1	#####	164	1860.7	0.000972	0.0857	0.000159
KY	H L Spurloc	6041	1	#####	165	1866.7	0.000967	0.0855	0.00016
KY	H L Spurloc	6041	1	#####	165	1869.1	0.000973	0.0859	0.000161
KY	H L Spurloc	6041	1	#####	165	1871.3	0.00098	0.0864	0.000162
KY	H L Spurloc	6041	1	#####	179	2020.1	0.000954	0.0845	0.000171
KY	H L Spurloc	6041	1	#####	193	2086	0.000911	0.0843	0.000176

KY	H L Spurloc	6041	1	#####	178	2010.6	0.000952	0.0843	0.000169
KY	H L Spurloc	6041	1	#####	175	1990.5	0.00097	0.0853	0.00017
KY	H L Spurloc	6041	1	#####	175	1985.4	0.000954	0.0841	0.000167
KY	H L Spurloc	6041	1	#####	175	1963.9	0.000944	0.0841	0.000165
KY	H L Spurloc	6041	1	#####	205	2189	0.00085	0.0796	0.000174
KY	H L Spurloc	6041	1	#####	209	2213.6	0.000829	0.0783	0.000173
KY	H L Spurloc	6041	1	#####	181	1982	0.000902	0.0824	0.000163
KY	H L Spurloc	6041	1	#####	175	1901.8	0.000917	0.0844	0.000161
KY	H L Spurloc	6041	1	#####	175	1895.7	0.000915	0.0845	0.00016
KY	H L Spurloc	6041	1	#####	206	2171.6	0.000845	0.0802	0.000174
KY	H L Spurloc	6041	1	#####	190	2028.7	0.000881	0.0825	0.000167
KY	H L Spurloc	6041	1	#####	175	1890.7	0.000914	0.0846	0.00016
KY	H L Spurloc	6041	1	#####	207	2173.7	0.000844	0.0804	0.000175
KY	H L Spurloc	6041	1	#####	182	1989	0.000909	0.0832	0.000165
KY	H L Spurloc	6041	1	#####	175	1935.9	0.00093	0.0841	0.000163
KY	H L Spurloc	6041	1	#####	175	1951	0.00094	0.0843	0.000164
KY	H L Spurloc	6041	1	#####	175	1962.6	0.000945	0.0843	0.000165
KY	H L Spurloc	6041	1	#####	175	1952.4	0.000946	0.0848	0.000166
KY	H L Spurloc	6041	1	#####	175	1968.9	0.000944	0.0839	0.000165
KY	H L Spurloc	6041	1	#####	175	1986.7	0.000949	0.0836	0.000166
KY	H L Spurloc	6041	1	#####	175	1993.8	0.000951	0.0835	0.000166
KY	H L Spurloc	6041	1	#####	175	1901.9	0.000927	0.0853	0.000162
KY	H L Spurloc	6041	1	#####	174	1942.7	0.000953	0.0854	0.000166
KY	H L Spurloc	6041	1	#####	175	2006.2	0.000969	0.0845	0.00017
KY	H L Spurloc	6041	1	#####	175	2008	0.000968	0.0844	0.000169
KY	H L Spurloc	6041	1	#####	175	2005.6	0.000966	0.0843	0.000169
KY	H L Spurloc	6041	1	#####	175	2019.3			
KY	H L Spurloc	6041	1	#####	175	1993.7	0.000967	0.0849	0.000169
KY	H L Spurloc	6041	1	#####	175	1959.4	0.000953	0.0851	0.000167
KY	H L Spurloc	6041	1	#####	173	1945.5	0.000958	0.0852	0.000166
KY	H L Spurloc	6041	1	#####	204	2213.8	0.000868	0.08	0.000177
KY	H L Spurloc	6041	1	#####	186	2038.6	0.000911	0.0831	0.000169
KY	H L Spurloc	6041	1	#####	201	2151.4	0.000863	0.0806	0.000173
KY	H L Spurloc	6041	1	#####	186	2037.6	0.000904	0.0825	0.000168
KY	H L Spurloc	6041	1	#####	170	1887	0.000946	0.0852	0.000161
KY	H L Spurloc	6041	1	#####	170	1883.6	0.000945	0.0853	0.000161
KY	H L Spurloc	6041	1	#####	174	1909.7	0.000936	0.0853	0.000163
KY	H L Spurloc	6041	1	#####	170	1901.3	0.000952	0.0851	0.000162
KY	H L Spurloc	6041	1	#####	170	1904.8	0.000951	0.0849	0.000162
KY	H L Spurloc	6041	1	#####	207	2246.9	0.000859	0.0791	0.000178
KY	H L Spurloc	6041	1	#####	217	2336.5	0.000843	0.0783	0.000183
KY	H L Spurloc	6041	1	#####	192	2106.6	0.000901	0.0821	0.000173
KY	H L Spurloc	6041	1	#####	169	1922.1	0.000972	0.0855	0.000164
KY	H L Spurloc	6041	1	#####	170	1929.3	0.000969	0.0854	0.000165
KY	H L Spurloc	6041	1	#####	170	1930.2	0.00097	0.0854	0.000165
KY	H L Spurloc	6041	1	#####	170	1939.5	0.00097	0.085	0.000165
KY	H L Spurloc	6041	1	#####	187	2079.1	0.000934	0.084	0.000175

KY	H L Spurloc	6041	1 #####	187	2022.6	0.000925	0.0855	0.000173
KY	H L Spurloc	6041	1 #####	214	2324	0.000863	0.0795	0.000185
KY	H L Spurloc	6041	1 #####	213	2314.8	0.000862	0.0793	0.000184
KY	H L Spurloc	6041	1 #####	169	1925.9	0.000972	0.0853	0.000164
KY	H L Spurloc	6041	1 #####	171	1915.4	0.000964	0.0861	0.000165
KY	H L Spurloc	6041	1 #####	216	2320.8	0.00087	0.081	0.000188
KY	H L Spurloc	6041	1 #####	195	2136	0.00098	0.0895	0.000191
KY	H L Spurloc	6041	1 #####	178	1992.1	0.001041	0.093	0.000185
KY	H L Spurloc	6041	1 #####	170	1916.5	0.001062	0.0942	0.000181
KY	H L Spurloc	6041	1 #####	170	1907.3	0.001059	0.0944	0.00018
KY	H L Spurloc	6041	1 #####	170	1888.6	0.001055	0.095	0.000179
KY	H L Spurloc	6041	1 #####	170	1889.6	0.00105	0.0945	0.000179
KY	H L Spurloc	6041	1 #####	170	1888.6	0.001048	0.0943	0.000178
KY	H L Spurloc	6041	1 #####	170	1888	0.00106	0.0954	0.00018
KY	H L Spurloc	6041	1 #####	170	1906.4	0.001066	0.0951	0.000181
KY	H L Spurloc	6041	1 #####	216	2295.2	0.000919	0.0865	0.000199
KY	H L Spurloc	6041	1 #####	186	2057.6	0.001013	0.0916	0.000188
KY	H L Spurloc	6041	1 #####	169	1912.3	0.001072	0.0947	0.000181
KY	H L Spurloc	6041	1 #####	170	1919.2	0.001066	0.0944	0.000181
KY	H L Spurloc	6041	1 #####	170	1937.9	0.001061	0.0931	0.00018
KY	H L Spurloc	6041	1 #####	170	1946.8	0.001065	0.093	0.000181
KY	H L Spurloc	6041	1 #####	170	1942.7	0.001075	0.0941	0.000183
KY	H L Spurloc	6041	1 #####	170	1948.5	0.001079	0.0941	0.000183
KY	H L Spurloc	6041	1 #####	170	1947.5	0.001079	0.0942	0.000183
KY	H L Spurloc	6041	1 #####	172	1959.1	0.001074	0.0943	0.000185
KY	H L Spurloc	6041	1 #####	210	2294.4	0.000949	0.0869	0.000199
KY	H L Spurloc	6041	1 #####	229	2489.9	0.0009	0.0828	0.000206
KY	H L Spurloc	6041	1 #####	186	2081	0.00102	0.0912	0.00019
KY	H L Spurloc	6041	1 #####	170	1927	0.001076	0.0949	0.000183
KY	H L Spurloc	6041	1 #####	172	1933.3	0.00106	0.0943	0.000182
KY	H L Spurloc	6041	1 #####	170	1904.9	0.001063	0.0949	0.000181
KY	H L Spurloc	6041	1 #####	170	1907.5	0.001059	0.0944	0.00018
KY	H L Spurloc	6041	1 #####	170	1874	0.001053	0.0955	0.000179
KY	H L Spurloc	6041	1 #####	170	1866.9	0.001049	0.0955	0.000178
KY	H L Spurloc	6041	1 #####	170	1871.2	0.001045	0.0949	0.000178
KY	H L Spurloc	6041	1 #####	170	1858.7	0.001046	0.0957	0.000178
KY	H L Spurloc	6041	1 #####	170	1866.9	0.001049	0.0955	0.000178
KY	H L Spurloc	6041	1 #####	170	1873.2	0.001052	0.0955	0.000179
KY	H L Spurloc	6041	1 #####	170	1882.9	0.001057	0.0954	0.00018
KY	H L Spurloc	6041	1 #####	170	1889	0.00106	0.0954	0.00018
KY	H L Spurloc	6041	1 #####	169	1882.4	0.001068	0.0959	0.000181
KY	H L Spurloc	6041	1 #####	170	1907.9	0.00107	0.0953	0.000182
KY	H L Spurloc	6041	1 #####	170	1911.4	0.00107	0.0952	0.000182
KY	H L Spurloc	6041	2 7/1/2022	558	5896.7	0.005442	0.515	0.003037
KY	H L Spurloc	6041	2 7/1/2022	560	5932.3	0.005498	0.519	0.003079
KY	H L Spurloc	6041	2 7/1/2022	560	5919.9	0.005592	0.529	0.003132
KY	H L Spurloc	6041	2 7/1/2022	559	5828.4	0.005547	0.532	0.003101

KY	H L Spurloc	6041	2	7/1/2022	560	5936.2	0.005586	0.527	0.003128
KY	H L Spurloc	6041	2	7/1/2022	560	5904.6	0.005525	0.524	0.003094
KY	H L Spurloc	6041	2	7/1/2022	559	5891.5	0.005586	0.53	0.003122
KY	H L Spurloc	6041	2	7/1/2022	560	5908.6	0.005592	0.53	0.003132
KY	H L Spurloc	6041	2	7/1/2022	560	5943.9	0.005625	0.53	0.00315
KY	H L Spurloc	6041	2	7/1/2022	559	5909.2	0.005613	0.531	0.003138
KY	H L Spurloc	6041	2	7/1/2022	559	5916.5	0.00562	0.531	0.003142
KY	H L Spurloc	6041	2	7/1/2022	560	5922.2	0.005668	0.536	0.003174
KY	H L Spurloc	6041	2	7/1/2022	559	5961.1	0.005663	0.531	0.003165
KY	H L Spurloc	6041	2	7/1/2022	559	5941.8	0.005602	0.527	0.003131
KY	H L Spurloc	6041	2	7/1/2022	559	5937.2	0.005587	0.526	0.003123
KY	H L Spurloc	6041	2	7/1/2022	560	5925.4	0.005619	0.531	0.003146
KY	H L Spurloc	6041	2	7/1/2022	560	5937.2	0.005587	0.527	0.003129
KY	H L Spurloc	6041	2	7/1/2022	560	5917.5	0.005611	0.531	0.003142
KY	H L Spurloc	6041	2	7/1/2022	559	5948.3	0.005704	0.536	0.003188
KY	H L Spurloc	6041	2	7/1/2022	560	5953.8	0.005699	0.536	0.003191
KY	H L Spurloc	6041	2	7/1/2022	560	5922.7	0.005658	0.535	0.003169
KY	H L Spurloc	6041	2	7/1/2022	560	5869.8	0.00565	0.539	0.003164
KY	H L Spurloc	6041	2	7/1/2022	559	5826.3	0.005576	0.535	0.003117
KY	H L Spurloc	6041	2	7/1/2022	409	3938.1	0.005209	0.541	0.002131
KY	H L Spurloc	6041	2	7/2/2022	298	2820.9	0.005358	0.566	0.001597
KY	H L Spurloc	6041	2	7/2/2022	299	2839.8	0.005357	0.564	0.001602
KY	H L Spurloc	6041	2	7/2/2022	296	2829.8	0.005401	0.565	0.001599
KY	H L Spurloc	6041	2	7/2/2022	294	2826	0.005489	0.571	0.001614
KY	H L Spurloc	6041	2	7/2/2022	294	2773	0.005338	0.566	0.00157
KY	H L Spurloc	6041	2	7/2/2022	294	2836.7	0.0055	0.57	0.001617
KY	H L Spurloc	6041	2	7/2/2022	294	2814.4	0.005456	0.57	0.001604
KY	H L Spurloc	6041	2	7/2/2022	410	4053.2	0.005328	0.539	0.002185
KY	H L Spurloc	6041	2	7/2/2022	373	3628	0.005311	0.546	0.001981
KY	H L Spurloc	6041	2	7/2/2022	331	3216.8	0.005403	0.556	0.001789
KY	H L Spurloc	6041	2	7/2/2022	366	3558	0.005308	0.546	0.001943
KY	H L Spurloc	6041	2	7/2/2022	370	3616.1	0.005336	0.546	0.001974
KY	H L Spurloc	6041	2	7/2/2022	339	3276	0.005383	0.557	0.001825
KY	H L Spurloc	6041	2	7/2/2022	512	5239	0.005341	0.522	0.002735
KY	H L Spurloc	6041	2	7/2/2022	498	5024.2	0.005287	0.524	0.002633
KY	H L Spurloc	6041	2	7/2/2022	511	5218.9	0.005362	0.525	0.00274
KY	H L Spurloc	6041	2	7/2/2022	476	4756.5	0.005256	0.526	0.002502
KY	H L Spurloc	6041	2	7/2/2022	481	4818.7	0.005229	0.522	0.002515
KY	H L Spurloc	6041	2	7/2/2022	361	3460.7	0.005225	0.545	0.001886
KY	H L Spurloc	6041	2	7/2/2022	297	2827.2	0.00535	0.562	0.001589
KY	H L Spurloc	6041	2	7/2/2022	439	4346.3	0.005297	0.535	0.002325
KY	H L Spurloc	6041	2	7/2/2022	364	3519.3	0.005298	0.548	0.001929
KY	H L Spurloc	6041	2	7/2/2022	428	4212.3	0.005265	0.535	0.002254
KY	H L Spurloc	6041	2	7/2/2022	369	3563	0.005214	0.54	0.001924
KY	H L Spurloc	6041	2	7/3/2022	297	2805.6	0.005252	0.556	0.00156
KY	H L Spurloc	6041	2	7/3/2022	296	2792.2	0.005301	0.562	0.001569
KY	H L Spurloc	6041	2	7/3/2022	296	2748.4	0.005163	0.556	0.001528

KY	H L Spurloc	6041	2	7/3/2022	295	2687.5	0.00512	0.562	0.00151
KY	H L Spurloc	6041	2	7/3/2022	295	2690.4	0.005116	0.561	0.001509
KY	H L Spurloc	6041	2	7/3/2022	294	2749.8	0.005247	0.561	0.001543
KY	H L Spurloc	6041	2	7/3/2022	295	2768	0.005226	0.557	0.001542
KY	H L Spurloc	6041	2	7/3/2022	421	4117.1	0.005281	0.54	0.002223
KY	H L Spurloc	6041	2	7/3/2022	374	3600.3	0.005275	0.548	0.001973
KY	H L Spurloc	6041	2	7/3/2022	303	2866.6	0.005232	0.553	0.001585
KY	H L Spurloc	6041	2	7/3/2022	477	4824	0.005299	0.524	0.002528
KY	H L Spurloc	6041	2	7/3/2022	430	4239.5	0.005235	0.531	0.002251
KY	H L Spurloc	6041	2	7/3/2022	369	3520.1	0.005113	0.536	0.001887
KY	H L Spurloc	6041	2	7/3/2022	369	3502.8	0.005098	0.537	0.001881
KY	H L Spurloc	6041	2	7/3/2022	377	3569.8	0.005142	0.543	0.001938
KY	H L Spurloc	6041	2	7/3/2022	397	3832	0.005261	0.545	0.002088
KY	H L Spurloc	6041	2	7/3/2022	481	4775	0.005222	0.526	0.002512
KY	H L Spurloc	6041	2	7/3/2022	438	4292	0.005145	0.525	0.002253
KY	H L Spurloc	6041	2	7/3/2022	461	4559.7	0.005212	0.527	0.002403
KY	H L Spurloc	6041	2	7/3/2022	296	2765.3	0.005222	0.559	0.001546
KY	H L Spurloc	6041	2	7/3/2022	460	4564.7	0.00522	0.526	0.002401
KY	H L Spurloc	6041	2	7/3/2022	369	3510.3	0.005232	0.55	0.001931
KY	H L Spurloc	6041	2	7/3/2022	299	2797.7	0.005202	0.556	0.001556
KY	H L Spurloc	6041	2	7/3/2022	299	2831.8	0.005256	0.555	0.001572
KY	H L Spurloc	6041	2	7/4/2022	297	2815.4	0.00529	0.558	0.001571
KY	H L Spurloc	6041	2	7/4/2022	297	2799.4	0.005297	0.562	0.001573
KY	H L Spurloc	6041	2	7/4/2022	297	2775.7	0.005187	0.555	0.001541
KY	H L Spurloc	6041	2	7/4/2022	297	2796.2	0.005225	0.555	0.001552
KY	H L Spurloc	6041	2	7/4/2022	297	2766.8	0.00517	0.555	0.001536
KY	H L Spurloc	6041	2	7/4/2022	297	2799.9	0.005232	0.555	0.001554
KY	H L Spurloc	6041	2	7/4/2022	297	2744.7	0.005129	0.555	0.001523
KY	H L Spurloc	6041	2	7/4/2022	297	2815.7	0.005262	0.555	0.001563
KY	H L Spurloc	6041	2	7/4/2022	391	3818.8	0.005215	0.534	0.002039
KY	H L Spurloc	6041	2	7/4/2022	463	4565.6	0.005157	0.523	0.002388
KY	H L Spurloc	6041	2	7/4/2022	467	4590.1	0.005111	0.52	0.002387
KY	H L Spurloc	6041	2	7/4/2022	464	4525.3	0.00513	0.526	0.00238
KY	H L Spurloc	6041	2	7/4/2022	466	4579.9	0.005111	0.52	0.002382
KY	H L Spurloc	6041	2	7/4/2022	485	4767.7	0.005112	0.52	0.002479
KY	H L Spurloc	6041	2	7/4/2022	502	4973.7	0.005152	0.52	0.002586
KY	H L Spurloc	6041	2	7/4/2022	463	4506.5	0.0051	0.524	0.002361
KY	H L Spurloc	6041	2	7/4/2022	487	4780.9	0.005134	0.523	0.0025
KY	H L Spurloc	6041	2	7/4/2022	485	4804	0.005151	0.52	0.002498
KY	H L Spurloc	6041	2	7/4/2022	463	4531.8	0.005178	0.529	0.002397
KY	H L Spurloc	6041	2	7/4/2022	462	4550.2	0.005161	0.524	0.002384
KY	H L Spurloc	6041	2	7/4/2022	333	3158.9	0.00517	0.545	0.001722
KY	H L Spurloc	6041	2	7/4/2022	297	2793.1	0.005342	0.568	0.001586
KY	H L Spurloc	6041	2	7/4/2022	297	2826.6	0.005349	0.562	0.001589
KY	H L Spurloc	6041	2	7/4/2022	453	4499.5	0.005274	0.531	0.002389
KY	H L Spurloc	6041	2	7/5/2022	557	5678	0.00528	0.518	0.002941
KY	H L Spurloc	6041	2	7/5/2022	552	5593.1	0.005249	0.518	0.002897

KY	H L Spurloc	6041	2	7/5/2022	553	5581.6	0.005228	0.518	0.002891
KY	H L Spurloc	6041	2	7/5/2022	555	5596	0.005223	0.518	0.002899
KY	H L Spurloc	6041	2	7/5/2022	555	5616.6	0.005192	0.513	0.002881
KY	H L Spurloc	6041	2	7/5/2022	555	5596.5	0.005213	0.517	0.002893
KY	H L Spurloc	6041	2	7/5/2022	555	5605.9	0.005222	0.517	0.002898
KY	H L Spurloc	6041	2	7/5/2022	554	5621	0.004251	0.419	0.002355
KY	H L Spurloc	6041	2	7/5/2022	555	5660.9	0.004274	0.419	0.002372
KY	H L Spurloc	6041	2	7/5/2022	555	5671.6	0.004272	0.418	0.002371
KY	H L Spurloc	6041	2	7/5/2022	555	5645.7	0.004293	0.422	0.002382
KY	H L Spurloc	6041	2	7/5/2022	555	5636.7	0.004276	0.421	0.002373
KY	H L Spurloc	6041	2	7/5/2022	555	5640.8	0.004299	0.423	0.002386
KY	H L Spurloc	6041	2	7/5/2022	555	5614.8	0.004239	0.419	0.002353
KY	H L Spurloc	6041	2	7/5/2022	556	5522.4	0.004201	0.423	0.002336
KY	H L Spurloc	6041	2	7/5/2022	554	5489.1	0.004231	0.427	0.002344
KY	H L Spurloc	6041	2	7/5/2022	555	5495.3	0.004188	0.423	0.002325
KY	H L Spurloc	6041	2	7/5/2022	554	5572.6	0.004285	0.426	0.002374
KY	H L Spurloc	6041	2	7/5/2022	554	5653.8	0.00449	0.44	0.002488
KY	H L Spurloc	6041	2	7/5/2022	555	5726.9	0.004489	0.435	0.002491
KY	H L Spurloc	6041	2	7/5/2022	555	5689.9	0.004501	0.439	0.002498
KY	H L Spurloc	6041	2	7/5/2022	554	5680.5	0.004522	0.441	0.002505
KY	H L Spurloc	6041	2	7/5/2022	555	5641.1	0.004493	0.442	0.002493
KY	H L Spurloc	6041	2	7/5/2022	455	4385.5	0.004279	0.444	0.001947
KY	H L Spurloc	6041	2	7/6/2022	380	3614.5	0.004242	0.446	0.001612
KY	H L Spurloc	6041	2	7/6/2022	377	3559.4	0.004286	0.454	0.001616
KY	H L Spurloc	6041	2	7/6/2022	377	3583.1	0.004296	0.452	0.00162
KY	H L Spurloc	6041	2	7/6/2022	377	3572.6	0.004331	0.457	0.001633
KY	H L Spurloc	6041	2	7/6/2022	379	3616.5	0.004313	0.452	0.001635
KY	H L Spurloc	6041	2	7/6/2022	400	3854	0.004326	0.449	0.00173
KY	H L Spurloc	6041	2	7/6/2022	380	3566.7	0.004242	0.452	0.001612
KY	H L Spurloc	6041	2	7/6/2022	472	4597.6	0.004198	0.431	0.001982
KY	H L Spurloc	6041	2	7/6/2022	506	4966.5	0.004191	0.427	0.002121
KY	H L Spurloc	6041	2	7/6/2022	481	4712.5	0.004203	0.429	0.002022
KY	H L Spurloc	6041	2	7/6/2022	502	4918.2	0.004203	0.429	0.00211
KY	H L Spurloc	6041	2	7/6/2022	526	5239.3	0.004213	0.423	0.002216
KY	H L Spurloc	6041	2	7/6/2022	520	5190.6	0.004222	0.423	0.002196
KY	H L Spurloc	6041	2	7/6/2022	516	5315.2	0.004192	0.407	0.002163
KY	H L Spurloc	6041	2	7/6/2022	518	5371.5	0.004231	0.408	0.002192
KY	H L Spurloc	6041	2	7/6/2022	550	5734.5	0.004264	0.409	0.002345
KY	H L Spurloc	6041	2	7/6/2022	519	5285.4	0.004196	0.412	0.002178
KY	H L Spurloc	6041	2	7/6/2022	512	5210.6	0.004173	0.41	0.002136
KY	H L Spurloc	6041	2	7/6/2022	509	5177.1	0.00418	0.411	0.002128
KY	H L Spurloc	6041	2	7/6/2022	532	5508.2	0.004214	0.407	0.002242
KY	H L Spurloc	6041	2	7/6/2022	531	5501.6	0.004206	0.406	0.002234
KY	H L Spurloc	6041	2	7/6/2022	501	5115	0.004268	0.418	0.002138
KY	H L Spurloc	6041	2	7/6/2022	453	4509.8	0.004181	0.42	0.001894
KY	H L Spurloc	6041	2	7/6/2022	346	3331.9	0.004179	0.434	0.001446
KY	H L Spurloc	6041	2	7/7/2022	358	3512.6	0.004199	0.428	0.001503

KY	H L Spurloc	6041	2	7/7/2022	350	3400	0.004206	0.433	0.001472
KY	H L Spurloc	6041	2	7/7/2022	379	3718.9	0.00421	0.429	0.001595
KY	H L Spurloc	6041	2	7/7/2022	379	3729.6	0.004222	0.429	0.0016
KY	H L Spurloc	6041	2	7/7/2022	380	3734.1	0.004216	0.429	0.001602
KY	H L Spurloc	6041	2	7/7/2022	383	3680.6	0.004161	0.433	0.001594
KY	H L Spurloc	6041	2	7/7/2022	401	3966.9	0.004244	0.429	0.001702
KY	H L Spurloc	6041	2	7/7/2022	388	3809.8	0.004212	0.429	0.001634
KY	H L Spurloc	6041	2	7/7/2022	488	5030.1	0.004278	0.415	0.002087
KY	H L Spurloc	6041	2	7/7/2022	482	4881.2	0.004243	0.419	0.002045
KY	H L Spurloc	6041	2	7/7/2022	484	4930.5	0.004258	0.418	0.002061
KY	H L Spurloc	6041	2	7/7/2022	527	5491.5	0.004283	0.411	0.002257
KY	H L Spurloc	6041	2	7/7/2022	512	5253.8	0.004207	0.41	0.002154
KY	H L Spurloc	6041	2	7/7/2022	509	5229.6	0.004212	0.41	0.002144
KY	H L Spurloc	6041	2	7/7/2022	512	5242.2	0.004208	0.411	0.002155
KY	H L Spurloc	6041	2	7/7/2022	522	5371.9	0.00424	0.412	0.002213
KY	H L Spurloc	6041	2	7/7/2022	524	5407.3	0.004231	0.41	0.002217
KY	H L Spurloc	6041	2	7/7/2022	512	5213.7	0.004175	0.41	0.002138
KY	H L Spurloc	6041	2	7/7/2022	521	5364.9	0.004232	0.411	0.002205
KY	H L Spurloc	6041	2	7/7/2022	527	5407.8	0.004207	0.41	0.002217
KY	H L Spurloc	6041	2	7/7/2022	507	5209.1	0.004243	0.413	0.002151
KY	H L Spurloc	6041	2	7/7/2022	519	5399.1	0.004317	0.415	0.002241
KY	H L Spurloc	6041	2	7/7/2022	437	4420.4	0.004248	0.42	0.001857
KY	H L Spurloc	6041	2	7/7/2022	297	2942.2	0.004369	0.441	0.001298
KY	H L Spurloc	6041	2	7/8/2022	298	2973.9	0.004431	0.444	0.00132
KY	H L Spurloc	6041	2	7/8/2022	298	2976.4	0.004485	0.449	0.001336
KY	H L Spurloc	6041	2	7/8/2022	298	2959.8	0.004479	0.451	0.001335
KY	H L Spurloc	6041	2	7/8/2022	298	2970.4	0.004446	0.446	0.001325
KY	H L Spurloc	6041	2	7/8/2022	297	2978.1	0.004472	0.446	0.001328
KY	H L Spurloc	6041	2	7/8/2022	304	3068	0.00443	0.439	0.001347
KY	H L Spurloc	6041	2	7/8/2022	304	3026.6	0.004391	0.441	0.001335
KY	H L Spurloc	6041	2	7/8/2022	298	2974.8	0.004392	0.44	0.001309
KY	H L Spurloc	6041	2	7/8/2022	367	3760.1	0.004375	0.427	0.001606
KY	H L Spurloc	6041	2	7/8/2022	332	3346.6	0.004365	0.433	0.001449
KY	H L Spurloc	6041	2	7/8/2022	321	3139.9	0.004314	0.441	0.001385
KY	H L Spurloc	6041	2	7/8/2022	491	5356.3	0.00456	0.418	0.002239
KY	H L Spurloc	6041	2	7/8/2022	411	4203.5	0.004326	0.423	0.001778
KY	H L Spurloc	6041	2	7/8/2022	369	3874.6	0.004368	0.416	0.001612
KY	H L Spurloc	6041	2	7/8/2022	473	5065.3	0.004541	0.424	0.002148
KY	H L Spurloc	6041	2	7/8/2022	444	4670	0.004439	0.422	0.001971
KY	H L Spurloc	6041	2	7/8/2022	500	5337	0.004472	0.419	0.002236
KY	H L Spurloc	6041	2	7/8/2022	410	4213.8	0.004337	0.422	0.001778
KY	H L Spurloc	6041	2	7/8/2022	503	5507.4	0.004588	0.419	0.002308
KY	H L Spurloc	6041	2	7/8/2022	479	5138.7	0.004484	0.418	0.002148
KY	H L Spurloc	6041	2	7/8/2022	470	5058.7	0.004531	0.421	0.00213
KY	H L Spurloc	6041	2	7/8/2022	327	3328.4	0.004336	0.426	0.001418
KY	H L Spurloc	6041	2	7/8/2022	376	3904.6	0.004362	0.42	0.00164
KY	H L Spurloc	6041	2	7/8/2022	530	5827	0.00464	0.422	0.002459

KY	H L Spurloc	6041	2	7/9/2022	490	5235.3	0.004466	0.418	0.002188
KY	H L Spurloc	6041	2	7/9/2022	334	3319.6	0.004304	0.433	0.001437
KY	H L Spurloc	6041	2	7/9/2022	298	2964.8	0.004348	0.437	0.001296
KY	H L Spurloc	6041	2	7/9/2022	297	2978.1	0.004412	0.44	0.00131
KY	H L Spurloc	6041	2	7/9/2022	296	2959.7	0.00438	0.438	0.001296
KY	H L Spurloc	6041	2	7/9/2022	297	2972.7	0.004394	0.439	0.001305
KY	H L Spurloc	6041	2	7/9/2022	300	3000.2	0.00438	0.438	0.001314
KY	H L Spurloc	6041	2	7/9/2022	297	2968.7	0.004388	0.439	0.001303
KY	H L Spurloc	6041	2	7/9/2022	358	3615.3	0.004342	0.43	0.001555
KY	H L Spurloc	6041	2	7/9/2022	355	3577.7	0.004344	0.431	0.001542
KY	H L Spurloc	6041	2	7/9/2022	302	2998.8	0.004339	0.437	0.00131
KY	H L Spurloc	6041	2	7/9/2022	342	3437	0.004392	0.437	0.001502
KY	H L Spurloc	6041	2	7/9/2022	382	3853.2	0.004287	0.425	0.001638
KY	H L Spurloc	6041	2	7/9/2022	394	3972.9	0.004225	0.419	0.001665
KY	H L Spurloc	6041	2	7/9/2022	403	4106.6	0.004259	0.418	0.001717
KY	H L Spurloc	6041	2	7/9/2022	408	4166.8	0.00431	0.422	0.001758
KY	H L Spurloc	6041	2	7/9/2022	464	4883.4	0.004399	0.418	0.002041
KY	H L Spurloc	6041	2	7/9/2022	445	4616.7	0.004326	0.417	0.001925
KY	H L Spurloc	6041	2	7/9/2022	388	3931.2	0.004215	0.416	0.001635
KY	H L Spurloc	6041	2	7/9/2022	425	4412.2	0.004277	0.412	0.001818
KY	H L Spurloc	6041	2	7/9/2022	443	4614.2	0.004333	0.416	0.00192
KY	H L Spurloc	6041	2	7/9/2022	390	3955.4	0.00425	0.419	0.001657
KY	H L Spurloc	6041	2	7/9/2022	388	3925.5	0.004219	0.417	0.001637
KY	H L Spurloc	6041	2	7/9/2022	453	4711.2	0.004306	0.414	0.00195
KY	H L Spurloc	6041	2	#####	510	5430.1	0.004323	0.406	0.002205
KY	H L Spurloc	6041	2	#####	516	5500.4	0.004349	0.408	0.002244
KY	H L Spurloc	6041	2	#####	538	5707	0.004307	0.406	0.002317
KY	H L Spurloc	6041	2	#####	508	5312.7	0.004256	0.407	0.002162
KY	H L Spurloc	6041	2	#####	511	5310.5	0.004219	0.406	0.002156
KY	H L Spurloc	6041	2	#####	467	4774.3	0.004192	0.41	0.001957
KY	H L Spurloc	6041	2	#####	519	5443	0.004258	0.406	0.00221
KY	H L Spurloc	6041	2	#####	516	5385.2	0.004269	0.409	0.002203
KY	H L Spurloc	6041	2	#####	551	5958	0.004455	0.412	0.002455
KY	H L Spurloc	6041	2	#####	553	5934.6	0.004421	0.412	0.002445
KY	H L Spurloc	6041	2	#####	531	5596.2	0.004342	0.412	0.002306
KY	H L Spurloc	6041	2	#####	552	5935	0.004462	0.415	0.002463
KY	H L Spurloc	6041	2	#####	557	6008.7	0.004488	0.416	0.0025
KY	H L Spurloc	6041	2	#####	558	6026.5	0.004482	0.415	0.002501
KY	H L Spurloc	6041	2	#####	559	5926.8	0.004453	0.42	0.002489
KY	H L Spurloc	6041	2	#####	555	5907.9	0.004481	0.421	0.002487
KY	H L Spurloc	6041	2	#####	559	5942.7	0.004433	0.417	0.002478
KY	H L Spurloc	6041	2	#####	559	5986.3	0.004455	0.416	0.00249
KY	H L Spurloc	6041	2	#####	559	5950	0.004449	0.418	0.002487
KY	H L Spurloc	6041	2	#####	559	5982.8	0.004484	0.419	0.002507
KY	H L Spurloc	6041	2	#####	559	6014.3	0.004519	0.42	0.002526
KY	H L Spurloc	6041	2	#####	560	6021.9	0.004538	0.422	0.002541
KY	H L Spurloc	6041	2	#####	559	5965.9	0.004482	0.42	0.002506

KY	H L Spurloc	6041	2	#####	437	4361.7	0.004212	0.422	0.001841
KY	H L Spurloc	6041	2	#####	402	3974.2	0.004162	0.421	0.001673
KY	H L Spurloc	6041	2	#####	402	3785.1	0.004011	0.426	0.001612
KY	H L Spurloc	6041	2	#####	397	3883.8	0.004158	0.425	0.001651
KY	H L Spurloc	6041	2	#####	400	3964.4	0.004173	0.421	0.001669
KY	H L Spurloc	6041	2	#####	399	3929.8	0.004137	0.42	0.001651
KY	H L Spurloc	6041	2	#####	400	3937.8	0.004154	0.422	0.001662
KY	H L Spurloc	6041	2	#####	400	3955.8	0.004163	0.421	0.001665
KY	H L Spurloc	6041	2	#####	400	3961	0.004169	0.421	0.001668
KY	H L Spurloc	6041	2	#####	400	3958.2	0.004196	0.424	0.001678
KY	H L Spurloc	6041	2	#####	400	3980.9	0.004021	0.404	0.001608
KY	H L Spurloc	6041	2	#####	400	3999.8	0.00401	0.401	0.001604
KY	H L Spurloc	6041	2	#####	430	4175.8	0.003894	0.401	0.001674
KY	H L Spurloc	6041	2	#####	536	5555	0.004021	0.388	0.002155
KY	H L Spurloc	6041	2	#####	491	5055	0.004025	0.391	0.001977
KY	H L Spurloc	6041	2	#####	508	5155.7	0.003958	0.39	0.002011
KY	H L Spurloc	6041	2	#####	516	5265.6	0.00398	0.39	0.002054
KY	H L Spurloc	6041	2	#####	515	5229.3	0.00396	0.39	0.002039
KY	H L Spurloc	6041	2	#####	518	5281.2	0.003976	0.39	0.00206
KY	H L Spurloc	6041	2	#####	454	4547.2	0.003976	0.397	0.001805
KY	H L Spurloc	6041	2	#####	412	4085.5	0.003947	0.398	0.001626
KY	H L Spurloc	6041	2	#####	403	4021.3	0.003971	0.398	0.0016
KY	H L Spurloc	6041	2	#####	400	3971.1	0.003991	0.402	0.001596
KY	H L Spurloc	6041	2	#####	399	3979.4	0.003979	0.399	0.001588
KY	H L Spurloc	6041	2	#####	400	4006.1	0.003996	0.399	0.001598
KY	H L Spurloc	6041	2	#####	400	4006.5	0.003986	0.398	0.001595
KY	H L Spurloc	6041	2	#####	400	4034.1	0.004014	0.398	0.001606
KY	H L Spurloc	6041	2	#####	400	4037.1	0.003997	0.396	0.001599
KY	H L Spurloc	6041	2	#####	400	4042.6	0.004002	0.396	0.001601
KY	H L Spurloc	6041	2	#####	400	4045.2	0.003995	0.395	0.001598
KY	H L Spurloc	6041	2	#####	399	4029.3	0.004019	0.398	0.001604
KY	H L Spurloc	6041	2	#####	400	4055.1	0.004035	0.398	0.001614
KY	H L Spurloc	6041	2	#####	483	5134.6	0.00421	0.396	0.002033
KY	H L Spurloc	6041	2	#####	493	5230.2	0.004212	0.397	0.002076
KY	H L Spurloc	6041	2	#####	507	5436.1	0.004225	0.394	0.002142
KY	H L Spurloc	6041	2	#####	512	5477.1	0.004247	0.397	0.002174
KY	H L Spurloc	6041	2	#####	528	5731.8	0.00431	0.397	0.002276
KY	H L Spurloc	6041	2	#####	508	5378	0.004224	0.399	0.002146
KY	H L Spurloc	6041	2	#####	501	5287.9	0.004211	0.399	0.00211
KY	H L Spurloc	6041	2	#####	497	5233.5	0.004149	0.394	0.002062
KY	H L Spurloc	6041	2	#####	497	5211.7	0.004142	0.395	0.002059
KY	H L Spurloc	6041	2	#####	516	5388.1	0.004031	0.386	0.00208
KY	H L Spurloc	6041	2	#####	502	5016.6	0.003887	0.389	0.001951
KY	H L Spurloc	6041	2	#####	512	5148.1	0.003911	0.389	0.002003
KY	H L Spurloc	6041	2	#####	517	5214.9	0.003924	0.389	0.002029
KY	H L Spurloc	6041	2	#####	499	5003.7	0.003921	0.391	0.001956
KY	H L Spurloc	6041	2	#####	421	4289.9	0.004005	0.393	0.001686

KY	H L Spurloc	6041	2	#####	468	4862.4	0.004062	0.391	0.001901
KY	H L Spurloc	6041	2	#####	465	4840.5	0.00406	0.39	0.001888
KY	H L Spurloc	6041	2	#####	399	4023.1	0.003993	0.396	0.001593
KY	H L Spurloc	6041	2	#####	400	4007.2	0.003997	0.399	0.001599
KY	H L Spurloc	6041	2	#####	400	4020.9	0.004001	0.398	0.0016
KY	H L Spurloc	6041	2	#####	399	4024.5	0.004014	0.398	0.001602
KY	H L Spurloc	6041	2	#####	400	4042.9	0.004013	0.397	0.001605
KY	H L Spurloc	6041	2	#####	400	4058.5	0.004008	0.395	0.001603
KY	H L Spurloc	6041	2	#####	429	4191.2	0.003869	0.396	0.00166
KY	H L Spurloc	6041	2	#####	491	4911.6	0.003891	0.389	0.001911
KY	H L Spurloc	6041	2	#####	366	3449.2	0.003826	0.406	0.0014
KY	H L Spurloc	6041	2	#####	293	2721.2	0.00391	0.421	0.001146
KY	H L Spurloc	6041	2	#####	398	3870.5	0.00388	0.399	0.001544
KY	H L Spurloc	6041	2	#####	547	5677.5	0.003996	0.385	0.002186
KY	H L Spurloc	6041	2	#####	553	5733.5	0.003961	0.382	0.00219
KY	H L Spurloc	6041	2	#####	550	5724	0.003996	0.384	0.002198
KY	H L Spurloc	6041	2	#####	551	5771	0.004053	0.387	0.002233
KY	H L Spurloc	6041	2	#####	553	5902.7	0.004131	0.387	0.002284
KY	H L Spurloc	6041	2	#####	554	5907	0.004126	0.387	0.002286
KY	H L Spurloc	6041	2	#####	557	5945	0.004131	0.387	0.002301
KY	H L Spurloc	6041	2	#####	558	5947	0.004114	0.386	0.002296
KY	H L Spurloc	6041	2	#####	558	5933.2	0.004104	0.386	0.00229
KY	H L Spurloc	6041	2	#####	558	5946	0.004113	0.386	0.002295
KY	H L Spurloc	6041	2	#####	559	5969.4	0.004143	0.388	0.002316
KY	H L Spurloc	6041	2	#####	557	5869.9	0.004057	0.385	0.00226
KY	H L Spurloc	6041	2	#####	447	4544.3	0.004016	0.395	0.001795
KY	H L Spurloc	6041	2	#####	392	3927.8	0.003978	0.397	0.001559
KY	H L Spurloc	6041	2	#####	429	4355.6	0.004021	0.396	0.001725
KY	H L Spurloc	6041	2	#####	509	5305.7	0.004034	0.387	0.002053
KY	H L Spurloc	6041	2	#####	412	4112.9	0.003943	0.395	0.001625
KY	H L Spurloc	6041	2	#####	389	3850.2	0.003919	0.396	0.001525
KY	H L Spurloc	6041	2	#####	389	3857.2	0.003927	0.396	0.001527
KY	H L Spurloc	6041	2	#####	349	3439.3	0.004001	0.406	0.001396
KY	H L Spurloc	6041	2	#####	384	3832.2	0.004002	0.401	0.001537
KY	H L Spurloc	6041	2	#####	388	3861.6	0.003971	0.399	0.001541
KY	H L Spurloc	6041	2	#####	408	4095.3	0.003955	0.394	0.001614
KY	H L Spurloc	6041	2	#####	482	4764.3	0.003865	0.391	0.001863
KY	H L Spurloc	6041	2	#####	501	4988.3	0.003883	0.39	0.001945
KY	H L Spurloc	6041	2	#####	500	5133.9	0.003974	0.387	0.001987
KY	H L Spurloc	6041	2	#####	463	4692.3	0.003942	0.389	0.001825
KY	H L Spurloc	6041	2	#####	455	4617	0.003988	0.393	0.001814
KY	H L Spurloc	6041	2	#####	421	4192.3	0.003973	0.399	0.001673
KY	H L Spurloc	6041	2	#####	493	5044.7	0.004011	0.392	0.001978
KY	H L Spurloc	6041	2	#####	442	4459	0.003965	0.393	0.001752
KY	H L Spurloc	6041	2	#####	394	3904.8	0.003925	0.396	0.001546
KY	H L Spurloc	6041	2	#####	426	4272.1	0.003981	0.397	0.001696
KY	H L Spurloc	6041	2	#####	434	4356	0.003985	0.397	0.001729

KY	H L Spurloc	6041	2	#####	394	3835.2	0.003894	0.4	0.001534
KY	H L Spurloc	6041	2	#####	468	4722.1	0.003955	0.392	0.001851
KY	H L Spurloc	6041	2	#####	419	4157.1	0.003949	0.398	0.001655
KY	H L Spurloc	6041	2	#####	424	4202.4	0.003945	0.398	0.001673
KY	H L Spurloc	6041	2	#####	416	4131.3	0.003992	0.402	0.001661
KY	H L Spurloc	6041	2	#####	391	3812.8	0.003881	0.398	0.001517
KY	H L Spurloc	6041	2	#####	388	3793.4	0.003891	0.398	0.00151
KY	H L Spurloc	6041	2	#####	387	3780.6	0.003956	0.405	0.001531
KY	H L Spurloc	6041	2	#####	388	3858.1	0.003958	0.398	0.001536
KY	H L Spurloc	6041	2	#####	387	3853.2	0.003943	0.396	0.001526
KY	H L Spurloc	6041	2	#####	387	3872	0.003952	0.395	0.001529
KY	H L Spurloc	6041	2	#####	388	3861.3	0.003951	0.397	0.001533
KY	H L Spurloc	6041	2	#####	387	3848.7	0.003908	0.393	0.001513
KY	H L Spurloc	6041	2	#####	387	3835.2	0.003934	0.397	0.001523
KY	H L Spurloc	6041	2	#####	388	3874.9	0.003965	0.397	0.001538
KY	H L Spurloc	6041	2	#####	406	4071.5	0.003951	0.394	0.001604
KY	H L Spurloc	6041	2	#####	423	4283.5	0.003959	0.391	0.001675
KY	H L Spurloc	6041	2	#####	463	4762.5	0.004001	0.389	0.001853
KY	H L Spurloc	6041	2	#####	457	4676.8	0.003991	0.39	0.001824
KY	H L Spurloc	6041	2	#####	482	4959.1	0.003992	0.388	0.001924
KY	H L Spurloc	6041	2	#####	509	5319.7	0.004024	0.385	0.002048
KY	H L Spurloc	6041	2	#####	441	4463.9	0.003948	0.39	0.001741
KY	H L Spurloc	6041	2	#####	474	4895	0.004028	0.39	0.001909
KY	H L Spurloc	6041	2	#####	497	5174.4	0.00406	0.39	0.002018
KY	H L Spurloc	6041	2	#####	409	4101.8	0.003961	0.395	0.00162
KY	H L Spurloc	6041	2	#####	401	3751.3	0.003723	0.398	0.001493
KY	H L Spurloc	6041	2	#####	386	3827.4	0.003917	0.395	0.001512
KY	H L Spurloc	6041	2	#####	388	3881.2	0.003951	0.395	0.001533
KY	H L Spurloc	6041	2	#####	387	3876.8	0.003957	0.395	0.001531
KY	H L Spurloc	6041	2	#####	387	3867.6	0.003958	0.396	0.001532
KY	H L Spurloc	6041	2	#####	387	3830.6	0.003939	0.398	0.001525
KY	H L Spurloc	6041	2	#####	387	3839.7	0.003939	0.397	0.001524
KY	H L Spurloc	6041	2	#####	387	3831.8	0.003921	0.396	0.001517
KY	H L Spurloc	6041	2	#####	267	2571.8	0.004344	0.451	0.00116
KY	H L Spurloc	6041	2	#####	385	3835.8	0.003955	0.397	0.001523
KY	H L Spurloc	6041	2	#####	387	3859.9	0.00396	0.397	0.001532
KY	H L Spurloc	6041	2	#####	462	4786.4	0.00402	0.388	0.001857
KY	H L Spurloc	6041	2	#####	518	5313.7	0.00397	0.387	0.002056
KY	H L Spurloc	6041	2	#####	443	4541.2	0.004029	0.393	0.001785
KY	H L Spurloc	6041	2	#####	503	5256.2	0.004034	0.386	0.002029
KY	H L Spurloc	6041	2	#####	486	5060.2	0.00405	0.389	0.001968
KY	H L Spurloc	6041	2	#####	514	5446.4	0.00408	0.385	0.002097
KY	H L Spurloc	6041	2	#####	519	5468.4	0.004088	0.388	0.002122
KY	H L Spurloc	6041	2	#####	505	5276.2	0.004054	0.388	0.002047
KY	H L Spurloc	6041	2	#####	513	5319.4	0.004023	0.388	0.002064
KY	H L Spurloc	6041	2	#####	512	5332.2	0.00403	0.387	0.002064
KY	H L Spurloc	6041	2	#####	503	5243.9	0.004035	0.387	0.002029

KY	H L Spurloc	6041	2	#####	497	5149.2	0.00403	0.389	0.002003
KY	H L Spurloc	6041	2	#####	457	4724.6	0.004042	0.391	0.001847
KY	H L Spurloc	6041	2	#####	508	5383.7	0.004123	0.389	0.002094
KY	H L Spurloc	6041	2	#####	433	4394.5	0.004009	0.395	0.001736
KY	H L Spurloc	6041	2	#####	410	4132.6	0.003961	0.393	0.001624
KY	H L Spurloc	6041	2	#####	388	3838.2	0.003947	0.399	0.001531
KY	H L Spurloc	6041	2	#####	387	3830.4	0.003959	0.4	0.001532
KY	H L Spurloc	6041	2	#####	386	3746.7	0.003892	0.401	0.001502
KY	H L Spurloc	6041	2	#####	386	3730.4	0.003875	0.401	0.001496
KY	H L Spurloc	6041	2	#####	386	3788.4	0.003916	0.399	0.001512
KY	H L Spurloc	6041	2	#####	387	3806.3	0.003954	0.402	0.00153
KY	H L Spurloc	6041	2	#####	386	3815.9	0.003964	0.401	0.00153
KY	H L Spurloc	6041	2	#####	386	3799.4	0.003967	0.403	0.001531
KY	H L Spurloc	6041	2	#####	385	3792.4	0.00397	0.403	0.001528
KY	H L Spurloc	6041	2	#####	397	3944.1	0.003964	0.399	0.001574
KY	H L Spurloc	6041	2	#####	473	4843.6	0.004055	0.396	0.001918
KY	H L Spurloc	6041	2	#####	504	5210.6	0.004042	0.391	0.002037
KY	H L Spurloc	6041	2	#####	486	4988.8	0.004003	0.39	0.001946
KY	H L Spurloc	6041	2	#####	455	4620.8	0.003991	0.393	0.001816
KY	H L Spurloc	6041	2	#####	505	5100.7	0.003969	0.393	0.002005
KY	H L Spurloc	6041	2	#####	513	5282.4	0.004016	0.39	0.00206
KY	H L Spurloc	6041	2	#####	503	5142.8	0.003987	0.39	0.002006
KY	H L Spurloc	6041	2	#####	506	5138.4	0.00396	0.39	0.002004
KY	H L Spurloc	6041	2	#####	518	5240.4	0.003945	0.39	0.002044
KY	H L Spurloc	6041	2	#####	494	4954	0.003921	0.391	0.001937
KY	H L Spurloc	6041	2	#####	508	5135.5	0.003973	0.393	0.002018
KY	H L Spurloc	6041	2	#####	514	5197.8	0.003944	0.39	0.002027
KY	H L Spurloc	6041	2	#####	455	4492.9	0.00392	0.397	0.001784
KY	H L Spurloc	6041	2	#####	387	3731.2	0.003876	0.402	0.0015
KY	H L Spurloc	6041	2	#####	386	3743.7	0.003909	0.403	0.001509
KY	H L Spurloc	6041	2	#####	386	3752.1	0.003917	0.403	0.001512
KY	H L Spurloc	6041	2	#####	386	3733.4	0.003917	0.405	0.001512
KY	H L Spurloc	6041	2	#####	393	3848.2	0.003956	0.404	0.001555
KY	H L Spurloc	6041	2	#####	438	4415.8	0.004013	0.398	0.001757
KY	H L Spurloc	6041	2	#####	480	4867.7	0.004016	0.396	0.001928
KY	H L Spurloc	6041	2	#####	506	5168.5	0.004004	0.392	0.002026
KY	H L Spurloc	6041	2	#####	504	4961.8	0.006064	0.616	0.003056
KY	H L Spurloc	6041	2	#####	519	5177.7	0.006096	0.611	0.003164
KY	H L Spurloc	6041	2	#####	508	5017.2	0.006084	0.616	0.003091
KY	H L Spurloc	6041	2	#####	506	5061.9	0.006152	0.615	0.003113
KY	H L Spurloc	6041	2	#####	513	5231.2	0.00621	0.609	0.003186
KY	H L Spurloc	6041	2	#####	513	5195.1	0.006177	0.61	0.003169
KY	H L Spurloc	6041	2	#####	513	5197.8	0.006201	0.612	0.003181
KY	H L Spurloc	6041	2	#####	514	5218.8	0.006214	0.612	0.003194
KY	H L Spurloc	6041	2	#####	514	5216.6	0.006221	0.613	0.003198
KY	H L Spurloc	6041	2	#####	516	5228.3	0.006201	0.612	0.0032
KY	H L Spurloc	6041	2	#####	509	5149.7	0.006192	0.612	0.003152

KY	H L Spurloc	6041	2	#####	512	5177.9	0.006189	0.612	0.003169
KY	H L Spurloc	6041	2	#####	507	5135.4	0.006179	0.61	0.003133
KY	H L Spurloc	6041	2	#####	514	5204.4	0.006217	0.614	0.003196
KY	H L Spurloc	6041	2	#####	517	5261.4	0.006198	0.609	0.003204
KY	H L Spurloc	6041	2	#####	494	4929	0.006136	0.615	0.003031
KY	H L Spurloc	6041	2	#####	398	3822	0.00605	0.63	0.002408
KY	H L Spurloc	6041	2	#####	386	3740	0.006162	0.636	0.002379
KY	H L Spurloc	6041	2	#####	387	3746.4	0.006118	0.632	0.002368
KY	H L Spurloc	6041	2	#####	386	3746.3	0.006124	0.631	0.002364
KY	H L Spurloc	6041	2	#####	386	3743.6	0.006226	0.642	0.002403
KY	H L Spurloc	6041	2	#####	390	3783	0.006169	0.636	0.002406
KY	H L Spurloc	6041	2	#####	462	4514.6	0.006088	0.623	0.002813
KY	H L Spurloc	6041	2	#####	451	4462.5	0.006145	0.621	0.002771
KY	H L Spurloc	6041	2	#####	496	4989.8	0.006177	0.614	0.003064
KY	H L Spurloc	6041	2	#####	490	4879.4	0.006164	0.619	0.00302
KY	H L Spurloc	6041	2	#####	504	5051.2	0.006083	0.607	0.003066
KY	H L Spurloc	6041	2	#####	508	5118.7	0.006167	0.612	0.003133
KY	H L Spurloc	6041	2	#####	511	5164.2	0.006114	0.605	0.003124
KY	H L Spurloc	6041	2	#####	512	5162.7	0.006151	0.61	0.003149
KY	H L Spurloc	6041	2	#####	510	5149.3	0.006129	0.607	0.003126
KY	H L Spurloc	6041	2	#####	517	5166.4	0.006096	0.61	0.003152
KY	H L Spurloc	6041	2	#####	523	5279.8	0.006138	0.608	0.00321
KY	H L Spurloc	6041	2	#####	511	5147.4	0.006145	0.61	0.00314
KY	H L Spurloc	6041	2	#####	511	5122.9	0.006125	0.611	0.00313
KY	H L Spurloc	6041	2	#####	496	4949.9	0.006108	0.612	0.003029
KY	H L Spurloc	6041	2	#####	509	5145.2	0.006166	0.61	0.003139
KY	H L Spurloc	6041	2	#####	493	4946.7	0.006181	0.616	0.003047
KY	H L Spurloc	6041	2	#####	487	4866.6	0.006216	0.622	0.003027
KY	H L Spurloc	6041	2	#####	518	5309.7	0.006263	0.611	0.003244
KY	H L Spurloc	6041	2	#####	552	5670.9	0.006256	0.609	0.003454
KY	H L Spurloc	6041	2	#####	553	5694.3	0.00625	0.607	0.003456
KY	H L Spurloc	6041	2	#####	553	5682.2	0.006237	0.607	0.003449
KY	H L Spurloc	6041	2	#####	552	5670.2	0.006215	0.605	0.00343
KY	H L Spurloc	6041	2	#####	551	5612.8	0.006163	0.605	0.003396
KY	H L Spurloc	6041	2	#####	550	5640.7	0.006205	0.605	0.003413
KY	H L Spurloc	6041	2	#####	551	5700	0.006455	0.624	0.003557
KY	H L Spurloc	6041	2	#####	552	5759.8	0.006522	0.625	0.0036
KY	H L Spurloc	6041	2	#####	519	5306.8	0.006432	0.629	0.003338
KY	H L Spurloc	6041	2	#####	501	4986.1	0.006071	0.61	0.003042
KY	H L Spurloc	6041	2	#####	543	5558.1	0.006152	0.601	0.00334
KY	H L Spurloc	6041	2	#####	554	5822.5	0.006642	0.632	0.00368
KY	H L Spurloc	6041	2	#####	555	5862.1	0.006601	0.625	0.003664
KY	H L Spurloc	6041	2	#####	557	5866.3	0.006582	0.625	0.003666
KY	H L Spurloc	6041	2	#####	557	5860.9	0.006629	0.63	0.003692
KY	H L Spurloc	6041	2	#####	558	5918.8	0.006714	0.633	0.003747
KY	H L Spurloc	6041	2	#####	557	5883.2	0.006612	0.626	0.003683
KY	H L Spurloc	6041	2	#####	557	5871.2	0.006672	0.633	0.003716

KY	H L Spurloc	6041	2	#####	557	5873.5	0.006633	0.629	0.003694
KY	H L Spurloc	6041	2	#####	557	5869.7	0.00665	0.631	0.003704
KY	H L Spurloc	6041	2	#####	557	5808.4	0.006591	0.632	0.003671
KY	H L Spurloc	6041	2	#####	557	5895.8	0.006743	0.637	0.003756
KY	H L Spurloc	6041	2	#####	558	5913.4	0.006687	0.631	0.003731
KY	H L Spurloc	6041	2	#####	557	5866	0.006624	0.629	0.00369
KY	H L Spurloc	6041	2	#####	558	5916.8	0.00667	0.629	0.003722
KY	H L Spurloc	6041	2	#####	557	5849.8	0.006637	0.632	0.003697
KY	H L Spurloc	6041	2	#####	557	5818.5	0.006571	0.629	0.00366
KY	H L Spurloc	6041	2	#####	557	5849.3	0.006605	0.629	0.003679
KY	H L Spurloc	6041	2	#####	557	5855.4	0.006612	0.629	0.003683
KY	H L Spurloc	6041	2	#####	557	5855.5	0.006612	0.629	0.003683
KY	H L Spurloc	6041	2	#####	557	5827.1	0.00658	0.629	0.003665
KY	H L Spurloc	6041	2	#####	557	5776.7	0.006357	0.613	0.003541
KY	H L Spurloc	6041	2	#####	556	5760.4	0.006258	0.604	0.003479
KY	H L Spurloc	6041	2	#####	555	5762.5	0.006271	0.604	0.003481
KY	H L Spurloc	6041	2	#####	556	5740	0.006246	0.605	0.003473
KY	H L Spurloc	6041	2	#####	558	5866.9	0.006655	0.633	0.003714
KY	H L Spurloc	6041	2	#####	555	5806.1	0.00658	0.629	0.003652
KY	H L Spurloc	6041	2	#####	555	5797	0.006497	0.622	0.003606
KY	H L Spurloc	6041	2	#####	555	5829.8	0.006586	0.627	0.003655
KY	H L Spurloc	6041	2	#####	555	5808.1	0.006583	0.629	0.003653
KY	H L Spurloc	6041	2	#####	553	5788.5	0.006521	0.623	0.003606
KY	H L Spurloc	6041	2	#####	554	5834.9	0.006593	0.626	0.003653
KY	H L Spurloc	6041	2	#####	557	5866.3	0.006656	0.632	0.003708
KY	H L Spurloc	6041	2	#####	557	5839.4	0.006594	0.629	0.003673
KY	H L Spurloc	6041	2	#####	556	5881.8	0.006686	0.632	0.003717
KY	H L Spurloc	6041	2	#####	557	5912.9	0.00672	0.633	0.003743
KY	H L Spurloc	6041	2	#####	558	5923.1	0.00674	0.635	0.003761
KY	H L Spurloc	6041	2	#####	557	5874	0.006591	0.625	0.003671
KY	H L Spurloc	6041	2	#####	558	5885.9	0.006709	0.636	0.003743
KY	H L Spurloc	6041	2	#####	557	5896.3	0.006733	0.636	0.00375
KY	H L Spurloc	6041	2	#####	558	5935.7	0.006776	0.637	0.003781
KY	H L Spurloc	6041	2	#####	558	5923.9	0.006752	0.636	0.003768
KY	H L Spurloc	6041	2	#####	558	5881.1	0.00664	0.63	0.003705
KY	H L Spurloc	6041	2	#####	558	5873.1	0.006631	0.63	0.0037
KY	H L Spurloc	6041	2	#####	557	5873.8	0.00658	0.624	0.003665
KY	H L Spurloc	6041	2	#####	557	5838.4	0.006572	0.627	0.003661
KY	H L Spurloc	6041	2	#####	557	5789.2	0.006319	0.608	0.00352
KY	H L Spurloc	6041	2	#####	556	5847.7	0.006332	0.602	0.00352
KY	H L Spurloc	6041	2	#####	556	5840.6	0.006334	0.603	0.003522
KY	H L Spurloc	6041	2	#####	556	5838.2	0.006395	0.609	0.003555
KY	H L Spurloc	6041	2	#####	555	5903.8	0.006606	0.621	0.003666
KY	H L Spurloc	6041	2	#####	555	5941.5	0.006627	0.619	0.003678
KY	H L Spurloc	6041	2	#####	554	5911.6	0.006605	0.619	0.003659
KY	H L Spurloc	6041	2	#####	555	5902.3	0.006583	0.619	0.003654
KY	H L Spurloc	6041	2	#####	555	5926.3	0.006599	0.618	0.003662

KY	H L Spurloc	6041	2	#####	555	5983	0.006651	0.617	0.003692
KY	H L Spurloc	6041	2	#####	555	6041	0.006738	0.619	0.003739
KY	H L Spurloc	6041	2	#####	558	6095	0.006761	0.619	0.003773
KY	H L Spurloc	6041	2	#####	537	5775.3	0.006711	0.624	0.003604
KY	H L Spurloc	6041	2	#####	550	5968.6	0.006783	0.625	0.00373
KY	H L Spurloc	6041	2	#####	558	6091	0.00679	0.622	0.003789
KY	H L Spurloc	6041	2	#####	559	6123.8	0.006858	0.626	0.003833
KY	H L Spurloc	6041	2	#####	559	6058.7	0.006785	0.626	0.003793
KY	H L Spurloc	6041	2	#####	558	6062	0.006812	0.627	0.003801
KY	H L Spurloc	6041	2	#####	559	6099.1	0.00683	0.626	0.003818
KY	H L Spurloc	6041	2	#####	559	6046.8	0.006804	0.629	0.003803
KY	H L Spurloc	6041	2	#####	556	6021.7	0.006823	0.63	0.003794
KY	H L Spurloc	6041	2	#####	555	6021.1	0.006781	0.625	0.003763
KY	H L Spurloc	6041	2	#####	555	6002.7	0.00676	0.625	0.003752
KY	H L Spurloc	6041	2	#####	555	5993.4	0.006739	0.624	0.00374
KY	H L Spurloc	6041	2	#####	555	5957.8	0.006677	0.622	0.003706
KY	H L Spurloc	6041	2	#####	553	6010.9	0.006783	0.624	0.003751
KY	H L Spurloc	6041	2	#####	525	5636.3	0.006624	0.617	0.003478
KY	H L Spurloc	6041	2	#####	545	5941.8	0.006749	0.619	0.003678
KY	H L Spurloc	6041	2	#####	550	5962.4	0.006743	0.622	0.003709
KY	H L Spurloc	6041	2	#####	550	5928.7	0.006662	0.618	0.003664
KY	H L Spurloc	6041	2	#####	550	5920.5	0.006696	0.622	0.003683
KY	H L Spurloc	6041	2	#####	554	5972.5	0.006781	0.629	0.003757
KY	H L Spurloc	6041	2	#####	555	6002.9	0.006749	0.624	0.003746
KY	H L Spurloc	6041	2	#####	555	6037.6	0.006788	0.624	0.003767
KY	H L Spurloc	6041	2	#####	554	6043.5	0.00684	0.627	0.003789
KY	H L Spurloc	6041	2	#####	555	6011.9	0.006781	0.626	0.003763
KY	H L Spurloc	6041	2	#####	555	6046.8	0.006842	0.628	0.003797
KY	H L Spurloc	6041	2	#####	555	6042.4	0.006815	0.626	0.003783
KY	H L Spurloc	6041	2	#####	555	6027.9	0.006756	0.622	0.003749
KY	H L Spurloc	6041	2	#####	555	5999.4	0.006832	0.632	0.003792
KY	H L Spurloc	6041	2	#####	555	5994.4	0.00674	0.624	0.003741
KY	H L Spurloc	6041	2	#####	555	5992.5	0.006813	0.631	0.003781
KY	H L Spurloc	6041	2	#####	555	5953.5	0.006769	0.631	0.003757
KY	H L Spurloc	6041	2	#####	554	5905	0.006726	0.631	0.003726
KY	H L Spurloc	6041	2	#####	555	5957.1	0.006719	0.626	0.003729
KY	H L Spurloc	6041	2	#####	502	5231.1	0.006596	0.633	0.003311
KY	H L Spurloc	6041	2	#####	528	5538.1	0.006597	0.629	0.003483
KY	H L Spurloc	6041	2	#####	555	5896.4	0.006683	0.629	0.003709
KY	H L Spurloc	6041	2	#####	555	5935.8	0.00677	0.633	0.003757
KY	H L Spurloc	6041	2	#####	555	5959.4	0.006775	0.631	0.00376
KY	H L Spurloc	6041	2	#####	555	5989.2	0.006691	0.62	0.003713
KY	H L Spurloc	6041	2	#####	555	6010.9	0.006834	0.631	0.003793
KY	H L Spurloc	6041	2	#####	556	5912.2	0.006635	0.624	0.003689
KY	H L Spurloc	6041	2	#####	553	5928.6	0.006615	0.617	0.003658
KY	H L Spurloc	6041	2	#####	555	6069.9	0.006846	0.626	0.0038
KY	H L Spurloc	6041	2	#####	555	6045.6	0.006841	0.628	0.003797

KY	H L Spurloc	6041	2	#####	555	6037.9	0.006843	0.629	0.003798
KY	H L Spurloc	6041	2	#####	558	6097.8	0.00683	0.625	0.003811
KY	H L Spurloc	6041	2	#####	557	6083.6	0.006848	0.627	0.003814
KY	H L Spurloc	6041	2	#####	558	6078	0.006851	0.629	0.003823
KY	H L Spurloc	6041	2	#####	557	6052.9	0.006835	0.629	0.003807
KY	H L Spurloc	6041	2	#####	501	5231.4	0.006568	0.629	0.003291
KY	H L Spurloc	6041	2	#####	480	4935.4	0.006426	0.625	0.003085
KY	H L Spurloc	6041	2	#####	480	4978.3	0.006451	0.622	0.003097
KY	H L Spurloc	6041	2	#####	454	4712	0.006508	0.627	0.002954
KY	H L Spurloc	6041	2	#####	459	4840.4	0.006633	0.629	0.003045
KY	H L Spurloc	6041	2	#####	409	4169.9	0.006464	0.634	0.002644
KY	H L Spurloc	6041	2	#####	451	4715.1	0.006587	0.63	0.002971
KY	H L Spurloc	6041	2	#####	478	4925.6	0.006502	0.631	0.003108
KY	H L Spurloc	6041	2	#####	471	4821	0.006448	0.63	0.003037
KY	H L Spurloc	6041	2	#####	500	5249.5	0.00653	0.622	0.003265
KY	H L Spurloc	6041	2	#####	511	5373.8	0.00651	0.619	0.003326
KY	H L Spurloc	6041	2	#####	534	5749.8	0.005319	0.494	0.00284
KY	H L Spurloc	6041	2	#####	520	5483.6	0.005231	0.496	0.00272
KY	H L Spurloc	6041	2	#####	544	5888.5	0.005391	0.498	0.002932
KY	H L Spurloc	6041	2	#####	513	5403.7	0.005235	0.497	0.002686
KY	H L Spurloc	6041	2	#####	506	5313.9	0.005219	0.497	0.002641
KY	H L Spurloc	6041	2	#####	521	5575	0.005275	0.493	0.002748
KY	H L Spurloc	6041	2	#####	516	5449.3	0.005312	0.503	0.002741
KY	H L Spurloc	6041	2	#####	515	5482.8	0.005323	0.5	0.002741
KY	H L Spurloc	6041	2	#####	515	5418.8	0.005261	0.5	0.002709
KY	H L Spurloc	6041	2	#####	519	5521.5	0.005287	0.497	0.002744
KY	H L Spurloc	6041	2	#####	496	5161.4	0.005182	0.498	0.00257
KY	H L Spurloc	6041	2	#####	514	5397.5	0.005219	0.497	0.002683
KY	H L Spurloc	6041	2	#####	504	5262.1	0.005189	0.497	0.002615
KY	H L Spurloc	6041	2	#####	503	5233.6	0.005213	0.501	0.002622
KY	H L Spurloc	6041	2	#####	504	5256.7	0.005184	0.497	0.002613
KY	H L Spurloc	6041	2	#####	502	5222.4	0.00517	0.497	0.002596
KY	H L Spurloc	6041	2	#####	504	5249.8	0.005219	0.501	0.00263
KY	H L Spurloc	6041	2	#####	508	5325.1	0.005241	0.5	0.002663
KY	H L Spurloc	6041	2	#####	417	4199.6	0.005046	0.501	0.002104
KY	H L Spurloc	6041	2	#####	389	3897.2	0.005069	0.506	0.001972
KY	H L Spurloc	6041	2	#####	388	3920	0.005112	0.506	0.001984
KY	H L Spurloc	6041	2	#####	410	4192.5	0.005184	0.507	0.002126
KY	H L Spurloc	6041	2	#####	474	5009.4	0.005316	0.503	0.00252
KY	H L Spurloc	6041	2	#####	508	5315.6	0.005263	0.503	0.002674
KY	H L Spurloc	6041	2	#####	502	5210.4	0.005221	0.503	0.002621
KY	H L Spurloc	6041	2	#####	454	4689.4	0.005144	0.498	0.002335
KY	H L Spurloc	6041	2	#####	506	5283.4	0.005294	0.507	0.002679
KY	H L Spurloc	6041	2	#####	515	5409	0.005325	0.507	0.002742
KY	H L Spurloc	6041	2	#####	512	5354.6	0.005292	0.506	0.002709
KY	H L Spurloc	6041	2	#####	519	5472.6	0.005314	0.504	0.002758
KY	H L Spurloc	6041	2	#####	515	5266.7	0.005124	0.501	0.002639

KY	H L Spurloc	6041	2	#####	517	5363.4	0.005229	0.504	0.002703
KY	H L Spurloc	6041	2	#####	518	5356.8	0.005181	0.501	0.002684
KY	H L Spurloc	6041	2	#####	515	5247.3	0.005105	0.501	0.002629
KY	H L Spurloc	6041	2	#####	514	5284.2	0.00512	0.498	0.002632
KY	H L Spurloc	6041	2	#####	515	5278.1	0.005135	0.501	0.002644
KY	H L Spurloc	6041	2	#####	516	5273.3	0.00512	0.501	0.002642
KY	H L Spurloc	6041	2	#####	514	5073.9	0.004946	0.501	0.002542
KY	H L Spurloc	6041	2	#####	502	4989	0.004979	0.501	0.002499
KY	H L Spurloc	6041	2	#####	429	4233.6	0.004993	0.506	0.002142
KY	H L Spurloc	6041	2	#####	389	3812.5	0.004979	0.508	0.001937
KY	H L Spurloc	6041	2	#####	389	3875.3	0.005071	0.509	0.001973
KY	H L Spurloc	6041	2	#####	388	3881.8	0.005092	0.509	0.001976
KY	H L Spurloc	6041	2	#####	390	3703.2	0.00489	0.515	0.001907
KY	H L Spurloc	6041	2	#####	388	3578.8	0.00475	0.515	0.001843
KY	H L Spurloc	6041	2	#####	439	4167.3	0.004775	0.503	0.002096
KY	H L Spurloc	6041	2	#####	490	4759.3	0.004876	0.502	0.002389
KY	H L Spurloc	6041	2	#####	453	4295.4	0.004779	0.504	0.002165
KY	H L Spurloc	6041	2	#####	518	5046.6	0.004803	0.493	0.002488
KY	H L Spurloc	6041	2	#####	513	4980.3	0.004786	0.493	0.002455
KY	H L Spurloc	6041	2	#####	511	4968.1	0.004813	0.495	0.002459
KY	H L Spurloc	6041	2	#####	515	5012.9	0.004828	0.496	0.002486
KY	H L Spurloc	6041	2	#####	513	4978.3	0.004804	0.495	0.002464
KY	H L Spurloc	6041	2	#####	516	4973.3	0.004761	0.494	0.002457
KY	H L Spurloc	6041	2	#####	513	4968.9	0.004853	0.501	0.002489
KY	H L Spurloc	6041	2	#####	519	5095.5	0.004938	0.503	0.002563
KY	H L Spurloc	6041	2	#####	513	5017.3	0.004861	0.497	0.002494
KY	H L Spurloc	6041	2	#####	514	5041.2	0.004865	0.496	0.0025
KY	H L Spurloc	6041	2	#####	530	5304.1	0.004984	0.498	0.002641
KY	H L Spurloc	6041	2	#####	521	5126.5	0.004959	0.504	0.002584
KY	H L Spurloc	6041	2	#####	516	5066	0.004909	0.5	0.002533
KY	H L Spurloc	6041	2	#####	499	4838.1	0.004945	0.51	0.002467
KY	H L Spurloc	6041	2	#####	509	4944.7	0.004916	0.506	0.002502
KY	H L Spurloc	6041	2	#####	514	4980.8	0.004855	0.501	0.002495
KY	H L Spurloc	6041	2	#####	425	3961.1	0.004772	0.512	0.002028
KY	H L Spurloc	6041	2	#####	483	4665.7	0.004907	0.508	0.00237
KY	H L Spurloc	6041	2	#####	409	3797.5	0.004763	0.513	0.001948
KY	H L Spurloc	6041	2	#####	386	3547.5	0.004715	0.513	0.00182
KY	H L Spurloc	6041	2	#####	390	3624.8			
KY	H L Spurloc	6041	2	#####	461	4466.9			
KY	H L Spurloc	6041	2	#####	501	4904.2	0.004894	0.5	0.002452
KY	H L Spurloc	6041	2	#####	508	4976.5	0.004859	0.496	0.002468
KY	H L Spurloc	6041	2	#####	521	5214.9	0.004905	0.49	0.002555
KY	H L Spurloc	6041	2	#####	528	5387.1	0.005081	0.498	0.002683
KY	H L Spurloc	6041	2	#####	529	5639.1	0.005309	0.498	0.002808
KY	H L Spurloc	6041	2	#####	509	5165.8	0.005095	0.502	0.002593
KY	H L Spurloc	6041	2	#####	513	5197.7	0.005066	0.5	0.002599
KY	H L Spurloc	6041	2	#####	518	5257.4	0.005024	0.495	0.002602

KY	H L Spurloc	6041	2	#####	528	5488.3	0.005124	0.493	0.002706
KY	H L Spurloc	6041	2	#####	531	5520	0.005208	0.501	0.002766
KY	H L Spurloc	6041	2	#####	533	5527.7	0.005196	0.501	0.002769
KY	H L Spurloc	6041	2	#####	517	5273.2	0.005039	0.494	0.002605
KY	H L Spurloc	6041	2	#####	514	5271.8	0.005087	0.496	0.002615
KY	H L Spurloc	6041	2	#####	514	5264.5	0.00509	0.497	0.002616
KY	H L Spurloc	6041	2	#####	513	5287	0.005071	0.492	0.002601
KY	H L Spurloc	6041	2	#####	512	5255.4	0.00505	0.492	0.002586
KY	H L Spurloc	6041	2	#####	514	5294.1	0.005006	0.486	0.002573
KY	H L Spurloc	6041	2	#####	495	5038.5	0.004988	0.49	0.002469
KY	H L Spurloc	6041	2	#####	492	4970.6	0.00495	0.49	0.002436
KY	H L Spurloc	6041	2	#####	421	4139.6	0.004966	0.505	0.00209
KY	H L Spurloc	6041	2	#####	389	3810	0.004985	0.509	0.001939
KY	H L Spurloc	6041	2	#####	388	3782.1	0.004981	0.511	0.001933
KY	H L Spurloc	6041	2	#####	441	4451.2			
KY	H L Spurloc	6041	2	#####	443	4494.8			
KY	H L Spurloc	6041	2	#####	468	4743.2			
KY	H L Spurloc	6041	2	#####	508	5037.3			
KY	H L Spurloc	6041	2	#####	510	5095			
KY	H L Spurloc	6041	2	#####	506	5071.5			
KY	H L Spurloc	6041	2	#####	512	5233	0.004906	0.48	0.002512
KY	H L Spurloc	6041	2	#####	515	5300.9	0.004961	0.482	0.002555
KY	H L Spurloc	6041	2	#####	511	5200.6	0.004916	0.483	0.002512
KY	H L Spurloc	6041	2	#####	507	5138.7	0.004895	0.483	0.002482
KY	H L Spurloc	6041	2	#####	514	5216.2	0.004912	0.484	0.002525
KY	H L Spurloc	6041	2	#####	514	5220	0.004946	0.487	0.002542
KY	H L Spurloc	6041	2	#####	514	5256.3	0.00495	0.484	0.002544
KY	H L Spurloc	6041	2	#####	514	5238.8	0.004923	0.483	0.00253
KY	H L Spurloc	6041	2	#####	517	5267.1	0.004921	0.483	0.002544
KY	H L Spurloc	6041	2	#####	530	5461.7	0.004967	0.482	0.002633
KY	H L Spurloc	6041	2	#####	524	5430.1	0.005005	0.483	0.002623
KY	H L Spurloc	6041	2	#####	504	5143.5	0.00497	0.487	0.002505
KY	H L Spurloc	6041	2	#####	509	5248.3	0.004991	0.484	0.00254
KY	H L Spurloc	6041	2	#####	491	4994.4	0.005015	0.493	0.002462
KY	H L Spurloc	6041	2	#####	422	4147.3	0.004904	0.499	0.00207
KY	H L Spurloc	6041	2	#####	389	3752.7	0.004843	0.502	0.001884
KY	H L Spurloc	6041	2	#####	386	3747.9	0.004874	0.502	0.001881
KY	H L Spurloc	6041	2	#####	386	3746.7	0.004873	0.502	0.001881
KY	H L Spurloc	6041	2	#####	386	3736.4	0.004859	0.502	0.001876
KY	H L Spurloc	6041	2	#####	386	3743.2	0.004868	0.502	0.001879
KY	H L Spurloc	6041	2	#####	386	3750	0.004877	0.502	0.001883
KY	H L Spurloc	6041	2	#####	386	3771.9	0.004905	0.502	0.001893
KY	H L Spurloc	6041	2	#####	440	4358.7	0.004953	0.5	0.002179
KY	H L Spurloc	6041	2	#####	443	4417.1	0.004946	0.496	0.002191
KY	H L Spurloc	6041	2	#####	506	5176.4	0.005013	0.49	0.002536
KY	H L Spurloc	6041	2	#####	511	5192.2	0.004969	0.489	0.002539
KY	H L Spurloc	6041	2	#####	504	5129.4	0.004936	0.485	0.002488

KY	H L Spurloc	6041	2 #####	514	5246.2	0.00495	0.485	0.002544
KY	H L Spurloc	6041	2 #####	514	5255.9	0.005031	0.492	0.002586
KY	H L Spurloc	6041	2 #####	515	5281.9	0.005046	0.492	0.002599
KY	H L Spurloc	6041	2 #####	515	5311.6	0.005064	0.491	0.002608
KY	H L Spurloc	6041	2 #####	515	5344.6	0.005075	0.489	0.002614
KY	H L Spurloc	6041	2 #####	514	5375.3	0.005093	0.487	0.002618
KY	H L Spurloc	6041	2 #####	506	5296.2	0.005087	0.486	0.002574
KY	H L Spurloc	6041	2 #####	510	5327.1	0.005139	0.492	0.002621
KY	H L Spurloc	6041	2 #####	521	5481.5	0.005187	0.493	0.002702
KY	H L Spurloc	6041	2 #####	506	5258.1	0.00504	0.485	0.00255
KY	H L Spurloc	6041	2 #####	482	4958.7	0.005031	0.489	0.002425
KY	H L Spurloc	6041	2 #####	456	4631.6	0.005007	0.493	0.002283
KY	H L Spurloc	6041	2 #####	459	4687	0.005044	0.494	0.002315
KY	H L Spurloc	6041	2 #####	455	4643.7	0.005032	0.493	0.002289
KY	H L Spurloc	6041	2 #####	454	4616.7	0.005034	0.495	0.002285
KY	H L Spurloc	6041	2 #####	454	4600.4	0.005016	0.495	0.002277
KY	H L Spurloc	6041	2 #####	455	4633.4	0.005	0.491	0.002275
KY	H L Spurloc	6041	2 #####	455	4628.1	0.004994	0.491	0.002272
KY	H L Spurloc	6041	2 #####	454	4625.6	0.005013	0.492	0.002276
KY	H L Spurloc	6041	2 #####	503	5224.5	0.005058	0.487	0.002544
KY	H L Spurloc	6041	2 #####	474	4835.6	0.004999	0.49	0.002369
KY	H L Spurloc	6041	2 #####	503	5203.1	0.005017	0.485	0.002524
KY	H L Spurloc	6041	2 #####	507	5251	0.005065	0.489	0.002568
KY	H L Spurloc	6041	2 #####	514	5371.6	0.005079	0.486	0.002611
KY	H L Spurloc	6041	2 #####	482	4936.9	0.004998	0.488	0.002409
KY	H L Spurloc	6041	2 #####	512	5332.4	0.00503	0.483	0.002576
KY	H L Spurloc	6041	2 #####	516	5359.8	0.005059	0.487	0.00261
KY	H L Spurloc	6041	2 #####	506	5158.3	0.004965	0.487	0.002512
KY	H L Spurloc	6041	2 #####	500	5080	0.004978	0.49	0.002489
KY	H L Spurloc	6041	2 #####	514	5266.9	0.005011	0.489	0.002576
KY	H L Spurloc	6041	2 #####	506	5151.6	0.005009	0.492	0.002535
KY	H L Spurloc	6041	2 #####	504	5164.9	0.00498	0.486	0.00251
KY	H L Spurloc	6041	2 #####	500	5127.8	0.005046	0.492	0.002523
KY	H L Spurloc	6041	2 #####	511	5234.6	0.00504	0.492	0.002575
KY	H L Spurloc	6041	2 #####	450	4407.6	0.004868	0.497	0.002191
KY	H L Spurloc	6041	2 8/1/2022	351	3391.3	0.004957	0.513	0.00174
KY	H L Spurloc	6041	2 8/1/2022	392	3874.7	0.004992	0.505	0.001957
KY	H L Spurloc	6041	2 8/1/2022	390	3832	0.004972	0.506	0.001939
KY	H L Spurloc	6041	2 8/1/2022	389	3835.2	0.004999	0.507	0.001944
KY	H L Spurloc	6041	2 8/1/2022	388	3798.4	0.004954	0.506	0.001922
KY	H L Spurloc	6041	2 8/1/2022	405	3984.8	0.004979	0.506	0.002016
KY	H L Spurloc	6041	2 8/1/2022	400	3928.9	0.00495	0.504	0.00198
KY	H L Spurloc	6041	2 8/1/2022	475	4807.1	0.00505	0.499	0.002399
KY	H L Spurloc	6041	2 8/1/2022	500	5045.9	0.005964	0.591	0.002982
KY	H L Spurloc	6041	2 8/1/2022	505	5136.5	0.005991	0.589	0.003025
KY	H L Spurloc	6041	2 8/1/2022	511	5244.2	0.00588	0.573	0.003005
KY	H L Spurloc	6041	2 8/1/2022	513	5211.5	0.005862	0.577	0.003007

KY	H L Spurloc	6041	2	8/1/2022	513	5235.7	0.005899	0.578	0.003026
KY	H L Spurloc	6041	2	8/1/2022	528	5454	0.006001	0.581	0.003169
KY	H L Spurloc	6041	2	8/1/2022	554	5830	0.006135	0.583	0.003399
KY	H L Spurloc	6041	2	8/1/2022	555	5841.9	0.006147	0.584	0.003412
KY	H L Spurloc	6041	2	8/1/2022	548	5704.5	0.006079	0.584	0.003331
KY	H L Spurloc	6041	2	8/1/2022	522	5346	0.00592	0.578	0.00309
KY	H L Spurloc	6041	2	8/1/2022	533	5490.8	0.005996	0.582	0.003196
KY	H L Spurloc	6041	2	8/1/2022	527	5423.1	0.005989	0.582	0.003156
KY	H L Spurloc	6041	2	8/1/2022	522	5329.8	0.005942	0.582	0.003102
KY	H L Spurloc	6041	2	8/1/2022	498	5058.4	0.005922	0.583	0.002949
KY	H L Spurloc	6041	2	8/1/2022	509	5129.3	0.005865	0.582	0.002985
KY	H L Spurloc	6041	2	8/1/2022	398	3909.9	0.005816	0.592	0.002315
KY	H L Spurloc	6041	2	8/2/2022	401	3941.7	0.005809	0.591	0.00233
KY	H L Spurloc	6041	2	8/2/2022	438	4400.1	0.005907	0.588	0.002587
KY	H L Spurloc	6041	2	8/2/2022	412	4066.1	0.005862	0.594	0.002415
KY	H L Spurloc	6041	2	8/2/2022	390	3777.5	0.005802	0.599	0.002263
KY	H L Spurloc	6041	2	8/2/2022	389	3765.9	0.005809	0.6	0.00226
KY	H L Spurloc	6041	2	8/2/2022	437	4361.6	0.005849	0.586	0.002556
KY	H L Spurloc	6041	2	8/2/2022	423	4144.2	0.00579	0.591	0.002449
KY	H L Spurloc	6041	2	8/2/2022	405	3935.2	0.005733	0.59	0.002322
KY	H L Spurloc	6041	2	8/2/2022	472	4736.1	0.00578	0.576	0.002728
KY	H L Spurloc	6041	2	8/2/2022	491	4911.9	0.005832	0.583	0.002864
KY	H L Spurloc	6041	2	8/2/2022	506	5062.7	0.005773	0.577	0.002921
KY	H L Spurloc	6041	2	8/2/2022	518	5280.3	0.005922	0.581	0.003068
KY	H L Spurloc	6041	2	8/2/2022	516	5245.9	0.005876	0.578	0.003032
KY	H L Spurloc	6041	2	8/2/2022	504	5049.5	0.005821	0.581	0.002934
KY	H L Spurloc	6041	2	8/2/2022	526	5444	0.005941	0.574	0.003125
KY	H L Spurloc	6041	2	8/2/2022	524	5433.6	0.006025	0.581	0.003157
KY	H L Spurloc	6041	2	8/2/2022	541	5616.9	0.006043	0.582	0.003269
KY	H L Spurloc	6041	2	8/2/2022	519	5313.2	0.00602	0.588	0.003124
KY	H L Spurloc	6041	2	8/2/2022	512	5169.3	0.005856	0.58	0.002998
KY	H L Spurloc	6041	2	8/2/2022	511	5140.4	0.005814	0.578	0.002971
KY	H L Spurloc	6041	2	8/2/2022	514	5209.8	0.005869	0.579	0.003016
KY	H L Spurloc	6041	2	8/2/2022	505	5089.1	0.005865	0.582	0.002962
KY	H L Spurloc	6041	2	8/2/2022	503	5022.6	0.005801	0.581	0.002918
KY	H L Spurloc	6041	2	8/2/2022	547	5656.6	0.006008	0.581	0.003286
KY	H L Spurloc	6041	2	8/3/2022	556	5744.4	0.006044	0.585	0.00336
KY	H L Spurloc	6041	2	8/3/2022	556	5666.1	0.005951	0.584	0.003309
KY	H L Spurloc	6041	2	8/3/2022	556	5705.8	0.005993	0.584	0.003332
KY	H L Spurloc	6041	2	8/3/2022	556	5727.3	0.005995	0.582	0.003333
KY	H L Spurloc	6041	2	8/3/2022	556	5729.7	0.006008	0.583	0.00334
KY	H L Spurloc	6041	2	8/3/2022	556	5687.4	0.005902	0.577	0.003282
KY	H L Spurloc	6041	2	8/3/2022	555	5641.3	0.005865	0.577	0.003255
KY	H L Spurloc	6041	2	8/3/2022	554	5730.9	0.005979	0.578	0.003312
KY	H L Spurloc	6041	2	8/3/2022	555	5795.6	0.006088	0.583	0.003379
KY	H L Spurloc	6041	2	8/3/2022	555	5783.3	0.00595	0.571	0.003302
KY	H L Spurloc	6041	2	8/3/2022	555	5805.8	0.005973	0.571	0.003315

KY	H L Spurloc	6041	2	8/3/2022	555	5873.6	0.00617	0.583	0.003424
KY	H L Spurloc	6041	2	8/3/2022	554	5861.9	0.006169	0.583	0.003417
KY	H L Spurloc	6041	2	8/3/2022	555	5848.5	0.006144	0.583	0.00341
KY	H L Spurloc	6041	2	8/3/2022	555	5879.2	0.006208	0.586	0.003445
KY	H L Spurloc	6041	2	8/3/2022	555	5874.9	0.006203	0.586	0.003443
KY	H L Spurloc	6041	2	8/3/2022	555	5842.9	0.006138	0.583	0.003406
KY	H L Spurloc	6041	2	8/3/2022	555	5905.4	0.006225	0.585	0.003455
KY	H L Spurloc	6041	2	8/3/2022	554	5896.5	0.006237	0.586	0.003455
KY	H L Spurloc	6041	2	8/3/2022	555	5872.7	0.006222	0.588	0.003453
KY	H L Spurloc	6041	2	8/3/2022	555	5862.4	0.006243	0.591	0.003465
KY	H L Spurloc	6041	2	8/3/2022	554	5871.5	0.006242	0.589	0.003458
KY	H L Spurloc	6041	2	8/3/2022	555	5785.3	0.006119	0.587	0.003396
KY	H L Spurloc	6041	2	8/3/2022	509	5147.1	0.005966	0.59	0.003037
KY	H L Spurloc	6041	2	8/4/2022	440	4212.5	0.005668	0.592	0.002494
KY	H L Spurloc	6041	2	8/4/2022	388	3666.3	0.005622	0.595	0.002181
KY	H L Spurloc	6041	2	8/4/2022	388	3660.1	0.005622	0.596	0.002181
KY	H L Spurloc	6041	2	8/4/2022	388	3698	0.005709	0.599	0.002215
KY	H L Spurloc	6041	2	8/4/2022	391	3718.4	0.005696	0.599	0.002227
KY	H L Spurloc	6041	2	8/4/2022	494	4957.8	0.005851	0.583	0.00289
KY	H L Spurloc	6041	2	8/4/2022	460	4520.5	0.005759	0.586	0.002649
KY	H L Spurloc	6041	2	8/4/2022	484	4825	0.005882	0.59	0.002847
KY	H L Spurloc	6041	2	8/4/2022	485	4943.9	0.005994	0.588	0.002907
KY	H L Spurloc	6041	2	8/4/2022	495	5068.9	0.006062	0.592	0.003001
KY	H L Spurloc	6041	2	8/4/2022	513	5336.5	0.006096	0.586	0.003127
KY	H L Spurloc	6041	2	8/4/2022	513	5373.9	0.006128	0.585	0.003144
KY	H L Spurloc	6041	2	8/4/2022	511	5250.6	0.006021	0.586	0.003077
KY	H L Spurloc	6041	2	8/4/2022	513	5289	0.006042	0.586	0.003099
KY	H L Spurloc	6041	2	8/4/2022	515	5293.1	0.006023	0.586	0.003102
KY	H L Spurloc	6041	2	8/4/2022	517	5439.7	0.006218	0.591	0.003215
KY	H L Spurloc	6041	2	8/4/2022	519	5490.8	0.006253	0.591	0.003245
KY	H L Spurloc	6041	2	8/4/2022	518	5379.9	0.006128	0.59	0.003174
KY	H L Spurloc	6041	2	8/4/2022	514	5331.5	0.00613	0.591	0.003151
KY	H L Spurloc	6041	2	8/4/2022	523	5541.2	0.006315	0.596	0.003303
KY	H L Spurloc	6041	2	8/4/2022	510	5352.1	0.006234	0.594	0.003179
KY	H L Spurloc	6041	2	8/4/2022	504	5240.7	0.006187	0.595	0.003118
KY	H L Spurloc	6041	2	8/4/2022	500	5195.7	0.006121	0.589	0.00306
KY	H L Spurloc	6041	2	8/4/2022	483	4975.7	0.006109	0.593	0.002951
KY	H L Spurloc	6041	2	8/5/2022	448	4538.2	0.006017	0.594	0.002696
KY	H L Spurloc	6041	2	8/5/2022	447	4533.9	0.006035	0.595	0.002698
KY	H L Spurloc	6041	2	8/5/2022	447	4530.3	0.006	0.592	0.002682
KY	H L Spurloc	6041	2	8/5/2022	447	4553.3	0.00602	0.591	0.002691
KY	H L Spurloc	6041	2	8/5/2022	445	4499	0.006026	0.596	0.002681
KY	H L Spurloc	6041	2	8/5/2022	463	4736.6	0.006046	0.591	0.002799
KY	H L Spurloc	6041	2	8/5/2022	478	4933.1	0.00612	0.593	0.002925
KY	H L Spurloc	6041	2	8/5/2022	445	4482.2	0.006033	0.599	0.002685
KY	H L Spurloc	6041	2	8/5/2022	496	5098.3	0.006075	0.591	0.003013
KY	H L Spurloc	6041	2	8/5/2022	517	5328	0.006132	0.595	0.00317

KY	H L Spurloc	6041	2	8/5/2022	518	5472.1	0.006286	0.595	0.003256
KY	H L Spurloc	6041	2	8/5/2022	523	5531.1	0.006367	0.602	0.00333
KY	H L Spurloc	6041	2	8/5/2022	516	5453.6	0.006352	0.601	0.003278
KY	H L Spurloc	6041	2	8/5/2022	537	5764.1	0.00643	0.599	0.003453
KY	H L Spurloc	6041	2	8/5/2022	535	5735.7	0.006443	0.601	0.003447
KY	H L Spurloc	6041	2	8/5/2022	519	5499.9	0.006369	0.601	0.003305
KY	H L Spurloc	6041	2	8/5/2022	535	5658.4	0.006356	0.601	0.003401
KY	H L Spurloc	6041	2	8/5/2022	528	5613.8	0.006337	0.596	0.003346
KY	H L Spurloc	6041	2	8/5/2022	523	5447.6	0.006041	0.58	0.00316
KY	H L Spurloc	6041	2	8/5/2022	517	5331.7	0.005909	0.573	0.003055
KY	H L Spurloc	6041	2	8/5/2022	505	5223.9	0.005969	0.577	0.003014
KY	H L Spurloc	6041	2	8/5/2022	501	5196	0.006181	0.596	0.003097
KY	H L Spurloc	6041	2	8/5/2022	515	5388.7	0.00609	0.582	0.003136
KY	H L Spurloc	6041	2	8/5/2022	505	5217.8	0.00592	0.573	0.00299
KY	H L Spurloc	6041	2	8/6/2022	484	4980	0.005999	0.583	0.002903
KY	H L Spurloc	6041	2	8/6/2022	394	3945.1	0.006008	0.6	0.002367
KY	H L Spurloc	6041	2	8/6/2022	390	3919.8	0.006071	0.604	0.002368
KY	H L Spurloc	6041	2	8/6/2022	389	3908.4	0.006099	0.607	0.002372
KY	H L Spurloc	6041	2	8/6/2022	390	3920.4	0.006092	0.606	0.002376
KY	H L Spurloc	6041	2	8/6/2022	389	3913.5	0.006076	0.604	0.002364
KY	H L Spurloc	6041	2	8/6/2022	390	3937.9	0.006068	0.601	0.002367
KY	H L Spurloc	6041	2	8/6/2022	468	4853.9	0.006026	0.581	0.00282
KY	H L Spurloc	6041	2	8/6/2022	509	5305.9	0.005973	0.573	0.00304
KY	H L Spurloc	6041	2	8/6/2022	496	5137.6	0.005966	0.576	0.002959
KY	H L Spurloc	6041	2	8/6/2022	511	5290.7	0.005912	0.571	0.003021
KY	H L Spurloc	6041	2	8/6/2022	504	5168.4	0.005866	0.572	0.002956
KY	H L Spurloc	6041	2	8/6/2022	509	5189.4	0.005862	0.575	0.002984
KY	H L Spurloc	6041	2	8/6/2022	526	5462.4	0.005867	0.565	0.003086
KY	H L Spurloc	6041	2	8/6/2022	514	5311.5	0.00588	0.569	0.003022
KY	H L Spurloc	6041	2	8/6/2022	534	5604.2	0.00594	0.566	0.003172
KY	H L Spurloc	6041	2	8/6/2022	539	5632.1	0.005935	0.568	0.003199
KY	H L Spurloc	6041	2	8/6/2022	524	5423.6	0.005889	0.569	0.003086
KY	H L Spurloc	6041	2	8/6/2022	514	5375.3	0.006003	0.574	0.003085
KY	H L Spurloc	6041	2	8/6/2022	526	5577.6	0.006235	0.588	0.00328
KY	H L Spurloc	6041	2	8/6/2022	502	5228	0.006124	0.588	0.003074
KY	H L Spurloc	6041	2	8/6/2022	503	5253.9	0.006184	0.592	0.00311
KY	H L Spurloc	6041	2	8/6/2022	508	5288.4	0.006142	0.59	0.00312
KY	H L Spurloc	6041	2	8/6/2022	448	4548.8	0.00594	0.585	0.002661
KY	H L Spurloc	6041	2	8/7/2022	394	3939.3	0.005939	0.594	0.00234
KY	H L Spurloc	6041	2	8/7/2022	436	4452	0.005963	0.584	0.0026
KY	H L Spurloc	6041	2	8/7/2022	391	3893.1	0.005974	0.6	0.002336
KY	H L Spurloc	6041	2	8/7/2022	390	3916.4	0.006005	0.598	0.002342
KY	H L Spurloc	6041	2	8/7/2022	390	3899	0.005988	0.599	0.002336
KY	H L Spurloc	6041	2	8/7/2022	390	3908.2	0.006003	0.599	0.002341
KY	H L Spurloc	6041	2	8/7/2022	390	3909.1	0.006004	0.599	0.002342
KY	H L Spurloc	6041	2	8/7/2022	389	3932.1	0.006105	0.604	0.002375
KY	H L Spurloc	6041	2	8/7/2022	439	4535.4	0.006126	0.593	0.002689

KY	H L Spurloc	6041	2	8/7/2022	502	5280.6	0.006048	0.575	0.003036
KY	H L Spurloc	6041	2	8/7/2022	520	5504	0.006001	0.567	0.003121
KY	H L Spurloc	6041	2	8/7/2022	516	5416.1	0.005993	0.571	0.003093
KY	H L Spurloc	6041	2	8/7/2022	510	5433	0.006189	0.581	0.003157
KY	H L Spurloc	6041	2	8/7/2022	510	5318.9	0.005955	0.571	0.003037
KY	H L Spurloc	6041	2	8/7/2022	519	5499.1	0.006114	0.577	0.003173
KY	H L Spurloc	6041	2	8/7/2022	527	5601.5	0.006346	0.597	0.003344
KY	H L Spurloc	6041	2	8/7/2022	547	5917.2	0.006415	0.593	0.003509
KY	H L Spurloc	6041	2	8/7/2022	529	5661.4	0.0064	0.598	0.003386
KY	H L Spurloc	6041	2	8/7/2022	523	5466.8	0.00601	0.575	0.003143
KY	H L Spurloc	6041	2	8/7/2022	525	5448.9	0.005906	0.569	0.0031
KY	H L Spurloc	6041	2	8/7/2022	531	5476.1	0.00592	0.574	0.003143
KY	H L Spurloc	6041	2	8/7/2022	522	5357.9	0.005892	0.574	0.003075
KY	H L Spurloc	6041	2	8/7/2022	501	5092.4	0.005855	0.576	0.002933
KY	H L Spurloc	6041	2	8/7/2022	500	5061.3	0.005831	0.576	0.002915
KY	H L Spurloc	6041	2	8/8/2022	472	4687.2	0.005829	0.587	0.002751
KY	H L Spurloc	6041	2	8/8/2022	481	4739.5	0.005774	0.586	0.002777
KY	H L Spurloc	6041	2	8/8/2022	411	4074.5	0.005938	0.599	0.002441
KY	H L Spurloc	6041	2	8/8/2022	390	3805.1	0.005864	0.601	0.002287
KY	H L Spurloc	6041	2	8/8/2022	457	4544.3	0.005897	0.593	0.002695
KY	H L Spurloc	6041	2	8/8/2022	487	4985.8	0.006061	0.592	0.002952
KY	H L Spurloc	6041	2	8/8/2022	503	5102.1	0.005822	0.574	0.002929
KY	H L Spurloc	6041	2	8/8/2022	501	5063.2	0.005771	0.571	0.002891
KY	H L Spurloc	6041	2	8/8/2022	530	5513.4	0.005233	0.503	0.002773
KY	H L Spurloc	6041	2	8/8/2022	513	5353.1	0.005353	0.513	0.002746
KY	H L Spurloc	6041	2	8/8/2022	512	5304.8	0.005284	0.51	0.002705
KY	H L Spurloc	6041	2	8/8/2022	511	5366.5	0.005335	0.508	0.002726
KY	H L Spurloc	6041	2	8/8/2022	539	5737.7	0.005354	0.503	0.002886
KY	H L Spurloc	6041	2	8/8/2022	553	6022	0.005445	0.5	0.003011
KY	H L Spurloc	6041	2	8/8/2022	547	5987.3	0.005768	0.527	0.003155
KY	H L Spurloc	6041	2	8/8/2022	560	6224	0.005857	0.527	0.00328
KY	H L Spurloc	6041	2	8/8/2022	560	6231.5	0.005853	0.526	0.003278
KY	H L Spurloc	6041	2	8/8/2022	549	6097.9	0.005831	0.525	0.003201
KY	H L Spurloc	6041	2	8/8/2022	559	6124	0.005752	0.525	0.003215
KY	H L Spurloc	6041	2	8/8/2022	531	5859.5	0.005749	0.521	0.003053
KY	H L Spurloc	6041	2	8/8/2022	503	5488.7	0.005685	0.521	0.00286
KY	H L Spurloc	6041	2	8/8/2022	507	5552.3	0.005749	0.525	0.002915
KY	H L Spurloc	6041	2	8/8/2022	525	5789.9	0.005746	0.521	0.003017
KY	H L Spurloc	6041	2	8/8/2022	521	5712.9	0.005757	0.525	0.002999
KY	H L Spurloc	6041	2	8/9/2022	512	5605.9	0.005748	0.525	0.002943
KY	H L Spurloc	6041	2	8/9/2022	437	4624.7	0.005535	0.523	0.002419
KY	H L Spurloc	6041	2	8/9/2022	392	4071.4	0.005474	0.527	0.002146
KY	H L Spurloc	6041	2	8/9/2022	395	4101.3	0.005503	0.53	0.002174
KY	H L Spurloc	6041	2	8/9/2022	511	5548	0.005537	0.51	0.002829
KY	H L Spurloc	6041	2	8/9/2022	514	5514.2	0.005471	0.51	0.002812
KY	H L Spurloc	6041	2	8/9/2022	489	5160.6	0.005403	0.512	0.002642
KY	H L Spurloc	6041	2	8/9/2022	502	5358.5	0.005455	0.511	0.002738

KY	H L Spurloc	6041	2	8/9/2022	533	5797.3	0.00546	0.502	0.00291
KY	H L Spurloc	6041	2	8/9/2022	559	6140.5	0.005492	0.5	0.00307
KY	H L Spurloc	6041	2	8/9/2022	526	5682.4	0.005466	0.506	0.002875
KY	H L Spurloc	6041	2	8/9/2022	501	5364	0.005428	0.507	0.00272
KY	H L Spurloc	6041	2	8/9/2022	504	5394.3	0.005448	0.509	0.002746
KY	H L Spurloc	6041	2	8/9/2022	517	5596.5	0.005499	0.508	0.002843
KY	H L Spurloc	6041	2	8/9/2022	544	6020.9	0.005678	0.513	0.003089
KY	H L Spurloc	6041	2	8/9/2022	548	6095.9	0.005873	0.528	0.003219
KY	H L Spurloc	6041	2	8/9/2022	530	5812.2	0.005648	0.515	0.002993
KY	H L Spurloc	6041	2	8/9/2022	511	5498.7	0.005477	0.509	0.002799
KY	H L Spurloc	6041	2	8/9/2022	506	5400.7	0.005443	0.51	0.002754
KY	H L Spurloc	6041	2	8/9/2022	512	5511.6	0.005501	0.511	0.002816
KY	H L Spurloc	6041	2	8/9/2022	507	5443.4	0.005454	0.508	0.002765
KY	H L Spurloc	6041	2	8/9/2022	503	5345.8	0.005452	0.513	0.002742
KY	H L Spurloc	6041	2	8/9/2022	512	5450.7	0.005461	0.513	0.002796
KY	H L Spurloc	6041	2	8/9/2022	511	5451.7	0.005441	0.51	0.00278
KY	H L Spurloc	6041	2	#####	474	5031.2	0.005466	0.515	0.002591
KY	H L Spurloc	6041	2	#####	393	4035.7	0.005453	0.531	0.002143
KY	H L Spurloc	6041	2	#####	391	3992.7	0.005453	0.534	0.002132
KY	H L Spurloc	6041	2	#####	390	3990.2	0.005423	0.53	0.002115
KY	H L Spurloc	6041	2	#####	398	4077.7	0.00541	0.528	0.002153
KY	H L Spurloc	6041	2	#####	462	4929.7	0.005463	0.512	0.002524
KY	H L Spurloc	6041	2	#####	409	4247	0.005441	0.524	0.002225
KY	H L Spurloc	6041	2	#####	483	5180.5	0.005492	0.512	0.002652
KY	H L Spurloc	6041	2	#####	500	5457.1	0.005544	0.508	0.002772
KY	H L Spurloc	6041	2	#####	512	5622	0.005578	0.508	0.002856
KY	H L Spurloc	6041	2	#####	514	5627	0.005572	0.509	0.002864
KY	H L Spurloc	6041	2	#####	513	5547.7	0.005504	0.509	0.002824
KY	H L Spurloc	6041	2	#####	508	5444	0.005455	0.509	0.002771
KY	H L Spurloc	6041	2	#####	524	5661.1	0.005488	0.508	0.002876
KY	H L Spurloc	6041	2	#####	504	5380.2	0.005498	0.515	0.002771
KY	H L Spurloc	6041	2	#####	516	5540.3	0.005508	0.513	0.002842
KY	H L Spurloc	6041	2	#####	517	5545.9	0.005503	0.513	0.002845
KY	H L Spurloc	6041	2	#####	516	5520.8	0.005457	0.51	0.002816
KY	H L Spurloc	6041	2	#####	508	5401.9	0.005434	0.511	0.00276
KY	H L Spurloc	6041	2	#####	506	5346.4	0.00541	0.512	0.002737
KY	H L Spurloc	6041	2	#####	498	5227.3	0.005427	0.517	0.002703
KY	H L Spurloc	6041	2	#####	506	5331.7	0.005458	0.518	0.002762
KY	H L Spurloc	6041	2	#####	503	5307	0.005434	0.515	0.002733
KY	H L Spurloc	6041	2	#####	497	5233.9	0.005445	0.517	0.002706
KY	H L Spurloc	6041	2	#####	411	4169.7	0.005367	0.529	0.002206
KY	H L Spurloc	6041	2	#####	400	4030.6	0.005341	0.53	0.002136
KY	H L Spurloc	6041	2	#####	389	3882.9	0.0053	0.531	0.002062
KY	H L Spurloc	6041	2	#####	387	3844.7	0.005285	0.532	0.002045
KY	H L Spurloc	6041	2	#####	401	4039.2	0.005318	0.528	0.002133
KY	H L Spurloc	6041	2	#####	463	4811.4	0.005435	0.523	0.002516
KY	H L Spurloc	6041	2	#####	498	5217	0.00551	0.526	0.002744

KY	H L Spurloc	6041	2	#####	527	5549.6	0.005423	0.515	0.002858
KY	H L Spurloc	6041	2	#####	512	5379.7	0.005359	0.51	0.002744
KY	H L Spurloc	6041	2	#####	514	5415.1	0.005373	0.51	0.002762
KY	H L Spurloc	6041	2	#####	512	5291.8	0.005261	0.509	0.002694
KY	H L Spurloc	6041	2	#####	501	5134	0.005277	0.515	0.002644
KY	H L Spurloc	6041	2	#####	506	5236.7	0.005278	0.51	0.002671
KY	H L Spurloc	6041	2	#####	512	5297.8	0.005277	0.51	0.002702
KY	H L Spurloc	6041	2	#####	516	5321.8	0.005291	0.513	0.00273
KY	H L Spurloc	6041	2	#####	516	5363.7	0.005333	0.513	0.002752
KY	H L Spurloc	6041	2	#####	516	5334.1	0.005293	0.512	0.002731
KY	H L Spurloc	6041	2	#####	506	5198.7	0.005271	0.513	0.002667
KY	H L Spurloc	6041	2	#####	501	5129	0.005242	0.512	0.002626
KY	H L Spurloc	6041	2	#####	501	5137.4	0.005291	0.516	0.002651
KY	H L Spurloc	6041	2	#####	507	5226.4	0.005309	0.515	0.002692
KY	H L Spurloc	6041	2	#####	493	5125.2	0.005354	0.515	0.002639
KY	H L Spurloc	6041	2	#####	414	4137.4	0.005257	0.526	0.002176
KY	H L Spurloc	6041	2	#####	411	4046.8	0.005219	0.53	0.002145
KY	H L Spurloc	6041	2	#####	390	3827.5	0.005221	0.532	0.002036
KY	H L Spurloc	6041	2	#####	390	3813.6	0.005251	0.537	0.002048
KY	H L Spurloc	6041	2	#####	391	3786	0.005209	0.538	0.002037
KY	H L Spurloc	6041	2	#####	390	3767.6	0.005168	0.535	0.002016
KY	H L Spurloc	6041	2	#####	391	3778.6	0.00518	0.536	0.002025
KY	H L Spurloc	6041	2	#####	390	3769.2	0.00518	0.536	0.00202
KY	H L Spurloc	6041	2	#####	391	3766.4	0.005163	0.536	0.002019
KY	H L Spurloc	6041	2	#####	490	4930	0.005151	0.512	0.002524
KY	H L Spurloc	6041	2	#####	510	5163.1	0.005204	0.514	0.002654
KY	H L Spurloc	6041	2	#####	513	5254.5	0.005224	0.51	0.00268
KY	H L Spurloc	6041	2	#####	505	5048.4	0.005148	0.515	0.0026
KY	H L Spurloc	6041	2	#####	506	4992.1	0.005081	0.515	0.002571
KY	H L Spurloc	6041	2	#####	493	4799.8	0.005024	0.516	0.002477
KY	H L Spurloc	6041	2	#####	513	5070.8	0.005041	0.51	0.002586
KY	H L Spurloc	6041	2	#####	515	5073.1	0.005024	0.51	0.002587
KY	H L Spurloc	6041	2	#####	515	5174.7	0.005185	0.516	0.00267
KY	H L Spurloc	6041	2	#####	515	5179.2	0.005139	0.511	0.002647
KY	H L Spurloc	6041	2	#####	515	5142.4	0.005063	0.507	0.002607
KY	H L Spurloc	6041	2	#####	501	4963.5	0.005043	0.509	0.002526
KY	H L Spurloc	6041	2	#####	506	5004.5	0.005044	0.51	0.002552
KY	H L Spurloc	6041	2	#####	512	5087.5	0.005107	0.514	0.002615
KY	H L Spurloc	6041	2	#####	500	4962.3	0.005191	0.523	0.002595
KY	H L Spurloc	6041	2	#####	496	4899.8	0.005068	0.513	0.002514
KY	H L Spurloc	6041	2	#####	547	5496.9	0.005065	0.504	0.00277
KY	H L Spurloc	6041	2	#####	511	5037.4	0.005067	0.514	0.002589
KY	H L Spurloc	6041	2	#####	546	5570.4	0.005295	0.519	0.002891
KY	H L Spurloc	6041	2	#####	541	5453.1	0.005322	0.528	0.002879
KY	H L Spurloc	6041	2	#####	522	5169.6	0.00514	0.519	0.002683
KY	H L Spurloc	6041	2	#####	513	4998.6	0.004969	0.51	0.002549
KY	H L Spurloc	6041	2	#####	502	4864.7	0.004942	0.51	0.002481

KY	H L Spurloc	6041	2	#####	505	4906	0.004974	0.512	0.002512
KY	H L Spurloc	6041	2	#####	506	4929.3	0.004978	0.511	0.002519
KY	H L Spurloc	6041	2	#####	553	5595.5	0.005302	0.524	0.002932
KY	H L Spurloc	6041	2	#####	559	5728.8	0.005401	0.527	0.003019
KY	H L Spurloc	6041	2	#####	556	5670.5	0.005303	0.52	0.002949
KY	H L Spurloc	6041	2	#####	555	5649	0.005354	0.526	0.002971
KY	H L Spurloc	6041	2	#####	554	5589.3	0.005125	0.508	0.002839
KY	H L Spurloc	6041	2	#####	553	5529.1	0.005039	0.504	0.002787
KY	H L Spurloc	6041	2	#####	553	5546.3	0.005035	0.502	0.002784
KY	H L Spurloc	6041	2	#####	552	5514.1	0.005065	0.507	0.002796
KY	H L Spurloc	6041	2	#####	553	5524.4	0.005055	0.506	0.002795
KY	H L Spurloc	6041	2	#####	553	5577.5	0.005093	0.505	0.002817
KY	H L Spurloc	6041	2	#####	552	5606.2	0.005119	0.504	0.002826
KY	H L Spurloc	6041	2	#####	553	5631.1	0.005142	0.505	0.002844
KY	H L Spurloc	6041	2	#####	554	5591.8	0.005097	0.505	0.002824
KY	H L Spurloc	6041	2	#####	552	5538.1	0.005097	0.508	0.002813
KY	H L Spurloc	6041	2	#####	553	5626.1	0.005168	0.508	0.002858
KY	H L Spurloc	6041	2	#####	461	4519.1	0.005107	0.521	0.002354
KY	H L Spurloc	6041	2	#####	396	3673.2	0.004953	0.534	0.001961
KY	H L Spurloc	6041	2	#####	388	3607.8	0.004993	0.537	0.001937
KY	H L Spurloc	6041	2	#####	390	3745.3	0.005119	0.533	0.001996
KY	H L Spurloc	6041	2	#####	388	3740.1	0.005138	0.533	0.001993
KY	H L Spurloc	6041	2	#####	389	3730.7	0.005131	0.535	0.001996
KY	H L Spurloc	6041	2	#####	389	3767.8	0.005201	0.537	0.002023
KY	H L Spurloc	6041	2	#####	389	3756.4	0.005166	0.535	0.00201
KY	H L Spurloc	6041	2	#####	388	3765.9	0.005193	0.535	0.002015
KY	H L Spurloc	6041	2	#####	390	3789.9	0.005199	0.535	0.002028
KY	H L Spurloc	6041	2	#####	387	3724.6	0.005159	0.536	0.001996
KY	H L Spurloc	6041	2	#####	405	3938.7	0.005203	0.535	0.002107
KY	H L Spurloc	6041	2	#####	437	4289.9	0.005232	0.533	0.002287
KY	H L Spurloc	6041	2	#####	494	4937.9	0.005168	0.517	0.002553
KY	H L Spurloc	6041	2	#####	506	5061.3	0.005151	0.515	0.002607
KY	H L Spurloc	6041	2	#####	500	5014.4	0.005255	0.524	0.002628
KY	H L Spurloc	6041	2	#####	513	5189.3	0.005381	0.532	0.002761
KY	H L Spurloc	6041	2	#####	517	5253.4	0.005345	0.526	0.002763
KY	H L Spurloc	6041	2	#####	515	5189.8	0.005139	0.51	0.002647
KY	H L Spurloc	6041	2	#####	528	5362.7	0.00517	0.509	0.00273
KY	H L Spurloc	6041	2	#####	538	5327	0.00507	0.512	0.002727
KY	H L Spurloc	6041	2	#####	504	4971.1	0.005099	0.517	0.00257
KY	H L Spurloc	6041	2	#####	486	4766.5	0.00509	0.519	0.002474
KY	H L Spurloc	6041	2	#####	428	4098.2	0.005065	0.529	0.002168
KY	H L Spurloc	6041	2	#####	402	3834.6	0.005103	0.535	0.002052
KY	H L Spurloc	6041	2	#####	444	4320.5	0.005118	0.526	0.002273
KY	H L Spurloc	6041	2	#####	421	4073.1	0.005137	0.531	0.002163
KY	H L Spurloc	6041	2	#####	390	3713	0.005113	0.537	0.001994
KY	H L Spurloc	6041	2	#####	390	3727.4	0.005142	0.538	0.002005
KY	H L Spurloc	6041	2	#####	411	4024.3	0.00518	0.529	0.002129

KY	H L Spurloc	6041	2 #####	453	4497.3	0.005153	0.519	0.002334
KY	H L Spurloc	6041	2 #####	494	4910.2	0.005139	0.517	0.002539
KY	H L Spurloc	6041	2 #####	512	5122.8	0.005873	0.587	0.003007
KY	H L Spurloc	6041	2 #####	510	5037.6	0.005838	0.591	0.002977
KY	H L Spurloc	6041	2 #####	523	5211.5	0.005919	0.594	0.003096
KY	H L Spurloc	6041	2 #####	499	4905.1	0.0058	0.59	0.002894
KY	H L Spurloc	6041	2 #####	512	5045.5	0.005844	0.593	0.002992
KY	H L Spurloc	6041	2 #####	513	5059.1	0.005799	0.588	0.002975
KY	H L Spurloc	6041	2 #####	513	5042.6	0.00579	0.589	0.00297
KY	H L Spurloc	6041	2 #####	514	5079.6	0.005821	0.589	0.002992
KY	H L Spurloc	6041	2 #####	514	5060.6	0.005829	0.592	0.002996
KY	H L Spurloc	6041	2 #####	514	5065.2	0.005765	0.585	0.002963
KY	H L Spurloc	6041	2 #####	515	5097.5	0.0058	0.586	0.002987
KY	H L Spurloc	6041	2 #####	514	5124	0.005842	0.586	0.003003
KY	H L Spurloc	6041	2 #####	523	5296.5	0.005945	0.587	0.003109
KY	H L Spurloc	6041	2 #####	524	5318.1	0.00615	0.606	0.003223
KY	H L Spurloc	6041	2 #####	516	5130.5	0.005936	0.597	0.003063
KY	H L Spurloc	6041	2 #####	471	4621.4	0.005917	0.603	0.002787
KY	H L Spurloc	6041	2 #####	481	4767.7	0.005937	0.599	0.002856
KY	H L Spurloc	6041	2 #####	502	4978	0.00589	0.594	0.002957
KY	H L Spurloc	6041	2 #####	504	5021	0.005898	0.592	0.002972
KY	H L Spurloc	6041	2 #####	421	4054.9	0.005875	0.61	0.002473
KY	H L Spurloc	6041	2 #####	387	3693.1	0.005907	0.619	0.002286
KY	H L Spurloc	6041	2 #####	387	3728.4	0.005992	0.622	0.002319
KY	H L Spurloc	6041	2 #####	387	3708.9	0.005961	0.622	0.002307
KY	H L Spurloc	6041	2 #####	387	3698.2	0.005944	0.622	0.0023
KY	H L Spurloc	6041	2 #####	387	3695.8	0.00593	0.621	0.002295
KY	H L Spurloc	6041	2 #####	387	3711.6	0.005946	0.62	0.002301
KY	H L Spurloc	6041	2 #####	486	4873.8	0.005987	0.597	0.00291
KY	H L Spurloc	6041	2 #####	496	4954.5	0.005943	0.595	0.002948
KY	H L Spurloc	6041	2 #####	499	4952.9	0.005926	0.597	0.002957
KY	H L Spurloc	6041	2 #####	521	5187.7	0.005845	0.587	0.003045
KY	H L Spurloc	6041	2 #####	513	5054.7	0.005823	0.591	0.002987
KY	H L Spurloc	6041	2 #####	515	5107.1	0.005861	0.591	0.003018
KY	H L Spurloc	6041	2 #####	516	5125.3	0.00588	0.592	0.003034
KY	H L Spurloc	6041	2 #####	525	5215.1	0.005871	0.591	0.003082
KY	H L Spurloc	6041	2 #####	503	4964.9	0.005863	0.594	0.002949
KY	H L Spurloc	6041	2 #####	519	5189.3	0.005879	0.588	0.003051
KY	H L Spurloc	6041	2 #####	513	5099.6	0.005845	0.588	0.002999
KY	H L Spurloc	6041	2 #####	497	4847	0.005822	0.597	0.002894
KY	H L Spurloc	6041	2 #####	499	4908.7	0.005843	0.594	0.002916
KY	H L Spurloc	6041	2 #####	426	4096.7	0.005828	0.606	0.002483
KY	H L Spurloc	6041	2 #####	390	3701.5	0.005799	0.611	0.002262
KY	H L Spurloc	6041	2 #####	388	3684.2	0.005811	0.612	0.002255
KY	H L Spurloc	6041	2 #####	387	3684.3	0.005883	0.618	0.002277
KY	H L Spurloc	6041	2 #####	387	3671.1	0.005843	0.616	0.002261
KY	H L Spurloc	6041	2 #####	387	3669.2	0.005831	0.615	0.002257

KY	H L Spurloc	6041	2	#####	386	3699.5	0.005894	0.615	0.002275
KY	H L Spurloc	6041	2	#####	387	3685.7	0.005848	0.614	0.002263
KY	H L Spurloc	6041	2	#####	387	3680.6	0.00584	0.614	0.00226
KY	H L Spurloc	6041	2	#####	387	3677.1	0.005881	0.619	0.002276
KY	H L Spurloc	6041	2	#####	488	4805.3	0.005928	0.602	0.002893
KY	H L Spurloc	6041	2	#####	510	5010.9	0.005836	0.594	0.002976
KY	H L Spurloc	6041	2	#####	507	4985.2	0.005811	0.591	0.002946
KY	H L Spurloc	6041	2	#####	510	5029	0.005867	0.595	0.002992
KY	H L Spurloc	6041	2	#####	514	5119.7	0.005887	0.591	0.003026
KY	H L Spurloc	6041	2	#####	517	5166.6	0.005886	0.589	0.003043
KY	H L Spurloc	6041	2	#####	516	5201	0.005937	0.589	0.003063
KY	H L Spurloc	6041	2	#####	515	5148.2	0.005948	0.595	0.003063
KY	H L Spurloc	6041	2	#####	514	5140.3	0.00589	0.589	0.003028
KY	H L Spurloc	6041	2	#####	515	5186.6	0.005922	0.588	0.00305
KY	H L Spurloc	6041	2	#####	514	5175.5	0.005961	0.592	0.003064
KY	H L Spurloc	6041	2	#####	514	5227.4	0.00598	0.588	0.003074
KY	H L Spurloc	6041	2	#####	499	5012	0.005966	0.594	0.002977
KY	H L Spurloc	6041	2	#####	503	5049.3	0.005963	0.594	0.002999
KY	H L Spurloc	6041	2	#####	414	4056.6	0.005928	0.605	0.002454
KY	H L Spurloc	6041	2	#####	406	3990.5	0.005966	0.607	0.002422
KY	H L Spurloc	6041	2	#####	390	3844.1	0.006003	0.609	0.002341
KY	H L Spurloc	6041	2	#####	389	3801.7	0.006001	0.614	0.002334
KY	H L Spurloc	6041	2	#####	390	3807	0.005945	0.609	0.002318
KY	H L Spurloc	6041	2	#####	388	3736	0.005922	0.615	0.002298
KY	H L Spurloc	6041	2	#####	388	3778.3	0.005979	0.614	0.00232
KY	H L Spurloc	6041	2	#####	453	4504.6	0.005996	0.603	0.002716
KY	H L Spurloc	6041	2	#####	478	4821.5	0.005992	0.594	0.002864
KY	H L Spurloc	6041	2	#####	411	4012.3	0.005906	0.605	0.002427
KY	H L Spurloc	6041	2	#####	390	3808.2	0.005927	0.607	0.002312
KY	H L Spurloc	6041	2	#####	434	4375.5	0.006029	0.598	0.002617
KY	H L Spurloc	6041	2	#####	512	5349.3	0.006122	0.586	0.003135
KY	H L Spurloc	6041	2	#####	518	5377	0.006104	0.588	0.003162
KY	H L Spurloc	6041	2	#####	515	5327.1	0.006072	0.587	0.003127
KY	H L Spurloc	6041	2	#####	512	5281.2	0.006065	0.588	0.003105
KY	H L Spurloc	6041	2	#####	517	5361.4	0.006067	0.585	0.003136
KY	H L Spurloc	6041	2	#####	516	5356	0.006093	0.587	0.003144
KY	H L Spurloc	6041	2	#####	516	5316.9	0.006079	0.59	0.003137
KY	H L Spurloc	6041	2	#####	517	5321.6	0.006052	0.588	0.003129
KY	H L Spurloc	6041	2	#####	515	5316.7	0.006029	0.584	0.003105
KY	H L Spurloc	6041	2	#####	516	5300.3	0.00605	0.589	0.003122
KY	H L Spurloc	6041	2	#####	503	5010.1	0.005916	0.594	0.002976
KY	H L Spurloc	6041	2	#####	506	5032.8	0.005918	0.595	0.002995
KY	H L Spurloc	6041	2	#####	512	5097.9	0.005875	0.59	0.003008
KY	H L Spurloc	6041	2	#####	429	4105.5	0.005799	0.606	0.002488
KY	H L Spurloc	6041	2	#####	394	3710.5	0.005735	0.609	0.00226
KY	H L Spurloc	6041	2	#####	389	3760.3	0.005916	0.612	0.002301
KY	H L Spurloc	6041	2	#####	390	3854.1	0.005989	0.606	0.002336

KY	H L Spurloc	6041	2	#####	390	3841.7	0.005999	0.609	0.00234
KY	H L Spurloc	6041	2	#####	390	3821.5	0.005967	0.609	0.002327
KY	H L Spurloc	6041	2	#####	390	3824.5	0.005972	0.609	0.002329
KY	H L Spurloc	6041	2	#####	390	3825.7	0.005974	0.609	0.00233
KY	H L Spurloc	6041	2	#####	389	3834.3	0.006003	0.609	0.002335
KY	H L Spurloc	6041	2	#####	447	4484.5	0.00605	0.603	0.002704
KY	H L Spurloc	6041	2	#####	510	5240.9	0.006042	0.588	0.003082
KY	H L Spurloc	6041	2	#####	525	5439.6	0.006041	0.583	0.003171
KY	H L Spurloc	6041	2	#####	522	5442.6	0.00612	0.587	0.003195
KY	H L Spurloc	6041	2	#####	505	5199.4	0.006064	0.589	0.003062
KY	H L Spurloc	6041	2	#####	508	5248.5	0.006054	0.586	0.003076
KY	H L Spurloc	6041	2	#####	515	5318	0.006041	0.585	0.003111
KY	H L Spurloc	6041	2	#####	516	5357.8	0.006085	0.586	0.00314
KY	H L Spurloc	6041	2	#####	515	5295.5	0.006036	0.587	0.003108
KY	H L Spurloc	6041	2	#####	515	5283.4	0.006032	0.588	0.003107
KY	H L Spurloc	6041	2	#####	515	5309.5	0.006052	0.587	0.003117
KY	H L Spurloc	6041	2	#####	513	5287.2	0.00604	0.586	0.003098
KY	H L Spurloc	6041	2	#####	504	5155	0.006055	0.592	0.003052
KY	H L Spurloc	6041	2	#####	498	5064.6	0.006071	0.597	0.003024
KY	H L Spurloc	6041	2	#####	481	4835.4	0.006002	0.597	0.002887
KY	H L Spurloc	6041	2	#####	499	5025.3	0.005962	0.592	0.002975
KY	H L Spurloc	6041	2	#####	444	4485.6	0.006052	0.599	0.002687
KY	H L Spurloc	6041	2	#####	423	4222.2	0.006079	0.609	0.002571
KY	H L Spurloc	6041	2	#####	391	3837.6	0.006016	0.613	0.002352
KY	H L Spurloc	6041	2	#####	391	3845.8	0.006039	0.614	0.002361
KY	H L Spurloc	6041	2	#####	390	3841.5	0.006058	0.615	0.002363
KY	H L Spurloc	6041	2	#####	390	3853.9	0.006018	0.609	0.002347
KY	H L Spurloc	6041	2	#####	391	3861.2	0.006014	0.609	0.002351
KY	H L Spurloc	6041	2	#####	391	3842.8	0.006015	0.612	0.002352
KY	H L Spurloc	6041	2	#####	477	4800	0.005997	0.596	0.002861
KY	H L Spurloc	6041	2	#####	526	5416.5	0.005983	0.581	0.003147
KY	H L Spurloc	6041	2	#####	503	5120.4	0.005996	0.589	0.003016
KY	H L Spurloc	6041	2	#####	513	5256.5	0.006035	0.589	0.003096
KY	H L Spurloc	6041	2	#####	512	5222	0.005956	0.584	0.00305
KY	H L Spurloc	6041	2	#####	523	5360.7	0.005965	0.582	0.00312
KY	H L Spurloc	6041	2	#####	512	5175.3	0.005933	0.587	0.003038
KY	H L Spurloc	6041	2	#####	526	5419.6	0.00612	0.594	0.003219
KY	H L Spurloc	6041	2	#####	518	5324.6	0.006404	0.623	0.003317
KY	H L Spurloc	6041	2	#####	514	5255.9	0.00633	0.619	0.003253
KY	H L Spurloc	6041	2	#####	513	5227.7	0.006237	0.612	0.003199
KY	H L Spurloc	6041	2	#####	505	5012.2	0.005915	0.596	0.002987
KY	H L Spurloc	6041	2	#####	504	5017.9	0.005924	0.595	0.002986
KY	H L Spurloc	6041	2	#####	500	4948.1	0.005938	0.6	0.002969
KY	H L Spurloc	6041	2	#####	496	4920.5	0.005903	0.595	0.002928
KY	H L Spurloc	6041	2	#####	450	4441.5	0.005981	0.606	0.002692
KY	H L Spurloc	6041	2	#####	408	3890.4	0.005902	0.619	0.002408
KY	H L Spurloc	6041	2	#####	390	3471.8	0.005617	0.631	0.002191

KY	H L Spurloc	6041	2	#####	388	3773	0.006019	0.619	0.002335
KY	H L Spurloc	6041	2	#####	391	3835.6	0.006082	0.62	0.002378
KY	H L Spurloc	6041	2	#####	390	3824.4	0.00608	0.62	0.002371
KY	H L Spurloc	6041	2	#####	390	3826.2	0.006092	0.621	0.002376
KY	H L Spurloc	6041	2	#####	391	3811.5	0.006054	0.621	0.002367
KY	H L Spurloc	6041	2	#####	395	3874	0.006081	0.62	0.002402
KY	H L Spurloc	6041	2	#####	462	4582.2	0.00603	0.608	0.002786
KY	H L Spurloc	6041	2	#####	505	5128.4	0.006093	0.6	0.003077
KY	H L Spurloc	6041	2	#####	525	5287.9	0.005963	0.592	0.00313
KY	H L Spurloc	6041	2	#####	503	5090	0.006183	0.611	0.00311
KY	H L Spurloc	6041	2	#####	504	5075.8	0.006174	0.613	0.003111
KY	H L Spurloc	6041	2	#####	503	5034.8	0.006166	0.616	0.003101
KY	H L Spurloc	6041	2	#####	515	5178.9	0.006255	0.622	0.003221
KY	H L Spurloc	6041	2	#####	515	5214.6	0.006349	0.627	0.00327
KY	H L Spurloc	6041	2	#####	517	5252.2	0.006268	0.617	0.003241
KY	H L Spurloc	6041	2	#####	515	5187.8	0.006215	0.617	0.003201
KY	H L Spurloc	6041	2	#####	515	5207.1	0.006188	0.612	0.003187
KY	H L Spurloc	6041	2	#####	513	5162.4	0.006209	0.617	0.003185
KY	H L Spurloc	6041	2	#####	511	5109.8	0.00599	0.599	0.003061
KY	H L Spurloc	6041	2	#####	510	5118.8	0.005982	0.596	0.003051
KY	H L Spurloc	6041	2	#####	519	5194.3	0.005945	0.594	0.003085
KY	H L Spurloc	6041	2	#####	456	4513	0.005998	0.606	0.002735
KY	H L Spurloc	6041	2	#####	399	3861.4	0.005961	0.616	0.002379
KY	H L Spurloc	6041	2	#####	395	3812.8	0.006004	0.622	0.002372
KY	H L Spurloc	6041	2	#####	395	3797.9	0.00598	0.622	0.002362
KY	H L Spurloc	6041	2	#####	395	3818.1	0.005983	0.619	0.002363
KY	H L Spurloc	6041	2	#####	455	4519	0.006019	0.606	0.002739
KY	H L Spurloc	6041	2	#####	507	5063.7	0.005963	0.597	0.003023
KY	H L Spurloc	6041	2	#####	511	5065.4	0.005898	0.595	0.003014
KY	H L Spurloc	6041	2	#####	509	5027.1	0.005817	0.589	0.002961
KY	H L Spurloc	6041	2	#####	514	5105.9	0.005434	0.547	0.002793
KY	H L Spurloc	6041	2	#####	521	5164.4	0.005462	0.551	0.002846
KY	H L Spurloc	6041	2	#####	515	5094.7	0.005421	0.548	0.002792
KY	H L Spurloc	6041	2	#####	511	5048.6	0.005385	0.545	0.002751
KY	H L Spurloc	6041	2	#####	521	5155.5	0.005413	0.547	0.00282
KY	H L Spurloc	6041	2	#####	512	5078.3	0.005416	0.546	0.002773
KY	H L Spurloc	6041	2	#####	515	5139.8	0.005429	0.544	0.002796
KY	H L Spurloc	6041	2	#####	514	5132.6	0.005482	0.549	0.002818
KY	H L Spurloc	6041	2	#####	532	5325	0.005455	0.545	0.002902
KY	H L Spurloc	6041	2	#####	515	5115.5	0.005453	0.549	0.002808
KY	H L Spurloc	6041	2	#####	512	5078.2	0.005455	0.55	0.002793
KY	H L Spurloc	6041	2	#####	513	5096.5	0.005464	0.55	0.002803
KY	H L Spurloc	6041	2	#####	512	5095.9	0.005454	0.548	0.002793
KY	H L Spurloc	6041	2	#####	524	5265.9	0.005517	0.549	0.002891
KY	H L Spurloc	6041	2	#####	510	5056.1	0.005482	0.553	0.002796
KY	H L Spurloc	6041	2	#####	503	4964.3	0.005458	0.553	0.002745
KY	H L Spurloc	6041	2	#####	449	4402.9	0.005531	0.564	0.002483

KY	H L Spurloc	6041	2	#####	390	3733.6	0.005466	0.571	0.002132
KY	H L Spurloc	6041	2	#####	389	3752.1	0.005488	0.569	0.002135
KY	H L Spurloc	6041	2	#####	390	3759.5	0.005495	0.57	0.002143
KY	H L Spurloc	6041	2	#####	390	3782.8	0.005529	0.57	0.002156
KY	H L Spurloc	6041	2	#####	449	4453.8	0.005505	0.555	0.002472
KY	H L Spurloc	6041	2	#####	500	4976	0.005464	0.549	0.002732
KY	H L Spurloc	6041	2	#####	507	5080.8	0.005472	0.546	0.002774
KY	H L Spurloc	6041	2	#####	509	5158.5	0.005604	0.553	0.002853
KY	H L Spurloc	6041	2	#####	510	5194.6	0.005684	0.558	0.002899
KY	H L Spurloc	6041	2	#####	512	5180.8	0.005515	0.545	0.002824
KY	H L Spurloc	6041	2	#####	516	5257	0.005552	0.545	0.002865
KY	H L Spurloc	6041	2	#####	516	5293.4	0.005591	0.545	0.002885
KY	H L Spurloc	6041	2	#####	516	5299.3	0.005597	0.545	0.002888
KY	H L Spurloc	6041	2	#####	515	5285.2	0.005624	0.548	0.002896
KY	H L Spurloc	6041	2	#####	518	5266.3	0.005561	0.547	0.002881
KY	H L Spurloc	6041	2	#####	547	5650.5	0.005599	0.542	0.003063
KY	H L Spurloc	6041	2	#####	515	5298.2	0.00571	0.555	0.002941
KY	H L Spurloc	6041	2	#####	513	5182.6	0.005556	0.55	0.00285
KY	H L Spurloc	6041	2	#####	512	5207.9	0.005544	0.545	0.002838
KY	H L Spurloc	6041	2	#####	495	4988.7	0.005553	0.551	0.002749
KY	H L Spurloc	6041	2	#####	499	4996.6	0.005527	0.552	0.002758
KY	H L Spurloc	6041	2	#####	501	4980.9	0.005488	0.552	0.002749
KY	H L Spurloc	6041	2	#####	465	4609.4	0.005531	0.558	0.002572
KY	H L Spurloc	6041	2	#####	406	3990.6	0.005563	0.566	0.002259
KY	H L Spurloc	6041	2	#####	390	3800.2	0.005583	0.573	0.002178
KY	H L Spurloc	6041	2	#####	389	3746.7	0.005529	0.574	0.002151
KY	H L Spurloc	6041	2	#####	389	3774.2	0.005511	0.568	0.002144
KY	H L Spurloc	6041	2	#####	389	3797.8	0.005565	0.57	0.002165
KY	H L Spurloc	6041	2	#####	400	3928.3	0.005529	0.563	0.002212
KY	H L Spurloc	6041	2	#####	428	4257.4	0.0056	0.563	0.002397
KY	H L Spurloc	6041	2	#####	505	5205.8	0.005773	0.56	0.002915
KY	H L Spurloc	6041	2	#####	517	5305.2	0.005767	0.562	0.002982
KY	H L Spurloc	6041	2	#####	522	5373.2	0.005754	0.559	0.003004
KY	H L Spurloc	6041	2	#####	512	5201.1	0.005516	0.543	0.002824
KY	H L Spurloc	6041	2	#####	502	5103.5	0.005541	0.545	0.002781
KY	H L Spurloc	6041	2	#####	501	5115.4	0.005595	0.548	0.002803
KY	H L Spurloc	6041	2	#####	513	5279.4	0.005609	0.545	0.002877
KY	H L Spurloc	6041	2	#####	526	5437.2	0.005623	0.544	0.002958
KY	H L Spurloc	6041	2	#####	516	5330.3	0.005651	0.547	0.002916
KY	H L Spurloc	6041	2	#####	516	5360.3	0.005662	0.545	0.002921
KY	H L Spurloc	6041	2	#####	516	5315.9	0.005615	0.545	0.002897
KY	H L Spurloc	6041	2	#####	515	5303	0.005591	0.543	0.00288
KY	H L Spurloc	6041	2	#####	515	5315	0.005645	0.547	0.002907
KY	H L Spurloc	6041	2	#####	497	5076.6	0.005638	0.552	0.002802
KY	H L Spurloc	6041	2	#####	504	5181.9	0.005665	0.551	0.002855
KY	H L Spurloc	6041	2	#####	513	5284.9	0.005666	0.55	0.002907
KY	H L Spurloc	6041	2	#####	450	4529	0.005636	0.56	0.002536

KY	H L Spurloc	6041	2	#####	390	3800	0.005525	0.567	0.002155
KY	H L Spurloc	6041	2	#####	389	3823	0.005592	0.569	0.002175
KY	H L Spurloc	6041	2	#####	390	3802.5	0.005567	0.571	0.002171
KY	H L Spurloc	6041	2	#####	390	3822.5	0.005567	0.568	0.002171
KY	H L Spurloc	6041	2	#####	390	3824.4	0.00559	0.57	0.00218
KY	H L Spurloc	6041	2	#####	389	3782.4	0.005542	0.57	0.002156
KY	H L Spurloc	6041	2	#####	452	4571.7	0.005664	0.56	0.00256
KY	H L Spurloc	6041	2	#####	411	4019.4	0.005555	0.568	0.002283
KY	H L Spurloc	6041	2	#####	496	5086	0.00564	0.55	0.002797
KY	H L Spurloc	6041	2	#####	509	5220.4	0.00559	0.545	0.002845
KY	H L Spurloc	6041	2	#####	507	5226.9	0.005598	0.543	0.002838
KY	H L Spurloc	6041	2	#####	519	5402.1	0.005683	0.546	0.00295
KY	H L Spurloc	6041	2	#####	516	5317	0.005616	0.545	0.002898
KY	H L Spurloc	6041	2	#####	515	5358.7	0.00565	0.543	0.00291
KY	H L Spurloc	6041	2	#####	516	5354.6	0.005676	0.547	0.002929
KY	H L Spurloc	6041	2	#####	516	5375	0.005698	0.547	0.00294
KY	H L Spurloc	6041	2	#####	516	5333.3	0.005674	0.549	0.002928
KY	H L Spurloc	6041	2	#####	510	5264.9	0.005657	0.548	0.002885
KY	H L Spurloc	6041	2	#####	515	5303.7	0.005633	0.547	0.002901
KY	H L Spurloc	6041	2	#####	516	5356.8	0.005679	0.547	0.00293
KY	H L Spurloc	6041	2	#####	500	5134.2	0.005668	0.552	0.002834
KY	H L Spurloc	6041	2	#####	508	5245.2	0.0057	0.552	0.002895
KY	H L Spurloc	6041	2	#####	513	5309.8	0.005713	0.552	0.002931
KY	H L Spurloc	6041	2	#####	512	5307.6	0.00567	0.547	0.002903
KY	H L Spurloc	6041	2	#####	482	4949.2	0.005668	0.552	0.002732
KY	H L Spurloc	6041	2	#####	411	4061.4	0.005603	0.567	0.002303
KY	H L Spurloc	6041	2	#####	390	3847.3	0.005603	0.568	0.002185
KY	H L Spurloc	6041	2	#####	390	3838.7	0.00562	0.571	0.002192
KY	H L Spurloc	6041	2	#####	421	4239.7	0.0057	0.566	0.0024
KY	H L Spurloc	6041	2	#####	516	5335.7	0.005636	0.545	0.002908
KY	H L Spurloc	6041	2	#####	504	5097.8	0.005513	0.545	0.002778
KY	H L Spurloc	6041	2	#####	526	5356.8	0.00553	0.543	0.002909
KY	H L Spurloc	6041	2	#####	512	5116	0.005466	0.547	0.002798
KY	H L Spurloc	6041	2	#####	522	5314.1	0.005518	0.542	0.00288
KY	H L Spurloc	6041	2	#####	544	5667.3	0.005563	0.534	0.003026
KY	H L Spurloc	6041	2	#####	516	5305.1	0.005542	0.539	0.002859
KY	H L Spurloc	6041	2	#####	519	5370.2	0.005546	0.536	0.002878
KY	H L Spurloc	6041	2	#####	521	5427.9	0.005584	0.536	0.002909
KY	H L Spurloc	6041	2	#####	549	5822.1	0.005652	0.533	0.003103
KY	H L Spurloc	6041	2	#####	535	5577.5	0.005619	0.539	0.003006
KY	H L Spurloc	6041	2	#####	546	5751.7	0.005615	0.533	0.003066
KY	H L Spurloc	6041	2	#####	522	5385.7	0.005561	0.539	0.002903
KY	H L Spurloc	6041	2	#####	515	5317.3	0.005586	0.541	0.002877
KY	H L Spurloc	6041	2	#####	515	5301.9	0.00557	0.541	0.002868
KY	H L Spurloc	6041	2	#####	502	5089.4	0.005505	0.543	0.002764
KY	H L Spurloc	6041	2	#####	506	5190.3	0.00559	0.545	0.002829
KY	H L Spurloc	6041	2	#####	503	5130	0.005548	0.544	0.002791

KY	H L Spurloc	6041	2	#####	504	5198.5	0.00558	0.541	0.002812
KY	H L Spurloc	6041	2	#####	558	5958.7	0.005756	0.539	0.003212
KY	H L Spurloc	6041	2	#####	480	4944.2	0.005696	0.553	0.002734
KY	H L Spurloc	6041	2	#####	390	3842.6	0.005458	0.554	0.002129
KY	H L Spurloc	6041	2	#####	388	3791.2	0.005452	0.558	0.002115
KY	H L Spurloc	6041	2	#####	387	3783.5	0.005475	0.56	0.002119
KY	H L Spurloc	6041	2	#####	430	4326.3	0.005544	0.551	0.002384
KY	H L Spurloc	6041	2	#####	410	4082.7	0.005537	0.556	0.00227
KY	H L Spurloc	6041	2	#####	388	3810.5	0.005519	0.562	0.002142
KY	H L Spurloc	6041	2	#####	457	4647.8	0.005563	0.547	0.002542
KY	H L Spurloc	6041	2	#####	497	5163.4	0.0056	0.539	0.002783
KY	H L Spurloc	6041	2	#####	504	5188.8	0.005559	0.54	0.002802
KY	H L Spurloc	6041	2	#####	529	5552.9	0.005616	0.535	0.002971
KY	H L Spurloc	6041	2	#####	525	5557.1	0.005652	0.534	0.002967
KY	H L Spurloc	6041	2	#####	536	5720.7	0.005721	0.536	0.003066
KY	H L Spurloc	6041	2	#####	550	5893.1	0.005754	0.537	0.003165
KY	H L Spurloc	6041	2	#####	530	5596.4	0.005723	0.542	0.003033
KY	H L Spurloc	6041	2	#####	543	5784.2	0.005731	0.538	0.003112
KY	H L Spurloc	6041	2	#####	520	5434.3	0.005675	0.543	0.002951
KY	H L Spurloc	6041	2	#####	515	5378.6	0.00564	0.54	0.002904
KY	H L Spurloc	6041	2	#####	515	5371.2	0.005632	0.54	0.0029
KY	H L Spurloc	6041	2	#####	497	5145.7	0.005643	0.545	0.002804
KY	H L Spurloc	6041	2	#####	506	5239.4	0.005623	0.543	0.002845
KY	H L Spurloc	6041	2	#####	486	4983.8	0.005568	0.543	0.002706
KY	H L Spurloc	6041	2	#####	393	3900.6	0.005538	0.558	0.002177
KY	H L Spurloc	6041	2	#####	390	3882	0.005534	0.556	0.002158
KY	H L Spurloc	6041	2	#####	392	3804.1	0.005454	0.562	0.002138
KY	H L Spurloc	6041	2	#####	389	3847.5	0.005559	0.562	0.002162
KY	H L Spurloc	6041	2	#####	390	3834.3	0.005525	0.562	0.002155
KY	H L Spurloc	6041	2	#####	390	3831.7	0.005522	0.562	0.002153
KY	H L Spurloc	6041	2	#####	390	3832.6	0.005523	0.562	0.002154
KY	H L Spurloc	6041	2	#####	390	3841.7	0.005526	0.561	0.002155
KY	H L Spurloc	6041	2	#####	389	3825.5	0.005517	0.561	0.002146
KY	H L Spurloc	6041	2	#####	390	3812.9	0.005485	0.561	0.002139
KY	H L Spurloc	6041	2	#####	433	4286.4	0.005484	0.554	0.002375
KY	H L Spurloc	6041	2	#####	525	5453.2	0.005578	0.537	0.002928
KY	H L Spurloc	6041	2	#####	505	5181.9	0.005531	0.539	0.002793
KY	H L Spurloc	6041	2	#####	514	5190.3	0.005443	0.539	0.002798
KY	H L Spurloc	6041	2	#####	520	5348.2	0.005492	0.534	0.002856
KY	H L Spurloc	6041	2	#####	518	5374.1	0.005592	0.539	0.002897
KY	H L Spurloc	6041	2	#####	544	5742.7	0.005669	0.537	0.003084
KY	H L Spurloc	6041	2	#####	552	5826.1	0.005657	0.536	0.003123
KY	H L Spurloc	6041	2	#####	546	5740.8	0.005636	0.536	0.003077
KY	H L Spurloc	6041	2	#####	510	5221.6	0.005539	0.541	0.002825
KY	H L Spurloc	6041	2	#####	522	5428.6	0.005585	0.537	0.002915
KY	H L Spurloc	6041	2	#####	499	5100.5	0.00554	0.542	0.002764
KY	H L Spurloc	6041	2	#####	512	5278.3	0.005598	0.543	0.002866

KY	H L Spurloc	6041	2	#####	500	5058.4	0.005483	0.542	0.002742
KY	H L Spurloc	6041	2	#####	516	5344.4	0.005552	0.536	0.002865
KY	H L Spurloc	6041	2	#####	480	4864.7	0.005523	0.545	0.002651
KY	H L Spurloc	6041	2	#####	390	3802.3	0.00544	0.558	0.002122
KY	H L Spurloc	6041	2	#####	390	3830.8	0.005491	0.559	0.002141
KY	H L Spurloc	6041	2	#####	397	3902.4	0.005505	0.56	0.002185
KY	H L Spurloc	6041	2	#####	504	5209	0.005684	0.55	0.002865
KY	H L Spurloc	6041	2	#####	516	5357.1	0.005793	0.558	0.002989
KY	H L Spurloc	6041	2	#####	502	5079.4	0.005454	0.539	0.002738
KY	H L Spurloc	6041	2	#####	510	5182	0.005487	0.54	0.002798
KY	H L Spurloc	6041	2	#####	510	5194.4	0.003758	0.369	0.001917
KY	H L Spurloc	6041	2	#####	503	5108.3	0.003758	0.37	0.00189
KY	H L Spurloc	6041	2	#####	511	5189.2	0.003757	0.37	0.00192
KY	H L Spurloc	6041	2	#####	514	5303.1	0.003817	0.37	0.001962
KY	H L Spurloc	6041	2	#####	546	5689.9	0.003856	0.37	0.002105
KY	H L Spurloc	6041	2	#####	530	5491.3	0.003802	0.367	0.002015
KY	H L Spurloc	6041	2	#####	538	5581.5	0.003828	0.369	0.00206
KY	H L Spurloc	6041	2	#####	547	5719.3	0.003848	0.368	0.002105
KY	H L Spurloc	6041	2	#####	514	5263.7	0.003779	0.369	0.001942
KY	H L Spurloc	6041	2	#####	504	5083.7	0.003762	0.373	0.001896
KY	H L Spurloc	6041	2	#####	499	5022.4	0.003754	0.373	0.001873
KY	H L Spurloc	6041	2	#####	507	5139.9	0.003751	0.37	0.001902
KY	H L Spurloc	6041	2	#####	494	4945.1	0.003744	0.374	0.001849
KY	H L Spurloc	6041	2	#####	501	5051	0.003771	0.374	0.001889
KY	H L Spurloc	6041	2	#####	501	5064.8	0.003761	0.372	0.001884
KY	H L Spurloc	6041	2	#####	492	4947.2	0.003771	0.375	0.001855
KY	H L Spurloc	6041	2	#####	499	5074.9	0.003793	0.373	0.001893
KY	H L Spurloc	6041	2	#####	499	5103	0.003814	0.373	0.001903
KY	H L Spurloc	6041	2	#####	410	4025.2	0.00375	0.382	0.001538
KY	H L Spurloc	6041	2	#####	390	3793.1	0.003764	0.387	0.001468
KY	H L Spurloc	6041	2	#####	487	4934.4	0.0038	0.375	0.00185
KY	H L Spurloc	6041	2	#####	511	5172.4	0.003776	0.373	0.001929
KY	H L Spurloc	6041	2	#####	504	5086.6	0.003754	0.372	0.001892
KY	H L Spurloc	6041	2	#####	513	5192.7	0.003755	0.371	0.001926
KY	H L Spurloc	6041	2	#####	515	5225.8	0.003754	0.37	0.001934
KY	H L Spurloc	6041	2	#####	515	5220.4	0.003751	0.37	0.001932
KY	H L Spurloc	6041	2	#####	514	5236	0.003769	0.37	0.001937
KY	H L Spurloc	6041	2	#####	515	5211.8	0.003765	0.372	0.001939
KY	H L Spurloc	6041	2	#####	499	5040.5	0.003758	0.372	0.001875
KY	H L Spurloc	6041	2	#####	512	5168.8	0.003766	0.373	0.001928
KY	H L Spurloc	6041	2	#####	510	5165.4	0.003768	0.372	0.001922
KY	H L Spurloc	6041	2	#####	514	5197.2	0.003772	0.373	0.001939
KY	H L Spurloc	6041	2	#####	514	5178.9	0.003738	0.371	0.001921
KY	H L Spurloc	6041	2	#####	513	5163.5	0.003744	0.372	0.001921
KY	H L Spurloc	6041	2	#####	516	5218	0.003762	0.372	0.001941
KY	H L Spurloc	6041	2	#####	518	5281.3	0.003783	0.371	0.001959
KY	H L Spurloc	6041	2	#####	518	5253.8	0.003753	0.37	0.001944

KY	H L Spurloc	6041	2 #####	501	5066.7	0.003782	0.374	0.001895
KY	H L Spurloc	6041	2 #####	511	5153.7	0.003742	0.371	0.001912
KY	H L Spurloc	6041	2 #####	432	4232.6	0.003753	0.383	0.001621
KY	H L Spurloc	6041	2 #####	407	4029.5	0.003752	0.379	0.001527
KY	H L Spurloc	6041	2 #####	398	3913.5	0.003766	0.383	0.001499
KY	H L Spurloc	6041	2 #####	483	4836	0.003755	0.375	0.001814
KY	H L Spurloc	6041	2 #####	409	3913.5	0.003713	0.388	0.001518
KY	H L Spurloc	6041	2 #####	389	3833.6	0.003794	0.385	0.001476
KY	H L Spurloc	6041	2 #####	481	4968.9	0.003812	0.369	0.001834
KY	H L Spurloc	6041	2 #####	496	4986.7	0.00374	0.372	0.001855
KY	H L Spurloc	6041	2 #####	508	5142	0.003745	0.37	0.001903
KY	H L Spurloc	6041	2 #####	523	5342.5	0.00378	0.37	0.001977
KY	H L Spurloc	6041	2 #####	523	5336.7	0.003755	0.368	0.001964
KY	H L Spurloc	6041	2 #####	508	5124.4	0.003732	0.37	0.001896
KY	H L Spurloc	6041	2 #####	509	5169.8	0.003768	0.371	0.001918
KY	H L Spurloc	6041	2 #####	528	5406.3	0.003758	0.367	0.001984
KY	H L Spurloc	6041	2 #####	512	5228.9	0.003758	0.368	0.001924
KY	H L Spurloc	6041	2 #####	516	5237.6	0.003756	0.37	0.001938
KY	H L Spurloc	6041	2 #####	533	5478.2	0.003793	0.369	0.002021
KY	H L Spurloc	6041	2 #####	525	5367.5	0.003762	0.368	0.001975
KY	H L Spurloc	6041	2 #####	514	5235.5	0.003769	0.37	0.001937
KY	H L Spurloc	6041	2 #####	514	5243.9	0.003775	0.37	0.00194
KY	H L Spurloc	6041	2 #####	507	5164.1	0.003769	0.37	0.001911
KY	H L Spurloc	6041	2 #####	496	4987.7	0.003761	0.374	0.001865
KY	H L Spurloc	6041	2 #####	505	5111.8	0.003786	0.374	0.001912
KY	H L Spurloc	6041	2 #####	511	5168.6	0.003753	0.371	0.001918
KY	H L Spurloc	6041	2 #####	435	4313.2	0.003758	0.379	0.001635
KY	H L Spurloc	6041	2 9/1/2022	391	3846.8	0.003798	0.386	0.001485
KY	H L Spurloc	6041	2 9/1/2022	389	3834.6	0.003835	0.389	0.001492
KY	H L Spurloc	6041	2 9/1/2022	390	3844.2	0.003765	0.382	0.001468
KY	H L Spurloc	6041	2 9/1/2022	390	3824	0.003736	0.381	0.001457
KY	H L Spurloc	6041	2 9/1/2022	390	3813.3	0.003735	0.382	0.001457
KY	H L Spurloc	6041	2 9/1/2022	391	3815.5	0.003728	0.382	0.001458
KY	H L Spurloc	6041	2 9/1/2022	398	3933.3	0.003775	0.382	0.001503
KY	H L Spurloc	6041	2 9/1/2022	393	3905.8	0.003826	0.385	0.001504
KY	H L Spurloc	6041	2 9/1/2022	491	5015.4	0.003779	0.37	0.001856
KY	H L Spurloc	6041	2 9/1/2022	507	5179	0.00379	0.371	0.001921
KY	H L Spurloc	6041	2 9/1/2022	508	5220.9	0.003772	0.367	0.001916
KY	H L Spurloc	6041	2 9/1/2022	510	5237.1	0.003779	0.368	0.001927
KY	H L Spurloc	6041	2 9/1/2022	512	5260.4	0.003791	0.369	0.001941
KY	H L Spurloc	6041	2 9/1/2022	521	5361.5	0.003797	0.369	0.001978
KY	H L Spurloc	6041	2 9/1/2022	534	5485.9	0.003791	0.369	0.002024
KY	H L Spurloc	6041	2 9/1/2022	520	5301.1	0.003772	0.37	0.001961
KY	H L Spurloc	6041	2 9/1/2022	535	5399.7	0.003704	0.367	0.001982
KY	H L Spurloc	6041	2 9/1/2022	509	5134.5	0.003732	0.37	0.0019
KY	H L Spurloc	6041	2 9/1/2022	511	5214.2	0.003765	0.369	0.001924
KY	H L Spurloc	6041	2 9/1/2022	511	5240.2	0.003764	0.367	0.001923

KY	H L Spurloc	6041	2	9/1/2022	501	5096.7	0.003764	0.37	0.001886
KY	H L Spurloc	6041	2	9/1/2022	505	5130.9	0.003759	0.37	0.001898
KY	H L Spurloc	6041	2	9/1/2022	503	5094.4	0.003727	0.368	0.001875
KY	H L Spurloc	6041	2	9/1/2022	482	4882.3	0.003748	0.37	0.001806
KY	H L Spurloc	6041	2	9/2/2022	415	4111.4	0.003745	0.378	0.001554
KY	H L Spurloc	6041	2	9/2/2022	388	3806.7	0.003748	0.382	0.001454
KY	H L Spurloc	6041	2	9/2/2022	387	3765.4	0.003717	0.382	0.001438
KY	H L Spurloc	6041	2	9/2/2022	388	3794	0.003716	0.38	0.001442
KY	H L Spurloc	6041	2	9/2/2022	387	3788.9	0.00372	0.38	0.00144
KY	H L Spurloc	6041	2	9/2/2022	445	4505.8	0.003746	0.37	0.001667
KY	H L Spurloc	6041	2	9/2/2022	393	3845.1	0.003708	0.379	0.001457
KY	H L Spurloc	6041	2	9/2/2022	384	3732.5	0.003713	0.382	0.001426
KY	H L Spurloc	6041	2	9/2/2022	433	4324.2	0.003745	0.375	0.001622
KY	H L Spurloc	6041	2	9/2/2022	497	5044.5	0.003735	0.368	0.001856
KY	H L Spurloc	6041	2	9/2/2022	487	4945.1	0.003737	0.368	0.00182
KY	H L Spurloc	6041	2	9/2/2022	513	5296	0.003799	0.368	0.001949
KY	H L Spurloc	6041	2	9/2/2022	511	5257.5	0.003786	0.368	0.001935
KY	H L Spurloc	6041	2	9/2/2022	511	5290.8	0.003779	0.365	0.001931
KY	H L Spurloc	6041	2	9/2/2022	518	5380.1	0.003791	0.365	0.001964
KY	H L Spurloc	6041	2	9/2/2022	511	5293.3	0.003812	0.368	0.001948
KY	H L Spurloc	6041	2	9/2/2022	515	5346.6	0.003779	0.364	0.001946
KY	H L Spurloc	6041	2	9/2/2022	511	5320.2	0.003811	0.366	0.001947
KY	H L Spurloc	6041	2	9/2/2022	511	5315.8	0.003818	0.367	0.001951
KY	H L Spurloc	6041	2	9/2/2022	521	5406.9	0.003788	0.365	0.001974
KY	H L Spurloc	6041	2	9/2/2022	517	5357.3	0.003803	0.367	0.001966
KY	H L Spurloc	6041	2	9/2/2022	504	5243.9	0.003829	0.368	0.00193
KY	H L Spurloc	6041	2	9/2/2022	507	5235.1	0.003779	0.366	0.001916
KY	H L Spurloc	6041	2	9/2/2022	379	3790.3	0.00383	0.383	0.001452
KY	H L Spurloc	6041	2	9/3/2022	280	2831.9	0.004015	0.397	0.001124
KY	H L Spurloc	6041	2	9/3/2022	276	2791.4	0.004035	0.399	0.001114
KY	H L Spurloc	6041	2	9/3/2022	278	2780.9	0.004011	0.401	0.001115
KY	H L Spurloc	6041	2	9/3/2022	278	2763	0.003995	0.402	0.001111
KY	H L Spurloc	6041	2	9/3/2022	276	2762.6	0.003994	0.399	0.001102
KY	H L Spurloc	6041	2	9/3/2022	281	2813.8	0.003955	0.395	0.001111
KY	H L Spurloc	6041	2	9/3/2022	284	2854.8	0.003991	0.397	0.001133
KY	H L Spurloc	6041	2	9/3/2022	283	2842.9	0.003968	0.395	0.001123
KY	H L Spurloc	6041	2	9/3/2022	281	2811.3	0.003982	0.398	0.001119
KY	H L Spurloc	6041	2	9/3/2022	293	2871.8	0.003901	0.398	0.001143
KY	H L Spurloc	6041	2	9/3/2022	423	4374.9	0.003899	0.377	0.001649
KY	H L Spurloc	6041	2	9/3/2022	509	5345.8	0.003854	0.367	0.001962
KY	H L Spurloc	6041	2	9/3/2022	508	5297.6	0.003806	0.365	0.001934
KY	H L Spurloc	6041	2	9/3/2022	510	5256.6	0.003762	0.365	0.001919
KY	H L Spurloc	6041	2	9/3/2022	513	5276.3	0.003764	0.366	0.001931
KY	H L Spurloc	6041	2	9/3/2022	514	5289.9	0.003767	0.366	0.001936
KY	H L Spurloc	6041	2	9/3/2022	511	5250.1	0.00376	0.366	0.001922
KY	H L Spurloc	6041	2	9/3/2022	513	5279.6	0.003767	0.366	0.001932
KY	H L Spurloc	6041	2	9/3/2022	518	5345.6	0.003777	0.366	0.001956

KY	H L Spurloc	6041	2	9/3/2022	520	5347	0.003763	0.366	0.001957
KY	H L Spurloc	6041	2	9/3/2022	503	5122.8	0.003758	0.369	0.00189
KY	H L Spurloc	6041	2	9/3/2022	512	5259.5	0.003801	0.37	0.001946
KY	H L Spurloc	6041	2	9/3/2022	503	5131.9	0.003755	0.368	0.001889
KY	H L Spurloc	6041	2	9/3/2022	514	5299.9	0.003774	0.366	0.00194
KY	H L Spurloc	6041	2	9/4/2022	414	4116.5	0.003768	0.379	0.00156
KY	H L Spurloc	6041	2	9/4/2022	421	4244.9	0.003821	0.379	0.001609
KY	H L Spurloc	6041	2	9/4/2022	390	3858.1	0.003779	0.382	0.001474
KY	H L Spurloc	6041	2	9/4/2022	389	3830.1	0.003781	0.384	0.001471
KY	H L Spurloc	6041	2	9/4/2022	388	3809.9	0.003761	0.383	0.001459
KY	H L Spurloc	6041	2	9/4/2022	385	3787.8	0.003788	0.385	0.001458
KY	H L Spurloc	6041	2	9/4/2022	384	3796.2	0.003796	0.384	0.001458
KY	H L Spurloc	6041	2	9/4/2022	384	3781.2	0.003781	0.384	0.001452
KY	H L Spurloc	6041	2	9/4/2022	385	3803.6	0.003784	0.383	0.001457
KY	H L Spurloc	6041	2	9/4/2022	393	3881.3	0.003792	0.384	0.00149
KY	H L Spurloc	6041	2	9/4/2022	466	4751.3	0.003803	0.373	0.001772
KY	H L Spurloc	6041	2	9/4/2022	458	4616.3	0.0038	0.377	0.00174
KY	H L Spurloc	6041	2	9/4/2022	505	5135.6	0.003773	0.371	0.001905
KY	H L Spurloc	6041	2	9/4/2022	485	4962.3	0.003786	0.37	0.001836
KY	H L Spurloc	6041	2	9/4/2022	441	4424.3	0.003782	0.377	0.001668
KY	H L Spurloc	6041	2	9/4/2022	437	4394.7	0.003842	0.382	0.001679
KY	H L Spurloc	6041	2	9/4/2022	498	5114.4	0.0038	0.37	0.001892
KY	H L Spurloc	6041	2	9/4/2022	511	5302.1	0.003829	0.369	0.001956
KY	H L Spurloc	6041	2	9/4/2022	411	4080.6	0.003793	0.382	0.001559
KY	H L Spurloc	6041	2	9/4/2022	387	3795.6	0.003756	0.383	0.001454
KY	H L Spurloc	6041	2	9/4/2022	411	4100.1	0.003821	0.383	0.00157
KY	H L Spurloc	6041	2	9/4/2022	412	4035.9	0.003762	0.384	0.00155
KY	H L Spurloc	6041	2	9/4/2022	469	4763.6	0.003799	0.374	0.001782
KY	H L Spurloc	6041	2	9/4/2022	451	4464.4	0.003762	0.38	0.001696
KY	H L Spurloc	6041	2	9/5/2022	405	4003.2	0.003786	0.383	0.001533
KY	H L Spurloc	6041	2	9/5/2022	384	3711.4	0.00375	0.388	0.00144
KY	H L Spurloc	6041	2	9/5/2022	385	3722.8	0.003752	0.388	0.001444
KY	H L Spurloc	6041	2	9/5/2022	384	3736.9	0.003766	0.387	0.001446
KY	H L Spurloc	6041	2	9/5/2022	384	3712.3	0.003741	0.387	0.001437
KY	H L Spurloc	6041	2	9/5/2022	410	4020.2	0.003755	0.383	0.00154
KY	H L Spurloc	6041	2	9/5/2022	385	3724.8	0.003744	0.387	0.001441
KY	H L Spurloc	6041	2	9/5/2022	384	3740.7	0.00375	0.385	0.00144
KY	H L Spurloc	6041	2	9/5/2022	385	3717.5	0.003756	0.389	0.001446
KY	H L Spurloc	6041	2	9/5/2022	442	4393.9	0.003758	0.378	0.001661
KY	H L Spurloc	6041	2	9/5/2022	498	5018	0.003769	0.374	0.001877
KY	H L Spurloc	6041	2	9/5/2022	487	4900.4	0.003773	0.375	0.001838
KY	H L Spurloc	6041	2	9/5/2022	507	5130.3	0.003754	0.371	0.001903
KY	H L Spurloc	6041	2	9/5/2022	480	4776.3	0.003722	0.374	0.001786
KY	H L Spurloc	6041	2	9/5/2022	507	5130.1	0.003794	0.375	0.001924
KY	H L Spurloc	6041	2	9/5/2022	512	5196.6	0.003786	0.373	0.001938
KY	H L Spurloc	6041	2	9/5/2022	495	4968.2	0.003774	0.376	0.001868
KY	H L Spurloc	6041	2	9/5/2022	499	5002.9	0.00376	0.375	0.001876

KY	H L Spurloc	6041	2	9/5/2022	510	5187.8	0.003784	0.372	0.00193
KY	H L Spurloc	6041	2	9/5/2022	508	5142.9	0.003766	0.372	0.001913
KY	H L Spurloc	6041	2	9/5/2022	470	4721.1	0.003807	0.379	0.001789
KY	H L Spurloc	6041	2	9/5/2022	407	3966.6	0.003772	0.387	0.001535
KY	H L Spurloc	6041	2	9/5/2022	409	3946.7	0.003696	0.383	0.001512
KY	H L Spurloc	6041	2	9/5/2022	441	4401.2	0.003782	0.379	0.001668
KY	H L Spurloc	6041	2	9/6/2022	387	3750.3	0.003741	0.386	0.001448
KY	H L Spurloc	6041	2	9/6/2022	387	3769.7	0.00377	0.387	0.001459
KY	H L Spurloc	6041	2	9/6/2022	385	3735.6	0.003755	0.387	0.001446
KY	H L Spurloc	6041	2	9/6/2022	388	3787	0.003767	0.386	0.001462
KY	H L Spurloc	6041	2	9/6/2022	474	4818.3	0.003802	0.374	0.001802
KY	H L Spurloc	6041	2	9/6/2022	410	4029.1	0.003764	0.383	0.001543
KY	H L Spurloc	6041	2	9/6/2022	500	5070.8	0.003783	0.373	0.001891
KY	H L Spurloc	6041	2	9/6/2022	500	5065.7	0.004357	0.43	0.002178
KY	H L Spurloc	6041	2	9/6/2022	493	4964.2	0.00435	0.432	0.002145
KY	H L Spurloc	6041	2	9/6/2022	493	4931.7	0.004321	0.432	0.00213
KY	H L Spurloc	6041	2	9/6/2022	509	5118.7	0.004324	0.43	0.002201
KY	H L Spurloc	6041	2	9/6/2022	512	5188.6	0.004358	0.43	0.002231
KY	H L Spurloc	6041	2	9/6/2022	511	5170	0.00435	0.43	0.002223
KY	H L Spurloc	6041	2	9/6/2022	512	5157.3	0.004362	0.433	0.002233
KY	H L Spurloc	6041	2	9/6/2022	525	5355.2	0.004396	0.431	0.002308
KY	H L Spurloc	6041	2	9/6/2022	514	5246.9	0.00442	0.433	0.002272
KY	H L Spurloc	6041	2	9/6/2022	512	5159.1	0.004363	0.433	0.002234
KY	H L Spurloc	6041	2	9/6/2022	512	5213.7	0.004399	0.432	0.002252
KY	H L Spurloc	6041	2	9/6/2022	505	5122.7	0.004392	0.433	0.002218
KY	H L Spurloc	6041	2	9/6/2022	511	5174.1	0.004384	0.433	0.00224
KY	H L Spurloc	6041	2	9/6/2022	494	4919.5	0.004312	0.433	0.00213
KY	H L Spurloc	6041	2	9/6/2022	495	4948.3	0.004349	0.435	0.002153
KY	H L Spurloc	6041	2	9/6/2022	494	4879.5	0.004316	0.437	0.002132
KY	H L Spurloc	6041	2	9/6/2022	434	4143.9	0.00423	0.443	0.001836
KY	H L Spurloc	6041	2	9/7/2022	479	4670.4	0.004271	0.438	0.002046
KY	H L Spurloc	6041	2	9/7/2022	384	3579.5	0.004232	0.454	0.001625
KY	H L Spurloc	6041	2	9/7/2022	385	3607.1	0.004254	0.454	0.001638
KY	H L Spurloc	6041	2	9/7/2022	384	3595.5	0.004251	0.454	0.001632
KY	H L Spurloc	6041	2	9/7/2022	388	3620.1	0.004227	0.453	0.00164
KY	H L Spurloc	6041	2	9/7/2022	487	4736.9	0.004221	0.434	0.002056
KY	H L Spurloc	6041	2	9/7/2022	494	4729.8	0.004174	0.436	0.002062
KY	H L Spurloc	6041	2	9/7/2022	498	4766.3	0.004135	0.432	0.002059
KY	H L Spurloc	6041	2	9/7/2022	445	4177.1	0.00413	0.44	0.001838
KY	H L Spurloc	6041	2	9/7/2022	503	4876.2	0.004188	0.432	0.002107
KY	H L Spurloc	6041	2	9/7/2022	504	4838	0.004156	0.433	0.002095
KY	H L Spurloc	6041	2	9/7/2022	508	4915.5	0.00419	0.433	0.002128
KY	H L Spurloc	6041	2	9/7/2022	510	4909.4	0.004168	0.433	0.002126
KY	H L Spurloc	6041	2	9/7/2022	511	4912.9	0.004163	0.433	0.002127
KY	H L Spurloc	6041	2	9/7/2022	510	4938.8	0.004183	0.432	0.002134
KY	H L Spurloc	6041	2	9/7/2022	522	5101.3	0.004222	0.432	0.002204
KY	H L Spurloc	6041	2	9/7/2022	510	4945.3	0.004218	0.435	0.002151

KY	H L Spurloc	6041	2	9/7/2022	523	5131.2	0.004248	0.433	0.002222
KY	H L Spurloc	6041	2	9/7/2022	511	5046.8	0.004306	0.436	0.0022
KY	H L Spurloc	6041	2	9/7/2022	512	5075.5	0.004312	0.435	0.002208
KY	H L Spurloc	6041	2	9/7/2022	501	4953.2	0.00432	0.437	0.002165
KY	H L Spurloc	6041	2	9/7/2022	481	4735.4	0.004342	0.441	0.002088
KY	H L Spurloc	6041	2	9/7/2022	464	4538.9	0.004314	0.441	0.002002
KY	H L Spurloc	6041	2	9/7/2022	392	3752.6	0.004308	0.45	0.001689
KY	H L Spurloc	6041	2	9/8/2022	401	3881.7	0.004337	0.448	0.001739
KY	H L Spurloc	6041	2	9/8/2022	383	3705.8	0.004373	0.452	0.001675
KY	H L Spurloc	6041	2	9/8/2022	383	3682.8	0.004327	0.45	0.001657
KY	H L Spurloc	6041	2	9/8/2022	384	3691.6	0.004326	0.45	0.001661
KY	H L Spurloc	6041	2	9/8/2022	390	3768	0.004348	0.45	0.001696
KY	H L Spurloc	6041	2	9/8/2022	487	4912.4	0.004348	0.431	0.002117
KY	H L Spurloc	6041	2	9/8/2022	507	5056.4	0.004338	0.435	0.0022
KY	H L Spurloc	6041	2	9/8/2022	508	5064.8	0.004317	0.433	0.002193
KY	H L Spurloc	6041	2	9/8/2022	508	5080.4	0.00432	0.432	0.002195
KY	H L Spurloc	6041	2	9/8/2022	506	5013	0.00429	0.433	0.002171
KY	H L Spurloc	6041	2	9/8/2022	508	5062.7	0.004305	0.432	0.002187
KY	H L Spurloc	6041	2	9/8/2022	508	5024.2	0.004302	0.435	0.002186
KY	H L Spurloc	6041	2	9/8/2022	508	5037.7	0.004284	0.432	0.002176
KY	H L Spurloc	6041	2	9/8/2022	508	5034.7	0.004281	0.432	0.002175
KY	H L Spurloc	6041	2	9/8/2022	508	5007.3	0.004288	0.435	0.002178
KY	H L Spurloc	6041	2	9/8/2022	508	5035.6	0.004312	0.435	0.00219
KY	H L Spurloc	6041	2	9/8/2022	536	5420.5	0.004328	0.428	0.00232
KY	H L Spurloc	6041	2	9/8/2022	550	5612.1	0.004347	0.426	0.002391
KY	H L Spurloc	6041	2	9/8/2022	551	5602.3	0.004352	0.428	0.002398
KY	H L Spurloc	6041	2	9/8/2022	553	5655.3	0.004357	0.426	0.002409
KY	H L Spurloc	6041	2	9/8/2022	540	5438.2	0.00434	0.431	0.002344
KY	H L Spurloc	6041	2	9/8/2022	538	5412.1	0.004336	0.431	0.002333
KY	H L Spurloc	6041	2	9/8/2022	551	5568.3	0.004325	0.428	0.002383
KY	H L Spurloc	6041	2	9/8/2022	451	4387	0.00428	0.44	0.00193
KY	H L Spurloc	6041	2	9/9/2022	390	3706.4	0.004267	0.449	0.001664
KY	H L Spurloc	6041	2	9/9/2022	390	3702.4	0.0043	0.453	0.001677
KY	H L Spurloc	6041	2	9/9/2022	389	3700.1	0.00428	0.45	0.001665
KY	H L Spurloc	6041	2	9/9/2022	389	3693.9	0.004283	0.451	0.001666
KY	H L Spurloc	6041	2	9/9/2022	478	4737.4	0.004301	0.434	0.002056
KY	H L Spurloc	6041	2	9/9/2022	481	4726.7	0.004294	0.437	0.002066
KY	H L Spurloc	6041	2	9/9/2022	502	4910.3	0.004255	0.435	0.002136
KY	H L Spurloc	6041	2	9/9/2022	490	4766.2	0.004241	0.436	0.002078
KY	H L Spurloc	6041	2	9/9/2022	459	4421	0.004228	0.439	0.001941
KY	H L Spurloc	6041	2	9/9/2022	490	4863.2	0.004288	0.432	0.002101
KY	H L Spurloc	6041	2	9/9/2022	515	5160.1	0.004318	0.431	0.002224
KY	H L Spurloc	6041	2	9/9/2022	481	4780.7	0.004343	0.437	0.002089
KY	H L Spurloc	6041	2	9/9/2022	513	5205.7	0.004384	0.432	0.002249
KY	H L Spurloc	6041	2	9/9/2022	507	5152	0.00439	0.432	0.002226
KY	H L Spurloc	6041	2	9/9/2022	492	1732.64			
KY	H L Spurloc	6041	2	9/9/2022	0	17.255		1.12	1.93E-05

KY	H L Spurloc	6041	2	9/9/2022	0	149.5		1.13	0.000169
KY	H L Spurloc	6041	2	9/9/2022	0	137.1		1.13	0.000155
KY	H L Spurloc	6041	2	9/9/2022	0	172		1.13	0.000194
KY	H L Spurloc	6041	2	9/9/2022	5	296.5	0.209922	3.54	0.00105
KY	H L Spurloc	6041	2	9/9/2022	56	660.7	0.019467	1.65	0.00109
KY	H L Spurloc	6041	2	#####	180	1618.7	0.006924	0.77	0.001246
KY	H L Spurloc	6041	2	#####	279	2535.3	0.004725	0.52	0.001318
KY	H L Spurloc	6041	2	#####	368	3463	0.004235	0.45	0.001558
KY	H L Spurloc	6041	2	#####	370	3402	0.004147	0.451	0.001534
KY	H L Spurloc	6041	2	#####	368	3457.2	0.004218	0.449	0.001552
KY	H L Spurloc	6041	2	#####	369	3667.7	0.004413	0.444	0.001628
KY	H L Spurloc	6041	2	#####	384	3833.2	0.004382	0.439	0.001683
KY	H L Spurloc	6041	2	#####	389	3778.8	0.004294	0.442	0.00167
KY	H L Spurloc	6041	2	#####	390	3853.2	0.004318	0.437	0.001684
KY	H L Spurloc	6041	2	#####	389	3820.2	0.004292	0.437	0.001669
KY	H L Spurloc	6041	2	#####	387	3851.9	0.004379	0.44	0.001695
KY	H L Spurloc	6041	2	#####	382	3790.5	0.004445	0.448	0.001698
KY	H L Spurloc	6041	2	#####	440	4435.5	0.004436	0.44	0.001952
KY	H L Spurloc	6041	2	#####	508	5183.8	0.004367	0.428	0.002219
KY	H L Spurloc	6041	2	#####	505	5153.5	0.004378	0.429	0.002211
KY	H L Spurloc	6041	2	#####	512	5263.5	0.00439	0.427	0.002248
KY	H L Spurloc	6041	2	#####	512	5279.8	0.004393	0.426	0.002249
KY	H L Spurloc	6041	2	#####	511	5234.4	0.004384	0.428	0.00224
KY	H L Spurloc	6041	2	#####	512	5273.8	0.004378	0.425	0.002241
KY	H L Spurloc	6041	2	#####	514	5242.2	0.004355	0.427	0.002238
KY	H L Spurloc	6041	2	#####	509	5198.6	0.004371	0.428	0.002225
KY	H L Spurloc	6041	2	#####	509	5189.5	0.004394	0.431	0.002237
KY	H L Spurloc	6041	2	#####	517	5314.3	0.004389	0.427	0.002269
KY	H L Spurloc	6041	2	#####	468	4718.8	0.004386	0.435	0.002053
KY	H L Spurloc	6041	2	#####	496	5054.1	0.004392	0.431	0.002178
KY	H L Spurloc	6041	2	#####	471	4816.9	0.004449	0.435	0.002095
KY	H L Spurloc	6041	2	#####	481	4918.2	0.004417	0.432	0.002125
KY	H L Spurloc	6041	2	#####	461	4628.6	0.004378	0.436	0.002018
KY	H L Spurloc	6041	2	#####	470	4716.4	0.004385	0.437	0.002061
KY	H L Spurloc	6041	2	#####	419	4172.5	0.004421	0.444	0.001853
KY	H L Spurloc	6041	2	#####	392	3888.7	0.004464	0.45	0.00175
KY	H L Spurloc	6041	2	#####	389	3891.5	0.004482	0.448	0.001743
KY	H L Spurloc	6041	2	#####	389	3862.6	0.004468	0.45	0.001738
KY	H L Spurloc	6041	2	#####	390	3870.6	0.004476	0.451	0.001746
KY	H L Spurloc	6041	2	#####	406	4062.6	0.004473	0.447	0.001816
KY	H L Spurloc	6041	2	#####	518	5427.4	0.004516	0.431	0.002339
KY	H L Spurloc	6041	2	#####	490	5088	0.004496	0.433	0.002203
KY	H L Spurloc	6041	2	#####	468	4833.5	0.004493	0.435	0.002103
KY	H L Spurloc	6041	2	#####	435	4406.4	0.004487	0.443	0.001952
KY	H L Spurloc	6041	2	#####	512	5402	0.004537	0.43	0.002323
KY	H L Spurloc	6041	2	#####	547	5748	0.004487	0.427	0.002454
KY	H L Spurloc	6041	2	#####	509	5200.3	0.004393	0.43	0.002236

KY	H L Spurloc	6041	2	#####	507	5184.2	0.004417	0.432	0.00224
KY	H L Spurloc	6041	2	#####	507	5191.6	0.004403	0.43	0.002232
KY	H L Spurloc	6041	2	#####	503	5134.3	0.004389	0.43	0.002208
KY	H L Spurloc	6041	2	#####	523	5396.8	0.004417	0.428	0.00231
KY	H L Spurloc	6041	2	#####	506	5165.7	0.00441	0.432	0.002232
KY	H L Spurloc	6041	2	#####	432	4302.2	0.004412	0.443	0.001906
KY	H L Spurloc	6041	2	#####	390	3852.7	0.004416	0.447	0.001722
KY	H L Spurloc	6041	2	#####	390	3839.2	0.00443	0.45	0.001728
KY	H L Spurloc	6041	2	#####	389	3809.5	0.004426	0.452	0.001722
KY	H L Spurloc	6041	2	#####	390	3831.8	0.004441	0.452	0.001732
KY	H L Spurloc	6041	2	#####	390	3849.8	0.004442	0.45	0.001732
KY	H L Spurloc	6041	2	#####	435	4415.7	0.004446	0.438	0.001934
KY	H L Spurloc	6041	2	#####	493	4967.3	0.004383	0.435	0.002161
KY	H L Spurloc	6041	2	#####	497	4963.9	0.004315	0.432	0.002144
KY	H L Spurloc	6041	2	#####	505	5033	0.004335	0.435	0.002189
KY	H L Spurloc	6041	2	#####	496	4872.9	0.003075	0.313	0.001525
KY	H L Spurloc	6041	2	#####	509	5058.2	0.003091	0.311	0.001573
KY	H L Spurloc	6041	2	#####	514	5177	0.003142	0.312	0.001615
KY	H L Spurloc	6041	2	#####	504	5020.4	0.003118	0.313	0.001571
KY	H L Spurloc	6041	2	#####	490	4854.5	0.003111	0.314	0.001524
KY	H L Spurloc	6041	2	#####	530	5351.5	0.00314	0.311	0.001664
KY	H L Spurloc	6041	2	#####	549	5623	0.003185	0.311	0.001749
KY	H L Spurloc	6041	2	#####	550	5594.9	0.003153	0.31	0.001734
KY	H L Spurloc	6041	2	#####	515	5238.7	0.003123	0.307	0.001608
KY	H L Spurloc	6041	2	#####	480	4826.2	0.003127	0.311	0.001501
KY	H L Spurloc	6041	2	#####	495	4970	0.003133	0.312	0.001551
KY	H L Spurloc	6041	2	#####	490	4882	0.003109	0.312	0.001523
KY	H L Spurloc	6041	2	#####	486	4826.2	0.003098	0.312	0.001506
KY	H L Spurloc	6041	2	#####	489	4847.2	0.003083	0.311	0.001507
KY	H L Spurloc	6041	2	#####	426	4137.1	0.003088	0.318	0.001316
KY	H L Spurloc	6041	2	#####	484	4879.5	0.003135	0.311	0.001518
KY	H L Spurloc	6041	2	#####	487	4894.5	0.003156	0.314	0.001537
KY	H L Spurloc	6041	2	#####	411	4034.5	0.003131	0.319	0.001287
KY	H L Spurloc	6041	2	#####	390	3817.4	0.003152	0.322	0.001229
KY	H L Spurloc	6041	2	#####	473	4768.9	0.003146	0.312	0.001488
KY	H L Spurloc	6041	2	#####	506	5098	0.003113	0.309	0.001575
KY	H L Spurloc	6041	2	#####	490	4910.3	0.003117	0.311	0.001527
KY	H L Spurloc	6041	2	#####	352	3399.7	0.003139	0.325	0.001105
KY	H L Spurloc	6041	2	#####	303	2910.3	0.003198	0.333	0.000969
KY	H L Spurloc	6041	2	#####	303	2955	0.003238	0.332	0.000981
KY	H L Spurloc	6041	2	#####	336	3288	0.00322	0.329	0.001082
KY	H L Spurloc	6041	2	#####	478	4869.7	0.003229	0.317	0.001544
KY	H L Spurloc	6041	2	#####	424	4179.6	0.003164	0.321	0.001342
KY	H L Spurloc	6041	2	#####	484	4835	0.003137	0.314	0.001518
KY	H L Spurloc	6041	2	#####	509	5107	0.00312	0.311	0.001588
KY	H L Spurloc	6041	2	#####	510	5088	0.003093	0.31	0.001577
KY	H L Spurloc	6041	2	#####	509	5103.4	0.003078	0.307	0.001567

KY	H L Spurloc	6041	2	#####	510	5115.1	0.003089	0.308	0.001575
KY	H L Spurloc	6041	2	#####	510	5109.7	0.003086	0.308	0.001574
KY	H L Spurloc	6041	2	#####	510	5120.2	0.003102	0.309	0.001582
KY	H L Spurloc	6041	2	#####	513	5133.4	0.003092	0.309	0.001586
KY	H L Spurloc	6041	2	#####	470	4654.2	0.003119	0.315	0.001466
KY	H L Spurloc	6041	2	#####	389	3753.2	0.003097	0.321	0.001205
KY	H L Spurloc	6041	2	#####	388	3778.7	0.003136	0.322	0.001217
KY	H L Spurloc	6041	2	#####	387	3761.2	0.003139	0.323	0.001215
KY	H L Spurloc	6041	2	#####	387	3796.7	0.003169	0.323	0.001226
KY	H L Spurloc	6041	2	#####	385	3764.1	0.003158	0.323	0.001216
KY	H L Spurloc	6041	2	#####	385	3762.7	0.003157	0.323	0.001215
KY	H L Spurloc	6041	2	#####	388	3810.2	0.003182	0.324	0.001235
KY	H L Spurloc	6041	2	#####	446	4488	0.00316	0.314	0.001409
KY	H L Spurloc	6041	2	#####	508	5203.3	0.003145	0.307	0.001597
KY	H L Spurloc	6041	2	#####	509	5234.4	0.003137	0.305	0.001596
KY	H L Spurloc	6041	2	#####	510	5203	0.003132	0.307	0.001597
KY	H L Spurloc	6041	2	#####	510	5168.3	0.003111	0.307	0.001587
KY	H L Spurloc	6041	2	#####	509	5132.3	0.003096	0.307	0.001576
KY	H L Spurloc	6041	2	#####	510	5098.6	0.003079	0.308	0.00157
KY	H L Spurloc	6041	2	#####	510	5102.8	0.003092	0.309	0.001577
KY	H L Spurloc	6041	2	#####	417	4067.4	0.003102	0.318	0.001293
KY	H L Spurloc	6041	2	#####	450	4476.5	0.003124	0.314	0.001406
KY	H L Spurloc	6041	2	#####	487	4924.9	0.003145	0.311	0.001532
KY	H L Spurloc	6041	2	#####	487	4937.5	0.003133	0.309	0.001526
KY	H L Spurloc	6041	2	#####	477	4779.6	0.003116	0.311	0.001486
KY	H L Spurloc	6041	2	#####	445	4453.5	0.003132	0.313	0.001394
KY	H L Spurloc	6041	2	#####	463	4647.7	0.003142	0.313	0.001455
KY	H L Spurloc	6041	2	#####	473	4762.2	0.003131	0.311	0.001481
KY	H L Spurloc	6041	2	#####	408	4039.9	0.003149	0.318	0.001285
KY	H L Spurloc	6041	2	#####	427	4235.8	0.003135	0.316	0.001339
KY	H L Spurloc	6041	2	#####	385	3769.7	0.003133	0.32	0.001206
KY	H L Spurloc	6041	2	#####	385	3752.1	0.003128	0.321	0.001204
KY	H L Spurloc	6041	2	#####	385	3714.9	0.003117	0.323	0.0012
KY	H L Spurloc	6041	2	#####	385	3700.6	0.003095	0.322	0.001192
KY	H L Spurloc	6041	2	#####	384	3699.1	0.003102	0.322	0.001191
KY	H L Spurloc	6041	2	#####	384	3709.5	0.003101	0.321	0.001191
KY	H L Spurloc	6041	2	#####	411	4039.8	0.003106	0.316	0.001277
KY	H L Spurloc	6041	2	#####	418	4108.3	0.003086	0.314	0.00129
KY	H L Spurloc	6041	2	#####	389	3796.1	0.003103	0.318	0.001207
KY	H L Spurloc	6041	2	#####	387	3737.4	0.003119	0.323	0.001207
KY	H L Spurloc	6041	2	#####	384	3742.5	0.003119	0.32	0.001198
KY	H L Spurloc	6041	2	#####	390	3789.8	0.003129	0.322	0.00122
KY	H L Spurloc	6041	2	#####	385	3786.9	0.003157	0.321	0.001216
KY	H L Spurloc	6041	2	#####	388	3807.9	0.00315	0.321	0.001222
KY	H L Spurloc	6041	2	#####	484	4948.8	0.003159	0.309	0.001529
KY	H L Spurloc	6041	2	#####	462	4666.9	0.003142	0.311	0.001451
KY	H L Spurloc	6041	2	#####	512	5307.5	0.003172	0.306	0.001624

KY	H L Spurloc	6041	2	#####	512	5269.7	0.003149	0.306	0.001613
KY	H L Spurloc	6041	2	#####	508	5191.4	0.003127	0.306	0.001589
KY	H L Spurloc	6041	2	#####	498	5060.5	0.00313	0.308	0.001559
KY	H L Spurloc	6041	2	#####	474	4746.4	0.003104	0.31	0.001471
KY	H L Spurloc	6041	2	#####	403	3973.4	0.003145	0.319	0.001268
KY	H L Spurloc	6041	2	#####	391	3867.2	0.003165	0.32	0.001238
KY	H L Spurloc	6041	2	#####	389	3801.2	0.003137	0.321	0.00122
KY	H L Spurloc	6041	2	#####	386	3771.8	0.003127	0.32	0.001207
KY	H L Spurloc	6041	2	#####	384	3739	0.003126	0.321	0.0012
KY	H L Spurloc	6041	2	#####	384	3755.1	0.003139	0.321	0.001205
KY	H L Spurloc	6041	2	#####	385	3734.2	0.003113	0.321	0.001199
KY	H L Spurloc	6041	2	#####	385	3711.2	0.003094	0.321	0.001191
KY	H L Spurloc	6041	2	#####	458	4598.2	0.003142	0.313	0.001439
KY	H L Spurloc	6041	2	#####	441	4283.5	0.00306	0.315	0.001349
KY	H L Spurloc	6041	2	#####	393	3801.7	0.003076	0.318	0.001209
KY	H L Spurloc	6041	2	#####	390	3749.9	0.003096	0.322	0.001207
KY	H L Spurloc	6041	2	#####	481	4773.6	0.003116	0.314	0.001499
KY	H L Spurloc	6041	2	#####	499	4944.1	0.003062	0.309	0.001528
KY	H L Spurloc	6041	2	#####	472	4620.9	0.003045	0.311	0.001437
KY	H L Spurloc	6041	2	#####	460	4580.1	0.003126	0.314	0.001438
KY	H L Spurloc	6041	2	#####	463	4584.6	0.003099	0.313	0.001435
KY	H L Spurloc	6041	2	#####	509	5122.6	0.00307	0.305	0.001562
KY	H L Spurloc	6041	2	#####	499	5094.7	0.003134	0.307	0.001564
KY	H L Spurloc	6041	2	#####	514	5294.3	0.003162	0.307	0.001625
KY	H L Spurloc	6041	2	#####	514	5287.7	0.003138	0.305	0.001613
KY	H L Spurloc	6041	2	#####	493	5066.4	0.003165	0.308	0.00156
KY	H L Spurloc	6041	2	#####	468	4756.4	0.003151	0.31	0.001474
KY	H L Spurloc	6041	2	#####	460	4648.7	0.003143	0.311	0.001446
KY	H L Spurloc	6041	2	#####	462	4687.5	0.003155	0.311	0.001458
KY	H L Spurloc	6041	2	#####	461	4697.9	0.003169	0.311	0.001461
KY	H L Spurloc	6041	2	#####	460	4687.9	0.003169	0.311	0.001458
KY	H L Spurloc	6041	2	#####	461	4692.4	0.003166	0.311	0.001459
KY	H L Spurloc	6041	2	#####	460	4660	0.003151	0.311	0.001449
KY	H L Spurloc	6041	2	#####	460	4652.7	0.003166	0.313	0.001456
KY	H L Spurloc	6041	2	#####	460	4628.3	0.003119	0.31	0.001435
KY	H L Spurloc	6041	2	#####	458	4560.2	0.003087	0.31	0.001414
KY	H L Spurloc	6041	2	#####	455	4519.2	0.003079	0.31	0.001401
KY	H L Spurloc	6041	2	#####	455	4507.8	0.003071	0.31	0.001397
KY	H L Spurloc	6041	2	#####	455	4469.4	0.003055	0.311	0.00139
KY	H L Spurloc	6041	2	#####	447	4392.1	0.003056	0.311	0.001366
KY	H L Spurloc	6041	2	#####	382	3631.5	0.003042	0.32	0.001162
KY	H L Spurloc	6041	2	#####	382	3692.2	0.003083	0.319	0.001178
KY	H L Spurloc	6041	2	#####	384	3743.8	0.00312	0.32	0.001198
KY	H L Spurloc	6041	2	#####	384	3782.2	0.003162	0.321	0.001214
KY	H L Spurloc	6041	2	#####	384	3702.9	0.003086	0.32	0.001185
KY	H L Spurloc	6041	2	#####	388	3819.4	0.00314	0.319	0.001218
KY	H L Spurloc	6041	2	#####	391	3848.3	0.00314	0.319	0.001228

KY	H L Spurloc	6041	2	#####	390	3820.1	0.003125	0.319	0.001219
KY	H L Spurloc	6041	2	#####	455	4565.9	0.003121	0.311	0.00142
KY	H L Spurloc	6041	2	#####	452	4518.2	0.003129	0.313	0.001414
KY	H L Spurloc	6041	2	#####	388	3784.9	0.003112	0.319	0.001207
KY	H L Spurloc	6041	2	#####	432	4308.4	0.003122	0.313	0.001349
KY	H L Spurloc	6041	2	#####	384	3752.9	0.003118	0.319	0.001197
KY	H L Spurloc	6041	2	#####	400	3929.3	0.003134	0.319	0.001253
KY	H L Spurloc	6041	2	#####	509	5209.4	0.003132	0.306	0.001594
KY	H L Spurloc	6041	2	#####	410	4005.3	0.003087	0.316	0.001266
KY	H L Spurloc	6041	2	#####	383	3705.8	0.003087	0.319	0.001182
KY	H L Spurloc	6041	2	#####	383	3698	0.00309	0.32	0.001183
KY	H L Spurloc	6041	2	#####	383	3708.4	0.003079	0.318	0.001179
KY	H L Spurloc	6041	2	#####	383	3702.4	0.003064	0.317	0.001174
KY	H L Spurloc	6041	2	#####	383	3677.9	0.003083	0.321	0.001181
KY	H L Spurloc	6041	2	#####	383	3728.9	0.003096	0.318	0.001186
KY	H L Spurloc	6041	2	#####	384	3755.1	0.0031	0.317	0.00119
KY	H L Spurloc	6041	2	#####	384	3749.5	0.003095	0.317	0.001189
KY	H L Spurloc	6041	2	#####	385	3724.1	0.003086	0.319	0.001188
KY	H L Spurloc	6041	2	#####	384	3751.2	0.003116	0.319	0.001197
KY	H L Spurloc	6041	2	#####	384	3768.3	0.00313	0.319	0.001202
KY	H L Spurloc	6041	2	#####	385	3802.5	0.003161	0.32	0.001217
KY	H L Spurloc	6041	2	#####	401	3982	0.003158	0.318	0.001266
KY	H L Spurloc	6041	2	#####	401	3968.9	0.003138	0.317	0.001258
KY	H L Spurloc	6041	2	#####	481	4936.9	0.003151	0.307	0.001516
KY	H L Spurloc	6041	2	#####	450	4533	0.003153	0.313	0.001419
KY	H L Spurloc	6041	2	#####	504	5183.5	0.003168	0.308	0.001597
KY	H L Spurloc	6041	2	#####	506	5182.4	0.003155	0.308	0.001596
KY	H L Spurloc	6041	2	#####	500	5123.7	0.003146	0.307	0.001573
KY	H L Spurloc	6041	2	#####	471	4756.3	0.003161	0.313	0.001489
KY	H L Spurloc	6041	2	#####	382	3728	0.003133	0.321	0.001197
KY	H L Spurloc	6041	2	#####	391	3847.4	0.003178	0.323	0.001243
KY	H L Spurloc	6041	2	#####	385	3769.7	0.003163	0.323	0.001218
KY	H L Spurloc	6041	2	#####	385	3757.7	0.003133	0.321	0.001206
KY	H L Spurloc	6041	2	#####	385	3773.2	0.003136	0.32	0.001207
KY	H L Spurloc	6041	2	#####	385	3760.5	0.003155	0.323	0.001215
KY	H L Spurloc	6041	2	#####	385	3762.4	0.003127	0.32	0.001204
KY	H L Spurloc	6041	2	#####	385	3762	0.003156	0.323	0.001215
KY	H L Spurloc	6041	2	#####	385	3748.1	0.003145	0.323	0.001211
KY	H L Spurloc	6041	2	#####	404	4009.5	0.003146	0.317	0.001271
KY	H L Spurloc	6041	2	#####	424	4195.8	0.003107	0.314	0.001317
KY	H L Spurloc	6041	2	#####	385	3748.3	0.003106	0.319	0.001196
KY	H L Spurloc	6041	2	#####	386	3765.5	0.003112	0.319	0.001201
KY	H L Spurloc	6041	2	#####	383	3662.4	0.00307	0.321	0.001176
KY	H L Spurloc	6041	2	#####	394	3828.8	0.003119	0.321	0.001229
KY	H L Spurloc	6041	2	#####	431	4307	0.003168	0.317	0.001365
KY	H L Spurloc	6041	2	#####	392	3827	0.003105	0.318	0.001217
KY	H L Spurloc	6041	2	#####	405	3861.4	0.003032	0.318	0.001228

KY	H L Spurloc	6041	2	#####	443	4482.9	0.003198	0.316	0.001417
KY	H L Spurloc	6041	2	#####	491	4905.1	0.003087	0.309	0.001516
KY	H L Spurloc	6041	2	#####	518	5208.3	0.003067	0.305	0.001589
KY	H L Spurloc	6041	2	#####	514	5274.9	0.00313	0.305	0.001609
KY	H L Spurloc	6041	2	#####	491	4938.5	0.003088	0.307	0.001516
KY	H L Spurloc	6041	2	#####	441	4283.6	0.00306	0.315	0.001349
KY	H L Spurloc	6041	2	#####	384	3669.4	0.003058	0.32	0.001174
KY	H L Spurloc	6041	2	#####	389	3732.1	0.003118	0.325	0.001213
KY	H L Spurloc	6041	2	#####	384	3670.5	0.003087	0.323	0.001186
KY	H L Spurloc	6041	2	#####	385	3660.9	0.003071	0.323	0.001182
KY	H L Spurloc	6041	2	#####	386	3692.6	0.003061	0.32	0.001182
KY	H L Spurloc	6041	2	#####	385	3663.8	0.003093	0.325	0.001191
KY	H L Spurloc	6041	2	#####	385	3651.8	0.003054	0.322	0.001176
KY	H L Spurloc	6041	2	#####	384	3637.2	0.00304	0.321	0.001168
KY	H L Spurloc	6041	2	#####	384	3572.8	0.003005	0.323	0.001154
KY	H L Spurloc	6041	2	#####	383	3538.3	0.002984	0.323	0.001143
KY	H L Spurloc	6041	2	#####	419	3955.5	0.00303	0.321	0.00127
KY	H L Spurloc	6041	2	#####	382	3497.6	0.002976	0.325	0.001137
KY	H L Spurloc	6041	2	#####	415	3915.6	0.003038	0.322	0.001261
KY	H L Spurloc	6041	2	#####	391	3601.3	0.002993	0.325	0.00117
KY	H L Spurloc	6041	2	#####	393	3639.8	0.002991	0.323	0.001176
KY	H L Spurloc	6041	2	#####	439	4208	0.003058	0.319	0.001342
KY	H L Spurloc	6041	2	#####	448	4278.3	0.003046	0.319	0.001365
KY	H L Spurloc	6041	2	#####	510	5005.3	0.003023	0.308	0.001542
KY	H L Spurloc	6041	2	#####	509	4993.9	0.003012	0.307	0.001533
KY	H L Spurloc	6041	2	#####	511	5019.4	0.003025	0.308	0.001546
KY	H L Spurloc	6041	2	#####	532	5270.2	0.003051	0.308	0.001623
KY	H L Spurloc	6041	2	#####	516	5090.5	0.003009	0.305	0.001553
KY	H L Spurloc	6041	2	#####	501	4912.1	0.003079	0.314	0.001542
KY	H L Spurloc	6041	2	#####	423	3965.3	0.002981	0.318	0.001261
KY	H L Spurloc	6041	2	#####	385	3578.7	0.003021	0.325	0.001163
KY	H L Spurloc	6041	2	#####	384	3550.8	0.003024	0.327	0.001161
KY	H L Spurloc	6041	2	#####	384	3535.3	0.002992	0.325	0.001149
KY	H L Spurloc	6041	2	#####	384	3558.7	0.003003	0.324	0.001153
KY	H L Spurloc	6041	2	#####	384	3552.5	0.002997	0.324	0.001151
KY	H L Spurloc	6041	2	#####	382	3509.4	0.003013	0.328	0.001151
KY	H L Spurloc	6041	2	#####	382	3491.1	0.002998	0.328	0.001145
KY	H L Spurloc	6041	2	#####	382	3495.7	0.002974	0.325	0.001136
KY	H L Spurloc	6041	2	#####	457	4357.7	0.003042	0.319	0.00139
KY	H L Spurloc	6041	2	#####	417	3836.2	0.002971	0.323	0.001239
KY	H L Spurloc	6041	2	#####	387	3551.4	0.002973	0.324	0.001151
KY	H L Spurloc	6041	2	#####	383	3486.4	0.002977	0.327	0.00114
KY	H L Spurloc	6041	2	#####	393	3622.9	0.002987	0.324	0.001174
KY	H L Spurloc	6041	2	#####	405	3792.1	0.003043	0.325	0.001232
KY	H L Spurloc	6041	2	#####	406	3783.1	0.003056	0.328	0.001241
KY	H L Spurloc	6041	2	#####	446	4291.4	0.003079	0.32	0.001373
KY	H L Spurloc	6041	2	#####	508	5009	0.003027	0.307	0.001538

KY	H L Spurloc	6041	2	#####	493	4813.9	0.003017	0.309	0.001487
KY	H L Spurloc	6041	2	#####	530	5278.9	0.003028	0.304	0.001605
KY	H L Spurloc	6041	2	#####	545	5470.1	0.003041	0.303	0.001657
KY	H L Spurloc	6041	2	#####	545	5455.1	0.003033	0.303	0.001653
KY	H L Spurloc	6041	2	#####	522	5138	0.003032	0.308	0.001583
KY	H L Spurloc	6041	2	#####	453	4318.2	0.002993	0.314	0.001356
KY	H L Spurloc	6041	2	#####	442	4211.8	0.003002	0.315	0.001327
KY	H L Spurloc	6041	2	#####	433	4136.9	0.003019	0.316	0.001307
KY	H L Spurloc	6041	2	#####	384	3534.4	0.003019	0.328	0.001159
KY	H L Spurloc	6041	2	#####	386	3571	0.003016	0.326	0.001164
KY	H L Spurloc	6041	2	#####	490	4831.1	0.003096	0.314	0.001517
KY	H L Spurloc	6041	2	#####	522	5195.1	0.003135	0.315	0.001636
KY	H L Spurloc	6041	2	#####	541	5446.8	0.003181	0.316	0.001721
KY	H L Spurloc	6041	2	#####	539	5420.9	0.003158	0.314	0.001702
KY	H L Spurloc	6041	2	#####	539	5428.3	0.003162	0.314	0.001704
KY	H L Spurloc	6041	2	#####	521	5092.7	0.003069	0.314	0.001599
KY	H L Spurloc	6041	2	#####	544	5383.7	0.003009	0.304	0.001637
KY	H L Spurloc	6041	2	#####	549	5474.9	0.003042	0.305	0.00167
KY	H L Spurloc	6041	2	#####	550	5477	0.003127	0.314	0.00172
KY	H L Spurloc	6041	2	#####	550	5477.1	0.003127	0.314	0.00172
KY	H L Spurloc	6041	2	#####	549	5461.3	0.003143	0.316	0.001726
KY	H L Spurloc	6041	2	#####	550	5433.5	0.003122	0.316	0.001717
KY	H L Spurloc	6041	2	#####	546	5406.6	0.003129	0.316	0.001708
KY	H L Spurloc	6041	2	#####	547	5396.6	0.003098	0.314	0.001695
KY	H L Spurloc	6041	2	#####	550	5442.8	0.003107	0.314	0.001709
KY	H L Spurloc	6041	2	#####	543	5362.4	0.003131	0.317	0.0017
KY	H L Spurloc	6041	2	#####	550	5433.8	0.003161	0.32	0.001739
KY	H L Spurloc	6041	2	#####	511	4849.1	0.00298	0.314	0.001523
KY	H L Spurloc	6041	2	#####	496	4671.3	0.002938	0.312	0.001457
KY	H L Spurloc	6041	2	#####	550	5340.3	0.002991	0.308	0.001645
KY	H L Spurloc	6041	2	#####	550	5324.8	0.002982	0.308	0.00164
KY	H L Spurloc	6041	2	#####	506	4779.7	0.002928	0.31	0.001482
KY	H L Spurloc	6041	2	#####	547	5277.8	0.002972	0.308	0.001626
KY	H L Spurloc	6041	2	#####	458	4223.3	0.002942	0.319	0.001347
KY	H L Spurloc	6041	2	#####	189	1577.4	0.003839	0.46	0.000726
KY	H L Spurloc	6041	2	#####	211	1913.1	0.0035	0.386	0.000738
KY	H L Spurloc	6041	2	#####	0	52.564		2.63	0.000138
KY	H L Spurloc	6041	3	7/1/2022	301	2694.7	0.000263	0.0294	7.92E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2693.5	0.000262	0.0294	7.92E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2698.2	0.000263	0.0294	7.93E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2735.6	0.000264	0.0291	7.96E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2739.8	0.000264	0.0291	7.97E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2707.3	0.000264	0.0294	7.96E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2713.2	0.000264	0.0294	7.98E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2723.4	0.000265	0.0294	8.01E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2743.4	0.000264	0.0291	7.98E-05
KY	H L Spurloc	6041	3	7/1/2022	289	2583	0.000263	0.0294	7.59E-05

KY	H L Spurloc	6041	3	7/1/2022	300	2789.2	0.000269	0.0289	8.06E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2771.4	0.000267	0.0291	8.06E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2783.7	0.000268	0.0291	8.1E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2790.2	0.000269	0.0291	8.12E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2779.7	0.000268	0.0291	8.09E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2753.2	0.000265	0.0291	8.01E-05
KY	H L Spurloc	6041	3	7/1/2022	301	2746.5	0.000266	0.0291	7.99E-05
KY	H L Spurloc	6041	3	7/1/2022	301	2752.8	0.000266	0.0291	8.01E-05
KY	H L Spurloc	6041	3	7/1/2022	301	2741.3	0.000268	0.0294	8.06E-05
KY	H L Spurloc	6041	3	7/1/2022	301	2737.2	0.000267	0.0294	8.05E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2711.1	0.000264	0.0294	7.97E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2693.5	0.00026	0.0291	7.84E-05
KY	H L Spurloc	6041	3	7/1/2022	302	2687.2	0.000259	0.0291	7.82E-05
KY	H L Spurloc	6041	3	7/1/2022	249	2111.9	0.000269	0.0317	6.69E-05
KY	H L Spurloc	6041	3	7/2/2022	170	1485.2	0.000342	0.0392	5.82E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1518	0.000353	0.0388	5.89E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1527.2	0.000355	0.0388	5.93E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1526.2	0.000355	0.0388	5.92E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1527.8	0.000355	0.0388	5.93E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1545.7	0.000354	0.0383	5.92E-05
KY	H L Spurloc	6041	3	7/2/2022	166	1535.5	0.000359	0.0388	5.96E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1535.9	0.000357	0.0388	5.96E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1536.4	0.000357	0.0388	5.96E-05
KY	H L Spurloc	6041	3	7/2/2022	176	1636.5	0.000346	0.0372	6.09E-05
KY	H L Spurloc	6041	3	7/2/2022	185	1702.9	0.000332	0.0361	6.15E-05
KY	H L Spurloc	6041	3	7/2/2022	242	2259.3	0.000286	0.0306	6.91E-05
KY	H L Spurloc	6041	3	7/2/2022	271	2421.3	0.000263	0.0294	7.12E-05
KY	H L Spurloc	6041	3	7/2/2022	272	2443.1	0.000261	0.0291	7.11E-05
KY	H L Spurloc	6041	3	7/2/2022	288	2614.9	0.000264	0.0291	7.61E-05
KY	H L Spurloc	6041	3	7/2/2022	293	2654.4	0.000266	0.0294	7.8E-05
KY	H L Spurloc	6041	3	7/2/2022	289	2583.7	0.000263	0.0294	7.6E-05
KY	H L Spurloc	6041	3	7/2/2022	222	1904.4	0.000287	0.0334	6.36E-05
KY	H L Spurloc	6041	3	7/2/2022	194	1722.7	0.000321	0.0361	6.22E-05
KY	H L Spurloc	6041	3	7/2/2022	167	1523.1	0.000354	0.0388	5.91E-05
KY	H L Spurloc	6041	3	7/2/2022	174	1606.7	0.000347	0.0376	6.04E-05
KY	H L Spurloc	6041	3	7/2/2022	166	1536.6	0.000359	0.0388	5.96E-05
KY	H L Spurloc	6041	3	7/2/2022	206	1963.1	0.000318	0.0334	6.56E-05
KY	H L Spurloc	6041	3	7/2/2022	193	1727.7	0.000317	0.0354	6.12E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1515.1	0.000352	0.0388	5.88E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1543.9	0.00035	0.0379	5.85E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1543.7	0.00035	0.0379	5.85E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1535.3	0.000352	0.0383	5.88E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1553.3	0.000353	0.0379	5.89E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1538.6	0.000353	0.0383	5.89E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1541.3	0.000358	0.0388	5.98E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1552.1	0.000356	0.0383	5.94E-05
KY	H L Spurloc	6041	3	7/3/2022	210	1977.3	0.000312	0.0331	6.54E-05

KY	H L Spurloc	6041	3	7/3/2022	194	1694	0.000309	0.0354	6E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1524.5	0.00035	0.0383	5.84E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1543.9	0.00035	0.0379	5.85E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1537.4	0.000349	0.0379	5.83E-05
KY	H L Spurloc	6041	3	7/3/2022	167	1545.4	0.000351	0.0379	5.86E-05
KY	H L Spurloc	6041	3	7/3/2022	172	1622.3	0.000347	0.0368	5.97E-05
KY	H L Spurloc	6041	3	7/3/2022	181	1689.8	0.000337	0.0361	6.1E-05
KY	H L Spurloc	6041	3	7/3/2022	236	2178.2	0.000293	0.0317	6.9E-05
KY	H L Spurloc	6041	3	7/3/2022	280	2578.3	0.000271	0.0294	7.58E-05
KY	H L Spurloc	6041	3	7/3/2022	287	2572.9	0.000264	0.0294	7.56E-05
KY	H L Spurloc	6041	3	7/3/2022	209	1795.6	0.000296	0.0344	6.18E-05
KY	H L Spurloc	6041	3	7/3/2022	216	1972.4	0.000305	0.0334	6.59E-05
KY	H L Spurloc	6041	3	7/3/2022	186	1609.7	0.000322	0.0372	5.99E-05
KY	H L Spurloc	6041	3	7/3/2022	221	2093.8	0.000303	0.032	6.7E-05
KY	H L Spurloc	6041	3	7/3/2022	190	1652.3	0.000314	0.0361	5.96E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1509.9	0.000351	0.0388	5.86E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1524.4	0.00035	0.0383	5.84E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1546.5	0.000351	0.0379	5.86E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1542.8	0.00035	0.0379	5.85E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1535.8	0.000349	0.0379	5.82E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1536.5	0.000349	0.0379	5.82E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1543.7	0.00035	0.0379	5.85E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1540.6	0.00035	0.0379	5.84E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1547.7	0.000351	0.0379	5.87E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1535.4	0.000352	0.0383	5.88E-05
KY	H L Spurloc	6041	3	7/4/2022	174	1628.9	0.000345	0.0368	5.99E-05
KY	H L Spurloc	6041	3	7/4/2022	168	1526.8	0.000348	0.0383	5.85E-05
KY	H L Spurloc	6041	3	7/4/2022	170	1600.7	0.00035	0.0372	5.95E-05
KY	H L Spurloc	6041	3	7/4/2022	202	1871.7	0.000315	0.034	6.36E-05
KY	H L Spurloc	6041	3	7/4/2022	252	2288.4	0.000281	0.0309	7.07E-05
KY	H L Spurloc	6041	3	7/4/2022	188	1659.3	0.000319	0.0361	5.99E-05
KY	H L Spurloc	6041	3	7/4/2022	213	1958.2	0.000307	0.0334	6.54E-05
KY	H L Spurloc	6041	3	7/4/2022	263	2355.5	0.000277	0.0309	7.28E-05
KY	H L Spurloc	6041	3	7/4/2022	210	1782.6	0.000297	0.035	6.24E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1545.1	0.000354	0.0383	5.92E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1523.6	0.000358	0.0392	5.97E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1523.3	0.000358	0.0392	5.97E-05
KY	H L Spurloc	6041	3	7/4/2022	167	1542.4	0.000354	0.0383	5.91E-05
KY	H L Spurloc	6041	3	7/4/2022	227	2157	0.000306	0.0322	6.95E-05
KY	H L Spurloc	6041	3	7/5/2022	298	2721.5	0.000264	0.0289	7.87E-05
KY	H L Spurloc	6041	3	7/5/2022	300	2670.9	0.000264	0.0296	7.91E-05
KY	H L Spurloc	6041	3	7/5/2022	284	2495.7	0.000263	0.0299	7.46E-05
KY	H L Spurloc	6041	3	7/5/2022	288	2592.6	0.000265	0.0294	7.62E-05
KY	H L Spurloc	6041	3	7/5/2022	289	2535.7	0.000264	0.0301	7.63E-05
KY	H L Spurloc	6041	3	7/5/2022	300	2728.3	0.000267	0.0294	8.02E-05
KY	H L Spurloc	6041	3	7/5/2022	284	2457.2	0.000263	0.0304	7.47E-05
KY	H L Spurloc	6041	3	7/5/2022	300	2738.4	0.000268	0.0294	8.05E-05

KY	H L Spurloc	6041	3	7/5/2022	302	2728.7	0.000155	0.0171	4.67E-05
KY	H L Spurloc	6041	3	7/5/2022	292	2653			
KY	H L Spurloc	6041	3	7/5/2022	301	2791.9	0.000155	0.0167	4.66E-05
KY	H L Spurloc	6041	3	7/5/2022	290	2574.4	0.000154	0.0173	4.45E-05
KY	H L Spurloc	6041	3	7/5/2022	300	2800.6	0.000156	0.0167	4.68E-05
KY	H L Spurloc	6041	3	7/5/2022	303	2754.7	0.000154	0.0169	4.66E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2775.2	0.000153	0.0167	4.63E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2762	0.000153	0.0167	4.61E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2710.6	0.000153	0.017	4.61E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2726.5	0.000153	0.017	4.64E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2726.3	0.000153	0.017	4.63E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2734.1	0.000153	0.0169	4.62E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2749.7	0.000154	0.0169	4.65E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2764.4	0.000153	0.0167	4.62E-05
KY	H L Spurloc	6041	3	7/5/2022	302	2751.5	0.000152	0.0167	4.6E-05
KY	H L Spurloc	6041	3	7/5/2022	268	2307.8	0.00015	0.0174	4.02E-05
KY	H L Spurloc	6041	3	7/6/2022	191	1668	0.000181	0.0207	3.45E-05
KY	H L Spurloc	6041	3	7/6/2022	168	1530.2	0.0002	0.022	3.37E-05
KY	H L Spurloc	6041	3	7/6/2022	167	1533.2	0.000202	0.022	3.37E-05
KY	H L Spurloc	6041	3	7/6/2022	167	1554	0.000203	0.0218	3.39E-05
KY	H L Spurloc	6041	3	7/6/2022	167	1561.1	0.000204	0.0218	3.4E-05
KY	H L Spurloc	6041	3	7/6/2022	178	1616.7	0.000193	0.0213	3.44E-05
KY	H L Spurloc	6041	3	7/6/2022	167	1529.6	0.000203	0.0222	3.4E-05
KY	H L Spurloc	6041	3	7/6/2022	170	1599.7	0.000203	0.0216	3.46E-05
KY	H L Spurloc	6041	3	7/6/2022	220	2070.1	0.000172	0.0183	3.79E-05
KY	H L Spurloc	6041	3	7/6/2022	243	2237.1	0.000163	0.0177	3.96E-05
KY	H L Spurloc	6041	3	7/6/2022	300	2819.7	0.000156	0.0166	4.68E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2771.7	0.000155	0.0169	4.68E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2758.1	0.000155	0.017	4.69E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2752	0.000155	0.017	4.68E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2760.6	0.000155	0.017	4.69E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2763	0.000153	0.0167	4.61E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2690.7	0.000151	0.017	4.57E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2682.3	0.000151	0.017	4.56E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2674	0.000151	0.0171	4.57E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2741.8	0.000153	0.0169	4.63E-05
KY	H L Spurloc	6041	3	7/6/2022	302	2699.2	0.000152	0.017	4.59E-05
KY	H L Spurloc	6041	3	7/6/2022	299	2641	0.000151	0.0171	4.52E-05
KY	H L Spurloc	6041	3	7/6/2022	247	2149.6	0.000156	0.0179	3.85E-05
KY	H L Spurloc	6041	3	7/6/2022	206	1838.1	0.000174	0.0195	3.58E-05
KY	H L Spurloc	6041	3	7/7/2022	214	1870	0.00017	0.0194	3.63E-05
KY	H L Spurloc	6041	3	7/7/2022	166	1521.7	0.000204	0.0222	3.38E-05
KY	H L Spurloc	6041	3	7/7/2022	167	1534.6	0.000204	0.0222	3.41E-05
KY	H L Spurloc	6041	3	7/7/2022	167	1539.5	0.000205	0.0222	3.42E-05
KY	H L Spurloc	6041	3	7/7/2022	167	1545.3	0.000205	0.0222	3.43E-05
KY	H L Spurloc	6041	3	7/7/2022	173	1615.6	0.000202	0.0216	3.49E-05
KY	H L Spurloc	6041	3	7/7/2022	175	1603.3	0.0002	0.0218	3.5E-05

KY	H L Spurloc	6041	3	7/7/2022	177	1662.3	0.000198	0.0211	3.51E-05
KY	H L Spurloc	6041	3	7/7/2022	224	1993.3	0.000173	0.0194	3.87E-05
KY	H L Spurloc	6041	3	7/7/2022	279	2513.5	0.000156	0.0173	4.35E-05
KY	H L Spurloc	6041	3	7/7/2022	292	2615.9	0.000152	0.017	4.45E-05
KY	H L Spurloc	6041	3	7/7/2022	300	2724.8	0.000154	0.017	4.63E-05
KY	H L Spurloc	6041	3	7/7/2022	299	2754.9	0.000157	0.017	4.68E-05
KY	H L Spurloc	6041	3	7/7/2022	300	2740.1	0.000156	0.0171	4.69E-05
KY	H L Spurloc	6041	3	7/7/2022	301	2753.1	0.000156	0.0171	4.71E-05
KY	H L Spurloc	6041	3	7/7/2022	302	2755.4	0.000156	0.0171	4.71E-05
KY	H L Spurloc	6041	3	7/7/2022	302	2766.7	0.000156	0.017	4.7E-05
KY	H L Spurloc	6041	3	7/7/2022	301	2755.5	0.000156	0.017	4.68E-05
KY	H L Spurloc	6041	3	7/7/2022	300	2733.6	0.000155	0.017	4.65E-05
KY	H L Spurloc	6041	3	7/7/2022	301	2734.7	0.000154	0.017	4.65E-05
KY	H L Spurloc	6041	3	7/7/2022	299	2725.6	0.000155	0.017	4.63E-05
KY	H L Spurloc	6041	3	7/7/2022	288	2588.8	0.000154	0.0171	4.43E-05
KY	H L Spurloc	6041	3	7/7/2022	265	2353.8	0.000155	0.0174	4.1E-05
KY	H L Spurloc	6041	3	7/7/2022	189	1657.3	0.000187	0.0213	3.53E-05
KY	H L Spurloc	6041	3	7/8/2022	168	1536.6	0.000206	0.0225	3.46E-05
KY	H L Spurloc	6041	3	7/8/2022	168	1555	0.000205	0.0222	3.45E-05
KY	H L Spurloc	6041	3	7/8/2022	168	1561.3	0.000206	0.0222	3.47E-05
KY	H L Spurloc	6041	3	7/8/2022	168	1566.4	0.000207	0.0222	3.48E-05
KY	H L Spurloc	6041	3	7/8/2022	168	1568	0.000207	0.0222	3.48E-05
KY	H L Spurloc	6041	3	7/8/2022	169	1582	0.000206	0.022	3.48E-05
KY	H L Spurloc	6041	3	7/8/2022	170	1583.1	0.000205	0.022	3.48E-05
KY	H L Spurloc	6041	3	7/8/2022	169	1565.5	0.000206	0.0222	3.48E-05
KY	H L Spurloc	6041	3	7/8/2022	180	1664.6	0.000197	0.0213	3.55E-05
KY	H L Spurloc	6041	3	7/8/2022	174	1612.2	0.000202	0.0218	3.51E-05
KY	H L Spurloc	6041	3	7/8/2022	173	1621	0.000204	0.0218	3.53E-05
KY	H L Spurloc	6041	3	7/8/2022	226	2043.1	0.000175	0.0194	3.96E-05
KY	H L Spurloc	6041	3	7/8/2022	254	2273.2	0.000158	0.0176	4E-05
KY	H L Spurloc	6041	3	7/8/2022	234	2056.3	0.000163	0.0185	3.8E-05
KY	H L Spurloc	6041	3	7/8/2022	249	2231.7	0.000163	0.0182	4.06E-05
KY	H L Spurloc	6041	3	7/8/2022	276	2458.5	0.000154	0.0173	4.25E-05
KY	H L Spurloc	6041	3	7/8/2022	292	2610.9	0.000153	0.0171	4.46E-05
KY	H L Spurloc	6041	3	7/8/2022	260	2241.7	0.000153	0.0177	3.97E-05
KY	H L Spurloc	6041	3	7/8/2022	287	2557.8	0.000152	0.0171	4.37E-05
KY	H L Spurloc	6041	3	7/8/2022	291	2576.6	0.000153	0.0173	4.46E-05
KY	H L Spurloc	6041	3	7/8/2022	286	2492.2	0.000152	0.0174	4.34E-05
KY	H L Spurloc	6041	3	7/8/2022	229	1966.6	0.000161	0.0188	3.7E-05
KY	H L Spurloc	6041	3	7/8/2022	208	1860.7	0.000178	0.0199	3.7E-05
KY	H L Spurloc	6041	3	7/8/2022	238	2083.7	0.000162	0.0185	3.85E-05
KY	H L Spurloc	6041	3	7/9/2022	222	1929.7	0.000169	0.0194	3.74E-05
KY	H L Spurloc	6041	3	7/9/2022	177	1570.8	0.000195	0.022	3.46E-05
KY	H L Spurloc	6041	3	7/9/2022	168	1539.8	0.000206	0.0225	3.46E-05
KY	H L Spurloc	6041	3	7/9/2022	168	1538.7	0.000206	0.0225	3.46E-05
KY	H L Spurloc	6041	3	7/9/2022	167	1525.3	0.000206	0.0225	3.43E-05
KY	H L Spurloc	6041	3	7/9/2022	167	1526.9	0.000206	0.0225	3.44E-05

KY	H L Spurloc	6041	3	7/9/2022	167	1541.3	0.000205	0.0222	3.42E-05
KY	H L Spurloc	6041	3	7/9/2022	167	1561.6	0.000206	0.022	3.44E-05
KY	H L Spurloc	6041	3	7/9/2022	178	1668.6	0.000198	0.0211	3.52E-05
KY	H L Spurloc	6041	3	7/9/2022	229	2119.1	0.000169	0.0183	3.88E-05
KY	H L Spurloc	6041	3	7/9/2022	218	1895.5	0.000167	0.0192	3.64E-05
KY	H L Spurloc	6041	3	7/9/2022	178	1602.8	0.000196	0.0218	3.49E-05
KY	H L Spurloc	6041	3	7/9/2022	168	1524.5	0.000204	0.0225	3.43E-05
KY	H L Spurloc	6041	3	7/9/2022	173	1582.2	0.000201	0.022	3.48E-05
KY	H L Spurloc	6041	3	7/9/2022	198	1859.4	0.000189	0.0201	3.74E-05
KY	H L Spurloc	6041	3	7/9/2022	248	2208.7	0.000162	0.0182	4.02E-05
KY	H L Spurloc	6041	3	7/9/2022	266	2399.4	0.000154	0.0171	4.1E-05
KY	H L Spurloc	6041	3	7/9/2022	271	2377.9	0.000152	0.0173	4.11E-05
KY	H L Spurloc	6041	3	7/9/2022	209	1828.5	0.000171	0.0195	3.57E-05
KY	H L Spurloc	6041	3	7/9/2022	218	1937.5	0.000172	0.0194	3.76E-05
KY	H L Spurloc	6041	3	7/9/2022	248	2193.6	0.000161	0.0182	3.99E-05
KY	H L Spurloc	6041	3	7/9/2022	227	1940.9	0.000162	0.019	3.69E-05
KY	H L Spurloc	6041	3	7/9/2022	167	1507.7	0.000203	0.0225	3.39E-05
KY	H L Spurloc	6041	3	7/9/2022	212	1947.2	0.000178	0.0194	3.78E-05
KY	H L Spurloc	6041	3	#####	231	2013.4	0.000163	0.0187	3.77E-05
KY	H L Spurloc	6041	3	#####	176	1556.3	0.000193	0.0218	3.39E-05
KY	H L Spurloc	6041	3	#####	167	1517.9	0.000205	0.0225	3.42E-05
KY	H L Spurloc	6041	3	#####	167	1515.7	0.000204	0.0225	3.41E-05
KY	H L Spurloc	6041	3	#####	167	1523.6	0.000203	0.0222	3.38E-05
KY	H L Spurloc	6041	3	#####	167	1528.1	0.000203	0.0222	3.39E-05
KY	H L Spurloc	6041	3	#####	167	1533.2	0.000204	0.0222	3.4E-05
KY	H L Spurloc	6041	3	#####	195	1800.5			
KY	H L Spurloc	6041	3	#####	231	2067.5	0.000164	0.0183	3.78E-05
KY	H L Spurloc	6041	3	#####	244	2215.9	0.000163	0.0179	3.97E-05
KY	H L Spurloc	6041	3	#####	292	2662.6	0.000154	0.0169	4.5E-05
KY	H L Spurloc	6041	3	#####	290	2617.9	0.000153	0.017	4.45E-05
KY	H L Spurloc	6041	3	#####	302	2759.2	0.000155	0.017	4.69E-05
KY	H L Spurloc	6041	3	#####	302	2767.8	0.000156	0.017	4.71E-05
KY	H L Spurloc	6041	3	#####	302	2772.1	0.000156	0.017	4.71E-05
KY	H L Spurloc	6041	3	#####	302	2759.5	0.000155	0.017	4.69E-05
KY	H L Spurloc	6041	3	#####	302	2744.2	0.000154	0.017	4.67E-05
KY	H L Spurloc	6041	3	#####	302	2734.2	0.000155	0.0171	4.68E-05
KY	H L Spurloc	6041	3	#####	302	2755.5	0.000155	0.017	4.68E-05
KY	H L Spurloc	6041	3	#####	302	2778.6	0.000154	0.0167	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2764.7	0.000155	0.0169	4.67E-05
KY	H L Spurloc	6041	3	#####	292	2609.2	0.000152	0.017	4.44E-05
KY	H L Spurloc	6041	3	#####	300	2779	0.000155	0.0167	4.64E-05
KY	H L Spurloc	6041	3	#####	247	2060.1	0.000154	0.0185	3.81E-05
KY	H L Spurloc	6041	3	#####	169	1491.1	0.000199	0.0225	3.35E-05
KY	H L Spurloc	6041	3	#####	167	1531.7	0.000202	0.022	3.37E-05
KY	H L Spurloc	6041	3	#####	167	1525.3	0.000203	0.0222	3.39E-05
KY	H L Spurloc	6041	3	#####	167	1546.6	0.000204	0.022	3.4E-05
KY	H L Spurloc	6041	3	#####	167	1546.5	0.000204	0.022	3.4E-05

KY	H L Spurloc	6041	3	#####	167	1550.3	0.000204	0.022	3.41E-05
KY	H L Spurloc	6041	3	#####	167	1547.4	0.000204	0.022	3.4E-05
KY	H L Spurloc	6041	3	#####	167	1547.7	0.000204	0.022	3.4E-05
KY	H L Spurloc	6041	3	#####	167	1557.1	0.000205	0.022	3.43E-05
KY	H L Spurloc	6041	3	#####	167	1555.1	0.000205	0.022	3.42E-05
KY	H L Spurloc	6041	3	#####	167	1558.1	0.000205	0.022	3.43E-05
KY	H L Spurloc	6041	3	#####	216	2011	0.000177	0.019	3.82E-05
KY	H L Spurloc	6041	3	#####	278	2458.6			
KY	H L Spurloc	6041	3	#####	291	2497.5			
KY	H L Spurloc	6041	3	#####	297	2659.5	0.000703	0.0785	0.000209
KY	H L Spurloc	6041	3	#####	301	2791.5	0.00071	0.0766	0.000214
KY	H L Spurloc	6041	3	#####	299	2785.3	0.000714	0.0766	0.000213
KY	H L Spurloc	6041	3	#####	301	2834.6	0.00071	0.0754	0.000214
KY	H L Spurloc	6041	3	#####	271	2408	0.000692	0.0779	0.000188
KY	H L Spurloc	6041	3	#####	232	2037.3	0.000725	0.0826	0.000168
KY	H L Spurloc	6041	3	#####	216	1913.5	0.000772	0.0871	0.000167
KY	H L Spurloc	6041	3	#####	223	2027.9	0.00077	0.0847	0.000172
KY	H L Spurloc	6041	3	#####	190	1671.8	0.000843	0.0958	0.00016
KY	H L Spurloc	6041	3	#####	167	1561	0.000923	0.0987	0.000154
KY	H L Spurloc	6041	3	#####	167	1550.3	0.000926	0.0998	0.000155
KY	H L Spurloc	6041	3	#####	167	1563	0.000934	0.0998	0.000156
KY	H L Spurloc	6041	3	#####	167	1550.6	0.000947	0.102	0.000158
KY	H L Spurloc	6041	3	#####	167	1568.3	0.000948	0.101	0.000158
KY	H L Spurloc	6041	3	#####	167	1553	0.000949	0.102	0.000158
KY	H L Spurloc	6041	3	#####	167	1557.3	0.000951	0.102	0.000159
KY	H L Spurloc	6041	3	#####	167	1575.9	0.000963	0.102	0.000161
KY	H L Spurloc	6041	3	#####	213	2048.9	0.000838	0.0871	0.000178
KY	H L Spurloc	6041	3	#####	233	2107	0.00076	0.084	0.000177
KY	H L Spurloc	6041	3	#####	247	2272.8	0.000741	0.0805	0.000183
KY	H L Spurloc	6041	3	#####	262	2402.8			
KY	H L Spurloc	6041	3	#####	283	2588.6	0.000713	0.0779	0.000202
KY	H L Spurloc	6041	3	#####	261	2360.1	0.000722	0.0798	0.000188
KY	H L Spurloc	6041	3	#####	271	2475.1	0.000717	0.0785	0.000194
KY	H L Spurloc	6041	3	#####	289	2690.2	0.000719	0.0772	0.000208
KY	H L Spurloc	6041	3	#####	291	2653.8	0.00071	0.0779	0.000207
KY	H L Spurloc	6041	3	#####	299	2753	0.000711	0.0772	0.000213
KY	H L Spurloc	6041	3	#####	255	2182.7	0.000707	0.0826	0.00018
KY	H L Spurloc	6041	3	#####	229	2081.6	0.000751	0.0826	0.000172
KY	H L Spurloc	6041	3	#####	239	2146.4	0.000729	0.0812	0.000174
KY	H L Spurloc	6041	3	#####	231	2074.1	0.000734	0.0818	0.00017
KY	H L Spurloc	6041	3	#####	188	1612.5	0.000829	0.0967	0.000156
KY	H L Spurloc	6041	3	#####	165	1503.3	0.000929	0.102	0.000153
KY	H L Spurloc	6041	3	#####	187	1715.2	0.000853	0.093	0.00016
KY	H L Spurloc	6041	3	#####	165	1498	0.000926	0.102	0.000153
KY	H L Spurloc	6041	3	#####	165	1518.3	0.000929	0.101	0.000153
KY	H L Spurloc	6041	3	#####	165	1524.2	0.000933	0.101	0.000154
KY	H L Spurloc	6041	3	#####	165	1529.7	0.000936	0.101	0.000154

KY	H L Spurloc	6041	3	#####	165	1529.8	0.000936	0.101	0.000155
KY	H L Spurloc	6041	3	#####	167	1586.1	0.000928	0.0977	0.000155
KY	H L Spurloc	6041	3	#####	185	1749.4	0.000871	0.0921	0.000161
KY	H L Spurloc	6041	3	#####	226	2053.8	0.00077	0.0847	0.000174
KY	H L Spurloc	6041	3	#####	201	1802.8	0.000826	0.0921	0.000166
KY	H L Spurloc	6041	3	#####	231	2092.8	0.000761	0.084	0.000176
KY	H L Spurloc	6041	3	#####	188	1677	0.000846	0.0948	0.000159
KY	H L Spurloc	6041	3	#####	214	1990	0.000803	0.0863	0.000172
KY	H L Spurloc	6041	3	#####	265	2485.6	0.000736	0.0785	0.000195
KY	H L Spurloc	6041	3	#####	289	2630.7	0.000703	0.0772	0.000203
KY	H L Spurloc	6041	3	#####	294	2603.3	0.0007	0.0791	0.000206
KY	H L Spurloc	6041	3	#####	299	2686.1	0.000705	0.0785	0.000211
KY	H L Spurloc	6041	3	#####	296	2641.6	0.000701	0.0785	0.000207
KY	H L Spurloc	6041	3	#####	281	2427.1	0.000689	0.0798	0.000194
KY	H L Spurloc	6041	3	#####	258	2232.9	0.000697	0.0805	0.00018
KY	H L Spurloc	6041	3	#####	203	1734.6	0.000802	0.0939	0.000163
KY	H L Spurloc	6041	3	#####	220	2000.6	0.000792	0.0871	0.000174
KY	H L Spurloc	6041	3	#####	190	1634	0.00084	0.0977	0.00016
KY	H L Spurloc	6041	3	#####	165	1521.5	0.00095	0.103	0.000157
KY	H L Spurloc	6041	3	#####	172	1581.1	0.000928	0.101	0.00016
KY	H L Spurloc	6041	3	#####	165	1514.5	0.000955	0.104	0.000158
KY	H L Spurloc	6041	3	#####	165	1515.8	0.000955	0.104	0.000158
KY	H L Spurloc	6041	3	#####	165	1529.7	0.000955	0.103	0.000158
KY	H L Spurloc	6041	3	#####	165	1527.8	0.000954	0.103	0.000157
KY	H L Spurloc	6041	3	#####	165	1527.7	0.000954	0.103	0.000157
KY	H L Spurloc	6041	3	#####	165	1518	0.000957	0.104	0.000158
KY	H L Spurloc	6041	3	#####	165	1520.2	0.000958	0.104	0.000158
KY	H L Spurloc	6041	3	#####	165	1522.4	0.00096	0.104	0.000158
KY	H L Spurloc	6041	3	#####	165	1525.8	0.000962	0.104	0.000159
KY	H L Spurloc	6041	3	#####	186	1743.6	0.000898	0.0958	0.000167
KY	H L Spurloc	6041	3	#####	226	2044.6	0.000781	0.0863	0.000176
KY	H L Spurloc	6041	3	#####	191	1715.5	0.000843	0.0939	0.000161
KY	H L Spurloc	6041	3	#####	219	1953.6	0.000798	0.0895	0.000175
KY	H L Spurloc	6041	3	#####	215	1930.5	0.000789	0.0879	0.00017
KY	H L Spurloc	6041	3	#####	229	2034.9	0.00076	0.0855	0.000174
KY	H L Spurloc	6041	3	#####	235	2123.6	0.000759	0.084	0.000178
KY	H L Spurloc	6041	3	#####	285	2611	0.000707	0.0772	0.000202
KY	H L Spurloc	6041	3	#####	275	2378.5	0.000696	0.0805	0.000191
KY	H L Spurloc	6041	3	#####	235	2041.9	0.00073	0.084	0.000172
KY	H L Spurloc	6041	3	#####	249	2219.1	0.000724	0.0812	0.00018
KY	H L Spurloc	6041	3	#####	258	2282	0.0007	0.0791	0.000181
KY	H L Spurloc	6041	3	#####	208	1773.7	0.000785	0.0921	0.000163
KY	H L Spurloc	6041	3	#####	207	1904.5	0.000823	0.0895	0.00017
KY	H L Spurloc	6041	3	#####	191	1648.9	0.000835	0.0967	0.000159
KY	H L Spurloc	6041	3	#####	165	1527.1	0.000944	0.102	0.000156
KY	H L Spurloc	6041	3	#####	165	1546.3	0.000947	0.101	0.000156
KY	H L Spurloc	6041	3	#####	165	1531.2	0.000947	0.102	0.000156

KY	H L Spurloc	6041	3	#####	165	1545.2	0.000946	0.101	0.000156
KY	H L Spurloc	6041	3	#####	165	1545.5	0.000946	0.101	0.000156
KY	H L Spurloc	6041	3	#####	165	1550.6	0.000949	0.101	0.000157
KY	H L Spurloc	6041	3	#####	165	1554.3	0.000951	0.101	0.000157
KY	H L Spurloc	6041	3	#####	165	1555.6	0.000952	0.101	0.000157
KY	H L Spurloc	6041	3	#####	215	2047.8	0.000822	0.0863	0.000177
KY	H L Spurloc	6041	3	#####	194	1665.4	0.000822	0.0958	0.00016
KY	H L Spurloc	6041	3	#####	211	1974.9	0.000823	0.0879	0.000174
KY	H L Spurloc	6041	3	#####	190	1663	0.000839	0.0958	0.000159
KY	H L Spurloc	6041	3	#####	212	1978.2	0.00082	0.0879	0.000174
KY	H L Spurloc	6041	3	#####	197	1771.5	0.000828	0.0921	0.000163
KY	H L Spurloc	6041	3	#####	237	2165.5	0.000761	0.0833	0.00018
KY	H L Spurloc	6041	3	#####	244	2201	0.000745	0.0826	0.000182
KY	H L Spurloc	6041	3	#####	285	2572.2	0.000703	0.0779	0.0002
KY	H L Spurloc	6041	3	#####	280	2462.4	0.00069	0.0785	0.000193
KY	H L Spurloc	6041	3	#####	250	2162.9	0.000708	0.0818	0.000177
KY	H L Spurloc	6041	3	#####	268	2422.2	0.000715	0.0791	0.000192
KY	H L Spurloc	6041	3	#####	254	2192.4	0.000706	0.0818	0.000179
KY	H L Spurloc	6041	3	#####	174	1511.8	0.000895	0.103	0.000156
KY	H L Spurloc	6041	3	#####	211	1957.1	0.000823	0.0887	0.000174
KY	H L Spurloc	6041	3	#####	189	1645.7	0.000842	0.0967	0.000159
KY	H L Spurloc	6041	3	#####	165	1531.6	0.000947	0.102	0.000156
KY	H L Spurloc	6041	3	#####	165	1522.7	0.000951	0.103	0.000157
KY	H L Spurloc	6041	3	#####	165	1529.4	0.000955	0.103	0.000158
KY	H L Spurloc	6041	3	#####	165	1533.5	0.000957	0.103	0.000158
KY	H L Spurloc	6041	3	#####	165	1542.7	0.000954	0.102	0.000157
KY	H L Spurloc	6041	3	#####	165	1530.7	0.000956	0.103	0.000158
KY	H L Spurloc	6041	3	#####	165	1530.4	0.000955	0.103	0.000158
KY	H L Spurloc	6041	3	#####	214	2003.1	0.000823	0.0879	0.000176
KY	H L Spurloc	6041	3	#####	190	1668.2	0.000832	0.0948	0.000158
KY	H L Spurloc	6041	3	#####	200	1859	0.000848	0.0912	0.00017
KY	H L Spurloc	6041	3	#####	236	2110.7	0.000745	0.0833	0.000176
KY	H L Spurloc	6041	3	#####	236	2120.1	0.000748	0.0833	0.000177
KY	H L Spurloc	6041	3	#####	269	2396.3	0.000705	0.0791	0.00019
KY	H L Spurloc	6041	3	#####	277	2541.2	0.000715	0.0779	0.000198
KY	H L Spurloc	6041	3	#####	286	2549.3	0.000705	0.0791	0.000202
KY	H L Spurloc	6041	3	#####	297	2737	0.000718	0.0779	0.000213
KY	H L Spurloc	6041	3	#####	298	2687.6	0.000713	0.0791	0.000213
KY	H L Spurloc	6041	3	#####	299	2714.8	0.000713	0.0785	0.000213
KY	H L Spurloc	6041	3	#####	299	2730	0.000711	0.0779	0.000213
KY	H L Spurloc	6041	3	#####	293	2625	0.000703	0.0785	0.000206
KY	H L Spurloc	6041	3	#####	282	2469	0.000693	0.0791	0.000195
KY	H L Spurloc	6041	3	#####	269	2371.4	0.000703	0.0798	0.000189
KY	H L Spurloc	6041	3	#####	278	2479	0.000705	0.0791	0.000196
KY	H L Spurloc	6041	3	#####	203	1705.8	0.000797	0.0948	0.000162
KY	H L Spurloc	6041	3	#####	172	1560	0.000916	0.101	0.000158
KY	H L Spurloc	6041	3	#####	165	1508	0.000941	0.103	0.000155

KY	H L Spurloc	6041	3	#####	165	1507.5	0.000941	0.103	0.000155
KY	H L Spurloc	6041	3	#####	165	1510.2	0.000943	0.103	0.000156
KY	H L Spurloc	6041	3	#####	165	1522.7	0.000941	0.102	0.000155
KY	H L Spurloc	6041	3	#####	165	1511.1	0.000943	0.103	0.000156
KY	H L Spurloc	6041	3	#####	165	1528.2	0.000945	0.102	0.000156
KY	H L Spurloc	6041	3	#####	165	1521.8	0.00095	0.103	0.000157
KY	H L Spurloc	6041	3	#####	165	1536.4	0.000959	0.103	0.000158
KY	H L Spurloc	6041	3	#####	165	1553.7	0.00096	0.102	0.000158
KY	H L Spurloc	6041	3	#####	199	1866.4	0.000855	0.0912	0.00017
KY	H L Spurloc	6041	3	#####	197	1788.5	0.000844	0.093	0.000166
KY	H L Spurloc	6041	3	#####	230	2115.4	0.000773	0.084	0.000178
KY	H L Spurloc	6041	3	#####	263	2434.4	0.000727	0.0785	0.000191
KY	H L Spurloc	6041	3	#####	282	2559.6	0.000707	0.0779	0.000199
KY	H L Spurloc	6041	3	#####	295	2735	0.000716	0.0772	0.000211
KY	H L Spurloc	6041	3	#####	299	2726.8	0.000716	0.0785	0.000214
KY	H L Spurloc	6041	3	#####	289	2570.2	0.000703	0.0791	0.000203
KY	H L Spurloc	6041	3	#####	290	2599	0.000709	0.0791	0.000206
KY	H L Spurloc	6041	3	#####	288	2562.3	0.000704	0.0791	0.000203
KY	H L Spurloc	6041	3	#####	291	2601.4	0.000707	0.0791	0.000206
KY	H L Spurloc	6041	3	#####	280	2439.4	0.000695	0.0798	0.000195
KY	H L Spurloc	6041	3	#####	260	2226.3	0.000695	0.0812	0.000181
KY	H L Spurloc	6041	3	#####	221	1877.6	0.00076	0.0895	0.000168
KY	H L Spurloc	6041	3	#####	166	1460.1	0.000915	0.104	0.000152
KY	H L Spurloc	6041	3	#####	165	1489.7	0.000921	0.102	0.000152
KY	H L Spurloc	6041	3	#####	165	1497.8	0.000926	0.102	0.000153
KY	H L Spurloc	6041	3	#####	165	1504.8	0.00093	0.102	0.000153
KY	H L Spurloc	6041	3	#####	168	1547.2	0.00093	0.101	0.000156
KY	H L Spurloc	6041	3	#####	183	1687.8	0.000874	0.0948	0.00016
KY	H L Spurloc	6041	3	#####	179	1611	0.000888	0.0987	0.000159
KY	H L Spurloc	6041	3	#####	222	1994.6	0.000783	0.0871	0.000174
KY	H L Spurloc	6041	3	#####	218	1922.3	0.000782	0.0887	0.000171
KY	H L Spurloc	6041	3	#####	252	2264.4	0.000723	0.0805	0.000182
KY	H L Spurloc	6041	3	#####	288	2653.1	0.000306	0.0332	8.81E-05
KY	H L Spurloc	6041	3	#####	288	2555.7	0.000304	0.0343	8.77E-05
KY	H L Spurloc	6041	3	#####	298	2782.2	0.000313	0.0335	9.32E-05
KY	H L Spurloc	6041	3	#####	299	2720.9	0.000309	0.034	9.25E-05
KY	H L Spurloc	6041	3	#####	299	2696.4	0.000305	0.0338	9.11E-05
KY	H L Spurloc	6041	3	#####	299	2678.6	0.000305	0.034	9.11E-05
KY	H L Spurloc	6041	3	#####	299	2681.4	0.000303	0.0338	9.06E-05
KY	H L Spurloc	6041	3	#####	299	2678.4	0.000303	0.0338	9.05E-05
KY	H L Spurloc	6041	3	#####	299	2715.3	0.000304	0.0335	9.1E-05
KY	H L Spurloc	6041	3	#####	299	2727.4	0.000306	0.0335	9.14E-05
KY	H L Spurloc	6041	3	#####	286	2513.8	0.000299	0.034	8.55E-05
KY	H L Spurloc	6041	3	#####	286	2526.5	0.0003	0.034	8.59E-05
KY	H L Spurloc	6041	3	#####	288	2559.2	0.000302	0.034	8.7E-05
KY	H L Spurloc	6041	3	#####	277	2425.1	0.0003	0.0343	8.32E-05
KY	H L Spurloc	6041	3	#####	216	1819.6	0.00033	0.0392	7.13E-05

KY	H L Spurloc	6041	3	#####	175	1549.4	0.000383	0.0433	6.71E-05
KY	H L Spurloc	6041	3	#####	214	1930.4	0.000344	0.0381	7.35E-05
KY	H L Spurloc	6041	3	#####	192	1659	0.000359	0.0416	6.9E-05
KY	H L Spurloc	6041	3	#####	169	1504.2	0.000394	0.0443	6.66E-05
KY	H L Spurloc	6041	3	#####	166	1515.8	0.0004	0.0438	6.64E-05
KY	H L Spurloc	6041	3	#####	203	1880.1	0.000359	0.0388	7.29E-05
KY	H L Spurloc	6041	3	#####	234	2073.4	0.000323	0.0364	7.55E-05
KY	H L Spurloc	6041	3	#####	249	2244.5	0.000312	0.0346	7.77E-05
KY	H L Spurloc	6041	3	#####	236	2101.6	0.000319	0.0358	7.52E-05
KY	H L Spurloc	6041	3	#####	256	2344.4	0.000317	0.0346	8.11E-05
KY	H L Spurloc	6041	3	#####	257	2288.5	0.000305	0.0343	7.85E-05
KY	H L Spurloc	6041	3	#####	290	2705.3	0.000307	0.0329	8.9E-05
KY	H L Spurloc	6041	3	#####	301	2721.2	0.0003	0.0332	9.03E-05
KY	H L Spurloc	6041	3	#####	300	2732	0.000298	0.0327	8.93E-05
KY	H L Spurloc	6041	3	#####	300	2686.3	0.000297	0.0332	8.92E-05
KY	H L Spurloc	6041	3	#####	300	2675.6	0.000301	0.0338	9.04E-05
KY	H L Spurloc	6041	3	#####	300	2700	0.000299	0.0332	8.96E-05
KY	H L Spurloc	6041	3	#####	300	2662.4	0.000297	0.0335	8.92E-05
KY	H L Spurloc	6041	3	#####	285	2453.7	0.000295	0.0343	8.42E-05
KY	H L Spurloc	6041	3	#####	298	2665.5	0.000302	0.0338	9.01E-05
KY	H L Spurloc	6041	3	#####	283	2463.5	0.000296	0.034	8.38E-05
KY	H L Spurloc	6041	3	#####	282	2445.1	0.000297	0.0343	8.39E-05
KY	H L Spurloc	6041	3	#####	284	2518.3	0.000301	0.034	8.56E-05
KY	H L Spurloc	6041	3	#####	300	2620.9	0.0003	0.0343	8.99E-05
KY	H L Spurloc	6041	3	#####	300	2627.1	0.0003	0.0343	9.01E-05
KY	H L Spurloc	6041	3	#####	300	2636.9	0.000301	0.0343	9.04E-05
KY	H L Spurloc	6041	3	#####	300	2686.4	0.000303	0.0338	9.08E-05
KY	H L Spurloc	6041	3	#####	291	2573.2	0.000301	0.034	8.75E-05
KY	H L Spurloc	6041	3	#####	299	2680.3	0.000303	0.0338	9.06E-05
KY	H L Spurloc	6041	3	#####	289	2524.7	0.0003	0.0343	8.66E-05
KY	H L Spurloc	6041	3	#####	298	2717.7	0.000308	0.0338	9.19E-05
KY	H L Spurloc	6041	3	#####	290	2559.8	0.000305	0.0346	8.86E-05
KY	H L Spurloc	6041	3	#####	299	2752.7	0.000311	0.0338	9.3E-05
KY	H L Spurloc	6041	3	#####	289	2596	0.000308	0.0343	8.9E-05
KY	H L Spurloc	6041	3	#####	300	2782.4	0.000313	0.0338	9.4E-05
KY	H L Spurloc	6041	3	#####	287	2577.7	0.000308	0.0343	8.84E-05
KY	H L Spurloc	6041	3	#####	298	2738.9	0.000312	0.034	9.31E-05
KY	H L Spurloc	6041	3	#####	302	2758.4	0.000311	0.034	9.38E-05
KY	H L Spurloc	6041	3	#####	302	2769.2	0.00031	0.0338	9.36E-05
KY	H L Spurloc	6041	3	#####	302	2746.2	0.000309	0.034	9.34E-05
KY	H L Spurloc	6041	3	#####	302	2749.1	0.00031	0.034	9.35E-05
KY	H L Spurloc	6041	3	#####	302	2767.2	0.00031	0.0338	9.35E-05
KY	H L Spurloc	6041	3	#####	302	2740	0.000308	0.034	9.32E-05
KY	H L Spurloc	6041	3	#####	302	2744.3	0.000309	0.034	9.33E-05
KY	H L Spurloc	6041	3	#####	302	2775.6	0.000311	0.0338	9.38E-05
KY	H L Spurloc	6041	3	#####	287	2568.8	0.000304	0.034	8.73E-05
KY	H L Spurloc	6041	3	#####	300	2721.8	0.000308	0.034	9.25E-05

KY	H L Spurloc	6041	3	#####	302	2727.9	0.000307	0.034	9.27E-05
KY	H L Spurloc	6041	3	#####	302	2735	0.000306	0.0338	9.24E-05
KY	H L Spurloc	6041	3	#####	302	2725.8	0.000305	0.0338	9.21E-05
KY	H L Spurloc	6041	3	#####	302	2709.3	0.000303	0.0338	9.16E-05
KY	H L Spurloc	6041	3	#####	302	2697.2	0.000302	0.0338	9.12E-05
KY	H L Spurloc	6041	3	#####	302	2697.8	0.000302	0.0338	9.12E-05
KY	H L Spurloc	6041	3	#####	302	2700.7	0.000302	0.0338	9.13E-05
KY	H L Spurloc	6041	3	#####	302	2694.6	0.000302	0.0338	9.11E-05
KY	H L Spurloc	6041	3	#####	288	2521	0.000298	0.034	8.57E-05
KY	H L Spurloc	6041	3	#####	300	2690.5	0.0003	0.0335	9.01E-05
KY	H L Spurloc	6041	3	#####	290	2554.4	0.000298	0.0338	8.63E-05
KY	H L Spurloc	6041	3	#####	300	2695.5	0.000301	0.0335	9.03E-05
KY	H L Spurloc	6041	3	#####	302	2699.5	0.000299	0.0335	9.04E-05
KY	H L Spurloc	6041	3	#####	301	2707.4	0.000301	0.0335	9.07E-05
KY	H L Spurloc	6041	3	#####	302	2715.2	0.000301	0.0335	9.1E-05
KY	H L Spurloc	6041	3	#####	302	2704.6	0.0003	0.0335	9.06E-05
KY	H L Spurloc	6041	3	#####	302	2699.9	0.000299	0.0335	9.04E-05
KY	H L Spurloc	6041	3	#####	302	2695.1	0.000299	0.0335	9.03E-05
KY	H L Spurloc	6041	3	#####	302	2693.4	0.000299	0.0335	9.02E-05
KY	H L Spurloc	6041	3	#####	301	2701.2	0.000301	0.0335	9.05E-05
KY	H L Spurloc	6041	3	#####	290	2542.6	0.000296	0.0338	8.59E-05
KY	H L Spurloc	6041	3	#####	285	2532.5	0.000295	0.0332	8.41E-05
KY	H L Spurloc	6041	3	#####	300	2700.4	0.000299	0.0332	8.97E-05
KY	H L Spurloc	6041	3	#####	302	2678.7	0.000297	0.0335	8.97E-05
KY	H L Spurloc	6041	3	#####	302	2691.7	0.000299	0.0335	9.02E-05
KY	H L Spurloc	6041	3	#####	302	2695.5	0.000299	0.0335	9.03E-05
KY	H L Spurloc	6041	3	#####	302	2684.1	0.000298	0.0335	8.99E-05
KY	H L Spurloc	6041	3	#####	302	2680.2	0.000297	0.0335	8.98E-05
KY	H L Spurloc	6041	3	#####	302	2669.8	0.000296	0.0335	8.94E-05
KY	H L Spurloc	6041	3	#####	301	2638	0.000296	0.0338	8.92E-05
KY	H L Spurloc	6041	3	#####	289	2499.1	0.000292	0.0338	8.45E-05
KY	H L Spurloc	6041	3	#####	300	2659	0.0003	0.0338	8.99E-05
KY	H L Spurloc	6041	3	#####	302	2678.8	0.000302	0.034	9.11E-05
KY	H L Spurloc	6041	3	#####	287	2538.8	0.000299	0.0338	8.58E-05
KY	H L Spurloc	6041	3	#####	300	2698	0.000304	0.0338	9.12E-05
KY	H L Spurloc	6041	3	#####	301	2684.3	0.000303	0.034	9.13E-05
KY	H L Spurloc	6041	3	#####	302	2686.1	0.000302	0.034	9.13E-05
KY	H L Spurloc	6041	3	#####	302	2681.2	0.000302	0.034	9.12E-05
KY	H L Spurloc	6041	3	#####	302	2681.2	0.000302	0.034	9.12E-05
KY	H L Spurloc	6041	3	#####	302	2688.1	0.000303	0.034	9.14E-05
KY	H L Spurloc	6041	3	#####	302	2716	0.000304	0.0338	9.18E-05
KY	H L Spurloc	6041	3	#####	302	2710.6	0.000303	0.0338	9.16E-05
KY	H L Spurloc	6041	3	#####	296	2641.5	0.000302	0.0338	8.93E-05
KY	H L Spurloc	6041	3	#####	300	2732.5	0.000305	0.0335	9.15E-05
KY	H L Spurloc	6041	3	#####	295	2598.3	0.000299	0.034	8.83E-05
KY	H L Spurloc	6041	3	#####	299	2713.4	0.000304	0.0335	9.09E-05
KY	H L Spurloc	6041	3	#####	301	2702	0.000303	0.0338	9.13E-05

KY	H L Spurloc	6041	3	#####	302	2707.7	0.000303	0.0338	9.15E-05
KY	H L Spurloc	6041	3	#####	302	2726.8	0.000302	0.0335	9.13E-05
KY	H L Spurloc	6041	3	#####	302	2712	0.000301	0.0335	9.09E-05
KY	H L Spurloc	6041	3	#####	302	2683.1	0.0003	0.0338	9.07E-05
KY	H L Spurloc	6041	3	#####	302	2682.4	0.0003	0.0338	9.07E-05
KY	H L Spurloc	6041	3	#####	302	2717.3	0.000301	0.0335	9.1E-05
KY	H L Spurloc	6041	3	#####	287	2519.9	0.000297	0.0338	8.52E-05
KY	H L Spurloc	6041	3	#####	296	2684.3	0.000301	0.0332	8.91E-05
KY	H L Spurloc	6041	3	#####	302	2695.2	0.000303	0.034	9.16E-05
KY	H L Spurloc	6041	3	#####	302	2742.1	0.000304	0.0335	9.19E-05
KY	H L Spurloc	6041	3	#####	302	2743.7	0.000304	0.0335	9.19E-05
KY	H L Spurloc	6041	3	#####	292	2640.5	0.000303	0.0335	8.85E-05
KY	H L Spurloc	6041	3	#####	300	2744.1	0.000306	0.0335	9.19E-05
KY	H L Spurloc	6041	3	#####	302	2776.4	0.000305	0.0332	9.22E-05
KY	H L Spurloc	6041	3	#####	302	2756.3	0.0003	0.0329	9.07E-05
KY	H L Spurloc	6041	3	#####	302	2727.9	0.0003	0.0332	9.06E-05
KY	H L Spurloc	6041	3	#####	302	2704.7	0.0003	0.0335	9.06E-05
KY	H L Spurloc	6041	3	#####	302	2741.1	0.000301	0.0332	9.1E-05
KY	H L Spurloc	6041	3	#####	302	2757.8	0.000303	0.0332	9.16E-05
KY	H L Spurloc	6041	3	#####	302	2759.6	0.000303	0.0332	9.16E-05
KY	H L Spurloc	6041	3	#####	302	2756.8	0.000303	0.0332	9.15E-05
KY	H L Spurloc	6041	3	#####	302	2729.3	0.000303	0.0335	9.14E-05
KY	H L Spurloc	6041	3	#####	302	2758.8	0.000303	0.0332	9.16E-05
KY	H L Spurloc	6041	3	#####	287	2551	0.0003	0.0338	8.62E-05
KY	H L Spurloc	6041	3	#####	300	2765.3	0.000303	0.0329	9.1E-05
KY	H L Spurloc	6041	3	#####	302	2727.3	0.000303	0.0335	9.14E-05
KY	H L Spurloc	6041	3	#####	302	2723.5	0.000299	0.0332	9.04E-05
KY	H L Spurloc	6041	3	#####	302	2701.3	0.0003	0.0335	9.05E-05
KY	H L Spurloc	6041	3	#####	302	2695.1	0.000299	0.0335	9.03E-05
KY	H L Spurloc	6041	3	#####	293	2570.5	0.000297	0.0338	8.69E-05
KY	H L Spurloc	6041	3	#####	275	2344.8	0.000298	0.0349	8.18E-05
KY	H L Spurloc	6041	3	#####	243	2116.2	0.000309	0.0355	7.51E-05
KY	H L Spurloc	6041	3	#####	285	2593.5	0.000299	0.0329	8.53E-05
KY	H L Spurloc	6041	3	#####	302	2681.8	0.0003	0.0338	9.06E-05
KY	H L Spurloc	6041	3	#####	302	2763.7	0.000299	0.0327	9.04E-05
KY	H L Spurloc	6041	3	#####	302	2689.8	0.000298	0.0335	9.01E-05
KY	H L Spurloc	6041	3	#####	286	2463.3	0.000295	0.0343	8.45E-05
KY	H L Spurloc	6041	3	#####	300	2677.3	0.000302	0.0338	9.05E-05
KY	H L Spurloc	6041	3	#####	302	2702	0.000302	0.0338	9.13E-05
KY	H L Spurloc	6041	3	#####	302	2694.2	0.000302	0.0338	9.11E-05
KY	H L Spurloc	6041	3	#####	302	2742	0.000301	0.0332	9.1E-05
KY	H L Spurloc	6041	3	#####	302	2692.8	0.000301	0.0338	9.1E-05
KY	H L Spurloc	6041	3	#####	302	2740.9	0.000304	0.0335	9.18E-05
KY	H L Spurloc	6041	3	#####	302	2774.6	0.000305	0.0332	9.21E-05
KY	H L Spurloc	6041	3	#####	302	2780.1	0.000306	0.0332	9.23E-05
KY	H L Spurloc	6041	3	#####	302	2754.7	0.000306	0.0335	9.23E-05
KY	H L Spurloc	6041	3	#####	286	2575.1	0.000304	0.0338	8.7E-05

KY	H L Spurloc	6041	3	#####	298	2796.1	0.000312	0.0332	9.28E-05
KY	H L Spurloc	6041	3	#####	292	2657.2	0.000309	0.034	9.03E-05
KY	H L Spurloc	6041	3	#####	287	2642.9	0.000308	0.0335	8.85E-05
KY	H L Spurloc	6041	3	#####	292	2707.3	0.000308	0.0332	8.99E-05
KY	H L Spurloc	6041	3	#####	274	2421.9	0.000306	0.0346	8.38E-05
KY	H L Spurloc	6041	3	#####	280	2606.1	0.000312	0.0335	8.73E-05
KY	H L Spurloc	6041	3	#####	291	2626.1	0.000307	0.034	8.93E-05
KY	H L Spurloc	6041	3	#####	289	2641.4	0.000306	0.0335	8.85E-05
KY	H L Spurloc	6041	3	#####	291	2653.8	0.000308	0.0338	8.97E-05
KY	H L Spurloc	6041	3	#####	301	2764.3	0.000368	0.0401	0.000111
KY	H L Spurloc	6041	3	#####	296	2680.2	0.000363	0.0401	0.000107
KY	H L Spurloc	6041	3	#####	300	2746.9	0.000364	0.0397	0.000109
KY	H L Spurloc	6041	3	#####	298	2651.6	0.000357	0.0401	0.000106
KY	H L Spurloc	6041	3	#####	299	2669.8	0.000354	0.0397	0.000106
KY	H L Spurloc	6041	3	#####	287	2521.1	0.000349	0.0397	0.0001
KY	H L Spurloc	6041	3	#####	301	2729.7	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	301	2722.1	0.000356	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	302	2756.6	0.000357	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2742.4	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2739	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2770.5	0.000356	0.0388	0.000107
KY	H L Spurloc	6041	3	#####	292	2630.8	0.00035	0.0388	0.000102
KY	H L Spurloc	6041	3	#####	300	2774.2	0.000353	0.0382	0.000106
KY	H L Spurloc	6041	3	#####	285	2502	0.000343	0.0391	9.78E-05
KY	H L Spurloc	6041	3	#####	294	2684.3	0.000352	0.0385	0.000103
KY	H L Spurloc	6041	3	#####	277	2531.7	0.000349	0.0382	9.67E-05
KY	H L Spurloc	6041	3	#####	239	2052	0.000361	0.0421	8.64E-05
KY	H L Spurloc	6041	3	#####	168	1479.2	0.000459	0.0521	7.71E-05
KY	H L Spurloc	6041	3	#####	167	1538.3	0.00047	0.051	7.85E-05
KY	H L Spurloc	6041	3	#####	167	1561.3	0.000472	0.0505	7.88E-05
KY	H L Spurloc	6041	3	#####	167	1565.3	0.000473	0.0505	7.9E-05
KY	H L Spurloc	6041	3	#####	212	2136.8	0.000414	0.0411	8.78E-05
KY	H L Spurloc	6041	3	#####	240	2136.9	0.000369	0.0414	8.85E-05
KY	H L Spurloc	6041	3	#####	262	2461.5	0.00037	0.0394	9.7E-05
KY	H L Spurloc	6041	3	#####	288	2633.7	0.000352	0.0385	0.000101
KY	H L Spurloc	6041	3	#####	271	2412.9	0.000351	0.0394	9.51E-05
KY	H L Spurloc	6041	3	#####	285	2598.5	0.000351	0.0385	0.0001
KY	H L Spurloc	6041	3	#####	293	2691.3	0.000356	0.0388	0.000104
KY	H L Spurloc	6041	3	#####	301	2794.4	0.00036	0.0388	0.000108
KY	H L Spurloc	6041	3	#####	302	2766.5	0.000358	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2751.6	0.000356	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2748.6	0.000356	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2759.4	0.000357	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2773.7	0.000359	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2742.7	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2724	0.000355	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	302	2726.6	0.000356	0.0394	0.000107

KY	H L Spurloc	6041	3	#####	302	2756.4	0.000357	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	293	2616.1	0.000352	0.0394	0.000103
KY	H L Spurloc	6041	3	#####	232	1977.2	0.000372	0.0437	8.64E-05
KY	H L Spurloc	6041	3	#####	170	1482.9	0.000454	0.0521	7.73E-05
KY	H L Spurloc	6041	3	#####	214	2020.2	0.000409	0.0433	8.75E-05
KY	H L Spurloc	6041	3	#####	191	1643.4	0.000422	0.049	8.05E-05
KY	H L Spurloc	6041	3	#####	167	1525.8	0.000471	0.0516	7.87E-05
KY	H L Spurloc	6041	3	#####	184	1702.7	0.000449	0.0485	8.26E-05
KY	H L Spurloc	6041	3	#####	224	2073	0.000393	0.0425	8.81E-05
KY	H L Spurloc	6041	3	#####	238	2161.1	0.000376	0.0414	8.95E-05
KY	H L Spurloc	6041	3	#####	246	2282.9	0.000378	0.0407	9.29E-05
KY	H L Spurloc	6041	3	#####	245	2109.1	0.000373	0.0433	9.13E-05
KY	H L Spurloc	6041	3	#####	210	1861.3	0.000402	0.0453	8.43E-05
KY	H L Spurloc	6041	3	#####	226	2094.8	0.000398	0.0429	8.99E-05
KY	H L Spurloc	6041	3	#####	297	2783.5	0.000364	0.0388	0.000108
KY	H L Spurloc	6041	3	#####	300	2709.6	0.000356	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	300	2696.6	0.000357	0.0397	0.000107
KY	H L Spurloc	6041	3	#####	301	2703.4	0.000357	0.0397	0.000107
KY	H L Spurloc	6041	3	#####	302	2724	0.000355	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	302	2706.5	0.000356	0.0397	0.000107
KY	H L Spurloc	6041	3	#####	302	2708	0.000356	0.0397	0.000108
KY	H L Spurloc	6041	3	#####	302	2708.9	0.000356	0.0397	0.000108
KY	H L Spurloc	6041	3	#####	302	2706.4	0.000356	0.0397	0.000107
KY	H L Spurloc	6041	3	#####	302	2704.7	0.000356	0.0397	0.000107
KY	H L Spurloc	6041	3	#####	286	2516.6	0.000349	0.0397	9.99E-05
KY	H L Spurloc	6041	3	#####	302	2727.5	0.000356	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	291	2594.5	0.000351	0.0394	0.000102
KY	H L Spurloc	6041	3	#####	266	2316.6	0.000352	0.0404	9.36E-05
KY	H L Spurloc	6041	3	#####	225	1937.4	0.00038	0.0441	8.54E-05
KY	H L Spurloc	6041	3	#####	174	1525.8	0.000452	0.0516	7.87E-05
KY	H L Spurloc	6041	3	#####	167	1529.5	0.000473	0.0516	7.89E-05
KY	H L Spurloc	6041	3	#####	184	1682.9	0.000448	0.049	8.25E-05
KY	H L Spurloc	6041	3	#####	234	2137	0.000384	0.0421	9E-05
KY	H L Spurloc	6041	3	#####	242	2159	0.000373	0.0418	9.02E-05
KY	H L Spurloc	6041	3	#####	263	2336.7	0.000359	0.0404	9.44E-05
KY	H L Spurloc	6041	3	#####	264	2325.7	0.000359	0.0407	9.47E-05
KY	H L Spurloc	6041	3	#####	273	2510.6	0.000365	0.0397	9.97E-05
KY	H L Spurloc	6041	3	#####	296	2666.2	0.000358	0.0397	0.000106
KY	H L Spurloc	6041	3	#####	301	2749.5	0.00036	0.0394	0.000108
KY	H L Spurloc	6041	3	#####	302	2712.9	0.000357	0.0397	0.000108
KY	H L Spurloc	6041	3	#####	302	2753.2	0.000359	0.0394	0.000108
KY	H L Spurloc	6041	3	#####	302	2771.1	0.000359	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2766.9	0.000358	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2759.8	0.000357	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2742.7	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2751	0.000356	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2756.4	0.00036	0.0394	0.000109

KY	H L Spurloc	6041	3	#####	302	2771.7	0.000359	0.0391	0.000108
KY	H L Spurloc	6041	3	#####	302	2739.1	0.000357	0.0394	0.000108
KY	H L Spurloc	6041	3	#####	290	2547.9	0.000349	0.0397	0.000101
KY	H L Spurloc	6041	3	#####	265	2295.1	0.00035	0.0404	9.27E-05
KY	H L Spurloc	6041	3	#####	275	2469	0.000354	0.0394	9.73E-05
KY	H L Spurloc	6041	3	#####	231	1967.5	0.000372	0.0437	8.6E-05
KY	H L Spurloc	6041	3	#####	169	1483.9	0.000457	0.0521	7.73E-05
KY	H L Spurloc	6041	3	#####	166	1509	0.000469	0.0516	7.79E-05
KY	H L Spurloc	6041	3	#####	185	1698.4	0.000441	0.048	8.15E-05
KY	H L Spurloc	6041	3	#####	229	2069	0.000388	0.0429	8.88E-05
KY	H L Spurloc	6041	3	#####	268	2447.6	0.000366	0.0401	9.81E-05
KY	H L Spurloc	6041	3	#####	291	2628.8	0.000359	0.0397	0.000104
KY	H L Spurloc	6041	3	#####	298	2748.2	0.000363	0.0394	0.000108
KY	H L Spurloc	6041	3	#####	291	2604.1	0.000355	0.0397	0.000103
KY	H L Spurloc	6041	3	#####	300	2726.8	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2719.1	0.000355	0.0394	0.000107
KY	H L Spurloc	6041	3	#####	301	2736.6	0.000355	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	300	2703.6	0.000352	0.0391	0.000106
KY	H L Spurloc	6041	3	#####	302	2691.8	0.000351	0.0394	0.000106
KY	H L Spurloc	6041	3	#####	302	2729.9	0.000353	0.0391	0.000107
KY	H L Spurloc	6041	3	#####	302	2722.5	0.000352	0.0391	0.000106
KY	H L Spurloc	6041	3	#####	302	2728.5	0.000351	0.0388	0.000106
KY	H L Spurloc	6041	3	#####	302	2698.9	0.000349	0.0391	0.000106
KY	H L Spurloc	6041	3	#####	302	2675.4	0.000349	0.0394	0.000105
KY	H L Spurloc	6041	3	#####	287	2501.1	0.000343	0.0394	9.85E-05
KY	H L Spurloc	6041	3	#####	270	2341.1	0.000348	0.0401	9.39E-05
KY	H L Spurloc	6041	3	#####	238	2067.6	0.000366	0.0421	8.7E-05
KY	H L Spurloc	6041	3	#####	248	2219.1	0.000361	0.0404	8.97E-05
KY	H L Spurloc	6041	3	#####	239	2081.4	0.000364	0.0418	8.7E-05
KY	H L Spurloc	6041	3	#####	179	1531.4	0.000436	0.051	7.81E-05
KY	H L Spurloc	6041	3	#####	166	1511.8	0.000464	0.051	7.71E-05
KY	H L Spurloc	6041	3	#####	166	1520.6	0.000467	0.051	7.76E-05
KY	H L Spurloc	6041	3	#####	166	1530.4	0.00047	0.051	7.81E-05
KY	H L Spurloc	6041	3	#####	166	1523.5	0.000474	0.0516	7.86E-05
KY	H L Spurloc	6041	3	#####	166	1529	0.000475	0.0516	7.89E-05
KY	H L Spurloc	6041	3	#####	167	1549.8	0.000473	0.051	7.9E-05
KY	H L Spurloc	6041	3	#####	206	1904.7	0.000415	0.0449	8.55E-05
KY	H L Spurloc	6041	3	#####	196	1802.2	0.000428	0.0466	8.4E-05
KY	H L Spurloc	6041	3	#####	276	2615.8	0.000368	0.0388	0.000101
KY	H L Spurloc	6041	3	#####	299	2722.1	0.000353	0.0388	0.000106
KY	H L Spurloc	6041	3	#####	299	2692.5	0.000352	0.0391	0.000105
KY	H L Spurloc	6041	3	#####	302	2739.8	0.000352	0.0388	0.000106
KY	H L Spurloc	6041	3	#####	302	2693	0.000349	0.0391	0.000105
KY	H L Spurloc	6041	3	#####	302	2663.2	0.000347	0.0394	0.000105
KY	H L Spurloc	6041	3	#####	302	2711.1	0.000351	0.0391	0.000106
KY	H L Spurloc	6041	3	#####	302	2737.3	0.000352	0.0388	0.000106
KY	H L Spurloc	6041	3	#####	302	2698.3	0.000349	0.0391	0.000106

KY	H L Spurloc	6041	3 #####	302	2703.8	0.000347	0.0388	0.000105
KY	H L Spurloc	6041	3 #####	286	2442.6	0.000339	0.0397	9.7E-05
KY	H L Spurloc	6041	3 #####	294	2569.5	0.000344	0.0394	0.000101
KY	H L Spurloc	6041	3 #####	256	2228.6	0.000349	0.0401	8.94E-05
KY	H L Spurloc	6041	3 #####	264	2297.9	0.000349	0.0401	9.21E-05
KY	H L Spurloc	6041	3 #####	217	1869.7	0.000387	0.0449	8.39E-05
KY	H L Spurloc	6041	3 #####	169	1520.2	0.000459	0.051	7.75E-05
KY	H L Spurloc	6041	3 #####	167	1527.1	0.000462	0.0505	7.71E-05
KY	H L Spurloc	6041	3 #####	167	1514.8	0.000463	0.051	7.73E-05
KY	H L Spurloc	6041	3 #####	167	1518.2	0.000464	0.051	7.74E-05
KY	H L Spurloc	6041	3 #####	167	1512.7	0.000467	0.0516	7.81E-05
KY	H L Spurloc	6041	3 #####	167	1535.1	0.000469	0.051	7.83E-05
KY	H L Spurloc	6041	3 #####	167	1511.8	0.000467	0.0516	7.8E-05
KY	H L Spurloc	6041	3 #####	213	1965.5	0.000407	0.0441	8.67E-05
KY	H L Spurloc	6041	3 #####	208	1830.9	0.000402	0.0457	8.37E-05
KY	H L Spurloc	6041	3 #####	270	2447.9	0.000364	0.0401	9.82E-05
KY	H L Spurloc	6041	3 #####	299	2656.3	0.00035	0.0394	0.000105
KY	H L Spurloc	6041	3 #####	301	2651.4	0.00035	0.0397	0.000105
KY	H L Spurloc	6041	3 #####	283	2478.8	0.000348	0.0397	9.84E-05
KY	H L Spurloc	6041	3 #####	301	2677.5	0.00035	0.0394	0.000105
KY	H L Spurloc	6041	3 #####	302	2667.7	0.000351	0.0397	0.000106
KY	H L Spurloc	6041	3 #####	298	2660.6	0.000352	0.0394	0.000105
KY	H L Spurloc	6041	3 #####	295	2619.8	0.00035	0.0394	0.000103
KY	H L Spurloc	6041	3 #####	302	2680.1	0.00035	0.0394	0.000106
KY	H L Spurloc	6041	3 #####	299	2649.7	0.000349	0.0394	0.000104
KY	H L Spurloc	6041	3 #####	286	2493.9	0.000346	0.0397	9.9E-05
KY	H L Spurloc	6041	3 #####	273	2341.1	0.000349	0.0407	9.53E-05
KY	H L Spurloc	6041	3 #####	236	2021.1	0.000371	0.0433	8.75E-05
KY	H L Spurloc	6041	3 #####	193	1622.7	0.000416	0.0495	8.03E-05
KY	H L Spurloc	6041	3 8/1/2022	166	1494.1	0.000469	0.0521	7.78E-05
KY	H L Spurloc	6041	3 8/1/2022	167	1513.3	0.000468	0.0516	7.81E-05
KY	H L Spurloc	6041	3 8/1/2022	166	1503.1	0.000472	0.0521	7.83E-05
KY	H L Spurloc	6041	3 8/1/2022	166	1510	0.000474	0.0521	7.87E-05
KY	H L Spurloc	6041	3 8/1/2022	167	1526	0.000472	0.0516	7.87E-05
KY	H L Spurloc	6041	3 8/1/2022	189	1753.6	0.000437	0.0471	8.26E-05
KY	H L Spurloc	6041	3 8/1/2022	176	1582.2	0.000454	0.0505	7.99E-05
KY	H L Spurloc	6041	3 8/1/2022	214	1961.2	0.000411	0.0449	8.81E-05
KY	H L Spurloc	6041	3 8/1/2022	251	2159.9			
KY	H L Spurloc	6041	3 8/1/2022	255	2233.1	0.00055	0.0628	0.00014
KY	H L Spurloc	6041	3 8/1/2022	288	2657.6	0.000561	0.0608	0.000162
KY	H L Spurloc	6041	3 8/1/2022	302	2709.1	0.000559	0.0623	0.000169
KY	H L Spurloc	6041	3 8/1/2022	302	2732.9	0.000559	0.0618	0.000169
KY	H L Spurloc	6041	3 8/1/2022	302	2696.2	0.000556	0.0623	0.000168
KY	H L Spurloc	6041	3 8/1/2022	302	2694.6	0.000556	0.0623	0.000168
KY	H L Spurloc	6041	3 8/1/2022	302	2719.2	0.000556	0.0618	0.000168
KY	H L Spurloc	6041	3 8/1/2022	302	2737.2	0.000556	0.0613	0.000168
KY	H L Spurloc	6041	3 8/1/2022	302	2715.2	0.000551	0.0613	0.000166

KY	H L Spurloc	6041	3	8/1/2022	302	2690	0.00055	0.0618	0.000166
KY	H L Spurloc	6041	3	8/1/2022	302	2702.1	0.000548	0.0613	0.000166
KY	H L Spurloc	6041	3	8/1/2022	302	2673.4	0.000547	0.0618	0.000165
KY	H L Spurloc	6041	3	8/1/2022	283	2422.7	0.000538	0.0628	0.000152
KY	H L Spurloc	6041	3	8/1/2022	297	2656.9	0.000553	0.0618	0.000164
KY	H L Spurloc	6041	3	8/1/2022	261	2195.5	0.000547	0.065	0.000143
KY	H L Spurloc	6041	3	8/2/2022	231	2013.9	0.000587	0.0673	0.000136
KY	H L Spurloc	6041	3	8/2/2022	214	1880	0.000619	0.0705	0.000133
KY	H L Spurloc	6041	3	8/2/2022	187	1607.6	0.000668	0.0777	0.000125
KY	H L Spurloc	6041	3	8/2/2022	165	1529.2	0.000736	0.0794	0.000121
KY	H L Spurloc	6041	3	8/2/2022	165	1534.6	0.00073	0.0785	0.00012
KY	H L Spurloc	6041	3	8/2/2022	167	1569.9	0.000715	0.0761	0.000119
KY	H L Spurloc	6041	3	8/2/2022	167	1572.9	0.000717	0.0761	0.00012
KY	H L Spurloc	6041	3	8/2/2022	167	1544.3	0.000719	0.0777	0.00012
KY	H L Spurloc	6041	3	8/2/2022	167	1526.4	0.000717	0.0785	0.00012
KY	H L Spurloc	6041	3	8/2/2022	219	2034.7	0.000631	0.0679	0.000138
KY	H L Spurloc	6041	3	8/2/2022	298	2767.1	0.00056	0.0603	0.000167
KY	H L Spurloc	6041	3	8/2/2022	300	2673.8	0.000551	0.0618	0.000165
KY	H L Spurloc	6041	3	8/2/2022	300	2700.9	0.000556	0.0618	0.000167
KY	H L Spurloc	6041	3	8/2/2022	300	2693.6	0.000555	0.0618	0.000166
KY	H L Spurloc	6041	3	8/2/2022	300	2677.9	0.000556	0.0623	0.000167
KY	H L Spurloc	6041	3	8/2/2022	301	2693.9	0.000558	0.0623	0.000168
KY	H L Spurloc	6041	3	8/2/2022	301	2714.4	0.000557	0.0618	0.000168
KY	H L Spurloc	6041	3	8/2/2022	301	2712.3	0.000557	0.0618	0.000168
KY	H L Spurloc	6041	3	8/2/2022	301	2686	0.000556	0.0623	0.000167
KY	H L Spurloc	6041	3	8/2/2022	301	2675.5	0.000554	0.0623	0.000167
KY	H L Spurloc	6041	3	8/2/2022	302	2682.8	0.000553	0.0623	0.000167
KY	H L Spurloc	6041	3	8/2/2022	298	2636.5	0.000551	0.0623	0.000164
KY	H L Spurloc	6041	3	8/2/2022	284	2464.9	0.000545	0.0628	0.000155
KY	H L Spurloc	6041	3	8/2/2022	289	2587.1	0.000553	0.0618	0.00016
KY	H L Spurloc	6041	3	8/3/2022	301	2676.1	0.000549	0.0618	0.000165
KY	H L Spurloc	6041	3	8/3/2022	301	2718.6	0.000549	0.0608	0.000165
KY	H L Spurloc	6041	3	8/3/2022	302	2760.5	0.000551	0.0603	0.000166
KY	H L Spurloc	6041	3	8/3/2022	301	2683.2	0.000546	0.0613	0.000164
KY	H L Spurloc	6041	3	8/3/2022	301	2634.4	0.000545	0.0623	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2618.8	0.000546	0.0623	0.000163
KY	H L Spurloc	6041	3	8/3/2022	299	2635.2	0.000549	0.0623	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2626.8	0.000547	0.0623	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2654	0.000549	0.0618	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2635.2	0.000549	0.0623	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2630.1	0.000548	0.0623	0.000164
KY	H L Spurloc	6041	3	8/3/2022	299	2624.9	0.000551	0.0628	0.000165
KY	H L Spurloc	6041	3	8/3/2022	299	2653.4	0.000557	0.0628	0.000167
KY	H L Spurloc	6041	3	8/3/2022	299	2701.4	0.000558	0.0618	0.000167
KY	H L Spurloc	6041	3	8/3/2022	299	2696.1	0.000557	0.0618	0.000167
KY	H L Spurloc	6041	3	8/3/2022	300	2683.3	0.000557	0.0623	0.000167
KY	H L Spurloc	6041	3	8/3/2022	299	2699.4	0.000562	0.0623	0.000168

KY	H L Spurloc	6041	3	8/3/2022	299	2730.2	0.000564	0.0618	0.000169
KY	H L Spurloc	6041	3	8/3/2022	299	2720.3	0.000562	0.0618	0.000168
KY	H L Spurloc	6041	3	8/3/2022	299	2697.4	0.000558	0.0618	0.000167
KY	H L Spurloc	6041	3	8/3/2022	299	2686.9	0.000555	0.0618	0.000166
KY	H L Spurloc	6041	3	8/3/2022	299	2697.2	0.000557	0.0618	0.000167
KY	H L Spurloc	6041	3	8/3/2022	284	2515.5	0.000547	0.0618	0.000155
KY	H L Spurloc	6041	3	8/3/2022	293	2716.9	0.000555	0.0598	0.000162
KY	H L Spurloc	6041	3	8/4/2022	278	2513.5	0.00055	0.0608	0.000153
KY	H L Spurloc	6041	3	8/4/2022	194	1652.8	0.000648	0.0761	0.000126
KY	H L Spurloc	6041	3	8/4/2022	165	1499.7	0.000737	0.0811	0.000122
KY	H L Spurloc	6041	3	8/4/2022	165	1504.2	0.000739	0.0811	0.000122
KY	H L Spurloc	6041	3	8/4/2022	166	1514.2	0.00074	0.0811	0.000123
KY	H L Spurloc	6041	3	8/4/2022	203	1928.6	0.000657	0.0692	0.000133
KY	H L Spurloc	6041	3	8/4/2022	184	1661.4	0.000687	0.0761	0.000126
KY	H L Spurloc	6041	3	8/4/2022	215	1965.9	0.000638	0.0698	0.000137
KY	H L Spurloc	6041	3	8/4/2022	259	2450.8	0.000585	0.0618	0.000151
KY	H L Spurloc	6041	3	8/4/2022	295	2698.6	0.000556	0.0608	0.000164
KY	H L Spurloc	6041	3	8/4/2022	299	2699.1	0.000558	0.0618	0.000167
KY	H L Spurloc	6041	3	8/4/2022	294	2658.4	0.000559	0.0618	0.000164
KY	H L Spurloc	6041	3	8/4/2022	295	2736.2	0.000564	0.0608	0.000166
KY	H L Spurloc	6041	3	8/4/2022	299	2742.1	0.000562	0.0613	0.000168
KY	H L Spurloc	6041	3	8/4/2022	300	2758.2	0.000559	0.0608	0.000168
KY	H L Spurloc	6041	3	8/4/2022	300	2764.2	0.000556	0.0603	0.000167
KY	H L Spurloc	6041	3	8/4/2022	299	2725.3	0.00055	0.0603	0.000164
KY	H L Spurloc	6041	3	8/4/2022	299	2724.2	0.000549	0.0603	0.000164
KY	H L Spurloc	6041	3	8/4/2022	299	2725.6	0.00055	0.0603	0.000164
KY	H L Spurloc	6041	3	8/4/2022	298	2696.4	0.00055	0.0608	0.000164
KY	H L Spurloc	6041	3	8/4/2022	298	2717.5	0.000554	0.0608	0.000165
KY	H L Spurloc	6041	3	8/4/2022	284	2513.1	0.000547	0.0618	0.000155
KY	H L Spurloc	6041	3	8/4/2022	295	2695.8	0.00056	0.0613	0.000165
KY	H L Spurloc	6041	3	8/4/2022	277	2400.7	0.000544	0.0628	0.000151
KY	H L Spurloc	6041	3	8/5/2022	237	2087.2	0.000572	0.065	0.000136
KY	H L Spurloc	6041	3	8/5/2022	167	1457.2	0.000722	0.0828	0.000121
KY	H L Spurloc	6041	3	8/5/2022	165	1515.8	0.000737	0.0802	0.000122
KY	H L Spurloc	6041	3	8/5/2022	165	1526.7	0.000742	0.0802	0.000122
KY	H L Spurloc	6041	3	8/5/2022	165	1525.2	0.000741	0.0802	0.000122
KY	H L Spurloc	6041	3	8/5/2022	184	1748.6	0.000696	0.0732	0.000128
KY	H L Spurloc	6041	3	8/5/2022	192	1783.7	0.00068	0.0732	0.000131
KY	H L Spurloc	6041	3	8/5/2022	188	1694.6	0.00068	0.0754	0.000128
KY	H L Spurloc	6041	3	8/5/2022	197	1822.8	0.000671	0.0725	0.000132
KY	H L Spurloc	6041	3	8/5/2022	241	2212.2	0.000587	0.0639	0.000141
KY	H L Spurloc	6041	3	8/5/2022	280	2626.7	0.00057	0.0608	0.00016
KY	H L Spurloc	6041	3	8/5/2022	303	2769.3	0.000556	0.0608	0.000168
KY	H L Spurloc	6041	3	8/5/2022	302	2746.1	0.000557	0.0613	0.000168
KY	H L Spurloc	6041	3	8/5/2022	302	2748.8	0.000558	0.0613	0.000169
KY	H L Spurloc	6041	3	8/5/2022	302	2776.4	0.000559	0.0608	0.000169
KY	H L Spurloc	6041	3	8/5/2022	302	2773.7	0.000558	0.0608	0.000169

KY	H L Spurloc	6041	3	8/5/2022	302	2731.8	0.000555	0.0613	0.000167
KY	H L Spurloc	6041	3	8/5/2022	296	2644	0.000548	0.0613	0.000162
KY	H L Spurloc	6041	3	8/5/2022	300	2729.5	0.000553	0.0608	0.000166
KY	H L Spurloc	6041	3	8/5/2022	291	2572.5	0.000537	0.0608	0.000156
KY	H L Spurloc	6041	3	8/5/2022	299	2714.3	0.000547	0.0603	0.000164
KY	H L Spurloc	6041	3	8/5/2022	285	2491	0.00054	0.0618	0.000154
KY	H L Spurloc	6041	3	8/5/2022	300	2778.1	0.000558	0.0603	0.000168
KY	H L Spurloc	6041	3	8/5/2022	289	2578.1	0.000547	0.0613	0.000158
KY	H L Spurloc	6041	3	8/6/2022	274	2423.7	0.000547	0.0618	0.00015
KY	H L Spurloc	6041	3	8/6/2022	251	2167.5	0.000552	0.0639	0.000139
KY	H L Spurloc	6041	3	8/6/2022	197	1687.4	0.000639	0.0746	0.000126
KY	H L Spurloc	6041	3	8/6/2022	167	1511.3	0.000726	0.0802	0.000121
KY	H L Spurloc	6041	3	8/6/2022	167	1518.6	0.000729	0.0802	0.000122
KY	H L Spurloc	6041	3	8/6/2022	167	1529.1	0.000734	0.0802	0.000123
KY	H L Spurloc	6041	3	8/6/2022	167	1520.7	0.000738	0.0811	0.000123
KY	H L Spurloc	6041	3	8/6/2022	214	1979.5	0.00064	0.0692	0.000137
KY	H L Spurloc	6041	3	8/6/2022	276	2563.6	0.000565	0.0608	0.000156
KY	H L Spurloc	6041	3	8/6/2022	288	2636.5	0.000552	0.0603	0.000159
KY	H L Spurloc	6041	3	8/6/2022	302	2747.4	0.000549	0.0603	0.000166
KY	H L Spurloc	6041	3	8/6/2022	302	2727.9	0.000549	0.0608	0.000166
KY	H L Spurloc	6041	3	8/6/2022	289	2553	0.000542	0.0613	0.000156
KY	H L Spurloc	6041	3	8/6/2022	301	2742.7	0.000559	0.0613	0.000168
KY	H L Spurloc	6041	3	8/6/2022	302	2743.2	0.000561	0.0618	0.00017
KY	H L Spurloc	6041	3	8/6/2022	302	2748.9	0.000558	0.0613	0.000169
KY	H L Spurloc	6041	3	8/6/2022	302	2755.1	0.000559	0.0613	0.000169
KY	H L Spurloc	6041	3	8/6/2022	302	2766.3	0.000562	0.0613	0.00017
KY	H L Spurloc	6041	3	8/6/2022	302	2784	0.000565	0.0613	0.000171
KY	H L Spurloc	6041	3	8/6/2022	293	2670.1	0.000559	0.0613	0.000164
KY	H L Spurloc	6041	3	8/6/2022	301	2808.6	0.000567	0.0608	0.000171
KY	H L Spurloc	6041	3	8/6/2022	287	2577.1	0.00055	0.0613	0.000158
KY	H L Spurloc	6041	3	8/6/2022	300	2778.6	0.000563	0.0608	0.000169
KY	H L Spurloc	6041	3	8/6/2022	276	2430.8	0.000549	0.0623	0.000151
KY	H L Spurloc	6041	3	8/7/2022	251	2229.1	0.000562	0.0633	0.000141
KY	H L Spurloc	6041	3	8/7/2022	248	2220.1	0.000567	0.0633	0.000141
KY	H L Spurloc	6041	3	8/7/2022	211	1830.5	0.000617	0.0711	0.00013
KY	H L Spurloc	6041	3	8/7/2022	167	1486.7	0.000729	0.0819	0.000122
KY	H L Spurloc	6041	3	8/7/2022	167	1530	0.000735	0.0802	0.000123
KY	H L Spurloc	6041	3	8/7/2022	167	1532.9			
KY	H L Spurloc	6041	3	8/7/2022	167	1536.4	0.000738	0.0802	0.000123
KY	H L Spurloc	6041	3	8/7/2022	181	1685	0.000708	0.0761	0.000128
KY	H L Spurloc	6041	3	8/7/2022	218	1996.8	0.000634	0.0692	0.000138
KY	H L Spurloc	6041	3	8/7/2022	263	2395.7	0.000567	0.0623	0.000149
KY	H L Spurloc	6041	3	8/7/2022	280	2591.3	0.000567	0.0613	0.000159
KY	H L Spurloc	6041	3	8/7/2022	291	2655.8	0.000559	0.0613	0.000163
KY	H L Spurloc	6041	3	8/7/2022	299	2754.7	0.000565	0.0613	0.000169
KY	H L Spurloc	6041	3	8/7/2022	301	2763.4	0.000567	0.0618	0.000171
KY	H L Spurloc	6041	3	8/7/2022	301	2744.1	0.000563	0.0618	0.00017

KY	H L Spurloc	6041	3	8/7/2022	301	2717.3	0.000558	0.0618	0.000168
KY	H L Spurloc	6041	3	8/7/2022	301	2698.8	0.000559	0.0623	0.000168
KY	H L Spurloc	6041	3	8/7/2022	301	2708.7	0.000561	0.0623	0.000169
KY	H L Spurloc	6041	3	8/7/2022	289	2552.4	0.00055	0.0623	0.000159
KY	H L Spurloc	6041	3	8/7/2022	295	2665.6	0.000554	0.0613	0.000163
KY	H L Spurloc	6041	3	8/7/2022	294	2593.4	0.00055	0.0623	0.000162
KY	H L Spurloc	6041	3	8/7/2022	299	2717.5	0.000557	0.0613	0.000167
KY	H L Spurloc	6041	3	8/7/2022	285	2518.8	0.000546	0.0618	0.000156
KY	H L Spurloc	6041	3	8/7/2022	297	2668.1	0.000551	0.0613	0.000164
KY	H L Spurloc	6041	3	8/8/2022	289	2634.9	0.000559	0.0613	0.000162
KY	H L Spurloc	6041	3	8/8/2022	256	2192.4	0.000562	0.0656	0.000144
KY	H L Spurloc	6041	3	8/8/2022	200	1693.9	0.000645	0.0761	0.000129
KY	H L Spurloc	6041	3	8/8/2022	190	1732.2	0.00068	0.0746	0.000129
KY	H L Spurloc	6041	3	8/8/2022	231	2084.8	0.000602	0.0667	0.000139
KY	H L Spurloc	6041	3	8/8/2022	280	2641.5	0.000569	0.0603	0.000159
KY	H L Spurloc	6041	3	8/8/2022	289	2555	0.000546	0.0618	0.000158
KY	H L Spurloc	6041	3	8/8/2022	297	2695	0.000552	0.0608	0.000164
KY	H L Spurloc	6041	3	8/8/2022	294	2616.4	0.00055	0.0618	0.000162
KY	H L Spurloc	6041	3	8/8/2022	290	2598.1	0.000554	0.0618	0.000161
KY	H L Spurloc	6041	3	8/8/2022	288	2634.3	0.000556	0.0608	0.00016
KY	H L Spurloc	6041	3	8/8/2022	288	2648.9	0.000367	0.0399	0.000106
KY	H L Spurloc	6041	3	8/8/2022	300	2718	0.000368	0.0406	0.00011
KY	H L Spurloc	6041	3	8/8/2022	301	2721.4	0.000367	0.0406	0.00011
KY	H L Spurloc	6041	3	8/8/2022	300	2702.8	0.000366	0.0406	0.00011
KY	H L Spurloc	6041	3	8/8/2022	301	2702.9	0.000367	0.0409	0.000111
KY	H L Spurloc	6041	3	8/8/2022	301	2721.5	0.000367	0.0406	0.00011
KY	H L Spurloc	6041	3	8/8/2022	301	2687.4	0.000365	0.0409	0.00011
KY	H L Spurloc	6041	3	8/8/2022	301	2697.4	0.000367	0.0409	0.00011
KY	H L Spurloc	6041	3	8/8/2022	301	2706	0.000368	0.0409	0.000111
KY	H L Spurloc	6041	3	8/8/2022	284	2488.4	0.000362	0.0413	0.000103
KY	H L Spurloc	6041	3	8/8/2022	300	2730.9	0.00037	0.0406	0.000111
KY	H L Spurloc	6041	3	8/8/2022	292	2599.1	0.000364	0.0409	0.000106
KY	H L Spurloc	6041	3	8/8/2022	293	2688.4	0.000366	0.0399	0.000107
KY	H L Spurloc	6041	3	8/9/2022	293	2637.9	0.000366	0.0406	0.000107
KY	H L Spurloc	6041	3	8/9/2022	269	2330.6	0.000364	0.042	9.79E-05
KY	H L Spurloc	6041	3	8/9/2022	237	2061.7	0.000388	0.0446	9.2E-05
KY	H L Spurloc	6041	3	8/9/2022	205	1798.3	0.000422	0.0481	8.65E-05
KY	H L Spurloc	6041	3	8/9/2022	238	2083.1	0.00039	0.0446	9.29E-05
KY	H L Spurloc	6041	3	8/9/2022	281	2646.9	0.000373	0.0396	0.000105
KY	H L Spurloc	6041	3	8/9/2022	294	2619.9	0.000364	0.0409	0.000107
KY	H L Spurloc	6041	3	8/9/2022	299	2671.3	0.000369	0.0413	0.00011
KY	H L Spurloc	6041	3	8/9/2022	300	2703	0.000369	0.0409	0.000111
KY	H L Spurloc	6041	3	8/9/2022	271	2341.2	0.000365	0.0423	9.9E-05
KY	H L Spurloc	6041	3	8/9/2022	268	2359.4	0.000366	0.0416	9.82E-05
KY	H L Spurloc	6041	3	8/9/2022	276	2488.6	0.000369	0.0409	0.000102
KY	H L Spurloc	6041	3	8/9/2022	284	2517.5	0.000366	0.0413	0.000104
KY	H L Spurloc	6041	3	8/9/2022	300	2730.2	0.000369	0.0406	0.000111

KY	H L Spurloc	6041	3	8/9/2022	301	2713.2	0.000369	0.0409	0.000111
KY	H L Spurloc	6041	3	8/9/2022	301	2737.9	0.000369	0.0406	0.000111
KY	H L Spurloc	6041	3	8/9/2022	301	2718.2	0.000367	0.0406	0.00011
KY	H L Spurloc	6041	3	8/9/2022	301	2714.5	0.000369	0.0409	0.000111
KY	H L Spurloc	6041	3	8/9/2022	286	2550.3	0.000368	0.0413	0.000105
KY	H L Spurloc	6041	3	8/9/2022	297	2683.4	0.00037	0.0409	0.00011
KY	H L Spurloc	6041	3	8/9/2022	286	2530.7	0.000365	0.0413	0.000105
KY	H L Spurloc	6041	3	8/9/2022	289	2636.3	0.000361	0.0396	0.000104
KY	H L Spurloc	6041	3	8/9/2022	287	2560.9	0.000362	0.0406	0.000104
KY	H L Spurloc	6041	3	8/9/2022	287	2519.9	0.000359	0.0409	0.000103
KY	H L Spurloc	6041	3	#####	279	2471.3	0.000353	0.0399	9.86E-05
KY	H L Spurloc	6041	3	#####	228	1928.9	0.000384	0.0454	8.76E-05
KY	H L Spurloc	6041	3	#####	166	1481.8	0.00048	0.0538	7.97E-05
KY	H L Spurloc	6041	3	#####	166	1510.3	0.000484	0.0532	8.03E-05
KY	H L Spurloc	6041	3	#####	193	1779.9	0.000444	0.0481	8.56E-05
KY	H L Spurloc	6041	3	#####	233	2056.1	0.00039	0.0442	9.09E-05
KY	H L Spurloc	6041	3	#####	223	1955.1	0.000395	0.045	8.8E-05
KY	H L Spurloc	6041	3	#####	227	2036.6	0.000393	0.0438	8.92E-05
KY	H L Spurloc	6041	3	#####	262	2374.3	0.000368	0.0406	9.64E-05
KY	H L Spurloc	6041	3	#####	276	2475.7	0.000358	0.0399	9.88E-05
KY	H L Spurloc	6041	3	#####	295	2695.9	0.000365	0.0399	0.000108
KY	H L Spurloc	6041	3	#####	301	2659.1	0.000361	0.0409	0.000109
KY	H L Spurloc	6041	3	#####	301	2697.1	0.000364	0.0406	0.00011
KY	H L Spurloc	6041	3	#####	301	2709.7	0.000365	0.0406	0.00011
KY	H L Spurloc	6041	3	#####	301	2719.6	0.000367	0.0406	0.00011
KY	H L Spurloc	6041	3	#####	301	2707.2	0.000368	0.0409	0.000111
KY	H L Spurloc	6041	3	#####	301	2715.1	0.000369	0.0409	0.000111
KY	H L Spurloc	6041	3	#####	301	2724.2	0.00037	0.0409	0.000111
KY	H L Spurloc	6041	3	#####	301	2736.6	0.000372	0.0409	0.000112
KY	H L Spurloc	6041	3	#####	285	2604	0.000371	0.0406	0.000106
KY	H L Spurloc	6041	3	#####	297	2711.4	0.000371	0.0406	0.00011
KY	H L Spurloc	6041	3	#####	285	2589.7	0.000372	0.0409	0.000106
KY	H L Spurloc	6041	3	#####	286	2613.6	0.000371	0.0406	0.000106
KY	H L Spurloc	6041	3	#####	292	2616.5	0.00037	0.0413	0.000108
KY	H L Spurloc	6041	3	#####	252	2240.6	0.000383	0.0431	9.66E-05
KY	H L Spurloc	6041	3	#####	250	2222	0.000383	0.0431	9.58E-05
KY	H L Spurloc	6041	3	#####	171	1524.6	0.000474	0.0532	8.11E-05
KY	H L Spurloc	6041	3	#####	167	1545.8	0.000492	0.0532	8.22E-05
KY	H L Spurloc	6041	3	#####	194	1792.9	0.000448	0.0485	8.7E-05
KY	H L Spurloc	6041	3	#####	225	2141	0.000406	0.0427	9.14E-05
KY	H L Spurloc	6041	3	#####	222	1978.2	0.000401	0.045	8.9E-05
KY	H L Spurloc	6041	3	#####	237	2135.8	0.000395	0.0438	9.35E-05
KY	H L Spurloc	6041	3	#####	270	2451.7	0.000375	0.0413	0.000101
KY	H L Spurloc	6041	3	#####	251	2225.6	0.000382	0.0431	9.59E-05
KY	H L Spurloc	6041	3	#####	240	2140.8	0.000391	0.0438	9.38E-05
KY	H L Spurloc	6041	3	#####	234	2088.2	0.000394	0.0442	9.23E-05
KY	H L Spurloc	6041	3	#####	269	2503.5	0.000384	0.0413	0.000103

KY	H L Spurloc	6041	3	#####	302	2755	0.000373	0.0409	0.000113
KY	H L Spurloc	6041	3	#####	299	2729.3	0.000373	0.0409	0.000112
KY	H L Spurloc	6041	3	#####	300	2738.6	0.000371	0.0406	0.000111
KY	H L Spurloc	6041	3	#####	299	2702.6	0.000367	0.0406	0.00011
KY	H L Spurloc	6041	3	#####	291	2605.2	0.000366	0.0409	0.000107
KY	H L Spurloc	6041	3	#####	282	2483.9	0.000364	0.0413	0.000103
KY	H L Spurloc	6041	3	#####	297	2697.3	0.000371	0.0409	0.00011
KY	H L Spurloc	6041	3	#####	284	2524.3	0.000367	0.0413	0.000104
KY	H L Spurloc	6041	3	#####	281	2516.1	0.000376	0.042	0.000106
KY	H L Spurloc	6041	3	#####	203	1729.8	0.000426	0.05	8.65E-05
KY	H L Spurloc	6041	3	#####	169	1546.2	0.000477	0.0521	8.06E-05
KY	H L Spurloc	6041	3	#####	165	1521	0.000486	0.0527	8.02E-05
KY	H L Spurloc	6041	3	#####	165	1542.1	0.000487	0.0521	8.03E-05
KY	H L Spurloc	6041	3	#####	165	1533	0.00049	0.0527	8.08E-05
KY	H L Spurloc	6041	3	#####	165	1524.1	0.000491	0.0532	8.11E-05
KY	H L Spurloc	6041	3	#####	165	1541.5	0.000492	0.0527	8.12E-05
KY	H L Spurloc	6041	3	#####	170	1615.4	0.000485	0.051	8.24E-05
KY	H L Spurloc	6041	3	#####	225	2080.5	0.000409	0.0442	9.2E-05
KY	H L Spurloc	6041	3	#####	188	1648.3	0.000443	0.0505	8.32E-05
KY	H L Spurloc	6041	3	#####	211	1996.7	0.000433	0.0458	9.14E-05
KY	H L Spurloc	6041	3	#####	248	2227.1	0.00038	0.0423	9.42E-05
KY	H L Spurloc	6041	3	#####	253	2268.5	0.000373	0.0416	9.44E-05
KY	H L Spurloc	6041	3	#####	287	2641.5	0.000367	0.0399	0.000105
KY	H L Spurloc	6041	3	#####	292	2653.9	0.000363	0.0399	0.000106
KY	H L Spurloc	6041	3	#####	301	2701.3	0.000362	0.0403	0.000109
KY	H L Spurloc	6041	3	#####	298	2700.6	0.000359	0.0396	0.000107
KY	H L Spurloc	6041	3	#####	299	2665.2	0.000362	0.0406	0.000108
KY	H L Spurloc	6041	3	#####	298	2664.3	0.000363	0.0406	0.000108
KY	H L Spurloc	6041	3	#####	298	2675.9	0.000362	0.0403	0.000108
KY	H L Spurloc	6041	3	#####	283	2490.8	0.000357	0.0406	0.000101
KY	H L Spurloc	6041	3	#####	296	2719.7	0.000364	0.0396	0.000108
KY	H L Spurloc	6041	3	#####	288	2542.7	0.000356	0.0403	0.000102
KY	H L Spurloc	6041	3	#####	241	2082.4	0.000372	0.0431	8.98E-05
KY	H L Spurloc	6041	3	#####	171	1527.1	0.000471	0.0527	8.05E-05
KY	H L Spurloc	6041	3	#####	217	2033	0.000414	0.0442	8.99E-05
KY	H L Spurloc	6041	3	#####	296	2752.7	0.000363	0.039	0.000107
KY	H L Spurloc	6041	3	#####	299	2701	0.000355	0.0393	0.000106
KY	H L Spurloc	6041	3	#####	299	2657.2	0.000352	0.0396	0.000105
KY	H L Spurloc	6041	3	#####	299	2656.8	0.000352	0.0396	0.000105
KY	H L Spurloc	6041	3	#####	299	2629.1	0.000351	0.0399	0.000105
KY	H L Spurloc	6041	3	#####	281	2417.1	0.000347	0.0403	9.74E-05
KY	H L Spurloc	6041	3	#####	296	2631.2	0.000352	0.0396	0.000104
KY	H L Spurloc	6041	3	#####	283	2428.4	0.000346	0.0403	9.79E-05
KY	H L Spurloc	6041	3	#####	297	2609.6	0.000351	0.0399	0.000104
KY	H L Spurloc	6041	3	#####	298	2619.9	0.000354	0.0403	0.000106
KY	H L Spurloc	6041	3	#####	299	2631.4	0.000355	0.0403	0.000106
KY	H L Spurloc	6041	3	#####	298	2618.9	0.000354	0.0403	0.000106

KY	H L Spurloc	6041	3	#####	298	2672.2	0.000352	0.0393	0.000105
KY	H L Spurloc	6041	3	#####	299	2683.1	0.000353	0.0393	0.000105
KY	H L Spurloc	6041	3	#####	299	2660.8	0.000352	0.0396	0.000105
KY	H L Spurloc	6041	3	#####	299	2685.2	0.000356	0.0396	0.000106
KY	H L Spurloc	6041	3	#####	299	2701.1	0.000358	0.0396	0.000107
KY	H L Spurloc	6041	3	#####	299	2715.2	0.00036	0.0396	0.000108
KY	H L Spurloc	6041	3	#####	299	2725.1	0.000361	0.0396	0.000108
KY	H L Spurloc	6041	3	#####	300	2721.7	0.000362	0.0399	0.000109
KY	H L Spurloc	6041	3	#####	283	2504.6	0.000357	0.0403	0.000101
KY	H L Spurloc	6041	3	#####	298	2726.9	0.000362	0.0396	0.000108
KY	H L Spurloc	6041	3	#####	287	2532.9	0.000356	0.0403	0.000102
KY	H L Spurloc	6041	3	#####	236	1983.1	0.000375	0.0446	8.84E-05
KY	H L Spurloc	6041	3	#####	167	1458.3	0.000475	0.0544	7.93E-05
KY	H L Spurloc	6041	3	#####	165	1508.2	0.000486	0.0532	8.02E-05
KY	H L Spurloc	6041	3	#####	165	1500.3	0.000489	0.0538	8.07E-05
KY	H L Spurloc	6041	3	#####	165	1499.7	0.000489	0.0538	8.07E-05
KY	H L Spurloc	6041	3	#####	165	1509.4	0.000487	0.0532	8.03E-05
KY	H L Spurloc	6041	3	#####	165	1508.4	0.000486	0.0532	8.02E-05
KY	H L Spurloc	6041	3	#####	165	1506.7	0.000486	0.0532	8.02E-05
KY	H L Spurloc	6041	3	#####	165	1514	0.000488	0.0532	8.05E-05
KY	H L Spurloc	6041	3	#####	166	1530.3	0.000486	0.0527	8.06E-05
KY	H L Spurloc	6041	3	#####	165	1514.7	0.000488	0.0532	8.06E-05
KY	H L Spurloc	6041	3	#####	173	1576.9	0.000475	0.0521	8.22E-05
KY	H L Spurloc	6041	3	#####	193	1807.3	0.000446	0.0476	8.6E-05
KY	H L Spurloc	6041	3	#####	269	2553.2	0.000379	0.0399	0.000102
KY	H L Spurloc	6041	3	#####	298	2651.7	0.000359	0.0403	0.000107
KY	H L Spurloc	6041	3	#####	292	2611.6	0.00036	0.0403	0.000105
KY	H L Spurloc	6041	3	#####	299	2603.3	0.00036	0.0413	0.000108
KY	H L Spurloc	6041	3	#####	299	2589.8	0.000358	0.0413	0.000107
KY	H L Spurloc	6041	3	#####	298	2599.7	0.00036	0.0413	0.000107
KY	H L Spurloc	6041	3	#####	287	2492.5	0.000359	0.0413	0.000103
KY	H L Spurloc	6041	3	#####	298	2585.6	0.000361	0.0416	0.000108
KY	H L Spurloc	6041	3	#####	282	2371.8	0.00035	0.0416	9.87E-05
KY	H L Spurloc	6041	3	#####	278	2368.5	0.000354	0.0416	9.85E-05
KY	H L Spurloc	6041	3	#####	235	1992.9	0.000375	0.0442	8.81E-05
KY	H L Spurloc	6041	3	#####	216	1836.9	0.000397	0.0467	8.58E-05
KY	H L Spurloc	6041	3	#####	198	1730.1	0.000428	0.049	8.48E-05
KY	H L Spurloc	6041	3	#####	216	1941.6	0.000412	0.0458	8.89E-05
KY	H L Spurloc	6041	3	#####	195	1653.7	0.00042	0.0495	8.19E-05
KY	H L Spurloc	6041	3	#####	165	1484.7	0.000484	0.0538	7.99E-05
KY	H L Spurloc	6041	3	#####	173	1556.6	0.000474	0.0527	8.2E-05
KY	H L Spurloc	6041	3	#####	191	1774	0.000442	0.0476	8.44E-05
KY	H L Spurloc	6041	3	#####	228	2004.5	0.000392	0.0446	8.94E-05
KY	H L Spurloc	6041	3	#####	211	1864.7	0.000405	0.0458	8.54E-05
KY	H L Spurloc	6041	3	#####	272	2412	0.000366	0.0413	9.96E-05
KY	H L Spurloc	6041	3	#####	281	2449.5	0.000357	0.0409	0.0001
KY	H L Spurloc	6041	3	#####	296	2707.2	0.000359	0.0393	0.000106

KY	H L Spurloc	6041	3	#####	298	2639.2	0.000357	0.0403	0.000106
KY	H L Spurloc	6041	3	#####	299	2642.6	4.61E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	299	2646.3	4.62E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	299	2677.4	4.64E-05	0.00518	1.39E-05
KY	H L Spurloc	6041	3	#####	299	2689.3	4.66E-05	0.00518	1.39E-05
KY	H L Spurloc	6041	3	#####	299	2707.5	4.65E-05	0.00514	1.39E-05
KY	H L Spurloc	6041	3	#####	299	2661.2	4.61E-05	0.00518	1.38E-05
KY	H L Spurloc	6041	3	#####	289	2527.2	4.56E-05	0.00522	1.32E-05
KY	H L Spurloc	6041	3	#####	296	2651.5	4.64E-05	0.00518	1.37E-05
KY	H L Spurloc	6041	3	#####	285	2505.4	4.59E-05	0.00522	1.31E-05
KY	H L Spurloc	6041	3	#####	278	2464.4	4.59E-05	0.00518	1.28E-05
KY	H L Spurloc	6041	3	#####	214	1799.8	5.1E-05	0.00606	1.09E-05
KY	H L Spurloc	6041	3	#####	165	1497.8	0.000062	0.00683	1.02E-05
KY	H L Spurloc	6041	3	#####	165	1501.4	6.28E-05	0.0069	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1515.2	6.27E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1514.5	6.27E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1510.1	6.25E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1528.4	6.26E-05	0.00676	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1512.6	6.26E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1514.7	6.27E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1509.3	6.31E-05	0.0069	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1513	6.33E-05	0.0069	1.04E-05
KY	H L Spurloc	6041	3	#####	218	2040.3	5.41E-05	0.00578	1.18E-05
KY	H L Spurloc	6041	3	#####	273	2452.9	4.65E-05	0.00518	1.27E-05
KY	H L Spurloc	6041	3	#####	283	2478.9	4.57E-05	0.00522	1.29E-05
KY	H L Spurloc	6041	3	#####	293	2658.9	4.62E-05	0.00509	1.35E-05
KY	H L Spurloc	6041	3	#####	297	2672.6	4.63E-05	0.00514	1.37E-05
KY	H L Spurloc	6041	3	#####	299	2667.3	4.62E-05	0.00518	1.38E-05
KY	H L Spurloc	6041	3	#####	299	2675	4.63E-05	0.00518	1.39E-05
KY	H L Spurloc	6041	3	#####	289	2572.5	4.61E-05	0.00518	1.33E-05
KY	H L Spurloc	6041	3	#####	290	2596.1	4.64E-05	0.00518	1.34E-05
KY	H L Spurloc	6041	3	#####	280	2439.1	4.58E-05	0.00526	1.28E-05
KY	H L Spurloc	6041	3	#####	290	2615.6	4.64E-05	0.00514	1.34E-05
KY	H L Spurloc	6041	3	#####	272	2362.8	4.53E-05	0.00522	1.23E-05
KY	H L Spurloc	6041	3	#####	221	1873	4.99E-05	0.00589	1.1E-05
KY	H L Spurloc	6041	3	#####	165	1499.9	6.21E-05	0.00683	1.02E-05
KY	H L Spurloc	6041	3	#####	165	1509.7	6.25E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1511.2	6.26E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	165	1516.2	6.28E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1515.7	6.27E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1518.9	6.29E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1522.3	6.3E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1516.5	6.28E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	165	1515.1	6.27E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3	#####	213	1960.1	5.37E-05	0.00584	1.14E-05
KY	H L Spurloc	6041	3	#####	189	1647.8	5.54E-05	0.00636	1.05E-05
KY	H L Spurloc	6041	3	#####	218	2030	5.38E-05	0.00578	1.17E-05

KY	H L Spurloc	6041	3 #####	296	2745.1	4.68E-05	0.00505	1.39E-05
KY	H L Spurloc	6041	3 #####	286	2514.9	4.59E-05	0.00522	1.31E-05
KY	H L Spurloc	6041	3 #####	298	2713.3	4.63E-05	0.00509	1.38E-05
KY	H L Spurloc	6041	3 #####	299	2697.4	4.64E-05	0.00514	1.39E-05
KY	H L Spurloc	6041	3 #####	298	2661.2	4.63E-05	0.00518	1.38E-05
KY	H L Spurloc	6041	3 #####	298	2643.2	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	299	2638.9	4.61E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	298	2640.3	4.62E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	298	2644	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	298	2645.5	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	292	2570.4	4.6E-05	0.00522	1.34E-05
KY	H L Spurloc	6041	3 #####	283	2459.4	4.57E-05	0.00526	1.29E-05
KY	H L Spurloc	6041	3 #####	231	1955.1	4.89E-05	0.00578	1.13E-05
KY	H L Spurloc	6041	3 #####	174	1539	5.98E-05	0.00676	1.04E-05
KY	H L Spurloc	6041	3 #####	165	1500.8	6.21E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1507.8	6.24E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1510.3	6.25E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1526.1	6.25E-05	0.00676	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1516.5	6.28E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3 #####	202	1832.3	5.5E-05	0.00606	1.11E-05
KY	H L Spurloc	6041	3 #####	168	1514.6	6.09E-05	0.00676	1.02E-05
KY	H L Spurloc	6041	3 #####	165	1498.4	6.27E-05	0.0069	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1512.9	6.26E-05	0.00683	1.03E-05
KY	H L Spurloc	6041	3 #####	183	1710	5.94E-05	0.00636	1.09E-05
KY	H L Spurloc	6041	3 #####	277	2569	4.8E-05	0.00518	1.33E-05
KY	H L Spurloc	6041	3 #####	287	2495.5	4.54E-05	0.00522	1.3E-05
KY	H L Spurloc	6041	3 #####	296	2635.8	4.58E-05	0.00514	1.35E-05
KY	H L Spurloc	6041	3 #####	297	2615.4	4.6E-05	0.00522	1.37E-05
KY	H L Spurloc	6041	3 #####	299	2634.3	4.6E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3 #####	299	2631.6	4.59E-05	0.00522	1.37E-05
KY	H L Spurloc	6041	3 #####	298	2625.3	4.6E-05	0.00522	1.37E-05
KY	H L Spurloc	6041	3 #####	298	2617.3	4.58E-05	0.00522	1.37E-05
KY	H L Spurloc	6041	3 #####	297	2607.8	4.55E-05	0.00518	1.35E-05
KY	H L Spurloc	6041	3 #####	298	2655.5	4.62E-05	0.00518	1.38E-05
KY	H L Spurloc	6041	3 #####	292	2566.2	4.59E-05	0.00522	1.34E-05
KY	H L Spurloc	6041	3 #####	286	2477.8	4.52E-05	0.00522	1.29E-05
KY	H L Spurloc	6041	3 #####	237	2050.5	4.83E-05	0.00558	1.14E-05
KY	H L Spurloc	6041	3 #####	206	1780.4	5.33E-05	0.00617	1.1E-05
KY	H L Spurloc	6041	3 #####	168	1481.3	6.15E-05	0.00698	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1498.2	6.27E-05	0.0069	1.03E-05
KY	H L Spurloc	6041	3 #####	165	1504	6.29E-05	0.0069	1.04E-05
KY	H L Spurloc	6041	3 #####	165	1505.6	6.3E-05	0.0069	1.04E-05
KY	H L Spurloc	6041	3 #####	165	1516.3	6.28E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3 #####	165	1520.3	6.29E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3 #####	165	1522.4	6.3E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3 #####	214	1960.5	5.4E-05	0.00589	1.15E-05
KY	H L Spurloc	6041	3 #####	237	2110.1	4.97E-05	0.00558	1.18E-05

KY	H L Spurloc	6041	3	#####	262	2306.7	4.71E-05	0.00535	1.23E-05
KY	H L Spurloc	6041	3	#####	278	2449.6	4.63E-05	0.00526	1.29E-05
KY	H L Spurloc	6041	3	#####	281	2466.2	4.58E-05	0.00522	1.29E-05
KY	H L Spurloc	6041	3	#####	292	2581.6	4.62E-05	0.00522	1.35E-05
KY	H L Spurloc	6041	3	#####	294	2608.4	4.63E-05	0.00522	1.36E-05
KY	H L Spurloc	6041	3	#####	298	2652	4.65E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	299	2651.1	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	298	2642.7	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	298	2643.5	4.63E-05	0.00522	1.38E-05
KY	H L Spurloc	6041	3	#####	298	2656.3	4.65E-05	0.00522	1.39E-05
KY	H L Spurloc	6041	3	#####	298	2657.6	4.66E-05	0.00522	1.39E-05
KY	H L Spurloc	6041	3	#####	295	2594.9	4.63E-05	0.00526	1.36E-05
KY	H L Spurloc	6041	3	#####	268	2322.2	4.52E-05	0.00522	1.21E-05
KY	H L Spurloc	6041	3	#####	269	2333.6	4.53E-05	0.00522	1.22E-05
KY	H L Spurloc	6041	3	#####	288	2572	4.59E-05	0.00514	1.32E-05
KY	H L Spurloc	6041	3	#####	252	2160.3	4.62E-05	0.00539	1.16E-05
KY	H L Spurloc	6041	3	#####	221	1864.4	4.97E-05	0.00589	1.1E-05
KY	H L Spurloc	6041	3	#####	170	1517.2	6.03E-05	0.00676	1.03E-05
KY	H L Spurloc	6041	3	#####	168	1524.3	6.13E-05	0.00676	1.03E-05
KY	H L Spurloc	6041	3	#####	168	1531.2	6.16E-05	0.00676	1.04E-05
KY	H L Spurloc	6041	3	#####	168	1530.2	6.22E-05	0.00683	1.05E-05
KY	H L Spurloc	6041	3	#####	170	1572.3	6.19E-05	0.00669	1.05E-05
KY	H L Spurloc	6041	3	#####	222	2058.8	5.31E-05	0.00573	1.18E-05
KY	H L Spurloc	6041	3	#####	219	1954.7	5.16E-05	0.00578	1.13E-05
KY	H L Spurloc	6041	3	#####	239	2195.3	5.08E-05	0.00553	1.21E-05
KY	H L Spurloc	6041	3	#####	275	2611.6	4.96E-05	0.00522	1.36E-05
KY	H L Spurloc	6041	3	#####	299	2765.2	4.75E-05	0.00514	1.42E-05
KY	H L Spurloc	6041	3	#####	299	2768.2	4.76E-05	0.00514	1.42E-05
KY	H L Spurloc	6041	3	#####	300	2763.2	4.73E-05	0.00514	1.42E-05
KY	H L Spurloc	6041	3	#####	298	2717.3	4.72E-05	0.00518	1.41E-05
KY	H L Spurloc	6041	3	#####	299	2683.2	4.68E-05	0.00522	1.4E-05
KY	H L Spurloc	6041	3	#####	299	2712.4	4.7E-05	0.00518	1.41E-05
KY	H L Spurloc	6041	3	#####	299	2705.4	4.69E-05	0.00518	1.4E-05
KY	H L Spurloc	6041	3	#####	298	2699.7	4.66E-05	0.00514	1.39E-05
KY	H L Spurloc	6041	3	#####	298	2671.2	4.64E-05	0.00518	1.38E-05
KY	H L Spurloc	6041	3	#####	286	2499.6	4.6E-05	0.00526	1.31E-05
KY	H L Spurloc	6041	3	#####	277	2436	4.59E-05	0.00522	1.27E-05
KY	H L Spurloc	6041	3	#####	273	2381.2	4.59E-05	0.00526	1.25E-05
KY	H L Spurloc	6041	3	#####	203	1722.7	5.34E-05	0.00629	1.08E-05
KY	H L Spurloc	6041	3	#####	209	1896.3	5.34E-05	0.00589	1.12E-05
KY	H L Spurloc	6041	3	#####	182	1577.4	5.74E-05	0.00662	1.04E-05
KY	H L Spurloc	6041	3	#####	168	1532.2	6.17E-05	0.00676	1.04E-05
KY	H L Spurloc	6041	3	#####	168	1522.1	6.19E-05	0.00683	1.04E-05
KY	H L Spurloc	6041	3	#####	168	1530.4	6.22E-05	0.00683	1.05E-05
KY	H L Spurloc	6041	3	#####	168	1536.5	6.25E-05	0.00683	1.05E-05
KY	H L Spurloc	6041	3	#####	168	1529.2	6.28E-05	0.0069	1.06E-05
KY	H L Spurloc	6041	3	#####	216	2030.6	5.43E-05	0.00578	1.17E-05

KY	H L Spurloc	6041	3 #####	226	2000	5.12E-05	0.00578	1.16E-05
KY	H L Spurloc	6041	3 #####	239	2100	4.99E-05	0.00568	1.19E-05
KY	H L Spurloc	6041	3 #####	268	2505.6	4.92E-05	0.00526	1.32E-05
KY	H L Spurloc	6041	3 #####	285	2506.9	4.71E-05	0.00535	1.34E-05
KY	H L Spurloc	6041	3 #####	295	2707.6	4.75E-05	0.00518	1.4E-05
KY	H L Spurloc	6041	3 #####	296	2656.9	4.72E-05	0.00526	1.4E-05
KY	H L Spurloc	6041	3 #####	298	2662	4.7E-05	0.00526	1.4E-05
KY	H L Spurloc	6041	3 #####	299	2665.4	4.73E-05	0.00531	1.42E-05
KY	H L Spurloc	6041	3 #####	299	2684.1	4.72E-05	0.00526	1.41E-05
KY	H L Spurloc	6041	3 #####	299	2684.7	4.72E-05	0.00526	1.41E-05
KY	H L Spurloc	6041	3 #####	299	2696.3	4.74E-05	0.00526	1.42E-05
KY	H L Spurloc	6041	3 #####	298	2725.3	4.77E-05	0.00522	1.42E-05
KY	H L Spurloc	6041	3 #####	299	2695	4.74E-05	0.00526	1.42E-05
KY	H L Spurloc	6041	3 #####	292	2604.8	4.69E-05	0.00526	1.37E-05
KY	H L Spurloc	6041	3 #####	268	2355	4.67E-05	0.00531	1.25E-05
KY	H L Spurloc	6041	3 #####	250	2215.8	4.74E-05	0.00535	1.19E-05
KY	H L Spurloc	6041	3 #####	193	1638.5	5.56E-05	0.00655	1.07E-05
KY	H L Spurloc	6041	3 #####	168	1501.8	6.24E-05	0.00698	1.05E-05
KY	H L Spurloc	6041	3 #####	168	1528.3	6.28E-05	0.0069	1.05E-05
KY	H L Spurloc	6041	3 #####	168	1535.2	6.31E-05	0.0069	1.06E-05
KY	H L Spurloc	6041	3 #####	193	1814.1	5.86E-05	0.00623	1.13E-05
KY	H L Spurloc	6041	3 #####	251	2387.7	5.05E-05	0.00531	1.27E-05
KY	H L Spurloc	6041	3 #####	273	2413.5	4.61E-05	0.00522	1.26E-05
KY	H L Spurloc	6041	3 #####	254	2205.9	4.72E-05	0.00544	1.2E-05
KY	H L Spurloc	6041	3 #####	235	2056.3	5.01E-05	0.00573	1.18E-05
KY	H L Spurloc	6041	3 #####	274	2539.4	6.24E-05	0.00673	1.71E-05
KY	H L Spurloc	6041	3 #####	299	2704.6	6.04E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3 #####	299	2676.1	6.02E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3 #####	299	2680.9	6.03E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3 #####	299	2686.8	6.05E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3 #####	299	2666.3	6.05E-05	0.00678	1.81E-05
KY	H L Spurloc	6041	3 #####	297	2658.9	6.07E-05	0.00678	1.8E-05
KY	H L Spurloc	6041	3 #####	298	2672.2	6.13E-05	0.00684	1.83E-05
KY	H L Spurloc	6041	3 #####	299	2718.2	6.12E-05	0.00673	1.83E-05
KY	H L Spurloc	6041	3 #####	299	2720.5	6.12E-05	0.00673	1.83E-05
KY	H L Spurloc	6041	3 #####	299	2713.2	6.11E-05	0.00673	1.83E-05
KY	H L Spurloc	6041	3 #####	287	2532.4	5.98E-05	0.00678	1.72E-05
KY	H L Spurloc	6041	3 #####	284	2504.9	5.98E-05	0.00678	1.7E-05
KY	H L Spurloc	6041	3 #####	283	2490.8	5.97E-05	0.00678	1.69E-05
KY	H L Spurloc	6041	3 #####	288	2550.2	6E-05	0.00678	1.73E-05
KY	H L Spurloc	6041	3 #####	268	2310.6	6E-05	0.00696	1.61E-05
KY	H L Spurloc	6041	3 #####	178	1549.9	7.51E-05	0.00862	1.34E-05
KY	H L Spurloc	6041	3 #####	168	1524.8	7.91E-05	0.00871	1.33E-05
KY	H L Spurloc	6041	3 #####	168	1532.4	7.94E-05	0.00871	1.33E-05
KY	H L Spurloc	6041	3 #####	168	1536	7.96E-05	0.00871	1.34E-05
KY	H L Spurloc	6041	3 #####	193	1819.2	7.36E-05	0.00781	1.42E-05
KY	H L Spurloc	6041	3 #####	230	2102.1			

KY	H L Spurloc	6041	3	#####	263	2436.4	6.23E-05	0.00673	1.64E-05
KY	H L Spurloc	6041	3	#####	261	2342.6	6.09E-05	0.00678	1.59E-05
KY	H L Spurloc	6041	3	#####	286	2614.3	6.15E-05	0.00673	1.76E-05
KY	H L Spurloc	6041	3	#####	298	2660	6.11E-05	0.00684	1.82E-05
KY	H L Spurloc	6041	3	#####	298	2654.6	6.04E-05	0.00678	1.8E-05
KY	H L Spurloc	6041	3	#####	299	2685.2			
KY	H L Spurloc	6041	3	#####	299	2710.8	6.06E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3	#####	298	2683	6.06E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2721.7	6.08E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	#####	299	2744.4	6.08E-05	0.00662	1.82E-05
KY	H L Spurloc	6041	3	#####	299	2701.4	6.04E-05	0.00668	1.8E-05
KY	H L Spurloc	6041	3	#####	298	2674.1	6.04E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3	#####	299	2667.5	6.05E-05	0.00678	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2687.3	6.05E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3	#####	282	2454.3	5.9E-05	0.00678	1.66E-05
KY	H L Spurloc	6041	3	#####	277	2430.2	5.95E-05	0.00678	1.65E-05
KY	H L Spurloc	6041	3	#####	238	2051.7	6.32E-05	0.00733	1.5E-05
KY	H L Spurloc	6041	3	#####	203	1720.3	6.88E-05	0.00812	1.4E-05
KY	H L Spurloc	6041	3	#####	168	1522.6	7.89E-05	0.00871	1.33E-05
KY	H L Spurloc	6041	3	#####	168	1512.3	7.93E-05	0.00881	1.33E-05
KY	H L Spurloc	6041	3	#####	168	1520.4	7.97E-05	0.00881	1.34E-05
KY	H L Spurloc	6041	3	#####	168	1524.8	8E-05	0.00881	1.34E-05
KY	H L Spurloc	6041	3	#####	173	1580.6	7.88E-05	0.00862	1.36E-05
KY	H L Spurloc	6041	3	#####	194	1791.1	7.42E-05	0.00804	1.44E-05
KY	H L Spurloc	6041	3	#####	263	2441.4	6.35E-05	0.00684	1.67E-05
KY	H L Spurloc	6041	3	#####	291	2602.9	5.98E-05	0.00668	1.74E-05
KY	H L Spurloc	6041	3	#####	297	2653.5	5.97E-05	0.00668	1.77E-05
KY	H L Spurloc	6041	3	#####	286	2539.7	5.98E-05	0.00673	1.71E-05
KY	H L Spurloc	6041	3	#####	296	2666	6.02E-05	0.00668	1.78E-05
KY	H L Spurloc	6041	3	#####	282	2500.7			
KY	H L Spurloc	6041	3	#####	296	2670.5	6.03E-05	0.00668	1.78E-05
KY	H L Spurloc	6041	3	#####	299	2683.5	6.04E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2709.4	6.05E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2681.5	6.04E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3	#####	298	2650.9	6.03E-05	0.00678	1.8E-05
KY	H L Spurloc	6041	3	#####	299	2677.6	6.03E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3	#####	299	2674.8	6.02E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3	#####	299	2638.4	5.98E-05	0.00678	1.79E-05
KY	H L Spurloc	6041	3	#####	283	2443.9	5.91E-05	0.00684	1.67E-05
KY	H L Spurloc	6041	3	#####	274	2382.7	5.9E-05	0.00678	1.62E-05
KY	H L Spurloc	6041	3	#####	246	2126.7	6.11E-05	0.00707	1.5E-05
KY	H L Spurloc	6041	3	#####	183	1573.2	7.41E-05	0.00862	1.36E-05
KY	H L Spurloc	6041	3	#####	168	1515.8	7.95E-05	0.00881	1.34E-05
KY	H L Spurloc	6041	3	#####	168	1515.8	8.03E-05	0.0089	1.35E-05
KY	H L Spurloc	6041	3	#####	168	1538.1	8.07E-05	0.00881	1.36E-05
KY	H L Spurloc	6041	3	#####	168	1541	8.08E-05	0.00881	1.36E-05
KY	H L Spurloc	6041	3	#####	168	1543.4	8.09E-05	0.00881	1.36E-05

KY	H L Spurloc	6041	3	#####	211	1952.2	7.09E-05	0.00766	1.5E-05
KY	H L Spurloc	6041	3	#####	210	1857.5	6.85E-05	0.00774	1.44E-05
KY	H L Spurloc	6041	3	#####	227	2073.7	6.75E-05	0.00739	1.53E-05
KY	H L Spurloc	6041	3	#####	281	2642.5	6.33E-05	0.00673	1.78E-05
KY	H L Spurloc	6041	3	#####	288	2589.3	6.15E-05	0.00684	1.77E-05
KY	H L Spurloc	6041	3	#####	296	2738.7	6.18E-05	0.00668	1.83E-05
KY	H L Spurloc	6041	3	#####	289	2580	6.11E-05	0.00684	1.76E-05
KY	H L Spurloc	6041	3	#####	298	2760.8	6.19E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2736.1	6.2E-05	0.00678	1.86E-05
KY	H L Spurloc	6041	3	#####	299	2751.1	6.19E-05	0.00673	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2739.6	6.17E-05	0.00673	1.84E-05
KY	H L Spurloc	6041	3	#####	298	2708.3	6.16E-05	0.00678	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2739.2	6.17E-05	0.00673	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2752	6.19E-05	0.00673	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2745.6	6.18E-05	0.00673	1.85E-05
KY	H L Spurloc	6041	3	#####	285	2525.5	6.06E-05	0.00684	1.73E-05
KY	H L Spurloc	6041	3	#####	296	2729.2	6.16E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	#####	288	2594.9	6.06E-05	0.00673	1.75E-05
KY	H L Spurloc	6041	3	#####	281	2572.2	6.06E-05	0.00662	1.7E-05
KY	H L Spurloc	6041	3	#####	235	2016.7	6.34E-05	0.00739	1.49E-05
KY	H L Spurloc	6041	3	#####	168	1511.2	7.92E-05	0.00881	1.33E-05
KY	H L Spurloc	6041	3	#####	168	1562.1	7.93E-05	0.00853	1.33E-05
KY	H L Spurloc	6041	3	#####	197	1875	7.29E-05	0.00766	1.44E-05
KY	H L Spurloc	6041	3	#####	251	2246.7	6.18E-05	0.0069	1.55E-05
KY	H L Spurloc	6041	3	#####	285	2664.8	6.19E-05	0.00662	1.76E-05
KY	H L Spurloc	6041	3	#####	290	2633.8	6.07E-05	0.00668	1.76E-05
KY	H L Spurloc	6041	3	#####	297	2721.9	6.12E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	#####	288	2535	6.07E-05	0.0069	1.75E-05
KY	H L Spurloc	6041	3	#####	296	2752.2	6.21E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2721.4	6.13E-05	0.00673	1.83E-05
KY	H L Spurloc	6041	3	#####	299	2681	6.08E-05	0.00678	1.82E-05
KY	H L Spurloc	6041	3	#####	299	2721.2	6.12E-05	0.00673	1.83E-05
KY	H L Spurloc	6041	3	#####	299	2727.2	6.09E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	#####	299	2703.3	6.04E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2679.6	6.03E-05	0.00673	1.8E-05
KY	H L Spurloc	6041	3	#####	298	2717.5	6.09E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	#####	299	2687.7	6.05E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2683.6	6.04E-05	0.00673	1.81E-05
KY	H L Spurloc	6041	3	#####	286	2506.3	5.94E-05	0.00678	1.7E-05
KY	H L Spurloc	6041	3	#####	296	2690.3	6.07E-05	0.00668	1.8E-05
KY	H L Spurloc	6041	3	#####	280	2456	5.9E-05	0.00673	1.65E-05
KY	H L Spurloc	6041	3	#####	266	2300.6	5.92E-05	0.00684	1.57E-05
KY	H L Spurloc	6041	3	#####	261	2288.4	5.94E-05	0.00678	1.55E-05
KY	H L Spurloc	6041	3	#####	236	2030.4	6.25E-05	0.00726	1.47E-05
KY	H L Spurloc	6041	3	#####	169	1495.1	7.87E-05	0.0089	1.33E-05
KY	H L Spurloc	6041	3	#####	168	1510.3	8E-05	0.0089	1.34E-05
KY	H L Spurloc	6041	3	#####	168	1518.9	8.05E-05	0.0089	1.35E-05

KY	H L Spurloc	6041	3	#####	168	1537.1	8.06E-05	0.00881	1.35E-05
KY	H L Spurloc	6041	3	#####	168	1526.8	8.09E-05	0.0089	1.36E-05
KY	H L Spurloc	6041	3	#####	168	1535.6	8.14E-05	0.0089	1.37E-05
KY	H L Spurloc	6041	3	#####	209	1987.1	7.22E-05	0.00759	1.51E-05
KY	H L Spurloc	6041	3	#####	238	2113.6	6.39E-05	0.0072	1.52E-05
KY	H L Spurloc	6041	3	#####	271	2506.2	6.27E-05	0.00678	1.7E-05
KY	H L Spurloc	6041	3	#####	290	2603.7	6.14E-05	0.00684	1.78E-05
KY	H L Spurloc	6041	3	#####	298	2749.6	6.16E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2689.8	6.15E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2688.4	6.15E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2701.7	6.18E-05	0.00684	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2716.1	6.16E-05	0.00678	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2689.7	6.15E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2685.6	6.14E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2710.6	6.15E-05	0.00678	1.84E-05
KY	H L Spurloc	6041	3	#####	280	2433	6E-05	0.0069	1.68E-05
KY	H L Spurloc	6041	3	#####	265	2296.8	6.03E-05	0.00696	1.6E-05
KY	H L Spurloc	6041	3	#####	238	2068.9	6.37E-05	0.00733	1.52E-05
KY	H L Spurloc	6041	3	#####	175	1503.5	7.73E-05	0.009	1.35E-05
KY	H L Spurloc	6041	3	#####	164	1502.3	8.24E-05	0.009	1.35E-05
KY	H L Spurloc	6041	3	#####	164	1506	8.26E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1506.7	8.27E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1526.5	8.28E-05	0.0089	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1508.5	8.28E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1510.5	8.29E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1512.4	8.3E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1513.3	8.3E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	164	1515.3	8.32E-05	0.009	1.36E-05
KY	H L Spurloc	6041	3	#####	188	1782.7	7.7E-05	0.00812	1.45E-05
KY	H L Spurloc	6041	3	#####	282	2696.8	6.39E-05	0.00668	1.8E-05
KY	H L Spurloc	6041	3	#####	298	2748.7	6.21E-05	0.00673	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2732.7	6.2E-05	0.00678	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2690.5	6.15E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2688.7	6.15E-05	0.00684	1.84E-05
KY	H L Spurloc	6041	3	#####	299	2725	6.18E-05	0.00678	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2708.1	6.2E-05	0.00684	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2698.4	6.17E-05	0.00684	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2680.5	6.19E-05	0.0069	1.85E-05
KY	H L Spurloc	6041	3	#####	299	2721.5	6.23E-05	0.00684	1.86E-05
KY	H L Spurloc	6041	3	#####	281	2466.4	6.06E-05	0.0069	1.7E-05
KY	H L Spurloc	6041	3	#####	296	2713.8	6.22E-05	0.00678	1.84E-05
KY	H L Spurloc	6041	3	#####	282	2483.5	6.08E-05	0.0069	1.71E-05
KY	H L Spurloc	6041	3	#####	297	2753.1	6.24E-05	0.00673	1.85E-05
KY	H L Spurloc	6041	3	#####	285	2521.7	6.11E-05	0.0069	1.74E-05
KY	H L Spurloc	6041	3	#####	245	2133.4	6.32E-05	0.00726	1.55E-05
KY	H L Spurloc	6041	3	#####	167	1464.8	8.07E-05	0.0092	1.35E-05
KY	H L Spurloc	6041	3	#####	176	1628.7	7.89E-05	0.00853	1.39E-05

KY	H L Spurloc	6041	3	#####	234	2171.3	6.63E-05	0.00714	1.55E-05
KY	H L Spurloc	6041	3	#####	279	2582.5	6.33E-05	0.00684	1.77E-05
KY	H L Spurloc	6041	3	#####	284	2495	0.000143	0.0163	4.07E-05
KY	H L Spurloc	6041	3	#####	298	2759.6	0.000145	0.0157	4.33E-05
KY	H L Spurloc	6041	3	#####	285	2525.8	0.000143	0.0161	4.07E-05
KY	H L Spurloc	6041	3	#####	298	2787.1	0.000145	0.0155	4.32E-05
KY	H L Spurloc	6041	3	#####	286	2568.1	0.000145	0.0161	4.13E-05
KY	H L Spurloc	6041	3	#####	297	2801.4	0.000146	0.0155	4.34E-05
KY	H L Spurloc	6041	3	#####	299	2739.9	0.000146	0.0159	4.36E-05
KY	H L Spurloc	6041	3	#####	300	2751.9	0.000145	0.0158	4.35E-05
KY	H L Spurloc	6041	3	#####	299	2718.1	0.000145	0.0159	4.32E-05
KY	H L Spurloc	6041	3	#####	299	2751.9	0.000145	0.0158	4.35E-05
KY	H L Spurloc	6041	3	#####	299	2740.4	0.000145	0.0158	4.33E-05
KY	H L Spurloc	6041	3	#####	283	2498.3	0.00014	0.0159	3.97E-05
KY	H L Spurloc	6041	3	#####	297	2713	0.000144	0.0158	4.29E-05
KY	H L Spurloc	6041	3	#####	285	2520.8	0.000141	0.0159	4.01E-05
KY	H L Spurloc	6041	3	#####	296	2727.8	0.000145	0.0157	4.28E-05
KY	H L Spurloc	6041	3	#####	294	2647.9	0.000143	0.0159	4.21E-05
KY	H L Spurloc	6041	3	#####	284	2484.7	0.000141	0.0161	4E-05
KY	H L Spurloc	6041	3	#####	288	2564.5	0.000142	0.0159	4.08E-05
KY	H L Spurloc	6041	3	#####	289	2581.7	0.000142	0.0159	4.1E-05
KY	H L Spurloc	6041	3	#####	266	2327.1	0.000141	0.0161	3.75E-05
KY	H L Spurloc	6041	3	#####	216	1828.1	0.000155	0.0183	3.35E-05
KY	H L Spurloc	6041	3	#####	166	1505.6	0.000191	0.0211	3.18E-05
KY	H L Spurloc	6041	3	#####	215	1970.6	0.000162	0.0177	3.49E-05
KY	H L Spurloc	6041	3	#####	271	2563.8	0.000149	0.0157	4.03E-05
KY	H L Spurloc	6041	3	#####	283	2474.9	0.000141	0.0161	3.98E-05
KY	H L Spurloc	6041	3	#####	298	2715.1	0.000143	0.0157	4.26E-05
KY	H L Spurloc	6041	3	#####	282	2446.3	0.00014	0.0161	3.94E-05
KY	H L Spurloc	6041	3	#####	290	2613.9	0.000142	0.0158	4.13E-05
KY	H L Spurloc	6041	3	#####	285	2514.2	0.000142	0.0161	4.05E-05
KY	H L Spurloc	6041	3	#####	284	2586.9	0.000143	0.0157	4.06E-05
KY	H L Spurloc	6041	3	#####	289	2596.7	0.000142	0.0158	4.1E-05
KY	H L Spurloc	6041	3	#####	297	2703.3	0.000141	0.0155	4.19E-05
KY	H L Spurloc	6041	3	#####	298	2646	0.000141	0.0159	4.21E-05
KY	H L Spurloc	6041	3	#####	298	2680.2	0.000143	0.0159	4.26E-05
KY	H L Spurloc	6041	3	#####	299	2731.9	0.000143	0.0157	4.29E-05
KY	H L Spurloc	6041	3	#####	299	2721.7	0.000143	0.0157	4.27E-05
KY	H L Spurloc	6041	3	#####	299	2687.3	0.000142	0.0158	4.25E-05
KY	H L Spurloc	6041	3	#####	299	2681.7	0.000142	0.0158	4.24E-05
KY	H L Spurloc	6041	3	#####	299	2691	0.000142	0.0158	4.25E-05
KY	H L Spurloc	6041	3	#####	282	2521.2	0.000141	0.0158	3.98E-05
KY	H L Spurloc	6041	3	#####	270	2387.1	0.000141	0.0159	3.8E-05
KY	H L Spurloc	6041	3	#####	230	1957	0.000151	0.0177	3.46E-05
KY	H L Spurloc	6041	3	#####	177	1555.3	0.000179	0.0204	3.17E-05
KY	H L Spurloc	6041	3	#####	166	1507.4	0.00019	0.0209	3.15E-05
KY	H L Spurloc	6041	3	#####	165	1514.7	0.000192	0.0209	3.17E-05

KY	H L Spurloc	6041	3 #####	165	1530.6	0.000192	0.0207	3.17E-05
KY	H L Spurloc	6041	3 #####	171	1588	0.000188	0.0202	3.21E-05
KY	H L Spurloc	6041	3 #####	215	2041.2	0.000163	0.0172	3.51E-05
KY	H L Spurloc	6041	3 #####	248	2249.2	0.000148	0.0163	3.67E-05
KY	H L Spurloc	6041	3 #####	235	2098.5	0.000149	0.0167	3.5E-05
KY	H L Spurloc	6041	3 #####	272	2542.1	0.000148	0.0158	4.02E-05
KY	H L Spurloc	6041	3 #####	289	2590.9	0.000142	0.0158	4.09E-05
KY	H L Spurloc	6041	3 #####	282	2565.5	0.000143	0.0157	4.03E-05
KY	H L Spurloc	6041	3 #####	298	2729.2	0.000142	0.0155	4.23E-05
KY	H L Spurloc	6041	3 #####	299	2742.2	0.000142	0.0155	4.25E-05
KY	H L Spurloc	6041	3 #####	298	2717.7	0.000141	0.0155	4.21E-05
KY	H L Spurloc	6041	3 #####	299	2700.7	0.000142	0.0157	4.24E-05
KY	H L Spurloc	6041	3 #####	299	2696.8	0.000143	0.0158	4.26E-05
KY	H L Spurloc	6041	3 #####	299	2725.8	0.000143	0.0157	4.28E-05
KY	H L Spurloc	6041	3 #####	299	2752.3	0.000143	0.0155	4.27E-05
KY	H L Spurloc	6041	3 #####	299	2742.8	0.000142	0.0155	4.25E-05
KY	H L Spurloc	6041	3 #####	299	2713.9	0.000143	0.0157	4.26E-05
KY	H L Spurloc	6041	3 #####	280	2505.4	0.000139	0.0155	3.88E-05
KY	H L Spurloc	6041	3 #####	251	2169.5	0.000144	0.0167	3.62E-05
KY	H L Spurloc	6041	3 #####	225	1970.7	0.000156	0.0178	3.51E-05
KY	H L Spurloc	6041	3 #####	195	1683.6	0.000167	0.0194	3.27E-05
KY	H L Spurloc	6041	3 9/1/2022	172	1563.6	0.000185	0.0204	3.19E-05
KY	H L Spurloc	6041	3 9/1/2022	168	1547.3	0.000191	0.0207	3.2E-05
KY	H L Spurloc	6041	3 9/1/2022	168	1547.4	0.000191	0.0207	3.2E-05
KY	H L Spurloc	6041	3 9/1/2022	168	1558.8	0.000189	0.0204	3.18E-05
KY	H L Spurloc	6041	3 9/1/2022	168	1557	0.000189	0.0204	3.18E-05
KY	H L Spurloc	6041	3 9/1/2022	169	1578.2	0.000189	0.0202	3.19E-05
KY	H L Spurloc	6041	3 9/1/2022	181	1693.1	0.000178	0.019	3.22E-05
KY	H L Spurloc	6041	3 9/1/2022	171	1645.6	0.000185	0.0192	3.16E-05
KY	H L Spurloc	6041	3 9/1/2022	252	2357	0.000152	0.0163	3.84E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2768.4	0.000142	0.0154	4.26E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2737.9	0.000143	0.0157	4.3E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2768.9	0.000143	0.0155	4.29E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2739.4	0.000142	0.0155	4.25E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2708.4	0.000142	0.0157	4.25E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2647.7	0.00014	0.0159	4.21E-05
KY	H L Spurloc	6041	3 9/1/2022	300	2703.7	0.000141	0.0157	4.24E-05
KY	H L Spurloc	6041	3 9/1/2022	301	2711.7	0.000141	0.0157	4.26E-05
KY	H L Spurloc	6041	3 9/1/2022	302	2698.6	0.000141	0.0158	4.26E-05
KY	H L Spurloc	6041	3 9/1/2022	302	2687.2	0.000141	0.0158	4.25E-05
KY	H L Spurloc	6041	3 9/1/2022	302	2710.3	0.000142	0.0158	4.28E-05
KY	H L Spurloc	6041	3 9/1/2022	302	2764	0.000142	0.0155	4.28E-05
KY	H L Spurloc	6041	3 9/1/2022	290	2569.3	0.00014	0.0158	4.06E-05
KY	H L Spurloc	6041	3 9/1/2022	291	2524.2	0.000138	0.0159	4.01E-05
KY	H L Spurloc	6041	3 9/1/2022	257	2226.4	0.000141	0.0163	3.63E-05
KY	H L Spurloc	6041	3 9/2/2022	232	2000.4	0.000148	0.0172	3.44E-05
KY	H L Spurloc	6041	3 9/2/2022	169	1488	0.000186	0.0211	3.14E-05

KY	H L Spurloc	6041	3	9/2/2022	168	1518.2	0.000189	0.0209	3.17E-05
KY	H L Spurloc	6041	3	9/2/2022	168	1537.4	0.000189	0.0207	3.18E-05
KY	H L Spurloc	6041	3	9/2/2022	169	1539.2	0.000189	0.0207	3.19E-05
KY	H L Spurloc	6041	3	9/2/2022	213	2033	0.000164	0.0172	3.5E-05
KY	H L Spurloc	6041	3	9/2/2022	214	1875.3	0.000158	0.018	3.38E-05
KY	H L Spurloc	6041	3	9/2/2022	169	1492.3	0.000186	0.0211	3.15E-05
KY	H L Spurloc	6041	3	9/2/2022	186	1752.5	0.000179	0.019	3.33E-05
KY	H L Spurloc	6041	3	9/2/2022	277	2598.4	0.000147	0.0157	4.08E-05
KY	H L Spurloc	6041	3	9/2/2022	293	2660.4	0.000143	0.0157	4.18E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2748.7	0.000143	0.0157	4.32E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2749	0.000143	0.0157	4.32E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2701.8	0.000141	0.0158	4.27E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2715.2	0.000142	0.0158	4.29E-05
KY	H L Spurloc	6041	3	9/2/2022	303	2738.1	0.000143	0.0158	4.33E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2759.2	0.000143	0.0157	4.33E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2731.4	0.000143	0.0158	4.32E-05
KY	H L Spurloc	6041	3	9/2/2022	302	2702	0.000142	0.0159	4.3E-05
KY	H L Spurloc	6041	3	9/2/2022	303	2703.5	0.000142	0.0159	4.3E-05
KY	H L Spurloc	6041	3	9/2/2022	296	2625.8	0.000141	0.0159	4.18E-05
KY	H L Spurloc	6041	3	9/2/2022	298	2683.1	0.000142	0.0158	4.24E-05
KY	H L Spurloc	6041	3	9/2/2022	277	2350.7	0.000141	0.0166	3.9E-05
KY	H L Spurloc	6041	3	9/2/2022	211	1838.7	0.000161	0.0185	3.4E-05
KY	H L Spurloc	6041	3	9/3/2022	249	2278.7	0.000149	0.0163	3.71E-05
KY	H L Spurloc	6041	3	9/3/2022	229	1959	0.00015	0.0175	3.43E-05
KY	H L Spurloc	6041	3	9/3/2022	169	1501.3	0.000186	0.0209	3.14E-05
KY	H L Spurloc	6041	3	9/3/2022	168	1542.4	0.00019	0.0207	3.19E-05
KY	H L Spurloc	6041	3	9/3/2022	168	1552.4	0.000191	0.0207	3.21E-05
KY	H L Spurloc	6041	3	9/3/2022	168	1551.6	0.000191	0.0207	3.21E-05
KY	H L Spurloc	6041	3	9/3/2022	217	2033.1	0.000162	0.0173	3.52E-05
KY	H L Spurloc	6041	3	9/3/2022	191	1678.6	0.000167	0.019	3.19E-05
KY	H L Spurloc	6041	3	9/3/2022	208	1977.1	0.000168	0.0177	3.5E-05
KY	H L Spurloc	6041	3	9/3/2022	281	2609.9	0.000144	0.0155	4.05E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2738.1	0.000142	0.0157	4.3E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2737.6	0.000142	0.0157	4.3E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2737.2	0.000142	0.0157	4.3E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2694.6	0.000141	0.0158	4.26E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2693.4	0.000141	0.0158	4.26E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2676.7	0.000141	0.0159	4.26E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2717.2	0.000142	0.0158	4.29E-05
KY	H L Spurloc	6041	3	9/3/2022	301	2702.6	0.000143	0.0159	4.3E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2714.2	0.000143	0.0159	4.32E-05
KY	H L Spurloc	6041	3	9/3/2022	302	2743.9	0.000144	0.0158	4.34E-05
KY	H L Spurloc	6041	3	9/3/2022	288	2553.1	0.000141	0.0159	4.06E-05
KY	H L Spurloc	6041	3	9/3/2022	294	2623.5	0.000141	0.0158	4.15E-05
KY	H L Spurloc	6041	3	9/3/2022	287	2500.6	0.000139	0.0159	3.98E-05
KY	H L Spurloc	6041	3	9/3/2022	283	2470.8	0.000139	0.0159	3.93E-05
KY	H L Spurloc	6041	3	9/4/2022	220	1887.2	0.000153	0.0178	3.36E-05

KY	H L Spurloc	6041	3	9/4/2022	182	1665.7	0.000178	0.0194	3.23E-05
KY	H L Spurloc	6041	3	9/4/2022	168	1541.2	0.00019	0.0207	3.19E-05
KY	H L Spurloc	6041	3	9/4/2022	168	1531.8	0.000191	0.0209	3.2E-05
KY	H L Spurloc	6041	3	9/4/2022	168	1531.9	0.000191	0.0209	3.2E-05
KY	H L Spurloc	6041	3	9/4/2022	221	2073	0.000161	0.0172	3.57E-05
KY	H L Spurloc	6041	3	9/4/2022	193	1681.7	0.000167	0.0192	3.23E-05
KY	H L Spurloc	6041	3	9/4/2022	168	1537.6	0.000189	0.0207	3.18E-05
KY	H L Spurloc	6041	3	9/4/2022	168	1536.1	0.000191	0.0209	3.21E-05
KY	H L Spurloc	6041	3	9/4/2022	173	1609.4	0.000188	0.0202	3.25E-05
KY	H L Spurloc	6041	3	9/4/2022	237	2165.6	0.000155	0.017	3.68E-05
KY	H L Spurloc	6041	3	9/4/2022	257	2338.5	0.000148	0.0163	3.81E-05
KY	H L Spurloc	6041	3	9/4/2022	298	2730.3	0.000142	0.0155	4.23E-05
KY	H L Spurloc	6041	3	9/4/2022	291	2547.5	0.000141	0.0161	4.1E-05
KY	H L Spurloc	6041	3	9/4/2022	268	2361.5	0.000142	0.0161	3.8E-05
KY	H L Spurloc	6041	3	9/4/2022	270	2397.3	0.000143	0.0161	3.86E-05
KY	H L Spurloc	6041	3	9/4/2022	272	2390.3	0.000142	0.0162	3.87E-05
KY	H L Spurloc	6041	3	9/4/2022	298	2765.1	0.000144	0.0155	4.29E-05
KY	H L Spurloc	6041	3	9/4/2022	254	2195	0.000144	0.0167	3.67E-05
KY	H L Spurloc	6041	3	9/4/2022	195	1690.3	0.000168	0.0194	3.28E-05
KY	H L Spurloc	6041	3	9/4/2022	192	1705.7	0.000174	0.0196	3.34E-05
KY	H L Spurloc	6041	3	9/4/2022	194	1723.7	0.000172	0.0194	3.34E-05
KY	H L Spurloc	6041	3	9/4/2022	214	1984.7	0.000165	0.0178	3.53E-05
KY	H L Spurloc	6041	3	9/4/2022	242	2146	0.000153	0.0172	3.69E-05
KY	H L Spurloc	6041	3	9/5/2022	197	1747.8	0.000169	0.019	3.32E-05
KY	H L Spurloc	6041	3	9/5/2022	170	1549.1	0.000189	0.0207	3.21E-05
KY	H L Spurloc	6041	3	9/5/2022	169	1540.9	0.000191	0.0209	3.22E-05
KY	H L Spurloc	6041	3	9/5/2022	168	1544.3	0.000192	0.0209	3.23E-05
KY	H L Spurloc	6041	3	9/5/2022	171	1572.8	0.00019	0.0207	3.26E-05
KY	H L Spurloc	6041	3	9/5/2022	199	1829.4	0.000172	0.0187	3.42E-05
KY	H L Spurloc	6041	3	9/5/2022	215	1982.5	0.000166	0.018	3.57E-05
KY	H L Spurloc	6041	3	9/5/2022	192	1702.5	0.00017	0.0192	3.27E-05
KY	H L Spurloc	6041	3	9/5/2022	171	1598.7	0.000189	0.0202	3.23E-05
KY	H L Spurloc	6041	3	9/5/2022	222	2061.8	0.000163	0.0175	3.61E-05
KY	H L Spurloc	6041	3	9/5/2022	282	2627.6	0.000146	0.0157	4.13E-05
KY	H L Spurloc	6041	3	9/5/2022	287	2587.1	0.000143	0.0159	4.11E-05
KY	H L Spurloc	6041	3	9/5/2022	301	2774.2	0.000145	0.0157	4.36E-05
KY	H L Spurloc	6041	3	9/5/2022	277	2476.7	0.000145	0.0162	4.01E-05
KY	H L Spurloc	6041	3	9/5/2022	301	2774.4	0.000145	0.0157	4.36E-05
KY	H L Spurloc	6041	3	9/5/2022	302	2737.7	0.000144	0.0159	4.35E-05
KY	H L Spurloc	6041	3	9/5/2022	302	2784.4	0.000145	0.0157	4.37E-05
KY	H L Spurloc	6041	3	9/5/2022	287	2562.7	0.000142	0.0159	4.07E-05
KY	H L Spurloc	6041	3	9/5/2022	299	2718.1	0.000144	0.0158	4.29E-05
KY	H L Spurloc	6041	3	9/5/2022	301	2767.7	0.000144	0.0157	4.35E-05
KY	H L Spurloc	6041	3	9/5/2022	284	2536.6	0.000142	0.0159	4.03E-05
KY	H L Spurloc	6041	3	9/5/2022	250	2169.5	0.000143	0.0165	3.58E-05
KY	H L Spurloc	6041	3	9/5/2022	243	2140.3	0.000146	0.0166	3.55E-05
KY	H L Spurloc	6041	3	9/5/2022	250	2215.9	0.000146	0.0165	3.66E-05

KY	H L Spurloc	6041	3	9/6/2022	189	1655.3	0.000173	0.0198	3.28E-05
KY	H L Spurloc	6041	3	9/6/2022	170	1541.7	0.000188	0.0207	3.19E-05
KY	H L Spurloc	6041	3	9/6/2022	170	1550.5	0.000189	0.0207	3.21E-05
KY	H L Spurloc	6041	3	9/6/2022	173	1603.3	0.000187	0.0202	3.24E-05
KY	H L Spurloc	6041	3	9/6/2022	238	2180.3	0.000153	0.0167	3.64E-05
KY	H L Spurloc	6041	3	9/6/2022	235	2095.5	0.000149	0.0167	3.5E-05
KY	H L Spurloc	6041	3	9/6/2022	278	2527.5	0.000145	0.0159	4.02E-05
KY	H L Spurloc	6041	3	9/6/2022	272	2360	3.35E-05	0.00386	9.11E-06
KY	H L Spurloc	6041	3	9/6/2022	272	2364.8	3.36E-05	0.00386	9.13E-06
KY	H L Spurloc	6041	3	9/6/2022	280	2460.9	3.37E-05	0.00383	9.43E-06
KY	H L Spurloc	6041	3	9/6/2022	300	2712.6	3.43E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	302	2709.4	3.44E-05	0.00383	1.04E-05
KY	H L Spurloc	6041	3	9/6/2022	302	2693.6	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	302	2716.5	3.41E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	301	2692.4	3.43E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	301	2691.7	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	302	2704.1	3.43E-05	0.00383	1.04E-05
KY	H L Spurloc	6041	3	9/6/2022	301	2705.8	3.44E-05	0.00383	1.04E-05
KY	H L Spurloc	6041	3	9/6/2022	299	2679.5	3.43E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/6/2022	302	2710.3	3.44E-05	0.00383	1.04E-05
KY	H L Spurloc	6041	3	9/6/2022	288	2562.2	3.41E-05	0.00383	9.81E-06
KY	H L Spurloc	6041	3	9/6/2022	291	2584.8	3.4E-05	0.00383	9.9E-06
KY	H L Spurloc	6041	3	9/6/2022	290	2604.3	3.4E-05	0.00379	9.87E-06
KY	H L Spurloc	6041	3	9/6/2022	241	2124	3.54E-05	0.00402	8.54E-06
KY	H L Spurloc	6041	3	9/7/2022	275	2430.6	3.44E-05	0.00389	9.46E-06
KY	H L Spurloc	6041	3	9/7/2022	245	2153.9	3.51E-05	0.00399	8.59E-06
KY	H L Spurloc	6041	3	9/7/2022	191	1659.2	4.01E-05	0.00462	7.67E-06
KY	H L Spurloc	6041	3	9/7/2022	168	1544.7	4.47E-05	0.00486	7.51E-06
KY	H L Spurloc	6041	3	9/7/2022	171	1567.5	4.46E-05	0.00486	7.62E-06
KY	H L Spurloc	6041	3	9/7/2022	229	2173.4	3.69E-05	0.00389	8.45E-06
KY	H L Spurloc	6041	3	9/7/2022	265	2423.1	3.44E-05	0.00376	9.11E-06
KY	H L Spurloc	6041	3	9/7/2022	286	2516.1	3.31E-05	0.00376	9.46E-06
KY	H L Spurloc	6041	3	9/7/2022	274	2368.6	3.31E-05	0.00383	9.07E-06
KY	H L Spurloc	6041	3	9/7/2022	292	2684.4	3.36E-05	0.00365	9.8E-06
KY	H L Spurloc	6041	3	9/7/2022	300	2652.8	3.35E-05	0.00379	1.01E-05
KY	H L Spurloc	6041	3	9/7/2022	300	2713.7	3.4E-05	0.00376	1.02E-05
KY	H L Spurloc	6041	3	9/7/2022	302	2678.5	3.4E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	302	2684	3.4E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	301	2691.6	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	302	2716.5	3.41E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	302	2710.7	3.4E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	301	2713.7	3.42E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	302	2752.2	3.43E-05	0.00376	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	301	2753.8	3.41E-05	0.00373	1.03E-05
KY	H L Spurloc	6041	3	9/7/2022	299	2677.3	3.34E-05	0.00373	9.99E-06
KY	H L Spurloc	6041	3	9/7/2022	284	2478.2	3.31E-05	0.00379	9.39E-06
KY	H L Spurloc	6041	3	9/7/2022	270	2293.6	3.33E-05	0.00392	8.99E-06

KY	H L Spurloc	6041	3	9/7/2022	183	1569.8	4.17E-05	0.00486	7.63E-06
KY	H L Spurloc	6041	3	9/8/2022	192	1739.5	4.1E-05	0.00453	7.88E-06
KY	H L Spurloc	6041	3	9/8/2022	168	1511.7	4.46E-05	0.00496	7.5E-06
KY	H L Spurloc	6041	3	9/8/2022	168	1519	4.54E-05	0.00502	7.63E-06
KY	H L Spurloc	6041	3	9/8/2022	168	1534.8	4.53E-05	0.00496	7.61E-06
KY	H L Spurloc	6041	3	9/8/2022	186	1719	4.32E-05	0.00467	8.03E-06
KY	H L Spurloc	6041	3	9/8/2022	275	2629.8	3.54E-05	0.0037	9.73E-06
KY	H L Spurloc	6041	3	9/8/2022	268	2318.5	3.34E-05	0.00386	8.95E-06
KY	H L Spurloc	6041	3	9/8/2022	259	2251.7	3.36E-05	0.00386	8.69E-06
KY	H L Spurloc	6041	3	9/8/2022	288	2550.7	3.36E-05	0.00379	9.67E-06
KY	H L Spurloc	6041	3	9/8/2022	228	1964.5	3.62E-05	0.0042	8.25E-06
KY	H L Spurloc	6041	3	9/8/2022	266	2373.4	3.52E-05	0.00395	9.37E-06
KY	H L Spurloc	6041	3	9/8/2022	284	2470.3	3.36E-05	0.00386	9.54E-06
KY	H L Spurloc	6041	3	9/8/2022	297	2663.7	3.4E-05	0.00379	1.01E-05
KY	H L Spurloc	6041	3	9/8/2022	302	2697.7	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/8/2022	301	2723	3.43E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/8/2022	302	2719.7	3.41E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/8/2022	302	2673	3.39E-05	0.00383	1.02E-05
KY	H L Spurloc	6041	3	9/8/2022	301	2663.1	3.39E-05	0.00383	1.02E-05
KY	H L Spurloc	6041	3	9/8/2022	302	2688.7	3.41E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/8/2022	302	2721.8	3.42E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/8/2022	284	2453.5	3.33E-05	0.00386	9.47E-06
KY	H L Spurloc	6041	3	9/8/2022	295	2609.7	3.39E-05	0.00383	1E-05
KY	H L Spurloc	6041	3	9/8/2022	289	2509.1	3.33E-05	0.00383	9.61E-06
KY	H L Spurloc	6041	3	9/8/2022	238	1985.5	3.5E-05	0.0042	8.34E-06
KY	H L Spurloc	6041	3	9/9/2022	169	1452	4.41E-05	0.00513	7.45E-06
KY	H L Spurloc	6041	3	9/9/2022	167	1480.3	4.45E-05	0.00502	7.43E-06
KY	H L Spurloc	6041	3	9/9/2022	167	1502.6	4.42E-05	0.00491	7.38E-06
KY	H L Spurloc	6041	3	9/9/2022	167	1495.8	4.4E-05	0.00491	7.34E-06
KY	H L Spurloc	6041	3	9/9/2022	213	1937.9	3.82E-05	0.0042	8.14E-06
KY	H L Spurloc	6041	3	9/9/2022	190	1546.1	3.95E-05	0.00486	7.51E-06
KY	H L Spurloc	6041	3	9/9/2022	213	1952.7	3.82E-05	0.00417	8.14E-06
KY	H L Spurloc	6041	3	9/9/2022	191	1638.7	3.96E-05	0.00462	7.57E-06
KY	H L Spurloc	6041	3	9/9/2022	219	2011.5	3.79E-05	0.00413	8.31E-06
KY	H L Spurloc	6041	3	9/9/2022	263	2379.7	3.47E-05	0.00383	9.11E-06
KY	H L Spurloc	6041	3	9/9/2022	303	2712.4	3.34E-05	0.00373	1.01E-05
KY	H L Spurloc	6041	3	9/9/2022	290	2552.8	3.4E-05	0.00386	9.85E-06
KY	H L Spurloc	6041	3	9/9/2022	300	2678.7	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/9/2022	299	2674.2	3.43E-05	0.00383	1.02E-05
KY	H L Spurloc	6041	3	9/9/2022	302	2740.8	3.44E-05	0.00379	1.04E-05
KY	H L Spurloc	6041	3	9/9/2022	302	2729.2	3.43E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/9/2022	301	2698	3.43E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/9/2022	300	2699.3	3.45E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	9/9/2022	300	2741.1	3.46E-05	0.00379	1.04E-05
KY	H L Spurloc	6041	3	9/9/2022	300	2729.5	3.45E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	9/9/2022	285	2508.7	3.37E-05	0.00383	9.61E-06
KY	H L Spurloc	6041	3	9/9/2022	291	2570.7	3.38E-05	0.00383	9.85E-06

KY	H L Spurloc	6041	3	9/9/2022	261	2227.6	3.43E-05	0.00402	8.96E-06
KY	H L Spurloc	6041	3	9/9/2022	202	1797.2	3.99E-05	0.00449	8.07E-06
KY	H L Spurloc	6041	3	#####	267	2415.9	3.47E-05	0.00383	9.25E-06
KY	H L Spurloc	6041	3	#####	196	1668.9	3.93E-05	0.00462	7.71E-06
KY	H L Spurloc	6041	3	#####	175	1581.8	4.35E-05	0.00481	7.61E-06
KY	H L Spurloc	6041	3	#####	175	1589.8	4.37E-05	0.00481	7.65E-06
KY	H L Spurloc	6041	3	#####	175	1604.3	4.41E-05	0.00481	7.72E-06
KY	H L Spurloc	6041	3	#####	195	1833.5	4.14E-05	0.0044	8.07E-06
KY	H L Spurloc	6041	3	#####	176	1577.7	4.36E-05	0.00486	7.67E-06
KY	H L Spurloc	6041	3	#####	179	1655.3	4.36E-05	0.00471	7.8E-06
KY	H L Spurloc	6041	3	#####	235	2215.2	3.72E-05	0.00395	8.75E-06
KY	H L Spurloc	6041	3	#####	196	1709	3.99E-05	0.00458	7.83E-06
KY	H L Spurloc	6041	3	#####	224	2042.9	3.83E-05	0.0042	8.58E-06
KY	H L Spurloc	6041	3	#####	291	2704.7	3.44E-05	0.0037	1E-05
KY	H L Spurloc	6041	3	#####	301	2714.3	3.39E-05	0.00376	1.02E-05
KY	H L Spurloc	6041	3	#####	300	2724.6	3.41E-05	0.00376	1.02E-05
KY	H L Spurloc	6041	3	#####	299	2683.9	3.4E-05	0.00379	1.02E-05
KY	H L Spurloc	6041	3	#####	300	2643.8	3.4E-05	0.00386	1.02E-05
KY	H L Spurloc	6041	3	#####	300	2677.2	3.42E-05	0.00383	1.03E-05
KY	H L Spurloc	6041	3	#####	299	2699	3.42E-05	0.00379	1.02E-05
KY	H L Spurloc	6041	3	#####	300	2717.6	3.43E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	#####	300	2705.3	3.42E-05	0.00379	1.03E-05
KY	H L Spurloc	6041	3	#####	286	2505.3	3.36E-05	0.00383	9.6E-06
KY	H L Spurloc	6041	3	#####	295	2640.7	3.39E-05	0.00379	1E-05
KY	H L Spurloc	6041	3	#####	290	2556.6	3.38E-05	0.00383	9.79E-06
KY	H L Spurloc	6041	3	#####	243	2089.4	3.49E-05	0.00406	8.48E-06
KY	H L Spurloc	6041	3	#####	219	1868.8	3.72E-05	0.00436	8.15E-06
KY	H L Spurloc	6041	3	#####	182	1600.4	4.23E-05	0.00481	7.7E-06
KY	H L Spurloc	6041	3	#####	191	1766.3	4.15E-05	0.00449	7.93E-06
KY	H L Spurloc	6041	3	#####	170	1530	4.42E-05	0.00491	7.51E-06
KY	H L Spurloc	6041	3	#####	174	1570.2	4.39E-05	0.00486	7.63E-06
KY	H L Spurloc	6041	3	#####	168	1540.8	4.5E-05	0.00491	7.57E-06
KY	H L Spurloc	6041	3	#####	167	1504.6	4.52E-05	0.00502	7.55E-06
KY	H L Spurloc	6041	3	#####	168	1527.4	4.51E-05	0.00496	7.58E-06
KY	H L Spurloc	6041	3	#####	214	1964.5	3.93E-05	0.00428	8.41E-06
KY	H L Spurloc	6041	3	#####	201	1749.9	3.94E-05	0.00453	7.93E-06
KY	H L Spurloc	6041	3	#####	176	1611.2	4.4E-05	0.00481	7.75E-06
KY	H L Spurloc	6041	3	#####	229	2051.8	3.76E-05	0.0042	8.62E-06
KY	H L Spurloc	6041	3	#####	270	2504.4	3.55E-05	0.00383	9.59E-06
KY	H L Spurloc	6041	3	#####	288	2561.7	3.43E-05	0.00386	9.89E-06
KY	H L Spurloc	6041	3	#####	256	2201.3	3.46E-05	0.00402	8.85E-06
KY	H L Spurloc	6041	3	#####	298	2665.3	3.48E-05	0.00389	1.04E-05
KY	H L Spurloc	6041	3	#####	300	2669.7	3.46E-05	0.00389	1.04E-05
KY	H L Spurloc	6041	3	#####	298	2619	3.45E-05	0.00392	1.03E-05
KY	H L Spurloc	6041	3	#####	295	2587.5	3.44E-05	0.00392	1.01E-05
KY	H L Spurloc	6041	3	#####	296	2580.4	3.42E-05	0.00392	1.01E-05
KY	H L Spurloc	6041	3	#####	272	2351.7	3.36E-05	0.00389	9.15E-06

KY	H L Spurloc	6041	3	#####	223	1882	3.65E-05	0.00432	8.13E-06
KY	H L Spurloc	6041	3	#####	228	2025.8	3.73E-05	0.0042	8.51E-06
KY	H L Spurloc	6041	3	#####	239	2044.1	3.5E-05	0.00409	8.36E-06
KY	H L Spurloc	6041	3	#####	185	1614.7	4.15E-05	0.00476	7.69E-06
KY	H L Spurloc	6041	3	#####	175	1575.4	4.38E-05	0.00486	7.66E-06
KY	H L Spurloc	6041	3	#####	175	1574.2	4.37E-05	0.00486	7.65E-06
KY	H L Spurloc	6041	3	#####	175	1570.8	4.41E-05	0.00491	7.71E-06
KY	H L Spurloc	6041	3	#####	178	1614.9	4.36E-05	0.00481	7.77E-06
KY	H L Spurloc	6041	3	#####	219	2027.8	3.86E-05	0.00417	8.46E-06
KY	H L Spurloc	6041	3	#####	215	1886.1	3.79E-05	0.00432	8.15E-06
KY	H L Spurloc	6041	3	#####	234	2031.2	3.62E-05	0.00417	8.47E-06
KY	H L Spurloc	6041	3	#####	254	2247	3.49E-05	0.00395	8.88E-06
KY	H L Spurloc	6041	3	#####	210	1824.8	3.97E-05	0.00457	8.34E-06
KY	H L Spurloc	6041	3	#####	262	2333.8	3.69E-05	0.00414	9.66E-06
KY	H L Spurloc	6041	3	#####	292	2590.2	3.52E-05	0.00397	1.03E-05
KY	H L Spurloc	6041	3	#####	299	2629.6	3.53E-05	0.00401	1.05E-05
KY	H L Spurloc	6041	3	#####	295	2588	3.52E-05	0.00401	1.04E-05
KY	H L Spurloc	6041	3	#####	299	2630.3	3.53E-05	0.00401	1.05E-05
KY	H L Spurloc	6041	3	#####	291	2494.9	3.49E-05	0.00407	1.02E-05
KY	H L Spurloc	6041	3	#####	247	2131.5	3.61E-05	0.00418	8.91E-06
KY	H L Spurloc	6041	3	#####	198	1669.3	4.12E-05	0.00489	8.16E-06
KY	H L Spurloc	6041	3	#####	181	1628.8	4.49E-05	0.00499	8.13E-06
KY	H L Spurloc	6041	3	#####	238	2098.2	3.82E-05	0.00433	9.09E-06
KY	H L Spurloc	6041	3	#####	237	2065.5	3.7E-05	0.00425	8.78E-06
KY	H L Spurloc	6041	3	#####	266	2369.2	3.6E-05	0.00404	9.57E-06
KY	H L Spurloc	6041	3	#####	276	2379.9	3.48E-05	0.00404	9.61E-06
KY	H L Spurloc	6041	3	#####	235	1981.3	3.68E-05	0.00436	8.64E-06
KY	H L Spurloc	6041	3	#####	250	2227.7	3.75E-05	0.00421	9.38E-06
KY	H L Spurloc	6041	3	#####	214	1797.5	3.87E-05	0.00461	8.29E-06
KY	H L Spurloc	6041	3	#####	214	1897.3	4.05E-05	0.00457	8.67E-06
KY	H L Spurloc	6041	3	#####	190	1615.7	4.24E-05	0.00499	8.06E-06
KY	H L Spurloc	6041	3	#####	217	1948.7	4.02E-05	0.00448	8.73E-06
KY	H L Spurloc	6041	3	#####	268	2456	3.64E-05	0.00397	9.75E-06
KY	H L Spurloc	6041	3	#####	285	2433	3.47E-05	0.00407	9.9E-06
KY	H L Spurloc	6041	3	#####	238	1968.8	3.67E-05	0.00444	8.74E-06
KY	H L Spurloc	6041	3	#####	229	1999.5	3.88E-05	0.00444	8.88E-06
KY	H L Spurloc	6041	3	#####	241	2102.6	3.78E-05	0.00433	9.1E-06
KY	H L Spurloc	6041	3	#####	261	2252.6	3.57E-05	0.00414	9.33E-06
KY	H L Spurloc	6041	3	#####	286	2575.8	3.58E-05	0.00397	1.02E-05
KY	H L Spurloc	6041	3	#####	301	2627.8	3.59E-05	0.00411	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2659.2			
KY	H L Spurloc	6041	3	#####	301	2671.6	3.56E-05	0.00401	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2646.4	3.54E-05	0.00404	1.07E-05
KY	H L Spurloc	6041	3	#####	297	2625.6	3.51E-05	0.00397	1.04E-05
KY	H L Spurloc	6041	3	#####	285	2486.4	3.46E-05	0.00397	9.87E-06
KY	H L Spurloc	6041	3	#####	299	2729.5	3.54E-05	0.00388	1.06E-05
KY	H L Spurloc	6041	3	#####	284	2479.6	3.44E-05	0.00394	9.77E-06

KY	H L Spurloc	6041	3	#####	280	2451.5	3.48E-05	0.00397	9.73E-06
KY	H L Spurloc	6041	3	#####	248	2154.3	3.57E-05	0.00411	8.85E-06
KY	H L Spurloc	6041	3	#####	207	1768.1	3.98E-05	0.00466	8.24E-06
KY	H L Spurloc	6041	3	#####	167	1491.3	4.7E-05	0.00526	7.84E-06
KY	H L Spurloc	6041	3	#####	167	1532.4	4.73E-05	0.00515	7.89E-06
KY	H L Spurloc	6041	3	#####	167	1546.7	4.71E-05	0.00509	7.87E-06
KY	H L Spurloc	6041	3	#####	167	1542.1	4.7E-05	0.00509	7.85E-06
KY	H L Spurloc	6041	3	#####	167	1561.8	4.71E-05	0.00504	7.87E-06
KY	H L Spurloc	6041	3	#####	168	1556.2	4.71E-05	0.00509	7.92E-06
KY	H L Spurloc	6041	3	#####	180	1626.2	4.46E-05	0.00494	8.03E-06
KY	H L Spurloc	6041	3	#####	168	1549	4.69E-05	0.00509	7.88E-06
KY	H L Spurloc	6041	3	#####	167	1543.6	4.81E-05	0.0052	8.03E-06
KY	H L Spurloc	6041	3	#####	167	1555.6	4.74E-05	0.00509	7.92E-06
KY	H L Spurloc	6041	3	#####	167	1550.7	4.73E-05	0.00509	7.89E-06
KY	H L Spurloc	6041	3	#####	167	1553.8	4.74E-05	0.00509	7.91E-06
KY	H L Spurloc	6041	3	#####	167	1554.3	4.74E-05	0.00509	7.91E-06
KY	H L Spurloc	6041	3	#####	169	1576.3	4.7E-05	0.00504	7.94E-06
KY	H L Spurloc	6041	3	#####	173	1603.9	4.63E-05	0.00499	8E-06
KY	H L Spurloc	6041	3	#####	218	2059.2	4.05E-05	0.00429	8.83E-06
KY	H L Spurloc	6041	3	#####	291	2707.4	3.61E-05	0.00388	1.05E-05
KY	H L Spurloc	6041	3	#####	292	2613	3.53E-05	0.00394	1.03E-05
KY	H L Spurloc	6041	3	#####	290	2604.7	3.51E-05	0.00391	1.02E-05
KY	H L Spurloc	6041	3	#####	280	2466.8	3.5E-05	0.00397	9.79E-06
KY	H L Spurloc	6041	3	#####	269	2333	3.48E-05	0.00401	9.36E-06
KY	H L Spurloc	6041	3	#####	282	2544	3.53E-05	0.00391	9.95E-06
KY	H L Spurloc	6041	3	#####	259	2247.8	3.51E-05	0.00404	9.08E-06
KY	H L Spurloc	6041	3	#####	258	2256.5	3.53E-05	0.00404	9.12E-06
KY	H L Spurloc	6041	3	#####	185	1584.7	4.27E-05	0.00499	7.91E-06
KY	H L Spurloc	6041	3	#####	167	1535.2	4.73E-05	0.00515	7.91E-06
KY	H L Spurloc	6041	3	#####	167	1540.1	4.75E-05	0.00515	7.93E-06
KY	H L Spurloc	6041	3	#####	167	1547.4	4.77E-05	0.00515	7.97E-06
KY	H L Spurloc	6041	3	#####	167	1565.7	4.77E-05	0.00509	7.97E-06
KY	H L Spurloc	6041	3	#####	167	1547.9	4.77E-05	0.00515	7.97E-06
KY	H L Spurloc	6041	3	#####	193	1864.3	4.41E-05	0.00457	8.52E-06
KY	H L Spurloc	6041	3	#####	269	2573.6	3.77E-05	0.00394	1.01E-05
KY	H L Spurloc	6041	3	#####	303	2776.6	3.53E-05	0.00385	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2745.3	3.53E-05	0.00388	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2767.2	3.56E-05	0.00388	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2770.3	3.56E-05	0.00388	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2760.2	3.57E-05	0.00391	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2757.4	3.6E-05	0.00394	1.09E-05
KY	H L Spurloc	6041	3	#####	302	2770.8	3.61E-05	0.00394	1.09E-05
KY	H L Spurloc	6041	3	#####	303	2769.4	3.57E-05	0.00391	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2730	3.53E-05	0.00391	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2707.3	3.53E-05	0.00394	1.07E-05
KY	H L Spurloc	6041	3	#####	301	2717.9	3.58E-05	0.00397	1.08E-05
KY	H L Spurloc	6041	3	#####	301	2752.3	3.63E-05	0.00397	1.09E-05

KY	H L Spurloc	6041	3	#####	302	2745.8	3.61E-05	0.00397	1.09E-05
KY	H L Spurloc	6041	3	#####	302	2724.5	3.58E-05	0.00397	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2713	3.57E-05	0.00397	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2711.5	3.56E-05	0.00397	1.08E-05
KY	H L Spurloc	6041	3	#####	247	2111.1	3.63E-05	0.00425	8.97E-06
KY	H L Spurloc	6041	3	#####	171	1521.1	4.63E-05	0.0052	7.91E-06
KY	H L Spurloc	6041	3	#####	168	1535	4.75E-05	0.0052	7.98E-06
KY	H L Spurloc	6041	3	#####	168	1572.9	4.77E-05	0.00509	8.01E-06
KY	H L Spurloc	6041	3	#####	168	1547.1	4.79E-05	0.0052	8.04E-06
KY	H L Spurloc	6041	3	#####	168	1555.2	4.81E-05	0.0052	8.09E-06
KY	H L Spurloc	6041	3	#####	170	1575.1	4.77E-05	0.00515	8.11E-06
KY	H L Spurloc	6041	3	#####	182	1657.3	4.54E-05	0.00499	8.27E-06
KY	H L Spurloc	6041	3	#####	213	2013.8	4.16E-05	0.0044	8.86E-06
KY	H L Spurloc	6041	3	#####	192	1683	4.24E-05	0.00484	8.15E-06
KY	H L Spurloc	6041	3	#####	168	1553.1	4.76E-05	0.00515	8E-06
KY	H L Spurloc	6041	3	#####	194	1749.4	4.32E-05	0.00479	8.38E-06
KY	H L Spurloc	6041	3	#####	173	1610.3	4.69E-05	0.00504	8.12E-06
KY	H L Spurloc	6041	3	#####	201	1868.1	4.28E-05	0.00461	8.61E-06
KY	H L Spurloc	6041	3	#####	285	2667.7	3.69E-05	0.00394	1.05E-05
KY	H L Spurloc	6041	3	#####	296	2677.7	3.56E-05	0.00394	1.06E-05
KY	H L Spurloc	6041	3	#####	302	2765.6	3.58E-05	0.00391	1.08E-05
KY	H L Spurloc	6041	3	#####	302	2763.5	3.58E-05	0.00391	1.08E-05
KY	H L Spurloc	6041	3	#####	289	2542.8	3.53E-05	0.00401	1.02E-05
KY	H L Spurloc	6041	3	#####	252	2198.9	3.61E-05	0.00414	9.1E-06
KY	H L Spurloc	6041	3	#####	195	1680.8	4.21E-05	0.00489	8.22E-06
KY	H L Spurloc	6041	3	#####	168	1523.8	4.72E-05	0.0052	7.92E-06
KY	H L Spurloc	6041	3	#####	169	1550.3	4.72E-05	0.00515	7.98E-06
KY	H L Spurloc	6041	3	#####	168	1553.3	4.76E-05	0.00515	8E-06
KY	H L Spurloc	6041	3	#####	168	1538.2	4.76E-05	0.0052	8E-06
KY	H L Spurloc	6041	3	#####	168	1549.6	4.75E-05	0.00515	7.98E-06
KY	H L Spurloc	6041	3	#####	168	1552.9	4.76E-05	0.00515	8E-06
KY	H L Spurloc	6041	3	#####	168	1562.5	4.73E-05	0.00509	7.95E-06
KY	H L Spurloc	6041	3	#####	168	1548.1	4.75E-05	0.00515	7.97E-06
KY	H L Spurloc	6041	3	#####	168	1535.9	4.75E-05	0.0052	7.99E-06
KY	H L Spurloc	6041	3	#####	168	1537.9	4.76E-05	0.0052	8E-06
KY	H L Spurloc	6041	3	#####	168	1539.7	4.77E-05	0.0052	8.01E-06
KY	H L Spurloc	6041	3	#####	168	1536.2	4.75E-05	0.0052	7.99E-06
KY	H L Spurloc	6041	3	#####	168	1541	4.77E-05	0.0052	8.01E-06
KY	H L Spurloc	6041	3	#####	168	1545.8	4.78E-05	0.0052	8.04E-06
KY	H L Spurloc	6041	3	#####	168	1577.8	4.78E-05	0.00509	8.03E-06
KY	H L Spurloc	6041	3	#####	168	1554.7	4.81E-05	0.0052	8.08E-06
KY	H L Spurloc	6041	3	#####	168	1548.1	4.79E-05	0.0052	8.05E-06
KY	H L Spurloc	6041	3	#####	171	1573.5	4.74E-05	0.00515	8.1E-06
KY	H L Spurloc	6041	3	#####	170	1585.4	4.75E-05	0.00509	8.07E-06
KY	H L Spurloc	6041	3	#####	180	1638.3	4.54E-05	0.00499	8.18E-06
KY	H L Spurloc	6041	3	#####	205	1915.7	4.27E-05	0.00457	8.75E-06
KY	H L Spurloc	6041	3	#####	252	2309.2	3.73E-05	0.00407	9.4E-06

KY	H L Spurloc	6041	3	#####	210	1817.3	3.99E-05	0.00461	8.38E-06
KY	H L Spurloc	6041	3	#####	205	1855.4	4.17E-05	0.00461	8.55E-06
KY	H L Spurloc	6041	3	#####	168	1510.4	4.73E-05	0.00526	7.94E-06
KY	H L Spurloc	6041	3	#####	176	1627	4.66E-05	0.00504	8.2E-06
KY	H L Spurloc	6041	3	#####	235	2143.1	3.91E-05	0.00429	9.19E-06
KY	H L Spurloc	6041	3	#####	228	2019.5	3.86E-05	0.00436	8.81E-06
KY	H L Spurloc	6041	3	#####	188	1630.5	4.28E-05	0.00494	8.05E-06
KY	H L Spurloc	6041	3	#####	168	1546.1	4.74E-05	0.00515	7.96E-06
KY	H L Spurloc	6041	3	#####	168	1537.1	4.76E-05	0.0052	7.99E-06
KY	H L Spurloc	6041	3	#####	168	1551.8	4.76E-05	0.00515	7.99E-06
KY	H L Spurloc	6041	3	#####	168	1544.8	4.74E-05	0.00515	7.96E-06
KY	H L Spurloc	6041	3	#####	168	1542.1	4.73E-05	0.00515	7.94E-06
KY	H L Spurloc	6041	3	#####	168	1542.7	4.73E-05	0.00515	7.94E-06
KY	H L Spurloc	6041	3	#####	168	1546.8	4.74E-05	0.00515	7.97E-06
KY	H L Spurloc	6041	3	#####	168	1556.2	4.77E-05	0.00515	8.01E-06
KY	H L Spurloc	6041	3	#####	168	1560.6	4.78E-05	0.00515	8.04E-06
KY	H L Spurloc	6041	3	#####	168	1560.9	4.78E-05	0.00515	8.04E-06
KY	H L Spurloc	6041	3	#####	168	1565.4	4.8E-05	0.00515	8.06E-06
KY	H L Spurloc	6041	3	#####	173	1645.3	4.75E-05	0.00499	8.21E-06
KY	H L Spurloc	6041	3	#####	188	1725.3	4.44E-05	0.00484	8.35E-06
KY	H L Spurloc	6041	3	#####	240	2253.7	3.93E-05	0.00418	9.42E-06
KY	H L Spurloc	6041	3	#####	258	2378.7	3.75E-05	0.00407	9.68E-06
KY	H L Spurloc	6041	3	#####	300	2800.1	3.62E-05	0.00388	1.09E-05
KY	H L Spurloc	6041	3	#####	300	2764.4	3.6E-05	0.00391	1.08E-05
KY	H L Spurloc	6041	3	#####	299	2742.3	3.59E-05	0.00391	1.07E-05
KY	H L Spurloc	6041	3	#####	276	2412.3	3.53E-05	0.00404	9.75E-06
KY	H L Spurloc	6041	3	#####	231	2038.5	3.79E-05	0.00429	8.75E-06
KY	H L Spurloc	6041	3	#####	209	1789.6	4.02E-05	0.0047	8.41E-06
KY	H L Spurloc	6041	3	#####	168	1534.6	4.65E-05	0.00509	7.81E-06
KY	H L Spurloc	6041	3	#####	168	1548.6	4.65E-05	0.00504	7.8E-06
KY	H L Spurloc	6041	3	#####	168	1536.7	4.66E-05	0.00509	7.82E-06
KY	H L Spurloc	6041	3	#####	168	1540.9	4.67E-05	0.00509	7.84E-06
KY	H L Spurloc	6041	3	#####	168	1544.5	4.68E-05	0.00509	7.86E-06
KY	H L Spurloc	6041	3	#####	168	1539.7	4.66E-05	0.00509	7.84E-06
KY	H L Spurloc	6041	3	#####	168	1541.5	4.67E-05	0.00509	7.85E-06
KY	H L Spurloc	6041	3	#####	177	1669.2	4.56E-05	0.00484	8.08E-06
KY	H L Spurloc	6041	3	#####	183	1632.8	4.41E-05	0.00494	8.07E-06
KY	H L Spurloc	6041	3	#####	168	1536.3	4.76E-05	0.0052	7.99E-06
KY	H L Spurloc	6041	3	#####	168	1560.5	4.78E-05	0.00515	8.04E-06
KY	H L Spurloc	6041	3	#####	168	1559.6	0.000194	0.0209	3.26E-05
KY	H L Spurloc	6041	3	#####	175	1620.2	0.00019	0.0205	3.32E-05
KY	H L Spurloc	6041	3	#####	208	1939.3	0.000172	0.0184	3.57E-05
KY	H L Spurloc	6041	3	#####	219	1914.3	0.000159	0.0182	3.48E-05
KY	H L Spurloc	6041	3	#####	184	1699.2	0.000182	0.0197	3.35E-05
KY	H L Spurloc	6041	3	#####	232	2119.5	0.000162	0.0177	3.75E-05
KY	H L Spurloc	6041	3	#####	295	2730.3	0.000147	0.0159	4.34E-05
KY	H L Spurloc	6041	3	#####	301	2682.6	0.000145	0.0163	4.37E-05

KY	H L Spurloc	6041	3	#####	299	2664.7	0.000145	0.0163	4.34E-05
KY	H L Spurloc	6041	3	#####	290	2579.1	0.000145	0.0163	4.2E-05
KY	H L Spurloc	6041	3	#####	272	2374	0.000144	0.0165	3.92E-05
KY	H L Spurloc	6041	3	#####	187	1634.3	0.000175	0.02	3.27E-05
KY	H L Spurloc	6041	3	#####	169	1540.1	0.00019	0.0209	3.22E-05
KY	H L Spurloc	6041	3	#####	168	1548.6	0.000193	0.0209	3.24E-05
KY	H L Spurloc	6041	3	#####	168	1540.2	0.000193	0.0211	3.25E-05
KY	H L Spurloc	6041	3	#####	168	1554	0.000193	0.0209	3.25E-05
KY	H L Spurloc	6041	3	#####	168	1553.4	0.000193	0.0209	3.25E-05
KY	H L Spurloc	6041	3	#####	168	1552	0.000193	0.0209	3.24E-05
KY	H L Spurloc	6041	3	#####	168	1551.7	0.000193	0.0209	3.24E-05
KY	H L Spurloc	6041	3	#####	169	1565.7	0.00019	0.0205	3.21E-05
KY	H L Spurloc	6041	3	#####	170	1562.3	0.00019	0.0207	3.23E-05
KY	H L Spurloc	6041	3	#####	218	2011.4	0.000166	0.018	3.62E-05
KY	H L Spurloc	6041	3	#####	191	1676.5	0.000173	0.0197	3.3E-05
KY	H L Spurloc	6041	3	#####	183	1679	0.000183	0.02	3.36E-05
KY	H L Spurloc	6041	3	#####	174	1577.2	0.000188	0.0207	3.26E-05
KY	H L Spurloc	6041	3	#####	176	1627.1	0.00019	0.0205	3.34E-05
KY	H L Spurloc	6041	3	#####	198	1840.9	0.000178	0.0191	3.52E-05
KY	H L Spurloc	6041	3	#####	235	2152.6	0.000159	0.0174	3.75E-05
KY	H L Spurloc	6041	3	#####	299	2799.3	0.000148	0.0158	4.42E-05
KY	H L Spurloc	6041	3	#####	300	2698.9	0.000147	0.0163	4.4E-05
KY	H L Spurloc	6041	3	#####	300	2729.9	0.000147	0.0161	4.4E-05
KY	H L Spurloc	6041	3	#####	300	2744.6	0.000146	0.016	4.39E-05
KY	H L Spurloc	6041	3	#####	300	2715.6	0.000146	0.0161	4.37E-05
KY	H L Spurloc	6041	3	#####	298	2692.4	0.000145	0.0161	4.33E-05
KY	H L Spurloc	6041	3	#####	260	2259.8	0.000146	0.0168	3.8E-05
KY	H L Spurloc	6041	3	#####	180	1584.2	0.000179	0.0203	3.22E-05
KY	H L Spurloc	6041	3	#####	168	1548.2	0.000189	0.0205	3.17E-05
KY	H L Spurloc	6041	3	#####	168	1549.9	0.000191	0.0207	3.21E-05
KY	H L Spurloc	6041	3	#####	168	1540.5	0.000192	0.0209	3.22E-05
KY	H L Spurloc	6041	3	#####	168	1543.3	0.000192	0.0209	3.23E-05
KY	H L Spurloc	6041	3	#####	168	1558.1	0.000192	0.0207	3.23E-05
KY	H L Spurloc	6041	3	#####	168	1548.3	0.000193	0.0209	3.24E-05
KY	H L Spurloc	6041	3	#####	168	1539.6	0.000193	0.0211	3.25E-05
KY	H L Spurloc	6041	3	#####	168	1552.5	0.000193	0.0209	3.24E-05
KY	H L Spurloc	6041	3	#####	168	1540.6	0.000193	0.0211	3.25E-05
KY	H L Spurloc	6041	3	#####	172	1567.8	0.000191	0.0209	3.28E-05
KY	H L Spurloc	6041	3	#####	168	1534.3	0.000197	0.0216	3.31E-05
KY	H L Spurloc	6041	3	#####	175	1596.4	0.000189	0.0207	3.3E-05
KY	H L Spurloc	6041	3	#####	185	1718.4	0.000184	0.0198	3.4E-05
KY	H L Spurloc	6041	3	#####	194	1740.6	0.000175	0.0195	3.39E-05
KY	H L Spurloc	6041	3	#####	239	2230.8	0.000162	0.0174	3.88E-05
KY	H L Spurloc	6041	3	#####	299	2796	0.000149	0.0159	4.45E-05
KY	H L Spurloc	6041	3	#####	294	2606.7	0.000146	0.0165	4.3E-05
KY	H L Spurloc	6041	3	#####	300	2700.7	0.000147	0.0163	4.4E-05
KY	H L Spurloc	6041	3	#####	300	2684	0.000146	0.0163	4.37E-05

KY	H L Spurloc	6041	3	#####	300	2675.6	0.000145	0.0163	4.36E-05
KY	H L Spurloc	6041	3	#####	300	2659.6	0.000145	0.0163	4.34E-05
KY	H L Spurloc	6041	3	#####	281	2427.5	0.000143	0.0165	4.01E-05
KY	H L Spurloc	6041	3	#####	272	2366.5	0.000144	0.0165	3.9E-05
KY	H L Spurloc	6041	3	#####	247	2146.6	0.000148	0.017	3.65E-05
KY	H L Spurloc	6041	3	#####	198	1687.3	0.000168	0.0197	3.32E-05
KY	H L Spurloc	6041	3	#####	170	1526.9	0.00019	0.0211	3.22E-05
KY	H L Spurloc	6041	3	#####	222	2050.7	0.000166	0.018	3.69E-05
KY	H L Spurloc	6041	3	#####	299	2735.9	0.000146	0.016	4.38E-05
KY	H L Spurloc	6041	3	#####	300	2649.3	0.000144	0.0163	4.32E-05
KY	H L Spurloc	6041	3	#####	300	2670.5	0.000143	0.0161	4.3E-05
KY	H L Spurloc	6041	3	#####	300	2643.5	0.000144	0.0163	4.31E-05
KY	H L Spurloc	6041	3	#####	300	2622.5	0.000143	0.0164	4.3E-05
KY	H L Spurloc	6041	3	#####	300	2628.8	0.000143	0.0163	4.28E-05
KY	H L Spurloc	6041	3	#####	300	2627	0.000141	0.0161	4.23E-05
KY	H L Spurloc	6041	3	#####	300	2623.4	0.000141	0.0161	4.22E-05
KY	H L Spurloc	6041	3	#####	300	2650.7	0.000141	0.016	4.24E-05
KY	H L Spurloc	6041	3	#####	300	2637.3	0.000141	0.016	4.22E-05
KY	H L Spurloc	6041	3	#####	300	2635.1	0.000141	0.0161	4.24E-05
KY	H L Spurloc	6041	3	#####	300	2636.5	0.00014	0.0159	4.19E-05
KY	H L Spurloc	6041	3	#####	212	1651.5	0.00018	0.0231	3.81E-05
KY	H L Spurloc	6041	3	#####	236	2184.7	0.000157	0.017	3.71E-05
KY	H L Spurloc	6041	3	#####	300	2666.3	0.000141	0.0159	4.24E-05
KY	H L Spurloc	6041	3	#####	300	2653.5	0.000141	0.0159	4.22E-05
KY	H L Spurloc	6041	3	#####	300	2678.6	0.000141	0.0158	4.23E-05
KY	H L Spurloc	6041	3	#####	300	2644.7	0.00014	0.0159	4.21E-05
KY	H L Spurloc	6041	3	#####	300	2628.7	0.00014	0.016	4.21E-05
KY	H L Spurloc	6041	3	#####	300	2620.4	0.00014	0.016	4.19E-05
KY	H L Spurloc	6041	3	#####	287	2482.4	0.000138	0.0159	3.95E-05
KY	H L Spurloc	6041	3	#####	299	2667.1	0.000141	0.0158	4.21E-05
KY	H L Spurloc	6041	3	#####	288	2506	0.000138	0.0159	3.98E-05
KY	H L Spurloc	6041	3	#####	242	2066.3	0.000145	0.017	3.51E-05
KY	H L Spurloc	6041	3	#####	219	1926	0.000158	0.018	3.47E-05
KY	H L Spurloc	6041	3	#####	194	1663.7	0.000167	0.0195	3.24E-05
KY	H L Spurloc	6041	3	#####	166	1501.6	0.000191	0.0211	3.17E-05
KY	H L Spurloc	6041	3	#####	166	1530.7	0.000193	0.0209	3.2E-05
KY	H L Spurloc	6041	3	#####	166	1554.1	0.000194	0.0207	3.22E-05
KY	H L Spurloc	6041	3	#####	169	1591.8	0.000193	0.0205	3.26E-05
KY	H L Spurloc	6041	3	#####	166	1561	0.000195	0.0207	3.23E-05
KY	H L Spurloc	6041	3	#####	167	1576.7	0.000195	0.0207	3.26E-05
KY	H L Spurloc	6041	3	#####	167	1573.4	0.000195	0.0207	3.26E-05
KY	H L Spurloc	6041	3	#####	167	1569.6	0.000195	0.0207	3.25E-05
KY	H L Spurloc	6041	3	#####	166	1560.2	0.000195	0.0207	3.23E-05
KY	H L Spurloc	6041	3	#####	166	1575.8	0.000195	0.0205	3.23E-05
KY	H L Spurloc	6041	3	#####	166	1605.3	0.000193	0.02	3.21E-05
KY	H L Spurloc	6041	3	#####	166	1590.4	0.000194	0.0203	3.23E-05
KY	H L Spurloc	6041	3	#####	166	1584.8	0.000196	0.0205	3.25E-05

KY	H L Spurloc	6041	3	#####	166	1571	0.000194	0.0205	3.22E-05
KY	H L Spurloc	6041	3	#####	166	1577.8	0.000195	0.0205	3.23E-05
KY	H L Spurloc	6041	3	#####	166	1577.6	0.000195	0.0205	3.23E-05
KY	H L Spurloc	6041	3	#####	167	1576.7	0.000194	0.0205	3.23E-05
KY	H L Spurloc	6041	3	#####	167	1579.8	0.000194	0.0205	3.24E-05
KY	H L Spurloc	6041	3	#####	167	1581.5	0.000194	0.0205	3.24E-05
KY	H L Spurloc	6041	3	#####	166	1561.6	0.000195	0.0207	3.23E-05
KY	H L Spurloc	6041	3	#####	166	1570.1	0.000194	0.0205	3.22E-05
KY	H L Spurloc	6041	3	#####	214	2050.2	0.00017	0.0177	3.63E-05
KY	H L Spurloc	6041	3	#####	262	2383	0.000146	0.0161	3.84E-05
KY	H L Spurloc	6041	3	#####	280	2534.8	0.000145	0.016	4.06E-05
KY	H L Spurloc	6041	3	#####	260	2284.2	0.000144	0.0164	3.75E-05
KY	H L Spurloc	6041	3	#####	266	2416.5	0.000145	0.016	3.87E-05
KY	H L Spurloc	6041	3	#####	224	1962.6	0.000155	0.0177	3.47E-05
KY	H L Spurloc	6041	3	#####	240	2137.8	0.000152	0.0171	3.66E-05
KY	H L Spurloc	6041	3	#####	285	2676.2	0.000151	0.0161	4.31E-05
KY	H L Spurloc	6041	3	#####	301	2777.8	0.000148	0.016	4.44E-05
KY	H L Spurloc	6041	3	#####	301	2740.3	0.000147	0.0161	4.41E-05
KY	H L Spurloc	6041	3	#####	273	2369.8	0.000143	0.0165	3.91E-05
KY	H L Spurloc	6041	3	#####	242	2084.3	0.00015	0.0174	3.63E-05
KY	H L Spurloc	6041	3	#####	283	2638.3	0.00015	0.0161	4.25E-05
KY	H L Spurloc	6041	3	#####	291	2594.4	0.000145	0.0163	4.23E-05
KY	H L Spurloc	6041	3	#####	298	2707.5	0.000146	0.0161	4.36E-05
KY	H L Spurloc	6041	3	#####	276	2408.4	0.000143	0.0164	3.95E-05
KY	H L Spurloc	6041	3	#####	282	2500.9	0.000145	0.0164	4.1E-05
KY	H L Spurloc	6041	3	#####	261	2256.3	0.000145	0.0168	3.79E-05
KY	H L Spurloc	6041	3	#####	270	2383.9	0.000145	0.0164	3.91E-05
KY	H L Spurloc	6041	3	#####	296	2715.3	0.000148	0.0161	4.37E-05
KY	H L Spurloc	6041	3	#####	300	2738.4	0.000147	0.0161	4.41E-05
KY	H L Spurloc	6041	3	#####	290	2570.8	0.000144	0.0163	4.19E-05
KY	H L Spurloc	6041	3	#####	298	2685	0.000144	0.016	4.3E-05
KY	H L Spurloc	6041	3	#####	292	2619.9	0.000142	0.0158	4.14E-05
KY	H L Spurloc	6041	3	#####	211	1737.8	0.000157	0.0191	3.32E-05
KY	H L Spurloc	6041	3	#####	167	1477.8	0.000188	0.0213	3.15E-05
KY	H L Spurloc	6041	3	#####	167	1500	0.00019	0.0211	3.17E-05
KY	H L Spurloc	6041	3	#####	167	1494.9	0.000191	0.0213	3.18E-05
KY	H L Spurloc	6041	3	#####	166	1499.4	0.000191	0.0211	3.16E-05
KY	H L Spurloc	6041	3	#####	166	1486.4	0.000191	0.0213	3.17E-05
KY	H L Spurloc	6041	3	#####	166	1487.1	0.000189	0.0211	3.14E-05
KY	H L Spurloc	6041	3	#####	166	1553	0.000187	0.02	3.11E-05
KY	H L Spurloc	6041	3	#####	166	1543	0.000189	0.0203	3.13E-05
KY	H L Spurloc	6041	3	#####	167	1543.8	0.00019	0.0205	3.16E-05
KY	H L Spurloc	6041	3	#####	167	1544.5	0.000188	0.0203	3.14E-05
KY	H L Spurloc	6041	3	#####	220	2096	0.00016	0.0168	3.52E-05
KY	H L Spurloc	6041	3	#####	191	1685.3	0.000169	0.0191	3.22E-05
KY	H L Spurloc	6041	3	#####	222	2112.6	0.000159	0.0167	3.53E-05
KY	H L Spurloc	6041	3	#####	218	1904.7	0.000155	0.0177	3.37E-05

KY	H L Spurloc	6041	3	#####	230	2090.4	0.000153	0.0168	3.51E-05
KY	H L Spurloc	6041	3	#####	234	2094.6	0.000152	0.017	3.56E-05
KY	H L Spurloc	6041	3	#####	173	1477.4	0.000178	0.0209	3.09E-05
KY	H L Spurloc	6041	3	#####	168	1559.2	0.000186	0.02	3.12E-05
KY	H L Spurloc	6041	3	#####	235	2240.3	0.000159	0.0167	3.74E-05
KY	H L Spurloc	6041	3	#####	285	2588	0.000144	0.0159	4.11E-05
KY	H L Spurloc	6041	3	#####	282	2520.8	0.000142	0.0159	4.01E-05
KY	H L Spurloc	6041	3	#####	285	2577.8	0.000141	0.0156	4.02E-05
KY	H L Spurloc	6041	3	#####	276	2449.7	0.00014	0.0158	3.87E-05
KY	H L Spurloc	6041	3	#####	202	1737.1	0.000161	0.0187	3.25E-05
KY	H L Spurloc	6041	3	#####	189	1658.2	0.000169	0.0193	3.2E-05
KY	H L Spurloc	6041	3	#####	166	1511.4	0.000187	0.0205	3.1E-05
KY	H L Spurloc	6041	3	#####	166	1542.9	0.000186	0.02	3.09E-05
KY	H L Spurloc	6041	3	#####	166	1544.3	0.000186	0.02	3.09E-05
KY	H L Spurloc	6041	3	#####	223	2129.5	0.000158	0.0165	3.51E-05
KY	H L Spurloc	6041	3	#####	267	2463.2	0.000144	0.0156	3.84E-05
KY	H L Spurloc	6041	3	#####	286	2509.6	0.00014	0.016	4.02E-05
KY	H L Spurloc	6041	3	#####	275	2448.5	0.000141	0.0158	3.87E-05
KY	H L Spurloc	6041	3	#####	290	2562.7	0.000141	0.016	4.1E-05
KY	H L Spurloc	6041	3	#####	286	2518	0.000141	0.016	4.03E-05
KY	H L Spurloc	6041	3	#####	280	2441.1	0.000139	0.016	3.91E-05
KY	H L Spurloc	6041	3	#####	300	2687.4	0.000142	0.0159	4.27E-05
KY	H L Spurloc	6041	3	#####	297	2647.1	0.000142	0.0159	4.21E-05
KY	H L Spurloc	6041	3	#####	288	2533.1	3.85E-05	0.00438	1.11E-05
KY	H L Spurloc	6041	3	#####	291	2590.9	3.9E-05	0.00438	1.13E-05
KY	H L Spurloc	6041	3	#####	296	2654.7	3.93E-05	0.00438	1.16E-05
KY	H L Spurloc	6041	3	#####	301	2712.4	3.92E-05	0.00435	1.18E-05
KY	H L Spurloc	6041	3	#####	301	2682.1	3.9E-05	0.00438	1.17E-05
KY	H L Spurloc	6041	3	#####	301	2693.6	3.92E-05	0.00438	1.18E-05
KY	H L Spurloc	6041	3	#####	301	2729	3.94E-05	0.00435	1.19E-05
KY	H L Spurloc	6041	3	#####	284	2512.7	3.88E-05	0.00438	1.1E-05
KY	H L Spurloc	6041	3	#####	296	2643.4	3.95E-05	0.00442	1.17E-05
KY	H L Spurloc	6041	3	#####	286	2513.8	3.88E-05	0.00442	1.11E-05
KY	H L Spurloc	6041	3	#####	242	2075.4	4.05E-05	0.00472	9.8E-06
KY	H L Spurloc	6041	3	#####	169	1462	5.16E-05	0.00596	8.71E-06
KY	H L Spurloc	6041	3	#####	166	1516.5	5.27E-05	0.00577	8.75E-06
KY	H L Spurloc	6041	3	#####	166	1529.8	5.32E-05	0.00577	8.83E-06
KY	H L Spurloc	6041	3	#####	167	1541.8	5.33E-05	0.00577	8.9E-06
KY	H L Spurloc	6041	3	#####	179	1685.5	5.21E-05	0.00553	9.32E-06
KY	H L Spurloc	6041	3	#####	187	1720.7	5E-05	0.00543	9.34E-06
KY	H L Spurloc	6041	3	#####	178	1606.4	5.1E-05	0.00565	9.08E-06
KY	H L Spurloc	6041	3	#####	166	1553.6	5.4E-05	0.00577	8.96E-06
KY	H L Spurloc	6041	3	#####	181	1688.1	5.11E-05	0.00548	9.25E-06
KY	H L Spurloc	6041	3	#####	166	1603	5.34E-05	0.00553	8.86E-06
KY	H L Spurloc	6041	3	#####	203	1953.8	4.79E-05	0.00498	9.73E-06
KY	H L Spurloc	6041	3	#####	209	1921	4.54E-05	0.00494	9.49E-06
KY	H L Spurloc	6041	3	#####	166	1605.6	5.35E-05	0.00553	8.88E-06

KY	H L Spurloc	6041	3	#####	166	1601	5.39E-05	0.00559	8.95E-06
KY	H L Spurloc	6041	3	#####	166	1546	5.37E-05	0.00577	8.92E-06
KY	H L Spurloc	6041	3	#####	206	1949.6	4.76E-05	0.00503	9.81E-06
KY	H L Spurloc	6041	3	#####	193	1770.8	4.79E-05	0.00522	9.24E-06
KY	H L Spurloc	6041	3	#####	168	1551.3	5.33E-05	0.00577	8.95E-06
KY	H L Spurloc	6041	3	#####	210	1975.9	4.65E-05	0.00494	9.76E-06
KY	H L Spurloc	6041	3	#####	180	1618	4.93E-05	0.00548	8.87E-06
KY	H L Spurloc	6041	3	#####	166	1549.9	5.33E-05	0.00571	8.85E-06
KY	H L Spurloc	6041	3	#####	166	1572.4	5.35E-05	0.00565	8.88E-06
KY	H L Spurloc	6041	3	#####	166	1580.2	5.38E-05	0.00565	8.93E-06
KY	H L Spurloc	6041	3	#####	166	1581.6	5.38E-05	0.00565	8.94E-06
KY	H L Spurloc	6041	3	#####	166	1581.7	5.38E-05	0.00565	8.94E-06
KY	H L Spurloc	6041	3	#####	166	1592.6	5.36E-05	0.00559	8.9E-06
KY	H L Spurloc	6041	3	#####	166	1574.2	5.36E-05	0.00565	8.89E-06
KY	H L Spurloc	6041	3	#####	166	1572.6	5.35E-05	0.00565	8.89E-06
KY	H L Spurloc	6041	3	#####	166	1581.2	5.32E-05	0.00559	8.84E-06
KY	H L Spurloc	6041	3	#####	166	1567.1	5.33E-05	0.00565	8.85E-06
KY	H L Spurloc	6041	3	#####	166	1607.9	5.41E-05	0.00559	8.99E-06
KY	H L Spurloc	6041	3	#####	167	1602.4	5.36E-05	0.00559	8.96E-06
KY	H L Spurloc	6041	3	#####	166	1549.1	5.33E-05	0.00571	8.85E-06
KY	H L Spurloc	6041	3	#####	166	1575.2	5.36E-05	0.00565	8.9E-06
KY	H L Spurloc	6041	3	#####	166	1591.6	5.36E-05	0.00559	8.9E-06
KY	H L Spurloc	6041	3	#####	168	1611.1	5.3E-05	0.00553	8.91E-06
KY	H L Spurloc	6041	3	#####	205	2019.7	4.82E-05	0.00489	9.88E-06
KY	H L Spurloc	6041	3	#####	191	1726	4.76E-05	0.00527	9.1E-06
KY	H L Spurloc	6041	3	#####	193	1844.8	4.94E-05	0.00517	9.54E-06
KY	H L Spurloc	6041	3	#####	191	1714.7	4.78E-05	0.00532	9.12E-06
KY	H L Spurloc	6041	3	#####	166	1550	5.33E-05	0.00571	8.85E-06
KY	H L Spurloc	6041	3	#####	166	1576.1	5.36E-05	0.00565	8.91E-06
KY	H L Spurloc	6041	3	#####	184	1712.5	5.05E-05	0.00543	9.3E-06
KY	H L Spurloc	6041	3	#####	168	1572.6	5.29E-05	0.00565	8.89E-06
KY	H L Spurloc	6041	3	#####	167	1564.9	5.35E-05	0.00571	8.94E-06
KY	H L Spurloc	6041	3	#####	204	1953.5	4.82E-05	0.00503	9.83E-06
KY	H L Spurloc	6041	3	#####	223	2065.2	4.41E-05	0.00476	9.83E-06
KY	H L Spurloc	6041	3	#####	191	1703.5	4.74E-05	0.00532	9.06E-06
KY	H L Spurloc	6041	3	#####	166	1575.7	5.36E-05	0.00565	8.9E-06
KY	H L Spurloc	6041	3	#####	166	1578	5.37E-05	0.00565	8.92E-06
KY	H L Spurloc	6041	3	#####	166	1591.6	5.36E-05	0.00559	8.9E-06
KY	H L Spurloc	6041	3	#####	166	1559.7	5.37E-05	0.00571	8.91E-06
KY	H L Spurloc	6041	3	#####	181	1742	5.17E-05	0.00537	9.35E-06
KY	H L Spurloc	6041	3	#####	193	1716	4.77E-05	0.00537	9.21E-06
KY	H L Spurloc	6041	3	#####	219	2057	4.56E-05	0.00485	9.98E-06
KY	H L Spurloc	6041	3	#####	236	2161.1	4.21E-05	0.0046	9.94E-06
KY	H L Spurloc	6041	3	#####	173	1589	5.19E-05	0.00565	8.98E-06
KY	H L Spurloc	6041	3	#####	168	1566.1	5.32E-05	0.00571	8.94E-06
KY	H L Spurloc	6041	3	#####	213	2057.7	4.69E-05	0.00485	9.98E-06
KY	H L Spurloc	6041	3	#####	202	1852.3	4.61E-05	0.00503	9.32E-06

KY	H L Spurloc	6041	3	#####	185	1713.2	4.97E-05	0.00537	9.2E-06
KY	H L Spurloc	6041	3	#####	166	1546.6	5.32E-05	0.00571	8.83E-06
KY	H L Spurloc	6041	3	#####	165	1545.5	5.4E-05	0.00577	8.92E-06
KY	H L Spurloc	6041	3	#####	165	1562.9	5.41E-05	0.00571	8.92E-06
KY	H L Spurloc	6041	3	#####	165	1561.2	5.4E-05	0.00571	8.91E-06
KY	H L Spurloc	6041	3	#####	165	1564.6	5.41E-05	0.00571	8.93E-06
KY	H L Spurloc	6041	3	#####	165	1566.7	5.42E-05	0.00571	8.95E-06
KY	H L Spurloc	6041	3	#####	165	1562	5.41E-05	0.00571	8.92E-06
KY	H L Spurloc	6041	3	#####	210	1996.7	4.7E-05	0.00494	9.86E-06
KY	H L Spurloc	6041	3	#####	194	1730.9	4.7E-05	0.00527	9.12E-06
KY	H L Spurloc	6041	3	#####	165	1547	5.35E-05	0.00571	8.83E-06
KY	H L Spurloc	6041	3	#####	165	1552.3	5.37E-05	0.00571	8.86E-06
KY	H L Spurloc	6041	3	#####	165	1560.2	5.4E-05	0.00571	8.91E-06
KY	H L Spurloc	6041	3	#####	165	1564.5	5.41E-05	0.00571	8.93E-06
KY	H L Spurloc	6041	3	#####	165	1564.9	5.42E-05	0.00571	8.94E-06
KY	H L Spurloc	6041	3	#####	165	1548.7	5.42E-05	0.00577	8.94E-06
KY	H L Spurloc	6041	3	#####	165	1561.5	5.4E-05	0.00571	8.92E-06
KY	H L Spurloc	6041	3	#####	168	1580.7	5.32E-05	0.00565	8.93E-06
KY	H L Spurloc	6041	3	#####	204	1911.9	4.75E-05	0.00507	9.69E-06
KY	H L Spurloc	6041	3	#####	234	2081.9	4.2E-05	0.00472	9.83E-06
KY	H L Spurloc	6041	3	#####	187	1652.1	4.74E-05	0.00537	8.87E-06
KY	H L Spurloc	6041	3	#####	165	1542	5.34E-05	0.00571	8.8E-06
KY	H L Spurloc	6041	3	#####	166	1557.1	5.3E-05	0.00565	8.8E-06
KY	H L Spurloc	6041	3	#####	163	1530.9	5.36E-05	0.00571	8.74E-06
KY	H L Spurloc	6041	3	#####	164	1547.2	5.33E-05	0.00565	8.74E-06
KY	H L Spurloc	6041	3	#####	163	1529.3	5.36E-05	0.00571	8.73E-06
KY	H L Spurloc	6041	3	#####	163	1521.6	5.39E-05	0.00577	8.78E-06
KY	H L Spurloc	6041	3	#####	163	1522.2	5.39E-05	0.00577	8.78E-06
KY	H L Spurloc	6041	3	#####	163	1523.5	5.39E-05	0.00577	8.79E-06
KY	H L Spurloc	6041	3	#####	163	1524.5	5.4E-05	0.00577	8.8E-06
KY	H L Spurloc	6041	3	#####	163	1522	5.39E-05	0.00577	8.78E-06
KY	H L Spurloc	6041	3	#####	164	1535.2	5.35E-05	0.00571	8.77E-06
KY	H L Spurloc	6041	3	#####	163	1518	5.37E-05	0.00577	8.76E-06
KY	H L Spurloc	6041	3	#####	163	1531.7	5.37E-05	0.00571	8.75E-06
KY	H L Spurloc	6041	3	#####	163	1517.2	5.37E-05	0.00577	8.75E-06
KY	H L Spurloc	6041	3	#####	163	1517.7	5.37E-05	0.00577	8.76E-06
KY	H L Spurloc	6041	4	7/1/2022	298	2643.6	0.000549	0.0619	0.000164
KY	H L Spurloc	6041	4	7/1/2022	297	2610.8	0.000553	0.0629	0.000164
KY	H L Spurloc	6041	4	7/1/2022	297	2611.7	0.000553	0.0629	0.000164
KY	H L Spurloc	6041	4	7/1/2022	298	2631.5	0.000551	0.0624	0.000164
KY	H L Spurloc	6041	4	7/1/2022	284	2450.9	0.000547	0.0634	0.000155
KY	H L Spurloc	6041	4	7/1/2022	293	2654.7	0.000561	0.0619	0.000164
KY	H L Spurloc	6041	4	7/1/2022	298	2721.5	0.000565	0.0619	0.000168
KY	H L Spurloc	6041	4	7/1/2022	294	2618.3	0.00056	0.0629	0.000165
KY	H L Spurloc	6041	4	7/1/2022	298	2694.7	0.000555	0.0614	0.000165
KY	H L Spurloc	6041	4	7/1/2022	285	2511.4	0.00055	0.0624	0.000157
KY	H L Spurloc	6041	4	7/1/2022	296	2559.4	0.000558	0.0645	0.000165

KY	H L Spurloc	6041	4	7/1/2022	297	2630.9	0.000562	0.0634	0.000167
KY	H L Spurloc	6041	4	7/1/2022	297	2643.1	0.00056	0.0629	0.000166
KY	H L Spurloc	6041	4	7/1/2022	297	2643.7	0.000551	0.0619	0.000164
KY	H L Spurloc	6041	4	7/1/2022	297	2668.1	0.000561	0.0624	0.000166
KY	H L Spurloc	6041	4	7/1/2022	297	2608.9	0.000557	0.0634	0.000165
KY	H L Spurloc	6041	4	7/1/2022	297	2648.3	0.000556	0.0624	0.000165
KY	H L Spurloc	6041	4	7/1/2022	297	2601.7	0.000551	0.0629	0.000164
KY	H L Spurloc	6041	4	7/1/2022	297	2596.6	0.000554	0.0634	0.000165
KY	H L Spurloc	6041	4	7/1/2022	297	2622.5	0.000555	0.0629	0.000165
KY	H L Spurloc	6041	4	7/1/2022	298	2609.4	0.000551	0.0629	0.000164
KY	H L Spurloc	6041	4	7/1/2022	298	2595.2	0.000552	0.0634	0.000165
KY	H L Spurloc	6041	4	7/1/2022	288	2522.3	0.000561	0.064	0.000161
KY	H L Spurloc	6041	4	7/1/2022	232	1963.5	0.000592	0.0699	0.000137
KY	H L Spurloc	6041	4	7/2/2022	205	1785.4	0.000626	0.0719	0.000128
KY	H L Spurloc	6041	4	7/2/2022	205	1815.3	0.00063	0.0712	0.000129
KY	H L Spurloc	6041	4	7/2/2022	205	1824.7	0.000634	0.0712	0.00013
KY	H L Spurloc	6041	4	7/2/2022	206	1826.9	0.000626	0.0706	0.000129
KY	H L Spurloc	6041	4	7/2/2022	205	1846.8	0.00063	0.0699	0.000129
KY	H L Spurloc	6041	4	7/2/2022	205	1836.3	0.000638	0.0712	0.000131
KY	H L Spurloc	6041	4	7/2/2022	206	1840	0.000642	0.0719	0.000132
KY	H L Spurloc	6041	4	7/2/2022	206	1841.8	0.000649	0.0726	0.000134
KY	H L Spurloc	6041	4	7/2/2022	205	1837.1	0.000626	0.0699	0.000128
KY	H L Spurloc	6041	4	7/2/2022	214	1957.6	0.000617	0.0674	0.000132
KY	H L Spurloc	6041	4	7/2/2022	221	2021.5	0.000606	0.0662	0.000134
KY	H L Spurloc	6041	4	7/2/2022	219	1963.5	0.000604	0.0674	0.000132
KY	H L Spurloc	6041	4	7/2/2022	214	1977	0.000623	0.0674	0.000133
KY	H L Spurloc	6041	4	7/2/2022	250	2249.8	0.00059	0.0656	0.000148
KY	H L Spurloc	6041	4	7/2/2022	248	2203.3	0.000593	0.0668	0.000147
KY	H L Spurloc	6041	4	7/2/2022	274	2449.6	0.000582	0.0651	0.000159
KY	H L Spurloc	6041	4	7/2/2022	287	2569.8	0.000563	0.0629	0.000162
KY	H L Spurloc	6041	4	7/2/2022	226	1941.5	0.000595	0.0693	0.000135
KY	H L Spurloc	6041	4	7/2/2022	213	1878.5	0.000616	0.0699	0.000131
KY	H L Spurloc	6041	4	7/2/2022	205	1840.7	0.000634	0.0706	0.00013
KY	H L Spurloc	6041	4	7/2/2022	214	1921.4	0.000634	0.0706	0.000136
KY	H L Spurloc	6041	4	7/2/2022	236	2134.5	0.00062	0.0686	0.000146
KY	H L Spurloc	6041	4	7/2/2022	213	1863.4	0.000623	0.0712	0.000133
KY	H L Spurloc	6041	4	7/2/2022	205	1843.6	0.000629	0.0699	0.000129
KY	H L Spurloc	6041	4	7/3/2022	205	1839.1	0.000627	0.0699	0.000129
KY	H L Spurloc	6041	4	7/3/2022	206	1832.6	0.000622	0.0699	0.000128
KY	H L Spurloc	6041	4	7/3/2022	205	1814.5	0.000625	0.0706	0.000128
KY	H L Spurloc	6041	4	7/3/2022	205	1813.5	0.00063	0.0712	0.000129
KY	H L Spurloc	6041	4	7/3/2022	205	1842.8	0.000635	0.0706	0.00013
KY	H L Spurloc	6041	4	7/3/2022	205	1841.5	0.000634	0.0706	0.00013
KY	H L Spurloc	6041	4	7/3/2022	205	1840.6	0.000634	0.0706	0.00013
KY	H L Spurloc	6041	4	7/3/2022	206	1847.9	0.000627	0.0699	0.000129
KY	H L Spurloc	6041	4	7/3/2022	237	2147.4	0.0006	0.0662	0.000142
KY	H L Spurloc	6041	4	7/3/2022	214	1871.3	0.000611	0.0699	0.000131

KY	H L Spurloc	6041	4	7/3/2022	205	1825.1	0.000622	0.0699	0.000128
KY	H L Spurloc	6041	4	7/3/2022	206	1848.7	0.000627	0.0699	0.000129
KY	H L Spurloc	6041	4	7/3/2022	205	1849.2	0.000631	0.0699	0.000129
KY	H L Spurloc	6041	4	7/3/2022	206	1830.6	0.000627	0.0706	0.000129
KY	H L Spurloc	6041	4	7/3/2022	208	1861.3	0.000626	0.0699	0.00013
KY	H L Spurloc	6041	4	7/3/2022	215	1919.6	0.000619	0.0693	0.000133
KY	H L Spurloc	6041	4	7/3/2022	259	2322.3	0.000584	0.0651	0.000151
KY	H L Spurloc	6041	4	7/3/2022	279	2488.8	0.000566	0.0634	0.000158
KY	H L Spurloc	6041	4	7/3/2022	282	2447.4	0.00056	0.0645	0.000158
KY	H L Spurloc	6041	4	7/3/2022	217	1865.5	0.000612	0.0712	0.000133
KY	H L Spurloc	6041	4	7/3/2022	236	2138.2	0.000616	0.068	0.000145
KY	H L Spurloc	6041	4	7/3/2022	214	1863.9	0.000615	0.0706	0.000132
KY	H L Spurloc	6041	4	7/3/2022	238	2146	0.000608	0.0674	0.000145
KY	H L Spurloc	6041	4	7/3/2022	215	1868.5	0.000614	0.0706	0.000132
KY	H L Spurloc	6041	4	7/4/2022	210	1848.7	0.000622	0.0706	0.000131
KY	H L Spurloc	6041	4	7/4/2022	210	1860.4	0.000625	0.0706	0.000131
KY	H L Spurloc	6041	4	7/4/2022	210	1864.1	0.000632	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1863.4	0.000632	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1868.1	0.000633	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1868.1	0.000633	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1868.5	0.000634	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1865.4	0.000632	0.0712	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1876.8	0.000631	0.0706	0.000133
KY	H L Spurloc	6041	4	7/4/2022	210	1882.1	0.000633	0.0706	0.000133
KY	H L Spurloc	6041	4	7/4/2022	216	1949	0.000631	0.0699	0.000136
KY	H L Spurloc	6041	4	7/4/2022	211	1908.9	0.000627	0.0693	0.000132
KY	H L Spurloc	6041	4	7/4/2022	213	1936.3	0.00063	0.0693	0.000134
KY	H L Spurloc	6041	4	7/4/2022	237	2157	0.000613	0.0674	0.000145
KY	H L Spurloc	6041	4	7/4/2022	266	2411.4	0.000585	0.0645	0.000156
KY	H L Spurloc	6041	4	7/4/2022	217	1918.2	0.000618	0.0699	0.000134
KY	H L Spurloc	6041	4	7/4/2022	238	2173.4	0.00061	0.0668	0.000145
KY	H L Spurloc	6041	4	7/4/2022	274	2448.2	0.000572	0.064	0.000157
KY	H L Spurloc	6041	4	7/4/2022	226	1952	0.000599	0.0693	0.000135
KY	H L Spurloc	6041	4	7/4/2022	210	1867.4	0.000622	0.0699	0.000131
KY	H L Spurloc	6041	4	7/4/2022	210	1890.9	0.000618	0.0686	0.00013
KY	H L Spurloc	6041	4	7/4/2022	210	1865.1	0.000627	0.0706	0.000132
KY	H L Spurloc	6041	4	7/4/2022	210	1889.3	0.000629	0.0699	0.000132
KY	H L Spurloc	6041	4	7/4/2022	260	2401.2	0.000591	0.064	0.000154
KY	H L Spurloc	6041	4	7/5/2022	295	2593.3	0.000557	0.0634	0.000164
KY	H L Spurloc	6041	4	7/5/2022	297	2628.7	0.000557	0.0629	0.000165
KY	H L Spurloc	6041	4	7/5/2022	280	2430.7	0.000556	0.064	0.000156
KY	H L Spurloc	6041	4	7/5/2022	284	2491.4	0.000561	0.064	0.000159
KY	H L Spurloc	6041	4	7/5/2022	286	2477.1	0.000554	0.064	0.000159
KY	H L Spurloc	6041	4	7/5/2022	297	2596.9	0.000554	0.0634	0.000165
KY	H L Spurloc	6041	4	7/5/2022	283	2446.3	0.000558	0.0645	0.000158
KY	H L Spurloc	6041	4	7/5/2022	297	2613.2	0.000563	0.064	0.000167
KY	H L Spurloc	6041	4	7/5/2022	288	2532.6	0.000402	0.0457	0.000116

KY	H L Spurloc	6041	4	7/5/2022	290	2544.2	0.000401	0.0457	0.000116
KY	H L Spurloc	6041	4	7/5/2022	292	2610.5	0.000401	0.0449	0.000117
KY	H L Spurloc	6041	4	7/5/2022	296	2629.7	0.000395	0.0445	0.000117
KY	H L Spurloc	6041	4	7/5/2022	298	2622.4	0.000392	0.0445	0.000117
KY	H L Spurloc	6041	4	7/5/2022	298	2640.4	0.000394	0.0445	0.000117
KY	H L Spurloc	6041	4	7/5/2022	299	2631.7	0.000392	0.0445	0.000117
KY	H L Spurloc	6041	4	7/5/2022	298	2621.8	0.000395	0.0449	0.000118
KY	H L Spurloc	6041	4	7/5/2022	298	2609.3	0.00039	0.0445	0.000116
KY	H L Spurloc	6041	4	7/5/2022	284	2440.8	0.000393	0.0457	0.000112
KY	H L Spurloc	6041	4	7/5/2022	297	2613.9	0.000395	0.0449	0.000117
KY	H L Spurloc	6041	4	7/5/2022	298	2623.8	0.000395	0.0449	0.000118
KY	H L Spurloc	6041	4	7/5/2022	298	2643.1	0.000398	0.0449	0.000119
KY	H L Spurloc	6041	4	7/5/2022	282	2438.7	0.000395	0.0457	0.000111
KY	H L Spurloc	6041	4	7/5/2022	297	2622.9	0.000393	0.0445	0.000117
KY	H L Spurloc	6041	4	7/5/2022	264	2266.7	0.000403	0.0469	0.000106
KY	H L Spurloc	6041	4	7/6/2022	212	1856.7	0.000441	0.0504	9.36E-05
KY	H L Spurloc	6041	4	7/6/2022	210	1840.7	0.000451	0.0514	9.46E-05
KY	H L Spurloc	6041	4	7/6/2022	210	1849.2	0.000453	0.0514	9.5E-05
KY	H L Spurloc	6041	4	7/6/2022	210	1876.5	0.00045	0.0504	9.46E-05
KY	H L Spurloc	6041	4	7/6/2022	210	1891.7	0.000446	0.0495	9.36E-05
KY	H L Spurloc	6041	4	7/6/2022	219	1970.4	0.000437	0.0486	9.58E-05
KY	H L Spurloc	6041	4	7/6/2022	210	1896.1	0.000442	0.049	9.29E-05
KY	H L Spurloc	6041	4	7/6/2022	237	2147.4	0.000432	0.0477	0.000102
KY	H L Spurloc	6041	4	7/6/2022	221	1961.2	0.000439	0.0495	9.71E-05
KY	H L Spurloc	6041	4	7/6/2022	237	2159.8	0.000424	0.0465	0.0001
KY	H L Spurloc	6041	4	7/6/2022	292	2613.4	0.000392	0.0438	0.000114
KY	H L Spurloc	6041	4	7/6/2022	298	2617.8	0.000388	0.0442	0.000116
KY	H L Spurloc	6041	4	7/6/2022	297	2636.8	0.000399	0.0449	0.000118
KY	H L Spurloc	6041	4	7/6/2022	296	2586	0.000399	0.0457	0.000118
KY	H L Spurloc	6041	4	7/6/2022	296	2604.3	0.000395	0.0449	0.000117
KY	H L Spurloc	6041	4	7/6/2022	297	2609.7	0.000391	0.0445	0.000116
KY	H L Spurloc	6041	4	7/6/2022	298	2583.8	0.000389	0.0449	0.000116
KY	H L Spurloc	6041	4	7/6/2022	298	2558.2	0.000389	0.0453	0.000116
KY	H L Spurloc	6041	4	7/6/2022	298	2553.5	0.000392	0.0457	0.000117
KY	H L Spurloc	6041	4	7/6/2022	298	2560.9	0.000389	0.0453	0.000116
KY	H L Spurloc	6041	4	7/6/2022	298	2585.7	0.00039	0.0449	0.000116
KY	H L Spurloc	6041	4	7/6/2022	286	2474.5	0.000395	0.0457	0.000113
KY	H L Spurloc	6041	4	7/6/2022	245	2116.5	0.00042	0.0486	0.000103
KY	H L Spurloc	6041	4	7/6/2022	225	1962.2	0.00044	0.0504	9.89E-05
KY	H L Spurloc	6041	4	7/7/2022	230	1998.3	0.000434	0.0499	9.97E-05
KY	H L Spurloc	6041	4	7/7/2022	210	1838.7	0.00045	0.0514	9.45E-05
KY	H L Spurloc	6041	4	7/7/2022	210	1837.3	0.000454	0.0519	9.54E-05
KY	H L Spurloc	6041	4	7/7/2022	210	1854.4	0.000454	0.0514	9.53E-05
KY	H L Spurloc	6041	4	7/7/2022	210	1853.6	0.000454	0.0514	9.53E-05
KY	H L Spurloc	6041	4	7/7/2022	210	1862.8	0.000456	0.0514	9.57E-05
KY	H L Spurloc	6041	4	7/7/2022	238	2168.2	0.000446	0.049	0.000106
KY	H L Spurloc	6041	4	7/7/2022	219	1948.5	0.000457	0.0514	0.0001

KY	H L Spurloc	6041	4	7/7/2022	263	2467.6	0.000425	0.0453	0.000112
KY	H L Spurloc	6041	4	7/7/2022	298	2736.3	0.000399	0.0434	0.000119
KY	H L Spurloc	6041	4	7/7/2022	286	2522.1	0.000399	0.0453	0.000114
KY	H L Spurloc	6041	4	7/7/2022	297	2697.8	0.000401	0.0442	0.000119
KY	H L Spurloc	6041	4	7/7/2022	298	2663.3	0.000398	0.0445	0.000119
KY	H L Spurloc	6041	4	7/7/2022	297	2647.9	0.000397	0.0445	0.000118
KY	H L Spurloc	6041	4	7/7/2022	297	2648.9	0.0004	0.0449	0.000119
KY	H L Spurloc	6041	4	7/7/2022	297	2647.1	0.0004	0.0449	0.000119
KY	H L Spurloc	6041	4	7/7/2022	297	2650.9	0.000401	0.0449	0.000119
KY	H L Spurloc	6041	4	7/7/2022	297	2631.4	0.000401	0.0453	0.000119
KY	H L Spurloc	6041	4	7/7/2022	296	2639.4	0.0004	0.0449	0.000119
KY	H L Spurloc	6041	4	7/7/2022	298	2659.5	0.000401	0.0449	0.000119
KY	H L Spurloc	6041	4	7/7/2022	289	2562.7	0.000402	0.0453	0.000116
KY	H L Spurloc	6041	4	7/7/2022	295	2616.2	0.000402	0.0453	0.000119
KY	H L Spurloc	6041	4	7/7/2022	267	2342.2	0.000408	0.0465	0.000109
KY	H L Spurloc	6041	4	7/7/2022	212	1858.4	0.000442	0.0504	9.37E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1881.5	0.000447	0.0499	9.39E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1869.1	0.000449	0.0504	9.42E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1878.5	0.000451	0.0504	9.47E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1880.1	0.000451	0.0504	9.48E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1880.8	0.000451	0.0504	9.48E-05
KY	H L Spurloc	6041	4	7/8/2022	211	1903.6	0.00045	0.0499	9.5E-05
KY	H L Spurloc	6041	4	7/8/2022	211	1927.6	0.000452	0.0495	9.54E-05
KY	H L Spurloc	6041	4	7/8/2022	210	1910.5	0.00045	0.0495	9.46E-05
KY	H L Spurloc	6041	4	7/8/2022	221	2007.3	0.000445	0.049	9.84E-05
KY	H L Spurloc	6041	4	7/8/2022	216	1957.4	0.00044	0.0486	9.51E-05
KY	H L Spurloc	6041	4	7/8/2022	215	1940.7	0.000442	0.049	9.51E-05
KY	H L Spurloc	6041	4	7/8/2022	267	2460.9	0.000418	0.0453	0.000111
KY	H L Spurloc	6041	4	7/8/2022	258	2271.3	0.000413	0.0469	0.000107
KY	H L Spurloc	6041	4	7/8/2022	242	2161.6	0.000422	0.0473	0.000102
KY	H L Spurloc	6041	4	7/8/2022	249	2244.2	0.000419	0.0465	0.000104
KY	H L Spurloc	6041	4	7/8/2022	272	2409.4	0.000405	0.0457	0.00011
KY	H L Spurloc	6041	4	7/8/2022	287	2573.6	0.000403	0.0449	0.000116
KY	H L Spurloc	6041	4	7/8/2022	257	2325.6	0.000417	0.0461	0.000107
KY	H L Spurloc	6041	4	7/8/2022	284	2495.4	0.000402	0.0457	0.000114
KY	H L Spurloc	6041	4	7/8/2022	286	2564.7	0.000403	0.0449	0.000115
KY	H L Spurloc	6041	4	7/8/2022	280	2473.7	0.0004	0.0453	0.000112
KY	H L Spurloc	6041	4	7/8/2022	229	2020.7	0.000429	0.0486	9.82E-05
KY	H L Spurloc	6041	4	7/8/2022	212	1876	0.000446	0.0504	9.46E-05
KY	H L Spurloc	6041	4	7/8/2022	215	1925.1	0.000451	0.0504	9.7E-05
KY	H L Spurloc	6041	4	7/9/2022	220	1969.8	0.000447	0.0499	9.83E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1883.5	0.000452	0.0504	9.49E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1891.6	0.000449	0.0499	9.44E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1886.5	0.000448	0.0499	9.41E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1881.4	0.000447	0.0499	9.39E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1872.3	0.000449	0.0504	9.44E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1878.8	0.000451	0.0504	9.47E-05

KY	H L Spurloc	6041	4	7/9/2022	210	1903.8	0.000452	0.0499	9.5E-05
KY	H L Spurloc	6041	4	7/9/2022	245	2246.7	0.000426	0.0465	0.000104
KY	H L Spurloc	6041	4	7/9/2022	224	1982.8	0.00043	0.0486	9.64E-05
KY	H L Spurloc	6041	4	7/9/2022	212	1928.9	0.000446	0.049	9.45E-05
KY	H L Spurloc	6041	4	7/9/2022	217	1968.1	0.000444	0.049	9.64E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1912.7	0.000451	0.0495	9.47E-05
KY	H L Spurloc	6041	4	7/9/2022	214	1955	0.000448	0.049	9.58E-05
KY	H L Spurloc	6041	4	7/9/2022	227	2087.4	0.000442	0.0481	0.0001
KY	H L Spurloc	6041	4	7/9/2022	243	2152.3	0.000422	0.0477	0.000103
KY	H L Spurloc	6041	4	7/9/2022	260	2305.9	0.000412	0.0465	0.000107
KY	H L Spurloc	6041	4	7/9/2022	266	2360.7	0.000406	0.0457	0.000108
KY	H L Spurloc	6041	4	7/9/2022	214	1890	0.000441	0.0499	9.43E-05
KY	H L Spurloc	6041	4	7/9/2022	237	2134.4	0.00043	0.0477	0.000102
KY	H L Spurloc	6041	4	7/9/2022	250	2241	0.000417	0.0465	0.000104
KY	H L Spurloc	6041	4	7/9/2022	228	2029.3	0.000428	0.0481	9.76E-05
KY	H L Spurloc	6041	4	7/9/2022	210	1885.9	0.000445	0.0495	9.34E-05
KY	H L Spurloc	6041	4	7/9/2022	235	2107.2	0.000431	0.0481	0.000101
KY	H L Spurloc	6041	4	#####	229	2010.6	0.00043	0.049	9.85E-05
KY	H L Spurloc	6041	4	#####	210	1878.3	0.000446	0.0499	9.37E-05
KY	H L Spurloc	6041	4	#####	210	1880.2	0.000447	0.0499	9.38E-05
KY	H L Spurloc	6041	4	#####	210	1861.7	0.000451	0.0509	9.48E-05
KY	H L Spurloc	6041	4	#####	210	1884	0.000457	0.0509	9.59E-05
KY	H L Spurloc	6041	4	#####	210	1883.6	0.000457	0.0509	9.59E-05
KY	H L Spurloc	6041	4	#####	210	1885.8	0.000457	0.0509	9.6E-05
KY	H L Spurloc	6041	4	#####	233	2121.7	0.000438	0.0481	0.000102
KY	H L Spurloc	6041	4	#####	240	2140.5	0.000429	0.0481	0.000103
KY	H L Spurloc	6041	4	#####	245	2220.2	0.000425	0.0469	0.000104
KY	H L Spurloc	6041	4	#####	289	2555.7	0.000401	0.0453	0.000116
KY	H L Spurloc	6041	4	#####	288	2519.1	0.000403	0.0461	0.000116
KY	H L Spurloc	6041	4	#####	298	2660.6	0.000404	0.0453	0.000121
KY	H L Spurloc	6041	4	#####	296	2626.4	0.000402	0.0453	0.000119
KY	H L Spurloc	6041	4	#####	295	2642.9	0.000402	0.0449	0.000119
KY	H L Spurloc	6041	4	#####	296	2648.5	0.000405	0.0453	0.00012
KY	H L Spurloc	6041	4	#####	299	2678.3	0.000406	0.0453	0.000121
KY	H L Spurloc	6041	4	#####	299	2672.8	0.000398	0.0445	0.000119
KY	H L Spurloc	6041	4	#####	298	2653.8	0.000394	0.0442	0.000117
KY	H L Spurloc	6041	4	#####	298	2626.7	0.000392	0.0445	0.000117
KY	H L Spurloc	6041	4	#####	299	2645.1	0.000394	0.0445	0.000118
KY	H L Spurloc	6041	4	#####	288	2518.6	0.000393	0.0449	0.000113
KY	H L Spurloc	6041	4	#####	297	2645.2	0.000396	0.0445	0.000118
KY	H L Spurloc	6041	4	#####	244	2135.4	0.00041	0.0469	0.0001
KY	H L Spurloc	6041	4	#####	210	1861.2	0.000439	0.0495	9.21E-05
KY	H L Spurloc	6041	4	#####	210	1817.2	0.00044	0.0509	9.25E-05
KY	H L Spurloc	6041	4	#####	210	1844.7	0.000447	0.0509	9.39E-05
KY	H L Spurloc	6041	4	#####	210	1858.4	0.000446	0.0504	9.37E-05
KY	H L Spurloc	6041	4	#####	210	1864.7	0.000448	0.0504	9.4E-05
KY	H L Spurloc	6041	4	#####	210	1881.3	0.000447	0.0499	9.39E-05

KY	H L Spurloc	6041	4	#####	210	1890.5	0.000441	0.049	9.26E-05
KY	H L Spurloc	6041	4	#####	210	1888.6	0.000441	0.049	9.25E-05
KY	H L Spurloc	6041	4	#####	210	1873.6	0.000442	0.0495	9.27E-05
KY	H L Spurloc	6041	4	#####	210	1889.5	0.000441	0.049	9.26E-05
KY	H L Spurloc	6041	4	#####	210	1873.9	0.000724	0.0811	0.000152
KY	H L Spurloc	6041	4	#####	240	2182.8	0.000699	0.0769	0.000168
KY	H L Spurloc	6041	4	#####	279	2544.2	0.00066	0.0724	0.000184
KY	H L Spurloc	6041	4	#####	286	2505.5	0.000651	0.0743	0.000186
KY	H L Spurloc	6041	4	#####	293	2604	0.000654	0.0736	0.000192
KY	H L Spurloc	6041	4	#####	298	2636.9	0.000657	0.0743	0.000196
KY	H L Spurloc	6041	4	#####	298	2677.5	0.000661	0.0736	0.000197
KY	H L Spurloc	6041	4	#####	296	2644.6	0.000658	0.0736	0.000195
KY	H L Spurloc	6041	4	#####	269	2341.5	0.000663	0.0762	0.000178
KY	H L Spurloc	6041	4	#####	239	2117.9	0.000699	0.0789	0.000167
KY	H L Spurloc	6041	4	#####	221	1925.3	0.000707	0.0811	0.000156
KY	H L Spurloc	6041	4	#####	235	2114.3	0.000704	0.0782	0.000165
KY	H L Spurloc	6041	4	#####	215	1904.5	0.000718	0.0811	0.000154
KY	H L Spurloc	6041	4	#####	210	1884.5	0.000721	0.0804	0.000152
KY	H L Spurloc	6041	4	#####	210	1854.5	0.000723	0.0819	0.000152
KY	H L Spurloc	6041	4	#####	210	1867.7	0.000721	0.0811	0.000151
KY	H L Spurloc	6041	4	#####	210	1876	0.000724	0.0811	0.000152
KY	H L Spurloc	6041	4	#####	210	1875.4	0.000731	0.0819	0.000154
KY	H L Spurloc	6041	4	#####	210	1876	0.000732	0.0819	0.000154
KY	H L Spurloc	6041	4	#####	210	1893.3	0.000731	0.0811	0.000154
KY	H L Spurloc	6041	4	#####	210	1889.4	0.00073	0.0811	0.000153
KY	H L Spurloc	6041	4	#####	240	2185.5	0.000707	0.0776	0.00017
KY	H L Spurloc	6041	4	#####	240	2162	0.000693	0.0769	0.000166
KY	H L Spurloc	6041	4	#####	253	2273.9	0.000679	0.0755	0.000172
KY	H L Spurloc	6041	4	#####	247	2161.7	0.000691	0.0789	0.000171
KY	H L Spurloc	6041	4	#####	252	2241.3	0.000684	0.0769	0.000172
KY	H L Spurloc	6041	4	#####	239	2134.8	0.000693	0.0776	0.000166
KY	H L Spurloc	6041	4	#####	252	2241.5	0.000684	0.0769	0.000172
KY	H L Spurloc	6041	4	#####	288	2604.7	0.00066	0.073	0.00019
KY	H L Spurloc	6041	4	#####	294	2590.8	0.000643	0.073	0.000189
KY	H L Spurloc	6041	4	#####	300	2637.8	0.000647	0.0736	0.000194
KY	H L Spurloc	6041	4	#####	283	2465	0.000652	0.0749	0.000185
KY	H L Spurloc	6041	4	#####	235	2003.5	0.000691	0.0811	0.000162
KY	H L Spurloc	6041	4	#####	231	2075.5	0.000716	0.0797	0.000165
KY	H L Spurloc	6041	4	#####	244	2147.6	0.000701	0.0797	0.000171
KY	H L Spurloc	6041	4	#####	217	1883.5	0.000725	0.0835	0.000157
KY	H L Spurloc	6041	4	#####	210	1852.9	0.000744	0.0843	0.000156
KY	H L Spurloc	6041	4	#####	220	1970.1	0.000733	0.0819	0.000161
KY	H L Spurloc	6041	4	#####	210	1867.2	0.000735	0.0827	0.000154
KY	H L Spurloc	6041	4	#####	210	1863	0.000734	0.0827	0.000154
KY	H L Spurloc	6041	4	#####	210	1890.9	0.000737	0.0819	0.000155
KY	H L Spurloc	6041	4	#####	210	1884.9	0.000735	0.0819	0.000154
KY	H L Spurloc	6041	4	#####	210	1886.6	0.000736	0.0819	0.000155

KY	H L Spurloc	6041	4	#####	210	1894.6	0.000739	0.0819	0.000155
KY	H L Spurloc	6041	4	#####	222	2004.3	0.000726	0.0804	0.000161
KY	H L Spurloc	6041	4	#####	242	2180.4	0.000705	0.0782	0.000171
KY	H L Spurloc	6041	4	#####	226	2029.8	0.000716	0.0797	0.000162
KY	H L Spurloc	6041	4	#####	247	2188.7	0.000693	0.0782	0.000171
KY	H L Spurloc	6041	4	#####	216	1908.9	0.000717	0.0811	0.000155
KY	H L Spurloc	6041	4	#####	242	2168.2	0.000701	0.0782	0.00017
KY	H L Spurloc	6041	4	#####	274	2496.9	0.000677	0.0743	0.000186
KY	H L Spurloc	6041	4	#####	293	2677	0.000656	0.0718	0.000192
KY	H L Spurloc	6041	4	#####	299	2675.1	0.000648	0.0724	0.000194
KY	H L Spurloc	6041	4	#####	300	2667.2	0.000644	0.0724	0.000193
KY	H L Spurloc	6041	4	#####	282	2482.1	0.000648	0.0736	0.000183
KY	H L Spurloc	6041	4	#####	276	2427.8	0.000654	0.0743	0.00018
KY	H L Spurloc	6041	4	#####	237	2109.1	0.000696	0.0782	0.000165
KY	H L Spurloc	6041	4	#####	211	1831.6	0.000725	0.0835	0.000153
KY	H L Spurloc	6041	4	#####	246	2172.5	0.000697	0.0789	0.000171
KY	H L Spurloc	6041	4	#####	218	1896.6	0.000719	0.0827	0.000157
KY	H L Spurloc	6041	4	#####	211	1888.7	0.00074	0.0827	0.000156
KY	H L Spurloc	6041	4	#####	218	1956.5	0.000735	0.0819	0.00016
KY	H L Spurloc	6041	4	#####	211	1867.3	0.000746	0.0843	0.000157
KY	H L Spurloc	6041	4	#####	211	1918	0.000752	0.0827	0.000159
KY	H L Spurloc	6041	4	#####	211	1906.1	0.000747	0.0827	0.000158
KY	H L Spurloc	6041	4	#####	210	1876.7	0.000739	0.0827	0.000155
KY	H L Spurloc	6041	4	#####	210	1895	0.000746	0.0827	0.000157
KY	H L Spurloc	6041	4	#####	210	1913	0.000739	0.0811	0.000155
KY	H L Spurloc	6041	4	#####	210	1927.3	0.000731	0.0797	0.000154
KY	H L Spurloc	6041	4	#####	210	1910.8	0.000738	0.0811	0.000155
KY	H L Spurloc	6041	4	#####	210	1903.2	0.000742	0.0819	0.000156
KY	H L Spurloc	6041	4	#####	220	1994	0.000729	0.0804	0.00016
KY	H L Spurloc	6041	4	#####	241	2155.7	0.000706	0.0789	0.00017
KY	H L Spurloc	6041	4	#####	218	1947.2	0.000724	0.0811	0.000158
KY	H L Spurloc	6041	4	#####	240	2174.9	0.000709	0.0782	0.00017
KY	H L Spurloc	6041	4	#####	225	2032.1	0.00072	0.0797	0.000162
KY	H L Spurloc	6041	4	#####	243	2186.3	0.000698	0.0776	0.00017
KY	H L Spurloc	6041	4	#####	243	2191.6	0.000694	0.0769	0.000169
KY	H L Spurloc	6041	4	#####	291	2630.7	0.000655	0.0724	0.00019
KY	H L Spurloc	6041	4	#####	277	2444.3	0.000649	0.0736	0.00018
KY	H L Spurloc	6041	4	#####	243	2159.7	0.00069	0.0776	0.000168
KY	H L Spurloc	6041	4	#####	260	2336	0.000673	0.0749	0.000175
KY	H L Spurloc	6041	4	#####	259	2265.9	0.000667	0.0762	0.000173
KY	H L Spurloc	6041	4	#####	219	1908.8	0.000714	0.0819	0.000156
KY	H L Spurloc	6041	4	#####	236	2125.3	0.000711	0.0789	0.000168
KY	H L Spurloc	6041	4	#####	217	1925.5	0.000713	0.0804	0.000155
KY	H L Spurloc	6041	4	#####	210	1894	0.000731	0.0811	0.000154
KY	H L Spurloc	6041	4	#####	210	1870.1	0.000736	0.0827	0.000155
KY	H L Spurloc	6041	4	#####	210	1888.7	0.000744	0.0827	0.000156
KY	H L Spurloc	6041	4	#####	210	1881.2	0.000741	0.0827	0.000156

KY	H L Spurloc	6041	4	#####	210	1876.5	0.000739	0.0827	0.000155
KY	H L Spurloc	6041	4	#####	210	1892.1	0.000738	0.0819	0.000155
KY	H L Spurloc	6041	4	#####	210	1887.7	0.000736	0.0819	0.000155
KY	H L Spurloc	6041	4	#####	210	1846.3	0.000741	0.0843	0.000156
KY	H L Spurloc	6041	4	#####	245	2162.5	0.00071	0.0804	0.000174
KY	H L Spurloc	6041	4	#####	252	2190.7	0.000693	0.0797	0.000175
KY	H L Spurloc	6041	4	#####	245	2147	0.000698	0.0797	0.000171
KY	H L Spurloc	6041	4	#####	216	1884.6	0.000722	0.0827	0.000156
KY	H L Spurloc	6041	4	#####	241	2139.8	0.000701	0.0789	0.000169
KY	H L Spurloc	6041	4	#####	226	1990.5	0.000708	0.0804	0.00016
KY	H L Spurloc	6041	4	#####	273	2383.2	0.000665	0.0762	0.000182
KY	H L Spurloc	6041	4	#####	254	2233.9	0.000682	0.0776	0.000173
KY	H L Spurloc	6041	4	#####	293	2531.3	0.000652	0.0755	0.000191
KY	H L Spurloc	6041	4	#####	286	2482	0.00065	0.0749	0.000186
KY	H L Spurloc	6041	4	#####	250	2125.8	0.000671	0.0789	0.000168
KY	H L Spurloc	6041	4	#####	265	2328.6	0.00067	0.0762	0.000177
KY	H L Spurloc	6041	4	#####	282	2428.2	0.000656	0.0762	0.000185
KY	H L Spurloc	6041	4	#####	250	2183.1	0.000683	0.0782	0.000171
KY	H L Spurloc	6041	4	#####	231	2010.3	0.0007	0.0804	0.000162
KY	H L Spurloc	6041	4	#####	210	1849.1	0.000721	0.0819	0.000151
KY	H L Spurloc	6041	4	#####	210	1833.4	0.000722	0.0827	0.000152
KY	H L Spurloc	6041	4	#####	210	1831.4	0.000721	0.0827	0.000151
KY	H L Spurloc	6041	4	#####	210	1832.2	0.000722	0.0827	0.000152
KY	H L Spurloc	6041	4	#####	210	1849	0.000721	0.0819	0.000151
KY	H L Spurloc	6041	4	#####	210	1845.8	0.00072	0.0819	0.000151
KY	H L Spurloc	6041	4	#####	210	1850.5	0.000722	0.0819	0.000152
KY	H L Spurloc	6041	4	#####	210	1833.3	0.000722	0.0827	0.000152
KY	H L Spurloc	6041	4	#####	243	2140	0.000695	0.0789	0.000169
KY	H L Spurloc	6041	4	#####	218	1877.8	0.000712	0.0827	0.000155
KY	H L Spurloc	6041	4	#####	229	2016.6	0.000702	0.0797	0.000161
KY	H L Spurloc	6041	4	#####	274	2369.3	0.000659	0.0762	0.000181
KY	H L Spurloc	6041	4	#####	274	2348	0.000659	0.0769	0.000181
KY	H L Spurloc	6041	4	#####	278	2364.2	0.000654	0.0769	0.000182
KY	H L Spurloc	6041	4	#####	282	2452.4	0.000663	0.0762	0.000187
KY	H L Spurloc	6041	4	#####	292	2517.2	0.000646	0.0749	0.000189
KY	H L Spurloc	6041	4	#####	297	2545.8	0.000642	0.0749	0.000191
KY	H L Spurloc	6041	4	#####	298	2545.4	0.000651	0.0762	0.000194
KY	H L Spurloc	6041	4	#####	299	2588.9	0.000649	0.0749	0.000194
KY	H L Spurloc	6041	4	#####	299	2555.6	0.000645	0.0755	0.000193
KY	H L Spurloc	6041	4	#####	297	2543.5	0.000641	0.0749	0.000191
KY	H L Spurloc	6041	4	#####	284	2398.4	0.000649	0.0769	0.000184
KY	H L Spurloc	6041	4	#####	269	2296.9	0.000663	0.0776	0.000178
KY	H L Spurloc	6041	4	#####	272	2295.4	0.00066	0.0782	0.00018
KY	H L Spurloc	6041	4	#####	214	1821.7	0.000724	0.0851	0.000155
KY	H L Spurloc	6041	4	#####	218	1875.4	0.000732	0.0851	0.00016
KY	H L Spurloc	6041	4	#####	210	1814	0.000742	0.0859	0.000156
KY	H L Spurloc	6041	4	#####	210	1843.3	0.000747	0.0851	0.000157

KY	H L Spurloc	6041	4 #####	210	1843.1	0.000747	0.0851	0.000157
KY	H L Spurloc	6041	4 #####	210	1832.4	0.000743	0.0851	0.000156
KY	H L Spurloc	6041	4 #####	210	1830.5	0.000742	0.0851	0.000156
KY	H L Spurloc	6041	4 #####	210	1841.2	0.000739	0.0843	0.000155
KY	H L Spurloc	6041	4 #####	210	1839.6	0.000745	0.0851	0.000157
KY	H L Spurloc	6041	4 #####	210	1846.2	0.000748	0.0851	0.000157
KY	H L Spurloc	6041	4 #####	210	1850.1	0.000743	0.0843	0.000156
KY	H L Spurloc	6041	4 #####	230	2025.1	0.000721	0.0819	0.000166
KY	H L Spurloc	6041	4 #####	245	2183.1	0.000703	0.0789	0.000172
KY	H L Spurloc	6041	4 #####	246	2185.1	0.000701	0.0789	0.000172
KY	H L Spurloc	6041	4 #####	290	2606.3	0.000668	0.0743	0.000194
KY	H L Spurloc	6041	4 #####	281	2445.6	0.000657	0.0755	0.000185
KY	H L Spurloc	6041	4 #####	298	2633	0.000656	0.0743	0.000196
KY	H L Spurloc	6041	4 #####	299	2611.3	0.000649	0.0743	0.000194
KY	H L Spurloc	6041	4 #####	294	2536.2	0.000646	0.0749	0.00019
KY	H L Spurloc	6041	4 #####	298	2597.4	0.000642	0.0736	0.000191
KY	H L Spurloc	6041	4 #####	294	2500.6	0.000632	0.0743	0.000186
KY	H L Spurloc	6041	4 #####	296	2551.3	0.000646	0.0749	0.000191
KY	H L Spurloc	6041	4 #####	287	2430.4	0.000651	0.0769	0.000187
KY	H L Spurloc	6041	4 #####	263	2225	0.000668	0.0789	0.000176
KY	H L Spurloc	6041	4 #####	227	1924.4	0.000708	0.0835	0.000161
KY	H L Spurloc	6041	4 #####	213	1842.4	0.000729	0.0843	0.000155
KY	H L Spurloc	6041	4 #####	212	1821.2	0.000731	0.0851	0.000155
KY	H L Spurloc	6041	4 #####	210	1798.3	0.000729	0.0851	0.000153
KY	H L Spurloc	6041	4 #####	210	1807.7	0.000733	0.0851	0.000154
KY	H L Spurloc	6041	4 #####	211	1816.7	0.000733	0.0851	0.000155
KY	H L Spurloc	6041	4 #####	229	2051.1	0.000714	0.0797	0.000163
KY	H L Spurloc	6041	4 #####	243	2125.1	0.000697	0.0797	0.000169
KY	H L Spurloc	6041	4 #####	216	1855.6	0.000724	0.0843	0.000156
KY	H L Spurloc	6041	4 #####	241	2124.3	0.000709	0.0804	0.000171
KY	H L Spurloc	6041	4 #####	277	2471.9	0.00068	0.0762	0.000188
KY	H L Spurloc	6041	4 #####	299	2607.6	0.001648	0.189	0.000493
KY	H L Spurloc	6041	4 #####	299	2600.9	0.001609	0.185	0.000481
KY	H L Spurloc	6041	4 #####	299	2580.2	0.001614	0.187	0.000482
KY	H L Spurloc	6041	4 #####	299	2611.6	0.001633	0.187	0.000488
KY	H L Spurloc	6041	4 #####	299	2604	0.001646	0.189	0.000492
KY	H L Spurloc	6041	4 #####	299	2582.5	0.001641	0.19	0.000491
KY	H L Spurloc	6041	4 #####	299	2590.2	0.001646	0.19	0.000492
KY	H L Spurloc	6041	4 #####	299	2574.3	0.001636	0.19	0.000489
KY	H L Spurloc	6041	4 #####	291	2481.6	0.001637	0.192	0.000476
KY	H L Spurloc	6041	4 #####	298	2575.5	0.001642	0.19	0.000489
KY	H L Spurloc	6041	4 #####	291	2476.1	0.001634	0.192	0.000475
KY	H L Spurloc	6041	4 #####	290	2474.9	0.001639	0.192	0.000475
KY	H L Spurloc	6041	4 #####	291	2477.4	0.001635	0.192	0.000476
KY	H L Spurloc	6041	4 #####	280	2355.1	0.00164	0.195	0.000459
KY	H L Spurloc	6041	4 #####	213	1773.8	0.001799	0.216	0.000383
KY	H L Spurloc	6041	4 #####	210	1781.2	0.001832	0.216	0.000385

KY	H L Spurloc	6041	4	#####	239	2038.2	0.001791	0.21	0.000428
KY	H L Spurloc	6041	4	#####	217	1833.5	0.001825	0.216	0.000396
KY	H L Spurloc	6041	4	#####	210	1789.7	0.001841	0.216	0.000387
KY	H L Spurloc	6041	4	#####	211	1823	0.001849	0.214	0.00039
KY	H L Spurloc	6041	4	#####	235	2079.7	0.001788	0.202	0.00042
KY	H L Spurloc	6041	4	#####	246	2155.8	0.00177	0.202	0.000435
KY	H L Spurloc	6041	4	#####	254	2223.2	0.001759	0.201	0.000447
KY	H L Spurloc	6041	4	#####	243	2113.1	0.001774	0.204	0.000431
KY	H L Spurloc	6041	4	#####	258	2293.4	0.001751	0.197	0.000452
KY	H L Spurloc	6041	4	#####	256	2226.2	0.001731	0.199	0.000443
KY	H L Spurloc	6041	4	#####	284	2507.4	0.001677	0.19	0.000476
KY	H L Spurloc	6041	4	#####	298	2581.1	0.001637	0.189	0.000488
KY	H L Spurloc	6041	4	#####	299	2577.8	0.001638	0.19	0.00049
KY	H L Spurloc	6041	4	#####	299	2581	0.00164	0.19	0.00049
KY	H L Spurloc	6041	4	#####	299	2554.4	0.001623	0.19	0.000485
KY	H L Spurloc	6041	4	#####	299	2557.6	0.001617	0.189	0.000483
KY	H L Spurloc	6041	4	#####	299	2557.4	0.001599	0.187	0.000478
KY	H L Spurloc	6041	4	#####	286	2412.1	0.001636	0.194	0.000468
KY	H L Spurloc	6041	4	#####	297	2581.2	0.001669	0.192	0.000496
KY	H L Spurloc	6041	4	#####	285	2431.7	0.001655	0.194	0.000472
KY	H L Spurloc	6041	4	#####	289	2465.2	0.001655	0.194	0.000478
KY	H L Spurloc	6041	4	#####	257	2182.2	0.001707	0.201	0.000439
KY	H L Spurloc	6041	4	#####	288	2549.5	0.0017	0.192	0.00049
KY	H L Spurloc	6041	4	#####	299	2616.5	0.001663	0.19	0.000497
KY	H L Spurloc	6041	4	#####	299	2598.3	0.001651	0.19	0.000494
KY	H L Spurloc	6041	4	#####	299	2586.3	0.001643	0.19	0.000491
KY	H L Spurloc	6041	4	#####	293	2514.9	0.001648	0.192	0.000483
KY	H L Spurloc	6041	4	#####	299	2615.9	0.001654	0.189	0.000494
KY	H L Spurloc	6041	4	#####	291	2519.1	0.001645	0.19	0.000479
KY	H L Spurloc	6041	4	#####	298	2593	0.001653	0.19	0.000493
KY	H L Spurloc	6041	4	#####	292	2543.2	0.001655	0.19	0.000483
KY	H L Spurloc	6041	4	#####	298	2611.7	0.001665	0.19	0.000496
KY	H L Spurloc	6041	4	#####	290	2530.9	0.001676	0.192	0.000486
KY	H L Spurloc	6041	4	#####	298	2621.3	0.001671	0.19	0.000498
KY	H L Spurloc	6041	4	#####	286	2494	0.001674	0.192	0.000479
KY	H L Spurloc	6041	4	#####	296	2579.2	0.001673	0.192	0.000495
KY	H L Spurloc	6041	4	#####	298	2593.4	0.001654	0.19	0.000493
KY	H L Spurloc	6041	4	#####	297	2611	0.00167	0.19	0.000496
KY	H L Spurloc	6041	4	#####	297	2606.5	0.001667	0.19	0.000495
KY	H L Spurloc	6041	4	#####	298	2588.8	0.001668	0.192	0.000497
KY	H L Spurloc	6041	4	#####	298	2597	0.001656	0.19	0.000493
KY	H L Spurloc	6041	4	#####	298	2588.7	0.001668	0.192	0.000497
KY	H L Spurloc	6041	4	#####	298	2608.3	0.001681	0.192	0.000501
KY	H L Spurloc	6041	4	#####	289	2497.2	0.001659	0.192	0.000479
KY	H L Spurloc	6041	4	#####	283	2430.8	0.001666	0.194	0.000472
KY	H L Spurloc	6041	4	#####	297	2568.5	0.00166	0.192	0.000493
KY	H L Spurloc	6041	4	#####	297	2550.8	0.001666	0.194	0.000495

KY	H L Spurloc	6041	4	#####	298	2549.9	0.00166	0.194	0.000495
KY	H L Spurloc	6041	4	#####	298	2552.5	0.001645	0.192	0.00049
KY	H L Spurloc	6041	4	#####	299	2549.7	0.00162	0.19	0.000484
KY	H L Spurloc	6041	4	#####	299	2561.5	0.001628	0.19	0.000487
KY	H L Spurloc	6041	4	#####	289	2446.9	0.001626	0.192	0.00047
KY	H L Spurloc	6041	4	#####	297	2548.5	0.00163	0.19	0.000484
KY	H L Spurloc	6041	4	#####	287	2433.2	0.001628	0.192	0.000467
KY	H L Spurloc	6041	4	#####	298	2560.8	0.001633	0.19	0.000487
KY	H L Spurloc	6041	4	#####	283	2386.6	0.001636	0.194	0.000463
KY	H L Spurloc	6041	4	#####	297	2588.8	0.001647	0.189	0.000489
KY	H L Spurloc	6041	4	#####	299	2581.5	0.001632	0.189	0.000488
KY	H L Spurloc	6041	4	#####	299	2576	0.001628	0.189	0.000487
KY	H L Spurloc	6041	4	#####	298	2564.2	0.001635	0.19	0.000487
KY	H L Spurloc	6041	4	#####	298	2563.7	0.001652	0.192	0.000492
KY	H L Spurloc	6041	4	#####	299	2590.2	0.001646	0.19	0.000492
KY	H L Spurloc	6041	4	#####	298	2592	0.001644	0.189	0.00049
KY	H L Spurloc	6041	4	#####	298	2573.5	0.001632	0.189	0.000486
KY	H L Spurloc	6041	4	#####	298	2553.3	0.001619	0.189	0.000483
KY	H L Spurloc	6041	4	#####	299	2589.9	0.001637	0.189	0.000489
KY	H L Spurloc	6041	4	#####	288	2408.2	0.001631	0.195	0.00047
KY	H L Spurloc	6041	4	#####	284	2408.4	0.001645	0.194	0.000467
KY	H L Spurloc	6041	4	#####	283	2406.5	0.001633	0.192	0.000462
KY	H L Spurloc	6041	4	#####	297	2550.6	0.001632	0.19	0.000485
KY	H L Spurloc	6041	4	#####	299	2532	0.001626	0.192	0.000486
KY	H L Spurloc	6041	4	#####	299	2508.4	0.001628	0.194	0.000487
KY	H L Spurloc	6041	4	#####	300	2520.6	0.00163	0.194	0.000489
KY	H L Spurloc	6041	4	#####	300	2537.3	0.001624	0.192	0.000487
KY	H L Spurloc	6041	4	#####	286	2369.9	0.001616	0.195	0.000462
KY	H L Spurloc	6041	4	#####	297	2521.4	0.00163	0.192	0.000484
KY	H L Spurloc	6041	4	#####	287	2429.4	0.001625	0.192	0.000466
KY	H L Spurloc	6041	4	#####	298	2508.1	0.001633	0.194	0.000487
KY	H L Spurloc	6041	4	#####	286	2446.9	0.001643	0.192	0.00047
KY	H L Spurloc	6041	4	#####	297	2564.4	0.001641	0.19	0.000487
KY	H L Spurloc	6041	4	#####	285	2403.4	0.001636	0.194	0.000466
KY	H L Spurloc	6041	4	#####	296	2613.4	0.001651	0.187	0.000489
KY	H L Spurloc	6041	4	#####	283	2413.1	0.001654	0.194	0.000468
KY	H L Spurloc	6041	4	#####	296	2562.8	0.001662	0.192	0.000492
KY	H L Spurloc	6041	4	#####	298	2573.3	0.001658	0.192	0.000494
KY	H L Spurloc	6041	4	#####	298	2564.1	0.001652	0.192	0.000492
KY	H L Spurloc	6041	4	#####	298	2578.2	0.001644	0.19	0.00049
KY	H L Spurloc	6041	4	#####	289	2474.9	0.001644	0.192	0.000475
KY	H L Spurloc	6041	4	#####	292	2511.8	0.001652	0.192	0.000482
KY	H L Spurloc	6041	4	#####	297	2552.7	0.00165	0.192	0.00049
KY	H L Spurloc	6041	4	#####	298	2554.4	0.001646	0.192	0.00049
KY	H L Spurloc	6041	4	#####	283	2403.9	0.001656	0.195	0.000469
KY	H L Spurloc	6041	4	#####	297	2532.3	0.001654	0.194	0.000491
KY	H L Spurloc	6041	4	#####	299	2544.9	0.001634	0.192	0.000489

KY	H L Spurloc	6041	4	#####	299	2536.1	0.001645	0.194	0.000492
KY	H L Spurloc	6041	4	#####	289	2453.2	0.001647	0.194	0.000476
KY	H L Spurloc	6041	4	#####	298	2550.8	0.001643	0.192	0.00049
KY	H L Spurloc	6041	4	#####	299	2539.9	0.001631	0.192	0.000488
KY	H L Spurloc	6041	4	#####	285	2406.1	0.001646	0.195	0.000469
KY	H L Spurloc	6041	4	#####	297	2562.1	0.001656	0.192	0.000492
KY	H L Spurloc	6041	4	#####	287	2452.1	0.00164	0.192	0.000471
KY	H L Spurloc	6041	4	#####	297	2568.8	0.001643	0.19	0.000488
KY	H L Spurloc	6041	4	#####	290	2481.3	0.001643	0.192	0.000476
KY	H L Spurloc	6041	4	#####	297	2552	0.00165	0.192	0.00049
KY	H L Spurloc	6041	4	#####	289	2468.7	0.001657	0.194	0.000479
KY	H L Spurloc	6041	4	#####	297	2576.9	0.001666	0.192	0.000495
KY	H L Spurloc	6041	4	#####	298	2595.2	0.001655	0.19	0.000493
KY	H L Spurloc	6041	4	#####	298	2545.1	0.00164	0.192	0.000489
KY	H L Spurloc	6041	4	#####	299	2567.5	0.001632	0.19	0.000488
KY	H L Spurloc	6041	4	#####	299	2540.8	0.001632	0.192	0.000488
KY	H L Spurloc	6041	4	#####	298	2547.4	0.001641	0.192	0.000489
KY	H L Spurloc	6041	4	#####	298	2552.4	0.001644	0.192	0.00049
KY	H L Spurloc	6041	4	#####	298	2564.1	0.001652	0.192	0.000492
KY	H L Spurloc	6041	4	#####	298	2559.5	0.001649	0.192	0.000491
KY	H L Spurloc	6041	4	#####	298	2569.1	0.001655	0.192	0.000493
KY	H L Spurloc	6041	4	#####	298	2562.8	0.001651	0.192	0.000492
KY	H L Spurloc	6041	4	#####	283	2418.3	0.001658	0.194	0.000469
KY	H L Spurloc	6041	4	#####	296	2572.4	0.001651	0.19	0.000489
KY	H L Spurloc	6041	4	#####	298	2552	0.001644	0.192	0.00049
KY	H L Spurloc	6041	4	#####	298	2564.8	0.001652	0.192	0.000492
KY	H L Spurloc	6041	4	#####	299	2578.5	0.001639	0.19	0.00049
KY	H L Spurloc	6041	4	#####	299	2570.8	0.001634	0.19	0.000488
KY	H L Spurloc	6041	4	#####	290	2474.2	0.001621	0.19	0.00047
KY	H L Spurloc	6041	4	#####	279	2382.2	0.001656	0.194	0.000462
KY	H L Spurloc	6041	4	#####	268	2265	0.001665	0.197	0.000446
KY	H L Spurloc	6041	4	#####	292	2504.9	0.001647	0.192	0.000481
KY	H L Spurloc	6041	4	#####	299	2558.5	0.001626	0.19	0.000486
KY	H L Spurloc	6041	4	#####	298	2558.3	0.001631	0.19	0.000486
KY	H L Spurloc	6041	4	#####	290	2453.5	0.001641	0.194	0.000476
KY	H L Spurloc	6041	4	#####	287	2459.6	0.001663	0.194	0.000477
KY	H L Spurloc	6041	4	#####	287	2444.2	0.001652	0.194	0.000474
KY	H L Spurloc	6041	4	#####	297	2589.4	0.001657	0.19	0.000492
KY	H L Spurloc	6041	4	#####	297	2557.1	0.001653	0.192	0.000491
KY	H L Spurloc	6041	4	#####	297	2560.5	0.001655	0.192	0.000492
KY	H L Spurloc	6041	4	#####	297	2548.6	0.001665	0.194	0.000494
KY	H L Spurloc	6041	4	#####	297	2556.6	0.001679	0.195	0.000499
KY	H L Spurloc	6041	4	#####	298	2586.2	0.001684	0.194	0.000502
KY	H L Spurloc	6041	4	#####	298	2561.7	0.001676	0.195	0.0005
KY	H L Spurloc	6041	4	#####	298	2572.5	0.001675	0.194	0.000499
KY	H L Spurloc	6041	4	#####	283	2390	0.001664	0.197	0.000471
KY	H L Spurloc	6041	4	#####	296	2533.9	0.001669	0.195	0.000494

KY	H L Spurloc	6041	4	#####	288	2448	0.001675	0.197	0.000482
KY	H L Spurloc	6041	4	#####	284	2459.2	0.001689	0.195	0.00048
KY	H L Spurloc	6041	4	#####	288	2511	0.001691	0.194	0.000487
KY	H L Spurloc	6041	4	#####	263	2256.4	0.001707	0.199	0.000449
KY	H L Spurloc	6041	4	#####	273	2375.1	0.001688	0.194	0.000461
KY	H L Spurloc	6041	4	#####	287	2463	0.001648	0.192	0.000473
KY	H L Spurloc	6041	4	#####	284	2418.1	0.001677	0.197	0.000476
KY	H L Spurloc	6041	4	#####	283	2397.5	0.001669	0.197	0.000472
KY	H L Spurloc	6041	4	#####	297	2530.9	0.001653	0.194	0.000491
KY	H L Spurloc	6041	4	#####	293	2502.7	0.001657	0.194	0.000486
KY	H L Spurloc	6041	4	#####	297	2550.3	0.001649	0.192	0.00049
KY	H L Spurloc	6041	4	#####	295	2510.8	0.001413	0.166	0.000417
KY	H L Spurloc	6041	4	#####	295	2540.3	0.001429	0.166	0.000422
KY	H L Spurloc	6041	4	#####	284	2430.5	0.001438	0.168	0.000408
KY	H L Spurloc	6041	4	#####	298	2601.2	0.001449	0.166	0.000432
KY	H L Spurloc	6041	4	#####	298	2622.2	0.001452	0.165	0.000433
KY	H L Spurloc	6041	4	#####	298	2615.1	0.001448	0.165	0.000431
KY	H L Spurloc	6041	4	#####	298	2608.1	0.001444	0.165	0.00043
KY	H L Spurloc	6041	4	#####	297	2621.6	0.001439	0.163	0.000427
KY	H L Spurloc	6041	4	#####	280	2386.1	0.001432	0.168	0.000401
KY	H L Spurloc	6041	4	#####	296	2614.8	0.00144	0.163	0.000426
KY	H L Spurloc	6041	4	#####	283	2438.7	0.00143	0.166	0.000405
KY	H L Spurloc	6041	4	#####	295	2576.4	0.001441	0.165	0.000425
KY	H L Spurloc	6041	4	#####	272	2321	0.001442	0.169	0.000392
KY	H L Spurloc	6041	4	#####	269	2300.9	0.001463	0.171	0.000393
KY	H L Spurloc	6041	4	#####	243	2086	0.001519	0.177	0.000369
KY	H L Spurloc	6041	4	#####	216	1882	0.001568	0.18	0.000339
KY	H L Spurloc	6041	4	#####	210	1844	0.001581	0.18	0.000332
KY	H L Spurloc	6041	4	#####	210	1843.1	0.00158	0.18	0.000332
KY	H L Spurloc	6041	4	#####	210	1847.5	0.001584	0.18	0.000333
KY	H L Spurloc	6041	4	#####	248	2251.5	0.001525	0.168	0.000378
KY	H L Spurloc	6041	4	#####	246	2118.6	0.001507	0.175	0.000371
KY	H L Spurloc	6041	4	#####	269	2406.1	0.001485	0.166	0.000399
KY	H L Spurloc	6041	4	#####	283	2446.2	0.001426	0.165	0.000404
KY	H L Spurloc	6041	4	#####	266	2322.4	0.001467	0.168	0.00039
KY	H L Spurloc	6041	4	#####	280	2428.9	0.00144	0.166	0.000403
KY	H L Spurloc	6041	4	#####	289	2527.5	0.001443	0.165	0.000417
KY	H L Spurloc	6041	4	#####	298	2612.9	0.001429	0.163	0.000426
KY	H L Spurloc	6041	4	#####	298	2609.6	0.001427	0.163	0.000425
KY	H L Spurloc	6041	4	#####	298	2606.4	0.001426	0.163	0.000425
KY	H L Spurloc	6041	4	#####	298	2606.7	0.001426	0.163	0.000425
KY	H L Spurloc	6041	4	#####	298	2601.3	0.001423	0.163	0.000424
KY	H L Spurloc	6041	4	#####	298	2574.3	0.001425	0.165	0.000425
KY	H L Spurloc	6041	4	#####	298	2592.6	0.001418	0.163	0.000423
KY	H L Spurloc	6041	4	#####	298	2577.1	0.001427	0.165	0.000425
KY	H L Spurloc	6041	4	#####	298	2602.8	0.001441	0.165	0.000429
KY	H L Spurloc	6041	4	#####	299	2583.4	0.001426	0.165	0.000426

KY	H L Spurloc	6041	4	#####	281	2398.1	0.001434	0.168	0.000403
KY	H L Spurloc	6041	4	#####	234	2092.4	0.001556	0.174	0.000364
KY	H L Spurloc	6041	4	#####	210	1788.1	0.001592	0.187	0.000334
KY	H L Spurloc	6041	4	#####	210	1824.8	0.001625	0.187	0.000341
KY	H L Spurloc	6041	4	#####	210	1791.9	0.001613	0.189	0.000339
KY	H L Spurloc	6041	4	#####	210	1828.4	0.001628	0.187	0.000342
KY	H L Spurloc	6041	4	#####	219	1896.2	0.00161	0.186	0.000353
KY	H L Spurloc	6041	4	#####	246	2176.2	0.001539	0.174	0.000379
KY	H L Spurloc	6041	4	#####	236	2077.2	0.00154	0.175	0.000364
KY	H L Spurloc	6041	4	#####	272	2393.2	0.001478	0.168	0.000402
KY	H L Spurloc	6041	4	#####	245	2047.3	0.001496	0.179	0.000366
KY	H L Spurloc	6041	4	#####	210	1812.5	0.001605	0.186	0.000337
KY	H L Spurloc	6041	4	#####	234	2082.3	0.001575	0.177	0.000369
KY	H L Spurloc	6041	4	#####	299	2608.1	0.001422	0.163	0.000425
KY	H L Spurloc	6041	4	#####	299	2574.2	0.001403	0.163	0.00042
KY	H L Spurloc	6041	4	#####	298	2559.3	0.001417	0.165	0.000422
KY	H L Spurloc	6041	4	#####	298	2574.9	0.001426	0.165	0.000425
KY	H L Spurloc	6041	4	#####	298	2558.6	0.001417	0.165	0.000422
KY	H L Spurloc	6041	4	#####	298	2567.6	0.001422	0.165	0.000424
KY	H L Spurloc	6041	4	#####	297	2577.3	0.001432	0.165	0.000425
KY	H L Spurloc	6041	4	#####	297	2570.7	0.001437	0.166	0.000427
KY	H L Spurloc	6041	4	#####	298	2590.9	0.001435	0.165	0.000427
KY	H L Spurloc	6041	4	#####	298	2568.9	0.001422	0.165	0.000424
KY	H L Spurloc	6041	4	#####	282	2397.2	0.001428	0.168	0.000403
KY	H L Spurloc	6041	4	#####	298	2594.7	0.001445	0.166	0.000431
KY	H L Spurloc	6041	4	#####	290	2474.1	0.001433	0.168	0.000416
KY	H L Spurloc	6041	4	#####	263	2208.5	0.00147	0.175	0.000386
KY	H L Spurloc	6041	4	#####	229	1907	0.001549	0.186	0.000355
KY	H L Spurloc	6041	4	#####	234	2015.1	0.001567	0.182	0.000367
KY	H L Spurloc	6041	4	#####	215	1828.6	0.00159	0.187	0.000342
KY	H L Spurloc	6041	4	#####	221	1910.4	0.001608	0.186	0.000355
KY	H L Spurloc	6041	4	#####	244	2106.1	0.001545	0.179	0.000377
KY	H L Spurloc	6041	4	#####	240	2104.7	0.001552	0.177	0.000373
KY	H L Spurloc	6041	4	#####	259	2250.4	0.001494	0.172	0.000387
KY	H L Spurloc	6041	4	#####	260	2265.8	0.00149	0.171	0.000387
KY	H L Spurloc	6041	4	#####	270	2387.1	0.001494	0.169	0.000403
KY	H L Spurloc	6041	4	#####	292	2537	0.001442	0.166	0.000421
KY	H L Spurloc	6041	4	#####	296	2586.9	0.001442	0.165	0.000427
KY	H L Spurloc	6041	4	#####	298	2578.9	0.001428	0.165	0.000426
KY	H L Spurloc	6041	4	#####	298	2569.5	0.001423	0.165	0.000424
KY	H L Spurloc	6041	4	#####	298	2576.6	0.001427	0.165	0.000425
KY	H L Spurloc	6041	4	#####	298	2575.9	0.001426	0.165	0.000425
KY	H L Spurloc	6041	4	#####	298	2554	0.001423	0.166	0.000424
KY	H L Spurloc	6041	4	#####	298	2561.2	0.001427	0.166	0.000425
KY	H L Spurloc	6041	4	#####	298	2559.4	0.001426	0.166	0.000425
KY	H L Spurloc	6041	4	#####	298	2554.9	0.001423	0.166	0.000424
KY	H L Spurloc	6041	4	#####	298	2573.4	0.001434	0.166	0.000427

KY	H L Spurloc	6041	4	#####	298	2577	0.001436	0.166	0.000428
KY	H L Spurloc	6041	4	#####	286	2428	0.001426	0.168	0.000408
KY	H L Spurloc	6041	4	#####	261	2241.2	0.001451	0.169	0.000379
KY	H L Spurloc	6041	4	#####	260	2198.2	0.001471	0.174	0.000382
KY	H L Spurloc	6041	4	#####	218	1823.4	0.001556	0.186	0.000339
KY	H L Spurloc	6041	4	#####	210	1784.2	0.001589	0.187	0.000334
KY	H L Spurloc	6041	4	#####	210	1776.7	0.001599	0.189	0.000336
KY	H L Spurloc	6041	4	#####	221	1910.8	0.001574	0.182	0.000348
KY	H L Spurloc	6041	4	#####	238	2029.5	0.001535	0.18	0.000365
KY	H L Spurloc	6041	4	#####	272	2398.6	0.001481	0.168	0.000403
KY	H L Spurloc	6041	4	#####	288	2493.8	0.001429	0.165	0.000411
KY	H L Spurloc	6041	4	#####	295	2544.7	0.001423	0.165	0.00042
KY	H L Spurloc	6041	4	#####	287	2447.3	0.001416	0.166	0.000406
KY	H L Spurloc	6041	4	#####	297	2563.7	0.001424	0.165	0.000423
KY	H L Spurloc	6041	4	#####	298	2608.3	0.001409	0.161	0.00042
KY	H L Spurloc	6041	4	#####	297	2581.3	0.001417	0.163	0.000421
KY	H L Spurloc	6041	4	#####	296	2539.8	0.001416	0.165	0.000419
KY	H L Spurloc	6041	4	#####	298	2571.5	0.001424	0.165	0.000424
KY	H L Spurloc	6041	4	#####	298	2558	0.001416	0.165	0.000422
KY	H L Spurloc	6041	4	#####	298	2546.9	0.00141	0.165	0.00042
KY	H L Spurloc	6041	4	#####	298	2534.2	0.001412	0.166	0.000421
KY	H L Spurloc	6041	4	#####	298	2575.4	0.001426	0.165	0.000425
KY	H L Spurloc	6041	4	#####	243	1977.4	0.001465	0.18	0.000356
KY	H L Spurloc	6041	4	#####	132	1047.4	0.002166	0.273	0.000286
KY	H L Spurloc	6041	4	#####	0	46.254		0.382	1.77E-05
KY	H L Spurloc	6041	4	#####	0	147.1		0.382	5.62E-05
KY	H L Spurloc	6041	4	#####	0	178.9		0.382	6.83E-05
KY	H L Spurloc	6041	4	#####	0	227.3		0.382	8.68E-05
KY	H L Spurloc	6041	4	#####	0	267.7		0.382	0.000102
KY	H L Spurloc	6041	4	#####	0	278.6		0.382	0.000106
KY	H L Spurloc	6041	4	#####	0	304.2		0.382	0.000116
KY	H L Spurloc	6041	4	#####	0	302.4		0.382	0.000116
KY	H L Spurloc	6041	4	#####	0	303.1		0.382	0.000116
KY	H L Spurloc	6041	4	#####	14	376.9	0.017741	0.659	0.000248
KY	H L Spurloc	6041	4	#####	32	398.6	0.007935	0.637	0.000254
KY	H L Spurloc	6041	4	#####	44	443.8	0.00584	0.579	0.000257
KY	H L Spurloc	6041	4	#####	46	447.7	0.005635	0.579	0.000259
KY	H L Spurloc	6041	4	#####	48	516.9	0.005277	0.49	0.000253
KY	H L Spurloc	6041	4	#####	58	593.7	0.004443	0.434	0.000258
KY	H L Spurloc	6041	4	#####	61	607.4	0.004232	0.425	0.000258
KY	H L Spurloc	6041	4	#####	64	607.6	0.004035	0.425	0.000258
KY	H L Spurloc	6041	4	#####	65	602.2	0.003771	0.407	0.000245
KY	H L Spurloc	6041	4	#####	64	606.5	0.003857	0.407	0.000247
KY	H L Spurloc	6041	4	#####	67	634	0.003766	0.398	0.000252
KY	H L Spurloc	6041	4	#####	83	872.6	0.003722	0.354	0.000309
KY	H L Spurloc	6041	4	#####	107	1143.5	0.00296	0.277	0.000317
KY	H L Spurloc	6041	4	#####	139	1457.9	0.002307	0.22	0.000321

KY	H L Spurloc	6041	4 #####	159	1651.4	0.001984	0.191	0.000315
KY	H L Spurloc	6041	4 #####	177	1827.9	0.001849	0.179	0.000327
KY	H L Spurloc	6041	4 #####	190	1885	0.001736	0.175	0.00033
KY	H L Spurloc	6041	4 #####	213	1946.4	0.001645	0.18	0.00035
KY	H L Spurloc	6041	4 8/1/2022	210	1828.9	0.001646	0.189	0.000346
KY	H L Spurloc	6041	4 8/1/2022	210	1847.8	0.001645	0.187	0.000346
KY	H L Spurloc	6041	4 8/1/2022	210	1878.2	0.001646	0.184	0.000346
KY	H L Spurloc	6041	4 8/1/2022	210	1904.2	0.001623	0.179	0.000341
KY	H L Spurloc	6041	4 8/1/2022	210	1880.5	0.001603	0.179	0.000337
KY	H L Spurloc	6041	4 8/1/2022	222	1944.5	0.001577	0.18	0.00035
KY	H L Spurloc	6041	4 8/1/2022	216	1903.2	0.001586	0.18	0.000343
KY	H L Spurloc	6041	4 8/1/2022	210	1873.1	0.001606	0.18	0.000337
KY	H L Spurloc	6041	4 8/1/2022	238	2096.3	0.001515	0.172	0.000361
KY	H L Spurloc	6041	4 8/1/2022	284	2540.4	0.00212	0.237	0.000602
KY	H L Spurloc	6041	4 8/1/2022	299	2622.8	0.002061	0.235	0.000616
KY	H L Spurloc	6041	4 8/1/2022	298	2583.9	0.002038	0.235	0.000607
KY	H L Spurloc	6041	4 8/1/2022	298	2529.7	0.002046	0.241	0.00061
KY	H L Spurloc	6041	4 8/1/2022	299	2539.4	0.00203	0.239	0.000607
KY	H L Spurloc	6041	4 8/1/2022	298	2538	0.002018	0.237	0.000602
KY	H L Spurloc	6041	4 8/1/2022	298	2489	0.002013	0.241	0.0006
KY	H L Spurloc	6041	4 8/1/2022	298	2495.8	0.002018	0.241	0.000601
KY	H L Spurloc	6041	4 8/1/2022	298	2504.6	0.002026	0.241	0.000604
KY	H L Spurloc	6041	4 8/1/2022	298	2497	0.002019	0.241	0.000602
KY	H L Spurloc	6041	4 8/1/2022	298	2501.8	0.002023	0.241	0.000603
KY	H L Spurloc	6041	4 8/1/2022	299	2500.6	0.002016	0.241	0.000603
KY	H L Spurloc	6041	4 8/1/2022	298	2498.3	0.00202	0.241	0.000602
KY	H L Spurloc	6041	4 8/1/2022	295	2481.7	0.002027	0.241	0.000598
KY	H L Spurloc	6041	4 8/1/2022	252	2068.5	0.00211	0.257	0.000532
KY	H L Spurloc	6041	4 8/2/2022	238	2080.9	0.002203	0.252	0.000524
KY	H L Spurloc	6041	4 8/2/2022	232	1979.3	0.00221	0.259	0.000513
KY	H L Spurloc	6041	4 8/2/2022	216	1828.5	0.002235	0.264	0.000483
KY	H L Spurloc	6041	4 8/2/2022	210	1795.6	0.002257	0.264	0.000474
KY	H L Spurloc	6041	4 8/2/2022	210	1786.7	0.002263	0.266	0.000475
KY	H L Spurloc	6041	4 8/2/2022	238	2029.1	0.002208	0.259	0.000526
KY	H L Spurloc	6041	4 8/2/2022	213	1803	0.002277	0.269	0.000485
KY	H L Spurloc	6041	4 8/2/2022	247	2084.5	0.002186	0.259	0.00054
KY	H L Spurloc	6041	4 8/2/2022	275	2344.5	0.002131	0.25	0.000586
KY	H L Spurloc	6041	4 8/2/2022	283	2368.9	0.002076	0.248	0.000587
KY	H L Spurloc	6041	4 8/2/2022	297	2534.5	0.002074	0.243	0.000616
KY	H L Spurloc	6041	4 8/2/2022	292	2467.5	0.00207	0.245	0.000605
KY	H L Spurloc	6041	4 8/2/2022	298	2515.8	0.002068	0.245	0.000616
KY	H L Spurloc	6041	4 8/2/2022	299	2515.9	0.002062	0.245	0.000616
KY	H L Spurloc	6041	4 8/2/2022	299	2520	0.002065	0.245	0.000617
KY	H L Spurloc	6041	4 8/2/2022	299	2527.9	0.002071	0.245	0.000619
KY	H L Spurloc	6041	4 8/2/2022	299	2525.5	0.002069	0.245	0.000619
KY	H L Spurloc	6041	4 8/2/2022	292	2437.6	0.00207	0.248	0.000605
KY	H L Spurloc	6041	4 8/2/2022	298	2516.4	0.002069	0.245	0.000617

KY	H L Spurloc	6041	4	8/2/2022	300	2531.4	0.002067	0.245	0.00062
KY	H L Spurloc	6041	4	8/2/2022	300	2521	0.002059	0.245	0.000618
KY	H L Spurloc	6041	4	8/2/2022	287	2372.5	0.002067	0.25	0.000593
KY	H L Spurloc	6041	4	8/2/2022	285	2387.8	0.002078	0.248	0.000592
KY	H L Spurloc	6041	4	8/2/2022	289	2439.7	0.002094	0.248	0.000605
KY	H L Spurloc	6041	4	8/3/2022	300	2528.2	0.002048	0.243	0.000614
KY	H L Spurloc	6041	4	8/3/2022	300	2488.6	0.002032	0.245	0.00061
KY	H L Spurloc	6041	4	8/3/2022	300	2477	0.002048	0.248	0.000614
KY	H L Spurloc	6041	4	8/3/2022	300	2476.3	0.002047	0.248	0.000614
KY	H L Spurloc	6041	4	8/3/2022	288	2398.4	0.002065	0.248	0.000595
KY	H L Spurloc	6041	4	8/3/2022	299	2482.7	0.002059	0.248	0.000616
KY	H L Spurloc	6041	4	8/3/2022	300	2490.1	0.002034	0.245	0.00061
KY	H L Spurloc	6041	4	8/3/2022	300	2470.3	0.002042	0.248	0.000613
KY	H L Spurloc	6041	4	8/3/2022	300	2481.6	0.002051	0.248	0.000615
KY	H L Spurloc	6041	4	8/3/2022	300	2486.8	0.002056	0.248	0.000617
KY	H L Spurloc	6041	4	8/3/2022	300	2487.9	0.002057	0.248	0.000617
KY	H L Spurloc	6041	4	8/3/2022	300	2515.9	0.002055	0.245	0.000616
KY	H L Spurloc	6041	4	8/3/2022	299	2530.4	0.002073	0.245	0.00062
KY	H L Spurloc	6041	4	8/3/2022	299	2557.9	0.002079	0.243	0.000622
KY	H L Spurloc	6041	4	8/3/2022	299	2559.2	0.002063	0.241	0.000617
KY	H L Spurloc	6041	4	8/3/2022	299	2528.2	0.002055	0.243	0.000614
KY	H L Spurloc	6041	4	8/3/2022	299	2522.5	0.00205	0.243	0.000613
KY	H L Spurloc	6041	4	8/3/2022	299	2525	0.002052	0.243	0.000614
KY	H L Spurloc	6041	4	8/3/2022	299	2536.8	0.002062	0.243	0.000616
KY	H L Spurloc	6041	4	8/3/2022	300	2544.1	0.002061	0.243	0.000618
KY	H L Spurloc	6041	4	8/3/2022	300	2540	0.002057	0.243	0.000617
KY	H L Spurloc	6041	4	8/3/2022	300	2520.5	0.002042	0.243	0.000612
KY	H L Spurloc	6041	4	8/3/2022	288	2397.8	0.002065	0.248	0.000595
KY	H L Spurloc	6041	4	8/3/2022	295	2498.2	0.002075	0.245	0.000612
KY	H L Spurloc	6041	4	8/4/2022	267	2239.2	0.002113	0.252	0.000564
KY	H L Spurloc	6041	4	8/4/2022	212	1785.8	0.002291	0.272	0.000486
KY	H L Spurloc	6041	4	8/4/2022	210	1803.9	0.002336	0.272	0.000491
KY	H L Spurloc	6041	4	8/4/2022	210	1812.7	0.002348	0.272	0.000493
KY	H L Spurloc	6041	4	8/4/2022	212	1827.6	0.002345	0.272	0.000497
KY	H L Spurloc	6041	4	8/4/2022	246	2185.4	0.002239	0.252	0.000551
KY	H L Spurloc	6041	4	8/4/2022	221	1922.7	0.002297	0.264	0.000508
KY	H L Spurloc	6041	4	8/4/2022	250	2175.9	0.002211	0.254	0.000553
KY	H L Spurloc	6041	4	8/4/2022	279	2453.7	0.002155	0.245	0.000601
KY	H L Spurloc	6041	4	8/4/2022	295	2585.4	0.002112	0.241	0.000623
KY	H L Spurloc	6041	4	8/4/2022	300	2569.3	0.002064	0.241	0.000619
KY	H L Spurloc	6041	4	8/4/2022	296	2523.6	0.002055	0.241	0.000608
KY	H L Spurloc	6041	4	8/4/2022	296	2540.1	0.002068	0.241	0.000612
KY	H L Spurloc	6041	4	8/4/2022	299	2560.2	0.002064	0.241	0.000617
KY	H L Spurloc	6041	4	8/4/2022	299	2572.8	0.002074	0.241	0.00062
KY	H L Spurloc	6041	4	8/4/2022	299	2572.8	0.002074	0.241	0.00062
KY	H L Spurloc	6041	4	8/4/2022	300	2557.4	0.002054	0.241	0.000616
KY	H L Spurloc	6041	4	8/4/2022	300	2550.8	0.002066	0.243	0.00062

KY	H L Spurloc	6041	4	8/4/2022	300	2568.8	0.002081	0.243	0.000624
KY	H L Spurloc	6041	4	8/4/2022	299	2563.7	0.002084	0.243	0.000623
KY	H L Spurloc	6041	4	8/4/2022	299	2575.3	0.002076	0.241	0.000621
KY	H L Spurloc	6041	4	8/4/2022	287	2446.3	0.002071	0.243	0.000594
KY	H L Spurloc	6041	4	8/4/2022	296	2539.4	0.002068	0.241	0.000612
KY	H L Spurloc	6041	4	8/4/2022	280	2387.9	0.002072	0.243	0.00058
KY	H L Spurloc	6041	4	8/5/2022	239	1965.6	0.002147	0.261	0.000513
KY	H L Spurloc	6041	4	8/5/2022	210	1736	0.00229	0.277	0.000481
KY	H L Spurloc	6041	4	8/5/2022	210	1773.7	0.002297	0.272	0.000482
KY	H L Spurloc	6041	4	8/5/2022	210	1780	0.002306	0.272	0.000484
KY	H L Spurloc	6041	4	8/5/2022	210	1791.6	0.002321	0.272	0.000487
KY	H L Spurloc	6041	4	8/5/2022	219	1921.4	0.00229	0.261	0.000501
KY	H L Spurloc	6041	4	8/5/2022	233	2051	0.002262	0.257	0.000527
KY	H L Spurloc	6041	4	8/5/2022	224	1925.3	0.002269	0.264	0.000508
KY	H L Spurloc	6041	4	8/5/2022	227	1995.9	0.002277	0.259	0.000517
KY	H L Spurloc	6041	4	8/5/2022	254	2202.7	0.002185	0.252	0.000555
KY	H L Spurloc	6041	4	8/5/2022	286	2506.6	0.00213	0.243	0.000609
KY	H L Spurloc	6041	4	8/5/2022	298	2554	0.002083	0.243	0.000621
KY	H L Spurloc	6041	4	8/5/2022	297	2532.7	0.002072	0.243	0.000615
KY	H L Spurloc	6041	4	8/5/2022	298	2516.4	0.002069	0.245	0.000617
KY	H L Spurloc	6041	4	8/5/2022	298	2530.8	0.002064	0.243	0.000615
KY	H L Spurloc	6041	4	8/5/2022	300	2542.3	0.002059	0.243	0.000618
KY	H L Spurloc	6041	4	8/5/2022	300	2546.6	0.002063	0.243	0.000619
KY	H L Spurloc	6041	4	8/5/2022	293	2455.9	0.002054	0.245	0.000602
KY	H L Spurloc	6041	4	8/5/2022	285	2378	0.002086	0.25	0.000595
KY	H L Spurloc	6041	4	8/5/2022	285	2388	0.002095	0.25	0.000597
KY	H L Spurloc	6041	4	8/5/2022	297	2490.5	0.00208	0.248	0.000618
KY	H L Spurloc	6041	4	8/5/2022	282	2349.3	0.002083	0.25	0.000587
KY	H L Spurloc	6041	4	8/5/2022	297	2477.8	0.002069	0.248	0.000614
KY	H L Spurloc	6041	4	8/5/2022	286	2389.5	0.002072	0.248	0.000593
KY	H L Spurloc	6041	4	8/6/2022	270	2226.8	0.002095	0.254	0.000566
KY	H L Spurloc	6041	4	8/6/2022	251	2076.2	0.002184	0.264	0.000548
KY	H L Spurloc	6041	4	8/6/2022	217	1811.8	0.002288	0.274	0.000496
KY	H L Spurloc	6041	4	8/6/2022	210	1775.7	0.002342	0.277	0.000492
KY	H L Spurloc	6041	4	8/6/2022	210	1781.8	0.00235	0.277	0.000494
KY	H L Spurloc	6041	4	8/6/2022	210	1787	0.002357	0.277	0.000495
KY	H L Spurloc	6041	4	8/6/2022	210	1803.2	0.002353	0.274	0.000494
KY	H L Spurloc	6041	4	8/6/2022	238	2079.6	0.002263	0.259	0.000539
KY	H L Spurloc	6041	4	8/6/2022	283	2426.5	0.002126	0.248	0.000602
KY	H L Spurloc	6041	4	8/6/2022	288	2454.7	0.002114	0.248	0.000609
KY	H L Spurloc	6041	4	8/6/2022	300	2570.3	0.002082	0.243	0.000625
KY	H L Spurloc	6041	4	8/6/2022	284	2384.9	0.002083	0.248	0.000591
KY	H L Spurloc	6041	4	8/6/2022	297	2537.3	0.002076	0.243	0.000617
KY	H L Spurloc	6041	4	8/6/2022	300	2541.4	0.002059	0.243	0.000618
KY	H L Spurloc	6041	4	8/6/2022	300	2543.8	0.00206	0.243	0.000618
KY	H L Spurloc	6041	4	8/6/2022	300	2536.5	0.002055	0.243	0.000616
KY	H L Spurloc	6041	4	8/6/2022	300	2516.7	0.002055	0.245	0.000617

KY	H L Spurloc	6041	4	8/6/2022	300	2529.3	0.002066	0.245	0.00062
KY	H L Spurloc	6041	4	8/6/2022	300	2543.6	0.002077	0.245	0.000623
KY	H L Spurloc	6041	4	8/6/2022	290	2462.5	0.002106	0.248	0.000611
KY	H L Spurloc	6041	4	8/6/2022	299	2579.1	0.002113	0.245	0.000632
KY	H L Spurloc	6041	4	8/6/2022	284	2379	0.002094	0.25	0.000595
KY	H L Spurloc	6041	4	8/6/2022	298	2552	0.002098	0.245	0.000625
KY	H L Spurloc	6041	4	8/6/2022	272	2276.2	0.002109	0.252	0.000574
KY	H L Spurloc	6041	4	8/7/2022	245	2088.4	0.002208	0.259	0.000541
KY	H L Spurloc	6041	4	8/7/2022	236	2004.6	0.002217	0.261	0.000523
KY	H L Spurloc	6041	4	8/7/2022	222	1861.9	0.002256	0.269	0.000501
KY	H L Spurloc	6041	4	8/7/2022	210	1788.4	0.002316	0.272	0.000486
KY	H L Spurloc	6041	4	8/7/2022	210	1772.5	0.002313	0.274	0.000486
KY	H L Spurloc	6041	4	8/7/2022	210	1780.8	0.002324	0.274	0.000488
KY	H L Spurloc	6041	4	8/7/2022	210	1785.7	0.00233	0.274	0.000489
KY	H L Spurloc	6041	4	8/7/2022	211	1799	0.002336	0.274	0.000493
KY	H L Spurloc	6041	4	8/7/2022	228	1995.7	0.002311	0.264	0.000527
KY	H L Spurloc	6041	4	8/7/2022	267	2291.5	0.002146	0.25	0.000573
KY	H L Spurloc	6041	4	8/7/2022	280	2438.8	0.002134	0.245	0.000598
KY	H L Spurloc	6041	4	8/7/2022	289	2467.3	0.002092	0.245	0.000604
KY	H L Spurloc	6041	4	8/7/2022	297	2562.1	0.002079	0.241	0.000617
KY	H L Spurloc	6041	4	8/7/2022	299	2540.6	0.002065	0.243	0.000617
KY	H L Spurloc	6041	4	8/7/2022	299	2529.3	0.002056	0.243	0.000615
KY	H L Spurloc	6041	4	8/7/2022	300	2533.9	0.002052	0.243	0.000616
KY	H L Spurloc	6041	4	8/7/2022	300	2547.2	0.002046	0.241	0.000614
KY	H L Spurloc	6041	4	8/7/2022	299	2518.1	0.002046	0.243	0.000612
KY	H L Spurloc	6041	4	8/7/2022	290	2427.6	0.002051	0.245	0.000595
KY	H L Spurloc	6041	4	8/7/2022	295	2490.1	0.002068	0.245	0.00061
KY	H L Spurloc	6041	4	8/7/2022	295	2487.8	0.002091	0.248	0.000617
KY	H L Spurloc	6041	4	8/7/2022	298	2553	0.002099	0.245	0.000625
KY	H L Spurloc	6041	4	8/7/2022	286	2394.5	0.002093	0.25	0.000599
KY	H L Spurloc	6041	4	8/7/2022	296	2521.6	0.002087	0.245	0.000618
KY	H L Spurloc	6041	4	8/8/2022	289	2442.9	0.002071	0.245	0.000599
KY	H L Spurloc	6041	4	8/8/2022	251	2108.1	0.002175	0.259	0.000546
KY	H L Spurloc	6041	4	8/8/2022	217	1809.5	0.00231	0.277	0.000501
KY	H L Spurloc	6041	4	8/8/2022	217	1883	0.00236	0.272	0.000512
KY	H L Spurloc	6041	4	8/8/2022	243	2097.5	0.002253	0.261	0.000547
KY	H L Spurloc	6041	4	8/8/2022	284	2462.1	0.00215	0.248	0.000611
KY	H L Spurloc	6041	4	8/8/2022	289	2445.3	0.002098	0.248	0.000606
KY	H L Spurloc	6041	4	8/8/2022	297	2515.6	0.002075	0.245	0.000616
KY	H L Spurloc	6041	4	8/8/2022	294	2488.7	0.002074	0.245	0.00061
KY	H L Spurloc	6041	4	8/8/2022	290	2473.4	0.00209	0.245	0.000606
KY	H L Spurloc	6041	4	8/8/2022	289	2457.3	0.002083	0.245	0.000602
KY	H L Spurloc	6041	4	8/8/2022	286	2436.6	0.001056	0.124	0.000302
KY	H L Spurloc	6041	4	8/8/2022	299	2554.3	0.001051	0.123	0.000314
KY	H L Spurloc	6041	4	8/8/2022	299	2548.8	0.001049	0.123	0.000314
KY	H L Spurloc	6041	4	8/8/2022	299	2538.8	0.001044	0.123	0.000312
KY	H L Spurloc	6041	4	8/8/2022	295	2494.1	0.001048	0.124	0.000309

KY	H L Spurloc	6041	4	8/8/2022	299	2557.6	0.001052	0.123	0.000315
KY	H L Spurloc	6041	4	8/8/2022	299	2521.6	0.001046	0.124	0.000313
KY	H L Spurloc	6041	4	8/8/2022	285	2366.1	0.001046	0.126	0.000298
KY	H L Spurloc	6041	4	8/8/2022	298	2529.1	0.001052	0.124	0.000314
KY	H L Spurloc	6041	4	8/8/2022	285	2378.9	0.001052	0.126	0.0003
KY	H L Spurloc	6041	4	8/8/2022	300	2535.6	0.001048	0.124	0.000314
KY	H L Spurloc	6041	4	8/8/2022	293	2487	0.001053	0.124	0.000308
KY	H L Spurloc	6041	4	8/8/2022	298	2550.6	0.001061	0.124	0.000316
KY	H L Spurloc	6041	4	8/9/2022	297	2483.9	0.001054	0.126	0.000313
KY	H L Spurloc	6041	4	8/9/2022	265	2228.1	0.001093	0.13	0.00029
KY	H L Spurloc	6041	4	8/9/2022	242	2047.7	0.001142	0.135	0.000276
KY	H L Spurloc	6041	4	8/9/2022	221	1868.9	0.001175	0.139	0.00026
KY	H L Spurloc	6041	4	8/9/2022	251	2149	0.00113	0.132	0.000284
KY	H L Spurloc	6041	4	8/9/2022	287	2477.4	0.001088	0.126	0.000312
KY	H L Spurloc	6041	4	8/9/2022	293	2464.3	0.00106	0.126	0.000311
KY	H L Spurloc	6041	4	8/9/2022	284	2415.5	0.001063	0.125	0.000302
KY	H L Spurloc	6041	4	8/9/2022	297	2554.8	0.001058	0.123	0.000314
KY	H L Spurloc	6041	4	8/9/2022	286	2403.7	0.001051	0.125	0.0003
KY	H L Spurloc	6041	4	8/9/2022	298	2540.8	0.001049	0.123	0.000313
KY	H L Spurloc	6041	4	8/9/2022	285	2409.1	0.001048	0.124	0.000299
KY	H L Spurloc	6041	4	8/9/2022	300	2559.5	0.001041	0.122	0.000312
KY	H L Spurloc	6041	4	8/9/2022	299	2569.7			
KY	H L Spurloc	6041	4	8/9/2022	299	2541			
KY	H L Spurloc	6041	4	8/9/2022	299	2573.3			
KY	H L Spurloc	6041	4	8/9/2022	293	2558.3	0.001065	0.122	0.000312
KY	H L Spurloc	6041	4	8/9/2022	287	2436.2	0.001061	0.125	0.000305
KY	H L Spurloc	6041	4	8/9/2022	298	2519.2	0.001057	0.125	0.000315
KY	H L Spurloc	6041	4	8/9/2022	290	2458.6	0.001051	0.124	0.000305
KY	H L Spurloc	6041	4	8/9/2022	296	2530.2	0.001043	0.122	0.000309
KY	H L Spurloc	6041	4	8/9/2022	285	2391.3	0.001032	0.123	0.000294
KY	H L Spurloc	6041	4	8/9/2022	297	2524.1	0.001028	0.121	0.000305
KY	H L Spurloc	6041	4	8/9/2022	297	2472.4	0.001024	0.123	0.000304
KY	H L Spurloc	6041	4	#####	286	2356.6	0.00103	0.125	0.000295
KY	H L Spurloc	6041	4	#####	235	1926	0.001106	0.135	0.00026
KY	H L Spurloc	6041	4	#####	210	1781.2	0.001162	0.137	0.000244
KY	H L Spurloc	6041	4	#####	210	1786.3	0.001165	0.137	0.000245
KY	H L Spurloc	6041	4	#####	213	1833.6	0.001179	0.137	0.000251
KY	H L Spurloc	6041	4	#####	255	2204.8	0.001089	0.126	0.000278
KY	H L Spurloc	6041	4	#####	246	2076.7	0.001106	0.131	0.000272
KY	H L Spurloc	6041	4	#####	249	2111.9	0.001103	0.13	0.000275
KY	H L Spurloc	6041	4	#####	256	2150.6	0.001092	0.13	0.00028
KY	H L Spurloc	6041	4	#####	259	2217.8	0.001105	0.129	0.000286
KY	H L Spurloc	6041	4	#####	290	2440	0.001052	0.125	0.000305
KY	H L Spurloc	6041	4	#####	298	2543	0.00105	0.123	0.000313
KY	H L Spurloc	6041	4	#####	288	2395.2	0.001048	0.126	0.000302
KY	H L Spurloc	6041	4	#####	297	2523	0.001062	0.125	0.000315
KY	H L Spurloc	6041	4	#####	284	2385.3	0.001067	0.127	0.000303

KY	H L Spurloc	6041	4 #####	299	2555.6	0.001068	0.125	0.000319
KY	H L Spurloc	6041	4 #####	301	2555.4	0.001061	0.125	0.000319
KY	H L Spurloc	6041	4 #####	301	2548	0.001058	0.125	0.000319
KY	H L Spurloc	6041	4 #####	289	2419.1	0.001055	0.126	0.000305
KY	H L Spurloc	6041	4 #####	299	2555.2	0.00106	0.124	0.000317
KY	H L Spurloc	6041	4 #####	283	2367.1	0.001054	0.126	0.000298
KY	H L Spurloc	6041	4 #####	290	2454.3	0.001066	0.126	0.000309
KY	H L Spurloc	6041	4 #####	254	2150.9	0.001109	0.131	0.000282
KY	H L Spurloc	6041	4 #####	279	2383.3	0.001076	0.126	0.0003
KY	H L Spurloc	6041	4 #####	249	2134.6	0.001123	0.131	0.00028
KY	H L Spurloc	6041	4 #####	247	2090.4	0.001126	0.133	0.000278
KY	H L Spurloc	6041	4 #####	210	1798.7	0.001225	0.143	0.000257
KY	H L Spurloc	6041	4 #####	210	1826.5	0.001226	0.141	0.000258
KY	H L Spurloc	6041	4 #####	237	2082.4	0.001169	0.133	0.000277
KY	H L Spurloc	6041	4 #####	252	2233.2	0.001143	0.129	0.000288
KY	H L Spurloc	6041	4 #####	289	2455.4	0.001071	0.126	0.000309
KY	H L Spurloc	6041	4 #####	272	2340.1	0.001084	0.126	0.000295
KY	H L Spurloc	6041	4 #####	289	2466.4	0.001067	0.125	0.000308
KY	H L Spurloc	6041	4 #####	300	2586.9	0.001069	0.124	0.000321
KY	H L Spurloc	6041	4 #####	291	2475.1	0.001063	0.125	0.000309
KY	H L Spurloc	6041	4 #####	289	2537.7	0.00108	0.123	0.000312
KY	H L Spurloc	6041	4 #####	291	2443.4	0.00105	0.125	0.000305
KY	H L Spurloc	6041	4 #####	298	2558.4	0.001056	0.123	0.000315
KY	H L Spurloc	6041	4 #####	300	2589.9	0.001053	0.122	0.000316
KY	H L Spurloc	6041	4 #####	300	2562.8	0.001051	0.123	0.000315
KY	H L Spurloc	6041	4 #####	300	2574.4	0.001047	0.122	0.000314
KY	H L Spurloc	6041	4 #####	286	2418.6	0.00104	0.123	0.000297
KY	H L Spurloc	6041	4 #####	298	2550.3	0.001053	0.123	0.000314
KY	H L Spurloc	6041	4 #####	286	2421.9	0.00105	0.124	0.0003
KY	H L Spurloc	6041	4 #####	296	2550.7	0.001043	0.121	0.000309
KY	H L Spurloc	6041	4 #####	265	2236.5	0.001063	0.126	0.000282
KY	H L Spurloc	6041	4 #####	227	1907.6	0.001118	0.133	0.000254
KY	H L Spurloc	6041	4 #####	213	1853.4	0.001157	0.133	0.000247
KY	H L Spurloc	6041	4 #####	210	1824.1	0.001155	0.133	0.000243
KY	H L Spurloc	6041	4 #####	210	1833.7	0.001153	0.132	0.000242
KY	H L Spurloc	6041	4 #####	210	1807	0.001162	0.135	0.000244
KY	H L Spurloc	6041	4 #####	210	1800.9	0.001166	0.136	0.000245
KY	H L Spurloc	6041	4 #####	210	1782.7	0.00118	0.139	0.000248
KY	H L Spurloc	6041	4 #####	211	1813.4	0.001177	0.137	0.000248
KY	H L Spurloc	6041	4 #####	244	2079.5	0.001125	0.132	0.000274
KY	H L Spurloc	6041	4 #####	217	1807.1	0.001141	0.137	0.000248
KY	H L Spurloc	6041	4 #####	243	2103	0.001125	0.13	0.000273
KY	H L Spurloc	6041	4 #####	262	2222.4	0.001077	0.127	0.000282
KY	H L Spurloc	6041	4 #####	265	2243.7	0.001075	0.127	0.000285
KY	H L Spurloc	6041	4 #####	292	2489.7	0.001057	0.124	0.000309
KY	H L Spurloc	6041	4 #####	292	2472.2	0.00105	0.124	0.000307
KY	H L Spurloc	6041	4 #####	299	2517.2	0.001036	0.123	0.00031

KY	H L Spurloc	6041	4	#####	299	2552.8	0.001042	0.122	0.000311
KY	H L Spurloc	6041	4	#####	300	2578.4	0.001049	0.122	0.000315
KY	H L Spurloc	6041	4	#####	300	2571.5	0.001046	0.122	0.000314
KY	H L Spurloc	6041	4	#####	300	2547.6	0.001028	0.121	0.000308
KY	H L Spurloc	6041	4	#####	287	2408.2	0.001032	0.123	0.000296
KY	H L Spurloc	6041	4	#####	298	2547.9	0.001035	0.121	0.000308
KY	H L Spurloc	6041	4	#####	292	2428.7	0.001023	0.123	0.000299
KY	H L Spurloc	6041	4	#####	239	1958.3	0.001082	0.132	0.000258
KY	H L Spurloc	6041	4	#####	210	1781.7	0.001145	0.135	0.000241
KY	H L Spurloc	6041	4	#####	262	2282.9	0.00108	0.124	0.000283
KY	H L Spurloc	6041	4	#####	300	2549.4	0.00102	0.12	0.000306
KY	H L Spurloc	6041	4	#####	300	2534.1	0.001014	0.12	0.000304
KY	H L Spurloc	6041	4	#####	300	2506.7	0.001011	0.121	0.000303
KY	H L Spurloc	6041	4	#####	300	2461.4	0.001009	0.123	0.000303
KY	H L Spurloc	6041	4	#####	300	2495.4	0.001015	0.122	0.000304
KY	H L Spurloc	6041	4	#####	285	2330.5	0.001022	0.125	0.000291
KY	H L Spurloc	6041	4	#####	298	2476.5	0.001022	0.123	0.000305
KY	H L Spurloc	6041	4	#####	287	2364.2	0.001021	0.124	0.000293
KY	H L Spurloc	6041	4	#####	298	2505.1	0.001026	0.122	0.000306
KY	H L Spurloc	6041	4	#####	300	2529.6	0.001029	0.122	0.000309
KY	H L Spurloc	6041	4	#####	290	2421.6	0.001027	0.123	0.000298
KY	H L Spurloc	6041	4	#####	299	2539.4	0.001028	0.121	0.000307
KY	H L Spurloc	6041	4	#####	300	2528	0.00102	0.121	0.000306
KY	H L Spurloc	6041	4	#####	300	2539.9	0.001033	0.122	0.00031
KY	H L Spurloc	6041	4	#####	300	2552.4	0.001029	0.121	0.000309
KY	H L Spurloc	6041	4	#####	300	2546.2	0.001027	0.121	0.000308
KY	H L Spurloc	6041	4	#####	300	2535.8	0.001031	0.122	0.000309
KY	H L Spurloc	6041	4	#####	300	2557	0.00104	0.122	0.000312
KY	H L Spurloc	6041	4	#####	300	2595.4	0.001038	0.12	0.000311
KY	H L Spurloc	6041	4	#####	299	2554	0.001034	0.121	0.000309
KY	H L Spurloc	6041	4	#####	287	2423.2	0.00103	0.122	0.000296
KY	H L Spurloc	6041	4	#####	299	2545.9	0.001039	0.122	0.000311
KY	H L Spurloc	6041	4	#####	290	2449.4	0.00103	0.122	0.000299
KY	H L Spurloc	6041	4	#####	240	1966.1	0.001073	0.131	0.000258
KY	H L Spurloc	6041	4	#####	210	1754.2	0.001136	0.136	0.000239
KY	H L Spurloc	6041	4	#####	210	1770.4	0.001138	0.135	0.000239
KY	H L Spurloc	6041	4	#####	210	1778.5	0.001143	0.135	0.00024
KY	H L Spurloc	6041	4	#####	210	1767.5	0.001145	0.136	0.00024
KY	H L Spurloc	6041	4	#####	210	1769.4	0.001146	0.136	0.000241
KY	H L Spurloc	6041	4	#####	210	1778.2	0.001143	0.135	0.00024
KY	H L Spurloc	6041	4	#####	210	1774.5	0.001141	0.135	0.00024
KY	H L Spurloc	6041	4	#####	210	1766.4	0.001144	0.136	0.00024
KY	H L Spurloc	6041	4	#####	211	1783.2	0.001149	0.136	0.000243
KY	H L Spurloc	6041	4	#####	210	1759.7	0.00114	0.136	0.000239
KY	H L Spurloc	6041	4	#####	218	1837.9	0.001121	0.133	0.000244
KY	H L Spurloc	6041	4	#####	232	1989.8	0.001106	0.129	0.000257
KY	H L Spurloc	6041	4	#####	287	2442.9	0.00103	0.121	0.000296

KY	H L Spurloc	6041	4	#####	298	2484.3	0.001009	0.121	0.000301
KY	H L Spurloc	6041	4	#####	293	2418.9	0.001015	0.123	0.000298
KY	H L Spurloc	6041	4	#####	299	2478.4	0.00102	0.123	0.000305
KY	H L Spurloc	6041	4	#####	299	2461.8	0.001021	0.124	0.000305
KY	H L Spurloc	6041	4	#####	299	2457.3	0.001019	0.124	0.000305
KY	H L Spurloc	6041	4	#####	291	2406.9	0.001026	0.124	0.000298
KY	H L Spurloc	6041	4	#####	299	2490.1	0.001024	0.123	0.000306
KY	H L Spurloc	6041	4	#####	286	2332	0.001019	0.125	0.000292
KY	H L Spurloc	6041	4	#####	279	2286.4	0.001024	0.125	0.000286
KY	H L Spurloc	6041	4	#####	247	2048.4	0.001078	0.13	0.000266
KY	H L Spurloc	6041	4	#####	226	1859.4	0.001111	0.135	0.000251
KY	H L Spurloc	6041	4	#####	230	1841.8	0.001097	0.137	0.000252
KY	H L Spurloc	6041	4	#####	241	1953.1	0.001094	0.135	0.000264
KY	H L Spurloc	6041	4	#####	221	1770.7	0.001114	0.139	0.000246
KY	H L Spurloc	6041	4	#####	210	1723.3	0.001141	0.139	0.00024
KY	H L Spurloc	6041	4	#####	218	1819.4	0.001135	0.136	0.000247
KY	H L Spurloc	6041	4	#####	236	1982.7	0.001109	0.132	0.000262
KY	H L Spurloc	6041	4	#####	249	1979.2	0.001073	0.135	0.000267
KY	H L Spurloc	6041	4	#####	230	1873.9	0.001132	0.139	0.00026
KY	H L Spurloc	6041	4	#####	284	2411.8	0.00107	0.126	0.000304
KY	H L Spurloc	6041	4	#####	290	2445.9	0.00028	0.0332	8.12E-05
KY	H L Spurloc	6041	4	#####	298	2523.8	0.000277	0.0327	8.25E-05
KY	H L Spurloc	6041	4	#####	298	2485.9	0.000275	0.033	8.2E-05
KY	H L Spurloc	6041	4	#####	300	2527.8			
KY	H L Spurloc	6041	4	#####	302	2571.4	0.000278	0.0327	8.41E-05
KY	H L Spurloc	6041	4	#####	302	2553.9	0.000277	0.0327	8.35E-05
KY	H L Spurloc	6041	4	#####	302	2533.9	0.000274	0.0327	8.29E-05
KY	H L Spurloc	6041	4	#####	302	2510.3	0.000274	0.033	8.28E-05
KY	H L Spurloc	6041	4	#####	302	2502.3	0.000273	0.033	8.26E-05
KY	H L Spurloc	6041	4	#####	293	2427.3	0.000273	0.033	8.01E-05
KY	H L Spurloc	6041	4	#####	300	2514.1	0.000274	0.0327	8.22E-05
KY	H L Spurloc	6041	4	#####	288	2391.4	0.000274	0.033	7.89E-05
KY	H L Spurloc	6041	4	#####	277	2299.2	0.000278	0.0335	7.7E-05
KY	H L Spurloc	6041	4	#####	221	1856.1	0.000301	0.0358	6.64E-05
KY	H L Spurloc	6041	4	#####	210	1760	0.000308	0.0368	6.48E-05
KY	H L Spurloc	6041	4	#####	210	1760.2	0.000308	0.0368	6.48E-05
KY	H L Spurloc	6041	4	#####	210	1768.6	0.00031	0.0368	6.51E-05
KY	H L Spurloc	6041	4	#####	210	1767.3	0.00031	0.0368	6.5E-05
KY	H L Spurloc	6041	4	#####	210	1760.5	0.000312	0.0372	6.55E-05
KY	H L Spurloc	6041	4	#####	210	1785.8	0.000313	0.0368	6.57E-05
KY	H L Spurloc	6041	4	#####	210	1809.5	0.000314	0.0364	6.59E-05
KY	H L Spurloc	6041	4	#####	210	1812.4	0.000314	0.0364	6.6E-05
KY	H L Spurloc	6041	4	#####	210	1825.2	0.000314	0.0361	6.59E-05
KY	H L Spurloc	6041	4	#####	210	1816.4	0.000312	0.0361	6.56E-05
KY	H L Spurloc	6041	4	#####	261	2281.9	0.000293	0.0335	7.64E-05
KY	H L Spurloc	6041	4	#####	284	2393.5	0.000276	0.0327	7.83E-05
KY	H L Spurloc	6041	4	#####	299	2545.3	0.000273	0.0321	8.17E-05

KY	H L Spurloc	6041	4 #####	291	2449.8	0.000273	0.0324	7.94E-05
KY	H L Spurloc	6041	4 #####	301	2579.9	0.000273	0.0319	8.23E-05
KY	H L Spurloc	6041	4 #####	302	2562.3	0.000272	0.0321	8.22E-05
KY	H L Spurloc	6041	4 #####	302	2564.5	0.000273	0.0321	8.23E-05
KY	H L Spurloc	6041	4 #####	293	2491.9	0.000273	0.0321	8E-05
KY	H L Spurloc	6041	4 #####	293	2505.4	0.000274	0.0321	8.04E-05
KY	H L Spurloc	6041	4 #####	284	2414.3	0.000275	0.0324	7.82E-05
KY	H L Spurloc	6041	4 #####	295	2511.4	0.000273	0.0321	8.06E-05
KY	H L Spurloc	6041	4 #####	271	2298.9	0.00028	0.033	7.59E-05
KY	H L Spurloc	6041	4 #####	228	1949.1	0.000297	0.0348	6.78E-05
KY	H L Spurloc	6041	4 #####	210	1830.5	0.000309	0.0354	6.48E-05
KY	H L Spurloc	6041	4 #####	210	1841.1	0.00031	0.0354	6.52E-05
KY	H L Spurloc	6041	4 #####	210	1849.7	0.000312	0.0354	6.55E-05
KY	H L Spurloc	6041	4 #####	210	1853.7	0.000312	0.0354	6.56E-05
KY	H L Spurloc	6041	4 #####	210	1866.3	0.000312	0.0351	6.55E-05
KY	H L Spurloc	6041	4 #####	210	1870.1	0.000313	0.0351	6.56E-05
KY	H L Spurloc	6041	4 #####	210	1872.4	0.000313	0.0351	6.57E-05
KY	H L Spurloc	6041	4 #####	210	1881.3	0.000314	0.0351	6.6E-05
KY	H L Spurloc	6041	4 #####	210	1885.5	0.000315	0.0351	6.62E-05
KY	H L Spurloc	6041	4 #####	210	1931.3	0.000314	0.0341	6.59E-05
KY	H L Spurloc	6041	4 #####	248	2283.3	0.000298	0.0324	7.4E-05
KY	H L Spurloc	6041	4 #####	290	2607.6	0.00028	0.0311	8.11E-05
KY	H L Spurloc	6041	4 #####	288	2572.7	0.000275	0.0308	7.92E-05
KY	H L Spurloc	6041	4 #####	298	2653.7	0.000274	0.0308	8.17E-05
KY	H L Spurloc	6041	4 #####	301	2673.7	0.000274	0.0308	8.24E-05
KY	H L Spurloc	6041	4 #####	301	2675.7	0.000274	0.0308	8.24E-05
KY	H L Spurloc	6041	4 #####	301	2694.8	0.000274	0.0306	8.25E-05
KY	H L Spurloc	6041	4 #####	301	2704.8	0.000275	0.0306	8.28E-05
KY	H L Spurloc	6041	4 #####	301	2726.7	0.000274	0.0303	8.26E-05
KY	H L Spurloc	6041	4 #####	301	2715.8	0.000273	0.0303	8.23E-05
KY	H L Spurloc	6041	4 #####	301	2708.2	0.000275	0.0306	8.29E-05
KY	H L Spurloc	6041	4 #####	301	2725.7	0.000274	0.0303	8.26E-05
KY	H L Spurloc	6041	4 #####	284	2564.3	0.000278	0.0308	7.9E-05
KY	H L Spurloc	6041	4 #####	257	2309.4	0.000287	0.0319	7.37E-05
KY	H L Spurloc	6041	4 #####	241	2231.5	0.000297	0.0321	7.16E-05
KY	H L Spurloc	6041	4 #####	234	2143.8	0.000297	0.0324	6.95E-05
KY	H L Spurloc	6041	4 #####	210	1958.6	0.000308	0.033	6.46E-05
KY	H L Spurloc	6041	4 #####	210	1952.5	0.000309	0.0332	6.48E-05
KY	H L Spurloc	6041	4 #####	210	1988.9	0.000313	0.033	6.56E-05
KY	H L Spurloc	6041	4 #####	210	1943.4	0.00031	0.0335	6.51E-05
KY	H L Spurloc	6041	4 #####	210	1960.6	0.000313	0.0335	6.57E-05
KY	H L Spurloc	6041	4 #####	247	2092.3			
KY	H L Spurloc	6041	4 #####	212	1865.9			
KY	H L Spurloc	6041	4 #####	210	1751.4	0.00031	0.0372	6.52E-05
KY	H L Spurloc	6041	4 #####	210	1739	0.000311	0.0375	6.52E-05
KY	H L Spurloc	6041	4 #####	229	1917.3	0.000305	0.0364	6.98E-05
KY	H L Spurloc	6041	4 #####	299	2435.5	0.000278	0.0341	8.31E-05

KY	H L Spurloc	6041	4	#####	289	2303.8	0.000275	0.0345	7.95E-05
KY	H L Spurloc	6041	4	#####	299	2409.4	0.000272	0.0338	8.14E-05
KY	H L Spurloc	6041	4	#####	300	2384.7	0.000271	0.0341	8.13E-05
KY	H L Spurloc	6041	4	#####	302	2352	0.000271	0.0348	8.18E-05
KY	H L Spurloc	6041	4	#####	301	2358.8	0.000273	0.0348	8.21E-05
KY	H L Spurloc	6041	4	#####	301	2348.2	0.000274	0.0351	8.24E-05
KY	H L Spurloc	6041	4	#####	301	2348.6	0.000274	0.0351	8.24E-05
KY	H L Spurloc	6041	4	#####	301	2340.6	0.000273	0.0351	8.22E-05
KY	H L Spurloc	6041	4	#####	302	2348.9	0.000273	0.0351	8.24E-05
KY	H L Spurloc	6041	4	#####	284	2206	0.000275	0.0354	7.81E-05
KY	H L Spurloc	6041	4	#####	294	2273.2	0.000271	0.0351	7.98E-05
KY	H L Spurloc	6041	4	#####	272	2116.5	0.000279	0.0358	7.58E-05
KY	H L Spurloc	6041	4	#####	240	1850.8	0.000292	0.0379	7.01E-05
KY	H L Spurloc	6041	4	#####	212	1670.6	0.000308	0.0391	6.53E-05
KY	H L Spurloc	6041	4	#####	210	1642.6	0.000309	0.0395	6.49E-05
KY	H L Spurloc	6041	4	#####	210	1623.2	0.000308	0.0399	6.48E-05
KY	H L Spurloc	6041	4	#####	210	1631.9	0.00031	0.0399	6.51E-05
KY	H L Spurloc	6041	4	#####	210	1656.7	0.000312	0.0395	6.54E-05
KY	H L Spurloc	6041	4	#####	210	1662.5	0.000313	0.0395	6.57E-05
KY	H L Spurloc	6041	4	#####	210	1657.9	0.000312	0.0395	6.55E-05
KY	H L Spurloc	6041	4	#####	246	1952.8	0.000301	0.0379	7.4E-05
KY	H L Spurloc	6041	4	#####	251	1971.7	0.000295	0.0375	7.39E-05
KY	H L Spurloc	6041	4	#####	277	2157.6	0.000279	0.0358	7.72E-05
KY	H L Spurloc	6041	4	#####	289	2317.2			
KY	H L Spurloc	6041	4	#####	289	2405.4	0.000275	0.033	7.94E-05
KY	H L Spurloc	6041	4	#####	296	2471.4	0.000276	0.033	8.16E-05
KY	H L Spurloc	6041	4	#####	298	2486.7	0.000275	0.033	8.21E-05
KY	H L Spurloc	6041	4	#####	288	2501.9	0.000279	0.0321	8.03E-05
KY	H L Spurloc	6041	4	#####	291	2442.6	0.000274	0.0327	7.99E-05
KY	H L Spurloc	6041	4	#####	300	2417.5	0.00027	0.0335	8.1E-05
KY	H L Spurloc	6041	4	#####	300	2437	0.000272	0.0335	8.16E-05
KY	H L Spurloc	6041	4	#####	300	2448.5	0.000273	0.0335	8.2E-05
KY	H L Spurloc	6041	4	#####	299	2444.9	0.000274	0.0335	8.19E-05
KY	H L Spurloc	6041	4	#####	296	2413.8	0.000273	0.0335	8.09E-05
KY	H L Spurloc	6041	4	#####	266	2184	0.00028	0.0341	7.45E-05
KY	H L Spurloc	6041	4	#####	264	2184.5	0.000282	0.0341	7.45E-05
KY	H L Spurloc	6041	4	#####	283	2347.1	0.000278	0.0335	7.86E-05
KY	H L Spurloc	6041	4	#####	254	2107.9	0.000291	0.0351	7.4E-05
KY	H L Spurloc	6041	4	#####	231	1922.6	0.0003	0.0361	6.94E-05
KY	H L Spurloc	6041	4	#####	210	1742.2	0.000311	0.0375	6.53E-05
KY	H L Spurloc	6041	4	#####	210	1773.4	0.000314	0.0372	6.6E-05
KY	H L Spurloc	6041	4	#####	210	1767.7	0.000316	0.0375	6.63E-05
KY	H L Spurloc	6041	4	#####	210	1793.5	0.000318	0.0372	6.67E-05
KY	H L Spurloc	6041	4	#####	211	1813.8	0.00032	0.0372	6.75E-05
KY	H L Spurloc	6041	4	#####	212	1840.2	0.000319	0.0368	6.77E-05
KY	H L Spurloc	6041	4	#####	246	2149.9	0.000295	0.0338	7.27E-05
KY	H L Spurloc	6041	4	#####	272	2375.6	0.000286	0.0327	7.77E-05

KY	H L Spurloc	6041	4	#####	285	2412.4	0.000279	0.033	7.96E-05
KY	H L Spurloc	6041	4	#####	298	2553.1	0.000278	0.0324	8.27E-05
KY	H L Spurloc	6041	4	#####	299	2503.3	0.000274	0.0327	8.19E-05
KY	H L Spurloc	6041	4	#####	300	2492.2	0.000274	0.033	8.22E-05
KY	H L Spurloc	6041	4	#####	299	2519.4	0.000278	0.033	8.31E-05
KY	H L Spurloc	6041	4	#####	299	2514.5	0.000279	0.0332	8.35E-05
KY	H L Spurloc	6041	4	#####	300	2517.1	0.000279	0.0332	8.36E-05
KY	H L Spurloc	6041	4	#####	300	2519.8	0.000279	0.0332	8.37E-05
KY	H L Spurloc	6041	4	#####	300	2511.3	0.000278	0.0332	8.34E-05
KY	H L Spurloc	6041	4	#####	288	2373.2	0.000279	0.0338	8.02E-05
KY	H L Spurloc	6041	4	#####	291	2443.2	0.000281	0.0335	8.18E-05
KY	H L Spurloc	6041	4	#####	285	2383.2	0.00028	0.0335	7.98E-05
KY	H L Spurloc	6041	4	#####	281	2329.7	0.00028	0.0338	7.87E-05
KY	H L Spurloc	6041	4	#####	218	1797.2	0.000303	0.0368	6.61E-05
KY	H L Spurloc	6041	4	#####	212	1768.1	0.00031	0.0372	6.58E-05
KY	H L Spurloc	6041	4	#####	225	1874.4	0.000303	0.0364	6.82E-05
KY	H L Spurloc	6041	4	#####	210	1755.3	0.000308	0.0368	6.46E-05
KY	H L Spurloc	6041	4	#####	210	1756.4	0.000308	0.0368	6.46E-05
KY	H L Spurloc	6041	4	#####	210	1757.6	0.000308	0.0368	6.47E-05
KY	H L Spurloc	6041	4	#####	210	1772.8	0.000311	0.0368	6.52E-05
KY	H L Spurloc	6041	4	#####	210	1750	0.000313	0.0375	6.56E-05
KY	H L Spurloc	6041	4	#####	245	2121.5	0.000301	0.0348	7.38E-05
KY	H L Spurloc	6041	4	#####	233	1953.8	0.000303	0.0361	7.05E-05
KY	H L Spurloc	6041	4	#####	252	2153.6	0.000297	0.0348	7.49E-05
KY	H L Spurloc	6041	4	#####	252	2144.9	0.000296	0.0348	7.46E-05
KY	H L Spurloc	6041	4	#####	245	2048.3	0.000299	0.0358	7.33E-05
KY	H L Spurloc	6041	4	#####	278	2415.7	0.000291	0.0335	8.09E-05
KY	H L Spurloc	6041	4	#####	297	2503.9	0.00028	0.0332	8.31E-05
KY	H L Spurloc	6041	4	#####	300	2534.2	0.00028	0.0332	8.41E-05
KY	H L Spurloc	6041	4	#####	300	2531.4	0.00028	0.0332	8.4E-05
KY	H L Spurloc	6041	4	#####	300	2517.6	0.000281	0.0335	8.43E-05
KY	H L Spurloc	6041	4	#####	300	2537.3	0.000281	0.0332	8.42E-05
KY	H L Spurloc	6041	4	#####	300	2526.8	0.00028	0.0332	8.39E-05
KY	H L Spurloc	6041	4	#####	299	2508.7	0.000279	0.0332	8.33E-05
KY	H L Spurloc	6041	4	#####	289	2406.9	0.000279	0.0335	8.06E-05
KY	H L Spurloc	6041	4	#####	293	2457.2	0.000281	0.0335	8.23E-05
KY	H L Spurloc	6041	4	#####	269	2234.8	0.000287	0.0345	7.71E-05
KY	H L Spurloc	6041	4	#####	250	2091.9	0.000296	0.0354	7.41E-05
KY	H L Spurloc	6041	4	#####	216	1837.3	0.000307	0.0361	6.63E-05
KY	H L Spurloc	6041	4	#####	210	1778	0.000312	0.0368	6.54E-05
KY	H L Spurloc	6041	4	#####	210	1764.6	0.000313	0.0372	6.56E-05
KY	H L Spurloc	6041	4	#####	210	1749.4	0.000312	0.0375	6.56E-05
KY	H L Spurloc	6041	4	#####	236	2029.7	0.000308	0.0358	7.27E-05
KY	H L Spurloc	6041	4	#####	264	2190.1	0.000291	0.0351	7.69E-05
KY	H L Spurloc	6041	4	#####	278	2351.1	0.000286	0.0338	7.95E-05
KY	H L Spurloc	6041	4	#####	286	2340.9	0.000277	0.0338	7.91E-05
KY	H L Spurloc	6041	4	#####	301	2493.2	0.000275	0.0332	8.28E-05

KY	H L Spurloc	6041	4	#####	290	2367.2	0.000624	0.0764	0.000181
KY	H L Spurloc	6041	4	#####	299	2460.3	0.000623	0.0757	0.000186
KY	H L Spurloc	6041	4	#####	287	2358	0.000628	0.0764	0.00018
KY	H L Spurloc	6041	4	#####	299	2577.7	0.000635	0.0737	0.00019
KY	H L Spurloc	6041	4	#####	301	2575.1	0.000631	0.0737	0.00019
KY	H L Spurloc	6041	4	#####	301	2545.7	0.000629	0.0744	0.000189
KY	H L Spurloc	6041	4	#####	301	2544.8	0.000629	0.0744	0.000189
KY	H L Spurloc	6041	4	#####	301	2527	0.00063	0.075	0.00019
KY	H L Spurloc	6041	4	#####	301	2553.6	0.000631	0.0744	0.00019
KY	H L Spurloc	6041	4	#####	301	2509.9	0.000631	0.0757	0.00019
KY	H L Spurloc	6041	4	#####	301	2493.2	0.000627	0.0757	0.000189
KY	H L Spurloc	6041	4	#####	290	2385.7	0.000629	0.0764	0.000182
KY	H L Spurloc	6041	4	#####	286	2358.7	0.00063	0.0764	0.00018
KY	H L Spurloc	6041	4	#####	283	2327.3	0.000633	0.077	0.000179
KY	H L Spurloc	6041	4	#####	290	2386.3	0.000629	0.0764	0.000182
KY	H L Spurloc	6041	4	#####	269	2169.9	0.000633	0.0785	0.00017
KY	H L Spurloc	6041	4	#####	210	1708.3	0.000689	0.0847	0.000145
KY	H L Spurloc	6041	4	#####	210	1720.2	0.000694	0.0847	0.000146
KY	H L Spurloc	6041	4	#####	210	1732.7	0.000699	0.0847	0.000147
KY	H L Spurloc	6041	4	#####	210	1718.4	0.0007	0.0855	0.000147
KY	H L Spurloc	6041	4	#####	238	2021.2	0.000685	0.0807	0.000163
KY	H L Spurloc	6041	4	#####	251	2088.9	0.000665	0.0799	0.000167
KY	H L Spurloc	6041	4	#####	279	2330.9	0.000638	0.0764	0.000178
KY	H L Spurloc	6041	4	#####	272	2244.4	0.000635	0.077	0.000173
KY	H L Spurloc	6041	4	#####	293	2510.9	0.000632	0.0737	0.000185
KY	H L Spurloc	6041	4	#####	301	2566.2	0.000628	0.0737	0.000189
KY	H L Spurloc	6041	4	#####	301	2565.6	0.000634	0.0744	0.000191
KY	H L Spurloc	6041	4	#####	301	2529.3	0.00063	0.075	0.00019
KY	H L Spurloc	6041	4	#####	300	2532	0.000628	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	300	2504.2	0.000626	0.075	0.000188
KY	H L Spurloc	6041	4	#####	300	2522.4	0.000631	0.075	0.000189
KY	H L Spurloc	6041	4	#####	300	2533.5	0.000628	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	300	2523.6	0.000626	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	300	2509.3	0.000627	0.075	0.000188
KY	H L Spurloc	6041	4	#####	300	2516.7	0.000629	0.075	0.000189
KY	H L Spurloc	6041	4	#####	284	2346.8	0.000631	0.0764	0.000179
KY	H L Spurloc	6041	4	#####	297	2510.7	0.000634	0.075	0.000188
KY	H L Spurloc	6041	4	#####	285	2338.3	0.000632	0.077	0.00018
KY	H L Spurloc	6041	4	#####	268	2233.4	0.000642	0.077	0.000172
KY	H L Spurloc	6041	4	#####	228	1825.5	0.000678	0.0847	0.000155
KY	H L Spurloc	6041	4	#####	210	1718.3	0.0007	0.0855	0.000147
KY	H L Spurloc	6041	4	#####	210	1734.2	0.000706	0.0855	0.000148
KY	H L Spurloc	6041	4	#####	210	1760.3	0.00071	0.0847	0.000149
KY	H L Spurloc	6041	4	#####	210	1756.7	0.000709	0.0847	0.000149
KY	H L Spurloc	6041	4	#####	213	1775	0.000706	0.0847	0.00015
KY	H L Spurloc	6041	4	#####	241	2040.8	0.000683	0.0807	0.000165
KY	H L Spurloc	6041	4	#####	278	2362.5	0.000654	0.077	0.000182

KY	H L Spurloc	6041	4	#####	293	2472.7	0.000633	0.075	0.000185
KY	H L Spurloc	6041	4	#####	299	2517.3	0.000626	0.0744	0.000187
KY	H L Spurloc	6041	4	#####	288	2388.9	0.000628	0.0757	0.000181
KY	H L Spurloc	6041	4	#####	299	2486.8	0.000624	0.075	0.000187
KY	H L Spurloc	6041	4	#####	285	2332.1	0.00063	0.077	0.00018
KY	H L Spurloc	6041	4	#####	299	2497.7	0.000632	0.0757	0.000189
KY	H L Spurloc	6041	4	#####	301	2545.7	0.000629	0.0744	0.000189
KY	H L Spurloc	6041	4	#####	301	2498.8	0.000623	0.075	0.000187
KY	H L Spurloc	6041	4	#####	301	2476	0.000623	0.0757	0.000187
KY	H L Spurloc	6041	4	#####	301	2443.6	0.00062	0.0764	0.000187
KY	H L Spurloc	6041	4	#####	301	2469.8	0.000627	0.0764	0.000189
KY	H L Spurloc	6041	4	#####	301	2487.1	0.000631	0.0764	0.00019
KY	H L Spurloc	6041	4	#####	283	2309.8	0.000634	0.0777	0.000179
KY	H L Spurloc	6041	4	#####	299	2531.9	0.000635	0.075	0.00019
KY	H L Spurloc	6041	4	#####	291	2412.3	0.000628	0.0757	0.000183
KY	H L Spurloc	6041	4	#####	263	2147.8	0.000647	0.0792	0.00017
KY	H L Spurloc	6041	4	#####	211	1748.4	0.000708	0.0855	0.000149
KY	H L Spurloc	6041	4	#####	210	1789.8	0.000722	0.0847	0.000152
KY	H L Spurloc	6041	4	#####	210	1765.8	0.000727	0.0864	0.000153
KY	H L Spurloc	6041	4	#####	210	1784.4	0.000727	0.0855	0.000153
KY	H L Spurloc	6041	4	#####	210	1793.8	0.00073	0.0855	0.000153
KY	H L Spurloc	6041	4	#####	210	1795.8	0.000731	0.0855	0.000154
KY	H L Spurloc	6041	4	#####	240	2056.7	0.000704	0.0822	0.000169
KY	H L Spurloc	6041	4	#####	223	1881.9	0.000707	0.0838	0.000158
KY	H L Spurloc	6041	4	#####	247	2122.5	0.000693	0.0807	0.000171
KY	H L Spurloc	6041	4	#####	290	2510.7	0.000655	0.0757	0.00019
KY	H L Spurloc	6041	4	#####	290	2471.4	0.000645	0.0757	0.000187
KY	H L Spurloc	6041	4	#####	300	2567.9	0.000642	0.075	0.000193
KY	H L Spurloc	6041	4	#####	292	2459.9	0.000638	0.0757	0.000186
KY	H L Spurloc	6041	4	#####	300	2596.3	0.000644	0.0744	0.000193
KY	H L Spurloc	6041	4	#####	301	2594.7	0.000641	0.0744	0.000193
KY	H L Spurloc	6041	4	#####	301	2603	0.000637	0.0737	0.000192
KY	H L Spurloc	6041	4	#####	301	2608.5	0.000639	0.0737	0.000192
KY	H L Spurloc	6041	4	#####	301	2574	0.00063	0.0737	0.00019
KY	H L Spurloc	6041	4	#####	301	2538.6	0.000627	0.0744	0.000189
KY	H L Spurloc	6041	4	#####	301	2561	0.000638	0.075	0.000192
KY	H L Spurloc	6041	4	#####	286	2386.3	0.000632	0.0757	0.000181
KY	H L Spurloc	6041	4	#####	294	2491	0.00063	0.0744	0.000185
KY	H L Spurloc	6041	4	#####	280	2317.9	0.000632	0.0764	0.000177
KY	H L Spurloc	6041	4	#####	288	2426.4	0.000638	0.0757	0.000184
KY	H L Spurloc	6041	4	#####	269	2294.5	0.000646	0.0757	0.000174
KY	H L Spurloc	6041	4	#####	226	1845.5	0.000678	0.083	0.000153
KY	H L Spurloc	6041	4	#####	210	1747.2	0.000697	0.0838	0.000146
KY	H L Spurloc	6041	4	#####	210	1772.1	0.0007	0.083	0.000147
KY	H L Spurloc	6041	4	#####	228	1948.3	0.000696	0.0814	0.000159
KY	H L Spurloc	6041	4	#####	225	1868.5	0.000689	0.083	0.000155
KY	H L Spurloc	6041	4	#####	210	1829.2	0.000703	0.0807	0.000148

KY	H L Spurloc	6041	4	#####	210	1781.9	0.000704	0.083	0.000148
KY	H L Spurloc	6041	4	#####	210	1805.4	0.0007	0.0814	0.000147
KY	H L Spurloc	6041	4	#####	210	1819.5	0.000692	0.0799	0.000145
KY	H L Spurloc	6041	4	#####	211	1781.9	0.000708	0.0838	0.000149
KY	H L Spurloc	6041	4	#####	276	2372.3	0.000662	0.077	0.000183
KY	H L Spurloc	6041	4	#####	300	2566.7	0.000637	0.0744	0.000191
KY	H L Spurloc	6041	4	#####	300	2528.7	0.000627	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	299	2532.3	0.00063	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	299	2528.1	0.000629	0.0744	0.000188
KY	H L Spurloc	6041	4	#####	300	2533.7	0.000622	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	301	2517	0.000622	0.0744	0.000187
KY	H L Spurloc	6041	4	#####	301	2544.3	0.000629	0.0744	0.000189
KY	H L Spurloc	6041	4	#####	301	2536.3	0.000632	0.075	0.00019
KY	H L Spurloc	6041	4	#####	287	2338.6	0.000627	0.077	0.00018
KY	H L Spurloc	6041	4	#####	300	2502.1	0.000631	0.0757	0.000189
KY	H L Spurloc	6041	4	#####	284	2327.9	0.000626	0.0764	0.000178
KY	H L Spurloc	6041	4	#####	269	2225.9	0.000637	0.077	0.000171
KY	H L Spurloc	6041	4	#####	265	2203.1	0.000646	0.0777	0.000171
KY	H L Spurloc	6041	4	#####	240	1975.1	0.000658	0.0799	0.000158
KY	H L Spurloc	6041	4	#####	210	1775.4	0.000695	0.0822	0.000146
KY	H L Spurloc	6041	4	#####	210	1800	0.000705	0.0822	0.000148
KY	H L Spurloc	6041	4	#####	210	1802.3	0.000705	0.0822	0.000148
KY	H L Spurloc	6041	4	#####	210	1795.6	0.00071	0.083	0.000149
KY	H L Spurloc	6041	4	#####	210	1812.9	0.00071	0.0822	0.000149
KY	H L Spurloc	6041	4	#####	210	1808.2	0.000708	0.0822	0.000149
KY	H L Spurloc	6041	4	#####	241	2067.3	0.000673	0.0785	0.000162
KY	H L Spurloc	6041	4	#####	263	2256.1	0.000655	0.0764	0.000172
KY	H L Spurloc	6041	4	#####	292	2479.3	0.000632	0.0744	0.000184
KY	H L Spurloc	6041	4	#####	299	2567.4	0.000628	0.0731	0.000188
KY	H L Spurloc	6041	4	#####	291	2428.4	0.000621	0.0744	0.000181
KY	H L Spurloc	6041	4	#####	298	2530.6	0.000626	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	300	2542.6	0.000625	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	300	2547.5	0.000626	0.0737	0.000188
KY	H L Spurloc	6041	4	#####	300	2532.2	0.000622	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	300	2534	0.000623	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	301	2545.7	0.000623	0.0737	0.000188
KY	H L Spurloc	6041	4	#####	302	2560.8	0.000625	0.0737	0.000189
KY	H L Spurloc	6041	4	#####	283	2323.8	0.000622	0.0757	0.000176
KY	H L Spurloc	6041	4	#####	267	2165	0.00063	0.0777	0.000168
KY	H L Spurloc	6041	4	#####	239	1930.4	0.000657	0.0814	0.000157
KY	H L Spurloc	6041	4	#####	211	1741.9	0.000699	0.0847	0.000148
KY	H L Spurloc	6041	4	#####	209	1749.6	0.000709	0.0847	0.000148
KY	H L Spurloc	6041	4	#####	210	1756.2	0.000708	0.0847	0.000149
KY	H L Spurloc	6041	4	#####	210	1753.5	0.000707	0.0847	0.000149
KY	H L Spurloc	6041	4	#####	210	1771.6	0.000707	0.0838	0.000148
KY	H L Spurloc	6041	4	#####	210	1773.3	0.000708	0.0838	0.000149
KY	H L Spurloc	6041	4	#####	209	1769.6	0.00071	0.0838	0.000148

KY	H L Spurloc	6041	4	#####	210	1769.3	0.000706	0.0838	0.000148
KY	H L Spurloc	6041	4	#####	210	1774.1	0.000708	0.0838	0.000149
KY	H L Spurloc	6041	4	#####	210	1791.6	0.000708	0.083	0.000149
KY	H L Spurloc	6041	4	#####	234	2037.7	0.000684	0.0785	0.00016
KY	H L Spurloc	6041	4	#####	286	2466.1	0.000635	0.0737	0.000182
KY	H L Spurloc	6041	4	#####	290	2487.2	0.000632	0.0737	0.000183
KY	H L Spurloc	6041	4	#####	295	2573.4	0.000632	0.0725	0.000187
KY	H L Spurloc	6041	4	#####	295	2492.7	0.000623	0.0737	0.000184
KY	H L Spurloc	6041	4	#####	295	2470.1	0.000623	0.0744	0.000184
KY	H L Spurloc	6041	4	#####	295	2516.3	0.000629	0.0737	0.000185
KY	H L Spurloc	6041	4	#####	296	2539.6	0.000632	0.0737	0.000187
KY	H L Spurloc	6041	4	#####	297	2602.4	0.000635	0.0725	0.000189
KY	H L Spurloc	6041	4	#####	287	2442.6	0.000627	0.0737	0.00018
KY	H L Spurloc	6041	4	#####	299	2571.5	0.000634	0.0737	0.00019
KY	H L Spurloc	6041	4	#####	285	2412.8	0.00063	0.0744	0.00018
KY	H L Spurloc	6041	4	#####	298	2546.5	0.00063	0.0737	0.000188
KY	H L Spurloc	6041	4	#####	286	2401	0.00063	0.075	0.00018
KY	H L Spurloc	6041	4	#####	299	2554.3	0.00063	0.0737	0.000188
KY	H L Spurloc	6041	4	#####	289	2446.1	0.00063	0.0744	0.000182
KY	H L Spurloc	6041	4	#####	245	1977	0.000651	0.0807	0.00016
KY	H L Spurloc	6041	4	#####	210	1728.6	0.000697	0.0847	0.000146
KY	H L Spurloc	6041	4	#####	216	1799.3	0.000698	0.0838	0.000151
KY	H L Spurloc	6041	4	#####	251	2104.6	0.000658	0.0785	0.000165
KY	H L Spurloc	6041	4	#####	288	2494.9	0.000645	0.0744	0.000186
KY	H L Spurloc	6041	4	#####	288	2390.3	0.000634	0.0764	0.000183
KY	H L Spurloc	6041	4	#####	297	2555.9	0.000645	0.075	0.000192
KY	H L Spurloc	6041	4	#####	289	2464.6	0.000634	0.0744	0.000183
KY	H L Spurloc	6041	4	#####	298	2593.6	0.000751	0.0863	0.000224
KY	H L Spurloc	6041	4	#####	289	2482.7	0.000754	0.0878	0.000218
KY	H L Spurloc	6041	4	#####	291	2418.6	0.000763	0.0918	0.000222
KY	H L Spurloc	6041	4	#####	299	2570.3	0.000761	0.0885	0.000227
KY	H L Spurloc	6041	4	#####	297	2550.7	0.00076	0.0885	0.000226
KY	H L Spurloc	6041	4	#####	296	2521.4	0.000754	0.0885	0.000223
KY	H L Spurloc	6041	4	#####	300	2491.9	0.000748	0.0901	0.000225
KY	H L Spurloc	6041	4	#####	300	2518.9	0.00075	0.0893	0.000225
KY	H L Spurloc	6041	4	#####	287	2382.4	0.000748	0.0901	0.000215
KY	H L Spurloc	6041	4	#####	298	2490.8	0.000746	0.0893	0.000222
KY	H L Spurloc	6041	4	#####	288	2386.5	0.000747	0.0901	0.000215
KY	H L Spurloc	6041	4	#####	298	2497.8	0.000749	0.0893	0.000223
KY	H L Spurloc	6041	4	#####	287	2386.3	0.000749	0.0901	0.000215
KY	H L Spurloc	6041	4	#####	296	2497.8	0.000754	0.0893	0.000223
KY	H L Spurloc	6041	4	#####	289	2408.8	0.000751	0.0901	0.000217
KY	H L Spurloc	6041	4	#####	294	2483.7	0.000754	0.0893	0.000222
KY	H L Spurloc	6041	4	#####	275	2287.2	0.000756	0.0909	0.000208
KY	H L Spurloc	6041	4	#####	228	1866.8	0.000802	0.098	0.000183
KY	H L Spurloc	6041	4	#####	211	1752.4	0.00083	0.0999	0.000175
KY	H L Spurloc	6041	4	#####	262	2287.8	0.000802	0.0918	0.00021

KY	H L Spurloc	6041	4 #####	289	2391.1	0.000752	0.0909	0.000217
KY	H L Spurloc	6041	4 #####	298	2510.8	0.000752	0.0893	0.000224
KY	H L Spurloc	6041	4 #####	289	2400.2	0.000748	0.0901	0.000216
KY	H L Spurloc	6041	4 #####	298	2510.7	0.000752	0.0893	0.000224
KY	H L Spurloc	6041	4 #####	293	2473.4	0.000747	0.0885	0.000219
KY	H L Spurloc	6041	4 #####	297	2486.2	0.000735	0.0878	0.000218
KY	H L Spurloc	6041	4 #####	291	2408.1	0.000746	0.0901	0.000217
KY	H L Spurloc	6041	4 #####	289	2415.5	0.000753	0.0901	0.000218
KY	H L Spurloc	6041	4 #####	298	2518.1	0.000755	0.0893	0.000225
KY	H L Spurloc	6041	4 #####	297	2538.9	0.000757	0.0885	0.000225
KY	H L Spurloc	6041	4 #####	298	2526.4	0.00075	0.0885	0.000224
KY	H L Spurloc	6041	4 #####	298	2527.4	0.000745	0.0878	0.000222
KY	H L Spurloc	6041	4 #####	292	2441.1	0.00074	0.0885	0.000216
KY	H L Spurloc	6041	4 #####	298	2495.5	0.000748	0.0893	0.000223
KY	H L Spurloc	6041	4 #####	288	2388.8	0.000747	0.0901	0.000215
KY	H L Spurloc	6041	4 #####	295	2501.3	0.00075	0.0885	0.000221
KY	H L Spurloc	6041	4 #####	285	2358.1	0.000745	0.0901	0.000212
KY	H L Spurloc	6041	4 #####	273	2242.8	0.000754	0.0918	0.000206
KY	H L Spurloc	6041	4 #####	232	1913.5	0.000801	0.0971	0.000186
KY	H L Spurloc	6041	4 #####	217	1839.9	0.000831	0.098	0.00018
KY	H L Spurloc	6041	4 #####	212	1776.4	0.000837	0.0999	0.000177
KY	H L Spurloc	6041	4 #####	210	1795	0.000846	0.099	0.000178
KY	H L Spurloc	6041	4 #####	210	1800.5	0.000849	0.099	0.000178
KY	H L Spurloc	6041	4 #####	212	1794.4	0.000846	0.0999	0.000179
KY	H L Spurloc	6041	4 #####	263	2330.5	0.000798	0.0901	0.00021
KY	H L Spurloc	6041	4 #####	284	2362.1	0.000749	0.0901	0.000213
KY	H L Spurloc	6041	4 #####	296	2526.6	0.000749	0.0878	0.000222
KY	H L Spurloc	6041	4 #####	292	2449.1	0.000742	0.0885	0.000217
KY	H L Spurloc	6041	4 #####	295	2482.5	0.000745	0.0885	0.00022
KY	H L Spurloc	6041	4 #####	288	2417.8	0.000743	0.0885	0.000214
KY	H L Spurloc	6041	4 #####	295	2509.8	0.000747	0.0878	0.00022
KY	H L Spurloc	6041	4 #####	294	2445.6	0.000736	0.0885	0.000216
KY	H L Spurloc	6041	4 #####	297	2529.6	0.000748	0.0878	0.000222
KY	H L Spurloc	6041	4 #####	299	2520.8	0.00074	0.0878	0.000221
KY	H L Spurloc	6041	4 #####	299	2502.2	0.000741	0.0885	0.000221
KY	H L Spurloc	6041	4 #####	300	2514.3	0.000742	0.0885	0.000223
KY	H L Spurloc	6041	4 #####	302	2545.1	0.000746	0.0885	0.000225
KY	H L Spurloc	6041	4 #####	302	2532.1	0.000742	0.0885	0.000224
KY	H L Spurloc	6041	4 #####	302	2531.4	0.000742	0.0885	0.000224
KY	H L Spurloc	6041	4 #####	284	2342.4	0.000743	0.0901	0.000211
KY	H L Spurloc	6041	4 #####	254	2071.3	0.000769	0.0943	0.000195
KY	H L Spurloc	6041	4 #####	239	2025.6	0.000799	0.0943	0.000191
KY	H L Spurloc	6041	4 #####	217	1788.9	0.000816	0.099	0.000177
KY	H L Spurloc	6041	4 9/1/2022	210	1712.4	0.000832	0.102	0.000175
KY	H L Spurloc	6041	4 9/1/2022	210	1735.9	0.000835	0.101	0.000175
KY	H L Spurloc	6041	4 9/1/2022	210	1741.3	0.000837	0.101	0.000176
KY	H L Spurloc	6041	4 9/1/2022	210	1754.1	0.000844	0.101	0.000177

KY	H L Spurloc	6041	4	9/1/2022	210	1768.9	0.000851	0.101	0.000179
KY	H L Spurloc	6041	4	9/1/2022	211	1804.5	0.000854	0.0999	0.00018
KY	H L Spurloc	6041	4	9/1/2022	216	1838.3	0.000834	0.098	0.00018
KY	H L Spurloc	6041	4	9/1/2022	213	1819.1	0.000837	0.098	0.000178
KY	H L Spurloc	6041	4	9/1/2022	283	2448.5	0.000773	0.0893	0.000219
KY	H L Spurloc	6041	4	9/1/2022	302	2557.9	0.000744	0.0878	0.000225
KY	H L Spurloc	6041	4	9/1/2022	302	2528.1	0.000735	0.0878	0.000222
KY	H L Spurloc	6041	4	9/1/2022	302	2497.2	0.000732	0.0885	0.000221
KY	H L Spurloc	6041	4	9/1/2022	302	2515.7	0.000737	0.0885	0.000223
KY	H L Spurloc	6041	4	9/1/2022	302	2525.3	0.000734	0.0878	0.000222
KY	H L Spurloc	6041	4	9/1/2022	302	2489.2	0.000729	0.0885	0.00022
KY	H L Spurloc	6041	4	9/1/2022	302	2519.5	0.000738	0.0885	0.000223
KY	H L Spurloc	6041	4	9/1/2022	302	2515.9	0.000737	0.0885	0.000223
KY	H L Spurloc	6041	4	9/1/2022	302	2511.1	0.000736	0.0885	0.000222
KY	H L Spurloc	6041	4	9/1/2022	302	2505	0.000734	0.0885	0.000222
KY	H L Spurloc	6041	4	9/1/2022	302	2507.1	0.000735	0.0885	0.000222
KY	H L Spurloc	6041	4	9/1/2022	288	2379.6	0.000731	0.0885	0.000211
KY	H L Spurloc	6041	4	9/1/2022	290	2366.2	0.000735	0.0901	0.000213
KY	H L Spurloc	6041	4	9/1/2022	288	2362.5	0.000739	0.0901	0.000213
KY	H L Spurloc	6041	4	9/1/2022	287	2397.1	0.000746	0.0893	0.000214
KY	H L Spurloc	6041	4	9/2/2022	247	2013.1	0.000769	0.0943	0.00019
KY	H L Spurloc	6041	4	9/2/2022	210	1708.4	0.000822	0.101	0.000173
KY	H L Spurloc	6041	4	9/2/2022	210	1720	0.000827	0.101	0.000174
KY	H L Spurloc	6041	4	9/2/2022	210	1755.4	0.000835	0.0999	0.000175
KY	H L Spurloc	6041	4	9/2/2022	210	1765.4	0.00084	0.0999	0.000176
KY	H L Spurloc	6041	4	9/2/2022	210	1788.7	0.000835	0.098	0.000175
KY	H L Spurloc	6041	4	9/2/2022	210	1771.9	0.000835	0.099	0.000175
KY	H L Spurloc	6041	4	9/2/2022	210	1782.2	0.00084	0.099	0.000176
KY	H L Spurloc	6041	4	9/2/2022	210	1782.6	0.000848	0.0999	0.000178
KY	H L Spurloc	6041	4	9/2/2022	254	2203.6	0.000796	0.0918	0.000202
KY	H L Spurloc	6041	4	9/2/2022	285	2491.5	0.000761	0.087	0.000217
KY	H L Spurloc	6041	4	9/2/2022	300	2511.2	0.000735	0.0878	0.00022
KY	H L Spurloc	6041	4	9/2/2022	300	2513.7	0.000736	0.0878	0.000221
KY	H L Spurloc	6041	4	9/2/2022	300	2486.7	0.000734	0.0885	0.00022
KY	H L Spurloc	6041	4	9/2/2022	301	2501	0.000735	0.0885	0.000221
KY	H L Spurloc	6041	4	9/2/2022	301	2525.2	0.000742	0.0885	0.000223
KY	H L Spurloc	6041	4	9/2/2022	301	2521.4	0.000741	0.0885	0.000223
KY	H L Spurloc	6041	4	9/2/2022	301	2533.5	0.000745	0.0885	0.000224
KY	H L Spurloc	6041	4	9/2/2022	301	2531.5	0.000744	0.0885	0.000224
KY	H L Spurloc	6041	4	9/2/2022	301	2541.3	0.000747	0.0885	0.000225
KY	H L Spurloc	6041	4	9/2/2022	296	2484.4	0.000743	0.0885	0.00022
KY	H L Spurloc	6041	4	9/2/2022	298	2542.4	0.000749	0.0878	0.000223
KY	H L Spurloc	6041	4	9/2/2022	287	2408.9	0.000743	0.0885	0.000213
KY	H L Spurloc	6041	4	9/2/2022	266	2218	0.000758	0.0909	0.000202
KY	H L Spurloc	6041	4	9/3/2022	262	2224.8	0.000772	0.0909	0.000202
KY	H L Spurloc	6041	4	9/3/2022	240	2006.5	0.000788	0.0943	0.000189
KY	H L Spurloc	6041	4	9/3/2022	210	1748.1	0.000832	0.0999	0.000175

KY	H L Spurloc	6041	4	9/3/2022	210	1783.4	0.000841	0.099	0.000177
KY	H L Spurloc	6041	4	9/3/2022	210	1779.8	0.000847	0.0999	0.000178
KY	H L Spurloc	6041	4	9/3/2022	210	1788.1	0.000851	0.0999	0.000179
KY	H L Spurloc	6041	4	9/3/2022	210	1783.3	0.000848	0.0999	0.000178
KY	H L Spurloc	6041	4	9/3/2022	212	1806.3	0.000844	0.099	0.000179
KY	H L Spurloc	6041	4	9/3/2022	249	2157.4	0.000817	0.0943	0.000203
KY	H L Spurloc	6041	4	9/3/2022	296	2544.8	0.000761	0.0885	0.000225
KY	H L Spurloc	6041	4	9/3/2022	301	2552	0.000744	0.0878	0.000224
KY	H L Spurloc	6041	4	9/3/2022	301	2504.3	0.000736	0.0885	0.000222
KY	H L Spurloc	6041	4	9/3/2022	301	2487.2	0.000745	0.0901	0.000224
KY	H L Spurloc	6041	4	9/3/2022	301	2507.4	0.000751	0.0901	0.000226
KY	H L Spurloc	6041	4	9/3/2022	301	2527.1	0.00075	0.0893	0.000226
KY	H L Spurloc	6041	4	9/3/2022	302	2528.8	0.000741	0.0885	0.000224
KY	H L Spurloc	6041	4	9/3/2022	301	2491.5	0.000739	0.0893	0.000222
KY	H L Spurloc	6041	4	9/3/2022	301	2494.6	0.000747	0.0901	0.000225
KY	H L Spurloc	6041	4	9/3/2022	301	2510	0.000745	0.0893	0.000224
KY	H L Spurloc	6041	4	9/3/2022	301	2494.9	0.00074	0.0893	0.000223
KY	H L Spurloc	6041	4	9/3/2022	289	2338.3	0.000743	0.0918	0.000215
KY	H L Spurloc	6041	4	9/3/2022	295	2401.4	0.00074	0.0909	0.000218
KY	H L Spurloc	6041	4	9/3/2022	286	2343.6	0.000745	0.0909	0.000213
KY	H L Spurloc	6041	4	9/3/2022	288	2425.1	0.000745	0.0885	0.000215
KY	H L Spurloc	6041	4	9/4/2022	276	2259.5	0.000744	0.0909	0.000205
KY	H L Spurloc	6041	4	9/4/2022	252	2100.2	0.000779	0.0935	0.000196
KY	H L Spurloc	6041	4	9/4/2022	212	1734.9	0.000827	0.101	0.000175
KY	H L Spurloc	6041	4	9/4/2022	210	1739.1	0.000836	0.101	0.000176
KY	H L Spurloc	6041	4	9/4/2022	210	1738.3	0.000836	0.101	0.000176
KY	H L Spurloc	6041	4	9/4/2022	240	2078.9	0.000817	0.0943	0.000196
KY	H L Spurloc	6041	4	9/4/2022	221	1800.4	0.000823	0.101	0.000182
KY	H L Spurloc	6041	4	9/4/2022	210	1756.2	0.000845	0.101	0.000177
KY	H L Spurloc	6041	4	9/4/2022	210	1766.6	0.000858	0.102	0.00018
KY	H L Spurloc	6041	4	9/4/2022	214	1827.9	0.000863	0.101	0.000185
KY	H L Spurloc	6041	4	9/4/2022	249	2124.5	0.000812	0.0952	0.000202
KY	H L Spurloc	6041	4	9/4/2022	266	2263.2	0.000788	0.0926	0.00021
KY	H L Spurloc	6041	4	9/4/2022	297	2530.2	0.000754	0.0885	0.000224
KY	H L Spurloc	6041	4	9/4/2022	291	2429.6	0.000752	0.0901	0.000219
KY	H L Spurloc	6041	4	9/4/2022	266	2259.7	0.000772	0.0909	0.000205
KY	H L Spurloc	6041	4	9/4/2022	269	2279	0.00077	0.0909	0.000207
KY	H L Spurloc	6041	4	9/4/2022	272	2283.6	0.000763	0.0909	0.000208
KY	H L Spurloc	6041	4	9/4/2022	297	2556.8	0.000762	0.0885	0.000226
KY	H L Spurloc	6041	4	9/4/2022	255	2122.6	0.000778	0.0935	0.000198
KY	H L Spurloc	6041	4	9/4/2022	214	1794.3	0.000838	0.0999	0.000179
KY	H L Spurloc	6041	4	9/4/2022	230	1929.4	0.00083	0.099	0.000191
KY	H L Spurloc	6041	4	9/4/2022	226	1916.6	0.00084	0.099	0.00019
KY	H L Spurloc	6041	4	9/4/2022	255	2190.2	0.000803	0.0935	0.000205
KY	H L Spurloc	6041	4	9/4/2022	264	2216.6	0.000771	0.0918	0.000203
KY	H L Spurloc	6041	4	9/5/2022	222	1891.4	0.000819	0.0961	0.000182
KY	H L Spurloc	6041	4	9/5/2022	210	1789.6	0.000844	0.099	0.000177

KY	H L Spurloc	6041	4	9/5/2022	210	1787.9	0.000843	0.099	0.000177
KY	H L Spurloc	6041	4	9/5/2022	210	1800.5	0.000849	0.099	0.000178
KY	H L Spurloc	6041	4	9/5/2022	239	2086.6	0.000823	0.0943	0.000197
KY	H L Spurloc	6041	4	9/5/2022	240	2015.2	0.000807	0.0961	0.000194
KY	H L Spurloc	6041	4	9/5/2022	239	2046.9	0.000815	0.0952	0.000195
KY	H L Spurloc	6041	4	9/5/2022	217	1835.6	0.000837	0.099	0.000182
KY	H L Spurloc	6041	4	9/5/2022	210	1799.9	0.000856	0.0999	0.00018
KY	H L Spurloc	6041	4	9/5/2022	244	2113.4	0.000817	0.0943	0.000199
KY	H L Spurloc	6041	4	9/5/2022	255	2158.9	0.000792	0.0935	0.000202
KY	H L Spurloc	6041	4	9/5/2022	269	2327.8	0.00078	0.0901	0.00021
KY	H L Spurloc	6041	4	9/5/2022	301	2522.9	0.000742	0.0885	0.000223
KY	H L Spurloc	6041	4	9/5/2022	277	2329.2	0.000758	0.0901	0.00021
KY	H L Spurloc	6041	4	9/5/2022	300	2540.2	0.000749	0.0885	0.000225
KY	H L Spurloc	6041	4	9/5/2022	301	2536.6	0.000753	0.0893	0.000227
KY	H L Spurloc	6041	4	9/5/2022	286	2373	0.000748	0.0901	0.000214
KY	H L Spurloc	6041	4	9/5/2022	299	2528.1	0.000748	0.0885	0.000224
KY	H L Spurloc	6041	4	9/5/2022	301	2529	0.000744	0.0885	0.000224
KY	H L Spurloc	6041	4	9/5/2022	300	2536.2	0.000742	0.0878	0.000223
KY	H L Spurloc	6041	4	9/5/2022	284	2348.5	0.000745	0.0901	0.000212
KY	H L Spurloc	6041	4	9/5/2022	245	2062.3	0.000794	0.0943	0.000194
KY	H L Spurloc	6041	4	9/5/2022	241	2037.8	0.000797	0.0943	0.000192
KY	H L Spurloc	6041	4	9/5/2022	245	2045.7	0.000787	0.0943	0.000193
KY	H L Spurloc	6041	4	9/6/2022	213	1801.4	0.000837	0.099	0.000178
KY	H L Spurloc	6041	4	9/6/2022	210	1764.1	0.000848	0.101	0.000178
KY	H L Spurloc	6041	4	9/6/2022	210	1753.1	0.000852	0.102	0.000179
KY	H L Spurloc	6041	4	9/6/2022	212	1809.6	0.000853	0.0999	0.000181
KY	H L Spurloc	6041	4	9/6/2022	266	2243	0.000781	0.0926	0.000208
KY	H L Spurloc	6041	4	9/6/2022	248	2099	0.000791	0.0935	0.000196
KY	H L Spurloc	6041	4	9/6/2022	286	2379.9	0.000756	0.0909	0.000216
KY	H L Spurloc	6041	4	9/6/2022	285	2342.3	0.000761	0.0926	0.000217
KY	H L Spurloc	6041	4	9/6/2022	284	2324.6	0.000751	0.0918	0.000213
KY	H L Spurloc	6041	4	9/6/2022	280	2330	0.000402	0.0483	0.000113
KY	H L Spurloc	6041	4	9/6/2022	301	2416.9	0.000392	0.0488	0.000118
KY	H L Spurloc	6041	4	9/6/2022	301	2421.2	0.000393	0.0488	0.000118
KY	H L Spurloc	6041	4	9/6/2022	301	2498.7	0.00039	0.047	0.000117
KY	H L Spurloc	6041	4	9/6/2022	301	2456.2	0.000391	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	300	2456.3	0.000392	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	300	2479.8	0.000393	0.0475	0.000118
KY	H L Spurloc	6041	4	9/6/2022	301	2462.7	0.000392	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	301	2464.7	0.000392	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	299	2453.3	0.000393	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	301	2471.3	0.000393	0.0479	0.000118
KY	H L Spurloc	6041	4	9/6/2022	282	2316.2	0.000397	0.0483	0.000112
KY	H L Spurloc	6041	4	9/6/2022	288	2397.4	0.000395	0.0475	0.000114
KY	H L Spurloc	6041	4	9/6/2022	291	2411.4	0.000394	0.0475	0.000115
KY	H L Spurloc	6041	4	9/6/2022	234	1939.4	0.000428	0.0516	0.0001
KY	H L Spurloc	6041	4	9/7/2022	277	2304	0.000406	0.0488	0.000112

KY	H L Spurloc	6041	4	9/7/2022	256	2127.4	0.000409	0.0492	0.000105
KY	H L Spurloc	6041	4	9/7/2022	217	1794.6	0.000435	0.0526	9.44E-05
KY	H L Spurloc	6041	4	9/7/2022	210	1773	0.000444	0.0526	9.33E-05
KY	H L Spurloc	6041	4	9/7/2022	213	1788.8	0.00045	0.0536	9.59E-05
KY	H L Spurloc	6041	4	9/7/2022	252	2138.5	0.000425	0.0501	0.000107
KY	H L Spurloc	6041	4	9/7/2022	277	2361.2	0.000412	0.0483	0.000114
KY	H L Spurloc	6041	4	9/7/2022	285	2391.2	0.000399	0.0475	0.000114
KY	H L Spurloc	6041	4	9/7/2022	272	2263.3	0.000406	0.0488	0.00011
KY	H L Spurloc	6041	4	9/7/2022	288	2421.2	0.000399	0.0475	0.000115
KY	H L Spurloc	6041	4	9/7/2022	297	2483.9	0.000393	0.047	0.000117
KY	H L Spurloc	6041	4	9/7/2022	299	2494.6	0.0004	0.0479	0.000119
KY	H L Spurloc	6041	4	9/7/2022	300	2512.8	0.00042	0.0501	0.000126
KY	H L Spurloc	6041	4	9/7/2022	300	2531.5	0.000401	0.0475	0.00012
KY	H L Spurloc	6041	4	9/7/2022	300	2521.1	0.000395	0.047	0.000118
KY	H L Spurloc	6041	4	9/7/2022	300	2536.7	0.000397	0.047	0.000119
KY	H L Spurloc	6041	4	9/7/2022	300	2504.5	0.0004	0.0479	0.00012
KY	H L Spurloc	6041	4	9/7/2022	300	2518.2	0.000399	0.0475	0.00012
KY	H L Spurloc	6041	4	9/7/2022	300	2544.5	0.000392	0.0462	0.000118
KY	H L Spurloc	6041	4	9/7/2022	300	2530.9	0.000386	0.0458	0.000116
KY	H L Spurloc	6041	4	9/7/2022	297	2440.6	0.00038	0.0462	0.000113
KY	H L Spurloc	6041	4	9/7/2022	284	2296.5	0.000391	0.0483	0.000111
KY	H L Spurloc	6041	4	9/7/2022	273	2169.4	0.000395	0.0497	0.000108
KY	H L Spurloc	6041	4	9/7/2022	211	1689.2	0.000438	0.0547	9.24E-05
KY	H L Spurloc	6041	4	9/8/2022	227	1883.1	0.000436	0.0526	9.91E-05
KY	H L Spurloc	6041	4	9/8/2022	210	1709.3	0.000445	0.0547	9.35E-05
KY	H L Spurloc	6041	4	9/8/2022	210	1725.6	0.000445	0.0542	9.35E-05
KY	H L Spurloc	6041	4	9/8/2022	210	1744.6	0.000445	0.0536	9.35E-05
KY	H L Spurloc	6041	4	9/8/2022	218	1853.5	0.000447	0.0526	9.75E-05
KY	H L Spurloc	6041	4	9/8/2022	279	2297.5	0.000409	0.0497	0.000114
KY	H L Spurloc	6041	4	9/8/2022	249	2067.8	0.00042	0.0506	0.000105
KY	H L Spurloc	6041	4	9/8/2022	217	1836.6	0.000445	0.0526	9.66E-05
KY	H L Spurloc	6041	4	9/8/2022	227	1891.5	0.000438	0.0526	9.95E-05
KY	H L Spurloc	6041	4	9/8/2022	212	1775	0.000445	0.0531	9.43E-05
KY	H L Spurloc	6041	4	9/8/2022	238	2028.4	0.000436	0.0511	0.000104
KY	H L Spurloc	6041	4	9/8/2022	238	2007.7	0.000435	0.0516	0.000104
KY	H L Spurloc	6041	4	9/8/2022	239	2008	0.000429	0.0511	0.000103
KY	H L Spurloc	6041	4	9/8/2022	239	2006.6	0.000429	0.0511	0.000103
KY	H L Spurloc	6041	4	9/8/2022	238	2005.2	0.000431	0.0511	0.000102
KY	H L Spurloc	6041	4	9/8/2022	239	2013.7	0.000431	0.0511	0.000103
KY	H L Spurloc	6041	4	9/8/2022	239	2010.8	0.00043	0.0511	0.000103
KY	H L Spurloc	6041	4	9/8/2022	263	2244.1	0.00042	0.0492	0.00011
KY	H L Spurloc	6041	4	9/8/2022	300	2522.8	0.000399	0.0475	0.00012
KY	H L Spurloc	6041	4	9/8/2022	302	2497.7	0.000396	0.0479	0.00012
KY	H L Spurloc	6041	4	9/8/2022	283	2319.4	0.000396	0.0483	0.000112
KY	H L Spurloc	6041	4	9/8/2022	296	2449.4	0.000396	0.0479	0.000117
KY	H L Spurloc	6041	4	9/8/2022	290	2401.6	0.000393	0.0475	0.000114
KY	H L Spurloc	6041	4	9/8/2022	235	1883.5	0.000422	0.0526	9.91E-05

KY	H L Spurloc	6041	4	9/9/2022	210	1702.6	0.000443	0.0547	9.31E-05
KY	H L Spurloc	6041	4	9/9/2022	210	1749.2	0.000446	0.0536	9.38E-05
KY	H L Spurloc	6041	4	9/9/2022	210	1751.2	0.000447	0.0536	9.39E-05
KY	H L Spurloc	6041	4	9/9/2022	209	1762.6	0.000448	0.0531	9.36E-05
KY	H L Spurloc	6041	4	9/9/2022	238	2032.5	0.000432	0.0506	0.000103
KY	H L Spurloc	6041	4	9/9/2022	216	1830	0.000441	0.0521	9.53E-05
KY	H L Spurloc	6041	4	9/9/2022	237	1966.6	0.000432	0.0521	0.000102
KY	H L Spurloc	6041	4	9/9/2022	216	1777.4	0.000441	0.0536	9.53E-05
KY	H L Spurloc	6041	4	9/9/2022	242	2061.4	0.000431	0.0506	0.000104
KY	H L Spurloc	6041	4	9/9/2022	269	2290.1	0.000411	0.0483	0.000111
KY	H L Spurloc	6041	4	9/9/2022	300	2513.6	0.000398	0.0475	0.000119
KY	H L Spurloc	6041	4	9/9/2022	289	2435.8	0.0004	0.0475	0.000116
KY	H L Spurloc	6041	4	9/9/2022	300	2483	0.000396	0.0479	0.000119
KY	H L Spurloc	6041	4	9/9/2022	299	2512	0.000399	0.0475	0.000119
KY	H L Spurloc	6041	4	9/9/2022	301	2505.5	0.000395	0.0475	0.000119
KY	H L Spurloc	6041	4	9/9/2022	301	2521.1	0.000398	0.0475	0.00012
KY	H L Spurloc	6041	4	9/9/2022	301	2520.6	0.000398	0.0475	0.00012
KY	H L Spurloc	6041	4	9/9/2022	301	2519.8	0.000398	0.0475	0.00012
KY	H L Spurloc	6041	4	9/9/2022	301	2509.1	0.000396	0.0475	0.000119
KY	H L Spurloc	6041	4	9/9/2022	301	2517.9	0.000401	0.0479	0.000121
KY	H L Spurloc	6041	4	9/9/2022	286	2370.9	0.000397	0.0479	0.000114
KY	H L Spurloc	6041	4	9/9/2022	301	2538.2	0.000401	0.0475	0.000121
KY	H L Spurloc	6041	4	9/9/2022	285	2351.8	0.000399	0.0483	0.000114
KY	H L Spurloc	6041	4	9/9/2022	252	2057.9	0.000413	0.0506	0.000104
KY	H L Spurloc	6041	4	#####	229	1930.8	0.000435	0.0516	9.96E-05
KY	H L Spurloc	6041	4	#####	209	1739.1	0.000446	0.0536	9.32E-05
KY	H L Spurloc	6041	4	#####	210	1775.5	0.000449	0.0531	9.43E-05
KY	H L Spurloc	6041	4	#####	210	1754.9	0.000448	0.0536	9.41E-05
KY	H L Spurloc	6041	4	#####	210	1786.3	0.000452	0.0531	9.49E-05
KY	H L Spurloc	6041	4	#####	228	1982	0.000444	0.0511	0.000101
KY	H L Spurloc	6041	4	#####	210	1753.5	0.000443	0.0531	9.31E-05
KY	H L Spurloc	6041	4	#####	242	2055.5	0.00043	0.0506	0.000104
KY	H L Spurloc	6041	4	#####	230	1926.4	0.000432	0.0516	9.94E-05
KY	H L Spurloc	6041	4	#####	210	1784.4	0.000451	0.0531	9.48E-05
KY	H L Spurloc	6041	4	#####	257	2208.8	0.000427	0.0497	0.00011
KY	H L Spurloc	6041	4	#####	300	2554	0.000404	0.0475	0.000121
KY	H L Spurloc	6041	4	#####	301	2519.7	0.000401	0.0479	0.000121
KY	H L Spurloc	6041	4	#####	301	2513.7	0.000403	0.0483	0.000121
KY	H L Spurloc	6041	4	#####	300	2503.1	0.000403	0.0483	0.000121
KY	H L Spurloc	6041	4	#####	301	2517.7	0.000404	0.0483	0.000122
KY	H L Spurloc	6041	4	#####	302	2507.6	0.000401	0.0483	0.000121
KY	H L Spurloc	6041	4	#####	301	2475.9	0.000401	0.0488	0.000121
KY	H L Spurloc	6041	4	#####	300	2487	0.000405	0.0488	0.000121
KY	H L Spurloc	6041	4	#####	301	2527.3	0.000406	0.0483	0.000122
KY	H L Spurloc	6041	4	#####	287	2362.2	0.000398	0.0483	0.000114
KY	H L Spurloc	6041	4	#####	294	2437.5	0.0004	0.0483	0.000118
KY	H L Spurloc	6041	4	#####	289	2374.2	0.000401	0.0488	0.000116

KY	H L Spurloc	6041	4	#####	242	1979.5	0.000426	0.0521	0.000103
KY	H L Spurloc	6041	4	#####	238	2002.8	0.000438	0.0521	0.000104
KY	H L Spurloc	6041	4	#####	221	1816.5	0.000441	0.0536	9.74E-05
KY	H L Spurloc	6041	4	#####	233	1964.7	0.000439	0.0521	0.000102
KY	H L Spurloc	6041	4	#####	213	1753.9	0.000446	0.0542	9.51E-05
KY	H L Spurloc	6041	4	#####	217	1820.9	0.00045	0.0536	9.76E-05
KY	H L Spurloc	6041	4	#####	212	1793.2	0.000453	0.0536	9.61E-05
KY	H L Spurloc	6041	4	#####	210	1761.8	0.000455	0.0542	9.55E-05
KY	H L Spurloc	6041	4	#####	245	2090.9	0.000436	0.0511	0.000107
KY	H L Spurloc	6041	4	#####	222	1824.9	0.000441	0.0536	9.78E-05
KY	H L Spurloc	6041	4	#####	246	2072.9	0.000435	0.0516	0.000107
KY	H L Spurloc	6041	4	#####	225	1870.9	0.000446	0.0536	0.0001
KY	H L Spurloc	6041	4	#####	249	2091.3	0.000429	0.0511	0.000107
KY	H L Spurloc	6041	4	#####	276	2322.5	0.000414	0.0492	0.000114
KY	H L Spurloc	6041	4	#####	287	2373.5	0.000407	0.0492	0.000117
KY	H L Spurloc	6041	4	#####	250	2090.8	0.000423	0.0506	0.000106
KY	H L Spurloc	6041	4	#####	296	2461.9	0.000406	0.0488	0.00012
KY	H L Spurloc	6041	4	#####	298	2440.9	0.000403	0.0492	0.00012
KY	H L Spurloc	6041	4	#####	296	2434.9	0.000405	0.0492	0.00012
KY	H L Spurloc	6041	4	#####	298	2461.6	0.000403	0.0488	0.00012
KY	H L Spurloc	6041	4	#####	296	2424.3	0.000403	0.0492	0.000119
KY	H L Spurloc	6041	4	#####	271	2229.1	0.000409	0.0497	0.000111
KY	H L Spurloc	6041	4	#####	226	1849.5	0.000439	0.0536	9.91E-05
KY	H L Spurloc	6041	4	#####	245	2036.6	0.000433	0.0521	0.000106
KY	H L Spurloc	6041	4	#####	217	1789.1	0.000447	0.0542	9.7E-05
KY	H L Spurloc	6041	4	#####	210	1771.6	0.000457	0.0542	9.6E-05
KY	H L Spurloc	6041	4	#####	210	1767.5	0.000456	0.0542	9.58E-05
KY	H L Spurloc	6041	4	#####	210	1766.1	0.00046	0.0547	9.66E-05
KY	H L Spurloc	6041	4	#####	210	1759	0.000458	0.0547	9.62E-05
KY	H L Spurloc	6041	4	#####	211	1759.8	0.000456	0.0547	9.63E-05
KY	H L Spurloc	6041	4	#####	230	1965.8	0.000445	0.0521	0.000102
KY	H L Spurloc	6041	4	#####	264	2156.7	0.000413	0.0506	0.000109
KY	H L Spurloc	6041	4	#####	247	2041.3	0.000422	0.0511	0.000104
KY	H L Spurloc	6041	4	#####	246	2046.1	0.000421	0.0506	0.000104
KY	H L Spurloc	6041	4	#####	220	1828.1	0.000437	0.0526	9.62E-05
KY	H L Spurloc	6041	4	#####	272	2267.7	0.000198	0.0237	5.37E-05
KY	H L Spurloc	6041	4	#####	299	2474.6	0.000191	0.0231	5.72E-05
KY	H L Spurloc	6041	4	#####	300	2476.1	0.000191	0.0231	5.72E-05
KY	H L Spurloc	6041	4	#####	295	2401.3	0.00019	0.0233	5.6E-05
KY	H L Spurloc	6041	4	#####	298	2453.3	0.00019	0.0231	5.67E-05
KY	H L Spurloc	6041	4	#####	294	2383	0.000189	0.0233	5.55E-05
KY	H L Spurloc	6041	4	#####	253	2065.5	0.000199	0.0244	5.04E-05
KY	H L Spurloc	6041	4	#####	219	1774.9	0.000212	0.0261	4.63E-05
KY	H L Spurloc	6041	4	#####	223	1884.4	0.000214	0.0253	4.77E-05
KY	H L Spurloc	6041	4	#####	270	2248.9	0.000197	0.0237	5.33E-05
KY	H L Spurloc	6041	4	#####	254	2105.4	0.0002	0.0241	5.07E-05
KY	H L Spurloc	6041	4	#####	271	2217.8	0.000196	0.0239	5.3E-05

KY	H L Spurloc	6041	4	#####	262	2128.3	0.000196	0.0241	5.13E-05
KY	H L Spurloc	6041	4	#####	222	1815.3	0.000211	0.0258	4.68E-05
KY	H L Spurloc	6041	4	#####	265	2226.4	0.000199	0.0237	5.28E-05
KY	H L Spurloc	6041	4	#####	222	1792.5	0.000211	0.0261	4.68E-05
KY	H L Spurloc	6041	4	#####	241	2003.6	0.000206	0.0248	4.97E-05
KY	H L Spurloc	6041	4	#####	217	1779.2	0.000214	0.0261	4.64E-05
KY	H L Spurloc	6041	4	#####	243	2057.1	0.000207	0.0244	5.02E-05
KY	H L Spurloc	6041	4	#####	275	2317	0.000198	0.0235	5.44E-05
KY	H L Spurloc	6041	4	#####	284	2295.7	0.00019	0.0235	5.39E-05
KY	H L Spurloc	6041	4	#####	237	1903.9	0.000203	0.0253	4.82E-05
KY	H L Spurloc	6041	4	#####	241	2019.8	0.000206	0.0246	4.97E-05
KY	H L Spurloc	6041	4	#####	244	2031.8	0.000205	0.0246	5E-05
KY	H L Spurloc	6041	4	#####	262	2179.1	0.000197	0.0237	5.16E-05
KY	H L Spurloc	6041	4	#####	287	2382.5	0.000193	0.0233	5.55E-05
KY	H L Spurloc	6041	4	#####	302	2483.2	0.00019	0.0231	5.74E-05
KY	H L Spurloc	6041	4	#####	301	2489.8	0.000191	0.0231	5.75E-05
KY	H L Spurloc	6041	4	#####	301	2494.4	0.000191	0.0231	5.76E-05
KY	H L Spurloc	6041	4	#####	302	2497.6	0.000191	0.0231	5.77E-05
KY	H L Spurloc	6041	4	#####	299	2474.6	0.00019	0.0229	5.67E-05
KY	H L Spurloc	6041	4	#####	286	2304.7	0.000189	0.0235	5.42E-05
KY	H L Spurloc	6041	4	#####	300	2503.3	0.000193	0.0231	5.78E-05
KY	H L Spurloc	6041	4	#####	285	2357.1	0.000191	0.0231	5.44E-05
KY	H L Spurloc	6041	4	#####	279	2307.6	0.000193	0.0233	5.38E-05
KY	H L Spurloc	6041	4	#####	250	2061	0.000201	0.0244	5.03E-05
KY	H L Spurloc	6041	4	#####	222	1824.4	0.00021	0.0256	4.67E-05
KY	H L Spurloc	6041	4	#####	210	1731.2	0.000217	0.0263	4.55E-05
KY	H L Spurloc	6041	4	#####	210	1743.7	0.000218	0.0263	4.59E-05
KY	H L Spurloc	6041	4	#####	210	1750.7	0.000219	0.0263	4.6E-05
KY	H L Spurloc	6041	4	#####	210	1756.5	0.00022	0.0263	4.62E-05
KY	H L Spurloc	6041	4	#####	210	1771.9	0.00022	0.0261	4.62E-05
KY	H L Spurloc	6041	4	#####	211	1769.6	0.000221	0.0263	4.65E-05
KY	H L Spurloc	6041	4	#####	216	1831.6	0.000217	0.0256	4.69E-05
KY	H L Spurloc	6041	4	#####	238	2048.8	0.000207	0.0241	4.94E-05
KY	H L Spurloc	6041	4	#####	216	1814.2	0.000215	0.0256	4.64E-05
KY	H L Spurloc	6041	4	#####	210	1791.1	0.000218	0.0256	4.59E-05
KY	H L Spurloc	6041	4	#####	210	1797.8	0.000219	0.0256	4.6E-05
KY	H L Spurloc	6041	4	#####	210	1804.5	0.00022	0.0256	4.62E-05
KY	H L Spurloc	6041	4	#####	210	1805.1	0.00022	0.0256	4.62E-05
KY	H L Spurloc	6041	4	#####	212	1837.3	0.000219	0.0253	4.65E-05
KY	H L Spurloc	6041	4	#####	213	1822	0.000219	0.0256	4.66E-05
KY	H L Spurloc	6041	4	#####	243	2124.2	0.000209	0.0239	5.08E-05
KY	H L Spurloc	6041	4	#####	296	2511.5	0.000193	0.0227	5.7E-05
KY	H L Spurloc	6041	4	#####	296	2497.8	0.000192	0.0227	5.67E-05
KY	H L Spurloc	6041	4	#####	289	2423.3	0.000192	0.0229	5.55E-05
KY	H L Spurloc	6041	4	#####	276	2334.8	0.000195	0.0231	5.39E-05
KY	H L Spurloc	6041	4	#####	263	2176	0.000198	0.0239	5.2E-05
KY	H L Spurloc	6041	4	#####	273	2305.9	0.000197	0.0233	5.37E-05

KY	H L Spurloc	6041	4	#####	247	2055.7	0.000203	0.0244	5.02E-05
KY	H L Spurloc	6041	4	#####	243	2021.6	0.000205	0.0246	4.97E-05
KY	H L Spurloc	6041	4	#####	210	1729.3	0.000217	0.0263	4.55E-05
KY	H L Spurloc	6041	4	#####	210	1769.6	0.00022	0.0261	4.62E-05
KY	H L Spurloc	6041	4	#####	210	1787.3	0.00022	0.0258	4.61E-05
KY	H L Spurloc	6041	4	#####	210	1787.3	0.00022	0.0258	4.61E-05
KY	H L Spurloc	6041	4	#####	210	1805.8	0.00022	0.0256	4.62E-05
KY	H L Spurloc	6041	4	#####	210	1784.3	0.000218	0.0256	4.57E-05
KY	H L Spurloc	6041	4	#####	233	2065.4	0.000212	0.0239	4.94E-05
KY	H L Spurloc	6041	4	#####	244	2078.3	0.000205	0.0241	5.01E-05
KY	H L Spurloc	6041	4	#####	210	1754.6	0.000222	0.0266	4.67E-05
KY	H L Spurloc	6041	4	#####	240	2048.5	0.000219	0.0256	5.24E-05
KY	H L Spurloc	6041	4	#####	217	1813.9	0.00022	0.0263	4.77E-05
KY	H L Spurloc	6041	4	#####	241	2054.3	0.000214	0.0251	5.16E-05
KY	H L Spurloc	6041	4	#####	223	1865.3	0.000216	0.0258	4.81E-05
KY	H L Spurloc	6041	4	#####	214	1835.5	0.00022	0.0256	4.7E-05
KY	H L Spurloc	6041	4	#####	277	2354.1	0.000201	0.0237	5.58E-05
KY	H L Spurloc	6041	4	#####	279	2367.6	0.000199	0.0235	5.56E-05
KY	H L Spurloc	6041	4	#####	302	2550	0.000195	0.0231	5.89E-05
KY	H L Spurloc	6041	4	#####	302	2551.7	0.000195	0.0231	5.89E-05
KY	H L Spurloc	6041	4	#####	301	2533.8	0.000194	0.0231	5.85E-05
KY	H L Spurloc	6041	4	#####	297	2479.9	0.000193	0.0231	5.73E-05
KY	H L Spurloc	6041	4	#####	287	2383.1	0.000195	0.0235	5.6E-05
KY	H L Spurloc	6041	4	#####	240	1964.4	0.000205	0.0251	4.93E-05
KY	H L Spurloc	6041	4	#####	240	2043.6	0.000209	0.0246	5.03E-05
KY	H L Spurloc	6041	4	#####	223	1833.3	0.000212	0.0258	4.73E-05
KY	H L Spurloc	6041	4	#####	210	1764.6	0.000219	0.0261	4.61E-05
KY	H L Spurloc	6041	4	#####	210	1788.7	0.000222	0.0261	4.67E-05
KY	H L Spurloc	6041	4	#####	210	1796.9	0.000223	0.0261	4.69E-05
KY	H L Spurloc	6041	4	#####	210	1803.2	0.000224	0.0261	4.71E-05
KY	H L Spurloc	6041	4	#####	210	1778.1	0.000223	0.0263	4.68E-05
KY	H L Spurloc	6041	4	#####	210	1780.5	0.000223	0.0263	4.68E-05
KY	H L Spurloc	6041	4	#####	211	1835	0.000223	0.0256	4.7E-05
KY	H L Spurloc	6041	4	#####	214	1855.8	0.000218	0.0251	4.66E-05
KY	H L Spurloc	6041	4	#####	238	2060.7	0.000213	0.0246	5.07E-05
KY	H L Spurloc	6041	4	#####	217	1802.8	0.000214	0.0258	4.65E-05
KY	H L Spurloc	6041	4	#####	210	1796.4	0.000219	0.0256	4.6E-05
KY	H L Spurloc	6041	4	#####	227	1934.4	0.000214	0.0251	4.86E-05
KY	H L Spurloc	6041	4	#####	212	1799.3	0.000217	0.0256	4.61E-05
KY	H L Spurloc	6041	4	#####	223	1932.2	0.000215	0.0248	4.79E-05
KY	H L Spurloc	6041	4	#####	285	2466.5	0.0002	0.0231	5.7E-05
KY	H L Spurloc	6041	4	#####	295	2491.8	0.000193	0.0229	5.71E-05
KY	H L Spurloc	6041	4	#####	302	2535.5	0.000192	0.0229	5.81E-05
KY	H L Spurloc	6041	4	#####	302	2545.6	0.000193	0.0229	5.83E-05
KY	H L Spurloc	6041	4	#####	288	2369.5	0.000193	0.0235	5.57E-05
KY	H L Spurloc	6041	4	#####	252	2081.9	0.000202	0.0244	5.08E-05
KY	H L Spurloc	6041	4	#####	214	1745.5	0.000215	0.0263	4.59E-05

KY	H L Spurloc	6041	4 #####	210	1755.1	0.00022	0.0263	4.62E-05
KY	H L Spurloc	6041	4 #####	210	1767.5	0.000221	0.0263	4.65E-05
KY	H L Spurloc	6041	4 #####	210	1778.7	0.000221	0.0261	4.64E-05
KY	H L Spurloc	6041	4 #####	210	1789.2	0.00022	0.0258	4.62E-05
KY	H L Spurloc	6041	4 #####	210	1787	0.00022	0.0258	4.61E-05
KY	H L Spurloc	6041	4 #####	210	1784.2	0.000219	0.0258	4.6E-05
KY	H L Spurloc	6041	4 #####	210	1786.3	0.000219	0.0258	4.61E-05
KY	H L Spurloc	6041	4 #####	210	1766.5	0.000221	0.0263	4.65E-05
KY	H L Spurloc	6041	4 #####	210	1780.5	0.000223	0.0263	4.68E-05
KY	H L Spurloc	6041	4 #####	210	1798	0.000223	0.0261	4.69E-05
KY	H L Spurloc	6041	4 #####	210	1799.1	0.000221	0.0258	4.64E-05
KY	H L Spurloc	6041	4 #####	210	1795.9	0.000219	0.0256	4.6E-05
KY	H L Spurloc	6041	4 #####	210	1789.5	0.000218	0.0256	4.58E-05
KY	H L Spurloc	6041	4 #####	210	1791	0.00022	0.0258	4.62E-05
KY	H L Spurloc	6041	4 #####	210	1822	0.000222	0.0256	4.66E-05
KY	H L Spurloc	6041	4 #####	210	1782.6	0.000222	0.0261	4.65E-05
KY	H L Spurloc	6041	4 #####	210	1800.3	0.000221	0.0258	4.64E-05
KY	H L Spurloc	6041	4 #####	213	1824.8	0.000224	0.0261	4.76E-05
KY	H L Spurloc	6041	4 #####	213	1806.3	0.000221	0.0261	4.71E-05
KY	H L Spurloc	6041	4 #####	212	1805.7	0.000222	0.0261	4.71E-05
KY	H L Spurloc	6041	4 #####	240	2075.1	0.000213	0.0246	5.1E-05
KY	H L Spurloc	6041	4 #####	265	2222.1	0.0002	0.0239	5.31E-05
KY	H L Spurloc	6041	4 #####	226	1858.7	0.000212	0.0258	4.8E-05
KY	H L Spurloc	6041	4 #####	243	2040.5	0.000211	0.0251	5.12E-05
KY	H L Spurloc	6041	4 #####	210	1760.9	0.000221	0.0263	4.63E-05
KY	H L Spurloc	6041	4 #####	218	1888.1	0.000222	0.0256	4.83E-05
KY	H L Spurloc	6041	4 #####	250	2105.4	0.000209	0.0248	5.22E-05
KY	H L Spurloc	6041	4 #####	219	1838.2	0.000217	0.0258	4.74E-05
KY	H L Spurloc	6041	4 #####	227	1893.4	0.000215	0.0258	4.88E-05
KY	H L Spurloc	6041	4 #####	210	1788.9	0.000222	0.0261	4.67E-05
KY	H L Spurloc	6041	4 #####	210	1788.2	0.000222	0.0261	4.67E-05
KY	H L Spurloc	6041	4 #####	210	1777.2	0.000223	0.0263	4.67E-05
KY	H L Spurloc	6041	4 #####	210	1785.9	0.000224	0.0263	4.7E-05
KY	H L Spurloc	6041	4 #####	210	1807.6	0.000225	0.0261	4.72E-05
KY	H L Spurloc	6041	4 #####	210	1813.6	0.000223	0.0258	4.68E-05
KY	H L Spurloc	6041	4 #####	210	1795.8	0.000223	0.0261	4.69E-05
KY	H L Spurloc	6041	4 #####	210	1819.9	0.000224	0.0258	4.7E-05
KY	H L Spurloc	6041	4 #####	210	1811.7	0.000223	0.0258	4.67E-05
KY	H L Spurloc	6041	4 #####	210	1799.5	0.000221	0.0258	4.64E-05
KY	H L Spurloc	6041	4 #####	210	1807.1	0.00022	0.0256	4.63E-05
KY	H L Spurloc	6041	4 #####	215	1860.9	0.000219	0.0253	4.71E-05
KY	H L Spurloc	6041	4 #####	219	1866.2	0.000218	0.0256	4.78E-05
KY	H L Spurloc	6041	4 #####	269	2290.9	0.000202	0.0237	5.43E-05
KY	H L Spurloc	6041	4 #####	272	2315.6	0.0002	0.0235	5.44E-05
KY	H L Spurloc	6041	4 #####	301	2484.5	0.000192	0.0233	5.79E-05
KY	H L Spurloc	6041	4 #####	301	2485.9	0.000192	0.0233	5.79E-05
KY	H L Spurloc	6041	4 #####	300	2475.1	0.000192	0.0233	5.77E-05

KY	H L Spurloc	6041	4	#####	288	2362.8	0.000191	0.0233	5.51E-05
KY	H L Spurloc	6041	4	#####	243	2039.3	0.000205	0.0244	4.98E-05
KY	H L Spurloc	6041	4	#####	224	1835.7	0.00021	0.0256	4.7E-05
KY	H L Spurloc	6041	4	#####	210	1734.5	0.000217	0.0263	4.56E-05
KY	H L Spurloc	6041	4	#####	210	1733.6	0.00022	0.0266	4.61E-05
KY	H L Spurloc	6041	4	#####	210	1768.1	0.000221	0.0263	4.65E-05
KY	H L Spurloc	6041	4	#####	210	1761	0.000221	0.0263	4.63E-05
KY	H L Spurloc	6041	4	#####	210	1755.5	0.00022	0.0263	4.62E-05
KY	H L Spurloc	6041	4	#####	210	1763.6	0.000221	0.0263	4.64E-05
KY	H L Spurloc	6041	4	#####	210	1764.8	0.000221	0.0263	4.64E-05
KY	H L Spurloc	6041	4	#####	219	1876	0.000219	0.0256	4.8E-05
KY	H L Spurloc	6041	4	#####	224	1862.2	0.000213	0.0256	4.77E-05
KY	H L Spurloc	6041	4	#####	210	1757	0.000218	0.0261	4.59E-05
KY	H L Spurloc	6041	4	#####	210	1760.7	0.000219	0.0261	4.6E-05
KY	H L Spurloc	6041	4	#####	246	2052.7	0.000207	0.0248	5.09E-05
KY	H L Spurloc	6041	4	#####	221	1862.9	0.000767	0.091	0.00017
KY	H L Spurloc	6041	4	#####	234	2033.6	0.000753	0.0867	0.000176
KY	H L Spurloc	6041	4	#####	229	1928.8	0.000751	0.0892	0.000172
KY	H L Spurloc	6041	4	#####	222	1906.5	0.000766	0.0892	0.00017
KY	H L Spurloc	6041	4	#####	249	2116.2	0.000737	0.0867	0.000183
KY	H L Spurloc	6041	4	#####	296	2519.5	0.000693	0.0814	0.000205
KY	H L Spurloc	6041	4	#####	301	2533.5	0.000691	0.0821	0.000208
KY	H L Spurloc	6041	4	#####	300	2517.1	0.000689	0.0821	0.000207
KY	H L Spurloc	6041	4	#####	291	2451.4	0.000692	0.0821	0.000201
KY	H L Spurloc	6041	4	#####	271	2255.1	0.000702	0.0844	0.00019
KY	H L Spurloc	6041	4	#####	211	1782.1	0.000784	0.0928	0.000165
KY	H L Spurloc	6041	4	#####	211	1802.6	0.000793	0.0928	0.000167
KY	H L Spurloc	6041	4	#####	210	1801.3	0.000796	0.0928	0.000167
KY	H L Spurloc	6041	4	#####	210	1803.1	0.000797	0.0928	0.000167
KY	H L Spurloc	6041	4	#####	210	1810.9	0.0008	0.0928	0.000168
KY	H L Spurloc	6041	4	#####	210	1813.5	0.000801	0.0928	0.000168
KY	H L Spurloc	6041	4	#####	210	1806.4	0.000798	0.0928	0.000168
KY	H L Spurloc	6041	4	#####	210	1802.9	0.000797	0.0928	0.000167
KY	H L Spurloc	6041	4	#####	211	1827.9	0.000796	0.0919	0.000168
KY	H L Spurloc	6041	4	#####	212	1842.2	0.000799	0.0919	0.000169
KY	H L Spurloc	6041	4	#####	242	2071.5	0.000757	0.0884	0.000183
KY	H L Spurloc	6041	4	#####	217	1867.6	0.000783	0.091	0.00017
KY	H L Spurloc	6041	4	#####	218	1894.5	0.000783	0.0901	0.000171
KY	H L Spurloc	6041	4	#####	230	1961.1	0.000768	0.0901	0.000177
KY	H L Spurloc	6041	4	#####	230	1972.6	0.000773	0.0901	0.000178
KY	H L Spurloc	6041	4	#####	230	1980.9	0.000768	0.0892	0.000177
KY	H L Spurloc	6041	4	#####	241	2093.5	0.000753	0.0867	0.000182
KY	H L Spurloc	6041	4	#####	302	2584.8	0.000691	0.0807	0.000209
KY	H L Spurloc	6041	4	#####	301	2553.5	0.000691	0.0814	0.000208
KY	H L Spurloc	6041	4	#####	302	2592.1	0.000687	0.08	0.000207
KY	H L Spurloc	6041	4	#####	302	2583.1	0.000684	0.08	0.000207
KY	H L Spurloc	6041	4	#####	302	2536.6	0.000684	0.0814	0.000206

KY	H L Spurloc	6041	4	#####	299	2500.1	0.000675	0.0807	0.000202
KY	H L Spurloc	6041	4	#####	282	2347.4	0.000683	0.0821	0.000193
KY	H L Spurloc	6041	4	#####	224	1851.4	0.000752	0.091	0.000168
KY	H L Spurloc	6041	4	#####	210	1735.3	0.000767	0.0928	0.000161
KY	H L Spurloc	6041	4	#####	210	1744.6	0.000771	0.0928	0.000162
KY	H L Spurloc	6041	4	#####	210	1762.8	0.000771	0.0919	0.000162
KY	H L Spurloc	6041	4	#####	210	1768	0.000774	0.0919	0.000162
KY	H L Spurloc	6041	4	#####	210	1757	0.000776	0.0928	0.000163
KY	H L Spurloc	6041	4	#####	210	1779.6	0.000779	0.0919	0.000164
KY	H L Spurloc	6041	4	#####	210	1770.1	0.000782	0.0928	0.000164
KY	H L Spurloc	6041	4	#####	210	1772.9	0.000783	0.0928	0.000165
KY	H L Spurloc	6041	4	#####	210	1790.3	0.000783	0.0919	0.000165
KY	H L Spurloc	6041	4	#####	213	1799.8	0.000777	0.0919	0.000165
KY	H L Spurloc	6041	4	#####	210	1785	0.000781	0.0919	0.000164
KY	H L Spurloc	6041	4	#####	217	1821.3	0.000771	0.0919	0.000167
KY	H L Spurloc	6041	4	#####	225	1925	0.000771	0.0901	0.000173
KY	H L Spurloc	6041	4	#####	224	1908.2	0.000768	0.0901	0.000172
KY	H L Spurloc	6041	4	#####	270	2341.7	0.000732	0.0844	0.000198
KY	H L Spurloc	6041	4	#####	301	2614.1	0.000695	0.08	0.000209
KY	H L Spurloc	6041	4	#####	295	2558	0.000694	0.08	0.000205
KY	H L Spurloc	6041	4	#####	301	2573	0.00069	0.0807	0.000208
KY	H L Spurloc	6041	4	#####	301	2570.5	0.000695	0.0814	0.000209
KY	H L Spurloc	6041	4	#####	301	2609.4	0.0007	0.0807	0.000211
KY	H L Spurloc	6041	4	#####	301	2572.8	0.000696	0.0814	0.000209
KY	H L Spurloc	6041	4	#####	282	2341.8	0.000694	0.0836	0.000196
KY	H L Spurloc	6041	4	#####	271	2274.6	0.000708	0.0844	0.000192
KY	H L Spurloc	6041	4	#####	246	2047.2	0.000736	0.0884	0.000181
KY	H L Spurloc	6041	4	#####	217	1825.1	0.000773	0.0919	0.000168
KY	H L Spurloc	6041	4	#####	211	1801.8	0.000785	0.0919	0.000166
KY	H L Spurloc	6041	4	#####	259	2283.1	0.000737	0.0836	0.000191
KY	H L Spurloc	6041	4	#####	295	2512.8	0.000693	0.0814	0.000205
KY	H L Spurloc	6041	4	#####	295	2448.6	0.000681	0.0821	0.000201
KY	H L Spurloc	6041	4	#####	298	2513.6	0.000693	0.0821	0.000206
KY	H L Spurloc	6041	4	#####	298	2546.6	0.000702	0.0821	0.000209
KY	H L Spurloc	6041	4	#####	295	2495	0.000694	0.0821	0.000205
KY	H L Spurloc	6041	4	#####	299	2542.3	0.000686	0.0807	0.000205
KY	H L Spurloc	6041	4	#####	301	2510.1	0.000679	0.0814	0.000204
KY	H L Spurloc	6041	4	#####	302	2530.7	0.000676	0.0807	0.000204
KY	H L Spurloc	6041	4	#####	302	2527.6	0.000675	0.0807	0.000204
KY	H L Spurloc	6041	4	#####	302	2533.6	0.000677	0.0807	0.000204
KY	H L Spurloc	6041	4	#####	302	2525.8	0.000675	0.0807	0.000204
KY	H L Spurloc	6041	4	#####	301	2513.1	0.000674	0.0807	0.000203
KY	H L Spurloc	6041	4	#####	301	2531.8	0.000673	0.08	0.000203
KY	H L Spurloc	6041	4	#####	302	2534.4	0.000671	0.08	0.000203
KY	H L Spurloc	6041	4	#####	302	2516.8	0.000673	0.0807	0.000203
KY	H L Spurloc	6041	4	#####	302	2517.2	0.000673	0.0807	0.000203
KY	H L Spurloc	6041	4	#####	302	2515.8	0.000672	0.0807	0.000203

KY	H L Spurloc	6041	4	#####	302	2508.3	0.00067	0.0807	0.000202
KY	H L Spurloc	6041	4	#####	302	2488.9	0.000671	0.0814	0.000203
KY	H L Spurloc	6041	4	#####	302	2484.3	0.00067	0.0814	0.000202
KY	H L Spurloc	6041	4	#####	288	2390.4	0.000676	0.0814	0.000195
KY	H L Spurloc	6041	4	#####	298	2495.9	0.000676	0.0807	0.000201
KY	H L Spurloc	6041	4	#####	250	2243	0.000744	0.0829	0.000186
KY	H L Spurloc	6041	4	#####	236	2116.3	0.000763	0.0851	0.00018
KY	H L Spurloc	6041	4	#####	255	2120.3	0.000721	0.0867	0.000184
KY	H L Spurloc	6041	4	#####	278	2276.1	0.000691	0.0844	0.000192
KY	H L Spurloc	6041	4	#####	280	2348.8	0.000689	0.0821	0.000193
KY	H L Spurloc	6041	4	#####	262	2218.8	0.000708	0.0836	0.000185
KY	H L Spurloc	6041	4	#####	260	2208.4	0.000717	0.0844	0.000186
KY	H L Spurloc	6041	4	#####	259	2217.7	0.00071	0.0829	0.000184
KY	H L Spurloc	6041	4	#####	257	2202.6	0.00071	0.0829	0.000183
KY	H L Spurloc	6041	4	#####	255	2174.4	0.000726	0.0851	0.000185
KY	H L Spurloc	6041	4	#####	255	2193	0.000719	0.0836	0.000183
KY	H L Spurloc	6041	4	#####	255	2183.2	0.000723	0.0844	0.000184
KY	H L Spurloc	6041	4	#####	255	2156.4	0.00072	0.0851	0.000184
KY	H L Spurloc	6041	4	#####	254	2151.3	0.000721	0.0851	0.000183
KY	H L Spurloc	6041	4	#####	245	2120.5	0.00073	0.0844	0.000179
KY	H L Spurloc	6041	4	#####	240	2069.8	0.000734	0.0851	0.000176
KY	H L Spurloc	6041	4	#####	233	2001	0.000731	0.0851	0.00017
KY	H L Spurloc	6041	4	#####	210	1872	0.000766	0.0859	0.000161
KY	H L Spurloc	6041	4	#####	210	1846.1	0.000762	0.0867	0.00016
KY	H L Spurloc	6041	4	#####	210	1784.2	0.000766	0.0901	0.000161
KY	H L Spurloc	6041	4	#####	211	1811	0.000781	0.091	0.000165
KY	H L Spurloc	6041	4	#####	210	1831.9	0.000794	0.091	0.000167
KY	H L Spurloc	6041	4	#####	211	1843.9	0.000795	0.091	0.000168
KY	H L Spurloc	6041	4	#####	210	1825.1	0.000791	0.091	0.000166
KY	H L Spurloc	6041	4	#####	210	1832.8	0.000786	0.0901	0.000165
KY	H L Spurloc	6041	4	#####	258	2270.8	0.000736	0.0836	0.00019
KY	H L Spurloc	6041	4	#####	294	2545.1	0.000699	0.0807	0.000205
KY	H L Spurloc	6041	4	#####	290	2459.1	0.000696	0.0821	0.000202
KY	H L Spurloc	6041	4	#####	257	2187	0.000718	0.0844	0.000185
KY	H L Spurloc	6041	4	#####	263	2239.8	0.000706	0.0829	0.000186
KY	H L Spurloc	6041	4	#####	226	1885.6	0.000744	0.0892	0.000168
KY	H L Spurloc	6041	4	#####	250	2114.2	0.000726	0.0859	0.000182
KY	H L Spurloc	6041	4	#####	255	2127.1	0.000717	0.0859	0.000183
KY	H L Spurloc	6041	4	#####	240	2050.2	0.000727	0.0851	0.000174
KY	H L Spurloc	6041	4	#####	239	2060.6	0.000734	0.0851	0.000175
KY	H L Spurloc	6041	4	#####	217	1879.4	0.000744	0.0859	0.000161
KY	H L Spurloc	6041	4	#####	241	2088.8	0.000738	0.0851	0.000178
KY	H L Spurloc	6041	4	#####	295	2558.2	0.000706	0.0814	0.000208
KY	H L Spurloc	6041	4	#####	291	2483.4	0.000695	0.0814	0.000202
KY	H L Spurloc	6041	4	#####	298	2539.1	0.000688	0.0807	0.000205
KY	H L Spurloc	6041	4	#####	272	2266.9	0.000697	0.0836	0.00019
KY	H L Spurloc	6041	4	#####	274	2308.6	0.000698	0.0829	0.000191

KY	H L Spurloc	6041	4	#####	289	2450	0.00069	0.0814	0.000199
KY	H L Spurloc	6041	4	#####	290	2442.8	0.000686	0.0814	0.000199
KY	H L Spurloc	6041	4	#####	299	2555.7	0.00069	0.0807	0.000206
KY	H L Spurloc	6041	4	#####	299	2520.3	0.000686	0.0814	0.000205
KY	H L Spurloc	6041	4	#####	290	2427.3	0.000681	0.0814	0.000198
KY	H L Spurloc	6041	4	#####	297	2504	0.00068	0.0807	0.000202
KY	H L Spurloc	6041	4	#####	292	2461.2	0.00068	0.0807	0.000199
KY	H L Spurloc	6041	4	#####	222	1756.5	0.000734	0.0928	0.000163
KY	H L Spurloc	6041	4	#####	209	1707	0.000765	0.0937	0.00016
KY	H L Spurloc	6041	4	#####	209	1742.9	0.000781	0.0937	0.000163
KY	H L Spurloc	6041	4	#####	209	1749.4	0.000784	0.0937	0.000164
KY	H L Spurloc	6041	4	#####	210	1748.5	0.000788	0.0947	0.000166
KY	H L Spurloc	6041	4	#####	209	1767.9	0.000793	0.0937	0.000166
KY	H L Spurloc	6041	4	#####	209	1775.3	0.000788	0.0928	0.000165
KY	H L Spurloc	6041	4	#####	209	1755.1	0.000779	0.0928	0.000163
KY	H L Spurloc	6041	4	#####	210	1798	0.000787	0.0919	0.000165
KY	H L Spurloc	6041	4	#####	210	1793.2	0.000792	0.0928	0.000166
KY	H L Spurloc	6041	4	#####	210	1797.3	0.000794	0.0928	0.000167
KY	H L Spurloc	6041	4	#####	240	2070.7	0.000756	0.0876	0.000181
KY	H L Spurloc	6041	4	#####	218	1811.4	0.000756	0.091	0.000165
KY	H L Spurloc	6041	4	#####	241	2064.2	0.00075	0.0876	0.000181
KY	H L Spurloc	6041	4	#####	226	1868.8	0.000752	0.091	0.00017
KY	H L Spurloc	6041	4	#####	240	2039.5	0.000751	0.0884	0.00018
KY	H L Spurloc	6041	4	#####	247	2078.4	0.000737	0.0876	0.000182
KY	H L Spurloc	6041	4	#####	254	2133.5	0.000728	0.0867	0.000185
KY	H L Spurloc	6041	4	#####	274	2333.1	0.000712	0.0836	0.000195
KY	H L Spurloc	6041	4	#####	298	2525.6	0.00069	0.0814	0.000206
KY	H L Spurloc	6041	4	#####	284	2344.7	0.000684	0.0829	0.000194
KY	H L Spurloc	6041	4	#####	280	2302.3	0.000687	0.0836	0.000192
KY	H L Spurloc	6041	4	#####	277	2343.2	0.000689	0.0814	0.000191
KY	H L Spurloc	6041	4	#####	272	2252.6	0.000687	0.0829	0.000187
KY	H L Spurloc	6041	4	#####	234	1894.6	0.00073	0.0901	0.000171
KY	H L Spurloc	6041	4	#####	219	1800.8	0.000756	0.0919	0.000165
KY	H L Spurloc	6041	4	#####	210	1727.7	0.000771	0.0937	0.000162
KY	H L Spurloc	6041	4	#####	209	1739.8	0.00078	0.0937	0.000163
KY	H L Spurloc	6041	4	#####	210	1763.8	0.000779	0.0928	0.000164
KY	H L Spurloc	6041	4	#####	244	2076	0.000745	0.0876	0.000182
KY	H L Spurloc	6041	4	#####	274	2316.2	0.000701	0.0829	0.000192
KY	H L Spurloc	6041	4	#####	286	2341	0.000679	0.0829	0.000194
KY	H L Spurloc	6041	4	#####	274	2263.6	0.000691	0.0836	0.000189
KY	H L Spurloc	6041	4	#####	288	2368.7	0.000682	0.0829	0.000196
KY	H L Spurloc	6041	4	#####	281	2327.7	0.000184	0.0222	5.17E-05
KY	H L Spurloc	6041	4	#####	298	2510.5	0.000184	0.0218	5.47E-05
KY	H L Spurloc	6041	4	#####	301	2530.6	0.000182	0.0216	5.47E-05
KY	H L Spurloc	6041	4	#####	299	2509.7	0.000181	0.0216	5.42E-05
KY	H L Spurloc	6041	4	#####	289	2420.7	0.000183	0.0218	5.28E-05
KY	H L Spurloc	6041	4	#####	293	2486.4	0.000183	0.0216	5.37E-05

KY	H L Spurloc	6041	4	#####	296	2509.6	0.000183	0.0216	5.42E-05
KY	H L Spurloc	6041	4	#####	302	2573.9	0.000182	0.0214	5.51E-05
KY	H L Spurloc	6041	4	#####	302	2574.7	0.000181	0.0212	5.46E-05
KY	H L Spurloc	6041	4	#####	302	2553.4	0.000181	0.0214	5.46E-05
KY	H L Spurloc	6041	4	#####	303	2541.4	0.000181	0.0216	5.49E-05
KY	H L Spurloc	6041	4	#####	282	2346.1	0.000181	0.0218	5.11E-05
KY	H L Spurloc	6041	4	#####	299	2550.3	0.000183	0.0214	5.46E-05
KY	H L Spurloc	6041	4	#####	286	2378.9	0.000181	0.0218	5.19E-05
KY	H L Spurloc	6041	4	#####	237	1949.2	0.000194	0.0236	4.6E-05
KY	H L Spurloc	6041	4	#####	209	1735	0.000206	0.0248	4.3E-05
KY	H L Spurloc	6041	4	#####	209	1767.5	0.000208	0.0246	4.35E-05
KY	H L Spurloc	6041	4	#####	209	1780	0.00021	0.0246	4.38E-05
KY	H L Spurloc	6041	4	#####	209	1797.2	0.000209	0.0243	4.37E-05
KY	H L Spurloc	6041	4	#####	221	1951.9	0.000208	0.0236	4.61E-05
KY	H L Spurloc	6041	4	#####	225	1908.3	0.000203	0.0239	4.56E-05
KY	H L Spurloc	6041	4	#####	219	1838.2	0.000204	0.0243	4.47E-05
KY	H L Spurloc	6041	4	#####	209	1780	0.00021	0.0246	4.38E-05
KY	H L Spurloc	6041	4	#####	220	1913.9	0.000208	0.0239	4.57E-05
KY	H L Spurloc	6041	4	#####	210	1818.4	0.00021	0.0243	4.42E-05
KY	H L Spurloc	6041	4	#####	236	2038.7	0.000204	0.0236	4.81E-05
KY	H L Spurloc	6041	4	#####	221	1876.4	0.000205	0.0241	4.52E-05
KY	H L Spurloc	6041	4	#####	210	1801.3	0.000208	0.0243	4.38E-05
KY	H L Spurloc	6041	4	#####	210	1799.5	0.000211	0.0246	4.43E-05
KY	H L Spurloc	6041	4	#####	210	1823.2	0.000211	0.0243	4.43E-05
KY	H L Spurloc	6041	4	#####	235	2060.8	0.000203	0.0232	4.78E-05
KY	H L Spurloc	6041	4	#####	251	2170.8	0.000197	0.0228	4.95E-05
KY	H L Spurloc	6041	4	#####	249	2165.3	0.000198	0.0228	4.94E-05
KY	H L Spurloc	6041	4	#####	279	2405.9	0.00019	0.022	5.29E-05
KY	H L Spurloc	6041	4	#####	231	1934.4	0.000198	0.0236	4.57E-05
KY	H L Spurloc	6041	4	#####	210	1774.8	0.000208	0.0246	4.37E-05
KY	H L Spurloc	6041	4	#####	210	1791.3	0.00021	0.0246	4.41E-05
KY	H L Spurloc	6041	4	#####	210	1815.3	0.000213	0.0246	4.47E-05
KY	H L Spurloc	6041	4	#####	210	1810.8	0.00021	0.0243	4.4E-05
KY	H L Spurloc	6041	4	#####	210	1812.5	0.000208	0.0241	4.37E-05
KY	H L Spurloc	6041	4	#####	210	1801.4	0.000207	0.0241	4.34E-05
KY	H L Spurloc	6041	4	#####	210	1807.5	0.000207	0.0241	4.36E-05
KY	H L Spurloc	6041	4	#####	210	1797.1	0.000208	0.0243	4.37E-05
KY	H L Spurloc	6041	4	#####	210	1804.1	0.000209	0.0243	4.38E-05
KY	H L Spurloc	6041	4	#####	210	1815.8	0.000208	0.0241	4.38E-05
KY	H L Spurloc	6041	4	#####	210	1808	0.000207	0.0241	4.36E-05
KY	H L Spurloc	6041	4	#####	210	1812.5	0.000208	0.0241	4.37E-05
KY	H L Spurloc	6041	4	#####	210	1820.2	0.000209	0.0241	4.39E-05
KY	H L Spurloc	6041	4	#####	210	1833	0.00021	0.0241	4.42E-05
KY	H L Spurloc	6041	4	#####	210	1832.7	0.00021	0.0241	4.42E-05
KY	H L Spurloc	6041	4	#####	212	1854.1	0.000211	0.0241	4.47E-05
KY	H L Spurloc	6041	4	#####	237	2115.8	0.000204	0.0228	4.82E-05
KY	H L Spurloc	6041	4	#####	246	2162	0.000199	0.0226	4.89E-05

KY	H L Spurloc	6041	4 #####	239	2111.3	0.0002	0.0226	4.77E-05
KY	H L Spurloc	6041	4 #####	247	2157.2	0.000196	0.0224	4.83E-05
KY	H L Spurloc	6041	4 #####	218	1867.2	0.0002	0.0234	4.37E-05
KY	H L Spurloc	6041	4 #####	210	1782.3	0.000205	0.0241	4.3E-05
KY	H L Spurloc	6041	4 #####	218	1896.3	0.000205	0.0236	4.48E-05
KY	H L Spurloc	6041	4 #####	211	1802.1	0.000208	0.0243	4.38E-05
KY	H L Spurloc	6041	4 #####	210	1799.8	0.000207	0.0241	4.34E-05
KY	H L Spurloc	6041	4 #####	234	2058.5	0.000202	0.023	4.73E-05
KY	H L Spurloc	6041	4 #####	235	2036.1	0.000199	0.023	4.68E-05
KY	H L Spurloc	6041	4 #####	217	1852.3	0.000201	0.0236	4.37E-05
KY	H L Spurloc	6041	4 #####	210	1825.3	0.000205	0.0236	4.31E-05
KY	H L Spurloc	6041	4 #####	210	1806.8	0.000207	0.0241	4.35E-05
KY	H L Spurloc	6041	4 #####	210	1808.2	0.000208	0.0241	4.36E-05
KY	H L Spurloc	6041	4 #####	210	1821.5	0.000209	0.0241	4.39E-05
KY	H L Spurloc	6041	4 #####	220	1930	0.00021	0.0239	4.61E-05
KY	H L Spurloc	6041	4 #####	216	1870.1	0.000207	0.0239	4.47E-05
KY	H L Spurloc	6041	4 #####	236	2056.1	0.000202	0.0232	4.77E-05
KY	H L Spurloc	6041	4 #####	240	2047.7	0.000201	0.0236	4.83E-05
KY	H L Spurloc	6041	4 #####	210	1826.4	0.000211	0.0243	4.44E-05
KY	H L Spurloc	6041	4 #####	211	1837	0.000212	0.0243	4.46E-05
KY	H L Spurloc	6041	4 #####	236	2087.2	0.000205	0.0232	4.84E-05
KY	H L Spurloc	6041	4 #####	219	1888.2	0.000208	0.0241	4.55E-05
KY	H L Spurloc	6041	4 #####	219	1891.1	0.00021	0.0243	4.6E-05
KY	H L Spurloc	6041	4 #####	210	1820.9	0.000211	0.0243	4.42E-05
KY	H L Spurloc	6041	4 #####	210	1815.1	0.000208	0.0241	4.37E-05
KY	H L Spurloc	6041	4 #####	210	1851.6	0.000208	0.0236	4.37E-05
KY	H L Spurloc	6041	4 #####	210	1823.4	0.000209	0.0241	4.39E-05
KY	H L Spurloc	6041	4 #####	210	1826.4	0.00021	0.0241	4.4E-05
KY	H L Spurloc	6041	4 #####	210	1821.1	0.000211	0.0243	4.43E-05
KY	H L Spurloc	6041	4 #####	210	1807.4	0.000212	0.0246	4.45E-05
KY	H L Spurloc	6041	4 #####	239	2066.9	0.000202	0.0234	4.84E-05
KY	H L Spurloc	6041	4 #####	248	2123.1	0.000197	0.023	4.88E-05
KY	H L Spurloc	6041	4 #####	216	1840.3	0.000205	0.0241	4.44E-05
KY	H L Spurloc	6041	4 #####	210	1815.8	0.000207	0.0239	4.34E-05
KY	H L Spurloc	6041	4 #####	210	1799.6	0.000207	0.0241	4.34E-05
KY	H L Spurloc	6041	4 #####	210	1802.4	0.000207	0.0241	4.34E-05
KY	H L Spurloc	6041	4 #####	210	1804.5	0.000207	0.0241	4.35E-05
KY	H L Spurloc	6041	4 #####	210	1792.6	0.000207	0.0243	4.36E-05
KY	H L Spurloc	6041	4 #####	210	1791.2	0.000207	0.0243	4.35E-05
KY	H L Spurloc	6041	4 #####	213	1814.6	0.000207	0.0243	4.41E-05
KY	H L Spurloc	6041	4 #####	236	2029.8	0.000201	0.0234	4.75E-05
KY	H L Spurloc	6041	4 #####	248	2078.9	0.000194	0.0232	4.82E-05
KY	H L Spurloc	6041	4 #####	216	1800	0.000201	0.0241	4.34E-05
KY	H L Spurloc	6041	4 #####	210	1768.3	0.000201	0.0239	4.23E-05
KY	H L Spurloc	6041	4 #####	213	1804.7	0.000202	0.0239	4.31E-05
KY	H L Spurloc	6041	4 #####	210	1777	0.000204	0.0241	4.28E-05
KY	H L Spurloc	6041	4 #####	211	1792.1	0.000205	0.0241	4.32E-05

KY	H L Spurloc	6041	4 #####	210	1780.6	0.000204	0.0241	4.29E-05
KY	H L Spurloc	6041	4 #####	210	1767.5	0.000205	0.0243	4.3E-05
KY	H L Spurloc	6041	4 #####	210	1777.9	0.000206	0.0243	4.32E-05
KY	H L Spurloc	6041	4 #####	210	1778.8	0.000206	0.0243	4.32E-05
KY	H L Spurloc	6041	4 #####	210	1769.4	0.000205	0.0243	4.3E-05
KY	H L Spurloc	6041	4 #####	210	1764.9	0.000204	0.0243	4.29E-05
KY	H L Spurloc	6041	4 #####	211	1776.7	0.000205	0.0243	4.32E-05
KY	H L Spurloc	6041	4 #####	210	1772.2	0.000203	0.0241	4.27E-05
KY	H L Spurloc	6041	4 #####	210	1769.1	0.000203	0.0241	4.26E-05
KY	H L Spurloc	6041	4 #####	210	1782.5	0.000205	0.0241	4.3E-05
KY	H L Spurloc	6041	4 #####	210	1783.7	0.000205	0.0241	4.3E-05