

State	Facility		Unit ID	Date	MATS	MATS	Hg	Hg	
	Name	Facility ID			Gross Load (MW)	Heat Input (mmBtu)	Output Rate (lb/GWh)	Input Rate (lb/TBtu)	Mass (lbs)
KY	H L Spurlo	6041	1	4/2/2022	0	34.689		0.89	3.09E-05
KY	H L Spurlo	6041	1	4/2/2022	0	67.5		0.888	5.99E-05
KY	H L Spurlo	6041	1	4/2/2022	0	79		0.886	7E-05
KY	H L Spurlo	6041	1	4/2/2022	0	76.4		0.884	6.75E-05
KY	H L Spurlo	6041	1	4/2/2022	0	108.8		0.882	9.6E-05
KY	H L Spurlo	6041	1	4/2/2022	0	134.4		0.879	0.000118
KY	H L Spurlo	6041	1	4/2/2022	0	145.8		0.875	0.000128
KY	H L Spurlo	6041	1	4/2/2022	0	144.3		0.872	0.000126
KY	H L Spurlo	6041	1	4/2/2022	0	119.7		0.869	0.000104
KY	H L Spurlo	6041	1	4/2/2022	0	107.5		0.866	9.31E-05
KY	H L Spurlo	6041	1	4/2/2022	0	107.4		0.864	9.28E-05
KY	H L Spurlo	6041	1	4/2/2022	0	100.9		0.862	8.7E-05
KY	H L Spurlo	6041	1	4/2/2022	0	127.1		0.86	0.000109
KY	H L Spurlo	6041	1	4/2/2022	0	135.3		0.857	0.000116
KY	H L Spurlo	6041	1	4/2/2022	0	150.1		0.857	0.000129
KY	H L Spurlo	6041	1	4/2/2022	0	152.8		0.853	0.00013
KY	H L Spurlo	6041	1	4/2/2022	0	139.6		0.852	0.000119
KY	H L Spurlo	6041	1	4/2/2022	0	139.3		0.851	0.000119
KY	H L Spurlo	6041	1	4/2/2022	0	139.6		0.85	0.000119
KY	H L Spurlo	6041	1	4/2/2022	0	193.5		0.852	0.000165
KY	H L Spurlo	6041	1	4/2/2022	23	438.8	0.031288	1.64	0.00072
KY	H L Spurlo	6041	1	4/2/2022	35	492.5	0.020544	1.46	0.000719
KY	H L Spurlo	6041	1	4/3/2022	77	802	0.009551	0.917	0.000735
KY	H L Spurlo	6041	1	4/3/2022	139	1302.1	0.005077	0.542	0.000706
KY	H L Spurlo	6041	1	4/3/2022	144	1376	0.00473	0.495	0.000681
KY	H L Spurlo	6041	1	4/3/2022	144	1412.3	0.005208	0.531	0.00075
KY	H L Spurlo	6041	1	4/3/2022	144	1408.8	0.005195	0.531	0.000748
KY	H L Spurlo	6041	1	4/3/2022	145	1409.1	0.00516	0.531	0.000748
KY	H L Spurlo	6041	1	4/3/2022	144	1383.3	0.004726	0.492	0.000681
KY	H L Spurlo	6041	1	4/3/2022	146	1402	0.004388	0.457	0.000641
KY	H L Spurlo	6041	1	4/3/2022	150	1449.8	0.004407	0.456	0.000661
KY	H L Spurlo	6041	1	4/3/2022	159	1553	0.004346	0.445	0.000691
KY	H L Spurlo	6041	1	4/3/2022	161	1544.7	0.004222	0.44	0.00068
KY	H L Spurlo	6041	1	4/3/2022	170	1610.1	0.004025	0.425	0.000684
KY	H L Spurlo	6041	1	4/3/2022	170	1629.6	0.004103	0.428	0.000697
KY	H L Spurlo	6041	1	4/3/2022	199	1875.4	0.003836	0.407	0.000763
KY	H L Spurlo	6041	1	4/3/2022	221	2073.8	0.003622	0.386	0.0008
KY	H L Spurlo	6041	1	4/3/2022	220	2062.3	0.003731	0.398	0.000821
KY	H L Spurlo	6041	1	4/3/2022	221	2063.1	0.003706	0.397	0.000819
KY	H L Spurlo	6041	1	4/3/2022	221	2050	0.003692	0.398	0.000816
KY	H L Spurlo	6041	1	4/3/2022	229	2115	0.003648	0.395	0.000835
KY	H L Spurlo	6041	1	4/3/2022	231	2151.6	0.003623	0.389	0.000837

KY	H L Spurloc	6041	1	4/3/2022	231	2150.5	0.003649	0.392	0.000843
KY	H L Spurloc	6041	1	4/3/2022	231	2162.2	0.00365	0.39	0.000843
KY	H L Spurloc	6041	1	4/3/2022	285	2652.1	0.003285	0.353	0.000936
KY	H L Spurloc	6041	1	4/3/2022	301	2800.2	0.003219	0.346	0.000969
KY	H L Spurloc	6041	1	4/4/2022	309	2889.6	0.003179	0.34	0.000982
KY	H L Spurloc	6041	1	4/4/2022	303	2808.6	0.003179	0.343	0.000963
KY	H L Spurloc	6041	1	4/4/2022	305	2812.2	0.00319	0.346	0.000973
KY	H L Spurloc	6041	1	4/4/2022	313	2892.7	0.003133	0.339	0.000981
KY	H L Spurloc	6041	1	4/4/2022	307	2815.6	0.003146	0.343	0.000966
KY	H L Spurloc	6041	1	4/4/2022	303	2809.5	0.00319	0.344	0.000966
KY	H L Spurloc	6041	1	4/4/2022	319	2957.3	0.003096	0.334	0.000988
KY	H L Spurloc	6041	1	4/4/2022	320	2980	0.003073	0.33	0.000983
KY	H L Spurloc	6041	1	4/4/2022	320	2982.4			
KY	H L Spurloc	6041	1	4/4/2022	320	2920.2	0.003084	0.338	0.000987
KY	H L Spurloc	6041	1	4/4/2022	321	2967.2	0.003124	0.338	0.001003
KY	H L Spurloc	6041	1	4/4/2022	320	2941.7	0.003144	0.342	0.001006
KY	H L Spurloc	6041	1	4/4/2022	310	2883	0.003209	0.345	0.000995
KY	H L Spurloc	6041	1	4/4/2022	308	2808.2	0.0032	0.351	0.000986
KY	H L Spurloc	6041	1	4/4/2022	320	2945.9	0.003139	0.341	0.001005
KY	H L Spurloc	6041	1	4/4/2022	320	2952.8	0.003147	0.341	0.001007
KY	H L Spurloc	6041	1	4/4/2022	318	2900	0.003137	0.344	0.000998
KY	H L Spurloc	6041	1	4/4/2022	311	2851.7	0.003182	0.347	0.00099
KY	H L Spurloc	6041	1	4/4/2022	319	2919.4	0.003148	0.344	0.001004
KY	H L Spurloc	6041	1	4/4/2022	306	2809.1	0.003222	0.351	0.000986
KY	H L Spurloc	6041	1	4/4/2022	319	2934.9	0.003165	0.344	0.00101
KY	H L Spurloc	6041	1	4/4/2022	310	2849	0.003198	0.348	0.000991
KY	H L Spurloc	6041	1	4/4/2022	319	2926.7	0.003174	0.346	0.001013
KY	H L Spurloc	6041	1	4/4/2022	307	2814.2	0.003236	0.353	0.000993
KY	H L Spurloc	6041	1	4/5/2022	315	2879.6	0.003181	0.348	0.001002
KY	H L Spurloc	6041	1	4/5/2022	309	2826.8	0.00322	0.352	0.000995
KY	H L Spurloc	6041	1	4/5/2022	319	2918.8	0.003148	0.344	0.001004
KY	H L Spurloc	6041	1	4/5/2022	314	2870.7	0.003172	0.347	0.000996
KY	H L Spurloc	6041	1	4/5/2022	318	2934.1	0.003165	0.343	0.001006
KY	H L Spurloc	6041	1	4/5/2022	320	2949.8	0.003162	0.343	0.001012
KY	H L Spurloc	6041	1	4/5/2022	320	2930.2	0.003168	0.346	0.001014
KY	H L Spurloc	6041	1	4/5/2022	319	2953.7	0.003167	0.342	0.00101
KY	H L Spurloc	6041	1	4/5/2022	194	1773.9	0.004535	0.496	0.00088
KY	H L Spurloc	6041	1	4/5/2022	62	594.055	0.010614	0.853	0.000507
KY	H L Spurloc	6041	1	4/5/2022	0	42.195		0.968	4.08E-05
KY	H L Spurloc	6041	1	4/5/2022	0	31.482		0.989	3.11E-05
KY	H L Spurloc	6041	1	4/6/2022	0	56.546		1.04	5.88E-05
KY	H L Spurloc	6041	1	4/6/2022	0	82.8		1.04	8.61E-05
KY	H L Spurloc	6041	1	4/6/2022	0	84.1		1.03	8.66E-05
KY	H L Spurloc	6041	1	4/6/2022	0	127.2		1.03	0.000131
KY	H L Spurloc	6041	1	4/6/2022	0	155.5		1.02	0.000159
KY	H L Spurloc	6041	1	4/6/2022	0	143.3		1.02	0.000146
KY	H L Spurloc	6041	1	4/6/2022	0	104.5		1.01	0.000106

KY	H L Spurloc	6041	1	4/6/2022	0	91.7		1.01	9.26E-05
KY	H L Spurloc	6041	1	4/6/2022	0	116.7		1.01	0.000118
KY	H L Spurloc	6041	1	4/6/2022	0	127.3		1.01	0.000129
KY	H L Spurloc	6041	1	4/6/2022	20	372.4	0.03724	2	0.000745
KY	H L Spurloc	6041	1	4/6/2022	65	697.1	0.011797	1.1	0.000767
KY	H L Spurloc	6041	1	4/7/2022	107	1041.2	0.007327	0.753	0.000784
KY	H L Spurloc	6041	1	4/7/2022	139	1334.1	0.005586	0.582	0.000776
KY	H L Spurloc	6041	1	4/7/2022	152	1472.9	0.00532	0.549	0.000809
KY	H L Spurloc	6041	1	4/7/2022	167	1599.8	0.005106	0.533	0.000853
KY	H L Spurloc	6041	1	4/7/2022	180	1682.2	0.00485	0.519	0.000873
KY	H L Spurloc	6041	1	4/7/2022	180	1699.6	0.004891	0.518	0.00088
KY	H L Spurloc	6041	1	4/7/2022	179	1699.5	0.005023	0.529	0.000899
KY	H L Spurloc	6041	1	4/7/2022	187	1769.7	0.004902	0.518	0.000917
KY	H L Spurloc	6041	1	4/7/2022	234	2181.6	0.004419	0.474	0.001034
KY	H L Spurloc	6041	1	4/7/2022	315	2924.5	0.003788	0.408	0.001193
KY	H L Spurloc	6041	1	4/7/2022	321	2935.4	0.003731	0.408	0.001198
KY	H L Spurloc	6041	1	4/7/2022	320	2886.6	0.003716	0.412	0.001189
KY	H L Spurloc	6041	1	4/7/2022	313	2826.7	0.003757	0.416	0.001176
KY	H L Spurloc	6041	1	4/7/2022	320	2891.7	0.003732	0.413	0.001194
KY	H L Spurloc	6041	1	4/7/2022	313	2834.1	0.003776	0.417	0.001182
KY	H L Spurloc	6041	1	4/7/2022	319	2888	0.003739	0.413	0.001193
KY	H L Spurloc	6041	1	4/7/2022	315	2868.8	0.00377	0.414	0.001188
KY	H L Spurloc	6041	1	4/7/2022	320	2882.3	0.00372	0.413	0.00119
KY	H L Spurloc	6041	1	4/7/2022	320	2915.5	0.003735	0.41	0.001195
KY	H L Spurloc	6041	1	4/7/2022	320	2924.8	0.003747	0.41	0.001199
KY	H L Spurloc	6041	1	4/7/2022	314	2853.2	0.003744	0.412	0.001176
KY	H L Spurloc	6041	1	4/7/2022	313	2870.8	0.00377	0.411	0.00118
KY	H L Spurloc	6041	1	4/7/2022	312	2855.9	0.003771	0.412	0.001177
KY	H L Spurloc	6041	1	4/7/2022	320	2914.4	0.003679	0.404	0.001177
KY	H L Spurloc	6041	1	4/8/2022	320	2927.5	0.003696	0.404	0.001183
KY	H L Spurloc	6041	1	4/8/2022	320	2919.5	0.003686	0.404	0.001179
KY	H L Spurloc	6041	1	4/8/2022	320	2905.9	0.003669	0.404	0.001174
KY	H L Spurloc	6041	1	4/8/2022	320	2910.3	0.003683	0.405	0.001179
KY	H L Spurloc	6041	1	4/8/2022	320	2909.7	0.003683	0.405	0.001178
KY	H L Spurloc	6041	1	4/8/2022	320	2900	0.003707	0.409	0.001186
KY	H L Spurloc	6041	1	4/8/2022	319	2877.1	0.00368	0.408	0.001174
KY	H L Spurloc	6041	1	4/8/2022	320	2933.3	0.003694	0.403	0.001182
KY	H L Spurloc	6041	1	4/8/2022	320	2912.1	0.003667	0.403	0.001174
KY	H L Spurloc	6041	1	4/8/2022	279	2506.3	0.003926	0.437	0.001095
KY	H L Spurloc	6041	1	4/8/2022	284	2567.4	0.003896	0.431	0.001107
KY	H L Spurloc	6041	1	4/8/2022	321	2915.3	0.00366	0.403	0.001175
KY	H L Spurloc	6041	1	4/8/2022	320	2898.6	0.003669	0.405	0.001174
KY	H L Spurloc	6041	1	4/8/2022	320	2907.6	0.00368	0.405	0.001178
KY	H L Spurloc	6041	1	4/8/2022	319	2886.5	0.003665	0.405	0.001169
KY	H L Spurloc	6041	1	4/8/2022	320	2889.6	0.003666	0.406	0.001173
KY	H L Spurloc	6041	1	4/8/2022	307	2759	0.003712	0.413	0.001139
KY	H L Spurloc	6041	1	4/8/2022	322	2909.4	0.003623	0.401	0.001167

KY	H L Spurloc	6041	1	4/8/2022	324	2920	0.00365	0.405	0.001183
KY	H L Spurloc	6041	1	4/8/2022	320	2883.6	0.003659	0.406	0.001171
KY	H L Spurloc	6041	1	4/8/2022	320	2906.9	0.003661	0.403	0.001171
KY	H L Spurloc	6041	1	4/8/2022	313	2842.4	0.003723	0.41	0.001165
KY	H L Spurloc	6041	1	4/8/2022	319	2878.8	0.003664	0.406	0.001169
KY	H L Spurloc	6041	1	4/8/2022	320	2883	0.003649	0.405	0.001168
KY	H L Spurloc	6041	1	4/9/2022	320	2908.4	0.003672	0.404	0.001175
KY	H L Spurloc	6041	1	4/9/2022	309	2785.6	0.003741	0.415	0.001156
KY	H L Spurloc	6041	1	4/9/2022	320	2892.5	0.003661	0.405	0.001171
KY	H L Spurloc	6041	1	4/9/2022	320	2898.5	0.003668	0.405	0.001174
KY	H L Spurloc	6041	1	4/9/2022	307	2752.4	0.003757	0.419	0.001153
KY	H L Spurloc	6041	1	4/9/2022	311	2803	0.003713	0.412	0.001155
KY	H L Spurloc	6041	1	4/9/2022	322	2903.3	0.003652	0.405	0.001176
KY	H L Spurloc	6041	1	4/9/2022	323	2925.1	0.00365	0.403	0.001179
KY	H L Spurloc	6041	1	4/9/2022	323	2918.9	0.003651	0.404	0.001179
KY	H L Spurloc	6041	1	4/9/2022	323	2920.5	0.003653	0.404	0.00118
KY	H L Spurloc	6041	1	4/9/2022	324	2926.6	0.00364	0.403	0.001179
KY	H L Spurloc	6041	1	4/9/2022	324	2910.1	0.003656	0.407	0.001184
KY	H L Spurloc	6041	1	4/9/2022	323	2901.5	0.003638	0.405	0.001175
KY	H L Spurloc	6041	1	4/9/2022	323	2920	0.003634	0.402	0.001174
KY	H L Spurloc	6041	1	4/9/2022	316	2859.5	0.003701	0.409	0.00117
KY	H L Spurloc	6041	1	4/9/2022	322	2903.9	0.003643	0.404	0.001173
KY	H L Spurloc	6041	1	4/9/2022	309	2773.1	0.003724	0.415	0.001151
KY	H L Spurloc	6041	1	4/9/2022	322	2920.4	0.003655	0.403	0.001177
KY	H L Spurloc	6041	1	4/9/2022	307	2788.2	0.003751	0.413	0.001152
KY	H L Spurloc	6041	1	4/9/2022	323	2921.8	0.003655	0.404	0.00118
KY	H L Spurloc	6041	1	4/9/2022	307	2782.9	0.003726	0.411	0.001144
KY	H L Spurloc	6041	1	4/9/2022	324	2953.8	0.003674	0.403	0.00119
KY	H L Spurloc	6041	1	4/9/2022	307	2792.5	0.003729	0.41	0.001145
KY	H L Spurloc	6041	1	4/9/2022	278	2515.1	0.003872	0.428	0.001076
KY	H L Spurloc	6041	1	#####	234	2122.2	0.004217	0.465	0.000987
KY	H L Spurloc	6041	1	#####	283	2635.5	0.003949	0.424	0.001117
KY	H L Spurloc	6041	1	#####	321	2936.7	0.003687	0.403	0.001183
KY	H L Spurloc	6041	1	#####	323	2946.6	0.003649	0.4	0.001179
KY	H L Spurloc	6041	1	#####	310	2829	0.003696	0.405	0.001146
KY	H L Spurloc	6041	1	#####	322	2949.6	0.003646	0.398	0.001174
KY	H L Spurloc	6041	1	#####	306	2788.5	0.003709	0.407	0.001135
KY	H L Spurloc	6041	1	#####	323	2940.2	0.003605	0.396	0.001164
KY	H L Spurloc	6041	1	#####	324	2978	0.003631	0.395	0.001176
KY	H L Spurloc	6041	1	#####	324	2969.9	0.00363	0.396	0.001176
KY	H L Spurloc	6041	1	#####	324	2974.1	0.003635	0.396	0.001178
KY	H L Spurloc	6041	1	#####	309	2817.2	0.003711	0.407	0.001147
KY	H L Spurloc	6041	1	#####	323	2943.1	0.003626	0.398	0.001171
KY	H L Spurloc	6041	1	#####	324	2981.5	0.003653	0.397	0.001184
KY	H L Spurloc	6041	1	#####	324	2972.5	0.003642	0.397	0.00118
KY	H L Spurloc	6041	1	#####	298	2721.9	0.0038	0.416	0.001132
KY	H L Spurloc	6041	1	#####	279	2551	0.003923	0.429	0.001094

KY	H L Spurloc	6041	1 #####	324	2961.4	0.003665	0.401	0.001188
KY	H L Spurloc	6041	1 #####	316	2907.4	0.003717	0.404	0.001175
KY	H L Spurloc	6041	1 #####	323	2955.3	0.00366	0.4	0.001182
KY	H L Spurloc	6041	1 #####	311	2836.1	0.003748	0.411	0.001166
KY	H L Spurloc	6041	1 #####	322	2967.7	0.003714	0.403	0.001196
KY	H L Spurloc	6041	1 #####	313	2862.1	0.003758	0.411	0.001176
KY	H L Spurloc	6041	1 #####	319	2915.9	0.003739	0.409	0.001193
KY	H L Spurloc	6041	1 #####	314	2877.9	0.003749	0.409	0.001177
KY	H L Spurloc	6041	1 #####	319	2897.9	0.003697	0.407	0.001179
KY	H L Spurloc	6041	1 #####	193	1753.92	0.006104	0.403	0.000707
KY	H L Spurloc	6041	1 #####	0	11.79		0.993	1.17E-05
KY	H L Spurloc	6041	1 #####	0	144.2		0.999	0.000144
KY	H L Spurloc	6041	1 #####	1	143.7	0.796098	5.54	0.000796
KY	H L Spurloc	6041	1 #####	38	498.7	0.022442	1.71	0.000853
KY	H L Spurloc	6041	1 #####	107	1048.7	0.00788	0.804	0.000843
KY	H L Spurloc	6041	1 #####	148	1447.9	0.005606	0.573	0.00083
KY	H L Spurloc	6041	1 #####	164	1562	0.005143	0.54	0.000843
KY	H L Spurloc	6041	1 #####	172	1622	0.004951	0.525	0.000852
KY	H L Spurloc	6041	1 #####	189	1943			
KY	H L Spurloc	6041	1 #####	220	2128.6			
KY	H L Spurloc	6041	1 #####	232	2195			
KY	H L Spurloc	6041	1 #####	257	2368.9			
KY	H L Spurloc	6041	1 #####	260	2409			
KY	H L Spurloc	6041	1 #####	260	2372.5			
KY	H L Spurloc	6041	1 #####	288	2504.9			
KY	H L Spurloc	6041	1 #####	280	2520.1			
KY	H L Spurloc	6041	1 #####	280	2528.9			
KY	H L Spurloc	6041	1 #####	280	2524.2			
KY	H L Spurloc	6041	1 #####	280	2510.8			
KY	H L Spurloc	6041	1 #####	280	2511.8			
KY	H L Spurloc	6041	1 #####	280	2488.9			
KY	H L Spurloc	6041	1 #####	280	2506.8			
KY	H L Spurloc	6041	1 #####	314	2660.3			
KY	H L Spurloc	6041	1 #####	311	2686.8			
KY	H L Spurloc	6041	1 #####	324	3019	0.001127	0.121	0.000365
KY	H L Spurloc	6041	1 #####	315	2925.1	0.001114	0.12	0.000351
KY	H L Spurloc	6041	1 #####	323	3010.8	0.001091	0.117	0.000352
KY	H L Spurloc	6041	1 #####	324	3050.8	0.001092	0.116	0.000354
KY	H L Spurloc	6041	1 #####	316	2965.3	0.001107	0.118	0.00035
KY	H L Spurloc	6041	1 #####	310	2938.4	0.001118	0.118	0.000347
KY	H L Spurloc	6041	1 #####	323	3044.1	0.001093	0.116	0.000353
KY	H L Spurloc	6041	1 #####	308	2881.9	0.001123	0.12	0.000346
KY	H L Spurloc	6041	1 #####	324	3050.9	0.001092	0.116	0.000354
KY	H L Spurloc	6041	1 #####	325	3046.6	0.001097	0.117	0.000356
KY	H L Spurloc	6041	1 #####	324	3042.7	0.001099	0.117	0.000356
KY	H L Spurloc	6041	1 #####	325	3066.5	0.001104	0.117	0.000359
KY	H L Spurloc	6041	1 #####	311	2942	0.001135	0.12	0.000353

KY	H L Spurloc	6041	1	#####	323	3045	0.001103	0.117	0.000356
KY	H L Spurloc	6041	1	#####	325	3063	0.001112	0.118	0.000361
KY	H L Spurloc	6041	1	#####	325	3072.5	0.001106	0.117	0.000359
KY	H L Spurloc	6041	1	#####	306	2904.2	0.001139	0.12	0.000349
KY	H L Spurloc	6041	1	#####	322	3048	0.001108	0.117	0.000357
KY	H L Spurloc	6041	1	#####	280	2634.2	0.001185	0.126	0.000332
KY	H L Spurloc	6041	1	#####	228	2142.3	0.001297	0.138	0.000296
KY	H L Spurloc	6041	1	#####	173	1639.1	0.001478	0.156	0.000256
KY	H L Spurloc	6041	1	#####	169	1607.2	0.001474	0.155	0.000249
KY	H L Spurloc	6041	1	#####	185	1746.2	0.001416	0.15	0.000262
KY	H L Spurloc	6041	1	#####	228	2149.5	0.001339	0.142	0.000305
KY	H L Spurloc	6041	1	#####	289	2781.3	0.001193	0.124	0.000345
KY	H L Spurloc	6041	1	#####	311	2910.9	0.001123	0.12	0.000349
KY	H L Spurloc	6041	1	#####	323	3030.9	0.001098	0.117	0.000355
KY	H L Spurloc	6041	1	#####	311	2921.5	0.001127	0.12	0.000351
KY	H L Spurloc	6041	1	#####	324	3054.5	0.001103	0.117	0.000357
KY	H L Spurloc	6041	1	#####	325	3053	0.001099	0.117	0.000357
KY	H L Spurloc	6041	1	#####	325	3048.9	0.001098	0.117	0.000357
KY	H L Spurloc	6041	1	#####	325	3039.8	0.001094	0.117	0.000356
KY	H L Spurloc	6041	1	#####	325	3019.4	0.001096	0.118	0.000356
KY	H L Spurloc	6041	1	#####	324	3027.3	0.001103	0.118	0.000357
KY	H L Spurloc	6041	1	#####	325	3041.5	0.001104	0.118	0.000359
KY	H L Spurloc	6041	1	#####	324	3060	0.001114	0.118	0.000361
KY	H L Spurloc	6041	1	#####	324	3060.8	0.001124	0.119	0.000364
KY	H L Spurloc	6041	1	#####	324	3072.6	0.001119	0.118	0.000363
KY	H L Spurloc	6041	1	#####	310	2919.4	0.001149	0.122	0.000356
KY	H L Spurloc	6041	1	#####	324	3050.8	0.001121	0.119	0.000363
KY	H L Spurloc	6041	1	#####	312	2937.8	0.00113	0.12	0.000353
KY	H L Spurloc	6041	1	#####	324	3039.6	0.001116	0.119	0.000362
KY	H L Spurloc	6041	1	#####	312	2929.8	0.001136	0.121	0.000355
KY	H L Spurloc	6041	1	#####	303	2834.1	0.001141	0.122	0.000346
KY	H L Spurloc	6041	1	#####	238	2235.7	0.001306	0.139	0.000311
KY	H L Spurloc	6041	1	#####	170	1595.8	0.001483	0.158	0.000252
KY	H L Spurloc	6041	1	#####	168	1592.8	0.00147	0.155	0.000247
KY	H L Spurloc	6041	1	#####	169	1603.2	0.001451	0.153	0.000245
KY	H L Spurloc	6041	1	#####	216	2041.4	0.001342	0.142	0.00029
KY	H L Spurloc	6041	1	#####	285	2640.8	0.001205	0.13	0.000343
KY	H L Spurloc	6041	1	#####	325	3028.8	0.001109	0.119	0.00036
KY	H L Spurloc	6041	1	#####	324	3008.2	0.001105	0.119	0.000358
KY	H L Spurloc	6041	1	#####	325	3024.6	0.001098	0.118	0.000357
KY	H L Spurloc	6041	1	#####	321	2968.7	0.001091	0.118	0.00035
KY	H L Spurloc	6041	1	#####	324	3002.1	0.001084	0.117	0.000351
KY	H L Spurloc	6041	1	#####	324	2993.4	0.001081	0.117	0.00035
KY	H L Spurloc	6041	1	#####	324	2988.1			
KY	H L Spurloc	6041	1	#####	324	2965.3	0.001089	0.119	0.000353
KY	H L Spurloc	6041	1	#####	325	2964.2	0.001076	0.118	0.00035
KY	H L Spurloc	6041	1	#####	324	2949.1	0.001074	0.118	0.000348

KY	H L Spurloc	6041	1	#####	309	2814.6	0.001102	0.121	0.000341
KY	H L Spurloc	6041	1	#####	313	2876.3	0.001103	0.12	0.000345
KY	H L Spurloc	6041	1	#####	324	2963.1	0.001088	0.119	0.000353
KY	H L Spurloc	6041	1	#####	324	2977.3	0.001094	0.119	0.000354
KY	H L Spurloc	6041	1	#####	325	2988.7	0.001094	0.119	0.000356
KY	H L Spurloc	6041	1	#####	292	2668.9	0.001152	0.126	0.000336
KY	H L Spurloc	6041	1	#####	239	2197.4	0.001278	0.139	0.000305
KY	H L Spurloc	6041	1	#####	226	2082.2	0.001308	0.142	0.000296
KY	H L Spurloc	6041	1	#####	194	1797.1	0.001399	0.151	0.000271
KY	H L Spurloc	6041	1	#####	177	1636.4	0.001442	0.156	0.000255
KY	H L Spurloc	6041	1	#####	199	1863.5	0.001386	0.148	0.000276
KY	H L Spurloc	6041	1	#####	177	1643.1	0.00143	0.154	0.000253
KY	H L Spurloc	6041	1	#####	231	2147.5	0.001292	0.139	0.000299
KY	H L Spurloc	6041	1	#####	309	2841.3	0.001131	0.123	0.000349
KY	H L Spurloc	6041	1	#####	320	2930	0.00109	0.119	0.000349
KY	H L Spurloc	6041	1	#####	324	2997.8	0.001092	0.118	0.000354
KY	H L Spurloc	6041	1	#####	299	2714.8	0.001126	0.124	0.000337
KY	H L Spurloc	6041	1	#####	277	2538.3	0.001173	0.128	0.000325
KY	H L Spurloc	6041	1	#####	213	1943.4	0.001314	0.144	0.00028
KY	H L Spurloc	6041	1	#####	268	2444.7	0.001177	0.129	0.000315
KY	H L Spurloc	6041	1	#####	323	2982.7	0.00109	0.118	0.000352
KY	H L Spurloc	6041	1	#####	320	2935.6	0.001101	0.12	0.000352
KY	H L Spurloc	6041	1	#####	322	2970.4	0.001098	0.119	0.000353
KY	H L Spurloc	6041	1	#####	324	2978.8	0.001094	0.119	0.000354
KY	H L Spurloc	6041	1	#####	324	2981.9	0.001095	0.119	0.000355
KY	H L Spurloc	6041	1	#####	324	2977	0.001093	0.119	0.000354
KY	H L Spurloc	6041	1	#####	324	2982.4	0.001095	0.119	0.000355
KY	H L Spurloc	6041	1	#####	323	2979.8	0.001089	0.118	0.000352
KY	H L Spurloc	6041	1	#####	323	2968.5	0.001084	0.118	0.00035
KY	H L Spurloc	6041	1	#####	307	2816.4	0.00111	0.121	0.000341
KY	H L Spurloc	6041	1	#####	259	2349.7	0.001216	0.134	0.000315
KY	H L Spurloc	6041	1	#####	299	2739.9	0.001127	0.123	0.000337
KY	H L Spurloc	6041	1	#####	309	2827.1	0.001107	0.121	0.000342
KY	H L Spurloc	6041	1	#####	285	2595	0.001156	0.127	0.00033
KY	H L Spurloc	6041	1	#####	304	2778.4	0.001124	0.123	0.000342
KY	H L Spurloc	6041	1	#####	324	2971	0.001082	0.118	0.000351
KY	H L Spurloc	6041	1	#####	307	2794.4	0.00112	0.123	0.000344
KY	H L Spurloc	6041	1	#####	254	2318	0.001241	0.136	0.000315
KY	H L Spurloc	6041	1	#####	313	2855.2	0.001104	0.121	0.000345
KY	H L Spurloc	6041	1	#####	325	2959.5	0.001093	0.12	0.000355
KY	H L Spurloc	6041	1	#####	324	2961.5	0.001088	0.119	0.000352
KY	H L Spurloc	6041	1	#####	311	2845	0.001116	0.122	0.000347
KY	H L Spurloc	6041	1	#####	269	2456.2	0.001205	0.132	0.000324
KY	H L Spurloc	6041	1	#####	222	1999.3	0.001306	0.145	0.00029
KY	H L Spurloc	6041	1	#####	228	2086.5	0.001263	0.138	0.000288
KY	H L Spurloc	6041	1	#####	167	1552.9	0.001479	0.159	0.000247
KY	H L Spurloc	6041	1	#####	175	1638.7	0.001461	0.156	0.000256

KY	H L Spurloc	6041	1 #####	176	1646.1	0.00144	0.154	0.000253
KY	H L Spurloc	6041	1 #####	176	1639.4	0.001453	0.156	0.000256
KY	H L Spurloc	6041	1 #####	267	2448.9	0.001192	0.13	0.000318
KY	H L Spurloc	6041	1 #####	320	2928	0.00108	0.118	0.000346
KY	H L Spurloc	6041	1 #####	316	2876	0.001074	0.118	0.000339
KY	H L Spurloc	6041	1 #####	307	2807.9	0.001098	0.12	0.000337
KY	H L Spurloc	6041	1 #####	313	2871.7	0.001092	0.119	0.000342
KY	H L Spurloc	6041	1 #####	225	2081.8	0.001295	0.14	0.000291
KY	H L Spurloc	6041	1 #####	223	2290.2	0.001366	0.133	0.000305
KY	H L Spurloc	6041	1 #####	220	2031.7	0.001302	0.141	0.000286
KY	H L Spurloc	6041	1 #####	262	2414.5	0.001198	0.13	0.000314
KY	H L Spurloc	6041	1 #####	233	2164	0.001263	0.136	0.000294
KY	H L Spurloc	6041	1 #####	221	2060.2	0.001305	0.14	0.000288
KY	H L Spurloc	6041	1 #####	275	2608.5	0.001167	0.123	0.000321
KY	H L Spurloc	6041	1 #####	304	2813.7	0.001101	0.119	0.000335
KY	H L Spurloc	6041	1 #####	322	2976	0.001063	0.115	0.000342
KY	H L Spurloc	6041	1 #####	318	2930.6	0.001078	0.117	0.000343
KY	H L Spurloc	6041	1 #####	315	2890.2	0.001083	0.118	0.000341
KY	H L Spurloc	6041	1 #####	321	2964.1	0.001071	0.116	0.000344
KY	H L Spurloc	6041	1 #####	324	3007.2	0.001077	0.116	0.000349
KY	H L Spurloc	6041	1 #####	322	2961.7	0.001067	0.116	0.000344
KY	H L Spurloc	6041	1 #####	323	2971.9	0.001067	0.116	0.000345
KY	H L Spurloc	6041	1 #####	321	2949.1	0.001084	0.118	0.000348
KY	H L Spurloc	6041	1 #####	303	2793.5	0.001134	0.123	0.000344
KY	H L Spurloc	6041	1 #####	257	2367.8	0.001225	0.133	0.000315
KY	H L Spurloc	6041	1 #####	282	2571.4	0.001158	0.127	0.000327
KY	H L Spurloc	6041	1 #####	317	2923.8	0.001098	0.119	0.000348
KY	H L Spurloc	6041	1 #####	324	2991.7	0.00108	0.117	0.00035
KY	H L Spurloc	6041	1 #####	324	2980.5	0.001076	0.117	0.000349
KY	H L Spurloc	6041	1 #####	306	2804.4	0.001109	0.121	0.000339
KY	H L Spurloc	6041	1 #####	323	2953.3	0.00107	0.117	0.000346
KY	H L Spurloc	6041	1 #####	323	2966.8	0.001075	0.117	0.000347
KY	H L Spurloc	6041	1 #####	324	2952.2	0.001066	0.117	0.000345
KY	H L Spurloc	6041	1 #####	311	2840.6	0.001087	0.119	0.000338
KY	H L Spurloc	6041	1 #####	324	2951.4	0.001066	0.117	0.000345
KY	H L Spurloc	6041	1 #####	311	2824.1	0.00109	0.12	0.000339
KY	H L Spurloc	6041	1 #####	313	2840.3	0.00108	0.119	0.000338
KY	H L Spurloc	6041	1 #####	322	2934.9	0.001076	0.118	0.000346
KY	H L Spurloc	6041	1 #####	312	2826.7	0.001105	0.122	0.000345
KY	H L Spurloc	6041	1 #####	323	2955.4	0.001089	0.119	0.000352
KY	H L Spurloc	6041	1 #####	325	2956	0.001082	0.119	0.000352
KY	H L Spurloc	6041	1 #####	324	2932	0.001086	0.12	0.000352
KY	H L Spurloc	6041	1 #####	325	2926.7	0.001063	0.118	0.000345
KY	H L Spurloc	6041	1 #####	324	2943.1	0.001072	0.118	0.000347
KY	H L Spurloc	6041	1 #####	315	2875.5	0.001086	0.119	0.000342
KY	H L Spurloc	6041	1 #####	311	2851.9	0.0011	0.12	0.000342
KY	H L Spurloc	6041	1 #####	324	2963.6	0.001079	0.118	0.00035

KY	H L Spurloc	6041	1 #####	325	2958.4	0.001074	0.118	0.000349
KY	H L Spurloc	6041	1 #####	315	2879.3	0.001088	0.119	0.000343
KY	H L Spurloc	6041	1 #####	323	2958	0.001081	0.118	0.000349
KY	H L Spurloc	6041	1 #####	324	2974.4	0.001074	0.117	0.000348
KY	H L Spurloc	6041	1 #####	319	2921.7	0.00109	0.119	0.000348
KY	H L Spurloc	6041	1 #####	324	2964.6	0.00108	0.118	0.00035
KY	H L Spurloc	6041	1 #####	311	2844.1	0.001097	0.12	0.000341
KY	H L Spurloc	6041	1 #####	324	2978.5	0.001076	0.117	0.000348
KY	H L Spurloc	6041	1 #####	325	2964.9	0.001067	0.117	0.000347
KY	H L Spurloc	6041	1 #####	324	2956.8	0.001068	0.117	0.000346
KY	H L Spurloc	6041	1 #####	324	2951	0.001075	0.118	0.000348
KY	H L Spurloc	6041	1 #####	324	2936.4	0.001069	0.118	0.000346
KY	H L Spurloc	6041	1 #####	324	2942.4	0.001072	0.118	0.000347
KY	H L Spurloc	6041	1 #####	306	2784.2	0.001101	0.121	0.000337
KY	H L Spurloc	6041	1 #####	323	2944.6	0.001094	0.12	0.000353
KY	H L Spurloc	6041	1 #####	324	2961.3	0.001088	0.119	0.000352
KY	H L Spurloc	6041	1 #####	324	2937.9	0.001079	0.119	0.00035
KY	H L Spurloc	6041	1 #####	323	2946.6	0.001086	0.119	0.000351
KY	H L Spurloc	6041	1 #####	324	2948.3	0.001083	0.119	0.000351
KY	H L Spurloc	6041	1 #####	325	2958.7	0.001065	0.117	0.000346
KY	H L Spurloc	6041	1 #####	313	2866.6	0.00109	0.119	0.000341
KY	H L Spurloc	6041	1 #####	324	2948.2	0.001065	0.117	0.000345
KY	H L Spurloc	6041	1 #####	324	2981.8	0.001068	0.116	0.000346
KY	H L Spurloc	6041	1 #####	324	2964.1	0.00108	0.118	0.00035
KY	H L Spurloc	6041	1 #####	324	2982.9	0.001077	0.117	0.000349
KY	H L Spurloc	6041	1 #####	324	2994.5	0.001081	0.117	0.00035
KY	H L Spurloc	6041	1 #####	313	2899.3	0.001102	0.119	0.000345
KY	H L Spurloc	6041	1 #####	323	2989.7	0.001083	0.117	0.00035
KY	H L Spurloc	6041	1 #####	324	2983.2	0.001077	0.117	0.000349
KY	H L Spurloc	6041	1 #####	325	2985.3	0.001075	0.117	0.000349
KY	H L Spurloc	6041	1 #####	309	2855	0.001099	0.119	0.00034
KY	H L Spurloc	6041	1 #####	323	3002.5	0.001088	0.117	0.000351
KY	H L Spurloc	6041	1 #####	324	2985.8	0.001078	0.117	0.000349
KY	H L Spurloc	6041	1 #####	324	2975.1	0.001074	0.117	0.000348
KY	H L Spurloc	6041	1 #####	324	2985.7	0.001069	0.116	0.000346
KY	H L Spurloc	6041	1 #####	324	2966.4	0.001071	0.117	0.000347
KY	H L Spurloc	6041	1 #####	313	2872.4	0.001083	0.118	0.000339
KY	H L Spurloc	6041	1 #####	324	2969.8	0.001072	0.117	0.000347
KY	H L Spurloc	6041	1 #####	310	2830.9	0.001096	0.12	0.00034
KY	H L Spurloc	6041	1 #####	321	2959	0.001069	0.116	0.000343
KY	H L Spurloc	6041	1 #####	323	2961.3	0.001054	0.115	0.000341
KY	H L Spurloc	6041	1 #####	323	2984.6	0.001072	0.116	0.000346
KY	H L Spurloc	6041	1 #####	323	2992.8	0.001084	0.117	0.00035
KY	H L Spurloc	6041	1 #####	324	2986.1	0.001078	0.117	0.000349
KY	H L Spurloc	6041	1 #####	324	3002.9	0.001084	0.117	0.000351
KY	H L Spurloc	6041	1 #####	324	2999.8	0.001083	0.117	0.000351
KY	H L Spurloc	6041	1 #####	324	2997.8	0.001073	0.116	0.000348

KY	H L Spurloc	6041	1 #####	324	3007.4	0.001077	0.116	0.000349
KY	H L Spurloc	6041	1 #####	323	2982.2	0.00108	0.117	0.000349
KY	H L Spurloc	6041	1 #####	314	2886.6	0.001094	0.119	0.000344
KY	H L Spurloc	6041	1 #####	324	3009.6	0.001087	0.117	0.000352
KY	H L Spurloc	6041	1 #####	324	3001.6	0.001075	0.116	0.000348
KY	H L Spurloc	6041	1 #####	325	3019.6	0.001078	0.116	0.00035
KY	H L Spurloc	6041	1 #####	325	3020.9	0.001078	0.116	0.00035
KY	H L Spurloc	6041	1 #####	302	2800.1	0.001113	0.12	0.000336
KY	H L Spurloc	6041	1 #####	311	2871.4	0.001099	0.119	0.000342
KY	H L Spurloc	6041	1 #####	278	2573.1	0.001166	0.126	0.000324
KY	H L Spurloc	6041	1 #####	245	2270.8	0.001242	0.134	0.000304
KY	H L Spurloc	6041	1 #####	198	1823.5	0.001363	0.148	0.00027
KY	H L Spurloc	6041	1 #####	225	2072	0.001271	0.138	0.000286
KY	H L Spurloc	6041	1 #####	190	1767.1	0.001376	0.148	0.000262
KY	H L Spurloc	6041	1 #####	216	1976.7	0.001299	0.142	0.000281
KY	H L Spurloc	6041	1 #####	276	2608.7	0.001163	0.123	0.000321
KY	H L Spurloc	6041	1 #####	320	2979.2	0.001089	0.117	0.000349
KY	H L Spurloc	6041	1 #####	325	3009.7	0.001074	0.116	0.000349
KY	H L Spurloc	6041	1 #####	325	3002.1	0.001072	0.116	0.000348
KY	H L Spurloc	6041	1 #####	324	3005.7	0.001076	0.116	0.000349
KY	H L Spurloc	6041	1 #####	325	3000.5	0.001071	0.116	0.000348
KY	H L Spurloc	6041	1 #####	324	3015.5	0.00107	0.115	0.000347
KY	H L Spurloc	6041	1 #####	324	3024.7	0.001074	0.115	0.000348
KY	H L Spurloc	6041	1 #####	325	3023.2	0.00107	0.115	0.000348
KY	H L Spurloc	6041	1 #####	324	3019	0.001072	0.115	0.000347
KY	H L Spurloc	6041	1 #####	324	3008	0.001077	0.116	0.000349
KY	H L Spurloc	6041	1 #####	308	2865.7	0.001107	0.119	0.000341
KY	H L Spurloc	6041	1 #####	323	2983.9	0.00109	0.118	0.000352
KY	H L Spurloc	6041	1 #####	324	3010.1	0.001096	0.118	0.000355
KY	H L Spurloc	6041	1 #####	325	3029.9	0.001081	0.116	0.000351
KY	H L Spurloc	6041	1 #####	324	3042.8	0.001089	0.116	0.000353
KY	H L Spurloc	6041	1 #####	313	2945	0.00111	0.118	0.000348
KY	H L Spurloc	6041	1 #####	318	2977.6	0.001096	0.117	0.000348
KY	H L Spurloc	6041	1 #####	298	2783.8	0.00114	0.122	0.00034
KY	H L Spurloc	6041	1 #####	314	2948.2	0.001117	0.119	0.000351
KY	H L Spurloc	6041	1 #####	307	2858.8	0.001127	0.121	0.000346
KY	H L Spurloc	6041	1 #####	322	3019.5	0.001097	0.117	0.000353
KY	H L Spurloc	6041	1 #####	321	2997.6	0.001102	0.118	0.000354
KY	H L Spurloc	6041	1 #####	310	2888.2	0.001118	0.12	0.000347
KY	H L Spurloc	6041	1 #####	323	3026.2	0.001106	0.118	0.000357
KY	H L Spurloc	6041	1 #####	311	2917.3	0.001126	0.12	0.00035
KY	H L Spurloc	6041	1 #####	321	3000.6	0.001103	0.118	0.000354
KY	H L Spurloc	6041	1 #####	310	2902.8	0.001114	0.119	0.000345
KY	H L Spurloc	6041	1 #####	320	2988.2	0.001102	0.118	0.000353
KY	H L Spurloc	6041	1 #####	306	2883.2	0.001131	0.12	0.000346
KY	H L Spurloc	6041	1 #####	318	2986.7	0.001108	0.118	0.000352
KY	H L Spurloc	6041	1 #####	314	2967.3	0.001125	0.119	0.000353

KY	H L Spurloc	6041	1	#####	291	2748.3	0.001171	0.124	0.000341
KY	H L Spurloc	6041	1	#####	322	3043	0.001106	0.117	0.000356
KY	H L Spurloc	6041	1	#####	324	3054	0.001093	0.116	0.000354
KY	H L Spurloc	6041	1	#####	323	3048.3	0.001095	0.116	0.000354
KY	H L Spurloc	6041	1	#####	324	3055.2	0.001094	0.116	0.000354
KY	H L Spurloc	6041	1	#####	323	3045.6	0.001094	0.116	0.000353
KY	H L Spurloc	6041	1	#####	324	3068.4	0.001099	0.116	0.000356
KY	H L Spurloc	6041	1	#####	305	2875.7	0.001131	0.12	0.000345
KY	H L Spurloc	6041	1	#####	265	2612.7	0.001252	0.127	0.000332
KY	H L Spurloc	6041	1	#####	236	2365.8	0.001333	0.133	0.000315
KY	H L Spurloc	6041	1	#####	266	2706.7	0.001252	0.123	0.000333
KY	H L Spurloc	6041	1	#####	272	2823.9	0.001256	0.121	0.000342
KY	H L Spurloc	6041	1	#####	255	2679.3	0.001303	0.124	0.000332
KY	H L Spurloc	6041	1	#####	256	2680	0.001298	0.124	0.000332
KY	H L Spurloc	6041	1	#####	257	2690.4	0.001298	0.124	0.000334
KY	H L Spurloc	6041	1	#####	263	2734.4	0.001289	0.124	0.000339
KY	H L Spurloc	6041	1	#####	259	2684.2	0.001295	0.125	0.000336
KY	H L Spurloc	6041	1	#####	223	2358.1	0.001396	0.132	0.000311
KY	H L Spurloc	6041	1	#####	174	1894	0.001589	0.146	0.000277
KY	H L Spurloc	6041	1	#####	207	2203.1	0.001469	0.138	0.000304
KY	H L Spurloc	6041	1	#####	232	2477.8	0.00141	0.132	0.000327
KY	H L Spurloc	6041	1	#####	189	2049.8	0.001551	0.143	0.000293
KY	H L Spurloc	6041	1	#####	190	2029.1	0.001527	0.143	0.00029
KY	H L Spurloc	6041	1	#####	234	2461.5	0.001378	0.131	0.000322
KY	H L Spurloc	6041	1	#####	263	2739.1	0.001323	0.127	0.000348
KY	H L Spurloc	6041	1	#####	271	2827.9	0.001304	0.125	0.000353
KY	H L Spurloc	6041	1	#####	275	2877.8	0.001308	0.125	0.00036
KY	H L Spurloc	6041	1	#####	275	2852.8	0.001307	0.126	0.000359
KY	H L Spurloc	6041	1	#####	275	2860.4	0.00129	0.124	0.000355
KY	H L Spurloc	6041	1	#####	274	2860.9	0.001316	0.126	0.00036
KY	H L Spurloc	6041	1	#####	274	2879.3	0.001314	0.125	0.00036
KY	H L Spurloc	6041	1	#####	274	2896.8	0.001311	0.124	0.000359
KY	H L Spurloc	6041	1	#####	254	2687.9	0.001355	0.128	0.000344
KY	H L Spurloc	6041	1	#####	256	2678.4	0.00135	0.129	0.000346
KY	H L Spurloc	6041	1	#####	181	1956.1	0.001589	0.147	0.000288
KY	H L Spurloc	6041	1	#####	169	1855.7	0.001625	0.148	0.000275
KY	H L Spurloc	6041	1	#####	168	1853.3	0.001633	0.148	0.000274
KY	H L Spurloc	6041	1	#####	168	1864.2	0.001642	0.148	0.000276
KY	H L Spurloc	6041	1	#####	168	1868.2	0.001646	0.148	0.000276
KY	H L Spurloc	6041	1	#####	168	1865.2	0.001654	0.149	0.000278
KY	H L Spurloc	6041	1	#####	170	1653.8	0.001508	0.155	0.000256
KY	H L Spurloc	6041	1	#####	167	1627.6	0.00152	0.156	0.000254
KY	H L Spurloc	6041	1	#####	168	1625.1	0.001499	0.155	0.000252
KY	H L Spurloc	6041	1	#####	167	1624.9	0.001498	0.154	0.00025
KY	H L Spurloc	6041	1	#####	202	1913	0.001383	0.146	0.000279
KY	H L Spurloc	6041	1	#####	202	1912.3	0.001382	0.146	0.000279
KY	H L Spurloc	6041	1	#####	275	2609.6	0.001205	0.127	0.000331

KY	H L Spurloc	6041	1	#####	323	3093.1	0.00112	0.117	0.000362
KY	H L Spurloc	6041	1	#####	323	3066.1	0.001101	0.116	0.000356
KY	H L Spurloc	6041	1	#####	323	3066.9	0.001101	0.116	0.000356
KY	H L Spurloc	6041	1	#####	323	3065.9	0.001101	0.116	0.000356
KY	H L Spurloc	6041	1	#####	323	3035.6	0.00109	0.116	0.000352
KY	H L Spurloc	6041	1	#####	323	3036.1	0.0011	0.117	0.000355
KY	H L Spurloc	6041	1	#####	323	3047	0.001104	0.117	0.000356
KY	H L Spurloc	6041	1	#####	323	3039.3	0.001101	0.117	0.000356
KY	H L Spurloc	6041	1	#####	323	3040.4	0.001101	0.117	0.000356
KY	H L Spurloc	6041	1	#####	306	2880.9	0.001139	0.121	0.000349
KY	H L Spurloc	6041	1	#####	310	2903	0.001124	0.12	0.000348
KY	H L Spurloc	6041	1	#####	320	2988.5	0.001093	0.117	0.00035
KY	H L Spurloc	6041	1	#####	322	3004	0.001092	0.117	0.000351
KY	H L Spurloc	6041	1	#####	310	2880.4	0.001106	0.119	0.000343
KY	H L Spurloc	6041	1	#####	227	2100.6	0.001286	0.139	0.000292
KY	H L Spurloc	6041	1	#####	232	2156.4	0.001264	0.136	0.000293
KY	H L Spurloc	6041	1	#####	295	2760.9	0.001123	0.12	0.000331
KY	H L Spurloc	6041	1	#####	309	2878.2	0.00109	0.117	0.000337
KY	H L Spurloc	6041	1	#####	308	2865.4	0.001098	0.118	0.000338
KY	H L Spurloc	6041	1	#####	321	2976.2	0.001085	0.117	0.000348
KY	H L Spurloc	6041	1	#####	323	3004	0.000809	0.087	0.000261
KY	H L Spurloc	6041	1	#####	321	2979	0.000812	0.0875	0.000261
KY	H L Spurloc	6041	1	#####	324	3029.4	0.000818	0.0875	0.000265
KY	H L Spurloc	6041	1	#####	324	3020.5	0.000809	0.0868	0.000262
KY	H L Spurloc	6041	1	#####	324	3040.6	0.000815	0.0868	0.000264
KY	H L Spurloc	6041	1	#####	324	3046.4	0.000816	0.0868	0.000264
KY	H L Spurloc	6041	1	#####	324	3022.2	0.000817	0.0876	0.000265
KY	H L Spurloc	6041	1	#####	324	3054.1	0.000818	0.0868	0.000265
KY	H L Spurloc	6041	1	#####	324	3038.1	0.000814	0.0868	0.000264
KY	H L Spurloc	6041	1	#####	324	3013.8	0.000808	0.0869	0.000262
KY	H L Spurloc	6041	1	#####	324	3021.4	0.000814	0.0873	0.000264
KY	H L Spurloc	6041	1	#####	324	3007.8	0.000809	0.0871	0.000262
KY	H L Spurloc	6041	1	#####	324	2990.2	0.000806	0.0873	0.000261
KY	H L Spurloc	6041	1	#####	310	2876.3	0.000832	0.0897	0.000258
KY	H L Spurloc	6041	1	#####	297	2758.5	0.00086	0.0926	0.000255
KY	H L Spurloc	6041	1	#####	255	2368.4	0.000925	0.0996	0.000236
KY	H L Spurloc	6041	1	#####	291	2688.6	0.000853	0.0923	0.000248
KY	H L Spurloc	6041	1	#####	285	2627.3	0.000858	0.0931	0.000245
KY	H L Spurloc	6041	1	#####	214	1956.6	0.000978	0.107	0.000209
KY	H L Spurloc	6041	1	#####	217	1979.4	0.000967	0.106	0.00021
KY	H L Spurloc	6041	1	#####	226	2082.8	0.000949	0.103	0.000215
KY	H L Spurloc	6041	1	#####	273	2569.7	0.000873	0.0927	0.000238
KY	H L Spurloc	6041	1	#####	325	3001.9	0.000803	0.0869	0.000261
KY	H L Spurloc	6041	1	#####	324	3000.1	0.000802	0.0866	0.00026
KY	H L Spurloc	6041	1	#####	324	2985.3	0.000804	0.0873	0.000261
KY	H L Spurloc	6041	1	#####	324	2993.3	0.000804	0.087	0.00026
KY	H L Spurloc	6041	1	#####	324	3014.7	0.000808	0.0868	0.000262

KY	H L Spurloc	6041	1	#####	324	3036	0.000813	0.0868	0.000264
KY	H L Spurloc	6041	1	#####	324	3006.2	0.000805	0.0868	0.000261
KY	H L Spurloc	6041	1	#####	324	2991	0.000807	0.0874	0.000261
KY	H L Spurloc	6041	1	#####	324	3009	0.000812	0.0874	0.000263
KY	H L Spurloc	6041	1	#####	324	3013.4	0.000808	0.0869	0.000262
KY	H L Spurloc	6041	1	#####	324	3005.3	0.000806	0.0869	0.000261
KY	H L Spurloc	6041	1	#####	319	2957.6	0.000811	0.0875	0.000259
KY	H L Spurloc	6041	1	#####	296	2721.5	0.000838	0.0911	0.000248
KY	H L Spurloc	6041	1	#####	319	2965.2	0.000815	0.0877	0.00026
KY	H L Spurloc	6041	1	#####	308	2884.9	0.000834	0.089	0.000257
KY	H L Spurloc	6041	1	#####	323	3011.3	0.000811	0.087	0.000262
KY	H L Spurloc	6041	1	#####	308	2875.6	0.000835	0.0894	0.000257
KY	H L Spurloc	6041	1	#####	306	2835.8	0.000838	0.0904	0.000256
KY	H L Spurloc	6041	1	#####	277	2538.9	0.000874	0.0954	0.000242
KY	H L Spurloc	6041	1	#####	269	2469.4	0.000887	0.0966	0.000239
KY	H L Spurloc	6041	1	#####	297	2743.5	0.000846	0.0916	0.000251
KY	H L Spurloc	6041	1	#####	316	2926.2	0.000818	0.0883	0.000258
KY	H L Spurloc	6041	1	#####	285	2632.5	0.000855	0.0926	0.000244
KY	H L Spurloc	6041	1	#####	314	2955.8	0.00082	0.0871	0.000257
KY	H L Spurloc	6041	1	#####	327	3009.3	0.000801	0.087	0.000262
KY	H L Spurloc	6041	1	#####	325	2983.6	0.000801	0.0873	0.00026
KY	H L Spurloc	6041	1	#####	326	3001.2	0.000795	0.0864	0.000259
KY	H L Spurloc	6041	1	#####	325	2988.5	0.000794	0.0863	0.000258
KY	H L Spurloc	6041	1	#####	325	3001.5	0.000797	0.0863	0.000259
KY	H L Spurloc	6041	1	#####	325	3002.2	0.000797	0.0863	0.000259
KY	H L Spurloc	6041	1	#####	325	2994.4	0.000796	0.0864	0.000259
KY	H L Spurloc	6041	1	#####	325	2999.6	0.000797	0.0864	0.000259
KY	H L Spurloc	6041	1	#####	325	3008.5	0.000805	0.087	0.000262
KY	H L Spurloc	6041	1	#####	325	2993.1	0.000799	0.0868	0.00026
KY	H L Spurloc	6041	1	#####	325	2980.3	0.000796	0.0868	0.000259
KY	H L Spurloc	6041	1	#####	325	2989.5	0.000798	0.0868	0.000259
KY	H L Spurloc	6041	1	#####	325	2996.4	0.000795	0.0862	0.000258
KY	H L Spurloc	6041	1	#####	314	2910	0.000808	0.0872	0.000254
KY	H L Spurloc	6041	1	#####	324	2985.1	0.000794	0.0862	0.000257
KY	H L Spurloc	6041	1	#####	313	2885.9	0.000815	0.0884	0.000255
KY	H L Spurloc	6041	1	#####	325	2989.8	0.000801	0.0871	0.00026
KY	H L Spurloc	6041	1	#####	308	2839.2	0.000819	0.0888	0.000252
KY	H L Spurloc	6041	1	#####	258	2372.4	0.000894	0.0972	0.000231
KY	H L Spurloc	6041	1	#####	284	2624.5	0.000857	0.0927	0.000243
KY	H L Spurloc	6041	1	#####	317	2903.7	0.000818	0.0893	0.000259
KY	H L Spurloc	6041	1	#####	279	2561.2	0.000868	0.0945	0.000242
KY	H L Spurloc	6041	1	#####	268	2471.9	0.000882	0.0956	0.000236
KY	H L Spurloc	6041	1	#####	310	2923.3	0.000824	0.0874	0.000255
KY	H L Spurloc	6041	1	#####	309	2853.6	0.000823	0.0891	0.000254
KY	H L Spurloc	6041	1	#####	324	2990.8	0.000799	0.0866	0.000259
KY	H L Spurloc	6041	1	#####	324	3012.2	0.000804	0.0865	0.000261
KY	H L Spurloc	6041	1	#####	325	3025.3	0.000803	0.0863	0.000261

KY	H L Spurloc	6041	1	#####	325	3034.4	0.000799	0.0856	0.00026
KY	H L Spurloc	6041	1	#####	315	2936.3	0.000812	0.0871	0.000256
KY	H L Spurloc	6041	1	#####	325	3008.2	0.000799	0.0863	0.00026
KY	H L Spurloc	6041	1	#####	318	2936.5	0.000804	0.0871	0.000256
KY	H L Spurloc	6041	1	#####	324	3000.9	0.000802	0.0866	0.00026
KY	H L Spurloc	6041	1	#####	325	3000	0.000798	0.0865	0.00026
KY	H L Spurloc	6041	1	#####	313	2878.4	0.000809	0.088	0.000253
KY	H L Spurloc	6041	1	#####	325	3001.4	0.000798	0.0864	0.000259
KY	H L Spurloc	6041	1	#####	323	2967.5	0.0008	0.0871	0.000258
KY	H L Spurloc	6041	1	#####	317	2925.2	0.000809	0.0877	0.000257
KY	H L Spurloc	6041	1	#####	309	2871.4	0.000821	0.0884	0.000254
KY	H L Spurloc	6041	1	#####	326	3025.8	0.000807	0.0869	0.000263
KY	H L Spurloc	6041	1	#####	315	2941.8	0.000819	0.0877	0.000258
KY	H L Spurloc	6041	1	#####	318	2949.6	0.000813	0.0877	0.000259
KY	H L Spurloc	6041	1	#####	324	2977	0.000799	0.087	0.000259
KY	H L Spurloc	6041	1	#####	308	2838.3	0.000824	0.0894	0.000254
KY	H L Spurloc	6041	1	#####	310	2874	0.00082	0.0885	0.000254
KY	H L Spurloc	6041	1	#####	323	2977.8	0.000802	0.087	0.000259
KY	H L Spurloc	6041	1	#####	316	2929.7	0.000812	0.0876	0.000257
KY	H L Spurloc	6041	1	#####	322	3026.5	0.000817	0.0869	0.000263
KY	H L Spurloc	6041	1	#####	308	2865	0.000829	0.0891	0.000255
KY	H L Spurloc	6041	1	#####	322	3017.4	0.000812	0.0866	0.000261
KY	H L Spurloc	6041	1	#####	320	2996.6	0.000818	0.0874	0.000262
KY	H L Spurloc	6041	1	#####	324	3014.4	0.000809	0.087	0.000262
KY	H L Spurloc	6041	1	#####	315	2925	0.000815	0.0878	0.000257
KY	H L Spurloc	6041	1	#####	323	3019.4	0.00081	0.0867	0.000262
KY	H L Spurloc	6041	1	#####	314	2938.9	0.000817	0.0873	0.000257
KY	H L Spurloc	6041	1	#####	321	2984.3	0.000808	0.0869	0.000259
KY	H L Spurloc	6041	1	#####	317	2976.9	0.000822	0.0875	0.00026
KY	H L Spurloc	6041	1	#####	323	3043.2	0.000823	0.0873	0.000266
KY	H L Spurloc	6041	1	#####	324	3041.8	0.00082	0.0873	0.000266
KY	H L Spurloc	6041	1	#####	324	3039.9	0.000819	0.0873	0.000265
KY	H L Spurloc	6041	1	#####	324	3060.1	0.000819	0.0867	0.000265
KY	H L Spurloc	6041	1	#####	324	3059.6	0.000811	0.0859	0.000263
KY	H L Spurloc	6041	1	#####	324	3044.4	0.000812	0.0864	0.000263
KY	H L Spurloc	6041	1	#####	312	2938.3	0.00083	0.0881	0.000259
KY	H L Spurloc	6041	1	#####	322	3002	0.000817	0.0876	0.000263
KY	H L Spurloc	6041	1	#####	302	2798.2	0.000836	0.0902	0.000252
KY	H L Spurloc	6041	1	#####	263	2425.9	0.000894	0.0969	0.000235
KY	H L Spurloc	6041	1	#####	247	2291.7	0.00092	0.0992	0.000227
KY	H L Spurloc	6041	1	#####	224	2061.6	0.000957	0.104	0.000214
KY	H L Spurloc	6041	1	#####	214	1978	0.00098	0.106	0.00021
KY	H L Spurloc	6041	1	#####	224	2073	0.000962	0.104	0.000216
KY	H L Spurloc	6041	1	#####	246	2284.3	0.000916	0.0986	0.000225
KY	H L Spurloc	6041	1	#####	260	2426.7	0.000905	0.097	0.000235
KY	H L Spurloc	6041	1	#####	227	2119.5	0.000962	0.103	0.000218
KY	H L Spurloc	6041	1	#####	260	2436	0.000899	0.096	0.000234

KY	H L Spurloc	6041	1 #####	318	3010.7	0.000827	0.0873	0.000263
KY	H L Spurloc	6041	1 #####	320	2991.8	0.000822	0.0879	0.000263
KY	H L Spurloc	6041	1 #####	324	3015.8	0.00081	0.087	0.000262
KY	H L Spurloc	6041	1 #####	306	2867.4	0.000838	0.0894	0.000256
KY	H L Spurloc	6041	1 #####	319	2989.4	0.000832	0.0888	0.000265
KY	H L Spurloc	6041	1 #####	323	3045.7	0.000823	0.0873	0.000266
KY	H L Spurloc	6041	1 #####	324	3073.1	0.000827	0.0872	0.000268
KY	H L Spurloc	6041	1 #####	308	2906	0.000846	0.0897	0.000261
KY	H L Spurloc	6041	1 #####	323	3035.6	0.000828	0.0881	0.000267
KY	H L Spurloc	6041	1 #####	324	3044	0.000821	0.0874	0.000266
KY	H L Spurloc	6041	1 #####	324	3038.6	0.000826	0.0881	0.000268
KY	H L Spurloc	6041	1 #####	310	2923	0.000845	0.0896	0.000262
KY	H L Spurloc	6041	1 #####	323	3046	0.000829	0.0879	0.000268
KY	H L Spurloc	6041	1 #####	307	2894	0.000847	0.0898	0.00026
KY	H L Spurloc	6041	1 #####	211	1975.2	0.001011	0.108	0.000213
KY	H L Spurloc	6041	1 5/1/2022	168	1605.1	0.001118	0.117	0.000188
KY	H L Spurloc	6041	1 5/1/2022	168	1603.7	0.001117	0.117	0.000188
KY	H L Spurloc	6041	1 5/1/2022	168	1595	0.001111	0.117	0.000187
KY	H L Spurloc	6041	1 5/1/2022	168	1591.1	0.001108	0.117	0.000186
KY	H L Spurloc	6041	1 5/1/2022	166	1569.7	0.001106	0.117	0.000184
KY	H L Spurloc	6041	1 5/1/2022	164	1548.4	0.001124	0.119	0.000184
KY	H L Spurloc	6041	1 5/1/2022	165	1568.8	0.001122	0.118	0.000185
KY	H L Spurloc	6041	1 5/1/2022	167	1592.7	0.001106	0.116	0.000185
KY	H L Spurloc	6041	1 5/1/2022	167	1616.6	0.001123	0.116	0.000188
KY	H L Spurloc	6041	1 5/1/2022	168	1610	0.001112	0.116	0.000187
KY	H L Spurloc	6041	1 5/1/2022	168	1606.3	0.001109	0.116	0.000186
KY	H L Spurloc	6041	1 5/1/2022	168	1626	0.001113	0.115	0.000187
KY	H L Spurloc	6041	1 5/1/2022	168	1609.5	0.001102	0.115	0.000185
KY	H L Spurloc	6041	1 5/1/2022	168	1602.1	0.001097	0.115	0.000184
KY	H L Spurloc	6041	1 5/1/2022	168	1615.7	0.001096	0.114	0.000184
KY	H L Spurloc	6041	1 5/1/2022	168	1600.6	0.001086	0.114	0.000182
KY	H L Spurloc	6041	1 5/1/2022	168	1590.7	0.001079	0.114	0.000181
KY	H L Spurloc	6041	1 5/1/2022	168	1606.1	0.00108	0.113	0.000181
KY	H L Spurloc	6041	1 5/1/2022	168	1605.8	0.00109	0.114	0.000183
KY	H L Spurloc	6041	1 5/1/2022	168	1597.3	0.001084	0.114	0.000182
KY	H L Spurloc	6041	1 5/1/2022	167	1586	0.001083	0.114	0.000181
KY	H L Spurloc	6041	1 5/1/2022	169	1610.2	0.001086	0.114	0.000184
KY	H L Spurloc	6041	1 5/1/2022	172	1636.1	0.001084	0.114	0.000187
KY	H L Spurloc	6041	1 5/1/2022	171	1658.9	0.001087	0.112	0.000186
KY	H L Spurloc	6041	1 5/2/2022	175	1671.1	0.00107	0.112	0.000187
KY	H L Spurloc	6041	1 5/2/2022	172	1638.6	0.001077	0.113	0.000185
KY	H L Spurloc	6041	1 5/2/2022	172	1638.8	0.001077	0.113	0.000185
KY	H L Spurloc	6041	1 5/2/2022	218	2036.7	0.000981	0.105	0.000214
KY	H L Spurloc	6041	1 5/2/2022	212	1957.2	0.000997	0.108	0.000211
KY	H L Spurloc	6041	1 5/2/2022	251	2359.6	0.000934	0.0994	0.000235
KY	H L Spurloc	6041	1 5/2/2022	300	2786.5	0.00086	0.0926	0.000258
KY	H L Spurloc	6041	1 5/2/2022	320	2979.5	0.000831	0.0893	0.000266

KY	H L Spurloc	6041	1	5/2/2022	309	2873	0.001227	0.132	0.000379
KY	H L Spurloc	6041	1	5/2/2022	319	2962.5	0.001217	0.131	0.000388
KY	H L Spurloc	6041	1	5/2/2022	311	2914.2	0.001228	0.131	0.000382
KY	H L Spurloc	6041	1	5/2/2022	313	2932.1	0.001227	0.131	0.000384
KY	H L Spurloc	6041	1	5/2/2022	315	2959.6	0.001221	0.13	0.000385
KY	H L Spurloc	6041	1	5/2/2022	312	2926.2	0.001238	0.132	0.000386
KY	H L Spurloc	6041	1	5/2/2022	319	2999.4	0.001232	0.131	0.000393
KY	H L Spurloc	6041	1	5/2/2022	320	3014.9	0.001215	0.129	0.000389
KY	H L Spurloc	6041	1	5/2/2022	319	2981.6	0.001224	0.131	0.000391
KY	H L Spurloc	6041	1	5/2/2022	317	2989.1	0.001235	0.131	0.000392
KY	H L Spurloc	6041	1	5/2/2022	322	3024.9	0.001212	0.129	0.00039
KY	H L Spurloc	6041	1	5/2/2022	325	3059.4	0.001186	0.126	0.000385
KY	H L Spurloc	6041	1	5/2/2022	325	3048.5	0.001191	0.127	0.000387
KY	H L Spurloc	6041	1	5/2/2022	307	2875.3	0.001227	0.131	0.000377
KY	H L Spurloc	6041	1	5/2/2022	311	2905.4	0.001214	0.13	0.000378
KY	H L Spurloc	6041	1	5/2/2022	293	2743.5	0.001245	0.133	0.000365
KY	H L Spurloc	6041	1	5/3/2022	262	2443.3	0.001324	0.142	0.000347
KY	H L Spurloc	6041	1	5/3/2022	194	1800.2	0.001503	0.162	0.000292
KY	H L Spurloc	6041	1	5/3/2022	169	1606.5	0.001587	0.167	0.000268
KY	H L Spurloc	6041	1	5/3/2022	169	1607.5	0.001588	0.167	0.000268
KY	H L Spurloc	6041	1	5/3/2022	221	2050.3	0.001401	0.151	0.00031
KY	H L Spurloc	6041	1	5/3/2022	268	2550.6	0.001266	0.133	0.000339
KY	H L Spurloc	6041	1	5/3/2022	293	2732.5	0.001222	0.131	0.000358
KY	H L Spurloc	6041	1	5/3/2022	317	2942.7	0.00117	0.126	0.000371
KY	H L Spurloc	6041	1	5/3/2022	320	2967.9	0.001159	0.125	0.000371
KY	H L Spurloc	6041	1	5/3/2022	312	2894.6	0.001188	0.128	0.000371
KY	H L Spurloc	6041	1	5/3/2022	323	3030.2	0.001191	0.127	0.000385
KY	H L Spurloc	6041	1	5/3/2022	325	3053.8	0.001184	0.126	0.000385
KY	H L Spurloc	6041	1	5/3/2022	325	3059.5	0.001196	0.127	0.000389
KY	H L Spurloc	6041	1	5/3/2022	325	3052.2	0.001193	0.127	0.000388
KY	H L Spurloc	6041	1	5/3/2022	325	3024.9	0.001191	0.128	0.000387
KY	H L Spurloc	6041	1	5/3/2022	325	3039.6	0.001188	0.127	0.000386
KY	H L Spurloc	6041	1	5/3/2022	325	3043	0.001189	0.127	0.000386
KY	H L Spurloc	6041	1	5/3/2022	325	3023.4	0.001191	0.128	0.000387
KY	H L Spurloc	6041	1	5/3/2022	325	3033.6	0.001195	0.128	0.000388
KY	H L Spurloc	6041	1	5/3/2022	325	3017.5	0.001198	0.129	0.000389
KY	H L Spurloc	6041	1	5/3/2022	324	3014.8	0.001191	0.128	0.000386
KY	H L Spurloc	6041	1	5/3/2022	311	2900.3	0.001212	0.13	0.000377
KY	H L Spurloc	6041	1	5/3/2022	316	2932.2	0.001206	0.13	0.000381
KY	H L Spurloc	6041	1	5/3/2022	289	2672.7	0.001258	0.136	0.000363
KY	H L Spurloc	6041	1	5/4/2022	253	2335.9	0.001348	0.146	0.000341
KY	H L Spurloc	6041	1	5/4/2022	209	1939.9	0.001476	0.159	0.000308
KY	H L Spurloc	6041	1	5/4/2022	217	2004.1	0.001441	0.156	0.000313
KY	H L Spurloc	6041	1	5/4/2022	253	2337.1	0.001339	0.145	0.000339
KY	H L Spurloc	6041	1	5/4/2022	286	2625.8	0.001249	0.136	0.000357
KY	H L Spurloc	6041	1	5/4/2022	304	2828.5	0.00121	0.13	0.000368
KY	H L Spurloc	6041	1	5/4/2022	314	2914	0.001188	0.128	0.000373

KY	H L Spurloc	6041	1	5/4/2022	323	2988.1	0.001166	0.126	0.000377
KY	H L Spurloc	6041	1	5/4/2022	306	2821.7	0.001199	0.13	0.000367
KY	H L Spurloc	6041	1	5/4/2022	322	2984.5	0.001177	0.127	0.000379
KY	H L Spurloc	6041	1	5/4/2022	323	2997.1	0.001169	0.126	0.000378
KY	H L Spurloc	6041	1	5/4/2022	323	2980.8	0.001163	0.126	0.000376
KY	H L Spurloc	6041	1	5/4/2022	323	2996.3	0.001169	0.126	0.000378
KY	H L Spurloc	6041	1	5/4/2022	323	3013.8	0.001176	0.126	0.00038
KY	H L Spurloc	6041	1	5/4/2022	323	2998.2	0.00117	0.126	0.000378
KY	H L Spurloc	6041	1	5/4/2022	323	3002.6	0.001171	0.126	0.000378
KY	H L Spurloc	6041	1	5/4/2022	323	3012.1	0.001175	0.126	0.00038
KY	H L Spurloc	6041	1	5/4/2022	323	3018.8	0.001168	0.125	0.000377
KY	H L Spurloc	6041	1	5/4/2022	323	2998.6	0.00117	0.126	0.000378
KY	H L Spurloc	6041	1	5/4/2022	323	3006.3	0.001173	0.126	0.000379
KY	H L Spurloc	6041	1	5/4/2022	307	2862.4	0.001203	0.129	0.000369
KY	H L Spurloc	6041	1	5/4/2022	322	3006.8	0.001177	0.126	0.000379
KY	H L Spurloc	6041	1	5/4/2022	305	2846.7	0.001204	0.129	0.000367
KY	H L Spurloc	6041	1	5/4/2022	295	2736.7	0.001225	0.132	0.000361
KY	H L Spurloc	6041	1	5/5/2022	296	2759.8	0.001231	0.132	0.000364
KY	H L Spurloc	6041	1	5/5/2022	293	2710.8	0.00124	0.134	0.000363
KY	H L Spurloc	6041	1	5/5/2022	280	2585.2	0.001265	0.137	0.000354
KY	H L Spurloc	6041	1	5/5/2022	292	2673.8	0.001227	0.134	0.000358
KY	H L Spurloc	6041	1	5/5/2022	290	2654.8	0.001227	0.134	0.000356
KY	H L Spurloc	6041	1	5/5/2022	285	2614.9	0.001239	0.135	0.000353
KY	H L Spurloc	6041	1	5/5/2022	317	2934.1	0.001175	0.127	0.000373
KY	H L Spurloc	6041	1	5/5/2022	309	2852.4	0.001191	0.129	0.000368
KY	H L Spurloc	6041	1	5/5/2022	322	2977.7	0.001165	0.126	0.000375
KY	H L Spurloc	6041	1	5/5/2022	306	2809.7	0.001194	0.13	0.000365
KY	H L Spurloc	6041	1	5/5/2022	322	2955.4	0.001156	0.126	0.000372
KY	H L Spurloc	6041	1	5/5/2022	323	2969.6	0.001149	0.125	0.000371
KY	H L Spurloc	6041	1	5/5/2022	323	2985.8	0.001155	0.125	0.000373
KY	H L Spurloc	6041	1	5/5/2022	323	2989.1	0.001157	0.125	0.000374
KY	H L Spurloc	6041	1	5/5/2022	323	3012.5	0.001166	0.125	0.000377
KY	H L Spurloc	6041	1	5/5/2022	323	3000.5	0.00117	0.126	0.000378
KY	H L Spurloc	6041	1	5/5/2022	323	3015.9	0.001167	0.125	0.000377
KY	H L Spurloc	6041	1	5/5/2022	323	3000	0.00118	0.127	0.000381
KY	H L Spurloc	6041	1	5/5/2022	323	3016.1	0.001186	0.127	0.000383
KY	H L Spurloc	6041	1	5/5/2022	323	3015.7	0.001167	0.125	0.000377
KY	H L Spurloc	6041	1	5/5/2022	307	2866.6	0.001214	0.13	0.000373
KY	H L Spurloc	6041	1	5/5/2022	320	3007.6	0.001184	0.126	0.000379
KY	H L Spurloc	6041	1	5/5/2022	303	2826.6	0.001213	0.13	0.000367
KY	H L Spurloc	6041	1	5/5/2022	316	2949.4	0.001195	0.128	0.000378
KY	H L Spurloc	6041	1	5/6/2022	320	2960.7	0.001166	0.126	0.000373
KY	H L Spurloc	6041	1	5/6/2022	320	2978.3	0.001163	0.125	0.000372
KY	H L Spurloc	6041	1	5/6/2022	306	2826.1	0.001201	0.13	0.000367
KY	H L Spurloc	6041	1	5/6/2022	319	2951.9	0.001166	0.126	0.000372
KY	H L Spurloc	6041	1	5/6/2022	307	2822.2	0.001195	0.13	0.000367
KY	H L Spurloc	6041	1	5/6/2022	314	2916.7	0.001189	0.128	0.000373

KY	H L Spurloc	6041	1	5/6/2022	310	2870.2	0.001194	0.129	0.00037
KY	H L Spurloc	6041	1	5/6/2022	322	2971.5	0.001172	0.127	0.000377
KY	H L Spurloc	6041	1	5/6/2022	324	3001.1	0.001167	0.126	0.000378
KY	H L Spurloc	6041	1	5/6/2022	305	2888.4	0.001203	0.127	0.000367
KY	H L Spurloc	6041	1	5/6/2022	322	3101.7	0.001175	0.122	0.000378
KY	H L Spurloc	6041	1	5/6/2022	310	2982.4	0.001203	0.125	0.000373
KY	H L Spurloc	6041	1	5/6/2022	322	3124.5	0.001174	0.121	0.000378
KY	H L Spurloc	6041	1	5/6/2022	323	3110.3	0.001165	0.121	0.000376
KY	H L Spurloc	6041	1	5/6/2022	324	3115.7	0.001164	0.121	0.000377
KY	H L Spurloc	6041	1	5/6/2022	324	3087.6	0.001153	0.121	0.000374
KY	H L Spurloc	6041	1	5/6/2022	323	3044.2	0.00115	0.122	0.000371
KY	H L Spurloc	6041	1	5/6/2022	306	2897.3	0.001202	0.127	0.000368
KY	H L Spurloc	6041	1	5/6/2022	322	3035.5	0.001169	0.124	0.000376
KY	H L Spurloc	6041	1	5/6/2022	316	2961.2	0.001181	0.126	0.000373
KY	H L Spurloc	6041	1	5/6/2022	318	2998.6	0.001179	0.125	0.000375
KY	H L Spurloc	6041	1	5/6/2022	307	2919.5	0.001189	0.125	0.000365
KY	H L Spurloc	6041	1	5/6/2022	319	3010.2	0.00117	0.124	0.000373
KY	H L Spurloc	6041	1	5/6/2022	316	2983.4	0.00118	0.125	0.000373
KY	H L Spurloc	6041	1	5/7/2022	310	2925.6	0.001208	0.128	0.000374
KY	H L Spurloc	6041	1	5/7/2022	319	3023.5	0.001185	0.125	0.000378
KY	H L Spurloc	6041	1	5/7/2022	301	2857.4	0.001215	0.128	0.000366
KY	H L Spurloc	6041	1	5/7/2022	248	2348.7	0.001354	0.143	0.000336
KY	H L Spurloc	6041	1	5/7/2022	226	2172.8	0.001433	0.149	0.000324
KY	H L Spurloc	6041	1	5/7/2022	275	2707.8	0.00129	0.131	0.000355
KY	H L Spurloc	6041	1	5/7/2022	301	2890.4	0.001239	0.129	0.000373
KY	H L Spurloc	6041	1	5/7/2022	317	3020.9	0.001201	0.126	0.000381
KY	H L Spurloc	6041	1	5/7/2022	308	2946.2	0.001215	0.127	0.000374
KY	H L Spurloc	6041	1	5/7/2022	280	2653.2	0.001279	0.135	0.000358
KY	H L Spurloc	6041	1	5/7/2022	322	3064.9	0.00118	0.124	0.00038
KY	H L Spurloc	6041	1	5/7/2022	306	2916.5	0.00121	0.127	0.00037
KY	H L Spurloc	6041	1	5/7/2022	321	3059.8	0.001172	0.123	0.000376
KY	H L Spurloc	6041	1	5/7/2022	306	2902.3	0.001205	0.127	0.000369
KY	H L Spurloc	6041	1	5/7/2022	321	3036.7	0.001164	0.123	0.000374
KY	H L Spurloc	6041	1	5/7/2022	323	3035.9	0.001147	0.122	0.00037
KY	H L Spurloc	6041	1	5/7/2022	323	3043.8	0.00115	0.122	0.000371
KY	H L Spurloc	6041	1	5/7/2022	305	2884.5	0.001182	0.125	0.000361
KY	H L Spurloc	6041	1	5/7/2022	322	3044.9	0.001144	0.121	0.000368
KY	H L Spurloc	6041	1	5/7/2022	323	3057.1	0.001155	0.122	0.000373
KY	H L Spurloc	6041	1	5/7/2022	311	2939.7	0.001182	0.125	0.000367
KY	H L Spurloc	6041	1	5/7/2022	322	3047.2	0.001155	0.122	0.000372
KY	H L Spurloc	6041	1	5/7/2022	310	2926.8	0.00119	0.126	0.000369
KY	H L Spurloc	6041	1	5/7/2022	196	1802	0.001443	0.157	0.000283
KY	H L Spurloc	6041	1	5/8/2022	30	342.075	0.007024	0.462	0.000158
KY	H L Spurloc	6041	1	5/8/2022	0	183.8		0.304	5.59E-05
KY	H L Spurloc	6041	1	5/8/2022	38	441.1	0.005955	0.513	0.000226
KY	H L Spurloc	6041	1	5/8/2022	122	1263.2	0.001947	0.188	0.000237
KY	H L Spurloc	6041	1	5/8/2022	147	1496.4	0.001802	0.177	0.000265

KY	H L Spurloc	6041	1	5/8/2022	173	1767.4	0.001675	0.164	0.00029
KY	H L Spurloc	6041	1	5/8/2022	180	1794.7	0.001625	0.163	0.000293
KY	H L Spurloc	6041	1	5/8/2022	217	2153.3	0.001479	0.149	0.000321
KY	H L Spurloc	6041	1	5/8/2022	204	1991.7	0.001484	0.152	0.000303
KY	H L Spurloc	6041	1	5/8/2022	216	2069.7	0.001428	0.149	0.000308
KY	H L Spurloc	6041	1	5/8/2022	292	2806.8	0.00124	0.129	0.000362
KY	H L Spurloc	6041	1	5/8/2022	292	2785.2	0.00125	0.131	0.000365
KY	H L Spurloc	6041	1	5/8/2022	281	2664.3	0.001271	0.134	0.000357
KY	H L Spurloc	6041	1	5/8/2022	269	2539.9	0.001294	0.137	0.000348
KY	H L Spurloc	6041	1	5/8/2022	295	2811.6	0.001249	0.131	0.000368
KY	H L Spurloc	6041	1	5/8/2022	265	2536.4	0.001321	0.138	0.00035
KY	H L Spurloc	6041	1	5/8/2022	307	2942.5	0.001227	0.128	0.000377
KY	H L Spurloc	6041	1	5/8/2022	323	3112.1	0.001204	0.125	0.000389
KY	H L Spurloc	6041	1	5/8/2022	323	3108.9	0.001203	0.125	0.000389
KY	H L Spurloc	6041	1	5/8/2022	324	3136.9	0.001201	0.124	0.000389
KY	H L Spurloc	6041	1	5/8/2022	324	3117.6	0.001203	0.125	0.00039
KY	H L Spurloc	6041	1	5/8/2022	321	3072.2	0.001187	0.124	0.000381
KY	H L Spurloc	6041	1	5/8/2022	319	3047.6	0.001194	0.125	0.000381
KY	H L Spurloc	6041	1	5/8/2022	302	2867.2	0.001225	0.129	0.00037
KY	H L Spurloc	6041	1	5/9/2022	208	1981.3	0.001448	0.152	0.000301
KY	H L Spurloc	6041	1	5/9/2022	219	2087	0.00141	0.148	0.000309
KY	H L Spurloc	6041	1	5/9/2022	187	1801.8	0.001513	0.157	0.000283
KY	H L Spurloc	6041	1	5/9/2022	165	1622.5	0.001603	0.163	0.000264
KY	H L Spurloc	6041	1	5/9/2022	198	1906.2	0.001492	0.155	0.000295
KY	H L Spurloc	6041	1	5/9/2022	295	2889	0.001244	0.127	0.000367
KY	H L Spurloc	6041	1	5/9/2022	322	3090.6	0.00119	0.124	0.000383
KY	H L Spurloc	6041	1	5/9/2022	320	3058.9	0.001176	0.123	0.000376
KY	H L Spurloc	6041	1	5/9/2022	322	3088	0.00118	0.123	0.00038
KY	H L Spurloc	6041	1	5/9/2022	316	3015.5	0.001088	0.114	0.000344
KY	H L Spurloc	6041	1	5/9/2022	323	3108.1	0.001078	0.112	0.000348
KY	H L Spurloc	6041	1	5/9/2022	323	3133	0.001077	0.111	0.000348
KY	H L Spurloc	6041	1	5/9/2022	322	3138.2	0.001092	0.112	0.000351
KY	H L Spurloc	6041	1	5/9/2022	323	3141.1	0.001089	0.112	0.000352
KY	H L Spurloc	6041	1	5/9/2022	323	3138.6	0.001088	0.112	0.000352
KY	H L Spurloc	6041	1	5/9/2022	323	3138.1	0.001088	0.112	0.000351
KY	H L Spurloc	6041	1	5/9/2022	323	3137.2	0.001088	0.112	0.000351
KY	H L Spurloc	6041	1	5/9/2022	323	3124.8	0.001084	0.112	0.00035
KY	H L Spurloc	6041	1	5/9/2022	323	3112.2	0.001079	0.112	0.000349
KY	H L Spurloc	6041	1	5/9/2022	323	3139.2	0.001089	0.112	0.000352
KY	H L Spurloc	6041	1	5/9/2022	309	2994.9	0.001105	0.114	0.000341
KY	H L Spurloc	6041	1	5/9/2022	322	3090.4	0.001075	0.112	0.000346
KY	H L Spurloc	6041	1	5/9/2022	309	2978.5	0.001109	0.115	0.000343
KY	H L Spurloc	6041	1	5/9/2022	305	2930.2	0.001105	0.115	0.000337
KY	H L Spurloc	6041	1	#####	296	2853.4	0.001118	0.116	0.000331
KY	H L Spurloc	6041	1	#####	265	2530.9	0.001184	0.124	0.000314
KY	H L Spurloc	6041	1	#####	234	2242.5	0.001246	0.13	0.000292
KY	H L Spurloc	6041	1	#####	235	2253.6	0.001256	0.131	0.000295

KY	H L Spurloc	6041	1	#####	231	2232.5	0.001276	0.132	0.000295
KY	H L Spurloc	6041	1	#####	279	2751.4	0.001164	0.118	0.000325
KY	H L Spurloc	6041	1	#####	302	2888.2	0.001119	0.117	0.000338
KY	H L Spurloc	6041	1	#####	306	2941.4	0.001105	0.115	0.000338
KY	H L Spurloc	6041	1	#####	320	3069.3	0.001074	0.112	0.000344
KY	H L Spurloc	6041	1	#####	321	3128.1	0.001091	0.112	0.00035
KY	H L Spurloc	6041	1	#####	307	2999	0.001114	0.114	0.000342
KY	H L Spurloc	6041	1	#####	322	3148	0.001085	0.111	0.000349
KY	H L Spurloc	6041	1	#####	306	2987.6	0.001123	0.115	0.000344
KY	H L Spurloc	6041	1	#####	319	3118.9	0.001095	0.112	0.000349
KY	H L Spurloc	6041	1	#####	306	3005.6	0.00112	0.114	0.000343
KY	H L Spurloc	6041	1	#####	309	3041.4	0.001122	0.114	0.000347
KY	H L Spurloc	6041	1	#####	313	3067.9	0.001108	0.113	0.000347
KY	H L Spurloc	6041	1	#####	318	3136.2	0.001105	0.112	0.000351
KY	H L Spurloc	6041	1	#####	320	3147	0.001101	0.112	0.000352
KY	H L Spurloc	6041	1	#####	320	3145.2	0.001091	0.111	0.000349
KY	H L Spurloc	6041	1	#####	320	3139.7	0.001099	0.112	0.000352
KY	H L Spurloc	6041	1	#####	310	3050.4	0.001112	0.113	0.000345
KY	H L Spurloc	6041	1	#####	319	3102.5	0.001089	0.112	0.000347
KY	H L Spurloc	6041	1	#####	314	3067.5	0.001094	0.112	0.000344
KY	H L Spurloc	6041	1	#####	310	3013.5	0.001098	0.113	0.000341
KY	H L Spurloc	6041	1	#####	266	2581.2	0.001194	0.123	0.000317
KY	H L Spurloc	6041	1	#####	202	1939	0.001315	0.137	0.000266
KY	H L Spurloc	6041	1	#####	224	2160.3	0.001254	0.13	0.000281
KY	H L Spurloc	6041	1	#####	259	2472.5	0.001174	0.123	0.000304
KY	H L Spurloc	6041	1	#####	303	2931.9	0.001113	0.115	0.000337
KY	H L Spurloc	6041	1	#####	321	3130.8	0.001102	0.113	0.000354
KY	H L Spurloc	6041	1	#####	310	3029.9	0.001114	0.114	0.000345
KY	H L Spurloc	6041	1	#####	322	3102.3	0.001079	0.112	0.000347
KY	H L Spurloc	6041	1	#####	304	2925.8	0.001107	0.115	0.000336
KY	H L Spurloc	6041	1	#####	322	3121.3	0.001086	0.112	0.00035
KY	H L Spurloc	6041	1	#####	308	2997.2	0.001109	0.114	0.000342
KY	H L Spurloc	6041	1	#####	322	3170.6	0.001083	0.11	0.000349
KY	H L Spurloc	6041	1	#####	316	3086.8	0.001094	0.112	0.000346
KY	H L Spurloc	6041	1	#####	321	3123.8	0.00109	0.112	0.00035
KY	H L Spurloc	6041	1	#####	323	3157.2	0.001085	0.111	0.00035
KY	H L Spurloc	6041	1	#####	323	3145.5	0.001081	0.111	0.000349
KY	H L Spurloc	6041	1	#####	323	3142.9	0.00108	0.111	0.000349
KY	H L Spurloc	6041	1	#####	323	3158.3	0.001085	0.111	0.000351
KY	H L Spurloc	6041	1	#####	323	3163.1	0.001087	0.111	0.000351
KY	H L Spurloc	6041	1	#####	306	2983.7	0.001121	0.115	0.000343
KY	H L Spurloc	6041	1	#####	312	3020	0.001103	0.114	0.000344
KY	H L Spurloc	6041	1	#####	276	2686.4	0.001178	0.121	0.000325
KY	H L Spurloc	6041	1	#####	273	2618.6	0.00118	0.123	0.000322
KY	H L Spurloc	6041	1	#####	273	2641.5	0.00118	0.122	0.000322
KY	H L Spurloc	6041	1	#####	269	2615.1	0.001196	0.123	0.000322
KY	H L Spurloc	6041	1	#####	199	1926.3	0.001355	0.14	0.00027

KY	H L Spurloc	6041	1	#####	167	1656.1	0.001428	0.144	0.000238
KY	H L Spurloc	6041	1	#####	175	1729	0.001423	0.144	0.000249
KY	H L Spurloc	6041	1	#####	259	2593	0.001191	0.119	0.000309
KY	H L Spurloc	6041	1	#####	308	2963.9	0.001097	0.114	0.000338
KY	H L Spurloc	6041	1	#####	318	3072.7	0.001082	0.112	0.000344
KY	H L Spurloc	6041	1	#####	320	3092.2	0.001082	0.112	0.000346
KY	H L Spurloc	6041	1	#####	309	3005.5	0.001099	0.113	0.00034
KY	H L Spurloc	6041	1	#####	306	2971.5	0.001107	0.114	0.000339
KY	H L Spurloc	6041	1	#####	319	3098.4	0.001088	0.112	0.000347
KY	H L Spurloc	6041	1	#####	316	3123.6	0.001087	0.11	0.000344
KY	H L Spurloc	6041	1	#####	310	2956.3	0.001087	0.114	0.000337
KY	H L Spurloc	6041	1	#####	315	3023.5	0.001085	0.113	0.000342
KY	H L Spurloc	6041	1	#####	320	3056.6	0.001079	0.113	0.000345
KY	H L Spurloc	6041	1	#####	320	3064.7	0.001082	0.113	0.000346
KY	H L Spurloc	6041	1	#####	320	3086	0.00109	0.113	0.000349
KY	H L Spurloc	6041	1	#####	320	3060.9	0.00109	0.114	0.000349
KY	H L Spurloc	6041	1	#####	320	3066.6	0.001092	0.114	0.00035
KY	H L Spurloc	6041	1	#####	320	3086.5	0.00109	0.113	0.000349
KY	H L Spurloc	6041	1	#####	304	2899.4	0.001116	0.117	0.000339
KY	H L Spurloc	6041	1	#####	318	3009.3	0.001088	0.115	0.000346
KY	H L Spurloc	6041	1	#####	294	2771.4	0.001131	0.12	0.000333
KY	H L Spurloc	6041	1	#####	232	2180.6	0.001259	0.134	0.000292
KY	H L Spurloc	6041	1	#####	171	1644.8	0.001433	0.149	0.000245
KY	H L Spurloc	6041	1	#####	167	1627.6	0.001481	0.152	0.000247
KY	H L Spurloc	6041	1	#####	168	1642.5	0.001476	0.151	0.000248
KY	H L Spurloc	6041	1	#####	168	1649.5	0.001483	0.151	0.000249
KY	H L Spurloc	6041	1	#####	215	2085.4	0.001309	0.135	0.000282
KY	H L Spurloc	6041	1	#####	279	2626.5	0.001139	0.121	0.000318
KY	H L Spurloc	6041	1	#####	324	3072.8	0.00111	0.117	0.00036
KY	H L Spurloc	6041	1	#####	324	3080.6	0.001103	0.116	0.000357
KY	H L Spurloc	6041	1	#####	305	2902.7	0.001133	0.119	0.000345
KY	H L Spurloc	6041	1	#####	323	3092.1	0.00111	0.116	0.000359
KY	H L Spurloc	6041	1	#####	324	3087.9	0.001096	0.115	0.000355
KY	H L Spurloc	6041	1	#####	324	3075.1	0.001082	0.114	0.000351
KY	H L Spurloc	6041	1	#####	324	3082.7	0.001085	0.114	0.000351
KY	H L Spurloc	6041	1	#####	324	3095.1	0.001089	0.114	0.000353
KY	H L Spurloc	6041	1	#####	324	3091.5	0.001088	0.114	0.000352
KY	H L Spurloc	6041	1	#####	323	3071.1	0.001084	0.114	0.00035
KY	H L Spurloc	6041	1	#####	323	3105.3	0.001086	0.113	0.000351
KY	H L Spurloc	6041	1	#####	323	3106.4	0.001087	0.113	0.000351
KY	H L Spurloc	6041	1	#####	324	3111.3	0.001085	0.113	0.000352
KY	H L Spurloc	6041	1	#####	324	3093.3	0.001088	0.114	0.000353
KY	H L Spurloc	6041	1	#####	312	2967.6	0.001113	0.117	0.000347
KY	H L Spurloc	6041	1	#####	323	3085.7	0.001099	0.115	0.000355
KY	H L Spurloc	6041	1	#####	313	2950.7	0.001103	0.117	0.000345
KY	H L Spurloc	6041	1	#####	311	2946.5	0.001099	0.116	0.000342
KY	H L Spurloc	6041	1	#####	286	2696.5	0.00115	0.122	0.000329

KY	H L Spurloc	6041	1	#####	266	2494.3	0.001182	0.126	0.000314
KY	H L Spurloc	6041	1	#####	286	2662	0.001136	0.122	0.000325
KY	H L Spurloc	6041	1	#####	293	2739.6	0.001113	0.119	0.000326
KY	H L Spurloc	6041	1	#####	314	2999.2	0.00106	0.111	0.000333
KY	H L Spurloc	6041	1	#####	314	2965.1	0.001067	0.113	0.000335
KY	H L Spurloc	6041	1	#####	322	3028.5	0.001044	0.111	0.000336
KY	H L Spurloc	6041	1	#####	314	2964.7	0.001057	0.112	0.000332
KY	H L Spurloc	6041	1	#####	322	3046.4	0.00106	0.112	0.000341
KY	H L Spurloc	6041	1	#####	324	3093.4	0.001069	0.112	0.000346
KY	H L Spurloc	6041	1	#####	305	2899.3	0.001103	0.116	0.000336
KY	H L Spurloc	6041	1	#####	312	2971.8	0.001086	0.114	0.000339
KY	H L Spurloc	6041	1	#####	323	3071.6	0.001065	0.112	0.000344
KY	H L Spurloc	6041	1	#####	323	3080.6	0.001068	0.112	0.000345
KY	H L Spurloc	6041	1	#####	323	3081.3	0.001088	0.114	0.000351
KY	H L Spurloc	6041	1	#####	323	3082.3	0.001088	0.114	0.000351
KY	H L Spurloc	6041	1	#####	323	3089	0.00109	0.114	0.000352
KY	H L Spurloc	6041	1	#####	323	3076.1	0.001086	0.114	0.000351
KY	H L Spurloc	6041	1	#####	323	3073.3	0.001085	0.114	0.00035
KY	H L Spurloc	6041	1	#####	323	3078.8	0.001087	0.114	0.000351
KY	H L Spurloc	6041	1	#####	310	2938.4	0.0011	0.116	0.000341
KY	H L Spurloc	6041	1	#####	312	2919.1	0.001085	0.116	0.000339
KY	H L Spurloc	6041	1	#####	264	2482.9	0.001176	0.125	0.00031
KY	H L Spurloc	6041	1	#####	313	2956.6	0.001086	0.115	0.00034
KY	H L Spurloc	6041	1	#####	318	2994.1	0.001073	0.114	0.000341
KY	H L Spurloc	6041	1	#####	231	2168.5	0.001258	0.134	0.000291
KY	H L Spurloc	6041	1	#####	168	1721.8	0.001476	0.144	0.000248
KY	H L Spurloc	6041	1	#####	165	1578.2	0.001425	0.149	0.000235
KY	H L Spurloc	6041	1	#####	213	2072.6	0.001304	0.134	0.000278
KY	H L Spurloc	6041	1	#####	179	1725.8	0.001398	0.145	0.00025
KY	H L Spurloc	6041	1	#####	224	2129.9	0.001274	0.134	0.000285
KY	H L Spurloc	6041	1	#####	208	2001.7	0.001318	0.137	0.000274
KY	H L Spurloc	6041	1	#####	198	1900.3	0.001353	0.141	0.000268
KY	H L Spurloc	6041	1	#####	286	2683.8	0.001126	0.12	0.000322
KY	H L Spurloc	6041	1	#####	324	3081	0.001084	0.114	0.000351
KY	H L Spurloc	6041	1	#####	323	3091.1	0.001091	0.114	0.000352
KY	H L Spurloc	6041	1	#####	323	3082.5	0.001097	0.115	0.000354
KY	H L Spurloc	6041	1	#####	323	3093.8	0.001102	0.115	0.000356
KY	H L Spurloc	6041	1	#####	323	3059.7	0.001089	0.115	0.000352
KY	H L Spurloc	6041	1	#####	323	3077	0.001096	0.115	0.000354
KY	H L Spurloc	6041	1	#####	263	2477.6	0.001215	0.129	0.00032
KY	H L Spurloc	6041	1	#####	304	2893	0.001123	0.118	0.000341
KY	H L Spurloc	6041	1	#####	323	3111.1	0.001108	0.115	0.000358
KY	H L Spurloc	6041	1	#####	323	3089	0.001109	0.116	0.000358
KY	H L Spurloc	6041	1	#####	316	2981.9	0.001104	0.117	0.000349
KY	H L Spurloc	6041	1	#####	323	3058.9	0.001099	0.116	0.000355
KY	H L Spurloc	6041	1	#####	323	3052.8	0.001087	0.115	0.000351
KY	H L Spurloc	6041	1	#####	322	3042.2	0.001087	0.115	0.00035

KY	H L Spurloc	6041	1	#####	255	2382.3	0.001215	0.13	0.00031
KY	H L Spurloc	6041	1	#####	196	1821.7	0.001348	0.145	0.000264
KY	H L Spurloc	6041	1	#####	222	2077.2	0.001273	0.136	0.000282
KY	H L Spurloc	6041	1	#####	226	2094.4	0.001251	0.135	0.000283
KY	H L Spurloc	6041	1	#####	231	2150.8	0.001248	0.134	0.000288
KY	H L Spurloc	6041	1	#####	283	2641.2	0.001139	0.122	0.000322
KY	H L Spurloc	6041	1	#####	320	3006.9	0.001071	0.114	0.000343
KY	H L Spurloc	6041	1	#####	320	3026.4	0.001078	0.114	0.000345
KY	H L Spurloc	6041	1	#####	320	3008.1	0.00172	0.183	0.00055
KY	H L Spurloc	6041	1	#####	320	3004.2	0.001709	0.182	0.000547
KY	H L Spurloc	6041	1	#####	320	2986.5	0.001689	0.181	0.000541
KY	H L Spurloc	6041	1	#####	320	3003.2	0.00168	0.179	0.000538
KY	H L Spurloc	6041	1	#####	320	3007.1	0.001663	0.177	0.000532
KY	H L Spurloc	6041	1	#####	320	2985.2	0.001679	0.18	0.000537
KY	H L Spurloc	6041	1	#####	323	3031.3	0.001689	0.18	0.000546
KY	H L Spurloc	6041	1	#####	323	3026.9	0.001668	0.178	0.000539
KY	H L Spurloc	6041	1	#####	323	3029.6	0.00166	0.177	0.000536
KY	H L Spurloc	6041	1	#####	323	3039.6	0.001675	0.178	0.000541
KY	H L Spurloc	6041	1	#####	323	3043.6	0.001668	0.177	0.000539
KY	H L Spurloc	6041	1	#####	323	3050.8	0.001672	0.177	0.00054
KY	H L Spurloc	6041	1	#####	324	3040.9	0.00168	0.179	0.000544
KY	H L Spurloc	6041	1	#####	310	2927.6	0.001719	0.182	0.000533
KY	H L Spurloc	6041	1	#####	296	2766.3	0.001776	0.19	0.000526
KY	H L Spurloc	6041	1	#####	281	2635.3	0.001819	0.194	0.000511
KY	H L Spurloc	6041	1	#####	300	2826.3	0.001771	0.188	0.000531
KY	H L Spurloc	6041	1	#####	285	2689.5	0.00184	0.195	0.000524
KY	H L Spurloc	6041	1	#####	260	2463.8	0.001905	0.201	0.000495
KY	H L Spurloc	6041	1	#####	271	2550.1	0.001863	0.198	0.000505
KY	H L Spurloc	6041	1	#####	309	2963.5	0.001736	0.181	0.000536
KY	H L Spurloc	6041	1	#####	311	2944	0.001742	0.184	0.000542
KY	H L Spurloc	6041	1	#####	312	2967.6	0.001741	0.183	0.000543
KY	H L Spurloc	6041	1	#####	309	2955.8	0.001798	0.188	0.000556
KY	H L Spurloc	6041	1	#####	316	3014	0.001745	0.183	0.000552
KY	H L Spurloc	6041	1	#####	316	3021.3	0.001759	0.184	0.000556
KY	H L Spurloc	6041	1	#####	317	3042.9	0.001757	0.183	0.000557
KY	H L Spurloc	6041	1	#####	316	3023.9	0.001703	0.178	0.000538
KY	H L Spurloc	6041	1	#####	317	3043.4	0.001699	0.177	0.000539
KY	H L Spurloc	6041	1	#####	318	3045.4	0.001724	0.18	0.000548
KY	H L Spurloc	6041	1	#####	324	3124.3	0.001736	0.18	0.000562
KY	H L Spurloc	6041	1	#####	323	3110.2	0.001733	0.18	0.00056
KY	H L Spurloc	6041	1	#####	324	3126.3	0.001737	0.18	0.000563
KY	H L Spurloc	6041	1	#####	324	3097.8	0.001721	0.18	0.000558
KY	H L Spurloc	6041	1	#####	323	3115.3	0.001717	0.178	0.000555
KY	H L Spurloc	6041	1	#####	323	3090.6	0.001703	0.178	0.00055
KY	H L Spurloc	6041	1	#####	321	3062	0.001679	0.176	0.000539
KY	H L Spurloc	6041	1	#####	299	2831.8	0.001733	0.183	0.000518
KY	H L Spurloc	6041	1	#####	169	1583	0.00222	0.237	0.000375

KY	H L Spurloc	6041	1 #####	13	279.59	0.023334	0.792	0.000221
KY	H L Spurloc	6041	1 #####	0	184.1		0.441	8.12E-05
KY	H L Spurloc	6041	1 #####	8	221.5	0.041254	1.49	0.00033
KY	H L Spurloc	6041	1 #####	102	1020.9	0.003323	0.332	0.000339
KY	H L Spurloc	6041	1 #####	166	1653.8	0.002501	0.251	0.000415
KY	H L Spurloc	6041	1 #####	175	1839.9	0.002513	0.239	0.00044
KY	H L Spurloc	6041	1 #####	189	1844	0.002312	0.237	0.000437
KY	H L Spurloc	6041	1 #####	223	2156	0.002117	0.219	0.000472
KY	H L Spurloc	6041	1 #####	293	2820.3	0.001838	0.191	0.000539
KY	H L Spurloc	6041	1 #####	319	3060.3	0.001746	0.182	0.000557
KY	H L Spurloc	6041	1 #####	318	3062.2	0.001762	0.183	0.00056
KY	H L Spurloc	6041	1 #####	318	3070.5	0.001767	0.183	0.000562
KY	H L Spurloc	6041	1 #####	319	3049.8	0.00175	0.183	0.000558
KY	H L Spurloc	6041	1 #####	323	3072.7	0.001731	0.182	0.000559
KY	H L Spurloc	6041	1 #####	323	3060.5	0.001724	0.182	0.000557
KY	H L Spurloc	6041	1 #####	323	3082.2	0.001737	0.182	0.000561
KY	H L Spurloc	6041	1 #####	323	3086.5	0.001739	0.182	0.000562
KY	H L Spurloc	6041	1 #####	323	3063	0.001716	0.181	0.000554
KY	H L Spurloc	6041	1 #####	324	3050.4	0.001704	0.181	0.000552
KY	H L Spurloc	6041	1 #####	324	3046.4	0.001711	0.182	0.000554
KY	H L Spurloc	6041	1 #####	323	3042.4	0.001705	0.181	0.000551
KY	H L Spurloc	6041	1 #####	324	3025.1	0.001699	0.182	0.000551
KY	H L Spurloc	6041	1 #####	323	3023.6	0.001713	0.183	0.000553
KY	H L Spurloc	6041	1 #####	323	3020.3	0.00173	0.185	0.000559
KY	H L Spurloc	6041	1 #####	324	3048.9	0.001713	0.182	0.000555
KY	H L Spurloc	6041	1 #####	324	3047.9	0.001712	0.182	0.000555
KY	H L Spurloc	6041	1 #####	323	3038.1	0.001721	0.183	0.000556
KY	H L Spurloc	6041	1 #####	323	3023.3	0.001722	0.184	0.000556
KY	H L Spurloc	6041	1 #####	323	3046.5	0.001735	0.184	0.000561
KY	H L Spurloc	6041	1 #####	324	3050.4	0.001723	0.183	0.000558
KY	H L Spurloc	6041	1 #####	309	2925	0.001761	0.186	0.000544
KY	H L Spurloc	6041	1 #####	322	3037.1	0.001726	0.183	0.000556
KY	H L Spurloc	6041	1 #####	323	3051.4	0.001729	0.183	0.000558
KY	H L Spurloc	6041	1 #####	323	3051.8	0.001729	0.183	0.000558
KY	H L Spurloc	6041	1 #####	324	3038.2	0.001716	0.183	0.000556
KY	H L Spurloc	6041	1 #####	324	3056.7	0.001726	0.183	0.000559
KY	H L Spurloc	6041	1 #####	324	3049.5	0.001722	0.183	0.000558
KY	H L Spurloc	6041	1 #####	324	3044	0.001719	0.183	0.000557
KY	H L Spurloc	6041	1 #####	324	3066.2	0.001732	0.183	0.000561
KY	H L Spurloc	6041	1 #####	324	3056.6	0.001726	0.183	0.000559
KY	H L Spurloc	6041	1 #####	324	3045.2	0.00172	0.183	0.000557
KY	H L Spurloc	6041	1 #####	324	3067.3	0.001723	0.182	0.000558
KY	H L Spurloc	6041	1 #####	323	3077.9	0.001734	0.182	0.00056
KY	H L Spurloc	6041	1 #####	324	3071.8	0.001726	0.182	0.000559
KY	H L Spurloc	6041	1 #####	324	3080.2	0.00174	0.183	0.000564
KY	H L Spurloc	6041	1 #####	323	3072.8	0.001741	0.183	0.000562
KY	H L Spurloc	6041	1 #####	323	3020.9	0.001712	0.183	0.000553

KY	H L Spurloc	6041	1 #####	323	3005.7	0.001712	0.184	0.000553
KY	H L Spurloc	6041	1 #####	316	2929.8	0.001734	0.187	0.000548
KY	H L Spurloc	6041	1 #####	320	2988.5	0.001728	0.185	0.000553
KY	H L Spurloc	6041	1 #####	278	2606.7	0.001857	0.198	0.000516
KY	H L Spurloc	6041	1 #####	288	2716.5	0.001802	0.191	0.000519
KY	H L Spurloc	6041	1 #####	250	2314.6	0.001926	0.208	0.000481
KY	H L Spurloc	6041	1 #####	296	2848.9	0.00179	0.186	0.00053
KY	H L Spurloc	6041	1 #####	323	3056.5	0.001722	0.182	0.000556
KY	H L Spurloc	6041	1 #####	324	3071.7	0.001707	0.18	0.000553
KY	H L Spurloc	6041	1 #####	324	3077.7	0.00171	0.18	0.000554
KY	H L Spurloc	6041	1 #####	323	3059	0.001724	0.182	0.000557
KY	H L Spurloc	6041	1 #####	324	3094.9	0.001729	0.181	0.00056
KY	H L Spurloc	6041	1 #####	324	3102.5	0.001724	0.18	0.000558
KY	H L Spurloc	6041	1 #####	323	3078.3	0.001715	0.18	0.000554
KY	H L Spurloc	6041	1 #####	324	3083.4	0.001723	0.181	0.000558
KY	H L Spurloc	6041	1 #####	324	3098.1	0.001731	0.181	0.000561
KY	H L Spurloc	6041	1 #####	324	3089.2	0.001716	0.18	0.000556
KY	H L Spurloc	6041	1 #####	324	3101.4	0.001723	0.18	0.000558
KY	H L Spurloc	6041	1 #####	324	3093.4	0.001719	0.18	0.000557
KY	H L Spurloc	6041	1 #####	324	3086.6	0.001724	0.181	0.000559
KY	H L Spurloc	6041	1 #####	324	3081.5	0.00174	0.183	0.000564
KY	H L Spurloc	6041	1 #####	323	3067.3	0.001728	0.182	0.000558
KY	H L Spurloc	6041	1 #####	324	3076.1	0.001718	0.181	0.000557
KY	H L Spurloc	6041	1 #####	323	3089.3	0.001731	0.181	0.000559
KY	H L Spurloc	6041	1 #####	323	3101.9	0.001738	0.181	0.000561
KY	H L Spurloc	6041	1 #####	324	3085.5	0.001743	0.183	0.000565
KY	H L Spurloc	6041	1 #####	323	3080.3	0.001745	0.183	0.000564
KY	H L Spurloc	6041	1 #####	323	3082.1	0.001737	0.182	0.000561
KY	H L Spurloc	6041	1 #####	323	3050.8	0.001738	0.184	0.000561
KY	H L Spurloc	6041	1 #####	323	3061	0.001734	0.183	0.00056
KY	H L Spurloc	6041	1 #####	304	2894.5	0.00179	0.188	0.000544
KY	H L Spurloc	6041	1 #####	322	3057.5	0.001738	0.183	0.00056
KY	H L Spurloc	6041	1 #####	323	3074.7	0.001732	0.182	0.00056
KY	H L Spurloc	6041	1 #####	323	3083.6	0.001728	0.181	0.000558
KY	H L Spurloc	6041	1 #####	323	3101.8	0.001738	0.181	0.000561
KY	H L Spurloc	6041	1 #####	324	3098.2	0.001721	0.18	0.000558
KY	H L Spurloc	6041	1 #####	323	3107.8	0.001732	0.18	0.000559
KY	H L Spurloc	6041	1 #####	323	3110.7	0.001743	0.181	0.000563
KY	H L Spurloc	6041	1 #####	323	3122.5	0.00174	0.18	0.000562
KY	H L Spurloc	6041	1 #####	323	3115.1	0.001736	0.18	0.000561
KY	H L Spurloc	6041	1 #####	325	3112.5	0.001733	0.181	0.000563
KY	H L Spurloc	6041	1 #####	324	3101.9	0.001723	0.18	0.000558
KY	H L Spurloc	6041	1 #####	322	3060.9	0.00173	0.182	0.000557
KY	H L Spurloc	6041	1 #####	323	3055.7	0.001712	0.181	0.000553
KY	H L Spurloc	6041	1 #####	324	3054.6	0.001706	0.181	0.000553
KY	H L Spurloc	6041	1 #####	310	2940.8	0.001746	0.184	0.000541
KY	H L Spurloc	6041	1 #####	314	2977.2	0.001754	0.185	0.000551

KY	H L Spurloc	6041	1	#####	316	3001.9	0.001738	0.183	0.000549
KY	H L Spurloc	6041	1	#####	325	3084.8	0.001709	0.18	0.000555
KY	H L Spurloc	6041	1	#####	325	3092.3	0.001722	0.181	0.00056
KY	H L Spurloc	6041	1	#####	325	3071.6	0.00172	0.182	0.000559
KY	H L Spurloc	6041	1	#####	323	3077.1	0.001715	0.18	0.000554
KY	H L Spurloc	6041	1	#####	309	2929.9	0.001773	0.187	0.000548
KY	H L Spurloc	6041	1	#####	304	2896.4	0.00181	0.19	0.00055
KY	H L Spurloc	6041	1	#####	227	2106.2	0.002088	0.225	0.000474
KY	H L Spurloc	6041	1	#####	179	1700.3	0.00228	0.24	0.000408
KY	H L Spurloc	6041	1	#####	271	2582.5	0.001887	0.198	0.000511
KY	H L Spurloc	6041	1	#####	321	3083	0.001758	0.183	0.000564
KY	H L Spurloc	6041	1	#####	325	3127	0.001761	0.183	0.000572
KY	H L Spurloc	6041	1	#####	326	3115.3	0.00172	0.18	0.000561
KY	H L Spurloc	6041	1	#####	325	3122.8	0.00173	0.18	0.000562
KY	H L Spurloc	6041	1	#####	325	3107.1	0.001721	0.18	0.000559
KY	H L Spurloc	6041	1	#####	325	3096.6	0.001715	0.18	0.000557
KY	H L Spurloc	6041	1	#####	325	3086.5	0.001719	0.181	0.000559
KY	H L Spurloc	6041	1	#####	325	3129.1	0.001733	0.18	0.000563
KY	H L Spurloc	6041	1	#####	326	3093.6	0.001718	0.181	0.00056
KY	H L Spurloc	6041	1	#####	322	3067.4	0.001734	0.182	0.000558
KY	H L Spurloc	6041	1	#####	322	3060.5	0.00173	0.182	0.000557
KY	H L Spurloc	6041	1	#####	322	3054.9	0.001727	0.182	0.000556
KY	H L Spurloc	6041	1	#####	322	3056.5	0.001728	0.182	0.000556
KY	H L Spurloc	6041	1	#####	309	2937.8	0.001768	0.186	0.000546
KY	H L Spurloc	6041	1	#####	321	3071.3	0.001741	0.182	0.000559
KY	H L Spurloc	6041	1	#####	320	3050.4	0.001725	0.181	0.000552
KY	H L Spurloc	6041	1	#####	320	3032.9	0.001715	0.181	0.000549
KY	H L Spurloc	6041	1	#####	320	3026.6	0.001721	0.182	0.000551
KY	H L Spurloc	6041	1	#####	320	3026.8	0.001731	0.183	0.000554
KY	H L Spurloc	6041	1	#####	320	3014	0.001733	0.184	0.000555
KY	H L Spurloc	6041	1	#####	322	3027.9	0.00173	0.184	0.000557
KY	H L Spurloc	6041	1	#####	311	2915.9	0.001763	0.188	0.000548
KY	H L Spurloc	6041	1	#####	323	3046	0.001726	0.183	0.000557
KY	H L Spurloc	6041	1	#####	324	3043.4	0.00171	0.182	0.000554
KY	H L Spurloc	6041	1	#####	323	3032.8	0.001709	0.182	0.000552
KY	H L Spurloc	6041	1	#####	323	3024	0.001713	0.183	0.000553
KY	H L Spurloc	6041	1	#####	323	3011.6	0.000988	0.106	0.000319
KY	H L Spurloc	6041	1	#####	323	3006.2	0.000987	0.106	0.000319
KY	H L Spurloc	6041	1	#####	323	3020.9	0.000982	0.105	0.000317
KY	H L Spurloc	6041	1	#####	323	3025.2	0.000993	0.106	0.000321
KY	H L Spurloc	6041	1	#####	323	3025.9	0.000993	0.106	0.000321
KY	H L Spurloc	6041	1	#####	323	3014.2	0.000989	0.106	0.00032
KY	H L Spurloc	6041	1	#####	324	3023.9	0.00098	0.105	0.000318
KY	H L Spurloc	6041	1	#####	323	3036.9	0.000987	0.105	0.000319
KY	H L Spurloc	6041	1	#####	323	3027.5	0.000994	0.106	0.000321
KY	H L Spurloc	6041	1	#####	324	3034.9	0.000993	0.106	0.000322
KY	H L Spurloc	6041	1	#####	324	3043.2	0.000996	0.106	0.000323

KY	H L Spurloc	6041	1 #####	325	3058.7	0.000998	0.106	0.000324
KY	H L Spurloc	6041	1 #####	323	3051	0.001001	0.106	0.000323
KY	H L Spurloc	6041	1 #####	323	3039.5	0.000988	0.105	0.000319
KY	H L Spurloc	6041	1 #####	324	3039	0.000985	0.105	0.000319
KY	H L Spurloc	6041	1 #####	324	3063.3	0.000983	0.104	0.000319
KY	H L Spurloc	6041	1 #####	324	3053.1	0.00098	0.104	0.000318
KY	H L Spurloc	6041	1 #####	324	3068.5	0.000985	0.104	0.000319
KY	H L Spurloc	6041	1 #####	306	2886.8	0.001009	0.107	0.000309
KY	H L Spurloc	6041	1 #####	322	3052.9	0.000996	0.105	0.000321
KY	H L Spurloc	6041	1 #####	312	2964.4	0.001007	0.106	0.000314
KY	H L Spurloc	6041	1 #####	323	3062.9	0.000986	0.104	0.000319
KY	H L Spurloc	6041	1 #####	325	3087	0.000988	0.104	0.000321
KY	H L Spurloc	6041	1 #####	325	3060.2	0.000989	0.105	0.000321
KY	H L Spurloc	6041	1 #####	323	3032	0.000995	0.106	0.000321
KY	H L Spurloc	6041	1 #####	324	3060.4	0.001001	0.106	0.000324
KY	H L Spurloc	6041	1 #####	324	3075.7	0.001006	0.106	0.000326
KY	H L Spurloc	6041	1 #####	324	3088	0.00102	0.107	0.00033
KY	H L Spurloc	6041	1 #####	324	3113.2	0.001019	0.106	0.00033
KY	H L Spurloc	6041	1 #####	325	3122.9	0.001019	0.106	0.000331
KY	H L Spurloc	6041	1 #####	322	3099	0.00103	0.107	0.000332
KY	H L Spurloc	6041	1 #####	320	3086.1	0.001022	0.106	0.000327
KY	H L Spurloc	6041	1 #####	320	3089.9	0.001024	0.106	0.000328
KY	H L Spurloc	6041	1 #####	320	3077.4	0.001029	0.107	0.000329
KY	H L Spurloc	6041	1 #####	320	3070.9	0.001008	0.105	0.000322
KY	H L Spurloc	6041	1 #####	305	2924.4	0.001045	0.109	0.000319
KY	H L Spurloc	6041	1 #####	316	3070.9	0.00103	0.106	0.000326
KY	H L Spurloc	6041	1 #####	271	2606.9	0.001106	0.115	0.0003
KY	H L Spurloc	6041	1 #####	278	2669.3	0.001095	0.114	0.000304
KY	H L Spurloc	6041	1 #####	321	3093.2	0.001021	0.106	0.000328
KY	H L Spurloc	6041	1 #####	318	3066.2	0.001032	0.107	0.000328
KY	H L Spurloc	6041	1 #####	323	3110.3	0.001021	0.106	0.00033
KY	H L Spurloc	6041	1 #####	324	3108.6	0.001017	0.106	0.00033
KY	H L Spurloc	6041	1 #####	314	3002.6	0.001033	0.108	0.000324
KY	H L Spurloc	6041	1 #####	322	3079.5	0.001014	0.106	0.000326
KY	H L Spurloc	6041	1 #####	308	2974.4	0.001043	0.108	0.000321
KY	H L Spurloc	6041	1 #####	312	3007.1	0.001031	0.107	0.000322
KY	H L Spurloc	6041	1 #####	306	2950.4	0.001041	0.108	0.000319
KY	H L Spurloc	6041	1 #####	324	3128.5	0.001014	0.105	0.000328
KY	H L Spurloc	6041	1 #####	313	3011.2	0.001029	0.107	0.000322
KY	H L Spurloc	6041	1 #####	324	3111.5	0.001018	0.106	0.00033
KY	H L Spurloc	6041	1 #####	323	3122.4	0.001025	0.106	0.000331
KY	H L Spurloc	6041	1 #####	323	3140.6	0.001021	0.105	0.00033
KY	H L Spurloc	6041	1 #####	323	3141.2	0.001021	0.105	0.00033
KY	H L Spurloc	6041	1 #####	307	2984.4	0.00104	0.107	0.000319
KY	H L Spurloc	6041	1 #####	323	3133.9	0.001019	0.105	0.000329
KY	H L Spurloc	6041	1 #####	312	3036.9	0.001042	0.107	0.000325
KY	H L Spurloc	6041	1 #####	323	3151.7	0.001025	0.105	0.000331

KY	H L Spurloc	6041	1 #####	310	3029.5	0.001046	0.107	0.000324
KY	H L Spurloc	6041	1 #####	322	3133.7	0.001022	0.105	0.000329
KY	H L Spurloc	6041	1 #####	323	3123.3	0.001015	0.105	0.000328
KY	H L Spurloc	6041	1 #####	324	3137.9	0.001007	0.104	0.000326
KY	H L Spurloc	6041	1 #####	323	3109.7	0.001011	0.105	0.000327
KY	H L Spurloc	6041	1 #####	323	3116.7	0.001013	0.105	0.000327
KY	H L Spurloc	6041	1 #####	323	3091.7	0.001005	0.105	0.000325
KY	H L Spurloc	6041	1 #####	323	3087.2	0.001004	0.105	0.000324
KY	H L Spurloc	6041	1 #####	309	2966.6	0.001027	0.107	0.000317
KY	H L Spurloc	6041	1 #####	322	3081.9	0.001005	0.105	0.000324
KY	H L Spurloc	6041	1 #####	310	2944.5	0.001016	0.107	0.000315
KY	H L Spurloc	6041	1 #####	323	3071.3	0.000998	0.105	0.000322
KY	H L Spurloc	6041	1 #####	323	3074.4	0.00099	0.104	0.00032
KY	H L Spurloc	6041	1 #####	323	3068	0.000988	0.104	0.000319
KY	H L Spurloc	6041	1 #####	323	3075.2	0.001	0.105	0.000323
KY	H L Spurloc	6041	1 #####	323	3076	0.001	0.105	0.000323
KY	H L Spurloc	6041	1 #####	323	3085.8	0.000994	0.104	0.000321
KY	H L Spurloc	6041	1 #####	323	3090.2	0.000995	0.104	0.000321
KY	H L Spurloc	6041	1 #####	323	3098.1	0.001007	0.105	0.000325
KY	H L Spurloc	6041	1 #####	323	3047.4	0.000991	0.105	0.00032
KY	H L Spurloc	6041	1 #####	313	2968.8	0.001005	0.106	0.000315
KY	H L Spurloc	6041	1 #####	306	2871.3	0.001023	0.109	0.000313
KY	H L Spurloc	6041	1 #####	323	3018.6	0.000991	0.106	0.00032
KY	H L Spurloc	6041	1 #####	323	3031.5	0.000985	0.105	0.000318
KY	H L Spurloc	6041	1 #####	323	3030.7	0.000985	0.105	0.000318
KY	H L Spurloc	6041	1 #####	226	2091.7	0.001166	0.126	0.000264
KY	H L Spurloc	6041	1 #####	164	1586.9	0.001355	0.14	0.000222
KY	H L Spurloc	6041	1 #####	165	1585.1	0.001355	0.141	0.000223
KY	H L Spurloc	6041	1 #####	165	1607.2	0.001364	0.14	0.000225
KY	H L Spurloc	6041	1 #####	165	1605.9	0.001353	0.139	0.000223
KY	H L Spurloc	6041	1 #####	165	1589.1	0.001358	0.141	0.000224
KY	H L Spurloc	6041	1 #####	164	1588.2	0.001365	0.141	0.000224
KY	H L Spurloc	6041	1 #####	164	1576.5	0.001365	0.142	0.000224
KY	H L Spurloc	6041	1 #####	171	1654.1	0.001345	0.139	0.00023
KY	H L Spurloc	6041	1 #####	216	2062.7	0.001232	0.129	0.000266
KY	H L Spurloc	6041	1 #####	296	2822.1	0.00103	0.108	0.000305
KY	H L Spurloc	6041	1 #####	321	3050.2	0.001007	0.106	0.000323
KY	H L Spurloc	6041	1 #####	321	3039.3	0.000994	0.105	0.000319
KY	H L Spurloc	6041	1 #####	323	3061.5	0.001005	0.106	0.000325
KY	H L Spurloc	6041	1 #####	323	3031	0.000985	0.105	0.000318
KY	H L Spurloc	6041	1 #####	323	3010.4	0.000979	0.105	0.000316
KY	H L Spurloc	6041	1 #####	323	2998.5	0.000984	0.106	0.000318
KY	H L Spurloc	6041	1 #####	323	3064.6	0.000996	0.105	0.000322
KY	H L Spurloc	6041	1 #####	324	3051.9	0.000998	0.106	0.000324
KY	H L Spurloc	6041	1 #####	306	2902.2	0.001024	0.108	0.000313
KY	H L Spurloc	6041	1 #####	323	3050.3	0.001001	0.106	0.000323
KY	H L Spurloc	6041	1 #####	323	3083.7	0.000993	0.104	0.000321

KY	H L Spurloc	6041	1 #####	324	3060.2	0.000973	0.103	0.000315
KY	H L Spurloc	6041	1 #####	323	3083.5	0.000983	0.103	0.000318
KY	H L Spurloc	6041	1 #####	226	2132.3	0.00116	0.123	0.000262
KY	H L Spurloc	6041	1 #####	168	1628	0.001328	0.137	0.000223
KY	H L Spurloc	6041	1 #####	168	1634.9	0.001323	0.136	0.000222
KY	H L Spurloc	6041	1 #####	168	1639.1	0.001337	0.137	0.000225
KY	H L Spurloc	6041	1 #####	168	1647.4	0.001343	0.137	0.000226
KY	H L Spurloc	6041	1 #####	167	1651.1	0.001345	0.136	0.000225
KY	H L Spurloc	6041	1 #####	168	1654.6	0.001339	0.136	0.000225
KY	H L Spurloc	6041	1 #####	167	1672.4	0.001372	0.137	0.000229
KY	H L Spurloc	6041	1 #####	168	1650.9	0.001346	0.137	0.000226
KY	H L Spurloc	6041	1 #####	168	1642.7	0.00134	0.137	0.000225
KY	H L Spurloc	6041	1 #####	167	1652	0.001335	0.135	0.000223
KY	H L Spurloc	6041	1 #####	168	1658	0.001332	0.135	0.000224
KY	H L Spurloc	6041	1 #####	168	1651.7	0.001327	0.135	0.000223
KY	H L Spurloc	6041	1 #####	168	1649.4	0.001335	0.136	0.000224
KY	H L Spurloc	6041	1 #####	168	1650.6	0.001336	0.136	0.000224
KY	H L Spurloc	6041	1 #####	168	1646.3	0.001343	0.137	0.000226
KY	H L Spurloc	6041	1 #####	168	1648	0.001344	0.137	0.000226
KY	H L Spurloc	6041	1 #####	167	1645.6	0.00135	0.137	0.000225
KY	H L Spurloc	6041	1 #####	168	1658	0.001352	0.137	0.000227
KY	H L Spurloc	6041	1 #####	168	1667.1	0.001359	0.137	0.000228
KY	H L Spurloc	6041	1 #####	168	1688.6	0.001357	0.135	0.000228
KY	H L Spurloc	6041	1 #####	168	1686.1	0.001365	0.136	0.000229
KY	H L Spurloc	6041	1 #####	169	1693.6	0.001353	0.135	0.000229
KY	H L Spurloc	6041	1 #####	168	1675.3	0.001356	0.136	0.000228
KY	H L Spurloc	6041	1 #####	168	1672.1	0.001354	0.136	0.000227
KY	H L Spurloc	6041	1 #####	196	1913.9	0.00126	0.129	0.000247
KY	H L Spurloc	6041	1 #####	176	1736.2	0.001322	0.134	0.000233
KY	H L Spurloc	6041	1 #####	170	1687.8	0.00135	0.136	0.00023
KY	H L Spurloc	6041	1 #####	170	1672.2	0.001338	0.136	0.000227
KY	H L Spurloc	6041	1 #####	169	1676.2	0.001349	0.136	0.000228
KY	H L Spurloc	6041	1 #####	170	1665.5	0.001332	0.136	0.000227
KY	H L Spurloc	6041	1 #####	168	1652.4	0.001338	0.136	0.000225
KY	H L Spurloc	6041	1 #####	167	1682.4	0.00137	0.136	0.000229
KY	H L Spurloc	6041	1 #####	168	1696.2	0.001383	0.137	0.000232
KY	H L Spurloc	6041	1 #####	168	1674.4	0.001365	0.137	0.000229
KY	H L Spurloc	6041	1 #####	168	1671.7	0.001363	0.137	0.000229
KY	H L Spurloc	6041	1 #####	167	1681.5	0.001379	0.137	0.00023
KY	H L Spurloc	6041	1 #####	167	1678.9	0.001377	0.137	0.00023
KY	H L Spurloc	6041	1 #####	168	1674.9	0.001366	0.137	0.000229
KY	H L Spurloc	6041	1 #####	168	1677.6	0.001368	0.137	0.00023
KY	H L Spurloc	6041	1 #####	168	1679.7	0.00137	0.137	0.00023
KY	H L Spurloc	6041	1 #####	168	1693.3	0.001371	0.136	0.00023
KY	H L Spurloc	6041	1 #####	173	1722.2	0.001334	0.134	0.000231
KY	H L Spurloc	6041	1 #####	186	1838.1	0.001295	0.131	0.000241
KY	H L Spurloc	6041	1 #####	224	2179.2	0.001187	0.122	0.000266

KY	H L Spurloc	6041	1 #####	270	2612.2	0.001074	0.111	0.00029
KY	H L Spurloc	6041	1 #####	258	2513.4	0.001101	0.113	0.000284
KY	H L Spurloc	6041	1 #####	188	1826.5	0.001263	0.13	0.000237
KY	H L Spurloc	6041	1 #####	178	1732.9	0.001295	0.133	0.00023
KY	H L Spurloc	6041	1 #####	168	1750.4	0.001396	0.134	0.000235
KY	H L Spurloc	6041	1 #####	170	1867.6	0.001428	0.13	0.000243
KY	H L Spurloc	6041	1 #####	171	1643.2	0.001316	0.137	0.000225
KY	H L Spurloc	6041	1 #####	168	1606.1	0.001329	0.139	0.000223
KY	H L Spurloc	6041	1 #####	167	1624	0.001342	0.138	0.000224
KY	H L Spurloc	6041	1 #####	168	1611.3	0.001324	0.138	0.000222
KY	H L Spurloc	6041	1 #####	168	1605.4	0.001328	0.139	0.000223
KY	H L Spurloc	6041	1 #####	167	1603.7	0.001335	0.139	0.000223
KY	H L Spurloc	6041	1 #####	167	1620.6	0.001339	0.138	0.000224
KY	H L Spurloc	6041	1 #####	168	1624.8	0.001335	0.138	0.000224
KY	H L Spurloc	6041	1 #####	168	1605.4	0.001328	0.139	0.000223
KY	H L Spurloc	6041	1 #####	168	1610.3	0.001332	0.139	0.000224
KY	H L Spurloc	6041	1 #####	168	1614.2	0.001336	0.139	0.000224
KY	H L Spurloc	6041	1 #####	204	1916.7	0.001221	0.13	0.000249
KY	H L Spurloc	6041	1 #####	236	2226.8	0.001151	0.122	0.000272
KY	H L Spurloc	6041	1 #####	285	2695.2	0.00104	0.11	0.000296
KY	H L Spurloc	6041	1 #####	316	2982.1	0.000981	0.104	0.00031
KY	H L Spurloc	6041	1 #####	323	3065.8	0.000978	0.103	0.000316
KY	H L Spurloc	6041	1 #####	323	3064	0.000977	0.103	0.000316
KY	H L Spurloc	6041	1 #####	320	3048	0.000981	0.103	0.000314
KY	H L Spurloc	6041	1 #####	319	3063.5	0.00098	0.102	0.000312
KY	H L Spurloc	6041	1 #####	285	2699.8	0.001033	0.109	0.000294
KY	H L Spurloc	6041	1 #####	303	2928.8	0.001005	0.104	0.000305
KY	H L Spurloc	6041	1 #####	264	2547.1	0.001081	0.112	0.000285
KY	H L Spurloc	6041	1 #####	179	1730.1	0.001285	0.133	0.00023
KY	H L Spurloc	6041	1 #####	223	2114.4	0.001157	0.122	0.000258
KY	H L Spurloc	6041	1 #####	314	3017.2	0.00099	0.103	0.000311
KY	H L Spurloc	6041	1 #####	324	3096.7	0.000984	0.103	0.000319
KY	H L Spurloc	6041	1 #####	324	3086.3	0.000972	0.102	0.000315
KY	H L Spurloc	6041	1 #####	324	3095.4	0.000965	0.101	0.000313
KY	H L Spurloc	6041	1 #####	324	3087.8	0.000972	0.102	0.000315
KY	H L Spurloc	6041	1 #####	323	3096.6	0.000987	0.103	0.000319
KY	H L Spurloc	6041	1 #####	324	3087	0.000991	0.104	0.000321
KY	H L Spurloc	6041	1 #####	324	3100	0.000995	0.104	0.000322
KY	H L Spurloc	6041	1 #####	319	3086.7	0.001645	0.17	0.000525
KY	H L Spurloc	6041	1 #####	323	3122.6	0.001643	0.17	0.000531
KY	H L Spurloc	6041	1 #####	324	3135.2	0.001635	0.169	0.00053
KY	H L Spurloc	6041	1 #####	323	3147.6	0.001637	0.168	0.000529
KY	H L Spurloc	6041	1 #####	325	3156.4	0.001622	0.167	0.000527
KY	H L Spurloc	6041	1 #####	324	3156.6	0.001617	0.166	0.000524
KY	H L Spurloc	6041	1 #####	321	3133.5	0.00163	0.167	0.000523
KY	H L Spurloc	6041	1 #####	320	3114	0.001625	0.167	0.00052
KY	H L Spurloc	6041	1 #####	320	3117.3	0.001637	0.168	0.000524

KY	H L Spurloc	6041	1 #####	320	3136.8	0.001637	0.167	0.000524
KY	H L Spurloc	6041	1 #####	320	3121.8	0.001629	0.167	0.000521
KY	H L Spurloc	6041	1 #####	321	3128.7	0.001628	0.167	0.000522
KY	H L Spurloc	6041	1 #####	313	3043.5	0.001634	0.168	0.000511
KY	H L Spurloc	6041	1 #####	319	3126.4	0.001637	0.167	0.000522
KY	H L Spurloc	6041	1 #####	307	2979.3	0.001669	0.172	0.000512
KY	H L Spurloc	6041	1 #####	265	2552.4	0.001791	0.186	0.000475
KY	H L Spurloc	6041	1 6/1/2022	231	2224.5	0.001916	0.199	0.000443
KY	H L Spurloc	6041	1 6/1/2022	178	1734.4	0.002144	0.22	0.000382
KY	H L Spurloc	6041	1 6/1/2022	168	1647	0.002186	0.223	0.000367
KY	H L Spurloc	6041	1 6/1/2022	168	1661.3	0.002205	0.223	0.00037
KY	H L Spurloc	6041	1 6/1/2022	168	1646.4	0.002215	0.226	0.000372
KY	H L Spurloc	6041	1 6/1/2022	168	1658	0.002211	0.224	0.000371
KY	H L Spurloc	6041	1 6/1/2022	180	1742.4	0.002139	0.221	0.000385
KY	H L Spurloc	6041	1 6/1/2022	227	2198	0.001937	0.2	0.00044
KY	H L Spurloc	6041	1 6/1/2022	231	2228.4	0.001929	0.2	0.000446
KY	H L Spurloc	6041	1 6/1/2022	278	2692.8	0.001773	0.183	0.000493
KY	H L Spurloc	6041	1 6/1/2022	312	3028.3	0.001689	0.174	0.000527
KY	H L Spurloc	6041	1 6/1/2022	320	3120.9	0.001658	0.17	0.000531
KY	H L Spurloc	6041	1 6/1/2022	322	3097	0.001654	0.172	0.000533
KY	H L Spurloc	6041	1 6/1/2022	322	3103.3	0.001648	0.171	0.000531
KY	H L Spurloc	6041	1 6/1/2022	322	3105.8	0.001649	0.171	0.000531
KY	H L Spurloc	6041	1 6/1/2022	322	3101.3	0.001637	0.17	0.000527
KY	H L Spurloc	6041	1 6/1/2022	305	2929.7	0.001681	0.175	0.000513
KY	H L Spurloc	6041	1 6/1/2022	272	2776.2	0.001837	0.18	0.0005
KY	H L Spurloc	6041	1 6/1/2022	272	2782.9	0.001842	0.18	0.000501
KY	H L Spurloc	6041	1 6/1/2022	272	2795.8	0.00185	0.18	0.000503
KY	H L Spurloc	6041	1 6/1/2022	272	2794.6	0.001849	0.18	0.000503
KY	H L Spurloc	6041	1 6/1/2022	241	2476.7	0.001963	0.191	0.000473
KY	H L Spurloc	6041	1 6/1/2022	226	2333.4	0.002013	0.195	0.000455
KY	H L Spurloc	6041	1 6/1/2022	223	2317	0.002005	0.193	0.000447
KY	H L Spurloc	6041	1 6/2/2022	207	2163.5	0.00208	0.199	0.000431
KY	H L Spurloc	6041	1 6/2/2022	181	1940.7	0.002252	0.21	0.000408
KY	H L Spurloc	6041	1 6/2/2022	168	1820.1	0.00234	0.216	0.000393
KY	H L Spurloc	6041	1 6/2/2022	168	1806.7	0.002323	0.216	0.00039
KY	H L Spurloc	6041	1 6/2/2022	168	1821.3	0.002331	0.215	0.000392
KY	H L Spurloc	6041	1 6/2/2022	169	1843.1	0.002334	0.214	0.000394
KY	H L Spurloc	6041	1 6/2/2022	194	2054.5	0.002192	0.207	0.000425
KY	H L Spurloc	6041	1 6/2/2022	174	1893.6	0.002296	0.211	0.0004
KY	H L Spurloc	6041	1 6/2/2022	168	1826.8	0.002338	0.215	0.000393
KY	H L Spurloc	6041	1 6/2/2022	219	2293.2	0.002042	0.195	0.000447
KY	H L Spurloc	6041	1 6/2/2022	266	2768.2	0.001852	0.178	0.000493
KY	H L Spurloc	6041	1 6/2/2022	263	2738	0.001874	0.18	0.000493
KY	H L Spurloc	6041	1 6/2/2022	272	2817.2	0.001854	0.179	0.000504
KY	H L Spurloc	6041	1 6/2/2022	272	2763.1	0.001839	0.181	0.0005
KY	H L Spurloc	6041	1 6/2/2022	271	2764.4	0.001836	0.18	0.000498
KY	H L Spurloc	6041	1 6/2/2022	272	2812.9	0.001861	0.18	0.000506

KY	H L Spurloc	6041	1	6/2/2022	271	2782.4	0.001848	0.18	0.000501
KY	H L Spurloc	6041	1	6/2/2022	271	2767.7	0.001859	0.182	0.000504
KY	H L Spurloc	6041	1	6/2/2022	262	2672.5	0.001887	0.185	0.000494
KY	H L Spurloc	6041	1	6/2/2022	257	2635.2	0.001887	0.184	0.000485
KY	H L Spurloc	6041	1	6/2/2022	259	2657.3	0.001888	0.184	0.000489
KY	H L Spurloc	6041	1	6/2/2022	217	2254.1	0.002067	0.199	0.000449
KY	H L Spurloc	6041	1	6/2/2022	164	1782.7	0.00237	0.218	0.000389
KY	H L Spurloc	6041	1	6/2/2022	165	1798.1	0.002365	0.217	0.00039
KY	H L Spurloc	6041	1	6/3/2022	165	1801	0.002369	0.217	0.000391
KY	H L Spurloc	6041	1	6/3/2022	165	1812.8	0.002362	0.215	0.00039
KY	H L Spurloc	6041	1	6/3/2022	165	1806.4	0.002354	0.215	0.000388
KY	H L Spurloc	6041	1	6/3/2022	165	1803.6	0.00235	0.215	0.000388
KY	H L Spurloc	6041	1	6/3/2022	165	1793.7	0.002337	0.215	0.000386
KY	H L Spurloc	6041	1	6/3/2022	165	1809.7	0.002358	0.215	0.000389
KY	H L Spurloc	6041	1	6/3/2022	165	1813.8	0.002363	0.215	0.00039
KY	H L Spurloc	6041	1	6/3/2022	165	1835.8	0.002359	0.212	0.000389
KY	H L Spurloc	6041	1	6/3/2022	165	1835.4	0.00238	0.214	0.000393
KY	H L Spurloc	6041	1	6/3/2022	168	1801.8	0.002295	0.214	0.000386
KY	H L Spurloc	6041	1	6/3/2022	165	1801.8	0.002326	0.213	0.000384
KY	H L Spurloc	6041	1	6/3/2022	208	2173.7	0.002048	0.196	0.000426
KY	H L Spurloc	6041	1	6/3/2022	259	2653.2	0.001834	0.179	0.000475
KY	H L Spurloc	6041	1	6/3/2022	265	2706.9	0.001839	0.18	0.000487
KY	H L Spurloc	6041	1	6/3/2022	272	2756.7	0.001824	0.18	0.000496
KY	H L Spurloc	6041	1	6/3/2022	271	2747.4	0.001825	0.18	0.000495
KY	H L Spurloc	6041	1	6/3/2022	272	2760.2	0.001827	0.18	0.000497
KY	H L Spurloc	6041	1	6/3/2022	271	2755	0.00184	0.181	0.000499
KY	H L Spurloc	6041	1	6/3/2022	272	2758.1	0.001835	0.181	0.000499
KY	H L Spurloc	6041	1	6/3/2022	268	2750.6	0.001858	0.181	0.000498
KY	H L Spurloc	6041	1	6/3/2022	262	2676.7	0.00189	0.185	0.000495
KY	H L Spurloc	6041	1	6/3/2022	200	2111	0.002153	0.204	0.000431
KY	H L Spurloc	6041	1	6/3/2022	165	1782.9	0.002323	0.215	0.000383
KY	H L Spurloc	6041	1	6/3/2022	165	1798.9	0.002322	0.213	0.000383
KY	H L Spurloc	6041	1	6/4/2022	165	1812	0.00235	0.214	0.000388
KY	H L Spurloc	6041	1	6/4/2022	165	1803.5	0.002361	0.216	0.00039
KY	H L Spurloc	6041	1	6/4/2022	165	1807	0.002355	0.215	0.000389
KY	H L Spurloc	6041	1	6/4/2022	164	1819.9	0.002364	0.213	0.000388
KY	H L Spurloc	6041	1	6/4/2022	165	1826.9	0.002358	0.213	0.000389
KY	H L Spurloc	6041	1	6/4/2022	165	1831	0.002353	0.212	0.000388
KY	H L Spurloc	6041	1	6/4/2022	165	1837.8	0.002361	0.212	0.00039
KY	H L Spurloc	6041	1	6/4/2022	165	1837.9	0.00235	0.211	0.000388
KY	H L Spurloc	6041	1	6/4/2022	165	1836.8	0.002371	0.213	0.000391
KY	H L Spurloc	6041	1	6/4/2022	165	1827.9	0.002337	0.211	0.000386
KY	H L Spurloc	6041	1	6/4/2022	165	1812.5	0.002329	0.212	0.000384
KY	H L Spurloc	6041	1	6/4/2022	165	1808.4	0.002324	0.212	0.000383
KY	H L Spurloc	6041	1	6/4/2022	165	1772.7	0.002288	0.213	0.000378
KY	H L Spurloc	6041	1	6/4/2022	164	1830.1	0.002355	0.211	0.000386
KY	H L Spurloc	6041	1	6/4/2022	165	1823.6	0.002343	0.212	0.000387

KY	H L Spurloc	6041	1	6/4/2022	165	1815.6	0.002333	0.212	0.000385
KY	H L Spurloc	6041	1	6/4/2022	165	1819	0.002337	0.212	0.000386
KY	H L Spurloc	6041	1	6/4/2022	165	1818.1	0.002336	0.212	0.000385
KY	H L Spurloc	6041	1	6/4/2022	165	1809.8	0.002336	0.213	0.000385
KY	H L Spurloc	6041	1	6/4/2022	165	1815.7	0.002344	0.213	0.000387
KY	H L Spurloc	6041	1	6/4/2022	165	1815.2	0.002343	0.213	0.000387
KY	H L Spurloc	6041	1	6/4/2022	165	1810.5	0.002337	0.213	0.000386
KY	H L Spurloc	6041	1	6/4/2022	165	1810.3	0.002337	0.213	0.000386
KY	H L Spurloc	6041	1	6/4/2022	164	1799	0.002337	0.213	0.000383
KY	H L Spurloc	6041	1	6/5/2022	165	1794.4	0.002316	0.213	0.000382
KY	H L Spurloc	6041	1	6/5/2022	164	1795.1	0.002331	0.213	0.000382
KY	H L Spurloc	6041	1	6/5/2022	165	1792.4	0.002314	0.213	0.000382
KY	H L Spurloc	6041	1	6/5/2022	164	1716.6	0.002282	0.218	0.000374
KY	H L Spurloc	6041	1	6/5/2022	164	1732.6	0.002303	0.218	0.000378
KY	H L Spurloc	6041	1	6/5/2022	164	1822.9	0.002368	0.213	0.000388
KY	H L Spurloc	6041	1	6/5/2022	165	1810.3	0.002348	0.214	0.000387
KY	H L Spurloc	6041	1	6/5/2022	165	1830.2	0.00234	0.211	0.000386
KY	H L Spurloc	6041	1	6/5/2022	165	1845.2	0.002348	0.21	0.000387
KY	H L Spurloc	6041	1	6/5/2022	165	1818	0.002336	0.212	0.000385
KY	H L Spurloc	6041	1	6/5/2022	165	1813.8	0.002341	0.213	0.000386
KY	H L Spurloc	6041	1	6/5/2022	165	1808.1	0.002345	0.214	0.000387
KY	H L Spurloc	6041	1	6/5/2022	165	1804.3	0.002329	0.213	0.000384
KY	H L Spurloc	6041	1	6/5/2022	166	1806.8	0.002318	0.213	0.000385
KY	H L Spurloc	6041	1	6/5/2022	165	1818.7	0.002337	0.212	0.000386
KY	H L Spurloc	6041	1	6/5/2022	165	1810.3	0.002348	0.214	0.000387
KY	H L Spurloc	6041	1	6/5/2022	165	1813.9	0.002342	0.213	0.000386
KY	H L Spurloc	6041	1	6/5/2022	165	1812	0.002361	0.215	0.00039
KY	H L Spurloc	6041	1	6/5/2022	165	1803.7	0.002361	0.216	0.00039
KY	H L Spurloc	6041	1	6/5/2022	165	1802	0.002359	0.216	0.000389
KY	H L Spurloc	6041	1	6/5/2022	165	1807	0.002355	0.215	0.000389
KY	H L Spurloc	6041	1	6/5/2022	165	1818.5	0.00237	0.215	0.000391
KY	H L Spurloc	6041	1	6/5/2022	165	1808.4	0.002356	0.215	0.000389
KY	H L Spurloc	6041	1	6/5/2022	165	1805.2	0.002352	0.215	0.000388
KY	H L Spurloc	6041	1	6/6/2022	165	1809.4	0.002358	0.215	0.000389
KY	H L Spurloc	6041	1	6/6/2022	165	1800.6	0.002357	0.216	0.000389
KY	H L Spurloc	6041	1	6/6/2022	165	1788	0.002351	0.217	0.000388
KY	H L Spurloc	6041	1	6/6/2022	165	1794.9	0.00235	0.216	0.000388
KY	H L Spurloc	6041	1	6/6/2022	165	1798.5	0.002365	0.217	0.00039
KY	H L Spurloc	6041	1	6/6/2022	165	1804.9	0.002363	0.216	0.00039
KY	H L Spurloc	6041	1	6/6/2022	165	1794.9	0.002371	0.218	0.000391
KY	H L Spurloc	6041	1	6/6/2022	165	1805.4	0.002352	0.215	0.000388
KY	H L Spurloc	6041	1	6/6/2022	165	1802	0.002359	0.216	0.000389
KY	H L Spurloc	6041	1	6/6/2022	165	1822.4	0.002375	0.215	0.000392
KY	H L Spurloc	6041	1	6/6/2022	168	1823.5	0.002334	0.215	0.000392
KY	H L Spurloc	6041	1	6/6/2022	165	1830.6	0.002374	0.214	0.000392
KY	H L Spurloc	6041	1	6/6/2022	184	1991.5	0.00224	0.207	0.000412
KY	H L Spurloc	6041	1	6/6/2022	257	2623.9	0.0008	0.0784	0.000206

KY	H L Spurloc	6041	1	6/6/2022	240	2468.3	0.00084	0.0817	0.000202
KY	H L Spurloc	6041	1	6/6/2022	205	2156.8	0.000915	0.087	0.000188
KY	H L Spurloc	6041	1	6/6/2022	245	2557.7	0.000832	0.0797	0.000204
KY	H L Spurloc	6041	1	6/6/2022	220	2283.7	0.000876	0.0844	0.000193
KY	H L Spurloc	6041	1	6/6/2022	203	2089.1	0.000902	0.0876	0.000183
KY	H L Spurloc	6041	1	6/6/2022	173	1836.6	0.000981	0.0924	0.00017
KY	H L Spurloc	6041	1	6/6/2022	196	2052.8	0.000921	0.0879	0.00018
KY	H L Spurloc	6041	1	6/6/2022	164	1779.9	0.001017	0.0937	0.000167
KY	H L Spurloc	6041	1	6/6/2022	165	1781.4	0.001001	0.0927	0.000165
KY	H L Spurloc	6041	1	6/6/2022	165	1780.2	0.001003	0.093	0.000166
KY	H L Spurloc	6041	1	6/7/2022	169	1814.6	0.000986	0.0918	0.000167
KY	H L Spurloc	6041	1	6/7/2022	165	1772.9	0.001008	0.0938	0.000166
KY	H L Spurloc	6041	1	6/7/2022	165	1770.1	0.001006	0.0938	0.000166
KY	H L Spurloc	6041	1	6/7/2022	165	1780.3	0.001012	0.0938	0.000167
KY	H L Spurloc	6041	1	6/7/2022	165	1775.4	0.001008	0.0937	0.000166
KY	H L Spurloc	6041	1	6/7/2022	175	1896.9	0.000982	0.0906	0.000172
KY	H L Spurloc	6041	1	6/7/2022	180	1938.8	0.000974	0.0904	0.000175
KY	H L Spurloc	6041	1	6/7/2022	180	1957.2	0.000979	0.09	0.000176
KY	H L Spurloc	6041	1	6/7/2022	181	1940.3	0.000968	0.0903	0.000175
KY	H L Spurloc	6041	1	6/7/2022	222	2294	0.000869	0.0841	0.000193
KY	H L Spurloc	6041	1	6/7/2022	255	2609.7	0.000807	0.0789	0.000206
KY	H L Spurloc	6041	1	6/7/2022	190	1990.9	0.000943	0.09	0.000179
KY	H L Spurloc	6041	1	6/7/2022	197	2056.2	0.000917	0.0879	0.000181
KY	H L Spurloc	6041	1	6/7/2022	259	2638.9	0.000798	0.0783	0.000207
KY	H L Spurloc	6041	1	6/7/2022	270	2779.7	0.000793	0.077	0.000214
KY	H L Spurloc	6041	1	6/7/2022	270	2756.3	0.000792	0.0776	0.000214
KY	H L Spurloc	6041	1	6/7/2022	270	2768.5	0.000786	0.0767	0.000212
KY	H L Spurloc	6041	1	6/7/2022	270	2778.5	0.000792	0.077	0.000214
KY	H L Spurloc	6041	1	6/7/2022	270	2767.1	0.000797	0.0778	0.000215
KY	H L Spurloc	6041	1	6/7/2022	269	2773.4	0.000798	0.0774	0.000215
KY	H L Spurloc	6041	1	6/7/2022	245	2554.7	0.000837	0.0803	0.000205
KY	H L Spurloc	6041	1	6/7/2022	171	1856.3	0.001004	0.0925	0.000172
KY	H L Spurloc	6041	1	6/7/2022	165	1806.8	0.001022	0.0933	0.000169
KY	H L Spurloc	6041	1	6/7/2022	165	1798.8	0.001019	0.0935	0.000168
KY	H L Spurloc	6041	1	6/8/2022	165	1811.1	0.001016	0.0926	0.000168
KY	H L Spurloc	6041	1	6/8/2022	165	1804.4	0.001014	0.0927	0.000167
KY	H L Spurloc	6041	1	6/8/2022	165	1798.3	0.00101	0.0927	0.000167
KY	H L Spurloc	6041	1	6/8/2022	165	1784.6	0.001005	0.0929	0.000166
KY	H L Spurloc	6041	1	6/8/2022	165	1788.3	0.001004	0.0926	0.000166
KY	H L Spurloc	6041	1	6/8/2022	165	1779.5	0.001008	0.0935	0.000166
KY	H L Spurloc	6041	1	6/8/2022	165	1785.4	0.001005	0.0929	0.000166
KY	H L Spurloc	6041	1	6/8/2022	166	1815.9	0.001001	0.0915	0.000166
KY	H L Spurloc	6041	1	6/8/2022	165	1795.7	0.001001	0.092	0.000165
KY	H L Spurloc	6041	1	6/8/2022	165	1795.5	0.001001	0.092	0.000165
KY	H L Spurloc	6041	1	6/8/2022	191	2015.4	0.000936	0.0887	0.000179
KY	H L Spurloc	6041	1	6/8/2022	233	2417.6	0.000845	0.0814	0.000197
KY	H L Spurloc	6041	1	6/8/2022	271	2720.2	0.00078	0.0777	0.000211

KY	H L Spurloc	6041	1	6/8/2022	269	2758.9	0.000795	0.0775	0.000214
KY	H L Spurloc	6041	1	6/8/2022	270	2732.5	0.000791	0.0782	0.000214
KY	H L Spurloc	6041	1	6/8/2022	269	2786.6	0.000803	0.0775	0.000216
KY	H L Spurloc	6041	1	6/8/2022	269	2789	0.000802	0.0774	0.000216
KY	H L Spurloc	6041	1	6/8/2022	232	2472.5	0.000875	0.0821	0.000203
KY	H L Spurloc	6041	1	6/8/2022	171	1893.5	0.001032	0.0932	0.000176
KY	H L Spurloc	6041	1	6/8/2022	226	2399	0.000877	0.0826	0.000198
KY	H L Spurloc	6041	1	6/8/2022	249	2608.8	0.000836	0.0798	0.000208
KY	H L Spurloc	6041	1	6/8/2022	178	1960.5	0.001008	0.0915	0.000179
KY	H L Spurloc	6041	1	6/8/2022	166	1859.8	0.001042	0.093	0.000173
KY	H L Spurloc	6041	1	6/8/2022	165	1857.2	0.001042	0.0926	0.000172
KY	H L Spurloc	6041	1	6/9/2022	165	1866.8	0.00104	0.0919	0.000172
KY	H L Spurloc	6041	1	6/9/2022	165	1859.1	0.001037	0.092	0.000171
KY	H L Spurloc	6041	1	6/9/2022	165	1861.2	0.001038	0.092	0.000171
KY	H L Spurloc	6041	1	6/9/2022	165	1874.5	0.001044	0.0919	0.000172
KY	H L Spurloc	6041	1	6/9/2022	165	1872.3	0.001041	0.0917	0.000172
KY	H L Spurloc	6041	1	6/9/2022	165	1876.1	0.001043	0.0917	0.000172
KY	H L Spurloc	6041	1	6/9/2022	167	1890.9	0.001037	0.0916	0.000173
KY	H L Spurloc	6041	1	6/9/2022	168	1907.7	0.001027	0.0904	0.000172
KY	H L Spurloc	6041	1	6/9/2022	168	1884.4	0.001015	0.0905	0.000171
KY	H L Spurloc	6041	1	6/9/2022	168	1892.2	0.001016	0.0902	0.000171
KY	H L Spurloc	6041	1	6/9/2022	196	2137.2	0.000936	0.0858	0.000183
KY	H L Spurloc	6041	1	6/9/2022	185	2033.1	0.000969	0.0882	0.000179
KY	H L Spurloc	6041	1	6/9/2022	175	1940	0.000991	0.0894	0.000173
KY	H L Spurloc	6041	1	6/9/2022	214	2278.5	0.000893	0.0839	0.000191
KY	H L Spurloc	6041	1	6/9/2022	268	2808.7	0.000799	0.0762	0.000214
KY	H L Spurloc	6041	1	6/9/2022	270	2804.1	0.000796	0.0766	0.000215
KY	H L Spurloc	6041	1	6/9/2022	270	2793.7	0.000799	0.0772	0.000216
KY	H L Spurloc	6041	1	6/9/2022	268	2785.8	0.000797	0.0767	0.000214
KY	H L Spurloc	6041	1	6/9/2022	271	2727.8	0.00078	0.0775	0.000211
KY	H L Spurloc	6041	1	6/9/2022	241	2554.4	0.000845	0.0797	0.000204
KY	H L Spurloc	6041	1	6/9/2022	187	2059.3	0.00097	0.0881	0.000181
KY	H L Spurloc	6041	1	6/9/2022	168	1901.3	0.001025	0.0906	0.000172
KY	H L Spurloc	6041	1	6/9/2022	168	1914.8	0.001026	0.09	0.000172
KY	H L Spurloc	6041	1	6/9/2022	168	1905.5	0.001031	0.0909	0.000173
KY	H L Spurloc	6041	1	#####	168	1903.2	0.001028	0.0907	0.000173
KY	H L Spurloc	6041	1	#####	168	1924.9	0.001029	0.0898	0.000173
KY	H L Spurloc	6041	1	#####	168	1921.4	0.001028	0.0899	0.000173
KY	H L Spurloc	6041	1	#####	168	1912.8	0.001025	0.09	0.000172
KY	H L Spurloc	6041	1	#####	168	1913.2	0.001025	0.09	0.000172
KY	H L Spurloc	6041	1	#####	168	1903.1	0.001031	0.091	0.000173
KY	H L Spurloc	6041	1	#####	168	1911.8	0.001023	0.0899	0.000172
KY	H L Spurloc	6041	1	#####	168	1869.6	0.001009	0.0907	0.00017
KY	H L Spurloc	6041	1	#####	168	1913.2	0.001028	0.0903	0.000173
KY	H L Spurloc	6041	1	#####	168	1901.8	0.001022	0.0903	0.000172
KY	H L Spurloc	6041	1	#####	168	1876.7	0.001011	0.0905	0.00017
KY	H L Spurloc	6041	1	#####	169	1869.1	0.001002	0.0906	0.000169

KY	H L Spurloc	6041	1	#####	168	1864.1	0.001009	0.0909	0.000169
KY	H L Spurloc	6041	1	#####	168	1866.5	0.001015	0.0914	0.000171
KY	H L Spurloc	6041	1	#####	168	1904.5	0.001025	0.0904	0.000172
KY	H L Spurloc	6041	1	#####	169	1909.4	0.001017	0.09	0.000172
KY	H L Spurloc	6041	1	#####	167	1822.6	0.000999	0.0915	0.000167
KY	H L Spurloc	6041	1	#####	168	1919.8	0.00102	0.0893	0.000171
KY	H L Spurloc	6041	1	#####	169	1926.9	0.001017	0.0892	0.000172
KY	H L Spurloc	6041	1	#####	168	1913.7	0.001015	0.0891	0.000171
KY	H L Spurloc	6041	1	#####	168	1927.7	0.001025	0.0893	0.000172
KY	H L Spurloc	6041	1	#####	177	2009.5	0.001001	0.0882	0.000177
KY	H L Spurloc	6041	1	#####	182	2035.1	0.000985	0.0881	0.000179
KY	H L Spurloc	6041	1	#####	187	2107.4	0.000983	0.0872	0.000184
KY	H L Spurloc	6041	1	#####	201	2221.4	0.000934	0.0845	0.000188
KY	H L Spurloc	6041	1	#####	208	2281.9	0.000928	0.0846	0.000193
KY	H L Spurloc	6041	1	#####	206	2254.9	0.000935	0.0854	0.000193
KY	H L Spurloc	6041	1	#####	204	2245.3	0.000941	0.0855	0.000192
KY	H L Spurloc	6041	1	#####	179	2023.9	0.001001	0.0885	0.000179
KY	H L Spurloc	6041	1	#####	169	1955.3	0.001039	0.0898	0.000176
KY	H L Spurloc	6041	1	#####	171	1953.6	0.001027	0.0899	0.000176
KY	H L Spurloc	6041	1	#####	171	1969.1	0.001023	0.0888	0.000175
KY	H L Spurloc	6041	1	#####	173	1839.1	0.000973	0.0915	0.000168
KY	H L Spurloc	6041	1	#####	172	1768.7	0.000954	0.0928	0.000164
KY	H L Spurloc	6041	1	#####	171	1720.4	0.000947	0.0941	0.000162
KY	H L Spurloc	6041	1	#####	171	1749.6	0.000963	0.0941	0.000165
KY	H L Spurloc	6041	1	#####	171	1770.5	0.000966	0.0933	0.000165
KY	H L Spurloc	6041	1	#####	171	1755.8	0.000967	0.0942	0.000165
KY	H L Spurloc	6041	1	#####	171	1755	0.000965	0.094	0.000165
KY	H L Spurloc	6041	1	#####	168	1739	0.000973	0.094	0.000163
KY	H L Spurloc	6041	1	#####	165	1697.6	0.000977	0.095	0.000161
KY	H L Spurloc	6041	1	#####	165	1695	0.000976	0.095	0.000161
KY	H L Spurloc	6041	1	#####	165	1714.4	0.000977	0.094	0.000161
KY	H L Spurloc	6041	1	#####	165	1718.4	0.00098	0.0941	0.000162
KY	H L Spurloc	6041	1	#####	165	1730.9	0.000984	0.0938	0.000162
KY	H L Spurloc	6041	1	#####	165	1732.3	0.000982	0.0935	0.000162
KY	H L Spurloc	6041	1	#####	165	1705	0.00098	0.0948	0.000162
KY	H L Spurloc	6041	1	#####	165	1695	0.000976	0.095	0.000161
KY	H L Spurloc	6041	1	#####	165	1711.6	0.000975	0.094	0.000161
KY	H L Spurloc	6041	1	#####	165	1692.4	0.000973	0.0949	0.000161
KY	H L Spurloc	6041	1	#####	165	1707.3	0.000973	0.094	0.00016
KY	H L Spurloc	6041	1	#####	176	1784.6	0.000933	0.092	0.000164
KY	H L Spurloc	6041	1	#####	165	1685.4	0.000968	0.0948	0.00016
KY	H L Spurloc	6041	1	#####	165	1698.5	0.000966	0.0938	0.000159
KY	H L Spurloc	6041	1	#####	165	1673.3	0.000965	0.0952	0.000159
KY	H L Spurloc	6041	1	#####	165	1676.5	0.000957	0.0942	0.000158
KY	H L Spurloc	6041	1	#####	165	1664.7	0.000949	0.0941	0.000157
KY	H L Spurloc	6041	1	#####	165	1665.3	0.000957	0.0948	0.000158
KY	H L Spurloc	6041	1	#####	166	1669.6	0.000952	0.0947	0.000158

KY	H L Spurloc	6041	1	#####	165	1673.6	0.00096	0.0946	0.000158
KY	H L Spurloc	6041	1	#####	184	1801	0.000904	0.0924	0.000166
KY	H L Spurloc	6041	1	#####	174	1680.3	0.000911	0.0943	0.000158
KY	H L Spurloc	6041	1	#####	165	1615	0.000935	0.0955	0.000154
KY	H L Spurloc	6041	1	#####	203	1968.8	0.000867	0.0894	0.000176
KY	H L Spurloc	6041	1	#####	297	2875.2	0.00072	0.0744	0.000214
KY	H L Spurloc	6041	1	#####	322	3116.4	0.0007	0.0723	0.000225
KY	H L Spurloc	6041	1	#####	321	3125.1	0.000702	0.0721	0.000225
KY	H L Spurloc	6041	1	#####	321	3133.2	0.000704	0.0721	0.000226
KY	H L Spurloc	6041	1	#####	318	3129.1	0.000712	0.0724	0.000227
KY	H L Spurloc	6041	1	#####	305	2974.1	0.000722	0.074	0.00022
KY	H L Spurloc	6041	1	#####	253	2460.3	0.000792	0.0814	0.0002
KY	H L Spurloc	6041	1	#####	275	2648.8	0.000753	0.0782	0.000207
KY	H L Spurloc	6041	1	#####	277	2691.7	0.000754	0.0776	0.000209
KY	H L Spurloc	6041	1	#####	287	2791.8	0.000737	0.0758	0.000212
KY	H L Spurloc	6041	1	#####	309	3021.6	0.000722	0.0738	0.000223
KY	H L Spurloc	6041	1	#####	311	3018.9	0.000714	0.0736	0.000222
KY	H L Spurloc	6041	1	#####	311	2991.2	0.000709	0.0737	0.00022
KY	H L Spurloc	6041	1	#####	310	2986.8	0.00071	0.0737	0.00022
KY	H L Spurloc	6041	1	#####	323	3122.2	0.000704	0.0728	0.000227
KY	H L Spurloc	6041	1	#####	323	3122.5	0.000703	0.0727	0.000227
KY	H L Spurloc	6041	1	#####	322	3146	0.001172	0.12	0.000378
KY	H L Spurloc	6041	1	#####	325	3157.9	0.001176	0.121	0.000382
KY	H L Spurloc	6041	1	#####	325	3171.5	0.001171	0.12	0.000381
KY	H L Spurloc	6041	1	#####	321	3114.2	0.001174	0.121	0.000377
KY	H L Spurloc	6041	1	#####	322	3162.2	0.001178	0.12	0.000379
KY	H L Spurloc	6041	1	#####	305	2996.3	0.001218	0.124	0.000372
KY	H L Spurloc	6041	1	#####	315	3086.7	0.001205	0.123	0.00038
KY	H L Spurloc	6041	1	#####	320	3167.8	0.001198	0.121	0.000383
KY	H L Spurloc	6041	1	#####	324	3195.7	0.001184	0.12	0.000383
KY	H L Spurloc	6041	1	#####	324	3163.6	0.001172	0.12	0.00038
KY	H L Spurloc	6041	1	#####	326	3184.6	0.001172	0.12	0.000382
KY	H L Spurloc	6041	1	#####	326	3184.2	0.001162	0.119	0.000379
KY	H L Spurloc	6041	1	#####	325	3165.4	0.001169	0.12	0.00038
KY	H L Spurloc	6041	1	#####	324	3159.4	0.00117	0.12	0.000379
KY	H L Spurloc	6041	1	#####	323	3142.4	0.001167	0.12	0.000377
KY	H L Spurloc	6041	1	#####	323	3138.4	0.001176	0.121	0.00038
KY	H L Spurloc	6041	1	#####	310	3001	0.001191	0.123	0.000369
KY	H L Spurloc	6041	1	#####	322	3098.3	0.001164	0.121	0.000375
KY	H L Spurloc	6041	1	#####	324	3123	0.001166	0.121	0.000378
KY	H L Spurloc	6041	1	#####	324	3109.2	0.001161	0.121	0.000376
KY	H L Spurloc	6041	1	#####	323	3136.8	0.001165	0.12	0.000376
KY	H L Spurloc	6041	1	#####	308	2973.4	0.001187	0.123	0.000366
KY	H L Spurloc	6041	1	#####	323	3132.9	0.001164	0.12	0.000376
KY	H L Spurloc	6041	1	#####	312	3029	0.001175	0.121	0.000367
KY	H L Spurloc	6041	1	#####	322	3115.4	0.001161	0.12	0.000374
KY	H L Spurloc	6041	1	#####	324	3148.9	0.001157	0.119	0.000375

KY	H L Spurloc	6041	1 #####	324	3178.6	0.001167	0.119	0.000378
KY	H L Spurloc	6041	1 #####	324	3184.7	0.00117	0.119	0.000379
KY	H L Spurloc	6041	1 #####	324	3167.4	0.001163	0.119	0.000377
KY	H L Spurloc	6041	1 #####	324	3147.7	0.001166	0.12	0.000378
KY	H L Spurloc	6041	1 #####	324	3167.8	0.001163	0.119	0.000377
KY	H L Spurloc	6041	1 #####	324	3185.7	0.00117	0.119	0.000379
KY	H L Spurloc	6041	1 #####	324	3161	0.001171	0.12	0.000379
KY	H L Spurloc	6041	1 #####	323	3163.8	0.001166	0.119	0.000376
KY	H L Spurloc	6041	1 #####	323	3173.6	0.001169	0.119	0.000378
KY	H L Spurloc	6041	1 #####	312	3065.1	0.001189	0.121	0.000371
KY	H L Spurloc	6041	1 #####	324	3178.3	0.001167	0.119	0.000378
KY	H L Spurloc	6041	1 #####	324	3195.6	0.001174	0.119	0.00038
KY	H L Spurloc	6041	1 #####	323	3202.8	0.00118	0.119	0.000381
KY	H L Spurloc	6041	1 #####	323	3194.9	0.001177	0.119	0.00038
KY	H L Spurloc	6041	1 #####	324	3186.6	0.00118	0.12	0.000382
KY	H L Spurloc	6041	1 #####	323	3185.3	0.001174	0.119	0.000379
KY	H L Spurloc	6041	1 #####	323	3177.8	0.001181	0.12	0.000381
KY	H L Spurloc	6041	1 #####	324	3167.4	0.001173	0.12	0.00038
KY	H L Spurloc	6041	1 #####	323	3166.8	0.001167	0.119	0.000377
KY	H L Spurloc	6041	1 #####	323	3164	0.001175	0.12	0.00038
KY	H L Spurloc	6041	1 #####	323	3177.3	0.001171	0.119	0.000378
KY	H L Spurloc	6041	1 #####	323	3196.8	0.001168	0.118	0.000377
KY	H L Spurloc	6041	1 #####	324	3191.3	0.001162	0.118	0.000377
KY	H L Spurloc	6041	1 #####	325	3172.5	0.001162	0.119	0.000378
KY	H L Spurloc	6041	1 #####	308	2983	0.001182	0.122	0.000364
KY	H L Spurloc	6041	1 #####	320	3121.5	0.001171	0.12	0.000375
KY	H L Spurloc	6041	1 #####	324	3146.2	0.001156	0.119	0.000374
KY	H L Spurloc	6041	1 #####	324	3149.5	0.001157	0.119	0.000375
KY	H L Spurloc	6041	1 #####	323	3194.4	0.001167	0.118	0.000377
KY	H L Spurloc	6041	1 #####	326	3207.7	0.001161	0.118	0.000379
KY	H L Spurloc	6041	1 #####	323	3131.7	0.001154	0.119	0.000373
KY	H L Spurloc	6041	1 #####	323	3138.2	0.001166	0.12	0.000377
KY	H L Spurloc	6041	1 #####	323	3128	0.001172	0.121	0.000378
KY	H L Spurloc	6041	1 #####	323	3123.5	0.00117	0.121	0.000378
KY	H L Spurloc	6041	1 #####	312	3047.9	0.001182	0.121	0.000369
KY	H L Spurloc	6041	1 #####	311	3042.8	0.001194	0.122	0.000371
KY	H L Spurloc	6041	1 #####	315	3067.7	0.001188	0.122	0.000374
KY	H L Spurloc	6041	1 #####	323	3150.3	0.00117	0.12	0.000378
KY	H L Spurloc	6041	1 #####	324	3153	0.001158	0.119	0.000375
KY	H L Spurloc	6041	1 #####	323	3115	0.001157	0.12	0.000374
KY	H L Spurloc	6041	1 #####	323	3116.1	0.001158	0.12	0.000374
KY	H L Spurloc	6041	1 #####	323	3113.5	0.001166	0.121	0.000377
KY	H L Spurloc	6041	1 #####	323	3121.7	0.00116	0.12	0.000375
KY	H L Spurloc	6041	1 #####	313	3008.3	0.001182	0.123	0.00037
KY	H L Spurloc	6041	1 #####	320	3092	0.001169	0.121	0.000374
KY	H L Spurloc	6041	1 #####	324	3123.6	0.001157	0.12	0.000375
KY	H L Spurloc	6041	1 #####	309	2995.5	0.001192	0.123	0.000368

KY	H L Spurloc	6041	1 #####	322	3118.3	0.001162	0.12	0.000374
KY	H L Spurloc	6041	1 #####	325	3144.9	0.001161	0.12	0.000377
KY	H L Spurloc	6041	1 #####	324	3148.4	0.001166	0.12	0.000378
KY	H L Spurloc	6041	1 #####	323	3139.3	0.001157	0.119	0.000374
KY	H L Spurloc	6041	1 #####	324	3141.2	0.001163	0.12	0.000377
KY	H L Spurloc	6041	1 #####	325	3143.9	0.001161	0.12	0.000377
KY	H L Spurloc	6041	1 #####	324	3143.7	0.001164	0.12	0.000377
KY	H L Spurloc	6041	1 #####	323	3123.1	0.00116	0.12	0.000375
KY	H L Spurloc	6041	1 #####	324	3152.1	0.001158	0.119	0.000375
KY	H L Spurloc	6041	1 #####	324	3136.2	0.001162	0.12	0.000376
KY	H L Spurloc	6041	1 #####	324	3156.2	0.001159	0.119	0.000376
KY	H L Spurloc	6041	1 #####	323	3148.4	0.00116	0.119	0.000375
KY	H L Spurloc	6041	1 #####	324	3152.2	0.001158	0.119	0.000375
KY	H L Spurloc	6041	1 #####	324	3138.5	0.001153	0.119	0.000373
KY	H L Spurloc	6041	1 #####	298	2913.6	0.001203	0.123	0.000358
KY	H L Spurloc	6041	1 #####	234	2281	0.001365	0.14	0.000319
KY	H L Spurloc	6041	1 #####	180	1775.3	0.001539	0.156	0.000277
KY	H L Spurloc	6041	1 #####	169	1703.3	0.001603	0.159	0.000271
KY	H L Spurloc	6041	1 #####	175	1762.7	0.001571	0.156	0.000275
KY	H L Spurloc	6041	1 #####	168	1703.8	0.001602	0.158	0.000269
KY	H L Spurloc	6041	1 #####	220	2222.2	0.001424	0.141	0.000313
KY	H L Spurloc	6041	1 #####	204	2000.7	0.001461	0.149	0.000298
KY	H L Spurloc	6041	1 #####	232	2270.9	0.00137	0.14	0.000318
KY	H L Spurloc	6041	1 #####	257	2517.6	0.001303	0.133	0.000335
KY	H L Spurloc	6041	1 #####	278	2764	0.001273	0.128	0.000354
KY	H L Spurloc	6041	1 #####	301	2997.1	0.001225	0.123	0.000369
KY	H L Spurloc	6041	1 #####	320	3180.5	0.001193	0.12	0.000382
KY	H L Spurloc	6041	1 #####	323	3136.6	0.001156	0.119	0.000373
KY	H L Spurloc	6041	1 #####	322	3157.6	0.001157	0.118	0.000373
KY	H L Spurloc	6041	1 #####	322	3164.7	0.00116	0.118	0.000373
KY	H L Spurloc	6041	1 #####	322	3150	0.001145	0.117	0.000369
KY	H L Spurloc	6041	1 #####	322	3162.7	0.001169	0.119	0.000376
KY	H L Spurloc	6041	1 #####	315	3058.8	0.001175	0.121	0.00037
KY	H L Spurloc	6041	1 #####	323	3159.4	0.001154	0.118	0.000373
KY	H L Spurloc	6041	1 #####	322	3147.1	0.001173	0.12	0.000378
KY	H L Spurloc	6041	1 #####	297	2903.8	0.001212	0.124	0.00036
KY	H L Spurloc	6041	1 #####	257	2499.8	0.001313	0.135	0.000337
KY	H L Spurloc	6041	1 #####	223	2153.9	0.001401	0.145	0.000312
KY	H L Spurloc	6041	1 #####	182	1782.4	0.001538	0.157	0.00028
KY	H L Spurloc	6041	1 #####	205	1999.5	0.001473	0.151	0.000302
KY	H L Spurloc	6041	1 #####	184	1805.2	0.00153	0.156	0.000282
KY	H L Spurloc	6041	1 #####	165	1619.7	0.0016	0.163	0.000264
KY	H L Spurloc	6041	1 #####	164	1620.7	0.001601	0.162	0.000263
KY	H L Spurloc	6041	1 #####	165	1629.5	0.00158	0.16	0.000261
KY	H L Spurloc	6041	1 #####	164	1606.3	0.001597	0.163	0.000262
KY	H L Spurloc	6041	1 #####	165	1603.3	0.001574	0.162	0.00026
KY	H L Spurloc	6041	1 #####	164	1589.6	0.00157	0.162	0.000258

KY	H L Spurloc	6041	1 #####	165	1581.5	0.001553	0.162	0.000256
KY	H L Spurloc	6041	1 #####	165	1572.7	0.001544	0.162	0.000255
KY	H L Spurloc	6041	1 #####	167	1601.1	0.001534	0.16	0.000256
KY	H L Spurloc	6041	1 #####	164	1581.1	0.001562	0.162	0.000256
KY	H L Spurloc	6041	1 #####	164	1589.2	0.00156	0.161	0.000256
KY	H L Spurloc	6041	1 #####	165	1598	0.00155	0.16	0.000256
KY	H L Spurloc	6041	1 #####	164	1608.3	0.001579	0.161	0.000259
KY	H L Spurloc	6041	1 #####	165	1622.8	0.001564	0.159	0.000258
KY	H L Spurloc	6041	1 #####	169	1675.7	0.001567	0.158	0.000265
KY	H L Spurloc	6041	1 #####	168	1667.4	0.001578	0.159	0.000265
KY	H L Spurloc	6041	1 #####	170	1665.8	0.001558	0.159	0.000265
KY	H L Spurloc	6041	1 #####	170	1683.7	0.001555	0.157	0.000264
KY	H L Spurloc	6041	1 #####	170	1667.6	0.00156	0.159	0.000265
KY	H L Spurloc	6041	1 #####	170	1642.4	0.001546	0.16	0.000263
KY	H L Spurloc	6041	1 #####	170	1641.7	0.001545	0.16	0.000263
KY	H L Spurloc	6041	1 #####	207	1974.5	0.001412	0.148	0.000292
KY	H L Spurloc	6041	1 #####	214	2020.8	0.001379	0.146	0.000295
KY	H L Spurloc	6041	1 #####	199	2051.7	0.001495	0.145	0.000297
KY	H L Spurloc	6041	1 #####	185	1834.3	0.001517	0.153	0.000281
KY	H L Spurloc	6041	1 #####	180	1726.7	0.001496	0.156	0.000269
KY	H L Spurloc	6041	1 #####	216	2052.4	0.001397	0.147	0.000302
KY	H L Spurloc	6041	1 #####	184	1722.5	0.001479	0.158	0.000272
KY	H L Spurloc	6041	1 #####	164	1602.9	0.001564	0.16	0.000256
KY	H L Spurloc	6041	1 #####	222	2117.7	0.001374	0.144	0.000305
KY	H L Spurloc	6041	1 #####	186	1778.1	0.001463	0.153	0.000272
KY	H L Spurloc	6041	1 #####	164	1623.6	0.001574	0.159	0.000258
KY	H L Spurloc	6041	1 #####	165	1633.8	0.001564	0.158	0.000258
KY	H L Spurloc	6041	1 #####	165	1622.2	0.001553	0.158	0.000256
KY	H L Spurloc	6041	1 #####	167	1639.4	0.001551	0.158	0.000259
KY	H L Spurloc	6041	1 #####	165	1613.1	0.001545	0.158	0.000255
KY	H L Spurloc	6041	1 #####	165	1598.1	0.00154	0.159	0.000254
KY	H L Spurloc	6041	1 #####	165	1612.7	0.001544	0.158	0.000255
KY	H L Spurloc	6041	1 #####	168	1644.1	0.001546	0.158	0.00026
KY	H L Spurloc	6041	1 #####	169	1657.1	0.001549	0.158	0.000262
KY	H L Spurloc	6041	1 #####	196	1903.3	0.001457	0.15	0.000285
KY	H L Spurloc	6041	1 #####	195	1895.7	0.001449	0.149	0.000282
KY	H L Spurloc	6041	1 #####	184	1782.4	0.001482	0.153	0.000273
KY	H L Spurloc	6041	1 #####	167	1623.7	0.001546	0.159	0.000258
KY	H L Spurloc	6041	1 #####	167	1622.6	0.001545	0.159	0.000258
KY	H L Spurloc	6041	1 #####	167	1626.9	0.001559	0.16	0.00026
KY	H L Spurloc	6041	1 #####	166	1618.6	0.00156	0.16	0.000259
KY	H L Spurloc	6041	1 #####	166	1633.3	0.001574	0.16	0.000261
KY	H L Spurloc	6041	1 #####	167	1636.5	0.001558	0.159	0.00026
KY	H L Spurloc	6041	1 #####	167	1632.3	0.001564	0.16	0.000261
KY	H L Spurloc	6041	1 #####	167	1646.7	0.001578	0.16	0.000263
KY	H L Spurloc	6041	1 #####	204	2029.8	0.001433	0.144	0.000292
KY	H L Spurloc	6041	1 #####	181	1748	0.001487	0.154	0.000269

KY	H L Spurloc	6041	1	#####	165	1632.1	0.001533	0.155	0.000253
KY	H L Spurloc	6041	1	#####	167	1658.7	0.00154	0.155	0.000257
KY	H L Spurloc	6041	1	#####	168	1659.8	0.001205	0.122	0.000202
KY	H L Spurloc	6041	1	#####	172	1686.2	0.001196	0.122	0.000206
KY	H L Spurloc	6041	1	#####	185	1806.6	0.001152	0.118	0.000213
KY	H L Spurloc	6041	1	#####	222	2136	0.001058	0.11	0.000235
KY	H L Spurloc	6041	1	#####	286	2739.5	0.000932	0.0973	0.000267
KY	H L Spurloc	6041	1	#####	270	2574.3	0.000953	0.1	0.000257
KY	H L Spurloc	6041	1	#####	249	2353.2	0.001002	0.106	0.000249
KY	H L Spurloc	6041	1	#####	281	2686.8	0.000949	0.0992	0.000267
KY	H L Spurloc	6041	1	#####	323	3083.7	0.000893	0.0935	0.000288
KY	H L Spurloc	6041	1	#####	322	3078.9	0.000902	0.0943	0.00029
KY	H L Spurloc	6041	1	#####	320	3067.9	0.000906	0.0945	0.00029
KY	H L Spurloc	6041	1	#####	292	2787.2	0.000946	0.0991	0.000276
KY	H L Spurloc	6041	1	#####	224	2102.5	0.001061	0.113	0.000238
KY	H L Spurloc	6041	1	#####	164	1588.3	0.001201	0.124	0.000197
KY	H L Spurloc	6041	1	#####	219	2069.9	0.001068	0.113	0.000234
KY	H L Spurloc	6041	1	#####	300	2821	0.000913	0.0971	0.000274
KY	H L Spurloc	6041	1	#####	282	2652.4	0.00095	0.101	0.000268
KY	H L Spurloc	6041	1	#####	203	1897.3	0.001103	0.118	0.000224
KY	H L Spurloc	6041	1	#####	214	2024	0.001097	0.116	0.000235
KY	H L Spurloc	6041	1	#####	281	2645.4	0.000951	0.101	0.000267
KY	H L Spurloc	6041	1	#####	308	2894.9	0.000911	0.0969	0.000281
KY	H L Spurloc	6041	1	#####	322	3035.7	0.000893	0.0947	0.000287
KY	H L Spurloc	6041	1	#####	323	3069.9	0.000894	0.0941	0.000289
KY	H L Spurloc	6041	1	#####	323	3052.1	0.000889	0.0941	0.000287
KY	H L Spurloc	6041	1	#####	323	3067.7	0.000892	0.0939	0.000288
KY	H L Spurloc	6041	1	#####	323	3092.5	0.000893	0.0933	0.000289
KY	H L Spurloc	6041	1	#####	323	3099	0.000896	0.0934	0.000289
KY	H L Spurloc	6041	1	#####	323	3109.2	0.000895	0.093	0.000289
KY	H L Spurloc	6041	1	#####	323	3118.1	0.000892	0.0924	0.000288
KY	H L Spurloc	6041	1	#####	323	3100.6	0.000893	0.093	0.000288
KY	H L Spurloc	6041	1	#####	323	3110.3	0.000906	0.0941	0.000293
KY	H L Spurloc	6041	1	#####	323	3103.3	0.000908	0.0945	0.000293
KY	H L Spurloc	6041	1	#####	323	3128.3	0.000912	0.0942	0.000295
KY	H L Spurloc	6041	1	#####	323	3131.4	0.000921	0.095	0.000297
KY	H L Spurloc	6041	1	#####	323	3132.9	0.000924	0.0953	0.000299
KY	H L Spurloc	6041	1	#####	323	3114.5	0.000925	0.0959	0.000299
KY	H L Spurloc	6041	1	#####	323	3119.2	0.000923	0.0956	0.000298
KY	H L Spurloc	6041	1	#####	323	3082.8	0.000922	0.0966	0.000298
KY	H L Spurloc	6041	1	#####	323	3066.4	0.000918	0.0967	0.000297
KY	H L Spurloc	6041	1	#####	323	3076.3	0.000914	0.096	0.000295
KY	H L Spurloc	6041	1	#####	323	3076.2	0.000912	0.0958	0.000295
KY	H L Spurloc	6041	1	#####	323	3059.8	0.000909	0.096	0.000294
KY	H L Spurloc	6041	1	#####	323	3059	0.00091	0.0961	0.000294
KY	H L Spurloc	6041	1	#####	323	3051.7	0.000911	0.0964	0.000294
KY	H L Spurloc	6041	1	#####	323	3081.9	0.000916	0.096	0.000296

KY	H L Spurloc	6041	1	#####	310	2963.6	0.000932	0.0975	0.000289
KY	H L Spurloc	6041	1	#####	322	3099.6	0.000919	0.0955	0.000296
KY	H L Spurloc	6041	1	#####	323	3103.3	0.000924	0.0962	0.000299
KY	H L Spurloc	6041	1	#####	323	3124.1	0.000933	0.0965	0.000301
KY	H L Spurloc	6041	1	#####	323	3122.1	0.000937	0.0969	0.000303
KY	H L Spurloc	6041	1	#####	323	3148.7	0.000945	0.0969	0.000305
KY	H L Spurloc	6041	1	#####	323	3144	0.000945	0.0971	0.000305
KY	H L Spurloc	6041	1	#####	323	3165.4	0.000952	0.0971	0.000307
KY	H L Spurloc	6041	1	#####	323	3161.7	0.00095	0.0971	0.000307
KY	H L Spurloc	6041	1	#####	323	3161.2	0.00095	0.0971	0.000307
KY	H L Spurloc	6041	1	#####	323	3156.5	0.000945	0.0967	0.000305
KY	H L Spurloc	6041	1	#####	323	3143.3	0.000946	0.0972	0.000306
KY	H L Spurloc	6041	1	#####	323	3107.4	0.000937	0.0974	0.000303
KY	H L Spurloc	6041	1	#####	323	3113	0.000938	0.0973	0.000303
KY	H L Spurloc	6041	1	#####	323	3096.3	0.000932	0.0972	0.000301
KY	H L Spurloc	6041	1	#####	323	3095.3	0.000931	0.0972	0.000301
KY	H L Spurloc	6041	1	#####	323	3078.6	0.000924	0.0969	0.000298
KY	H L Spurloc	6041	1	#####	283	2682.8	0.000976	0.103	0.000276
KY	H L Spurloc	6041	1	#####	184	1743.1	0.001213	0.128	0.000223
KY	H L Spurloc	6041	1	#####	181	1730.6	0.001224	0.128	0.000222
KY	H L Spurloc	6041	1	#####	229	2156.7	0.001102	0.117	0.000252
KY	H L Spurloc	6041	1	#####	184	1740.3	0.001192	0.126	0.000219
KY	H L Spurloc	6041	1	#####	165	1580.9	0.001265	0.132	0.000209
KY	H L Spurloc	6041	1	#####	201	1922.4	0.001148	0.12	0.000231
KY	H L Spurloc	6041	1	#####	238	2222.3	0.001055	0.113	0.000251
KY	H L Spurloc	6041	1	#####	188	1771.1	0.001159	0.123	0.000218
KY	H L Spurloc	6041	1	#####	218	2054.3	0.001084	0.115	0.000236
KY	H L Spurloc	6041	1	#####	227	2122.6	0.001066	0.114	0.000242
KY	H L Spurloc	6041	1	#####	248	2309.3	0.001015	0.109	0.000252
KY	H L Spurloc	6041	1	#####	312	2936	0.000923	0.0981	0.000288
KY	H L Spurloc	6041	1	#####	318	3002.8	0.000924	0.0979	0.000294
KY	H L Spurloc	6041	1	#####	290	2712.6	0.000973	0.104	0.000282
KY	H L Spurloc	6041	1	#####	324	3060.3	0.000916	0.097	0.000297
KY	H L Spurloc	6041	1	#####	324	3052.9	0.000922	0.0978	0.000299
KY	H L Spurloc	6041	1	#####	323	3048.9	0.000927	0.0982	0.000299
KY	H L Spurloc	6041	1	#####	323	3047.2	0.000926	0.0982	0.000299
KY	H L Spurloc	6041	1	#####	323	3063.6	0.000927	0.0977	0.000299
KY	H L Spurloc	6041	1	#####	323	3067.7	0.000928	0.0977	0.0003
KY	H L Spurloc	6041	1	#####	322	3048.4	0.00093	0.0982	0.000299
KY	H L Spurloc	6041	1	#####	303	2876.1	0.000959	0.101	0.00029
KY	H L Spurloc	6041	1	#####	215	2034.3	0.001135	0.12	0.000244
KY	H L Spurloc	6041	1	#####	164	1583.6	0.001275	0.132	0.000209
KY	H L Spurloc	6041	1	#####	165	1593.8	0.001265	0.131	0.000209
KY	H L Spurloc	6041	1	#####	165	1573.7	0.001249	0.131	0.000206
KY	H L Spurloc	6041	1	#####	165	1590.9	0.001244	0.129	0.000205
KY	H L Spurloc	6041	1	#####	165	1578.7	0.001234	0.129	0.000204
KY	H L Spurloc	6041	1	#####	165	1603.2	0.001253	0.129	0.000207

KY	H L Spurloc	6041	1 #####	165	1592.4	0.001255	0.13	0.000207
KY	H L Spurloc	6041	1 #####	165	1588.4	0.001261	0.131	0.000208
KY	H L Spurloc	6041	1 #####	170	1614.9	0.001225	0.129	0.000208
KY	H L Spurloc	6041	1 #####	173	1658.5	0.001227	0.128	0.000212
KY	H L Spurloc	6041	1 #####	171	1648.6	0.001234	0.128	0.000211
KY	H L Spurloc	6041	1 #####	216	2058.6	0.001125	0.118	0.000243
KY	H L Spurloc	6041	1 #####	220	2093.7	0.001123	0.118	0.000247
KY	H L Spurloc	6041	1 #####	288	2744.4	0.000991	0.104	0.000285
KY	H L Spurloc	6041	1 #####	320	3039.4	0.000923	0.0972	0.000295
KY	H L Spurloc	6041	1 #####	320	3059.5	0.000925	0.0968	0.000296
KY	H L Spurloc	6041	1 #####	322	3081.3	0.000926	0.0968	0.000298
KY	H L Spurloc	6041	1 #####	322	3069	0.000926	0.0972	0.000298
KY	H L Spurloc	6041	1 #####	322	3062.5	0.000924	0.0972	0.000298
KY	H L Spurloc	6041	1 #####	322	3089.3	0.000929	0.0968	0.000299
KY	H L Spurloc	6041	1 #####	321	3092.9	0.000934	0.0969	0.0003
KY	H L Spurloc	6041	1 #####	307	2945.8	0.000952	0.0992	0.000292
KY	H L Spurloc	6041	1 #####	270	2553.3	0.001012	0.107	0.000273
KY	H L Spurloc	6041	1 #####	262	2488.3	0.001026	0.108	0.000269
KY	H L Spurloc	6041	1 #####	185	1751.2	0.001202	0.127	0.000222
KY	H L Spurloc	6041	1 #####	184	1757.4	0.001203	0.126	0.000221
KY	H L Spurloc	6041	1 #####	168	1616.1	0.001241	0.129	0.000208
KY	H L Spurloc	6041	1 #####	167	1618.5	0.00126	0.13	0.00021
KY	H L Spurloc	6041	1 #####	167	1613.9	0.001247	0.129	0.000208
KY	H L Spurloc	6041	1 #####	168	1627.6	0.00125	0.129	0.00021
KY	H L Spurloc	6041	1 #####	168	1621.5	0.001245	0.129	0.000209
KY	H L Spurloc	6041	1 #####	168	1631.1	0.001252	0.129	0.00021
KY	H L Spurloc	6041	1 #####	168	1628.7	0.001251	0.129	0.00021
KY	H L Spurloc	6041	1 #####	168	1635.2	0.001256	0.129	0.000211
KY	H L Spurloc	6041	1 #####	167	1636.3	0.001274	0.13	0.000213
KY	H L Spurloc	6041	1 #####	168	1646.5	0.001274	0.13	0.000214
KY	H L Spurloc	6041	1 #####	168	1642.9	0.001271	0.13	0.000214
KY	H L Spurloc	6041	1 #####	177	1710.2	0.001256	0.13	0.000222
KY	H L Spurloc	6041	1 #####	175	1702.2	0.001255	0.129	0.00022
KY	H L Spurloc	6041	1 #####	192	1856.6	0.001199	0.124	0.00023
KY	H L Spurloc	6041	1 #####	290	2806.6	0.000977	0.101	0.000283
KY	H L Spurloc	6041	1 #####	323	3114.6	0.00093	0.0964	0.0003
KY	H L Spurloc	6041	1 #####	322	3104.3	0.000933	0.0968	0.0003
KY	H L Spurloc	6041	1 #####	322	3091.4	0.00093	0.0969	0.0003
KY	H L Spurloc	6041	1 #####	312	3004.3	0.000951	0.0988	0.000297
KY	H L Spurloc	6041	1 #####	300	2895.8	0.000965	0.1	0.00029
KY	H L Spurloc	6041	1 #####	271	2577.4	0.001008	0.106	0.000273
KY	H L Spurloc	6041	1 #####	208	1996.6	0.001171	0.122	0.000244
KY	H L Spurloc	6041	1 #####	211	2009.4	0.001143	0.12	0.000241
KY	H L Spurloc	6041	1 #####	249	2371.3	0.001057	0.111	0.000263
KY	H L Spurloc	6041	1 #####	184	1863.1	0.001266	0.125	0.000233
KY	H L Spurloc	6041	1 #####	171	1663.7	0.001265	0.13	0.000216
KY	H L Spurloc	6041	1 #####	213	2029.8	0.001134	0.119	0.000242

KY	H L Spurloc	6041	1 #####	195	1883	0.001168	0.121	0.000228
KY	H L Spurloc	6041	1 #####	185	1807.3	0.001221	0.125	0.000226
KY	H L Spurloc	6041	1 #####	185	1795	0.001213	0.125	0.000224
KY	H L Spurloc	6041	1 #####	185	1792.3	0.001201	0.124	0.000222
KY	H L Spurloc	6041	1 #####	185	1791.6	0.001211	0.125	0.000224
KY	H L Spurloc	6041	1 #####	185	1790.8	0.00121	0.125	0.000224
KY	H L Spurloc	6041	1 #####	185	1806.6	0.001211	0.124	0.000224
KY	H L Spurloc	6041	1 #####	185	1818.4	0.001219	0.124	0.000225
KY	H L Spurloc	6041	1 #####	186	1793.7	0.001205	0.125	0.000224
KY	H L Spurloc	6041	1 #####	190	1837.7	0.001199	0.124	0.000228
KY	H L Spurloc	6041	1 #####	190	1847.8	0.001196	0.123	0.000227
KY	H L Spurloc	6041	1 #####	194	1885.1	0.001195	0.123	0.000232
KY	H L Spurloc	6041	1 #####	235	2253.9	0.001084	0.113	0.000255
KY	H L Spurloc	6041	1 #####	232	2240.5	0.001091	0.113	0.000253
KY	H L Spurloc	6041	1 #####	186	1799.5	0.001209	0.125	0.000225
KY	H L Spurloc	6041	1 #####	165	1637	0.00128	0.129	0.000211
KY	H L Spurloc	6041	1 #####	182	1793.2	0.001241	0.126	0.000226
KY	H L Spurloc	6041	1 #####	166	1667	0.001285	0.128	0.000213
KY	H L Spurloc	6041	1 #####	165	1663.3	0.00129	0.128	0.000213
KY	H L Spurloc	6041	1 #####	165	1665.6	0.001292	0.128	0.000213
KY	H L Spurloc	6041	1 #####	210	2064.5	0.00115	0.117	0.000242
KY	H L Spurloc	6041	1 #####	184	1815.6	0.001204	0.122	0.000222
KY	H L Spurloc	6041	1 #####	165	1634.4	0.001268	0.128	0.000209
KY	H L Spurloc	6041	1 #####	165	1631.3	0.001256	0.127	0.000207
KY	H L Spurloc	6041	1 #####	164	1652.7	0.00128	0.127	0.00021
KY	H L Spurloc	6041	1 #####	165	1634.3	0.001258	0.127	0.000208
KY	H L Spurloc	6041	1 #####	175	1715.4	0.001225	0.125	0.000214
KY	H L Spurloc	6041	1 #####	189	1837.1	0.001176	0.121	0.000222
KY	H L Spurloc	6041	1 #####	224	2182	0.001081	0.111	0.000242
KY	H L Spurloc	6041	1 #####	183	1764.7	0.001176	0.122	0.000215
KY	H L Spurloc	6041	1 #####	214	2039.9	0.001106	0.116	0.000237
KY	H L Spurloc	6041	1 #####	180	1745.9	0.001183	0.122	0.000213
KY	H L Spurloc	6041	1 #####	168	1644.2	0.001233	0.126	0.000207
KY	H L Spurloc	6041	1 #####	224	2168.9	0.001084	0.112	0.000243
KY	H L Spurloc	6041	1 #####	309	2984.4	0.00094	0.0973	0.00029
KY	H L Spurloc	6041	1 #####	324	3114.8	0.00092	0.0957	0.000298
KY	H L Spurloc	6041	1 #####	324	3113.7	0.000918	0.0955	0.000297
KY	H L Spurloc	6041	1 #####	322	3067.7	0.000917	0.0963	0.000295
KY	H L Spurloc	6041	1 #####	312	2995.5	0.000934	0.0973	0.000291
KY	H L Spurloc	6041	1 #####	219	2103	0.001104	0.115	0.000242
KY	H L Spurloc	6041	1 #####	173	1668.5	0.001225	0.127	0.000212
KY	H L Spurloc	6041	1 #####	170	1649.1	0.001222	0.126	0.000208
KY	H L Spurloc	6041	1 #####	174	1687.2	0.001222	0.126	0.000213
KY	H L Spurloc	6041	1 #####	225	2155.9	0.001092	0.114	0.000246
KY	H L Spurloc	6041	1 #####	187	1782.8	0.001182	0.124	0.000221
KY	H L Spurloc	6041	1 #####	177	1684.8	0.001199	0.126	0.000212
KY	H L Spurloc	6041	1 #####	169	1623.2	0.00122	0.127	0.000206

KY	H L Spurloc	6041	1	#####	168	1619.9	0.001225	0.127	0.000206
KY	H L Spurloc	6041	1	#####	169	1602.9	0.001214	0.128	0.000205
KY	H L Spurloc	6041	1	#####	214	2088.2	0.001112	0.114	0.000238
KY	H L Spurloc	6041	1	#####	183	1744.2	0.001182	0.124	0.000216
KY	H L Spurloc	6041	1	#####	169	1624.1	0.00122	0.127	0.000206
KY	H L Spurloc	6041	1	#####	214	2015	0.001111	0.118	0.000238
KY	H L Spurloc	6041	1	#####	185	1756.8	0.001159	0.122	0.000214
KY	H L Spurloc	6041	1	#####	214	2015.4	0.001102	0.117	0.000236
KY	H L Spurloc	6041	1	#####	187	1769.8	0.001145	0.121	0.000214
KY	H L Spurloc	6041	1	#####	169	1615.4	0.001185	0.124	0.0002
KY	H L Spurloc	6041	1	#####	170	1632.9	0.001191	0.124	0.000202
KY	H L Spurloc	6041	1	#####	178	1723.8	0.001172	0.121	0.000209
KY	H L Spurloc	6041	1	#####	206	1961	0.001104	0.116	0.000227
KY	H L Spurloc	6041	1	#####	235	2240.6	0.001039	0.109	0.000244
KY	H L Spurloc	6041	1	#####	281	2675.9	0.000962	0.101	0.00027
KY	H L Spurloc	6041	1	#####	250	2368.1	0.001023	0.108	0.000256
KY	H L Spurloc	6041	1	#####	190	1816.7	0.001138	0.119	0.000216
KY	H L Spurloc	6041	1	#####	164	1603.6	0.001232	0.126	0.000202
KY	H L Spurloc	6041	1	#####	165	1590.8	0.001224	0.127	0.000202
KY	H L Spurloc	6041	1	#####	164	1594.1	0.001225	0.126	0.000201
KY	H L Spurloc	6041	1	#####	165	1608.1	0.001209	0.124	0.000199
KY	H L Spurloc	6041	1	#####	165	1609.9	0.00121	0.124	0.0002
KY	H L Spurloc	6041	1	#####	165	1603.6	0.001215	0.125	0.0002
KY	H L Spurloc	6041	1	#####	164	1600.2	0.00122	0.125	0.0002
KY	H L Spurloc	6041	1	#####	165	1604.5	0.001206	0.124	0.000199
KY	H L Spurloc	6041	1	#####	165	1601.1	0.001203	0.124	0.000199
KY	H L Spurloc	6041	1	#####	165	1619.8	0.001217	0.124	0.000201
KY	H L Spurloc	6041	1	#####	165	1615.4	0.001224	0.125	0.000202
KY	H L Spurloc	6041	1	#####	165	1614.7	0.001213	0.124	0.0002
KY	H L Spurloc	6041	1	#####	165	1624.3	0.001221	0.124	0.000201
KY	H L Spurloc	6041	1	#####	165	1608.7	0.001219	0.125	0.000201
KY	H L Spurloc	6041	1	#####	165	1607.5	0.001218	0.125	0.000201
KY	H L Spurloc	6041	1	#####	167	1626.9	0.001208	0.124	0.000202
KY	H L Spurloc	6041	1	#####	169	1636.4	0.001201	0.124	0.000203
KY	H L Spurloc	6041	1	#####	199	1926.2	0.001123	0.116	0.000223
KY	H L Spurloc	6041	1	#####	200	1925.2	0.001126	0.117	0.000225
KY	H L Spurloc	6041	1	#####	265	2547.1	0.00099	0.103	0.000262
KY	H L Spurloc	6041	1	#####	319	3078.2	0.000927	0.0961	0.000296
KY	H L Spurloc	6041	1	#####	323	3058.4	0.000906	0.0957	0.000293
KY	H L Spurloc	6041	1	#####	323	3070.1	0.000907	0.0954	0.000293
KY	H L Spurloc	6041	1	#####	311	2966	0.000923	0.0968	0.000287
KY	H L Spurloc	6041	1	#####	278	2650.1	0.000972	0.102	0.00027
KY	H L Spurloc	6041	1	#####	213	2013	0.001096	0.116	0.000234
KY	H L Spurloc	6041	1	#####	165	1569.6	0.00118	0.124	0.000195
KY	H L Spurloc	6041	1	#####	215	2030.5	0.001096	0.116	0.000236
KY	H L Spurloc	6041	1	#####	282	2662.2	0.000932	0.0987	0.000263
KY	H L Spurloc	6041	1	#####	324	3057	0.000884	0.0937	0.000286

KY	H L Spurloc	6041	1 #####	322	3025	0.000885	0.0942	0.000285
KY	H L Spurloc	6041	1 #####	324	3030.2	0.000888	0.0949	0.000288
KY	H L Spurloc	6041	1 #####	323	3036.5	0.000894	0.0951	0.000289
KY	H L Spurloc	6041	1 #####	323	3041.8	0.000898	0.0954	0.00029
KY	H L Spurloc	6041	1 #####	323	3028	0.000901	0.0961	0.000291
KY	H L Spurloc	6041	1 #####	310	2933.8	0.000919	0.0971	0.000285
KY	H L Spurloc	6041	1 #####	323	3049.8	0.000902	0.0955	0.000291
KY	H L Spurloc	6041	1 #####	307	2938	0.000931	0.0973	0.000286
KY	H L Spurloc	6041	1 #####	323	3118.6	0.000919	0.0952	0.000297
KY	H L Spurloc	6041	1 #####	323	3134.6	0.000916	0.0944	0.000296
KY	H L Spurloc	6041	1 #####	324	3117	0.000911	0.0947	0.000295
KY	H L Spurloc	6041	1 #####	324	3088.8	0.000911	0.0956	0.000295
KY	H L Spurloc	6041	1 #####	324	3110.9	0.000918	0.0956	0.000297
KY	H L Spurloc	6041	1 #####	324	3098.7	0.000914	0.0956	0.000296
KY	H L Spurloc	6041	1 #####	323	3086.8	0.000914	0.0956	0.000295
KY	H L Spurloc	6041	1 #####	323	3099.3	0.000916	0.0955	0.000296
KY	H L Spurloc	6041	1 #####	323	3123.4	0.000923	0.0955	0.000298
KY	H L Spurloc	6041	1 #####	324	3120	0.000922	0.0957	0.000299
KY	H L Spurloc	6041	1 #####	324	3119	0.00092	0.0956	0.000298
KY	H L Spurloc	6041	1 #####	324	3109.7	0.000912	0.095	0.000295
KY	H L Spurloc	6041	1 #####	323	3094	0.000915	0.0955	0.000295
KY	H L Spurloc	6041	1 #####	323	3100.9	0.000918	0.0956	0.000296
KY	H L Spurloc	6041	2 4/1/2022	506	5157.9	0.005036	0.494	0.002548
KY	H L Spurloc	6041	2 4/1/2022	502	5095.4	0.005045	0.497	0.002532
KY	H L Spurloc	6041	2 4/1/2022	464	4703.6	0.005069	0.5	0.002352
KY	H L Spurloc	6041	2 4/1/2022	457	4609.3	0.005063	0.502	0.002314
KY	H L Spurloc	6041	2 4/1/2022	484	4956.6	0.005069	0.495	0.002454
KY	H L Spurloc	6041	2 4/1/2022	494	5055.1	0.005055	0.494	0.002497
KY	H L Spurloc	6041	2 4/1/2022	506	5211.1	0.005077	0.493	0.002569
KY	H L Spurloc	6041	2 4/1/2022	507	5053.6	0.004914	0.493	0.002491
KY	H L Spurloc	6041	2 4/1/2022	504	5008.8	0.004909	0.494	0.002474
KY	H L Spurloc	6041	2 4/1/2022	507	5103.2	0.004942	0.491	0.002506
KY	H L Spurloc	6041	2 4/1/2022	511	5137.6	0.004937	0.491	0.002523
KY	H L Spurloc	6041	2 4/1/2022	509	5172.1	0.004989	0.491	0.00254
KY	H L Spurloc	6041	2 4/1/2022	510	5176.1	0.004983	0.491	0.002541
KY	H L Spurloc	6041	2 4/1/2022	507	5164.9	0.004992	0.49	0.002531
KY	H L Spurloc	6041	2 4/1/2022	509	5192.3	0.004998	0.49	0.002544
KY	H L Spurloc	6041	2 4/1/2022	506	5168.1	0.005015	0.491	0.002538
KY	H L Spurloc	6041	2 4/1/2022	496	5005.8	0.004976	0.493	0.002468
KY	H L Spurloc	6041	2 4/1/2022	506	5128.3	0.005007	0.494	0.002533
KY	H L Spurloc	6041	2 4/1/2022	515	5239.9	0.005006	0.492	0.002578
KY	H L Spurloc	6041	2 4/1/2022	519	5274.7	0.005021	0.494	0.002606
KY	H L Spurloc	6041	2 4/1/2022	508	5113.9	0.004973	0.494	0.002526
KY	H L Spurloc	6041	2 4/1/2022	499	5080.7	0.00503	0.494	0.00251
KY	H L Spurloc	6041	2 4/1/2022	509	5213.4	0.005029	0.491	0.00256
KY	H L Spurloc	6041	2 4/1/2022	507	5138	0.004996	0.493	0.002533
KY	H L Spurloc	6041	2 4/2/2022	525	5415.2	0.005034	0.488	0.002643

KY	H L Spurloc	6041	2	4/2/2022	511	5282.3	0.005055	0.489	0.002583
KY	H L Spurloc	6041	2	4/2/2022	505	5143.9	0.005022	0.493	0.002536
KY	H L Spurloc	6041	2	4/2/2022	517	5295	0.005018	0.49	0.002595
KY	H L Spurloc	6041	2	4/2/2022	509	5210.8	0.005016	0.49	0.002553
KY	H L Spurloc	6041	2	4/2/2022	499	5058.5	0.004967	0.49	0.002479
KY	H L Spurloc	6041	2	4/2/2022	508	5168.5	0.004996	0.491	0.002538
KY	H L Spurloc	6041	2	4/2/2022	501	5077.6	0.004976	0.491	0.002493
KY	H L Spurloc	6041	2	4/2/2022	490	4926.9	0.004987	0.496	0.002444
KY	H L Spurloc	6041	2	4/2/2022	507	5203.5	0.005101	0.497	0.002586
KY	H L Spurloc	6041	2	4/2/2022	507	5242.7	0.005263	0.509	0.002669
KY	H L Spurloc	6041	2	4/2/2022	511	5312.6	0.005323	0.512	0.00272
KY	H L Spurloc	6041	2	4/2/2022	505	5185.8	0.005237	0.51	0.002645
KY	H L Spurloc	6041	2	4/2/2022	486	4961	0.005216	0.511	0.002535
KY	H L Spurloc	6041	2	4/2/2022	477	4820.7	0.005023	0.497	0.002396
KY	H L Spurloc	6041	2	4/2/2022	502	5156.3	0.005115	0.498	0.002568
KY	H L Spurloc	6041	2	4/2/2022	482	4946.7	0.005152	0.502	0.002483
KY	H L Spurloc	6041	2	4/2/2022	509	5304	0.005335	0.512	0.002716
KY	H L Spurloc	6041	2	4/2/2022	508	5226.6	0.005113	0.497	0.002598
KY	H L Spurloc	6041	2	4/2/2022	508	5239.3	0.005074	0.492	0.002578
KY	H L Spurloc	6041	2	4/2/2022	505	5251.7	0.005117	0.492	0.002584
KY	H L Spurloc	6041	2	4/2/2022	507	5266.3	0.005162	0.497	0.002617
KY	H L Spurloc	6041	2	4/2/2022	519	5412.6	0.005131	0.492	0.002663
KY	H L Spurloc	6041	2	4/2/2022	500	5167.8	0.005075	0.491	0.002537
KY	H L Spurloc	6041	2	4/3/2022	471	4821	0.005128	0.501	0.002415
KY	H L Spurloc	6041	2	4/3/2022	460	4683.5	0.005142	0.505	0.002365
KY	H L Spurloc	6041	2	4/3/2022	499	5111.7	0.005101	0.498	0.002546
KY	H L Spurloc	6041	2	4/3/2022	493	5059	0.005141	0.501	0.002535
KY	H L Spurloc	6041	2	4/3/2022	495	5034.2	0.005055	0.497	0.002502
KY	H L Spurloc	6041	2	4/3/2022	500	5128.2	0.005046	0.492	0.002523
KY	H L Spurloc	6041	2	4/3/2022	500	5087.5	0.005037	0.495	0.002518
KY	H L Spurloc	6041	2	4/3/2022	492	4988.2	0.005019	0.495	0.002469
KY	H L Spurloc	6041	2	4/3/2022	492	4965.3	0.004996	0.495	0.002458
KY	H L Spurloc	6041	2	4/3/2022	499	5074.1	0.004993	0.491	0.002491
KY	H L Spurloc	6041	2	4/3/2022	511	5204.1	0.005	0.491	0.002555
KY	H L Spurloc	6041	2	4/3/2022	494	4995.9	0.005026	0.497	0.002483
KY	H L Spurloc	6041	2	4/3/2022	493	5055.4	0.005045	0.492	0.002487
KY	H L Spurloc	6041	2	4/3/2022	489	5020.2	0.005102	0.497	0.002495
KY	H L Spurloc	6041	2	4/3/2022	501	5130.3	0.005141	0.502	0.002575
KY	H L Spurloc	6041	2	4/3/2022	506	5199.2	0.005066	0.493	0.002563
KY	H L Spurloc	6041	2	4/3/2022	493	4858.1	0.004907	0.498	0.002419
KY	H L Spurloc	6041	2	4/3/2022	507	5014.3	0.004915	0.497	0.002492
KY	H L Spurloc	6041	2	4/3/2022	516	5138.6	0.004929	0.495	0.002544
KY	H L Spurloc	6041	2	4/3/2022	513	5113.9	0.004944	0.496	0.002536
KY	H L Spurloc	6041	2	4/3/2022	516	5125.6	0.004877	0.491	0.002517
KY	H L Spurloc	6041	2	4/3/2022	504	4925.6	0.004847	0.496	0.002443
KY	H L Spurloc	6041	2	4/3/2022	505	4852.8	0.004795	0.499	0.002422
KY	H L Spurloc	6041	2	4/3/2022	489	4634.2	0.004786	0.505	0.00234

KY	H L Spurloc	6041	2	4/4/2022	505	4879.3	0.004802	0.497	0.002425
KY	H L Spurloc	6041	2	4/4/2022	495	4716.5	0.004774	0.501	0.002363
KY	H L Spurloc	6041	2	4/4/2022	518	5003.2	0.004781	0.495	0.002477
KY	H L Spurloc	6041	2	4/4/2022	491	4678	0.004764	0.5	0.002339
KY	H L Spurloc	6041	2	4/4/2022	499	4766.8	0.004776	0.5	0.002383
KY	H L Spurloc	6041	2	4/4/2022	490	4650.2	0.004745	0.5	0.002325
KY	H L Spurloc	6041	2	4/4/2022	492	4665.6	0.004751	0.501	0.002337
KY	H L Spurloc	6041	2	4/4/2022	505	4830.9	0.004774	0.499	0.002411
KY	H L Spurloc	6041	2	4/4/2022	507	4857.8	0.004762	0.497	0.002414
KY	H L Spurloc	6041	2	4/4/2022	507	4831.9	0.004765	0.5	0.002416
KY	H L Spurloc	6041	2	4/4/2022	507	4906.2	0.005613	0.58	0.002846
KY	H L Spurloc	6041	2	4/4/2022	508	4929	0.005715	0.589	0.002903
KY	H L Spurloc	6041	2	4/4/2022	507	4969.1	0.005714	0.583	0.002897
KY	H L Spurloc	6041	2	4/4/2022	507	4970.2	0.005735	0.585	0.002908
KY	H L Spurloc	6041	2	4/4/2022	507	4964	0.005718	0.584	0.002899
KY	H L Spurloc	6041	2	4/4/2022	507	4990.1	0.005768	0.586	0.002924
KY	H L Spurloc	6041	2	4/4/2022	503	4936.1	0.005731	0.584	0.002883
KY	H L Spurloc	6041	2	4/4/2022	507	4992.8	0.005741	0.583	0.002911
KY	H L Spurloc	6041	2	4/4/2022	508	5067.1	0.005765	0.578	0.002929
KY	H L Spurloc	6041	2	4/4/2022	496	4901.4	0.005751	0.582	0.002853
KY	H L Spurloc	6041	2	4/4/2022	494	4882.1	0.005752	0.582	0.002841
KY	H L Spurloc	6041	2	4/4/2022	503	4944.1	0.00574	0.584	0.002887
KY	H L Spurloc	6041	2	4/4/2022	507	4949.7	0.005701	0.584	0.002891
KY	H L Spurloc	6041	2	4/4/2022	509	4976.6	0.00571	0.584	0.002906
KY	H L Spurloc	6041	2	4/5/2022	514	5047.9	0.005706	0.581	0.002933
KY	H L Spurloc	6041	2	4/5/2022	510	4997.6	0.005703	0.582	0.002909
KY	H L Spurloc	6041	2	4/5/2022	511	4954.3	0.005691	0.587	0.002908
KY	H L Spurloc	6041	2	4/5/2022	516	5055	0.005692	0.581	0.002937
KY	H L Spurloc	6041	2	4/5/2022	506	4911.4	0.005688	0.586	0.002878
KY	H L Spurloc	6041	2	4/5/2022	526	5192.5	0.005696	0.577	0.002996
KY	H L Spurloc	6041	2	4/5/2022	507	4900.9	0.005665	0.586	0.002872
KY	H L Spurloc	6041	2	4/5/2022	508	4903.2	0.005666	0.587	0.002878
KY	H L Spurloc	6041	2	4/5/2022	513	4979.8	0.005679	0.585	0.002913
KY	H L Spurloc	6041	2	4/5/2022	511	4957.5	0.005675	0.585	0.0029
KY	H L Spurloc	6041	2	4/5/2022	525	5126.3	0.005702	0.584	0.002994
KY	H L Spurloc	6041	2	4/5/2022	509	4991.2	0.005736	0.585	0.00292
KY	H L Spurloc	6041	2	4/5/2022	507	4946.8	0.005708	0.585	0.002894
KY	H L Spurloc	6041	2	4/5/2022	510	4967.6	0.005698	0.585	0.002906
KY	H L Spurloc	6041	2	4/5/2022	510	4991.6	0.005706	0.583	0.00291
KY	H L Spurloc	6041	2	4/5/2022	514	5033.5	0.005748	0.587	0.002955
KY	H L Spurloc	6041	2	4/5/2022	506	4920.7	0.005708	0.587	0.002888
KY	H L Spurloc	6041	2	4/5/2022	508	4947.8	0.005717	0.587	0.002904
KY	H L Spurloc	6041	2	4/5/2022	505	4895.4	0.0057	0.588	0.002878
KY	H L Spurloc	6041	2	4/5/2022	507	4944.5	0.005695	0.584	0.002888
KY	H L Spurloc	6041	2	4/5/2022	507	4928.3	0.005687	0.585	0.002883
KY	H L Spurloc	6041	2	4/5/2022	498	4830.8	0.005723	0.59	0.00285
KY	H L Spurloc	6041	2	4/5/2022	507	4876.3	0.005684	0.591	0.002882

KY	H L Spurloc	6041	2	4/5/2022	499	4798.9	0.005684	0.591	0.002836
KY	H L Spurloc	6041	2	4/6/2022	491	4711.7	0.005681	0.592	0.002789
KY	H L Spurloc	6041	2	4/6/2022	497	4821.6	0.005714	0.589	0.00284
KY	H L Spurloc	6041	2	4/6/2022	513	4955.2	0.005689	0.589	0.002919
KY	H L Spurloc	6041	2	4/6/2022	509	4867.9	0.005662	0.592	0.002882
KY	H L Spurloc	6041	2	4/6/2022	517	4997.1	0.005693	0.589	0.002943
KY	H L Spurloc	6041	2	4/6/2022	500	4788.3	0.00566	0.591	0.00283
KY	H L Spurloc	6041	2	4/6/2022	500	4825.6	0.005723	0.593	0.002862
KY	H L Spurloc	6041	2	4/6/2022	508	4990	0.005707	0.581	0.002899
KY	H L Spurloc	6041	2	4/6/2022	508	5092.2	0.005714	0.57	0.002903
KY	H L Spurloc	6041	2	4/6/2022	509	5158	0.005776	0.57	0.00294
KY	H L Spurloc	6041	2	4/6/2022	528	5463	0.005846	0.565	0.003087
KY	H L Spurloc	6041	2	4/6/2022	506	5138.5	0.005829	0.574	0.002949
KY	H L Spurloc	6041	2	4/6/2022	519	5315.2	0.005878	0.574	0.003051
KY	H L Spurloc	6041	2	4/6/2022	510	5238.2	0.005896	0.574	0.003007
KY	H L Spurloc	6041	2	4/6/2022	513	5274	0.00586	0.57	0.003006
KY	H L Spurloc	6041	2	4/6/2022	508	5232	0.005932	0.576	0.003014
KY	H L Spurloc	6041	2	4/6/2022	503	5121.7	0.005875	0.577	0.002955
KY	H L Spurloc	6041	2	4/6/2022	511	5237.1	0.005862	0.572	0.002996
KY	H L Spurloc	6041	2	4/6/2022	506	5177.6	0.005853	0.572	0.002962
KY	H L Spurloc	6041	2	4/6/2022	510	5245.3	0.005914	0.575	0.003016
KY	H L Spurloc	6041	2	4/6/2022	498	5107.9	0.006031	0.588	0.003003
KY	H L Spurloc	6041	2	4/6/2022	494	5004.2	0.005916	0.584	0.002922
KY	H L Spurloc	6041	2	4/6/2022	510	5225.6	0.006035	0.589	0.003078
KY	H L Spurloc	6041	2	4/6/2022	466	4683.6	0.00592	0.589	0.002759
KY	H L Spurloc	6041	2	4/7/2022	472	4754.7	0.005883	0.584	0.002777
KY	H L Spurloc	6041	2	4/7/2022	499	5029.6	0.005836	0.579	0.002912
KY	H L Spurloc	6041	2	4/7/2022	503	5104	0.005926	0.584	0.002981
KY	H L Spurloc	6041	2	4/7/2022	506	5110.3	0.005949	0.589	0.00301
KY	H L Spurloc	6041	2	4/7/2022	514	5199	0.005806	0.574	0.002984
KY	H L Spurloc	6041	2	4/7/2022	501	4978.1	0.005773	0.581	0.002892
KY	H L Spurloc	6041	2	4/7/2022	500	4981.6	0.005739	0.576	0.002869
KY	H L Spurloc	6041	2	4/7/2022	510	5065	0.005701	0.574	0.002907
KY	H L Spurloc	6041	2	4/7/2022	507	5040.6	0.005707	0.574	0.002893
KY	H L Spurloc	6041	2	4/7/2022	507	5053.2	0.005731	0.575	0.002906
KY	H L Spurloc	6041	2	4/7/2022	501	5006.1	0.005805	0.581	0.002909
KY	H L Spurloc	6041	2	4/7/2022	508	5104.7	0.005909	0.588	0.003002
KY	H L Spurloc	6041	2	4/7/2022	516	5289.2	0.005966	0.582	0.003078
KY	H L Spurloc	6041	2	4/7/2022	507	5121.3	0.005929	0.587	0.003006
KY	H L Spurloc	6041	2	4/7/2022	508	5149.3	0.005839	0.576	0.002966
KY	H L Spurloc	6041	2	4/7/2022	507	5126.4	0.005854	0.579	0.002968
KY	H L Spurloc	6041	2	4/7/2022	510	5149.3	0.005816	0.576	0.002966
KY	H L Spurloc	6041	2	4/7/2022	509	5150.7	0.005829	0.576	0.002967
KY	H L Spurloc	6041	2	4/7/2022	511	5171	0.005829	0.576	0.002978
KY	H L Spurloc	6041	2	4/7/2022	521	5275.5	0.005812	0.574	0.003028
KY	H L Spurloc	6041	2	4/7/2022	528	5365.5	0.005833	0.574	0.00308
KY	H L Spurloc	6041	2	4/7/2022	522	5269	0.005784	0.573	0.003019

KY	H L Spurloc	6041	2	4/7/2022	516	5200.1	0.005785	0.574	0.002985
KY	H L Spurloc	6041	2	4/7/2022	506	5067.5	0.005869	0.586	0.00297
KY	H L Spurloc	6041	2	4/8/2022	513	5225.7	0.005959	0.585	0.003057
KY	H L Spurloc	6041	2	4/8/2022	512	5169.8	0.005907	0.585	0.003024
KY	H L Spurloc	6041	2	4/8/2022	509	5135.8	0.005963	0.591	0.003035
KY	H L Spurloc	6041	2	4/8/2022	507	5057.6	0.005856	0.587	0.002969
KY	H L Spurloc	6041	2	4/8/2022	506	5003.4	0.005725	0.579	0.002897
KY	H L Spurloc	6041	2	4/8/2022	508	5043.3	0.005699	0.574	0.002895
KY	H L Spurloc	6041	2	4/8/2022	497	4891.8	0.005719	0.581	0.002842
KY	H L Spurloc	6041	2	4/8/2022	507	5066	0.005785	0.579	0.002933
KY	H L Spurloc	6041	2	4/8/2022	508	5099.7	0.005893	0.587	0.002994
KY	H L Spurloc	6041	2	4/8/2022	509	5074.7	0.005812	0.583	0.002959
KY	H L Spurloc	6041	2	4/8/2022	531	5430.6	0.006003	0.587	0.003188
KY	H L Spurloc	6041	2	4/8/2022	512	5154.6	0.00597	0.593	0.003057
KY	H L Spurloc	6041	2	4/8/2022	528	5504.6	0.006141	0.589	0.003242
KY	H L Spurloc	6041	2	4/8/2022	508	5263.8	0.006134	0.592	0.003116
KY	H L Spurloc	6041	2	4/8/2022	520	5379.1	0.006093	0.589	0.003168
KY	H L Spurloc	6041	2	4/8/2022	517	5310.5	0.006071	0.591	0.003139
KY	H L Spurloc	6041	2	4/8/2022	509	5114.1	0.005777	0.575	0.002941
KY	H L Spurloc	6041	2	4/8/2022	513	5187.5	0.005804	0.574	0.002978
KY	H L Spurloc	6041	2	4/8/2022	510	5171.1	0.00582	0.574	0.002968
KY	H L Spurloc	6041	2	4/8/2022	508	5140.5	0.005818	0.575	0.002956
KY	H L Spurloc	6041	2	4/8/2022	512	5213.2	0.005855	0.575	0.002998
KY	H L Spurloc	6041	2	4/8/2022	513	5198.2	0.005857	0.578	0.003005
KY	H L Spurloc	6041	2	4/8/2022	496	5070.6	0.005909	0.578	0.002931
KY	H L Spurloc	6041	2	4/8/2022	506	5211.1	0.005932	0.576	0.003002
KY	H L Spurloc	6041	2	4/9/2022	506	5170.8	0.005866	0.574	0.002968
KY	H L Spurloc	6041	2	4/9/2022	493	5023.2	0.005879	0.577	0.002898
KY	H L Spurloc	6041	2	4/9/2022	487	4954.4	0.005911	0.581	0.002879
KY	H L Spurloc	6041	2	4/9/2022	504	5081.7	0.005818	0.577	0.002932
KY	H L Spurloc	6041	2	4/9/2022	489	4972.7	0.005908	0.581	0.002889
KY	H L Spurloc	6041	2	4/9/2022	512	5270.8	0.00593	0.576	0.003036
KY	H L Spurloc	6041	2	4/9/2022	506	5198.1	0.005897	0.574	0.002984
KY	H L Spurloc	6041	2	4/9/2022	496	5109.4	0.005903	0.573	0.002928
KY	H L Spurloc	6041	2	4/9/2022	508	5264.7	0.005959	0.575	0.003027
KY	H L Spurloc	6041	2	4/9/2022	523	5412.4	0.00594	0.574	0.003107
KY	H L Spurloc	6041	2	4/9/2022	507	5336.1	0.006041	0.574	0.003063
KY	H L Spurloc	6041	2	4/9/2022	509	5298.4	0.00609	0.585	0.0031
KY	H L Spurloc	6041	2	4/9/2022	525	5540.4	0.006015	0.57	0.003158
KY	H L Spurloc	6041	2	4/9/2022	510	5317.1	0.005984	0.574	0.003052
KY	H L Spurloc	6041	2	4/9/2022	517	5388.1	0.005982	0.574	0.003093
KY	H L Spurloc	6041	2	4/9/2022	509	5294.4	0.005981	0.575	0.003044
KY	H L Spurloc	6041	2	4/9/2022	505	5193.8	0.005893	0.573	0.002976
KY	H L Spurloc	6041	2	4/9/2022	513	5370.7	0.005967	0.57	0.003061
KY	H L Spurloc	6041	2	4/9/2022	499	5140.5	0.005934	0.576	0.002961
KY	H L Spurloc	6041	2	4/9/2022	497	5151.2	0.005918	0.571	0.002941
KY	H L Spurloc	6041	2	4/9/2022	498	5182.3	0.005932	0.57	0.002954

KY	H L Spurloc	6041	2	4/9/2022	500	5215.8	0.005946	0.57	0.002973
KY	H L Spurloc	6041	2	4/9/2022	498	5151.1	0.005948	0.575	0.002962
KY	H L Spurloc	6041	2	4/9/2022	507	5255.8	0.00594	0.573	0.003012
KY	H L Spurloc	6041	2	#####	501	5252.5	0.005997	0.572	0.003004
KY	H L Spurloc	6041	2	#####	481	4939.7	0.005946	0.579	0.00286
KY	H L Spurloc	6041	2	#####	508	5300.2	0.005978	0.573	0.003037
KY	H L Spurloc	6041	2	#####	499	5155.2	0.005909	0.572	0.002949
KY	H L Spurloc	6041	2	#####	501	5190.4	0.005926	0.572	0.002969
KY	H L Spurloc	6041	2	#####	506	5239.5	0.005902	0.57	0.002987
KY	H L Spurloc	6041	2	#####	494	5059.6	0.005889	0.575	0.002909
KY	H L Spurloc	6041	2	#####	506	5226.1	0.005908	0.572	0.002989
KY	H L Spurloc	6041	2	#####	508	5249.1	0.00591	0.572	0.003002
KY	H L Spurloc	6041	2	#####	508	5264.5	0.005928	0.572	0.003011
KY	H L Spurloc	6041	2	#####	508	5309.1	0.005926	0.567	0.00301
KY	H L Spurloc	6041	2	#####	506	5263.8	0.005971	0.574	0.003021
KY	H L Spurloc	6041	2	#####	508	5290.9	0.005947	0.571	0.003021
KY	H L Spurloc	6041	2	#####	509	5263.9	0.005895	0.57	0.003
KY	H L Spurloc	6041	2	#####	508	5271.1	0.005914	0.57	0.003005
KY	H L Spurloc	6041	2	#####	493	5120.1	0.005982	0.576	0.002949
KY	H L Spurloc	6041	2	#####	500	5211.6	0.006014	0.577	0.003007
KY	H L Spurloc	6041	2	#####	510	5293.9	0.005979	0.576	0.003049
KY	H L Spurloc	6041	2	#####	523	5524.2	0.006042	0.572	0.00316
KY	H L Spurloc	6041	2	#####	514	5296.3	0.005935	0.576	0.003051
KY	H L Spurloc	6041	2	#####	518	5427.5	0.006203	0.592	0.003213
KY	H L Spurloc	6041	2	#####	513	5446.3	0.006296	0.593	0.00323
KY	H L Spurloc	6041	2	#####	509	5372.3	0.006259	0.593	0.003186
KY	H L Spurloc	6041	2	#####	504	5313.5	0.006252	0.593	0.003151
KY	H L Spurloc	6041	2	#####	506	5334.5	0.00621	0.589	0.003142
KY	H L Spurloc	6041	2	#####	504	5274.5	0.006227	0.595	0.003138
KY	H L Spurloc	6041	2	#####	510	5386.6	0.0062	0.587	0.003162
KY	H L Spurloc	6041	2	#####	508	5421.9	0.00634	0.594	0.003221
KY	H L Spurloc	6041	2	#####	515	5511.7	0.006411	0.599	0.003302
KY	H L Spurloc	6041	2	#####	499	5306.3	0.006263	0.589	0.003125
KY	H L Spurloc	6041	2	#####	514	5398.2	0.006081	0.579	0.003126
KY	H L Spurloc	6041	2	#####	510	5355.6	0.006017	0.573	0.003069
KY	H L Spurloc	6041	2	#####	515	5407.2	0.006027	0.574	0.003104
KY	H L Spurloc	6041	2	#####	533	5621.4	0.006054	0.574	0.003227
KY	H L Spurloc	6041	2	#####	509	5296.3	0.005993	0.576	0.003051
KY	H L Spurloc	6041	2	#####	515	5326.5	0.00754	0.729	0.003883
KY	H L Spurloc	6041	2	#####	515	5388.1	0.007512	0.718	0.003869
KY	H L Spurloc	6041	2	#####	490	5053.5	0.007487	0.726	0.003669
KY	H L Spurloc	6041	2	#####	507	5268.6	0.007492	0.721	0.003799
KY	H L Spurloc	6041	2	#####	508	5266.8	0.007465	0.72	0.003792
KY	H L Spurloc	6041	2	#####	509	5260	0.007451	0.721	0.003792
KY	H L Spurloc	6041	2	#####	507	5152.7	0.007338	0.722	0.00372
KY	H L Spurloc	6041	2	#####	504	5198.1	0.007446	0.722	0.003753
KY	H L Spurloc	6041	2	#####	497	5115.7	0.007432	0.722	0.003694

KY	H L Spurloc	6041	2	#####	509	5251.7	0.007449	0.722	0.003792
KY	H L Spurloc	6041	2	#####	511	5264.1	0.007438	0.722	0.003801
KY	H L Spurloc	6041	2	#####	499	5139.2	0.007436	0.722	0.003711
KY	H L Spurloc	6041	2	#####	511	5245.1	0.007411	0.722	0.003787
KY	H L Spurloc	6041	2	#####	508	5266.1	0.007505	0.724	0.003813
KY	H L Spurloc	6041	2	#####	509	5282.8	0.007493	0.722	0.003814
KY	H L Spurloc	6041	2	#####	509	5227.5	0.007425	0.723	0.003779
KY	H L Spurloc	6041	2	#####	508	5299	0.007677	0.736	0.0039
KY	H L Spurloc	6041	2	#####	505	5308.7	0.0078	0.742	0.003939
KY	H L Spurloc	6041	2	#####	519	5436.7	0.007836	0.748	0.004067
KY	H L Spurloc	6041	2	#####	519	5391.9	0.007729	0.744	0.004012
KY	H L Spurloc	6041	2	#####	508	5244.7	0.007454	0.722	0.003787
KY	H L Spurloc	6041	2	#####	521	5384.9	0.007431	0.719	0.003872
KY	H L Spurloc	6041	2	#####	498	5137	0.007448	0.722	0.003709
KY	H L Spurloc	6041	2	#####	502	5184.3	0.007436	0.72	0.003733
KY	H L Spurloc	6041	2	#####	506	5267.1	0.007516	0.722	0.003803
KY	H L Spurloc	6041	2	#####	498	5103.9	0.00743	0.725	0.0037
KY	H L Spurloc	6041	2	#####	506	5278.1	0.007531	0.722	0.003811
KY	H L Spurloc	6041	2	#####	508	5271.2	0.007471	0.72	0.003795
KY	H L Spurloc	6041	2	#####	510	5246.8	0.007479	0.727	0.003814
KY	H L Spurloc	6041	2	#####	520	5383.8	0.007454	0.72	0.003876
KY	H L Spurloc	6041	2	#####	506	5198.2	0.007448	0.725	0.003769
KY	H L Spurloc	6041	2	#####	502	5079.2	0.007346	0.726	0.003687
KY	H L Spurloc	6041	2	#####	511	5209.4	0.00735	0.721	0.003756
KY	H L Spurloc	6041	2	#####	516	5373.6	0.007508	0.721	0.003874
KY	H L Spurloc	6041	2	#####	492	5030.8	0.007495	0.733	0.003688
KY	H L Spurloc	6041	2	#####	504	5230.2	0.007503	0.723	0.003781
KY	H L Spurloc	6041	2	#####	480	4880.2	0.007412	0.729	0.003558
KY	H L Spurloc	6041	2	#####	490	5120.4	0.007545	0.722	0.003697
KY	H L Spurloc	6041	2	#####	493	5163.4	0.007719	0.737	0.003805
KY	H L Spurloc	6041	2	#####	513	5339.9	0.007557	0.726	0.003877
KY	H L Spurloc	6041	2	#####	437	4461.2	0.007697	0.754	0.003364
KY	H L Spurloc	6041	2	#####	497	5166.3	0.007568	0.728	0.003761
KY	H L Spurloc	6041	2	#####	500	5140.9	0.007506	0.73	0.003753
KY	H L Spurloc	6041	2	#####	505	5201.5	0.007468	0.725	0.003771
KY	H L Spurloc	6041	2	#####	491	5078.1	0.007498	0.725	0.003682
KY	H L Spurloc	6041	2	#####	503	5216.7	0.007488	0.722	0.003766
KY	H L Spurloc	6041	2	#####	523	5486	0.007563	0.721	0.003955
KY	H L Spurloc	6041	2	#####	509	5316.4	0.007499	0.718	0.003817
KY	H L Spurloc	6041	2	#####	507	5288.5	0.007542	0.723	0.003824
KY	H L Spurloc	6041	2	#####	507	5255.3	0.007391	0.713	0.003747
KY	H L Spurloc	6041	2	#####	506	5230.7	0.007371	0.713	0.003729
KY	H L Spurloc	6041	2	#####	506	5226.7	0.007355	0.712	0.003721
KY	H L Spurloc	6041	2	#####	507	5229.1	0.007385	0.716	0.003744
KY	H L Spurloc	6041	2	#####	530	5541.3	0.007402	0.708	0.003923
KY	H L Spurloc	6041	2	#####	506	5228.7	0.007399	0.716	0.003744
KY	H L Spurloc	6041	2	#####	510	5258.2	0.007454	0.723	0.003802

KY	H L Spurloc	6041	2	#####	502	5143.4	0.007387	0.721	0.003708
KY	H L Spurloc	6041	2	#####	497	5109.5	0.007412	0.721	0.003684
KY	H L Spurloc	6041	2	#####	503	5102.4	0.007324	0.722	0.003684
KY	H L Spurloc	6041	2	#####	495	5062.8	0.007374	0.721	0.00365
KY	H L Spurloc	6041	2	#####	482	4960	0.007409	0.72	0.003571
KY	H L Spurloc	6041	2	#####	473	4866.2	0.007469	0.726	0.003533
KY	H L Spurloc	6041	2	#####	359	3570.7	0.007519	0.756	0.002699
KY	H L Spurloc	6041	2	#####	314	3104.4	0.007593	0.768	0.002384
KY	H L Spurloc	6041	2	#####	314	3112.5	0.007613	0.768	0.00239
KY	H L Spurloc	6041	2	#####	333	3319.4	0.007626	0.765	0.002539
KY	H L Spurloc	6041	2	#####	434	4523	0.007577	0.727	0.003288
KY	H L Spurloc	6041	2	#####	505	5249.5	0.007464	0.718	0.003769
KY	H L Spurloc	6041	2	#####	509	5325.8	0.00746	0.713	0.003797
KY	H L Spurloc	6041	2	#####	513	5320	0.007394	0.713	0.003793
KY	H L Spurloc	6041	2	#####	516	5370.8	0.007421	0.713	0.003829
KY	H L Spurloc	6041	2	#####	508	5262	0.007385	0.713	0.003752
KY	H L Spurloc	6041	2	#####	509	5293.7	0.007353	0.707	0.003743
KY	H L Spurloc	6041	2	#####	508	5192.3	0.007277	0.712	0.003697
KY	H L Spurloc	6041	2	#####	514	5219.9	0.007241	0.713	0.003722
KY	H L Spurloc	6041	2	#####	508	5128	0.007197	0.713	0.003656
KY	H L Spurloc	6041	2	#####	507	5160.2	0.007257	0.713	0.003679
KY	H L Spurloc	6041	2	#####	507	5297.3	0.007345	0.703	0.003724
KY	H L Spurloc	6041	2	#####	496	5168.5	0.007336	0.704	0.003639
KY	H L Spurloc	6041	2	#####	513	5370.6	0.007381	0.705	0.003786
KY	H L Spurloc	6041	2	#####	508	5348.1	0.00739	0.702	0.003754
KY	H L Spurloc	6041	2	#####	518	5468.7	0.007401	0.701	0.003834
KY	H L Spurloc	6041	2	#####	508	5317.6	0.007401	0.707	0.00376
KY	H L Spurloc	6041	2	#####	453	4684.6	0.007456	0.721	0.003378
KY	H L Spurloc	6041	2	#####	499	5263.3	0.007489	0.71	0.003737
KY	H L Spurloc	6041	2	#####	500	5236.3	0.007425	0.709	0.003713
KY	H L Spurloc	6041	2	#####	500	5123.8	0.007266	0.709	0.003633
KY	H L Spurloc	6041	2	#####	427	4309.8	0.007358	0.729	0.003142
KY	H L Spurloc	6041	2	#####	410	4191.1	0.007493	0.733	0.003072
KY	H L Spurloc	6041	2	#####	324	3335.4	0.007762	0.754	0.002515
KY	H L Spurloc	6041	2	#####	476	5118.1	0.007623	0.709	0.003629
KY	H L Spurloc	6041	2	#####	505	5361.8	0.007538	0.71	0.003807
KY	H L Spurloc	6041	2	#####	505	5345.3	0.007441	0.703	0.003758
KY	H L Spurloc	6041	2	#####	504	5304.6	0.007441	0.707	0.00375
KY	H L Spurloc	6041	2	#####	493	5108.3	0.007346	0.709	0.003622
KY	H L Spurloc	6041	2	#####	495	5232	0.007494	0.709	0.003709
KY	H L Spurloc	6041	2	#####	361	3672.8	0.007661	0.753	0.002766
KY	H L Spurloc	6041	2	#####	502	5319.5	0.007534	0.711	0.003782
KY	H L Spurloc	6041	2	#####	509	5356.5	0.007514	0.714	0.003825
KY	H L Spurloc	6041	2	#####	506	5311.4	0.007484	0.713	0.003787
KY	H L Spurloc	6041	2	#####	508	5376.8	0.007547	0.713	0.003834
KY	H L Spurloc	6041	2	#####	508	5333.6	0.007486	0.713	0.003803
KY	H L Spurloc	6041	2	#####	508	5366.1	0.007521	0.712	0.003821

KY	H L Spurloc	6041	2	#####	511	5365	0.007507	0.715	0.003836
KY	H L Spurloc	6041	2	#####	509	5355.1	0.007522	0.715	0.003829
KY	H L Spurloc	6041	2	#####	506	5303.6	0.007484	0.714	0.003787
KY	H L Spurloc	6041	2	#####	395	4051.3	0.0076	0.741	0.003002
KY	H L Spurloc	6041	2	#####	313	3166.8	0.00775	0.766	0.002426
KY	H L Spurloc	6041	2	#####	310	3187.1	0.007875	0.766	0.002441
KY	H L Spurloc	6041	2	#####	310	3160.8	0.007994	0.784	0.002478
KY	H L Spurloc	6041	2	#####	309	3180.2	0.008079	0.785	0.002496
KY	H L Spurloc	6041	2	#####	310	3179.3	0.007907	0.771	0.002451
KY	H L Spurloc	6041	2	#####	310	3118.5	0.007756	0.771	0.002404
KY	H L Spurloc	6041	2	#####	299	3062.7	0.007908	0.772	0.002364
KY	H L Spurloc	6041	2	#####	413	4365.1	0.007726	0.731	0.003191
KY	H L Spurloc	6041	2	#####	505	5400.6	0.007646	0.715	0.003861
KY	H L Spurloc	6041	2	#####	508	5350.8	0.00751	0.713	0.003815
KY	H L Spurloc	6041	2	#####	508	5304	0.007444	0.713	0.003782
KY	H L Spurloc	6041	2	#####	508	5287.3	0.007431	0.714	0.003775
KY	H L Spurloc	6041	2	#####	505	5265.9	0.007424	0.712	0.003749
KY	H L Spurloc	6041	2	#####	492	5135.6	0.007484	0.717	0.003682
KY	H L Spurloc	6041	2	#####	461	4817.4	0.007545	0.722	0.003478
KY	H L Spurloc	6041	2	#####	443	4591.1	0.007555	0.729	0.003347
KY	H L Spurloc	6041	2	#####	342	3444.1	0.007704	0.765	0.002635
KY	H L Spurloc	6041	2	#####	337	3422.7	0.00781	0.769	0.002632
KY	H L Spurloc	6041	2	#####	342	3453	0.007724	0.765	0.002642
KY	H L Spurloc	6041	2	#####	315	3189	0.007816	0.772	0.002462
KY	H L Spurloc	6041	2	#####	497	5261.3	0.007611	0.719	0.003783
KY	H L Spurloc	6041	2	#####	508	5370.8	0.007559	0.715	0.00384
KY	H L Spurloc	6041	2	#####	515	5327.3	0.007375	0.713	0.003798
KY	H L Spurloc	6041	2	#####	513	5496.7	0.007618	0.711	0.003908
KY	H L Spurloc	6041	2	#####	498	5263.5	0.007578	0.717	0.003774
KY	H L Spurloc	6041	2	#####	368	3754	0.007671	0.752	0.002823
KY	H L Spurloc	6041	2	#####	462	4612.3	0.007258	0.727	0.003353
KY	H L Spurloc	6041	2	#####	492	5187.4	0.007539	0.715	0.003709
KY	H L Spurloc	6041	2	#####	508	5342.5	0.007456	0.709	0.003788
KY	H L Spurloc	6041	2	#####	430	4423.5	0.007479	0.727	0.003216
KY	H L Spurloc	6041	2	#####	473	4858.5	0.007447	0.725	0.003522
KY	H L Spurloc	6041	2	#####	492	4988.5	0.007239	0.714	0.003562
KY	H L Spurloc	6041	2	#####	497	4909.4	0.007092	0.718	0.003525
KY	H L Spurloc	6041	2	#####	504	5062.9	0.007203	0.717	0.00363
KY	H L Spurloc	6041	2	#####	505	5171.9	0.007333	0.716	0.003703
KY	H L Spurloc	6041	2	#####	505	5154.6	0.007237	0.709	0.003655
KY	H L Spurloc	6041	2	#####	506	5199.8	0.007348	0.715	0.003718
KY	H L Spurloc	6041	2	#####	507	5228.8	0.007374	0.715	0.003739
KY	H L Spurloc	6041	2	#####	507	5256.6	0.007351	0.709	0.003727
KY	H L Spurloc	6041	2	#####	508	5260.8	0.007394	0.714	0.003756
KY	H L Spurloc	6041	2	#####	499	5181.1	0.007403	0.713	0.003694
KY	H L Spurloc	6041	2	#####	505	5260.6	0.007448	0.715	0.003761
KY	H L Spurloc	6041	2	#####	499	5188.3	0.007434	0.715	0.00371

KY	H L Spurloc	6041	2	#####	507	5231.1	0.007398	0.717	0.003751
KY	H L Spurloc	6041	2	#####	507	5231	0.007377	0.715	0.00374
KY	H L Spurloc	6041	2	#####	509	5346.8	0.007511	0.715	0.003823
KY	H L Spurloc	6041	2	#####	509	5288.2	0.00746	0.718	0.003797
KY	H L Spurloc	6041	2	#####	494	5136.5	0.007497	0.721	0.003703
KY	H L Spurloc	6041	2	#####	500	5174.2	0.007461	0.721	0.003731
KY	H L Spurloc	6041	2	#####	509	5253.6	0.007442	0.721	0.003788
KY	H L Spurloc	6041	2	#####	508	5231.7	0.007415	0.72	0.003767
KY	H L Spurloc	6041	2	#####	502	5196.7	0.007443	0.719	0.003736
KY	H L Spurloc	6041	2	#####	498	5143	0.007415	0.718	0.003693
KY	H L Spurloc	6041	2	#####	502	5151	0.007367	0.718	0.003698
KY	H L Spurloc	6041	2	#####	511	5182.2	0.007281	0.718	0.003721
KY	H L Spurloc	6041	2	#####	496	5182.2	0.007491	0.717	0.003716
KY	H L Spurloc	6041	2	#####	509	5175.6	0.007341	0.722	0.003737
KY	H L Spurloc	6041	2	#####	540	5574.4	0.007433	0.72	0.004014
KY	H L Spurloc	6041	2	#####	549	5716.2	0.006258	0.601	0.003435
KY	H L Spurloc	6041	2	#####	549	5703	0.006233	0.6	0.003422
KY	H L Spurloc	6041	2	#####	526	5459	0.006393	0.616	0.003363
KY	H L Spurloc	6041	2	#####	534	5594.2	0.006715	0.641	0.003586
KY	H L Spurloc	6041	2	#####	508	5234.8	0.006523	0.633	0.003314
KY	H L Spurloc	6041	2	#####	520	5413.3	0.0066	0.634	0.003432
KY	H L Spurloc	6041	2	#####	517	5380.8	0.006484	0.623	0.003352
KY	H L Spurloc	6041	2	#####	538	5674.8	0.006698	0.635	0.003603
KY	H L Spurloc	6041	2	#####	521	5415.3	0.006538	0.629	0.003406
KY	H L Spurloc	6041	2	#####	508	5109.5	0.006095	0.606	0.003096
KY	H L Spurloc	6041	2	#####	508	5166.6	0.006123	0.602	0.00311
KY	H L Spurloc	6041	2	#####	508	5163.7	0.006129	0.603	0.003114
KY	H L Spurloc	6041	2	#####	511	5244.4	0.006168	0.601	0.003152
KY	H L Spurloc	6041	2	#####	325	3244.1	0.006458	0.647	0.002099
KY	H L Spurloc	6041	2	#####	291	2866.4	0.006472	0.657	0.001883
KY	H L Spurloc	6041	2	#####	290	2886	0.006578	0.661	0.001908
KY	H L Spurloc	6041	2	#####	290	2894.8	0.006568	0.658	0.001905
KY	H L Spurloc	6041	2	#####	290	2910.5	0.006624	0.66	0.001921
KY	H L Spurloc	6041	2	#####	290	2889.3	0.006586	0.661	0.00191
KY	H L Spurloc	6041	2	#####	290	2881.7	0.006548	0.659	0.001899
KY	H L Spurloc	6041	2	#####	290	2894	0.006576	0.659	0.001907
KY	H L Spurloc	6041	2	#####	350	3546.8	0.006384	0.63	0.002234
KY	H L Spurloc	6041	2	#####	493	5046.1	0.006244	0.61	0.003078
KY	H L Spurloc	6041	2	#####	513	5238.2	0.006167	0.604	0.003164
KY	H L Spurloc	6041	2	#####	514	5236.5	0.006184	0.607	0.003179
KY	H L Spurloc	6041	2	#####	510	5215.5	0.006146	0.601	0.003135
KY	H L Spurloc	6041	2	#####	522	5308.6	0.006122	0.602	0.003196
KY	H L Spurloc	6041	2	#####	508	5160.3	0.006135	0.604	0.003117
KY	H L Spurloc	6041	2	#####	511	5233.1	0.006124	0.598	0.003129
KY	H L Spurloc	6041	2	#####	508	5183.4	0.006153	0.603	0.003126
KY	H L Spurloc	6041	2	#####	508	5204.3	0.006167	0.602	0.003133
KY	H L Spurloc	6041	2	#####	510	5156.5	0.006127	0.606	0.003125

KY	H L Spurloc	6041	2	#####	513	5353	0.006261	0.6	0.003212
KY	H L Spurloc	6041	2	#####	512	5337.3	0.006296	0.604	0.003224
KY	H L Spurloc	6041	2	#####	516	5373.5	0.006227	0.598	0.003213
KY	H L Spurloc	6041	2	#####	504	5200.6	0.006232	0.604	0.003141
KY	H L Spurloc	6041	2	#####	522	5415.2	0.006266	0.604	0.003271
KY	H L Spurloc	6041	2	#####	502	5118.6	0.006189	0.607	0.003107
KY	H L Spurloc	6041	2	#####	502	5108.7	0.006187	0.608	0.003106
KY	H L Spurloc	6041	2	#####	506	4959.8	0.00594	0.606	0.003006
KY	H L Spurloc	6041	2	#####	505	5113.9	0.006177	0.61	0.003119
KY	H L Spurloc	6041	2	#####	506	5248.2	0.006451	0.622	0.003264
KY	H L Spurloc	6041	2	#####	512	5249.1	0.006274	0.612	0.003212
KY	H L Spurloc	6041	2	#####	524	5370.8	0.00617	0.602	0.003233
KY	H L Spurloc	6041	2	#####	506	5120.7	0.006153	0.608	0.003113
KY	H L Spurloc	6041	2	#####	507	5103.5	0.00611	0.607	0.003098
KY	H L Spurloc	6041	2	#####	488	4857.8	0.006032	0.606	0.002944
KY	H L Spurloc	6041	2	#####	506	5050.7	0.006009	0.602	0.003041
KY	H L Spurloc	6041	2	#####	506	5076.6	0.00608	0.606	0.003076
KY	H L Spurloc	6041	2	#####	507	5180.5	0.006141	0.601	0.003113
KY	H L Spurloc	6041	2	#####	505	5114.2	0.006127	0.605	0.003094
KY	H L Spurloc	6041	2	#####	509	5182.8	0.00616	0.605	0.003136
KY	H L Spurloc	6041	2	#####	508	5129.7	0.006099	0.604	0.003098
KY	H L Spurloc	6041	2	#####	509	5184.4	0.006162	0.605	0.003137
KY	H L Spurloc	6041	2	#####	508	5198.3	0.006191	0.605	0.003145
KY	H L Spurloc	6041	2	#####	506	5178.2	0.006181	0.604	0.003128
KY	H L Spurloc	6041	2	#####	504	5194.2	0.006225	0.604	0.003137
KY	H L Spurloc	6041	2	#####	507	5235.9	0.006217	0.602	0.003152
KY	H L Spurloc	6041	2	#####	506	5211.7	0.006231	0.605	0.003153
KY	H L Spurloc	6041	2	#####	507	5288.9	0.006259	0.6	0.003173
KY	H L Spurloc	6041	2	#####	512	5335.8	0.006295	0.604	0.003223
KY	H L Spurloc	6041	2	#####	496	5121.3	0.006319	0.612	0.003134
KY	H L Spurloc	6041	2	#####	502	5211.9	0.006271	0.604	0.003148
KY	H L Spurloc	6041	2	#####	493	5068.5	0.006251	0.608	0.003082
KY	H L Spurloc	6041	2	#####	462	4793.8	0.006329	0.61	0.002924
KY	H L Spurloc	6041	2	#####	419	4300.8	0.006364	0.62	0.002666
KY	H L Spurloc	6041	2	#####	359	3619	0.006391	0.634	0.002294
KY	H L Spurloc	6041	2	#####	446	4620.8	0.006392	0.617	0.002851
KY	H L Spurloc	6041	2	#####	505	5311.3	0.006353	0.604	0.003208
KY	H L Spurloc	6041	2	#####	510	5319.2	0.0063	0.604	0.003213
KY	H L Spurloc	6041	2	#####	511	5284	0.006256	0.605	0.003197
KY	H L Spurloc	6041	2	#####	514	5345.7	0.00623	0.599	0.003202
KY	H L Spurloc	6041	2	#####	524	5474.2	0.0063	0.603	0.003301
KY	H L Spurloc	6041	2	#####	512	5309.3	0.006263	0.604	0.003207
KY	H L Spurloc	6041	2	#####	519	5363	0.006241	0.604	0.003239
KY	H L Spurloc	6041	2	#####	513	5286.1	0.006234	0.605	0.003198
KY	H L Spurloc	6041	2	#####	518	5247.8	0.006139	0.606	0.00318
KY	H L Spurloc	6041	2	#####	514	5289.4	0.006226	0.605	0.0032
KY	H L Spurloc	6041	2	#####	512	5287	0.006247	0.605	0.003199

KY	H L Spurloc	6041	2	#####	521	5422.2	0.006296	0.605	0.00328
KY	H L Spurloc	6041	2	#####	504	5166.6	0.006202	0.605	0.003126
KY	H L Spurloc	6041	2	#####	499	5113.7	0.00621	0.606	0.003099
KY	H L Spurloc	6041	2	#####	510	5204.5	0.006184	0.606	0.003154
KY	H L Spurloc	6041	2	#####	526	5526.8	0.006315	0.601	0.003322
KY	H L Spurloc	6041	2	#####	514	5334	0.006278	0.605	0.003227
KY	H L Spurloc	6041	2	#####	512	5306.9	0.006302	0.608	0.003227
KY	H L Spurloc	6041	2	#####	338	3357.9	0.006388	0.643	0.002159
KY	H L Spurloc	6041	2	#####	290	2896.8	0.006543	0.655	0.001897
KY	H L Spurloc	6041	2	#####	290	2891.9	0.006572	0.659	0.001906
KY	H L Spurloc	6041	2	#####	290	2914.9	0.006654	0.662	0.00193
KY	H L Spurloc	6041	2	#####	290	2930.4	0.0067	0.663	0.001943
KY	H L Spurloc	6041	2	#####	290	2950.4	0.006694	0.658	0.001941
KY	H L Spurloc	6041	2	#####	290	2945.4	0.006683	0.658	0.001938
KY	H L Spurloc	6041	2	#####	356	3686.1	0.006502	0.628	0.002315
KY	H L Spurloc	6041	2	#####	500	5222.4	0.006298	0.603	0.003149
KY	H L Spurloc	6041	2	#####	504	5209.2	0.006232	0.603	0.003141
KY	H L Spurloc	6041	2	#####	505	5236.7	0.006232	0.601	0.003147
KY	H L Spurloc	6041	2	#####	508	5246.2	0.006238	0.604	0.003169
KY	H L Spurloc	6041	2	#####	497	5069.4	0.006191	0.607	0.003077
KY	H L Spurloc	6041	2	#####	503	5159.9	0.006175	0.602	0.003106
KY	H L Spurloc	6041	2	#####	506	5168.3	0.006149	0.602	0.003111
KY	H L Spurloc	6041	2	#####	502	5109.3	0.006137	0.603	0.003081
KY	H L Spurloc	6041	2	#####	511	5198.5	0.006145	0.604	0.00314
KY	H L Spurloc	6041	2	#####	510	5239.7	0.006195	0.603	0.00316
KY	H L Spurloc	6041	2	#####	511	5231.7	0.006153	0.601	0.003144
KY	H L Spurloc	6041	2	#####	511	5220.9	0.00613	0.6	0.003133
KY	H L Spurloc	6041	2	#####	511	5119.4	0.006021	0.601	0.003077
KY	H L Spurloc	6041	2	#####	512	5175.4	0.006075	0.601	0.00311
KY	H L Spurloc	6041	2	#####	496	5080.2	0.006166	0.602	0.003058
KY	H L Spurloc	6041	2	#####	506	5066.7	0.006098	0.609	0.003086
KY	H L Spurloc	6041	2	#####	505	4930.8	0.005956	0.61	0.003008
KY	H L Spurloc	6041	2	#####	419	3901.4	0.005885	0.632	0.002466
KY	H L Spurloc	6041	2	#####	149	1236.665	0.01035	1.06	0.001311
KY	H L Spurloc	6041	2	#####	0	0.2		1.63	3.26E-07
KY	H L Spurloc	6041	2	#####	0	149		1.64	0.000244
KY	H L Spurloc	6041	2	#####	0	170			
KY	H L Spurloc	6041	2	#####	0	207.9		1.63	0.000339
KY	H L Spurloc	6041	2	#####	0	250		1.63	0.000408
KY	H L Spurloc	6041	2	#####	0	233.6		1.62	0.000378
KY	H L Spurloc	6041	2	#####	14	321.728	0.123259	4.72	0.001519
KY	H L Spurloc	6041	2	#####	102	1164.6	0.016441	1.44	0.001677
KY	H L Spurloc	6041	2	#####	234	2296.4	0.0074	0.754	0.001731
KY	H L Spurloc	6041	2	#####	331	3153.6	0.006221	0.653	0.002059
KY	H L Spurloc	6041	2	#####	402	3863.4	0.006016	0.626	0.002418
KY	H L Spurloc	6041	2	#####	415	3992.4	0.006051	0.629	0.002511
KY	H L Spurloc	6041	2	#####	410	3914.3	0.005967	0.625	0.002446

KY	H L Spurloc	6041	2	#####	465	4479.6	0.005905	0.613	0.002746
KY	H L Spurloc	6041	2	#####	543	5454.4	0.005987	0.596	0.003251
KY	H L Spurloc	6041	2	#####	536	5604.8	0.006201	0.593	0.003324
KY	H L Spurloc	6041	2	#####	451	4657.1	0.006299	0.61	0.002841
KY	H L Spurloc	6041	2	#####	295	2921.4	0.006397	0.646	0.001887
KY	H L Spurloc	6041	2	#####	296	2958.4	0.006536	0.654	0.001935
KY	H L Spurloc	6041	2	#####	302	3008.2	0.006475	0.65	0.001955
KY	H L Spurloc	6041	2	#####	369	3739.1	0.006364	0.628	0.002348
KY	H L Spurloc	6041	2	#####	514	5417.4	0.006355	0.603	0.003267
KY	H L Spurloc	6041	2	#####	511	5369.4	0.006221	0.592	0.003179
KY	H L Spurloc	6041	2	#####	519	5424.5	0.006208	0.594	0.003222
KY	H L Spurloc	6041	2	#####	516	5392.6	0.006197	0.593	0.003198
KY	H L Spurloc	6041	2	#####	514	5342.7	0.006216	0.598	0.003195
KY	H L Spurloc	6041	2	#####	516	5279.6	0.006119	0.598	0.003157
KY	H L Spurloc	6041	2	#####	523	5396.4	0.00617	0.598	0.003227
KY	H L Spurloc	6041	2	#####	542	5674.2	0.00626	0.598	0.003393
KY	H L Spurloc	6041	2	#####	521	5393.6	0.006191	0.598	0.003225
KY	H L Spurloc	6041	2	#####	521	5394.6	0.006192	0.598	0.003226
KY	H L Spurloc	6041	2	#####	509	5261.5	0.006181	0.598	0.003146
KY	H L Spurloc	6041	2	#####	509	5247	0.006164	0.598	0.003138
KY	H L Spurloc	6041	2	#####	508	5263.2	0.006227	0.601	0.003163
KY	H L Spurloc	6041	2	#####	511	5356.5	0.006248	0.596	0.003192
KY	H L Spurloc	6041	2	#####	497	5168.1	0.006302	0.606	0.003132
KY	H L Spurloc	6041	2	#####	477	4889.3	0.006273	0.612	0.002992
KY	H L Spurloc	6041	2	#####	511	5361.8	0.006317	0.602	0.003228
KY	H L Spurloc	6041	2	#####	515	5104.7	0.005957	0.601	0.003068
KY	H L Spurloc	6041	2	#####	509	5331.6	0.006264	0.598	0.003188
KY	H L Spurloc	6041	2	#####	508	5284.6	0.006242	0.6	0.003171
KY	H L Spurloc	6041	2	#####	512	5374.7	0.006309	0.601	0.00323
KY	H L Spurloc	6041	2	#####	514	5105.2	0.005562	0.56	0.002859
KY	H L Spurloc	6041	2	#####	506	5105.2	0.005568	0.563	0.002874
KY	H L Spurloc	6041	2	#####	511	5177.9	0.005928	0.585	0.003029
KY	H L Spurloc	6041	2	#####	512	5195.1	0.005702	0.562	0.00292
KY	H L Spurloc	6041	2	#####	516	5287	0.005717	0.558	0.00295
KY	H L Spurloc	6041	2	#####	515	5205.1	0.005568	0.562	0.002925
KY	H L Spurloc	6041	2	#####	512	5189.2	0.005696	0.562	0.002916
KY	H L Spurloc	6041	2	#####	512	5211	0.00572	0.562	0.002929
KY	H L Spurloc	6041	2	#####	511	5196.4	0.005674	0.558	0.0029
KY	H L Spurloc	6041	2	#####	512	5187.1	0.005643	0.557	0.002889
KY	H L Spurloc	6041	2	#####	520	5305.1	0.005683	0.557	0.002955
KY	H L Spurloc	6041	2	#####	533	5416.9	0.005661	0.557	0.003017
KY	H L Spurloc	6041	2	#####	526	5354.2	0.005567	0.557	0.002982
KY	H L Spurloc	6041	2	#####	520	5254	0.005648	0.559	0.002937
KY	H L Spurloc	6041	2	#####	504	4962.6	0.005504	0.559	0.002774
KY	H L Spurloc	6041	2	#####	500	4937.6	0.0055	0.557	0.00275
KY	H L Spurloc	6041	2	#####	510	5080.2	0.005509	0.553	0.002809
KY	H L Spurloc	6041	2	#####	470	4577.5	0.005493	0.564	0.002582

KY	H L Spurloc	6041	2	#####	450	4325.5	0.005431	0.565	0.002444
KY	H L Spurloc	6041	2	#####	465	4521.1	0.005513	0.567	0.002563
KY	H L Spurloc	6041	2	#####	499	4920.2	0.005502	0.558	0.002745
KY	H L Spurloc	6041	2	#####	511	5083.3	0.005511	0.554	0.002816
KY	H L Spurloc	6041	2	#####	498	4798.5	0.005396	0.56	0.002687
KY	H L Spurloc	6041	2	#####	508	4946.2	0.005414	0.556	0.00275
KY	H L Spurloc	6041	2	#####	500	4767.1	0.005349	0.561	0.002674
KY	H L Spurloc	6041	2	#####	510	4948	0.005394	0.556	0.002751
KY	H L Spurloc	6041	2	#####	510	4924.3	0.005368	0.556	0.002738
KY	H L Spurloc	6041	2	#####	510	4965.6	0.005413	0.556	0.002761
KY	H L Spurloc	6041	2	#####	510	4985.9	0.005436	0.556	0.002772
KY	H L Spurloc	6041	2	#####	510	5002.2	0.005453	0.556	0.002781
KY	H L Spurloc	6041	2	#####	510	5051.1	0.005497	0.555	0.002803
KY	H L Spurloc	6041	2	#####	510	5060	0.005546	0.559	0.002829
KY	H L Spurloc	6041	2	#####	510	5137.6	0.005561	0.552	0.002836
KY	H L Spurloc	6041	2	#####	502	5043.8	0.005586	0.556	0.002804
KY	H L Spurloc	6041	2	#####	502	5057.6	0.005622	0.558	0.002822
KY	H L Spurloc	6041	2	#####	511	5141.2	0.005614	0.558	0.002869
KY	H L Spurloc	6041	2	#####	515	5188.4	0.005601	0.556	0.002885
KY	H L Spurloc	6041	2	#####	506	5066.6	0.005617	0.561	0.002842
KY	H L Spurloc	6041	2	#####	513	5105.6	0.005534	0.556	0.002839
KY	H L Spurloc	6041	2	#####	502	4944.7	0.005477	0.556	0.002749
KY	H L Spurloc	6041	2	#####	490	4756.1	0.005455	0.562	0.002673
KY	H L Spurloc	6041	2	#####	496	4874.1	0.005503	0.56	0.002729
KY	H L Spurloc	6041	2	#####	507	4966.1	0.005446	0.556	0.002761
KY	H L Spurloc	6041	2	#####	505	4913.4	0.0054	0.555	0.002727
KY	H L Spurloc	6041	2	#####	493	5146.1	0.005856	0.561	0.002887
KY	H L Spurloc	6041	2	#####	540	5474.5	0.005556	0.548	0.003
KY	H L Spurloc	6041	2	#####	548	5793.5	0.006153	0.582	0.003372
KY	H L Spurloc	6041	2	#####	509	5234.1	0.005635	0.548	0.002868
KY	H L Spurloc	6041	2	#####	509	4883.2	0.005248	0.547	0.002671
KY	H L Spurloc	6041	2	#####	510	4864.2	0.005236	0.549	0.00267
KY	H L Spurloc	6041	2	#####	510	4901.7	0.005248	0.546	0.002676
KY	H L Spurloc	6041	2	#####	510	4894.6	0.005317	0.554	0.002712
KY	H L Spurloc	6041	2	#####	510	4953.8	0.005352	0.551	0.00273
KY	H L Spurloc	6041	2	#####	509	4978	0.005408	0.553	0.002753
KY	H L Spurloc	6041	2	#####	510	5010.9	0.005463	0.556	0.002786
KY	H L Spurloc	6041	2	#####	509	5037.6	0.005542	0.56	0.002821
KY	H L Spurloc	6041	2	#####	509	5080	0.005539	0.555	0.002819
KY	H L Spurloc	6041	2	#####	511	5092.3	0.005541	0.556	0.002831
KY	H L Spurloc	6041	2	#####	510	5106.1	0.005557	0.555	0.002834
KY	H L Spurloc	6041	2	#####	513	5131.2	0.005521	0.552	0.002832
KY	H L Spurloc	6041	2	#####	506	4990.5	0.005493	0.557	0.00278
KY	H L Spurloc	6041	2	#####	507	4981	0.005482	0.558	0.002779
KY	H L Spurloc	6041	2	#####	518	5126.5	0.005473	0.553	0.002835
KY	H L Spurloc	6041	2	#####	503	4927.2	0.005446	0.556	0.00274
KY	H L Spurloc	6041	2	#####	454	4379.2	0.005488	0.569	0.002492

KY	H L Spurloc	6041	2	#####	520	5126.9	0.005492	0.557	0.002856
KY	H L Spurloc	6041	2	#####	514	5009.6	0.005419	0.556	0.002785
KY	H L Spurloc	6041	2	#####	504	4892.2	0.005445	0.561	0.002745
KY	H L Spurloc	6041	2	#####	506	4942.5	0.00545	0.558	0.002758
KY	H L Spurloc	6041	2	#####	509	4953.8	0.005431	0.558	0.002764
KY	H L Spurloc	6041	2	#####	509	4900.7	0.005372	0.558	0.002735
KY	H L Spurloc	6041	2	#####	510	4935.2	0.005342	0.552	0.002724
KY	H L Spurloc	6041	2	#####	510	4919.1	0.005324	0.552	0.002715
KY	H L Spurloc	6041	2	#####	509	4901.2	0.005344	0.555	0.00272
KY	H L Spurloc	6041	2	#####	510	4912.5	0.005317	0.552	0.002712
KY	H L Spurloc	6041	2	#####	510	4971.8	0.005401	0.554	0.002754
KY	H L Spurloc	6041	2	#####	510	4986.5	0.005456	0.558	0.002782
KY	H L Spurloc	6041	2	#####	510	5041.4	0.005476	0.554	0.002793
KY	H L Spurloc	6041	2	#####	510	5141.4	0.005585	0.554	0.002848
KY	H L Spurloc	6041	2	#####	509	5147	0.005653	0.559	0.002877
KY	H L Spurloc	6041	2	#####	510	5114.1	0.005595	0.558	0.002854
KY	H L Spurloc	6041	2	#####	510	5089.1	0.005578	0.559	0.002845
KY	H L Spurloc	6041	2	#####	509	5109.9	0.005562	0.554	0.002831
KY	H L Spurloc	6041	2	#####	512	5126	0.005607	0.56	0.002871
KY	H L Spurloc	6041	2	#####	497	4935.3	0.005611	0.565	0.002788
KY	H L Spurloc	6041	2	#####	509	5097.9	0.005629	0.562	0.002865
KY	H L Spurloc	6041	2	#####	505	5086.4	0.00564	0.56	0.002848
KY	H L Spurloc	6041	2	#####	493	4948.8	0.005672	0.565	0.002796
KY	H L Spurloc	6041	2	#####	514	5206.2	0.005682	0.561	0.002921
KY	H L Spurloc	6041	2	#####	516	5233.8	0.00567	0.559	0.002926
KY	H L Spurloc	6041	2	#####	508	5133.6	0.005649	0.559	0.00287
KY	H L Spurloc	6041	2	#####	508	5092.9	0.005614	0.56	0.002852
KY	H L Spurloc	6041	2	#####	530	5265.3	0.005524	0.556	0.002928
KY	H L Spurloc	6041	2	#####	508	5110.7	0.005594	0.556	0.002842
KY	H L Spurloc	6041	2	#####	510	5101.8	0.005602	0.56	0.002857
KY	H L Spurloc	6041	2	#####	510	5047.1	0.005542	0.56	0.002826
KY	H L Spurloc	6041	2	#####	510	5037.3	0.005531	0.56	0.002821
KY	H L Spurloc	6041	2	#####	509	5063.4	0.005551	0.558	0.002825
KY	H L Spurloc	6041	2	#####	510	5091.7	0.005571	0.558	0.002841
KY	H L Spurloc	6041	2	#####	510	5154.4	0.00568	0.562	0.002897
KY	H L Spurloc	6041	2	#####	513	5168.8	0.005632	0.559	0.002889
KY	H L Spurloc	6041	2	#####	545	5532.6	0.005624	0.554	0.003065
KY	H L Spurloc	6041	2	#####	544	5407.5	0.005547	0.558	0.003017
KY	H L Spurloc	6041	2	#####	490	4803.2	0.005519	0.563	0.002704
KY	H L Spurloc	6041	2	#####	309	2877.4	0.005578	0.599	0.001724
KY	H L Spurloc	6041	2	#####	295	2766.7	0.005646	0.602	0.001666
KY	H L Spurloc	6041	2	#####	295	2801	0.005706	0.601	0.001683
KY	H L Spurloc	6041	2	#####	295	2806.9	0.005747	0.604	0.001695
KY	H L Spurloc	6041	2	#####	295	2785.3	0.005722	0.606	0.001688
KY	H L Spurloc	6041	2	#####	295	2809.6	0.005772	0.606	0.001703
KY	H L Spurloc	6041	2	#####	295	2773.3	0.005706	0.607	0.001683
KY	H L Spurloc	6041	2	#####	295	2807.2	0.005748	0.604	0.001696

KY	H L Spurloc	6041	2 #####	295	2813.4	0.005751	0.603	0.001696
KY	H L Spurloc	6041	2 #####	295	2812.5	0.005797	0.608	0.00171
KY	H L Spurloc	6041	2 #####	295	2806.7	0.005775	0.607	0.001704
KY	H L Spurloc	6041	2 #####	295	2850.1	0.005874	0.608	0.001733
KY	H L Spurloc	6041	2 #####	295	2848.3	0.00587	0.608	0.001732
KY	H L Spurloc	6041	2 #####	295	2832.4	0.005828	0.607	0.001719
KY	H L Spurloc	6041	2 #####	295	2828.9	0.005802	0.605	0.001711
KY	H L Spurloc	6041	2 #####	295	2815.5	0.005831	0.611	0.00172
KY	H L Spurloc	6041	2 #####	295	2837.9	0.00581	0.604	0.001714
KY	H L Spurloc	6041	2 #####	295	2878	0.005883	0.603	0.001735
KY	H L Spurloc	6041	2 #####	295	2865.2	0.005915	0.609	0.001745
KY	H L Spurloc	6041	2 #####	295	2852	0.005926	0.613	0.001748
KY	H L Spurloc	6041	2 #####	295	2842	0.005819	0.604	0.001717
KY	H L Spurloc	6041	2 #####	295	2804.3	0.00578	0.608	0.001705
KY	H L Spurloc	6041	2 #####	295	2811.2	0.005784	0.607	0.001706
KY	H L Spurloc	6041	2 #####	299	2828.4	0.005808	0.614	0.001737
KY	H L Spurloc	6041	2 #####	447	4402.6	0.005663	0.575	0.002531
KY	H L Spurloc	6041	2 #####	508	4984.6	0.005534	0.564	0.002811
KY	H L Spurloc	6041	2 #####	511	5025.9	0.005567	0.566	0.002845
KY	H L Spurloc	6041	2 #####	512	5045.9	0.005568	0.565	0.002851
KY	H L Spurloc	6041	2 #####	506	4984.5	0.005576	0.566	0.002821
KY	H L Spurloc	6041	2 #####	508	5010.4	0.005612	0.569	0.002851
KY	H L Spurloc	6041	2 #####	507	4962.3	0.00555	0.567	0.002814
KY	H L Spurloc	6041	2 #####	441	4263.1	0.005587	0.578	0.002464
KY	H L Spurloc	6041	2 5/1/2022	381	3620	0.005615	0.591	0.002139
KY	H L Spurloc	6041	2 5/1/2022	390	3729	0.00567	0.593	0.002211
KY	H L Spurloc	6041	2 5/1/2022	352	3333.3	0.005653	0.597	0.00199
KY	H L Spurloc	6041	2 5/1/2022	357	3380.6	0.005663	0.598	0.002022
KY	H L Spurloc	6041	2 5/1/2022	376	3667.3	0.005735	0.588	0.002156
KY	H L Spurloc	6041	2 5/1/2022	375	3645.6	0.005658	0.582	0.002122
KY	H L Spurloc	6041	2 5/1/2022	481	4764.8	0.005607	0.566	0.002697
KY	H L Spurloc	6041	2 5/1/2022	499	4871.7	0.005516	0.565	0.002753
KY	H L Spurloc	6041	2 5/1/2022	501	4902.9	0.005529	0.565	0.00277
KY	H L Spurloc	6041	2 5/1/2022	364	3431.4	0.0056	0.594	0.002038
KY	H L Spurloc	6041	2 5/1/2022	378	3582.6	0.005611	0.592	0.002121
KY	H L Spurloc	6041	2 5/1/2022	300	2816.6	0.005765	0.614	0.001729
KY	H L Spurloc	6041	2 5/1/2022	442	4327.1	0.005639	0.576	0.002492
KY	H L Spurloc	6041	2 5/1/2022	496	4914.3	0.005638	0.569	0.002796
KY	H L Spurloc	6041	2 5/1/2022	506	4996.1	0.005559	0.563	0.002813
KY	H L Spurloc	6041	2 5/1/2022	508	4989.7	0.00554	0.564	0.002814
KY	H L Spurloc	6041	2 5/1/2022	508	5003.5	0.005516	0.56	0.002802
KY	H L Spurloc	6041	2 5/1/2022	508	4973.1	0.005521	0.564	0.002805
KY	H L Spurloc	6041	2 5/1/2022	499	4877.1	0.005532	0.566	0.00276
KY	H L Spurloc	6041	2 5/1/2022	509	4993.3	0.005503	0.561	0.002801
KY	H L Spurloc	6041	2 5/1/2022	523	5183	0.005599	0.565	0.002928
KY	H L Spurloc	6041	2 5/1/2022	513	5044.5	0.005576	0.567	0.00286
KY	H L Spurloc	6041	2 5/1/2022	508	4999.3	0.005531	0.562	0.00281

KY	H L Spurloc	6041	2	5/1/2022	416	3968.9	0.005553	0.582	0.00231
KY	H L Spurloc	6041	2	5/2/2022	301	2806.3	0.00565	0.606	0.001701
KY	H L Spurloc	6041	2	5/2/2022	298	2776.4	0.005721	0.614	0.001705
KY	H L Spurloc	6041	2	5/2/2022	296	2763.7	0.005751	0.616	0.001702
KY	H L Spurloc	6041	2	5/2/2022	293	2714.6	0.005716	0.617	0.001675
KY	H L Spurloc	6041	2	5/2/2022	340	3280	0.005856	0.607	0.001991
KY	H L Spurloc	6041	2	5/2/2022	512	5101.4	0.005669	0.569	0.002903
KY	H L Spurloc	6041	2	5/2/2022	500	4858.7	0.005539	0.57	0.002769
KY	H L Spurloc	6041	2	5/2/2022	509	4887.5	0.005444	0.567	0.002771
KY	H L Spurloc	6041	2	5/2/2022	503	4941.8	0.007437	0.757	0.003741
KY	H L Spurloc	6041	2	5/2/2022	498	4835.7	0.007302	0.752	0.003636
KY	H L Spurloc	6041	2	5/2/2022	505	4865.8	0.007304	0.758	0.003688
KY	H L Spurloc	6041	2	5/2/2022	508	4943.7	0.007377	0.758	0.003747
KY	H L Spurloc	6041	2	5/2/2022	514	5001.5	0.007317	0.752	0.003761
KY	H L Spurloc	6041	2	5/2/2022	504	4904	0.007366	0.757	0.003712
KY	H L Spurloc	6041	2	5/2/2022	511	4965.8	0.007318	0.753	0.003739
KY	H L Spurloc	6041	2	5/2/2022	513	4997.6	0.007336	0.753	0.003763
KY	H L Spurloc	6041	2	5/2/2022	511	4952.2	0.007307	0.754	0.003734
KY	H L Spurloc	6041	2	5/2/2022	515	5032.1	0.007377	0.755	0.003799
KY	H L Spurloc	6041	2	5/2/2022	510	4960.9	0.007334	0.754	0.003741
KY	H L Spurloc	6041	2	5/2/2022	511	4956.6	0.007333	0.756	0.003747
KY	H L Spurloc	6041	2	5/2/2022	494	4777.4	0.007369	0.762	0.00364
KY	H L Spurloc	6041	2	5/2/2022	494	4785.9	0.007392	0.763	0.003652
KY	H L Spurloc	6041	2	5/2/2022	497	4803.5	0.007365	0.762	0.00366
KY	H L Spurloc	6041	2	5/2/2022	476	4600.4	0.007413	0.767	0.003529
KY	H L Spurloc	6041	2	5/3/2022	496	4851.3	0.007433	0.76	0.003687
KY	H L Spurloc	6041	2	5/3/2022	427	4091	0.007473	0.78	0.003191
KY	H L Spurloc	6041	2	5/3/2022	312	2854.2	0.007346	0.803	0.002292
KY	H L Spurloc	6041	2	5/3/2022	310	2833.7	0.007404	0.81	0.002295
KY	H L Spurloc	6041	2	5/3/2022	444	4292.5	0.007522	0.778	0.00334
KY	H L Spurloc	6041	2	5/3/2022	497	4896.3	0.007487	0.76	0.003721
KY	H L Spurloc	6041	2	5/3/2022	512	5023.2	0.007407	0.755	0.003793
KY	H L Spurloc	6041	2	5/3/2022	509	4996.6	0.007411	0.755	0.003772
KY	H L Spurloc	6041	2	5/3/2022	510	5034.7	0.007434	0.753	0.003791
KY	H L Spurloc	6041	2	5/3/2022	523	5141	0.007431	0.756	0.003887
KY	H L Spurloc	6041	2	5/3/2022	530	5364.7			
KY	H L Spurloc	6041	2	5/3/2022	511	5161.2			
KY	H L Spurloc	6041	2	5/3/2022	512	5194	0.007466	0.736	0.003823
KY	H L Spurloc	6041	2	5/3/2022	519	5283.3	0.007492	0.736	0.003889
KY	H L Spurloc	6041	2	5/3/2022	511	5149.9	0.007417	0.736	0.00379
KY	H L Spurloc	6041	2	5/3/2022	511	5195.8	0.007463	0.734	0.003814
KY	H L Spurloc	6041	2	5/3/2022	523	5368	0.007472	0.728	0.003908
KY	H L Spurloc	6041	2	5/3/2022	512	5192.6	0.007434	0.733	0.003806
KY	H L Spurloc	6041	2	5/3/2022	510	5154.5	0.007429	0.735	0.003789
KY	H L Spurloc	6041	2	5/3/2022	511	5158.6	0.00743	0.736	0.003797
KY	H L Spurloc	6041	2	5/3/2022	511	5146.1	0.007412	0.736	0.003788
KY	H L Spurloc	6041	2	5/3/2022	504	5054.8	0.007442	0.742	0.003751

KY	H L Spurloc	6041	2	5/3/2022	502	5031.3	0.007407	0.739	0.003718
KY	H L Spurloc	6041	2	5/3/2022	499	4982.8	0.007399	0.741	0.003692
KY	H L Spurloc	6041	2	5/4/2022	441	4358.6	0.007403	0.749	0.003265
KY	H L Spurloc	6041	2	5/4/2022	386	3740	0.007432	0.767	0.002869
KY	H L Spurloc	6041	2	5/4/2022	434	4276.7	0.00743	0.754	0.003225
KY	H L Spurloc	6041	2	5/4/2022	501	4976.4	0.007321	0.737	0.003668
KY	H L Spurloc	6041	2	5/4/2022	513	4730.3	0.006759	0.733	0.003467
KY	H L Spurloc	6041	2	5/4/2022	498	4919.1	0.00729	0.738	0.00363
KY	H L Spurloc	6041	2	5/4/2022	519	5232.5	0.00738	0.732	0.00383
KY	H L Spurloc	6041	2	5/4/2022	523	5296.4	0.007383	0.729	0.003861
KY	H L Spurloc	6041	2	5/4/2022	518	5205.7	0.007386	0.735	0.003826
KY	H L Spurloc	6041	2	5/4/2022	509	5117.9	0.00739	0.735	0.003762
KY	H L Spurloc	6041	2	5/4/2022	510	5120.1	0.007319	0.729	0.003733
KY	H L Spurloc	6041	2	5/4/2022	512	5157.3	0.007404	0.735	0.003791
KY	H L Spurloc	6041	2	5/4/2022	518	5232.1	0.007353	0.728	0.003809
KY	H L Spurloc	6041	2	5/4/2022	511	5123.1	0.007339	0.732	0.00375
KY	H L Spurloc	6041	2	5/4/2022	511	5107.5	0.007316	0.732	0.003739
KY	H L Spurloc	6041	2	5/4/2022	533	5381.4	0.007391	0.732	0.003939
KY	H L Spurloc	6041	2	5/4/2022	511	5082.9	0.007291	0.733	0.003726
KY	H L Spurloc	6041	2	5/4/2022	511	5128.1	0.007296	0.727	0.003728
KY	H L Spurloc	6041	2	5/4/2022	510	5057.7	0.007269	0.733	0.003707
KY	H L Spurloc	6041	2	5/4/2022	508	5102.4	0.007342	0.731	0.00373
KY	H L Spurloc	6041	2	5/4/2022	497	4948.3	0.007318	0.735	0.003637
KY	H L Spurloc	6041	2	5/4/2022	492	4936.4	0.007385	0.736	0.003633
KY	H L Spurloc	6041	2	5/4/2022	492	4913.7	0.007361	0.737	0.003621
KY	H L Spurloc	6041	2	5/4/2022	495	4964.7	0.007372	0.735	0.003649
KY	H L Spurloc	6041	2	5/5/2022	502	5019.2	0.007379	0.738	0.003704
KY	H L Spurloc	6041	2	5/5/2022	505	5100.6	0.007434	0.736	0.003754
KY	H L Spurloc	6041	2	5/5/2022	501	5053.7	0.007404	0.734	0.003709
KY	H L Spurloc	6041	2	5/5/2022	498	5047.9	0.00744	0.734	0.003705
KY	H L Spurloc	6041	2	5/5/2022	505	5145.7	0.007479	0.734	0.003777
KY	H L Spurloc	6041	2	5/5/2022	492	4948.4	0.007473	0.743	0.003677
KY	H L Spurloc	6041	2	5/5/2022	492	4944.7	0.007467	0.743	0.003674
KY	H L Spurloc	6041	2	5/5/2022	512	5207.5	0.007476	0.735	0.003828
KY	H L Spurloc	6041	2	5/5/2022	517	5254.9	0.007481	0.736	0.003868
KY	H L Spurloc	6041	2	5/5/2022	497	4970	0.00741	0.741	0.003683
KY	H L Spurloc	6041	2	5/5/2022	509	5083.8	0.007411	0.742	0.003772
KY	H L Spurloc	6041	2	5/5/2022	510	5107.4	0.007441	0.743	0.003795
KY	H L Spurloc	6041	2	5/5/2022	512	5101	0.007392	0.742	0.003785
KY	H L Spurloc	6041	2	5/5/2022	513	5098.3	0.007374	0.742	0.003783
KY	H L Spurloc	6041	2	5/5/2022	514	5113.5	0.007372	0.741	0.003789
KY	H L Spurloc	6041	2	5/5/2022	510	5013.5	0.007333	0.746	0.00374
KY	H L Spurloc	6041	2	5/5/2022	511	5049.2	0.007312	0.74	0.003736
KY	H L Spurloc	6041	2	5/5/2022	511	5007.1	0.00731	0.746	0.003735
KY	H L Spurloc	6041	2	5/5/2022	510	5013.1	0.007333	0.746	0.00374
KY	H L Spurloc	6041	2	5/5/2022	516	5000.8	0.00723	0.746	0.003731
KY	H L Spurloc	6041	2	5/5/2022	498	4895.9	0.007334	0.746	0.003652

KY	H L Spurloc	6041	2	5/5/2022	503	4977.4	0.007431	0.751	0.003738
KY	H L Spurloc	6041	2	5/5/2022	492	4843.8	0.007364	0.748	0.003623
KY	H L Spurloc	6041	2	5/5/2022	505	4959.1	0.007345	0.748	0.003709
KY	H L Spurloc	6041	2	5/6/2022	506	4985	0.007359	0.747	0.003724
KY	H L Spurloc	6041	2	5/6/2022	508	4966.7	0.007313	0.748	0.003715
KY	H L Spurloc	6041	2	5/6/2022	496	4826.8	0.007299	0.75	0.00362
KY	H L Spurloc	6041	2	5/6/2022	507	4948.3	0.007339	0.752	0.003721
KY	H L Spurloc	6041	2	5/6/2022	496	4758.8	0.007225	0.753	0.003583
KY	H L Spurloc	6041	2	5/6/2022	508	4997	0.007348	0.747	0.003733
KY	H L Spurloc	6041	2	5/6/2022	522	5164.1	0.00737	0.745	0.003847
KY	H L Spurloc	6041	2	5/6/2022	506	4944.4	0.007329	0.75	0.003708
KY	H L Spurloc	6041	2	5/6/2022	509	4983.4	0.007333	0.749	0.003733
KY	H L Spurloc	6041	2	5/6/2022	497	4841.4	0.007316	0.751	0.003636
KY	H L Spurloc	6041	2	5/6/2022	506	4953	0.007351	0.751	0.00372
KY	H L Spurloc	6041	2	5/6/2022	510	5012.8	0.007431	0.756	0.00379
KY	H L Spurloc	6041	2	5/6/2022	509	5007.7	0.007369	0.749	0.003751
KY	H L Spurloc	6041	2	5/6/2022	510	5034.9	0.007385	0.748	0.003766
KY	H L Spurloc	6041	2	5/6/2022	511	5047.6	0.007399	0.749	0.003781
KY	H L Spurloc	6041	2	5/6/2022	514	5097.8	0.007458	0.752	0.003834
KY	H L Spurloc	6041	2	5/6/2022	511	5041.2	0.007448	0.755	0.003806
KY	H L Spurloc	6041	2	5/6/2022	496	4881.4	0.00744	0.756	0.00369
KY	H L Spurloc	6041	2	5/6/2022	505	5023.1	0.00753	0.757	0.003802
KY	H L Spurloc	6041	2	5/6/2022	524	5300.1	0.007718	0.763	0.004044
KY	H L Spurloc	6041	2	5/6/2022	506	4985.1	0.007458	0.757	0.003774
KY	H L Spurloc	6041	2	5/6/2022	501	4953.3	0.007494	0.758	0.003755
KY	H L Spurloc	6041	2	5/6/2022	499	4915.5	0.007467	0.758	0.003726
KY	H L Spurloc	6041	2	5/6/2022	512	5128.7	0.007523	0.751	0.003852
KY	H L Spurloc	6041	2	5/7/2022	512	5134.4	0.007611	0.759	0.003897
KY	H L Spurloc	6041	2	5/7/2022	511	5065.9	0.007534	0.76	0.00385
KY	H L Spurloc	6041	2	5/7/2022	506	4984.8	0.007408	0.752	0.003749
KY	H L Spurloc	6041	2	5/7/2022	499	4887.5	0.007405	0.756	0.003695
KY	H L Spurloc	6041	2	5/7/2022	502	4895.9	0.007373	0.756	0.003701
KY	H L Spurloc	6041	2	5/7/2022	505	4934.3	0.007328	0.75	0.003701
KY	H L Spurloc	6041	2	5/7/2022	503	4869	0.00727	0.751	0.003657
KY	H L Spurloc	6041	2	5/7/2022	530	5175.4	0.007294	0.747	0.003866
KY	H L Spurloc	6041	2	5/7/2022	519	5062.9	0.007307	0.749	0.003792
KY	H L Spurloc	6041	2	5/7/2022	509	4926.7	0.007259	0.75	0.003695
KY	H L Spurloc	6041	2	5/7/2022	510	4900	0.007244	0.754	0.003695
KY	H L Spurloc	6041	2	5/7/2022	499	4817	0.007279	0.754	0.003632
KY	H L Spurloc	6041	2	5/7/2022	508	4903.6	0.007278	0.754	0.003697
KY	H L Spurloc	6041	2	5/7/2022	494	4750.4	0.00726	0.755	0.003587
KY	H L Spurloc	6041	2	5/7/2022	506	4937.7	0.007338	0.752	0.003713
KY	H L Spurloc	6041	2	5/7/2022	508	4945.9	0.007341	0.754	0.003729
KY	H L Spurloc	6041	2	5/7/2022	509	4818.4	0.007147	0.755	0.003638
KY	H L Spurloc	6041	2	5/7/2022	493	4683	0.007181	0.756	0.00354
KY	H L Spurloc	6041	2	5/7/2022	502	4906	0.007388	0.756	0.003709
KY	H L Spurloc	6041	2	5/7/2022	508	5003.2	0.007416	0.753	0.003767

KY	H L Spurloc	6041	2	5/7/2022	513	5088.5	0.007429	0.749	0.003811
KY	H L Spurloc	6041	2	5/7/2022	502	4931.9	0.007437	0.757	0.003733
KY	H L Spurloc	6041	2	5/7/2022	503	4928.4	0.007358	0.751	0.003701
KY	H L Spurloc	6041	2	5/7/2022	486	4715.5	0.007335	0.756	0.003565
KY	H L Spurloc	6041	2	5/8/2022	512	5061.5	0.007375	0.746	0.003776
KY	H L Spurloc	6041	2	5/8/2022	494	4834.3	0.007388	0.755	0.00365
KY	H L Spurloc	6041	2	5/8/2022	447	4295.1	0.007341	0.764	0.003281
KY	H L Spurloc	6041	2	5/8/2022	377	3503	0.007294	0.785	0.00275
KY	H L Spurloc	6041	2	5/8/2022	435	4158.5	0.007332	0.767	0.00319
KY	H L Spurloc	6041	2	5/8/2022	497	4751.8	0.00719	0.752	0.003573
KY	H L Spurloc	6041	2	5/8/2022	452	4234.4	0.007157	0.764	0.003235
KY	H L Spurloc	6041	2	5/8/2022	475	4536.1	0.007239	0.758	0.003438
KY	H L Spurloc	6041	2	5/8/2022	500	4746.1	0.007176	0.756	0.003588
KY	H L Spurloc	6041	2	5/8/2022	503	4821.8	0.00719	0.75	0.003616
KY	H L Spurloc	6041	2	5/8/2022	506	4870.6	0.007219	0.75	0.003653
KY	H L Spurloc	6041	2	5/8/2022	502	4871.4	0.007336	0.756	0.003683
KY	H L Spurloc	6041	2	5/8/2022	478	4646.3	0.007387	0.76	0.003531
KY	H L Spurloc	6041	2	5/8/2022	498	4922.8	0.007453	0.754	0.003712
KY	H L Spurloc	6041	2	5/8/2022	498	4929.6	0.007464	0.754	0.003717
KY	H L Spurloc	6041	2	5/8/2022	498	4934.8	0.007481	0.755	0.003726
KY	H L Spurloc	6041	2	5/8/2022	511	5014.7	0.007399	0.754	0.003781
KY	H L Spurloc	6041	2	5/8/2022	511	5051	0.007384	0.747	0.003773
KY	H L Spurloc	6041	2	5/8/2022	511	5039.3	0.007377	0.748	0.003769
KY	H L Spurloc	6041	2	5/8/2022	511	5047.3	0.007398	0.749	0.00378
KY	H L Spurloc	6041	2	5/8/2022	507	5011.7	0.007453	0.754	0.003779
KY	H L Spurloc	6041	2	5/8/2022	502	5002.6	0.007514	0.754	0.003772
KY	H L Spurloc	6041	2	5/8/2022	505	5020.1	0.007495	0.754	0.003785
KY	H L Spurloc	6041	2	5/8/2022	485	4824.3	0.00756	0.76	0.003666
KY	H L Spurloc	6041	2	5/9/2022	395	3881.8	0.007636	0.777	0.003016
KY	H L Spurloc	6041	2	5/9/2022	471	4765.6	0.007801	0.771	0.003674
KY	H L Spurloc	6041	2	5/9/2022	527	5369.4	0.007845	0.77	0.004134
KY	H L Spurloc	6041	2	5/9/2022	368	3478.9	0.007506	0.794	0.002762
KY	H L Spurloc	6041	2	5/9/2022	369	3562	0.007587	0.786	0.0028
KY	H L Spurloc	6041	2	5/9/2022	494	4862.8	0.007491	0.761	0.003701
KY	H L Spurloc	6041	2	5/9/2022	494	4794.5	0.007308	0.753	0.00361
KY	H L Spurloc	6041	2	5/9/2022	504	4896.9	0.007287	0.75	0.003673
KY	H L Spurloc	6041	2	5/9/2022	509	4994.2	0.007349	0.749	0.003741
KY	H L Spurloc	6041	2	5/9/2022	503	4999.1	0.007454	0.75	0.003749
KY	H L Spurloc	6041	2	5/9/2022	509	5081.1	0.004732	0.474	0.002408
KY	H L Spurloc	6041	2	5/9/2022	510	5097.5	0.004738	0.474	0.002416
KY	H L Spurloc	6041	2	5/9/2022	511	5070	0.004703	0.474	0.002403
KY	H L Spurloc	6041	2	5/9/2022	511	5074	0.004707	0.474	0.002405
KY	H L Spurloc	6041	2	5/9/2022	511	5057.5	0.004691	0.474	0.002397
KY	H L Spurloc	6041	2	5/9/2022	511	5064.1	0.004717	0.476	0.002411
KY	H L Spurloc	6041	2	5/9/2022	511	5056.2	0.00471	0.476	0.002407
KY	H L Spurloc	6041	2	5/9/2022	516	5137.3	0.004739	0.476	0.002445
KY	H L Spurloc	6041	2	5/9/2022	528	5326.7	0.004762	0.472	0.002514

KY	H L Spurloc	6041	2	5/9/2022	529	5349.2	0.004763	0.471	0.002519
KY	H L Spurloc	6041	2	5/9/2022	521	5220.9	0.00475	0.474	0.002475
KY	H L Spurloc	6041	2	5/9/2022	502	4959.8	0.004742	0.48	0.002381
KY	H L Spurloc	6041	2	5/9/2022	507	4976.7	0.004692	0.478	0.002379
KY	H L Spurloc	6041	2	5/9/2022	508	5001.9	0.004677	0.475	0.002376
KY	H L Spurloc	6041	2	#####	493	4861.8	0.004694	0.476	0.002314
KY	H L Spurloc	6041	2	#####	487	4849.4	0.00481	0.483	0.002342
KY	H L Spurloc	6041	2	#####	507	5065.5	0.004796	0.48	0.002431
KY	H L Spurloc	6041	2	#####	493	4975.7	0.004875	0.483	0.002403
KY	H L Spurloc	6041	2	#####	494	4975.1	0.004824	0.479	0.002383
KY	H L Spurloc	6041	2	#####	513	5128.8	0.004749	0.475	0.002436
KY	H L Spurloc	6041	2	#####	501	4953.1	0.004726	0.478	0.002368
KY	H L Spurloc	6041	2	#####	510	5079.7	0.004761	0.478	0.002428
KY	H L Spurloc	6041	2	#####	503	4976.1	0.004719	0.477	0.002374
KY	H L Spurloc	6041	2	#####	509	5032.2	0.004696	0.475	0.00239
KY	H L Spurloc	6041	2	#####	509	4997.1	0.004663	0.475	0.002374
KY	H L Spurloc	6041	2	#####	509	5044.8	0.004718	0.476	0.002401
KY	H L Spurloc	6041	2	#####	509	5045	0.004718	0.476	0.002401
KY	H L Spurloc	6041	2	#####	508	5065.7	0.004727	0.474	0.002401
KY	H L Spurloc	6041	2	#####	510	5052.6	0.004726	0.477	0.00241
KY	H L Spurloc	6041	2	#####	510	5089.3	0.00476	0.477	0.002428
KY	H L Spurloc	6041	2	#####	517	5192.9	0.004761	0.474	0.002461
KY	H L Spurloc	6041	2	#####	518	5208	0.004756	0.473	0.002463
KY	H L Spurloc	6041	2	#####	552	5693	0.004868	0.472	0.002687
KY	H L Spurloc	6041	2	#####	522	5283.5	0.004818	0.476	0.002515
KY	H L Spurloc	6041	2	#####	518	5188.3	0.004768	0.476	0.00247
KY	H L Spurloc	6041	2	#####	509	5092	0.004802	0.48	0.002444
KY	H L Spurloc	6041	2	#####	503	4979.3	0.004732	0.478	0.00238
KY	H L Spurloc	6041	2	#####	503	4975.7	0.004738	0.479	0.002383
KY	H L Spurloc	6041	2	#####	508	5058.3	0.00474	0.476	0.002408
KY	H L Spurloc	6041	2	#####	434	4219.1	0.004754	0.489	0.002063
KY	H L Spurloc	6041	2	#####	368	3496.6	0.00476	0.501	0.001752
KY	H L Spurloc	6041	2	#####	381	3664.1	0.004789	0.498	0.001825
KY	H L Spurloc	6041	2	#####	491	4919.3	0.004809	0.48	0.002361
KY	H L Spurloc	6041	2	#####	505	4892.9	0.00467	0.482	0.002358
KY	H L Spurloc	6041	2	#####	503	4905.6	0.004662	0.478	0.002345
KY	H L Spurloc	6041	2	#####	510	4955.7	0.004635	0.477	0.002364
KY	H L Spurloc	6041	2	#####	499	4885.3	0.00467	0.477	0.00233
KY	H L Spurloc	6041	2	#####	508	4976.2	0.004682	0.478	0.002379
KY	H L Spurloc	6041	2	#####	525	5198.5	0.004694	0.474	0.002464
KY	H L Spurloc	6041	2	#####	528	5277.5	0.004738	0.474	0.002502
KY	H L Spurloc	6041	2	#####	510	4996.2	0.004683	0.478	0.002388
KY	H L Spurloc	6041	2	#####	534	5214.2	0.004658	0.477	0.002487
KY	H L Spurloc	6041	2	#####	533	5168.6	0.004635	0.478	0.002471
KY	H L Spurloc	6041	2	#####	536	5359.8	0.00474	0.474	0.002541
KY	H L Spurloc	6041	2	#####	520	5111.3	0.004718	0.48	0.002453
KY	H L Spurloc	6041	2	#####	511	4995.7	0.004702	0.481	0.002403

KY	H L Spurloc	6041	2	#####	516	5046.5	0.004704	0.481	0.002427
KY	H L Spurloc	6041	2	#####	520	5098.8	0.004716	0.481	0.002453
KY	H L Spurloc	6041	2	#####	504	4896.2	0.004712	0.485	0.002375
KY	H L Spurloc	6041	2	#####	505	4915.8	0.004721	0.485	0.002384
KY	H L Spurloc	6041	2	#####	510	4960.7	0.004679	0.481	0.002386
KY	H L Spurloc	6041	2	#####	500	4847.1	0.004702	0.485	0.002351
KY	H L Spurloc	6041	2	#####	350	3225.1	0.004736	0.514	0.001658
KY	H L Spurloc	6041	2	#####	308	2823.2	0.004757	0.519	0.001465
KY	H L Spurloc	6041	2	#####	316	2877.6	0.004681	0.514	0.001479
KY	H L Spurloc	6041	2	#####	320	2948.8	0.004746	0.515	0.001519
KY	H L Spurloc	6041	2	#####	320	2952.8	0.004771	0.517	0.001527
KY	H L Spurloc	6041	2	#####	465	4514	0.004737	0.488	0.002203
KY	H L Spurloc	6041	2	#####	493	4756.7	0.00468	0.485	0.002307
KY	H L Spurloc	6041	2	#####	505	4827.8	0.004627	0.484	0.002337
KY	H L Spurloc	6041	2	#####	508	4835.6	0.004588	0.482	0.002331
KY	H L Spurloc	6041	2	#####	497	4745.9	0.004603	0.482	0.002288
KY	H L Spurloc	6041	2	#####	494	4847.4	0.004582	0.467	0.002264
KY	H L Spurloc	6041	2	#####	521	5218.9	0.004698	0.469	0.002448
KY	H L Spurloc	6041	2	#####	523	5279.2	0.004704	0.466	0.00246
KY	H L Spurloc	6041	2	#####	527	5329.9	0.004683	0.463	0.002468
KY	H L Spurloc	6041	2	#####	535	5432.5	0.004712	0.464	0.002521
KY	H L Spurloc	6041	2	#####	534	5398.4	0.004711	0.466	0.002516
KY	H L Spurloc	6041	2	#####	530	5338.9	0.004694	0.466	0.002488
KY	H L Spurloc	6041	2	#####	519	5233.2	0.004699	0.466	0.002439
KY	H L Spurloc	6041	2	#####	515	5137.1	0.004688	0.47	0.002414
KY	H L Spurloc	6041	2	#####	511	5120.9	0.00471	0.47	0.002407
KY	H L Spurloc	6041	2	#####	515	5186.6	0.004733	0.47	0.002438
KY	H L Spurloc	6041	2	#####	493	4882	0.004733	0.478	0.002334
KY	H L Spurloc	6041	2	#####	500	4970	0.004702	0.473	0.002351
KY	H L Spurloc	6041	2	#####	501	5007.9	0.004738	0.474	0.002374
KY	H L Spurloc	6041	2	#####	437	4286.4	0.004728	0.482	0.002066
KY	H L Spurloc	6041	2	#####	295	2751	0.004737	0.508	0.001398
KY	H L Spurloc	6041	2	#####	295	2763.4	0.00474	0.506	0.001398
KY	H L Spurloc	6041	2	#####	295	2770.8	0.004771	0.508	0.001408
KY	H L Spurloc	6041	2	#####	302	2856.4	0.004786	0.506	0.001445
KY	H L Spurloc	6041	2	#####	479	4818	0.004727	0.47	0.002264
KY	H L Spurloc	6041	2	#####	500	4937.4	0.004651	0.471	0.002326
KY	H L Spurloc	6041	2	#####	508	5007.8	0.004623	0.469	0.002349
KY	H L Spurloc	6041	2	#####	509	5057.9	0.004641	0.467	0.002362
KY	H L Spurloc	6041	2	#####	504	5012.3	0.004644	0.467	0.002341
KY	H L Spurloc	6041	2	#####	509	5013.4	0.004619	0.469	0.002351
KY	H L Spurloc	6041	2	#####	511	5082.8	0.004665	0.469	0.002384
KY	H L Spurloc	6041	2	#####	511	5055.4	0.00465	0.47	0.002376
KY	H L Spurloc	6041	2	#####	519	5187.4	0.004658	0.466	0.002417
KY	H L Spurloc	6041	2	#####	535	5385.7	0.004701	0.467	0.002515
KY	H L Spurloc	6041	2	#####	522	5219.8	0.00471	0.471	0.002459
KY	H L Spurloc	6041	2	#####	534	5371.8	0.004688	0.466	0.002503

KY	H L Spurloc	6041	2 #####	529	5338.1	0.004712	0.467	0.002493
KY	H L Spurloc	6041	2 #####	511	5092.4	0.004694	0.471	0.002399
KY	H L Spurloc	6041	2 #####	511	5107.1	0.004707	0.471	0.002405
KY	H L Spurloc	6041	2 #####	509	5075.8	0.004687	0.47	0.002386
KY	H L Spurloc	6041	2 #####	512	5102.8	0.004714	0.473	0.002414
KY	H L Spurloc	6041	2 #####	503	4957.3	0.004671	0.474	0.00235
KY	H L Spurloc	6041	2 #####	511	5072.6	0.004666	0.47	0.002384
KY	H L Spurloc	6041	2 #####	493	4865.1	0.004678	0.474	0.002306
KY	H L Spurloc	6041	2 #####	470	4648.1	0.004737	0.479	0.002226
KY	H L Spurloc	6041	2 #####	511	5102.7	0.004733	0.474	0.002419
KY	H L Spurloc	6041	2 #####	501	5040.6	0.00488	0.485	0.002445
KY	H L Spurloc	6041	2 #####	499	4899.5	0.004683	0.477	0.002337
KY	H L Spurloc	6041	2 #####	493	4795.9	0.00465	0.478	0.002292
KY	H L Spurloc	6041	2 #####	521	5156.1	0.004691	0.474	0.002444
KY	H L Spurloc	6041	2 #####	521	5194.6	0.004726	0.474	0.002462
KY	H L Spurloc	6041	2 #####	524	5322.5	0.004886	0.481	0.00256
KY	H L Spurloc	6041	2 #####	510	5063.5	0.004686	0.472	0.00239
KY	H L Spurloc	6041	2 #####	511	5101.7	0.004692	0.47	0.002398
KY	H L Spurloc	6041	2 #####	511	5122.6	0.004742	0.473	0.002423
KY	H L Spurloc	6041	2 #####	511	5087.1	0.004729	0.475	0.002416
KY	H L Spurloc	6041	2 #####	510	5078.6	0.00471	0.473	0.002402
KY	H L Spurloc	6041	2 #####	520	5197.8	0.004728	0.473	0.002459
KY	H L Spurloc	6041	2 #####	528	5338.4	0.004792	0.474	0.00253
KY	H L Spurloc	6041	2 #####	511	5083.5	0.004705	0.473	0.002404
KY	H L Spurloc	6041	2 #####	512	5094.5	0.004746	0.477	0.00243
KY	H L Spurloc	6041	2 #####	512	5119.8	0.00479	0.479	0.002452
KY	H L Spurloc	6041	2 #####	511	5107.5	0.004748	0.475	0.002426
KY	H L Spurloc	6041	2 #####	500	4904.5	0.004699	0.479	0.002349
KY	H L Spurloc	6041	2 #####	506	4986.5	0.00472	0.479	0.002389
KY	H L Spurloc	6041	2 #####	501	4956.9	0.004719	0.477	0.002364
KY	H L Spurloc	6041	2 #####	484	4794	0.004754	0.48	0.002301
KY	H L Spurloc	6041	2 #####	508	5111.8	0.00483	0.48	0.002454
KY	H L Spurloc	6041	2 #####	501	5040.1	0.004869	0.484	0.002439
KY	H L Spurloc	6041	2 #####	390	3661.8	0.004638	0.494	0.001809
KY	H L Spurloc	6041	2 #####	342	3061.4	0.004565	0.51	0.001561
KY	H L Spurloc	6041	2 #####	291	2735.8	0.00487	0.518	0.001417
KY	H L Spurloc	6041	2 #####	295	2787.7	0.004857	0.514	0.001433
KY	H L Spurloc	6041	2 #####	295	2775.6	0.004864	0.517	0.001435
KY	H L Spurloc	6041	2 #####	341	3276.7	0.004843	0.504	0.001651
KY	H L Spurloc	6041	2 #####	433	4230	0.004767	0.488	0.002064
KY	H L Spurloc	6041	2 #####	453	4475.5	0.004772	0.483	0.002162
KY	H L Spurloc	6041	2 #####	511	5212.9	0.004876	0.478	0.002492
KY	H L Spurloc	6041	2 #####	512	5174.2	0.004861	0.481	0.002489
KY	H L Spurloc	6041	2 #####	510	5086.7	0.004748	0.476	0.002421
KY	H L Spurloc	6041	2 #####	512	5104.3	0.004715	0.473	0.002414
KY	H L Spurloc	6041	2 #####	522	5246.4	0.004734	0.471	0.002471
KY	H L Spurloc	6041	2 #####	517	5215.1	0.004781	0.474	0.002472

KY	H L Spurloc	6041	2	#####	516	5113.3	0.004707	0.475	0.002429
KY	H L Spurloc	6041	2	#####	509	5051.7	0.004714	0.475	0.0024
KY	H L Spurloc	6041	2	#####	516	5140.2	0.004742	0.476	0.002447
KY	H L Spurloc	6041	2	#####	509	5089.5	0.00476	0.476	0.002423
KY	H L Spurloc	6041	2	#####	509	5050.6	0.004733	0.477	0.002409
KY	H L Spurloc	6041	2	#####	515	5099.3	0.004723	0.477	0.002432
KY	H L Spurloc	6041	2	#####	509	5047.6	0.00473	0.477	0.002408
KY	H L Spurloc	6041	2	#####	511	5053.2	0.004727	0.478	0.002415
KY	H L Spurloc	6041	2	#####	511	5040.8	0.004705	0.477	0.002404
KY	H L Spurloc	6041	2	#####	355	3216.8	0.004621	0.51	0.001641
KY	H L Spurloc	6041	2	#####	385	3754.9	0.004818	0.494	0.001855
KY	H L Spurloc	6041	2	#####	449	4392.6	0.004774	0.488	0.002144
KY	H L Spurloc	6041	2	#####	421	4089.6	0.004799	0.494	0.00202
KY	H L Spurloc	6041	2	#####	495	4911.5	0.004783	0.482	0.002367
KY	H L Spurloc	6041	2	#####	501	4883.4	0.004688	0.481	0.002349
KY	H L Spurloc	6041	2	#####	508	4948.8	0.004647	0.477	0.002361
KY	H L Spurloc	6041	2	#####	511	4992.7	0.008266	0.846	0.004224
KY	H L Spurloc	6041	2	#####	502	4908	0.008252	0.844	0.004142
KY	H L Spurloc	6041	2	#####	511	5011	0.008198	0.836	0.004189
KY	H L Spurloc	6041	2	#####	511	5030.1	0.008318	0.845	0.00425
KY	H L Spurloc	6041	2	#####	510	5142.3			
KY	H L Spurloc	6041	2	#####	509	5102.9			
KY	H L Spurloc	6041	2	#####	513	5287.6	0.008339	0.809	0.004278
KY	H L Spurloc	6041	2	#####	510	5196.1	0.008334	0.818	0.00425
KY	H L Spurloc	6041	2	#####	516	5306.6	0.00832	0.809	0.004293
KY	H L Spurloc	6041	2	#####	510	5224.8	0.008308	0.811	0.004237
KY	H L Spurloc	6041	2	#####	511	5263.4	0.008343	0.81	0.004263
KY	H L Spurloc	6041	2	#####	513	5118.1	0.008201	0.822	0.004207
KY	H L Spurloc	6041	2	#####	510	5087.6	0.00813	0.815	0.004146
KY	H L Spurloc	6041	2	#####	511	5397	0.00883	0.836	0.004512
KY	H L Spurloc	6041	2	#####	501	5210.5	0.008622	0.829	0.00432
KY	H L Spurloc	6041	2	#####	366	3650.7	0.008498	0.852	0.00311
KY	H L Spurloc	6041	2	#####	290	2819.4	0.008546	0.879	0.002478
KY	H L Spurloc	6041	2	#####	290	2837.1	0.008658	0.885	0.002511
KY	H L Spurloc	6041	2	#####	290	2846.8	0.008658	0.882	0.002511
KY	H L Spurloc	6041	2	#####	290	2857.9	0.008702	0.883	0.002524
KY	H L Spurloc	6041	2	#####	290	2883	0.008709	0.876	0.002526
KY	H L Spurloc	6041	2	#####	412	4285.6	0.008634	0.83	0.003557
KY	H L Spurloc	6041	2	#####	510	5266.9	0.008468	0.82	0.004319
KY	H L Spurloc	6041	2	#####	516	5318.5	0.00838	0.813	0.004324
KY	H L Spurloc	6041	2	#####	504	5140.5	0.008323	0.816	0.004195
KY	H L Spurloc	6041	2	#####	515	5323.5	0.008311	0.804	0.00428
KY	H L Spurloc	6041	2	#####	530	5526.3	0.008404	0.806	0.004454
KY	H L Spurloc	6041	2	#####	520	5393.7	0.008443	0.814	0.00439
KY	H L Spurloc	6041	2	#####	515	5338.5	0.008365	0.807	0.004308
KY	H L Spurloc	6041	2	#####	528	5509.1	0.008431	0.808	0.004451
KY	H L Spurloc	6041	2	#####	529	5507.6	0.008412	0.808	0.00445

KY	H L Spurloc	6041	2	#####	530	5533.3	0.008436	0.808	0.004471
KY	H L Spurloc	6041	2	#####	540	5693.5	0.008435	0.8	0.004555
KY	H L Spurloc	6041	2	#####	544	5709.4	0.008459	0.806	0.004602
KY	H L Spurloc	6041	2	#####	530	5540.7	0.008436	0.807	0.004471
KY	H L Spurloc	6041	2	#####	511	5306	0.008473	0.816	0.00433
KY	H L Spurloc	6041	2	#####	515	5321	0.008359	0.809	0.004305
KY	H L Spurloc	6041	2	#####	508	5229.9	0.008421	0.818	0.004278
KY	H L Spurloc	6041	2	#####	475	4788.4	0.008307	0.824	0.003946
KY	H L Spurloc	6041	2	#####	387	3850.5	0.008467	0.851	0.003277
KY	H L Spurloc	6041	2	#####	409	4177.4	0.008569	0.839	0.003505
KY	H L Spurloc	6041	2	#####	512	5369.5	0.008558	0.816	0.004382
KY	H L Spurloc	6041	2	#####	512	5368.1	0.008482	0.809	0.004343
KY	H L Spurloc	6041	2	#####	511	5241.9	0.00835	0.814	0.004267
KY	H L Spurloc	6041	2	#####	511	4772.6	0.00764	0.818	0.003904
KY	H L Spurloc	6041	2	#####	506	4873.6	0.007869	0.817	0.003982
KY	H L Spurloc	6041	2	#####	504	4901.3	0.007945	0.817	0.004004
KY	H L Spurloc	6041	2	#####	510	4939.8	0.007923	0.818	0.004041
KY	H L Spurloc	6041	2	#####	510	4935.4	0.007945	0.821	0.004052
KY	H L Spurloc	6041	2	#####	518	5085.3	0.007991	0.814	0.004139
KY	H L Spurloc	6041	2	#####	528	5250	0.008074	0.812	0.004263
KY	H L Spurloc	6041	2	#####	509	5015.4	0.00807	0.819	0.004108
KY	H L Spurloc	6041	2	#####	515	5086.3	0.008099	0.82	0.004171
KY	H L Spurloc	6041	2	#####	527	5244.9	0.008071	0.811	0.004254
KY	H L Spurloc	6041	2	#####	519	5144.2	0.008058	0.813	0.004182
KY	H L Spurloc	6041	2	#####	522	5176.8	0.008083	0.815	0.004219
KY	H L Spurloc	6041	2	#####	515	5120.9	0.008114	0.816	0.004179
KY	H L Spurloc	6041	2	#####	507	5101.3	0.008251	0.82	0.004183
KY	H L Spurloc	6041	2	#####	524	5377.3	0.008343	0.813	0.004372
KY	H L Spurloc	6041	2	#####	522	5350.4	0.008313	0.811	0.004339
KY	H L Spurloc	6041	2	#####	519	5273.9	0.008302	0.817	0.004309
KY	H L Spurloc	6041	2	#####	512	5207.1	0.008319	0.818	0.004259
KY	H L Spurloc	6041	2	#####	511	5200.9	0.008326	0.818	0.004254
KY	H L Spurloc	6041	2	#####	514	5160.7	0.008213	0.818	0.004221
KY	H L Spurloc	6041	2	#####	511	5203.5	0.008299	0.815	0.004241
KY	H L Spurloc	6041	2	#####	511	5200.4	0.008335	0.819	0.004259
KY	H L Spurloc	6041	2	#####	511	5154.2	0.008271	0.82	0.004226
KY	H L Spurloc	6041	2	#####	511	5159.3	0.008219	0.814	0.0042
KY	H L Spurloc	6041	2	#####	511	5152.9	0.008208	0.814	0.004194
KY	H L Spurloc	6041	2	#####	511	5144.1	0.008204	0.815	0.004192
KY	H L Spurloc	6041	2	#####	509	5078.1	0.008141	0.816	0.004144
KY	H L Spurloc	6041	2	#####	508	5053.7	0.008118	0.816	0.004124
KY	H L Spurloc	6041	2	#####	511	5121.2	0.008158	0.814	0.004169
KY	H L Spurloc	6041	2	#####	511	5148.1	0.008211	0.815	0.004196
KY	H L Spurloc	6041	2	#####	522	5308.5	0.008268	0.813	0.004316
KY	H L Spurloc	6041	2	#####	529	5452.1	0.008359	0.811	0.004422
KY	H L Spurloc	6041	2	#####	511	5206.4	0.008263	0.811	0.004222
KY	H L Spurloc	6041	2	#####	509	5191.2	0.008292	0.813	0.00422

KY	H L Spurloc	6041	2	#####	513	5235.1	0.008307	0.814	0.004261
KY	H L Spurloc	6041	2	#####	531	5494.3	0.00835	0.807	0.004434
KY	H L Spurloc	6041	2	#####	528	5459.3	0.008406	0.813	0.004438
KY	H L Spurloc	6041	2	#####	517	5328.2	0.008368	0.812	0.004326
KY	H L Spurloc	6041	2	#####	512	5227.4	0.008372	0.82	0.004286
KY	H L Spurloc	6041	2	#####	512	5260.3	0.008353	0.813	0.004277
KY	H L Spurloc	6041	2	#####	511	5218.7	0.008374	0.82	0.004279
KY	H L Spurloc	6041	2	#####	515	5286.1	0.008386	0.817	0.004319
KY	H L Spurloc	6041	2	#####	511	5193	0.008323	0.819	0.004253
KY	H L Spurloc	6041	2	#####	355	3428.7	0.008354	0.865	0.002966
KY	H L Spurloc	6041	2	#####	290	2748.2	0.008368	0.883	0.002427
KY	H L Spurloc	6041	2	#####	290	2775.3	0.008508	0.889	0.002467
KY	H L Spurloc	6041	2	#####	290	2768.9	0.008517	0.892	0.00247
KY	H L Spurloc	6041	2	#####	290	2787.2	0.008535	0.888	0.002475
KY	H L Spurloc	6041	2	#####	290	2779	0.008567	0.894	0.002484
KY	H L Spurloc	6041	2	#####	392	3958.8	0.008412	0.833	0.003298
KY	H L Spurloc	6041	2	#####	505	5173.5	0.008401	0.82	0.004242
KY	H L Spurloc	6041	2	#####	508	5176.8	0.008326	0.817	0.004229
KY	H L Spurloc	6041	2	#####	510	5200.5	0.008311	0.815	0.004238
KY	H L Spurloc	6041	2	#####	510	5155.2	0.008248	0.816	0.004207
KY	H L Spurloc	6041	2	#####	509	5178.2	0.008281	0.814	0.004215
KY	H L Spurloc	6041	2	#####	541	5617.9	0.008442	0.813	0.004567
KY	H L Spurloc	6041	2	#####	524	5376	0.008331	0.812	0.004365
KY	H L Spurloc	6041	2	#####	515	5289	0.008298	0.808	0.004274
KY	H L Spurloc	6041	2	#####	546	5702.6	0.008439	0.808	0.004608
KY	H L Spurloc	6041	2	#####	549	5742.1	0.008493	0.812	0.004663
KY	H L Spurloc	6041	2	#####	554	5819	0.008466	0.806	0.00469
KY	H L Spurloc	6041	2	#####	533	5533.3	0.008367	0.806	0.00446
KY	H L Spurloc	6041	2	#####	534	5536	0.008418	0.812	0.004495
KY	H L Spurloc	6041	2	#####	545	5690.1	0.008446	0.809	0.004603
KY	H L Spurloc	6041	2	#####	534	5514.1	0.008354	0.809	0.004461
KY	H L Spurloc	6041	2	#####	522	5402.8	0.008446	0.816	0.004409
KY	H L Spurloc	6041	2	#####	516	5329.8	0.008367	0.81	0.004317
KY	H L Spurloc	6041	2	#####	387	3795.1	0.008345	0.851	0.00323
KY	H L Spurloc	6041	2	#####	294	2822.5	0.008477	0.883	0.002492
KY	H L Spurloc	6041	2	#####	295	2893.6	0.008642	0.881	0.002549
KY	H L Spurloc	6041	2	#####	294	2898.8	0.008677	0.88	0.002551
KY	H L Spurloc	6041	2	#####	292	2860.1	0.008649	0.883	0.002525
KY	H L Spurloc	6041	2	#####	293	2983.4	0.009021	0.886	0.002643
KY	H L Spurloc	6041	2	#####	293	2983.4	0.009001	0.884	0.002637
KY	H L Spurloc	6041	2	#####	322	3222.9	0.008728	0.872	0.00281
KY	H L Spurloc	6041	2	#####	505	5294.7	0.008492	0.81	0.004289
KY	H L Spurloc	6041	2	#####	511	5250.9	0.008344	0.812	0.004264
KY	H L Spurloc	6041	2	#####	513	5207.2	0.008608	0.848	0.004416
KY	H L Spurloc	6041	2	#####	523	5498.3	0.008484	0.807	0.004437
KY	H L Spurloc	6041	2	#####	512	5370.2	0.008527	0.813	0.004366
KY	H L Spurloc	6041	2	#####	513	5346.9	0.008401	0.806	0.00431

KY	H L Spurloc	6041	2	#####	523	5479.7	0.008445	0.806	0.004417
KY	H L Spurloc	6041	2	#####	516	5332	0.00838	0.811	0.004324
KY	H L Spurloc	6041	2	#####	527	5462.2	0.008385	0.809	0.004419
KY	H L Spurloc	6041	2	#####	512	5282.1	0.008336	0.808	0.004268
KY	H L Spurloc	6041	2	#####	509	5259.3	0.008369	0.81	0.00426
KY	H L Spurloc	6041	2	#####	512	5272.6	0.008331	0.809	0.004266
KY	H L Spurloc	6041	2	#####	511	5199.1	0.008292	0.815	0.004237
KY	H L Spurloc	6041	2	#####	501	5084.5	0.008281	0.816	0.004149
KY	H L Spurloc	6041	2	#####	501	5054.6	0.008172	0.81	0.004094
KY	H L Spurloc	6041	2	#####	509	5210.5	0.008302	0.811	0.004226
KY	H L Spurloc	6041	2	#####	335	3236.4	0.008366	0.866	0.002803
KY	H L Spurloc	6041	2	#####	295	2811.2	0.008415	0.883	0.002482
KY	H L Spurloc	6041	2	#####	295	2828.8	0.008525	0.889	0.002515
KY	H L Spurloc	6041	2	#####	294	2831.9	0.008505	0.883	0.002501
KY	H L Spurloc	6041	2	#####	295	2851	0.008534	0.883	0.002517
KY	H L Spurloc	6041	2	#####	295	2865.6	0.008509	0.876	0.00251
KY	H L Spurloc	6041	2	#####	374	3759.4	0.008454	0.841	0.003162
KY	H L Spurloc	6041	2	#####	349	3408.9	0.00841	0.861	0.002935
KY	H L Spurloc	6041	2	#####	510	5230.3	0.008338	0.813	0.004252
KY	H L Spurloc	6041	2	#####	508	5185.3	0.008299	0.813	0.004216
KY	H L Spurloc	6041	2	#####	511	5201.5	0.008265	0.812	0.004224
KY	H L Spurloc	6041	2	#####	511	5100.6	0.008145	0.816	0.004162
KY	H L Spurloc	6041	2	#####	511	5159.1	0.008178	0.81	0.004179
KY	H L Spurloc	6041	2	#####	509	5152.3	0.008219	0.812	0.004184
KY	H L Spurloc	6041	2	#####	511	5198.6	0.008251	0.811	0.004216
KY	H L Spurloc	6041	2	#####	511	5204.7	0.00825	0.81	0.004216
KY	H L Spurloc	6041	2	#####	511	5191.3	0.008259	0.813	0.004221
KY	H L Spurloc	6041	2	#####	510	5207.9	0.008251	0.808	0.004208
KY	H L Spurloc	6041	2	#####	506	5139.6	0.008207	0.808	0.004153
KY	H L Spurloc	6041	2	#####	511	5215.1	0.008246	0.808	0.004214
KY	H L Spurloc	6041	2	#####	511	5271.3	0.008263	0.801	0.004222
KY	H L Spurloc	6041	2	#####	511	5248	0.008267	0.805	0.004225
KY	H L Spurloc	6041	2	#####	500	5098.3	0.00831	0.815	0.004155
KY	H L Spurloc	6041	2	#####	509	5218.8	0.008274	0.807	0.004212
KY	H L Spurloc	6041	2	#####	412	4083.6	0.008286	0.836	0.003414
KY	H L Spurloc	6041	2	#####	294	2833.7	0.008357	0.867	0.002457
KY	H L Spurloc	6041	2	#####	295	2855.1	0.008517	0.88	0.002512
KY	H L Spurloc	6041	2	#####	295	2913	0.008621	0.873	0.002543
KY	H L Spurloc	6041	2	#####	295	2917.8	0.008694	0.879	0.002565
KY	H L Spurloc	6041	2	#####	426	4440.1	0.008745	0.839	0.003725
KY	H L Spurloc	6041	2	#####	501	5158.9	0.008454	0.821	0.004235
KY	H L Spurloc	6041	2	#####	506	5185.7	0.008342	0.814	0.004221
KY	H L Spurloc	6041	2	#####	509	5207.4	0.008277	0.809	0.004213
KY	H L Spurloc	6041	2	#####	511	5190.5	0.008258	0.813	0.00422
KY	H L Spurloc	6041	2	#####	510	5149.7	0.004695	0.465	0.002395
KY	H L Spurloc	6041	2	#####	510	5152.6	0.004698	0.465	0.002396
KY	H L Spurloc	6041	2	#####	511	5189.8	0.004712	0.464	0.002408

KY	H L Spurloc	6041	2	#####	511	5163.8	0.004699	0.465	0.002401
KY	H L Spurloc	6041	2	#####	513	5218.7	0.00472	0.464	0.002421
KY	H L Spurloc	6041	2	#####	514	5168.1	0.004685	0.466	0.002408
KY	H L Spurloc	6041	2	#####	510	5165.3	0.00472	0.466	0.002407
KY	H L Spurloc	6041	2	#####	509	5171.7	0.004704	0.463	0.002394
KY	H L Spurloc	6041	2	#####	509	5152.4	0.004687	0.463	0.002386
KY	H L Spurloc	6041	2	#####	509	5139.9	0.004665	0.462	0.002375
KY	H L Spurloc	6041	2	#####	509	5154.9	0.004689	0.463	0.002387
KY	H L Spurloc	6041	2	#####	508	5125.4	0.004671	0.463	0.002373
KY	H L Spurloc	6041	2	#####	508	5145.9	0.00469	0.463	0.002383
KY	H L Spurloc	6041	2	#####	508	5097.5	0.004676	0.466	0.002375
KY	H L Spurloc	6041	2	#####	373	3627.4	0.004707	0.484	0.001756
KY	H L Spurloc	6041	2	#####	299	2851.4	0.004721	0.495	0.001411
KY	H L Spurloc	6041	2	#####	300	2841.3	0.004764	0.503	0.001429
KY	H L Spurloc	6041	2	#####	300	2827.6	0.004713	0.5	0.001414
KY	H L Spurloc	6041	2	#####	413	4018	0.00467	0.48	0.001929
KY	H L Spurloc	6041	2	#####	497	5023.8	0.004721	0.467	0.002346
KY	H L Spurloc	6041	2	#####	508	5089.7	0.004639	0.463	0.002357
KY	H L Spurloc	6041	2	#####	512	5095.4	0.004618	0.464	0.002364
KY	H L Spurloc	6041	2	#####	508	5029.5	0.004594	0.464	0.002334
KY	H L Spurloc	6041	2	#####	511	5078	0.004591	0.462	0.002346
KY	H L Spurloc	6041	2	#####	513	5123.9	0.004615	0.462	0.002367
KY	H L Spurloc	6041	2	#####	511	5155.1	0.004661	0.462	0.002382
KY	H L Spurloc	6041	2	#####	511	5168.6	0.004703	0.465	0.002403
KY	H L Spurloc	6041	2	#####	511	5195.1	0.004677	0.46	0.00239
KY	H L Spurloc	6041	2	#####	514	5214.9	0.004687	0.462	0.002409
KY	H L Spurloc	6041	2	#####	511	5196.5	0.004688	0.461	0.002396
KY	H L Spurloc	6041	2	#####	511	5216.1	0.004706	0.461	0.002405
KY	H L Spurloc	6041	2	#####	514	5228.8	0.00469	0.461	0.00241
KY	H L Spurloc	6041	2	#####	508	5180.2	0.004691	0.46	0.002383
KY	H L Spurloc	6041	2	#####	508	5125.2	0.004641	0.46	0.002358
KY	H L Spurloc	6041	2	#####	517	5233.5	0.004646	0.459	0.002402
KY	H L Spurloc	6041	2	#####	499	5045.9	0.004692	0.464	0.002341
KY	H L Spurloc	6041	2	#####	493	5001.3	0.004738	0.467	0.002336
KY	H L Spurloc	6041	2	#####	503	5144.4	0.004746	0.464	0.002387
KY	H L Spurloc	6041	2	#####	448	4533.2	0.004766	0.471	0.002135
KY	H L Spurloc	6041	2	#####	497	5098.1	0.004749	0.463	0.00236
KY	H L Spurloc	6041	2	#####	512	5256.3	0.004764	0.464	0.002439
KY	H L Spurloc	6041	2	#####	505	5226	0.004781	0.462	0.002414
KY	H L Spurloc	6041	2	#####	506	5228.8	0.004764	0.461	0.00241
KY	H L Spurloc	6041	2	#####	511	5285.1	0.004778	0.462	0.002442
KY	H L Spurloc	6041	2	#####	514	5314.7	0.004787	0.463	0.002461
KY	H L Spurloc	6041	2	#####	505	5203.6	0.00474	0.46	0.002394
KY	H L Spurloc	6041	2	#####	446	4481.7	0.004743	0.472	0.002115
KY	H L Spurloc	6041	2	#####	452	4565.3	0.004737	0.469	0.002141
KY	H L Spurloc	6041	2	#####	495	5089.5	0.004781	0.465	0.002367
KY	H L Spurloc	6041	2	#####	516	5423.5	0.004824	0.459	0.002489

KY	H L Spurloc	6041	2	#####	510	5376.4	0.00487	0.462	0.002484
KY	H L Spurloc	6041	2	#####	516	5489.6	0.004862	0.457	0.002509
KY	H L Spurloc	6041	2	#####	512	5396.4	0.004869	0.462	0.002493
KY	H L Spurloc	6041	2	#####	512	5415.3	0.004844	0.458	0.00248
KY	H L Spurloc	6041	2	#####	524	5544.5	0.004888	0.462	0.002562
KY	H L Spurloc	6041	2	#####	503	5293.3	0.004841	0.46	0.002435
KY	H L Spurloc	6041	2	#####	510	5385.3	0.004847	0.459	0.002472
KY	H L Spurloc	6041	2	#####	511	5404.1	0.004854	0.459	0.00248
KY	H L Spurloc	6041	2	#####	516	5486	0.00488	0.459	0.002518
KY	H L Spurloc	6041	2	#####	512	5419.9	0.004901	0.463	0.002509
KY	H L Spurloc	6041	2	#####	519	5529	0.004932	0.463	0.00256
KY	H L Spurloc	6041	2	#####	522	5541.2	0.004904	0.462	0.00256
KY	H L Spurloc	6041	2	#####	510	5338.1	0.004857	0.464	0.002477
KY	H L Spurloc	6041	2	#####	510	5379.1	0.004904	0.465	0.002501
KY	H L Spurloc	6041	2	#####	509	5346.1	0.004884	0.465	0.002486
KY	H L Spurloc	6041	2	#####	509	5357.5	0.004873	0.463	0.002481
KY	H L Spurloc	6041	2	#####	512	5379.9	0.004918	0.468	0.002518
KY	H L Spurloc	6041	2	#####	504	5267	0.00488	0.467	0.00246
KY	H L Spurloc	6041	2	#####	515	5370.7	0.004808	0.461	0.002476
KY	H L Spurloc	6041	2	#####	511	5274.5	0.0048	0.465	0.002453
KY	H L Spurloc	6041	2	#####	514	5284.5	0.00476	0.463	0.002447
KY	H L Spurloc	6041	2	#####	510	5218.2	0.004748	0.464	0.002421
KY	H L Spurloc	6041	2	#####	512	5325.8	0.004816	0.463	0.002466
KY	H L Spurloc	6041	2	#####	512	5327.2	0.004817	0.463	0.002466
KY	H L Spurloc	6041	2	#####	513	5392.3	0.004888	0.465	0.002507
KY	H L Spurloc	6041	2	#####	512	5376.6	0.004862	0.463	0.002489
KY	H L Spurloc	6041	2	#####	512	5388.5	0.004883	0.464	0.0025
KY	H L Spurloc	6041	2	#####	513	5337.9	0.004818	0.463	0.002471
KY	H L Spurloc	6041	2	#####	512	5420	0.004997	0.472	0.002558
KY	H L Spurloc	6041	2	#####	511	5359.7	0.005003	0.477	0.002557
KY	H L Spurloc	6041	2	#####	513	5390.4	0.005023	0.478	0.002577
KY	H L Spurloc	6041	2	#####	512	5358.4	0.005003	0.478	0.002561
KY	H L Spurloc	6041	2	#####	520	5445.4	0.004953	0.473	0.002576
KY	H L Spurloc	6041	2	#####	512	5315.2	0.004858	0.468	0.002488
KY	H L Spurloc	6041	2	#####	426	4341.3	0.004953	0.486	0.00211
KY	H L Spurloc	6041	2	#####	299	2906.2	0.004879	0.502	0.001459
KY	H L Spurloc	6041	2	#####	299	2923.7	0.004918	0.503	0.001471
KY	H L Spurloc	6041	2	#####	300	2942.7	0.004914	0.501	0.001474
KY	H L Spurloc	6041	2	#####	300	2952	0.00495	0.503	0.001485
KY	H L Spurloc	6041	2	#####	300	2933.3	0.004889	0.5	0.001467
KY	H L Spurloc	6041	2	#####	299	2938.4	0.004914	0.5	0.001469
KY	H L Spurloc	6041	2	#####	444	4618.3	0.004962	0.477	0.002203
KY	H L Spurloc	6041	2	#####	508	5222.2	0.004821	0.469	0.002449
KY	H L Spurloc	6041	2	#####	521	5421.9	0.004797	0.461	0.002499
KY	H L Spurloc	6041	2	#####	513	5301	0.004784	0.463	0.002454
KY	H L Spurloc	6041	2	#####	510	5296.4	0.004798	0.462	0.002447
KY	H L Spurloc	6041	2	#####	512	5298.9	0.004781	0.462	0.002448

KY	H L Spurloc	6041	2	#####	514	5318.1	0.00479	0.463	0.002462
KY	H L Spurloc	6041	2	#####	511	5277.1	0.004802	0.465	0.002454
KY	H L Spurloc	6041	2	#####	511	5292.2	0.004909	0.474	0.002509
KY	H L Spurloc	6041	2	#####	511	5303	0.004836	0.466	0.002471
KY	H L Spurloc	6041	2	#####	511	5195.8	0.004748	0.467	0.002426
KY	H L Spurloc	6041	2	#####	511	5356	0.004989	0.476	0.002549
KY	H L Spurloc	6041	2	#####	500	5136.6	0.004798	0.467	0.002399
KY	H L Spurloc	6041	2	#####	514	5255.5	0.004734	0.463	0.002433
KY	H L Spurloc	6041	2	#####	531	5599.8	0.004904	0.465	0.002604
KY	H L Spurloc	6041	2	#####	525	5526.3	0.005021	0.477	0.002636
KY	H L Spurloc	6041	2	#####	522	5397.4	0.004973	0.481	0.002596
KY	H L Spurloc	6041	2	#####	407	4013.8	0.004803	0.487	0.001955
KY	H L Spurloc	6041	2	#####	294	2837.1	0.004854	0.503	0.001427
KY	H L Spurloc	6041	2	#####	294	2870.2	0.00494	0.506	0.001452
KY	H L Spurloc	6041	2	#####	295	2900.1	0.004955	0.504	0.001462
KY	H L Spurloc	6041	2	#####	295	2923.4	0.005044	0.509	0.001488
KY	H L Spurloc	6041	2	#####	295	2904.3	0.004982	0.506	0.00147
KY	H L Spurloc	6041	2	#####	295	2919.6	0.005008	0.506	0.001477
KY	H L Spurloc	6041	2	#####	295	2920.1	0.005009	0.506	0.001478
KY	H L Spurloc	6041	2	#####	295	2936	0.005046	0.507	0.001489
KY	H L Spurloc	6041	2	#####	295	2941.7	0.005056	0.507	0.001491
KY	H L Spurloc	6041	2	#####	295	2900.6	0.005005	0.509	0.001476
KY	H L Spurloc	6041	2	#####	294	2926.7	0.005047	0.507	0.001484
KY	H L Spurloc	6041	2	#####	295	2942.6	0.005017	0.503	0.00148
KY	H L Spurloc	6041	2	#####	295	2950	0.00502	0.502	0.001481
KY	H L Spurloc	6041	2	#####	295	2941.8	0.005056	0.507	0.001491
KY	H L Spurloc	6041	2	#####	295	2779.1	0.004776	0.507	0.001409
KY	H L Spurloc	6041	2	#####	294	2793.3	0.004817	0.507	0.001416
KY	H L Spurloc	6041	2	#####	295	2908.9	0.004999	0.507	0.001475
KY	H L Spurloc	6041	2	#####	295	2920	0.005018	0.507	0.00148
KY	H L Spurloc	6041	2	#####	295	2919	0.004967	0.502	0.001465
KY	H L Spurloc	6041	2	#####	295	2887.9	0.004963	0.507	0.001464
KY	H L Spurloc	6041	2	#####	295	2908.4	0.004999	0.507	0.001475
KY	H L Spurloc	6041	2	#####	295	2921.9	0.004982	0.503	0.00147
KY	H L Spurloc	6041	2	#####	295	2913.9	0.004988	0.505	0.001472
KY	H L Spurloc	6041	2	#####	345	3441.2	0.004917	0.493	0.001697
KY	H L Spurloc	6041	2	#####	380	3797.1	0.004856	0.486	0.001845
KY	H L Spurloc	6041	2	#####	293	2859.6	0.004929	0.505	0.001444
KY	H L Spurloc	6041	2	#####	295	2895.4	0.004937	0.503	0.001456
KY	H L Spurloc	6041	2	#####	295	2901.2	0.004957	0.504	0.001462
KY	H L Spurloc	6041	2	#####	295	2901.5	0.004967	0.505	0.001465
KY	H L Spurloc	6041	2	#####	295	2920.5	0.00497	0.502	0.001466
KY	H L Spurloc	6041	2	#####	294	2853	0.004871	0.502	0.001432
KY	H L Spurloc	6041	2	#####	295	2961.8	0.00504	0.502	0.001487
KY	H L Spurloc	6041	2	#####	295	2961.2	0.005039	0.502	0.001487
KY	H L Spurloc	6041	2	#####	295	2961.5	0.005019	0.5	0.001481
KY	H L Spurloc	6041	2	#####	295	2954.7	0.004998	0.499	0.001474

KY	H L Spurloc	6041	2 #####	295	2935.5	0.004956	0.498	0.001462
KY	H L Spurloc	6041	2 #####	295	2957.5	0.004983	0.497	0.00147
KY	H L Spurloc	6041	2 #####	295	2971.3	0.005056	0.502	0.001492
KY	H L Spurloc	6041	2 #####	295	2985.4	0.00503	0.497	0.001484
KY	H L Spurloc	6041	2 #####	295	2991.5	0.00504	0.497	0.001487
KY	H L Spurloc	6041	2 #####	295	2985	0.005029	0.497	0.001484
KY	H L Spurloc	6041	2 #####	314	3203.6	0.00504	0.494	0.001583
KY	H L Spurloc	6041	2 #####	341	3482.2	0.005014	0.491	0.00171
KY	H L Spurloc	6041	2 #####	388	4027.3	0.004972	0.479	0.001929
KY	H L Spurloc	6041	2 #####	475	5033.1	0.004959	0.468	0.002355
KY	H L Spurloc	6041	2 #####	332	3354.5	0.004961	0.491	0.001647
KY	H L Spurloc	6041	2 #####	295	2943.4	0.004999	0.501	0.001475
KY	H L Spurloc	6041	2 #####	305	3056.3	0.00499	0.498	0.001522
KY	H L Spurloc	6041	2 #####	296	2797.8	0.004745	0.502	0.001404
KY	H L Spurloc	6041	2 #####	294	2689.5	0.004611	0.504	0.001356
KY	H L Spurloc	6041	2 #####	294	2913.1	0.004954	0.5	0.001457
KY	H L Spurloc	6041	2 #####	295	2903.5	0.00498	0.506	0.001469
KY	H L Spurloc	6041	2 #####	295	2903.2	0.00495	0.503	0.00146
KY	H L Spurloc	6041	2 #####	293	2871.7	0.00494	0.504	0.001447
KY	H L Spurloc	6041	2 #####	295	2872.1	0.004917	0.505	0.00145
KY	H L Spurloc	6041	2 #####	294	2879	0.004926	0.503	0.001448
KY	H L Spurloc	6041	2 #####	295	2886.1	0.004921	0.503	0.001452
KY	H L Spurloc	6041	2 #####	295	2839.2	0.004851	0.504	0.001431
KY	H L Spurloc	6041	2 #####	295	2898.1	0.004961	0.505	0.001464
KY	H L Spurloc	6041	2 #####	295	2915.2	0.004961	0.502	0.001463
KY	H L Spurloc	6041	2 #####	295	2934.1	0.004993	0.502	0.001473
KY	H L Spurloc	6041	2 #####	402	4145.6	0.00495	0.48	0.00199
KY	H L Spurloc	6041	2 #####	501	5340.6	0.004904	0.46	0.002457
KY	H L Spurloc	6041	2 #####	509	5426.9	0.004915	0.461	0.002502
KY	H L Spurloc	6041	2 #####	487	5131.9	0.004879	0.463	0.002376
KY	H L Spurloc	6041	2 #####	514	5506.4	0.004928	0.46	0.002533
KY	H L Spurloc	6041	2 #####	511	5410	0.004859	0.459	0.002483
KY	H L Spurloc	6041	2 #####	519	5472	0.00485	0.46	0.002517
KY	H L Spurloc	6041	2 #####	499	5209.1	0.004823	0.462	0.002407
KY	H L Spurloc	6041	2 #####	457	4672.7	0.004816	0.471	0.002201
KY	H L Spurloc	6041	2 #####	500	5227	0.00483	0.462	0.002415
KY	H L Spurloc	6041	2 #####	398	3969.3	0.004827	0.484	0.001921
KY	H L Spurloc	6041	2 #####	389	3921.4	0.004859	0.482	0.00189
KY	H L Spurloc	6041	2 #####	549	5878	0.004925	0.46	0.002704
KY	H L Spurloc	6041	2 #####	553	5903.1	0.004889	0.458	0.002704
KY	H L Spurloc	6041	2 #####	549	5919.2	0.005014	0.465	0.002752
KY	H L Spurloc	6041	2 #####	546	5770	0.004819	0.456	0.002631
KY	H L Spurloc	6041	2 #####	550	5817.3	0.004865	0.46	0.002676
KY	H L Spurloc	6041	2 #####	549	5795.3	0.004856	0.46	0.002666
KY	H L Spurloc	6041	2 #####	550	5800.6	0.004862	0.461	0.002674
KY	H L Spurloc	6041	2 #####	550	5854.1	0.004875	0.458	0.002681
KY	H L Spurloc	6041	2 #####	550	5862.3	0.004882	0.458	0.002685

KY	H L Spurloc	6041	2 #####	539	5737.4	0.006004	0.564	0.003236
KY	H L Spurloc	6041	2 #####	547	5878.4	0.006029	0.561	0.003298
KY	H L Spurloc	6041	2 #####	550	5957.6	0.006066	0.56	0.003336
KY	H L Spurloc	6041	2 #####	550	5898.7	0.006049	0.564	0.003327
KY	H L Spurloc	6041	2 #####	549	5870.5	0.006031	0.564	0.003311
KY	H L Spurloc	6041	2 #####	550	5928.6	0.00608	0.564	0.003344
KY	H L Spurloc	6041	2 #####	550	5913.3	0.006064	0.564	0.003335
KY	H L Spurloc	6041	2 #####	550	5954.2	0.006106	0.564	0.003358
KY	H L Spurloc	6041	2 #####	550	5950.5	0.006091	0.563	0.00335
KY	H L Spurloc	6041	2 #####	550	5951.2	0.006124	0.566	0.003368
KY	H L Spurloc	6041	2 #####	551	6003.9	0.006135	0.563	0.00338
KY	H L Spurloc	6041	2 #####	552	6009.6	0.006129	0.563	0.003383
KY	H L Spurloc	6041	2 #####	523	5598.8	0.00607	0.567	0.003175
KY	H L Spurloc	6041	2 #####	547	5955.4	0.006151	0.565	0.003365
KY	H L Spurloc	6041	2 #####	528	5666.3	0.006096	0.568	0.003218
KY	H L Spurloc	6041	2 #####	451	4632.2	0.006019	0.586	0.002714
KY	H L Spurloc	6041	2 6/1/2022	399	4016.1	0.005939	0.59	0.002369
KY	H L Spurloc	6041	2 6/1/2022	406	4098	0.005975	0.592	0.002426
KY	H L Spurloc	6041	2 6/1/2022	362	3580.2	0.005974	0.604	0.002162
KY	H L Spurloc	6041	2 6/1/2022	295	2830.3	0.005968	0.622	0.00176
KY	H L Spurloc	6041	2 6/1/2022	295	2870.5	0.006033	0.62	0.00178
KY	H L Spurloc	6041	2 6/1/2022	295	2861.7	0.006034	0.622	0.00178
KY	H L Spurloc	6041	2 6/1/2022	351	3455.3	0.005975	0.607	0.002097
KY	H L Spurloc	6041	2 6/1/2022	431	4438.3	0.006004	0.583	0.002588
KY	H L Spurloc	6041	2 6/1/2022	499	5275.6	0.006047	0.572	0.003018
KY	H L Spurloc	6041	2 6/1/2022	518	5534.4	0.006026	0.564	0.003121
KY	H L Spurloc	6041	2 6/1/2022	510	5353.9	0.005963	0.568	0.003041
KY	H L Spurloc	6041	2 6/1/2022	512	5361.2	0.005937	0.567	0.00304
KY	H L Spurloc	6041	2 6/1/2022	523	5445.3	0.005924	0.569	0.003098
KY	H L Spurloc	6041	2 6/1/2022	511	5275.7	0.005875	0.569	0.003002
KY	H L Spurloc	6041	2 6/1/2022	512	5288.4	0.005887	0.57	0.003014
KY	H L Spurloc	6041	2 6/1/2022	512	5301	0.005912	0.571	0.003027
KY	H L Spurloc	6041	2 6/1/2022	509	5257	0.005897	0.571	0.003002
KY	H L Spurloc	6041	2 6/1/2022	510	5144.5	0.00576	0.571	0.002938
KY	H L Spurloc	6041	2 6/1/2022	508	5105	0.005748	0.572	0.00292
KY	H L Spurloc	6041	2 6/1/2022	509	5148.2	0.005785	0.572	0.002945
KY	H L Spurloc	6041	2 6/1/2022	511	5120.5	0.005722	0.571	0.002924
KY	H L Spurloc	6041	2 6/1/2022	434	4209.6	0.005723	0.59	0.002484
KY	H L Spurloc	6041	2 6/1/2022	427	4119.4	0.005711	0.592	0.002439
KY	H L Spurloc	6041	2 6/1/2022	254	2206.9	0.006108	0.703	0.001551
KY	H L Spurloc	6041	2 6/2/2022	38	381.786	0.03913	1.48	0.000565
KY	H L Spurloc	6041	2 #####	0	246.432			
KY	H L Spurloc	6041	2 #####	0	118.3		1.62	0.000192
KY	H L Spurloc	6041	2 #####	0	120		1.62	0.000194
KY	H L Spurloc	6041	2 #####	0	143.6		1.61	0.000231
KY	H L Spurloc	6041	2 #####	0	189.8		1.6	0.000304
KY	H L Spurloc	6041	2 #####	0	196.7		1.59	0.000313

KY	H L Spurloc	6041	2 #####	0	272.1		1.58	0.00043
KY	H L Spurloc	6041	2 #####	0	228.7		1.57	0.000359
KY	H L Spurloc	6041	2 #####	0	204.8		1.56	0.000319
KY	H L Spurloc	6041	2 #####	0	202.4		1.55	0.000314
KY	H L Spurloc	6041	2 #####	0	201.8		1.55	0.000313
KY	H L Spurloc	6041	2 #####	0	200.5		1.54	0.000309
KY	H L Spurloc	6041	2 #####	0	200.5		1.54	0.000309
KY	H L Spurloc	6041	2 #####	0	200.4		1.54	0.000309
KY	H L Spurloc	6041	2 #####	5	371.2	0.354867	4.78	0.001774
KY	H L Spurloc	6041	2 #####	29	548.6	0.062238	3.29	0.001805
KY	H L Spurloc	6041	2 #####	44	639.537	0.041934	2.51	0.001605
KY	H L Spurloc	6041	2 #####	0	117.26		1.51	0.000177
KY	H L Spurloc	6041	2 #####	23	440.3	0.072362	3.78	0.001664
KY	H L Spurloc	6041	2 #####	163	1566.6	0.010476	1.09	0.001708
KY	H L Spurloc	6041	2 #####	222	1987.9	0.007737	0.864	0.001718
KY	H L Spurloc	6041	2 #####	258	2361.9	0.006445	0.704	0.001663
KY	H L Spurloc	6041	2 #####	275	2518.4	0.005888	0.643	0.001619
KY	H L Spurloc	6041	2 #####	274	2490.6	0.00599	0.659	0.001641
KY	H L Spurloc	6041	2 #####	274	2486.1	0.00597	0.658	0.001636
KY	H L Spurloc	6041	2 #####	287	2564.5	0.005647	0.632	0.001621
KY	H L Spurloc	6041	2 #####	320	2911.6	0.005578	0.613	0.001785
KY	H L Spurloc	6041	2 #####	350	3242.4	0.00566	0.611	0.001981
KY	H L Spurloc	6041	2 #####	400	3759.9	0.005677	0.604	0.002271
KY	H L Spurloc	6041	2 #####	400	3800.4	0.005739	0.604	0.002295
KY	H L Spurloc	6041	2 #####	400	3790.1	0.005751	0.607	0.002301
KY	H L Spurloc	6041	2 #####	446	4294.4	0.005681	0.59	0.002534
KY	H L Spurloc	6041	2 #####	466	4540.3	0.005641	0.579	0.002629
KY	H L Spurloc	6041	2 #####	491	4867.8	0.005691	0.574	0.002794
KY	H L Spurloc	6041	2 #####	519	5216.5	0.005749	0.572	0.002984
KY	H L Spurloc	6041	2 #####	530	5354.1	0.005768	0.571	0.003057
KY	H L Spurloc	6041	2 #####	512	5060.6	0.005683	0.575	0.00291
KY	H L Spurloc	6041	2 #####	508	4991.9	0.00568	0.578	0.002885
KY	H L Spurloc	6041	2 #####	509	4982.5	0.005658	0.578	0.00288
KY	H L Spurloc	6041	2 #####	507	4975.3	0.005672	0.578	0.002876
KY	H L Spurloc	6041	2 #####	485	4723.9	0.005669	0.582	0.002749
KY	H L Spurloc	6041	2 #####	395	3711.2	0.005618	0.598	0.002219
KY	H L Spurloc	6041	2 #####	505	4984.4	0.005705	0.578	0.002881
KY	H L Spurloc	6041	2 #####	548	5540.1	0.005783	0.572	0.003169
KY	H L Spurloc	6041	2 #####	549	5564.4	0.005808	0.573	0.003188
KY	H L Spurloc	6041	2 #####	549	5596.6	0.005831	0.572	0.003201
KY	H L Spurloc	6041	2 #####	541	5474.4	0.005788	0.572	0.003131
KY	H L Spurloc	6041	2 #####	513	5065.8	0.005648	0.572	0.002898
KY	H L Spurloc	6041	2 #####	502	4888.8	0.00559	0.574	0.002806
KY	H L Spurloc	6041	2 #####	536	5290.5	0.005616	0.569	0.00301
KY	H L Spurloc	6041	2 #####	548	5486.3	0.005677	0.567	0.003111
KY	H L Spurloc	6041	2 #####	550	5504.4	0.005695	0.569	0.003132
KY	H L Spurloc	6041	2 #####	550	5530.7	0.005702	0.567	0.003136

KY	H L Spurloc	6041	2	#####	537	5327.4	0.005694	0.574	0.003058
KY	H L Spurloc	6041	2	#####	549	5551	0.005794	0.573	0.003181
KY	H L Spurloc	6041	2	#####	549	5557.8	0.005781	0.571	0.003174
KY	H L Spurloc	6041	2	#####	550	5543	0.005755	0.571	0.003165
KY	H L Spurloc	6041	2	#####	550	5584.9	0.005788	0.57	0.003183
KY	H L Spurloc	6041	2	#####	550	5595.2	0.005829	0.573	0.003206
KY	H L Spurloc	6041	2	#####	550	5589.8	0.005813	0.572	0.003197
KY	H L Spurloc	6041	2	#####	547	5596.4	0.005811	0.568	0.003179
KY	H L Spurloc	6041	2	#####	550	5581.8	0.005805	0.572	0.003193
KY	H L Spurloc	6041	2	#####	549	5472.3	0.005731	0.575	0.003147
KY	H L Spurloc	6041	2	#####	550	5474.9	0.005724	0.575	0.003148
KY	H L Spurloc	6041	2	#####	550	5452	0.00572	0.577	0.003146
KY	H L Spurloc	6041	2	#####	537	5278.5	0.005682	0.578	0.003051
KY	H L Spurloc	6041	2	#####	549	5440.1	0.005688	0.574	0.003123
KY	H L Spurloc	6041	2	#####	515	5036.5	0.005692	0.582	0.002931
KY	H L Spurloc	6041	2	#####	545	5425.7	0.005724	0.575	0.00312
KY	H L Spurloc	6041	2	#####	549	5488.4	0.005748	0.575	0.003156
KY	H L Spurloc	6041	2	#####	549	5447.4	0.005695	0.574	0.003127
KY	H L Spurloc	6041	2	#####	550	5479.4	0.005709	0.573	0.00314
KY	H L Spurloc	6041	2	#####	503	4868.1	0.005623	0.581	0.002828
KY	H L Spurloc	6041	2	#####	546	5414.9	0.005683	0.573	0.003103
KY	H L Spurloc	6041	2	#####	520	5097.5	0.005666	0.578	0.002946
KY	H L Spurloc	6041	2	#####	543	5387.9	0.005666	0.571	0.003076
KY	H L Spurloc	6041	2	#####	549	5504.9	0.005746	0.573	0.003154
KY	H L Spurloc	6041	2	#####	550	5561.2	0.005763	0.57	0.00317
KY	H L Spurloc	6041	2	#####	549	5574.5	0.005839	0.575	0.003205
KY	H L Spurloc	6041	2	#####	550	5575.2	0.005778	0.57	0.003178
KY	H L Spurloc	6041	2	#####	550	5596.2	0.00579	0.569	0.003184
KY	H L Spurloc	6041	2	#####	550	5569.3	0.005792	0.572	0.003186
KY	H L Spurloc	6041	2	#####	550	5611.1	0.005836	0.572	0.00321
KY	H L Spurloc	6041	2	#####	550	5570.7	0.005794	0.572	0.003186
KY	H L Spurloc	6041	2	#####	550	5603.6	0.005807	0.57	0.003194
KY	H L Spurloc	6041	2	#####	552	5600.8	0.005814	0.573	0.003209
KY	H L Spurloc	6041	2	#####	552	5612.1	0.005815	0.572	0.00321
KY	H L Spurloc	6041	2	#####	551	5607.1	0.005811	0.571	0.003202
KY	H L Spurloc	6041	2	#####	551	5619	0.005803	0.569	0.003197
KY	H L Spurloc	6041	2	#####	552	5628.4	0.005853	0.574	0.003231
KY	H L Spurloc	6041	2	#####	552	5659.1	0.005874	0.573	0.003243
KY	H L Spurloc	6041	2	#####	551	5646.2	0.005872	0.573	0.003235
KY	H L Spurloc	6041	2	#####	551	5648.5	0.005895	0.575	0.003248
KY	H L Spurloc	6041	2	#####	551	5658.6	0.005905	0.575	0.003254
KY	H L Spurloc	6041	2	#####	552	5695.2	0.005933	0.575	0.003275
KY	H L Spurloc	6041	2	#####	552	5591.7	0.005835	0.576	0.003221
KY	H L Spurloc	6041	2	#####	550	5570.5			
KY	H L Spurloc	6041	2	#####	550	5565.5	0.005818	0.575	0.0032
KY	H L Spurloc	6041	2	#####	549	5607.5	0.005842	0.572	0.003207
KY	H L Spurloc	6041	2	#####	549	5607.7	0.005822	0.57	0.003196

KY	H L Spurloc	6041	2	#####	549	5674.8	0.005892	0.57	0.003235
KY	H L Spurloc	6041	2	#####	506	5071.4	0.005773	0.576	0.002921
KY	H L Spurloc	6041	2	#####	546	5734.8	0.005976	0.569	0.003263
KY	H L Spurloc	6041	2	#####	549	5680.5	0.005918	0.572	0.003249
KY	H L Spurloc	6041	2	#####	551	5789	0.005989	0.57	0.0033
KY	H L Spurloc	6041	2	#####	553	5849.2	0.00604	0.571	0.00334
KY	H L Spurloc	6041	2	#####	552	5837.1	0.006059	0.573	0.003345
KY	H L Spurloc	6041	2	#####	553	5790.9	0.006011	0.574	0.003324
KY	H L Spurloc	6041	2	#####	554	5713.2	0.005919	0.574	0.003279
KY	H L Spurloc	6041	2	#####	551	5761.7	0.006002	0.574	0.003307
KY	H L Spurloc	6041	2	#####	552	5714.2	0.005911	0.571	0.003263
KY	H L Spurloc	6041	2	#####	518	5300.8	0.005894	0.576	0.003053
KY	H L Spurloc	6041	2	#####	505	5136.7	0.00591	0.581	0.002984
KY	H L Spurloc	6041	2	#####	526	5400.9	0.005914	0.576	0.003111
KY	H L Spurloc	6041	2	#####	548	5702.1	0.005983	0.575	0.003279
KY	H L Spurloc	6041	2	#####	552	5741.9	0.005981	0.575	0.003302
KY	H L Spurloc	6041	2	#####	552	5754.3	0.005984	0.574	0.003303
KY	H L Spurloc	6041	2	#####	553	5791.9	0.00598	0.571	0.003307
KY	H L Spurloc	6041	2	#####	553	5729.7	0.005968	0.576	0.0033
KY	H L Spurloc	6041	2	#####	551	5678	0.005936	0.576	0.003271
KY	H L Spurloc	6041	2	#####	552	5750	0.005958	0.572	0.003289
KY	H L Spurloc	6041	2	#####	552	5761.4	0.005949	0.57	0.003284
KY	H L Spurloc	6041	2	#####	552	5764	0.005952	0.57	0.003285
KY	H L Spurloc	6041	2	#####	552	5802.6	0.005992	0.57	0.003307
KY	H L Spurloc	6041	2	#####	552	5784	0.005994	0.572	0.003308
KY	H L Spurloc	6041	2	#####	553	5798	0.005966	0.569	0.003299
KY	H L Spurloc	6041	2	#####	553	5771.3	0.006001	0.575	0.003318
KY	H L Spurloc	6041	2	#####	553	5762	0.005991	0.575	0.003313
KY	H L Spurloc	6041	2	#####	553	5706.4	0.005933	0.575	0.003281
KY	H L Spurloc	6041	2	#####	551	5739.2	0.005989	0.575	0.0033
KY	H L Spurloc	6041	2	#####	550	5736.8	0.005998	0.575	0.003299
KY	H L Spurloc	6041	2	#####	549	5725.1	0.005944	0.57	0.003263
KY	H L Spurloc	6041	2	#####	550	5721.2	0.005981	0.575	0.00329
KY	H L Spurloc	6041	2	#####	551	5727.3	0.005987	0.576	0.003299
KY	H L Spurloc	6041	2	#####	551	5807.4	0.006029	0.572	0.003322
KY	H L Spurloc	6041	2	#####	553	5860.6	0.006073	0.573	0.003358
KY	H L Spurloc	6041	2	#####	551	5785.5	0.00608	0.579	0.00335
KY	H L Spurloc	6041	2	#####	552	5858	0.006081	0.573	0.003357
KY	H L Spurloc	6041	2	#####	486	5003.3	0.005981	0.581	0.002907
KY	H L Spurloc	6041	2	#####	378	3763	0.005943	0.597	0.002247
KY	H L Spurloc	6041	2	#####	306	2939.7	0.005918	0.616	0.001811
KY	H L Spurloc	6041	2	#####	299	2940.4	0.006028	0.613	0.001802
KY	H L Spurloc	6041	2	#####	342	3385.2	0.005979	0.604	0.002045
KY	H L Spurloc	6041	2	#####	305	3073.2	0.006136	0.609	0.001872
KY	H L Spurloc	6041	2	#####	293	2888.5	0.006053	0.614	0.001774
KY	H L Spurloc	6041	2	#####	345	3430.5	0.005996	0.603	0.002069
KY	H L Spurloc	6041	2	#####	505	5331.6	0.006102	0.578	0.003082

KY	H L Spurloc	6041	2	#####	496	5160.2	0.006024	0.579	0.002988
KY	H L Spurloc	6041	2	#####	493	5081.1	0.005926	0.575	0.002922
KY	H L Spurloc	6041	2	#####	505	5274.3	0.005985	0.573	0.003022
KY	H L Spurloc	6041	2	#####	507	5333.2	0.006017	0.572	0.003051
KY	H L Spurloc	6041	2	#####	514	5380	0.005987	0.572	0.003077
KY	H L Spurloc	6041	2	#####	515	5348.5	0.005992	0.577	0.003086
KY	H L Spurloc	6041	2	#####	512	5272.1	0.005962	0.579	0.003053
KY	H L Spurloc	6041	2	#####	523	5454	0.004265	0.409	0.002231
KY	H L Spurloc	6041	2	#####	515	5294.9	0.004215	0.41	0.002171
KY	H L Spurloc	6041	2	#####	515	5356.9	0.004234	0.407	0.00218
KY	H L Spurloc	6041	2	#####	515	5332.4	0.004204	0.406	0.002165
KY	H L Spurloc	6041	2	#####	511	5255.5	0.004196	0.408	0.002144
KY	H L Spurloc	6041	2	#####	495	5035.6	0.004171	0.41	0.002065
KY	H L Spurloc	6041	2	#####	499	5074.9	0.0042	0.413	0.002096
KY	H L Spurloc	6041	2	#####	445	4467.5	0.004227	0.421	0.001881
KY	H L Spurloc	6041	2	#####	309	2978.4	0.004212	0.437	0.001302
KY	H L Spurloc	6041	2	#####	376	3693.2	0.004165	0.424	0.001566
KY	H L Spurloc	6041	2	#####	418	4173.2	0.004193	0.42	0.001753
KY	H L Spurloc	6041	2	#####	297	2838.6	0.004205	0.44	0.001249
KY	H L Spurloc	6041	2	#####	299	2865	0.004187	0.437	0.001252
KY	H L Spurloc	6041	2	#####	299	2872.1	0.004178	0.435	0.001249
KY	H L Spurloc	6041	2	#####	300	2869	0.004179	0.437	0.001254
KY	H L Spurloc	6041	2	#####	298	2854.2	0.004166	0.435	0.001242
KY	H L Spurloc	6041	2	#####	295	2798.9	0.004175	0.44	0.001232
KY	H L Spurloc	6041	2	#####	294	2767	0.004179	0.444	0.001229
KY	H L Spurloc	6041	2	#####	295	2810	0.004191	0.44	0.001236
KY	H L Spurloc	6041	2	#####	295	2779.6	0.004136	0.439	0.00122
KY	H L Spurloc	6041	2	#####	295	2847.4	0.004247	0.44	0.001253
KY	H L Spurloc	6041	2	#####	295	2846.3	0.004216	0.437	0.001244
KY	H L Spurloc	6041	2	#####	294	2839.3	0.00423	0.438	0.001244
KY	H L Spurloc	6041	2	#####	294	2840.8	0.004213	0.436	0.001239
KY	H L Spurloc	6041	2	#####	295	2855.5	0.004249	0.439	0.001254
KY	H L Spurloc	6041	2	#####	335	3237.5	0.004165	0.431	0.001395
KY	H L Spurloc	6041	2	#####	316	3044.8	0.004182	0.434	0.001321
KY	H L Spurloc	6041	2	#####	305	2929.7	0.004169	0.434	0.001271
KY	H L Spurloc	6041	2	#####	295	2819.8	0.004187	0.438	0.001235
KY	H L Spurloc	6041	2	#####	294	2828.5	0.004233	0.44	0.001245
KY	H L Spurloc	6041	2	#####	295	2858.6	0.004264	0.44	0.001258
KY	H L Spurloc	6041	2	#####	295	2823	0.004239	0.443	0.001251
KY	H L Spurloc	6041	2	#####	299	2867.4	0.004229	0.441	0.001265
KY	H L Spurloc	6041	2	#####	349	3349.2	0.004107	0.428	0.001433
KY	H L Spurloc	6041	2	#####	293	2614.9	0.003954	0.443	0.001158
KY	H L Spurloc	6041	2	#####	292	2681.6	0.004059	0.442	0.001185
KY	H L Spurloc	6041	2	#####	295	2766.7	0.00407	0.434	0.001201
KY	H L Spurloc	6041	2	#####	395	3910.5	0.004178	0.422	0.00165
KY	H L Spurloc	6041	2	#####	376	3588.9	0.004123	0.432	0.00155
KY	H L Spurloc	6041	2	#####	293	2811.7	0.004136	0.431	0.001212

KY	H L Spurloc	6041	2	#####	416	4161.3	0.004161	0.416	0.001731
KY	H L Spurloc	6041	2	#####	410	4060.6	0.00413	0.417	0.001693
KY	H L Spurloc	6041	2	#####	292	2793.6	0.004114	0.43	0.001201
KY	H L Spurloc	6041	2	#####	295	2831.7	0.004137	0.431	0.00122
KY	H L Spurloc	6041	2	#####	295	2839.4	0.004158	0.432	0.001227
KY	H L Spurloc	6041	2	#####	294	2853.2	0.004183	0.431	0.00123
KY	H L Spurloc	6041	2	#####	295	2853.7	0.00416	0.43	0.001227
KY	H L Spurloc	6041	2	#####	294	2847	0.004203	0.434	0.001236
KY	H L Spurloc	6041	2	#####	302	2921.9	0.00418	0.432	0.001262
KY	H L Spurloc	6041	2	#####	311	3018.4	0.004154	0.428	0.001292
KY	H L Spurloc	6041	2	#####	312	3010.6	0.00413	0.428	0.001289
KY	H L Spurloc	6041	2	#####	376	3714.8	0.00412	0.417	0.001549
KY	H L Spurloc	6041	2	#####	348	3399.9	0.004133	0.423	0.001438
KY	H L Spurloc	6041	2	#####	365	3618.2	0.004173	0.421	0.001523
KY	H L Spurloc	6041	2	#####	301	2899.2	0.00419	0.435	0.001261
KY	H L Spurloc	6041	2	#####	299	2856.7	0.004127	0.432	0.001234
KY	H L Spurloc	6041	2	#####	300	2858.4	0.004107	0.431	0.001232
KY	H L Spurloc	6041	2	#####	300	2808.3	0.004025	0.43	0.001208
KY	H L Spurloc	6041	2	#####	300	2809.2	0.004055	0.433	0.001216
KY	H L Spurloc	6041	2	#####	301	2798	0.004006	0.431	0.001206
KY	H L Spurloc	6041	2	#####	299	2792.4	0.004035	0.432	0.001206
KY	H L Spurloc	6041	2	#####	300	2834.8	0.004073	0.431	0.001222
KY	H L Spurloc	6041	2	#####	378	3690	0.004051	0.415	0.001531
KY	H L Spurloc	6041	2	#####	367	3523	0.00408	0.425	0.001497
KY	H L Spurloc	6041	2	#####	292	2753.3	0.004092	0.434	0.001195
KY	H L Spurloc	6041	2	#####	406	3943.2	0.004079	0.42	0.001656
KY	H L Spurloc	6041	2	#####	353	3366.1	0.004072	0.427	0.001437
KY	H L Spurloc	6041	2	#####	315	3001.3	0.004068	0.427	0.001282
KY	H L Spurloc	6041	2	#####	490	5026.9	0.004165	0.406	0.002041
KY	H L Spurloc	6041	2	#####	491	4935	0.004101	0.408	0.002013
KY	H L Spurloc	6041	2	#####	501	5007.3	0.004068	0.407	0.002038
KY	H L Spurloc	6041	2	#####	402	3927.4	0.004074	0.417	0.001638
KY	H L Spurloc	6041	2	#####	433	4300.7	0.004112	0.414	0.00178
KY	H L Spurloc	6041	2	#####	489	4970.5	0.004137	0.407	0.002023
KY	H L Spurloc	6041	2	#####	509	5158.5	0.004115	0.406	0.002094
KY	H L Spurloc	6041	2	#####	510	5150.3	0.00409	0.405	0.002086
KY	H L Spurloc	6041	2	#####	505	5110.6	0.004088	0.404	0.002065
KY	H L Spurloc	6041	2	#####	464	4644.8	0.004124	0.412	0.001914
KY	H L Spurloc	6041	2	#####	441	4385.6	0.004117	0.414	0.001816
KY	H L Spurloc	6041	2	#####	382	3708.4	0.004136	0.426	0.00158
KY	H L Spurloc	6041	2	#####	417	4113.9	0.004114	0.417	0.001715
KY	H L Spurloc	6041	2	#####	538	5540.5	0.004171	0.405	0.002244
KY	H L Spurloc	6041	2	#####	493	4875.8	0.004055	0.41	0.001999
KY	H L Spurloc	6041	2	#####	509	5074	0.004057	0.407	0.002065
KY	H L Spurloc	6041	2	#####	507	5050.2	0.004044	0.406	0.00205
KY	H L Spurloc	6041	2	#####	506	4970.9	0.004018	0.409	0.002033
KY	H L Spurloc	6041	2	#####	506	4996.1	0.004028	0.408	0.002038

KY	H L Spurloc	6041	2	#####	510	5070.9	0.004007	0.403	0.002044
KY	H L Spurloc	6041	2	#####	527	5301.1	0.004044	0.402	0.002131
KY	H L Spurloc	6041	2	#####	554	5710.1	0.004123	0.4	0.002284
KY	H L Spurloc	6041	2	#####	556	5775.1	0.004144	0.399	0.002304
KY	H L Spurloc	6041	2	#####	556	5797.2	0.004317	0.414	0.0024
KY	H L Spurloc	6041	2	#####	555	5721.7	0.004165	0.404	0.002312
KY	H L Spurloc	6041	2	#####	555	5739	0.004147	0.401	0.002301
KY	H L Spurloc	6041	2	#####	555	5780	0.004176	0.401	0.002318
KY	H L Spurloc	6041	2	#####	555	5776.5	0.004184	0.402	0.002322
KY	H L Spurloc	6041	2	#####	556	5791.9	0.004156	0.399	0.002311
KY	H L Spurloc	6041	2	#####	556	5801.9	0.004164	0.399	0.002315
KY	H L Spurloc	6041	2	#####	556	5759.9	0.004144	0.4	0.002304
KY	H L Spurloc	6041	2	#####	556	5813.3	0.004224	0.404	0.002349
KY	H L Spurloc	6041	2	#####	556	5807.6	0.00422	0.404	0.002346
KY	H L Spurloc	6041	2	#####	556	5792.1	0.004198	0.403	0.002334
KY	H L Spurloc	6041	2	#####	556	5748.8	0.004208	0.407	0.00234
KY	H L Spurloc	6041	2	#####	556	5770	0.004193	0.404	0.002331
KY	H L Spurloc	6041	2	#####	556	5733.6	0.004176	0.405	0.002322
KY	H L Spurloc	6041	2	#####	555	5677.8	0.004153	0.406	0.002305
KY	H L Spurloc	6041	2	#####	556	5699.5	0.004172	0.407	0.00232
KY	H L Spurloc	6041	2	#####	556	5662.6	0.004145	0.407	0.002305
KY	H L Spurloc	6041	2	#####	554	5603.5	0.004127	0.408	0.002286
KY	H L Spurloc	6041	2	#####	552	5578.9	0.004093	0.405	0.002259
KY	H L Spurloc	6041	2	#####	552	5587.3	0.004099	0.405	0.002263
KY	H L Spurloc	6041	2	#####	550	5581.8	0.004171	0.411	0.002294
KY	H L Spurloc	6041	2	#####	517	5191.8	0.004188	0.417	0.002165
KY	H L Spurloc	6041	2	#####	547	5611.8	0.004268	0.416	0.002335
KY	H L Spurloc	6041	2	#####	552	5695.2	0.004323	0.419	0.002386
KY	H L Spurloc	6041	2	#####	554	5676.8	0.004283	0.418	0.002373
KY	H L Spurloc	6041	2	#####	554	5656.9	0.004289	0.42	0.002376
KY	H L Spurloc	6041	2	#####	553	5785.3	0.004363	0.417	0.002412
KY	H L Spurloc	6041	2	#####	555	5808.7	0.004375	0.418	0.002428
KY	H L Spurloc	6041	2	#####	555	5790.5	0.004361	0.418	0.00242
KY	H L Spurloc	6041	2	#####	554	5761.6	0.004358	0.419	0.002414
KY	H L Spurloc	6041	2	#####	555	5831.6	0.004382	0.417	0.002432
KY	H L Spurloc	6041	2	#####	554	5737	0.004318	0.417	0.002392
KY	H L Spurloc	6041	2	#####	556	5724.6	0.004314	0.419	0.002399
KY	H L Spurloc	6041	2	#####	556	5722.5	0.004312	0.419	0.002398
KY	H L Spurloc	6041	2	#####	555	5706.6	0.004298	0.418	0.002385
KY	H L Spurloc	6041	2	#####	556	5741.4	0.004327	0.419	0.002406
KY	H L Spurloc	6041	2	#####	556	5725.4	0.004284	0.416	0.002382
KY	H L Spurloc	6041	2	#####	463	4500.5	0.004112	0.423	0.001904
KY	H L Spurloc	6041	2	#####	298	2771.9	0.004102	0.441	0.001222
KY	H L Spurloc	6041	2	#####	331	3140.9	0.004204	0.443	0.001391
KY	H L Spurloc	6041	2	#####	523	5256.8	0.004131	0.411	0.002161
KY	H L Spurloc	6041	2	#####	398	3761.9	0.004036	0.427	0.001606
KY	H L Spurloc	6041	2	#####	297	2766	0.004172	0.448	0.001239

KY	H L Spurloc	6041	2	#####	398	3876	0.004149	0.426	0.001651
KY	H L Spurloc	6041	2	#####	517	5084.7	0.004072	0.414	0.002105
KY	H L Spurloc	6041	2	#####	398	3722.7	0.003966	0.424	0.001578
KY	H L Spurloc	6041	2	#####	300	2784.7	0.004131	0.445	0.001239
KY	H L Spurloc	6041	2	#####	437	4281.2	0.004134	0.422	0.001807
KY	H L Spurloc	6041	2	#####	502	4938.6	0.004083	0.415	0.00205
KY	H L Spurloc	6041	2	#####	513	5109.5	0.004113	0.413	0.00211
KY	H L Spurloc	6041	2	#####	496	4856.3	0.004073	0.416	0.00202
KY	H L Spurloc	6041	2	#####	434	4105	0.005041	0.533	0.002188
KY	H L Spurloc	6041	2	#####	538	5387.5	0.005227	0.522	0.002812
KY	H L Spurloc	6041	2	#####	533	5275	0.005176	0.523	0.002759
KY	H L Spurloc	6041	2	#####	536	5274.2	0.005146	0.523	0.002758
KY	H L Spurloc	6041	2	#####	532	5206.6	0.005119	0.523	0.002723
KY	H L Spurloc	6041	2	#####	521	5087.1	0.005116	0.524	0.002666
KY	H L Spurloc	6041	2	#####	528	5165	0.005136	0.525	0.002712
KY	H L Spurloc	6041	2	#####	527	5167.5	0.005138	0.524	0.002708
KY	H L Spurloc	6041	2	#####	494	4801.9	0.005162	0.531	0.00255
KY	H L Spurloc	6041	2	#####	357	3327.4	0.005098	0.547	0.00182
KY	H L Spurloc	6041	2	#####	349	3288.4	0.005154	0.547	0.001799
KY	H L Spurloc	6041	2	#####	298	2775.4	0.005197	0.558	0.001549
KY	H L Spurloc	6041	2	#####	296	2755.2	0.00525	0.564	0.001554
KY	H L Spurloc	6041	2	#####	295	2754	0.005303	0.568	0.001564
KY	H L Spurloc	6041	2	#####	293	2741	0.005295	0.566	0.001551
KY	H L Spurloc	6041	2	#####	293	2706.1	0.005246	0.568	0.001537
KY	H L Spurloc	6041	2	#####	296	2770.8	0.005308	0.567	0.001571
KY	H L Spurloc	6041	2	#####	294	2745.8	0.005277	0.565	0.001551
KY	H L Spurloc	6041	2	#####	298	2771.8	0.005237	0.563	0.001561
KY	H L Spurloc	6041	2	#####	321	3022.1	0.005253	0.558	0.001686
KY	H L Spurloc	6041	2	#####	329	3102.8	0.005244	0.556	0.001725
KY	H L Spurloc	6041	2	#####	452	4448.4	0.005236	0.532	0.002367
KY	H L Spurloc	6041	2	#####	467	4586	0.005195	0.529	0.002426
KY	H L Spurloc	6041	2	#####	503	4923.4	0.005129	0.524	0.00258
KY	H L Spurloc	6041	2	#####	513	5074.7	0.005124	0.518	0.002629
KY	H L Spurloc	6041	2	#####	515	5084.8	0.005114	0.518	0.002634
KY	H L Spurloc	6041	2	#####	553	5599.5	0.005235	0.517	0.002895
KY	H L Spurloc	6041	2	#####	536	5341.9	0.005163	0.518	0.002767
KY	H L Spurloc	6041	2	#####	539	5370.3	0.005171	0.519	0.002787
KY	H L Spurloc	6041	2	#####	527	5237.7	0.005208	0.524	0.002745
KY	H L Spurloc	6041	2	#####	518	5169.6	0.00519	0.52	0.002688
KY	H L Spurloc	6041	2	#####	504	4961.1	0.005207	0.529	0.002624
KY	H L Spurloc	6041	2	#####	516	5121.5	0.005241	0.528	0.002704
KY	H L Spurloc	6041	2	#####	472	4605.8	0.005162	0.529	0.002436
KY	H L Spurloc	6041	2	#####	378	3505.6	0.005045	0.544	0.001907
KY	H L Spurloc	6041	2	#####	351	3272.1	0.005127	0.55	0.0018
KY	H L Spurloc	6041	2	#####	299	2800.7	0.005302	0.566	0.001585
KY	H L Spurloc	6041	2	#####	300	2832.7	0.005363	0.568	0.001609
KY	H L Spurloc	6041	2	#####	299	2843.3	0.005411	0.569	0.001618

KY	H L Spurloc	6041	2	#####	297	2822.5	0.005426	0.571	0.001612
KY	H L Spurloc	6041	2	#####	305	2881.1	0.005356	0.567	0.001634
KY	H L Spurloc	6041	2	#####	313	2933.2	0.005295	0.565	0.001657
KY	H L Spurloc	6041	2	#####	299	2781.6	0.005275	0.567	0.001577
KY	H L Spurloc	6041	2	#####	302	2838.1	0.005291	0.563	0.001598
KY	H L Spurloc	6041	2	#####	300	2776.4	0.005238	0.566	0.001571
KY	H L Spurloc	6041	2	#####	406	3963.1	0.005242	0.537	0.002128
KY	H L Spurloc	6041	2	#####	498	4976.9	0.005227	0.523	0.002603
KY	H L Spurloc	6041	2	#####	463	4523	0.005168	0.529	0.002393
KY	H L Spurloc	6041	2	#####	439	4298.4	0.005258	0.537	0.002308
KY	H L Spurloc	6041	2	#####	357	3394.9	0.005192	0.546	0.001854
KY	H L Spurloc	6041	2	#####	510	5269.2	0.005445	0.527	0.002777
KY	H L Spurloc	6041	2	#####	514	5235.9	0.005358	0.526	0.002754
KY	H L Spurloc	6041	2	#####	517	5266	0.005317	0.522	0.002749
KY	H L Spurloc	6041	2	#####	513	5221.7	0.005313	0.522	0.002726
KY	H L Spurloc	6041	2	#####	498	5063.8	0.005349	0.526	0.002664
KY	H L Spurloc	6041	2	#####	485	4803.4	0.005249	0.53	0.002546
KY	H L Spurloc	6041	2	#####	409	3971.8	0.005254	0.541	0.002149
KY	H L Spurloc	6041	2	#####	338	3214.3	0.005211	0.548	0.001761
KY	H L Spurloc	6041	2	#####	375	3496.1	0.0051	0.547	0.001912
KY	H L Spurloc	6041	2	#####	428	4103.8	0.005178	0.54	0.002216
KY	H L Spurloc	6041	2	#####	348	3106.6	0.004954	0.555	0.001724
KY	H L Spurloc	6041	2	#####	303	2760.9	0.005148	0.565	0.00156
KY	H L Spurloc	6041	2	#####	426	4061.1	0.005157	0.541	0.002197
KY	H L Spurloc	6041	2	#####	388	3602.3	0.005041	0.543	0.001956
KY	H L Spurloc	6041	2	#####	295	2682.3	0.005183	0.57	0.001529
KY	H L Spurloc	6041	2	#####	296	2719.6	0.00521	0.567	0.001542
KY	H L Spurloc	6041	2	#####	297	2749.9	0.00525	0.567	0.001559
KY	H L Spurloc	6041	2	#####	296	2734.1	0.005256	0.569	0.001556
KY	H L Spurloc	6041	2	#####	388	3816.4	0.005321	0.541	0.002065
KY	H L Spurloc	6041	2	#####	383	3770.7	0.005297	0.538	0.002029
KY	H L Spurloc	6041	2	#####	303	2926.6	0.005332	0.552	0.001615
KY	H L Spurloc	6041	2	#####	313	3032.3	0.005261	0.543	0.001647
KY	H L Spurloc	6041	2	#####	355	3456.7	0.005248	0.539	0.001863
KY	H L Spurloc	6041	2	#####	349	3414.4	0.005273	0.539	0.00184
KY	H L Spurloc	6041	2	#####	359	3505.1	0.005292	0.542	0.0019
KY	H L Spurloc	6041	2	#####	487	5007.1	0.005367	0.522	0.002614
KY	H L Spurloc	6041	2	#####	451	4563.7	0.005343	0.528	0.00241
KY	H L Spurloc	6041	2	#####	367	3577.7	0.005284	0.542	0.001939
KY	H L Spurloc	6041	2	#####	297	2855.3	0.005268	0.548	0.001565
KY	H L Spurloc	6041	2	#####	385	3795.7	0.005314	0.539	0.002046
KY	H L Spurloc	6041	2	#####	296	2835.7	0.005384	0.562	0.001594
KY	H L Spurloc	6041	2	#####	303	2904.8	0.005359	0.559	0.001624
KY	H L Spurloc	6041	2	#####	298	2887.9	0.005417	0.559	0.001614
KY	H L Spurloc	6041	2	#####	309	2973.5	0.005331	0.554	0.001647
KY	H L Spurloc	6041	2	#####	297	2853.1	0.005389	0.561	0.001601
KY	H L Spurloc	6041	2	#####	298	2866.1	0.005376	0.559	0.001602

KY	H L Spurloc	6041	2	#####	298	2890.7	0.005471	0.564	0.00163
KY	H L Spurloc	6041	2	#####	298	2864.4	0.005431	0.565	0.001618
KY	H L Spurloc	6041	2	#####	298	2857.8	0.005428	0.566	0.001618
KY	H L Spurloc	6041	2	#####	333	3215.9	0.005369	0.556	0.001788
KY	H L Spurloc	6041	2	#####	388	3801.7	0.005301	0.541	0.002057
KY	H L Spurloc	6041	2	#####	360	3452	0.005226	0.545	0.001881
KY	H L Spurloc	6041	2	#####	300	2858.9	0.005289	0.555	0.001587
KY	H L Spurloc	6041	2	#####	379	3683.9	0.00522	0.537	0.001978
KY	H L Spurloc	6041	2	#####	297	2842	0.005359	0.56	0.001592
KY	H L Spurloc	6041	2	#####	307	2917.2	0.005122	0.539	0.001572
KY	H L Spurloc	6041	2	#####	485	4867.9	0.005119	0.51	0.002483
KY	H L Spurloc	6041	2	#####	512	5140.5	0.00512	0.51	0.002622
KY	H L Spurloc	6041	2	#####	518	5210.9	0.00512	0.509	0.002652
KY	H L Spurloc	6041	2	#####	530	5293.1	0.005023	0.503	0.002662
KY	H L Spurloc	6041	2	#####	511	5021.5	0.005002	0.509	0.002556
KY	H L Spurloc	6041	2	#####	495	4897.4	0.005036	0.509	0.002493
KY	H L Spurloc	6041	2	#####	407	3937.9	0.005002	0.517	0.002036
KY	H L Spurloc	6041	2	#####	340	3228.4	0.005023	0.529	0.001708
KY	H L Spurloc	6041	2	#####	300	2834.1	0.005177	0.548	0.001553
KY	H L Spurloc	6041	2	#####	301	2856.7	0.005163	0.544	0.001554
KY	H L Spurloc	6041	2	#####	302	2899.4	0.005232	0.545	0.00158
KY	H L Spurloc	6041	2	#####	300	2860.3	0.005196	0.545	0.001559
KY	H L Spurloc	6041	2	#####	300	2856.5	0.005246	0.551	0.001574
KY	H L Spurloc	6041	2	#####	300	2851.4	0.00518	0.545	0.001554
KY	H L Spurloc	6041	2	#####	299	2832.2	0.005172	0.546	0.001546
KY	H L Spurloc	6041	2	#####	296	2787.6	0.005142	0.546	0.001522
KY	H L Spurloc	6041	2	#####	440	4369.3	0.005054	0.509	0.002224
KY	H L Spurloc	6041	2	#####	366	3434.9	0.004965	0.529	0.001817
KY	H L Spurloc	6041	2	#####	295	2769.4	0.005088	0.542	0.001501
KY	H L Spurloc	6041	2	#####	435	4222.1	0.005067	0.522	0.002204
KY	H L Spurloc	6041	2	#####	361	3454.2	0.005062	0.529	0.001827
KY	H L Spurloc	6041	2	#####	424	4109.4	0.00502	0.518	0.002129
KY	H L Spurloc	6041	2	#####	374	3608.2	0.005133	0.532	0.00192
KY	H L Spurloc	6041	2	#####	294	2792.2	0.005167	0.544	0.001519
KY	H L Spurloc	6041	2	#####	305	2901.8	0.005166	0.543	0.001576
KY	H L Spurloc	6041	2	#####	379	3641.4	0.005083	0.529	0.001926
KY	H L Spurloc	6041	2	#####	432	4223.2	0.005054	0.517	0.002183
KY	H L Spurloc	6041	2	#####	465	4563.9	0.005015	0.511	0.002332
KY	H L Spurloc	6041	2	#####	473	4663	0.005028	0.51	0.002378
KY	H L Spurloc	6041	2	#####	360	3415.7	0.004991	0.526	0.001797
KY	H L Spurloc	6041	2	#####	320	3050.5	0.00511	0.536	0.001635
KY	H L Spurloc	6041	2	#####	300	2852.6	0.005201	0.547	0.00156
KY	H L Spurloc	6041	2	#####	299	2877.4	0.005226	0.543	0.001562
KY	H L Spurloc	6041	2	#####	300	2873.2	0.0052	0.543	0.00156
KY	H L Spurloc	6041	2	#####	300	2874.6	0.005213	0.544	0.001564
KY	H L Spurloc	6041	2	#####	300	2858.8	0.005174	0.543	0.001552
KY	H L Spurloc	6041	2	#####	300	2861.9	0.00519	0.544	0.001557

KY	H L Spurloc	6041	2	#####	300	2817	0.005108	0.544	0.001532
KY	H L Spurloc	6041	2	#####	300	2834.8	0.005093	0.539	0.001528
KY	H L Spurloc	6041	2	#####	300	2774.2	0.005012	0.542	0.001504
KY	H L Spurloc	6041	2	#####	300	2829.6	0.005112	0.542	0.001534
KY	H L Spurloc	6041	2	#####	300	2843.7	0.005138	0.542	0.001541
KY	H L Spurloc	6041	2	#####	300	2848.7	0.005137	0.541	0.001541
KY	H L Spurloc	6041	2	#####	300	2849.7	0.005129	0.54	0.001539
KY	H L Spurloc	6041	2	#####	300	2860.5	0.005149	0.54	0.001545
KY	H L Spurloc	6041	2	#####	303	2930.7	0.005184	0.536	0.001571
KY	H L Spurloc	6041	2	#####	312	3019.1	0.005245	0.542	0.001636
KY	H L Spurloc	6041	2	#####	310	2988.2	0.005186	0.538	0.001608
KY	H L Spurloc	6041	2	#####	447	4481.1	0.005163	0.515	0.002308
KY	H L Spurloc	6041	2	#####	477	4757.4	0.005087	0.51	0.002426
KY	H L Spurloc	6041	2	#####	507	5139.3	0.00516	0.509	0.002616
KY	H L Spurloc	6041	2	#####	510	5182.4	0.005162	0.508	0.002633
KY	H L Spurloc	6041	2	#####	514	5131.5	0.005062	0.507	0.002602
KY	H L Spurloc	6041	2	#####	515	5166.6	0.005076	0.506	0.002614
KY	H L Spurloc	6041	2	#####	507	5084.7	0.005075	0.506	0.002573
KY	H L Spurloc	6041	2	#####	452	4487.3	0.005103	0.514	0.002306
KY	H L Spurloc	6041	2	#####	303	2889.8	0.005112	0.536	0.001549
KY	H L Spurloc	6041	2	#####	298	2847.9	0.005094	0.533	0.001518
KY	H L Spurloc	6041	2	#####	466	4677.3	0.005129	0.511	0.00239
KY	H L Spurloc	6041	2	#####	553	5674.4	0.005141	0.501	0.002843
KY	H L Spurloc	6041	2	#####	553	5694.9	0.005149	0.5	0.002847
KY	H L Spurloc	6041	2	#####	555	5690.8	0.005106	0.498	0.002834
KY	H L Spurloc	6041	2	#####	555	5693.8	0.005109	0.498	0.002836
KY	H L Spurloc	6041	2	#####	555	5638	0.0051	0.502	0.00283
KY	H L Spurloc	6041	2	#####	555	5601.9	0.005037	0.499	0.002795
KY	H L Spurloc	6041	2	#####	555	5647.6	0.005078	0.499	0.002818
KY	H L Spurloc	6041	2	#####	555	5538.6	0.00499	0.5	0.002769
KY	H L Spurloc	6041	2	#####	555	5540.3	0.004951	0.496	0.002748
KY	H L Spurloc	6041	2	#####	512	5131.2	0.005041	0.503	0.002581
KY	H L Spurloc	6041	2	#####	552	5754	0.005191	0.498	0.002865
KY	H L Spurloc	6041	2	#####	557	5829.8	0.005244	0.501	0.002921
KY	H L Spurloc	6041	2	#####	553	5759.5	0.005176	0.497	0.002862
KY	H L Spurloc	6041	2	#####	554	5766.4	0.005225	0.502	0.002895
KY	H L Spurloc	6041	2	#####	555	5763.7	0.005203	0.501	0.002888
KY	H L Spurloc	6041	2	#####	555	5810.4	0.005224	0.499	0.002899
KY	H L Spurloc	6041	2	#####	555	5771.9	0.00521	0.501	0.002892
KY	H L Spurloc	6041	2	#####	555	5761.5	0.00518	0.499	0.002875
KY	H L Spurloc	6041	2	#####	557	5774.3	0.005214	0.503	0.002904
KY	H L Spurloc	6041	2	#####	558	5831.8	0.005247	0.502	0.002928
KY	H L Spurloc	6041	2	#####	558	5850.4	0.005263	0.502	0.002937
KY	H L Spurloc	6041	2	#####	558	5812.6	0.005281	0.507	0.002947
KY	H L Spurloc	6041	2	#####	560	5819.6	0.005227	0.503	0.002927
KY	H L Spurloc	6041	2	#####	557	5813.9	0.00524	0.502	0.002919
KY	H L Spurloc	6041	3	4/1/2022	301	2700.5	3.32E-05	0.0037	9.99E-06

KY	H L Spurloc	6041	3	4/1/2022	282	2432.7	3.24E-05	0.00376	9.15E-06
KY	H L Spurloc	6041	3	4/1/2022	274	2393.8	3.28E-05	0.00376	9E-06
KY	H L Spurloc	6041	3	4/1/2022	271	2315.1	3.24E-05	0.00379	8.77E-06
KY	H L Spurloc	6041	3	4/1/2022	292	2592.7	3.31E-05	0.00373	9.67E-06
KY	H L Spurloc	6041	3	4/1/2022	285	2465.8	3.25E-05	0.00376	9.27E-06
KY	H L Spurloc	6041	3	4/1/2022	298	2622.8	3.31E-05	0.00376	9.86E-06
KY	H L Spurloc	6041	3	4/1/2022	299	2622.4	3.3E-05	0.00376	9.86E-06
KY	H L Spurloc	6041	3	4/1/2022	299	2619.7	3.29E-05	0.00376	9.85E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2622.1	3.29E-05	0.00376	9.86E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2637.9	3.28E-05	0.00373	9.84E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2682.6	3.28E-05	0.00367	9.85E-06
KY	H L Spurloc	6041	3	4/1/2022	288	2523.8	3.24E-05	0.0037	9.34E-06
KY	H L Spurloc	6041	3	4/1/2022	298	2677.4	3.27E-05	0.00364	9.75E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2714.2	3.24E-05	0.00358	9.72E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2673.6	3.24E-05	0.00364	9.73E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2680.2	3.25E-05	0.00364	9.76E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2664.9	3.26E-05	0.00367	9.78E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2663.5	3.26E-05	0.00367	9.78E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2674.7	3.27E-05	0.00367	9.82E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2690.8	3.26E-05	0.00364	9.79E-06
KY	H L Spurloc	6041	3	4/1/2022	285	2476.3	3.21E-05	0.0037	9.16E-06
KY	H L Spurloc	6041	3	4/1/2022	298	2667.4	3.29E-05	0.00367	9.79E-06
KY	H L Spurloc	6041	3	4/1/2022	300	2659.9	3.28E-05	0.0037	9.84E-06
KY	H L Spurloc	6041	3	4/2/2022	300	2680.9	3.31E-05	0.0037	9.92E-06
KY	H L Spurloc	6041	3	4/2/2022	300	2728.1	3.31E-05	0.00364	9.93E-06
KY	H L Spurloc	6041	3	4/2/2022	291	2594.5	3.27E-05	0.00367	9.52E-06
KY	H L Spurloc	6041	3	4/2/2022	300	2700.6	3.3E-05	0.00367	9.91E-06
KY	H L Spurloc	6041	3	4/2/2022	287	2537.2	3.27E-05	0.0037	9.39E-06
KY	H L Spurloc	6041	3	4/2/2022	292	2645.8	3.33E-05	0.00367	9.71E-06
KY	H L Spurloc	6041	3	4/2/2022	286	2523.5	3.26E-05	0.0037	9.34E-06
KY	H L Spurloc	6041	3	4/2/2022	295	2701.3	3.33E-05	0.00364	9.83E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2670.1	3.32E-05	0.0037	9.88E-06
KY	H L Spurloc	6041	3	4/2/2022	299	2728	3.32E-05	0.00364	9.93E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2666.7	3.28E-05	0.00367	9.79E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2661.5	3.28E-05	0.00367	9.77E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2654.7	3.27E-05	0.00367	9.74E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2653	3.29E-05	0.0037	9.82E-06
KY	H L Spurloc	6041	3	4/2/2022	296	2648.7	3.28E-05	0.00367	9.72E-06
KY	H L Spurloc	6041	3	4/2/2022	297	2649.2	3.27E-05	0.00367	9.72E-06
KY	H L Spurloc	6041	3	4/2/2022	294	2576.2	3.27E-05	0.00373	9.61E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2646.7	3.29E-05	0.0037	9.79E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2662.6	3.31E-05	0.0037	9.85E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2683.5	3.3E-05	0.00367	9.85E-06
KY	H L Spurloc	6041	3	4/2/2022	287	2502.7	3.25E-05	0.00373	9.34E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2667.3	3.31E-05	0.0037	9.87E-06
KY	H L Spurloc	6041	3	4/2/2022	293	2626.2	3.32E-05	0.0037	9.72E-06
KY	H L Spurloc	6041	3	4/2/2022	298	2710.6	3.34E-05	0.00367	9.95E-06

KY	H L Spurloc	6041	3	4/3/2022	255	2191.7	3.33E-05	0.00388	8.5E-06
KY	H L Spurloc	6041	3	4/3/2022	264	2319.9	3.36E-05	0.00382	8.86E-06
KY	H L Spurloc	6041	3	4/3/2022	255	2197.8	3.38E-05	0.00392	8.62E-06
KY	H L Spurloc	6041	3	4/3/2022	293	2628.6	3.35E-05	0.00373	9.8E-06
KY	H L Spurloc	6041	3	4/3/2022	274	2382.3	3.32E-05	0.00382	9.1E-06
KY	H L Spurloc	6041	3	4/3/2022	290	2607.5	3.35E-05	0.00373	9.73E-06
KY	H L Spurloc	6041	3	4/3/2022	288	2598.2	3.34E-05	0.0037	9.61E-06
KY	H L Spurloc	6041	3	4/3/2022	299	2740.3	3.36E-05	0.00367	1.01E-05
KY	H L Spurloc	6041	3	4/3/2022	286	2527.4	3.3E-05	0.00373	9.43E-06
KY	H L Spurloc	6041	3	4/3/2022	299	2758.2	3.36E-05	0.00364	1E-05
KY	H L Spurloc	6041	3	4/3/2022	300	2704	3.33E-05	0.0037	1E-05
KY	H L Spurloc	6041	3	4/3/2022	284	2525.4	3.29E-05	0.0037	9.34E-06
KY	H L Spurloc	6041	3	4/3/2022	297	2710.4	3.35E-05	0.00367	9.95E-06
KY	H L Spurloc	6041	3	4/3/2022	300	2738.1	3.35E-05	0.00367	1E-05
KY	H L Spurloc	6041	3	4/3/2022	300	2739.4	3.35E-05	0.00367	1.01E-05
KY	H L Spurloc	6041	3	4/3/2022	299	2695.8	3.34E-05	0.0037	9.97E-06
KY	H L Spurloc	6041	3	4/3/2022	289	2576.3	3.3E-05	0.0037	9.53E-06
KY	H L Spurloc	6041	3	4/3/2022	298	2758.4	3.37E-05	0.00364	1E-05
KY	H L Spurloc	6041	3	4/3/2022	293	2671.1	3.32E-05	0.00364	9.72E-06
KY	H L Spurloc	6041	3	4/3/2022	300	2754.4	3.34E-05	0.00364	1E-05
KY	H L Spurloc	6041	3	4/3/2022	292	2605.9	3.28E-05	0.00367	9.56E-06
KY	H L Spurloc	6041	3	4/3/2022	298	2706	3.33E-05	0.00367	9.93E-06
KY	H L Spurloc	6041	3	4/3/2022	286	2539	3.28E-05	0.0037	9.39E-06
KY	H L Spurloc	6041	3	4/3/2022	296	2685.9	3.33E-05	0.00367	9.86E-06
KY	H L Spurloc	6041	3	4/4/2022	288	2571.9	3.3E-05	0.0037	9.52E-06
KY	H L Spurloc	6041	3	4/4/2022	292	2687.9	3.35E-05	0.00364	9.78E-06
KY	H L Spurloc	6041	3	4/4/2022	293	2686.2	3.36E-05	0.00367	9.86E-06
KY	H L Spurloc	6041	3	4/4/2022	298	2806.4	3.4E-05	0.00361	1.01E-05
KY	H L Spurloc	6041	3	4/4/2022	287	2581	3.33E-05	0.0037	9.55E-06
KY	H L Spurloc	6041	3	4/4/2022	298	2756.8	3.37E-05	0.00364	1E-05
KY	H L Spurloc	6041	3	4/4/2022	285	2564.3	3.33E-05	0.0037	9.49E-06
KY	H L Spurloc	6041	3	4/4/2022	297	2755.7	3.43E-05	0.0037	1.02E-05
KY	H L Spurloc	6041	3	4/4/2022	300	2775.8	3.4E-05	0.00367	1.02E-05
KY	H L Spurloc	6041	3	4/4/2022	245	2103.5	3.49E-05	0.00406	8.54E-06
KY	H L Spurloc	6041	3	4/4/2022	165	1452.7	4.44E-05	0.00504	7.32E-06
KY	H L Spurloc	6041	3	4/4/2022	155	1391.9	4.79E-05	0.00533	7.42E-06
KY	H L Spurloc	6041	3	4/4/2022	143	1316.8	5.24E-05	0.00569	7.49E-06
KY	H L Spurloc	6041	3	4/4/2022	126	1187.2	5.63E-05	0.00598	7.1E-06
KY	H L Spurloc	6041	3	4/4/2022	126	1215.7	5.49E-05	0.00569	6.92E-06
KY	H L Spurloc	6041	3	4/4/2022	127	1220.3	5.41E-05	0.00563	6.87E-06
KY	H L Spurloc	6041	3	4/4/2022	127	1217.2	5.4E-05	0.00563	6.85E-06
KY	H L Spurloc	6041	3	4/4/2022	126	1206.6	5.45E-05	0.00569	6.87E-06
KY	H L Spurloc	6041	3	4/4/2022	127	1216.9	5.39E-05	0.00563	6.85E-06
KY	H L Spurloc	6041	3	4/4/2022	155	1496.3	4.86E-05	0.00503	7.53E-06
KY	H L Spurloc	6041	3	4/4/2022	180	1628.4	4.46E-05	0.00493	8.03E-06
KY	H L Spurloc	6041	3	4/4/2022	212	2010.5	4.16E-05	0.00439	8.83E-06
KY	H L Spurloc	6041	3	4/4/2022	286	2712.2	3.66E-05	0.00386	1.05E-05

KY	H L Spurloc	6041	3	4/4/2022	285	2599.5	3.55E-05	0.00389	1.01E-05
KY	H L Spurloc	6041	3	4/5/2022	297	2776.2	3.58E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/5/2022	288	2575.8	3.51E-05	0.00392	1.01E-05
KY	H L Spurloc	6041	3	4/5/2022	298	2711.2	3.57E-05	0.00392	1.06E-05
KY	H L Spurloc	6041	3	4/5/2022	292	2618.2	3.54E-05	0.00395	1.03E-05
KY	H L Spurloc	6041	3	4/5/2022	298	2705	3.59E-05	0.00395	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	269	2274.6	3.55E-05	0.0042	9.55E-06
KY	H L Spurloc	6041	3	4/5/2022	171	1446.1	4.49E-05	0.00531	7.68E-06
KY	H L Spurloc	6041	3	4/5/2022	136	1262.9	5.11E-05	0.0055	6.95E-06
KY	H L Spurloc	6041	3	4/5/2022	124	1174	5.45E-05	0.00576	6.76E-06
KY	H L Spurloc	6041	3	4/5/2022	127	1235.4	5.29E-05	0.00544	6.72E-06
KY	H L Spurloc	6041	3	4/5/2022	126	1233	5.32E-05	0.00544	6.71E-06
KY	H L Spurloc	6041	3	4/5/2022	130	1274.3	5.26E-05	0.00537	6.84E-06
KY	H L Spurloc	6041	3	4/5/2022	186	1790.6	4.34E-05	0.00451	8.08E-06
KY	H L Spurloc	6041	3	4/5/2022	281	2792.6	3.72E-05	0.00374	1.04E-05
KY	H L Spurloc	6041	3	4/5/2022	301	2842.3	3.56E-05	0.00377	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2811.9	3.62E-05	0.00386	1.09E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2669.4	3.55E-05	0.00399	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2690.2	3.54E-05	0.00395	1.06E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2702.5	3.56E-05	0.00395	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2679.1	3.56E-05	0.00399	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	300	2708.9	3.57E-05	0.00395	1.07E-05
KY	H L Spurloc	6041	3	4/5/2022	287	2542.5	3.5E-05	0.00395	1E-05
KY	H L Spurloc	6041	3	4/5/2022	285	2520.2	3.53E-05	0.00399	1.01E-05
KY	H L Spurloc	6041	3	4/5/2022	296	2663	3.59E-05	0.00399	1.06E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2761.8	3.64E-05	0.00395	1.09E-05
KY	H L Spurloc	6041	3	4/6/2022	286	2530.8	3.53E-05	0.00399	1.01E-05
KY	H L Spurloc	6041	3	4/6/2022	288	2638.8	3.59E-05	0.00392	1.03E-05
KY	H L Spurloc	6041	3	4/6/2022	291	2583.1	3.54E-05	0.00399	1.03E-05
KY	H L Spurloc	6041	3	4/6/2022	298	2705	3.59E-05	0.00395	1.07E-05
KY	H L Spurloc	6041	3	4/6/2022	287	2575.4	3.52E-05	0.00392	1.01E-05
KY	H L Spurloc	6041	3	4/6/2022	298	2748.2	3.59E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2798	3.57E-05	0.00383	1.07E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2820.6			
KY	H L Spurloc	6041	3	4/6/2022	289	2657.3			
KY	H L Spurloc	6041	3	4/6/2022	294	2765.4	3.57E-05	0.0038	1.05E-05
KY	H L Spurloc	6041	3	4/6/2022	298	2773.6			
KY	H L Spurloc	6041	3	4/6/2022	293	2636.6	3.53E-05	0.00392	1.03E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2730.7			
KY	H L Spurloc	6041	3	4/6/2022	291	2609.9	3.52E-05	0.00392	1.02E-05
KY	H L Spurloc	6041	3	4/6/2022	298	2720.8	3.55E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2724.2	3.56E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/6/2022	289	2599.7	3.5E-05	0.00389	1.01E-05
KY	H L Spurloc	6041	3	4/6/2022	298	2724	3.56E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	4/6/2022	300	2736.4	3.58E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/6/2022	287	2564.7	3.48E-05	0.00389	9.98E-06
KY	H L Spurloc	6041	3	4/6/2022	297	2703.5	3.54E-05	0.00389	1.05E-05

KY	H L Spurloc	6041	3	4/6/2022	292	2597.7	3.49E-05	0.00392	1.02E-05
KY	H L Spurloc	6041	3	4/6/2022	258	2248.4	3.5E-05	0.00402	9.04E-06
KY	H L Spurloc	6041	3	4/7/2022	280	2568.8	3.57E-05	0.00389	9.99E-06
KY	H L Spurloc	6041	3	4/7/2022	299	2723.6	3.57E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	274	2452	3.51E-05	0.00392	9.61E-06
KY	H L Spurloc	6041	3	4/7/2022	300	2730.1	3.57E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	300	2741.3	3.58E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	299	2775.5	3.58E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2746.6	3.57E-05	0.00392	1.08E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2730	3.54E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2717.2	3.53E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2734.6	3.55E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2747.3	3.57E-05	0.00392	1.08E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2734.6	3.55E-05	0.00392	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	292	2674.2	3.54E-05	0.00386	1.03E-05
KY	H L Spurloc	6041	3	4/7/2022	301	2799.5	3.56E-05	0.00383	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	294	2696.7	3.54E-05	0.00386	1.04E-05
KY	H L Spurloc	6041	3	4/7/2022	300	2825.3	3.58E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	294	2692.8	3.54E-05	0.00386	1.04E-05
KY	H L Spurloc	6041	3	4/7/2022	301	2815.7	3.55E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2812.8	3.54E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2812	3.54E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2825	3.55E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	290	2646.9	3.5E-05	0.00383	1.01E-05
KY	H L Spurloc	6041	3	4/7/2022	301	2826.5	3.54E-05	0.00377	1.07E-05
KY	H L Spurloc	6041	3	4/7/2022	302	2784.1	3.53E-05	0.00383	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2778	3.52E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2769.9	3.51E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2747.8	3.48E-05	0.00383	1.05E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2758.7	3.5E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2755	3.49E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2727.8	3.51E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2741.8	3.5E-05	0.00386	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2703.7	3.51E-05	0.00392	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2674.3	3.5E-05	0.00395	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2708.2	3.49E-05	0.00389	1.05E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2724.5	3.51E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2748.4	3.51E-05	0.00386	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2752.8	3.52E-05	0.00386	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2766.3	3.54E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2818.6	3.55E-05	0.0038	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2759.6	3.53E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	291	2621.9	3.48E-05	0.00386	1.01E-05
KY	H L Spurloc	6041	3	4/8/2022	300	2774.9	3.54E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2775.7	3.55E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2781.3	3.55E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2789.4	3.54E-05	0.00383	1.07E-05

KY	H L Spurloc	6041	3	4/8/2022	302	2767.9	3.54E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2763.6	3.53E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/8/2022	302	2750.3	3.52E-05	0.00386	1.06E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2770.6	3.51E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2747.4	3.54E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	4/9/2022	283	2521.5	3.47E-05	0.00389	9.81E-06
KY	H L Spurloc	6041	3	4/9/2022	300	2750.6	3.57E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	4/9/2022	285	2548.8	3.51E-05	0.00392	9.99E-06
KY	H L Spurloc	6041	3	4/9/2022	301	2760.1	3.57E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	4/9/2022	290	2587.9	3.52E-05	0.00395	1.02E-05
KY	H L Spurloc	6041	3	4/9/2022	300	2773	3.6E-05	0.00389	1.08E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2764.6	3.59E-05	0.00392	1.08E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2791.7	3.6E-05	0.00389	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2789.8	3.59E-05	0.00389	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2768.7	3.59E-05	0.00392	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2797.8	3.6E-05	0.00389	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2798.9	3.61E-05	0.00389	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2793.3	3.6E-05	0.00389	1.09E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2757.7	3.58E-05	0.00392	1.08E-05
KY	H L Spurloc	6041	3	4/9/2022	302	2777.3	3.58E-05	0.00389	1.08E-05
KY	H L Spurloc	6041	3	4/9/2022	291	2653.9	3.55E-05	0.00389	1.03E-05
KY	H L Spurloc	6041	3	4/9/2022	299	2812.1	3.6E-05	0.00383	1.08E-05
KY	H L Spurloc	6041	3	4/9/2022	286	2575.3	3.5E-05	0.00389	1E-05
KY	H L Spurloc	6041	3	4/9/2022	300	2782.3	3.58E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	4/9/2022	287	2593.9	3.49E-05	0.00386	1E-05
KY	H L Spurloc	6041	3	4/9/2022	285	2558.5	3.49E-05	0.00389	9.95E-06
KY	H L Spurloc	6041	3	4/9/2022	299	2796	3.58E-05	0.00383	1.07E-05
KY	H L Spurloc	6041	3	#####	264	2341.2	3.54E-05	0.00399	9.34E-06
KY	H L Spurloc	6041	3	#####	274	2514.3	3.54E-05	0.00386	9.71E-06
KY	H L Spurloc	6041	3	#####	287	2624	3.53E-05	0.00386	1.01E-05
KY	H L Spurloc	6041	3	#####	285	2614.9	3.54E-05	0.00386	1.01E-05
KY	H L Spurloc	6041	3	#####	289	2677.2	3.58E-05	0.00386	1.03E-05
KY	H L Spurloc	6041	3	#####	288	2630.2	3.53E-05	0.00386	1.02E-05
KY	H L Spurloc	6041	3	#####	299	2787.1	3.6E-05	0.00386	1.08E-05
KY	H L Spurloc	6041	3	#####	301	2814.7	3.61E-05	0.00386	1.09E-05
KY	H L Spurloc	6041	3	#####	301	2841.9	3.62E-05	0.00383	1.09E-05
KY	H L Spurloc	6041	3	#####	301	2827.4	3.6E-05	0.00383	1.08E-05
KY	H L Spurloc	6041	3	#####	301	2802.5	3.59E-05	0.00386	1.08E-05
KY	H L Spurloc	6041	3	#####	288	2633.3	3.56E-05	0.00389	1.02E-05
KY	H L Spurloc	6041	3	#####	299	2776	3.58E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	#####	301	2784	3.57E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	#####	301	2782.2	3.57E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	#####	281	2505.5	3.47E-05	0.00389	9.75E-06
KY	H L Spurloc	6041	3	#####	283	2604	3.58E-05	0.00389	1.01E-05
KY	H L Spurloc	6041	3	#####	293	2655	3.55E-05	0.00392	1.04E-05
KY	H L Spurloc	6041	3	#####	294	2723.9	3.58E-05	0.00386	1.05E-05
KY	H L Spurloc	6041	3	#####	301	2770.6	3.55E-05	0.00386	1.07E-05

KY	H L Spurloc	6041	3	#####	289	2586.8	3.48E-05	0.00389	1.01E-05
KY	H L Spurloc	6041	3	#####	300	2720.2	3.53E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	#####	291	2594.2	3.49E-05	0.00392	1.02E-05
KY	H L Spurloc	6041	3	#####	298	2702.2	3.55E-05	0.00392	1.06E-05
KY	H L Spurloc	6041	3	#####	291	2633.6	3.49E-05	0.00386	1.02E-05
KY	H L Spurloc	6041	3	#####	301	2743.9	3.55E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2732.3	3.52E-05	0.00389	1.06E-05
KY	H L Spurloc	6041	3	#####	302	2763.3	3.53E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	#####	295	2657.9	3.5E-05	0.00389	1.03E-05
KY	H L Spurloc	6041	3	#####	286	2576.5	3.48E-05	0.00386	9.95E-06
KY	H L Spurloc	6041	3	#####	301	2739.3	3.54E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2754.8	3.55E-05	0.00389	1.07E-05
KY	H L Spurloc	6041	3	#####	302	2765	3.53E-05	0.00386	1.07E-05
KY	H L Spurloc	6041	3	#####	298	2679.8	3.5E-05	0.00389	1.04E-05
KY	H L Spurloc	6041	3	#####	301	2749	5.96E-05	0.00653	1.8E-05
KY	H L Spurloc	6041	3	#####	302	2765.7	5.98E-05	0.00653	1.81E-05
KY	H L Spurloc	6041	3	#####	291	2644.2	5.93E-05	0.00653	1.73E-05
KY	H L Spurloc	6041	3	#####	301	2786.4	6E-05	0.00648	1.81E-05
KY	H L Spurloc	6041	3	#####	299	2750.1	6.06E-05	0.00659	1.81E-05
KY	H L Spurloc	6041	3	#####	303	2777.9	6.04E-05	0.00659	1.83E-05
KY	H L Spurloc	6041	3	#####	303	2791	6.01E-05	0.00653	1.82E-05
KY	H L Spurloc	6041	3	#####	288	2595.5	5.98E-05	0.00664	1.72E-05
KY	H L Spurloc	6041	3	#####	302	2772.1	6.05E-05	0.00659	1.83E-05
KY	H L Spurloc	6041	3	#####	286	2556.9	5.99E-05	0.0067	1.71E-05
KY	H L Spurloc	6041	3	#####	302	2793.9	6.04E-05	0.00653	1.82E-05
KY	H L Spurloc	6041	3	#####	291	2650	6E-05	0.00659	1.75E-05
KY	H L Spurloc	6041	3	#####	299	2798.8	6.07E-05	0.00648	1.81E-05
KY	H L Spurloc	6041	3	#####	303	2818.4	6.07E-05	0.00653	1.84E-05
KY	H L Spurloc	6041	3	#####	303	2827.1	6.09E-05	0.00653	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2826.2	6.09E-05	0.00653	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2820.9	6.08E-05	0.00653	1.84E-05
KY	H L Spurloc	6041	3	#####	303	2825.9	6.09E-05	0.00653	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2821.6	6.08E-05	0.00653	1.84E-05
KY	H L Spurloc	6041	3	#####	293	2685.8	5.99E-05	0.00653	1.75E-05
KY	H L Spurloc	6041	3	#####	300	2806	6.11E-05	0.00653	1.83E-05
KY	H L Spurloc	6041	3	#####	303	2765.5	6.06E-05	0.00664	1.84E-05
KY	H L Spurloc	6041	3	#####	303	2824.8	6.09E-05	0.00653	1.84E-05
KY	H L Spurloc	6041	3	#####	296	2710.8	6.04E-05	0.00659	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2786.2	6.1E-05	0.00659	1.84E-05
KY	H L Spurloc	6041	3	#####	291	2663.6	6.03E-05	0.00659	1.76E-05
KY	H L Spurloc	6041	3	#####	302	2797.9	6.11E-05	0.00659	1.84E-05
KY	H L Spurloc	6041	3	#####	293	2659	6.03E-05	0.00664	1.77E-05
KY	H L Spurloc	6041	3	#####	301	2788	6.1E-05	0.00659	1.84E-05
KY	H L Spurloc	6041	3	#####	303	2782.6	6.1E-05	0.00664	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2803.6	6.1E-05	0.00659	1.85E-05
KY	H L Spurloc	6041	3	#####	289	2616.2	5.97E-05	0.00659	1.72E-05
KY	H L Spurloc	6041	3	#####	300	2798.6	6.09E-05	0.00653	1.83E-05

KY	H L Spurloc	6041	3	#####	302	2829.2	6.12E-05	0.00653	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2839.3	6.12E-05	0.00653	1.85E-05
KY	H L Spurloc	6041	3	#####	303	2824.5	6.09E-05	0.00653	1.84E-05
KY	H L Spurloc	6041	3	#####	303	2800	6.09E-05	0.00659	1.85E-05
KY	H L Spurloc	6041	3	#####	301	2794.3	6.06E-05	0.00653	1.82E-05
KY	H L Spurloc	6041	3	#####	301	2785.8	6E-05	0.00648	1.81E-05
KY	H L Spurloc	6041	3	#####	263	2353.1	5.94E-05	0.00664	1.56E-05
KY	H L Spurloc	6041	3	#####	207	1835.8	6.78E-05	0.00765	1.4E-05
KY	H L Spurloc	6041	3	#####	247	2358.2	6.44E-05	0.00675	1.59E-05
KY	H L Spurloc	6041	3	#####	291	2688.6	6.03E-05	0.00653	1.76E-05
KY	H L Spurloc	6041	3	#####	299	2802.7	6.07E-05	0.00648	1.82E-05
KY	H L Spurloc	6041	3	#####	289	2654.8	6E-05	0.00653	1.73E-05
KY	H L Spurloc	6041	3	#####	298	2779.5	6.04E-05	0.00648	1.8E-05
KY	H L Spurloc	6041	3	#####	290	2662.3	5.99E-05	0.00653	1.74E-05
KY	H L Spurloc	6041	3	#####	299	2816	6.1E-05	0.00648	1.82E-05
KY	H L Spurloc	6041	3	#####	300	2803.9	6.1E-05	0.00653	1.83E-05
KY	H L Spurloc	6041	3	#####	300	2790.5	6.07E-05	0.00653	1.82E-05
KY	H L Spurloc	6041	3	#####	300	2779	6.05E-05	0.00653	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2746.4	6.03E-05	0.00659	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2749.6	6.04E-05	0.00659	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2777.6	6.05E-05	0.00653	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2794.1	6.04E-05	0.00648	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2738.6	6.02E-05	0.00659	1.8E-05
KY	H L Spurloc	6041	3	#####	300	2736.3	6.01E-05	0.00659	1.8E-05
KY	H L Spurloc	6041	3	#####	300	2726.4	6.03E-05	0.00664	1.81E-05
KY	H L Spurloc	6041	3	#####	287	2567.8	5.94E-05	0.00664	1.71E-05
KY	H L Spurloc	6041	3	#####	298	2746.5	6.02E-05	0.00653	1.79E-05
KY	H L Spurloc	6041	3	#####	286	2521	5.85E-05	0.00664	1.67E-05
KY	H L Spurloc	6041	3	#####	293	2650.9	5.91E-05	0.00653	1.73E-05
KY	H L Spurloc	6041	3	#####	292	2619	5.91E-05	0.00659	1.73E-05
KY	H L Spurloc	6041	3	#####	281	2473.3	5.84E-05	0.00664	1.64E-05
KY	H L Spurloc	6041	3	#####	272	2380.9	5.81E-05	0.00664	1.58E-05
KY	H L Spurloc	6041	3	#####	253	2215	5.91E-05	0.00675	1.5E-05
KY	H L Spurloc	6041	3	#####	238	2090.9	6.14E-05	0.00699	1.46E-05
KY	H L Spurloc	6041	3	#####	268	2478.4	6.09E-05	0.00659	1.63E-05
KY	H L Spurloc	6041	3	#####	300	2721.2	5.88E-05	0.00648	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2735.3	5.86E-05	0.00643	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2717.8	5.83E-05	0.00643	1.75E-05
KY	H L Spurloc	6041	3	#####	300	2674.7	5.78E-05	0.00648	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2666.3	5.76E-05	0.00648	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2664.6	5.76E-05	0.00648	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2696.5	5.78E-05	0.00643	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2694.6	5.78E-05	0.00643	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2695.1	5.78E-05	0.00643	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2681.1	5.79E-05	0.00648	1.74E-05
KY	H L Spurloc	6041	3	#####	300	2731.3	5.81E-05	0.00638	1.74E-05
KY	H L Spurloc	6041	3	#####	299	2749.7	5.87E-05	0.00638	1.75E-05

KY	H L Spurloc	6041	3	#####	295	2682.3	5.85E-05	0.00643	1.72E-05
KY	H L Spurloc	6041	3	#####	300	2705.1	5.8E-05	0.00643	1.74E-05
KY	H L Spurloc	6041	3	#####	300	2741.5	5.83E-05	0.00638	1.75E-05
KY	H L Spurloc	6041	3	#####	300	2775.2	5.9E-05	0.00638	1.77E-05
KY	H L Spurloc	6041	3	#####	297	2745.5	5.9E-05	0.00638	1.75E-05
KY	H L Spurloc	6041	3	#####	285	2567.5	5.79E-05	0.00643	1.65E-05
KY	H L Spurloc	6041	3	#####	298	2779.5	5.9E-05	0.00633	1.76E-05
KY	H L Spurloc	6041	3	#####	295	2710	5.91E-05	0.00643	1.74E-05
KY	H L Spurloc	6041	3	#####	282	2590.4	5.86E-05	0.00638	1.65E-05
KY	H L Spurloc	6041	3	#####	297	2749.5	5.91E-05	0.00638	1.75E-05
KY	H L Spurloc	6041	3	#####	276	2454.8	5.81E-05	0.00653	1.6E-05
KY	H L Spurloc	6041	3	#####	299	2789.9	5.95E-05	0.00638	1.78E-05
KY	H L Spurloc	6041	3	#####	300	2825.3	6.01E-05	0.00638	1.8E-05
KY	H L Spurloc	6041	3	#####	300	2779.2	5.96E-05	0.00643	1.79E-05
KY	H L Spurloc	6041	3	#####	300	2788.5	5.93E-05	0.00638	1.78E-05
KY	H L Spurloc	6041	3	#####	300	2736.7	5.91E-05	0.00648	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2730.5	5.9E-05	0.00648	1.77E-05
KY	H L Spurloc	6041	3	#####	282	2538.6	5.83E-05	0.00648	1.65E-05
KY	H L Spurloc	6041	3	#####	300	2747.6	5.89E-05	0.00643	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2731.4	5.9E-05	0.00648	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2764.2	5.92E-05	0.00643	1.78E-05
KY	H L Spurloc	6041	3	#####	300	2755.3	5.91E-05	0.00643	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2724.6	5.89E-05	0.00648	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2695.1	5.82E-05	0.00648	1.75E-05
KY	H L Spurloc	6041	3	#####	300	2707.6	5.8E-05	0.00643	1.74E-05
KY	H L Spurloc	6041	3	#####	300	2723	5.84E-05	0.00643	1.75E-05
KY	H L Spurloc	6041	3	#####	299	2730.8	5.87E-05	0.00643	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2777	5.91E-05	0.00638	1.77E-05
KY	H L Spurloc	6041	3	#####	288	2606	5.86E-05	0.00648	1.69E-05
KY	H L Spurloc	6041	3	#####	298	2799.6	5.99E-05	0.00638	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2829.1	6E-05	0.00638	1.8E-05
KY	H L Spurloc	6041	3	#####	300	2809.2	5.97E-05	0.00638	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2837.4	6.01E-05	0.00638	1.81E-05
KY	H L Spurloc	6041	3	#####	300	2825.2	6.01E-05	0.00638	1.8E-05
KY	H L Spurloc	6041	3	#####	301	2826.2	5.99E-05	0.00638	1.8E-05
KY	H L Spurloc	6041	3	#####	291	2660.3	5.88E-05	0.00643	1.71E-05
KY	H L Spurloc	6041	3	#####	299	2764.3	5.9E-05	0.00638	1.76E-05
KY	H L Spurloc	6041	3	#####	301	2712.8	5.89E-05	0.00653	1.77E-05
KY	H L Spurloc	6041	3	#####	301	2722.5	5.91E-05	0.00653	1.78E-05
KY	H L Spurloc	6041	3	#####	301	2735.8	5.94E-05	0.00653	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2777.5	5.93E-05	0.00643	1.79E-05
KY	H L Spurloc	6041	3	#####	300	2764.4	5.93E-05	0.00643	1.78E-05
KY	H L Spurloc	6041	3	#####	300	2737.2	5.91E-05	0.00648	1.77E-05
KY	H L Spurloc	6041	3	#####	296	2687.7	5.88E-05	0.00648	1.74E-05
KY	H L Spurloc	6041	3	#####	286	2593.8	5.88E-05	0.00648	1.68E-05
KY	H L Spurloc	6041	3	#####	285	2595.5	5.9E-05	0.00648	1.68E-05
KY	H L Spurloc	6041	3	#####	277	2504.9	5.91E-05	0.00653	1.64E-05

KY	H L Spurloc	6041	3	#####	273	2501.9	6.04E-05	0.00659	1.65E-05
KY	H L Spurloc	6041	3	#####	302	2842.8	5.96E-05	0.00633	1.8E-05
KY	H L Spurloc	6041	3	#####	301	2833.9	5.96E-05	0.00633	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2830.3	5.95E-05	0.00633	1.79E-05
KY	H L Spurloc	6041	3	#####	288	2608.5	5.82E-05	0.00643	1.68E-05
KY	H L Spurloc	6041	3	#####	298	2808.1	5.92E-05	0.00628	1.76E-05
KY	H L Spurloc	6041	3	#####	286	2589.6	5.82E-05	0.00643	1.67E-05
KY	H L Spurloc	6041	3	#####	271	2443.5	5.84E-05	0.00648	1.58E-05
KY	H L Spurloc	6041	3	#####	230	2039.3	6.3E-05	0.00711	1.45E-05
KY	H L Spurloc	6041	3	#####	225	2080.8	6.58E-05	0.00711	1.48E-05
KY	H L Spurloc	6041	3	#####	296	2790.2	5.92E-05	0.00628	1.75E-05
KY	H L Spurloc	6041	3	#####	287	2594.1	5.77E-05	0.00638	1.66E-05
KY	H L Spurloc	6041	3	#####	298	2757	5.81E-05	0.00628	1.73E-05
KY	H L Spurloc	6041	3	#####	288	2611.9	5.74E-05	0.00633	1.65E-05
KY	H L Spurloc	6041	3	#####	300	2831.1	5.88E-05	0.00623	1.76E-05
KY	H L Spurloc	6041	3	#####	301	2817	5.88E-05	0.00628	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2805.8	5.87E-05	0.00628	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2806.5	5.87E-05	0.00628	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2822.7	5.91E-05	0.00628	1.77E-05
KY	H L Spurloc	6041	3	#####	302	2851.8	5.93E-05	0.00628	1.79E-05
KY	H L Spurloc	6041	3	#####	301	2843	5.93E-05	0.00628	1.79E-05
KY	H L Spurloc	6041	3	#####	300	2793.1	5.89E-05	0.00633	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2806.5	5.87E-05	0.00628	1.76E-05
KY	H L Spurloc	6041	3	#####	284	2540.8	5.75E-05	0.00643	1.63E-05
KY	H L Spurloc	6041	3	#####	294	2704.6	5.87E-05	0.00638	1.73E-05
KY	H L Spurloc	6041	3	#####	300	2766.1	5.88E-05	0.00638	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2803.5	5.92E-05	0.00633	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2810.4	5.93E-05	0.00633	1.78E-05
KY	H L Spurloc	6041	3	#####	286	2597.5	5.79E-05	0.00638	1.66E-05
KY	H L Spurloc	6041	3	#####	298	2773.5	5.89E-05	0.00633	1.76E-05
KY	H L Spurloc	6041	3	#####	300	2771.2	5.89E-05	0.00638	1.77E-05
KY	H L Spurloc	6041	3	#####	300	2755.1	5.86E-05	0.00638	1.76E-05
KY	H L Spurloc	6041	3	#####	289	2596.5	5.78E-05	0.00643	1.67E-05
KY	H L Spurloc	6041	3	#####	299	2739.8	5.85E-05	0.00638	1.75E-05
KY	H L Spurloc	6041	3	#####	288	2568	5.78E-05	0.00648	1.66E-05
KY	H L Spurloc	6041	3	#####	291	2594.8	5.78E-05	0.00648	1.68E-05
KY	H L Spurloc	6041	3	#####	298	2741.5	5.92E-05	0.00643	1.76E-05
KY	H L Spurloc	6041	3	#####	302	2767.6	5.94E-05	0.00648	1.79E-05
KY	H L Spurloc	6041	3	#####	302	2796.7	6.05E-05	0.00653	1.83E-05
KY	H L Spurloc	6041	3	#####	302	2802.2	6.06E-05	0.00653	1.83E-05
KY	H L Spurloc	6041	3	#####	302	2803.8	0.000155	0.0167	4.68E-05
KY	H L Spurloc	6041	3	#####	302	2802	0.000154	0.0166	4.65E-05
KY	H L Spurloc	6041	3	#####	302	2818.3	0.000153	0.0164	4.62E-05
KY	H L Spurloc	6041	3	#####	293	2673.4	0.000152	0.0167	4.46E-05
KY	H L Spurloc	6041	3	#####	288	2621.5	0.000151	0.0166	4.35E-05
KY	H L Spurloc	6041	3	#####	301	2775	0.000153	0.0166	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2792.6	0.000154	0.0166	4.64E-05

KY	H L Spurloc	6041	3	#####	294	2698.2	0.000152	0.0166	4.48E-05
KY	H L Spurloc	6041	3	#####	299	2791.7	0.000153	0.0164	4.58E-05
KY	H L Spurloc	6041	3	#####	302	2794.9	0.000154	0.0166	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2815.5	0.000155	0.0166	4.67E-05
KY	H L Spurloc	6041	3	#####	302	2812.9	0.000155	0.0166	4.67E-05
KY	H L Spurloc	6041	3	#####	302	2820.9	0.000153	0.0164	4.63E-05
KY	H L Spurloc	6041	3	#####	302	2814	0.000153	0.0164	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2812.6	0.000153	0.0164	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2827.2	0.000153	0.0163	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2817.5	0.000152	0.0163	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2817.5	0.000152	0.0163	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2821.1	0.000152	0.0163	4.6E-05
KY	H L Spurloc	6041	3	#####	284	2571.5	0.00015	0.0166	4.27E-05
KY	H L Spurloc	6041	3	#####	300	2769.7	0.000151	0.0164	4.54E-05
KY	H L Spurloc	6041	3	#####	302	2793.1	0.000152	0.0164	4.58E-05
KY	H L Spurloc	6041	3	#####	302	2798	0.000152	0.0164	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2798.1	0.000152	0.0164	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2822.9	0.000152	0.0163	4.6E-05
KY	H L Spurloc	6041	3	#####	302	2792.9	0.000151	0.0163	4.55E-05
KY	H L Spurloc	6041	3	#####	291	2635.9	0.000149	0.0164	4.32E-05
KY	H L Spurloc	6041	3	#####	302	2786.5	0.000151	0.0164	4.57E-05
KY	H L Spurloc	6041	3	#####	302	2725.2	0.000151	0.0167	4.55E-05
KY	H L Spurloc	6041	3	#####	302	2770.7	0.00015	0.0164	4.54E-05
KY	H L Spurloc	6041	3	#####	302	2809	0.000152	0.0163	4.58E-05
KY	H L Spurloc	6041	3	#####	293	2684	0.00015	0.0164	4.4E-05
KY	H L Spurloc	6041	3	#####	299	2826.1	0.000153	0.0162	4.58E-05
KY	H L Spurloc	6041	3	#####	302	2837.1	0.000153	0.0163	4.62E-05
KY	H L Spurloc	6041	3	#####	302	2828.2	0.000154	0.0164	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2801	0.000152	0.0164	4.59E-05
KY	H L Spurloc	6041	3	#####	288	2657.4	0.000151	0.0164	4.36E-05
KY	H L Spurloc	6041	3	#####	300	2780.1	0.000152	0.0164	4.56E-05
KY	H L Spurloc	6041	3	#####	302	2766.7	0.000152	0.0166	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2784.5	0.000151	0.0164	4.57E-05
KY	H L Spurloc	6041	3	#####	302	2774	0.000151	0.0164	4.55E-05
KY	H L Spurloc	6041	3	#####	302	2761.4	0.00015	0.0164	4.53E-05
KY	H L Spurloc	6041	3	#####	292	2621	0.000151	0.0168	4.4E-05
KY	H L Spurloc	6041	3	#####	300	2758	0.000153	0.0166	4.58E-05
KY	H L Spurloc	6041	3	#####	287	2600.4	0.000151	0.0167	4.34E-05
KY	H L Spurloc	6041	3	#####	299	2804.7	0.000153	0.0163	4.57E-05
KY	H L Spurloc	6041	3	#####	302	2807.5	0.000154	0.0166	4.66E-05
KY	H L Spurloc	6041	3	#####	301	2766.4	0.000153	0.0167	4.62E-05
KY	H L Spurloc	6041	3	#####	301	2742.3	0.000152	0.0167	4.58E-05
KY	H L Spurloc	6041	3	#####	301	2786.4	0.000154	0.0166	4.63E-05
KY	H L Spurloc	6041	3	#####	300	2842.3	0.000155	0.0164	4.66E-05
KY	H L Spurloc	6041	3	#####	301	2872.7	0.000155	0.0162	4.65E-05
KY	H L Spurloc	6041	3	#####	302	2828.4	0.000153	0.0163	4.61E-05
KY	H L Spurloc	6041	3	#####	301	2772.3	0.00015	0.0163	4.52E-05

KY	H L Spurloc	6041	3	#####	301	2740.8	0.000151	0.0166	4.55E-05
KY	H L Spurloc	6041	3	#####	301	2753.6	0.00015	0.0164	4.52E-05
KY	H L Spurloc	6041	3	#####	301	2744.9	0.000151	0.0166	4.56E-05
KY	H L Spurloc	6041	3	#####	300	2775.3	0.000154	0.0166	4.61E-05
KY	H L Spurloc	6041	3	#####	286	2607.8	0.000151	0.0166	4.33E-05
KY	H L Spurloc	6041	3	#####	299	2803.2	0.000153	0.0163	4.57E-05
KY	H L Spurloc	6041	3	#####	286	2586.2	0.00015	0.0166	4.29E-05
KY	H L Spurloc	6041	3	#####	299	2807	0.000153	0.0163	4.58E-05
KY	H L Spurloc	6041	3	#####	301	2810.4	0.000153	0.0164	4.61E-05
KY	H L Spurloc	6041	3	#####	301	2819.9	0.000154	0.0164	4.62E-05
KY	H L Spurloc	6041	3	#####	300	2816.7	0.000154	0.0164	4.62E-05
KY	H L Spurloc	6041	3	#####	292	2690.6	0.000153	0.0166	4.47E-05
KY	H L Spurloc	6041	3	#####	283	2579.9	0.000152	0.0167	4.31E-05
KY	H L Spurloc	6041	3	#####	286	2654.6	0.000154	0.0166	4.41E-05
KY	H L Spurloc	6041	3	#####	302	2795.4	0.000155	0.0167	4.67E-05
KY	H L Spurloc	6041	3	#####	302	2776	0.000154	0.0167	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2793.9	0.000154	0.0166	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2789.9	0.000153	0.0166	4.63E-05
KY	H L Spurloc	6041	3	#####	302	2789.7	0.000153	0.0166	4.63E-05
KY	H L Spurloc	6041	3	#####	302	2769	0.000153	0.0167	4.62E-05
KY	H L Spurloc	6041	3	#####	302	2782.1	0.000153	0.0166	4.62E-05
KY	H L Spurloc	6041	3	#####	302	2748.3	0.000152	0.0167	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2749.4	0.000152	0.0167	4.59E-05
KY	H L Spurloc	6041	3	#####	302	2776.1	0.000153	0.0166	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2795.6	0.000154	0.0166	4.64E-05
KY	H L Spurloc	6041	3	#####	289	2627.4	0.000152	0.0167	4.39E-05
KY	H L Spurloc	6041	3	#####	299	2786	0.000155	0.0166	4.62E-05
KY	H L Spurloc	6041	3	#####	287	2677.6	0.000159	0.017	4.55E-05
KY	H L Spurloc	6041	3	#####	285	2661.1	0.000157	0.0168	4.47E-05
KY	H L Spurloc	6041	3	#####	285	2619.1	0.000156	0.017	4.45E-05
KY	H L Spurloc	6041	3	#####	290	2682.7	0.000154	0.0166	4.45E-05
KY	H L Spurloc	6041	3	#####	302	2775.2	0.000153	0.0167	4.63E-05
KY	H L Spurloc	6041	3	#####	302	2821.4	0.000153	0.0164	4.63E-05
KY	H L Spurloc	6041	3	#####	301	2776.2	0.000153	0.0166	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2771.9	0.000152	0.0166	4.6E-05
KY	H L Spurloc	6041	3	#####	302	2778.1	0.000153	0.0166	4.61E-05
KY	H L Spurloc	6041	3	#####	302	2806.2	0.000152	0.0164	4.6E-05
KY	H L Spurloc	6041	3	#####	288	2632.3	0.00015	0.0164	4.32E-05
KY	H L Spurloc	6041	3	#####	300	2789.1	0.000152	0.0164	4.57E-05
KY	H L Spurloc	6041	3	#####	289	2589.3	0.00015	0.0167	4.32E-05
KY	H L Spurloc	6041	3	#####	299	2799.5	0.000153	0.0163	4.56E-05
KY	H L Spurloc	6041	3	#####	290	2614.2	0.000151	0.0168	4.39E-05
KY	H L Spurloc	6041	3	#####	299	2793.2	0.000153	0.0164	4.58E-05
KY	H L Spurloc	6041	3	#####	301	2799.4	0.000154	0.0166	4.65E-05
KY	H L Spurloc	6041	3	#####	302	2839.9	0.000154	0.0164	4.66E-05
KY	H L Spurloc	6041	3	#####	302	2827.4	0.000154	0.0164	4.64E-05
KY	H L Spurloc	6041	3	#####	302	2789.1	0.000153	0.0166	4.63E-05

KY	H L Spurloc	6041	3	#####	302	2784.7	0.000153	0.0166	4.62E-05
KY	H L Spurloc	6041	3	#####	302	2806.2	0.000154	0.0166	4.66E-05
KY	H L Spurloc	6041	3	#####	302	2830.9	0.000156	0.0166	4.7E-05
KY	H L Spurloc	6041	3	#####	302	2842.4	0.000156	0.0166	4.72E-05
KY	H L Spurloc	6041	3	#####	301	2808.7	0.000156	0.0167	4.69E-05
KY	H L Spurloc	6041	3	#####	302	2824.8	0.000155	0.0166	4.69E-05
KY	H L Spurloc	6041	3	#####	285	2579.4	0.000152	0.0168	4.33E-05
KY	H L Spurloc	6041	3	#####	278	2582	0.000155	0.0167	4.31E-05
KY	H L Spurloc	6041	3	#####	280	2563.8	0.000152	0.0166	4.26E-05
KY	H L Spurloc	6041	3	#####	215	1977	0.000173	0.0188	3.72E-05
KY	H L Spurloc	6041	3	#####	30	66.332	0.001048	0.109	7.23E-06
KY	H L Spurloc	6041	3	#####	0	41.245		0.183	7.55E-06
KY	H L Spurloc	6041	3	#####	0	100.2		0.183	1.83E-05
KY	H L Spurloc	6041	3	#####	0	130.2		0.183	2.38E-05
KY	H L Spurloc	6041	3	#####	0	60.816		0.183	1.11E-05
KY	H L Spurloc	6041	3	#####	0	105.439		0.183	1.93E-05
KY	H L Spurloc	6041	3	#####	0	181.5		0.183	3.32E-05
KY	H L Spurloc	6041	3	#####	0	191.7		0.183	3.51E-05
KY	H L Spurloc	6041	3	#####	0	195.5		0.183	3.58E-05
KY	H L Spurloc	6041	3	#####	0	197.7		0.183	3.62E-05
KY	H L Spurloc	6041	3	#####	0	211.6		0.183	3.87E-05
KY	H L Spurloc	6041	3	#####	0	183.5		0.183	3.36E-05
KY	H L Spurloc	6041	3	#####	0	188.1		0.183	3.44E-05
KY	H L Spurloc	6041	3	#####	0	186.7		0.183	3.42E-05
KY	H L Spurloc	6041	3	#####	0	189.3		0.183	3.46E-05
KY	H L Spurloc	6041	3	#####	0	179.6		0.183	3.29E-05
KY	H L Spurloc	6041	3	#####	0	182		0.183	3.33E-05
KY	H L Spurloc	6041	3	#####	0	265.7		0.183	4.86E-05
KY	H L Spurloc	6041	3	#####	0	294.3		0.183	5.39E-05
KY	H L Spurloc	6041	3	#####	0	213.5		0.183	3.91E-05
KY	H L Spurloc	6041	3	#####	0	189		0.183	3.46E-05
KY	H L Spurloc	6041	3	#####	0	290.5		0.416	0.000121
KY	H L Spurloc	6041	3	#####	0	272.6		0.183	4.99E-05
KY	H L Spurloc	6041	3	#####	0	286		0.183	5.23E-05
KY	H L Spurloc	6041	3	#####	0	285		0.183	5.22E-05
KY	H L Spurloc	6041	3	#####	7	300.7	0.017097	0.398	0.00012
KY	H L Spurloc	6041	3	#####	22	346.7	0.005547	0.352	0.000122
KY	H L Spurloc	6041	3	#####	32	402.5	0.003836	0.305	0.000123
KY	H L Spurloc	6041	3	#####	67	862.5	0.001995	0.155	0.000134
KY	H L Spurloc	6041	3	#####	89	1049.7	0.001639	0.139	0.000146
KY	H L Spurloc	6041	3	#####	92	1132.9	0.001589	0.129	0.000146
KY	H L Spurloc	6041	3	#####	104	1242.3	0.001398	0.117	0.000145
KY	H L Spurloc	6041	3	#####	128	1441.2	0.001148	0.102	0.000147
KY	H L Spurloc	6041	3	#####	140	1604.3	0.001047	0.0914	0.000147
KY	H L Spurloc	6041	3	#####	142	1585.7	0.001032	0.0924	0.000147
KY	H L Spurloc	6041	3	#####	149	1642.2	0.000979	0.0888	0.000146
KY	H L Spurloc	6041	3	#####	186	2049.8	0.000819	0.0743	0.000152

KY	H L Spurloc	6041	3	#####	190	2096.7	0.000807	0.0731	0.000153
KY	H L Spurloc	6041	3	#####	214	2265.1	0.000774	0.0731	0.000166
KY	H L Spurloc	6041	3	#####	220	2151.2	0.000739	0.0756	0.000163
KY	H L Spurloc	6041	3	#####	232	2384.4	0.000734	0.0714	0.00017
KY	H L Spurloc	6041	3	#####	249	2511.7	0.000715	0.0709	0.000178
KY	H L Spurloc	6041	3	#####	254	2435.7	0.00069	0.072	0.000175
KY	H L Spurloc	6041	3	#####	298	2765.5	0.000678	0.0731	0.000202
KY	H L Spurloc	6041	3	#####	300	2729.6	0.000665	0.0731	0.0002
KY	H L Spurloc	6041	3	#####	300	2837.8	0.000675	0.0714	0.000203
KY	H L Spurloc	6041	3	#####	300	2805.4	0.000668	0.0714	0.0002
KY	H L Spurloc	6041	3	#####	300	2802.5	0.000662	0.0709	0.000199
KY	H L Spurloc	6041	3	#####	299	2770.7	0.000657	0.0709	0.000196
KY	H L Spurloc	6041	3	#####	279	2524.8	0.000667	0.0737	0.000186
KY	H L Spurloc	6041	3	#####	280	2539.7	0.000659	0.0726	0.000184
KY	H L Spurloc	6041	3	#####	280	2561.3	0.000653	0.0714	0.000183
KY	H L Spurloc	6041	3	#####	281	2565.7	0.000647	0.0709	0.000182
KY	H L Spurloc	6041	3	#####	296	2710.9	0.000654	0.0714	0.000194
KY	H L Spurloc	6041	3	#####	300	2686.5	0.00065	0.0726	0.000195
KY	H L Spurloc	6041	3	#####	300	2738.6	0.000637	0.0698	0.000191
KY	H L Spurloc	6041	3	#####	300	2786.6	0.000653	0.0703	0.000196
KY	H L Spurloc	6041	3	#####	300	2779.4	0.000647	0.0698	0.000194
KY	H L Spurloc	6041	3	#####	300	2592.8	0.000637	0.0737	0.000191
KY	H L Spurloc	6041	3	#####	300	2610.3	0.000641	0.0737	0.000192
KY	H L Spurloc	6041	3	#####	301	2676.2	0.00065	0.0731	0.000196
KY	H L Spurloc	6041	3	#####	301	2702.7	0.000656	0.0731	0.000198
KY	H L Spurloc	6041	3	#####	301	2729.2	0.000658	0.0726	0.000198
KY	H L Spurloc	6041	3	#####	301	2729.3	0.000658	0.0726	0.000198
KY	H L Spurloc	6041	3	#####	301	2744.1	0.000662	0.0726	0.000199
KY	H L Spurloc	6041	3	#####	301	2709.7	0.000654	0.0726	0.000197
KY	H L Spurloc	6041	3	#####	301	2719	0.000656	0.0726	0.000197
KY	H L Spurloc	6041	3	#####	301	2716.4	0.000655	0.0726	0.000197
KY	H L Spurloc	6041	3	#####	301	2693.5	0.00065	0.0726	0.000196
KY	H L Spurloc	6041	3	#####	285	2500.9	0.000641	0.0731	0.000183
KY	H L Spurloc	6041	3	#####	299	2675.8	0.00065	0.0726	0.000194
KY	H L Spurloc	6041	3	#####	282	2334.5	0.000647	0.0781	0.000182
KY	H L Spurloc	6041	3	#####	278	2452.8	0.000667	0.0756	0.000185
KY	H L Spurloc	6041	3	#####	300	2667.7	0.000646	0.0726	0.000194
KY	H L Spurloc	6041	3	#####	300	2664.6	0.000655	0.0737	0.000196
KY	H L Spurloc	6041	3	#####	300	2680.1	0.000653	0.0731	0.000196
KY	H L Spurloc	6041	3	#####	300	2615.4	0.000648	0.0743	0.000194
KY	H L Spurloc	6041	3	#####	300	2630.8	0.000652	0.0743	0.000195
KY	H L Spurloc	6041	3	#####	301	2674.8	0.00066	0.0743	0.000199
KY	H L Spurloc	6041	3	#####	293	2548.5	0.000651	0.0749	0.000191
KY	H L Spurloc	6041	3	#####	286	2500.5	0.000644	0.0737	0.000184
KY	H L Spurloc	6041	3	#####	286	2506.9	0.000646	0.0737	0.000185
KY	H L Spurloc	6041	3	#####	286	2502.7	0.000645	0.0737	0.000184
KY	H L Spurloc	6041	3	#####	286	2500.5	0.000644	0.0737	0.000184

KY	H L Spurloc	6041	3	#####	290	2582	0.000656	0.0737	0.00019
KY	H L Spurloc	6041	3	#####	301	2697.7	0.000661	0.0737	0.000199
KY	H L Spurloc	6041	3	#####	301	2675.7	0.00066	0.0743	0.000199
KY	H L Spurloc	6041	3	#####	300	2647.3	0.000656	0.0743	0.000197
KY	H L Spurloc	6041	3	#####	293	2582.8	0.000655	0.0743	0.000192
KY	H L Spurloc	6041	3	#####	299	2647.9	0.000653	0.0737	0.000195
KY	H L Spurloc	6041	3	#####	301	2646.2	0.000653	0.0743	0.000197
KY	H L Spurloc	6041	3	#####	301	2663.5	0.000652	0.0737	0.000196
KY	H L Spurloc	6041	3	#####	301	2659.5	0.000651	0.0737	0.000196
KY	H L Spurloc	6041	3	#####	301	2663.1	0.000652	0.0737	0.000196
KY	H L Spurloc	6041	3	#####	301	2675.6	0.000655	0.0737	0.000197
KY	H L Spurloc	6041	3	#####	287	2522.1	0.000653	0.0743	0.000187
KY	H L Spurloc	6041	3	#####	300	2849.2	0.000668	0.0703	0.0002
KY	H L Spurloc	6041	3	#####	291	2590.5	0.000656	0.0737	0.000191
KY	H L Spurloc	6041	3	#####	284	2432.1	0.000647	0.0756	0.000184
KY	H L Spurloc	6041	3	#####	300	2739.9	0.000668	0.0731	0.0002
KY	H L Spurloc	6041	3	#####	297	2668.3	0.000668	0.0743	0.000198
KY	H L Spurloc	6041	3	#####	301	2733.7	0.000675	0.0743	0.000203
KY	H L Spurloc	6041	3	#####	301	2720.5	0.000677	0.0749	0.000204
KY	H L Spurloc	6041	3	#####	301	2725.3	0.000673	0.0743	0.000202
KY	H L Spurloc	6041	3	#####	301	2736.7	0.000676	0.0743	0.000203
KY	H L Spurloc	6041	3	#####	301	2714.6	0.000675	0.0749	0.000203
KY	H L Spurloc	6041	3	#####	301	2736.6	0.000676	0.0743	0.000203
KY	H L Spurloc	6041	3	#####	290	2606.8	0.000668	0.0743	0.000194
KY	H L Spurloc	6041	3	#####	300	2758.5	0.000678	0.0737	0.000203
KY	H L Spurloc	6041	3	#####	289	2550.5	0.000661	0.0749	0.000191
KY	H L Spurloc	6041	3	#####	299	2774.2	0.000678	0.0731	0.000203
KY	H L Spurloc	6041	3	#####	301	2777.8	0.000675	0.0731	0.000203
KY	H L Spurloc	6041	3	#####	301	2711.5	0.000669	0.0743	0.000201
KY	H L Spurloc	6041	3	#####	301	2696.1	0.000666	0.0743	0.0002
KY	H L Spurloc	6041	3	#####	301	2731.9	0.000663	0.0731	0.0002
KY	H L Spurloc	6041	3	#####	301	2725	0.000662	0.0731	0.000199
KY	H L Spurloc	6041	3	#####	301	2681	0.000656	0.0737	0.000198
KY	H L Spurloc	6041	3	#####	287	2468.9	0.000639	0.0743	0.000183
KY	H L Spurloc	6041	3	#####	262	2313.2	0.000651	0.0737	0.00017
KY	H L Spurloc	6041	3	#####	260	2307.6	0.000649	0.0731	0.000169
KY	H L Spurloc	6041	3	#####	260	2293.1	0.00065	0.0737	0.000169
KY	H L Spurloc	6041	3	#####	260	2276	0.00065	0.0743	0.000169
KY	H L Spurloc	6041	3	#####	260	2273.5	0.00065	0.0743	0.000169
KY	H L Spurloc	6041	3	#####	260	2266.6	0.000648	0.0743	0.000168
KY	H L Spurloc	6041	3	#####	260	2275.7	0.000645	0.0737	0.000168
KY	H L Spurloc	6041	3	#####	260	2275.1	9.89E-05	0.0113	2.57E-05
KY	H L Spurloc	6041	3	#####	260	2276.4	9.89E-05	0.0113	2.57E-05
KY	H L Spurloc	6041	3	#####	261	2303.7	9.97E-05	0.0113	2.6E-05
KY	H L Spurloc	6041	3	#####	300	2728.3	0.000101	0.0111	3.03E-05
KY	H L Spurloc	6041	3	#####	302	2646.8	9.99E-05	0.0114	3.02E-05
KY	H L Spurloc	6041	3	#####	301	2676.8	9.96E-05	0.0112	3E-05

KY	H L Spurloc	6041	3	#####	301	2659.7	9.98E-05	0.0113	3.01E-05
KY	H L Spurloc	6041	3	#####	301	2638.6	9.99E-05	0.0114	3.01E-05
KY	H L Spurloc	6041	3	#####	302	2659	9.95E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	301	2652.6	9.96E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	302	2630.9	9.93E-05	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	301	2638.7	9.91E-05	0.0113	2.98E-05
KY	H L Spurloc	6041	3	#####	301	2640.9	9.91E-05	0.0113	2.98E-05
KY	H L Spurloc	6041	3	#####	302	2644.9	9.9E-05	0.0113	2.99E-05
KY	H L Spurloc	6041	3	#####	302	2683.8	9.95E-05	0.0112	3.01E-05
KY	H L Spurloc	6041	3	#####	301	2676.2	9.96E-05	0.0112	3E-05
KY	H L Spurloc	6041	3	#####	302	2670.3	9.9E-05	0.0112	2.99E-05
KY	H L Spurloc	6041	3	#####	301	2651.1	9.95E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	301	2657	9.97E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	301	2681.4	9.98E-05	0.0112	3E-05
KY	H L Spurloc	6041	3	#####	302	2657.8	9.94E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	301	2674.4	9.95E-05	0.0112	3E-05
KY	H L Spurloc	6041	3	#####	302	2666.8	9.89E-05	0.0112	2.99E-05
KY	H L Spurloc	6041	3	#####	302	2654.6	9.84E-05	0.0112	2.97E-05
KY	H L Spurloc	6041	3	#####	301	2634	9.89E-05	0.0113	2.98E-05
KY	H L Spurloc	6041	3	#####	301	2624.3	9.94E-05	0.0114	2.99E-05
KY	H L Spurloc	6041	3	#####	301	2632.5	9.97E-05	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	302	2645.8	9.99E-05	0.0114	3.02E-05
KY	H L Spurloc	6041	3	#####	302	2655.3	9.94E-05	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	301	2629.3	9.96E-05	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	301	2637.6	9.9E-05	0.0113	2.98E-05
KY	H L Spurloc	6041	3	#####	302	2623.5	9.9E-05	0.0114	2.99E-05
KY	H L Spurloc	6041	3	#####	302	2634.3	9.94E-05	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	302	2633	9.94E-05	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	302	2641.3	9.97E-05	0.0114	3.01E-05
KY	H L Spurloc	6041	3	#####	301	2627.3	0.0001	0.0115	3.02E-05
KY	H L Spurloc	6041	3	#####	302	2644.2	9.98E-05	0.0114	3.01E-05
KY	H L Spurloc	6041	3	#####	302	2652.8	0.0001	0.0114	3.02E-05
KY	H L Spurloc	6041	3	#####	301	2651.1	0.0001	0.0114	3.02E-05
KY	H L Spurloc	6041	3	#####	302	2684.8	0.0001	0.0113	3.03E-05
KY	H L Spurloc	6041	3	#####	301	2649.8	0.0001	0.0114	3.02E-05
KY	H L Spurloc	6041	3	#####	301	2639.3	1E-04	0.0114	3.01E-05
KY	H L Spurloc	6041	3	#####	301	2653.6	0.000101	0.0114	3.03E-05
KY	H L Spurloc	6041	3	#####	292	2563.5	0.0001	0.0114	2.92E-05
KY	H L Spurloc	6041	3	#####	301	2667	0.0001	0.0113	3.01E-05
KY	H L Spurloc	6041	3	#####	301	2666.6	0.0001	0.0113	3.01E-05
KY	H L Spurloc	6041	3	#####	302	2664.1	9.97E-05	0.0113	3.01E-05
KY	H L Spurloc	6041	3	#####	302	2665.2	9.97E-05	0.0113	3.01E-05
KY	H L Spurloc	6041	3	#####	302	2673.3	0.0001	0.0113	3.02E-05
KY	H L Spurloc	6041	3	#####	302	2678.7	0.0001	0.0113	3.03E-05
KY	H L Spurloc	6041	3	#####	302	2687.8	0.000101	0.0113	3.04E-05
KY	H L Spurloc	6041	3	#####	302	2681.2	0.0001	0.0113	3.03E-05
KY	H L Spurloc	6041	3	#####	302	2682.3	0.0001	0.0113	3.03E-05

KY	H L Spurloc	6041	3	#####	301	2663.3	0.000101	0.0114	3.04E-05
KY	H L Spurloc	6041	3	#####	300	2643.1	0.0001	0.0114	3.01E-05
KY	H L Spurloc	6041	3	#####	298	2623.1	0.0001	0.0114	2.99E-05
KY	H L Spurloc	6041	3	#####	299	2634.2	0.0001	0.0114	3E-05
KY	H L Spurloc	6041	3	#####	299	2650.7	0.0001	0.0113	3E-05
KY	H L Spurloc	6041	3	#####	297	2619.8	9.97E-05	0.0113	2.96E-05
KY	H L Spurloc	6041	3	#####	248	2138.7	0.000103	0.012	2.57E-05
KY	H L Spurloc	6041	3	#####	284	2541.7	0.0001	0.0112	2.85E-05
KY	H L Spurloc	6041	3	#####	280	2435.9	9.83E-05	0.0113	2.75E-05
KY	H L Spurloc	6041	3	#####	280	2448.9	9.88E-05	0.0113	2.77E-05
KY	H L Spurloc	6041	3	#####	280	2451.7	9.89E-05	0.0113	2.77E-05
KY	H L Spurloc	6041	3	#####	280	2431	9.9E-05	0.0114	2.77E-05
KY	H L Spurloc	6041	3	#####	280	2437.5	9.92E-05	0.0114	2.78E-05
KY	H L Spurloc	6041	3	#####	280	2459.1	9.92E-05	0.0113	2.78E-05
KY	H L Spurloc	6041	3	#####	280	2435.5	9.92E-05	0.0114	2.78E-05
KY	H L Spurloc	6041	3	#####	290	2587.2	0.000101	0.0113	2.92E-05
KY	H L Spurloc	6041	3	#####	300	2682.6	0.000102	0.0114	3.06E-05
KY	H L Spurloc	6041	3	#####	300	2679.9	0.000102	0.0114	3.06E-05
KY	H L Spurloc	6041	3	#####	300	2654.1	0.000102	0.0115	3.05E-05
KY	H L Spurloc	6041	3	#####	300	2680.6	0.000102	0.0114	3.06E-05
KY	H L Spurloc	6041	3	#####	300	2697.4	0.000102	0.0113	3.05E-05
KY	H L Spurloc	6041	3	#####	300	2656.4	0.000101	0.0114	3.03E-05
KY	H L Spurloc	6041	3	#####	300	2672	0.000102	0.0114	3.05E-05
KY	H L Spurloc	6041	3	#####	300	2667.9	0.000101	0.0114	3.04E-05
KY	H L Spurloc	6041	3	#####	300	2678	0.000102	0.0114	3.05E-05
KY	H L Spurloc	6041	3	#####	300	2667.8	0.000102	0.0115	3.07E-05
KY	H L Spurloc	6041	3	#####	300	2667.7	0.000102	0.0115	3.07E-05
KY	H L Spurloc	6041	3	#####	302	2698.3	0.000102	0.0114	3.08E-05
KY	H L Spurloc	6041	3	#####	283	2460.1	9.91E-05	0.0114	2.8E-05
KY	H L Spurloc	6041	3	#####	299	2741.4	0.000102	0.0111	3.04E-05
KY	H L Spurloc	6041	3	#####	301	2690.5	0.0001	0.0112	3.01E-05
KY	H L Spurloc	6041	3	#####	297	2635.8	9.94E-05	0.0112	2.95E-05
KY	H L Spurloc	6041	3	#####	220	1833.7	0.000108	0.013	2.38E-05
KY	H L Spurloc	6041	3	#####	167	1489	0.000133	0.0149	2.22E-05
KY	H L Spurloc	6041	3	#####	167	1520.4	0.000135	0.0148	2.25E-05
KY	H L Spurloc	6041	3	#####	167	1513.5	0.000134	0.0148	2.24E-05
KY	H L Spurloc	6041	3	#####	214	2000.1	0.000115	0.0123	2.46E-05
KY	H L Spurloc	6041	3	#####	188	1617.5	0.00012	0.0139	2.25E-05
KY	H L Spurloc	6041	3	#####	166	1513.9	0.000135	0.0148	2.24E-05
KY	H L Spurloc	6041	3	#####	204	1877.9	0.000121	0.0131	2.46E-05
KY	H L Spurloc	6041	3	#####	293	2792.8	0.000104	0.0109	3.04E-05
KY	H L Spurloc	6041	3	#####	302	2727.9	0.000101	0.0112	3.06E-05
KY	H L Spurloc	6041	3	#####	302	2720.5	0.000101	0.0112	3.05E-05
KY	H L Spurloc	6041	3	#####	301	2720.4	0.000101	0.0112	3.05E-05
KY	H L Spurloc	6041	3	#####	302	2678.1	0.000101	0.0114	3.05E-05
KY	H L Spurloc	6041	3	#####	301	2697.8	0.000101	0.0113	3.05E-05
KY	H L Spurloc	6041	3	#####	302	2717.5	0.000101	0.0112	3.04E-05

KY	H L Spurloc	6041	3 #####	301	2672.5	0.000101	0.0114	3.05E-05
KY	H L Spurloc	6041	3 #####	301	2663.9	0.000101	0.0114	3.04E-05
KY	H L Spurloc	6041	3 #####	301	2693.3	0.000101	0.0113	3.04E-05
KY	H L Spurloc	6041	3 #####	302	2717.9	0.000102	0.0113	3.07E-05
KY	H L Spurloc	6041	3 #####	302	2716.7	0.000102	0.0113	3.07E-05
KY	H L Spurloc	6041	3 #####	288	2528.4	0.0001	0.0114	2.88E-05
KY	H L Spurloc	6041	3 #####	292	2597	0.000101	0.0113	2.93E-05
KY	H L Spurloc	6041	3 #####	300	2698.6	0.000102	0.0113	3.05E-05
KY	H L Spurloc	6041	3 #####	302	2706.8	0.000101	0.0113	3.06E-05
KY	H L Spurloc	6041	3 #####	302	2704.6	0.000101	0.0113	3.06E-05
KY	H L Spurloc	6041	3 #####	302	2706.6	0.000101	0.0113	3.06E-05
KY	H L Spurloc	6041	3 #####	302	2715.6	0.000101	0.0112	3.04E-05
KY	H L Spurloc	6041	3 #####	302	2731.5	0.000101	0.0112	3.06E-05
KY	H L Spurloc	6041	3 #####	293	2595.9	0.0001	0.0113	2.93E-05
KY	H L Spurloc	6041	3 #####	301	2728.8	0.000102	0.0112	3.06E-05
KY	H L Spurloc	6041	3 #####	302	2726.6	0.000103	0.0114	3.11E-05
KY	H L Spurloc	6041	3 #####	298	2671.5	0.000104	0.0116	3.1E-05
KY	H L Spurloc	6041	3 #####	301	2721.7	0.000102	0.0113	3.08E-05
KY	H L Spurloc	6041	3 #####	302	2718.1	0.000696	0.0773	0.00021
KY	H L Spurloc	6041	3 #####	302	2705.7	0.000698	0.0779	0.000211
KY	H L Spurloc	6041	3 #####	302	2717.1	0.000701	0.0779	0.000212
KY	H L Spurloc	6041	3 #####	302	2725.5	0.000703	0.0779	0.000212
KY	H L Spurloc	6041	3 #####	302	2732.3	0.000705	0.0779	0.000213
KY	H L Spurloc	6041	3 #####	302	2737.9	0.000706	0.0779	0.000213
KY	H L Spurloc	6041	3 #####	302	2745.2	0.000708	0.0779	0.000214
KY	H L Spurloc	6041	3 #####	302	2730.7	0.000704	0.0779	0.000213
KY	H L Spurloc	6041	3 #####	302	2721	0.000702	0.0779	0.000212
KY	H L Spurloc	6041	3 #####	302	2693.4	0.000701	0.0786	0.000212
KY	H L Spurloc	6041	3 #####	292	2569.6	0.000697	0.0792	0.000204
KY	H L Spurloc	6041	3 #####	300	2699.2	0.000701	0.0779	0.00021
KY	H L Spurloc	6041	3 #####	284	2521.3	0.000698	0.0786	0.000198
KY	H L Spurloc	6041	3 #####	300	2721.3	0.000701	0.0773	0.00021
KY	H L Spurloc	6041	3 6/1/2022	302	2716.9	0.000701	0.0779	0.000212
KY	H L Spurloc	6041	3 6/1/2022	302	2705.4	0.000698	0.0779	0.000211
KY	H L Spurloc	6041	3 6/1/2022	302	2705.2	0.000698	0.0779	0.000211
KY	H L Spurloc	6041	3 6/1/2022	302	2669.2	0.000695	0.0786	0.00021
KY	H L Spurloc	6041	3 6/1/2022	286	2525.5	0.000688	0.0779	0.000197
KY	H L Spurloc	6041	3 6/1/2022	298	2752.3	0.000703	0.0761	0.000209
KY	H L Spurloc	6041	3 6/1/2022	294	2708.5	0.000718	0.0779	0.000211
KY	H L Spurloc	6041	3 6/1/2022	301	2780.6	0.00072	0.0779	0.000217
KY	H L Spurloc	6041	3 6/1/2022	287	2555.7	0.0007	0.0786	0.000201
KY	H L Spurloc	6041	3 6/1/2022	300	2618.7	0.000697	0.0799	0.000209
KY	H L Spurloc	6041	3 6/1/2022	302	2677.3	0.000697	0.0786	0.00021
KY	H L Spurloc	6041	3 6/1/2022	298	2688.7	0.000697	0.0773	0.000208
KY	H L Spurloc	6041	3 6/1/2022	296	2617.2	0.000695	0.0786	0.000206
KY	H L Spurloc	6041	3 6/1/2022	300	2766.9	0.000725	0.0786	0.000217
KY	H L Spurloc	6041	3 6/1/2022	300	2678.8	0.000707	0.0792	0.000212

KY	H L Spurloc	6041	3	6/1/2022	300	2648.8	0.000694	0.0786	0.000208
KY	H L Spurloc	6041	3	6/1/2022	283	2451.6	0.000686	0.0792	0.000194
KY	H L Spurloc	6041	3	6/1/2022	298	2690.3	0.000703	0.0779	0.00021
KY	H L Spurloc	6041	3	6/1/2022	300	2664.8	0.000698	0.0786	0.000209
KY	H L Spurloc	6041	3	6/1/2022	300	2669.6	0.000699	0.0786	0.00021
KY	H L Spurloc	6041	3	6/1/2022	300	2667.3	0.000699	0.0786	0.00021
KY	H L Spurloc	6041	3	6/1/2022	300	2662.2	0.000697	0.0786	0.000209
KY	H L Spurloc	6041	3	6/1/2022	289	2520.4	0.000691	0.0792	0.0002
KY	H L Spurloc	6041	3	6/1/2022	295	2625.4	0.0007	0.0786	0.000206
KY	H L Spurloc	6041	3	6/2/2022	292	2585.1	0.000696	0.0786	0.000203
KY	H L Spurloc	6041	3	6/2/2022	286	2558.1	0.000697	0.0779	0.000199
KY	H L Spurloc	6041	3	6/2/2022	260	2322.3	0.000714	0.0799	0.000186
KY	H L Spurloc	6041	3	6/2/2022	251	2185.7	0.000707	0.0812	0.000177
KY	H L Spurloc	6041	3	6/2/2022	250	2237.7	0.000715	0.0799	0.000179
KY	H L Spurloc	6041	3	6/2/2022	251	2246.6	0.000709	0.0792	0.000178
KY	H L Spurloc	6041	3	6/2/2022	260	2255.8	0.000687	0.0792	0.000179
KY	H L Spurloc	6041	3	6/2/2022	193	1613	0.000809	0.0968	0.000156
KY	H L Spurloc	6041	3	6/2/2022	172	1620.2	0.000903	0.0959	0.000155
KY	H L Spurloc	6041	3	6/2/2022	254	2283.8	0.00073	0.0812	0.000185
KY	H L Spurloc	6041	3	6/2/2022	249	2165.3	0.000706	0.0812	0.000176
KY	H L Spurloc	6041	3	6/2/2022	261	2306.5	0.0007	0.0792	0.000183
KY	H L Spurloc	6041	3	6/2/2022	301	2662.8	0.000689	0.0779	0.000207
KY	H L Spurloc	6041	3	6/2/2022	300	2643.7	0.000693	0.0786	0.000208
KY	H L Spurloc	6041	3	6/2/2022	299	2652.4	0.000691	0.0779	0.000207
KY	H L Spurloc	6041	3	6/2/2022	297	2617.5	0.000687	0.0779	0.000204
KY	H L Spurloc	6041	3	6/2/2022	282	2446.8	0.000687	0.0792	0.000194
KY	H L Spurloc	6041	3	6/2/2022	296	2640.5	0.000701	0.0786	0.000208
KY	H L Spurloc	6041	3	6/2/2022	269	2301.7	0.00069	0.0806	0.000186
KY	H L Spurloc	6041	3	6/2/2022	251	2197.6	0.000711	0.0812	0.000178
KY	H L Spurloc	6041	3	6/2/2022	282	2544	0.000709	0.0786	0.0002
KY	H L Spurloc	6041	3	6/2/2022	247	2092.3	0.000718	0.0848	0.000177
KY	H L Spurloc	6041	3	6/2/2022	167	1468.1	0.000905	0.103	0.000151
KY	H L Spurloc	6041	3	6/2/2022	166	1533	0.000912	0.0988	0.000151
KY	H L Spurloc	6041	3	6/3/2022	166	1570.1	0.000925	0.0978	0.000154
KY	H L Spurloc	6041	3	6/3/2022	167	1593.5	0.000943	0.0988	0.000157
KY	H L Spurloc	6041	3	6/3/2022	166	1522.3	0.000926	0.101	0.000154
KY	H L Spurloc	6041	3	6/3/2022	166	1543.3	0.000929	0.0999	0.000154
KY	H L Spurloc	6041	3	6/3/2022	166	1538.2	0.000926	0.0999	0.000154
KY	H L Spurloc	6041	3	6/3/2022	166	1545.9	0.00093	0.0999	0.000154
KY	H L Spurloc	6041	3	6/3/2022	166	1548.1	0.000932	0.0999	0.000155
KY	H L Spurloc	6041	3	6/3/2022	166	1549.5	0.000933	0.0999	0.000155
KY	H L Spurloc	6041	3	6/3/2022	166	1551.9	0.000934	0.0999	0.000155
KY	H L Spurloc	6041	3	6/3/2022	167	1550.6	0.000928	0.0999	0.000155
KY	H L Spurloc	6041	3	6/3/2022	167	1535.1	0.000928	0.101	0.000155
KY	H L Spurloc	6041	3	6/3/2022	200	1866.7	0.000844	0.0904	0.000169
KY	H L Spurloc	6041	3	6/3/2022	269	2418.7	0.0007	0.0779	0.000188
KY	H L Spurloc	6041	3	6/3/2022	283	2555.8	0.000693	0.0767	0.000196

KY	H L Spurloc	6041	3	6/3/2022	298	2671.8	0.000698	0.0779	0.000208
KY	H L Spurloc	6041	3	6/3/2022	298	2654.9	0.000689	0.0773	0.000205
KY	H L Spurloc	6041	3	6/3/2022	300	2618.8	0.000686	0.0786	0.000206
KY	H L Spurloc	6041	3	6/3/2022	293	2535	0.00068	0.0786	0.000199
KY	H L Spurloc	6041	3	6/3/2022	287	2482	0.00068	0.0786	0.000195
KY	H L Spurloc	6041	3	6/3/2022	295	2591.8	0.000691	0.0786	0.000204
KY	H L Spurloc	6041	3	6/3/2022	285	2535.2	0.000688	0.0773	0.000196
KY	H L Spurloc	6041	3	6/3/2022	208	1744.9	0.000781	0.0931	0.000162
KY	H L Spurloc	6041	3	6/3/2022	167	1513.1	0.000905	0.0999	0.000151
KY	H L Spurloc	6041	3	6/3/2022	167	1508.4	0.000902	0.0999	0.000151
KY	H L Spurloc	6041	3	6/4/2022	167	1513.1	0.000905	0.0999	0.000151
KY	H L Spurloc	6041	3	6/4/2022	167	1519.9	0.000909	0.0999	0.000152
KY	H L Spurloc	6041	3	6/4/2022	167	1528	0.000914	0.0999	0.000153
KY	H L Spurloc	6041	3	6/4/2022	167	1537.3	0.00092	0.0999	0.000154
KY	H L Spurloc	6041	3	6/4/2022	167	1530.7	0.000926	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1531.8	0.000926	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1529.8	0.000925	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1539.4	0.000931	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1538.2	0.00093	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1537	0.00093	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1537.4	0.00093	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1539.6	0.000931	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1540.5	0.000932	0.101	0.000156
KY	H L Spurloc	6041	3	6/4/2022	167	1539.9	0.000931	0.101	0.000156
KY	H L Spurloc	6041	3	6/4/2022	167	1539.5	0.000931	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1537.3	0.00093	0.101	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1560.1	0.000933	0.0999	0.000156
KY	H L Spurloc	6041	3	6/4/2022	167	1542.3	0.000933	0.101	0.000156
KY	H L Spurloc	6041	3	6/4/2022	167	1555.1	0.00093	0.0999	0.000155
KY	H L Spurloc	6041	3	6/4/2022	167	1552.9	0.000929	0.0999	0.000155
KY	H L Spurloc	6041	3	6/4/2022	168	1552.2	0.000923	0.0999	0.000155
KY	H L Spurloc	6041	3	6/4/2022	168	1557.9	0.000916	0.0988	0.000154
KY	H L Spurloc	6041	3	6/4/2022	168	1561.1	0.000918	0.0988	0.000154
KY	H L Spurloc	6041	3	6/4/2022	167	1551.1	0.000918	0.0988	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1546.6	0.000921	0.0988	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1545.7	0.00092	0.0988	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1526.8	0.000919	0.0999	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1543.9	0.000919	0.0988	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1528.4	0.00092	0.0999	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1535.8			
KY	H L Spurloc	6041	3	6/5/2022	166	1529.5	0.00091	0.0988	0.000151
KY	H L Spurloc	6041	3	6/5/2022	166	1530.1	0.000921	0.0999	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1546	0.00092	0.0988	0.000153
KY	H L Spurloc	6041	3	6/5/2022	166	1543	0.000918	0.0988	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1523.6	0.000917	0.0999	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1538.6	0.000916	0.0988	0.000152
KY	H L Spurloc	6041	3	6/5/2022	167	1535.8	0.000909	0.0988	0.000152

KY	H L Spurloc	6041	3	6/5/2022	166	1530.9	0.000911	0.0988	0.000151
KY	H L Spurloc	6041	3	6/5/2022	166	1527	0.000909	0.0988	0.000151
KY	H L Spurloc	6041	3	6/5/2022	166	1549.9	0.000904	0.0968	0.00015
KY	H L Spurloc	6041	3	6/5/2022	166	1522.6	0.000906	0.0988	0.00015
KY	H L Spurloc	6041	3	6/5/2022	166	1537.5	0.000906	0.0978	0.00015
KY	H L Spurloc	6041	3	6/5/2022	166	1530.6	0.000911	0.0988	0.000151
KY	H L Spurloc	6041	3	6/5/2022	167	1540.8	0.000912	0.0988	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1536.8	0.000915	0.0988	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1556	0.000917	0.0978	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1551.7	0.000914	0.0978	0.000152
KY	H L Spurloc	6041	3	6/5/2022	166	1553.5	0.000915	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	166	1556.5	0.000917	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	166	1551.7	0.000914	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	166	1547.8	0.000912	0.0978	0.000151
KY	H L Spurloc	6041	3	6/6/2022	166	1546.7	0.000911	0.0978	0.000151
KY	H L Spurloc	6041	3	6/6/2022	166	1537.8	0.000906	0.0978	0.00015
KY	H L Spurloc	6041	3	6/6/2022	166	1550.8	0.000904	0.0968	0.00015
KY	H L Spurloc	6041	3	6/6/2022	166	1539.7	0.000907	0.0978	0.000151
KY	H L Spurloc	6041	3	6/6/2022	167	1550.2	0.000908	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	167	1549.2	0.000907	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	167	1555.9	0.000911	0.0978	0.000152
KY	H L Spurloc	6041	3	6/6/2022	167	1544.3	0.000111	0.012	1.85E-05
KY	H L Spurloc	6041	3	6/6/2022	167	1555.2	0.000111	0.0119	1.85E-05
KY	H L Spurloc	6041	3	6/6/2022	176	1630.7	0.000107	0.0116	1.89E-05
KY	H L Spurloc	6041	3	6/6/2022	199	1824.3	0.000101	0.011	2.01E-05
KY	H L Spurloc	6041	3	6/6/2022	239	2133.2	8.86E-05	0.00993	2.12E-05
KY	H L Spurloc	6041	3	6/6/2022	240	2127.8	8.8E-05	0.00993	2.11E-05
KY	H L Spurloc	6041	3	6/6/2022	240	2114.7	8.81E-05	0.01	2.11E-05
KY	H L Spurloc	6041	3	6/6/2022	170	1511.6	0.00011	0.0124	1.87E-05
KY	H L Spurloc	6041	3	6/6/2022	170	1564.4	0.000111	0.0121	1.89E-05
KY	H L Spurloc	6041	3	6/6/2022	167	1548.2	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	6/6/2022	190	1705.2	0.000103	0.0115	1.96E-05
KY	H L Spurloc	6041	3	6/6/2022	167	1539.4	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/6/2022	166	1528	0.000114	0.0124	1.89E-05
KY	H L Spurloc	6041	3	6/6/2022	166	1543.2	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1532.9	0.000115	0.0124	1.9E-05
KY	H L Spurloc	6041	3	6/7/2022	167	1530	0.000114	0.0124	1.9E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1525.7	0.000114	0.0124	1.89E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1552	0.000113	0.0121	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1538.4	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1550.7	0.000113	0.0121	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1562.7	0.000113	0.012	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	167	1576.2			
KY	H L Spurloc	6041	3	6/7/2022	167	1544.8	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	167	1544.4	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	212	1938.6	9.78E-05	0.0107	2.07E-05
KY	H L Spurloc	6041	3	6/7/2022	186	1660.9	0.000103	0.0115	1.91E-05

KY	H L Spurloc	6041	3	6/7/2022	220	2029.3	9.78E-05	0.0106	2.15E-05
KY	H L Spurloc	6041	3	6/7/2022	226	1996.7	9.19E-05	0.0104	2.08E-05
KY	H L Spurloc	6041	3	6/7/2022	241	2130.7	8.84E-05	0.01	2.13E-05
KY	H L Spurloc	6041	3	6/7/2022	246	2188.5	8.83E-05	0.00993	2.17E-05
KY	H L Spurloc	6041	3	6/7/2022	289	2676.6	8.6E-05	0.00929	2.49E-05
KY	H L Spurloc	6041	3	6/7/2022	300	2691.1	8.54E-05	0.00952	2.56E-05
KY	H L Spurloc	6041	3	6/7/2022	301	2706.1	8.49E-05	0.00944	2.55E-05
KY	H L Spurloc	6041	3	6/7/2022	297	2650.2	8.57E-05	0.0096	2.54E-05
KY	H L Spurloc	6041	3	6/7/2022	264	2251.2	8.53E-05	0.01	2.25E-05
KY	H L Spurloc	6041	3	6/7/2022	176	1538.1	0.000107	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/7/2022	167	1535.9	0.000111	0.0121	1.86E-05
KY	H L Spurloc	6041	3	6/7/2022	166	1527.2	0.000111	0.0121	1.85E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1536.6	0.000112	0.0121	1.86E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1541.9	0.000112	0.0121	1.87E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1531.2	0.000113	0.0122	1.87E-05
KY	H L Spurloc	6041	3	6/8/2022	167	1538.2	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	167	1542.6	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1557.7	0.000114	0.0121	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1539.8	0.000113	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1535.5	0.000113	0.0122	1.87E-05
KY	H L Spurloc	6041	3	6/8/2022	166	1545	0.000113	0.0121	1.87E-05
KY	H L Spurloc	6041	3	6/8/2022	167	1537.1	0.000111	0.0121	1.86E-05
KY	H L Spurloc	6041	3	6/8/2022	173	1594.5	0.00011	0.0119	1.9E-05
KY	H L Spurloc	6041	3	6/8/2022	198	1837.1	0.000102	0.011	2.02E-05
KY	H L Spurloc	6041	3	6/8/2022	291	2703.8	8.63E-05	0.00929	2.51E-05
KY	H L Spurloc	6041	3	6/8/2022	295	2615.3	8.51E-05	0.0096	2.51E-05
KY	H L Spurloc	6041	3	6/8/2022	302	2653.2	8.5E-05	0.00968	2.57E-05
KY	H L Spurloc	6041	3	6/8/2022	274	2334.9	8.39E-05	0.00984	2.3E-05
KY	H L Spurloc	6041	3	6/8/2022	238	2067.2	8.86E-05	0.0102	2.11E-05
KY	H L Spurloc	6041	3	6/8/2022	235	2045.5	8.97E-05	0.0103	2.11E-05
KY	H L Spurloc	6041	3	6/8/2022	194	1663.2	9.94E-05	0.0116	1.93E-05
KY	H L Spurloc	6041	3	6/8/2022	175	1610	0.000108	0.0117	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	198	1829.6	0.000102	0.011	2.01E-05
KY	H L Spurloc	6041	3	6/8/2022	190	1631.2	0.0001	0.0117	1.91E-05
KY	H L Spurloc	6041	3	6/8/2022	168	1568.3	0.000112	0.012	1.88E-05
KY	H L Spurloc	6041	3	6/8/2022	185	1722.6	0.000106	0.0114	1.96E-05
KY	H L Spurloc	6041	3	6/9/2022	177	1530.2	0.000107	0.0124	1.9E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1529.6	0.000111	0.0122	1.87E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1543.1	0.000111	0.0121	1.87E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1522.1	0.000111	0.0122	1.86E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1523.6	0.000111	0.0122	1.86E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1526.5	0.000111	0.0122	1.86E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1536.6	0.000112	0.0122	1.87E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1538.1	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1543	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1550.1	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1549.1	0.000112	0.0122	1.89E-05

KY	H L Spurloc	6041	3	6/9/2022	168	1550.6	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	169	1552.5	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	170	1555.9	0.000112	0.0122	1.9E-05
KY	H L Spurloc	6041	3	6/9/2022	169	1559.1	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	180	1644.9	0.000107	0.0117	1.92E-05
KY	H L Spurloc	6041	3	6/9/2022	191	1788.1	0.000105	0.0112	2E-05
KY	H L Spurloc	6041	3	6/9/2022	204	1787.3	9.64E-05	0.011	1.97E-05
KY	H L Spurloc	6041	3	6/9/2022	180	1652.9	0.000107	0.0116	1.92E-05
KY	H L Spurloc	6041	3	6/9/2022	177	1585.1	0.000107	0.0119	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1557.1	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1546.1	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1525.5	0.000113	0.0124	1.89E-05
KY	H L Spurloc	6041	3	6/9/2022	168	1540.8	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1556.3	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1554.9	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1541.5	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1552.8	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1559.1	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1545.3	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1551	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1561.3	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1562.6	0.000113	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1571			
KY	H L Spurloc	6041	3	#####	168	1543.3	0.000112	0.0122	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1559.7	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1529.6	0.000113	0.0124	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1546.8	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	169	1561.8	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1573	0.000111	0.0119	1.87E-05
KY	H L Spurloc	6041	3	#####	168	1571	0.000111	0.0119	1.87E-05
KY	H L Spurloc	6041	3	#####	168	1568.7	0.000111	0.0119	1.87E-05
KY	H L Spurloc	6041	3	#####	168	1553.7	0.000111	0.012	1.86E-05
KY	H L Spurloc	6041	3	#####	168	1556.6	0.000111	0.012	1.87E-05
KY	H L Spurloc	6041	3	#####	168	1559.9	0.000111	0.012	1.87E-05
KY	H L Spurloc	6041	3	#####	169	1562.2	0.000111	0.012	1.87E-05
KY	H L Spurloc	6041	3	#####	169	1550.7	0.000111	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1566.5	0.000112	0.012	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1555.9	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1560.2	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	169	1549.2	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	169	1570.1	0.000112	0.0121	1.9E-05
KY	H L Spurloc	6041	3	#####	169	1562.1	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1574	0.000112	0.012	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1559.4	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1566.2			
KY	H L Spurloc	6041	3	#####	168	1563.5	0.000113	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1560.2	0.000112	0.0121	1.89E-05

KY	H L Spurloc	6041	3	#####	168	1560.4	0.000112	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1562	0.000113	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1550.5	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1565.6	0.000113	0.0121	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1552.7	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	168	1573.3	0.000113	0.0121	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1540.6	0.000114	0.0124	1.91E-05
KY	H L Spurloc	6041	3	#####	168	1559.8	0.000113	0.0122	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1561.5	0.000113	0.0122	1.91E-05
KY	H L Spurloc	6041	3	#####	168	1559.7	0.000113	0.0122	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1561.2	0.000113	0.0122	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1545.1	0.000114	0.0124	1.92E-05
KY	H L Spurloc	6041	3	#####	168	1555.9	0.000113	0.0122	1.9E-05
KY	H L Spurloc	6041	3	#####	167	1551.2	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	167	1546.7	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	167	1535.4	0.000114	0.0124	1.9E-05
KY	H L Spurloc	6041	3	#####	167	1531.2	0.000114	0.0124	1.9E-05
KY	H L Spurloc	6041	3	#####	168	1551.5	0.000113	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	167	1530.1	0.000114	0.0124	1.9E-05
KY	H L Spurloc	6041	3	#####	167	1550.1	0.000112	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	167	1539.5	0.000112	0.0121	1.86E-05
KY	H L Spurloc	6041	3	#####	167	1555.6	0.000112	0.012	1.87E-05
KY	H L Spurloc	6041	3	#####	167	1529.9	0.000112	0.0122	1.87E-05
KY	H L Spurloc	6041	3	#####	167	1555.4	0.000113	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	168	1546.5	0.000112	0.0122	1.89E-05
KY	H L Spurloc	6041	3	#####	166	1575.8	0.000114	0.012	1.89E-05
KY	H L Spurloc	6041	3	#####	169	1590.9	0.000113	0.012	1.91E-05
KY	H L Spurloc	6041	3	#####	167	1556.9	0.000113	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	167	1555.9	0.000113	0.0121	1.88E-05
KY	H L Spurloc	6041	3	#####	194	1820.6	0.000104	0.0111	2.02E-05
KY	H L Spurloc	6041	3	#####	279	2661.1	8.86E-05	0.00929	2.47E-05
KY	H L Spurloc	6041	3	#####	300	2740.3	8.49E-05	0.00929	2.55E-05
KY	H L Spurloc	6041	3	#####	300	2650.7	8.41E-05	0.00952	2.52E-05
KY	H L Spurloc	6041	3	#####	299	2624.2	8.36E-05	0.00952	2.5E-05
KY	H L Spurloc	6041	3	#####	292	2596.1	8.33E-05	0.00937	2.43E-05
KY	H L Spurloc	6041	3	#####	272	2362.5	8.34E-05	0.0096	2.27E-05
KY	H L Spurloc	6041	3	#####	198	1688.2	9.72E-05	0.0114	1.92E-05
KY	H L Spurloc	6041	3	#####	223	2037.5	9.59E-05	0.0105	2.14E-05
KY	H L Spurloc	6041	3	#####	299	2703.7	8.54E-05	0.00944	2.55E-05
KY	H L Spurloc	6041	3	#####	300	2648.8	8.41E-05	0.00952	2.52E-05
KY	H L Spurloc	6041	3	#####	300	2647.9	8.4E-05	0.00952	2.52E-05
KY	H L Spurloc	6041	3	#####	298	2634.1	8.41E-05	0.00952	2.51E-05
KY	H L Spurloc	6041	3	#####	287	2514.1	8.34E-05	0.00952	2.39E-05
KY	H L Spurloc	6041	3	#####	296	2667.4	8.44E-05	0.00937	2.5E-05
KY	H L Spurloc	6041	3	#####	288	2501.5	8.34E-05	0.0096	2.4E-05
KY	H L Spurloc	6041	3	#####	297	2692.3	8.56E-05	0.00944	2.54E-05
KY	H L Spurloc	6041	3	#####	299	2683.7	8.54E-05	0.00952	2.55E-05

KY	H L Spurloc	6041	3	#####	297	2649.7	0.000284	0.0318	8.43E-05
KY	H L Spurloc	6041	3	#####	282	2462.2	0.000278	0.0318	7.83E-05
KY	H L Spurloc	6041	3	#####	296	2719.3	0.000287	0.0312	8.48E-05
KY	H L Spurloc	6041	3	#####	299	2732.7	0.000288	0.0315	8.61E-05
KY	H L Spurloc	6041	3	#####	299	2727.2	0.00029	0.0318	8.67E-05
KY	H L Spurloc	6041	3	#####	299	2728.8	0.000292	0.032	8.73E-05
KY	H L Spurloc	6041	3	#####	301	2768.1	0.000292	0.0318	8.8E-05
KY	H L Spurloc	6041	3	#####	302	2756.5	0.00029	0.0318	8.77E-05
KY	H L Spurloc	6041	3	#####	300	2710.4	0.000287	0.0318	8.62E-05
KY	H L Spurloc	6041	3	#####	302	2707.5	0.000285	0.0318	8.61E-05
KY	H L Spurloc	6041	3	#####	302	2723	0.000284	0.0315	8.58E-05
KY	H L Spurloc	6041	3	#####	302	2726.4	0.000284	0.0315	8.59E-05
KY	H L Spurloc	6041	3	#####	302	2697.3	0.000281	0.0315	8.5E-05
KY	H L Spurloc	6041	3	#####	277	2371.5	0.000277	0.0323	7.66E-05
KY	H L Spurloc	6041	3	#####	292	2646.9	0.000283	0.0312	8.26E-05
KY	H L Spurloc	6041	3	#####	289	2568.9	0.00028	0.0315	8.09E-05
KY	H L Spurloc	6041	3	#####	297	2660.4	0.000282	0.0315	8.38E-05
KY	H L Spurloc	6041	3	#####	282	2473.5	0.000279	0.0318	7.87E-05
KY	H L Spurloc	6041	3	#####	273	2425.6	0.00028	0.0315	7.64E-05
KY	H L Spurloc	6041	3	#####	285	2524.9	0.000279	0.0315	7.95E-05
KY	H L Spurloc	6041	3	#####	286	2557	0.000279	0.0312	7.98E-05
KY	H L Spurloc	6041	3	#####	294	2636.4	0.00028	0.0312	8.23E-05
KY	H L Spurloc	6041	3	#####	291	2577.1	0.000276	0.0312	8.04E-05
KY	H L Spurloc	6041	3	#####	281	2452.1	0.000277	0.0318	7.8E-05
KY	H L Spurloc	6041	3	#####	299	2727.7	0.000287	0.0315	8.59E-05
KY	H L Spurloc	6041	3	#####	301	2741.5	0.000291	0.032	8.77E-05
KY	H L Spurloc	6041	3	#####	289	2567.3	0.000287	0.0323	8.29E-05
KY	H L Spurloc	6041	3	#####	300	2764.8	0.000286	0.031	8.57E-05
KY	H L Spurloc	6041	3	#####	301	2717.4	0.000289	0.032	8.7E-05
KY	H L Spurloc	6041	3	#####	302	2764.2	0.000288	0.0315	8.71E-05
KY	H L Spurloc	6041	3	#####	302	2744.9	0.000289	0.0318	8.73E-05
KY	H L Spurloc	6041	3	#####	302	2748.7	0.000289	0.0318	8.74E-05
KY	H L Spurloc	6041	3	#####	302	2772.6	0.000289	0.0315	8.73E-05
KY	H L Spurloc	6041	3	#####	302	2767.7	0.000286	0.0312	8.64E-05
KY	H L Spurloc	6041	3	#####	302	2740.1	0.000283	0.0312	8.55E-05
KY	H L Spurloc	6041	3	#####	302	2707.3	0.000282	0.0315	8.53E-05
KY	H L Spurloc	6041	3	#####	287	2525.7	0.000282	0.032	8.08E-05
KY	H L Spurloc	6041	3	#####	300	2729.5	0.000284	0.0312	8.52E-05
KY	H L Spurloc	6041	3	#####	302	2721.7	0.000284	0.0315	8.57E-05
KY	H L Spurloc	6041	3	#####	302	2717.6	0.000283	0.0315	8.56E-05
KY	H L Spurloc	6041	3	#####	302	2718.4	0.000281	0.0312	8.48E-05
KY	H L Spurloc	6041	3	#####	302	2729.9	0.00028	0.031	8.46E-05
KY	H L Spurloc	6041	3	#####	302	2742	0.00028	0.0308	8.45E-05
KY	H L Spurloc	6041	3	#####	302	2717	0.000277	0.0308	8.37E-05
KY	H L Spurloc	6041	3	#####	301	2676.9	0.000276	0.031	8.3E-05
KY	H L Spurloc	6041	3	#####	302	2676	0.000276	0.0312	8.35E-05
KY	H L Spurloc	6041	3	#####	304	2754.7	0.000281	0.031	8.54E-05

KY	H L Spurloc	6041	3	#####	304	2757.8	0.000281	0.031	8.55E-05
KY	H L Spurloc	6041	3	#####	304	2737.7	0.000281	0.0312	8.54E-05
KY	H L Spurloc	6041	3	#####	304	2749.9	0.00028	0.031	8.52E-05
KY	H L Spurloc	6041	3	#####	304	2756.8	0.000279	0.0308	8.49E-05
KY	H L Spurloc	6041	3	#####	304	2733.5	0.000277	0.0308	8.42E-05
KY	H L Spurloc	6041	3	#####	304	2729.4	0.000277	0.0308	8.41E-05
KY	H L Spurloc	6041	3	#####	304	2733.6	0.000279	0.031	8.47E-05
KY	H L Spurloc	6041	3	#####	302	2758.8	0.000283	0.031	8.55E-05
KY	H L Spurloc	6041	3	#####	302	2739.9	0.000283	0.0312	8.55E-05
KY	H L Spurloc	6041	3	#####	302	2705.4	0.000282	0.0315	8.52E-05
KY	H L Spurloc	6041	3	#####	302	2710.9	0.000283	0.0315	8.54E-05
KY	H L Spurloc	6041	3	#####	302	2729.8	0.000282	0.0312	8.52E-05
KY	H L Spurloc	6041	3	#####	290	2550.3	0.000281	0.032	8.16E-05
KY	H L Spurloc	6041	3	#####	285	2534.4	0.000283	0.0318	8.06E-05
KY	H L Spurloc	6041	3	#####	294	2684	0.000285	0.0312	8.37E-05
KY	H L Spurloc	6041	3	#####	301	2781.5	0.000285	0.0308	8.57E-05
KY	H L Spurloc	6041	3	#####	302	2778	0.000283	0.0308	8.56E-05
KY	H L Spurloc	6041	3	#####	302	2742.9	0.000282	0.031	8.5E-05
KY	H L Spurloc	6041	3	#####	302	2769.6	0.000282	0.0308	8.53E-05
KY	H L Spurloc	6041	3	#####	303	2763.3	0.000281	0.0308	8.51E-05
KY	H L Spurloc	6041	3	#####	302	2748.6	0.00028	0.0308	8.47E-05
KY	H L Spurloc	6041	3	#####	287	2533.3	0.000278	0.0315	7.98E-05
KY	H L Spurloc	6041	3	#####	299	2742.2	0.000284	0.031	8.5E-05
KY	H L Spurloc	6041	3	#####	285	2548.8	0.000282	0.0315	8.03E-05
KY	H L Spurloc	6041	3	#####	300	2762.2	0.000285	0.031	8.56E-05
KY	H L Spurloc	6041	3	#####	302	2762.2	0.000284	0.031	8.56E-05
KY	H L Spurloc	6041	3	#####	302	2755.6	0.000283	0.031	8.54E-05
KY	H L Spurloc	6041	3	#####	302	2745.8	0.000282	0.031	8.51E-05
KY	H L Spurloc	6041	3	#####	302	2732.8	0.000281	0.031	8.47E-05
KY	H L Spurloc	6041	3	#####	302	2767.7	0.000282	0.0308	8.52E-05
KY	H L Spurloc	6041	3	#####	302	2770.2	0.000283	0.0308	8.53E-05
KY	H L Spurloc	6041	3	#####	302	2767	0.000282	0.0308	8.52E-05
KY	H L Spurloc	6041	3	#####	302	2753.7	0.000281	0.0308	8.48E-05
KY	H L Spurloc	6041	3	#####	302	2756.5	0.000281	0.0308	8.49E-05
KY	H L Spurloc	6041	3	#####	302	2771.4	0.000283	0.0308	8.54E-05
KY	H L Spurloc	6041	3	#####	302	2772.6	0.000283	0.0308	8.54E-05
KY	H L Spurloc	6041	3	#####	302	2746.3	0.000282	0.031	8.51E-05
KY	H L Spurloc	6041	3	#####	302	2755.4	0.000283	0.031	8.54E-05
KY	H L Spurloc	6041	3	#####	302	2764.7	0.000282	0.0308	8.52E-05
KY	H L Spurloc	6041	3	#####	276	2411.3	0.00028	0.032	7.72E-05
KY	H L Spurloc	6041	3	#####	238	2094.2	0.000297	0.0337	7.06E-05
KY	H L Spurloc	6041	3	#####	218	1895.9	0.000312	0.0359	6.81E-05
KY	H L Spurloc	6041	3	#####	175	1599.9	0.000365	0.0399	6.38E-05
KY	H L Spurloc	6041	3	#####	198	1820.6	0.000339	0.0369	6.72E-05
KY	H L Spurloc	6041	3	#####	228	2109.8	0.000312	0.0337	7.11E-05
KY	H L Spurloc	6041	3	#####	190	1650.7	0.00034	0.0391	6.45E-05
KY	H L Spurloc	6041	3	#####	199	1872.6	0.000341	0.0362	6.78E-05

KY	H L Spurloc	6041	3 #####	173	1615.032	0.000423	0.0326	5.27E-05
KY	H L Spurloc	6041	3 #####	0	202.9			
KY	H L Spurloc	6041	3 #####	0	25.905		0.0775	2.01E-06
KY	H L Spurloc	6041	3 #####	0	94.656		0.0775	7.34E-06
KY	H L Spurloc	6041	3 #####	0	223.2		0.0775	1.73E-05
KY	H L Spurloc	6041	3 #####	0	335.4		0.0775	2.6E-05
KY	H L Spurloc	6041	3 #####	0	321.6		0.0775	2.49E-05
KY	H L Spurloc	6041	3 #####	0	284.3		0.0775	2.2E-05
KY	H L Spurloc	6041	3 #####	0	274.2		0.0775	2.13E-05
KY	H L Spurloc	6041	3 #####	5	334.6	0.009636	0.144	4.82E-05
KY	H L Spurloc	6041	3 #####	42	442.9	0.001202	0.114	5.05E-05
KY	H L Spurloc	6041	3 #####	46	458.8	0.001107	0.111	5.09E-05
KY	H L Spurloc	6041	3 #####	47	451.5	0.001066	0.111	5.01E-05
KY	H L Spurloc	6041	3 #####	51	482.2	0.000964	0.102	4.92E-05
KY	H L Spurloc	6041	3 #####	68	719.4	0.000788	0.0745	5.36E-05
KY	H L Spurloc	6041	3 #####	90	995.7	0.00068	0.0615	6.12E-05
KY	H L Spurloc	6041	3 #####	120	1257.7	0.000496	0.0473	5.95E-05
KY	H L Spurloc	6041	3 #####	126	1344.3	0.000464	0.0435	5.85E-05
KY	H L Spurloc	6041	3 #####	159	1683	0.000387	0.0366	6.16E-05
KY	H L Spurloc	6041	3 #####	175	1837.4	0.00037	0.0352	6.47E-05
KY	H L Spurloc	6041	3 #####	189	1879.9	0.000341	0.0343	6.45E-05
KY	H L Spurloc	6041	3 #####	198	1896.8	0.000329	0.0343	6.51E-05
KY	H L Spurloc	6041	3 #####	205	1893.3	0.000322	0.0349	6.61E-05
KY	H L Spurloc	6041	3 #####	220	1993.2	0.000308	0.034	6.78E-05
KY	H L Spurloc	6041	3 #####	188	1663.3	0.00034	0.0384	6.39E-05
KY	H L Spurloc	6041	3 #####	167	1580.3	0.000378	0.0399	6.31E-05
KY	H L Spurloc	6041	3 #####	167	1577	0.000377	0.0399	6.29E-05
KY	H L Spurloc	6041	3 #####	167	1559.8	0.000381	0.0408	6.36E-05
KY	H L Spurloc	6041	3 #####	167	1572.3	0.00038	0.0404	6.35E-05
KY	H L Spurloc	6041	3 #####	187	1730.4	0.000352	0.038	6.58E-05
KY	H L Spurloc	6041	3 #####	179	1665.2	0.000357	0.0384	6.39E-05
KY	H L Spurloc	6041	3 #####	178	1635.2	0.000356	0.0387	6.33E-05
KY	H L Spurloc	6041	3 #####	168	1595.7	0.000375	0.0395	6.3E-05
KY	H L Spurloc	6041	3 #####	167	1579.6	0.000377	0.0399	6.3E-05
KY	H L Spurloc	6041	3 #####	167	1563.5	0.000378	0.0404	6.32E-05
KY	H L Spurloc	6041	3 #####	167	1581.7	0.000378	0.0399	6.31E-05
KY	H L Spurloc	6041	3 #####	167	1585.2	0.000375	0.0395	6.26E-05
KY	H L Spurloc	6041	3 #####	200	1887.4	0.000339	0.0359	6.78E-05
KY	H L Spurloc	6041	3 #####	199	1736.5	0.000322	0.0369	6.41E-05
KY	H L Spurloc	6041	3 #####	167	1597.3	0.000374	0.0391	6.25E-05
KY	H L Spurloc	6041	3 #####	167	1555	0.000372	0.0399	6.2E-05
KY	H L Spurloc	6041	3 #####	167	1539.6	0.000372	0.0404	6.22E-05
KY	H L Spurloc	6041	3 #####	166	1556.4	0.000374	0.0399	6.21E-05
KY	H L Spurloc	6041	3 #####	167	1563.2	0.000373	0.0399	6.24E-05
KY	H L Spurloc	6041	3 #####	217	2028.7	0.000321	0.0343	6.96E-05
KY	H L Spurloc	6041	3 #####	194	1693.5	0.000322	0.0369	6.25E-05
KY	H L Spurloc	6041	3 #####	166	1576.9	0.000375	0.0395	6.23E-05

KY	H L Spurloc	6041	3	#####	167	1550.1	0.000375	0.0404	6.26E-05
KY	H L Spurloc	6041	3	#####	166	1540.4	0.000375	0.0404	6.22E-05
KY	H L Spurloc	6041	3	#####	166	1540.3	0.000375	0.0404	6.22E-05
KY	H L Spurloc	6041	3	#####	166	1540.2	0.000375	0.0404	6.22E-05
KY	H L Spurloc	6041	3	#####	166	1538	0.000374	0.0404	6.21E-05
KY	H L Spurloc	6041	3	#####	169	1609.6	0.000372	0.0391	6.29E-05
KY	H L Spurloc	6041	3	#####	181	1642.5	0.000351	0.0387	6.36E-05
KY	H L Spurloc	6041	3	#####	184	1747	0.000354	0.0373	6.52E-05
KY	H L Spurloc	6041	3	#####	256	2349.2	0.000292	0.0318	7.47E-05
KY	H L Spurloc	6041	3	#####	215	1887	0.000306	0.0349	6.59E-05
KY	H L Spurloc	6041	3	#####	166	1486.1	0.000373	0.0417	6.2E-05
KY	H L Spurloc	6041	3	#####	167	1532.5	0.000374	0.0408	6.25E-05
KY	H L Spurloc	6041	3	#####	167	1552.6	0.000376	0.0404	6.27E-05
KY	H L Spurloc	6041	3	#####	166	1554.9	0.000378	0.0404	6.28E-05
KY	H L Spurloc	6041	3	#####	166	1557.4	0.000379	0.0404	6.29E-05
KY	H L Spurloc	6041	3	#####	166	1557.3	0.000379	0.0404	6.29E-05
KY	H L Spurloc	6041	3	#####	167	1559.4	0.000377	0.0404	6.3E-05
KY	H L Spurloc	6041	3	#####	166	1557.5	0.000379	0.0404	6.29E-05
KY	H L Spurloc	6041	3	#####	166	1557	0.000379	0.0404	6.29E-05
KY	H L Spurloc	6041	3	#####	198	1990.2	0.000342	0.034	6.77E-05
KY	H L Spurloc	6041	3	#####	189	1679.6	0.000338	0.038	6.38E-05
KY	H L Spurloc	6041	3	#####	167	1557	0.000377	0.0404	6.29E-05
KY	H L Spurloc	6041	3	#####	166	1548.9	0.000381	0.0408	6.32E-05
KY	H L Spurloc	6041	3	#####	166	1571.2	0.000382	0.0404	6.35E-05
KY	H L Spurloc	6041	3	#####	171	1630.4	0.000178	0.0187	3.05E-05
KY	H L Spurloc	6041	3	#####	202	1866.5	0.000157	0.017	3.17E-05
KY	H L Spurloc	6041	3	#####	235	2204.3	0.000147	0.0157	3.46E-05
KY	H L Spurloc	6041	3	#####	292	2789.1	0.000136	0.0142	3.96E-05
KY	H L Spurloc	6041	3	#####	260	2246.7	0.000135	0.0156	3.5E-05
KY	H L Spurloc	6041	3	#####	272	2528.5	0.000138	0.0148	3.74E-05
KY	H L Spurloc	6041	3	#####	295	2683.9	0.000133	0.0146	3.92E-05
KY	H L Spurloc	6041	3	#####	300	2729.2	0.000134	0.0147	4.01E-05
KY	H L Spurloc	6041	3	#####	300	2724.2	0.000133	0.0147	4E-05
KY	H L Spurloc	6041	3	#####	299	2699.9	0.000134	0.0148	4E-05
KY	H L Spurloc	6041	3	#####	275	2395.4	0.000132	0.0152	3.64E-05
KY	H L Spurloc	6041	3	#####	205	1767.3	0.000151	0.0175	3.09E-05
KY	H L Spurloc	6041	3	#####	167	1568.3	0.000176	0.0187	2.93E-05
KY	H L Spurloc	6041	3	#####	222	2087.7	0.000151	0.0161	3.36E-05
KY	H L Spurloc	6041	3	#####	219	1894.7	0.000144	0.0166	3.15E-05
KY	H L Spurloc	6041	3	#####	215	1977.3	0.000151	0.0164	3.24E-05
KY	H L Spurloc	6041	3	#####	190	1674.4	0.000159	0.018	3.01E-05
KY	H L Spurloc	6041	3	#####	178	1640.8	0.00017	0.0184	3.02E-05
KY	H L Spurloc	6041	3	#####	196	1833.6	0.000161	0.0172	3.15E-05
KY	H L Spurloc	6041	3	#####	232	2087	0.000142	0.0158	3.3E-05
KY	H L Spurloc	6041	3	#####	280	2645.9	0.000133	0.0141	3.73E-05
KY	H L Spurloc	6041	3	#####	292	2617.5	0.00013	0.0145	3.8E-05
KY	H L Spurloc	6041	3	#####	299	2684.1	0.00013	0.0145	3.89E-05

KY	H L Spurloc	6041	3	#####	299	2640.2	0.00013	0.0147	3.88E-05
KY	H L Spurloc	6041	3	#####	298	2652.9	0.00013	0.0146	3.87E-05
KY	H L Spurloc	6041	3	#####	298	2679.1	0.00013	0.0145	3.88E-05
KY	H L Spurloc	6041	3	#####	299	2675.8	0.000131	0.0146	3.91E-05
KY	H L Spurloc	6041	3	#####	298	2651.2	0.000133	0.0149	3.95E-05
KY	H L Spurloc	6041	3	#####	298	2693.8	0.000133	0.0147	3.96E-05
KY	H L Spurloc	6041	3	#####	299	2693.5	0.000132	0.0147	3.96E-05
KY	H L Spurloc	6041	3	#####	299	2689.2	0.000132	0.0147	3.95E-05
KY	H L Spurloc	6041	3	#####	299	2671.7	0.000132	0.0148	3.95E-05
KY	H L Spurloc	6041	3	#####	299	2718.9	0.000134	0.0147	4E-05
KY	H L Spurloc	6041	3	#####	299	2725.7	0.000133	0.0146	3.98E-05
KY	H L Spurloc	6041	3	#####	299	2701.4	0.000132	0.0146	3.94E-05
KY	H L Spurloc	6041	3	#####	299	2694	0.000132	0.0147	3.96E-05
KY	H L Spurloc	6041	3	#####	299	2712.2	0.000133	0.0147	3.99E-05
KY	H L Spurloc	6041	3	#####	299	2687.2	0.000132	0.0147	3.95E-05
KY	H L Spurloc	6041	3	#####	299	2673.3	0.000131	0.0147	3.93E-05
KY	H L Spurloc	6041	3	#####	299	2691.4	0.000131	0.0146	3.93E-05
KY	H L Spurloc	6041	3	#####	299	2687.7	0.000131	0.0146	3.92E-05
KY	H L Spurloc	6041	3	#####	299	2683.4	0.000131	0.0146	3.92E-05
KY	H L Spurloc	6041	3	#####	300	2689	0.000131	0.0146	3.93E-05
KY	H L Spurloc	6041	3	#####	285	2493.4	0.000129	0.0147	3.67E-05
KY	H L Spurloc	6041	3	#####	299	2685.1	0.000131	0.0146	3.92E-05
KY	H L Spurloc	6041	3	#####	291	2561.3	0.000129	0.0147	3.77E-05
KY	H L Spurloc	6041	3	#####	222	1952.7	0.000149	0.0169	3.3E-05
KY	H L Spurloc	6041	3	#####	234	2117.2	0.000142	0.0157	3.32E-05
KY	H L Spurloc	6041	3	#####	231	2114.1	0.000144	0.0157	3.32E-05
KY	H L Spurloc	6041	3	#####	269	2536.3	0.00014	0.0148	3.75E-05
KY	H L Spurloc	6041	3	#####	299	2694.8	0.000136	0.0151	4.07E-05
KY	H L Spurloc	6041	3	#####	253	2227.4	0.000137	0.0156	3.47E-05
KY	H L Spurloc	6041	3	#####	197	1752.5	0.000158	0.0178	3.12E-05
KY	H L Spurloc	6041	3	#####	200	1805.6	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3	#####	200	1817.7	0.000159	0.0175	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1801.6	0.000159	0.0177	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1802.7	0.00016	0.0177	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1801.6	0.000159	0.0177	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1801.9	0.000159	0.0177	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1802.3	0.00016	0.0177	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1790.5	0.000159	0.0178	3.19E-05
KY	H L Spurloc	6041	3	#####	200	1794.8	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1793	0.000159	0.0177	3.17E-05
KY	H L Spurloc	6041	3	#####	200	1789.6	0.000158	0.0177	3.17E-05
KY	H L Spurloc	6041	3	#####	200	1795.9	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1796.2	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1797	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1796.2	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3	#####	200	1793.5	0.000159	0.0177	3.17E-05
KY	H L Spurloc	6041	3	#####	200	1792.2	0.000159	0.0177	3.17E-05

KY	H L Spurloc	6041	3 #####	200	1812.2	0.000159	0.0175	3.17E-05
KY	H L Spurloc	6041	3 #####	200	1837.6	0.000158	0.0172	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1812	0.000159	0.0175	3.17E-05
KY	H L Spurloc	6041	3 #####	200	1796.9	0.000159	0.0177	3.18E-05
KY	H L Spurloc	6041	3 #####	200	1806.2	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1826.6	0.000158	0.0173	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1801.6	0.000159	0.0177	3.19E-05
KY	H L Spurloc	6041	3 #####	200	1807.7	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1807.5	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1806.2	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1804	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1803.1	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1804.5	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	200	1804.8	0.000158	0.0175	3.16E-05
KY	H L Spurloc	6041	3 #####	179	1508.2	0.000169	0.02	3.02E-05
KY	H L Spurloc	6041	3 #####	36	177.216	0.000725	0.0471	8.35E-06
KY	H L Spurloc	6041	3 #####	0	199.988			
KY	H L Spurloc	6041	3 #####	0	90.7		0.0367	3.33E-06
KY	H L Spurloc	6041	3 #####	0	102.5		0.0367	3.76E-06
KY	H L Spurloc	6041	3 #####	0	115.4		0.0367	4.24E-06
KY	H L Spurloc	6041	3 #####	0	141.6		0.0367	5.2E-06
KY	H L Spurloc	6041	3 #####	0	196		0.0367	7.19E-06
KY	H L Spurloc	6041	3 #####	0	218.5		0.0367	8.02E-06
KY	H L Spurloc	6041	3 #####	0	215.8		0.0367	7.92E-06
KY	H L Spurloc	6041	3 #####	0	234.1		0.0367	8.59E-06
KY	H L Spurloc	6041	3 #####	0	242.7		0.0367	8.91E-06
KY	H L Spurloc	6041	3 #####	0	243.1		0.0367	8.92E-06
KY	H L Spurloc	6041	3 #####	0	234		0.0367	8.59E-06
KY	H L Spurloc	6041	3 #####	0	236.1		0.0367	8.66E-06
KY	H L Spurloc	6041	3 #####	0	236.4		0.0367	8.68E-06
KY	H L Spurloc	6041	3 #####	0	243.4		0.0367	8.93E-06
KY	H L Spurloc	6041	3 #####	0	236.6		0.0367	8.68E-06
KY	H L Spurloc	6041	3 #####	0	235		0.0367	8.62E-06
KY	H L Spurloc	6041	3 #####	0	246.7		0.0367	9.05E-06
KY	H L Spurloc	6041	3 #####	13	356.3	0.001864	0.068	2.42E-05
KY	H L Spurloc	6041	3 #####	40	490.2	0.000643	0.0525	2.57E-05
KY	H L Spurloc	6041	3 #####	56	585.8	0.000469	0.0448	2.62E-05
KY	H L Spurloc	6041	3 #####	58	544.6	0.000467	0.0497	2.71E-05
KY	H L Spurloc	6041	3 #####	75	783.7	0.000376	0.036	2.82E-05
KY	H L Spurloc	6041	3 #####	101	1118.3	0.00029	0.0262	2.93E-05
KY	H L Spurloc	6041	3 #####	129	1471.8	0.00022	0.0193	2.84E-05
KY	H L Spurloc	6041	3 #####	142	1639.5	0.000204	0.0177	2.9E-05
KY	H L Spurloc	6041	3 #####	145	1645	0.000202	0.0178	2.93E-05
KY	H L Spurloc	6041	3 #####	148	1655.9	0.000198	0.0177	2.93E-05
KY	H L Spurloc	6041	3 #####	166	1729.5	0.00018	0.0173	2.99E-05
KY	H L Spurloc	6041	3 #####	190	1891.6	0.000165	0.0166	3.14E-05
KY	H L Spurloc	6041	3 #####	211	2007	0.00015	0.0158	3.17E-05

KY	H L Spurloc	6041	3	#####	223	2046.2	0.000147	0.016	3.27E-05
KY	H L Spurloc	6041	3	#####	265	2488.9	0.000142	0.0151	3.76E-05
KY	H L Spurloc	6041	3	#####	295	2786.4	0.000139	0.0147	4.1E-05
KY	H L Spurloc	6041	3	#####	220	1924.3	0.000146	0.0167	3.21E-05
KY	H L Spurloc	6041	3	#####	165	1519.7	0.00018	0.0195	2.96E-05
KY	H L Spurloc	6041	3	#####	165	1537.1	0.00018	0.0193	2.97E-05
KY	H L Spurloc	6041	3	#####	165	1524.2	0.00018	0.0195	2.97E-05
KY	H L Spurloc	6041	3	#####	165	1521.6	0.00018	0.0195	2.97E-05
KY	H L Spurloc	6041	3	#####	165	1538.5	0.00018	0.0193	2.97E-05
KY	H L Spurloc	6041	3	#####	177	1679.8	0.000175	0.0184	3.09E-05
KY	H L Spurloc	6041	3	#####	195	1769.3	0.000162	0.0178	3.15E-05
KY	H L Spurloc	6041	3	#####	231	2044.9	0.000144	0.0163	3.33E-05
KY	H L Spurloc	6041	3	#####	187	1665.9	0.00016	0.018	3E-05
KY	H L Spurloc	6041	3	#####	210	1976.6	0.000157	0.0167	3.3E-05
KY	H L Spurloc	6041	3	#####	183	1628.3	0.000164	0.0184	3E-05
KY	H L Spurloc	6041	3	#####	174	1704.8	0.000178	0.0182	3.1E-05
KY	H L Spurloc	6041	3	#####	256	2384	0.000283	0.0304	7.25E-05
KY	H L Spurloc	6041	3	#####	300	2779.3	0.000264	0.0285	7.92E-05
KY	H L Spurloc	6041	3	#####	299	2676.1	0.000263	0.0294	7.87E-05
KY	H L Spurloc	6041	3	#####	299	2694	0.000262	0.0291	7.84E-05
KY	H L Spurloc	6041	3	#####	297	2667.4	0.000261	0.0291	7.76E-05
KY	H L Spurloc	6041	3	#####	293	2580.1	0.000261	0.0296	7.64E-05
KY	H L Spurloc	6041	3	#####	250	2196.5	0.000269	0.0306	6.72E-05
KY	H L Spurloc	6041	3	#####	221	1916.3	0.00029	0.0334	6.4E-05
KY	H L Spurloc	6041	3	#####	165	1520.1	0.000357	0.0388	5.9E-05
KY	H L Spurloc	6041	3	#####	168	1609.6	0.000356	0.0372	5.99E-05
KY	H L Spurloc	6041	3	#####	222	2040.3	0.000299	0.0325	6.63E-05
KY	H L Spurloc	6041	3	#####	189	1655.4	0.000319	0.0364	6.03E-05
KY	H L Spurloc	6041	3	#####	165	1580.8	0.00036	0.0376	5.94E-05
KY	H L Spurloc	6041	3	#####	165	1556.9	0.000358	0.0379	5.9E-05
KY	H L Spurloc	6041	3	#####	165	1535.3	0.000356	0.0383	5.88E-05
KY	H L Spurloc	6041	3	#####	165	1537.7	0.000357	0.0383	5.89E-05
KY	H L Spurloc	6041	3	#####	208	1997.3	0.000312	0.0325	6.49E-05
KY	H L Spurloc	6041	3	#####	185	1637.8	0.00032	0.0361	5.91E-05
KY	H L Spurloc	6041	3	#####	165	1581.9	0.000357	0.0372	5.88E-05
KY	H L Spurloc	6041	3	#####	210	2006.3	0.00031	0.0325	6.52E-05
KY	H L Spurloc	6041	3	#####	189	1680	0.000315	0.0354	5.95E-05
KY	H L Spurloc	6041	3	#####	208	1980.4	0.000315	0.0331	6.56E-05
KY	H L Spurloc	6041	3	#####	192	1714.2	0.000312	0.035	6E-05
KY	H L Spurloc	6041	3	#####	166	1598.1	0.000358	0.0372	5.94E-05
KY	H L Spurloc	6041	3	#####	172	1655.8	0.00035	0.0364	6.03E-05
KY	H L Spurloc	6041	3	#####	188	1780.1	0.000331	0.035	6.23E-05
KY	H L Spurloc	6041	3	#####	228	2115.3	0.000291	0.0314	6.64E-05
KY	H L Spurloc	6041	3	#####	273	2585.5	0.00027	0.0285	7.37E-05
KY	H L Spurloc	6041	3	#####	279	2541.1	0.000261	0.0287	7.29E-05
KY	H L Spurloc	6041	3	#####	237	2176.6	0.000272	0.0296	6.44E-05
KY	H L Spurloc	6041	3	#####	196	1780.5	0.000312	0.0344	6.12E-05

KY	H L Spurloc	6041	3	#####	167	1521.4	0.000349	0.0383	5.83E-05
KY	H L Spurloc	6041	3	#####	166	1516.9	0.00035	0.0383	5.81E-05
KY	H L Spurloc	6041	3	#####	166	1513.3	0.000349	0.0383	5.8E-05
KY	H L Spurloc	6041	3	#####	166	1528.9	0.000349	0.0379	5.79E-05
KY	H L Spurloc	6041	3	#####	166	1545.2	0.00035	0.0376	5.81E-05
KY	H L Spurloc	6041	3	#####	167	1544.5	0.000348	0.0376	5.81E-05
KY	H L Spurloc	6041	3	#####	166	1552.7	0.000352	0.0376	5.84E-05
KY	H L Spurloc	6041	3	#####	166	1552.3	0.000352	0.0376	5.84E-05
KY	H L Spurloc	6041	3	#####	166	1539.1	0.000351	0.0379	5.83E-05
KY	H L Spurloc	6041	3	#####	166	1537.7	0.000351	0.0379	5.83E-05
KY	H L Spurloc	6041	3	#####	166	1539.3	0.000351	0.0379	5.83E-05
KY	H L Spurloc	6041	3	#####	166	1530.4	0.000361	0.0392	6E-05
KY	H L Spurloc	6041	3	#####	166	1543.9	0.000361	0.0388	5.99E-05
KY	H L Spurloc	6041	3	#####	166	1550.6	0.000358	0.0383	5.94E-05
KY	H L Spurloc	6041	3	#####	170	1609.5	0.000348	0.0368	5.92E-05
KY	H L Spurloc	6041	3	#####	171	1539.9	0.000345	0.0383	5.9E-05
KY	H L Spurloc	6041	3	#####	176	1646.9	0.000341	0.0364	5.99E-05
KY	H L Spurloc	6041	3	#####	238	2146	0.000286	0.0317	6.8E-05
KY	H L Spurloc	6041	3	#####	241	2177.4	0.000281	0.0311	6.77E-05
KY	H L Spurloc	6041	3	#####	291	2678	0.000264	0.0287	7.69E-05
KY	H L Spurloc	6041	3	#####	301	2681.3	0.000257	0.0289	7.75E-05
KY	H L Spurloc	6041	3	#####	301	2662.6	0.000257	0.0291	7.75E-05
KY	H L Spurloc	6041	3	#####	301	2704	0.00026	0.0289	7.81E-05
KY	H L Spurloc	6041	3	#####	284	2473.7	0.000256	0.0294	7.27E-05
KY	H L Spurloc	6041	3	#####	266	2300.3	0.000259	0.0299	6.88E-05
KY	H L Spurloc	6041	3	#####	185	1596.2	0.000318	0.0368	5.87E-05
KY	H L Spurloc	6041	3	#####	166	1516.9	0.000355	0.0388	5.89E-05
KY	H L Spurloc	6041	3	#####	167	1521.9	0.000354	0.0388	5.9E-05
KY	H L Spurloc	6041	3	#####	167	1534.9	0.000352	0.0383	5.88E-05
KY	H L Spurloc	6041	3	#####	167	1537	0.000352	0.0383	5.89E-05
KY	H L Spurloc	6041	3	#####	203	1897.5	0.000318	0.034	6.45E-05
KY	H L Spurloc	6041	3	#####	293	2703.1	0.000265	0.0287	7.76E-05
KY	H L Spurloc	6041	3	#####	288	2518.6	0.000257	0.0294	7.4E-05
KY	H L Spurloc	6041	3	#####	299	2651.9	0.000256	0.0289	7.66E-05
KY	H L Spurloc	6041	3	#####	302	2659.9	0.000255	0.0289	7.69E-05
KY	H L Spurloc	6041	3	#####	301	2669.8	0.000258	0.0291	7.77E-05
KY	H L Spurloc	6041	3	#####	301	2666	0.00026	0.0294	7.84E-05
KY	H L Spurloc	6041	3	#####	286	2486.9	0.000256	0.0294	7.31E-05
KY	H L Spurloc	6041	3	#####	300	2722.5	0.000264	0.0291	7.92E-05
KY	H L Spurloc	6041	3	#####	302	2697.4	0.000263	0.0294	7.93E-05
KY	H L Spurloc	6041	3	#####	302	2683.4	0.000263	0.0296	7.94E-05
KY	H L Spurloc	6041	3	#####	302	2669	0.000262	0.0296	7.9E-05
KY	H L Spurloc	6041	3	#####	302	2683.6	0.000261	0.0294	7.89E-05
KY	H L Spurloc	6041	3	#####	302	2659.5	0.000256	0.0291	7.74E-05
KY	H L Spurloc	6041	3	#####	301	2638.2	0.000255	0.0291	7.68E-05
KY	H L Spurloc	6041	3	#####	301	2632	0.000257	0.0294	7.74E-05
KY	H L Spurloc	6041	3	#####	301	2641	0.00026	0.0296	7.82E-05

KY	H L Spurloc	6041	3 #####	301	2669.6	0.000263	0.0296	7.9E-05
KY	H L Spurloc	6041	3 #####	301	2665.1	0.000262	0.0296	7.89E-05
KY	H L Spurloc	6041	3 #####	301	2650.7	0.000261	0.0296	7.85E-05
KY	H L Spurloc	6041	3 #####	292	2558.3	0.000259	0.0296	7.57E-05
KY	H L Spurloc	6041	3 #####	301	2686.8	0.000262	0.0294	7.9E-05
KY	H L Spurloc	6041	4 4/1/2022	297	2457.5	4.15E-05	0.00501	1.23E-05
KY	H L Spurloc	6041	4 4/1/2022	278	2286	4.19E-05	0.0051	1.17E-05
KY	H L Spurloc	6041	4 4/1/2022	271	2252.8	4.24E-05	0.0051	1.15E-05
KY	H L Spurloc	6041	4 4/1/2022	263	2173.1	4.25E-05	0.00514	1.12E-05
KY	H L Spurloc	6041	4 4/1/2022	288	2396.1	4.17E-05	0.00501	1.2E-05
KY	H L Spurloc	6041	4 4/1/2022	287	2370.3	4.14E-05	0.00501	1.19E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2413.9	4.1E-05	0.00501	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2414.5	4.1E-05	0.00501	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2436.8	4.11E-05	0.00497	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2457.7	4.11E-05	0.00493	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2437.2	4.11E-05	0.00497	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2443.6	4.12E-05	0.00497	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2459.9	4.11E-05	0.00493	1.21E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2465	4.12E-05	0.00493	1.22E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2473.4	4.13E-05	0.00493	1.22E-05
KY	H L Spurloc	6041	4 4/1/2022	295	2475.3	4.14E-05	0.00493	1.22E-05
KY	H L Spurloc	6041	4 4/1/2022	300	2520	4.11E-05	0.00489	1.23E-05
KY	H L Spurloc	6041	4 4/1/2022	300	2516.3	3E-05	0.00358	9.01E-06
KY	H L Spurloc	6041	4 4/1/2022	300	2512.3	3E-05	0.00358	8.99E-06
KY	H L Spurloc	6041	4 4/1/2022	300	2512.8	3E-05	0.00358	9E-06
KY	H L Spurloc	6041	4 4/1/2022	300	2510.4	3E-05	0.00358	8.99E-06
KY	H L Spurloc	6041	4 4/1/2022	284	2369.2	3.04E-05	0.00364	8.62E-06
KY	H L Spurloc	6041	4 4/1/2022	298	2535	3.02E-05	0.00355	9E-06
KY	H L Spurloc	6041	4 4/1/2022	300	2513.7	3E-05	0.00358	9E-06
KY	H L Spurloc	6041	4 4/2/2022	289	2426.1	3.03E-05	0.00361	8.76E-06
KY	H L Spurloc	6041	4 4/2/2022	299	2526.3	3.02E-05	0.00358	9.04E-06
KY	H L Spurloc	6041	4 4/2/2022	290	2432.3	3.03E-05	0.00361	8.78E-06
KY	H L Spurloc	6041	4 4/2/2022	300	2527.1	3.02E-05	0.00358	9.05E-06
KY	H L Spurloc	6041	4 4/2/2022	288	2415	3.03E-05	0.00361	8.72E-06
KY	H L Spurloc	6041	4 4/2/2022	293	2484.4	3.04E-05	0.00358	8.89E-06
KY	H L Spurloc	6041	4 4/2/2022	289	2415.2	3.02E-05	0.00361	8.72E-06
KY	H L Spurloc	6041	4 4/2/2022	297	2511	3.03E-05	0.00358	8.99E-06
KY	H L Spurloc	6041	4 4/2/2022	290	2424.6	3.02E-05	0.00361	8.75E-06
KY	H L Spurloc	6041	4 4/2/2022	298	2521.7	3.03E-05	0.00358	9.03E-06
KY	H L Spurloc	6041	4 4/2/2022	299	2503.8	3E-05	0.00358	8.96E-06
KY	H L Spurloc	6041	4 4/2/2022	295	2453.3	3E-05	0.00361	8.86E-06
KY	H L Spurloc	6041	4 4/2/2022	298	2499.2	3E-05	0.00358	8.95E-06
KY	H L Spurloc	6041	4 4/2/2022	294	2443.8	3E-05	0.00361	8.82E-06
KY	H L Spurloc	6041	4 4/2/2022	298	2481.2	3.01E-05	0.00361	8.96E-06
KY	H L Spurloc	6041	4 4/2/2022	290	2428.7	3.02E-05	0.00361	8.77E-06
KY	H L Spurloc	6041	4 4/2/2022	296	2473.9	3.02E-05	0.00361	8.93E-06
KY	H L Spurloc	6041	4 4/2/2022	300	2502.8	3.01E-05	0.00361	9.04E-06

KY	H L Spurloc	6041	4	4/2/2022	289	2410.5	3.04E-05	0.00364	8.77E-06
KY	H L Spurloc	6041	4	4/2/2022	299	2513.8	3.04E-05	0.00361	9.07E-06
KY	H L Spurloc	6041	4	4/2/2022	289	2419	3.05E-05	0.00364	8.81E-06
KY	H L Spurloc	6041	4	4/2/2022	298	2540.2	3.05E-05	0.00358	9.09E-06
KY	H L Spurloc	6041	4	4/2/2022	293	2457.8	3.03E-05	0.00361	8.87E-06
KY	H L Spurloc	6041	4	4/2/2022	269	2241.4	3.12E-05	0.00374	8.38E-06
KY	H L Spurloc	6041	4	4/3/2022	222	1875.5	3.39E-05	0.00401	7.52E-06
KY	H L Spurloc	6041	4	4/3/2022	265	2274.2	3.21E-05	0.00374	8.51E-06
KY	H L Spurloc	6041	4	4/3/2022	256	2170.9	3.2E-05	0.00377	8.18E-06
KY	H L Spurloc	6041	4	4/3/2022	285	2468.7	3.1E-05	0.00358	8.84E-06
KY	H L Spurloc	6041	4	4/3/2022	287	2414.5	3.04E-05	0.00361	8.72E-06
KY	H L Spurloc	6041	4	4/3/2022	291	2428.5	3.04E-05	0.00364	8.84E-06
KY	H L Spurloc	6041	4	4/3/2022	288	2432.6	3.05E-05	0.00361	8.78E-06
KY	H L Spurloc	6041	4	4/3/2022	299	2556.4	3.04E-05	0.00355	9.08E-06
KY	H L Spurloc	6041	4	4/3/2022	285	2380.7	3.04E-05	0.00364	8.67E-06
KY	H L Spurloc	6041	4	4/3/2022	298	2521.3	3.03E-05	0.00358	9.03E-06
KY	H L Spurloc	6041	4	4/3/2022	288	2399.5	3.03E-05	0.00364	8.73E-06
KY	H L Spurloc	6041	4	4/3/2022	296	2491.5	3.04E-05	0.00361	8.99E-06
KY	H L Spurloc	6041	4	4/3/2022	282	2344.5	3.05E-05	0.00367	8.6E-06
KY	H L Spurloc	6041	4	4/3/2022	297	2508.7	3.02E-05	0.00358	8.98E-06
KY	H L Spurloc	6041	4	4/3/2022	300	2483.7	2.99E-05	0.00361	8.97E-06
KY	H L Spurloc	6041	4	4/3/2022	299	2475.8	3.01E-05	0.00364	9.01E-06
KY	H L Spurloc	6041	4	4/3/2022	289	2413.2	3.04E-05	0.00364	8.78E-06
KY	H L Spurloc	6041	4	4/3/2022	299	2503.6	3.02E-05	0.00361	9.04E-06
KY	H L Spurloc	6041	4	4/3/2022	293	2450.3	3.02E-05	0.00361	8.85E-06
KY	H L Spurloc	6041	4	4/3/2022	300	2503.7	3.01E-05	0.00361	9.04E-06
KY	H L Spurloc	6041	4	4/3/2022	292	2426	3.02E-05	0.00364	8.83E-06
KY	H L Spurloc	6041	4	4/3/2022	299	2501.2	3.02E-05	0.00361	9.03E-06
KY	H L Spurloc	6041	4	4/3/2022	285	2363.2	3.04E-05	0.00367	8.67E-06
KY	H L Spurloc	6041	4	4/3/2022	298	2472.8	3.02E-05	0.00364	9E-06
KY	H L Spurloc	6041	4	4/4/2022	288	2405.3	3.07E-05	0.00367	8.83E-06
KY	H L Spurloc	6041	4	4/4/2022	299	2546.3	3.05E-05	0.00358	9.12E-06
KY	H L Spurloc	6041	4	4/4/2022	293	2451.5	3.02E-05	0.00361	8.85E-06
KY	H L Spurloc	6041	4	4/4/2022	300	2518.1	3E-05	0.00358	9.01E-06
KY	H L Spurloc	6041	4	4/4/2022	287	2413.8	3.06E-05	0.00364	8.79E-06
KY	H L Spurloc	6041	4	4/4/2022	299	2600.9	3.09E-05	0.00355	9.23E-06
KY	H L Spurloc	6041	4	4/4/2022	285	2389.4	3.05E-05	0.00364	8.7E-06
KY	H L Spurloc	6041	4	4/4/2022	299	2585.9	3.05E-05	0.00353	9.13E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2539.2	2.99E-05	0.00355	9.01E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2551.3	3.01E-05	0.00355	9.06E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2559	3.02E-05	0.00355	9.08E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2554.4	3.01E-05	0.00355	9.07E-06
KY	H L Spurloc	6041	4	4/4/2022	290	2431.9	3.03E-05	0.00361	8.78E-06
KY	H L Spurloc	6041	4	4/4/2022	286	2415.2	3.05E-05	0.00361	8.72E-06
KY	H L Spurloc	6041	4	4/4/2022	302	2592.9	3.03E-05	0.00353	9.15E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2549.2	3.01E-05	0.00355	9.05E-06
KY	H L Spurloc	6041	4	4/4/2022	287	2391.3	3.03E-05	0.00364	8.7E-06

KY	H L Spurloc	6041	4	4/4/2022	293	2509.3	3.07E-05	0.00358	8.98E-06
KY	H L Spurloc	6041	4	4/4/2022	290	2443.3	3.07E-05	0.00364	8.89E-06
KY	H L Spurloc	6041	4	4/4/2022	301	2551.6	3.03E-05	0.00358	9.13E-06
KY	H L Spurloc	6041	4	4/4/2022	285	2370.6	3.03E-05	0.00364	8.63E-06
KY	H L Spurloc	6041	4	4/4/2022	300	2506.4	2.99E-05	0.00358	8.97E-06
KY	H L Spurloc	6041	4	4/4/2022	290	2395.7	3.01E-05	0.00364	8.72E-06
KY	H L Spurloc	6041	4	4/4/2022	299	2518.5	3.04E-05	0.00361	9.09E-06
KY	H L Spurloc	6041	4	4/5/2022	287	2411.6	3.06E-05	0.00364	8.78E-06
KY	H L Spurloc	6041	4	4/5/2022	300	2569.7	3.07E-05	0.00358	9.2E-06
KY	H L Spurloc	6041	4	4/5/2022	291	2414.3	3.02E-05	0.00364	8.79E-06
KY	H L Spurloc	6041	4	4/5/2022	300	2522.6	3.04E-05	0.00361	9.11E-06
KY	H L Spurloc	6041	4	4/5/2022	302	2513	3.03E-05	0.00364	9.15E-06
KY	H L Spurloc	6041	4	4/5/2022	302	2534.5	3.03E-05	0.00361	9.15E-06
KY	H L Spurloc	6041	4	4/5/2022	302	2536.6	3.03E-05	0.00361	9.16E-06
KY	H L Spurloc	6041	4	4/5/2022	302	2528.3	3.02E-05	0.00361	9.13E-06
KY	H L Spurloc	6041	4	4/5/2022	302	2555.2	5.49E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/5/2022	302	2534.9	5.49E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/5/2022	295	2469.8	5.53E-05	0.0066	1.63E-05
KY	H L Spurloc	6041	4	4/5/2022	288	2430.9	5.57E-05	0.0066	1.6E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2531	5.48E-05	0.00649	1.64E-05
KY	H L Spurloc	6041	4	4/5/2022	302	2507.4	5.43E-05	0.00654	1.64E-05
KY	H L Spurloc	6041	4	4/5/2022	301	2504.7	5.49E-05	0.0066	1.65E-05
KY	H L Spurloc	6041	4	4/5/2022	301	2510.4	5.5E-05	0.0066	1.66E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2513.7	5.57E-05	0.00665	1.67E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2519.7	5.59E-05	0.00665	1.68E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2543.7	5.6E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2541.3	5.59E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/5/2022	300	2526.2	5.56E-05	0.0066	1.67E-05
KY	H L Spurloc	6041	4	4/5/2022	286	2389.9	5.56E-05	0.00665	1.59E-05
KY	H L Spurloc	6041	4	4/5/2022	285	2402.5	5.61E-05	0.00665	1.6E-05
KY	H L Spurloc	6041	4	4/5/2022	296	2512.1	5.55E-05	0.00654	1.64E-05
KY	H L Spurloc	6041	4	4/6/2022	300	2547.6	5.55E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/6/2022	286	2406.2	5.59E-05	0.00665	1.6E-05
KY	H L Spurloc	6041	4	4/6/2022	288	2453.9	5.62E-05	0.0066	1.62E-05
KY	H L Spurloc	6041	4	4/6/2022	290	2440.1	5.55E-05	0.0066	1.61E-05
KY	H L Spurloc	6041	4	4/6/2022	298	2571.1	5.6E-05	0.00649	1.67E-05
KY	H L Spurloc	6041	4	4/6/2022	287	2400.2	5.56E-05	0.00665	1.6E-05
KY	H L Spurloc	6041	4	4/6/2022	298	2577.9	5.66E-05	0.00654	1.69E-05
KY	H L Spurloc	6041	4	4/6/2022	300	2588.4	5.74E-05	0.00665	1.72E-05
KY	H L Spurloc	6041	4	4/6/2022	300	2610	5.69E-05	0.00654	1.71E-05
KY	H L Spurloc	6041	4	4/6/2022	288	2455.9	5.67E-05	0.00665	1.63E-05
KY	H L Spurloc	6041	4	4/6/2022	294	2547.3	5.67E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/6/2022	298	2542	5.58E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/6/2022	292	2447	5.57E-05	0.00665	1.63E-05
KY	H L Spurloc	6041	4	4/6/2022	299	2551.2	5.58E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/6/2022	289	2410.9	5.6E-05	0.00671	1.62E-05
KY	H L Spurloc	6041	4	4/6/2022	298	2558.7	5.67E-05	0.0066	1.69E-05

KY	H L Spurloc	6041	4	4/6/2022	289	2395.3	5.61E-05	0.00677	1.62E-05
KY	H L Spurloc	6041	4	4/6/2022	290	2446.5	5.61E-05	0.00665	1.63E-05
KY	H L Spurloc	6041	4	4/6/2022	289	2437.6	5.61E-05	0.00665	1.62E-05
KY	H L Spurloc	6041	4	4/6/2022	299	2539.3	5.61E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/6/2022	285	2383.1	5.61E-05	0.00671	1.6E-05
KY	H L Spurloc	6041	4	4/6/2022	297	2549.5	5.67E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/6/2022	290	2449.9	5.67E-05	0.00671	1.64E-05
KY	H L Spurloc	6041	4	4/6/2022	256	2181.5	5.92E-05	0.00695	1.52E-05
KY	H L Spurloc	6041	4	4/7/2022	277	2389.5	5.84E-05	0.00677	1.62E-05
KY	H L Spurloc	6041	4	4/7/2022	286	2421.6	5.68E-05	0.00671	1.62E-05
KY	H L Spurloc	6041	4	4/7/2022	265	2269	5.9E-05	0.00689	1.56E-05
KY	H L Spurloc	6041	4	4/7/2022	290	2472.6	5.72E-05	0.00671	1.66E-05
KY	H L Spurloc	6041	4	4/7/2022	298	2536.7	5.71E-05	0.00671	1.7E-05
KY	H L Spurloc	6041	4	4/7/2022	298	2539.6	5.67E-05	0.00665	1.69E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2518.9	5.58E-05	0.00665	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2501.5	5.6E-05	0.00671	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2497.5	5.59E-05	0.00671	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2499.2	5.59E-05	0.00671	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2519.5	5.58E-05	0.00665	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2531.7	5.61E-05	0.00665	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	291	2463.2	5.63E-05	0.00665	1.64E-05
KY	H L Spurloc	6041	4	4/7/2022	299	2563.3	5.61E-05	0.00654	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	291	2520.4	5.66E-05	0.00654	1.65E-05
KY	H L Spurloc	6041	4	4/7/2022	298	2571.8	5.6E-05	0.00649	1.67E-05
KY	H L Spurloc	6041	4	4/7/2022	293	2490.4	5.56E-05	0.00654	1.63E-05
KY	H L Spurloc	6041	4	4/7/2022	299	2531.9	5.54E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2581.7	5.59E-05	0.00649	1.68E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2564	5.55E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2552.6	5.56E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/7/2022	289	2448.4	5.54E-05	0.00654	1.6E-05
KY	H L Spurloc	6041	4	4/7/2022	299	2571.9	5.54E-05	0.00644	1.66E-05
KY	H L Spurloc	6041	4	4/7/2022	300	2554.7	5.53E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2551.2	5.56E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2560	5.54E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2552.2	5.52E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2449.5	5.43E-05	0.00665	1.63E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2462.5	5.46E-05	0.00665	1.64E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2471.9	5.53E-05	0.00671	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2525.2	5.56E-05	0.0066	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2513.3	5.53E-05	0.0066	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2536	5.53E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2550.3	5.56E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	292	2449.1	5.54E-05	0.0066	1.62E-05
KY	H L Spurloc	6041	4	4/8/2022	299	2546.6	5.57E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2545.8	5.55E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2551.2	5.56E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2576.4			

KY	H L Spurloc	6041	4	4/8/2022	300	2564.6	5.55E-05	0.00649	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	289	2459.7	5.62E-05	0.0066	1.62E-05
KY	H L Spurloc	6041	4	4/8/2022	299	2612	5.63E-05	0.00644	1.68E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2594.1	5.57E-05	0.00644	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2589.6	5.56E-05	0.00644	1.67E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2574.4	5.53E-05	0.00644	1.66E-05
KY	H L Spurloc	6041	4	4/8/2022	291	2448.6	5.5E-05	0.00654	1.6E-05
KY	H L Spurloc	6041	4	4/8/2022	298	2536.3	5.52E-05	0.00649	1.65E-05
KY	H L Spurloc	6041	4	4/8/2022	300	2528.8	5.56E-05	0.0066	1.67E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2539.4	5.59E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/9/2022	286	2424.4	5.64E-05	0.00665	1.61E-05
KY	H L Spurloc	6041	4	4/9/2022	299	2554.6	5.59E-05	0.00654	1.67E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2536	5.58E-05	0.0066	1.67E-05
KY	H L Spurloc	6041	4	4/9/2022	284	2394.9	5.66E-05	0.00671	1.61E-05
KY	H L Spurloc	6041	4	4/9/2022	299	2566.3	5.66E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	289	2443.3	5.67E-05	0.00671	1.64E-05
KY	H L Spurloc	6041	4	4/9/2022	298	2566.5	5.68E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2558.3	5.63E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2560	5.63E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2565.1	5.64E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	300	2562.2	5.64E-05	0.0066	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	296	2546.1	5.68E-05	0.0066	1.68E-05
KY	H L Spurloc	6041	4	4/9/2022	299	2600.4	5.69E-05	0.00654	1.7E-05
KY	H L Spurloc	6041	4	4/9/2022	293	2543	5.68E-05	0.00654	1.66E-05
KY	H L Spurloc	6041	4	4/9/2022	298	2581.2	5.66E-05	0.00654	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	286	2445.6	5.64E-05	0.0066	1.61E-05
KY	H L Spurloc	6041	4	4/9/2022	298	2607.3	5.68E-05	0.00649	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	285	2436.7	5.59E-05	0.00654	1.59E-05
KY	H L Spurloc	6041	4	4/9/2022	298	2575.5	5.61E-05	0.00649	1.67E-05
KY	H L Spurloc	6041	4	4/9/2022	284	2425.3	5.64E-05	0.0066	1.6E-05
KY	H L Spurloc	6041	4	4/9/2022	299	2582.7	5.65E-05	0.00654	1.69E-05
KY	H L Spurloc	6041	4	4/9/2022	284	2438	5.67E-05	0.0066	1.61E-05
KY	H L Spurloc	6041	4	4/9/2022	298	2610.1	5.64E-05	0.00644	1.68E-05
KY	H L Spurloc	6041	4	#####	296	2523.9	5.58E-05	0.00654	1.65E-05
KY	H L Spurloc	6041	4	#####	252	2177.8	5.9E-05	0.00683	1.49E-05
KY	H L Spurloc	6041	4	#####	294	2594.5	5.68E-05	0.00644	1.67E-05
KY	H L Spurloc	6041	4	#####	236	1978.8	5.98E-05	0.00713	1.41E-05
KY	H L Spurloc	6041	4	#####	207	1785.5	6.38E-05	0.0074	1.32E-05
KY	H L Spurloc	6041	4	#####	207	1807.6	6.4E-05	0.00733	1.32E-05
KY	H L Spurloc	6041	4	#####	209	1850.3	6.43E-05	0.00726	1.34E-05
KY	H L Spurloc	6041	4	#####	257	2341.8	6.06E-05	0.00665	1.56E-05
KY	H L Spurloc	6041	4	#####	279	2447.2	5.74E-05	0.00654	1.6E-05
KY	H L Spurloc	6041	4	#####	278	2422.5	5.7E-05	0.00654	1.58E-05
KY	H L Spurloc	6041	4	#####	279	2434.8	5.66E-05	0.00649	1.58E-05
KY	H L Spurloc	6041	4	#####	266	2323.5	5.77E-05	0.0066	1.53E-05
KY	H L Spurloc	6041	4	#####	277	2427.6	5.69E-05	0.00649	1.58E-05
KY	H L Spurloc	6041	4	#####	279	2433.4	5.66E-05	0.00649	1.58E-05

KY	H L Spurloc	6041	4 #####	279	2415.7	5.62E-05	0.00649	1.57E-05
KY	H L Spurloc	6041	4 #####	259	2237.7	5.75E-05	0.00665	1.49E-05
KY	H L Spurloc	6041	4 #####	264	2293.5	5.73E-05	0.0066	1.51E-05
KY	H L Spurloc	6041	4 #####	270	2332.1	5.7E-05	0.0066	1.54E-05
KY	H L Spurloc	6041	4 #####	270	2319.9	5.67E-05	0.0066	1.53E-05
KY	H L Spurloc	6041	4 #####	279	2369.9	5.61E-05	0.0066	1.56E-05
KY	H L Spurloc	6041	4 #####	266	2273.1	5.73E-05	0.00671	1.53E-05
KY	H L Spurloc	6041	4 #####	278	2371.5	5.63E-05	0.0066	1.57E-05
KY	H L Spurloc	6041	4 #####	269	2291.7	5.72E-05	0.00671	1.54E-05
KY	H L Spurloc	6041	4 #####	277	2386.7	5.69E-05	0.0066	1.58E-05
KY	H L Spurloc	6041	4 #####	269	2339.7	5.74E-05	0.0066	1.54E-05
KY	H L Spurloc	6041	4 #####	278	2391.4	5.63E-05	0.00654	1.56E-05
KY	H L Spurloc	6041	4 #####	279	2380.6	5.63E-05	0.0066	1.57E-05
KY	H L Spurloc	6041	4 #####	279	2412.7	5.66E-05	0.00654	1.58E-05
KY	H L Spurloc	6041	4 #####	270	2327.9	5.69E-05	0.0066	1.54E-05
KY	H L Spurloc	6041	4 #####	277	2413.6	5.65E-05	0.00649	1.57E-05
KY	H L Spurloc	6041	4 #####	279	2453	5.66E-05	0.00644	1.58E-05
KY	H L Spurloc	6041	4 #####	279	2458.2	5.72E-05	0.00649	1.6E-05
KY	H L Spurloc	6041	4 #####	279	2460.1	5.77E-05	0.00654	1.61E-05
KY	H L Spurloc	6041	4 #####	275	2340.6	0.000165	0.0194	4.54E-05
KY	H L Spurloc	6041	4 #####	279	2412.6	0.000165	0.0191	4.61E-05
KY	H L Spurloc	6041	4 #####	266	2308.4	0.000167	0.0193	4.46E-05
KY	H L Spurloc	6041	4 #####	277	2381.3	0.000164	0.0191	4.55E-05
KY	H L Spurloc	6041	4 #####	262	2260.7	0.000169	0.0196	4.43E-05
KY	H L Spurloc	6041	4 #####	277	2357.3	0.000165	0.0194	4.57E-05
KY	H L Spurloc	6041	4 #####	279	2373.2	0.000165	0.0194	4.6E-05
KY	H L Spurloc	6041	4 #####	267	2288.8	0.000168	0.0196	4.49E-05
KY	H L Spurloc	6041	4 #####	277	2363.9	0.000166	0.0194	4.59E-05
KY	H L Spurloc	6041	4 #####	266	2263.9	0.000169	0.0198	4.48E-05
KY	H L Spurloc	6041	4 #####	278	2356.1	0.000166	0.0196	4.62E-05
KY	H L Spurloc	6041	4 #####	272	2314.7	0.000168	0.0198	4.58E-05
KY	H L Spurloc	6041	4 #####	280	2402.3	0.000166	0.0193	4.64E-05
KY	H L Spurloc	6041	4 #####	280	2392.2	0.000165	0.0193	4.62E-05
KY	H L Spurloc	6041	4 #####	279	2392.2	0.000166	0.0194	4.64E-05
KY	H L Spurloc	6041	4 #####	279	2400.7	0.000167	0.0194	4.66E-05
KY	H L Spurloc	6041	4 #####	279	2407.1	0.000167	0.0194	4.67E-05
KY	H L Spurloc	6041	4 #####	280	2415.4	0.000166	0.0193	4.66E-05
KY	H L Spurloc	6041	4 #####	280	2413.7	0.000166	0.0193	4.66E-05
KY	H L Spurloc	6041	4 #####	280	2412.4	0.000166	0.0193	4.66E-05
KY	H L Spurloc	6041	4 #####	280	2412.1	0.000166	0.0193	4.66E-05
KY	H L Spurloc	6041	4 #####	280	2406.2	0.000166	0.0193	4.64E-05
KY	H L Spurloc	6041	4 #####	280	2411.3	0.000166	0.0193	4.65E-05
KY	H L Spurloc	6041	4 #####	280	2400.4	0.000165	0.0193	4.63E-05
KY	H L Spurloc	6041	4 #####	280	2398.1	0.000165	0.0193	4.63E-05
KY	H L Spurloc	6041	4 #####	280	2415.4	0.000166	0.0193	4.66E-05
KY	H L Spurloc	6041	4 #####	280	2422.4	0.000165	0.0191	4.63E-05
KY	H L Spurloc	6041	4 #####	280	2410.1	0.000164	0.0191	4.6E-05

KY	H L Spurloc	6041	4	#####	280	2394.3	0.000165	0.0193	4.62E-05
KY	H L Spurloc	6041	4	#####	280	2396.3	0.000165	0.0193	4.62E-05
KY	H L Spurloc	6041	4	#####	280	2403.5	0.000166	0.0193	4.64E-05
KY	H L Spurloc	6041	4	#####	280	2392.6	0.000166	0.0194	4.64E-05
KY	H L Spurloc	6041	4	#####	280	2406.1	0.000166	0.0193	4.64E-05
KY	H L Spurloc	6041	4	#####	280	2388.4	0.000165	0.0193	4.61E-05
KY	H L Spurloc	6041	4	#####	280	2373	0.000164	0.0194	4.6E-05
KY	H L Spurloc	6041	4	#####	280	2375.7	0.000165	0.0194	4.61E-05
KY	H L Spurloc	6041	4	#####	280	2366.8	0.000166	0.0196	4.64E-05
KY	H L Spurloc	6041	4	#####	280	2387.4	0.000165	0.0194	4.63E-05
KY	H L Spurloc	6041	4	#####	228	1896.1	0.000178	0.0214	4.06E-05
KY	H L Spurloc	6041	4	#####	153	1215.2	0.000234	0.0294	3.57E-05
KY	H L Spurloc	6041	4	#####	87	611.375	0.000394	0.0376	2.3E-05
KY	H L Spurloc	6041	4	#####	0	70.87		0.0458	3.25E-06
KY	H L Spurloc	6041	4	#####	0	99.7		0.0458	4.57E-06
KY	H L Spurloc	6041	4	#####	0	127		0.0458	5.82E-06
KY	H L Spurloc	6041	4	#####	0	181.9		0.0458	8.33E-06
KY	H L Spurloc	6041	4	#####	0	199.5		0.0458	9.14E-06
KY	H L Spurloc	6041	4	#####	0	221.9		0.0458	1.02E-05
KY	H L Spurloc	6041	4	#####	0	240.8		0.0458	1.1E-05
KY	H L Spurloc	6041	4	#####	0	244.2		0.0458	1.12E-05
KY	H L Spurloc	6041	4	#####	0	255.8		0.0458	1.17E-05
KY	H L Spurloc	6041	4	#####	0	279.2		0.0458	1.28E-05
KY	H L Spurloc	6041	4	#####	0	265.9		0.0458	1.22E-05
KY	H L Spurloc	6041	4	#####	0	206.2		0.0458	9.44E-06
KY	H L Spurloc	6041	4	#####	0	283.8		0.0458	1.3E-05
KY	H L Spurloc	6041	4	#####	18	392.9	0.001613	0.0739	2.9E-05
KY	H L Spurloc	6041	4	#####	36	421.7	0.000813	0.0694	2.93E-05
KY	H L Spurloc	6041	4	#####	44	451.2	0.000652	0.0636	2.87E-05
KY	H L Spurloc	6041	4	#####	51	492.1	0.000566	0.0587	2.89E-05
KY	H L Spurloc	6041	4	#####	52	491.9	0.000542	0.0573	2.82E-05
KY	H L Spurloc	6041	4	#####	55	517	0.000513	0.0546	2.82E-05
KY	H L Spurloc	6041	4	#####	73	760.7	0.000435	0.0417	3.17E-05
KY	H L Spurloc	6041	4	#####	100	1069.8	0.000361	0.0337	3.61E-05
KY	H L Spurloc	6041	4	#####	134	1511	0.000269	0.0239	3.61E-05
KY	H L Spurloc	6041	4	#####	160	1822.2	0.000237	0.0208	3.79E-05
KY	H L Spurloc	6041	4	#####	186	1931	0.000209	0.0201	3.88E-05
KY	H L Spurloc	6041	4	#####	194	1881.9	0.000199	0.0205	3.86E-05
KY	H L Spurloc	6041	4	#####	195	1869	0.000196	0.0205	3.83E-05
KY	H L Spurloc	6041	4	#####	195	1855	0.000195	0.0205	3.8E-05
KY	H L Spurloc	6041	4	#####	195	1835	0.000194	0.0206	3.78E-05
KY	H L Spurloc	6041	4	#####	195	1827.5	0.000195	0.0208	3.8E-05
KY	H L Spurloc	6041	4	#####	209	1922.7	0.000191	0.0208	4E-05
KY	H L Spurloc	6041	4	#####	279	2443	0.000172	0.0196	4.79E-05
KY	H L Spurloc	6041	4	#####	301	2607.1	0.000165	0.0191	4.98E-05
KY	H L Spurloc	6041	4	#####	301	2586.4	0.000166	0.0193	4.99E-05
KY	H L Spurloc	6041	4	#####	290	2454.5	0.000166	0.0196	4.81E-05

KY	H L Spurloc	6041	4 #####	299	2558.4	0.000166	0.0194	4.96E-05
KY	H L Spurloc	6041	4 #####	301	2551.8	0.000164	0.0194	4.95E-05
KY	H L Spurloc	6041	4 #####	301	2568.6	0.000165	0.0193	4.96E-05
KY	H L Spurloc	6041	4 #####	302	2580.1	0.000165	0.0193	4.98E-05
KY	H L Spurloc	6041	4 #####	301	2564.4	0.000164	0.0193	4.95E-05
KY	H L Spurloc	6041	4 #####	300	2534.1	0.000164	0.0194	4.92E-05
KY	H L Spurloc	6041	4 #####	300	2525.4	0.000167	0.0198	5E-05
KY	H L Spurloc	6041	4 #####	296	2510	0.000165	0.0194	4.87E-05
KY	H L Spurloc	6041	4 #####	286	2439.9	0.000166	0.0194	4.73E-05
KY	H L Spurloc	6041	4 #####	285	2452.1	0.000166	0.0193	4.73E-05
KY	H L Spurloc	6041	4 #####	277	2378.2	0.000167	0.0194	4.61E-05
KY	H L Spurloc	6041	4 #####	273	2325.8	0.00017	0.0199	4.63E-05
KY	H L Spurloc	6041	4 #####	302	2591.1	0.000164	0.0191	4.95E-05
KY	H L Spurloc	6041	4 #####	302	2552.3	0.000163	0.0193	4.93E-05
KY	H L Spurloc	6041	4 #####	302	2528.9	0.000162	0.0193	4.88E-05
KY	H L Spurloc	6041	4 #####	286	2383.9	0.000163	0.0196	4.67E-05
KY	H L Spurloc	6041	4 #####	298	2489.9	0.000162	0.0194	4.83E-05
KY	H L Spurloc	6041	4 #####	285	2391.1	0.000163	0.0194	4.64E-05
KY	H L Spurloc	6041	4 #####	270	2279.9	0.000167	0.0198	4.51E-05
KY	H L Spurloc	6041	4 #####	301	2530.1	0.000162	0.0193	4.88E-05
KY	H L Spurloc	6041	4 #####	251	2086.1	0.00017	0.0205	4.28E-05
KY	H L Spurloc	6041	4 #####	288	2428.3	0.000165	0.0196	4.76E-05
KY	H L Spurloc	6041	4 #####	285	2414.7	0.000164	0.0194	4.68E-05
KY	H L Spurloc	6041	4 #####	297	2519.6	0.000164	0.0193	4.86E-05
KY	H L Spurloc	6041	4 #####	288	2412	0.000164	0.0196	4.73E-05
KY	H L Spurloc	6041	4 #####	300	2597	0.000164	0.0189	4.91E-05
KY	H L Spurloc	6041	4 #####	301	2536.4	0.000163	0.0193	4.9E-05
KY	H L Spurloc	6041	4 #####	301	2567.5	0.000163	0.0191	4.9E-05
KY	H L Spurloc	6041	4 #####	301	2567.2	0.000163	0.0191	4.9E-05
KY	H L Spurloc	6041	4 #####	301	2593.7	0.000165	0.0191	4.95E-05
KY	H L Spurloc	6041	4 #####	301	2580	0.000161	0.0188	4.85E-05
KY	H L Spurloc	6041	4 #####	301	2509.5	0.000159	0.0191	4.79E-05
KY	H L Spurloc	6041	4 #####	287	2384.9	0.000163	0.0196	4.67E-05
KY	H L Spurloc	6041	4 #####	299	2536.3	0.000165	0.0194	4.92E-05
KY	H L Spurloc	6041	4 #####	282	2346.6	0.000165	0.0198	4.65E-05
KY	H L Spurloc	6041	4 #####	294	2493.1	0.000164	0.0193	4.81E-05
KY	H L Spurloc	6041	4 #####	301	2509.6	0.000161	0.0193	4.84E-05
KY	H L Spurloc	6041	4 #####	301	2522.6	0.000163	0.0194	4.89E-05
KY	H L Spurloc	6041	4 #####	301	2529.7	0.000163	0.0194	4.91E-05
KY	H L Spurloc	6041	4 #####	284	2378.3	0.000164	0.0196	4.66E-05
KY	H L Spurloc	6041	4 #####	299	2536.6	0.000165	0.0194	4.92E-05
KY	H L Spurloc	6041	4 #####	301	2518.6	0.000162	0.0194	4.89E-05
KY	H L Spurloc	6041	4 #####	301	2502.9	0.000163	0.0196	4.91E-05
KY	H L Spurloc	6041	4 #####	289	2410.3	0.000165	0.0198	4.77E-05
KY	H L Spurloc	6041	4 #####	300	2547.6	0.000165	0.0194	4.94E-05
KY	H L Spurloc	6041	4 #####	287	2389.6	0.000165	0.0198	4.73E-05
KY	H L Spurloc	6041	4 #####	291	2422.3	0.000165	0.0198	4.8E-05

KY	H L Spurloc	6041	4 #####	299	2537.2	0.000165	0.0194	4.92E-05
KY	H L Spurloc	6041	4 #####	291	2457.9	0.000166	0.0196	4.82E-05
KY	H L Spurloc	6041	4 #####	300	2543.7	0.000164	0.0194	4.93E-05
KY	H L Spurloc	6041	4 #####	301	2522.1	0.000164	0.0196	4.94E-05
KY	H L Spurloc	6041	4 #####	301	2522.8	8.47E-05	0.0101	2.55E-05
KY	H L Spurloc	6041	4 #####	301	2521.4	8.33E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	301	2525	8.34E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	291	2459.3	8.4E-05	0.00994	2.44E-05
KY	H L Spurloc	6041	4 #####	287	2438.4	8.45E-05	0.00994	2.42E-05
KY	H L Spurloc	6041	4 #####	292	2466.7	8.4E-05	0.00994	2.45E-05
KY	H L Spurloc	6041	4 #####	300	2559.3	8.4E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4 #####	293	2481.9	8.42E-05	0.00994	2.47E-05
KY	H L Spurloc	6041	4 #####	297	2566.8	8.51E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	302	2556.8	8.34E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4 #####	296	2516.3	8.37E-05	0.00985	2.48E-05
KY	H L Spurloc	6041	4 #####	289	2463.6	8.47E-05	0.00994	2.45E-05
KY	H L Spurloc	6041	4 #####	288	2473.8	8.46E-05	0.00985	2.44E-05
KY	H L Spurloc	6041	4 #####	300	2608.2	8.42E-05	0.00969	2.53E-05
KY	H L Spurloc	6041	4 #####	301	2563.7	8.32E-05	0.00977	2.5E-05
KY	H L Spurloc	6041	4 #####	301	2579.5	8.37E-05	0.00977	2.52E-05
KY	H L Spurloc	6041	4 #####	301	2601.9	8.38E-05	0.00969	2.52E-05
KY	H L Spurloc	6041	4 #####	301	2570.6	8.34E-05	0.00977	2.51E-05
KY	H L Spurloc	6041	4 #####	301	2555.2	8.36E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4 #####	284	2412.6	8.44E-05	0.00994	2.4E-05
KY	H L Spurloc	6041	4 #####	299	2575.5	8.42E-05	0.00977	2.52E-05
KY	H L Spurloc	6041	4 #####	301	2553.6	8.29E-05	0.00977	2.49E-05
KY	H L Spurloc	6041	4 #####	301	2549.4			
KY	H L Spurloc	6041	4 #####	301	2529.3	8.28E-05	0.00985	2.49E-05
KY	H L Spurloc	6041	4 #####	301	2540.4	8.31E-05	0.00985	2.5E-05
KY	H L Spurloc	6041	4 #####	301	2521.4	8.33E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	291	2468.1	8.43E-05	0.00994	2.45E-05
KY	H L Spurloc	6041	4 #####	300	2561.2	8.41E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4 #####	301	2543.5	8.32E-05	0.00985	2.51E-05
KY	H L Spurloc	6041	4 #####	301	2542.7	8.32E-05	0.00985	2.5E-05
KY	H L Spurloc	6041	4 #####	301	2538.7	8.31E-05	0.00985	2.5E-05
KY	H L Spurloc	6041	4 #####	293	2450.2	8.31E-05	0.00994	2.44E-05
KY	H L Spurloc	6041	4 #####	299	2532.9	8.28E-05	0.00977	2.47E-05
KY	H L Spurloc	6041	4 #####	301	2514.1	8.23E-05	0.00985	2.48E-05
KY	H L Spurloc	6041	4 #####	301	2505.9	8.28E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4 #####	301	2505.4	8.27E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4 #####	287	2380.4	8.38E-05	0.0101	2.4E-05
KY	H L Spurloc	6041	4 #####	299	2494.8	8.29E-05	0.00994	2.48E-05
KY	H L Spurloc	6041	4 #####	301	2495.2	8.24E-05	0.00994	2.48E-05
KY	H L Spurloc	6041	4 #####	301	2495.4	8.24E-05	0.00994	2.48E-05
KY	H L Spurloc	6041	4 #####	301	2501.8	8.26E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4 #####	301	2500.7	8.26E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4 #####	291	2431.1	8.35E-05	0.01	2.43E-05

KY	H L Spurloc	6041	4 #####	300	2523	8.36E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	288	2383.2	8.36E-05	0.0101	2.41E-05
KY	H L Spurloc	6041	4 #####	299	2563	8.37E-05	0.00977	2.5E-05
KY	H L Spurloc	6041	4 #####	302	2530.8	8.33E-05	0.00994	2.52E-05
KY	H L Spurloc	6041	4 #####	302	2522.8	8.3E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	302	2506.5	8.25E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4 #####	302	2531.5	8.19E-05	0.00977	2.47E-05
KY	H L Spurloc	6041	4 #####	302	2519.7	8.22E-05	0.00985	2.48E-05
KY	H L Spurloc	6041	4 #####	303	2527.2			
KY	H L Spurloc	6041	4 #####	302	2539.6			
KY	H L Spurloc	6041	4 #####	302	2513.6	8.27E-05	0.00994	2.5E-05
KY	H L Spurloc	6041	4 #####	303	2510.9			
KY	H L Spurloc	6041	4 #####	293	2449.2	8.31E-05	0.00994	2.43E-05
KY	H L Spurloc	6041	4 #####	301	2486.6	8.26E-05	0.01	2.49E-05
KY	H L Spurloc	6041	4 #####	302	2503.9	8.29E-05	0.01	2.5E-05
KY	H L Spurloc	6041	4 #####	287	2366.9	8.41E-05	0.0102	2.41E-05
KY	H L Spurloc	6041	4 #####	301	2529.4	8.35E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4 #####	286	2355.7	8.4E-05	0.0102	2.4E-05
KY	H L Spurloc	6041	4 #####	300	2542.8	8.43E-05	0.00994	2.53E-05
KY	H L Spurloc	6041	4 #####	302	2524.9	8.36E-05	0.01	2.52E-05
KY	H L Spurloc	6041	4 #####	303	2529.3	8.35E-05	0.01	2.53E-05
KY	H L Spurloc	6041	4 #####	302	2538.9	8.36E-05	0.00994	2.52E-05
KY	H L Spurloc	6041	4 #####	293	2466.7	8.42E-05	0.01	2.47E-05
KY	H L Spurloc	6041	4 #####	283	2376.9	8.57E-05	0.0102	2.42E-05
KY	H L Spurloc	6041	4 #####	284	2396.8	8.61E-05	0.0102	2.44E-05
KY	H L Spurloc	6041	4 #####	297	2474.5	8.33E-05	0.01	2.47E-05
KY	H L Spurloc	6041	4 #####	300	2504.9	8.35E-05	0.01	2.5E-05
KY	H L Spurloc	6041	4 #####	302	2521.6	8.35E-05	0.01	2.52E-05
KY	H L Spurloc	6041	4 #####	302	2510	8.39E-05	0.0101	2.54E-05
KY	H L Spurloc	6041	4 #####	302	2518.8	8.42E-05	0.0101	2.54E-05
KY	H L Spurloc	6041	4 #####	302	2568.3	8.38E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	302	2517.3	8.29E-05	0.00994	2.5E-05
KY	H L Spurloc	6041	4 #####	302	2559.6	8.35E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4 #####	302	2567.3	8.37E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	302	2578.9	8.41E-05	0.00985	2.54E-05
KY	H L Spurloc	6041	4 #####	302	2601.6	8.42E-05	0.00977	2.54E-05
KY	H L Spurloc	6041	4 #####	289	2451.1	8.43E-05	0.00994	2.44E-05
KY	H L Spurloc	6041	4 #####	300	2590	8.43E-05	0.00977	2.53E-05
KY	H L Spurloc	6041	4 #####	303	2563.9	8.33E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	303	2584.3	8.4E-05	0.00985	2.55E-05
KY	H L Spurloc	6041	4 #####	303	2591.7	8.43E-05	0.00985	2.55E-05
KY	H L Spurloc	6041	4 #####	292	2483.1	8.45E-05	0.00994	2.47E-05
KY	H L Spurloc	6041	4 #####	302	2591.3	8.45E-05	0.00985	2.55E-05
KY	H L Spurloc	6041	4 #####	302	2609.9	8.51E-05	0.00985	2.57E-05
KY	H L Spurloc	6041	4 #####	301	2574	8.35E-05	0.00977	2.51E-05
KY	H L Spurloc	6041	4 #####	301	2554.6	8.29E-05	0.00977	2.5E-05
KY	H L Spurloc	6041	4 #####	300	2560.6	8.41E-05	0.00985	2.52E-05

KY	H L Spurloc	6041	4	#####	302	2557.3	8.42E-05	0.00994	2.54E-05
KY	H L Spurloc	6041	4	#####	289	2458.3	8.51E-05	0.01	2.46E-05
KY	H L Spurloc	6041	4	#####	300	2618.4	8.6E-05	0.00985	2.58E-05
KY	H L Spurloc	6041	4	#####	289	2481	8.53E-05	0.00994	2.47E-05
KY	H L Spurloc	6041	4	#####	299	2644.7	8.5E-05	0.00961	2.54E-05
KY	H L Spurloc	6041	4	#####	290	2508.9	8.45E-05	0.00977	2.45E-05
KY	H L Spurloc	6041	4	#####	300	2608.6	8.43E-05	0.00969	2.53E-05
KY	H L Spurloc	6041	4	#####	301	2574.9	8.36E-05	0.00977	2.52E-05
KY	H L Spurloc	6041	4	#####	302	2541.1	8.29E-05	0.00985	2.5E-05
KY	H L Spurloc	6041	4	#####	302	2543.3	8.3E-05	0.00985	2.51E-05
KY	H L Spurloc	6041	4	#####	302	2563.3	8.29E-05	0.00977	2.5E-05
KY	H L Spurloc	6041	4	#####	298	2527.2	8.35E-05	0.00985	2.49E-05
KY	H L Spurloc	6041	4	#####	302	2553.7	8.33E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4	#####	302	2545.6	8.38E-05	0.00994	2.53E-05
KY	H L Spurloc	6041	4	#####	302	2577	8.48E-05	0.00994	2.56E-05
KY	H L Spurloc	6041	4	#####	302	2580	8.41E-05	0.00985	2.54E-05
KY	H L Spurloc	6041	4	#####	301	2537.2	8.43E-05	0.01	2.54E-05
KY	H L Spurloc	6041	4	#####	286	2426.6	8.57E-05	0.0101	2.45E-05
KY	H L Spurloc	6041	4	#####	279	2393.2	8.58E-05	0.01	2.39E-05
KY	H L Spurloc	6041	4	#####	280	2382.7	8.59E-05	0.0101	2.41E-05
KY	H L Spurloc	6041	4	#####	297	2526.5	8.46E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4	#####	299	2508.7	8.39E-05	0.01	2.51E-05
KY	H L Spurloc	6041	4	#####	291	2485.5	8.49E-05	0.00994	2.47E-05
KY	H L Spurloc	6041	4	#####	290	2480.5	8.5E-05	0.00994	2.47E-05
KY	H L Spurloc	6041	4	#####	286	2459.9	8.55E-05	0.00994	2.45E-05
KY	H L Spurloc	6041	4	#####	292	2501.4	8.52E-05	0.00994	2.49E-05
KY	H L Spurloc	6041	4	#####	287	2439.6	8.45E-05	0.00994	2.42E-05
KY	H L Spurloc	6041	4	#####	284	2416.7	8.51E-05	0.01	2.42E-05
KY	H L Spurloc	6041	4	#####	284	2428.6	8.64E-05	0.0101	2.45E-05
KY	H L Spurloc	6041	4	#####	298	2659.9	8.58E-05	0.00961	2.56E-05
KY	H L Spurloc	6041	4	#####	288	2511.1	8.52E-05	0.00977	2.45E-05
KY	H L Spurloc	6041	4	#####	285	2459.4	8.5E-05	0.00985	2.42E-05
KY	H L Spurloc	6041	4	#####	297	2565.8	8.51E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4	#####	293	2516.9	8.59E-05	0.01	2.52E-05
KY	H L Spurloc	6041	4	#####	297	2578.6	8.55E-05	0.00985	2.54E-05
KY	H L Spurloc	6041	4	#####	297	2560.1	8.49E-05	0.00985	2.52E-05
KY	H L Spurloc	6041	4	#####	298	2596.9	8.44E-05	0.00969	2.52E-05
KY	H L Spurloc	6041	4	#####	300	2546.1	8.22E-05	0.00969	2.47E-05
KY	H L Spurloc	6041	4	#####	300	2531.1	8.24E-05	0.00977	2.47E-05
KY	H L Spurloc	6041	4	#####	300	2521.4	8.28E-05	0.00985	2.48E-05
KY	H L Spurloc	6041	4	#####	300	2537.3	8.33E-05	0.00985	2.5E-05
KY	H L Spurloc	6041	4	#####	299	2529.7	8.41E-05	0.00994	2.51E-05
KY	H L Spurloc	6041	4	#####	299	2547.9	8.47E-05	0.00994	2.53E-05
KY	H L Spurloc	6041	4	#####	293	2480.1	8.55E-05	0.0101	2.5E-05
KY	H L Spurloc	6041	4	#####	283	2374.6	8.64E-05	0.0103	2.45E-05
KY	H L Spurloc	6041	4	#####	247	2071	9.06E-05	0.0108	2.24E-05
KY	H L Spurloc	6041	4	#####	249	2088.7	8.98E-05	0.0107	2.23E-05

KY	H L Spurloc	6041	4 #####	221	1847.9	9.28E-05	0.0111	2.05E-05
KY	H L Spurloc	6041	4 #####	210	1781.4	9.59E-05	0.0113	2.01E-05
KY	H L Spurloc	6041	4 #####	211	1824.6	9.77E-05	0.0113	2.06E-05
KY	H L Spurloc	6041	4 #####	210	1818.5	9.79E-05	0.0113	2.05E-05
KY	H L Spurloc	6041	4 #####	240	2110.7	9.41E-05	0.0107	2.26E-05
KY	H L Spurloc	6041	4 #####	215	1857.3	9.59E-05	0.0111	2.06E-05
KY	H L Spurloc	6041	4 #####	210	1843	9.74E-05	0.0111	2.05E-05
KY	H L Spurloc	6041	4 #####	218	1915.9	9.58E-05	0.0109	2.09E-05
KY	H L Spurloc	6041	4 #####	234	2039.2	9.41E-05	0.0108	2.2E-05
KY	H L Spurloc	6041	4 #####	272	2360.3	8.68E-05	0.01	2.36E-05
KY	H L Spurloc	6041	4 #####	295	2579	8.54E-05	0.00977	2.52E-05
KY	H L Spurloc	6041	4 #####	300	2563.5	8.42E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	300	2576.4	8.39E-05	0.00977	2.52E-05
KY	H L Spurloc	6041	4 #####	300	2571.5	8.37E-05	0.00977	2.51E-05
KY	H L Spurloc	6041	4 #####	300	2565	8.42E-05	0.00985	2.53E-05
KY	H L Spurloc	6041	4 #####	43	267.408	0.000534	0.0103	2.75E-06
KY	H L Spurloc	6041	4 #####	0	62.475		0.0237	1.48E-06
KY	H L Spurloc	6041	4 #####	0	147.7			
KY	H L Spurloc	6041	4 #####	0	194.8		0.0237	4.62E-06
KY	H L Spurloc	6041	4 #####	0	168.4		0.0237	3.99E-06
KY	H L Spurloc	6041	4 #####	0	242.3		0.0237	5.74E-06
KY	H L Spurloc	6041	4 #####	14	323.7	0.001094	0.0473	1.53E-05
KY	H L Spurloc	6041	4 #####	39	407.1	0.000386	0.037	1.51E-05
KY	H L Spurloc	6041	4 #####	96	984.3	0.000184	0.0179	1.76E-05
KY	H L Spurloc	6041	4 #####	106	1009.9	0.000173	0.0182	1.84E-05
KY	H L Spurloc	6041	4 #####	112	1158.1	0.000157	0.0152	1.76E-05
KY	H L Spurloc	6041	4 #####	164	1696.6	0.000117	0.0113	1.92E-05
KY	H L Spurloc	6041	4 #####	193	1857.7	0.000105	0.0109	2.02E-05
KY	H L Spurloc	6041	4 #####	198	1812	0.000104	0.0114	2.07E-05
KY	H L Spurloc	6041	4 #####	243	2135.5	9.58E-05	0.0109	2.33E-05
KY	H L Spurloc	6041	4 #####	281	2499.4	9.07E-05	0.0102	2.55E-05
KY	H L Spurloc	6041	4 #####	300	2632.4	8.86E-05	0.0101	2.66E-05
KY	H L Spurloc	6041	4 #####	299	2593.2	8.85E-05	0.0102	2.65E-05
KY	H L Spurloc	6041	4 #####	300	2613.1	0.000268	0.0308	8.05E-05
KY	H L Spurloc	6041	4 #####	299	2603.1	0.000266	0.0305	7.94E-05
KY	H L Spurloc	6041	4 #####	298	2606.4	0.000271	0.031	8.08E-05
KY	H L Spurloc	6041	4 #####	298	2658.5	0.000265	0.0297	7.9E-05
KY	H L Spurloc	6041	4 #####	296	2525.7	0.000253	0.0297	7.5E-05
KY	H L Spurloc	6041	4 #####	300	2550.9	0.000259	0.0305	7.78E-05
KY	H L Spurloc	6041	4 #####	300	2552.8	0.000266	0.0313	7.99E-05
KY	H L Spurloc	6041	4 #####	300	2657.8	0.000266	0.03	7.97E-05
KY	H L Spurloc	6041	4 #####	289	2470.5	0.000258	0.0302	7.46E-05
KY	H L Spurloc	6041	4 #####	285	2417.5	0.000261	0.0308	7.45E-05
KY	H L Spurloc	6041	4 #####	261	2210.4	0.00027	0.0319	7.05E-05
KY	H L Spurloc	6041	4 #####	287	2480.7	0.000264	0.0305	7.57E-05
KY	H L Spurloc	6041	4 #####	286	2451.9	0.000259	0.0302	7.4E-05
KY	H L Spurloc	6041	4 #####	272	2261.8	0.000265	0.0319	7.22E-05

KY	H L Spurloc	6041	4	#####	270	2291.4	0.000268	0.0316	7.24E-05
KY	H L Spurloc	6041	4	#####	286	2395.3	0.00026	0.031	7.43E-05
KY	H L Spurloc	6041	4	#####	298	2534.7	0.000257	0.0302	7.65E-05
KY	H L Spurloc	6041	4	#####	300	2529	0.000255	0.0302	7.64E-05
KY	H L Spurloc	6041	4	#####	290	2420.5	0.000257	0.0308	7.46E-05
KY	H L Spurloc	6041	4	#####	293	2482.6	0.000258	0.0305	7.57E-05
KY	H L Spurloc	6041	4	#####	301	2528.9	0.00025	0.0297	7.51E-05
KY	H L Spurloc	6041	4	#####	301	2513	0.00025	0.03	7.54E-05
KY	H L Spurloc	6041	4	#####	300	2524.3	0.000252	0.03	7.57E-05
KY	H L Spurloc	6041	4	#####	300	2548.6	0.000255	0.03	7.65E-05
KY	H L Spurloc	6041	4	#####	300	2578.2	0.000254	0.0295	7.61E-05
KY	H L Spurloc	6041	4	#####	291	2520.7			
KY	H L Spurloc	6041	4	#####	301	2555.4	0.00025	0.0295	7.54E-05
KY	H L Spurloc	6041	4	#####	295	2483.1	0.00025	0.0297	7.37E-05
KY	H L Spurloc	6041	4	#####	282	2388.3	0.000256	0.0302	7.21E-05
KY	H L Spurloc	6041	4	#####	298	2536.7	0.000255	0.03	7.61E-05
KY	H L Spurloc	6041	4	#####	289	2450.5	0.000256	0.0302	7.4E-05
KY	H L Spurloc	6041	4	#####	299	2566.1	0.000255	0.0297	7.62E-05
KY	H L Spurloc	6041	4	#####	289	2468.5	0.000256	0.03	7.41E-05
KY	H L Spurloc	6041	4	#####	289	2491.9	0.000256	0.0297	7.4E-05
KY	H L Spurloc	6041	4	#####	245	2118.6	0.000271	0.0313	6.63E-05
KY	H L Spurloc	6041	4	#####	276	2413.8	0.000264	0.0302	7.29E-05
KY	H L Spurloc	6041	4	#####	298	2607.9	0.000258	0.0295	7.69E-05
KY	H L Spurloc	6041	4	#####	301	2593.6	0.000254	0.0295	7.65E-05
KY	H L Spurloc	6041	4	#####	299	2582.8	0.000255	0.0295	7.62E-05
KY	H L Spurloc	6041	4	#####	265	2249.9	0.000261	0.0308	6.93E-05
KY	H L Spurloc	6041	4	#####	287	2556.8	0.000261	0.0293	7.49E-05
KY	H L Spurloc	6041	4	#####	301	2613.5	0.000256	0.0295	7.71E-05
KY	H L Spurloc	6041	4	#####	301	2593.4	0.000254	0.0295	7.65E-05
KY	H L Spurloc	6041	4	#####	284	2426.1	0.000256	0.03	7.28E-05
KY	H L Spurloc	6041	4	#####	298	2556.3	0.000255	0.0297	7.59E-05
KY	H L Spurloc	6041	4	#####	301	2594.4	0.000256	0.0297	7.71E-05
KY	H L Spurloc	6041	4	#####	301	2593.2	0.000254	0.0295	7.65E-05
KY	H L Spurloc	6041	4	#####	300	2577.5	0.000253	0.0295	7.6E-05
KY	H L Spurloc	6041	4	#####	301	2569.5	0.000254	0.0297	7.63E-05
KY	H L Spurloc	6041	4	#####	300	2572.3	0.000255	0.0297	7.64E-05
KY	H L Spurloc	6041	4	#####	300	2588.8	0.000256	0.0297	7.69E-05
KY	H L Spurloc	6041	4	#####	286	2457.2	0.000258	0.03	7.37E-05
KY	H L Spurloc	6041	4	#####	286	2471.5	0.000257	0.0297	7.34E-05
KY	H L Spurloc	6041	4	#####	299	2603.8	0.000255	0.0293	7.63E-05
KY	H L Spurloc	6041	4	#####	290	2461.9	0.000255	0.03	7.39E-05
KY	H L Spurloc	6041	4	#####	299	2591.1	0.000256	0.0295	7.64E-05
KY	H L Spurloc	6041	4	#####	288	2454.4	0.000256	0.03	7.36E-05
KY	H L Spurloc	6041	4	#####	300	2572.5	0.000255	0.0297	7.64E-05
KY	H L Spurloc	6041	4	#####	288	2442.1	0.000256	0.0302	7.38E-05
KY	H L Spurloc	6041	4	#####	298	2561.3	0.000255	0.0297	7.61E-05
KY	H L Spurloc	6041	4	#####	296	2511.6	0.000255	0.03	7.53E-05

KY	H L Spurloc	6041	4 #####	299	2543.4	0.000257	0.0302	7.68E-05
KY	H L Spurloc	6041	4 #####	287	2445.6	0.000257	0.0302	7.39E-05
KY	H L Spurloc	6041	4 #####	295	2557.3	0.000257	0.0297	7.6E-05
KY	H L Spurloc	6041	4 #####	301	2570.1	0.000254	0.0297	7.63E-05
KY	H L Spurloc	6041	4 #####	285	2425.2	0.000257	0.0302	7.32E-05
KY	H L Spurloc	6041	4 #####	299	2583.6	0.000255	0.0295	7.62E-05
KY	H L Spurloc	6041	4 #####	301	2573.3	0.000252	0.0295	7.59E-05
KY	H L Spurloc	6041	4 #####	301	2561.9	0.000253	0.0297	7.61E-05
KY	H L Spurloc	6041	4 #####	301	2560.4	0.000251	0.0295	7.55E-05
KY	H L Spurloc	6041	4 #####	289	2436.5	0.000253	0.03	7.31E-05
KY	H L Spurloc	6041	4 #####	301	2539.5	0.000251	0.0297	7.54E-05
KY	H L Spurloc	6041	4 #####	294	2460	0.000253	0.0302	7.43E-05
KY	H L Spurloc	6041	4 #####	299	2523.7	0.000253	0.03	7.57E-05
KY	H L Spurloc	6041	4 #####	301	2523.8	0.000252	0.03	7.57E-05
KY	H L Spurloc	6041	4 #####	289	2432.6	0.000254	0.0302	7.35E-05
KY	H L Spurloc	6041	4 #####	300	2507.1	0.000252	0.0302	7.57E-05
KY	H L Spurloc	6041	4 #####	298	2489.5	0.000252	0.0302	7.52E-05
KY	H L Spurloc	6041	4 #####	292	2437.2	0.000255	0.0305	7.43E-05
KY	H L Spurloc	6041	4 #####	299	2496.6	0.000252	0.0302	7.54E-05
KY	H L Spurloc	6041	4 #####	286	2390.2	0.000255	0.0305	7.29E-05
KY	H L Spurloc	6041	4 #####	299	2518.3	0.000254	0.0302	7.61E-05
KY	H L Spurloc	6041	4 #####	284	2391.4	0.000257	0.0305	7.29E-05
KY	H L Spurloc	6041	4 #####	300	2526.8	0.000254	0.0302	7.63E-05
KY	H L Spurloc	6041	4 #####	291	2456.1	0.000255	0.0302	7.42E-05
KY	H L Spurloc	6041	4 #####	299	2537.3	0.000255	0.03	7.61E-05
KY	H L Spurloc	6041	4 #####	287	2432.2	0.000256	0.0302	7.35E-05
KY	H L Spurloc	6041	4 #####	299	2555.9	0.000256	0.03	7.67E-05
KY	H L Spurloc	6041	4 #####	301	2532.5	0.000254	0.0302	7.65E-05
KY	H L Spurloc	6041	4 #####	287	2427.5	0.000255	0.0302	7.33E-05
KY	H L Spurloc	6041	4 #####	299	2593.3	0.00026	0.03	7.78E-05
KY	H L Spurloc	6041	4 #####	297	2514.1	0.000258	0.0305	7.67E-05
KY	H L Spurloc	6041	4 #####	301	2574.6	0.000257	0.03	7.72E-05
KY	H L Spurloc	6041	4 #####	292	2487	0.000256	0.03	7.46E-05
KY	H L Spurloc	6041	4 #####	300	2528.3	0.000255	0.0302	7.64E-05
KY	H L Spurloc	6041	4 #####	288	2473.5	0.000258	0.03	7.42E-05
KY	H L Spurloc	6041	4 #####	295	2511.7	0.000257	0.0302	7.59E-05
KY	H L Spurloc	6041	4 #####	293	2510.3	0.000259	0.0302	7.58E-05
KY	H L Spurloc	6041	4 #####	299	2560.8	0.000254	0.0297	7.61E-05
KY	H L Spurloc	6041	4 #####	301	2559.9	0.000253	0.0297	7.6E-05
KY	H L Spurloc	6041	4 #####	291	2468	0.000256	0.0302	7.45E-05
KY	H L Spurloc	6041	4 #####	299	2552.2	0.000258	0.0302	7.71E-05
KY	H L Spurloc	6041	4 #####	301	2558.6	0.000255	0.03	7.68E-05
KY	H L Spurloc	6041	4 #####	290	2483	0.000259	0.0302	7.5E-05
KY	H L Spurloc	6041	4 #####	299	2552.9	0.000258	0.0302	7.71E-05
KY	H L Spurloc	6041	4 #####	287	2408.6	0.000258	0.0308	7.42E-05
KY	H L Spurloc	6041	4 #####	263	2238.7	0.000266	0.0313	7.01E-05
KY	H L Spurloc	6041	4 #####	218	1886.3	0.000289	0.0334	6.3E-05

KY	H L Spurloc	6041	4 #####	276	2405.8	0.00027	0.031	7.46E-05
KY	H L Spurloc	6041	4 #####	275	2363.8	0.000265	0.0308	7.28E-05
KY	H L Spurloc	6041	4 #####	289	2481.8	0.000262	0.0305	7.57E-05
KY	H L Spurloc	6041	4 #####	281	2383	0.000259	0.0305	7.27E-05
KY	H L Spurloc	6041	4 #####	282	2380.1	0.00026	0.0308	7.33E-05
KY	H L Spurloc	6041	4 #####	280	2355.3	0.000259	0.0308	7.25E-05
KY	H L Spurloc	6041	4 #####	293	2468.5	0.000257	0.0305	7.53E-05
KY	H L Spurloc	6041	4 #####	300	2519.4	0.000254	0.0302	7.61E-05
KY	H L Spurloc	6041	4 #####	300	2513.2	0.000256	0.0305	7.67E-05
KY	H L Spurloc	6041	4 #####	300	2511.8	0.000255	0.0305	7.66E-05
KY	H L Spurloc	6041	4 #####	300	2524.3	0.000257	0.0305	7.7E-05
KY	H L Spurloc	6041	4 #####	300	2526.8	0.000257	0.0305	7.71E-05
KY	H L Spurloc	6041	4 #####	300	2540.3	0.000256	0.0302	7.67E-05
KY	H L Spurloc	6041	4 #####	300	2519.5	0.000256	0.0305	7.68E-05
KY	H L Spurloc	6041	4 #####	294	2466.7	0.000258	0.0308	7.6E-05
KY	H L Spurloc	6041	4 #####	298	2567.9	0.00026	0.0302	7.76E-05
KY	H L Spurloc	6041	4 #####	300	2546.7	0.000259	0.0305	7.77E-05
KY	H L Spurloc	6041	4 #####	300	2548.2	0.000259	0.0305	7.77E-05
KY	H L Spurloc	6041	4 #####	300	2565.9	0.000261	0.0305	7.83E-05
KY	H L Spurloc	6041	4 #####	288	2428.2	0.000261	0.031	7.53E-05
KY	H L Spurloc	6041	4 #####	300	2573.2	0.000262	0.0305	7.85E-05
KY	H L Spurloc	6041	4 #####	287	2433	0.000261	0.0308	7.49E-05
KY	H L Spurloc	6041	4 #####	231	1923.1	0.000278	0.0334	6.42E-05
KY	H L Spurloc	6041	4 5/1/2022	219	1872.3	0.000291	0.034	6.37E-05
KY	H L Spurloc	6041	4 5/1/2022	212	1829.5	0.000293	0.034	6.22E-05
KY	H L Spurloc	6041	4 5/1/2022	259	2257.5	0.000278	0.0319	7.2E-05
KY	H L Spurloc	6041	4 5/1/2022	265	2254.1	0.000271	0.0319	7.19E-05
KY	H L Spurloc	6041	4 5/1/2022	268	2334.9	0.000273	0.0313	7.31E-05
KY	H L Spurloc	6041	4 5/1/2022	253	2136.6	0.000274	0.0324	6.92E-05
KY	H L Spurloc	6041	4 5/1/2022	234	1979.9	0.000283	0.0334	6.61E-05
KY	H L Spurloc	6041	4 5/1/2022	240	2101.7	0.000284	0.0324	6.81E-05
KY	H L Spurloc	6041	4 5/1/2022	221	1907.3	0.000288	0.0334	6.37E-05
KY	H L Spurloc	6041	4 5/1/2022	241	2096.1	0.000282	0.0324	6.79E-05
KY	H L Spurloc	6041	4 5/1/2022	282	2461.3	0.000269	0.0308	7.58E-05
KY	H L Spurloc	6041	4 5/1/2022	257	2205	0.000274	0.0319	7.03E-05
KY	H L Spurloc	6041	4 5/1/2022	261	2237.7	0.000273	0.0319	7.14E-05
KY	H L Spurloc	6041	4 5/1/2022	274	2374.9	0.000267	0.0308	7.31E-05
KY	H L Spurloc	6041	4 5/1/2022	297	2594.8	0.000259	0.0297	7.71E-05
KY	H L Spurloc	6041	4 5/1/2022	300	2541.7	0.000256	0.0302	7.68E-05
KY	H L Spurloc	6041	4 5/1/2022	300	2533.2	0.000255	0.0302	7.65E-05
KY	H L Spurloc	6041	4 5/1/2022	300	2543.2	0.000254	0.03	7.63E-05
KY	H L Spurloc	6041	4 5/1/2022	299	2546.2	0.000253	0.0297	7.56E-05
KY	H L Spurloc	6041	4 5/1/2022	300	2523.2	0.000254	0.0302	7.62E-05
KY	H L Spurloc	6041	4 5/1/2022	289	2420.3	0.000258	0.0308	7.45E-05
KY	H L Spurloc	6041	4 5/1/2022	284	2422.9	0.000263	0.0308	7.46E-05
KY	H L Spurloc	6041	4 5/1/2022	257	2175	0.00027	0.0319	6.94E-05
KY	H L Spurloc	6041	4 5/1/2022	223	1918	0.000284	0.033	6.33E-05

KY	H L Spurloc	6041	4	5/2/2022	216	1857.9	0.00029	0.0337	6.26E-05
KY	H L Spurloc	6041	4	5/2/2022	244	2134.5	0.000281	0.0321	6.85E-05
KY	H L Spurloc	6041	4	5/2/2022	216	1857.4	0.00029	0.0337	6.26E-05
KY	H L Spurloc	6041	4	5/2/2022	238	2090.3	0.000287	0.0327	6.84E-05
KY	H L Spurloc	6041	4	5/2/2022	250	2189.2	0.000281	0.0321	7.03E-05
KY	H L Spurloc	6041	4	5/2/2022	285	2465.8	0.000266	0.0308	7.59E-05
KY	H L Spurloc	6041	4	5/2/2022	282	2412.9	0.000264	0.0308	7.43E-05
KY	H L Spurloc	6041	4	5/2/2022	296	2566.2	0.000262	0.0302	7.75E-05
KY	H L Spurloc	6041	4	5/2/2022	288	2473.5	0.000259	0.0302	7.47E-05
KY	H L Spurloc	6041	4	5/2/2022	299	2565.8	0.000259	0.0302	7.75E-05
KY	H L Spurloc	6041	4	5/2/2022	286	2425.3	0.000204	0.0241	5.84E-05
KY	H L Spurloc	6041	4	5/2/2022	290	2486.4	0.000205	0.0239	5.94E-05
KY	H L Spurloc	6041	4	5/2/2022	293	2495.8	0.000204	0.0239	5.96E-05
KY	H L Spurloc	6041	4	5/2/2022	288	2447.6	0.000205	0.0241	5.9E-05
KY	H L Spurloc	6041	4	5/2/2022	299	2574	0.000204	0.0237	6.1E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2554.8	0.000203	0.0239	6.11E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2566.7	0.000204	0.0239	6.13E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2554.6	0.000203	0.0239	6.11E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2550.1	0.000204	0.0241	6.15E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2544.2	0.000204	0.0241	6.13E-05
KY	H L Spurloc	6041	4	5/2/2022	301	2553	0.000204	0.0241	6.15E-05
KY	H L Spurloc	6041	4	5/2/2022	282	2362.6	0.000205	0.0245	5.79E-05
KY	H L Spurloc	6041	4	5/2/2022	292	2484	0.000203	0.0239	5.94E-05
KY	H L Spurloc	6041	4	5/2/2022	270	2261.3	0.000207	0.0247	5.59E-05
KY	H L Spurloc	6041	4	5/3/2022	239	2030	0.000217	0.0256	5.2E-05
KY	H L Spurloc	6041	4	5/3/2022	239	2048.8	0.000222	0.0259	5.31E-05
KY	H L Spurloc	6041	4	5/3/2022	215	1835.1	0.000227	0.0266	4.88E-05
KY	H L Spurloc	6041	4	5/3/2022	239	2078.2	0.000223	0.0256	5.32E-05
KY	H L Spurloc	6041	4	5/3/2022	217	1895.5	0.000228	0.0261	4.95E-05
KY	H L Spurloc	6041	4	5/3/2022	259	2297.7	0.000219	0.0247	5.68E-05
KY	H L Spurloc	6041	4	5/3/2022	290	2462	0.000206	0.0243	5.98E-05
KY	H L Spurloc	6041	4	5/3/2022	299	2559.7	0.000206	0.0241	6.17E-05
KY	H L Spurloc	6041	4	5/3/2022	301	2561.1	0.000205	0.0241	6.17E-05
KY	H L Spurloc	6041	4	5/3/2022	290	2460.4	0.000206	0.0243	5.98E-05
KY	H L Spurloc	6041	4	5/3/2022	298	2604.7	0.000209	0.0239	6.23E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2573.4	0.000207	0.0241	6.2E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2568.2	0.000206	0.0241	6.19E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2572.9	0.000205	0.0239	6.15E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2550.7	0.000205	0.0241	6.15E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2556	0.000204	0.0239	6.11E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2533.6	0.000204	0.0241	6.11E-05
KY	H L Spurloc	6041	4	5/3/2022	300	2539.7	0.000204	0.0241	6.12E-05
KY	H L Spurloc	6041	4	5/3/2022	301	2549.9	0.000204	0.0241	6.15E-05
KY	H L Spurloc	6041	4	5/3/2022	301	2543.9	0.000204	0.0241	6.13E-05
KY	H L Spurloc	6041	4	5/3/2022	301	2544.5	0.000205	0.0243	6.18E-05
KY	H L Spurloc	6041	4	5/3/2022	287	2446.2	0.000207	0.0243	5.94E-05
KY	H L Spurloc	6041	4	5/3/2022	298	2577.6	0.000207	0.0239	6.16E-05

KY	H L Spurloc	6041	4	5/3/2022	274	2323.6	0.000208	0.0245	5.69E-05
KY	H L Spurloc	6041	4	5/4/2022	266	2277.4	0.000211	0.0247	5.63E-05
KY	H L Spurloc	6041	4	5/4/2022	269	2301.6	0.00021	0.0245	5.64E-05
KY	H L Spurloc	6041	4	5/4/2022	249	2096.7	0.000216	0.0256	5.37E-05
KY	H L Spurloc	6041	4	5/4/2022	289	2495.3	0.000206	0.0239	5.96E-05
KY	H L Spurloc	6041	4	5/4/2022	290	2451.3	0.0002	0.0237	5.81E-05
KY	H L Spurloc	6041	4	5/4/2022	297	2538.4	0.000204	0.0239	6.07E-05
KY	H L Spurloc	6041	4	5/4/2022	293	2469.2	0.000201	0.0239	5.9E-05
KY	H L Spurloc	6041	4	5/4/2022	300	2540.1	0.000202	0.0239	6.07E-05
KY	H L Spurloc	6041	4	5/4/2022	286	2409.6	0.000205	0.0243	5.86E-05
KY	H L Spurloc	6041	4	5/4/2022	299	2540.3	0.000203	0.0239	6.07E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2545.5	0.0002	0.0237	6.03E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2533.2	0.000201	0.0239	6.05E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2533.5	0.000201	0.0239	6.06E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2550.7	0.000201	0.0237	6.05E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2551.2	0.000201	0.0237	6.05E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2541	0.0002	0.0237	6.02E-05
KY	H L Spurloc	6041	4	5/4/2022	301	2537.4	0.000201	0.0239	6.06E-05
KY	H L Spurloc	6041	4	5/4/2022	302	2553.8	0.000202	0.0239	6.1E-05
KY	H L Spurloc	6041	4	5/4/2022	302	2546.2	0.000202	0.0239	6.09E-05
KY	H L Spurloc	6041	4	5/4/2022	302	2553.9	0.0002	0.0237	6.05E-05
KY	H L Spurloc	6041	4	5/4/2022	286	2428.7	0.000203	0.0239	5.8E-05
KY	H L Spurloc	6041	4	5/4/2022	299	2555.9	0.000203	0.0237	6.06E-05
KY	H L Spurloc	6041	4	5/4/2022	284	2404.1	0.000204	0.0241	5.79E-05
KY	H L Spurloc	6041	4	5/4/2022	298	2550.2	0.000203	0.0237	6.04E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2564.7	0.000202	0.0237	6.08E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2548.1	0.000202	0.0239	6.09E-05
KY	H L Spurloc	6041	4	5/5/2022	285	2416.8	0.000204	0.0241	5.82E-05
KY	H L Spurloc	6041	4	5/5/2022	298	2545.5	0.000202	0.0237	6.03E-05
KY	H L Spurloc	6041	4	5/5/2022	287	2446.6	0.000204	0.0239	5.85E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2572	0.000203	0.0237	6.1E-05
KY	H L Spurloc	6041	4	5/5/2022	283	2403.4	0.000205	0.0241	5.79E-05
KY	H L Spurloc	6041	4	5/5/2022	299	2554.7	0.000204	0.0239	6.11E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2553.4	0.000203	0.0239	6.1E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2553.7	0.000203	0.0239	6.1E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2536.6	0.000201	0.0239	6.06E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2554.3	0.000203	0.0239	6.1E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2553.7	0.000203	0.0239	6.1E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2561.6	0.000202	0.0237	6.07E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2554.1	0.000201	0.0237	6.05E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2547	0.000201	0.0237	6.04E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2548	0.000201	0.0237	6.04E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2526.9	0.000201	0.0239	6.04E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2524.5	0.000203	0.0241	6.08E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2540.9	0.000203	0.0241	6.12E-05
KY	H L Spurloc	6041	4	5/5/2022	301	2538.3	0.000203	0.0241	6.12E-05
KY	H L Spurloc	6041	4	5/5/2022	288	2423.7	0.000204	0.0243	5.89E-05

KY	H L Spurloc	6041	4	5/5/2022	298	2534.2	0.000205	0.0241	6.11E-05
KY	H L Spurloc	6041	4	5/5/2022	300	2547.8	0.000203	0.0239	6.09E-05
KY	H L Spurloc	6041	4	5/6/2022	300	2550	0.000203	0.0239	6.09E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2527.3	0.000202	0.0241	6.09E-05
KY	H L Spurloc	6041	4	5/6/2022	285	2400	0.000205	0.0243	5.83E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2577.3	0.000206	0.0239	6.16E-05
KY	H L Spurloc	6041	4	5/6/2022	285	2392.4	0.000206	0.0245	5.86E-05
KY	H L Spurloc	6041	4	5/6/2022	292	2495	0.000208	0.0243	6.06E-05
KY	H L Spurloc	6041	4	5/6/2022	288	2446.2	0.000206	0.0243	5.94E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2564	0.000207	0.0241	6.18E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2553.6	0.000204	0.0241	6.15E-05
KY	H L Spurloc	6041	4	5/6/2022	284	2396.9	0.000205	0.0243	5.82E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2590.2	0.000205	0.0237	6.14E-05
KY	H L Spurloc	6041	4	5/6/2022	288	2441.2	0.000204	0.0241	5.88E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2613.9	0.000207	0.0237	6.19E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2590	0.000206	0.0239	6.19E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2593.6	0.000206	0.0239	6.2E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2566.8	0.000206	0.0241	6.19E-05
KY	H L Spurloc	6041	4	5/6/2022	301	2567.6	0.000204	0.0239	6.14E-05
KY	H L Spurloc	6041	4	5/6/2022	285	2411.5	0.000204	0.0241	5.81E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2555.7	0.000203	0.0237	6.06E-05
KY	H L Spurloc	6041	4	5/6/2022	293	2484.2	0.000203	0.0239	5.94E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2578.3	0.000206	0.0239	6.16E-05
KY	H L Spurloc	6041	4	5/6/2022	287	2437.1	0.000206	0.0243	5.92E-05
KY	H L Spurloc	6041	4	5/6/2022	288	2482.1	0.000206	0.0239	5.93E-05
KY	H L Spurloc	6041	4	5/6/2022	299	2605.7	0.000207	0.0237	6.18E-05
KY	H L Spurloc	6041	4	5/7/2022	296	2544.4	0.000205	0.0239	6.08E-05
KY	H L Spurloc	6041	4	5/7/2022	301	2616.7	0.000206	0.0237	6.2E-05
KY	H L Spurloc	6041	4	5/7/2022	288	2493.1	0.000207	0.0239	5.96E-05
KY	H L Spurloc	6041	4	5/7/2022	299	2636.7	0.000207	0.0235	6.2E-05
KY	H L Spurloc	6041	4	5/7/2022	281	2415.6	0.000205	0.0239	5.77E-05
KY	H L Spurloc	6041	4	5/7/2022	295	2587	0.000204	0.0233	6.03E-05
KY	H L Spurloc	6041	4	5/7/2022	287	2452.9	0.000203	0.0237	5.81E-05
KY	H L Spurloc	6041	4	5/7/2022	298	2590.3	0.000203	0.0233	6.04E-05
KY	H L Spurloc	6041	4	5/7/2022	287	2434.3	0.000203	0.0239	5.82E-05
KY	H L Spurloc	6041	4	5/7/2022	287	2482.2	0.000207	0.0239	5.93E-05
KY	H L Spurloc	6041	4	5/7/2022	300	2584.7	0.000202	0.0235	6.07E-05
KY	H L Spurloc	6041	4	5/7/2022	285	2452.5	0.000204	0.0237	5.81E-05
KY	H L Spurloc	6041	4	5/7/2022	298	2611	0.000204	0.0233	6.08E-05
KY	H L Spurloc	6041	4	5/7/2022	285	2461.6	0.000205	0.0237	5.83E-05
KY	H L Spurloc	6041	4	5/7/2022	298	2631.1	0.000206	0.0233	6.13E-05
KY	H L Spurloc	6041	4	5/7/2022	300	2573	0.000202	0.0235	6.05E-05
KY	H L Spurloc	6041	4	5/7/2022	300	2572.5	0.000202	0.0235	6.05E-05
KY	H L Spurloc	6041	4	5/7/2022	284	2432.3	0.000205	0.0239	5.81E-05
KY	H L Spurloc	6041	4	5/7/2022	298	2631.3	0.000206	0.0233	6.13E-05
KY	H L Spurloc	6041	4	5/7/2022	300	2616.3	0.000203	0.0233	6.1E-05
KY	H L Spurloc	6041	4	5/7/2022	290	2500.3	0.000204	0.0237	5.93E-05

KY	H L Spurloc	6041	4	5/7/2022	298	2617.3	0.000206	0.0235	6.15E-05
KY	H L Spurloc	6041	4	5/7/2022	289	2524.8	0.000205	0.0235	5.93E-05
KY	H L Spurloc	6041	4	5/7/2022	292	2547.1	0.000205	0.0235	5.99E-05
KY	H L Spurloc	6041	4	5/8/2022	272	2403.1	0.000209	0.0237	5.7E-05
KY	H L Spurloc	6041	4	5/8/2022	291	2589.4	0.000207	0.0233	6.03E-05
KY	H L Spurloc	6041	4	5/8/2022	284	2498.6	0.000207	0.0235	5.87E-05
KY	H L Spurloc	6041	4	5/8/2022	268	2318	0.000208	0.0241	5.59E-05
KY	H L Spurloc	6041	4	5/8/2022	269	2311.1	0.00021	0.0245	5.66E-05
KY	H L Spurloc	6041	4	5/8/2022	279	2438.1	0.000207	0.0237	5.78E-05
KY	H L Spurloc	6041	4	5/8/2022	241	2160.6	0.000216	0.0241	5.21E-05
KY	H L Spurloc	6041	4	5/8/2022	235	2118	0.000221	0.0245	5.19E-05
KY	H L Spurloc	6041	4	5/8/2022	256	2265.9	0.000215	0.0243	5.51E-05
KY	H L Spurloc	6041	4	5/8/2022	260	2281.4	0.000213	0.0243	5.54E-05
KY	H L Spurloc	6041	4	5/8/2022	281	2516.9	0.00021	0.0235	5.91E-05
KY	H L Spurloc	6041	4	5/8/2022	299	2620.6	0.000202	0.0231	6.05E-05
KY	H L Spurloc	6041	4	5/8/2022	292	2519	0.000203	0.0235	5.92E-05
KY	H L Spurloc	6041	4	5/8/2022	299	2610.8	0.000203	0.0233	6.08E-05
KY	H L Spurloc	6041	4	5/8/2022	298	2598.9	0.000203	0.0233	6.06E-05
KY	H L Spurloc	6041	4	5/8/2022	299	2604.9	0.000203	0.0233	6.07E-05
KY	H L Spurloc	6041	4	5/8/2022	300	2612.4	0.000201	0.0231	6.03E-05
KY	H L Spurloc	6041	4	5/8/2022	300	2596.9	0.000202	0.0233	6.05E-05
KY	H L Spurloc	6041	4	5/8/2022	300	2615.4	0.000203	0.0233	6.09E-05
KY	H L Spurloc	6041	4	5/8/2022	300	2616	0.000203	0.0233	6.1E-05
KY	H L Spurloc	6041	4	5/8/2022	287	2495.9	0.000204	0.0235	5.87E-05
KY	H L Spurloc	6041	4	5/8/2022	286	2507.1	0.000206	0.0235	5.89E-05
KY	H L Spurloc	6041	4	5/8/2022	287	2500.5	0.000205	0.0235	5.88E-05
KY	H L Spurloc	6041	4	5/8/2022	292	2553.5	0.000206	0.0235	6E-05
KY	H L Spurloc	6041	4	5/9/2022	273	2369.3	0.000207	0.0239	5.66E-05
KY	H L Spurloc	6041	4	5/9/2022	230	1951.9	0.00022	0.0259	5.06E-05
KY	H L Spurloc	6041	4	5/9/2022	249	2224.4	0.000219	0.0245	5.45E-05
KY	H L Spurloc	6041	4	5/9/2022	222	1927.2	0.000227	0.0261	5.03E-05
KY	H L Spurloc	6041	4	5/9/2022	248	2255.3	0.000223	0.0245	5.53E-05
KY	H L Spurloc	6041	4	5/9/2022	285	2499	0.000206	0.0235	5.87E-05
KY	H L Spurloc	6041	4	5/9/2022	298	2660.7	0.000206	0.0231	6.15E-05
KY	H L Spurloc	6041	4	5/9/2022	300	2678.7	0.000204	0.0229	6.13E-05
KY	H L Spurloc	6041	4	5/9/2022	300	2631.9	0.000203	0.0231	6.08E-05
KY	H L Spurloc	6041	4	5/9/2022	299	2584.4	0.000126	0.0146	3.77E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2612.8	0.000126	0.0145	3.79E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2603.3	0.000125	0.0145	3.77E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2590.9	0.000125	0.0145	3.76E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2590.1	0.000125	0.0145	3.76E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2580.2	0.000125	0.0146	3.77E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2600	0.000126	0.0146	3.8E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2617.6	0.000126	0.0145	3.8E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2611.8	0.000126	0.0145	3.79E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2598.5	0.000126	0.0146	3.79E-05
KY	H L Spurloc	6041	4	5/9/2022	301	2590.1	0.000126	0.0146	3.78E-05

KY	H L Spurloc	6041	4	5/9/2022	288	2465.3	0.000127	0.0148	3.65E-05
KY	H L Spurloc	6041	4	5/9/2022	299	2619.7	0.000128	0.0146	3.82E-05
KY	H L Spurloc	6041	4	5/9/2022	289	2467.7	0.000127	0.0149	3.68E-05
KY	H L Spurloc	6041	4	5/9/2022	298	2590.5	0.000128	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	297	2571.8	0.000127	0.0147	3.78E-05
KY	H L Spurloc	6041	4	#####	296	2617.2	0.000128	0.0145	3.79E-05
KY	H L Spurloc	6041	4	#####	285	2476.1	0.000128	0.0147	3.64E-05
KY	H L Spurloc	6041	4	#####	292	2557.2	0.000128	0.0146	3.73E-05
KY	H L Spurloc	6041	4	#####	270	2368.5	0.00013	0.0148	3.51E-05
KY	H L Spurloc	6041	4	#####	294	2589.4	0.000129	0.0146	3.78E-05
KY	H L Spurloc	6041	4	#####	283	2428.8	0.000128	0.0149	3.62E-05
KY	H L Spurloc	6041	4	#####	298	2590	0.000128	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2595.3	0.000127	0.0147	3.82E-05
KY	H L Spurloc	6041	4	#####	295	2562.8	0.000128	0.0147	3.77E-05
KY	H L Spurloc	6041	4	#####	291	2547.1	0.000129	0.0147	3.74E-05
KY	H L Spurloc	6041	4	#####	287	2494.5	0.000129	0.0148	3.69E-05
KY	H L Spurloc	6041	4	#####	287	2516.1	0.000129	0.0147	3.7E-05
KY	H L Spurloc	6041	4	#####	298	2611.4	0.000128	0.0146	3.81E-05
KY	H L Spurloc	6041	4	#####	285	2472.4	0.000128	0.0148	3.66E-05
KY	H L Spurloc	6041	4	#####	288	2530.6	0.00013	0.0148	3.75E-05
KY	H L Spurloc	6041	4	#####	292	2556.8	0.000129	0.0147	3.76E-05
KY	H L Spurloc	6041	4	#####	298	2617.6	0.000129	0.0147	3.85E-05
KY	H L Spurloc	6041	4	#####	300	2628.6	0.000129	0.0147	3.86E-05
KY	H L Spurloc	6041	4	#####	300	2629.7	0.00013	0.0148	3.89E-05
KY	H L Spurloc	6041	4	#####	300	2638.2	0.00013	0.0148	3.9E-05
KY	H L Spurloc	6041	4	#####	289	2518.4	0.00013	0.0149	3.75E-05
KY	H L Spurloc	6041	4	#####	299	2659.7	0.000131	0.0147	3.91E-05
KY	H L Spurloc	6041	4	#####	282	2458.9	0.00013	0.0149	3.66E-05
KY	H L Spurloc	6041	4	#####	297	2628.9	0.00013	0.0147	3.86E-05
KY	H L Spurloc	6041	4	#####	268	2326.6	0.000132	0.0152	3.54E-05
KY	H L Spurloc	6041	4	#####	256	2236.3	0.000135	0.0155	3.47E-05
KY	H L Spurloc	6041	4	#####	256	2276.2	0.000136	0.0153	3.48E-05
KY	H L Spurloc	6041	4	#####	264	2347.5	0.000135	0.0152	3.57E-05
KY	H L Spurloc	6041	4	#####	293	2651.8	0.000132	0.0146	3.87E-05
KY	H L Spurloc	6041	4	#####	286	2500.7	0.000129	0.0148	3.7E-05
KY	H L Spurloc	6041	4	#####	300	2668.9	0.00013	0.0146	3.9E-05
KY	H L Spurloc	6041	4	#####	286	2489.9	0.000129	0.0148	3.69E-05
KY	H L Spurloc	6041	4	#####	299	2663.8	0.000129	0.0145	3.86E-05
KY	H L Spurloc	6041	4	#####	301	2631	0.000128	0.0146	3.84E-05
KY	H L Spurloc	6041	4	#####	287	2505.8	0.000128	0.0147	3.68E-05
KY	H L Spurloc	6041	4	#####	299	2664.2	0.000129	0.0145	3.86E-05
KY	H L Spurloc	6041	4	#####	295	2597.5	0.000129	0.0146	3.79E-05
KY	H L Spurloc	6041	4	#####	298	2629.1	0.000129	0.0146	3.84E-05
KY	H L Spurloc	6041	4	#####	301	2632.7	0.000128	0.0146	3.84E-05
KY	H L Spurloc	6041	4	#####	301	2606	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2606.1	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2603.4	0.000127	0.0147	3.83E-05

KY	H L Spurloc	6041	4	#####	301	2616.5	0.000128	0.0147	3.85E-05
KY	H L Spurloc	6041	4	#####	285	2471.6	0.000129	0.0149	3.68E-05
KY	H L Spurloc	6041	4	#####	289	2526.2	0.000129	0.0148	3.74E-05
KY	H L Spurloc	6041	4	#####	288	2496.5	0.000129	0.0149	3.72E-05
KY	H L Spurloc	6041	4	#####	244	2129.1	0.000136	0.0156	3.32E-05
KY	H L Spurloc	6041	4	#####	243	2158.2	0.000139	0.0156	3.37E-05
KY	H L Spurloc	6041	4	#####	224	1935.1	0.000141	0.0163	3.15E-05
KY	H L Spurloc	6041	4	#####	240	2127.1	0.000141	0.0159	3.38E-05
KY	H L Spurloc	6041	4	#####	216	1903.9	0.000144	0.0163	3.1E-05
KY	H L Spurloc	6041	4	#####	240	2161.7	0.000141	0.0157	3.39E-05
KY	H L Spurloc	6041	4	#####	288	2595.1	0.000132	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	285	2490.4	0.000129	0.0148	3.69E-05
KY	H L Spurloc	6041	4	#####	299	2605.5	0.000128	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2590.9	0.000126	0.0146	3.78E-05
KY	H L Spurloc	6041	4	#####	288	2491.9	0.000127	0.0147	3.66E-05
KY	H L Spurloc	6041	4	#####	299	2580.7	0.000126	0.0146	3.77E-05
KY	H L Spurloc	6041	4	#####	301	2581.3	0.000125	0.0146	3.77E-05
KY	H L Spurloc	6041	4	#####	301	2590.7	0.000126	0.0146	3.78E-05
KY	H L Spurloc	6041	4	#####	301	2577.3	0.000126	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2587	0.000126	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2598.3	0.000127	0.0147	3.82E-05
KY	H L Spurloc	6041	4	#####	301	2602.6	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2611.3	0.000128	0.0147	3.84E-05
KY	H L Spurloc	6041	4	#####	301	2614.5	0.000128	0.0147	3.84E-05
KY	H L Spurloc	6041	4	#####	301	2624.2	0.000128	0.0147	3.86E-05
KY	H L Spurloc	6041	4	#####	301	2607.4	0.000128	0.0148	3.86E-05
KY	H L Spurloc	6041	4	#####	284	2451.7	0.000129	0.0149	3.65E-05
KY	H L Spurloc	6041	4	#####	299	2610.1	0.000128	0.0147	3.84E-05
KY	H L Spurloc	6041	4	#####	278	2396.4	0.000128	0.0149	3.57E-05
KY	H L Spurloc	6041	4	#####	246	2137.5	0.000136	0.0157	3.36E-05
KY	H L Spurloc	6041	4	#####	242	2091.8	0.000138	0.016	3.35E-05
KY	H L Spurloc	6041	4	#####	220	1892.7	0.000142	0.0165	3.12E-05
KY	H L Spurloc	6041	4	#####	211	1838.7	0.000145	0.0166	3.05E-05
KY	H L Spurloc	6041	4	#####	243	2166.3	0.00014	0.0157	3.4E-05
KY	H L Spurloc	6041	4	#####	288	2575.7	0.000131	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	288	2477.3	0.000127	0.0148	3.67E-05
KY	H L Spurloc	6041	4	#####	299	2591	0.000127	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2571.6	0.000126	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	284	2425.9	0.000127	0.0149	3.61E-05
KY	H L Spurloc	6041	4	#####	299	2588.5	0.000127	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2580.2	0.000126	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2579.4	0.000126	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2561.9	0.000126	0.0148	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2568.4	0.000126	0.0148	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2571.9	0.000126	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2571	0.000126	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2591.1	0.000127	0.0147	3.81E-05

KY	H L Spurloc	6041	4	#####	301	2570.1	0.000126	0.0148	3.8E-05
KY	H L Spurloc	6041	4	#####	292	2494.3	0.000127	0.0149	3.72E-05
KY	H L Spurloc	6041	4	#####	300	2576.9	0.000128	0.0149	3.84E-05
KY	H L Spurloc	6041	4	#####	291	2487.1	0.000127	0.0149	3.71E-05
KY	H L Spurloc	6041	4	#####	300	2577.6	0.000127	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	290	2466.6	0.000127	0.0149	3.68E-05
KY	H L Spurloc	6041	4	#####	295	2531.2	0.000127	0.0148	3.75E-05
KY	H L Spurloc	6041	4	#####	291	2479.3	0.000127	0.0149	3.69E-05
KY	H L Spurloc	6041	4	#####	292	2499.4	0.000127	0.0148	3.7E-05
KY	H L Spurloc	6041	4	#####	299	2535.4	0.000126	0.0149	3.78E-05
KY	H L Spurloc	6041	4	#####	286	2416	0.000128	0.0151	3.65E-05
KY	H L Spurloc	6041	4	#####	297	2565	0.000128	0.0148	3.8E-05
KY	H L Spurloc	6041	4	#####	296	2553.2	0.000126	0.0146	3.73E-05
KY	H L Spurloc	6041	4	#####	301	2588.6	0.000126	0.0146	3.78E-05
KY	H L Spurloc	6041	4	#####	293	2503.3	0.000126	0.0147	3.68E-05
KY	H L Spurloc	6041	4	#####	299	2586.5	0.000127	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2574.5	0.000126	0.0147	3.78E-05
KY	H L Spurloc	6041	4	#####	301	2579.3	0.000126	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2591.3	0.000127	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2589.5	0.000126	0.0147	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2602.9	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2607.7	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2605.3	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2608.6	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2601	0.000127	0.0147	3.82E-05
KY	H L Spurloc	6041	4	#####	301	2575.5	0.000127	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2618.8	0.000128	0.0147	3.85E-05
KY	H L Spurloc	6041	4	#####	289	2468.7	0.000127	0.0149	3.68E-05
KY	H L Spurloc	6041	4	#####	298	2573.7	0.000128	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	277	2366.2	0.000129	0.0151	3.57E-05
KY	H L Spurloc	6041	4	#####	259	2288.8	0.000135	0.0153	3.5E-05
KY	H L Spurloc	6041	4	#####	302	2704.4	0.00013	0.0145	3.92E-05
KY	H L Spurloc	6041	4	#####	287	2488.5	0.000127	0.0147	3.66E-05
KY	H L Spurloc	6041	4	#####	269	2359.1	0.00013	0.0148	3.49E-05
KY	H L Spurloc	6041	4	#####	254	2212.1	0.000132	0.0152	3.36E-05
KY	H L Spurloc	6041	4	#####	241	2067.9	0.000136	0.0159	3.29E-05
KY	H L Spurloc	6041	4	#####	215	1811.8	0.000142	0.0168	3.04E-05
KY	H L Spurloc	6041	4	#####	250	2222.6	0.000138	0.0155	3.45E-05
KY	H L Spurloc	6041	4	#####	293	2607.2	0.00013	0.0146	3.81E-05
KY	H L Spurloc	6041	4	#####	299	2580.3	0.000127	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2586.8	0.000126	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2585.8	0.000126	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2605.3	0.000127	0.0147	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2623.3	0.000127	0.0146	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2619.5	0.000127	0.0146	3.82E-05
KY	H L Spurloc	6041	4	#####	301	2582.7	0.000126	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2572	0.000126	0.0147	3.78E-05

KY	H L Spurloc	6041	4	#####	301	2582.9	0.000126	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2579.3	0.000126	0.0147	3.79E-05
KY	H L Spurloc	6041	4	#####	301	2570	0.000126	0.0148	3.8E-05
KY	H L Spurloc	6041	4	#####	301	2562.7	0.000127	0.0149	3.82E-05
KY	H L Spurloc	6041	4	#####	294	2514.1	0.000127	0.0149	3.75E-05
KY	H L Spurloc	6041	4	#####	301	2586.5	0.000127	0.0148	3.83E-05
KY	H L Spurloc	6041	4	#####	301	2573.9	0.000127	0.0148	3.81E-05
KY	H L Spurloc	6041	4	#####	301	2591	0.000127	0.0148	3.83E-05
KY	H L Spurloc	6041	4	#####	254	2164.9	0.000133	0.0156	3.38E-05
KY	H L Spurloc	6041	4	#####	244	2101.2	0.000138	0.016	3.36E-05
KY	H L Spurloc	6041	4	#####	278	2421.3	0.00013	0.0149	3.61E-05
KY	H L Spurloc	6041	4	#####	261	2243.2	0.000131	0.0153	3.43E-05
KY	H L Spurloc	6041	4	#####	279	2392.3	0.000129	0.0151	3.61E-05
KY	H L Spurloc	6041	4	#####	284	2457.4	0.000128	0.0148	3.64E-05
KY	H L Spurloc	6041	4	#####	299	2637.4	0.000128	0.0145	3.82E-05
KY	H L Spurloc	6041	4	#####	300	2586.5	0.000127	0.0147	3.8E-05
KY	H L Spurloc	6041	4	#####	288	2466.5	0.000128	0.0149	3.68E-05
KY	H L Spurloc	6041	4	#####	299	2606.3	0.000109	0.0125	3.26E-05
KY	H L Spurloc	6041	4	#####	301	2582.6	0.000108	0.0126	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2571.2	0.000108	0.0126	3.24E-05
KY	H L Spurloc	6041	4	#####	301	2548.6	0.000108	0.0127	3.24E-05
KY	H L Spurloc	6041	4	#####	301	2600.8	0.000108	0.0125	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2546.2	0.000107	0.0127	3.23E-05
KY	H L Spurloc	6041	4	#####	301	2566.9	0.000107	0.0126	3.23E-05
KY	H L Spurloc	6041	4	#####	301	2549.3	0.000107	0.0126	3.21E-05
KY	H L Spurloc	6041	4	#####	301	2554.1	0.000107	0.0126	3.22E-05
KY	H L Spurloc	6041	4	#####	301	2551.6	0.000108	0.0127	3.24E-05
KY	H L Spurloc	6041	4	#####	301	2563.9	0.000108	0.0127	3.26E-05
KY	H L Spurloc	6041	4	#####	301	2558.8	0.000108	0.0127	3.25E-05
KY	H L Spurloc	6041	4	#####	281	2395.8	0.00011	0.0129	3.09E-05
KY	H L Spurloc	6041	4	#####	286	2463.8	0.00011	0.0128	3.15E-05
KY	H L Spurloc	6041	4	#####	281	2429.9	0.000111	0.0128	3.11E-05
KY	H L Spurloc	6041	4	#####	297	2552.4	0.000109	0.0127	3.24E-05
KY	H L Spurloc	6041	4	#####	278	2400.5	0.000111	0.0128	3.07E-05
KY	H L Spurloc	6041	4	#####	296	2541.9	0.000109	0.0127	3.23E-05
KY	H L Spurloc	6041	4	#####	291	2489.6	0.000109	0.0127	3.16E-05
KY	H L Spurloc	6041	4	#####	299	2580.3	0.000109	0.0126	3.25E-05
KY	H L Spurloc	6041	4	#####	289	2471.2	0.000109	0.0127	3.14E-05
KY	H L Spurloc	6041	4	#####	299	2587.5	0.000109	0.0126	3.26E-05
KY	H L Spurloc	6041	4	#####	300	2568.2	0.000109	0.0127	3.26E-05
KY	H L Spurloc	6041	4	#####	300	2582.9	0.000108	0.0126	3.25E-05
KY	H L Spurloc	6041	4	#####	300	2585	0.000109	0.0126	3.26E-05
KY	H L Spurloc	6041	4	#####	300	2599.1	0.000109	0.0126	3.27E-05
KY	H L Spurloc	6041	4	#####	301	2592.4	0.000109	0.0126	3.27E-05
KY	H L Spurloc	6041	4	#####	301	2611.1	0.000109	0.0126	3.29E-05
KY	H L Spurloc	6041	4	#####	301	2599.3	0.000109	0.0126	3.28E-05
KY	H L Spurloc	6041	4	#####	301	2604.3	0.000109	0.0126	3.28E-05

KY	H L Spurloc	6041	4	#####	301	2607	0.000109	0.0126	3.28E-05
KY	H L Spurloc	6041	4	#####	301	2617.7	0.00011	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	301	2613.8	0.000109	0.0126	3.29E-05
KY	H L Spurloc	6041	4	#####	301	2629.3	0.000109	0.0125	3.29E-05
KY	H L Spurloc	6041	4	#####	301	2625	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2636.9	0.00011	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	289	2502.9	0.00011	0.0127	3.18E-05
KY	H L Spurloc	6041	4	#####	279	2458.4	0.000112	0.0127	3.12E-05
KY	H L Spurloc	6041	4	#####	291	2596.7	0.000112	0.0125	3.25E-05
KY	H L Spurloc	6041	4	#####	300	2633.3	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2614.3	0.000111	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2606.6	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	298	2580	0.00011	0.0127	3.28E-05
KY	H L Spurloc	6041	4	#####	289	2555.2	0.000111	0.0125	3.19E-05
KY	H L Spurloc	6041	4	#####	298	2714.5	0.000111	0.0122	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2671.8	0.000111	0.0125	3.34E-05
KY	H L Spurloc	6041	4	#####	300	2635.2	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2645.3	0.00011	0.0125	3.31E-05
KY	H L Spurloc	6041	4	#####	295	2562.9	0.000109	0.0126	3.23E-05
KY	H L Spurloc	6041	4	#####	297	2604	0.00011	0.0126	3.28E-05
KY	H L Spurloc	6041	4	#####	300	2590.9	0.000109	0.0126	3.26E-05
KY	H L Spurloc	6041	4	#####	301	2595.3	0.00011	0.0127	3.3E-05
KY	H L Spurloc	6041	4	#####	301	2588.1	0.000109	0.0127	3.29E-05
KY	H L Spurloc	6041	4	#####	301	2586.5	0.000109	0.0127	3.28E-05
KY	H L Spurloc	6041	4	#####	301	2611.7	0.00011	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2599.7	0.000111	0.0128	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2596.1	0.00011	0.0128	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2630	0.000111	0.0127	3.34E-05
KY	H L Spurloc	6041	4	#####	301	2600.3	0.000111	0.0128	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2603.6	0.000111	0.0128	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2617.7	0.00011	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2624.5	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2610.1	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2611.7	0.00011	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2619.3	0.000111	0.0127	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2635.5	0.00011	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2602.4	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2590.6	0.00011	0.0128	3.32E-05
KY	H L Spurloc	6041	4	#####	289	2485.7	0.00011	0.0128	3.18E-05
KY	H L Spurloc	6041	4	#####	299	2613.2	0.000111	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	301	2604.4	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2643.2	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2644.7	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2643.6	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2639.3	0.00011	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	300	2608.7	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	301	2630.1	0.00011	0.0126	3.31E-05

KY	H L Spurloc	6041	4	#####	301	2633.1	0.00011	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2633.7	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2623.3	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2626.3	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2620.8	0.00011	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	300	2631.9	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2615.6	0.000111	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2590.4	0.000111	0.0128	3.32E-05
KY	H L Spurloc	6041	4	#####	299	2582.3	0.000111	0.0128	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2639.4	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	300	2622.8	0.00011	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	271	2324.3	0.000111	0.013	3.02E-05
KY	H L Spurloc	6041	4	#####	291	2570	0.000111	0.0126	3.24E-05
KY	H L Spurloc	6041	4	#####	254	2213.8	0.000114	0.0131	2.9E-05
KY	H L Spurloc	6041	4	#####	284	2527.4	0.000113	0.0127	3.21E-05
KY	H L Spurloc	6041	4	#####	301	2654.5	0.00011	0.0125	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2649	0.00011	0.0125	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2663.6	0.000111	0.0125	3.33E-05
KY	H L Spurloc	6041	4	#####	300	2623.2	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2581.9	0.000109	0.0127	3.28E-05
KY	H L Spurloc	6041	4	#####	300	2599.2	0.00011	0.0127	3.3E-05
KY	H L Spurloc	6041	4	#####	300	2601.7	0.00011	0.0127	3.3E-05
KY	H L Spurloc	6041	4	#####	300	2603.2	0.00011	0.0127	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2627.1	0.00011	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	300	2619.1	0.00011	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	300	2631	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2612.2	0.000111	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2602.5	0.000111	0.0128	3.33E-05
KY	H L Spurloc	6041	4	#####	300	2606.1	0.000111	0.0128	3.34E-05
KY	H L Spurloc	6041	4	#####	300	2616.9	0.000111	0.0127	3.32E-05
KY	H L Spurloc	6041	4	#####	300	2622	0.000111	0.0127	3.33E-05
KY	H L Spurloc	6041	4	#####	300	2629.4	0.000111	0.0127	3.34E-05
KY	H L Spurloc	6041	4	#####	301	2627.9	0.000111	0.0127	3.34E-05
KY	H L Spurloc	6041	4	#####	301	2621.4	0.000111	0.0127	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2626.1	0.000111	0.0127	3.34E-05
KY	H L Spurloc	6041	4	#####	301	2623.4	0.000111	0.0127	3.33E-05
KY	H L Spurloc	6041	4	#####	301	2647.4	0.000111	0.0126	3.34E-05
KY	H L Spurloc	6041	4	#####	301	2660.8	0.00011	0.0125	3.33E-05
KY	H L Spurloc	6041	4	#####	297	2605.1	0.000111	0.0126	3.28E-05
KY	H L Spurloc	6041	4	#####	288	2452.1	0.000109	0.0128	3.14E-05
KY	H L Spurloc	6041	4	#####	299	2641.9	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	299	2642.6	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	299	2690	0.000112	0.0124	3.34E-05
KY	H L Spurloc	6041	4	#####	298	2665.6	0.000111	0.0124	3.31E-05
KY	H L Spurloc	6041	4	#####	298	2619	0.000111	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	298	2631.6	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	298	2647.1	0.000111	0.0125	3.31E-05

KY	H L Spurloc	6041	4	#####	298	2672.7	0.000111	0.0124	3.31E-05
KY	H L Spurloc	6041	4	#####	299	2649.8	0.000111	0.0125	3.31E-05
KY	H L Spurloc	6041	4	#####	299	2634	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	299	2595.1	0.000111	0.0128	3.32E-05
KY	H L Spurloc	6041	4	#####	299	2639.9	0.000111	0.0126	3.33E-05
KY	H L Spurloc	6041	4	#####	299	2628.6	0.000111	0.0126	3.31E-05
KY	H L Spurloc	6041	4	#####	287	2482.9	0.000111	0.0128	3.18E-05
KY	H L Spurloc	6041	4	#####	289	2554.5	0.000111	0.0126	3.22E-05
KY	H L Spurloc	6041	4	#####	291	2557	0.000111	0.0126	3.22E-05
KY	H L Spurloc	6041	4	#####	298	2651.8	0.00011	0.0124	3.29E-05
KY	H L Spurloc	6041	4	#####	298	2643.5	0.00011	0.0124	3.28E-05
KY	H L Spurloc	6041	4	#####	298	2648	0.00011	0.0124	3.28E-05
KY	H L Spurloc	6041	4	#####	298	2629.7	0.00011	0.0125	3.29E-05
KY	H L Spurloc	6041	4	#####	298	2632.2	0.00011	0.0125	3.29E-05
KY	H L Spurloc	6041	4	#####	285	2461.1	0.000111	0.0128	3.15E-05
KY	H L Spurloc	6041	4	#####	293	2610.5	0.000111	0.0125	3.26E-05
KY	H L Spurloc	6041	4	#####	272	2384.3	0.000112	0.0128	3.05E-05
KY	H L Spurloc	6041	4	#####	299	2666.6	0.000111	0.0124	3.31E-05
KY	H L Spurloc	6041	4	#####	298	2640.4	0.000111	0.0125	3.3E-05
KY	H L Spurloc	6041	4	#####	299	2636.7	0.00011	0.0125	3.3E-05
KY	H L Spurloc	6041	4	#####	299	2638.9	0.00011	0.0125	3.3E-05
KY	H L Spurloc	6041	4	#####	299	2619.4	0.00011	0.0126	3.3E-05
KY	H L Spurloc	6041	4	#####	299	2632.2	0.000111	0.0126	3.32E-05
KY	H L Spurloc	6041	4	#####	299	2662.6	0.00011	0.0124	3.3E-05
KY	H L Spurloc	6041	4	#####	300	2664.4	0.000109	0.0123	3.28E-05
KY	H L Spurloc	6041	4	#####	301	2620.6	0.000108	0.0124	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2591.1	0.000108	0.0125	3.24E-05
KY	H L Spurloc	6041	4	#####	300	2584.6	0.000108	0.0125	3.23E-05
KY	H L Spurloc	6041	4	#####	301	2596	0.000108	0.0125	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2592.2	0.000108	0.0125	3.24E-05
KY	H L Spurloc	6041	4	#####	301	2600	0.000108	0.0125	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2598.9	0.000108	0.0125	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2622.3	0.000108	0.0124	3.25E-05
KY	H L Spurloc	6041	4	#####	301	2625.7	0.000108	0.0124	3.26E-05
KY	H L Spurloc	6041	4	#####	302	2682.6	0.000108	0.0122	3.27E-05
KY	H L Spurloc	6041	4	#####	302	2655.1	0.000107	0.0122	3.24E-05
KY	H L Spurloc	6041	4	#####	302	2644.7	0.000107	0.0122	3.23E-05
KY	H L Spurloc	6041	4	#####	302	2644.4	0.000107	0.0122	3.23E-05
KY	H L Spurloc	6041	4	#####	286	2475.7	0.000107	0.0124	3.07E-05
KY	H L Spurloc	6041	4	#####	300	2683.1	0.000107	0.012	3.22E-05
KY	H L Spurloc	6041	4	#####	301	2665.5	0.000109	0.0123	3.28E-05
KY	H L Spurloc	6041	4	#####	301	2655.7	0.000109	0.0124	3.29E-05
KY	H L Spurloc	6041	4	#####	302	2646.2	0.000109	0.0124	3.28E-05
KY	H L Spurloc	6041	4	#####	302	2629.2	0.000109	0.0125	3.29E-05
KY	H L Spurloc	6041	4	#####	302	2595	0.000962	0.112	0.000291
KY	H L Spurloc	6041	4	#####	302	2612.8	0.000952	0.11	0.000287
KY	H L Spurloc	6041	4	#####	301	2564.8	0.000954	0.112	0.000287

KY	H L Spurloc	6041	4	#####	301	2617	0.000965	0.111	0.00029
KY	H L Spurloc	6041	4	#####	302	2613.3	0.000969	0.112	0.000293
KY	H L Spurloc	6041	4	#####	301	2609.8	0.000971	0.112	0.000292
KY	H L Spurloc	6041	4	#####	301	2589.9	0.000972	0.113	0.000293
KY	H L Spurloc	6041	4	#####	301	2551.7	0.000966	0.114	0.000291
KY	H L Spurloc	6041	4	#####	301	2573.2	0.000975	0.114	0.000293
KY	H L Spurloc	6041	4	#####	301	2596.6	0.000975	0.113	0.000293
KY	H L Spurloc	6041	4	#####	301	2616.3	0.000982	0.113	0.000296
KY	H L Spurloc	6041	4	#####	301	2619.5	0.000975	0.112	0.000293
KY	H L Spurloc	6041	4	#####	301	2624.9	0.000968	0.111	0.000291
KY	H L Spurloc	6041	4	#####	302	2624.9	0.000965	0.111	0.000291
KY	H L Spurloc	6041	4	#####	302	2631.6	0.000967	0.111	0.000292
KY	H L Spurloc	6041	4	#####	302	2633.5	0.000968	0.111	0.000292
KY	H L Spurloc	6041	4	#####	302	2647.1	0.000973	0.111	0.000294
KY	H L Spurloc	6041	4	#####	302	2636.8	0.000969	0.111	0.000293
KY	H L Spurloc	6041	4	#####	285	2489.9	0.000978	0.112	0.000279
KY	H L Spurloc	6041	4	#####	261	2266.6	0.001016	0.117	0.000265
KY	H L Spurloc	6041	4	#####	259	2232.4	0.001026	0.119	0.000266
KY	H L Spurloc	6041	4	#####	259	2281.3	0.001031	0.117	0.000267
KY	H L Spurloc	6041	4	#####	259	2267.1	0.001024	0.117	0.000265
KY	H L Spurloc	6041	4	#####	260	2291.2	0.001022	0.116	0.000266
KY	H L Spurloc	6041	4	#####	259	2281.1	0.00103	0.117	0.000267
KY	H L Spurloc	6041	4	#####	259	2291.2	0.001026	0.116	0.000266
KY	H L Spurloc	6041	4	#####	260	2284.9	0.001019	0.116	0.000265
KY	H L Spurloc	6041	4	#####	285	2580.1	0.000996	0.11	0.000284
KY	H L Spurloc	6041	4	#####	300	2631.6	0.000965	0.11	0.000289
KY	H L Spurloc	6041	4	#####	300	2638.1	0.000967	0.11	0.00029
KY	H L Spurloc	6041	4	#####	300	2643.2	0.000969	0.11	0.000291
KY	H L Spurloc	6041	4	#####	288	2503.6	0.000974	0.112	0.00028
KY	H L Spurloc	6041	4	#####	298	2644.9	0.000976	0.11	0.000291
KY	H L Spurloc	6041	4	#####	299	2634.5	0.000969	0.11	0.00029
KY	H L Spurloc	6041	4	#####	299	2613.8	0.00097	0.111	0.00029
KY	H L Spurloc	6041	4	#####	285	2491.7	0.000979	0.112	0.000279
KY	H L Spurloc	6041	4	#####	297	2655.1	0.000983	0.11	0.000292
KY	H L Spurloc	6041	4	#####	291	2578.9	0.000993	0.112	0.000289
KY	H L Spurloc	6041	4	#####	299	2651.6	0.000976	0.11	0.000292
KY	H L Spurloc	6041	4	#####	300	2619.7	0.000969	0.111	0.000291
KY	H L Spurloc	6041	4	#####	300	2624.4	0.000962	0.11	0.000289
KY	H L Spurloc	6041	4	#####	301	2634.1	0.000971	0.111	0.000292
KY	H L Spurloc	6041	4	#####	301	2649	0.000968	0.11	0.000291
KY	H L Spurloc	6041	4	#####	294	2563.6	0.000968	0.111	0.000285
KY	H L Spurloc	6041	4	#####	289	2560.6	0.000975	0.11	0.000282
KY	H L Spurloc	6041	4	#####	286	2507.9	0.000982	0.112	0.000281
KY	H L Spurloc	6041	4	#####	289	2541.6	0.000976	0.111	0.000282
KY	H L Spurloc	6041	4	#####	284	2508.2	0.000971	0.11	0.000276
KY	H L Spurloc	6041	4	#####	299	2674	0.000975	0.109	0.000291
KY	H L Spurloc	6041	4	#####	297	2599.3	0.000971	0.111	0.000289

KY	H L Spurloc	6041	4 #####	300	2672.7	0.00098	0.11	0.000294
KY	H L Spurloc	6041	4 #####	300	2671.9	0.00098	0.11	0.000294
KY	H L Spurloc	6041	4 #####	300	2662.1	0.000976	0.11	0.000293
KY	H L Spurloc	6041	4 #####	300	2650.3	0.000981	0.111	0.000294
KY	H L Spurloc	6041	4 #####	286	2517.5	0.000986	0.112	0.000282
KY	H L Spurloc	6041	4 #####	299	2681.8	0.000987	0.11	0.000295
KY	H L Spurloc	6041	4 #####	290	2546.3	0.000983	0.112	0.000285
KY	H L Spurloc	6041	4 #####	299	2690.9	0.000999	0.111	0.000299
KY	H L Spurloc	6041	4 #####	288	2504.8	0.000983	0.113	0.000283
KY	H L Spurloc	6041	4 #####	299	2687	0.000989	0.11	0.000296
KY	H L Spurloc	6041	4 #####	300	2654.4	0.000973	0.11	0.000292
KY	H L Spurloc	6041	4 #####	300	2586.5	0.000966	0.112	0.00029
KY	H L Spurloc	6041	4 #####	301	2606.5	0.000961	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2607.7	0.000962	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2602.7	0.00096	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2590.4	0.000964	0.112	0.00029
KY	H L Spurloc	6041	4 #####	287	2467.7	0.000972	0.113	0.000279
KY	H L Spurloc	6041	4 #####	299	2629	0.000976	0.111	0.000292
KY	H L Spurloc	6041	4 #####	289	2476.8	0.000968	0.113	0.00028
KY	H L Spurloc	6041	4 #####	300	2620.1	0.000969	0.111	0.000291
KY	H L Spurloc	6041	4 #####	301	2607.5	0.000962	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2587.7	0.000963	0.112	0.00029
KY	H L Spurloc	6041	4 #####	300	2581.6	0.000964	0.112	0.000289
KY	H L Spurloc	6041	4 #####	300	2595.2	0.000969	0.112	0.000291
KY	H L Spurloc	6041	4 #####	300	2603.2	0.000972	0.112	0.000292
KY	H L Spurloc	6041	4 #####	300	2593.4	0.000968	0.112	0.00029
KY	H L Spurloc	6041	4 #####	300	2595.8	0.000969	0.112	0.000291
KY	H L Spurloc	6041	4 #####	300	2596.2	0.000969	0.112	0.000291
KY	H L Spurloc	6041	4 #####	292	2489.6	0.000972	0.114	0.000284
KY	H L Spurloc	6041	4 #####	283	2409.7	0.000979	0.115	0.000277
KY	H L Spurloc	6041	4 #####	299	2603.7	0.000967	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2566.8	0.000955	0.112	0.000287
KY	H L Spurloc	6041	4 #####	301	2578.1	0.000959	0.112	0.000289
KY	H L Spurloc	6041	4 #####	301	2579.3	0.00096	0.112	0.000289
KY	H L Spurloc	6041	4 #####	291	2477.2	0.00097	0.114	0.000282
KY	H L Spurloc	6041	4 #####	299	2606.1	0.000967	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2580.1	0.00096	0.112	0.000289
KY	H L Spurloc	6041	4 #####	301	2620.4	0.000966	0.111	0.000291
KY	H L Spurloc	6041	4 #####	301	2605.8	0.000961	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2596.1	0.000957	0.111	0.000288
KY	H L Spurloc	6041	4 #####	301	2601.2	0.000959	0.111	0.000289
KY	H L Spurloc	6041	4 #####	301	2591.3	0.000956	0.111	0.000288
KY	H L Spurloc	6041	4 #####	301	2585.2	0.000953	0.111	0.000287
KY	H L Spurloc	6041	4 #####	301	2589.3	0.000955	0.111	0.000287
KY	H L Spurloc	6041	4 #####	301	2588.7	0.000955	0.111	0.000287
KY	H L Spurloc	6041	4 #####	301	2576.2	0.00095	0.111	0.000286
KY	H L Spurloc	6041	4 #####	301	2577.1	0.00095	0.111	0.000286

KY	H L Spurloc	6041	4	#####	301	2579	0.00096	0.112	0.000289
KY	H L Spurloc	6041	4	#####	301	2592.7	0.000956	0.111	0.000288
KY	H L Spurloc	6041	4	#####	301	2571.3	0.000957	0.112	0.000288
KY	H L Spurloc	6041	4	#####	301	2577.1	0.000959	0.112	0.000289
KY	H L Spurloc	6041	4	#####	301	2558.8	0.000961	0.113	0.000289
KY	H L Spurloc	6041	4	#####	285	2400.1	0.000968	0.115	0.000276
KY	H L Spurloc	6041	4	#####	299	2581.8	0.000967	0.112	0.000289
KY	H L Spurloc	6041	4	#####	301	2566.4	0.000955	0.112	0.000287
KY	H L Spurloc	6041	4	#####	301	2561.3	0.000962	0.113	0.000289
KY	H L Spurloc	6041	4	#####	301	2569.6	0.000965	0.113	0.00029
KY	H L Spurloc	6041	4	#####	292	2473.3	0.000966	0.114	0.000282
KY	H L Spurloc	6041	4	#####	300	2577	0.000962	0.112	0.000289
KY	H L Spurloc	6041	4	#####	301	2578.9	0.000968	0.113	0.000291
KY	H L Spurloc	6041	4	#####	301	2608.1	0.00097	0.112	0.000292
KY	H L Spurloc	6041	4	#####	301	2632.3	0.000971	0.111	0.000292
KY	H L Spurloc	6041	4	#####	301	2608.1	0.000962	0.111	0.000289
KY	H L Spurloc	6041	4	#####	301	2619.7	0.000975	0.112	0.000293
KY	H L Spurloc	6041	4	#####	301	2587.2	0.000971	0.113	0.000292
KY	H L Spurloc	6041	4	#####	301	2586.7	0.000971	0.113	0.000292
KY	H L Spurloc	6041	4	#####	302	2592.9	0.000962	0.112	0.00029
KY	H L Spurloc	6041	4	#####	293	2534.2	0.000969	0.112	0.000284
KY	H L Spurloc	6041	4	#####	301	2594.5	0.000965	0.112	0.000291
KY	H L Spurloc	6041	4	#####	302	2592	0.000961	0.112	0.00029
KY	H L Spurloc	6041	4	#####	302	2608.2	0.000959	0.111	0.00029
KY	H L Spurloc	6041	4	#####	302	2611.9	0.00096	0.111	0.00029
KY	H L Spurloc	6041	4	#####	301	2595.9	0.000966	0.112	0.000291
KY	H L Spurloc	6041	4	#####	301	2591.1	0.000964	0.112	0.00029
KY	H L Spurloc	6041	4	#####	301	2598.3	0.000967	0.112	0.000291
KY	H L Spurloc	6041	4	#####	301	2619.1	0.000966	0.111	0.000291
KY	H L Spurloc	6041	4	#####	301	2617.4	0.000965	0.111	0.000291
KY	H L Spurloc	6041	4	#####	301	2601.9	0.000968	0.112	0.000291
KY	H L Spurloc	6041	4	#####	301	2608.3	0.000971	0.112	0.000292
KY	H L Spurloc	6041	4	#####	301	2610.4	0.000971	0.112	0.000292
KY	H L Spurloc	6041	4	#####	301	2606.4	0.00097	0.112	0.000292
KY	H L Spurloc	6041	4	#####	302	2608.6	0.000976	0.113	0.000295
KY	H L Spurloc	6041	4	#####	301	2602.9	0.000977	0.113	0.000294
KY	H L Spurloc	6041	4	#####	295	2572.4	0.000985	0.113	0.000291
KY	H L Spurloc	6041	4	#####	256	2176.5	0.00102	0.12	0.000261
KY	H L Spurloc	6041	4	#####	222	1907.9	0.001083	0.126	0.00024
KY	H L Spurloc	6041	4	#####	210	1841.1	0.001113	0.127	0.000234
KY	H L Spurloc	6041	4	#####	210	1873.5	0.001124	0.126	0.000236
KY	H L Spurloc	6041	4	#####	240	2138.9	0.001078	0.121	0.000259
KY	H L Spurloc	6041	4	#####	216	1915.1	0.001099	0.124	0.000237
KY	H L Spurloc	6041	4	#####	211	1903.4	0.001119	0.124	0.000236
KY	H L Spurloc	6041	4	#####	211	1902.3	0.001118	0.124	0.000236
KY	H L Spurloc	6041	4	#####	245	2204.7	0.001062	0.118	0.00026
KY	H L Spurloc	6041	4	#####	298	2690	0.000993	0.11	0.000296

KY	H L Spurloc	6041	4	#####	300	2644.2	0.000978	0.111	0.000294
KY	H L Spurloc	6041	4	#####	300	2640.1	0.000977	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2636.5	0.000976	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2638.3	0.000976	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2641.3	0.000977	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2646.2	0.000979	0.111	0.000294
KY	H L Spurloc	6041	4	#####	300	2642.9	0.000978	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2647.9	0.00098	0.111	0.000294
KY	H L Spurloc	6041	4	#####	300	2623.1	0.000979	0.112	0.000294
KY	H L Spurloc	6041	4	#####	300	2648.8	0.00098	0.111	0.000294
KY	H L Spurloc	6041	4	#####	300	2639.1	0.000976	0.111	0.000293
KY	H L Spurloc	6041	4	#####	284	2451.2	0.000975	0.113	0.000277
KY	H L Spurloc	6041	4	#####	298	2665.2	0.000975	0.109	0.000291
KY	H L Spurloc	6041	4	#####	297	2590.1	0.000959	0.11	0.000285
KY	H L Spurloc	6041	4	#####	296	2565	0.000962	0.111	0.000285
KY	H L Spurloc	6041	4	#####	227	1939.7	0.001042	0.122	0.000237
KY	H L Spurloc	6041	4	#####	210	1840.9	0.001078	0.123	0.000226
KY	H L Spurloc	6041	4	#####	210	1853.3	0.001086	0.123	0.000228
KY	H L Spurloc	6041	4	#####	211	1860.1	0.001093	0.124	0.000231
KY	H L Spurloc	6041	4	#####	239	2170.6	0.001072	0.118	0.000256
KY	H L Spurloc	6041	4	#####	216	1910.2	0.001079	0.122	0.000233
KY	H L Spurloc	6041	4	#####	210	1879.7	0.001092	0.122	0.000229
KY	H L Spurloc	6041	4	#####	244	2223.5	0.001057	0.116	0.000258
KY	H L Spurloc	6041	4	#####	289	2590.3	0.000995	0.111	0.000288
KY	H L Spurloc	6041	4	#####	299	2617.4	0.000963	0.11	0.000288
KY	H L Spurloc	6041	4	#####	299	2607.7	0.000968	0.111	0.000289
KY	H L Spurloc	6041	4	#####	299	2605.9	0.000967	0.111	0.000289
KY	H L Spurloc	6041	4	#####	299	2596.1	0.000964	0.111	0.000288
KY	H L Spurloc	6041	4	#####	299	2595.4	0.000964	0.111	0.000288
KY	H L Spurloc	6041	4	#####	299	2608.1	0.000968	0.111	0.000289
KY	H L Spurloc	6041	4	#####	299	2635.9	0.00097	0.11	0.00029
KY	H L Spurloc	6041	4	#####	299	2660.8	0.00097	0.109	0.00029
KY	H L Spurloc	6041	4	#####	299	2627.4	0.000967	0.11	0.000289
KY	H L Spurloc	6041	4	#####	299	2645.4	0.000973	0.11	0.000291
KY	H L Spurloc	6041	4	#####	299	2632	0.000977	0.111	0.000292
KY	H L Spurloc	6041	4	#####	289	2494.1	0.000975	0.113	0.000282
KY	H L Spurloc	6041	4	#####	292	2588.7	0.000984	0.111	0.000287
KY	H L Spurloc	6041	4	#####	299	2624.3	0.000974	0.111	0.000291
KY	H L Spurloc	6041	4	#####	300	2637.9	0.000976	0.111	0.000293
KY	H L Spurloc	6041	4	#####	300	2650	0.000972	0.11	0.000292
KY	H L Spurloc	6041	4	#####	300	2630.3	0.000964	0.11	0.000289
KY	H L Spurloc	6041	4	#####	300	2651.8	0.000972	0.11	0.000292
KY	H L Spurloc	6041	4	#####	300	2650.3	0.000972	0.11	0.000292
KY	H L Spurloc	6041	4	#####	294	2619	0.000971	0.109	0.000285
KY	H L Spurloc	6041	4	#####	299	2705.2	0.000977	0.108	0.000292
KY	H L Spurloc	6041	4	#####	300	2696.4	0.00098	0.109	0.000294
KY	H L Spurloc	6041	4	#####	296	2677.8	0.000977	0.108	0.000289

KY	H L Spurloc	6041	4 #####	298	2672.3	0.000977	0.109	0.000291
KY	H L Spurloc	6041	4 #####	299	2672.5	0.001162	0.13	0.000347
KY	H L Spurloc	6041	4 #####	299	2694.8	0.001163	0.129	0.000348
KY	H L Spurloc	6041	4 #####	299	2620.9	0.001157	0.132	0.000346
KY	H L Spurloc	6041	4 #####	299	2664.2	0.001167	0.131	0.000349
KY	H L Spurloc	6041	4 #####	299	2654.7	0.001163	0.131	0.000348
KY	H L Spurloc	6041	4 #####	299	2658.3	0.001174	0.132	0.000351
KY	H L Spurloc	6041	4 #####	299	2654.8	0.001181	0.133	0.000353
KY	H L Spurloc	6041	4 #####	299	2686.1	0.001186	0.132	0.000355
KY	H L Spurloc	6041	4 #####	299	2696.4	0.001181	0.131	0.000353
KY	H L Spurloc	6041	4 #####	299	2669.7	0.001179	0.132	0.000352
KY	H L Spurloc	6041	4 #####	291	2582.4	0.00118	0.133	0.000343
KY	H L Spurloc	6041	4 #####	295	2674.2	0.001188	0.131	0.00035
KY	H L Spurloc	6041	4 #####	284	2494.5	0.001177	0.134	0.000334
KY	H L Spurloc	6041	4 #####	295	2649.9	0.001186	0.132	0.00035
KY	H L Spurloc	6041	4 6/1/2022	299	2636.8	0.001164	0.132	0.000348
KY	H L Spurloc	6041	4 6/1/2022	300	2659.3	0.00117	0.132	0.000351
KY	H L Spurloc	6041	4 6/1/2022	300	2646.6	0.001173	0.133	0.000352
KY	H L Spurloc	6041	4 6/1/2022	300	2638.2	0.00117	0.133	0.000351
KY	H L Spurloc	6041	4 6/1/2022	287	2488.1	0.00117	0.135	0.000336
KY	H L Spurloc	6041	4 6/1/2022	298	2657.5	0.001186	0.133	0.000353
KY	H L Spurloc	6041	4 6/1/2022	294	2594.3	0.001174	0.133	0.000345
KY	H L Spurloc	6041	4 6/1/2022	299	2643.4	0.001167	0.132	0.000349
KY	H L Spurloc	6041	4 6/1/2022	287	2495.5	0.001165	0.134	0.000334
KY	H L Spurloc	6041	4 6/1/2022	298	2641.9	0.001179	0.133	0.000351
KY	H L Spurloc	6041	4 6/1/2022	299	2611.7	0.001162	0.133	0.000347
KY	H L Spurloc	6041	4 6/1/2022	299	2627.7	0.001169	0.133	0.000349
KY	H L Spurloc	6041	4 6/1/2022	299	2640.6	0.001166	0.132	0.000349
KY	H L Spurloc	6041	4 6/1/2022	299	2626.3	0.001159	0.132	0.000347
KY	H L Spurloc	6041	4 6/1/2022	299	2631.8	0.001162	0.132	0.000347
KY	H L Spurloc	6041	4 6/1/2022	297	2622.3	0.001165	0.132	0.000346
KY	H L Spurloc	6041	4 6/1/2022	284	2445.1	0.001162	0.135	0.00033
KY	H L Spurloc	6041	4 6/1/2022	296	2634.1	0.001175	0.132	0.000348
KY	H L Spurloc	6041	4 6/1/2022	299	2593.5	0.001154	0.133	0.000345
KY	H L Spurloc	6041	4 6/1/2022	286	2466.2	0.001164	0.135	0.000333
KY	H L Spurloc	6041	4 6/1/2022	290	2559.7	0.001183	0.134	0.000343
KY	H L Spurloc	6041	4 6/1/2022	299	2608.8	0.001169	0.134	0.00035
KY	H L Spurloc	6041	4 6/1/2022	290	2511.8	0.001169	0.135	0.000339
KY	H L Spurloc	6041	4 6/1/2022	264	2298.3	0.00121	0.139	0.000319
KY	H L Spurloc	6041	4 6/2/2022	282	2509.1	0.001201	0.135	0.000339
KY	H L Spurloc	6041	4 6/2/2022	280	2468.5	0.00119	0.135	0.000333
KY	H L Spurloc	6041	4 6/2/2022	295	2637	0.001189	0.133	0.000351
KY	H L Spurloc	6041	4 6/2/2022	300	2589.8	0.001157	0.134	0.000347
KY	H L Spurloc	6041	4 6/2/2022	299	2605.6	0.001168	0.134	0.000349
KY	H L Spurloc	6041	4 6/2/2022	299	2624.9	0.001168	0.133	0.000349
KY	H L Spurloc	6041	4 6/2/2022	300	2599.3	0.001161	0.134	0.000348
KY	H L Spurloc	6041	4 6/2/2022	247	2088.2	0.001217	0.144	0.000301

KY	H L Spurloc	6041	4	6/2/2022	237	2078.4	0.001272	0.145	0.000301
KY	H L Spurloc	6041	4	6/2/2022	296	2663.5	0.001188	0.132	0.000352
KY	H L Spurloc	6041	4	6/2/2022	262	2304.7	0.001205	0.137	0.000316
KY	H L Spurloc	6041	4	6/2/2022	270	2412.2	0.001197	0.134	0.000323
KY	H L Spurloc	6041	4	6/2/2022	301	2661.5	0.001167	0.132	0.000351
KY	H L Spurloc	6041	4	6/2/2022	301	2641.7	0.001158	0.132	0.000349
KY	H L Spurloc	6041	4	6/2/2022	300	2637.7	0.001161	0.132	0.000348
KY	H L Spurloc	6041	4	6/2/2022	300	2647.7	0.001165	0.132	0.000349
KY	H L Spurloc	6041	4	6/2/2022	284	2483.4	0.001172	0.134	0.000333
KY	H L Spurloc	6041	4	6/2/2022	297	2616.4	0.001172	0.133	0.000348
KY	H L Spurloc	6041	4	6/2/2022	270	2324.2	0.001188	0.138	0.000321
KY	H L Spurloc	6041	4	6/2/2022	249	2173.7	0.001231	0.141	0.000306
KY	H L Spurloc	6041	4	6/2/2022	255	2200.3	0.001217	0.141	0.00031
KY	H L Spurloc	6041	4	6/2/2022	216	1856.3	0.001298	0.151	0.00028
KY	H L Spurloc	6041	4	6/2/2022	210	1839.1	0.001322	0.151	0.000278
KY	H L Spurloc	6041	4	6/2/2022	210	1835.5	0.001329	0.152	0.000279
KY	H L Spurloc	6041	4	6/3/2022	210	1856.3	0.001335	0.151	0.00028
KY	H L Spurloc	6041	4	6/3/2022	210	1854.2	0.001333	0.151	0.00028
KY	H L Spurloc	6041	4	6/3/2022	210	1869.7	0.001327	0.149	0.000279
KY	H L Spurloc	6041	4	6/3/2022	210	1867.7	0.001325	0.149	0.000278
KY	H L Spurloc	6041	4	6/3/2022	210	1861.8	0.001339	0.151	0.000281
KY	H L Spurloc	6041	4	6/3/2022	210	1872.7	0.001347	0.151	0.000283
KY	H L Spurloc	6041	4	6/3/2022	210	1872.8	0.001347	0.151	0.000283
KY	H L Spurloc	6041	4	6/3/2022	210	1867.4	0.001343	0.151	0.000282
KY	H L Spurloc	6041	4	6/3/2022	210	1877.1	0.001323	0.148	0.000278
KY	H L Spurloc	6041	4	6/3/2022	210	1876.1	0.001313	0.147	0.000276
KY	H L Spurloc	6041	4	6/3/2022	210	1869.2	0.001308	0.147	0.000275
KY	H L Spurloc	6041	4	6/3/2022	240	2141.2	0.001258	0.141	0.000302
KY	H L Spurloc	6041	4	6/3/2022	266	2366.9	0.001192	0.134	0.000317
KY	H L Spurloc	6041	4	6/3/2022	281	2460.5	0.001165	0.133	0.000327
KY	H L Spurloc	6041	4	6/3/2022	300	2602.5	0.001145	0.132	0.000344
KY	H L Spurloc	6041	4	6/3/2022	300	2576.9	0.001142	0.133	0.000343
KY	H L Spurloc	6041	4	6/3/2022	301	2587.8	0.001143	0.133	0.000344
KY	H L Spurloc	6041	4	6/3/2022	296	2529.5	0.001145	0.134	0.000339
KY	H L Spurloc	6041	4	6/3/2022	287	2451.9	0.001145	0.134	0.000329
KY	H L Spurloc	6041	4	6/3/2022	295	2541.1	0.001146	0.133	0.000338
KY	H L Spurloc	6041	4	6/3/2022	290	2508.3	0.001159	0.134	0.000336
KY	H L Spurloc	6041	4	6/3/2022	229	1934.2	0.001225	0.145	0.00028
KY	H L Spurloc	6041	4	6/3/2022	210	1803.7	0.00128	0.149	0.000269
KY	H L Spurloc	6041	4	6/3/2022	210	1833.7	0.001292	0.148	0.000271
KY	H L Spurloc	6041	4	6/4/2022	210	1831.9	0.001291	0.148	0.000271
KY	H L Spurloc	6041	4	6/4/2022	210	1838	0.001287	0.147	0.00027
KY	H L Spurloc	6041	4	6/4/2022	210	1854.9	0.001281	0.145	0.000269
KY	H L Spurloc	6041	4	6/4/2022	210	1853.3	0.00128	0.145	0.000269
KY	H L Spurloc	6041	4	6/4/2022	210	1857.8	0.0013	0.147	0.000273
KY	H L Spurloc	6041	4	6/4/2022	210	1864.8	0.001314	0.148	0.000276
KY	H L Spurloc	6041	4	6/4/2022	210	1868.9	0.00129	0.145	0.000271

KY	H L Spurloc	6041	4	6/4/2022	210	1845.5	0.001292	0.147	0.000271
KY	H L Spurloc	6041	4	6/4/2022	210	1839.9	0.001297	0.148	0.000272
KY	H L Spurloc	6041	4	6/4/2022	210	1848.7	0.001294	0.147	0.000272
KY	H L Spurloc	6041	4	6/4/2022	210	1847.9	0.001294	0.147	0.000272
KY	H L Spurloc	6041	4	6/4/2022	210	1849.6	0.001304	0.148	0.000274
KY	H L Spurloc	6041	4	6/4/2022	210	1869.8	0.001318	0.148	0.000277
KY	H L Spurloc	6041	4	6/4/2022	210	1854.2	0.001316	0.149	0.000276
KY	H L Spurloc	6041	4	6/4/2022	210	1854.9	0.001316	0.149	0.000276
KY	H L Spurloc	6041	4	6/4/2022	210	1868.3	0.001317	0.148	0.000277
KY	H L Spurloc	6041	4	6/4/2022	210	1860	0.001311	0.148	0.000275
KY	H L Spurloc	6041	4	6/4/2022	210	1856.6	0.0013	0.147	0.000273
KY	H L Spurloc	6041	4	6/4/2022	210	1864	0.001287	0.145	0.00027
KY	H L Spurloc	6041	4	6/4/2022	210	1863.5	0.001304	0.147	0.000274
KY	H L Spurloc	6041	4	6/4/2022	210	1851.6	0.001314	0.149	0.000276
KY	H L Spurloc	6041	4	6/4/2022	210	1853	0.001332	0.151	0.00028
KY	H L Spurloc	6041	4	6/4/2022	210	1859.1	0.001337	0.151	0.000281
KY	H L Spurloc	6041	4	6/4/2022	210	1860.3	0.001338	0.151	0.000281
KY	H L Spurloc	6041	4	6/5/2022	209	1864.4	0.001329	0.149	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1831.6	0.001323	0.151	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1843.6	0.001332	0.151	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1839.1	0.001329	0.151	0.000278
KY	H L Spurloc	6041	4	6/5/2022	208	1833.6	0.001331	0.151	0.000277
KY	H L Spurloc	6041	4	6/5/2022	208	1848.4	0.001342	0.151	0.000279
KY	H L Spurloc	6041	4	6/5/2022	209	1858.6	0.001343	0.151	0.000281
KY	H L Spurloc	6041	4	6/5/2022	209	1864.3	0.001329	0.149	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1876	0.001337	0.149	0.00028
KY	H L Spurloc	6041	4	6/5/2022	208	1870.9	0.00134	0.149	0.000279
KY	H L Spurloc	6041	4	6/5/2022	208	1866.7	0.001337	0.149	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1855.6	0.001323	0.149	0.000276
KY	H L Spurloc	6041	4	6/5/2022	209	1836.6	0.001327	0.151	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1842	0.001331	0.151	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1836.7	0.001327	0.151	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1855.3	0.001323	0.149	0.000276
KY	H L Spurloc	6041	4	6/5/2022	209	1861.9	0.001327	0.149	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1871.5	0.001325	0.148	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1845.2	0.001315	0.149	0.000275
KY	H L Spurloc	6041	4	6/5/2022	209	1854.1	0.001322	0.149	0.000276
KY	H L Spurloc	6041	4	6/5/2022	209	1852.4	0.001321	0.149	0.000276
KY	H L Spurloc	6041	4	6/5/2022	209	1856.5	0.001324	0.149	0.000277
KY	H L Spurloc	6041	4	6/5/2022	209	1862.5	0.001328	0.149	0.000278
KY	H L Spurloc	6041	4	6/5/2022	209	1843.5	0.001332	0.151	0.000278
KY	H L Spurloc	6041	4	6/6/2022	208	1844.2	0.001321	0.149	0.000275
KY	H L Spurloc	6041	4	6/6/2022	208	1852.4	0.001318	0.148	0.000274
KY	H L Spurloc	6041	4	6/6/2022	208	1835.2	0.001306	0.148	0.000272
KY	H L Spurloc	6041	4	6/6/2022	208	1837.6	0.001308	0.148	0.000272
KY	H L Spurloc	6041	4	6/6/2022	208	1828.9	0.00131	0.149	0.000273
KY	H L Spurloc	6041	4	6/6/2022	210	1846.7	0.00131	0.149	0.000275

KY	H L Spurloc	6041	4	6/6/2022	210	1856	0.001308	0.148	0.000275
KY	H L Spurloc	6041	4	6/6/2022	210	1857.3	0.001344	0.152	0.000282
KY	H L Spurloc	6041	4	6/6/2022	210	1854.2	0.000188	0.0213	3.95E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1853.4	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1855	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1866.2	0.000188	0.0211	3.94E-05
KY	H L Spurloc	6041	4	6/6/2022	218	1927.3	0.000187	0.0211	4.07E-05
KY	H L Spurloc	6041	4	6/6/2022	248	2194.8	0.000177	0.02	4.39E-05
KY	H L Spurloc	6041	4	6/6/2022	247	2144.4	0.000174	0.02	4.29E-05
KY	H L Spurloc	6041	4	6/6/2022	227	1983.7	0.000184	0.0211	4.19E-05
KY	H L Spurloc	6041	4	6/6/2022	239	2040.7	0.000178	0.0209	4.27E-05
KY	H L Spurloc	6041	4	6/6/2022	237	2098.8	0.000182	0.0205	4.3E-05
KY	H L Spurloc	6041	4	6/6/2022	224	1944.2	0.000181	0.0209	4.06E-05
KY	H L Spurloc	6041	4	6/6/2022	211	1840.7	0.000186	0.0213	3.92E-05
KY	H L Spurloc	6041	4	6/6/2022	236	2064.1	0.000179	0.0205	4.23E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1838	0.000186	0.0213	3.91E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1847.8	0.000189	0.0215	3.97E-05
KY	H L Spurloc	6041	4	6/6/2022	210	1849.9	0.000188	0.0213	3.94E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1860.4	0.000187	0.0211	3.93E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1851.2	0.000188	0.0213	3.94E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1842.4	0.000187	0.0213	3.92E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1839.1	0.000187	0.0213	3.92E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1841.4	0.000189	0.0215	3.96E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1862.5	0.000191	0.0215	4E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1875.4	0.000192	0.0215	4.03E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1878	0.000192	0.0215	4.04E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1892.8	0.00019	0.0211	3.99E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1877.5	0.000187	0.0209	3.92E-05
KY	H L Spurloc	6041	4	6/7/2022	237	2139.4	0.000179	0.0198	4.24E-05
KY	H L Spurloc	6041	4	6/7/2022	214	1850.9	0.000181	0.0209	3.87E-05
KY	H L Spurloc	6041	4	6/7/2022	213	1876.1	0.000182	0.0207	3.88E-05
KY	H L Spurloc	6041	4	6/7/2022	225	1986.4	0.000181	0.0205	4.07E-05
KY	H L Spurloc	6041	4	6/7/2022	256	2278	0.000174	0.0195	4.44E-05
KY	H L Spurloc	6041	4	6/7/2022	269	2365.1	0.000171	0.0195	4.61E-05
KY	H L Spurloc	6041	4	6/7/2022	300	2585.5	0.000165	0.0191	4.94E-05
KY	H L Spurloc	6041	4	6/7/2022	294	2578.8	0.000167	0.019	4.9E-05
KY	H L Spurloc	6041	4	6/7/2022	299	2572.3	0.000166	0.0193	4.96E-05
KY	H L Spurloc	6041	4	6/7/2022	296	2587.5	0.000167	0.0191	4.94E-05
KY	H L Spurloc	6041	4	6/7/2022	259	2214.9	0.000173	0.0202	4.47E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1852.8	0.00019	0.0215	3.98E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1855.4	0.00019	0.0215	3.99E-05
KY	H L Spurloc	6041	4	6/7/2022	210	1863.4	0.000191	0.0215	4.01E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1887.1	0.000193	0.0215	4.06E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1871.1	0.00019	0.0213	3.99E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1872.9	0.000188	0.0211	3.95E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1861.6	0.000187	0.0211	3.93E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1843.1	0.000185	0.0211	3.89E-05

KY	H L Spurloc	6041	4	6/8/2022	210	1849	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1858.9	0.000187	0.0211	3.92E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1863	0.000185	0.0209	3.89E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1848.3	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1865.6	0.000189	0.0213	3.97E-05
KY	H L Spurloc	6041	4	6/8/2022	215	1916.7	0.000188	0.0211	4.04E-05
KY	H L Spurloc	6041	4	6/8/2022	242	2164.7	0.000181	0.0202	4.37E-05
KY	H L Spurloc	6041	4	6/8/2022	300	2624	0.000162	0.0185	4.85E-05
KY	H L Spurloc	6041	4	6/8/2022	296	2550.1	0.000161	0.0187	4.77E-05
KY	H L Spurloc	6041	4	6/8/2022	299	2572.5	0.000161	0.0187	4.81E-05
KY	H L Spurloc	6041	4	6/8/2022	285	2436.1	0.000163	0.0191	4.65E-05
KY	H L Spurloc	6041	4	6/8/2022	284	2463.1	0.000166	0.0191	4.7E-05
KY	H L Spurloc	6041	4	6/8/2022	232	1982.2	0.000175	0.0205	4.06E-05
KY	H L Spurloc	6041	4	6/8/2022	211	1810.2	0.000184	0.0215	3.89E-05
KY	H L Spurloc	6041	4	6/8/2022	218	1881.3	0.000184	0.0213	4.01E-05
KY	H L Spurloc	6041	4	6/8/2022	229	1999.9	0.000183	0.0209	4.18E-05
KY	H L Spurloc	6041	4	6/8/2022	216	1837.9	0.000183	0.0215	3.95E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1831.7	0.000186	0.0213	3.9E-05
KY	H L Spurloc	6041	4	6/8/2022	210	1840.7	0.000187	0.0213	3.92E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1846.5	0.000187	0.0213	3.93E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1839.5	0.000187	0.0213	3.92E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1846	0.000185	0.0211	3.9E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1838.2	0.000185	0.0211	3.88E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1854.3	0.000185	0.0209	3.88E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1854.2	0.000185	0.0209	3.88E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1855.3	0.000185	0.0209	3.88E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1853.5	0.000184	0.0209	3.87E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1854.7	0.000185	0.0209	3.88E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1860.2	0.000185	0.0209	3.89E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1867.7	0.000186	0.0209	3.9E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1870.2	0.000186	0.0209	3.91E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1865.7	0.000186	0.0209	3.9E-05
KY	H L Spurloc	6041	4	6/9/2022	216	1927.2	0.000185	0.0207	3.99E-05
KY	H L Spurloc	6041	4	6/9/2022	242	2182.2	0.000179	0.0198	4.32E-05
KY	H L Spurloc	6041	4	6/9/2022	256	2264.1	0.000171	0.0193	4.37E-05
KY	H L Spurloc	6041	4	6/9/2022	238	2140.9	0.000176	0.0196	4.2E-05
KY	H L Spurloc	6041	4	6/9/2022	248	2161.8	0.000173	0.0198	4.28E-05
KY	H L Spurloc	6041	4	6/9/2022	223	1976.5	0.00018	0.0203	4.01E-05
KY	H L Spurloc	6041	4	6/9/2022	218	1904.4	0.000181	0.0207	3.94E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1825.5	0.000185	0.0213	3.89E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1834.4	0.000184	0.0211	3.87E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1849.3	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4	6/9/2022	210	1852.4	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	#####	210	1853.6	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	#####	210	1850.8	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	#####	210	1851.2	0.000186	0.0211	3.91E-05
KY	H L Spurloc	6041	4	#####	210	1843.6	0.000185	0.0211	3.89E-05

KY	H L Spurloc	6041	4	#####	210	1860.3	0.000187	0.0211	3.93E-05
KY	H L Spurloc	6041	4	#####	210	1864.3	0.000187	0.0211	3.93E-05
KY	H L Spurloc	6041	4	#####	210	1877.9	0.000187	0.0209	3.92E-05
KY	H L Spurloc	6041	4	#####	210	1871.1	0.000186	0.0209	3.91E-05
KY	H L Spurloc	6041	4	#####	210	1868.2	0.000186	0.0209	3.9E-05
KY	H L Spurloc	6041	4	#####	210	1867.7	0.000186	0.0209	3.9E-05
KY	H L Spurloc	6041	4	#####	210	1885.4	0.000186	0.0207	3.9E-05
KY	H L Spurloc	6041	4	#####	210	1879.5	0.000185	0.0207	3.89E-05
KY	H L Spurloc	6041	4	#####	210	1858.5	0.000189	0.0213	3.96E-05
KY	H L Spurloc	6041	4	#####	210	1852.6	0.00019	0.0215	3.98E-05
KY	H L Spurloc	6041	4	#####	211	1887.6	0.000187	0.0209	3.95E-05
KY	H L Spurloc	6041	4	#####	210	1845.3	0.000185	0.0211	3.89E-05
KY	H L Spurloc	6041	4	#####	210	1857.3	0.000185	0.0209	3.88E-05
KY	H L Spurloc	6041	4	#####	210	1848.9	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4	#####	210	1849.1	0.000188	0.0213	3.94E-05
KY	H L Spurloc	6041	4	#####	210	1864.5	0.000189	0.0213	3.97E-05
KY	H L Spurloc	6041	4	#####	210	1877.8	0.000189	0.0211	3.96E-05
KY	H L Spurloc	6041	4	#####	210	1872.8	0.000188	0.0211	3.95E-05
KY	H L Spurloc	6041	4	#####	210	1865.5	0.000189	0.0213	3.97E-05
KY	H L Spurloc	6041	4	#####	210	1866.2	0.000188	0.0211	3.94E-05
KY	H L Spurloc	6041	4	#####	210	1859.8	0.000187	0.0211	3.92E-05
KY	H L Spurloc	6041	4	#####	210	1851.7	0.000188	0.0213	3.94E-05
KY	H L Spurloc	6041	4	#####	233	2092.7	0.000184	0.0205	4.29E-05
KY	H L Spurloc	6041	4	#####	260	2287.6	0.000174	0.0198	4.53E-05
KY	H L Spurloc	6041	4	#####	260	2291.6	0.000173	0.0196	4.49E-05
KY	H L Spurloc	6041	4	#####	260	2287.8	0.000172	0.0196	4.48E-05
KY	H L Spurloc	6041	4	#####	260	2276.8	0.000172	0.0196	4.46E-05
KY	H L Spurloc	6041	4	#####	260	2298.4	0.000171	0.0193	4.44E-05
KY	H L Spurloc	6041	4	#####	260	2299.6	0.000171	0.0193	4.44E-05
KY	H L Spurloc	6041	4	#####	260	2293.4	0.000172	0.0195	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2280.4	0.000172	0.0196	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2284.5	0.000172	0.0196	4.48E-05
KY	H L Spurloc	6041	4	#####	260	2294.2	0.000172	0.0195	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2290.4	0.000172	0.0195	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2289.8	0.000172	0.0195	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2290.9	0.000172	0.0195	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2288.9	0.000172	0.0195	4.46E-05
KY	H L Spurloc	6041	4	#####	260	2295.1	0.000172	0.0195	4.48E-05
KY	H L Spurloc	6041	4	#####	260	2297	0.000172	0.0195	4.48E-05
KY	H L Spurloc	6041	4	#####	260	2302.9	0.000173	0.0195	4.49E-05
KY	H L Spurloc	6041	4	#####	260	2316.8	0.000172	0.0193	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2310.8	0.000172	0.0193	4.46E-05
KY	H L Spurloc	6041	4	#####	260	2313.3	0.000172	0.0193	4.46E-05
KY	H L Spurloc	6041	4	#####	259	2314.2	0.000172	0.0193	4.47E-05
KY	H L Spurloc	6041	4	#####	260	2305.7	0.000171	0.0193	4.45E-05
KY	H L Spurloc	6041	4	#####	260	2283.4	0.000169	0.0193	4.41E-05
KY	H L Spurloc	6041	4	#####	260	2266.8	0.000168	0.0193	4.37E-05

KY	H L Spurloc	6041	4 #####	227	1935.4	0.000175	0.0205	3.97E-05
KY	H L Spurloc	6041	4 #####	210	1817.9	0.000181	0.0209	3.8E-05
KY	H L Spurloc	6041	4 #####	210	1849	0.000182	0.0207	3.83E-05
KY	H L Spurloc	6041	4 #####	210	1824.9	0.000182	0.0209	3.81E-05
KY	H L Spurloc	6041	4 #####	210	1820	0.000181	0.0209	3.8E-05
KY	H L Spurloc	6041	4 #####	210	1831.5	0.000182	0.0209	3.83E-05
KY	H L Spurloc	6041	4 #####	210	1838.9	0.000183	0.0209	3.84E-05
KY	H L Spurloc	6041	4 #####	210	1829.1	0.000184	0.0211	3.86E-05
KY	H L Spurloc	6041	4 #####	210	1839.6	0.000185	0.0211	3.88E-05
KY	H L Spurloc	6041	4 #####	210	1846	0.000185	0.0211	3.9E-05
KY	H L Spurloc	6041	4 #####	210	1847.5	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4 #####	210	1850.7	0.000186	0.0211	3.9E-05
KY	H L Spurloc	6041	4 #####	235	2096.8	0.000181	0.0203	4.26E-05
KY	H L Spurloc	6041	4 #####	295	2564.9	0.000166	0.0191	4.9E-05
KY	H L Spurloc	6041	4 #####	291	2509.8	0.000165	0.0191	4.79E-05
KY	H L Spurloc	6041	4 #####	290	2526.6	0.000166	0.0191	4.83E-05
KY	H L Spurloc	6041	4 #####	298	2567.6	0.000164	0.019	4.88E-05
KY	H L Spurloc	6041	4 #####	295	2538.3	0.000164	0.0191	4.85E-05
KY	H L Spurloc	6041	4 #####	274	2372.1	0.000169	0.0195	4.63E-05
KY	H L Spurloc	6041	4 #####	219	1905.6	0.000182	0.0209	3.98E-05
KY	H L Spurloc	6041	4 #####	262	2332.8	0.000175	0.0196	4.57E-05
KY	H L Spurloc	6041	4 #####	299	2590.4	0.000165	0.019	4.92E-05
KY	H L Spurloc	6041	4 #####	298	2593.1	0.000164	0.0188	4.88E-05
KY	H L Spurloc	6041	4 #####	298	2611.1	0.000166	0.019	4.96E-05
KY	H L Spurloc	6041	4 #####	298	2626.1	0.000166	0.0188	4.94E-05
KY	H L Spurloc	6041	4 #####	291	2534.4	0.000165	0.019	4.82E-05
KY	H L Spurloc	6041	4 #####	297	2638.6	0.000163	0.0183	4.83E-05
KY	H L Spurloc	6041	4 #####	291	2523.5	0.000162	0.0187	4.72E-05
KY	H L Spurloc	6041	4 #####	297	2614.9	0.000166	0.0188	4.92E-05
KY	H L Spurloc	6041	4 #####	299	2639.2	0.000166	0.0188	4.96E-05
KY	H L Spurloc	6041	4 #####	299	2615.3	0.000166	0.019	4.97E-05
KY	H L Spurloc	6041	4 #####	286	2489	0.000454	0.0522	0.00013
KY	H L Spurloc	6041	4 #####	296	2621.8	0.000458	0.0517	0.000136
KY	H L Spurloc	6041	4 #####	298	2641.6	0.000455	0.0513	0.000136
KY	H L Spurloc	6041	4 #####	298	2647.5	0.000451	0.0508	0.000134
KY	H L Spurloc	6041	4 #####	297	2628.7	0.00045	0.0508	0.000134
KY	H L Spurloc	6041	4 #####	298	2618.9	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4 #####	298	2623.8	0.000452	0.0513	0.000135
KY	H L Spurloc	6041	4 #####	298	2640.4	0.000455	0.0513	0.000135
KY	H L Spurloc	6041	4 #####	299	2640.8	0.000453	0.0513	0.000135
KY	H L Spurloc	6041	4 #####	300	2603.5	0.000445	0.0513	0.000134
KY	H L Spurloc	6041	4 #####	300	2604.2	0.000441	0.0508	0.000132
KY	H L Spurloc	6041	4 #####	300	2602.8	0.000445	0.0513	0.000134
KY	H L Spurloc	6041	4 #####	294	2566.9	0.000448	0.0513	0.000132
KY	H L Spurloc	6041	4 #####	286	2488.2	0.00045	0.0517	0.000129
KY	H L Spurloc	6041	4 #####	288	2511.4	0.000447	0.0513	0.000129
KY	H L Spurloc	6041	4 #####	296	2599.1	0.000446	0.0508	0.000132

KY	H L Spurloc	6041	4	#####	281	2445.6	0.00045	0.0517	0.000126
KY	H L Spurloc	6041	4	#####	286	2504.5	0.000449	0.0513	0.000128
KY	H L Spurloc	6041	4	#####	291	2547.4	0.000445	0.0508	0.000129
KY	H L Spurloc	6041	4	#####	286	2484.9	0.000446	0.0513	0.000127
KY	H L Spurloc	6041	4	#####	299	2656	0.000448	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	291	2538.1	0.000447	0.0513	0.00013
KY	H L Spurloc	6041	4	#####	298	2632.8	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2630	0.000447	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2630.8	0.000447	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	290	2567.1	0.000454	0.0513	0.000132
KY	H L Spurloc	6041	4	#####	296	2636.8	0.000453	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2631.8	0.000447	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2640.3	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	298	2640.5	0.00045	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	292	2598.3	0.000452	0.0508	0.000132
KY	H L Spurloc	6041	4	#####	298	2634.3	0.000446	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	299	2639.7	0.000445	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	299	2641.5	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2632.8	0.000455	0.0517	0.000136
KY	H L Spurloc	6041	4	#####	288	2514.7	0.000456	0.0522	0.000131
KY	H L Spurloc	6041	4	#####	297	2649.9	0.000453	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	299	2641.9	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	300	2653.4	0.000449	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	299	2616.9	0.000449	0.0513	0.000134
KY	H L Spurloc	6041	4	#####	300	2647.9	0.000448	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	300	2608.3	0.000442	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	285	2450.5	0.000445	0.0517	0.000127
KY	H L Spurloc	6041	4	#####	298	2591.9	0.000442	0.0508	0.000132
KY	H L Spurloc	6041	4	#####	300	2574.4	0.00044	0.0513	0.000132
KY	H L Spurloc	6041	4	#####	300	2591.3	0.000447	0.0517	0.000134
KY	H L Spurloc	6041	4	#####	299	2608.7	0.000451	0.0517	0.000135
KY	H L Spurloc	6041	4	#####	299	2625.2	0.00045	0.0513	0.000135
KY	H L Spurloc	6041	4	#####	288	2520.1	0.000452	0.0517	0.00013
KY	H L Spurloc	6041	4	#####	298	2674.8	0.000456	0.0508	0.000136
KY	H L Spurloc	6041	4	#####	299	2669.5	0.00045	0.0504	0.000135
KY	H L Spurloc	6041	4	#####	299	2627.6	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	299	2650.9	0.00045	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	299	2649.9	0.00045	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	299	2641.5	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2639	0.000453	0.0513	0.000135
KY	H L Spurloc	6041	4	#####	299	2642.2	0.000453	0.0513	0.000136
KY	H L Spurloc	6041	4	#####	299	2640.4	0.000453	0.0513	0.000135
KY	H L Spurloc	6041	4	#####	290	2523.1	0.000454	0.0522	0.000132
KY	H L Spurloc	6041	4	#####	286	2517.6	0.000455	0.0517	0.00013
KY	H L Spurloc	6041	4	#####	294	2615.8	0.000452	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	299	2665.7	0.000449	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	300	2646.3	0.000445	0.0504	0.000133

KY	H L Spurloc	6041	4	#####	299	2644.9	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	300	2634.4	0.00045	0.0513	0.000135
KY	H L Spurloc	6041	4	#####	300	2656.2	0.00045	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	290	2539.2	0.000453	0.0517	0.000131
KY	H L Spurloc	6041	4	#####	290	2577.4	0.000456	0.0513	0.000132
KY	H L Spurloc	6041	4	#####	296	2666.1	0.000454	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	298	2669.7	0.000452	0.0504	0.000135
KY	H L Spurloc	6041	4	#####	288	2539.7	0.000452	0.0513	0.00013
KY	H L Spurloc	6041	4	#####	297	2659.8	0.000451	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	299	2620.5	0.000445	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	299	2653.1	0.000447	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	299	2670.5	0.00045	0.0504	0.000135
KY	H L Spurloc	6041	4	#####	299	2648	0.000446	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	294	2632.3	0.000451	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	298	2634.4	0.000449	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	299	2662.7	0.000452	0.0508	0.000135
KY	H L Spurloc	6041	4	#####	297	2608.4	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	298	2630.1	0.000448	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	298	2621.9	0.000447	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	298	2614.1	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	298	2617.9	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	298	2619	0.000446	0.0508	0.000133
KY	H L Spurloc	6041	4	#####	277	2399.5	0.000456	0.0526	0.000126
KY	H L Spurloc	6041	4	#####	243	2131.6	0.000478	0.0545	0.000116
KY	H L Spurloc	6041	4	#####	226	1960.6	0.000486	0.056	0.00011
KY	H L Spurloc	6041	4	#####	210	1861.7	0.000501	0.0565	0.000105
KY	H L Spurloc	6041	4	#####	217	1936.7	0.0005	0.056	0.000108
KY	H L Spurloc	6041	4	#####	212	1907.5	0.000504	0.056	0.000107
KY	H L Spurloc	6041	4	#####	237	2157.2	0.000487	0.0535	0.000115
KY	H L Spurloc	6041	4	#####	228	2045.7	0.000489	0.0545	0.000111
KY	H L Spurloc	6041	4	#####	250	2242.3	0.000476	0.0531	0.000119
KY	H L Spurloc	6041	4	#####	287	2592.9	0.000455	0.0504	0.000131
KY	H L Spurloc	6041	4	#####	282	2494.3	0.000454	0.0513	0.000128
KY	H L Spurloc	6041	4	#####	293	2645.8	0.000459	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	294	2650.9	0.000454	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	296	2633.3	0.000452	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	297	2646.9	0.000453	0.0508	0.000134
KY	H L Spurloc	6041	4	#####	297	2653.2	0.00045	0.0504	0.000134
KY	H L Spurloc	6041	4	#####	297	2644.3	0.000449	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	297	2645.1	0.000449	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	297	2638.2	0.000448	0.0504	0.000133
KY	H L Spurloc	6041	4	#####	297	2634.4	0.000444	0.05	0.000132
KY	H L Spurloc	6041	4	#####	297	2625.1	0.000445	0.0504	0.000132
KY	H L Spurloc	6041	4	#####	298	2586.4	0.000445	0.0513	0.000133
KY	H L Spurloc	6041	4	#####	298	2610	0.000441	0.0504	0.000132
KY	H L Spurloc	6041	4	#####	298	2598.1	0.000439	0.0504	0.000131
KY	H L Spurloc	6041	4	#####	248	2103.1	0.000462	0.0545	0.000115

KY	H L Spurloc	6041	4 #####	233	2050	0.000484	0.055	0.000113
KY	H L Spurloc	6041	4 #####	244	2113.7	0.000476	0.055	0.000116
KY	H L Spurloc	6041	4 #####	215	1842.8	0.000489	0.0571	0.000105
KY	H L Spurloc	6041	4 #####	210	1842.8	0.000501	0.0571	0.000105
KY	H L Spurloc	6041	4 #####	210	1845.1	0.000506	0.0576	0.000106
KY	H L Spurloc	6041	4 #####	210	1853.8	0.000504	0.0571	0.000106
KY	H L Spurloc	6041	4 #####	210	1844	0.000501	0.0571	0.000105
KY	H L Spurloc	6041	4 #####	210	1859.7	0.0005	0.0565	0.000105
KY	H L Spurloc	6041	4 #####	241	2140.5	0.000484	0.0545	0.000117
KY	H L Spurloc	6041	4 #####	219	1890.1	0.000488	0.0565	0.000107
KY	H L Spurloc	6041	4 #####	210	1835.5	0.000499	0.0571	0.000105
KY	H L Spurloc	6041	4 #####	210	1857.8	0.0005	0.0565	0.000105
KY	H L Spurloc	6041	4 #####	210	1858.5	0.0005	0.0565	0.000105
KY	H L Spurloc	6041	4 #####	210	1871.6	0.000499	0.056	0.000105
KY	H L Spurloc	6041	4 #####	210	1851.2	0.000494	0.056	0.000104
KY	H L Spurloc	6041	4 #####	210	1857.1	0.000495	0.056	0.000104
KY	H L Spurloc	6041	4 #####	224	1963.1	0.000491	0.056	0.00011
KY	H L Spurloc	6041	4 #####	217	1906.6	0.000492	0.056	0.000107
KY	H L Spurloc	6041	4 #####	219	1933.7	0.000494	0.056	0.000108
KY	H L Spurloc	6041	4 #####	210	1858.3	0.000496	0.056	0.000104
KY	H L Spurloc	6041	4 #####	210	1827.7	0.000497	0.0571	0.000104
KY	H L Spurloc	6041	4 #####	210	1837.9	0.0005	0.0571	0.000105
KY	H L Spurloc	6041	4 #####	210	1863.3	0.000501	0.0565	0.000105
KY	H L Spurloc	6041	4 #####	210	1864.4	0.000497	0.056	0.000104
KY	H L Spurloc	6041	4 #####	239	2145.8	0.00048	0.0535	0.000115
KY	H L Spurloc	6041	4 #####	226	1932.5	0.000475	0.0555	0.000107
KY	H L Spurloc	6041	4 #####	210	1846.1	0.000492	0.056	0.000103
KY	H L Spurloc	6041	4 #####	210	1842.4	0.000496	0.0565	0.000104
KY	H L Spurloc	6041	4 #####	210	1863.1	0.000497	0.056	0.000104
KY	H L Spurloc	6041	4 #####	210	1870.9	0.000499	0.056	0.000105
KY	H L Spurloc	6041	4 #####	210	1870	0.000499	0.056	0.000105
KY	H L Spurloc	6041	4 #####	245	2209.8	0.000479	0.0531	0.000117
KY	H L Spurloc	6041	4 #####	219	1898.8	0.000481	0.0555	0.000105
KY	H L Spurloc	6041	4 #####	210	1870.3	0.000494	0.0555	0.000104
KY	H L Spurloc	6041	4 #####	210	1865.8	0.000498	0.056	0.000104
KY	H L Spurloc	6041	4 #####	210	1870.3	0.000499	0.056	0.000105
KY	H L Spurloc	6041	4 #####	210	1867	0.000502	0.0565	0.000105
KY	H L Spurloc	6041	4 #####	210	1889.8	0.000504	0.056	0.000106
KY	H L Spurloc	6041	4 #####	210	1901.3	0.000502	0.0555	0.000106
KY	H L Spurloc	6041	4 #####	213	1931.1	0.000503	0.0555	0.000107
KY	H L Spurloc	6041	4 #####	220	1952.1	0.000492	0.0555	0.000108
KY	H L Spurloc	6041	4 #####	216	1961.3	0.000499	0.055	0.000108
KY	H L Spurloc	6041	4 #####	258	2315.9	0.000469	0.0522	0.000121
KY	H L Spurloc	6041	4 #####	239	2127.8	0.000473	0.0531	0.000113
KY	H L Spurloc	6041	4 #####	217	1874.8	0.000488	0.0565	0.000106
KY	H L Spurloc	6041	4 #####	210	1879.8	0.000501	0.056	0.000105
KY	H L Spurloc	6041	4 #####	210	1880.5	0.000506	0.0565	0.000106

KY	H L Spurloc	6041	4 #####	210	1885.4	0.000507	0.0565	0.000107
KY	H L Spurloc	6041	4 #####	210	1877.8	0.000511	0.0571	0.000107
KY	H L Spurloc	6041	4 #####	210	1906.7	0.000508	0.056	0.000107
KY	H L Spurloc	6041	4 #####	210	1887.8	0.000508	0.0565	0.000107
KY	H L Spurloc	6041	4 #####	210	1893.7	0.000509	0.0565	0.000107
KY	H L Spurloc	6041	4 #####	210	1910.3	0.000509	0.056	0.000107
KY	H L Spurloc	6041	4 #####	210	1906.3	0.000508	0.056	0.000107
KY	H L Spurloc	6041	4 #####	210	1916	0.000502	0.055	0.000105
KY	H L Spurloc	6041	4 #####	210	1855.5	0.000505	0.0571	0.000106
KY	H L Spurloc	6041	4 #####	210	1888.7	0.000514	0.0571	0.000108
KY	H L Spurloc	6041	4 #####	210	1907.6	0.000513	0.0565	0.000108
KY	H L Spurloc	6041	4 #####	216	1974.5	7.77E-05	0.0085	1.68E-05
KY	H L Spurloc	6041	4 #####	231	2080	7.37E-05	0.00819	1.7E-05
KY	H L Spurloc	6041	4 #####	273	2512.1	6.97E-05	0.00758	1.9E-05
KY	H L Spurloc	6041	4 #####	297	2603.4	6.71E-05	0.00765	1.99E-05
KY	H L Spurloc	6041	4 #####	256	2223.6	6.93E-05	0.00798	1.77E-05
KY	H L Spurloc	6041	4 #####	273	2449.6	7.03E-05	0.00784	1.92E-05
KY	H L Spurloc	6041	4 #####	294	2601.2	6.71E-05	0.00758	1.97E-05
KY	H L Spurloc	6041	4 #####	299	2646.9	6.71E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	299	2622.3	6.71E-05	0.00765	2.01E-05
KY	H L Spurloc	6041	4 #####	298	2627.3	6.74E-05	0.00765	2.01E-05
KY	H L Spurloc	6041	4 #####	273	2373	6.88E-05	0.00791	1.88E-05
KY	H L Spurloc	6041	4 #####	244	2149.3	7.21E-05	0.00819	1.76E-05
KY	H L Spurloc	6041	4 #####	215	1894.9	7.55E-05	0.00857	1.62E-05
KY	H L Spurloc	6041	4 #####	237	2120.7	7.4E-05	0.00827	1.75E-05
KY	H L Spurloc	6041	4 #####	217	1912.9	7.49E-05	0.0085	1.63E-05
KY	H L Spurloc	6041	4 #####	237	2132.4	7.37E-05	0.00819	1.75E-05
KY	H L Spurloc	6041	4 #####	215	1891.3	7.48E-05	0.0085	1.61E-05
KY	H L Spurloc	6041	4 #####	212	1893.2	7.59E-05	0.0085	1.61E-05
KY	H L Spurloc	6041	4 #####	223	2021.6	7.56E-05	0.00834	1.69E-05
KY	H L Spurloc	6041	4 #####	241	2156.7	7.33E-05	0.00819	1.77E-05
KY	H L Spurloc	6041	4 #####	287	2562.2	6.83E-05	0.00765	1.96E-05
KY	H L Spurloc	6041	4 #####	292	2531.6	6.63E-05	0.00765	1.94E-05
KY	H L Spurloc	6041	4 #####	300	2627.4	6.64E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	299	2620	6.64E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	299	2623.1	6.65E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	299	2628.4	6.66E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	299	2633.2	6.68E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	299	2619.7	6.7E-05	0.00765	2E-05
KY	H L Spurloc	6041	4 #####	299	2642.2	6.7E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	299	2628.5	6.66E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	299	2632.8	6.67E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	299	2647.6	6.71E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	299	2644.7	6.7E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	299	2662.4	6.75E-05	0.00758	2.02E-05
KY	H L Spurloc	6041	4 #####	299	2654.4	6.73E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	299	2662.5	6.75E-05	0.00758	2.02E-05

KY	H L Spurloc	6041	4 #####	286	2488.8	6.71E-05	0.00771	1.92E-05
KY	H L Spurloc	6041	4 #####	297	2660.9	6.79E-05	0.00758	2.02E-05
KY	H L Spurloc	6041	4 #####	300	2649.1	6.69E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2642.4	6.68E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	300	2636	6.66E-05	0.00758	2E-05
KY	H L Spurloc	6041	4 #####	300	2645.5	6.68E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	284	2452.8	6.66E-05	0.00771	1.89E-05
KY	H L Spurloc	6041	4 #####	298	2664	6.72E-05	0.00752	2E-05
KY	H L Spurloc	6041	4 #####	289	2539.6	6.61E-05	0.00752	1.91E-05
KY	H L Spurloc	6041	4 #####	298	2612.2	6.64E-05	0.00758	1.98E-05
KY	H L Spurloc	6041	4 #####	293	2562.1	6.69E-05	0.00765	1.96E-05
KY	H L Spurloc	6041	4 #####	299	2658	6.74E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	298	2643.9	6.67E-05	0.00752	1.99E-05
KY	H L Spurloc	6041	4 #####	298	2623.1	6.67E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	297	2649	6.71E-05	0.00752	1.99E-05
KY	H L Spurloc	6041	4 #####	298	2603.6	6.62E-05	0.00758	1.97E-05
KY	H L Spurloc	6041	4 #####	298	2620.2	6.66E-05	0.00758	1.99E-05
KY	H L Spurloc	6041	4 #####	298	2607.9	6.69E-05	0.00765	2E-05
KY	H L Spurloc	6041	4 #####	298	2614.4	6.71E-05	0.00765	2E-05
KY	H L Spurloc	6041	4 #####	299	2599.7	6.65E-05	0.00765	1.99E-05
KY	H L Spurloc	6041	4 #####	300	2570.8	6.61E-05	0.00771	1.98E-05
KY	H L Spurloc	6041	4 #####	300	2576.5	6.68E-05	0.00778	2E-05
KY	H L Spurloc	6041	4 #####	300	2595.7	6.67E-05	0.00771	2E-05
KY	H L Spurloc	6041	4 #####	300	2584.5	6.7E-05	0.00778	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2599.6	6.68E-05	0.00771	2E-05
KY	H L Spurloc	6041	4 #####	285	2458.7	6.71E-05	0.00778	1.91E-05
KY	H L Spurloc	6041	4 #####	216	1866.9	7.41E-05	0.00857	1.6E-05
KY	H L Spurloc	6041	4 #####	218	1920.5	7.55E-05	0.00857	1.65E-05
KY	H L Spurloc	6041	4 #####	248	2134	7.18E-05	0.00834	1.78E-05
KY	H L Spurloc	6041	4 #####	218	1866.5	7.41E-05	0.00866	1.62E-05
KY	H L Spurloc	6041	4 #####	210	1815.3	7.56E-05	0.00874	1.59E-05
KY	H L Spurloc	6041	4 #####	231	2048.4	7.4E-05	0.00834	1.71E-05
KY	H L Spurloc	6041	4 #####	258	2247.8	7.07E-05	0.00812	1.83E-05
KY	H L Spurloc	6041	4 #####	261	2268.5	7E-05	0.00805	1.83E-05
KY	H L Spurloc	6041	4 #####	219	1865.6	7.45E-05	0.00874	1.63E-05
KY	H L Spurloc	6041	4 #####	218	1933.7	7.47E-05	0.00842	1.63E-05
KY	H L Spurloc	6041	4 #####	250	2230.9	7.06E-05	0.00791	1.76E-05
KY	H L Spurloc	6041	4 #####	285	2508.7	6.85E-05	0.00778	1.95E-05
KY	H L Spurloc	6041	4 #####	296	2606.7	6.74E-05	0.00765	1.99E-05
KY	H L Spurloc	6041	4 #####	279	2420.4	6.75E-05	0.00778	1.88E-05
KY	H L Spurloc	6041	4 #####	300	2595.4	6.67E-05	0.00771	2E-05
KY	H L Spurloc	6041	4 #####	300	2607.4	6.7E-05	0.00771	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2604.2	6.75E-05	0.00778	2.03E-05
KY	H L Spurloc	6041	4 #####	300	2604.1	6.69E-05	0.00771	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2595.2	6.67E-05	0.00771	2E-05
KY	H L Spurloc	6041	4 #####	300	2605.7	6.7E-05	0.00771	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2582.7	6.7E-05	0.00778	2.01E-05

KY	H L Spurloc	6041	4 #####	279	2372	6.72E-05	0.00791	1.88E-05
KY	H L Spurloc	6041	4 #####	220	1877.8	7.39E-05	0.00866	1.63E-05
KY	H L Spurloc	6041	4 #####	210	1815.5	7.56E-05	0.00874	1.59E-05
KY	H L Spurloc	6041	4 #####	210	1853.2	7.64E-05	0.00866	1.6E-05
KY	H L Spurloc	6041	4 #####	210	1866.6	7.62E-05	0.00857	1.6E-05
KY	H L Spurloc	6041	4 #####	210	1881.4	7.68E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1875.3	7.73E-05	0.00866	1.62E-05
KY	H L Spurloc	6041	4 #####	210	1869.2	7.78E-05	0.00874	1.63E-05
KY	H L Spurloc	6041	4 #####	210	1900.9	7.84E-05	0.00866	1.65E-05
KY	H L Spurloc	6041	4 #####	210	1896.3	7.82E-05	0.00866	1.64E-05
KY	H L Spurloc	6041	4 #####	212	1913.6	7.82E-05	0.00866	1.66E-05
KY	H L Spurloc	6041	4 #####	216	1951.9	7.68E-05	0.0085	1.66E-05
KY	H L Spurloc	6041	4 #####	222	2031.9	7.63E-05	0.00834	1.69E-05
KY	H L Spurloc	6041	4 #####	246	2218.4	7.32E-05	0.00812	1.8E-05
KY	H L Spurloc	6041	4 #####	272	2478.7	7.09E-05	0.00778	1.93E-05
KY	H L Spurloc	6041	4 #####	299	2710.2	6.82E-05	0.00752	2.04E-05
KY	H L Spurloc	6041	4 #####	300	2664.3	6.73E-05	0.00758	2.02E-05
KY	H L Spurloc	6041	4 #####	300	2656.8	6.71E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	301	2620.5	6.66E-05	0.00765	2E-05
KY	H L Spurloc	6041	4 #####	301	2657.5	6.69E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	301	2646.1	6.66E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	301	2629.5	6.68E-05	0.00765	2.01E-05
KY	H L Spurloc	6041	4 #####	300	2649.8	6.7E-05	0.00758	2.01E-05
KY	H L Spurloc	6041	4 #####	292	2545.2	6.67E-05	0.00765	1.95E-05
KY	H L Spurloc	6041	4 #####	259	2224.5	6.91E-05	0.00805	1.79E-05
KY	H L Spurloc	6041	4 #####	254	2181.6	7.03E-05	0.00819	1.79E-05
KY	H L Spurloc	6041	4 #####	211	1825.7	7.49E-05	0.00866	1.58E-05
KY	H L Spurloc	6041	4 #####	229	1998.9	7.35E-05	0.00842	1.68E-05
KY	H L Spurloc	6041	4 #####	210	1845.5	7.61E-05	0.00866	1.6E-05
KY	H L Spurloc	6041	4 #####	210	1843.5	7.67E-05	0.00874	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1875.1	7.65E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1873.3	7.64E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1879.6	7.67E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1896.6	7.68E-05	0.0085	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1891.6	7.66E-05	0.0085	1.61E-05
KY	H L Spurloc	6041	4 #####	211	1916.9	7.65E-05	0.00842	1.61E-05
KY	H L Spurloc	6041	4 #####	210	1888.6	7.64E-05	0.0085	1.61E-05
KY	H L Spurloc	6041	4 #####	245	2224.5	7.25E-05	0.00798	1.78E-05
KY	H L Spurloc	6041	4 #####	216	1915	7.54E-05	0.0085	1.63E-05
KY	H L Spurloc	6041	4 #####	243	2180	7.35E-05	0.00819	1.79E-05
KY	H L Spurloc	6041	4 #####	250	2233.6	7.25E-05	0.00812	1.81E-05
KY	H L Spurloc	6041	4 #####	288	2572.3	6.89E-05	0.00771	1.98E-05
KY	H L Spurloc	6041	4 #####	298	2689.8	6.84E-05	0.00758	2.04E-05
KY	H L Spurloc	6041	4 #####	298	2665.1	6.84E-05	0.00765	2.04E-05
KY	H L Spurloc	6041	4 #####	298	2666.5	6.85E-05	0.00765	2.04E-05
KY	H L Spurloc	6041	4 #####	298	2692	6.85E-05	0.00758	2.04E-05
KY	H L Spurloc	6041	4 #####	295	2643.5	6.86E-05	0.00765	2.02E-05

KY	H L Spurloc	6041	4	#####	287	2557	6.87E-05	0.00771	1.97E-05
KY	H L Spurloc	6041	4	#####	281	2483.8	6.88E-05	0.00778	1.93E-05
KY	H L Spurloc	6041	4	#####	276	2429.5	6.9E-05	0.00784	1.9E-05
KY	H L Spurloc	6041	4	#####	282	2506	6.91E-05	0.00778	1.95E-05
KY	H L Spurloc	6041	4	#####	273	2397.4	6.88E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	273	2403.4	6.9E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	273	2396.7	6.88E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	279	2459.4	6.86E-05	0.00778	1.91E-05
KY	H L Spurloc	6041	4	#####	274	2397.5	6.86E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	273	2398.7	6.89E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	273	2394.4	6.88E-05	0.00784	1.88E-05
KY	H L Spurloc	6041	4	#####	261	2301	6.97E-05	0.00791	1.82E-05
KY	H L Spurloc	6041	4	#####	260	2297.9	6.99E-05	0.00791	1.82E-05
KY	H L Spurloc	6041	4	#####	260	2310	6.97E-05	0.00784	1.81E-05
KY	H L Spurloc	6041	4	#####	260	2296.9	6.99E-05	0.00791	1.82E-05
KY	H L Spurloc	6041	4	#####	260	2295.8	6.98E-05	0.00791	1.82E-05
KY	H L Spurloc	6041	4	#####	260	2299.8	7E-05	0.00791	1.82E-05
KY	H L Spurloc	6041	4	#####	266	2343.7	6.91E-05	0.00784	1.84E-05
KY	H L Spurloc	6041	4	#####	252	2201.8	7.03E-05	0.00805	1.77E-05
KY	H L Spurloc	6041	4	#####	236	2111.3	7.33E-05	0.00819	1.73E-05
KY	H L Spurloc	6041	4	#####	279	2491.1	6.88E-05	0.00771	1.92E-05
KY	H L Spurloc	6041	4	#####	269	2317.7	6.82E-05	0.00791	1.83E-05
KY	H L Spurloc	6041	4	#####	232	2031	7.24E-05	0.00827	1.68E-05
KY	H L Spurloc	6041	4	#####	213	1869.1	7.52E-05	0.00857	1.6E-05
KY	H L Spurloc	6041	4	#####	238	2128.4	7.2E-05	0.00805	1.71E-05
KY	H L Spurloc	6041	4	#####	210	1889.5	7.5E-05	0.00834	1.58E-05
KY	H L Spurloc	6041	4	#####	214	1901.3	7.55E-05	0.0085	1.62E-05
KY	H L Spurloc	6041	4	#####	210	1877.3	7.66E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4	#####	235	2154.3	7.44E-05	0.00812	1.75E-05
KY	H L Spurloc	6041	4	#####	217	1897.8	7.49E-05	0.00857	1.63E-05
KY	H L Spurloc	6041	4	#####	210	1873.4	7.65E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4	#####	210	1880.2	7.67E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4	#####	210	1877.8	7.66E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4	#####	210	1883.7	7.69E-05	0.00857	1.61E-05
KY	H L Spurloc	6041	4	#####	219	1993	7.59E-05	0.00834	1.66E-05
KY	H L Spurloc	6041	4	#####	248	2228.9	7.17E-05	0.00798	1.78E-05
KY	H L Spurloc	6041	4	#####	215	1919.4	7.52E-05	0.00842	1.62E-05
KY	H L Spurloc	6041	4	#####	242	2137.3	7.23E-05	0.00819	1.75E-05
KY	H L Spurloc	6041	4	#####	261	2305.5	6.93E-05	0.00784	1.81E-05
KY	H L Spurloc	6041	4	#####	249	2219.2	7.05E-05	0.00791	1.76E-05
KY	H L Spurloc	6041	4	#####	226	1995.9	7.3E-05	0.00827	1.65E-05
KY	H L Spurloc	6041	4	#####	278	2514.4	6.86E-05	0.00758	1.91E-05
KY	H L Spurloc	6041	4	#####	301	2675.2	0.000546	0.0614	0.000164
KY	H L Spurloc	6041	4	#####	301	2671.6	0.000545	0.0614	0.000164
KY	H L Spurloc	6041	4	#####	300	2653.8	0.000548	0.0619	0.000164
KY	H L Spurloc	6041	4	#####	299	2644.1	0.000547	0.0619	0.000164
KY	H L Spurloc	6041	4	#####	295	2575.5	0.000545	0.0624	0.000161

KY	H L Spurloc	6041	4	#####	252	2175	0.000566	0.0656	0.000143
KY	H L Spurloc	6041	4	#####	230	1974.3	0.000589	0.0686	0.000135
KY	H L Spurloc	6041	4	#####	210	1847.8	0.000621	0.0706	0.00013
KY	H L Spurloc	6041	4	#####	213	1912.3	0.000628	0.0699	0.000134
KY	H L Spurloc	6041	4	#####	245	2178.1	0.000594	0.0668	0.000145
KY	H L Spurloc	6041	4	#####	218	1914.2	0.000609	0.0693	0.000133
KY	H L Spurloc	6041	4	#####	210	1895.6	0.000626	0.0693	0.000131
KY	H L Spurloc	6041	4	#####	210	1913.7	0.000632	0.0693	0.000133
KY	H L Spurloc	6041	4	#####	210	1916.6	0.000632	0.0693	0.000133
KY	H L Spurloc	6041	4	#####	210	1900.6	0.000633	0.0699	0.000133
KY	H L Spurloc	6041	4	#####	238	2223.7	0.000603	0.0645	0.000143
KY	H L Spurloc	6041	4	#####	216	1924.1	0.000606	0.068	0.000131
KY	H L Spurloc	6041	4	#####	210	1906.4	0.000617	0.068	0.00013
KY	H L Spurloc	6041	4	#####	210	1917.5	0.000615	0.0674	0.000129
KY	H L Spurloc	6041	4	#####	235	2125.5	0.000593	0.0656	0.000139
KY	H L Spurloc	6041	4	#####	241	2139.8	0.000588	0.0662	0.000142
KY	H L Spurloc	6041	4	#####	216	1911.3	0.000613	0.0693	0.000132
KY	H L Spurloc	6041	4	#####	210	1851.6	0.000634	0.0719	0.000133
KY	H L Spurloc	6041	4	#####	211	1884.6	0.000636	0.0712	0.000134
KY	H L Spurloc	6041	4	#####	229	2078.4	0.000617	0.068	0.000141
KY	H L Spurloc	6041	4	#####	263	2421.5	0.000584	0.0634	0.000154
KY	H L Spurloc	6041	4	#####	283	2505.2	0.000561	0.0634	0.000159
KY	H L Spurloc	6041	4	#####	271	2342.4	0.000558	0.0645	0.000151
KY	H L Spurloc	6041	4	#####	256	2237.3	0.000569	0.0651	0.000146
KY	H L Spurloc	6041	4	#####	248	2141.9	0.000577	0.0668	0.000143
KY	H L Spurloc	6041	4	#####	210	1820.8	0.000617	0.0712	0.00013
KY	H L Spurloc	6041	4	#####	210	1852.1	0.000628	0.0712	0.000132
KY	H L Spurloc	6041	4	#####	210	1862.2	0.000631	0.0712	0.000133
KY	H L Spurloc	6041	4	#####	210	1877.7	0.000631	0.0706	0.000133
KY	H L Spurloc	6041	4	#####	210	1867	0.000628	0.0706	0.000132
KY	H L Spurloc	6041	4	#####	210	1864.5	0.000627	0.0706	0.000132
KY	H L Spurloc	6041	4	#####	210	1845	0.000626	0.0712	0.000131
KY	H L Spurloc	6041	4	#####	210	1853.2	0.000628	0.0712	0.000132
KY	H L Spurloc	6041	4	#####	210	1872.8	0.00063	0.0706	0.000132
KY	H L Spurloc	6041	4	#####	210	1881.7	0.000626	0.0699	0.000132
KY	H L Spurloc	6041	4	#####	210	1865	0.000627	0.0706	0.000132
KY	H L Spurloc	6041	4	#####	210	1878.6	0.000632	0.0706	0.000133
KY	H L Spurloc	6041	4	#####	210	1880.1	0.000632	0.0706	0.000133
KY	H L Spurloc	6041	4	#####	210	1881.4	0.000633	0.0706	0.000133
KY	H L Spurloc	6041	4	#####	210	1875.5	0.000631	0.0706	0.000132
KY	H L Spurloc	6041	4	#####	236	2122.3	0.000612	0.068	0.000144
KY	H L Spurloc	6041	4	#####	219	1934.8	0.000618	0.0699	0.000135
KY	H L Spurloc	6041	4	#####	246	2180.3	0.000592	0.0668	0.000146
KY	H L Spurloc	6041	4	#####	245	2180.5	0.000589	0.0662	0.000144
KY	H L Spurloc	6041	4	#####	289	2575.4	0.000556	0.0624	0.000161
KY	H L Spurloc	6041	4	#####	296	2618.5	0.000543	0.0614	0.000161
KY	H L Spurloc	6041	4	#####	297	2576.2	0.000541	0.0624	0.000161

KY	H L Spurloc	6041	4 #####	297	2575.6	0.000545	0.0629	0.000162
KY	H L Spurloc	6041	4 #####	278	2402.5	0.000553	0.064	0.000154
KY	H L Spurloc	6041	4 #####	261	2228.1	0.000565	0.0662	0.000148
KY	H L Spurloc	6041	4 #####	211	1833.4	0.000613	0.0706	0.000129
KY	H L Spurloc	6041	4 #####	210	1853.5	0.000623	0.0706	0.000131
KY	H L Spurloc	6041	4 #####	234	2082.1	0.000605	0.068	0.000142
KY	H L Spurloc	6041	4 #####	279	2486.6	0.000565	0.0634	0.000158
KY	H L Spurloc	6041	4 #####	284	2446.8	0.000546	0.0634	0.000155
KY	H L Spurloc	6041	4 #####	295	2585.6	0.000543	0.0619	0.00016
KY	H L Spurloc	6041	4 #####	285	2444.9	0.000544	0.0634	0.000155
KY	H L Spurloc	6041	4 #####	295	2570	0.000544	0.0624	0.00016
KY	H L Spurloc	6041	4 #####	281	2406	0.000548	0.064	0.000154
KY	H L Spurloc	6041	4 #####	295	2533.9	0.000545	0.0634	0.000161
KY	H L Spurloc	6041	4 #####	285	2447.6	0.000544	0.0634	0.000155
KY	H L Spurloc	6041	4 #####	296	2549.4	0.000546	0.0634	0.000162
KY	H L Spurloc	6041	4 #####	300	2580.1	0.000541	0.0629	0.000162
KY	H L Spurloc	6041	4 #####	299	2598.4	0.000542	0.0624	0.000162
KY	H L Spurloc	6041	4 #####	299	2579.3	0.000543	0.0629	0.000162
KY	H L Spurloc	6041	4 #####	299	2600.5	0.000547	0.0629	0.000164
KY	H L Spurloc	6041	4 #####	297	2589.4	0.000548	0.0629	0.000163
KY	H L Spurloc	6041	4 #####	298	2591.4	0.000551	0.0634	0.000164
KY	H L Spurloc	6041	4 #####	298	2586.8	0.000546	0.0629	0.000163
KY	H L Spurloc	6041	4 #####	297	2572.2	0.000545	0.0629	0.000162
KY	H L Spurloc	6041	4 #####	297	2563.7	0.000547	0.0634	0.000163
KY	H L Spurloc	6041	4 #####	297	2553.7	0.00055	0.064	0.000163
KY	H L Spurloc	6041	4 #####	297	2604.3	0.000556	0.0634	0.000165
KY	H L Spurloc	6041	4 #####	298	2561.7	0.000554	0.0645	0.000165
KY	H L Spurloc	6041	4 #####	298	2567.4	0.000556	0.0645	0.000166
KY	H L Spurloc	6041	4 #####	288	2541.8	0.00056	0.0634	0.000161
KY	H L Spurloc	6041	4 #####	297	2641.2	0.000555	0.0624	0.000165