

State	Facility				MATS	MATS	Hg		
	Name	Facility ID	Unit ID	Date	Gross Load (MW)	Heat Input (mmBtu)	Output Rate (lb/GWh)	Hg Input Rate (lb/TBtu)	Hg Mass (lbs)
KY	H L Spurloc	6041	1	10/1/2022	182	2027	0.001024	0.0919	0.000186
KY	H L Spurloc	6041	1	10/1/2022	170	1912.8	0.001071	0.0952	0.000182
KY	H L Spurloc	6041	1	10/1/2022	170	1912.7	0.001073	0.0954	0.000182
KY	H L Spurloc	6041	1	10/1/2022	180	1986.3	0.001038	0.0941	0.000187
KY	H L Spurloc	6041	1	10/1/2022	168	1885.9	0.001081	0.0963	0.000182
KY	H L Spurloc	6041	1	10/1/2022	165	1874.3	0.001095	0.0964	0.000181
KY	H L Spurloc	6041	1	10/1/2022	166	1868.9	0.001091	0.0969	0.000181
KY	H L Spurloc	6041	1	10/1/2022	166	1859.2	0.001074	0.0959	0.000178
KY	H L Spurloc	6041	1	10/1/2022	165	1869.8	0.001081	0.0954	0.000178
KY	H L Spurloc	6041	1	10/1/2022	166	1878.6	0.001078	0.0953	0.000179
KY	H L Spurloc	6041	1	10/1/2022	165	1841.1	0.001076	0.0964	0.000177
KY	H L Spurloc	6041	1	10/1/2022	165	1849.1	0.001079	0.0963	0.000178
KY	H L Spurloc	6041	1	10/1/2022	165	1843.1	0.001069	0.0957	0.000176
KY	H L Spurloc	6041	1	10/1/2022	165	1833.4	0.001064	0.0958	0.000176
KY	H L Spurloc	6041	1	10/1/2022	173	1888.5	0.00103	0.0944	0.000178
KY	H L Spurloc	6041	1	10/1/2022	165	1817.5	0.001064	0.0966	0.000176
KY	H L Spurloc	6041	1	10/1/2022	165	1827.5	0.001069	0.0965	0.000176
KY	H L Spurloc	6041	1	10/1/2022	165	1832.5	0.001071	0.0964	0.000177
KY	H L Spurloc	6041	1	10/1/2022	172	1906.5	0.001056	0.0953	0.000182
KY	H L Spurloc	6041	1	10/1/2022	165	1844.6	0.001077	0.0963	0.000178
KY	H L Spurloc	6041	1	10/1/2022	166	1856.2	0.001076	0.0962	0.000179
KY	H L Spurloc	6041	1	10/1/2022	166	1860.4	0.001076	0.096	0.000179
KY	H L Spurloc	6041	1	10/1/2022	165	1848.2	0.001078	0.0962	0.000178
KY	H L Spurloc	6041	1	10/1/2022	165	1852.1	0.001081	0.0963	0.000178
KY	H L Spurloc	6041	1	10/2/2022	166	1852.7	0.001075	0.0963	0.000178
KY	H L Spurloc	6041	1	10/2/2022	165	1853.8	0.001083	0.0964	0.000179
KY	H L Spurloc	6041	1	10/2/2022	165	1858.9	0.001097	0.0974	0.000181
KY	H L Spurloc	6041	1	10/2/2022	166	1827	0.001079	0.098	0.000179
KY	H L Spurloc	6041	1	10/2/2022	164	1884	0.00111	0.0966	0.000182
KY	H L Spurloc	6041	1	10/2/2022	166	1850.1	0.001089	0.0977	0.000181
KY	H L Spurloc	6041	1	10/2/2022	164	1861.2	0.001108	0.0976	0.000182
KY	H L Spurloc	6041	1	10/2/2022	166	1833.8	0.001076	0.0974	0.000179
KY	H L Spurloc	6041	1	10/2/2022	164	1872	0.0011	0.0964	0.00018
KY	H L Spurloc	6041	1	10/2/2022	165	1892	0.001097	0.0957	0.000181
KY	H L Spurloc	6041	1	10/2/2022	165	1886	0.001095	0.0958	0.000181
KY	H L Spurloc	6041	1	10/2/2022	165	1863.2	0.00109	0.0965	0.00018
KY	H L Spurloc	6041	1	10/2/2022	165	1865.1	0.001091	0.0965	0.00018
KY	H L Spurloc	6041	1	10/2/2022	165	1860.2	0.001087	0.0964	0.000179
KY	H L Spurloc	6041	1	10/2/2022	165	1860.6	0.001087	0.0964	0.000179
KY	H L Spurloc	6041	1	10/2/2022	165	1850.9	0.001081	0.0964	0.000178
KY	H L Spurloc	6041	1	10/2/2022	165	1851.8	0.001082	0.0964	0.000179
KY	H L Spurloc	6041	1	10/2/2022	165	1850.3	0.001081	0.0964	0.000178
KY	H L Spurloc	6041	1	10/2/2022	193	2086.5	0.000982	0.0908	0.000189

KY	H L Spurloc	6041	1	10/2/2022	166	1870.7	0.001083	0.0961	0.00018
KY	H L Spurloc	6041	1	10/2/2022	166	1886.5	0.001078	0.0949	0.000179
KY	H L Spurloc	6041	1	10/2/2022	166	1873.4	0.001086	0.0962	0.00018
KY	H L Spurloc	6041	1	10/2/2022	166	1876.5	0.00109	0.0964	0.000181
KY	H L Spurloc	6041	1	10/2/2022	165	1897.8	0.001097	0.0954	0.000181
KY	H L Spurloc	6041	1	10/3/2022	166	1906.6	0.001096	0.0954	0.000182
KY	H L Spurloc	6041	1	10/3/2022	166	1910.5	0.001098	0.0954	0.000182
KY	H L Spurloc	6041	1	10/3/2022	166	1917.3	0.001104	0.0956	0.000183
KY	H L Spurloc	6041	1	10/3/2022	166	1914.2	0.001097	0.0951	0.000182
KY	H L Spurloc	6041	1	10/3/2022	165	1928.8	0.001104	0.0944	0.000182
KY	H L Spurloc	6041	1	10/3/2022	167	1967.8	0.001098	0.0932	0.000183
KY	H L Spurloc	6041	1	10/3/2022	165	1945.8	0.001104	0.0936	0.000182
KY	H L Spurloc	6041	1	10/3/2022	166	1964.6	0.001101	0.093	0.000183
KY	H L Spurloc	6041	1	10/3/2022	165	1976.8	0.001097	0.0916	0.000181
KY	H L Spurloc	6041	1	10/3/2022	166	1946.7	0.001255	0.107	0.000208
KY	H L Spurloc	6041	1	10/3/2022	165	1933.1	0.001254	0.107	0.000207
KY	H L Spurloc	6041	1	10/3/2022	165	1920.2	0.001245	0.107	0.000205
KY	H L Spurloc	6041	1	10/3/2022	165	1916.8	0.001255	0.108	0.000207
KY	H L Spurloc	6041	1	10/3/2022	165	1884.2	0.001245	0.109	0.000205
KY	H L Spurloc	6041	1	10/3/2022	166	1880.4	0.001235	0.109	0.000205
KY	H L Spurloc	6041	1	10/3/2022	202	2187.2	0.001083	0.1	0.000219
KY	H L Spurloc	6041	1	10/3/2022	168	1887.8	0.001214	0.108	0.000204
KY	H L Spurloc	6041	1	10/3/2022	169	1911.6	0.001199	0.106	0.000203
KY	H L Spurloc	6041	1	10/3/2022	176	1969.2	0.001175	0.105	0.000207
KY	H L Spurloc	6041	1	10/3/2022	165	1880.3	0.001219	0.107	0.000201
KY	H L Spurloc	6041	1	10/3/2022	166	1820	0.001195	0.109	0.000198
KY	H L Spurloc	6041	1	10/3/2022	164	1828.4	0.001226	0.11	0.000201
KY	H L Spurloc	6041	1	10/3/2022	165	1936	0.001267	0.108	0.000209
KY	H L Spurloc	6041	1	10/3/2022	165	1957.4	0.001257	0.106	0.000207
KY	H L Spurloc	6041	1	10/4/2022	168	1965.7	0.00124	0.106	0.000208
KY	H L Spurloc	6041	1	10/4/2022	166	1961.4	0.001252	0.106	0.000208
KY	H L Spurloc	6041	1	10/4/2022	165	1977.4	0.00127	0.106	0.00021
KY	H L Spurloc	6041	1	10/4/2022	165	1963.5	0.001273	0.107	0.00021
KY	H L Spurloc	6041	1	10/4/2022	167	1989.4	0.001263	0.106	0.000211
KY	H L Spurloc	6041	1	10/4/2022	172	2043.7	0.001248	0.105	0.000215
KY	H L Spurloc	6041	1	10/4/2022	175	2056	0.001234	0.105	0.000216
KY	H L Spurloc	6041	1	10/4/2022	165	1979.4	0.001272	0.106	0.00021
KY	H L Spurloc	6041	1	10/4/2022	165	1965.9	0.001263	0.106	0.000208
KY	H L Spurloc	6041	1	10/4/2022	165	1966.5	0.001263	0.106	0.000208
KY	H L Spurloc	6041	1	10/4/2022	171	2007.7	0.001233	0.105	0.000211
KY	H L Spurloc	6041	1	10/4/2022	174	2010.5	0.001213	0.105	0.000211
KY	H L Spurloc	6041	1	10/4/2022	166	1933.4	0.001235	0.106	0.000205
KY	H L Spurloc	6041	1	10/4/2022	167	1926.8	0.001211	0.105	0.000202
KY	H L Spurloc	6041	1	10/4/2022	191	2121.6	0.001111	0.1	0.000212
KY	H L Spurloc	6041	1	10/4/2022	219	2376.6	0.001032	0.0951	0.000226
KY	H L Spurloc	6041	1	10/4/2022	185	2062.3	0.001137	0.102	0.00021
KY	H L Spurloc	6041	1	10/4/2022	167	1888.9	0.00121	0.107	0.000202
KY	H L Spurloc	6041	1	10/4/2022	177	1992.6	0.001171	0.104	0.000207

KY	H L Spurloc	6041	1	10/4/2022	178	2007.8	0.001162	0.103	0.000207
KY	H L Spurloc	6041	1	10/4/2022	165	1911.1	0.001239	0.107	0.000204
KY	H L Spurloc	6041	1	10/4/2022	165	1916.7	0.001243	0.107	0.000205
KY	H L Spurloc	6041	1	10/4/2022	166	1935.1	0.001247	0.107	0.000207
KY	H L Spurloc	6041	1	10/4/2022	165	1941.2	0.001247	0.106	0.000206
KY	H L Spurloc	6041	1	10/5/2022	165	1958	0.001258	0.106	0.000208
KY	H L Spurloc	6041	1	10/5/2022	165	1950.3	0.001253	0.106	0.000207
KY	H L Spurloc	6041	1	10/5/2022	165	1960.4	0.001259	0.106	0.000208
KY	H L Spurloc	6041	1	10/5/2022	165	1969	0.001265	0.106	0.000209
KY	H L Spurloc	6041	1	10/5/2022	165	1972.6	0.001267	0.106	0.000209
KY	H L Spurloc	6041	1	10/5/2022	165	1987.3	0.001277	0.106	0.000211
KY	H L Spurloc	6041	1	10/5/2022	173	2061.3	0.001251	0.105	0.000216
KY	H L Spurloc	6041	1	10/5/2022	167	2019.5			
KY	H L Spurloc	6041	1	10/5/2022	173	2003.7	0.001251	0.108	0.000216
KY	H L Spurloc	6041	1	10/5/2022	187	2127.3	0.00116	0.102	0.000217
KY	H L Spurloc	6041	1	10/5/2022	175	2021.2	0.001178	0.102	0.000206
KY	H L Spurloc	6041	1	10/5/2022	165	1884.3	0.001211	0.106	0.0002
KY	H L Spurloc	6041	1	10/5/2022	171	1921.9	0.001169	0.104	0.0002
KY	H L Spurloc	6041	1	10/5/2022	167	1892.7	0.00119	0.105	0.000199
KY	H L Spurloc	6041	1	10/5/2022	165	1876.1	0.001205	0.106	0.000199
KY	H L Spurloc	6041	1	10/5/2022	165	1877.2	0.001206	0.106	0.000199
KY	H L Spurloc	6041	1	10/5/2022	168	1885.7	0.00119	0.106	0.0002
KY	H L Spurloc	6041	1	10/5/2022	171	1917.9	0.001166	0.104	0.000199
KY	H L Spurloc	6041	1	10/5/2022	190	2076.1	0.001093	0.1	0.000208
KY	H L Spurloc	6041	1	10/5/2022	180	1979.8	0.001133	0.103	0.000204
KY	H L Spurloc	6041	1	10/5/2022	175	1964	0.001156	0.103	0.000202
KY	H L Spurloc	6041	1	10/5/2022	215	2317.9	0.001027	0.0953	0.000221
KY	H L Spurloc	6041	1	10/5/2022	189	2093.8	0.001108	0.1	0.000209
KY	H L Spurloc	6041	1	10/5/2022	216	2338.3	0.001028	0.095	0.000222
KY	H L Spurloc	6041	1	10/6/2022	268	2835.1	0.000909	0.0859	0.000244
KY	H L Spurloc	6041	1	10/6/2022	273	2898.7	0.000906	0.0853	0.000247
KY	H L Spurloc	6041	1	10/6/2022	273	2915.2	0.000909	0.0851	0.000248
KY	H L Spurloc	6041	1	10/6/2022	273	2892.3	0.000921	0.0869	0.000251
KY	H L Spurloc	6041	1	10/6/2022	273	2887.2	0.000922	0.0872	0.000252
KY	H L Spurloc	6041	1	10/6/2022	273	2882.6	0.000928	0.0879	0.000253
KY	H L Spurloc	6041	1	10/6/2022	273	2914.3	0.000929	0.087	0.000254
KY	H L Spurloc	6041	1	10/6/2022	255	2750.1	0.000967	0.0897	0.000247
KY	H L Spurloc	6041	1	10/6/2022	269	2841.7	0.000933	0.0883	0.000251
KY	H L Spurloc	6041	1	10/6/2022	273	2894.5	0.000926	0.0873	0.000253
KY	H L Spurloc	6041	1	10/6/2022	273	2863.4	0.00092	0.0877	0.000251
KY	H L Spurloc	6041	1	10/6/2022	273	2844.2	0.000913	0.0876	0.000249
KY	H L Spurloc	6041	1	10/6/2022	273	2805.4	0.000903	0.0879	0.000247
KY	H L Spurloc	6041	1	10/6/2022	273	2792.2	0.000901	0.0881	0.000246
KY	H L Spurloc	6041	1	10/6/2022	273	2796.1	0.000897	0.0876	0.000245
KY	H L Spurloc	6041	1	10/6/2022	273	2772	0.000897	0.0883	0.000245
KY	H L Spurloc	6041	1	10/6/2022	272	2774.3	0.000908	0.089	0.000247
KY	H L Spurloc	6041	1	10/6/2022	272	2795.7	0.000915	0.089	0.000249
KY	H L Spurloc	6041	1	10/6/2022	273	2798.2	0.000908	0.0886	0.000248

KY	H L Spurloc	6041	1	10/6/2022	274	2806.5	0.00091	0.0888	0.000249
KY	H L Spurloc	6041	1	10/6/2022	273	2819.2	0.000915	0.0886	0.00025
KY	H L Spurloc	6041	1	10/6/2022	273	2825.1	0.000916	0.0885	0.00025
KY	H L Spurloc	6041	1	10/6/2022	274	2803.8	0.000914	0.0893	0.00025
KY	H L Spurloc	6041	1	10/6/2022	236	2484.3	0.001004	0.0954	0.000237
KY	H L Spurloc	6041	1	10/7/2022	170	1903.1	0.001231	0.11	0.000209
KY	H L Spurloc	6041	1	10/7/2022	168	1893.6	0.00124	0.11	0.000208
KY	H L Spurloc	6041	1	10/7/2022	168	1911.5	0.00124	0.109	0.000208
KY	H L Spurloc	6041	1	10/7/2022	168	1889.6	0.001237	0.11	0.000208
KY	H L Spurloc	6041	1	10/7/2022	168	1882.3	0.001232	0.11	0.000207
KY	H L Spurloc	6041	1	10/7/2022	168	1880.4	0.001242	0.111	0.000209
KY	H L Spurloc	6041	1	10/7/2022	168	1895.1	0.001241	0.11	0.000208
KY	H L Spurloc	6041	1	10/7/2022	168	1878.9	0.00123	0.11	0.000207
KY	H L Spurloc	6041	1	10/7/2022	167	1859.3	0.001258	0.113	0.00021
KY	H L Spurloc	6041	1	10/7/2022	168	1883.5	0.001244	0.111	0.000209
KY	H L Spurloc	6041	1	10/7/2022	166	1858	0.001265	0.113	0.00021
KY	H L Spurloc	6041	1	10/7/2022	170	1907.1	0.001234	0.11	0.00021
KY	H L Spurloc	6041	1	10/7/2022	165	1830.2	0.001242	0.112	0.000205
KY	H L Spurloc	6041	1	10/7/2022	165	1816.6	0.001222	0.111	0.000202
KY	H L Spurloc	6041	1	10/7/2022	165	1807.5	0.001227	0.112	0.000202
KY	H L Spurloc	6041	1	10/7/2022	166	1822.4	0.00123	0.112	0.000204
KY	H L Spurloc	6041	1	10/7/2022	172	1885.1	0.001206	0.11	0.000207
KY	H L Spurloc	6041	1	10/7/2022	174	1909	0.001207	0.11	0.00021
KY	H L Spurloc	6041	1	10/7/2022	167	1867.4	0.00123	0.11	0.000205
KY	H L Spurloc	6041	1	10/7/2022	169	1893.5	0.001232	0.11	0.000208
KY	H L Spurloc	6041	1	10/7/2022	166	1887.7	0.00124	0.109	0.000206
KY	H L Spurloc	6041	1	10/7/2022	164	1895.7	0.00126	0.109	0.000207
KY	H L Spurloc	6041	1	10/7/2022	165	1901.7	0.001268	0.11	0.000209
KY	H L Spurloc	6041	1	10/7/2022	166	1924.6	0.001275	0.11	0.000212
KY	H L Spurloc	6041	1	10/8/2022	166	1933	0.001258	0.108	0.000209
KY	H L Spurloc	6041	1	10/8/2022	165	1933.6	0.001277	0.109	0.000211
KY	H L Spurloc	6041	1	10/8/2022	165	1948.7	0.001287	0.109	0.000212
KY	H L Spurloc	6041	1	10/8/2022	165	1928.3	0.001286	0.11	0.000212
KY	H L Spurloc	6041	1	10/8/2022	165	1917.8	0.00129	0.111	0.000213
KY	H L Spurloc	6041	1	10/8/2022	165	1945.5	0.001285	0.109	0.000212
KY	H L Spurloc	6041	1	10/8/2022	164	1923.6	0.00129	0.11	0.000212
KY	H L Spurloc	6041	1	10/8/2022	168	1949.7	0.001265	0.109	0.000213
KY	H L Spurloc	6041	1	10/8/2022	169	1982.3	0.001255	0.107	0.000212
KY	H L Spurloc	6041	1	10/8/2022	168	1954.6	0.001257	0.108	0.000211
KY	H L Spurloc	6041	1	10/8/2022	168	1936.4	0.001245	0.108	0.000209
KY	H L Spurloc	6041	1	10/8/2022	166	1911.8	0.001255	0.109	0.000208
KY	H L Spurloc	6041	1	10/8/2022	165	1899.3	0.001243	0.108	0.000205
KY	H L Spurloc	6041	1	10/8/2022	165	1888.1	0.001247	0.109	0.000206
KY	H L Spurloc	6041	1	10/8/2022	165	1889.2	0.001248	0.109	0.000206
KY	H L Spurloc	6041	1	10/8/2022	164	1890.3	0.001256	0.109	0.000206
KY	H L Spurloc	6041	1	10/8/2022	165	1884.9	0.001245	0.109	0.000205
KY	H L Spurloc	6041	1	10/8/2022	167	1877.1	0.001236	0.11	0.000206
KY	H L Spurloc	6041	1	10/8/2022	247	2386	0.00094	0.0973	0.000232

KY	H L Spurloc	6041	1	10/8/2022	276	2663.4	0.000865	0.0896	0.000239
KY	H L Spurloc	6041	1	10/8/2022	209	2039.4	0.001044	0.107	0.000218
KY	H L Spurloc	6041	1	10/8/2022	175	1722	0.001161	0.118	0.000203
KY	H L Spurloc	6041	1	10/8/2022	175	1762.7	0.001178	0.117	0.000206
KY	H L Spurloc	6041	1	10/8/2022	175	1753.8	0.001173	0.117	0.000205
KY	H L Spurloc	6041	1	10/9/2022	174	1760.7	0.001174	0.116	0.000204
KY	H L Spurloc	6041	1	10/9/2022	175	1748.8	0.001179	0.118	0.000206
KY	H L Spurloc	6041	1	10/9/2022	175	1770.8	0.001184	0.117	0.000207
KY	H L Spurloc	6041	1	10/9/2022	175	1759.1	0.001186	0.118	0.000208
KY	H L Spurloc	6041	1	10/9/2022	168	1696.4	0.001202	0.119	0.000202
KY	H L Spurloc	6041	1	10/9/2022	164	1667.7	0.00123	0.121	0.000202
KY	H L Spurloc	6041	1	10/9/2022	165	1666.1	0.001222	0.121	0.000202
KY	H L Spurloc	6041	1	10/9/2022	164	1656.7	0.001222	0.121	0.0002
KY	H L Spurloc	6041	1	10/9/2022	165	1671	0.001215	0.12	0.000201
KY	H L Spurloc	6041	1	10/9/2022	165	1671.5	0.001216	0.12	0.000201
KY	H L Spurloc	6041	1	10/9/2022	165	1653.6	0.001203	0.12	0.000198
KY	H L Spurloc	6041	1	10/9/2022	166	1639.8	0.001195	0.121	0.000198
KY	H L Spurloc	6041	1	10/9/2022	165	1650	0.00119	0.119	0.000196
KY	H L Spurloc	6041	1	10/9/2022	165	1642.1	0.001194	0.12	0.000197
KY	H L Spurloc	6041	1	10/9/2022	165	1613.1	0.001183	0.121	0.000195
KY	H L Spurloc	6041	1	10/9/2022	165	1605.1	0.001177	0.121	0.000194
KY	H L Spurloc	6041	1	10/9/2022	165	1622.2	0.00117	0.119	0.000193
KY	H L Spurloc	6041	1	10/9/2022	166	1637.1	0.001174	0.119	0.000195
KY	H L Spurloc	6041	1	10/9/2022	171	1669.3	0.001162	0.119	0.000199
KY	H L Spurloc	6041	1	10/9/2022	180	1773.1	0.001143	0.116	0.000206
KY	H L Spurloc	6041	1	10/9/2022	200	1952.8	0.001074	0.11	0.000215
KY	H L Spurloc	6041	1	10/9/2022	166	1660.1	0.00119	0.119	0.000198
KY	H L Spurloc	6041	1	10/9/2022	165	1640.6	0.001203	0.121	0.000199
KY	H L Spurloc	6041	1	10/9/2022	165	1661.3	0.001218	0.121	0.000201
KY	H L Spurloc	6041	1	10/10/2022	165	1686.4	0.001216	0.119	0.000201
KY	H L Spurloc	6041	1	10/10/2022	165	1682.1	0.001234	0.121	0.000204
KY	H L Spurloc	6041	1	10/10/2022	165	1678.8	0.001231	0.121	0.000203
KY	H L Spurloc	6041	1	10/10/2022	165	1668.2	0.001223	0.121	0.000202
KY	H L Spurloc	6041	1	10/10/2022	165	1676.6	0.00123	0.121	0.000203
KY	H L Spurloc	6041	1	10/10/2022	165	1685.5	0.001236	0.121	0.000204
KY	H L Spurloc	6041	1	10/10/2022	164	1680.3	0.00124	0.121	0.000203
KY	H L Spurloc	6041	1	10/10/2022	178	1791.1	0.001177	0.117	0.00021
KY	H L Spurloc	6041	1	10/10/2022	177	1811	0.001177	0.115	0.000208
KY	H L Spurloc	6041	1	10/10/2022	169	1697.3	0.001205	0.12	0.000204
KY	H L Spurloc	6041	1	10/10/2022	182	1803.8	0.003112	0.314	0.000566
KY	H L Spurloc	6041	1	10/10/2022	223	2149.4	0.002728	0.283	0.000608
KY	H L Spurloc	6041	1	10/10/2022	229	2181.1	0.002619	0.275	0.0006
KY	H L Spurloc	6041	1	10/10/2022	175	1670.7	0.002979	0.312	0.000521
KY	H L Spurloc	6041	1	10/10/2022	171	1663.1	0.003044	0.313	0.000521
KY	H L Spurloc	6041	1	10/10/2022	170	1646.8	0.003042	0.314	0.000517
KY	H L Spurloc	6041	1	10/10/2022	171	1653.9	0.003037	0.314	0.000519
KY	H L Spurloc	6041	1	10/10/2022	224	2138.2	0.002663	0.279	0.000597
KY	H L Spurloc	6041	1	10/10/2022	303	2888.1	0.002249	0.236	0.000682

KY	H L Spurloc	6041	1	10/10/2022	302	2854.6	0.002231	0.236	0.000674
KY	H L Spurloc	6041	1	10/10/2022	245	2328.4	0.002547	0.268	0.000624
KY	H L Spurloc	6041	1	10/10/2022	198	1881.5	0.002851	0.3	0.000564
KY	H L Spurloc	6041	1	10/10/2022	169	1666.1	0.003125	0.317	0.000528
KY	H L Spurloc	6041	1	10/10/2022	223	2125.1	0.002716	0.285	0.000606
KY	H L Spurloc	6041	1	10/11/2022	313	3023.6	0.002241	0.232	0.000701
KY	H L Spurloc	6041	1	10/11/2022	320	3065.9	0.002213	0.231	0.000708
KY	H L Spurloc	6041	1	10/11/2022	320	3075.2	0.00222	0.231	0.00071
KY	H L Spurloc	6041	1	10/11/2022	319	3065.3	0.002152	0.224	0.000687
KY	H L Spurloc	6041	1	10/11/2022	309	2959.1	0.002193	0.229	0.000678
KY	H L Spurloc	6041	1	10/11/2022	319	3049.7	0.002141	0.224	0.000683
KY	H L Spurloc	6041	1	10/11/2022	320	3073.7	0.002142	0.223	0.000685
KY	H L Spurloc	6041	1	10/11/2022	323	3106.4	0.002145	0.223	0.000693
KY	H L Spurloc	6041	1	10/11/2022	323	3079.4	0.002155	0.226	0.000696
KY	H L Spurloc	6041	1	10/11/2022	311	2980.8	0.002157	0.225	0.000671
KY	H L Spurloc	6041	1	10/11/2022	323	3043.4	0.002101	0.223	0.000679
KY	H L Spurloc	6041	1	10/11/2022	323	3029.9	0.002111	0.225	0.000682
KY	H L Spurloc	6041	1	10/11/2022	325	3025.6	0.002104	0.226	0.000684
KY	H L Spurloc	6041	1	10/11/2022	326	3044.6	0.002101	0.225	0.000685
KY	H L Spurloc	6041	1	10/11/2022	326	3056	0.002072	0.221	0.000675
KY	H L Spurloc	6041	1	10/11/2022	322	2997.9	0.002076	0.223	0.000669
KY	H L Spurloc	6041	1	10/11/2022	324	3016	0.002076	0.223	0.000673
KY	H L Spurloc	6041	1	10/11/2022	323	2996.8	0.002069	0.223	0.000668
KY	H L Spurloc	6041	1	10/11/2022	304	2818.8	0.002133	0.23	0.000648
KY	H L Spurloc	6041	1	10/11/2022	324	3003.9	0.002077	0.224	0.000673
KY	H L Spurloc	6041	1	10/11/2022	311	2893.9	0.002122	0.228	0.00066
KY	H L Spurloc	6041	1	10/11/2022	310	2887	0.002133	0.229	0.000661
KY	H L Spurloc	6041	1	10/11/2022	306	2844.1	0.002147	0.231	0.000657
KY	H L Spurloc	6041	1	10/11/2022	324	3031.1	0.002096	0.224	0.000679
KY	H L Spurloc	6041	1	10/12/2022	326	3044.8	0.002101	0.225	0.000685
KY	H L Spurloc	6041	1	10/12/2022	324	3064.8	0.0021	0.222	0.00068
KY	H L Spurloc	6041	1	10/12/2022	324	3053.3	0.002092	0.222	0.000678
KY	H L Spurloc	6041	1	10/12/2022	315	2967.1	0.002176	0.231	0.000685
KY	H L Spurloc	6041	1	10/12/2022	305	2882.7	0.002221	0.235	0.000677
KY	H L Spurloc	6041	1	10/12/2022	313	2959.8	0.002222	0.235	0.000696
KY	H L Spurloc	6041	1	10/12/2022	316	2971.9	0.002201	0.234	0.000695
KY	H L Spurloc	6041	1	10/12/2022	324	3033.7	0.002163	0.231	0.000701
KY	H L Spurloc	6041	1	10/12/2022	324	3046.7	0.002144	0.228	0.000695
KY	H L Spurloc	6041	1	10/12/2022	325	3020.7	0.002138	0.23	0.000695
KY	H L Spurloc	6041	1	10/12/2022	324	3006.8	0.002107	0.227	0.000683
KY	H L Spurloc	6041	1	10/12/2022	325	3042.1	0.002106	0.225	0.000684
KY	H L Spurloc	6041	1	10/12/2022	324	3047	0.002116	0.225	0.000686
KY	H L Spurloc	6041	1	10/12/2022	325	3010.3	0.002112	0.228	0.000686
KY	H L Spurloc	6041	1	10/12/2022	324	3013.9	0.002121	0.228	0.000687
KY	H L Spurloc	6041	1	10/12/2022	325	3025.1	0.002113	0.227	0.000687
KY	H L Spurloc	6041	1	10/12/2022	324	3023.2	0.002109	0.226	0.000683
KY	H L Spurloc	6041	1	10/12/2022	325	3001.8	0.002087	0.226	0.000678
KY	H L Spurloc	6041	1	10/12/2022	324	3018.4	0.002096	0.225	0.000679

KY	H L Spurloc	6041	1	10/12/2022	325	3031.2	0.00208	0.223	0.000676
KY	H L Spurloc	6041	1	10/12/2022	314	2923.3	0.002113	0.227	0.000664
KY	H L Spurloc	6041	1	10/12/2022	324	3008.7	0.002071	0.223	0.000671
KY	H L Spurloc	6041	1	10/12/2022	310	2881.7	0.00211	0.227	0.000654
KY	H L Spurloc	6041	1	10/12/2022	316	2926.5	0.002102	0.227	0.000664
KY	H L Spurloc	6041	1	10/13/2022	312	2890.7	0.002103	0.227	0.000656
KY	H L Spurloc	6041	1	10/13/2022	323	2989.9	0.002064	0.223	0.000667
KY	H L Spurloc	6041	1	10/13/2022	324	2978.6	0.002059	0.224	0.000667
KY	H L Spurloc	6041	1	10/13/2022	324	2981.5	0.00208	0.226	0.000674
KY	H L Spurloc	6041	1	10/13/2022	324	2992.3	0.002087	0.226	0.000676
KY	H L Spurloc	6041	1	10/13/2022	313	2869.5	0.002118	0.231	0.000663
KY	H L Spurloc	6041	1	10/13/2022	324	3004.7	0.002105	0.227	0.000682
KY	H L Spurloc	6041	1	10/13/2022	323	3035.8	0.002105	0.224	0.00068
KY	H L Spurloc	6041	1	10/13/2022	323	3026	0.002099	0.224	0.000678
KY	H L Spurloc	6041	1	10/13/2022	324	3038.5	0.00211	0.225	0.000684
KY	H L Spurloc	6041	1	10/13/2022	324	3022.6	0.00209	0.224	0.000677
KY	H L Spurloc	6041	1	10/13/2022	324	3006.3	0.002088	0.225	0.000676
KY	H L Spurloc	6041	1	10/13/2022	324	3002.2	0.002085	0.225	0.000675
KY	H L Spurloc	6041	1	10/13/2022	323	2960.9	0.002072	0.226	0.000669
KY	H L Spurloc	6041	1	10/13/2022	324	2956.4	0.002062	0.226	0.000668
KY	H L Spurloc	6041	1	10/13/2022	323	2952.6	0.002066	0.226	0.000667
KY	H L Spurloc	6041	1	10/13/2022	323	2948.5	0.002054	0.225	0.000663
KY	H L Spurloc	6041	1	10/13/2022	323	2958.6	0.002061	0.225	0.000666
KY	H L Spurloc	6041	1	10/13/2022	323	2962.5	0.002064	0.225	0.000667
KY	H L Spurloc	6041	1	10/13/2022	324	2988.9	0.002057	0.223	0.000667
KY	H L Spurloc	6041	1	10/13/2022	324	2993.6	0.002079	0.225	0.000674
KY	H L Spurloc	6041	1	10/13/2022	324	2976.5	0.002076	0.226	0.000673
KY	H L Spurloc	6041	1	10/13/2022	324	3010.6	0.002081	0.224	0.000674
KY	H L Spurloc	6041	1	10/13/2022	323	2991.3	0.002093	0.226	0.000676
KY	H L Spurloc	6041	1	10/14/2022	324	3017.6	0.002105	0.226	0.000682
KY	H L Spurloc	6041	1	10/14/2022	323	3030.4	0.002102	0.224	0.000679
KY	H L Spurloc	6041	1	10/14/2022	324	3024.3	0.00211	0.226	0.000683
KY	H L Spurloc	6041	1	10/14/2022	324	3036.1	0.002118	0.226	0.000686
KY	H L Spurloc	6041	1	10/14/2022	323	3052.9	0.002127	0.225	0.000687
KY	H L Spurloc	6041	1	10/14/2022	323	3035.6	0.002133	0.227	0.000689
KY	H L Spurloc	6041	1	10/14/2022	323	3040	0.002146	0.228	0.000693
KY	H L Spurloc	6041	1	10/14/2022	323	3056.1	0.002148	0.227	0.000694
KY	H L Spurloc	6041	1	10/14/2022	323	3062.8	0.002152	0.227	0.000695
KY	H L Spurloc	6041	1	10/14/2022	323	3051.8	0.002135	0.226	0.00069
KY	H L Spurloc	6041	1	10/14/2022	323	3032	0.002103	0.224	0.000679
KY	H L Spurloc	6041	1	10/14/2022	323	2996.8	0.002097	0.226	0.000677
KY	H L Spurloc	6041	1	10/14/2022	323	2986.2	0.002089	0.226	0.000675
KY	H L Spurloc	6041	1	10/14/2022	323	2966.6	0.002076	0.226	0.00067
KY	H L Spurloc	6041	1	10/14/2022	323	2952.9	0.002066	0.226	0.000667
KY	H L Spurloc	6041	1	10/14/2022	323	2960.2	0.002062	0.225	0.000666
KY	H L Spurloc	6041	1	10/14/2022	323	2965.7	0.002066	0.225	0.000667
KY	H L Spurloc	6041	1	10/14/2022	307	2829.6	0.002138	0.232	0.000656
KY	H L Spurloc	6041	1	10/14/2022	323	2972.4	0.002089	0.227	0.000675

KY	H L Spurloc	6041	1	10/14/2022	317	2942.8	0.002117	0.228	0.000671
KY	H L Spurloc	6041	1	10/14/2022	322	2976.7	0.002117	0.229	0.000682
KY	H L Spurloc	6041	1	10/14/2022	316	2942.8	0.002133	0.229	0.000674
KY	H L Spurloc	6041	1	10/14/2022	324	3017.4	0.002105	0.226	0.000682
KY	H L Spurloc	6041	1	10/14/2022	219	2025.5	0.002543	0.275	0.000557
KY	H L Spurloc	6041	1	10/15/2022	103	1038.73	0.004214	0.397	0.000412
KY	H L Spurloc	6041	1	10/22/2022	0	12.168		0.492	5.99E-06
KY	H L Spurloc	6041	1	10/22/2022	0	85.3		0.492	4.2E-05
KY	H L Spurloc	6041	1	10/22/2022	0	119.2		0.491	5.85E-05
KY	H L Spurloc	6041	1	10/22/2022	0	137.1		0.49	6.72E-05
KY	H L Spurloc	6041	1	10/22/2022	0	153.8		0.489	7.52E-05
KY	H L Spurloc	6041	1	10/22/2022	0	141.1		0.487	6.87E-05
KY	H L Spurloc	6041	1	10/22/2022	0	171.7		0.485	8.33E-05
KY	H L Spurloc	6041	1	10/22/2022	0	144.7		0.482	6.97E-05
KY	H L Spurloc	6041	1	10/22/2022	0	131.9		0.48	6.33E-05
KY	H L Spurloc	6041	1	10/22/2022	0	134.1		0.478	6.41E-05
KY	H L Spurloc	6041	1	10/22/2022	0	135.5		0.477	6.46E-05
KY	H L Spurloc	6041	1	10/23/2022	0	136.5		0.476	6.5E-05
KY	H L Spurloc	6041	1	10/23/2022	0	122.1		0.475	5.8E-05
KY	H L Spurloc	6041	1	10/23/2022	0	107.3		0.475	5.1E-05
KY	H L Spurloc	6041	1	10/23/2022	0	123.7		0.475	5.88E-05
KY	H L Spurloc	6041	1	10/23/2022	0	139.9		0.475	6.65E-05
KY	H L Spurloc	6041	1	10/23/2022	0	124.9		0.474	5.92E-05
KY	H L Spurloc	6041	1	10/23/2022	0	125.8		0.473	5.95E-05
KY	H L Spurloc	6041	1	10/23/2022	0	126.2		0.473	5.97E-05
KY	H L Spurloc	6041	1	10/23/2022	0	126		0.472	5.95E-05
KY	H L Spurloc	6041	1	10/23/2022	0	130.2		0.471	6.13E-05
KY	H L Spurloc	6041	1	10/23/2022	0	216.7		0.471	0.000102
KY	H L Spurloc	6041	1	10/23/2022	18	489.9	0.023624	0.868	0.000425
KY	H L Spurloc	6041	1	10/23/2022	42	669.3	0.010279	0.645	0.000432
KY	H L Spurloc	6041	1	10/23/2022	87	954.6	0.005058	0.461	0.00044
KY	H L Spurloc	6041	1	10/23/2022	133	1393.5	0.003458	0.33	0.00046
KY	H L Spurloc	6041	1	10/23/2022	152	1574.3	0.0032	0.309	0.000486
KY	H L Spurloc	6041	1	10/23/2022	186	1876.4	0.002714	0.269	0.000505
KY	H L Spurloc	6041	1	10/23/2022	199	1968.6	0.002532	0.256	0.000504
KY	H L Spurloc	6041	1	10/23/2022	207	2013.3	0.002441	0.251	0.000505
KY	H L Spurloc	6041	1	10/23/2022	210	2075.5	0.002441	0.247	0.000513
KY	H L Spurloc	6041	1	10/23/2022	215	2085.7	0.002406	0.248	0.000517
KY	H L Spurloc	6041	1	10/23/2022	223	2150.1	0.002353	0.244	0.000525
KY	H L Spurloc	6041	1	10/23/2022	228	2198	0.002333	0.242	0.000532
KY	H L Spurloc	6041	1	10/23/2022	206	2001.3	0.002458	0.253	0.000506
KY	H L Spurloc	6041	1	10/24/2022	164	1642.1	0.002784	0.278	0.000457
KY	H L Spurloc	6041	1	10/24/2022	165	1670.8	0.002785	0.275	0.000459
KY	H L Spurloc	6041	1	10/24/2022	165	1673.6	0.002789	0.275	0.00046
KY	H L Spurloc	6041	1	10/24/2022	165	1687.7	0.002813	0.275	0.000464
KY	H L Spurloc	6041	1	10/24/2022	165	1673.7	0.00283	0.279	0.000467
KY	H L Spurloc	6041	1	10/24/2022	172	1742.9	0.002756	0.272	0.000474
KY	H L Spurloc	6041	1	10/24/2022	166	1693	0.002845	0.279	0.000472



KY	H L Spurloc	6041	1	10/24/2022	220	2124.8	0.002395	0.248	0.000527
KY	H L Spurloc	6041	1	10/24/2022	268	2606.4	0.00211	0.217	0.000566
KY	H L Spurloc	6041	1	10/24/2022	311	2961.5	0.001924	0.202	0.000598
KY	H L Spurloc	6041	1	10/24/2022	307	2889.8	0.00193	0.205	0.000592
KY	H L Spurloc	6041	1	10/24/2022	304	2842.1	0.001945	0.208	0.000591
KY	H L Spurloc	6041	1	10/24/2022	259	2441.4	0.002196	0.233	0.000569
KY	H L Spurloc	6041	1	10/24/2022	272	2562.2	0.002129	0.226	0.000579
KY	H L Spurloc	6041	1	10/24/2022	255	2416.3	0.002198	0.232	0.000561
KY	H L Spurloc	6041	1	10/24/2022	237	2213.9	0.00227	0.243	0.000538
KY	H L Spurloc	6041	1	10/24/2022	272	2535.2	0.002125	0.228	0.000578
KY	H L Spurloc	6041	1	10/24/2022	310	2900.3	0.001983	0.212	0.000615
KY	H L Spurloc	6041	1	10/24/2022	323	3014	0.001932	0.207	0.000624
KY	H L Spurloc	6041	1	10/24/2022	321	2995.6	0.001922	0.206	0.000617
KY	H L Spurloc	6041	1	10/24/2022	312	2914.4	0.001971	0.211	0.000615
KY	H L Spurloc	6041	1	10/24/2022	310	2884.7	0.001982	0.213	0.000614
KY	H L Spurloc	6041	1	10/24/2022	301	2789.5	0.002011	0.217	0.000605
KY	H L Spurloc	6041	1	10/24/2022	220	2052	0.002388	0.256	0.000525
KY	H L Spurloc	6041	1	10/25/2022	164	1594.1	0.002799	0.288	0.000459
KY	H L Spurloc	6041	1	10/25/2022	165	1605.5	0.002773	0.285	0.000458
KY	H L Spurloc	6041	1	10/25/2022	165	1617.2	0.002784	0.284	0.000459
KY	H L Spurloc	6041	1	10/25/2022	165	1618.8	0.002786	0.284	0.00046
KY	H L Spurloc	6041	1	10/25/2022	166	1638.3	0.002773	0.281	0.00046
KY	H L Spurloc	6041	1	10/25/2022	180	1767.2	0.002661	0.271	0.000479
KY	H L Spurloc	6041	1	10/25/2022	211	2028.1	0.002441	0.254	0.000515
KY	H L Spurloc	6041	1	10/25/2022	243	2305.6	0.002277	0.24	0.000553
KY	H L Spurloc	6041	1	10/25/2022	234	2238.6	0.002334	0.244	0.000546
KY	H L Spurloc	6041	1	10/25/2022	185	1787.1	0.002647	0.274	0.00049
KY	H L Spurloc	6041	1	10/25/2022	167	1603.7	0.002775	0.289	0.000463
KY	H L Spurloc	6041	1	10/25/2022	165	1611.7	0.002803	0.287	0.000463
KY	H L Spurloc	6041	1	10/25/2022	165	1611.9	0.002823	0.289	0.000466
KY	H L Spurloc	6041	1	10/25/2022	165	1590.6	0.002786	0.289	0.00046
KY	H L Spurloc	6041	1	10/25/2022	165	1596.4	0.002796	0.289	0.000461
KY	H L Spurloc	6041	1	10/25/2022	165	1590.2	0.002776	0.288	0.000458
KY	H L Spurloc	6041	1	10/25/2022	256	2371.4	0.002177	0.235	0.000557
KY	H L Spurloc	6041	1	10/25/2022	322	2998.3	0.00189	0.203	0.000609
KY	H L Spurloc	6041	1	10/25/2022	323	3010.3	0.001873	0.201	0.000605
KY	H L Spurloc	6041	1	10/25/2022	323	2994.4	0.001873	0.202	0.000605
KY	H L Spurloc	6041	1	10/25/2022	323	3009.6	0.001882	0.202	0.000608
KY	H L Spurloc	6041	1	10/25/2022	323	3010.7	0.001892	0.203	0.000611
KY	H L Spurloc	6041	1	10/25/2022	316	2934.6	0.001913	0.206	0.000605
KY	H L Spurloc	6041	1	10/25/2022	316	2929.7	0.001919	0.207	0.000606
KY	H L Spurloc	6041	1	10/26/2022	312	2897.4	0.001932	0.208	0.000603
KY	H L Spurloc	6041	1	10/26/2022	314	2919.8	0.001925	0.207	0.000604
KY	H L Spurloc	6041	1	10/26/2022	314	2897.3	0.001928	0.209	0.000606
KY	H L Spurloc	6041	1	10/26/2022	314	2885.3	0.00192	0.209	0.000603
KY	H L Spurloc	6041	1	10/26/2022	319	2918.9	0.001894	0.207	0.000604
KY	H L Spurloc	6041	1	10/26/2022	315	2890	0.001936	0.211	0.00061
KY	H L Spurloc	6041	1	10/26/2022	310	2871.1	0.001936	0.209	0.0006

KY	H L Spurloc	6041	1	10/26/2022	310	2895.7	0.001934	0.207	0.000599
KY	H L Spurloc	6041	1	10/26/2022	310	2907.2	0.001951	0.208	0.000605
KY	H L Spurloc	6041	1	10/26/2022	310	2879.6	0.001914	0.206	0.000593
KY	H L Spurloc	6041	1	10/26/2022	310	2903.8	0.001911	0.204	0.000592
KY	H L Spurloc	6041	1	10/26/2022	310	2885.3	0.001899	0.204	0.000589
KY	H L Spurloc	6041	1	10/26/2022	319	2977.4	0.001876	0.201	0.000598
KY	H L Spurloc	6041	1	10/26/2022	319	2987.1	0.001873	0.2	0.000597
KY	H L Spurloc	6041	1	10/26/2022	319	2981.6	0.001869	0.2	0.000596
KY	H L Spurloc	6041	1	10/26/2022	319	2974.7	0.001874	0.201	0.000598
KY	H L Spurloc	6041	1	10/26/2022	319	2988.2	0.001873	0.2	0.000598
KY	H L Spurloc	6041	1	10/26/2022	319	2978.8	0.001877	0.201	0.000599
KY	H L Spurloc	6041	1	10/26/2022	319	3001.9	0.001873	0.199	0.000597
KY	H L Spurloc	6041	1	10/26/2022	319	3000.8	0.001863	0.198	0.000594
KY	H L Spurloc	6041	1	10/26/2022	319	3009.4	0.001868	0.198	0.000596
KY	H L Spurloc	6041	1	10/26/2022	319	3013.2	0.00187	0.198	0.000597
KY	H L Spurloc	6041	1	10/26/2022	319	3034.1	0.001864	0.196	0.000595
KY	H L Spurloc	6041	1	10/26/2022	311	2946.3	0.001904	0.201	0.000592
KY	H L Spurloc	6041	1	10/27/2022	320	3039.1	0.001871	0.197	0.000599
KY	H L Spurloc	6041	1	10/27/2022	310	2938.1	0.001905	0.201	0.000591
KY	H L Spurloc	6041	1	10/27/2022	319	3031	0.001872	0.197	0.000597
KY	H L Spurloc	6041	1	10/27/2022	311	2955.3	0.001901	0.2	0.000591
KY	H L Spurloc	6041	1	10/27/2022	317	3013.1	0.001892	0.199	0.0006
KY	H L Spurloc	6041	1	10/27/2022	320	3062.2	0.001885	0.197	0.000603
KY	H L Spurloc	6041	1	10/27/2022	308	2950	0.001935	0.202	0.000596
KY	H L Spurloc	6041	1	10/27/2022	320	3064.5	0.001877	0.196	0.000601
KY	H L Spurloc	6041	1	10/27/2022	320	3070	0.001871	0.195	0.000599
KY	H L Spurloc	6041	1	10/27/2022	319	3070.9	0.001877	0.195	0.000599
KY	H L Spurloc	6041	1	10/27/2022	320	3050.7	0.001859	0.195	0.000595
KY	H L Spurloc	6041	1	10/27/2022	305	2910.5	0.001918	0.201	0.000585
KY	H L Spurloc	6041	1	10/27/2022	319	3046.7	0.001862	0.195	0.000594
KY	H L Spurloc	6041	1	10/27/2022	320	3045.5	0.001865	0.196	0.000597
KY	H L Spurloc	6041	1	10/27/2022	320	3041.3	0.001863	0.196	0.000596
KY	H L Spurloc	6041	1	10/27/2022	320	3009.9	0.001844	0.196	0.00059
KY	H L Spurloc	6041	1	10/27/2022	320	3012.1	0.001835	0.195	0.000587
KY	H L Spurloc	6041	1	10/27/2022	320	3004.5	0.00185	0.197	0.000592
KY	H L Spurloc	6041	1	10/27/2022	320	3008.6	0.001852	0.197	0.000593
KY	H L Spurloc	6041	1	10/27/2022	312	2967.7	0.001883	0.198	0.000588
KY	H L Spurloc	6041	1	10/27/2022	319	3034	0.001874	0.197	0.000598
KY	H L Spurloc	6041	1	10/27/2022	306	2902.7	0.001926	0.203	0.000589
KY	H L Spurloc	6041	1	10/27/2022	319	3014.8	0.001881	0.199	0.0006
KY	H L Spurloc	6041	1	10/27/2022	317	3016.2	0.001893	0.199	0.0006
KY	H L Spurloc	6041	1	10/28/2022	318	3046.8	0.001907	0.199	0.000606
KY	H L Spurloc	6041	1	10/28/2022	318	3025.9	0.001903	0.2	0.000605
KY	H L Spurloc	6041	1	10/28/2022	319	3063	0.001901	0.198	0.000606
KY	H L Spurloc	6041	1	10/28/2022	312	2991.4	0.001927	0.201	0.000601
KY	H L Spurloc	6041	1	10/28/2022	321	3051.8	0.001892	0.199	0.000607
KY	H L Spurloc	6041	1	10/28/2022	313	2984.5	0.001917	0.201	0.0006
KY	H L Spurloc	6041	1	10/28/2022	323	3084.9	0.001882	0.197	0.000608

KY	H L Spurloc	6041	1	10/28/2022	321	3076.8	0.001898	0.198	0.000609
KY	H L Spurloc	6041	1	10/28/2022	322	3096.8	0.001904	0.198	0.000613
KY	H L Spurloc	6041	1	10/28/2022	321	3071.8	0.001904	0.199	0.000611
KY	H L Spurloc	6041	1	10/28/2022	322	3047.5	0.001883	0.199	0.000606
KY	H L Spurloc	6041	1	10/28/2022	311	2940	0.00191	0.202	0.000594
KY	H L Spurloc	6041	1	10/28/2022	323	3020.9	0.001861	0.199	0.000601
KY	H L Spurloc	6041	1	10/28/2022	308	2878.2	0.001897	0.203	0.000584
KY	H L Spurloc	6041	1	10/28/2022	323	3011.1	0.001846	0.198	0.000596
KY	H L Spurloc	6041	1	10/28/2022	307	2871.7	0.001908	0.204	0.000586
KY	H L Spurloc	6041	1	10/28/2022	322	2991.2	0.001858	0.2	0.000598
KY	H L Spurloc	6041	1	10/28/2022	323	3009.9	0.001845	0.198	0.000596
KY	H L Spurloc	6041	1	10/28/2022	323	2993	0.001853	0.2	0.000599
KY	H L Spurloc	6041	1	10/28/2022	323	3001.6	0.00184	0.198	0.000594
KY	H L Spurloc	6041	1	10/28/2022	323	3023.2	0.001853	0.198	0.000599
KY	H L Spurloc	6041	1	10/28/2022	309	2896.6	0.001912	0.204	0.000591
KY	H L Spurloc	6041	1	10/28/2022	323	3036.5	0.001871	0.199	0.000604
KY	H L Spurloc	6041	1	10/28/2022	309	2920.4	0.001919	0.203	0.000593
KY	H L Spurloc	6041	1	10/29/2022	322	3037.4	0.001877	0.199	0.000604
KY	H L Spurloc	6041	1	10/29/2022	308	2899.2	0.00193	0.205	0.000594
KY	H L Spurloc	6041	1	10/29/2022	322	3039.4	0.001878	0.199	0.000605
KY	H L Spurloc	6041	1	10/29/2022	315	2991.5	0.001909	0.201	0.000601
KY	H L Spurloc	6041	1	10/29/2022	215	2037.4	0.002397	0.253	0.000515
KY	H L Spurloc	6041	1	10/29/2022	218	2145	0.00243	0.247	0.00053
KY	H L Spurloc	6041	1	10/29/2022	313	2989	0.001967	0.206	0.000616
KY	H L Spurloc	6041	1	10/29/2022	323	3089.2	0.001913	0.2	0.000618
KY	H L Spurloc	6041	1	10/29/2022	324	3092.6	0.001909	0.2	0.000619
KY	H L Spurloc	6041	1	10/29/2022	323	3060.4	0.001904	0.201	0.000615
KY	H L Spurloc	6041	1	10/29/2022	322	3019.3	0.001885	0.201	0.000607
KY	H L Spurloc	6041	1	10/29/2022	323	3029.7	0.001848	0.197	0.000597
KY	H L Spurloc	6041	1	10/29/2022	312	2893.3	0.001873	0.202	0.000584
KY	H L Spurloc	6041	1	10/29/2022	323	2990.8	0.001833	0.198	0.000592
KY	H L Spurloc	6041	1	10/29/2022	321	2960.1	0.001826	0.198	0.000586
KY	H L Spurloc	6041	1	10/29/2022	324	2994.9	0.001812	0.196	0.000587
KY	H L Spurloc	6041	1	10/29/2022	309	2890.1	0.001871	0.2	0.000578
KY	H L Spurloc	6041	1	10/29/2022	322	2993	0.001822	0.196	0.000587
KY	H L Spurloc	6041	1	10/29/2022	311	2898	0.001845	0.198	0.000574
KY	H L Spurloc	6041	1	10/29/2022	259	2655.1	0.002173	0.212	0.000563
KY	H L Spurloc	6041	1	10/29/2022	240	2515.3	0.002327	0.222	0.000558
KY	H L Spurloc	6041	1	10/29/2022	231	2470.9	0.002407	0.225	0.000556
KY	H L Spurloc	6041	1	10/29/2022	240	2534.2	0.002344	0.222	0.000563
KY	H L Spurloc	6041	1	10/29/2022	237	2561.7	0.002389	0.221	0.000566
KY	H L Spurloc	6041	1	10/30/2022	240	2611.3	0.002383	0.219	0.000572
KY	H L Spurloc	6041	1	10/30/2022	252	2449.1	0.002216	0.228	0.000558
KY	H L Spurloc	6041	1	10/30/2022	303	2885.4	0.001962	0.206	0.000594
KY	H L Spurloc	6041	1	10/30/2022	309	2945.8	0.001926	0.202	0.000595
KY	H L Spurloc	6041	1	10/30/2022	309	2965.3	0.001929	0.201	0.000596
KY	H L Spurloc	6041	1	10/30/2022	310	2948.6	0.001931	0.203	0.000599
KY	H L Spurloc	6041	1	10/30/2022	320	3056.2	0.001891	0.198	0.000605

KY	H L Spurloc	6041	1	10/30/2022	320	3051.8	0.001888	0.198	0.000604
KY	H L Spurloc	6041	1	10/30/2022	320	3052	0.001888	0.198	0.000604
KY	H L Spurloc	6041	1	10/30/2022	323	3060.5	0.001867	0.197	0.000603
KY	H L Spurloc	6041	1	10/30/2022	318	2999.6	0.001868	0.198	0.000594
KY	H L Spurloc	6041	1	10/30/2022	322	2987.9	0.001837	0.198	0.000592
KY	H L Spurloc	6041	1	10/30/2022	314	2913.8	0.001847	0.199	0.00058
KY	H L Spurloc	6041	1	10/30/2022	321	2988.6	0.001834	0.197	0.000589
KY	H L Spurloc	6041	1	10/30/2022	307	2836.5	0.001885	0.204	0.000579
KY	H L Spurloc	6041	1	10/30/2022	323	2983.4	0.001829	0.198	0.000591
KY	H L Spurloc	6041	1	10/30/2022	311	2882.9	0.001872	0.202	0.000582
KY	H L Spurloc	6041	1	10/30/2022	320	2973.6	0.001849	0.199	0.000592
KY	H L Spurloc	6041	1	10/30/2022	311	2894.7	0.001871	0.201	0.000582
KY	H L Spurloc	6041	1	10/30/2022	320	2970.7	0.001847	0.199	0.000591
KY	H L Spurloc	6041	1	10/30/2022	307	2865.3	0.001904	0.204	0.000585
KY	H L Spurloc	6041	1	10/30/2022	306	2850.5	0.001919	0.206	0.000587
KY	H L Spurloc	6041	1	10/30/2022	307	2877.5	0.001912	0.204	0.000587
KY	H L Spurloc	6041	1	10/30/2022	310	2913.4	0.001889	0.201	0.000586
KY	H L Spurloc	6041	1	10/31/2022	309	2912.8	0.001923	0.204	0.000594
KY	H L Spurloc	6041	1	10/31/2022	313	2922.1	0.001914	0.205	0.000599
KY	H L Spurloc	6041	1	10/31/2022	306	2836.6	0.001928	0.208	0.00059
KY	H L Spurloc	6041	1	10/31/2022	307	2861.7	0.00193	0.207	0.000592
KY	H L Spurloc	6041	1	10/31/2022	302	2822.9	0.001954	0.209	0.00059
KY	H L Spurloc	6041	1	10/31/2022	307	2857.9	0.001918	0.206	0.000589
KY	H L Spurloc	6041	1	10/31/2022	311	2903	0.001895	0.203	0.000589
KY	H L Spurloc	6041	1	10/31/2022	300	2831.9	0.001963	0.208	0.000589
KY	H L Spurloc	6041	1	10/31/2022	303	2815.9	0.001979	0.213	0.0006
KY	H L Spurloc	6041	1	10/31/2022	295	2757.6	0.000972	0.104	0.000287
KY	H L Spurloc	6041	1	10/31/2022	304	2832.3	0.00095	0.102	0.000289
KY	H L Spurloc	6041	1	10/31/2022	295	2717.2	0.000958	0.104	0.000283
KY	H L Spurloc	6041	1	10/31/2022	303	2808.7	0.000946	0.102	0.000286
KY	H L Spurloc	6041	1	10/31/2022	301	2811.8	0.000953	0.102	0.000287
KY	H L Spurloc	6041	1	10/31/2022	269	2612.9	0.001039	0.107	0.00028
KY	H L Spurloc	6041	1	10/31/2022	241	2513.6	0.001126	0.108	0.000271
KY	H L Spurloc	6041	1	10/31/2022	231	2427	0.001166	0.111	0.000269
KY	H L Spurloc	6041	1	10/31/2022	240	2528.4	0.001148	0.109	0.000276
KY	H L Spurloc	6041	1	10/31/2022	232	2454.3	0.001174	0.111	0.000272
KY	H L Spurloc	6041	1	10/31/2022	225	2407.7	0.001198	0.112	0.00027
KY	H L Spurloc	6041	1	10/31/2022	226	2398.3	0.001199	0.113	0.000271
KY	H L Spurloc	6041	1	10/31/2022	219	2322.1	0.001209	0.114	0.000265
KY	H L Spurloc	6041	1	10/31/2022	221	2349.1	0.001201	0.113	0.000265
KY	H L Spurloc	6041	1	10/31/2022	213	2266.7	0.001234	0.116	0.000263
KY	H L Spurloc	6041	1	11/1/2022	221	2361.8	0.001208	0.113	0.000267
KY	H L Spurloc	6041	1	11/1/2022	184	2029.4	0.001357	0.123	0.00025
KY	H L Spurloc	6041	1	11/1/2022	192	2124.6	0.001317	0.119	0.000253
KY	H L Spurloc	6041	1	11/1/2022	217	2341.4	0.00123	0.114	0.000267
KY	H L Spurloc	6041	1	11/1/2022	222	2402.4	0.00119	0.11	0.000264
KY	H L Spurloc	6041	1	11/1/2022	222	2401	0.00119	0.11	0.000264
KY	H L Spurloc	6041	1	11/1/2022	223	2398	0.001183	0.11	0.000264

KY	H L Spurloc	6041	1	11/1/2022	222	2401.8	0.00119	0.11	0.000264
KY	H L Spurloc	6041	1	11/1/2022	224	2334	0.001157	0.111	0.000259
KY	H L Spurloc	6041	1	11/1/2022	221	2358.6	0.001185	0.111	0.000262
KY	H L Spurloc	6041	1	11/1/2022	223	2411.4	0.001189	0.11	0.000265
KY	H L Spurloc	6041	1	11/1/2022	223	2408.7	0.001188	0.11	0.000265
KY	H L Spurloc	6041	1	11/1/2022	225	2413.8	0.00118	0.11	0.000266
KY	H L Spurloc	6041	1	11/1/2022	226	2419.7	0.001167	0.109	0.000264
KY	H L Spurloc	6041	1	11/1/2022	226	2420.9	0.001168	0.109	0.000264
KY	H L Spurloc	6041	1	11/1/2022	226	2413.9	0.001175	0.11	0.000266
KY	H L Spurloc	6041	1	11/1/2022	226	2414.6	0.001175	0.11	0.000266
KY	H L Spurloc	6041	1	11/1/2022	226	2421.8	0.001179	0.11	0.000266
KY	H L Spurloc	6041	1	11/1/2022	226	2435.3	0.001175	0.109	0.000265
KY	H L Spurloc	6041	1	11/1/2022	226	2438.1	0.001176	0.109	0.000266
KY	H L Spurloc	6041	1	11/1/2022	226	2458.6	0.001186	0.109	0.000268
KY	H L Spurloc	6041	1	11/1/2022	226	2447.5	0.001191	0.11	0.000269
KY	H L Spurloc	6041	1	11/1/2022	225	2470.1	0.001197	0.109	0.000269
KY	H L Spurloc	6041	1	11/1/2022	225	2469.2	0.001207	0.11	0.000272
KY	H L Spurloc	6041	1	11/2/2022	225	2487.3	0.001216	0.11	0.000274
KY	H L Spurloc	6041	1	11/2/2022	225	2495.3	0.001209	0.109	0.000272
KY	H L Spurloc	6041	1	11/2/2022	224	2519.4	0.001226	0.109	0.000275
KY	H L Spurloc	6041	1	11/2/2022	222	2479	0.001228	0.11	0.000273
KY	H L Spurloc	6041	1	11/2/2022	221	2466.2	0.001228	0.11	0.000271
KY	H L Spurloc	6041	1	11/2/2022	223	2474.6	0.001232	0.111	0.000275
KY	H L Spurloc	6041	1	11/2/2022	222	2471.3	0.001236	0.111	0.000274
KY	H L Spurloc	6041	1	11/2/2022	222	2463.1	0.001232	0.111	0.000273
KY	H L Spurloc	6041	1	11/2/2022	222	2452.3	0.001226	0.111	0.000272
KY	H L Spurloc	6041	1	11/2/2022	222	2451.8	0.001226	0.111	0.000272
KY	H L Spurloc	6041	1	11/2/2022	222	2464.5	0.001221	0.11	0.000271
KY	H L Spurloc	6041	1	11/2/2022	222	2436.9	0.001207	0.11	0.000268
KY	H L Spurloc	6041	1	11/2/2022	222	2425.1	0.001202	0.11	0.000267
KY	H L Spurloc	6041	1	11/2/2022	221	2400.9	0.001195	0.11	0.000264
KY	H L Spurloc	6041	1	11/2/2022	229	2348.1	0.001138	0.111	0.000261
KY	H L Spurloc	6041	1	11/2/2022	286	2696.1	0.000962	0.102	0.000275
KY	H L Spurloc	6041	1	11/2/2022	324	3060.3	0.000892	0.0944	0.000289
KY	H L Spurloc	6041	1	11/2/2022	324	3066.7	0.000898	0.0949	0.000291
KY	H L Spurloc	6041	1	11/2/2022	323	3031.5	0.000894	0.0953	0.000289
KY	H L Spurloc	6041	1	11/2/2022	304	2880.9	0.000928	0.0979	0.000282
KY	H L Spurloc	6041	1	11/2/2022	301	2860.2	0.00093	0.0979	0.00028
KY	H L Spurloc	6041	1	11/2/2022	248	2349.9	0.001042	0.11	0.000258
KY	H L Spurloc	6041	1	11/2/2022	171	1661.2	0.001302	0.134	0.000223
KY	H L Spurloc	6041	1	11/2/2022	164	1628.9	0.001331	0.134	0.000218
KY	H L Spurloc	6041	1	11/3/2022	165	1633.3	0.001336	0.135	0.00022
KY	H L Spurloc	6041	1	11/3/2022	165	1639.6	0.001341	0.135	0.000221
KY	H L Spurloc	6041	1	11/3/2022	165	1665.9	0.001343	0.133	0.000222
KY	H L Spurloc	6041	1	11/3/2022	165	1663.7	0.001341	0.133	0.000221
KY	H L Spurloc	6041	1	11/3/2022	168	1677.7	0.001328	0.133	0.000223
KY	H L Spurloc	6041	1	11/3/2022	170	1715.3	0.001332	0.132	0.000226
KY	H L Spurloc	6041	1	11/3/2022	169	1692.2	0.001342	0.134	0.000227

KY	H L Spurloc	6041	1	11/3/2022	170	1725.3	0.00134	0.132	0.000228
KY	H L Spurloc	6041	1	11/3/2022	170	1720.5	0.001326	0.131	0.000225
KY	H L Spurloc	6041	1	11/3/2022	169	1697.8	0.001336	0.133	0.000226
KY	H L Spurloc	6041	1	11/3/2022	170	1697.7	0.001318	0.132	0.000224
KY	H L Spurloc	6041	1	11/3/2022	170	1682.5	0.001306	0.132	0.000222
KY	H L Spurloc	6041	1	11/3/2022	169	1667	0.001292	0.131	0.000218
KY	H L Spurloc	6041	1	11/3/2022	170	1656.9			
KY	H L Spurloc	6041	1	11/3/2022	169	1656.2	0.001294	0.132	0.000219
KY	H L Spurloc	6041	1	11/3/2022	169	1658.5	0.001295	0.132	0.000219
KY	H L Spurloc	6041	1	11/3/2022	170	1654	0.001284	0.132	0.000218
KY	H L Spurloc	6041	1	11/3/2022	169	1647.8	0.001268	0.13	0.000214
KY	H L Spurloc	6041	1	11/3/2022	169	1663.4	0.00128	0.13	0.000216
KY	H L Spurloc	6041	1	11/3/2022	170	1657.9	0.001258	0.129	0.000214
KY	H L Spurloc	6041	1	11/3/2022	169	1635.9	0.001258	0.13	0.000213
KY	H L Spurloc	6041	1	11/3/2022	169	1642.3	0.001273	0.131	0.000215
KY	H L Spurloc	6041	1	11/3/2022	169	1655.7	0.001283	0.131	0.000217
KY	H L Spurloc	6041	1	11/3/2022	169	1669.6	0.001284	0.13	0.000217
KY	H L Spurloc	6041	1	11/4/2022	169	1663.6	0.001299	0.132	0.00022
KY	H L Spurloc	6041	1	11/4/2022	169	1679.8	0.001292	0.13	0.000218
KY	H L Spurloc	6041	1	11/4/2022	169	1682.5	0.001294	0.13	0.000219
KY	H L Spurloc	6041	1	11/4/2022	170	1687.3	0.00129	0.13	0.000219
KY	H L Spurloc	6041	1	11/4/2022	169	1681.1	0.001293	0.13	0.000219
KY	H L Spurloc	6041	1	11/4/2022	175	1734	0.001278	0.129	0.000224
KY	H L Spurloc	6041	1	11/4/2022	169	1676.9	0.00131	0.132	0.000221
KY	H L Spurloc	6041	1	11/4/2022	175	1728.6	0.001274	0.129	0.000223
KY	H L Spurloc	6041	1	11/4/2022	170	1678.6	0.001284	0.13	0.000218
KY	H L Spurloc	6041	1	11/4/2022	169	1672.6	0.001287	0.13	0.000217
KY	H L Spurloc	6041	1	11/4/2022	171	1674.1	0.001273	0.13	0.000218
KY	H L Spurloc	6041	1	11/4/2022	187	1828.8	0.001222	0.125	0.000229
KY	H L Spurloc	6041	1	11/4/2022	170	1646.2	0.001278	0.132	0.000217
KY	H L Spurloc	6041	1	11/4/2022	170	1640.1	0.001273	0.132	0.000216
KY	H L Spurloc	6041	1	11/4/2022	169	1627.9	0.001271	0.132	0.000215
KY	H L Spurloc	6041	1	11/4/2022	169	1630.9	0.001264	0.131	0.000214
KY	H L Spurloc	6041	1	11/4/2022	170	1617.4	0.001256	0.132	0.000213
KY	H L Spurloc	6041	1	11/4/2022	171	1636	0.001263	0.132	0.000216
KY	H L Spurloc	6041	1	11/4/2022	170	1626.9	0.001273	0.133	0.000216
KY	H L Spurloc	6041	1	11/4/2022	170	1636.4	0.00128	0.133	0.000218
KY	H L Spurloc	6041	1	11/4/2022	169	1628.8	0.001282	0.133	0.000217
KY	H L Spurloc	6041	1	11/4/2022	170	1618.8	0.001266	0.133	0.000215
KY	H L Spurloc	6041	1	11/4/2022	169	1609.8	0.001276	0.134	0.000216
KY	H L Spurloc	6041	1	11/4/2022	169	1631.2	0.001274	0.132	0.000215
KY	H L Spurloc	6041	1	11/5/2022	170	1633.6	0.001268	0.132	0.000216
KY	H L Spurloc	6041	1	11/5/2022	170	1636.4	0.001271	0.132	0.000216
KY	H L Spurloc	6041	1	11/5/2022	169	1615.5	0.001271	0.133	0.000215
KY	H L Spurloc	6041	1	11/5/2022	170	1624.1	0.001261	0.132	0.000214
KY	H L Spurloc	6041	1	11/5/2022	166	1589.9	0.001274	0.133	0.000211
KY	H L Spurloc	6041	1	11/5/2022	164	1589.1	0.001298	0.134	0.000213
KY	H L Spurloc	6041	1	11/5/2022	165	1573.9	0.001297	0.136	0.000214

KY	H L Spurloc	6041	1	11/5/2022	165	1587.1	0.001299	0.135	0.000214
KY	H L Spurloc	6041	1	11/5/2022	165	1603	0.001312	0.135	0.000216
KY	H L Spurloc	6041	1	11/5/2022	165	1592.3	0.001322	0.137	0.000218
KY	H L Spurloc	6041	1	11/5/2022	165	1595.7	0.001325	0.137	0.000219
KY	H L Spurloc	6041	1	11/5/2022	165	1601.8	0.00133	0.137	0.000219
KY	H L Spurloc	6041	1	11/5/2022	165	1608	0.001335	0.137	0.00022
KY	H L Spurloc	6041	1	11/5/2022	165	1599.1	0.001328	0.137	0.000219
KY	H L Spurloc	6041	1	11/5/2022	165	1574.9	0.001317	0.138	0.000217
KY	H L Spurloc	6041	1	11/5/2022	165	1571.8	0.001315	0.138	0.000217
KY	H L Spurloc	6041	1	11/5/2022	165	1571.8	0.001315	0.138	0.000217
KY	H L Spurloc	6041	1	11/5/2022	165	1573.3	0.001316	0.138	0.000217
KY	H L Spurloc	6041	1	11/5/2022	165	1567.2	0.001311	0.138	0.000216
KY	H L Spurloc	6041	1	11/5/2022	165	1579.6	0.001321	0.138	0.000218
KY	H L Spurloc	6041	1	11/5/2022	165	1580.4	0.001322	0.138	0.000218
KY	H L Spurloc	6041	1	11/5/2022	165	1583.2	0.001324	0.138	0.000218
KY	H L Spurloc	6041	1	11/5/2022	165	1584.3	0.001325	0.138	0.000219
KY	H L Spurloc	6041	1	11/5/2022	165	1586.3	0.001327	0.138	0.000219
KY	H L Spurloc	6041	1	11/6/2022	165	1593.5	0.001333	0.138	0.00022
KY	H L Spurloc	6041	1	11/6/2022	165	1597.8	0.001336	0.138	0.00022
KY	H L Spurloc	6041	1	11/6/2022	165	1597.4	0.001336	0.138	0.00022
KY	H L Spurloc	6041	1	11/6/2022	165	1609	0.001336	0.137	0.00022
KY	H L Spurloc	6041	1	11/6/2022	165	1612.8	0.001339	0.137	0.000221
KY	H L Spurloc	6041	1	11/6/2022	165	1598.7	0.001347	0.139	0.000222
KY	H L Spurloc	6041	1	11/6/2022	165	1599.2	0.001347	0.139	0.000222
KY	H L Spurloc	6041	1	11/6/2022	165	1601.8	0.00134	0.138	0.000221
KY	H L Spurloc	6041	1	11/6/2022	165	1598.5	0.001337	0.138	0.000221
KY	H L Spurloc	6041	1	11/6/2022	165	1599.1	0.001337	0.138	0.000221
KY	H L Spurloc	6041	1	11/6/2022	165	1605.2	0.001343	0.138	0.000222
KY	H L Spurloc	6041	1	11/6/2022	166	1611.6	0.00134	0.138	0.000222
KY	H L Spurloc	6041	1	11/6/2022	165	1600.1	0.001338	0.138	0.000221
KY	H L Spurloc	6041	1	11/6/2022	165	1591.9	0.001331	0.138	0.00022
KY	H L Spurloc	6041	1	11/6/2022	167	1603.4	0.001306	0.136	0.000218
KY	H L Spurloc	6041	1	11/6/2022	165	1570.4	0.001313	0.138	0.000217
KY	H L Spurloc	6041	1	11/6/2022	165	1576.8	0.0013	0.136	0.000214
KY	H L Spurloc	6041	1	11/6/2022	171	1619.3	0.001278	0.135	0.000219
KY	H L Spurloc	6041	1	11/6/2022	173	1643.8	0.001264	0.133	0.000219
KY	H L Spurloc	6041	1	11/6/2022	165	1572	0.001305	0.137	0.000215
KY	H L Spurloc	6041	1	11/6/2022	166	1592.8	0.001295	0.135	0.000215
KY	H L Spurloc	6041	1	11/6/2022	165	1597.6	0.001307	0.135	0.000216
KY	H L Spurloc	6041	1	11/6/2022	166	1621.3	0.001309	0.134	0.000217
KY	H L Spurloc	6041	1	11/6/2022	165	1622.1	0.001317	0.134	0.000217
KY	H L Spurloc	6041	1	11/7/2022	165	1614.7	0.001321	0.135	0.000218
KY	H L Spurloc	6041	1	11/7/2022	165	1612.4	0.001319	0.135	0.000218
KY	H L Spurloc	6041	1	11/7/2022	165	1626.2	0.001331	0.135	0.00022
KY	H L Spurloc	6041	1	11/7/2022	165	1650.2	0.00133	0.133	0.000219
KY	H L Spurloc	6041	1	11/7/2022	165	1639.7	0.001342	0.135	0.000221
KY	H L Spurloc	6041	1	11/7/2022	165	1649.4	0.00135	0.135	0.000223
KY	H L Spurloc	6041	1	11/7/2022	164	1661.9	0.001368	0.135	0.000224

KY	H L Spurloc	6041	1	11/7/2022	211	2051.9	0.001196	0.123	0.000252
KY	H L Spurloc	6041	1	11/7/2022	183	1816.4	0.00127	0.128	0.000232
KY	H L Spurloc	6041	1	11/7/2022	165	1658.7	0.001357	0.135	0.000224
KY	H L Spurloc	6041	1	11/7/2022	165	1633	0.000871	0.088	0.000144
KY	H L Spurloc	6041	1	11/7/2022	165	1620.1	0.00086	0.0876	0.000142
KY	H L Spurloc	6041	1	11/7/2022	166	1612.5	0.000854	0.0879	0.000142
KY	H L Spurloc	6041	1	11/7/2022	184	1767	0.000812	0.0846	0.000149
KY	H L Spurloc	6041	1	11/7/2022	167	1610.4	0.000843	0.0874	0.000141
KY	H L Spurloc	6041	1	11/7/2022	176	1705.3	0.000829	0.0856	0.000146
KY	H L Spurloc	6041	1	11/7/2022	192	1848.3	0.000787	0.0818	0.000151
KY	H L Spurloc	6041	1	11/7/2022	183	1728.9	0.00081	0.0857	0.000148
KY	H L Spurloc	6041	1	11/7/2022	167	1605.4	0.000844	0.0878	0.000141
KY	H L Spurloc	6041	1	11/7/2022	165	1592.6	0.000857	0.0888	0.000141
KY	H L Spurloc	6041	1	11/7/2022	165	1621.3	0.000871	0.0886	0.000144
KY	H L Spurloc	6041	1	11/7/2022	166	1618.8	0.000867	0.0889	0.000144
KY	H L Spurloc	6041	1	11/7/2022	168	1646.5	0.000861	0.0879	0.000145
KY	H L Spurloc	6041	1	11/7/2022	165	1633.6	0.00087	0.0879	0.000144
KY	H L Spurloc	6041	1	11/8/2022	165	1612.3	0.000871	0.0891	0.000144
KY	H L Spurloc	6041	1	11/8/2022	164	1634.8	0.000888	0.0891	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1634.9	0.000885	0.0893	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1635.8	0.000887	0.0895	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1654.6	0.000886	0.0884	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1650.4	0.000893	0.0893	0.000147
KY	H L Spurloc	6041	1	11/8/2022	165	1667.3	0.000895	0.0886	0.000148
KY	H L Spurloc	6041	1	11/8/2022	164	1663.4	0.000905	0.0892	0.000148
KY	H L Spurloc	6041	1	11/8/2022	165	1661.6	0.000896	0.089	0.000148
KY	H L Spurloc	6041	1	11/8/2022	168	1703.6	0.000888	0.0876	0.000149
KY	H L Spurloc	6041	1	11/8/2022	165	1661.6	0.000895	0.0889	0.000148
KY	H L Spurloc	6041	1	11/8/2022	165	1647.1	0.000889	0.0891	0.000147
KY	H L Spurloc	6041	1	11/8/2022	165	1639.6	0.000885	0.0891	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1632.7	0.000882	0.0891	0.000145
KY	H L Spurloc	6041	1	11/8/2022	165	1623.5	0.000876	0.089	0.000144
KY	H L Spurloc	6041	1	11/8/2022	165	1615.1	0.000871	0.089	0.000144
KY	H L Spurloc	6041	1	11/8/2022	165	1611.6	0.000869	0.089	0.000143
KY	H L Spurloc	6041	1	11/8/2022	165	1618.4	0.000873	0.089	0.000144
KY	H L Spurloc	6041	1	11/8/2022	165	1626.8	0.000877	0.089	0.000145
KY	H L Spurloc	6041	1	11/8/2022	165	1626.3	0.000877	0.089	0.000145
KY	H L Spurloc	6041	1	11/8/2022	165	1642.6	0.000886	0.089	0.000146
KY	H L Spurloc	6041	1	11/8/2022	165	1655.4	0.000893	0.089	0.000147
KY	H L Spurloc	6041	1	11/8/2022	165	1653.3	0.000891	0.0889	0.000147
KY	H L Spurloc	6041	1	11/8/2022	165	1661.4	0.000897	0.0891	0.000148
KY	H L Spurloc	6041	1	11/9/2022	164	1657.5	0.000902	0.0892	0.000148
KY	H L Spurloc	6041	1	11/9/2022	164	1673.4	0.000909	0.0891	0.000149
KY	H L Spurloc	6041	1	11/9/2022	165	1663.3	0.000906	0.0899	0.00015
KY	H L Spurloc	6041	1	11/9/2022	165	1684.6	0.00091	0.0891	0.00015
KY	H L Spurloc	6041	1	11/9/2022	165	1674.8	0.000917	0.0903	0.000151
KY	H L Spurloc	6041	1	11/9/2022	165	1676.2	0.000914	0.09	0.000151
KY	H L Spurloc	6041	1	11/9/2022	174	1759	0.000899	0.0889	0.000156



KY	H L Spurloc	6041	1	11/9/2022	167	1703.7	0.000905	0.0887	0.000151
KY	H L Spurloc	6041	1	11/9/2022	165	1680.6	0.000915	0.0898	0.000151
KY	H L Spurloc	6041	1	11/9/2022	166	1695.8	0.000914	0.0895	0.000152
KY	H L Spurloc	6041	1	11/9/2022	167	1670.6	0.000896	0.0896	0.00015
KY	H L Spurloc	6041	1	11/9/2022	168	1676.2	0.000886	0.0888	0.000149
KY	H L Spurloc	6041	1	11/9/2022	166	1616.7	0.000877	0.0901	0.000146
KY	H L Spurloc	6041	1	11/9/2022	165	1622.4	0.000878	0.0893	0.000145
KY	H L Spurloc	6041	1	11/9/2022	165	1614.2	0.000881	0.0901	0.000145
KY	H L Spurloc	6041	1	11/9/2022	165	1626.3	0.000878	0.0891	0.000145
KY	H L Spurloc	6041	1	11/9/2022	165	1615.7	0.000874	0.0893	0.000144
KY	H L Spurloc	6041	1	11/9/2022	165	1620.1	0.000874	0.089	0.000144
KY	H L Spurloc	6041	1	11/9/2022	165	1605.6	0.000876	0.09	0.000145
KY	H L Spurloc	6041	1	11/9/2022	165	1618.8	0.000883	0.09	0.000146
KY	H L Spurloc	6041	1	11/9/2022	165	1634.3	0.00088	0.0888	0.000145
KY	H L Spurloc	6041	1	11/9/2022	166	1629.2	0.000878	0.0895	0.000146
KY	H L Spurloc	6041	1	11/9/2022	166	1635.9	0.000884	0.0897	0.000147
KY	H L Spurloc	6041	1	11/9/2022	166	1622.7	0.000883	0.0903	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1624	0.00089	0.0904	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1663.6	0.0009	0.0893	0.000149
KY	H L Spurloc	6041	1	11/10/2022	166	1666.8	0.000895	0.0891	0.000149
KY	H L Spurloc	6041	1	11/10/2022	166	1659.1	0.000901	0.0901	0.000149
KY	H L Spurloc	6041	1	11/10/2022	165	1662.9	0.000911	0.0904	0.00015
KY	H L Spurloc	6041	1	11/10/2022	166	1668.4	0.000906	0.0901	0.00015
KY	H L Spurloc	6041	1	11/10/2022	164	1670.3	0.000918	0.0901	0.00015
KY	H L Spurloc	6041	1	11/10/2022	164	1651.3	0.000918	0.0912	0.000151
KY	H L Spurloc	6041	1	11/10/2022	163	1664.1	0.000919	0.09	0.00015
KY	H L Spurloc	6041	1	11/10/2022	164	1646.5	0.000914	0.091	0.00015
KY	H L Spurloc	6041	1	11/10/2022	164	1639.3	0.000909	0.0909	0.000149
KY	H L Spurloc	6041	1	11/10/2022	166	1631.8	0.000892	0.0907	0.000148
KY	H L Spurloc	6041	1	11/10/2022	165	1613.7	0.000885	0.0905	0.000146
KY	H L Spurloc	6041	1	11/10/2022	164	1597.5	0.000889	0.0913	0.000146
KY	H L Spurloc	6041	1	11/10/2022	165	1613.7	0.000892	0.0912	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1622.4	0.000896	0.0911	0.000148
KY	H L Spurloc	6041	1	11/10/2022	165	1600.6	0.000886	0.0913	0.000146
KY	H L Spurloc	6041	1	11/10/2022	164	1602.6	0.000894	0.0915	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1591.6	0.00089	0.0923	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1601.9	0.000883	0.091	0.000146
KY	H L Spurloc	6041	1	11/10/2022	165	1602.5	0.000887	0.0913	0.000146
KY	H L Spurloc	6041	1	11/10/2022	165	1598.4	0.000885	0.0914	0.000146
KY	H L Spurloc	6041	1	11/10/2022	165	1608.1	0.000889	0.0912	0.000147
KY	H L Spurloc	6041	1	11/10/2022	165	1602.8	0.000895	0.0921	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1608.4	0.000888	0.0911	0.000147
KY	H L Spurloc	6041	1	11/11/2022	165	1597.2	0.000889	0.0918	0.000147
KY	H L Spurloc	6041	1	11/11/2022	165	1583.4	0.000882	0.0919	0.000146
KY	H L Spurloc	6041	1	11/11/2022	164	1575.8	0.000884	0.092	0.000145
KY	H L Spurloc	6041	1	11/11/2022	164	1599.8	0.000897	0.092	0.000147
KY	H L Spurloc	6041	1	11/11/2022	165	1601.6	0.000905	0.0932	0.000149
KY	H L Spurloc	6041	1	11/11/2022	165	1607.9	0.000906	0.093	0.00015

KY	H L Spurloc	6041	1	11/11/2022	165	1608.8	0.000907	0.093	0.00015
KY	H L Spurloc	6041	1	11/11/2022	173	1679	0.000891	0.0918	0.000154
KY	H L Spurloc	6041	1	11/11/2022	164	1615.7	0.000929	0.0943	0.000152
KY	H L Spurloc	6041	1	11/11/2022	168	1666	0.000921	0.0929	0.000155
KY	H L Spurloc	6041	1	11/11/2022	164	1620.4	0.000918	0.0929	0.000151
KY	H L Spurloc	6041	1	11/11/2022	164	1627	0.000911	0.0918	0.000149
KY	H L Spurloc	6041	1	11/11/2022	164	1606.3	0.000913	0.0932	0.00015
KY	H L Spurloc	6041	1	11/11/2022	164	1614	0.000905	0.092	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1608.3	0.000897	0.092	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1611	0.000888	0.0909	0.000146
KY	H L Spurloc	6041	1	11/11/2022	165	1625.2	0.000895	0.0909	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1597.2	0.000889	0.0918	0.000147
KY	H L Spurloc	6041	1	11/11/2022	170	1647.6	0.000878	0.0906	0.000149
KY	H L Spurloc	6041	1	11/11/2022	167	1654.3	0.000886	0.0894	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1641.5	0.000899	0.0904	0.000148
KY	H L Spurloc	6041	1	11/11/2022	165	1628.3	0.000893	0.0905	0.000147
KY	H L Spurloc	6041	1	11/11/2022	165	1642.4	0.000891	0.0895	0.000147
KY	H L Spurloc	6041	1	11/12/2022	167	1650.7	0.000886	0.0896	0.000148
KY	H L Spurloc	6041	1	11/12/2022	166	1648.9	0.000892	0.0898	0.000148
KY	H L Spurloc	6041	1	11/12/2022	166	1653.8	0.000895	0.0898	0.000149
KY	H L Spurloc	6041	1	11/12/2022	165	1673.9	0.000901	0.0888	0.000149
KY	H L Spurloc	6041	1	11/12/2022	166	1680.8	0.000902	0.0891	0.00015
KY	H L Spurloc	6041	1	11/12/2022	167	1677.2	0.000894	0.089	0.000149
KY	H L Spurloc	6041	1	11/12/2022	165	1671.7	0.000899	0.0887	0.000148
KY	H L Spurloc	6041	1	11/12/2022	165	1661.4	0.000904	0.0898	0.000149
KY	H L Spurloc	6041	1	11/12/2022	164	1664.4	0.000905	0.0892	0.000148
KY	H L Spurloc	6041	1	11/12/2022	165	1667.3	0.00089	0.0881	0.000147
KY	H L Spurloc	6041	1	11/12/2022	171	1719.4	0.000875	0.087	0.00015
KY	H L Spurloc	6041	1	11/12/2022	165	1651.1	0.000893	0.0892	0.000147
KY	H L Spurloc	6041	1	11/12/2022	167	1669.7	0.000889	0.0889	0.000148
KY	H L Spurloc	6041	1	11/12/2022	166	1656.4	0.000886	0.0888	0.000147
KY	H L Spurloc	6041	1	11/12/2022	165	1660.4	0.000894	0.0888	0.000147
KY	H L Spurloc	6041	1	11/12/2022	165	1667.1	0.000897	0.0888	0.000148
KY	H L Spurloc	6041	1	11/12/2022	165	1670.3	0.0009	0.0889	0.000148
KY	H L Spurloc	6041	1	11/12/2022	171	1731.1	0.000889	0.0878	0.000152
KY	H L Spurloc	6041	1	11/12/2022	168	1700.9	0.0009	0.0889	0.000151
KY	H L Spurloc	6041	1	11/12/2022	165	1660.6	0.00091	0.0904	0.00015
KY	H L Spurloc	6041	1	11/12/2022	169	1710.5	0.000904	0.0893	0.000153
KY	H L Spurloc	6041	1	11/12/2022	168	1711.2	0.000906	0.0889	0.000152
KY	H L Spurloc	6041	1	11/12/2022	165	1662.6	0.000907	0.09	0.00015
KY	H L Spurloc	6041	1	11/12/2022	164	1649.4	0.000905	0.09	0.000148
KY	H L Spurloc	6041	1	11/13/2022	165	1678.7	0.000903	0.0888	0.000149
KY	H L Spurloc	6041	1	11/13/2022	166	1682.8	0.0009	0.0888	0.000149
KY	H L Spurloc	6041	1	11/13/2022	165	1675.6	0.000902	0.0888	0.000149
KY	H L Spurloc	6041	1	11/13/2022	165	1680.7	0.000905	0.0888	0.000149
KY	H L Spurloc	6041	1	11/13/2022	165	1685.8	0.000908	0.0889	0.00015
KY	H L Spurloc	6041	1	11/13/2022	165	1689.7	0.000911	0.089	0.00015
KY	H L Spurloc	6041	1	11/13/2022	165	1677.3	0.000916	0.0901	0.000151

KY	H L Spurloc	6041	1	11/13/2022	166	1684.8	0.000907	0.0894	0.000151
KY	H L Spurloc	6041	1	11/13/2022	166	1686.1	0.000908	0.0894	0.000151
KY	H L Spurloc	6041	1	11/13/2022	164	1668.5	0.000921	0.0905	0.000151
KY	H L Spurloc	6041	1	11/13/2022	165	1661.4	0.000911	0.0905	0.00015
KY	H L Spurloc	6041	1	11/13/2022	164	1686.8	0.000918	0.0893	0.000151
KY	H L Spurloc	6041	1	11/13/2022	165	1681.5	0.000914	0.0897	0.000151
KY	H L Spurloc	6041	1	11/13/2022	164	1666.4	0.000912	0.0898	0.00015
KY	H L Spurloc	6041	1	11/13/2022	166	1684.3	0.000903	0.089	0.00015
KY	H L Spurloc	6041	1	11/13/2022	165	1683.5	0.000909	0.0891	0.00015
KY	H L Spurloc	6041	1	11/13/2022	168	1691.6	0.000897	0.0891	0.000151
KY	H L Spurloc	6041	1	11/13/2022	177	1786.2	0.000878	0.087	0.000155
KY	H L Spurloc	6041	1	11/13/2022	188	1866.7	0.000843	0.0849	0.000158
KY	H L Spurloc	6041	1	11/13/2022	212	2090.9	0.00079	0.0801	0.000167
KY	H L Spurloc	6041	1	11/13/2022	186	1866.1	0.000848	0.0845	0.000158
KY	H L Spurloc	6041	1	11/13/2022	166	1668	0.000899	0.0895	0.000149
KY	H L Spurloc	6041	1	11/13/2022	164	1661.5	0.00091	0.0898	0.000149
KY	H L Spurloc	6041	1	11/13/2022	165	1682	0.000906	0.0889	0.00015
KY	H L Spurloc	6041	1	11/14/2022	165	1668	0.000899	0.0889	0.000148
KY	H L Spurloc	6041	1	11/14/2022	171	1743.8	0.000884	0.0867	0.000151
KY	H L Spurloc	6041	1	11/14/2022	165	1670.8	0.0009	0.0889	0.000149
KY	H L Spurloc	6041	1	11/14/2022	168	1684.4	0.000891	0.0889	0.00015
KY	H L Spurloc	6041	1	11/14/2022	176	1756.7	0.000864	0.0866	0.000152
KY	H L Spurloc	6041	1	11/14/2022	218	2176.6	0.000778	0.0779	0.00017
KY	H L Spurloc	6041	1	11/14/2022	252	2459.1	0.000717	0.0735	0.000181
KY	H L Spurloc	6041	1	11/14/2022	315	3050.2	0.000621	0.0641	0.000196
KY	H L Spurloc	6041	1	11/14/2022	256	2495.4	0.000695	0.0713	0.000178
KY	H L Spurloc	6041	1	11/14/2022	198	1964	0.000811	0.0818	0.000161
KY	H L Spurloc	6041	1	11/14/2022	198	1954.1	0.000831	0.0842	0.000165
KY	H L Spurloc	6041	1	11/14/2022	186	1845.3	0.001845	0.186	0.000343
KY	H L Spurloc	6041	1	11/14/2022	233	2305.3	0.001633	0.165	0.00038
KY	H L Spurloc	6041	1	11/14/2022	213	2069.4	0.00172	0.177	0.000366
KY	H L Spurloc	6041	1	11/14/2022	164	1647.9	0.001969	0.196	0.000323
KY	H L Spurloc	6041	1	11/14/2022	165	1665.1	0.001958	0.194	0.000323
KY	H L Spurloc	6041	1	11/14/2022	175	1744.8	0.001904	0.191	0.000333
KY	H L Spurloc	6041	1	11/14/2022	192	1889.9	0.001811	0.184	0.000348
KY	H L Spurloc	6041	1	11/14/2022	236	2298.7	0.001617	0.166	0.000382
KY	H L Spurloc	6041	1	11/14/2022	199	1952.7	0.001737	0.177	0.000346
KY	H L Spurloc	6041	1	11/14/2022	170	1709.1	0.00191	0.19	0.000325
KY	H L Spurloc	6041	1	11/14/2022	180	1796.8	0.001847	0.185	0.000332
KY	H L Spurloc	6041	1	11/14/2022	182	1818	0.001828	0.183	0.000333
KY	H L Spurloc	6041	1	11/14/2022	165	1667.8	0.001931	0.191	0.000319
KY	H L Spurloc	6041	1	11/15/2022	165	1666	0.001929	0.191	0.000318
KY	H L Spurloc	6041	1	11/15/2022	165	1672.9	0.001937	0.191	0.00032
KY	H L Spurloc	6041	1	11/15/2022	165	1665	0.001927	0.191	0.000318
KY	H L Spurloc	6041	1	11/15/2022	166	1669.3	0.001921	0.191	0.000319
KY	H L Spurloc	6041	1	11/15/2022	180	1850.7	0.001861	0.181	0.000335
KY	H L Spurloc	6041	1	11/15/2022	176	1776.1	0.001847	0.183	0.000325
KY	H L Spurloc	6041	1	11/15/2022	219	2162	0.001668	0.169	0.000365

KY	H L Spurloc	6041	1	11/15/2022	222	2174.9	0.001665	0.17	0.00037
KY	H L Spurloc	6041	1	11/15/2022	278	2649.1	0.00142	0.149	0.000395
KY	H L Spurloc	6041	1	11/15/2022	317	3042.6	0.001315	0.137	0.000417
KY	H L Spurloc	6041	1	11/15/2022	317	3027.2	0.001308	0.137	0.000415
KY	H L Spurloc	6041	1	11/15/2022	320	3047.6	0.001305	0.137	0.000418
KY	H L Spurloc	6041	1	11/15/2022	320	3038.5	0.001301	0.137	0.000416
KY	H L Spurloc	6041	1	11/15/2022	320	3053.3	0.001307	0.137	0.000418
KY	H L Spurloc	6041	1	11/15/2022	320	3049.3	0.001305	0.137	0.000418
KY	H L Spurloc	6041	1	11/15/2022	308	2920.2	0.001337	0.141	0.000412
KY	H L Spurloc	6041	1	11/15/2022	245	2330.1	0.001531	0.161	0.000375
KY	H L Spurloc	6041	1	11/15/2022	305	2893.9	0.001338	0.141	0.000408
KY	H L Spurloc	6041	1	11/15/2022	320	3057.7	0.00129	0.135	0.000413
KY	H L Spurloc	6041	1	11/15/2022	320	3048.2	0.001295	0.136	0.000415
KY	H L Spurloc	6041	1	11/15/2022	321	3070	0.001301	0.136	0.000418
KY	H L Spurloc	6041	1	11/15/2022	309	2955.9	0.00133	0.139	0.000411
KY	H L Spurloc	6041	1	11/15/2022	287	2748	0.001388	0.145	0.000398
KY	H L Spurloc	6041	1	11/15/2022	185	1801.7	0.001792	0.184	0.000332
KY	H L Spurloc	6041	1	11/16/2022	164	1631	0.001939	0.195	0.000318
KY	H L Spurloc	6041	1	11/16/2022	165	1644.4	0.001923	0.193	0.000317
KY	H L Spurloc	6041	1	11/16/2022	165	1639.7	0.001918	0.193	0.000316
KY	H L Spurloc	6041	1	11/16/2022	165	1654.5	0.001905	0.19	0.000314
KY	H L Spurloc	6041	1	11/16/2022	187	1857.1	0.001798	0.181	0.000336
KY	H L Spurloc	6041	1	11/16/2022	217	2146.3	0.001672	0.169	0.000363
KY	H L Spurloc	6041	1	11/16/2022	254	2457.3	0.001519	0.157	0.000386
KY	H L Spurloc	6041	1	11/16/2022	314	3011.8	0.001343	0.14	0.000422
KY	H L Spurloc	6041	1	11/16/2022	315	3031	0.001328	0.138	0.000418
KY	H L Spurloc	6041	1	11/16/2022	224	2148.6	0.001611	0.168	0.000361
KY	H L Spurloc	6041	1	11/16/2022	206	1991.6	0.001721	0.178	0.000355
KY	H L Spurloc	6041	1	11/16/2022	230	2202.3	0.001609	0.168	0.00037
KY	H L Spurloc	6041	1	11/16/2022	192	1860.5	0.001773	0.183	0.00034
KY	H L Spurloc	6041	1	11/16/2022	207	2008.9	0.001718	0.177	0.000356
KY	H L Spurloc	6041	1	11/16/2022	188	1826	0.001807	0.186	0.00034
KY	H L Spurloc	6041	1	11/16/2022	175	1717.4	0.001874	0.191	0.000328
KY	H L Spurloc	6041	1	11/16/2022	193	1894.8	0.001787	0.182	0.000345
KY	H L Spurloc	6041	1	11/16/2022	215	2085.1	0.001678	0.173	0.000361
KY	H L Spurloc	6041	1	11/16/2022	303	2902.9	0.00136	0.142	0.000412
KY	H L Spurloc	6041	1	11/16/2022	320	3055	0.001317	0.138	0.000422
KY	H L Spurloc	6041	1	11/16/2022	318	3028.3	0.001314	0.138	0.000418
KY	H L Spurloc	6041	1	11/16/2022	292	2791.1	0.001386	0.145	0.000405
KY	H L Spurloc	6041	1	11/16/2022	265	2516.1	0.001472	0.155	0.00039
KY	H L Spurloc	6041	1	11/16/2022	215	2070.1	0.001675	0.174	0.00036
KY	H L Spurloc	6041	1	11/17/2022	175	1724.1	0.001901	0.193	0.000333
KY	H L Spurloc	6041	1	11/17/2022	165	1659.5	0.001981	0.197	0.000327
KY	H L Spurloc	6041	1	11/17/2022	171	1702.4	0.001931	0.194	0.00033
KY	H L Spurloc	6041	1	11/17/2022	214	2084.2	0.001695	0.174	0.000363
KY	H L Spurloc	6041	1	11/17/2022	185	1836.7	0.001827	0.184	0.000338
KY	H L Spurloc	6041	1	11/17/2022	185	1849.4	0.001839	0.184	0.00034
KY	H L Spurloc	6041	1	11/17/2022	229	2207	0.001638	0.17	0.000375

KY	H L Spurloc	6041	1	11/17/2022	306	2952	0.00136	0.141	0.000416
KY	H L Spurloc	6041	1	11/17/2022	313	2973.5	0.001311	0.138	0.00041
KY	H L Spurloc	6041	1	11/17/2022	251	2408.1	0.001506	0.157	0.000378
KY	H L Spurloc	6041	1	11/17/2022	182	1782.2	0.001812	0.185	0.00033
KY	H L Spurloc	6041	1	11/17/2022	202	1962.3	0.001719	0.177	0.000347
KY	H L Spurloc	6041	1	11/17/2022	255	2460.6	0.001505	0.156	0.000384
KY	H L Spurloc	6041	1	11/17/2022	303	2937	0.001376	0.142	0.000417
KY	H L Spurloc	6041	1	11/17/2022	321	3071.7	0.001311	0.137	0.000421
KY	H L Spurloc	6041	1	11/17/2022	279	2649.9	0.001406	0.148	0.000392
KY	H L Spurloc	6041	1	11/17/2022	260	2472.7	0.001474	0.155	0.000383
KY	H L Spurloc	6041	1	11/17/2022	306	2921.5	0.001327	0.139	0.000406
KY	H L Spurloc	6041	1	11/17/2022	320	3041	0.001292	0.136	0.000414
KY	H L Spurloc	6041	1	11/17/2022	320	3056.9	0.00129	0.135	0.000413
KY	H L Spurloc	6041	1	11/17/2022	305	2908.2	0.001325	0.139	0.000404
KY	H L Spurloc	6041	1	11/17/2022	302	2872.1	0.001331	0.14	0.000402
KY	H L Spurloc	6041	1	11/17/2022	280	2665	0.001399	0.147	0.000392
KY	H L Spurloc	6041	1	11/17/2022	268	2572.7	0.00145	0.151	0.000388
KY	H L Spurloc	6041	1	11/18/2022	258	2512	0.00148	0.152	0.000382
KY	H L Spurloc	6041	1	11/18/2022	252	2454.8	0.00151	0.155	0.00038
KY	H L Spurloc	6041	1	11/18/2022	229	2230	0.001578	0.162	0.000361
KY	H L Spurloc	6041	1	11/18/2022	210	2044.9	0.001675	0.172	0.000352
KY	H L Spurloc	6041	1	11/18/2022	186	1805.3	0.001825	0.188	0.000339
KY	H L Spurloc	6041	1	11/18/2022	175	1735.1	0.001884	0.19	0.00033
KY	H L Spurloc	6041	1	11/18/2022	196	1910.3	0.001793	0.184	0.000351
KY	H L Spurloc	6041	1	11/18/2022	285	2713	0.001447	0.152	0.000412
KY	H L Spurloc	6041	1	11/18/2022	272	2634.8	0.001453	0.15	0.000395
KY	H L Spurloc	6041	1	11/18/2022	223	2152.4	0.001641	0.17	0.000366
KY	H L Spurloc	6041	1	11/18/2022	217	2099.4	0.001625	0.168	0.000353
KY	H L Spurloc	6041	1	11/18/2022	183	1806.7	0.001807	0.183	0.000331
KY	H L Spurloc	6041	1	11/18/2022	192	1868.9	0.001752	0.18	0.000336
KY	H L Spurloc	6041	1	11/18/2022	175	1740.6	0.00184	0.185	0.000322
KY	H L Spurloc	6041	1	11/18/2022	216	2075.3	0.001643	0.171	0.000355
KY	H L Spurloc	6041	1	11/18/2022	209	2013.9	0.001657	0.172	0.000346
KY	H L Spurloc	6041	1	11/18/2022	217	2086	0.001605	0.167	0.000348
KY	H L Spurloc	6041	1	11/18/2022	284	2687.4	0.001363	0.144	0.000387
KY	H L Spurloc	6041	1	11/18/2022	316	2996.8	0.00129	0.136	0.000408
KY	H L Spurloc	6041	1	11/18/2022	322	3060.6	0.001283	0.135	0.000413
KY	H L Spurloc	6041	1	11/18/2022	291	2793.4	0.001363	0.142	0.000397
KY	H L Spurloc	6041	1	11/18/2022	194	1891.7	0.001775	0.182	0.000344
KY	H L Spurloc	6041	1	11/18/2022	213	2076	0.001686	0.173	0.000359
KY	H L Spurloc	6041	1	11/18/2022	207	2049	0.001712	0.173	0.000354
KY	H L Spurloc	6041	1	11/19/2022	169	1693.7	0.001914	0.191	0.000323
KY	H L Spurloc	6041	1	11/19/2022	169	1751.9	0.001938	0.187	0.000328
KY	H L Spurloc	6041	1	11/19/2022	170	1695.2	0.001905	0.191	0.000324
KY	H L Spurloc	6041	1	11/19/2022	170	1698.4	0.001908	0.191	0.000324
KY	H L Spurloc	6041	1	11/19/2022	170	1700	0.00191	0.191	0.000325
KY	H L Spurloc	6041	1	11/19/2022	209	2107.1	0.001714	0.17	0.000358
KY	H L Spurloc	6041	1	11/19/2022	187	1850.4	0.001841	0.186	0.000344

KY	H L Spurloc	6041	1	11/19/2022	209	2034	0.001723	0.177	0.00036
KY	H L Spurloc	6041	1	11/19/2022	206	2020.9	0.001736	0.177	0.000358
KY	H L Spurloc	6041	1	11/19/2022	170	1690.5	0.001919	0.193	0.000326
KY	H L Spurloc	6041	1	11/19/2022	170	1701.8	0.001932	0.193	0.000328
KY	H L Spurloc	6041	1	11/19/2022	170	1693.8	0.001923	0.193	0.000327
KY	H L Spurloc	6041	1	11/19/2022	169	1695.9	0.001917	0.191	0.000324
KY	H L Spurloc	6041	1	11/19/2022	168	1683.6	0.001924	0.192	0.000323
KY	H L Spurloc	6041	1	11/19/2022	168	1686	0.001927	0.192	0.000324
KY	H L Spurloc	6041	1	11/19/2022	168	1683.4	0.001924	0.192	0.000323
KY	H L Spurloc	6041	1	11/19/2022	169	1692.2	0.001922	0.192	0.000325
KY	H L Spurloc	6041	1	11/19/2022	227	2203.6	0.001631	0.168	0.00037
KY	H L Spurloc	6041	1	11/19/2022	273	2610.1	0.001453	0.152	0.000397
KY	H L Spurloc	6041	1	11/19/2022	209	2028.9	0.001689	0.174	0.000353
KY	H L Spurloc	6041	1	11/19/2022	166	1651.5	0.00194	0.195	0.000322
KY	H L Spurloc	6041	1	11/19/2022	213	2066	0.001727	0.178	0.000368
KY	H L Spurloc	6041	1	11/19/2022	189	1847	0.001837	0.188	0.000347
KY	H L Spurloc	6041	1	11/19/2022	165	1634.9	0.001942	0.196	0.00032
KY	H L Spurloc	6041	1	11/20/2022	164	1670.7	0.001946	0.191	0.000319
KY	H L Spurloc	6041	1	11/20/2022	166	1699.9	0.001935	0.189	0.000321
KY	H L Spurloc	6041	1	11/20/2022	170	1719.8	0.001912	0.189	0.000325
KY	H L Spurloc	6041	1	11/20/2022	166	1665	0.001926	0.192	0.00032
KY	H L Spurloc	6041	1	11/20/2022	165	1684.9	0.00193	0.189	0.000318
KY	H L Spurloc	6041	1	11/20/2022	165	1682.6	0.001927	0.189	0.000318
KY	H L Spurloc	6041	1	11/20/2022	167	1689.6	0.001932	0.191	0.000323
KY	H L Spurloc	6041	1	11/20/2022	220	2165.9	0.001693	0.172	0.000373
KY	H L Spurloc	6041	1	11/20/2022	294	2864.2	0.001383	0.142	0.000407
KY	H L Spurloc	6041	1	11/20/2022	225	2213.5	0.001594	0.162	0.000359
KY	H L Spurloc	6041	1	11/20/2022	220	2139.1	0.001653	0.17	0.000364
KY	H L Spurloc	6041	1	11/20/2022	185	1829.3	0.00179	0.181	0.000331
KY	H L Spurloc	6041	1	11/20/2022	166	1685.5	0.001909	0.188	0.000317
KY	H L Spurloc	6041	1	11/20/2022	167	1695.6	0.001909	0.188	0.000319
KY	H L Spurloc	6041	1	11/20/2022	167	1692.9	0.001916	0.189	0.00032
KY	H L Spurloc	6041	1	11/20/2022	166	1692	0.001926	0.189	0.00032
KY	H L Spurloc	6041	1	11/20/2022	175	1751.2	0.001861	0.186	0.000326
KY	H L Spurloc	6041	1	11/20/2022	196	1944.5	0.001756	0.177	0.000344
KY	H L Spurloc	6041	1	11/20/2022	218	2159.6	0.001654	0.167	0.000361
KY	H L Spurloc	6041	1	11/20/2022	266	2568.3	0.001468	0.152	0.00039
KY	H L Spurloc	6041	1	11/20/2022	321	3086.4	0.001317	0.137	0.000423
KY	H L Spurloc	6041	1	11/20/2022	309	2962.3	0.001342	0.14	0.000415
KY	H L Spurloc	6041	1	11/20/2022	314	3009.4	0.001323	0.138	0.000415
KY	H L Spurloc	6041	1	11/20/2022	238	2298.7	0.001565	0.162	0.000372
KY	H L Spurloc	6041	1	11/21/2022	169	1681.2	0.00189	0.19	0.000319
KY	H L Spurloc	6041	1	11/21/2022	172	1719.3	0.001879	0.188	0.000323
KY	H L Spurloc	6041	1	11/21/2022	187	1859.7	0.0018	0.181	0.000337
KY	H L Spurloc	6041	1	11/21/2022	228	2230.7	0.001614	0.165	0.000368
KY	H L Spurloc	6041	1	11/21/2022	285	2783.2	0.001416	0.145	0.000404
KY	H L Spurloc	6041	1	11/21/2022	249	2323.9	0.001521	0.163	0.000379
KY	H L Spurloc	6041	1	11/21/2022	301	2882	0.001369	0.143	0.000412

KY	H L Spurloc	6041	1	11/21/2022	325	3101.5	0.001298	0.136	0.000422
KY	H L Spurloc	6041	1	11/21/2022	288	2778.2	0.001379	0.143	0.000397
KY	H L Spurloc	6041	1	11/21/2022	230	2245.1	0.001591	0.163	0.000366
KY	H L Spurloc	6041	1	11/21/2022	171	1695.2	0.001884	0.19	0.000322
KY	H L Spurloc	6041	1	11/21/2022	166	1656	0.001885	0.189	0.000313
KY	H L Spurloc	6041	1	11/21/2022	165	1636.2	0.004115	0.415	0.000679
KY	H L Spurloc	6041	1	11/21/2022	165	1642.6	0.004141	0.416	0.000683
KY	H L Spurloc	6041	1	11/21/2022	165	1631.8	0.004114	0.416	0.000679
KY	H L Spurloc	6041	1	11/21/2022	165	1623	0.004092	0.416	0.000675
KY	H L Spurloc	6041	1	11/21/2022	166	1634	0.004085	0.415	0.000678
KY	H L Spurloc	6041	1	11/21/2022	196	1897.4	0.003775	0.39	0.00074
KY	H L Spurloc	6041	1	11/21/2022	263	2506.2	0.003278	0.344	0.000862
KY	H L Spurloc	6041	1	11/21/2022	218	2087.1	0.003609	0.377	0.000787
KY	H L Spurloc	6041	1	11/21/2022	174	1689.4	0.004049	0.417	0.000704
KY	H L Spurloc	6041	1	11/21/2022	168	1667.9	0.00415	0.418	0.000697
KY	H L Spurloc	6041	1	11/21/2022	186	1820.6	0.003964	0.405	0.000737
KY	H L Spurloc	6041	1	11/21/2022	168	1677.4	0.004144	0.415	0.000696
KY	H L Spurloc	6041	1	11/22/2022	175	1747	0.004083	0.409	0.000715
KY	H L Spurloc	6041	1	11/22/2022	209	2048.1	0.003724	0.38	0.000778
KY	H L Spurloc	6041	1	11/22/2022	179	1764.7	0.004012	0.407	0.000718
KY	H L Spurloc	6041	1	11/22/2022	169	1703.4	0.004183	0.415	0.000707
KY	H L Spurloc	6041	1	11/22/2022	168	1690.2	0.004175	0.415	0.000701
KY	H L Spurloc	6041	1	11/22/2022	191	1918.4	0.003917	0.39	0.000748
KY	H L Spurloc	6041	1	11/22/2022	235	2289	0.003516	0.361	0.000826
KY	H L Spurloc	6041	1	11/22/2022	316	3036.4	0.00296	0.308	0.000935
KY	H L Spurloc	6041	1	11/22/2022	318	3026.6	0.002941	0.309	0.000935
KY	H L Spurloc	6041	1	11/22/2022	254	2438.1	0.003331	0.347	0.000846
KY	H L Spurloc	6041	1	11/22/2022	194	1852.9	0.003792	0.397	0.000736
KY	H L Spurloc	6041	1	11/22/2022	164	1603.9	0.004049	0.414	0.000664
KY	H L Spurloc	6041	1	11/22/2022	164	1624.9	0.004052	0.409	0.000665
KY	H L Spurloc	6041	1	11/22/2022	165	1624.3	0.004076	0.414	0.000672
KY	H L Spurloc	6041	1	11/22/2022	165	1636.9	0.004107	0.414	0.000678
KY	H L Spurloc	6041	1	11/22/2022	164	1630.4	0.004116	0.414	0.000675
KY	H L Spurloc	6041	1	11/22/2022	182	1771.3	0.003883	0.399	0.000707
KY	H L Spurloc	6041	1	11/22/2022	235	2262	0.003417	0.355	0.000803
KY	H L Spurloc	6041	1	11/22/2022	251	2394.1	0.003377	0.354	0.000848
KY	H L Spurloc	6041	1	11/22/2022	198	1896.4	0.003802	0.397	0.000753
KY	H L Spurloc	6041	1	11/22/2022	166	1662	0.004185	0.418	0.000695
KY	H L Spurloc	6041	1	11/22/2022	165	1646	0.00417	0.418	0.000688
KY	H L Spurloc	6041	1	11/22/2022	165	1628.7	0.004146	0.42	0.000684
KY	H L Spurloc	6041	1	11/22/2022	166	1645.7	0.004114	0.415	0.000683
KY	H L Spurloc	6041	1	11/23/2022	165	1649.6	0.004139	0.414	0.000683
KY	H L Spurloc	6041	1	11/23/2022	165	1633.1	0.004147	0.419	0.000684
KY	H L Spurloc	6041	1	11/23/2022	166	1644.1	0.00415	0.419	0.000689
KY	H L Spurloc	6041	1	11/23/2022	166	1650	0.004165	0.419	0.000691
KY	H L Spurloc	6041	1	11/23/2022	178	1755.7	0.003985	0.404	0.000709
KY	H L Spurloc	6041	1	11/23/2022	214	2143.7	0.003636	0.363	0.000778
KY	H L Spurloc	6041	1	11/23/2022	209	2013.6	0.00369	0.383	0.000771

KY	H L Spurloc	6041	1	11/23/2022	213	2079.9	0.003652	0.374	0.000778
KY	H L Spurloc	6041	1	11/23/2022	201	1950.1	0.003755	0.387	0.000755
KY	H L Spurloc	6041	1	11/23/2022	207	2017.8	0.003685	0.378	0.000763
KY	H L Spurloc	6041	1	11/23/2022	193	1868.2	0.003853	0.398	0.000744
KY	H L Spurloc	6041	1	11/23/2022	190	1846.2	0.003838	0.395	0.000729
KY	H L Spurloc	6041	1	11/23/2022	168	1653.9	0.004086	0.415	0.000686
KY	H L Spurloc	6041	1	11/23/2022	165	1633.2	0.004118	0.416	0.000679
KY	H L Spurloc	6041	1	11/23/2022	165	1626.8	0.004102	0.416	0.000677
KY	H L Spurloc	6041	1	11/23/2022	164	1608.5	0.004129	0.421	0.000677
KY	H L Spurloc	6041	1	11/23/2022	168	1650.4	0.004077	0.415	0.000685
KY	H L Spurloc	6041	1	11/23/2022	166	1647.1	0.004108	0.414	0.000682
KY	H L Spurloc	6041	1	11/23/2022	165	1632.4	0.004145	0.419	0.000684
KY	H L Spurloc	6041	1	11/23/2022	165	1646.9	0.004182	0.419	0.00069
KY	H L Spurloc	6041	1	11/23/2022	166	1648.6	0.004161	0.419	0.000691
KY	H L Spurloc	6041	1	11/23/2022	166	1668.6	0.004161	0.414	0.000691
KY	H L Spurloc	6041	1	11/23/2022	166	1673.6	0.004174	0.414	0.000693
KY	H L Spurloc	6041	1	11/23/2022	166	1672.3	0.004211	0.418	0.000699
KY	H L Spurloc	6041	1	11/24/2022	165	1646.6	0.004211	0.422	0.000695
KY	H L Spurloc	6041	1	11/24/2022	166	1655.7	0.004159	0.417	0.00069
KY	H L Spurloc	6041	1	11/24/2022	165	1651.8	0.004185	0.418	0.00069
KY	H L Spurloc	6041	1	11/24/2022	166	1645.9	0.004154	0.419	0.00069
KY	H L Spurloc	6041	1	11/24/2022	165	1669.1	0.004198	0.415	0.000693
KY	H L Spurloc	6041	1	11/24/2022	165	1648.3	0.004206	0.421	0.000694
KY	H L Spurloc	6041	1	11/24/2022	165	1653.6	0.004219	0.421	0.000696
KY	H L Spurloc	6041	1	11/24/2022	166	1665.5	0.004214	0.42	0.0007
KY	H L Spurloc	6041	1	11/24/2022	165	1654.9	0.004192	0.418	0.000692
KY	H L Spurloc	6041	1	11/24/2022	165	1657.8	0.0042	0.418	0.000693
KY	H L Spurloc	6041	1	11/24/2022	168	1679.2	0.004168	0.417	0.0007
KY	H L Spurloc	6041	1	11/24/2022	166	1665.4	0.004184	0.417	0.000694
KY	H L Spurloc	6041	1	11/24/2022	165	1655.7	0.004154	0.414	0.000685
KY	H L Spurloc	6041	1	11/24/2022	165	1621.4	0.004108	0.418	0.000678
KY	H L Spurloc	6041	1	11/24/2022	165	1612	0.004084	0.418	0.000674
KY	H L Spurloc	6041	1	11/24/2022	165	1597.2	0.004095	0.423	0.000676
KY	H L Spurloc	6041	1	11/24/2022	165	1590	0.004076	0.423	0.000673
KY	H L Spurloc	6041	1	11/24/2022	165	1604.5	0.004065	0.418	0.000671
KY	H L Spurloc	6041	1	11/24/2022	164	1611.9	0.004118	0.419	0.000675
KY	H L Spurloc	6041	1	11/24/2022	164	1619	0.004126	0.418	0.000677
KY	H L Spurloc	6041	1	11/24/2022	165	1646.3	0.004161	0.417	0.000687
KY	H L Spurloc	6041	1	11/24/2022	165	1631.5	0.004163	0.421	0.000687
KY	H L Spurloc	6041	1	11/24/2022	165	1633.3	0.004177	0.422	0.000689
KY	H L Spurloc	6041	1	11/24/2022	165	1635.3	0.004192	0.423	0.000692
KY	H L Spurloc	6041	1	11/25/2022	165	1626.8	0.00418	0.424	0.00069
KY	H L Spurloc	6041	1	11/25/2022	165	1635.6	0.004193	0.423	0.000692
KY	H L Spurloc	6041	1	11/25/2022	165	1650.6	0.004192	0.419	0.000692
KY	H L Spurloc	6041	1	11/25/2022	165	1651.6	0.004194	0.419	0.000692
KY	H L Spurloc	6041	1	11/25/2022	165	1666.4	0.004232	0.419	0.000698
KY	H L Spurloc	6041	1	11/25/2022	165	1653.6	0.004239	0.423	0.000699
KY	H L Spurloc	6041	1	11/25/2022	165	1650.8	0.004222	0.422	0.000697



KY	H L Spurloc	6041	1	11/25/2022	165	1642.8	0.004202	0.422	0.000693
KY	H L Spurloc	6041	1	11/25/2022	164	1667.2	0.004229	0.416	0.000694
KY	H L Spurloc	6041	1	11/25/2022	165	1662.8	0.004233	0.42	0.000698
KY	H L Spurloc	6041	1	11/25/2022	165	1654.4	0.004221	0.421	0.000697
KY	H L Spurloc	6041	1	11/25/2022	165	1654.1	0.00423	0.422	0.000698
KY	H L Spurloc	6041	1	11/25/2022	165	1647.6	0.004224	0.423	0.000697
KY	H L Spurloc	6041	1	11/25/2022	164	1658	0.004246	0.42	0.000696
KY	H L Spurloc	6041	1	11/25/2022	164	1655.7	0.00425	0.421	0.000697
KY	H L Spurloc	6041	1	11/25/2022	165	1658.2	0.004261	0.424	0.000703
KY	H L Spurloc	6041	1	11/25/2022	165	1650	0.00424	0.424	0.0007
KY	H L Spurloc	6041	1	11/25/2022	164	1653.5	0.004275	0.424	0.000701
KY	H L Spurloc	6041	1	11/25/2022	167	1725.4	0.004329	0.419	0.000723
KY	H L Spurloc	6041	1	11/25/2022	170	1786.5	0.004361	0.415	0.000741
KY	H L Spurloc	6041	1	11/25/2022	170	1775.7	0.004335	0.415	0.000737
KY	H L Spurloc	6041	1	11/25/2022	169	1698.7	0.004262	0.424	0.00072
KY	H L Spurloc	6041	1	11/25/2022	166	1673.1	0.004324	0.429	0.000718
KY	H L Spurloc	6041	1	11/25/2022	165	1671.6	0.004346	0.429	0.000717
KY	H L Spurloc	6041	1	11/26/2022	165	1665.8	0.004331	0.429	0.000715
KY	H L Spurloc	6041	1	11/26/2022	166	1691.5	0.004361	0.428	0.000724
KY	H L Spurloc	6041	1	11/26/2022	166	1683.4	0.00434	0.428	0.00072
KY	H L Spurloc	6041	1	11/26/2022	166	1673.3	0.004334	0.43	0.00072
KY	H L Spurloc	6041	1	11/26/2022	166	1650.6	0.004276	0.43	0.00071
KY	H L Spurloc	6041	1	11/26/2022	166	1649.3	0.004272	0.43	0.000709
KY	H L Spurloc	6041	1	11/26/2022	165	1657.7	0.00429	0.427	0.000708
KY	H L Spurloc	6041	1	11/26/2022	165	1662.6	0.004282	0.425	0.000707
KY	H L Spurloc	6041	1	11/26/2022	169	1702.1	0.00426	0.423	0.00072
KY	H L Spurloc	6041	1	11/26/2022	165	1680.5	0.004298	0.422	0.000709
KY	H L Spurloc	6041	1	11/26/2022	165	1656.2	0.004246	0.423	0.000701
KY	H L Spurloc	6041	1	11/26/2022	164	1646	0.004245	0.423	0.000696
KY	H L Spurloc	6041	1	11/26/2022	165	1660.8	0.004207	0.418	0.000694
KY	H L Spurloc	6041	1	11/26/2022	165	1647.8	0.004354	0.436	0.000718
KY	H L Spurloc	6041	1	11/26/2022	165	1620.4	0.004164	0.424	0.000687
KY	H L Spurloc	6041	1	11/26/2022	165	1611.6	0.004161	0.426	0.000687
KY	H L Spurloc	6041	1	11/26/2022	174	1701	0.004067	0.416	0.000708
KY	H L Spurloc	6041	1	11/26/2022	168	1656.8	0.004122	0.418	0.000693
KY	H L Spurloc	6041	1	11/26/2022	166	1630.6	0.004165	0.424	0.000691
KY	H L Spurloc	6041	1	11/26/2022	164	1641.2	0.004243	0.424	0.000696
KY	H L Spurloc	6041	1	11/26/2022	165	1647.7	0.004234	0.424	0.000699
KY	H L Spurloc	6041	1	11/26/2022	165	1638.3	0.00421	0.424	0.000695
KY	H L Spurloc	6041	1	11/26/2022	172	1689.8	0.004166	0.424	0.000716
KY	H L Spurloc	6041	1	11/26/2022	165	1635.6	0.004253	0.429	0.000702
KY	H L Spurloc	6041	1	11/27/2022	165	1647.9	0.004285	0.429	0.000707
KY	H L Spurloc	6041	1	11/27/2022	165	1656.3	0.004296	0.428	0.000709
KY	H L Spurloc	6041	1	11/27/2022	165	1654.3	0.004291	0.428	0.000708
KY	H L Spurloc	6041	1	11/27/2022	164	1657.9	0.004327	0.428	0.00071
KY	H L Spurloc	6041	1	11/27/2022	165	1657.3	0.004299	0.428	0.000709
KY	H L Spurloc	6041	1	11/27/2022	165	1635.6	0.004292	0.433	0.000708
KY	H L Spurloc	6041	1	11/27/2022	165	1637.5	0.004297	0.433	0.000709

KY	H L Spurloc	6041	1	11/27/2022	165	1633.3	0.004276	0.432	0.000706
KY	H L Spurloc	6041	1	11/27/2022	165	1616.5	0.004232	0.432	0.000698
KY	H L Spurloc	6041	1	11/27/2022	183	1764	0.004049	0.42	0.000741
KY	H L Spurloc	6041	1	11/27/2022	165	1605	0.004251	0.437	0.000701
KY	H L Spurloc	6041	1	11/27/2022	164	1583.2	0.004228	0.438	0.000693
KY	H L Spurloc	6041	1	11/27/2022	164	1609.6	0.004269	0.435	0.0007
KY	H L Spurloc	6041	1	11/27/2022	164	1593	0.004284	0.441	0.000703
KY	H L Spurloc	6041	1	11/27/2022	164	1603.3	0.004253	0.435	0.000697
KY	H L Spurloc	6041	1	11/27/2022	165	1611.1	0.004208	0.431	0.000694
KY	H L Spurloc	6041	1	11/27/2022	166	1612	0.004224	0.435	0.000701
KY	H L Spurloc	6041	1	11/27/2022	173	1671	0.004134	0.428	0.000715
KY	H L Spurloc	6041	1	11/27/2022	217	2069.7	0.003691	0.387	0.000801
KY	H L Spurloc	6041	1	11/27/2022	189	1809.9	0.003936	0.411	0.000744
KY	H L Spurloc	6041	1	11/27/2022	192	1854.8	0.003816	0.395	0.000733
KY	H L Spurloc	6041	1	11/27/2022	174	1695.7	0.004035	0.414	0.000702
KY	H L Spurloc	6041	1	11/27/2022	172	1687.1	0.004031	0.411	0.000693
KY	H L Spurloc	6041	1	11/27/2022	165	1616.8	0.004135	0.422	0.000682
KY	H L Spurloc	6041	1	11/28/2022	219	2093.1	0.003546	0.371	0.000777
KY	H L Spurloc	6041	1	11/28/2022	308	2925.3	0.002954	0.311	0.00091
KY	H L Spurloc	6041	1	11/28/2022	320	3015.3	0.002902	0.308	0.000929
KY	H L Spurloc	6041	1	11/28/2022	320	3016.5	0.002903	0.308	0.000929
KY	H L Spurloc	6041	1	11/28/2022	320	3001.3	0.002898	0.309	0.000927
KY	H L Spurloc	6041	1	11/28/2022	321	3016.3	0.002904	0.309	0.000932
KY	H L Spurloc	6041	1	11/28/2022	322	3047.6	0.002925	0.309	0.000942
KY	H L Spurloc	6041	1	11/28/2022	322	3042.6	0.00291	0.308	0.000937
KY	H L Spurloc	6041	1	11/28/2022	318	3019.4	0.002924	0.308	0.00093
KY	H L Spurloc	6041	1	11/28/2022	224	2132.7	0.001523	0.16	0.000341
KY	H L Spurloc	6041	1	11/28/2022	261	2462.5	0.001444	0.153	0.000377
KY	H L Spurloc	6041	1	11/28/2022	310	2951.9	0.001295	0.136	0.000401
KY	H L Spurloc	6041	1	11/28/2022	220	2066.4	0.001531	0.163	0.000337
KY	H L Spurloc	6041	1	11/28/2022	223	2114.6	0.001517	0.16	0.000338
KY	H L Spurloc	6041	1	11/28/2022	276	2569.1	0.001359	0.146	0.000375
KY	H L Spurloc	6041	1	11/28/2022	282	2720.8	0.001351	0.14	0.000381
KY	H L Spurloc	6041	1	11/28/2022	282	2729.2	0.001355	0.14	0.000382
KY	H L Spurloc	6041	1	11/28/2022	282	2724.3	0.001352	0.14	0.000381
KY	H L Spurloc	6041	1	11/28/2022	281	2716.3	0.001353	0.14	0.00038
KY	H L Spurloc	6041	1	11/28/2022	282	2725.5	0.001353	0.14	0.000382
KY	H L Spurloc	6041	1	11/28/2022	282	2728.9	0.001355	0.14	0.000382
KY	H L Spurloc	6041	1	11/28/2022	283	2755.6	0.001344	0.138	0.00038
KY	H L Spurloc	6041	1	11/28/2022	283	2736	0.001344	0.139	0.00038
KY	H L Spurloc	6041	1	11/28/2022	272	2620.2	0.001378	0.143	0.000375
KY	H L Spurloc	6041	1	11/29/2022	281	2733.9	0.001352	0.139	0.00038
KY	H L Spurloc	6041	1	11/29/2022	269	2600.9	0.001383	0.143	0.000372
KY	H L Spurloc	6041	1	11/29/2022	282	2703.4	0.001342	0.14	0.000378
KY	H L Spurloc	6041	1	11/29/2022	282	2714.9	0.001348	0.14	0.00038
KY	H L Spurloc	6041	1	11/29/2022	264	2547.1	0.001409	0.146	0.000372
KY	H L Spurloc	6041	1	11/29/2022	281	2713.1	0.001352	0.14	0.00038
KY	H L Spurloc	6041	1	11/29/2022	282	2744.2	0.001362	0.14	0.000384

KY	H L Spurloc	6041	1	11/29/2022	282	2718.7	0.001321	0.137	0.000372
KY	H L Spurloc	6041	1	11/29/2022	282	2728.6	0.001268	0.131	0.000357
KY	H L Spurloc	6041	1	11/29/2022	281	2730.6	0.001263	0.13	0.000355
KY	H L Spurloc	6041	1	11/29/2022	249	2401.8	0.00136	0.141	0.000339
KY	H L Spurloc	6041	1	11/29/2022	281	2705.7	0.001281	0.133	0.00036
KY	H L Spurloc	6041	1	11/29/2022	270	2572	0.001305	0.137	0.000352
KY	H L Spurloc	6041	1	11/29/2022	280	2641.1	0.001255	0.133	0.000351
KY	H L Spurloc	6041	1	11/29/2022	283	2688.7	0.001254	0.132	0.000355
KY	H L Spurloc	6041	1	11/29/2022	283	2661.9	0.001251	0.133	0.000354
KY	H L Spurloc	6041	1	11/29/2022	283	2642.7	0.001242	0.133	0.000351
KY	H L Spurloc	6041	1	11/29/2022	282	2642.6	0.001246	0.133	0.000351
KY	H L Spurloc	6041	1	11/29/2022	282	2627.3	0.001239	0.133	0.000349
KY	H L Spurloc	6041	1	11/29/2022	282	2634.7	0.001243	0.133	0.00035
KY	H L Spurloc	6041	1	11/29/2022	282	2636.4	0.001243	0.133	0.000351
KY	H L Spurloc	6041	1	11/29/2022	282	2653.6	0.001242	0.132	0.00035
KY	H L Spurloc	6041	1	11/29/2022	282	2657.9	0.001235	0.131	0.000348
KY	H L Spurloc	6041	1	11/29/2022	283	2643.6	0.001233	0.132	0.000349
KY	H L Spurloc	6041	1	11/30/2022	281	2649.2	0.001244	0.132	0.00035
KY	H L Spurloc	6041	1	11/30/2022	282	2643.1	0.001247	0.133	0.000352
KY	H L Spurloc	6041	1	11/30/2022	281	2638.9	0.001249	0.133	0.000351
KY	H L Spurloc	6041	1	11/30/2022	282	2640.9	0.001246	0.133	0.000351
KY	H L Spurloc	6041	1	11/30/2022	282	2669.7	0.00125	0.132	0.000352
KY	H L Spurloc	6041	1	11/30/2022	282	2652.7	0.001251	0.133	0.000353
KY	H L Spurloc	6041	1	11/30/2022	282	2660.9	0.001255	0.133	0.000354
KY	H L Spurloc	6041	1	11/30/2022	281	2690.6	0.001273	0.133	0.000358
KY	H L Spurloc	6041	1	11/30/2022	281	2697.7	0.001277	0.133	0.000359
KY	H L Spurloc	6041	1	11/30/2022	282	2699.8	0.001264	0.132	0.000356
KY	H L Spurloc	6041	1	11/30/2022	282	2695.9	0.001262	0.132	0.000356
KY	H L Spurloc	6041	1	11/30/2022	281	2705.8	0.001281	0.133	0.00036
KY	H L Spurloc	6041	1	11/30/2022	282	2717.9	0.001263	0.131	0.000356
KY	H L Spurloc	6041	1	11/30/2022	282	2695.6	0.001271	0.133	0.000359
KY	H L Spurloc	6041	1	11/30/2022	282	2698.4	0.001254	0.131	0.000353
KY	H L Spurloc	6041	1	11/30/2022	282	2697.8	0.001253	0.131	0.000353
KY	H L Spurloc	6041	1	11/30/2022	282	2703.2	0.001256	0.131	0.000354
KY	H L Spurloc	6041	1	11/30/2022	281	2705.9	0.001261	0.131	0.000354
KY	H L Spurloc	6041	1	11/30/2022	270	2606.9	0.001303	0.135	0.000352
KY	H L Spurloc	6041	1	11/30/2022	280	2685.6	0.001285	0.134	0.00036
KY	H L Spurloc	6041	1	11/30/2022	280	2689.6	0.001278	0.133	0.000358
KY	H L Spurloc	6041	1	11/30/2022	279	2702.8	0.001288	0.133	0.000359
KY	H L Spurloc	6041	1	11/30/2022	278	2692.3	0.001298	0.134	0.000361
KY	H L Spurloc	6041	1	11/30/2022	278	2676.6	0.00129	0.134	0.000359
KY	H L Spurloc	6041	1	12/1/2022	278	2695.6	0.001299	0.134	0.000361
KY	H L Spurloc	6041	1	12/1/2022	280	2705.6	0.001285	0.133	0.00036
KY	H L Spurloc	6041	1	12/1/2022	280	2701.6	0.001303	0.135	0.000365
KY	H L Spurloc	6041	1	12/1/2022	280	2717.1	0.001291	0.133	0.000361
KY	H L Spurloc	6041	1	12/1/2022	280	2726.7	0.001285	0.132	0.00036
KY	H L Spurloc	6041	1	12/1/2022	280	2724.9	0.001285	0.132	0.00036
KY	H L Spurloc	6041	1	12/1/2022	280	2725.8	0.001285	0.132	0.00036

KY	H L Spurloc	6041	1	12/1/2022	280	2720.3	0.001292	0.133	0.000362
KY	H L Spurloc	6041	1	12/1/2022	280	2747	0.001275	0.13	0.000357
KY	H L Spurloc	6041	1	12/1/2022	280	2740.8	0.001273	0.13	0.000356
KY	H L Spurloc	6041	1	12/1/2022	269	2618.9	0.001295	0.133	0.000348
KY	H L Spurloc	6041	1	12/1/2022	240	2349.7	0.001361	0.139	0.000327
KY	H L Spurloc	6041	1	12/1/2022	271	2625.2	0.001279	0.132	0.000347
KY	H L Spurloc	6041	1	12/1/2022	280	2722.7	0.001254	0.129	0.000351
KY	H L Spurloc	6041	1	12/1/2022	280	2704.6	0.001256	0.13	0.000352
KY	H L Spurloc	6041	1	12/1/2022	280	2717.5	0.001252	0.129	0.000351
KY	H L Spurloc	6041	1	12/1/2022	280	2706.9	0.001257	0.13	0.000352
KY	H L Spurloc	6041	1	12/1/2022	280	2707.7	0.001257	0.13	0.000352
KY	H L Spurloc	6041	1	12/1/2022	280	2702.2	0.001255	0.13	0.000351
KY	H L Spurloc	6041	1	12/1/2022	280	2704.4	0.001246	0.129	0.000349
KY	H L Spurloc	6041	1	12/1/2022	280	2699.6	0.001253	0.13	0.000351
KY	H L Spurloc	6041	1	12/1/2022	280	2712.5	0.00125	0.129	0.00035
KY	H L Spurloc	6041	1	12/1/2022	280	2706.4	0.001247	0.129	0.000349
KY	H L Spurloc	6041	1	12/1/2022	280	2700.7	0.001254	0.13	0.000351
KY	H L Spurloc	6041	1	12/2/2022	178	1700.3	0.001528	0.16	0.000272
KY	H L Spurloc	6041	1	12/2/2022	48	470.934	0.004389	0.255	0.00012
KY	H L Spurloc	6041	1	12/2/2022	0	35.04		0.306	1.07E-05
KY	H L Spurloc	6041	1	12/2/2022	0	105.2		0.307	3.23E-05
KY	H L Spurloc	6041	1	12/2/2022	0	136.1		0.307	4.18E-05
KY	H L Spurloc	6041	1	12/2/2022	0	166		0.307	5.1E-05
KY	H L Spurloc	6041	1	12/2/2022	0	196.4		0.306	6.01E-05
KY	H L Spurloc	6041	1	12/2/2022	0	166.6		0.305	5.08E-05
KY	H L Spurloc	6041	1	12/2/2022	0	186.3		0.304	5.66E-05
KY	H L Spurloc	6041	1	12/2/2022	25	472.3	0.011411	0.604	0.000285
KY	H L Spurloc	6041	1	12/2/2022	64	779.4	0.004652	0.382	0.000298
KY	H L Spurloc	6041	1	12/2/2022	102	1112	0.002965	0.272	0.000302
KY	H L Spurloc	6041	1	12/3/2022	138	1451.4	0.001735	0.165	0.000239
KY	H L Spurloc	6041	1	12/3/2022	185	1898.8	0.001611	0.157	0.000298
KY	H L Spurloc	6041	1	12/3/2022	215	2133.6	0.001449	0.146	0.000312
KY	H L Spurloc	6041	1	12/3/2022	273	2670.5	0.001272	0.13	0.000347
KY	H L Spurloc	6041	1	12/3/2022	308	3026.6	0.001189	0.121	0.000366
KY	H L Spurloc	6041	1	12/3/2022	282	2757.3	0.001242	0.127	0.00035
KY	H L Spurloc	6041	1	12/3/2022	208	2052.4	0.001431	0.145	0.000298
KY	H L Spurloc	6041	1	12/3/2022	164	1651.4	0.001571	0.156	0.000258
KY	H L Spurloc	6041	1	12/3/2022	165	1650.2	0.00155	0.155	0.000256
KY	H L Spurloc	6041	1	12/3/2022	165	1644.6	0.001535	0.154	0.000253
KY	H L Spurloc	6041	1	12/3/2022	165	1645.9	0.001536	0.154	0.000253
KY	H L Spurloc	6041	1	12/3/2022	165	1643.4	0.001534	0.154	0.000253
KY	H L Spurloc	6041	1	12/3/2022	165	1663.4	0.001542	0.153	0.000255
KY	H L Spurloc	6041	1	12/3/2022	165	1660.9	0.00154	0.153	0.000254
KY	H L Spurloc	6041	1	12/3/2022	164	1668	0.001556	0.153	0.000255
KY	H L Spurloc	6041	1	12/3/2022	165	1673	0.001551	0.153	0.000256
KY	H L Spurloc	6041	1	12/3/2022	164	1671.3	0.001559	0.153	0.000256
KY	H L Spurloc	6041	1	12/3/2022	176	1768.4	0.001537	0.153	0.000271
KY	H L Spurloc	6041	1	12/3/2022	175	1759.2	0.001548	0.154	0.000271

KY	H L Spurloc	6041	1	12/3/2022	204	2022.5	0.001467	0.148	0.000299
KY	H L Spurloc	6041	1	12/3/2022	179	1787.4	0.001528	0.153	0.000273
KY	H L Spurloc	6041	1	12/3/2022	175	1766.8	0.001565	0.155	0.000274
KY	H L Spurloc	6041	1	12/3/2022	173	1829.8	0.001629	0.154	0.000282
KY	H L Spurloc	6041	1	12/3/2022	184	2010.7	0.00165	0.151	0.000304
KY	H L Spurloc	6041	1	12/4/2022	170	1713.1	0.001572	0.156	0.000267
KY	H L Spurloc	6041	1	12/4/2022	170	1718.3	0.001577	0.156	0.000268
KY	H L Spurloc	6041	1	12/4/2022	170	1719.6	0.001558	0.154	0.000265
KY	H L Spurloc	6041	1	12/4/2022	170	1723.3	0.001561	0.154	0.000265
KY	H L Spurloc	6041	1	12/4/2022	170	1723.8	0.001562	0.154	0.000265
KY	H L Spurloc	6041	1	12/4/2022	166	1691.8	0.00158	0.155	0.000262
KY	H L Spurloc	6041	1	12/4/2022	164	1677.5	0.001585	0.155	0.00026
KY	H L Spurloc	6041	1	12/4/2022	166	1698	0.001585	0.155	0.000263
KY	H L Spurloc	6041	1	12/4/2022	165	1682.5	0.001581	0.155	0.000261
KY	H L Spurloc	6041	1	12/4/2022	164	1657.2	0.001586	0.157	0.00026
KY	H L Spurloc	6041	1	12/4/2022	164	1672.6	0.001571	0.154	0.000258
KY	H L Spurloc	6041	1	12/4/2022	164	1679.2	0.001577	0.154	0.000259
KY	H L Spurloc	6041	1	12/4/2022	164	1672.6	0.001571	0.154	0.000258
KY	H L Spurloc	6041	1	12/4/2022	164	1677.1	0.001575	0.154	0.000258
KY	H L Spurloc	6041	1	12/4/2022	164	1663.5	0.001562	0.154	0.000256
KY	H L Spurloc	6041	1	12/4/2022	163	1657.3	0.001566	0.154	0.000255
KY	H L Spurloc	6041	1	12/4/2022	169	1708.8	0.001557	0.154	0.000263
KY	H L Spurloc	6041	1	12/4/2022	177	1778.8	0.001538	0.153	0.000272
KY	H L Spurloc	6041	1	12/4/2022	208	2063.6	0.001468	0.148	0.000305
KY	H L Spurloc	6041	1	12/4/2022	223	2208.4	0.001396	0.141	0.000311
KY	H L Spurloc	6041	1	12/4/2022	174	1724.1	0.001536	0.155	0.000267
KY	H L Spurloc	6041	1	12/4/2022	167	1663	0.001563	0.157	0.000261
KY	H L Spurloc	6041	1	12/4/2022	166	1677.5	0.001576	0.156	0.000262
KY	H L Spurloc	6041	1	12/4/2022	164	1671.7	0.00159	0.156	0.000261
KY	H L Spurloc	6041	1	12/5/2022	163	1642.8	0.001582	0.157	0.000258
KY	H L Spurloc	6041	1	12/5/2022	165	1657.8	0.001577	0.157	0.00026
KY	H L Spurloc	6041	1	12/5/2022	165	1678.3	0.001577	0.155	0.00026
KY	H L Spurloc	6041	1	12/5/2022	169	1714.1	0.001562	0.154	0.000264
KY	H L Spurloc	6041	1	12/5/2022	167	1684.9	0.001564	0.155	0.000261
KY	H L Spurloc	6041	1	12/5/2022	179	1810	0.001547	0.153	0.000277
KY	H L Spurloc	6041	1	12/5/2022	223	2180.6	0.001398	0.143	0.000312
KY	H L Spurloc	6041	1	12/5/2022	310	3005.7	0.001183	0.122	0.000367
KY	H L Spurloc	6041	1	12/5/2022	305	2931.7	0.001192	0.124	0.000364
KY	H L Spurloc	6041	1	12/5/2022	293	2822.9	0.001214	0.126	0.000356
KY	H L Spurloc	6041	1	12/5/2022	221	2147.3	0.00138	0.142	0.000305
KY	H L Spurloc	6041	1	12/5/2022	180	1753.2	0.0015	0.154	0.00027
KY	H L Spurloc	6041	1	12/5/2022	171	1704.8	0.001565	0.157	0.000268
KY	H L Spurloc	6041	1	12/5/2022	166	1622.1	0.001563	0.16	0.00026
KY	H L Spurloc	6041	1	12/5/2022	165	1618.9	0.001236	0.126	0.000204
KY	H L Spurloc	6041	1	12/5/2022	181	1780.5	0.0012	0.122	0.000217
KY	H L Spurloc	6041	1	12/5/2022	166	1645.1	0.001249	0.126	0.000207
KY	H L Spurloc	6041	1	12/5/2022	190	1838.7	0.001181	0.122	0.000224
KY	H L Spurloc	6041	1	12/5/2022	228	2219	0.0011	0.113	0.000251

KY	H L Spurloc	6041	1	12/5/2022	192	1866.8	0.001176	0.121	0.000226
KY	H L Spurloc	6041	1	12/5/2022	232	2242.8	0.001073	0.111	0.000249
KY	H L Spurloc	6041	1	12/5/2022	198	1937.4	0.001155	0.118	0.000229
KY	H L Spurloc	6041	1	12/5/2022	166	1650.5	0.001243	0.125	0.000206
KY	H L Spurloc	6041	1	12/5/2022	165	1651.2	0.001271	0.127	0.00021
KY	H L Spurloc	6041	1	12/6/2022	166	1647.7	0.001261	0.127	0.000209
KY	H L Spurloc	6041	1	12/6/2022	164	1649.5	0.001277	0.127	0.000209
KY	H L Spurloc	6041	1	12/6/2022	165	1648.3	0.001269	0.127	0.000209
KY	H L Spurloc	6041	1	12/6/2022	169	1696.4	0.001255	0.125	0.000212
KY	H L Spurloc	6041	1	12/6/2022	170	1708.6	0.001256	0.125	0.000214
KY	H L Spurloc	6041	1	12/6/2022	169	1695.4	0.001254	0.125	0.000212
KY	H L Spurloc	6041	1	12/6/2022	170	1694.5	0.001266	0.127	0.000215
KY	H L Spurloc	6041	1	12/6/2022	170	1708.9	0.001257	0.125	0.000214
KY	H L Spurloc	6041	1	12/6/2022	170	1703.5	0.001263	0.126	0.000215
KY	H L Spurloc	6041	1	12/6/2022	170	1716.4	0.001272	0.126	0.000216
KY	H L Spurloc	6041	1	12/6/2022	170	1722.3	0.001266	0.125	0.000215
KY	H L Spurloc	6041	1	12/6/2022	175	1753.5	0.001253	0.125	0.000219
KY	H L Spurloc	6041	1	12/6/2022	242	2354.7	0.001051	0.108	0.000254
KY	H L Spurloc	6041	1	12/6/2022	300	2878.6	0.00094	0.098	0.000282
KY	H L Spurloc	6041	1	12/6/2022	300	2871.2	0.000935	0.0977	0.000281
KY	H L Spurloc	6041	1	12/6/2022	303	2895.1	0.000936	0.098	0.000284
KY	H L Spurloc	6041	1	12/6/2022	300	2869.1	0.000937	0.098	0.000281
KY	H L Spurloc	6041	1	12/6/2022	300	2862.4	0.000934	0.0979	0.00028
KY	H L Spurloc	6041	1	12/6/2022	300	2852.8	0.000936	0.0984	0.000281
KY	H L Spurloc	6041	1	12/6/2022	300	2851.7	0.000935	0.0984	0.000281
KY	H L Spurloc	6041	1	12/6/2022	299	2866.9	0.000942	0.0982	0.000282
KY	H L Spurloc	6041	1	12/6/2022	300	2867.5	0.000939	0.0982	0.000282
KY	H L Spurloc	6041	1	12/6/2022	299	2856.1	0.000943	0.0987	0.000282
KY	H L Spurloc	6041	1	12/6/2022	300	2849.1	0.000935	0.0984	0.00028
KY	H L Spurloc	6041	1	12/7/2022	300	2839.6	0.00093	0.0983	0.000279
KY	H L Spurloc	6041	1	12/7/2022	300	2850.5	0.000943	0.0992	0.000283
KY	H L Spurloc	6041	1	12/7/2022	300	2863.7	0.000946	0.0991	0.000284
KY	H L Spurloc	6041	1	12/7/2022	299	2853.4	0.000945	0.099	0.000282
KY	H L Spurloc	6041	1	12/7/2022	300	2860.8	0.000937	0.0983	0.000281
KY	H L Spurloc	6041	1	12/7/2022	300	2849.4	0.000937	0.0986	0.000281
KY	H L Spurloc	6041	1	12/7/2022	300	2854.1	0.000939	0.0987	0.000282
KY	H L Spurloc	6041	1	12/7/2022	299	2833.5	0.000943	0.0995	0.000282
KY	H L Spurloc	6041	1	12/7/2022	300	2865.8	0.000938	0.0982	0.000281
KY	H L Spurloc	6041	1	12/7/2022	307	2938	0.000929	0.0971	0.000285
KY	H L Spurloc	6041	1	12/7/2022	310	2970	0.000925	0.0965	0.000287
KY	H L Spurloc	6041	1	12/7/2022	310	2950.3	0.000928	0.0975	0.000288
KY	H L Spurloc	6041	1	12/7/2022	310	2947.8	0.000928	0.0976	0.000288
KY	H L Spurloc	6041	1	12/7/2022	310	2957.3	0.000934	0.0979	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2963.6	0.000933	0.0976	0.000289
KY	H L Spurloc	6041	1	12/7/2022	310	2984	0.000939	0.0975	0.000291
KY	H L Spurloc	6041	1	12/7/2022	310	2969.8	0.000935	0.0976	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2972.5	0.000936	0.0976	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2989.4	0.000935	0.097	0.00029

KY	H L Spurloc	6041	1	12/7/2022	310	2990.9	0.00094	0.0974	0.000291
KY	H L Spurloc	6041	1	12/7/2022	310	2984.6	0.000937	0.0973	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2983.9	0.000937	0.0973	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2980.1	0.000935	0.0973	0.00029
KY	H L Spurloc	6041	1	12/7/2022	310	2992.3	0.000938	0.0972	0.000291
KY	H L Spurloc	6041	1	12/8/2022	310	2983.1	0.000943	0.098	0.000292
KY	H L Spurloc	6041	1	12/8/2022	310	2986.8	0.000939	0.0975	0.000291
KY	H L Spurloc	6041	1	12/8/2022	310	2988.4	0.000942	0.0977	0.000292
KY	H L Spurloc	6041	1	12/8/2022	310	2975.8	0.00094	0.0979	0.000291
KY	H L Spurloc	6041	1	12/8/2022	310	2984.9	0.000945	0.0981	0.000293
KY	H L Spurloc	6041	1	12/8/2022	310	2973.8	0.000942	0.0982	0.000292
KY	H L Spurloc	6041	1	12/8/2022	310	2978.6	0.000949	0.0988	0.000294
KY	H L Spurloc	6041	1	12/8/2022	310	2965.1	0.000944	0.0987	0.000293
KY	H L Spurloc	6041	1	12/8/2022	310	2985.5	0.000941	0.0977	0.000292
KY	H L Spurloc	6041	1	12/8/2022	310	2966.4	0.000944	0.0986	0.000292
KY	H L Spurloc	6041	1	12/8/2022	310	2971.6	0.000938	0.0979	0.000291
KY	H L Spurloc	6041	1	12/8/2022	309	2973.1	0.000932	0.0969	0.000288
KY	H L Spurloc	6041	1	12/8/2022	295	2830.2	0.000957	0.0998	0.000282
KY	H L Spurloc	6041	1	12/8/2022	246	2341.8	0.001038	0.109	0.000255
KY	H L Spurloc	6041	1	12/8/2022	167	1668.3	0.001259	0.126	0.00021
KY	H L Spurloc	6041	1	12/8/2022	165	1662.5	0.00128	0.127	0.000211
KY	H L Spurloc	6041	1	12/8/2022	168	1698.7	0.001274	0.126	0.000214
KY	H L Spurloc	6041	1	12/8/2022	171	1723.5	0.00126	0.125	0.000215
KY	H L Spurloc	6041	1	12/8/2022	165	1658.8	0.001277	0.127	0.000211
KY	H L Spurloc	6041	1	12/8/2022	165	1659.4	0.001277	0.127	0.000211
KY	H L Spurloc	6041	1	12/8/2022	165	1664.7	0.001281	0.127	0.000211
KY	H L Spurloc	6041	1	12/8/2022	171	1732.8	0.001267	0.125	0.000217
KY	H L Spurloc	6041	1	12/8/2022	165	1672.9	0.001277	0.126	0.000211
KY	H L Spurloc	6041	1	12/8/2022	165	1669.5	0.001275	0.126	0.00021
KY	H L Spurloc	6041	1	12/9/2022	164	1655.8	0.001282	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	165	1651.9	0.001271	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	165	1653.6	0.001273	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	164	1644.3	0.001273	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	164	1646.8	0.001275	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	164	1652.9	0.00128	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	165	1663	0.00128	0.127	0.000211
KY	H L Spurloc	6041	1	12/9/2022	165	1647.8	0.001268	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	165	1660.6	0.001278	0.127	0.000211
KY	H L Spurloc	6041	1	12/9/2022	165	1659.6	0.001277	0.127	0.000211
KY	H L Spurloc	6041	1	12/9/2022	164	1655.1	0.001282	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	164	1651.1	0.001279	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	165	1646.5	0.001267	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	165	1656.5	0.001275	0.127	0.00021
KY	H L Spurloc	6041	1	12/9/2022	172	1702.4	0.001247	0.126	0.000215
KY	H L Spurloc	6041	1	12/9/2022	175	1729.9	0.001236	0.125	0.000216
KY	H L Spurloc	6041	1	12/9/2022	168	1652.4	0.001239	0.126	0.000208
KY	H L Spurloc	6041	1	12/9/2022	168	1658.4	0.001244	0.126	0.000209
KY	H L Spurloc	6041	1	12/9/2022	165	1637	0.00125	0.126	0.000206

KY	H L Spurloc	6041	1	12/9/2022	165	1634.3	0.001258	0.127	0.000208
KY	H L Spurloc	6041	1	12/9/2022	165	1635.8	0.001259	0.127	0.000208
KY	H L Spurloc	6041	1	12/9/2022	165	1645.6	0.001267	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	165	1645.9	0.001267	0.127	0.000209
KY	H L Spurloc	6041	1	12/9/2022	165	1648.8	0.001269	0.127	0.000209
KY	H L Spurloc	6041	1	12/10/2022	202	1973	0.001172	0.12	0.000237
KY	H L Spurloc	6041	1	12/10/2022	169	1697.2	0.001275	0.127	0.000216
KY	H L Spurloc	6041	1	12/10/2022	168	1662.2	0.001276	0.129	0.000214
KY	H L Spurloc	6041	1	12/10/2022	168	1661.9	0.001276	0.129	0.000214
KY	H L Spurloc	6041	1	12/10/2022	169	1675.9	0.001269	0.128	0.000215
KY	H L Spurloc	6041	1	12/10/2022	168	1675.1	0.001266	0.127	0.000213
KY	H L Spurloc	6041	1	12/10/2022	168	1689.6	0.001277	0.127	0.000215
KY	H L Spurloc	6041	1	12/10/2022	169	1670.7	0.001275	0.129	0.000216
KY	H L Spurloc	6041	1	12/10/2022	170	1683.5	0.001268	0.128	0.000215
KY	H L Spurloc	6041	1	12/10/2022	192	1869.3	0.001198	0.123	0.00023
KY	H L Spurloc	6041	1	12/10/2022	209	2031.7	0.001157	0.119	0.000242
KY	H L Spurloc	6041	1	12/10/2022	179	1750.8	0.001223	0.125	0.000219
KY	H L Spurloc	6041	1	12/10/2022	170	1677.6	0.001243	0.126	0.000211
KY	H L Spurloc	6041	1	12/10/2022	171	1697.8	0.001241	0.125	0.000212
KY	H L Spurloc	6041	1	12/10/2022	173	1715.6	0.00125	0.126	0.000216
KY	H L Spurloc	6041	1	12/10/2022	175	1735.5	0.00123	0.124	0.000215
KY	H L Spurloc	6041	1	12/10/2022	175	1735	0.001229	0.124	0.000215
KY	H L Spurloc	6041	1	12/10/2022	175	1730.1	0.001226	0.124	0.000215
KY	H L Spurloc	6041	1	12/10/2022	170	1679.8	0.001245	0.126	0.000212
KY	H L Spurloc	6041	1	12/10/2022	170	1678.7	0.001244	0.126	0.000212
KY	H L Spurloc	6041	1	12/10/2022	170	1683.1	0.001247	0.126	0.000212
KY	H L Spurloc	6041	1	12/10/2022	170	1686.8	0.00125	0.126	0.000213
KY	H L Spurloc	6041	1	12/10/2022	170	1686.2	0.00125	0.126	0.000212
KY	H L Spurloc	6041	1	12/10/2022	170	1686.6	0.00124	0.125	0.000211
KY	H L Spurloc	6041	1	12/11/2022	168	1825.4	0.001336	0.123	0.000225
KY	H L Spurloc	6041	1	12/11/2022	168	1964	0.001403	0.12	0.000236
KY	H L Spurloc	6041	1	12/11/2022	168	1963.6	0.001414	0.121	0.000238
KY	H L Spurloc	6041	1	12/11/2022	168	1971.5	0.001408	0.12	0.000237
KY	H L Spurloc	6041	1	12/11/2022	168	1969.9	0.001407	0.12	0.000236
KY	H L Spurloc	6041	1	12/11/2022	168	1973.5	0.00141	0.12	0.000237
KY	H L Spurloc	6041	1	12/11/2022	170	2008.2	0.001418	0.12	0.000241
KY	H L Spurloc	6041	1	12/11/2022	170	1995.8	0.001421	0.121	0.000241
KY	H L Spurloc	6041	1	12/11/2022	170	1997.1	0.00141	0.12	0.00024
KY	H L Spurloc	6041	1	12/11/2022	181	2097	0.001379	0.119	0.00025
KY	H L Spurloc	6041	1	12/11/2022	170	2020	0.001438	0.121	0.000244
KY	H L Spurloc	6041	1	12/11/2022	172	2031.1	0.001405	0.119	0.000242
KY	H L Spurloc	6041	1	12/11/2022	170	1990.9	0.001394	0.119	0.000237
KY	H L Spurloc	6041	1	12/11/2022	170	1970.3	0.001379	0.119	0.000234
KY	H L Spurloc	6041	1	12/11/2022	172	1856.4	0.001306	0.121	0.000225
KY	H L Spurloc	6041	1	12/11/2022	166	1668.1	0.001286	0.128	0.000214
KY	H L Spurloc	6041	1	12/11/2022	165	1651.7	0.001291	0.129	0.000213
KY	H L Spurloc	6041	1	12/11/2022	208	2037.7	0.001166	0.119	0.000242
KY	H L Spurloc	6041	1	12/11/2022	238	2303.9	0.001094	0.113	0.00026



KY	H L Spurloc	6041	1	12/11/2022	302	2917.5	0.000954	0.0988	0.000288
KY	H L Spurloc	6041	1	12/11/2022	303	2918.4	0.000954	0.099	0.000289
KY	H L Spurloc	6041	1	12/11/2022	291	2811.4	0.000976	0.101	0.000284
KY	H L Spurloc	6041	1	12/11/2022	271	2619.4	0.000996	0.103	0.00027
KY	H L Spurloc	6041	1	12/11/2022	180	1768.5	0.001228	0.125	0.000221
KY	H L Spurloc	6041	1	12/12/2022	165	1648.1	0.001289	0.129	0.000213
KY	H L Spurloc	6041	1	12/12/2022	167	1677.2	0.001286	0.128	0.000215
KY	H L Spurloc	6041	1	12/12/2022	165	1662.2	0.001289	0.128	0.000213
KY	H L Spurloc	6041	1	12/12/2022	165	1665.9	0.001292	0.128	0.000213
KY	H L Spurloc	6041	1	12/12/2022	165	1666.1	0.001292	0.128	0.000213
KY	H L Spurloc	6041	1	12/12/2022	165	1657.3	0.001286	0.128	0.000212
KY	H L Spurloc	6041	1	12/12/2022	172	1716.5	0.001277	0.128	0.00022
KY	H L Spurloc	6041	1	12/12/2022	196	1937.7	0.001196	0.121	0.000234
KY	H L Spurloc	6041	1	12/12/2022	229	2201	0.001105	0.115	0.000253
KY	H L Spurloc	6041	1	12/12/2022	230	2240.4	0.00111	0.114	0.000255
KY	H L Spurloc	6041	1	12/12/2022	209	2047.5	0.001176	0.12	0.000246
KY	H L Spurloc	6041	1	12/12/2022	257	2462	0.00251	0.262	0.000645
KY	H L Spurloc	6041	1	12/12/2022	217	2105	0.002726	0.281	0.000592
KY	H L Spurloc	6041	1	12/12/2022	259	2485.6	0.002486	0.259	0.000644
KY	H L Spurloc	6041	1	12/12/2022	267	2554.8	0.002411	0.252	0.000644
KY	H L Spurloc	6041	1	12/12/2022	201	1942.6	0.002764	0.286	0.000556
KY	H L Spurloc	6041	1	12/12/2022	232	2222.4	0.002586	0.27	0.0006
KY	H L Spurloc	6041	1	12/12/2022	280	2699	0.002381	0.247	0.000667
KY	H L Spurloc	6041	1	12/12/2022	256	2479.9	0.00248	0.256	0.000635
KY	H L Spurloc	6041	1	12/12/2022	248	2384.7	0.00251	0.261	0.000622
KY	H L Spurloc	6041	1	12/12/2022	280	2684.6	0.002339	0.244	0.000655
KY	H L Spurloc	6041	1	12/12/2022	296	2866.6	0.002276	0.235	0.000674
KY	H L Spurloc	6041	1	12/12/2022	227	2187.5	0.002583	0.268	0.000586
KY	H L Spurloc	6041	1	12/12/2022	174	1719.2	0.002974	0.301	0.000517
KY	H L Spurloc	6041	1	12/13/2022	170	1702	0.003054	0.305	0.000519
KY	H L Spurloc	6041	1	12/13/2022	173	1716.3	0.002996	0.302	0.000518
KY	H L Spurloc	6041	1	12/13/2022	191	1864.2	0.002879	0.295	0.00055
KY	H L Spurloc	6041	1	12/13/2022	227	2203	0.00262	0.27	0.000595
KY	H L Spurloc	6041	1	12/13/2022	242	2335	0.002499	0.259	0.000605
KY	H L Spurloc	6041	1	12/13/2022	223	2152.5	0.002597	0.269	0.000579
KY	H L Spurloc	6041	1	12/13/2022	194	1877.1	0.002777	0.287	0.000539
KY	H L Spurloc	6041	1	12/13/2022	265	2545.8	0.002392	0.249	0.000634
KY	H L Spurloc	6041	1	12/13/2022	319	3075.3	0.002179	0.226	0.000695
KY	H L Spurloc	6041	1	12/13/2022	319	3054.7	0.002183	0.228	0.000696
KY	H L Spurloc	6041	1	12/13/2022	317	3033.3	0.002182	0.228	0.000692
KY	H L Spurloc	6041	1	12/13/2022	306	2909.2	0.002196	0.231	0.000672
KY	H L Spurloc	6041	1	12/13/2022	315	3005.8	0.002176	0.228	0.000685
KY	H L Spurloc	6041	1	12/13/2022	315	2992.2	0.002175	0.229	0.000685
KY	H L Spurloc	6041	1	12/13/2022	309	2938.4	0.002187	0.23	0.000676
KY	H L Spurloc	6041	1	12/13/2022	286	2721.2	0.002303	0.242	0.000659
KY	H L Spurloc	6041	1	12/13/2022	254	2411.6	0.00244	0.257	0.00062
KY	H L Spurloc	6041	1	12/13/2022	309	2958.4	0.002221	0.232	0.000686
KY	H L Spurloc	6041	1	12/13/2022	278	2676.6	0.002349	0.244	0.000653

KY	H L Spurloc	6041	1	12/13/2022	259	2491.8	0.002444	0.254	0.000633
KY	H L Spurloc	6041	1	12/13/2022	319	3072.5	0.002186	0.227	0.000697
KY	H L Spurloc	6041	1	12/13/2022	289	2784	0.002312	0.24	0.000668
KY	H L Spurloc	6041	1	12/13/2022	246	2352.1	0.002505	0.262	0.000616
KY	H L Spurloc	6041	1	12/13/2022	239	2304.1	0.002526	0.262	0.000604
KY	H L Spurloc	6041	1	12/14/2022	210	2045.3	0.002708	0.278	0.000569
KY	H L Spurloc	6041	1	12/14/2022	204	1974.6	0.00273	0.282	0.000557
KY	H L Spurloc	6041	1	12/14/2022	189	1863.6	0.00285	0.289	0.000539
KY	H L Spurloc	6041	1	12/14/2022	181	1774.3	0.002882	0.294	0.000522
KY	H L Spurloc	6041	1	12/14/2022	225	2216.4	0.00263	0.267	0.000592
KY	H L Spurloc	6041	1	12/14/2022	187	1809	0.002834	0.293	0.00053
KY	H L Spurloc	6041	1	12/14/2022	170	1691.1	0.002994	0.301	0.000509
KY	H L Spurloc	6041	1	12/14/2022	175	1761	0.002958	0.294	0.000518
KY	H L Spurloc	6041	1	12/14/2022	170	1718	0.003001	0.297	0.00051
KY	H L Spurloc	6041	1	12/14/2022	198	1977.6	0.002797	0.28	0.000554
KY	H L Spurloc	6041	1	12/14/2022	286	2776.6	0.00232	0.239	0.000664
KY	H L Spurloc	6041	1	12/14/2022	322	3097	0.002193	0.228	0.000706
KY	H L Spurloc	6041	1	12/14/2022	323	3098.5	0.002187	0.228	0.000706
KY	H L Spurloc	6041	1	12/14/2022	322	3045.8	0.002176	0.23	0.000701
KY	H L Spurloc	6041	1	12/14/2022	322	3073.1	0.002176	0.228	0.000701
KY	H L Spurloc	6041	1	12/14/2022	302	2877.4	0.002239	0.235	0.000676
KY	H L Spurloc	6041	1	12/14/2022	235	2232.8	0.002546	0.268	0.000598
KY	H L Spurloc	6041	1	12/14/2022	287	2732.8	0.002304	0.242	0.000661
KY	H L Spurloc	6041	1	12/14/2022	322	3107	0.00221	0.229	0.000712
KY	H L Spurloc	6041	1	12/14/2022	322	3080.5	0.0022	0.23	0.000709
KY	H L Spurloc	6041	1	12/14/2022	316	2994.1	0.002198	0.232	0.000695
KY	H L Spurloc	6041	1	12/14/2022	312	2982.4	0.002218	0.232	0.000692
KY	H L Spurloc	6041	1	12/14/2022	266	2526.4	0.002431	0.256	0.000647
KY	H L Spurloc	6041	1	12/14/2022	214	2028.4	0.002673	0.282	0.000572
KY	H L Spurloc	6041	1	12/15/2022	170	1666.3	0.003058	0.312	0.00052
KY	H L Spurloc	6041	1	12/15/2022	185	1797.9	0.002935	0.302	0.000543
KY	H L Spurloc	6041	1	12/15/2022	173	1696.3	0.00303	0.309	0.000524
KY	H L Spurloc	6041	1	12/15/2022	170	1669.1	0.003034	0.309	0.000516
KY	H L Spurloc	6041	1	12/15/2022	212	2016.7	0.00274	0.288	0.000581
KY	H L Spurloc	6041	1	12/15/2022	262	2497.8	0.002469	0.259	0.000647
KY	H L Spurloc	6041	1	12/15/2022	233	2217.4	0.002627	0.276	0.000612
KY	H L Spurloc	6041	1	12/15/2022	266	2523.2	0.002438	0.257	0.000648
KY	H L Spurloc	6041	1	12/15/2022	323	3080	0.002203	0.231	0.000711
KY	H L Spurloc	6041	1	12/15/2022	324	3079.7	0.002205	0.232	0.000714
KY	H L Spurloc	6041	1	12/15/2022	301	2864	0.002293	0.241	0.00069
KY	H L Spurloc	6041	1	12/15/2022	323	3067.8	0.002185	0.23	0.000706
KY	H L Spurloc	6041	1	12/15/2022	283	2685.3	0.002325	0.245	0.000658
KY	H L Spurloc	6041	1	12/15/2022	320	3017	0.002178	0.231	0.000697
KY	H L Spurloc	6041	1	12/15/2022	267	2534.9	0.002402	0.253	0.000641
KY	H L Spurloc	6041	1	12/15/2022	113	1117.8	0.00365	0.369	0.000412
KY	H L Spurloc	6041	1	12/15/2022	3	37.76	0.134929	0.536	2.02E-05
KY	H L Spurloc	6041	1	12/17/2022	0	2.8		0.595	1.67E-06
KY	H L Spurloc	6041	1	12/17/2022	0	44.2			

KY	H L Spurloc	6041	1	12/17/2022	0	79.8		0.595	4.75E-05
KY	H L Spurloc	6041	1	12/17/2022	0	81.6		0.594	4.85E-05
KY	H L Spurloc	6041	1	12/17/2022	0	48.78		0.594	2.9E-05
KY	H L Spurloc	6041	1	12/17/2022	0	3.105		0.593	1.84E-06
KY	H L Spurloc	6041	1	12/17/2022	0	80.6		0.593	4.78E-05
KY	H L Spurloc	6041	1	12/17/2022	0	125.1		0.592	7.41E-05
KY	H L Spurloc	6041	1	12/17/2022	0	142.3		0.591	8.41E-05
KY	H L Spurloc	6041	1	12/17/2022	0	185.7		0.589	0.000109
KY	H L Spurloc	6041	1	12/17/2022	0	171.3		0.587	0.000101
KY	H L Spurloc	6041	1	12/17/2022	0	156.9		0.585	9.18E-05
KY	H L Spurloc	6041	1	12/17/2022	0	158.6		0.583	9.25E-05
KY	H L Spurloc	6041	1	12/17/2022	0	129.9		0.581	7.55E-05
KY	H L Spurloc	6041	1	12/17/2022	8	241.1	0.062385	2.07	0.000499
KY	H L Spurloc	6041	1	12/17/2022	61	728.4	0.008598	0.72	0.000524
KY	H L Spurloc	6041	1	12/17/2022	103	1044.6	0.005152	0.508	0.000531
KY	H L Spurloc	6041	1	12/17/2022	145	1479.5	0.00353	0.346	0.000512
KY	H L Spurloc	6041	1	12/18/2022	209	2084	0.002752	0.276	0.000575
KY	H L Spurloc	6041	1	12/18/2022	259	2507.1	0.00241	0.249	0.000624
KY	H L Spurloc	6041	1	12/18/2022	258	2483.2	0.002397	0.249	0.000618
KY	H L Spurloc	6041	1	12/18/2022	289	2771.3	0.002292	0.239	0.000662
KY	H L Spurloc	6041	1	12/18/2022	310	2992.8	0.00223	0.231	0.000691
KY	H L Spurloc	6041	1	12/18/2022	230	2187.1	0.002644	0.278	0.000608
KY	H L Spurloc	6041	1	12/18/2022	179	1763.1	0.002965	0.301	0.000531
KY	H L Spurloc	6041	1	12/18/2022	206	1997.9	0.002783	0.287	0.000573
KY	H L Spurloc	6041	1	12/18/2022	233	2262.3	0.002612	0.269	0.000609
KY	H L Spurloc	6041	1	12/18/2022	221	2148.1	0.002692	0.277	0.000595
KY	H L Spurloc	6041	1	12/18/2022	196	1924.6	0.002838	0.289	0.000556
KY	H L Spurloc	6041	1	12/18/2022	176	1733.1	0.002984	0.303	0.000525
KY	H L Spurloc	6041	1	12/18/2022	242	2329.6	0.00257	0.267	0.000622
KY	H L Spurloc	6041	1	12/18/2022	253	2468.1	0.002517	0.258	0.000637
KY	H L Spurloc	6041	1	12/18/2022	191	1847	0.002824	0.292	0.000539
KY	H L Spurloc	6041	1	12/18/2022	167	1665.4	0.002982	0.299	0.000498
KY	H L Spurloc	6041	1	12/18/2022	191	1871.4	0.002841	0.29	0.000543
KY	H L Spurloc	6041	1	12/18/2022	287	2758.7	0.002345	0.244	0.000673
KY	H L Spurloc	6041	1	12/18/2022	322	3078.1	0.002227	0.233	0.000717
KY	H L Spurloc	6041	1	12/18/2022	323	3081.7	0.002213	0.232	0.000715
KY	H L Spurloc	6041	1	12/18/2022	303	2884.9	0.002285	0.24	0.000692
KY	H L Spurloc	6041	1	12/18/2022	290	2759.3	0.002331	0.245	0.000676
KY	H L Spurloc	6041	1	12/18/2022	310	2965.7	0.002277	0.238	0.000706
KY	H L Spurloc	6041	1	12/18/2022	323	3074	0.002237	0.235	0.000722
KY	H L Spurloc	6041	1	12/19/2022	317	3019.7	0.00222	0.233	0.000704
KY	H L Spurloc	6041	1	12/19/2022	305	2913.7	0.002226	0.233	0.000679
KY	H L Spurloc	6041	1	12/19/2022	320	3061.9	0.002182	0.228	0.000698
KY	H L Spurloc	6041	1	12/19/2022	311	2965.6	0.002212	0.232	0.000688
KY	H L Spurloc	6041	1	12/19/2022	311	2962.9	0.00221	0.232	0.000687
KY	H L Spurloc	6041	1	12/19/2022	320	3063	0.002182	0.228	0.000698
KY	H L Spurloc	6041	1	12/19/2022	313	3014.5	0.002205	0.229	0.00069
KY	H L Spurloc	6041	1	12/19/2022	320	3080.5	0.002224	0.231	0.000712

KY	H L Spurloc	6041	1	12/19/2022	320	3095.9	0.002235	0.231	0.000715
KY	H L Spurloc	6041	1	12/19/2022	317	3051	0.002233	0.232	0.000708
KY	H L Spurloc	6041	1	12/19/2022	320	3087.4	0.002209	0.229	0.000707
KY	H L Spurloc	6041	1	12/19/2022	320	3100.4	0.002199	0.227	0.000704
KY	H L Spurloc	6041	1	12/19/2022	320	3092.5	0.002213	0.229	0.000708
KY	H L Spurloc	6041	1	12/19/2022	320	3123.9	0.002216	0.227	0.000709
KY	H L Spurloc	6041	1	12/19/2022	320	3113.2	0.001372	0.141	0.000439
KY	H L Spurloc	6041	1	12/19/2022	320	3125.5	0.001377	0.141	0.000441
KY	H L Spurloc	6041	1	12/19/2022	313	3045.8	0.001382	0.142	0.000433
KY	H L Spurloc	6041	1	12/19/2022	320	3094.8	0.001354	0.14	0.000433
KY	H L Spurloc	6041	1	12/19/2022	320	3066.8	0.001351	0.141	0.000432
KY	H L Spurloc	6041	1	12/19/2022	320	3086.2	0.00136	0.141	0.000435
KY	H L Spurloc	6041	1	12/19/2022	320	3085.6	0.00136	0.141	0.000435
KY	H L Spurloc	6041	1	12/19/2022	317	3051.1	0.001367	0.142	0.000433
KY	H L Spurloc	6041	1	12/19/2022	320	3092.9	0.001372	0.142	0.000439
KY	H L Spurloc	6041	1	12/19/2022	305	2939.4	0.001397	0.145	0.000426
KY	H L Spurloc	6041	1	12/20/2022	290	2806.5	0.001432	0.148	0.000415
KY	H L Spurloc	6041	1	12/20/2022	198	1933.2	0.001738	0.178	0.000344
KY	H L Spurloc	6041	1	12/20/2022	182	1800.7	0.00183	0.185	0.000333
KY	H L Spurloc	6041	1	12/20/2022	182	1802.7	0.001823	0.184	0.000332
KY	H L Spurloc	6041	1	12/20/2022	223	2170.4	0.001655	0.17	0.000369
KY	H L Spurloc	6041	1	12/20/2022	269	2608.9	0.001494	0.154	0.000402
KY	H L Spurloc	6041	1	12/20/2022	315	3012.4	0.001396	0.146	0.00044
KY	H L Spurloc	6041	1	12/20/2022	323	3086.7	0.001376	0.144	0.000444
KY	H L Spurloc	6041	1	12/20/2022	324	3077.5	0.001358	0.143	0.00044
KY	H L Spurloc	6041	1	12/20/2022	316	3011.1	0.001382	0.145	0.000437
KY	H L Spurloc	6041	1	12/20/2022	239	2300	0.001578	0.164	0.000377
KY	H L Spurloc	6041	1	12/20/2022	218	2171.2	0.001673	0.168	0.000365
KY	H L Spurloc	6041	1	12/20/2022	190	1860.1	0.001772	0.181	0.000337
KY	H L Spurloc	6041	1	12/20/2022	170	1674.7	0.001852	0.188	0.000315
KY	H L Spurloc	6041	1	12/20/2022	169	1698.6	0.001869	0.186	0.000316
KY	H L Spurloc	6041	1	12/20/2022	165	1645.4	0.001885	0.189	0.000311
KY	H L Spurloc	6041	1	12/20/2022	168	1687	0.001868	0.186	0.000314
KY	H L Spurloc	6041	1	12/20/2022	247	2409.5	0.00158	0.162	0.00039
KY	H L Spurloc	6041	1	12/20/2022	319	3085.8	0.001383	0.143	0.000441
KY	H L Spurloc	6041	1	12/20/2022	319	3053.2	0.001369	0.143	0.000437
KY	H L Spurloc	6041	1	12/20/2022	323	3095.9	0.001371	0.143	0.000443
KY	H L Spurloc	6041	1	12/20/2022	307	2953.7	0.001395	0.145	0.000428
KY	H L Spurloc	6041	1	12/20/2022	313	2984.6	0.001383	0.145	0.000433
KY	H L Spurloc	6041	1	12/20/2022	279	2682	0.001471	0.153	0.00041
KY	H L Spurloc	6041	1	12/21/2022	258	2480.8	0.001529	0.159	0.000394
KY	H L Spurloc	6041	1	12/21/2022	241	2345.5	0.001567	0.161	0.000378
KY	H L Spurloc	6041	1	12/21/2022	290	2810.4	0.001434	0.148	0.000416
KY	H L Spurloc	6041	1	12/21/2022	294	2840.1	0.00143	0.148	0.00042
KY	H L Spurloc	6041	1	12/21/2022	283	2736	0.00145	0.15	0.00041
KY	H L Spurloc	6041	1	12/21/2022	233	2213.1	0.001624	0.171	0.000378
KY	H L Spurloc	6041	1	12/21/2022	244	2359.6	0.001605	0.166	0.000392
KY	H L Spurloc	6041	1	12/21/2022	320	3118.3	0.001423	0.146	0.000455

KY	H L Spurloc	6041	1	12/21/2022	320	3094	0.001421	0.147	0.000455
KY	H L Spurloc	6041	1	12/21/2022	300	2907.2	0.001444	0.149	0.000433
KY	H L Spurloc	6041	1	12/21/2022	204	1982.7	0.001701	0.175	0.000347
KY	H L Spurloc	6041	1	12/21/2022	169	1698.1	0.001859	0.185	0.000314
KY	H L Spurloc	6041	1	12/21/2022	172	1741.2	0.001842	0.182	0.000317
KY	H L Spurloc	6041	1	12/21/2022	169	1701.3	0.001852	0.184	0.000313
KY	H L Spurloc	6041	1	12/21/2022	172	1756.4	0.001879	0.184	0.000323
KY	H L Spurloc	6041	1	12/21/2022	177	1783.8	0.001824	0.181	0.000323
KY	H L Spurloc	6041	1	12/21/2022	170	1708	0.001849	0.184	0.000314
KY	H L Spurloc	6041	1	12/21/2022	175	1753.8	0.001844	0.184	0.000323
KY	H L Spurloc	6041	1	12/21/2022	190	1884.6	0.001746	0.176	0.000332
KY	H L Spurloc	6041	1	12/21/2022	171	1715.8	0.001836	0.183	0.000314
KY	H L Spurloc	6041	1	12/21/2022	175	1756.6	0.001817	0.181	0.000318
KY	H L Spurloc	6041	1	12/21/2022	175	1746.1	0.001816	0.182	0.000318
KY	H L Spurloc	6041	1	12/21/2022	175	1730.6	0.0018	0.182	0.000315
KY	H L Spurloc	6041	1	12/21/2022	175	1733.6	0.001803	0.182	0.000316
KY	H L Spurloc	6041	1	12/22/2022	175	1730.8	0.0018	0.182	0.000315
KY	H L Spurloc	6041	1	12/22/2022	173	1712.6	0.001802	0.182	0.000312
KY	H L Spurloc	6041	1	12/22/2022	169	1675.1	0.001824	0.184	0.000308
KY	H L Spurloc	6041	1	12/22/2022	170	1683.7	0.001822	0.184	0.00031
KY	H L Spurloc	6041	1	12/22/2022	170	1676	0.001834	0.186	0.000312
KY	H L Spurloc	6041	1	12/22/2022	170	1677.6	0.001816	0.184	0.000309
KY	H L Spurloc	6041	1	12/22/2022	169	1677.8	0.001847	0.186	0.000312
KY	H L Spurloc	6041	1	12/22/2022	170	1679	0.001837	0.186	0.000312
KY	H L Spurloc	6041	1	12/22/2022	170	1674.9	0.001833	0.186	0.000312
KY	H L Spurloc	6041	1	12/22/2022	204	1987.9	0.001715	0.176	0.00035
KY	H L Spurloc	6041	1	12/22/2022	184	1808.7	0.001779	0.181	0.000327
KY	H L Spurloc	6041	1	12/22/2022	177	1743.2	0.001802	0.183	0.000319
KY	H L Spurloc	6041	1	12/22/2022	169	1654.8	0.001821	0.186	0.000308
KY	H L Spurloc	6041	1	12/22/2022	169	1647.9	0.001814	0.186	0.000307
KY	H L Spurloc	6041	1	12/22/2022	172	1674.6	0.001801	0.185	0.00031
KY	H L Spurloc	6041	1	12/22/2022	190	1854.9	0.001748	0.179	0.000332
KY	H L Spurloc	6041	1	12/22/2022	182	1763.7	0.001773	0.183	0.000323
KY	H L Spurloc	6041	1	12/22/2022	169	1665	0.001823	0.185	0.000308
KY	H L Spurloc	6041	1	12/22/2022	170	1675.6	0.001823	0.185	0.00031
KY	H L Spurloc	6041	1	12/22/2022	171	1701.9	0.001821	0.183	0.000311
KY	H L Spurloc	6041	1	12/22/2022	171	1695.5	0.001805	0.182	0.000309
KY	H L Spurloc	6041	1	12/22/2022	170	1673	0.001811	0.184	0.000308
KY	H L Spurloc	6041	1	12/22/2022	170	1657.8	0.001804	0.185	0.000307
KY	H L Spurloc	6041	1	12/22/2022	169	1662.4	0.00181	0.184	0.000306
KY	H L Spurloc	6041	1	12/23/2022	217	2070.1	0.001631	0.171	0.000354
KY	H L Spurloc	6041	1	12/23/2022	297	2827	0.001399	0.147	0.000416
KY	H L Spurloc	6041	1	12/23/2022	314	2963.9	0.001369	0.145	0.00043
KY	H L Spurloc	6041	1	12/23/2022	321	3035.3	0.001352	0.143	0.000434
KY	H L Spurloc	6041	1	12/23/2022	312	2968.4	0.00138	0.145	0.00043
KY	H L Spurloc	6041	1	12/23/2022	319	3032.8	0.001369	0.144	0.000437
KY	H L Spurloc	6041	1	12/23/2022	323	3078.8	0.001373	0.144	0.000443
KY	H L Spurloc	6041	1	12/23/2022	323	3093	0.001379	0.144	0.000445

KY	H L Spurloc	6041	1	12/23/2022	323	3102.2	0.001383	0.144	0.000447
KY	H L Spurloc	6041	1	12/23/2022	322	3120.1	0.001395	0.144	0.000449
KY	H L Spurloc	6041	1	12/23/2022	322	3125.1	0.001398	0.144	0.00045
KY	H L Spurloc	6041	1	12/23/2022	322	3115.3	0.001403	0.145	0.000452
KY	H L Spurloc	6041	1	12/23/2022	321	3120.7	0.00139	0.143	0.000446
KY	H L Spurloc	6041	1	12/23/2022	320	3114.6	0.001392	0.143	0.000445
KY	H L Spurloc	6041	1	12/23/2022	320	3112.1	0.001391	0.143	0.000445
KY	H L Spurloc	6041	1	12/23/2022	322	3153.2	0.0014	0.143	0.000451
KY	H L Spurloc	6041	1	12/23/2022	320	3116.1	0.001402	0.144	0.000449
KY	H L Spurloc	6041	1	12/23/2022	320	3128.7	0.001408	0.144	0.000451
KY	H L Spurloc	6041	1	12/23/2022	321	3144.6	0.001391	0.142	0.000447
KY	H L Spurloc	6041	1	12/23/2022	322	3160.5	0.001404	0.143	0.000452
KY	H L Spurloc	6041	1	12/23/2022	323	3166.3	0.001392	0.142	0.00045
KY	H L Spurloc	6041	1	12/23/2022	306	3004.5	0.001414	0.144	0.000433
KY	H L Spurloc	6041	1	12/23/2022	317	3109.4	0.001393	0.142	0.000442
KY	H L Spurloc	6041	1	12/23/2022	318	3088.3	0.001398	0.144	0.000445
KY	H L Spurloc	6041	1	12/24/2022	322	3110.1	0.001391	0.144	0.000448
KY	H L Spurloc	6041	1	12/24/2022	322	3111.9	0.001392	0.144	0.000448
KY	H L Spurloc	6041	1	12/24/2022	322	3124.3	0.001397	0.144	0.00045
KY	H L Spurloc	6041	1	12/24/2022	320	3112.2	0.0014	0.144	0.000448
KY	H L Spurloc	6041	1	12/24/2022	317	3062	0.001401	0.145	0.000444
KY	H L Spurloc	6041	1	12/24/2022	312	2999.1	0.001403	0.146	0.000438
KY	H L Spurloc	6041	1	12/24/2022	304	2938.1	0.00143	0.148	0.000435
KY	H L Spurloc	6041	1	12/24/2022	316	3055.5	0.001392	0.144	0.00044
KY	H L Spurloc	6041	1	12/24/2022	309	2994.4	0.001415	0.146	0.000437
KY	H L Spurloc	6041	1	12/24/2022	321	3101.9	0.001392	0.144	0.000447
KY	H L Spurloc	6041	1	12/24/2022	304	2959.7	0.001421	0.146	0.000432
KY	H L Spurloc	6041	1	12/24/2022	322	3126.5	0.001388	0.143	0.000447
KY	H L Spurloc	6041	1	12/24/2022	304	2943.6	0.001423	0.147	0.000433
KY	H L Spurloc	6041	1	12/24/2022	311	3035.3	0.001415	0.145	0.00044
KY	H L Spurloc	6041	1	12/24/2022	306	2982.8	0.001423	0.146	0.000435
KY	H L Spurloc	6041	1	12/24/2022	323	3139.7	0.00139	0.143	0.000449
KY	H L Spurloc	6041	1	12/24/2022	305	2975	0.001414	0.145	0.000431
KY	H L Spurloc	6041	1	12/24/2022	322	3135.3	0.001383	0.142	0.000445
KY	H L Spurloc	6041	1	12/24/2022	304	2987	0.001425	0.145	0.000433
KY	H L Spurloc	6041	1	12/24/2022	321	3144.6	0.001391	0.142	0.000447
KY	H L Spurloc	6041	1	12/24/2022	305	2986.6	0.00142	0.145	0.000433
KY	H L Spurloc	6041	1	12/24/2022	319	3112.6	0.001405	0.144	0.000448
KY	H L Spurloc	6041	1	12/24/2022	319	3107.9	0.001393	0.143	0.000444
KY	H L Spurloc	6041	1	12/24/2022	320	3124.5	0.001386	0.142	0.000444
KY	H L Spurloc	6041	1	12/25/2022	320	3112.4	0.001381	0.142	0.000442
KY	H L Spurloc	6041	1	12/25/2022	305	2926.6	0.001411	0.147	0.00043
KY	H L Spurloc	6041	1	12/25/2022	320	3073.8	0.001383	0.144	0.000443
KY	H L Spurloc	6041	1	12/25/2022	320	3054.4	0.001384	0.145	0.000443
KY	H L Spurloc	6041	1	12/25/2022	320	3062.7	0.001388	0.145	0.000444
KY	H L Spurloc	6041	1	12/25/2022	306	2937	0.001421	0.148	0.000435
KY	H L Spurloc	6041	1	12/25/2022	324	3107.4	0.001381	0.144	0.000447
KY	H L Spurloc	6041	1	12/25/2022	308	2950.9	0.001399	0.146	0.000431

KY	H L Spurloc	6041	1	12/25/2022	323	3090.8	0.001378	0.144	0.000445
KY	H L Spurloc	6041	1	12/25/2022	325	3115.2	0.00138	0.144	0.000449
KY	H L Spurloc	6041	1	12/25/2022	324	3147.6	0.001389	0.143	0.00045
KY	H L Spurloc	6041	1	12/25/2022	325	3132.5	0.001378	0.143	0.000448
KY	H L Spurloc	6041	1	12/25/2022	325	3130.2	0.001377	0.143	0.000448
KY	H L Spurloc	6041	1	12/25/2022	324	3119.4	0.001377	0.143	0.000446
KY	H L Spurloc	6041	1	12/25/2022	322	3107.8	0.00138	0.143	0.000444
KY	H L Spurloc	6041	1	12/25/2022	324	3140.4	0.001386	0.143	0.000449
KY	H L Spurloc	6041	1	12/25/2022	324	3135.7	0.001384	0.143	0.000448
KY	H L Spurloc	6041	1	12/25/2022	324	3158	0.001384	0.142	0.000448
KY	H L Spurloc	6041	1	12/25/2022	325	3174.5	0.001377	0.141	0.000448
KY	H L Spurloc	6041	1	12/25/2022	324	3130.3	0.001362	0.141	0.000441
KY	H L Spurloc	6041	1	12/25/2022	325	3133.8	0.001369	0.142	0.000445
KY	H L Spurloc	6041	1	12/25/2022	325	3133.2	0.001379	0.143	0.000448
KY	H L Spurloc	6041	1	12/25/2022	325	3131.6	0.001388	0.144	0.000451
KY	H L Spurloc	6041	1	12/25/2022	312	3043.6	0.001405	0.144	0.000438
KY	H L Spurloc	6041	1	12/26/2022	323	3125.3	0.001384	0.143	0.000447
KY	H L Spurloc	6041	1	12/26/2022	315	3049.7	0.001394	0.144	0.000439
KY	H L Spurloc	6041	1	12/26/2022	323	3113.5	0.001378	0.143	0.000445
KY	H L Spurloc	6041	1	12/26/2022	324	3156.5	0.001374	0.141	0.000445
KY	H L Spurloc	6041	1	12/26/2022	325	3139.1	0.001381	0.143	0.000449
KY	H L Spurloc	6041	1	12/26/2022	305	2955.6	0.001405	0.145	0.000429
KY	H L Spurloc	6041	1	12/26/2022	322	3131.1	0.001381	0.142	0.000445
KY	H L Spurloc	6041	1	12/26/2022	321	3129.6	0.001384	0.142	0.000444
KY	H L Spurloc	6041	1	12/26/2022	322	3121.7	0.001377	0.142	0.000443
KY	H L Spurloc	6041	1	12/26/2022	322	3147.7	0.001378	0.141	0.000444
KY	H L Spurloc	6041	1	12/26/2022	323	3125.5	0.001364	0.141	0.000441
KY	H L Spurloc	6041	1	12/26/2022	322	3105.4	0.001369	0.142	0.000441
KY	H L Spurloc	6041	1	12/26/2022	322	3122.4	0.001367	0.141	0.00044
KY	H L Spurloc	6041	1	12/26/2022	322	3128.2	0.00137	0.141	0.000441
KY	H L Spurloc	6041	1	12/26/2022	322	3126.9	0.001379	0.142	0.000444
KY	H L Spurloc	6041	1	12/26/2022	322	3123.4	0.001368	0.141	0.00044
KY	H L Spurloc	6041	1	12/26/2022	309	2999.3	0.001398	0.144	0.000432
KY	H L Spurloc	6041	1	12/26/2022	322	3131.2	0.001361	0.14	0.000438
KY	H L Spurloc	6041	1	12/26/2022	322	3122.3	0.001358	0.14	0.000437
KY	H L Spurloc	6041	1	12/26/2022	322	3120.9	0.001347	0.139	0.000434
KY	H L Spurloc	6041	1	12/26/2022	308	3003.4	0.001385	0.142	0.000426
KY	H L Spurloc	6041	1	12/26/2022	322	3127.5	0.00136	0.14	0.000438
KY	H L Spurloc	6041	1	12/26/2022	315	3047.5	0.001364	0.141	0.00043
KY	H L Spurloc	6041	1	12/26/2022	305	2971.1	0.001393	0.143	0.000425
KY	H L Spurloc	6041	1	12/27/2022	323	3149.2	0.001355	0.139	0.000438
KY	H L Spurloc	6041	1	12/27/2022	324	3138.8	0.001347	0.139	0.000436
KY	H L Spurloc	6041	1	12/27/2022	324	3129.1	0.001342	0.139	0.000435
KY	H L Spurloc	6041	1	12/27/2022	325	3156.8	0.00135	0.139	0.000439
KY	H L Spurloc	6041	1	12/27/2022	271	2598.1	0.001476	0.154	0.0004
KY	H L Spurloc	6041	1	12/27/2022	256	2467.3	0.001513	0.157	0.000387
KY	H L Spurloc	6041	1	12/27/2022	295	2859.2	0.001425	0.147	0.00042
KY	H L Spurloc	6041	1	12/27/2022	323	3144.1	0.001392	0.143	0.00045

KY	H L Spurloc	6041	1	12/27/2022	323	3132.6	0.001387	0.143	0.000448
KY	H L Spurloc	6041	1	12/27/2022	321	3109.2	0.000691	0.0713	0.000222
KY	H L Spurloc	6041	1	12/27/2022	314	3062.6	0.000696	0.0714	0.000219
KY	H L Spurloc	6041	1	12/27/2022	320	3109.5	0.000691	0.0711	0.000221
KY	H L Spurloc	6041	1	12/27/2022	291	2837.8	0.000727	0.0745	0.000211
KY	H L Spurloc	6041	1	12/27/2022	233	2303.4	0.000808	0.0817	0.000188
KY	H L Spurloc	6041	1	12/27/2022	199	1961.7	0.000871	0.0884	0.000173
KY	H L Spurloc	6041	1	12/27/2022	167	1671.3	0.00095	0.0949	0.000159
KY	H L Spurloc	6041	1	12/27/2022	175	1757.4	0.000931	0.0927	0.000163
KY	H L Spurloc	6041	1	12/27/2022	242	2397.2	0.000799	0.0807	0.000193
KY	H L Spurloc	6041	1	12/27/2022	297	2900.6	0.000718	0.0735	0.000213
KY	H L Spurloc	6041	1	12/27/2022	318	3096.1	0.000692	0.0711	0.00022
KY	H L Spurloc	6041	1	12/27/2022	307	2997.6	0.000704	0.0721	0.000216
KY	H L Spurloc	6041	1	12/27/2022	285	2776.7	0.000736	0.0755	0.00021
KY	H L Spurloc	6041	1	12/27/2022	309	2994.7	0.000701	0.0723	0.000217
KY	H L Spurloc	6041	1	12/27/2022	312	3014.2	0.000694	0.0718	0.000216
KY	H L Spurloc	6041	1	12/28/2022	321	3096.1	0.000689	0.0714	0.000221
KY	H L Spurloc	6041	1	12/28/2022	310	2982.5	0.000698	0.0726	0.000217
KY	H L Spurloc	6041	1	12/28/2022	312	2990.8	0.000694	0.0724	0.000217
KY	H L Spurloc	6041	1	12/28/2022	321	3120	0.000692	0.0712	0.000222
KY	H L Spurloc	6041	1	12/28/2022	312	3001.1	0.000694	0.0721	0.000216
KY	H L Spurloc	6041	1	12/28/2022	297	2863.8	0.000709	0.0735	0.00021
KY	H L Spurloc	6041	1	12/28/2022	275	2660	0.000742	0.0767	0.000204
KY	H L Spurloc	6041	1	12/28/2022	282	2742.3	0.000733	0.0754	0.000207
KY	H L Spurloc	6041	1	12/28/2022	245	2391.3	0.000783	0.0802	0.000192
KY	H L Spurloc	6041	1	12/28/2022	194	1919.3	0.00087	0.0879	0.000169
KY	H L Spurloc	6041	1	12/28/2022	167	1699.5	0.000946	0.093	0.000158
KY	H L Spurloc	6041	1	12/28/2022	167	1678.9	0.00094	0.0935	0.000157
KY	H L Spurloc	6041	1	12/28/2022	167	1673	0.00094	0.0938	0.000157
KY	H L Spurloc	6041	1	12/28/2022	167	1652.7	0.000929	0.0939	0.000155
KY	H L Spurloc	6041	1	12/28/2022	168	1660.8	0.000929	0.094	0.000156
KY	H L Spurloc	6041	1	12/28/2022	167	1661.8	0.000935	0.094	0.000156
KY	H L Spurloc	6041	1	12/28/2022	167	1646.9	0.000929	0.0942	0.000155
KY	H L Spurloc	6041	1	12/28/2022	168	1647.4	0.000938	0.0957	0.000158
KY	H L Spurloc	6041	1	12/28/2022	167	1639.5	0.000937	0.0954	0.000156
KY	H L Spurloc	6041	1	12/28/2022	216	2068.9	0.000845	0.0882	0.000182
KY	H L Spurloc	6041	1	12/28/2022	188	1825	0.000888	0.0915	0.000167
KY	H L Spurloc	6041	1	12/28/2022	167	1640.8	0.000929	0.0946	0.000155
KY	H L Spurloc	6041	1	12/28/2022	167	1654.1	0.000951	0.096	0.000159
KY	H L Spurloc	6041	1	12/28/2022	203	1960.9	0.000868	0.0899	0.000176
KY	H L Spurloc	6041	1	12/29/2022	192	1874.7	0.000886	0.0907	0.00017
KY	H L Spurloc	6041	1	12/29/2022	168	1649.5	0.000932	0.0949	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1671.7	0.00094	0.0939	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1666.9	0.000937	0.0939	0.000157
KY	H L Spurloc	6041	1	12/29/2022	168	1645.9	0.000932	0.0951	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1651.8	0.000942	0.0952	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1645.7	0.000939	0.0953	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1661.8	0.000941	0.0946	0.000157



KY	H L Spurloc	6041	1	12/29/2022	167	1647.2	0.000941	0.0954	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1664.5	0.000944	0.0947	0.000158
KY	H L Spurloc	6041	1	12/29/2022	167	1669.1	0.000946	0.0947	0.000158
KY	H L Spurloc	6041	1	12/29/2022	167	1676.4	0.000941	0.0937	0.000157
KY	H L Spurloc	6041	1	12/29/2022	167	1653	0.000937	0.0947	0.000157
KY	H L Spurloc	6041	1	12/29/2022	168	1647.9	0.000929	0.0947	0.000156
KY	H L Spurloc	6041	1	12/29/2022	167	1641.8	0.00092	0.0936	0.000154
KY	H L Spurloc	6041	1	12/29/2022	168	1626.4	0.000905	0.0935	0.000152
KY	H L Spurloc	6041	1	12/29/2022	166	1618.1	0.000922	0.0946	0.000153
KY	H L Spurloc	6041	1	12/29/2022	167	1625.5	0.000922	0.0947	0.000154
KY	H L Spurloc	6041	1	12/29/2022	167	1641.2	0.00092	0.0936	0.000154
KY	H L Spurloc	6041	1	12/29/2022	167	1642.7	0.000921	0.0936	0.000154
KY	H L Spurloc	6041	1	12/29/2022	167	1640.2	0.000929	0.0946	0.000155
KY	H L Spurloc	6041	1	12/29/2022	168	1657.6	0.000921	0.0933	0.000155
KY	H L Spurloc	6041	1	12/29/2022	168	1647.7	0.000917	0.0935	0.000154
KY	H L Spurloc	6041	1	12/29/2022	167	1656.5	0.000933	0.0941	0.000156
KY	H L Spurloc	6041	1	12/30/2022	168	1660.6	0.000925	0.0936	0.000155
KY	H L Spurloc	6041	1	12/30/2022	167	1660.5	0.000931	0.0936	0.000155
KY	H L Spurloc	6041	1	12/30/2022	167	1665.4	0.000934	0.0937	0.000156
KY	H L Spurloc	6041	1	12/30/2022	167	1661.8	0.000934	0.0939	0.000156
KY	H L Spurloc	6041	1	12/30/2022	167	1672.3	0.000951	0.095	0.000159
KY	H L Spurloc	6041	1	12/30/2022	166	1675.2	0.000946	0.0937	0.000157
KY	H L Spurloc	6041	1	12/30/2022	173	1706.4	0.000924	0.0937	0.00016
KY	H L Spurloc	6041	1	12/30/2022	170	1696.9	0.000924	0.0926	0.000157
KY	H L Spurloc	6041	1	12/30/2022	168	1669.6	0.00093	0.0936	0.000156
KY	H L Spurloc	6041	1	12/30/2022	166	1668.3	0.00094	0.0935	0.000156
KY	H L Spurloc	6041	1	12/30/2022	168	1665.6	0.000927	0.0935	0.000156
KY	H L Spurloc	6041	1	12/30/2022	167	1661.4	0.00093	0.0935	0.000155
KY	H L Spurloc	6041	1	12/30/2022	167	1640.7	0.000919	0.0935	0.000153
KY	H L Spurloc	6041	1	12/30/2022	167	1637	0.000917	0.0935	0.000153
KY	H L Spurloc	6041	1	12/30/2022	168	1621.3	0.000902	0.0935	0.000152
KY	H L Spurloc	6041	1	12/30/2022	168	1631.7	0.000907	0.0934	0.000152
KY	H L Spurloc	6041	1	12/30/2022	167	1632.6	0.000911	0.0932	0.000152
KY	H L Spurloc	6041	1	12/30/2022	167	1621.8	0.000903	0.093	0.000151
KY	H L Spurloc	6041	1	12/30/2022	167	1606.5	0.000898	0.0933	0.00015
KY	H L Spurloc	6041	1	12/30/2022	167	1613.3	0.000904	0.0936	0.000151
KY	H L Spurloc	6041	1	12/30/2022	180	1736.2	0.000887	0.092	0.00016
KY	H L Spurloc	6041	1	12/30/2022	203	1950	0.000826	0.086	0.000168
KY	H L Spurloc	6041	1	12/30/2022	167	1620.4	0.000908	0.0936	0.000152
KY	H L Spurloc	6041	1	12/30/2022	168	1645.7	0.000914	0.0933	0.000154
KY	H L Spurloc	6041	1	12/31/2022	167	1640.8	0.000916	0.0932	0.000153
KY	H L Spurloc	6041	1	12/31/2022	167	1650.1	0.000921	0.0932	0.000154
KY	H L Spurloc	6041	1	12/31/2022	167	1642.4	0.000916	0.0931	0.000153
KY	H L Spurloc	6041	1	12/31/2022	167	1650.3	0.00092	0.0931	0.000154
KY	H L Spurloc	6041	1	12/31/2022	167	1651.6	0.000931	0.0941	0.000155
KY	H L Spurloc	6041	1	12/31/2022	167	1667.2	0.000939	0.0941	0.000157
KY	H L Spurloc	6041	1	12/31/2022	167	1669.5	0.000941	0.0941	0.000157
KY	H L Spurloc	6041	1	12/31/2022	167	1682	0.000938	0.0931	0.000157

KY	H L Spurloc	6041	1	12/31/2022	167	1676.8	0.000935	0.0931	0.000156
KY	H L Spurloc	6041	1	12/31/2022	167	1659	0.000934	0.094	0.000156
KY	H L Spurloc	6041	1	12/31/2022	168	1686.7	0.000944	0.094	0.000159
KY	H L Spurloc	6041	1	12/31/2022	167	1672.6	0.00094	0.0939	0.000157
KY	H L Spurloc	6041	1	12/31/2022	166	1686.4	0.000954	0.0939	0.000158
KY	H L Spurloc	6041	1	12/31/2022	166	1671.7	0.000942	0.0935	0.000156
KY	H L Spurloc	6041	1	12/31/2022	167	1654.4	0.000939	0.0948	0.000157
KY	H L Spurloc	6041	1	12/31/2022	166	1681.3	0.000952	0.094	0.000158
KY	H L Spurloc	6041	1	12/31/2022	167	1651.1	0.000935	0.0946	0.000156
KY	H L Spurloc	6041	1	12/31/2022	167	1657.9	0.00094	0.0947	0.000157
KY	H L Spurloc	6041	1	12/31/2022	167	1661.8	0.000942	0.0947	0.000157
KY	H L Spurloc	6041	1	12/31/2022	167	1682	0.000952	0.0945	0.000159
KY	H L Spurloc	6041	1	12/31/2022	165	1802.5	0.001003	0.0918	0.000165
KY	H L Spurloc	6041	1	12/31/2022	174	1887.4	0.000974	0.0898	0.000169
KY	H L Spurloc	6041	1	12/31/2022	170	1724.7	0.000945	0.0931	0.000161
KY	H L Spurloc	6041	1	12/31/2022	170	1695.1	0.000941	0.0944	0.00016
KY	H L Spurloc	6041	2	10/6/2022	0	3.795			
KY	H L Spurloc	6041	2	10/6/2022	0	84.3			
KY	H L Spurloc	6041	2	10/6/2022	0	150.7		0.967	0.000146
KY	H L Spurloc	6041	2	10/7/2022	0	151.4		0.965	0.000146
KY	H L Spurloc	6041	2	10/7/2022	0	168.8		0.962	0.000162
KY	H L Spurloc	6041	2	10/7/2022	0	204.4		0.958	0.000196
KY	H L Spurloc	6041	2	10/7/2022	0	170.9		0.954	0.000163
KY	H L Spurloc	6041	2	10/7/2022	0	172.1		0.951	0.000164
KY	H L Spurloc	6041	2	10/7/2022	0	171.6		0.947	0.000163
KY	H L Spurloc	6041	2	10/7/2022	0	173.1		0.945	0.000164
KY	H L Spurloc	6041	2	10/7/2022	0	155.7		0.942	0.000147
KY	H L Spurloc	6041	2	10/7/2022	0	157.2		0.94	0.000148
KY	H L Spurloc	6041	2	10/7/2022	0	174.8		0.938	0.000164
KY	H L Spurloc	6041	2	10/7/2022	0	176.1		0.934	0.000164
KY	H L Spurloc	6041	2	10/7/2022	0	177.9		0.93	0.000165
KY	H L Spurloc	6041	2	10/7/2022	0	180		0.927	0.000167
KY	H L Spurloc	6041	2	10/7/2022	0	239		0.925	0.000221
KY	H L Spurloc	6041	2	10/7/2022	7	300	0.123429	2.88	0.000864
KY	H L Spurloc	6041	2	10/7/2022	48	652.7	0.018357	1.35	0.000881
KY	H L Spurloc	6041	2	10/7/2022	65	756.5	0.013617	1.17	0.000885
KY	H L Spurloc	6041	2	10/7/2022	99	988.7	0.008699	0.871	0.000861
KY	H L Spurloc	6041	2	10/7/2022	189	1702.5	0.004333	0.481	0.000819
KY	H L Spurloc	6041	2	10/7/2022	220	1920.2	0.003587	0.411	0.000789
KY	H L Spurloc	6041	2	10/7/2022	239	2058.8	0.003403	0.395	0.000813
KY	H L Spurloc	6041	2	10/7/2022	250	2162.5	0.00327	0.378	0.000817
KY	H L Spurloc	6041	2	10/7/2022	250	2153	0.003212	0.373	0.000803
KY	H L Spurloc	6041	2	10/7/2022	250	2123.3	0.003193	0.376	0.000798
KY	H L Spurloc	6041	2	10/8/2022	250	2081.1	0.00318	0.382	0.000795
KY	H L Spurloc	6041	2	10/8/2022	268	2229.2	0.003094	0.372	0.000829
KY	H L Spurloc	6041	2	10/8/2022	290	2389.6	0.002975	0.361	0.000863
KY	H L Spurloc	6041	2	10/8/2022	289	2347.3	0.002956	0.364	0.000854
KY	H L Spurloc	6041	2	10/8/2022	290	2366.8	0.002963	0.363	0.000859

KY	H L Spurloc	6041	2	10/8/2022	290	2349.4	0.002941	0.363	0.000853
KY	H L Spurloc	6041	2	10/8/2022	290	2352.6	0.002945	0.363	0.000854
KY	H L Spurloc	6041	2	10/8/2022	334	2756.5	0.002913	0.353	0.000973
KY	H L Spurloc	6041	2	10/8/2022	349	2919.4	0.002953	0.353	0.001031
KY	H L Spurloc	6041	2	10/8/2022	350	2948.4	0.00294	0.349	0.001029
KY	H L Spurloc	6041	2	10/8/2022	349	2989.2	0.003015	0.352	0.001052
KY	H L Spurloc	6041	2	10/8/2022	364	3147.3	0.003026	0.35	0.001102
KY	H L Spurloc	6041	2	10/8/2022	370	3192.8	0.003012	0.349	0.001114
KY	H L Spurloc	6041	2	10/8/2022	370	3193	0.003038	0.352	0.001124
KY	H L Spurloc	6041	2	10/8/2022	387	3406.7	0.003099	0.352	0.001199
KY	H L Spurloc	6041	2	10/8/2022	404	3546.7	0.003038	0.346	0.001227
KY	H L Spurloc	6041	2	10/8/2022	402	3551.9	0.003057	0.346	0.001229
KY	H L Spurloc	6041	2	10/8/2022	409	3570.2	0.00302	0.346	0.001235
KY	H L Spurloc	6041	2	10/8/2022	407	3803.7	0.003206	0.343	0.001305
KY	H L Spurloc	6041	2	10/8/2022	409	3826.5	0.003209	0.343	0.001312
KY	H L Spurloc	6041	2	10/8/2022	409	3791.8	0.003198	0.345	0.001308
KY	H L Spurloc	6041	2	10/8/2022	408	3795	0.003209	0.345	0.001309
KY	H L Spurloc	6041	2	10/8/2022	408	3753.6	0.003146	0.342	0.001284
KY	H L Spurloc	6041	2	10/8/2022	408	3745.9	0.003167	0.345	0.001292
KY	H L Spurloc	6041	2	10/9/2022	407	3750.8	0.003179	0.345	0.001294
KY	H L Spurloc	6041	2	10/9/2022	407	3752.8	0.003153	0.342	0.001283
KY	H L Spurloc	6041	2	10/9/2022	407	3779.5	0.003222	0.347	0.001311
KY	H L Spurloc	6041	2	10/9/2022	407	3742.2	0.003227	0.351	0.001314
KY	H L Spurloc	6041	2	10/9/2022	407	3754	0.00321	0.348	0.001306
KY	H L Spurloc	6041	2	10/9/2022	407	3740.9	0.003226	0.351	0.001313
KY	H L Spurloc	6041	2	10/9/2022	407	3755	0.003201	0.347	0.001303
KY	H L Spurloc	6041	2	10/9/2022	407	3734.7	0.003212	0.35	0.001307
KY	H L Spurloc	6041	2	10/9/2022	407	3750.1	0.003243	0.352	0.00132
KY	H L Spurloc	6041	2	10/9/2022	406	3736.3	0.00323	0.351	0.001311
KY	H L Spurloc	6041	2	10/9/2022	407	3762.5	0.003236	0.35	0.001317
KY	H L Spurloc	6041	2	10/9/2022	409	3792.4	0.003245	0.35	0.001327
KY	H L Spurloc	6041	2	10/9/2022	408	3830.1	0.003286	0.35	0.001341
KY	H L Spurloc	6041	2	10/9/2022	409	3859.6	0.003322	0.352	0.001359
KY	H L Spurloc	6041	2	10/9/2022	408	3874.5	0.003324	0.35	0.001356
KY	H L Spurloc	6041	2	10/9/2022	409	3905.2	0.003361	0.352	0.001375
KY	H L Spurloc	6041	2	10/9/2022	409	3928.8	0.003352	0.349	0.001371
KY	H L Spurloc	6041	2	10/9/2022	410	3980.7	0.003388	0.349	0.001389
KY	H L Spurloc	6041	2	10/9/2022	416	4067.1	0.003412	0.349	0.001419
KY	H L Spurloc	6041	2	10/9/2022	443	4325.7	0.003398	0.348	0.001505
KY	H L Spurloc	6041	2	10/9/2022	485	4750.4	0.003379	0.345	0.001639
KY	H L Spurloc	6041	2	10/9/2022	435	4143.6	0.003334	0.35	0.00145
KY	H L Spurloc	6041	2	10/9/2022	464	4405.6	0.003238	0.341	0.001502
KY	H L Spurloc	6041	2	10/9/2022	429	4022.5	0.003254	0.347	0.001396
KY	H L Spurloc	6041	2	10/10/2022	408	3774.7	0.00321	0.347	0.00131
KY	H L Spurloc	6041	2	10/10/2022	407	3745.2	0.003202	0.348	0.001303
KY	H L Spurloc	6041	2	10/10/2022	385	3546.9	0.003224	0.35	0.001241
KY	H L Spurloc	6041	2	10/10/2022	381	3493.4	0.003227	0.352	0.00123
KY	H L Spurloc	6041	2	10/10/2022	382	3507.8	0.003205	0.349	0.001224

KY	H L Spurloc	6041	2	10/10/2022	480	4647.9	0.003379	0.349	0.001622
KY	H L Spurloc	6041	2	10/10/2022	408	3818.7	0.003285	0.351	0.00134
KY	H L Spurloc	6041	2	10/10/2022	422	3957.8	0.003226	0.344	0.001361
KY	H L Spurloc	6041	2	10/10/2022	409	3818.3			
KY	H L Spurloc	6041	2	10/10/2022	393	3618.9	0.003251	0.353	0.001277
KY	H L Spurloc	6041	2	10/10/2022	430	4007.2			
KY	H L Spurloc	6041	2	10/10/2022	424	4044.6	0.003377	0.354	0.001432
KY	H L Spurloc	6041	2	10/10/2022	500	5015.9	0.003401	0.339	0.0017
KY	H L Spurloc	6041	2	10/10/2022	403	3988.4	0.003474	0.351	0.0014
KY	H L Spurloc	6041	2	10/10/2022	390	3844.4	0.00347	0.352	0.001353
KY	H L Spurloc	6041	2	10/10/2022	383	3739.9	0.003466	0.355	0.001328
KY	H L Spurloc	6041	2	10/10/2022	386	3730.8	0.003431	0.355	0.001324
KY	H L Spurloc	6041	2	10/10/2022	496	5060.3	0.003561	0.349	0.001766
KY	H L Spurloc	6041	2	10/10/2022	496	5046.5	0.003561	0.35	0.001766
KY	H L Spurloc	6041	2	10/10/2022	465	4694.2	0.003553	0.352	0.001652
KY	H L Spurloc	6041	2	10/10/2022	469	4731.1	0.00349	0.346	0.001637
KY	H L Spurloc	6041	2	10/10/2022	412	4013.8	0.003497	0.359	0.001441
KY	H L Spurloc	6041	2	10/10/2022	382	3593.2	0.003358	0.357	0.001283
KY	H L Spurloc	6041	2	10/10/2022	503	4914.8	0.003312	0.339	0.001666
KY	H L Spurloc	6041	2	10/11/2022	545	5388.5	0.003391	0.343	0.001848
KY	H L Spurloc	6041	2	10/11/2022	547	5403.3	0.003447	0.349	0.001886
KY	H L Spurloc	6041	2	10/11/2022	548	5375.5	0.003423	0.349	0.001876
KY	H L Spurloc	6041	2	10/11/2022	547	5287.8	0.003316	0.343	0.001814
KY	H L Spurloc	6041	2	10/11/2022	548	5381.1	0.003407	0.347	0.001867
KY	H L Spurloc	6041	2	10/11/2022	544	5250.5	0.003397	0.352	0.001848
KY	H L Spurloc	6041	2	10/11/2022	547	5285	0.003372	0.349	0.001844
KY	H L Spurloc	6041	2	10/11/2022	550	5335.8	0.003357	0.346	0.001846
KY	H L Spurloc	6041	2	10/11/2022	550	5335.3	0.003385	0.349	0.001862
KY	H L Spurloc	6041	2	10/11/2022	549	5337.7	0.003413	0.351	0.001874
KY	H L Spurloc	6041	2	10/11/2022	550	5451.1	0.003479	0.351	0.001913
KY	H L Spurloc	6041	2	10/11/2022	550	5612.1	0.003612	0.354	0.001987
KY	H L Spurloc	6041	2	10/11/2022	550	5680	0.003635	0.352	0.001999
KY	H L Spurloc	6041	2	10/11/2022	549	5601.9	0.003602	0.353	0.001977
KY	H L Spurloc	6041	2	10/11/2022	550	5558	0.003598	0.356	0.001979
KY	H L Spurloc	6041	2	10/11/2022	542	5450.2	0.00359	0.357	0.001946
KY	H L Spurloc	6041	2	10/11/2022	549	5496.1	0.003534	0.353	0.00194
KY	H L Spurloc	6041	2	10/11/2022	547	5450.6	0.003517	0.353	0.001924
KY	H L Spurloc	6041	2	10/11/2022	507	4911.7	0.003352	0.346	0.001699
KY	H L Spurloc	6041	2	10/11/2022	506	4868.1	0.003319	0.345	0.001679
KY	H L Spurloc	6041	2	10/11/2022	492	4801.4	0.003377	0.346	0.001661
KY	H L Spurloc	6041	2	10/11/2022	495	4891.8	0.003479	0.352	0.001722
KY	H L Spurloc	6041	2	10/11/2022	496	4960.1	0.00355	0.355	0.001761
KY	H L Spurloc	6041	2	10/11/2022	496	4931.9	0.00353	0.355	0.001751
KY	H L Spurloc	6041	2	10/12/2022	540	5486	0.003596	0.354	0.001942
KY	H L Spurloc	6041	2	10/12/2022	549	5560.4	0.003575	0.353	0.001963
KY	H L Spurloc	6041	2	10/12/2022	548	5506.2	0.003567	0.355	0.001955
KY	H L Spurloc	6041	2	10/12/2022	549	5485.1	0.003557	0.356	0.001953
KY	H L Spurloc	6041	2	10/12/2022	530	5241.1	0.00352	0.356	0.001866

KY	H L Spurloc	6041	2	10/12/2022	515	5062.5	0.003539	0.36	0.001823
KY	H L Spurloc	6041	2	10/12/2022	522	5176.1	0.00354	0.357	0.001848
KY	H L Spurloc	6041	2	10/12/2022	504	4946.2	0.003543	0.361	0.001786
KY	H L Spurloc	6041	2	10/12/2022	547	5548	0.003621	0.357	0.001981
KY	H L Spurloc	6041	2	10/12/2022	550	5701.9	0.003691	0.356	0.00203
KY	H L Spurloc	6041	2	10/12/2022	550	5628.2	0.003653	0.357	0.002009
KY	H L Spurloc	6041	2	10/12/2022	550	5643.7	0.003632	0.354	0.001998
KY	H L Spurloc	6041	2	10/12/2022	549	5572.3	0.003613	0.356	0.001984
KY	H L Spurloc	6041	2	10/12/2022	549	5577.1	0.003606	0.355	0.00198
KY	H L Spurloc	6041	2	10/12/2022	550	5595.8	0.003622	0.356	0.001992
KY	H L Spurloc	6041	2	10/12/2022	549	5615.9	0.003662	0.358	0.00201
KY	H L Spurloc	6041	2	10/12/2022	550	5590.3	0.003629	0.357	0.001996
KY	H L Spurloc	6041	2	10/12/2022	550	5611.8	0.003612	0.354	0.001987
KY	H L Spurloc	6041	2	10/12/2022	550	5584.1	0.003604	0.355	0.001982
KY	H L Spurloc	6041	2	10/12/2022	549	5529.2	0.003585	0.356	0.001968
KY	H L Spurloc	6041	2	10/12/2022	506	4992.3	0.003522	0.357	0.001782
KY	H L Spurloc	6041	2	10/12/2022	544	5364.2	0.00352	0.357	0.001915
KY	H L Spurloc	6041	2	10/12/2022	511	5038	0.00352	0.357	0.001799
KY	H L Spurloc	6041	2	10/12/2022	543	5532.8	0.003597	0.353	0.001953
KY	H L Spurloc	6041	2	10/13/2022	532	5390.8	0.003628	0.358	0.00193
KY	H L Spurloc	6041	2	10/13/2022	548	5597.7	0.003596	0.352	0.00197
KY	H L Spurloc	6041	2	10/13/2022	550	5624.5	0.00362	0.354	0.001991
KY	H L Spurloc	6041	2	10/13/2022	550	5650.9	0.003647	0.355	0.002006
KY	H L Spurloc	6041	2	10/13/2022	514	5171.3	0.003551	0.353	0.001825
KY	H L Spurloc	6041	2	10/13/2022	523	5166.5	0.003507	0.355	0.001834
KY	H L Spurloc	6041	2	10/13/2022	547	5397.7	0.003483	0.353	0.001905
KY	H L Spurloc	6041	2	10/13/2022	553	5511.7	0.003518	0.353	0.001946
KY	H L Spurloc	6041	2	10/13/2022	554	5506.5	0.00325	0.327	0.001801
KY	H L Spurloc	6041	2	10/13/2022	554	5504.6	0.003269	0.329	0.001811
KY	H L Spurloc	6041	2	10/13/2022	555	5528.3	0.003257	0.327	0.001808
KY	H L Spurloc	6041	2	10/13/2022	554	5596.9	0.003304	0.327	0.00183
KY	H L Spurloc	6041	2	10/13/2022	554	5678.5	0.003372	0.329	0.001868
KY	H L Spurloc	6041	2	10/13/2022	554	5693.1	0.003381	0.329	0.001873
KY	H L Spurloc	6041	2	10/13/2022	554	5736.9	0.003397	0.328	0.001882
KY	H L Spurloc	6041	2	10/13/2022	554	5759.8	0.003421	0.329	0.001895
KY	H L Spurloc	6041	2	10/13/2022	554	5726	0.00339	0.328	0.001878
KY	H L Spurloc	6041	2	10/13/2022	554	5721	0.003387	0.328	0.001876
KY	H L Spurloc	6041	2	10/13/2022	553	5737.4	0.003382	0.326	0.00187
KY	H L Spurloc	6041	2	10/13/2022	554	5701.9	0.003376	0.328	0.00187
KY	H L Spurloc	6041	2	10/13/2022	554	5664.8	0.003354	0.328	0.001858
KY	H L Spurloc	6041	2	10/13/2022	553	5635.8	0.003353	0.329	0.001854
KY	H L Spurloc	6041	2	10/13/2022	555	5445.5	0.003228	0.329	0.001792
KY	H L Spurloc	6041	2	10/13/2022	552	5453	0.00325	0.329	0.001794
KY	H L Spurloc	6041	2	10/14/2022	554	5470.7	0.003239	0.328	0.001794
KY	H L Spurloc	6041	2	10/14/2022	554	5470.7	0.003249	0.329	0.0018
KY	H L Spurloc	6041	2	10/14/2022	554	5462.7	0.003244	0.329	0.001797
KY	H L Spurloc	6041	2	10/14/2022	554	5389.2	0.003239	0.333	0.001795
KY	H L Spurloc	6041	2	10/14/2022	554	5400.4	0.003217	0.33	0.001782

KY	H L Spurloc	6041	2	10/14/2022	552	5367.9	0.003199	0.329	0.001766
KY	H L Spurloc	6041	2	10/14/2022	552	5360.9	0.003176	0.327	0.001753
KY	H L Spurloc	6041	2	10/14/2022	552	5350.8	0.003189	0.329	0.00176
KY	H L Spurloc	6041	2	10/14/2022	552	5326.9	0.003146	0.326	0.001737
KY	H L Spurloc	6041	2	10/14/2022	553	5460.5	0.003456	0.35	0.001911
KY	H L Spurloc	6041	2	10/14/2022	554	5528.3	0.003473	0.348	0.001924
KY	H L Spurloc	6041	2	10/14/2022	555	5643.1	0.003549	0.349	0.001969
KY	H L Spurloc	6041	2	10/14/2022	555	5678.6	0.003561	0.348	0.001976
KY	H L Spurloc	6041	2	10/14/2022	555	5743.5	0.00357	0.345	0.001982
KY	H L Spurloc	6041	2	10/14/2022	511	5173.1	0.003482	0.344	0.00178
KY	H L Spurloc	6041	2	10/14/2022	551	5713.2	0.003567	0.344	0.001965
KY	H L Spurloc	6041	2	10/14/2022	555	5770	0.003576	0.344	0.001985
KY	H L Spurloc	6041	2	10/14/2022	556	5661.9	0.003503	0.344	0.001948
KY	H L Spurloc	6041	2	10/14/2022	554	5693.1	0.003525	0.343	0.001953
KY	H L Spurloc	6041	2	10/14/2022	554	5646.9	0.003496	0.343	0.001937
KY	H L Spurloc	6041	2	10/14/2022	548	5527	0.00347	0.344	0.001901
KY	H L Spurloc	6041	2	10/14/2022	531	5254.2	0.003414	0.345	0.001813
KY	H L Spurloc	6041	2	10/14/2022	553	5499.7	0.003401	0.342	0.001881
KY	H L Spurloc	6041	2	10/14/2022	433	4120.9	0.003312	0.348	0.001434
KY	H L Spurloc	6041	2	10/15/2022	391	3634.1	0.003253	0.35	0.001272
KY	H L Spurloc	6041	2	10/15/2022	389	3659.2	0.00333	0.354	0.001295
KY	H L Spurloc	6041	2	10/15/2022	389	3651.5	0.003332	0.355	0.001296
KY	H L Spurloc	6041	2	10/15/2022	389	3696.4	0.003373	0.355	0.001312
KY	H L Spurloc	6041	2	10/15/2022	391	3674.9	0.003346	0.356	0.001308
KY	H L Spurloc	6041	2	10/15/2022	390	3674.3	0.003345	0.355	0.001304
KY	H L Spurloc	6041	2	10/15/2022	467	4533.3	0.003398	0.35	0.001587
KY	H L Spurloc	6041	2	10/15/2022	371	3423.7	0.003304	0.358	0.001226
KY	H L Spurloc	6041	2	10/15/2022	293	2609.3	0.00325	0.365	0.000952
KY	H L Spurloc	6041	2	10/15/2022	295	2655.5	0.003259	0.362	0.000961
KY	H L Spurloc	6041	2	10/15/2022	295	2672	0.003288	0.363	0.00097
KY	H L Spurloc	6041	2	10/15/2022	295	2672	0.003279	0.362	0.000967
KY	H L Spurloc	6041	2	10/15/2022	294	2700.2	0.003325	0.362	0.000977
KY	H L Spurloc	6041	2	10/15/2022	295	2771.4	0.003382	0.36	0.000998
KY	H L Spurloc	6041	2	10/15/2022	295	2799.5	0.003435	0.362	0.001013
KY	H L Spurloc	6041	2	10/15/2022	297	2815.5	0.003432	0.362	0.001019
KY	H L Spurloc	6041	2	10/15/2022	300	2855.2	0.003417	0.359	0.001025
KY	H L Spurloc	6041	2	10/15/2022	312	2973.6	0.003422	0.359	0.001068
KY	H L Spurloc	6041	2	10/15/2022	303	2926.6	0.003439	0.356	0.001042
KY	H L Spurloc	6041	2	10/15/2022	301	2881.9	0.003466	0.362	0.001043
KY	H L Spurloc	6041	2	10/15/2022	300	2721	0.003292	0.363	0.000988
KY	H L Spurloc	6041	2	10/15/2022	299	2811.5	0.003385	0.36	0.001012
KY	H L Spurloc	6041	2	10/15/2022	300	2801.6	0.003343	0.358	0.001003
KY	H L Spurloc	6041	2	10/15/2022	385	3627.4	0.003288	0.349	0.001266
KY	H L Spurloc	6041	2	10/16/2022	325	3050.3	0.003322	0.354	0.00108
KY	H L Spurloc	6041	2	10/16/2022	299	2770.4	0.003317	0.358	0.000992
KY	H L Spurloc	6041	2	10/16/2022	300	2740.2	0.003252	0.356	0.000976
KY	H L Spurloc	6041	2	10/16/2022	300	2725	0.003252	0.358	0.000976
KY	H L Spurloc	6041	2	10/16/2022	300	2724.5	0.003233	0.356	0.00097

KY	H L Spurloc	6041	2	10/16/2022	300	2721.4	0.003193	0.352	0.000958
KY	H L Spurloc	6041	2	10/16/2022	299	2697.4	0.003212	0.356	0.00096
KY	H L Spurloc	6041	2	10/16/2022	300	2703.6	0.003217	0.357	0.000965
KY	H L Spurloc	6041	2	10/16/2022	300	2702.3	0.003198	0.355	0.000959
KY	H L Spurloc	6041	2	10/16/2022	300	2709.2	0.003206	0.355	0.000962
KY	H L Spurloc	6041	2	10/16/2022	300	2752.9	0.003285	0.358	0.000986
KY	H L Spurloc	6041	2	10/16/2022	300	2843.9	0.003403	0.359	0.001021
KY	H L Spurloc	6041	2	10/16/2022	300	2933.6	0.003481	0.356	0.001044
KY	H L Spurloc	6041	2	10/16/2022	300	2980.2	0.003537	0.356	0.001061
KY	H L Spurloc	6041	2	10/16/2022	302	2979.9	0.003513	0.356	0.001061
KY	H L Spurloc	6041	2	10/16/2022	302	2961.3	0.00352	0.359	0.001063
KY	H L Spurloc	6041	2	10/16/2022	309	3017.9	0.003477	0.356	0.001074
KY	H L Spurloc	6041	2	10/16/2022	313	3047.7	0.003457	0.355	0.001082
KY	H L Spurloc	6041	2	10/16/2022	361	3620.4	0.00356	0.355	0.001285
KY	H L Spurloc	6041	2	10/16/2022	299	2950.5	0.003523	0.357	0.001053
KY	H L Spurloc	6041	2	10/16/2022	300	2936.5	0.003504	0.358	0.001051
KY	H L Spurloc	6041	2	10/16/2022	302	2965.7	0.003525	0.359	0.001065
KY	H L Spurloc	6041	2	10/16/2022	300	2870.1	0.003444	0.36	0.001033
KY	H L Spurloc	6041	2	10/16/2022	300	2850.2	0.003382	0.356	0.001015
KY	H L Spurloc	6041	2	10/17/2022	300	2812	0.003328	0.355	0.000998
KY	H L Spurloc	6041	2	10/17/2022	300	2785.1	0.003333	0.359	0.001
KY	H L Spurloc	6041	2	10/17/2022	300	2751.2	0.003292	0.359	0.000988
KY	H L Spurloc	6041	2	10/17/2022	299	2738.6	0.003252	0.355	0.000972
KY	H L Spurloc	6041	2	10/17/2022	300	2727.9	0.003228	0.355	0.000968
KY	H L Spurloc	6041	2	10/17/2022	314	2848.6	0.003211	0.354	0.001008
KY	H L Spurloc	6041	2	10/17/2022	300	2671.8	0.003188	0.358	0.000957
KY	H L Spurloc	6041	2	10/17/2022	304	2749.8	0.003211	0.355	0.000976
KY	H L Spurloc	6041	2	10/17/2022	300	2693.4	0.003196	0.356	0.000959
KY	H L Spurloc	6041	2	10/17/2022	300	2680.8	0.003181	0.356	0.000954
KY	H L Spurloc	6041	2	10/17/2022	300	2701.7	0.003701	0.411	0.00111
KY	H L Spurloc	6041	2	10/17/2022	300	2703.2	0.003703	0.411	0.001111
KY	H L Spurloc	6041	2	10/17/2022	300	2693.7	0.003699	0.412	0.00111
KY	H L Spurloc	6041	2	10/17/2022	300	2712.5	0.003725	0.412	0.001118
KY	H L Spurloc	6041	2	10/17/2022	300	2709	0.003756	0.416	0.001127
KY	H L Spurloc	6041	2	10/17/2022	300	2681.6	0.003718	0.416	0.001116
KY	H L Spurloc	6041	2	10/17/2022	302	2705.7	0.003691	0.412	0.001115
KY	H L Spurloc	6041	2	10/17/2022	301	2691.9	0.003685	0.412	0.001109
KY	H L Spurloc	6041	2	10/17/2022	299	2686.4	0.003684	0.41	0.001101
KY	H L Spurloc	6041	2	10/17/2022	300	2684.9	0.003687	0.412	0.001106
KY	H L Spurloc	6041	2	10/17/2022	310	2803	0.003689	0.408	0.001144
KY	H L Spurloc	6041	2	10/17/2022	299	2663.4	0.003688	0.414	0.001103
KY	H L Spurloc	6041	2	10/17/2022	300	2654.7	0.003646	0.412	0.001094
KY	H L Spurloc	6041	2	10/17/2022	420	3713.4	0.003501	0.396	0.001471
KY	H L Spurloc	6041	2	10/18/2022	526	4832.6	0.003556	0.387	0.00187
KY	H L Spurloc	6041	2	10/18/2022	526	4802.4	0.003542	0.388	0.001863
KY	H L Spurloc	6041	2	10/18/2022	551	5081.6	0.003523	0.382	0.001941
KY	H L Spurloc	6041	2	10/18/2022	552	5080.2	0.003516	0.382	0.001941
KY	H L Spurloc	6041	2	10/18/2022	551	5028.8	0.003459	0.379	0.001906

KY	H L Spurloc	6041	2	10/18/2022	554	5084.2	0.00346	0.377	0.001917
KY	H L Spurloc	6041	2	10/18/2022	554	5100.8	0.00348	0.378	0.001928
KY	H L Spurloc	6041	2	10/18/2022	554	5035.6	0.003472	0.382	0.001924
KY	H L Spurloc	6041	2	10/18/2022	554	5050.8	0.003455	0.379	0.001914
KY	H L Spurloc	6041	2	10/18/2022	554	5144.6	0.003659	0.394	0.002027
KY	H L Spurloc	6041	2	10/18/2022	555	5140.7	0.003714	0.401	0.002061
KY	H L Spurloc	6041	2	10/18/2022	555	5176.1	0.003759	0.403	0.002086
KY	H L Spurloc	6041	2	10/18/2022	554	5154.8	0.003759	0.404	0.002083
KY	H L Spurloc	6041	2	10/18/2022	555	5179.4	0.003733	0.4	0.002072
KY	H L Spurloc	6041	2	10/18/2022	554	5206.3	0.00374	0.398	0.002072
KY	H L Spurloc	6041	2	10/18/2022	553	5229.5	0.003792	0.401	0.002097
KY	H L Spurloc	6041	2	10/18/2022	553	5189.1	0.003744	0.399	0.00207
KY	H L Spurloc	6041	2	10/18/2022	553	5236.5	0.003778	0.399	0.002089
KY	H L Spurloc	6041	2	10/18/2022	553	5205.2	0.003765	0.4	0.002082
KY	H L Spurloc	6041	2	10/18/2022	552	5221.1	0.003793	0.401	0.002094
KY	H L Spurloc	6041	2	10/18/2022	553	5184.8	0.003778	0.403	0.002089
KY	H L Spurloc	6041	2	10/18/2022	553	5230.4	0.003821	0.404	0.002113
KY	H L Spurloc	6041	2	10/18/2022	503	4514.2	0.003626	0.404	0.001824
KY	H L Spurloc	6041	2	10/18/2022	392	3318.6	0.003463	0.409	0.001357
KY	H L Spurloc	6041	2	10/19/2022	300	2373.7	0.003339	0.422	0.001002
KY	H L Spurloc	6041	2	10/19/2022	302	2422.5	0.003369	0.42	0.001017
KY	H L Spurloc	6041	2	10/19/2022	299	2395.1	0.00338	0.422	0.001011
KY	H L Spurloc	6041	2	10/19/2022	300	2404	0.00335	0.418	0.001005
KY	H L Spurloc	6041	2	10/19/2022	307	2483.1	0.003389	0.419	0.00104
KY	H L Spurloc	6041	2	10/19/2022	337	2782.9	0.003402	0.412	0.001147
KY	H L Spurloc	6041	2	10/19/2022	502	4536.5	0.003497	0.387	0.001756
KY	H L Spurloc	6041	2	10/19/2022	390	3272.2	0.003406	0.406	0.001329
KY	H L Spurloc	6041	2	10/19/2022	341	2768.4	0.003361	0.414	0.001146
KY	H L Spurloc	6041	2	10/19/2022	299	2362.8	0.003335	0.422	0.000997
KY	H L Spurloc	6041	2	10/19/2022	312	2488.3	0.003342	0.419	0.001043
KY	H L Spurloc	6041	2	10/19/2022	300	2393.6	0.003375	0.423	0.001012
KY	H L Spurloc	6041	2	10/19/2022	302	2416.7	0.003361	0.42	0.001015
KY	H L Spurloc	6041	2	10/19/2022	315	2534.2	0.003379	0.42	0.001064
KY	H L Spurloc	6041	2	10/19/2022	300	2420.3	0.00338	0.419	0.001014
KY	H L Spurloc	6041	2	10/19/2022	300	2487.9	0.003516	0.424	0.001055
KY	H L Spurloc	6041	2	10/19/2022	299	2532.7	0.003558	0.42	0.001064
KY	H L Spurloc	6041	2	10/19/2022	348	3070.3	0.003608	0.409	0.001256
KY	H L Spurloc	6041	2	10/19/2022	469	4502.4	0.003773	0.393	0.001769
KY	H L Spurloc	6041	2	10/19/2022	339	3008.8	0.003674	0.414	0.001246
KY	H L Spurloc	6041	2	10/19/2022	302	2620.3	0.003627	0.418	0.001095
KY	H L Spurloc	6041	2	10/19/2022	301	2634.6	0.003711	0.424	0.001117
KY	H L Spurloc	6041	2	10/19/2022	346	3078.4	0.00371	0.417	0.001284
KY	H L Spurloc	6041	2	10/19/2022	492	4775.3	0.003931	0.405	0.001934
KY	H L Spurloc	6041	2	10/20/2022	551	5462.4	0.004094	0.413	0.002256
KY	H L Spurloc	6041	2	10/20/2022	553	5445.4	0.004018	0.408	0.002222
KY	H L Spurloc	6041	2	10/20/2022	554	5393	0.003845	0.395	0.00213
KY	H L Spurloc	6041	2	10/20/2022	553	5270.4	0.003631	0.381	0.002008
KY	H L Spurloc	6041	2	10/20/2022	553	5295.7	0.00361	0.377	0.001996



KY	H L Spurloc	6041	2	10/20/2022	553	5268.3	0.003687	0.387	0.002039
KY	H L Spurloc	6041	2	10/20/2022	555	5318.4	0.003843	0.401	0.002133
KY	H L Spurloc	6041	2	10/20/2022	554	5298	0.003825	0.4	0.002119
KY	H L Spurloc	6041	2	10/20/2022	555	5361.5	0.003903	0.404	0.002166
KY	H L Spurloc	6041	2	10/20/2022	555	5376.2	0.003913	0.404	0.002172
KY	H L Spurloc	6041	2	10/20/2022	553	5382.1	0.003932	0.404	0.002174
KY	H L Spurloc	6041	2	10/20/2022	555	5520.8	0.004029	0.405	0.002236
KY	H L Spurloc	6041	2	10/20/2022	554	5529.7	0.004042	0.405	0.00224
KY	H L Spurloc	6041	2	10/20/2022	555	5564.7	0.004061	0.405	0.002254
KY	H L Spurloc	6041	2	10/20/2022	555	5554.7	0.004073	0.407	0.002261
KY	H L Spurloc	6041	2	10/20/2022	554	5530.6	0.004083	0.409	0.002262
KY	H L Spurloc	6041	2	10/20/2022	555	5580.5	0.004082	0.406	0.002266
KY	H L Spurloc	6041	2	10/20/2022	556	5557.1	0.004058	0.406	0.002256
KY	H L Spurloc	6041	2	10/20/2022	554	5456.1	0.003989	0.405	0.00221
KY	H L Spurloc	6041	2	10/20/2022	538	5320.4	0.004005	0.405	0.002155
KY	H L Spurloc	6041	2	10/20/2022	536	5203.1	0.003883	0.4	0.002081
KY	H L Spurloc	6041	2	10/20/2022	505	4856.6	0.003876	0.403	0.001957
KY	H L Spurloc	6041	2	10/20/2022	514	4951.5	0.003892	0.404	0.002
KY	H L Spurloc	6041	2	10/20/2022	551	5491.7	0.004027	0.404	0.002219
KY	H L Spurloc	6041	2	10/21/2022	554	5414.4	0.003997	0.409	0.002214
KY	H L Spurloc	6041	2	10/21/2022	555	5497.7	0.004051	0.409	0.002249
KY	H L Spurloc	6041	2	10/21/2022	555	5491	0.004007	0.405	0.002224
KY	H L Spurloc	6041	2	10/21/2022	544	5333.4	0.003971	0.405	0.00216
KY	H L Spurloc	6041	2	10/21/2022	555	5455	0.00402	0.409	0.002231
KY	H L Spurloc	6041	2	10/21/2022	555	5463.3	0.004006	0.407	0.002224
KY	H L Spurloc	6041	2	10/21/2022	554	5458.9	0.003991	0.405	0.002211
KY	H L Spurloc	6041	2	10/21/2022	557	5518.6	0.003973	0.401	0.002213
KY	H L Spurloc	6041	2	10/21/2022	557	5513.5	0.003959	0.4	0.002205
KY	H L Spurloc	6041	2	10/21/2022	556	5497	0.003974	0.402	0.00221
KY	H L Spurloc	6041	2	10/21/2022	555	5518	0.003987	0.401	0.002213
KY	H L Spurloc	6041	2	10/21/2022	555	5597.5	0.004085	0.405	0.002267
KY	H L Spurloc	6041	2	10/21/2022	504	4957.9	0.003964	0.403	0.001998
KY	H L Spurloc	6041	2	10/21/2022	545	5642.2	0.004151	0.401	0.002263
KY	H L Spurloc	6041	2	10/21/2022	524	5414.6	0.004144	0.401	0.002171
KY	H L Spurloc	6041	2	10/21/2022	530	5568.1	0.004234	0.403	0.002244
KY	H L Spurloc	6041	2	10/21/2022	522	5487.5	0.004258	0.405	0.002222
KY	H L Spurloc	6041	2	10/21/2022	548	5843.2	0.004276	0.401	0.002343
KY	H L Spurloc	6041	2	10/21/2022	503	5159.6	0.004021	0.392	0.002023
KY	H L Spurloc	6041	2	10/21/2022	545	5656.6	0.003954	0.381	0.002155
KY	H L Spurloc	6041	2	10/21/2022	552	5729.4	0.003955	0.381	0.002183
KY	H L Spurloc	6041	2	10/21/2022	508	5160.9	0.004084	0.402	0.002075
KY	H L Spurloc	6041	2	10/21/2022	516	5220.6	0.004077	0.403	0.002104
KY	H L Spurloc	6041	2	10/21/2022	554	5768.1	0.004196	0.403	0.002325
KY	H L Spurloc	6041	2	10/22/2022	519	5285.7	0.004135	0.406	0.002146
KY	H L Spurloc	6041	2	10/22/2022	519	5323.6	0.004175	0.407	0.002167
KY	H L Spurloc	6041	2	10/22/2022	526	5363	0.004109	0.403	0.002161
KY	H L Spurloc	6041	2	10/22/2022	506	5023.8	0.004031	0.406	0.00204
KY	H L Spurloc	6041	2	10/22/2022	512	5217.5	0.004148	0.407	0.002124

KY	H L Spurloc	6041	2	10/22/2022	499	5030.8	0.004083	0.405	0.002037
KY	H L Spurloc	6041	2	10/22/2022	505	5106.9	0.004106	0.406	0.002073
KY	H L Spurloc	6041	2	10/22/2022	552	5748.8	0.004187	0.402	0.002311
KY	H L Spurloc	6041	2	10/22/2022	556	5780	0.004179	0.402	0.002324
KY	H L Spurloc	6041	2	10/22/2022	551	5773.7	0.004212	0.402	0.002321
KY	H L Spurloc	6041	2	10/22/2022	523	5451.1	0.00419	0.402	0.002191
KY	H L Spurloc	6041	2	10/22/2022	517	5479.5	0.004229	0.399	0.002186
KY	H L Spurloc	6041	2	10/22/2022	515	5457.7	0.004228	0.399	0.002178
KY	H L Spurloc	6041	2	10/22/2022	526	5544.1	0.004237	0.402	0.002229
KY	H L Spurloc	6041	2	10/22/2022	551	5835	0.004247	0.401	0.00234
KY	H L Spurloc	6041	2	10/22/2022	547	5750.8	0.004226	0.402	0.002312
KY	H L Spurloc	6041	2	10/22/2022	534	5550.4	0.004178	0.402	0.002231
KY	H L Spurloc	6041	2	10/22/2022	551	5788.7	0.004234	0.403	0.002333
KY	H L Spurloc	6041	2	10/22/2022	553	5839.5	0.004266	0.404	0.002359
KY	H L Spurloc	6041	2	10/22/2022	514	5282.9	0.004152	0.404	0.002134
KY	H L Spurloc	6041	2	10/22/2022	550	5781.8	0.004258	0.405	0.002342
KY	H L Spurloc	6041	2	10/22/2022	520	5362.9	0.004208	0.408	0.002188
KY	H L Spurloc	6041	2	10/22/2022	520	5265.1	0.003848	0.38	0.002001
KY	H L Spurloc	6041	2	10/22/2022	519	5310.4	0.003888	0.38	0.002018
KY	H L Spurloc	6041	2	10/23/2022	519	5339.2	0.003909	0.38	0.002029
KY	H L Spurloc	6041	2	10/23/2022	515	5303.1	0.003923	0.381	0.00202
KY	H L Spurloc	6041	2	10/23/2022	440	4391.6	0.003942	0.395	0.001735
KY	H L Spurloc	6041	2	10/23/2022	340	3307.5	0.004008	0.412	0.001363
KY	H L Spurloc	6041	2	10/23/2022	469	4723.9	0.003938	0.391	0.001847
KY	H L Spurloc	6041	2	10/23/2022	521	5331.4	0.003909	0.382	0.002037
KY	H L Spurloc	6041	2	10/23/2022	505	5051.8	0.003861	0.386	0.00195
KY	H L Spurloc	6041	2	10/23/2022	537	5497.4	0.00388	0.379	0.002084
KY	H L Spurloc	6041	2	10/23/2022	495	4863.2	0.003792	0.386	0.001877
KY	H L Spurloc	6041	2	10/23/2022	500	4990.8	0.003813	0.382	0.001906
KY	H L Spurloc	6041	2	10/23/2022	507	5240.1	0.003948	0.382	0.002002
KY	H L Spurloc	6041	2	10/23/2022	510	5178.1	0.003899	0.384	0.001988
KY	H L Spurloc	6041	2	10/23/2022	498	5024.9	0.003875	0.384	0.00193
KY	H L Spurloc	6041	2	10/23/2022	527	5337.8	0.003849	0.38	0.002028
KY	H L Spurloc	6041	2	10/23/2022	541	5514.1	0.003873	0.38	0.002095
KY	H L Spurloc	6041	2	10/23/2022	554	5688.3	0.003902	0.38	0.002162
KY	H L Spurloc	6041	2	10/23/2022	506	5092.9	0.003855	0.383	0.001951
KY	H L Spurloc	6041	2	10/23/2022	530	5450.8	0.00398	0.387	0.002109
KY	H L Spurloc	6041	2	10/23/2022	528	5425.6	0.004131	0.402	0.002181
KY	H L Spurloc	6041	2	10/23/2022	506	5093.1	0.004056	0.403	0.002053
KY	H L Spurloc	6041	2	10/23/2022	500	4988.5	0.003991	0.4	0.001995
KY	H L Spurloc	6041	2	10/23/2022	509	5150.5	0.004088	0.404	0.002081
KY	H L Spurloc	6041	2	10/23/2022	398	3877.6	0.003965	0.407	0.001578
KY	H L Spurloc	6041	2	10/23/2022	300	2875	0.003977	0.415	0.001193
KY	H L Spurloc	6041	2	10/24/2022	295	2856.4	0.004038	0.417	0.001191
KY	H L Spurloc	6041	2	10/24/2022	298	2891.3	0.004036	0.416	0.001203
KY	H L Spurloc	6041	2	10/24/2022	297	2833.7	0.003931	0.412	0.001167
KY	H L Spurloc	6041	2	10/24/2022	301	2826.8	0.003869	0.412	0.001165
KY	H L Spurloc	6041	2	10/24/2022	444	4515.1	0.004057	0.399	0.001802

KY	H L Spurloc	6041	2	10/24/2022	541	5529.3	0.004129	0.404	0.002234
KY	H L Spurloc	6041	2	10/24/2022	496	4894	0.003957	0.401	0.001962
KY	H L Spurloc	6041	2	10/24/2022	497	4903.5	0.003927	0.398	0.001952
KY	H L Spurloc	6041	2	10/24/2022	504	4965.1	0.003931	0.399	0.001981
KY	H L Spurloc	6041	2	10/24/2022	545	5639.6	0.00416	0.402	0.002267
KY	H L Spurloc	6041	2	10/24/2022	556	5898.4			
KY	H L Spurloc	6041	2	10/24/2022	556	5913.2			
KY	H L Spurloc	6041	2	10/24/2022	521	5351.4			
KY	H L Spurloc	6041	2	10/24/2022	507	5120.9			
KY	H L Spurloc	6041	2	10/24/2022	504	5092.8			
KY	H L Spurloc	6041	2	10/24/2022	499	5039.8			
KY	H L Spurloc	6041	2	10/24/2022	527	5437.9			
KY	H L Spurloc	6041	2	10/24/2022	546	5661			
KY	H L Spurloc	6041	2	10/24/2022	550	5731.2			
KY	H L Spurloc	6041	2	10/24/2022	550	5719.4			
KY	H L Spurloc	6041	2	10/24/2022	519	5275.2			
KY	H L Spurloc	6041	2	10/24/2022	508	5193			
KY	H L Spurloc	6041	2	10/24/2022	518	5319.9			
KY	H L Spurloc	6041	2	10/24/2022	440	4403.4			
KY	H L Spurloc	6041	2	10/25/2022	295	2843.5			
KY	H L Spurloc	6041	2	10/25/2022	295	2888.1			
KY	H L Spurloc	6041	2	10/25/2022	295	2867.1			
KY	H L Spurloc	6041	2	10/25/2022	299	2875.5			
KY	H L Spurloc	6041	2	10/25/2022	317	3011.6			
KY	H L Spurloc	6041	2	10/25/2022	355	3429.7			
KY	H L Spurloc	6041	2	10/25/2022	457	4581.8			
KY	H L Spurloc	6041	2	10/25/2022	506	5138.1			
KY	H L Spurloc	6041	2	10/25/2022	389	3793.4			
KY	H L Spurloc	6041	2	10/25/2022	293	2848.9			
KY	H L Spurloc	6041	2	10/25/2022	302	2922.7			
KY	H L Spurloc	6041	2	10/25/2022	300	2878.9	0.004376	0.456	0.001313
KY	H L Spurloc	6041	2	10/25/2022	299	2847.6	0.004295	0.451	0.001284
KY	H L Spurloc	6041	2	10/25/2022	299	2836.9	0.004308	0.454	0.001288
KY	H L Spurloc	6041	2	10/25/2022	300	2865.7	0.004337	0.454	0.001301
KY	H L Spurloc	6041	2	10/25/2022	300	2869.7	0.004362	0.456	0.001309
KY	H L Spurloc	6041	2	10/25/2022	315	3010	0.004329	0.453	0.001364
KY	H L Spurloc	6041	2	10/25/2022	312	2967.4	0.004318	0.454	0.001347
KY	H L Spurloc	6041	2	10/25/2022	300	2747.2	0.004222	0.461	0.001266
KY	H L Spurloc	6041	2	10/25/2022	301	2771.4	0.004235	0.46	0.001275
KY	H L Spurloc	6041	2	10/25/2022	302	2765.1	0.004221	0.461	0.001275
KY	H L Spurloc	6041	2	10/25/2022	300	2748.9	0.004252	0.464	0.001275
KY	H L Spurloc	6041	2	10/25/2022	300	2757	0.004218	0.459	0.001265
KY	H L Spurloc	6041	2	10/25/2022	440	4360.6	0.00441	0.445	0.00194
KY	H L Spurloc	6041	2	10/26/2022	478	4732.2	0.004386	0.443	0.002096
KY	H L Spurloc	6041	2	10/26/2022	489	4832.3	0.004407	0.446	0.002155
KY	H L Spurloc	6041	2	10/26/2022	446	4322.8	0.004274	0.441	0.001906
KY	H L Spurloc	6041	2	10/26/2022	504	5018.3	0.004202	0.422	0.002118
KY	H L Spurloc	6041	2	10/26/2022	502	5070.1	0.004262	0.422	0.00214

KY	H L Spurloc	6041	2	10/26/2022	540	5551.8	0.004287	0.417	0.002315
KY	H L Spurloc	6041	2	10/26/2022	514	5138.2	0.004328	0.433	0.002225
KY	H L Spurloc	6041	2	10/26/2022	543	5554.9	0.004491	0.439	0.002439
KY	H L Spurloc	6041	2	10/26/2022	550	5660.4	0.0046	0.447	0.00253
KY	H L Spurloc	6041	2	10/26/2022	550	5648.9	0.00455	0.443	0.002502
KY	H L Spurloc	6041	2	10/26/2022	516	5133.9	0.004418	0.444	0.002279
KY	H L Spurloc	6041	2	10/26/2022	513	5100.9	0.004455	0.448	0.002285
KY	H L Spurloc	6041	2	10/26/2022	508	5035.9	0.004411	0.445	0.002241
KY	H L Spurloc	6041	2	10/26/2022	432	4150.9	0.004276	0.445	0.001847
KY	H L Spurloc	6041	2	10/26/2022	367	3354.7	0.004022	0.44	0.001476
KY	H L Spurloc	6041	2	10/26/2022	366	3398.2	0.004113	0.443	0.001505
KY	H L Spurloc	6041	2	10/26/2022	459	4503.3	0.004346	0.443	0.001995
KY	H L Spurloc	6041	2	10/26/2022	552	5652.8	0.004567	0.446	0.002521
KY	H L Spurloc	6041	2	10/26/2022	553	5606.8	0.004522	0.446	0.002501
KY	H L Spurloc	6041	2	10/26/2022	556	5629.9	0.004465	0.441	0.002483
KY	H L Spurloc	6041	2	10/26/2022	556	5585.1	0.00447	0.445	0.002485
KY	H L Spurloc	6041	2	10/26/2022	528	5186.2	0.004361	0.444	0.002303
KY	H L Spurloc	6041	2	10/26/2022	516	5030	0.00426	0.437	0.002198
KY	H L Spurloc	6041	2	10/26/2022	514	4989.3	0.004261	0.439	0.00219
KY	H L Spurloc	6041	2	10/27/2022	514	4985.4	0.004268	0.44	0.002194
KY	H L Spurloc	6041	2	10/27/2022	512	4963.7	0.004256	0.439	0.002179
KY	H L Spurloc	6041	2	10/27/2022	531	5294.8	0.004377	0.439	0.002324
KY	H L Spurloc	6041	2	10/27/2022	522	5153.4	0.004393	0.445	0.002293
KY	H L Spurloc	6041	2	10/27/2022	504	4879.8	0.004221	0.436	0.002128
KY	H L Spurloc	6041	2	10/27/2022	548	5508.7	0.004423	0.44	0.002424
KY	H L Spurloc	6041	2	10/27/2022	556	5605.7	0.004436	0.44	0.002467
KY	H L Spurloc	6041	2	10/27/2022	557	5523.9	0.004314	0.435	0.002403
KY	H L Spurloc	6041	2	10/27/2022	556	5509.1	0.00436	0.44	0.002424
KY	H L Spurloc	6041	2	10/27/2022	556	5525.6	0.004363	0.439	0.002426
KY	H L Spurloc	6041	2	10/27/2022	556	5497	0.00434	0.439	0.002413
KY	H L Spurloc	6041	2	10/27/2022	508	4951.7	0.004289	0.44	0.002179
KY	H L Spurloc	6041	2	10/27/2022	551	5620.3	0.004457	0.437	0.002456
KY	H L Spurloc	6041	2	10/27/2022	556	5670.3	0.004497	0.441	0.002501
KY	H L Spurloc	6041	2	10/27/2022	557	5718.4	0.004527	0.441	0.002522
KY	H L Spurloc	6041	2	10/27/2022	556	5741	0.004554	0.441	0.002532
KY	H L Spurloc	6041	2	10/27/2022	556	5735.5	0.004529	0.439	0.002518
KY	H L Spurloc	6041	2	10/27/2022	556	5736.6	0.004529	0.439	0.002518
KY	H L Spurloc	6041	2	10/27/2022	557	5755.4	0.004505	0.436	0.002509
KY	H L Spurloc	6041	2	10/27/2022	555	5710.8	0.004486	0.436	0.00249
KY	H L Spurloc	6041	2	10/27/2022	513	5081	0.004338	0.438	0.002225
KY	H L Spurloc	6041	2	10/27/2022	499	4754.4	0.004107	0.431	0.002049
KY	H L Spurloc	6041	2	10/27/2022	500	4804.7	0.003959	0.412	0.00198
KY	H L Spurloc	6041	2	10/27/2022	534	5301.5	0.004051	0.408	0.002163
KY	H L Spurloc	6041	2	10/28/2022	544	5413.7	0.00405	0.407	0.002203
KY	H L Spurloc	6041	2	10/28/2022	542	5411.8	0.004104	0.411	0.002224
KY	H L Spurloc	6041	2	10/28/2022	538	5380.1	0.00412	0.412	0.002217
KY	H L Spurloc	6041	2	10/28/2022	518	5116.5	0.004109	0.416	0.002128
KY	H L Spurloc	6041	2	10/28/2022	505	5074.3	0.004381	0.436	0.002212

KY	H L Spurloc	6041	2	10/28/2022	541	5527.3	0.004475	0.438	0.002421
KY	H L Spurloc	6041	2	10/28/2022	524	5277.8	0.004412	0.438	0.002312
KY	H L Spurloc	6041	2	10/28/2022	553	5522.3	0.004174	0.418	0.002308
KY	H L Spurloc	6041	2	10/28/2022	550	5454.3	0.004066	0.41	0.002236
KY	H L Spurloc	6041	2	10/28/2022	550	5503.8	0.004093	0.409	0.002251
KY	H L Spurloc	6041	2	10/28/2022	550	5516.4	0.004102	0.409	0.002256
KY	H L Spurloc	6041	2	10/28/2022	517	5107	0.00408	0.413	0.002109
KY	H L Spurloc	6041	2	10/28/2022	508	5096.5	0.004143	0.413	0.002105
KY	H L Spurloc	6041	2	10/28/2022	502	5099.5	0.004185	0.412	0.002101
KY	H L Spurloc	6041	2	10/28/2022	496	5061	0.004245	0.416	0.002105
KY	H L Spurloc	6041	2	10/28/2022	501	5143.4	0.004261	0.415	0.002135
KY	H L Spurloc	6041	2	10/28/2022	503	5151.9	0.00423	0.413	0.002128
KY	H L Spurloc	6041	2	10/28/2022	543	5679	0.004278	0.409	0.002323
KY	H L Spurloc	6041	2	10/28/2022	550	5798.6	0.004291	0.407	0.00236
KY	H L Spurloc	6041	2	10/28/2022	550	5761.7	0.004264	0.407	0.002345
KY	H L Spurloc	6041	2	10/28/2022	549	5642.1	0.004224	0.411	0.002319
KY	H L Spurloc	6041	2	10/28/2022	510	5095.2	0.004156	0.416	0.00212
KY	H L Spurloc	6041	2	10/28/2022	514	5105.3	0.004102	0.413	0.002108
KY	H L Spurloc	6041	2	10/28/2022	508	4997.3	0.004053	0.412	0.002059
KY	H L Spurloc	6041	2	10/29/2022	541	5415	0.004104	0.41	0.00222
KY	H L Spurloc	6041	2	10/29/2022	509	4952.3	0.004038	0.415	0.002055
KY	H L Spurloc	6041	2	10/29/2022	484	4661.7	0.004016	0.417	0.001944
KY	H L Spurloc	6041	2	10/29/2022	550	5497.1	0.004058	0.406	0.002232
KY	H L Spurloc	6041	2	10/29/2022	552	5512.6	0.004075	0.408	0.002249
KY	H L Spurloc	6041	2	10/29/2022	510	4962.2	0.004018	0.413	0.002049
KY	H L Spurloc	6041	2	10/29/2022	551	5478	0.004086	0.411	0.002251
KY	H L Spurloc	6041	2	10/29/2022	553	5525.4	0.004087	0.409	0.00226
KY	H L Spurloc	6041	2	10/29/2022	555	5538.7	0.004102	0.411	0.002276
KY	H L Spurloc	6041	2	10/29/2022	555	5619.8	0.004395	0.434	0.002439
KY	H L Spurloc	6041	2	10/29/2022	558	5695.8	0.004481	0.439	0.0025
KY	H L Spurloc	6041	2	10/29/2022	558	5825.4	0.004625	0.443	0.002581
KY	H L Spurloc	6041	2	10/29/2022	557	5862.3	0.004662	0.443	0.002597
KY	H L Spurloc	6041	2	10/29/2022	558	6003.6	0.004723	0.439	0.002636
KY	H L Spurloc	6041	2	10/29/2022	557	5974.2	0.004762	0.444	0.002653
KY	H L Spurloc	6041	2	10/29/2022	556	6000.1	0.004748	0.44	0.00264
KY	H L Spurloc	6041	2	10/29/2022	555	5931.2	0.004702	0.44	0.00261
KY	H L Spurloc	6041	2	10/29/2022	555	5935	0.004695	0.439	0.002605
KY	H L Spurloc	6041	2	10/29/2022	408	4316.625	0.006221	0.441	0.001904
KY	H L Spurloc	6041	2	10/29/2022	0	4.845		1.05	5.09E-06
KY	H L Spurloc	6041	2	10/29/2022	0	115.8		1.07	0.000124
KY	H L Spurloc	6041	2	10/29/2022	0	237.6		1.08	0.000257
KY	H L Spurloc	6041	2	10/29/2022	196	1593	0.005779	0.711	0.001133
KY	H L Spurloc	6041	2	10/30/2022	432	3927.9	0.003955	0.435	0.001709
KY	H L Spurloc	6041	2	10/30/2022	517	5042.4	0.004028	0.413	0.002083
KY	H L Spurloc	6041	2	10/30/2022	512	4971.1	0.00401	0.413	0.002053
KY	H L Spurloc	6041	2	10/30/2022	523	5116	0.004011	0.41	0.002098
KY	H L Spurloc	6041	2	10/30/2022	498	4788	0.00398	0.414	0.001982
KY	H L Spurloc	6041	2	10/30/2022	500	4765.7	0.003946	0.414	0.001973

KY	H L Spurloc	6041	2	10/30/2022	532	5227	0.004028	0.41	0.002143
KY	H L Spurloc	6041	2	10/30/2022	550	5375.3	0.004036	0.413	0.00222
KY	H L Spurloc	6041	2	10/30/2022	546	5293.2	0.004014	0.414	0.002191
KY	H L Spurloc	6041	2	10/30/2022	551	5353.3	0.004022	0.414	0.002216
KY	H L Spurloc	6041	2	10/30/2022	529	5154.8	0.004034	0.414	0.002134
KY	H L Spurloc	6041	2	10/30/2022	494	4792.2	0.004084	0.421	0.002018
KY	H L Spurloc	6041	2	10/30/2022	522	5271.5	0.004221	0.418	0.002203
KY	H L Spurloc	6041	2	10/30/2022	545	5602.2	0.004245	0.413	0.002314
KY	H L Spurloc	6041	2	10/30/2022	553	5701.5	0.004248	0.412	0.002349
KY	H L Spurloc	6041	2	10/30/2022	522	5321.4	0.004261	0.418	0.002224
KY	H L Spurloc	6041	2	10/30/2022	510	5153.8	0.004224	0.418	0.002154
KY	H L Spurloc	6041	2	10/30/2022	548	5615.7	0.004243	0.414	0.002325
KY	H L Spurloc	6041	2	10/30/2022	551	5709.7	0.004269	0.412	0.002352
KY	H L Spurloc	6041	2	10/30/2022	550	5660.2	0.004271	0.415	0.002349
KY	H L Spurloc	6041	2	10/30/2022	546	5636.9	0.004284	0.415	0.002339
KY	H L Spurloc	6041	2	10/30/2022	500	5066.4	0.004296	0.424	0.002148
KY	H L Spurloc	6041	2	10/30/2022	543	5574.8	0.004281	0.417	0.002325
KY	H L Spurloc	6041	2	10/30/2022	514	5206.3	0.004244	0.419	0.002181
KY	H L Spurloc	6041	2	10/31/2022	544	5620.4	0.004288	0.415	0.002332
KY	H L Spurloc	6041	2	10/31/2022	521	5306.1	0.004267	0.419	0.002223
KY	H L Spurloc	6041	2	10/31/2022	544	5598.7	0.004302	0.418	0.00234
KY	H L Spurloc	6041	2	10/31/2022	513	5204.8	0.004282	0.422	0.002196
KY	H L Spurloc	6041	2	10/31/2022	543	5542	0.004266	0.418	0.002317
KY	H L Spurloc	6041	2	10/31/2022	512	5219	0.004342	0.426	0.002223
KY	H L Spurloc	6041	2	10/31/2022	548	5809.9	0.00476	0.449	0.002609
KY	H L Spurloc	6041	2	10/31/2022	556	5924	0.004827	0.453	0.002684
KY	H L Spurloc	6041	2	10/31/2022	555	5850	0.004785	0.454	0.002656
KY	H L Spurloc	6041	2	10/31/2022	556	5931	0.0048	0.45	0.002669
KY	H L Spurloc	6041	2	10/31/2022	556	5908.6	0.007439	0.7	0.004136
KY	H L Spurloc	6041	2	10/31/2022	556	5883.4	0.007471	0.706	0.004154
KY	H L Spurloc	6041	2	10/31/2022	556	5849.5	0.007428	0.706	0.00413
KY	H L Spurloc	6041	2	10/31/2022	556	5833.7	0.007334	0.699	0.004078
KY	H L Spurloc	6041	2	10/31/2022	507	5052.4	0.007006	0.703	0.003552
KY	H L Spurloc	6041	2	10/31/2022	328	2832.4	0.006269	0.726	0.002056
KY	H L Spurloc	6041	2	10/31/2022	192	1708.7	0.008455	0.95	0.001623
KY	H L Spurloc	6041	2	10/31/2022	10	107.08	0.163832	3.06	0.000328
KY	H L Spurloc	6041	2	11/1/2022	0	9.112		1.77	1.61E-05
KY	H L Spurloc	6041	2	11/1/2022	0	192.4		1.77	0.000341
KY	H L Spurloc	6041	2	11/1/2022	0	193.1		1.77	0.000342
KY	H L Spurloc	6041	2	11/1/2022	0	192.4		1.76	0.000339
KY	H L Spurloc	6041	2	11/1/2022	0	245.7		1.76	0.000432
KY	H L Spurloc	6041	2	11/1/2022	0	227.7		1.75	0.000398
KY	H L Spurloc	6041	2	11/1/2022	0	194.4		1.74	0.000338
KY	H L Spurloc	6041	2	11/2/2022	0	212.3		1.74	0.000369
KY	H L Spurloc	6041	2	11/2/2022	10	304.8	0.155143	5.09	0.001551
KY	H L Spurloc	6041	2	11/2/2022	146	1244.2	0.010738	1.26	0.001568
KY	H L Spurloc	6041	2	11/2/2022	207	1608.2	0.006953	0.895	0.001439
KY	H L Spurloc	6041	2	11/2/2022	221	1698.8	0.006403	0.833	0.001415

KY	H L Spurloc	6041	2	11/2/2022	234	1817.8	0.006168	0.794	0.001443
KY	H L Spurloc	6041	2	11/2/2022	283	2188.1	0.005776	0.747	0.001635
KY	H L Spurloc	6041	2	11/2/2022	310	2446.5	0.00554	0.702	0.001717
KY	H L Spurloc	6041	2	11/2/2022	318	2479.4	0.005403	0.693	0.001718
KY	H L Spurloc	6041	2	11/2/2022	320	2499.8	0.005351	0.685	0.001712
KY	H L Spurloc	6041	2	11/2/2022	368	2971.5	0.005507	0.682	0.002027
KY	H L Spurloc	6041	2	11/2/2022	401	3345.2	0.005706	0.684	0.002288
KY	H L Spurloc	6041	2	11/2/2022	470	4094.1	0.005819	0.668	0.002735
KY	H L Spurloc	6041	2	11/2/2022	500	4458.2	0.005867	0.658	0.002933
KY	H L Spurloc	6041	2	11/2/2022	498	4559.4	0.006052	0.661	0.003014
KY	H L Spurloc	6041	2	11/2/2022	502	4803.8	0.006297	0.658	0.003161
KY	H L Spurloc	6041	2	11/2/2022	548	5458.7	0.006604	0.663	0.003619
KY	H L Spurloc	6041	2	11/2/2022	550	5465.2	0.006668	0.671	0.003667
KY	H L Spurloc	6041	2	11/2/2022	549	5432.5	0.006689	0.676	0.003672
KY	H L Spurloc	6041	2	11/2/2022	550	5463.9	0.006656	0.67	0.003661
KY	H L Spurloc	6041	2	11/2/2022	552	5456.9	0.006623	0.67	0.003656
KY	H L Spurloc	6041	2	11/2/2022	553	5430.2	0.00652	0.664	0.003606
KY	H L Spurloc	6041	2	11/2/2022	553	5390.5	0.006472	0.664	0.003579
KY	H L Spurloc	6041	2	11/2/2022	467	4362.9	0.006315	0.676	0.002949
KY	H L Spurloc	6041	2	11/3/2022	305	2705.6	0.006103	0.688	0.001861
KY	H L Spurloc	6041	2	11/3/2022	372	3329.4	0.006077	0.679	0.002261
KY	H L Spurloc	6041	2	11/3/2022	375	3366	0.006059	0.675	0.002272
KY	H L Spurloc	6041	2	11/3/2022	375	3318	0.005981	0.676	0.002243
KY	H L Spurloc	6041	2	11/3/2022	375	3283.1	0.005918	0.676	0.002219
KY	H L Spurloc	6041	2	11/3/2022	373	3273.1	0.005993	0.683	0.002236
KY	H L Spurloc	6041	2	11/3/2022	373	3283.1	0.006012	0.683	0.002242
KY	H L Spurloc	6041	2	11/3/2022	375	3276.3	0.005958	0.682	0.002234
KY	H L Spurloc	6041	2	11/3/2022	374	3387.5	0.005978	0.66	0.002236
KY	H L Spurloc	6041	2	11/3/2022	373	3385.1	0.006026	0.664	0.002248
KY	H L Spurloc	6041	2	11/3/2022	373	3398	0.006049	0.664	0.002256
KY	H L Spurloc	6041	2	11/3/2022	374	3529.6	0.006314	0.669	0.002361
KY	H L Spurloc	6041	2	11/3/2022	374	3596.6	0.006424	0.668	0.002403
KY	H L Spurloc	6041	2	11/3/2022	373	3612.7	0.00647	0.668	0.002413
KY	H L Spurloc	6041	2	11/3/2022	374	3623.5	0.006394	0.66	0.002392
KY	H L Spurloc	6041	2	11/3/2022	375	3597.9	0.00639	0.666	0.002396
KY	H L Spurloc	6041	2	11/3/2022	375	3546.3	0.006308	0.667	0.002365
KY	H L Spurloc	6041	2	11/3/2022	377	3588.1	0.006301	0.662	0.002375
KY	H L Spurloc	6041	2	11/3/2022	378	3591.2	0.00628	0.661	0.002374
KY	H L Spurloc	6041	2	11/3/2022	376	3598.5	0.006317	0.66	0.002375
KY	H L Spurloc	6041	2	11/3/2022	376	3629.7	0.006362	0.659	0.002392
KY	H L Spurloc	6041	2	11/3/2022	376	3652.1	0.006459	0.665	0.002429
KY	H L Spurloc	6041	2	11/3/2022	376	3636	0.006421	0.664	0.002414
KY	H L Spurloc	6041	2	11/3/2022	375	3574.2	0.006338	0.665	0.002377
KY	H L Spurloc	6041	2	11/4/2022	373	3549.1	0.006347	0.667	0.002367
KY	H L Spurloc	6041	2	11/4/2022	374	3539.4	0.006369	0.673	0.002382
KY	H L Spurloc	6041	2	11/4/2022	373	3509.8	0.006276	0.667	0.002341
KY	H L Spurloc	6041	2	11/4/2022	374	3509.2	0.006277	0.669	0.002348
KY	H L Spurloc	6041	2	11/4/2022	374	3522	0.006291	0.668	0.002353

KY	H L Spurloc	6041	2	11/4/2022	398	3784.3	0.006237	0.656	0.002483
KY	H L Spurloc	6041	2	11/4/2022	372	3471.7	0.006197	0.664	0.002305
KY	H L Spurloc	6041	2	11/4/2022	392	3664.3	0.00616	0.659	0.002415
KY	H L Spurloc	6041	2	11/4/2022	377	3505.8	0.006175	0.664	0.002328
KY	H L Spurloc	6041	2	11/4/2022	377	3591.6	0.006316	0.663	0.002381
KY	H L Spurloc	6041	2	11/4/2022	312	3011.7	0.006516	0.675	0.002033
KY	H L Spurloc	6041	2	11/4/2022	375	3611	0.006375	0.662	0.00239
KY	H L Spurloc	6041	2	11/4/2022	324	3077.5	0.006411	0.675	0.002077
KY	H L Spurloc	6041	2	11/4/2022	335	3142.9	0.006333	0.675	0.002121
KY	H L Spurloc	6041	2	11/4/2022	335	3110	0.006118	0.659	0.002049
KY	H L Spurloc	6041	2	11/4/2022	335	3093.3	0.006122	0.663	0.002051
KY	H L Spurloc	6041	2	11/4/2022	335	3092.1	0.006184	0.67	0.002072
KY	H L Spurloc	6041	2	11/4/2022	336	3124.1	0.006295	0.677	0.002115
KY	H L Spurloc	6041	2	11/4/2022	340	3154.6	0.006198	0.668	0.002107
KY	H L Spurloc	6041	2	11/4/2022	379	3568.1	0.00627	0.666	0.002376
KY	H L Spurloc	6041	2	11/4/2022	338	3107.6	0.006298	0.685	0.002129
KY	H L Spurloc	6041	2	11/4/2022	336	3130.9	0.006383	0.685	0.002145
KY	H L Spurloc	6041	2	11/4/2022	335	3107.8	0.006355	0.685	0.002129
KY	H L Spurloc	6041	2	11/4/2022	372	3501.3	0.00641	0.681	0.002384
KY	H L Spurloc	6041	2	11/5/2022	373	3518.7	0.006377	0.676	0.002379
KY	H L Spurloc	6041	2	11/5/2022	374	3535.9	0.006448	0.682	0.002411
KY	H L Spurloc	6041	2	11/5/2022	374	3515.2	0.006325	0.673	0.002366
KY	H L Spurloc	6041	2	11/5/2022	373	3492.4	0.006311	0.674	0.002354
KY	H L Spurloc	6041	2	11/5/2022	374	3504.9	0.006298	0.672	0.002355
KY	H L Spurloc	6041	2	11/5/2022	309	2863.4	0.006403	0.691	0.001979
KY	H L Spurloc	6041	2	11/5/2022	316	2967.2	0.006329	0.674	0.002
KY	H L Spurloc	6041	2	11/5/2022	327	3059.3	0.00625	0.668	0.002044
KY	H L Spurloc	6041	2	11/5/2022	329	3080.6	0.006245	0.667	0.002055
KY	H L Spurloc	6041	2	11/5/2022	329	3052.9	0.006189	0.667	0.002036
KY	H L Spurloc	6041	2	11/5/2022	330	3039.7	0.00619	0.672	0.002043
KY	H L Spurloc	6041	2	11/5/2022	330	2932.2	0.006078	0.684	0.002006
KY	H L Spurloc	6041	2	11/5/2022	329	3034	0.006188	0.671	0.002036
KY	H L Spurloc	6041	2	11/5/2022	325	2980.6	0.0062	0.676	0.002015
KY	H L Spurloc	6041	2	11/5/2022	330	3028.2	0.006267	0.683	0.002068
KY	H L Spurloc	6041	2	11/5/2022	330	3013.4	0.006237	0.683	0.002058
KY	H L Spurloc	6041	2	11/5/2022	330	3037.4	0.006286	0.683	0.002075
KY	H L Spurloc	6041	2	11/5/2022	330	3036.6	0.006349	0.69	0.002095
KY	H L Spurloc	6041	2	11/5/2022	328	3015.8	0.006298	0.685	0.002066
KY	H L Spurloc	6041	2	11/5/2022	328	3026.5	0.006274	0.68	0.002058
KY	H L Spurloc	6041	2	11/5/2022	310	2857.6	0.006314	0.685	0.001957
KY	H L Spurloc	6041	2	11/5/2022	298	2760.8	0.00643	0.694	0.001916
KY	H L Spurloc	6041	2	11/5/2022	301	2715.8	0.00618	0.685	0.00186
KY	H L Spurloc	6041	2	11/5/2022	305	2781.4	0.006247	0.685	0.001905
KY	H L Spurloc	6041	2	11/6/2022	304	2766.9	0.006289	0.691	0.001912
KY	H L Spurloc	6041	2	11/6/2022	305	2770.6	0.006241	0.687	0.001903
KY	H L Spurloc	6041	2	11/6/2022	305	2786.2	0.006303	0.69	0.001922
KY	H L Spurloc	6041	2	11/6/2022	305	2781.7	0.006247	0.685	0.001905
KY	H L Spurloc	6041	2	11/6/2022	305	2775	0.006169	0.678	0.001881



KY	H L Spurloc	6041	2	11/6/2022	303	2750.7	0.00621	0.684	0.001881
KY	H L Spurloc	6041	2	11/6/2022	295	2718.5	0.006359	0.69	0.001876
KY	H L Spurloc	6041	2	11/6/2022	295	2723.4	0.006259	0.678	0.001846
KY	H L Spurloc	6041	2	11/6/2022	294	2719.2	0.006326	0.684	0.00186
KY	H L Spurloc	6041	2	11/6/2022	296	2726.3	0.006355	0.69	0.001881
KY	H L Spurloc	6041	2	11/6/2022	294	2699.6	0.006235	0.679	0.001833
KY	H L Spurloc	6041	2	11/6/2022	295	2708.3	0.006316	0.688	0.001863
KY	H L Spurloc	6041	2	11/6/2022	295	2713.7	0.006329	0.688	0.001867
KY	H L Spurloc	6041	2	11/6/2022	294	2696.7	0.006191	0.675	0.00182
KY	H L Spurloc	6041	2	11/6/2022	300	2759.1	0.006208	0.675	0.001862
KY	H L Spurloc	6041	2	11/6/2022	295	2700.3	0.006288	0.687	0.001855
KY	H L Spurloc	6041	2	11/6/2022	294	2705.8	0.006258	0.68	0.00184
KY	H L Spurloc	6041	2	11/6/2022	314	2880.9	0.006184	0.674	0.001942
KY	H L Spurloc	6041	2	11/6/2022	328	3029	0.006224	0.674	0.002042
KY	H L Spurloc	6041	2	11/6/2022	300	2739.9	0.006156	0.674	0.001847
KY	H L Spurloc	6041	2	11/6/2022	300	2770.4	0.006289	0.681	0.001887
KY	H L Spurloc	6041	2	11/6/2022	300	2746.3	0.006234	0.681	0.00187
KY	H L Spurloc	6041	2	11/6/2022	299	2747.7	0.006203	0.675	0.001855
KY	H L Spurloc	6041	2	11/6/2022	300	2798.4	0.006306	0.676	0.001892
KY	H L Spurloc	6041	2	11/7/2022	299	2798.4	0.006327	0.676	0.001892
KY	H L Spurloc	6041	2	11/7/2022	300	2789.2	0.006341	0.682	0.001902
KY	H L Spurloc	6041	2	11/7/2022	300	2820.7	0.006412	0.682	0.001924
KY	H L Spurloc	6041	2	11/7/2022	300	2822.7	0.006351	0.675	0.001905
KY	H L Spurloc	6041	2	11/7/2022	300	2770.4	0.006298	0.682	0.001889
KY	H L Spurloc	6041	2	11/7/2022	300	2715.3	0.006227	0.688	0.001868
KY	H L Spurloc	6041	2	11/7/2022	300	2678.8	0.006099	0.683	0.00183
KY	H L Spurloc	6041	2	11/7/2022	298	2654.7	0.006084	0.683	0.001813
KY	H L Spurloc	6041	2	11/7/2022	295	2629	0.006105	0.685	0.001801
KY	H L Spurloc	6041	2	11/7/2022	294	2676.3			
KY	H L Spurloc	6041	2	11/7/2022	293	2781.3	0.002734	0.288	0.000801
KY	H L Spurloc	6041	2	11/7/2022	292	2842.5	0.002804	0.288	0.000819
KY	H L Spurloc	6041	2	11/7/2022	299	2889.6	0.002812	0.291	0.000841
KY	H L Spurloc	6041	2	11/7/2022	366	3547.8	0.002695	0.278	0.000986
KY	H L Spurloc	6041	2	11/7/2022	318	3008.4	0.002725	0.288	0.000866
KY	H L Spurloc	6041	2	11/7/2022	324	3046.9	0.00269	0.286	0.000871
KY	H L Spurloc	6041	2	11/7/2022	365	3490.4	0.002725	0.285	0.000995
KY	H L Spurloc	6041	2	11/7/2022	343	3272.6	0.0027	0.283	0.000926
KY	H L Spurloc	6041	2	11/7/2022	319	3065.1	0.002777	0.289	0.000886
KY	H L Spurloc	6041	2	11/7/2022	300	2868.9	0.002773	0.29	0.000832
KY	H L Spurloc	6041	2	11/7/2022	300	2861.1	0.002747	0.288	0.000824
KY	H L Spurloc	6041	2	11/7/2022	301	2827.7	0.002677	0.285	0.000806
KY	H L Spurloc	6041	2	11/7/2022	326	3061	0.002667	0.284	0.000869
KY	H L Spurloc	6041	2	11/7/2022	310	2859.5	0.002629	0.285	0.000815
KY	H L Spurloc	6041	2	11/8/2022	309	2811.9	0.002612	0.287	0.000807
KY	H L Spurloc	6041	2	11/8/2022	310	2805	0.002579	0.285	0.000799
KY	H L Spurloc	6041	2	11/8/2022	310	2798.6	0.002591	0.287	0.000803
KY	H L Spurloc	6041	2	11/8/2022	310	2745.4	0.002542	0.287	0.000788
KY	H L Spurloc	6041	2	11/8/2022	310	2743.2	0.00254	0.287	0.000787

KY	H L Spurloc	6041	2	11/8/2022	304	2692.2	0.002551	0.288	0.000775
KY	H L Spurloc	6041	2	11/8/2022	300	2625.7	0.002529	0.289	0.000759
KY	H L Spurloc	6041	2	11/8/2022	300	2622.3	0.002517	0.288	0.000755
KY	H L Spurloc	6041	2	11/8/2022	300	2619.5	0.002515	0.288	0.000754
KY	H L Spurloc	6041	2	11/8/2022	314	2787.7	0.002539	0.286	0.000797
KY	H L Spurloc	6041	2	11/8/2022	299	2618.1	0.002531	0.289	0.000757
KY	H L Spurloc	6041	2	11/8/2022	300	2651	0.002536	0.287	0.000761
KY	H L Spurloc	6041	2	11/8/2022	311	2800.2	0.002584	0.287	0.000804
KY	H L Spurloc	6041	2	11/8/2022	326	2968.9	0.002614	0.287	0.000852
KY	H L Spurloc	6041	2	11/8/2022	299	2761.2	0.002669	0.289	0.000798
KY	H L Spurloc	6041	2	11/8/2022	305	2882	0.002731	0.289	0.000833
KY	H L Spurloc	6041	2	11/8/2022	305	2943.5	0.002799	0.29	0.000854
KY	H L Spurloc	6041	2	11/8/2022	305	2949	0.002775	0.287	0.000846
KY	H L Spurloc	6041	2	11/8/2022	306	2944.9	0.002762	0.287	0.000845
KY	H L Spurloc	6041	2	11/8/2022	305	2895.3	0.002724	0.287	0.000831
KY	H L Spurloc	6041	2	11/8/2022	305	2835.1	0.002668	0.287	0.000814
KY	H L Spurloc	6041	2	11/8/2022	310	2869.7	0.002685	0.29	0.000832
KY	H L Spurloc	6041	2	11/8/2022	300	2720.9	0.002648	0.292	0.000795
KY	H L Spurloc	6041	2	11/8/2022	298	2681.3	0.002636	0.293	0.000786
KY	H L Spurloc	6041	2	11/9/2022	315	2823.9	0.0026	0.29	0.000819
KY	H L Spurloc	6041	2	11/9/2022	297	2604.2	0.002569	0.293	0.000763
KY	H L Spurloc	6041	2	11/9/2022	295	2594.6	0.002577	0.293	0.00076
KY	H L Spurloc	6041	2	11/9/2022	295	2573.8	0.00253	0.29	0.000746
KY	H L Spurloc	6041	2	11/9/2022	295	2548.7	0.002531	0.293	0.000747
KY	H L Spurloc	6041	2	11/9/2022	309	2670.1	0.002506	0.29	0.000774
KY	H L Spurloc	6041	2	11/9/2022	345	2965.1	0.002475	0.288	0.000854
KY	H L Spurloc	6041	2	11/9/2022	331	2886	0.002511	0.288	0.000831
KY	H L Spurloc	6041	2	11/9/2022	320	2767.4	0.002508	0.29	0.000803
KY	H L Spurloc	6041	2	11/9/2022	320	2788.5	0.002527	0.29	0.000809
KY	H L Spurloc	6041	2	11/9/2022	319	2786	0.002533	0.29	0.000808
KY	H L Spurloc	6041	2	11/9/2022	315	2838.7	0.002613	0.29	0.000823
KY	H L Spurloc	6041	2	11/9/2022	295	2805.6	0.002787	0.293	0.000822
KY	H L Spurloc	6041	2	11/9/2022	297	2784.8	0.002747	0.293	0.000816
KY	H L Spurloc	6041	2	11/9/2022	299	2781.4	0.002698	0.29	0.000807
KY	H L Spurloc	6041	2	11/9/2022	300	2826.3	0.002742	0.291	0.000822
KY	H L Spurloc	6041	2	11/9/2022	295	2781.6	0.002753	0.292	0.000812
KY	H L Spurloc	6041	2	11/9/2022	295	2761.3	0.002714	0.29	0.000801
KY	H L Spurloc	6041	2	11/9/2022	295	2760.2	0.002732	0.292	0.000806
KY	H L Spurloc	6041	2	11/9/2022	295	2780.8	0.002762	0.293	0.000815
KY	H L Spurloc	6041	2	11/9/2022	295	2805	0.002786	0.293	0.000822
KY	H L Spurloc	6041	2	11/9/2022	295	2841.6	0.002822	0.293	0.000833
KY	H L Spurloc	6041	2	11/9/2022	295	2781.7	0.002791	0.296	0.000823
KY	H L Spurloc	6041	2	11/9/2022	295	2730.7	0.002712	0.293	0.0008
KY	H L Spurloc	6041	2	11/10/2022	301	2756.1	0.002683	0.293	0.000808
KY	H L Spurloc	6041	2	11/10/2022	294	2667.4	0.002658	0.293	0.000782
KY	H L Spurloc	6041	2	11/10/2022	295	2631.9	0.002641	0.296	0.000779
KY	H L Spurloc	6041	2	11/10/2022	295	2613.3	0.002596	0.293	0.000766
KY	H L Spurloc	6041	2	11/10/2022	295	2595.8	0.002578	0.293	0.000761

KY	H L Spurloc	6041	2	11/10/2022	298	2627.6	0.002566	0.291	0.000765
KY	H L Spurloc	6041	2	11/10/2022	295	2569	0.00256	0.294	0.000755
KY	H L Spurloc	6041	2	11/10/2022	295	2588	0.002553	0.291	0.000753
KY	H L Spurloc	6041	2	11/10/2022	295	2576	0.00255	0.292	0.000752
KY	H L Spurloc	6041	2	11/10/2022	295	2596.2	0.00257	0.292	0.000758
KY	H L Spurloc	6041	2	11/10/2022	295	2618.3	0.002592	0.292	0.000765
KY	H L Spurloc	6041	2	11/10/2022	300	2761.4	0.002679	0.291	0.000804
KY	H L Spurloc	6041	2	11/10/2022	294	2832	0.002832	0.294	0.000833
KY	H L Spurloc	6041	2	11/10/2022	294	2774.6	0.002775	0.294	0.000816
KY	H L Spurloc	6041	2	11/10/2022	295	2802	0.002726	0.287	0.000804
KY	H L Spurloc	6041	2	11/10/2022	295	2798.3	0.002722	0.287	0.000803
KY	H L Spurloc	6041	2	11/10/2022	297	2792.1	0.002717	0.289	0.000807
KY	H L Spurloc	6041	2	11/10/2022	295	2765.7	0.002709	0.289	0.000799
KY	H L Spurloc	6041	2	11/10/2022	295	2776.9	0.002711	0.288	0.0008
KY	H L Spurloc	6041	2	11/10/2022	295	2810.6	0.002753	0.289	0.000812
KY	H L Spurloc	6041	2	11/10/2022	295	2843.6	0.002786	0.289	0.000822
KY	H L Spurloc	6041	2	11/10/2022	295	2838.9	0.002781	0.289	0.00082
KY	H L Spurloc	6041	2	11/10/2022	294	2759.2	0.002731	0.291	0.000803
KY	H L Spurloc	6041	2	11/10/2022	295	2842	0.002784	0.289	0.000821
KY	H L Spurloc	6041	2	11/11/2022	299	2907.1	0.0028	0.288	0.000837
KY	H L Spurloc	6041	2	11/11/2022	295	2832.9	0.002794	0.291	0.000824
KY	H L Spurloc	6041	2	11/11/2022	307	2978.3	0.002794	0.288	0.000858
KY	H L Spurloc	6041	2	11/11/2022	297	2843.8	0.002786	0.291	0.000828
KY	H L Spurloc	6041	2	11/11/2022	295	2888.8	0.00283	0.289	0.000835
KY	H L Spurloc	6041	2	11/11/2022	298	2896.6	0.002809	0.289	0.000837
KY	H L Spurloc	6041	2	11/11/2022	295	2865.6	0.002807	0.289	0.000828
KY	H L Spurloc	6041	2	11/11/2022	295	2839.6	0.002753	0.286	0.000812
KY	H L Spurloc	6041	2	11/11/2022	333	3225.8	0.002761	0.285	0.000919
KY	H L Spurloc	6041	2	11/11/2022	294	2819.6	0.002791	0.291	0.000821
KY	H L Spurloc	6041	2	11/11/2022	313	3013.3	0.002763	0.287	0.000865
KY	H L Spurloc	6041	2	11/11/2022	294	2824.9	0.002758	0.287	0.000811
KY	H L Spurloc	6041	2	11/11/2022	295	2859.2	0.00283	0.292	0.000835
KY	H L Spurloc	6041	2	11/11/2022	295	2832.2	0.002755	0.287	0.000813
KY	H L Spurloc	6041	2	11/11/2022	295	2854.1	0.002796	0.289	0.000825
KY	H L Spurloc	6041	2	11/11/2022	295	2848.2	0.002819	0.292	0.000832
KY	H L Spurloc	6041	2	11/11/2022	295	2848.9	0.002849	0.295	0.00084
KY	H L Spurloc	6041	2	11/11/2022	295	2849.6	0.002821	0.292	0.000832
KY	H L Spurloc	6041	2	11/11/2022	295	2825.7	0.002778	0.29	0.000819
KY	H L Spurloc	6041	2	11/11/2022	322	3092.2	0.002708	0.282	0.000872
KY	H L Spurloc	6041	2	11/11/2022	334	3122.4	0.002664	0.285	0.00089
KY	H L Spurloc	6041	2	11/11/2022	295	2712.9	0.002639	0.287	0.000779
KY	H L Spurloc	6041	2	11/11/2022	295	2676.6	0.002631	0.29	0.000776
KY	H L Spurloc	6041	2	11/11/2022	296	2687.8	0.002615	0.288	0.000774
KY	H L Spurloc	6041	2	11/12/2022	310	2787.1	0.002589	0.288	0.000803
KY	H L Spurloc	6041	2	11/12/2022	387	3583.7	0.002574	0.278	0.000996
KY	H L Spurloc	6041	2	11/12/2022	358	3222	0.002556	0.284	0.000915
KY	H L Spurloc	6041	2	11/12/2022	295	2589.6	0.00259	0.295	0.000764
KY	H L Spurloc	6041	2	11/12/2022	295	2609	0.002591	0.293	0.000764

KY	H L Spurloc	6041	2	11/12/2022	322	2851.6	0.002568	0.29	0.000827
KY	H L Spurloc	6041	2	11/12/2022	304	2679.2	0.002565	0.291	0.00078
KY	H L Spurloc	6041	2	11/12/2022	300	2646.9	0.002576	0.292	0.000773
KY	H L Spurloc	6041	2	11/12/2022	300	2659.9	0.002589	0.292	0.000777
KY	H L Spurloc	6041	2	11/12/2022	300	2638.1	0.00255	0.29	0.000765
KY	H L Spurloc	6041	2	11/12/2022	363	3268	0.00253	0.281	0.000918
KY	H L Spurloc	6041	2	11/12/2022	300	2645.1	0.002575	0.292	0.000772
KY	H L Spurloc	6041	2	11/12/2022	304	2678.2	0.00259	0.294	0.000787
KY	H L Spurloc	6041	2	11/12/2022	304	2679.8	0.002574	0.292	0.000783
KY	H L Spurloc	6041	2	11/12/2022	303	2684.2	0.002587	0.292	0.000784
KY	H L Spurloc	6041	2	11/12/2022	300	2629	0.002559	0.292	0.000768
KY	H L Spurloc	6041	2	11/12/2022	304	2717.2	0.002592	0.29	0.000788
KY	H L Spurloc	6041	2	11/12/2022	325	2932.4	0.002571	0.285	0.000836
KY	H L Spurloc	6041	2	11/12/2022	312	2821.8	0.002578	0.285	0.000804
KY	H L Spurloc	6041	2	11/12/2022	304	2735.6	0.002592	0.288	0.000788
KY	H L Spurloc	6041	2	11/12/2022	316	2867.3	0.002586	0.285	0.000817
KY	H L Spurloc	6041	2	11/12/2022	300	2663.7	0.002548	0.287	0.000764
KY	H L Spurloc	6041	2	11/12/2022	301	2672.3	0.002566	0.289	0.000772
KY	H L Spurloc	6041	2	11/12/2022	300	2665	0.00255	0.287	0.000765
KY	H L Spurloc	6041	2	11/13/2022	393	3641.8	0.002558	0.276	0.001005
KY	H L Spurloc	6041	2	11/13/2022	370	3405.7	0.00255	0.277	0.000943
KY	H L Spurloc	6041	2	11/13/2022	298	2646.5	0.002584	0.291	0.00077
KY	H L Spurloc	6041	2	11/13/2022	300	2668.8	0.002571	0.289	0.000771
KY	H L Spurloc	6041	2	11/13/2022	300	2689.3	0.002564	0.286	0.000769
KY	H L Spurloc	6041	2	11/13/2022	300	2695.2	0.002578	0.287	0.000774
KY	H L Spurloc	6041	2	11/13/2022	302	2691.2	0.002558	0.287	0.000772
KY	H L Spurloc	6041	2	11/13/2022	306	2756.2	0.002558	0.284	0.000783
KY	H L Spurloc	6041	2	11/13/2022	324	2903.9	0.002545	0.284	0.000825
KY	H L Spurloc	6041	2	11/13/2022	316	2831	0.002544	0.284	0.000804
KY	H L Spurloc	6041	2	11/13/2022	300	2687.7	0.002562	0.286	0.000769
KY	H L Spurloc	6041	2	11/13/2022	300	2682.4	0.002575	0.288	0.000773
KY	H L Spurloc	6041	2	11/13/2022	300	2688.1	0.00259	0.289	0.000777
KY	H L Spurloc	6041	2	11/13/2022	302	2695.6	0.002535	0.284	0.000766
KY	H L Spurloc	6041	2	11/13/2022	302	2701.1	0.002558	0.286	0.000773
KY	H L Spurloc	6041	2	11/13/2022	299	2679.1	0.002589	0.289	0.000774
KY	H L Spurloc	6041	2	11/13/2022	313	2805	0.002563	0.286	0.000802
KY	H L Spurloc	6041	2	11/13/2022	400	3715.1	0.002536	0.273	0.001014
KY	H L Spurloc	6041	2	11/13/2022	425	3858.8	0.002461	0.271	0.001046
KY	H L Spurloc	6041	2	11/13/2022	451	4200.3	0.002505	0.269	0.00113
KY	H L Spurloc	6041	2	11/13/2022	378	3431.2	0.002514	0.277	0.00095
KY	H L Spurloc	6041	2	11/13/2022	381	3460.2	0.002498	0.275	0.000952
KY	H L Spurloc	6041	2	11/13/2022	331	2965.1	0.002535	0.283	0.000839
KY	H L Spurloc	6041	2	11/13/2022	302	2682.9	0.002541	0.286	0.000767
KY	H L Spurloc	6041	2	11/14/2022	300	2679.1	0.002563	0.287	0.000769
KY	H L Spurloc	6041	2	11/14/2022	343	3110.5	0.002539	0.28	0.000871
KY	H L Spurloc	6041	2	11/14/2022	302	2693.6	0.002569	0.288	0.000776
KY	H L Spurloc	6041	2	11/14/2022	306	2723.6	0.002554	0.287	0.000782
KY	H L Spurloc	6041	2	11/14/2022	332	2987.8	0.002529	0.281	0.00084

KY	H L Spurloc	6041	2	11/14/2022	387	3592.6	0.002525	0.272	0.000977
KY	H L Spurloc	6041	2	11/14/2022	462	4342.6	0.00251	0.267	0.001159
KY	H L Spurloc	6041	2	11/14/2022	508	4767.1	0.002477	0.264	0.001259
KY	H L Spurloc	6041	2	11/14/2022	348	3097.8	0.00251	0.282	0.000874
KY	H L Spurloc	6041	2	11/14/2022	330	2954.4	0.00256	0.286	0.000845
KY	H L Spurloc	6041	2	11/14/2022	419	3868.3	0.00253	0.274	0.00106
KY	H L Spurloc	6041	2	11/14/2022	381	3443.9	0.002522	0.279	0.000961
KY	H L Spurloc	6041	2	11/14/2022	446	4182.3	0.002541	0.271	0.001133
KY	H L Spurloc	6041	2	11/14/2022	397	3637.2	0.002492	0.272	0.000989
KY	H L Spurloc	6041	2	11/14/2022	292	2614.4	0.00317	0.354	0.000925
KY	H L Spurloc	6041	2	11/14/2022	295	2643.8	0.003182	0.355	0.000939
KY	H L Spurloc	6041	2	11/14/2022	332	3015.6	0.003179	0.35	0.001055
KY	H L Spurloc	6041	2	11/14/2022	405	3753.1	0.003141	0.339	0.001272
KY	H L Spurloc	6041	2	11/14/2022	485	4535.1	0.003086	0.33	0.001497
KY	H L Spurloc	6041	2	11/14/2022	427	3912.4	0.003069	0.335	0.001311
KY	H L Spurloc	6041	2	11/14/2022	296	2639.4	0.003157	0.354	0.000934
KY	H L Spurloc	6041	2	11/14/2022	351	3162.6	0.003118	0.346	0.001094
KY	H L Spurloc	6041	2	11/14/2022	369	3349.8	0.003123	0.344	0.001152
KY	H L Spurloc	6041	2	11/14/2022	400	3683.1	0.003131	0.34	0.001252
KY	H L Spurloc	6041	2	11/15/2022	337	2987.8	0.003076	0.347	0.001037
KY	H L Spurloc	6041	2	11/15/2022	296	2629.5	0.003136	0.353	0.000928
KY	H L Spurloc	6041	2	11/15/2022	301	2657.4	0.003187	0.361	0.000959
KY	H L Spurloc	6041	2	11/15/2022	304	2705.1	0.003186	0.358	0.000968
KY	H L Spurloc	6041	2	11/15/2022	349	3184.8	0.003185	0.349	0.001111
KY	H L Spurloc	6041	2	11/15/2022	330	2948.6	0.003145	0.352	0.001038
KY	H L Spurloc	6041	2	11/15/2022	304	2690.6	0.003169	0.358	0.000963
KY	H L Spurloc	6041	2	11/15/2022	342	3051.6	0.003141	0.352	0.001074
KY	H L Spurloc	6041	2	11/15/2022	458	4305.2	0.003121	0.332	0.001429
KY	H L Spurloc	6041	2	11/15/2022	503	4732	0.003104	0.33	0.001562
KY	H L Spurloc	6041	2	11/15/2022	503	4711.5	0.0031	0.331	0.00156
KY	H L Spurloc	6041	2	11/15/2022	510	4783.3	0.003104	0.331	0.001583
KY	H L Spurloc	6041	2	11/15/2022	513	4844.3	0.003088	0.327	0.001584
KY	H L Spurloc	6041	2	11/15/2022	514	4828.8	0.003091	0.329	0.001589
KY	H L Spurloc	6041	2	11/15/2022	508	4780.8	0.003068	0.326	0.001559
KY	H L Spurloc	6041	2	11/15/2022	476	4344.5	0.003048	0.334	0.001451
KY	H L Spurloc	6041	2	11/15/2022	409	3679.3	0.003059	0.34	0.001251
KY	H L Spurloc	6041	2	11/15/2022	508	4749.1	0.003048	0.326	0.001548
KY	H L Spurloc	6041	2	11/15/2022	507	4732.4	0.003034	0.325	0.001538
KY	H L Spurloc	6041	2	11/15/2022	511	4760.6	0.003028	0.325	0.001547
KY	H L Spurloc	6041	2	11/15/2022	511	4769.5	0.003043	0.326	0.001555
KY	H L Spurloc	6041	2	11/15/2022	502	4662.5	0.003056	0.329	0.001534
KY	H L Spurloc	6041	2	11/15/2022	480	4457.2	0.003055	0.329	0.001466
KY	H L Spurloc	6041	2	11/15/2022	418	3794.8	0.003023	0.333	0.001264
KY	H L Spurloc	6041	2	11/16/2022	325	2830.3	0.003048	0.35	0.000991
KY	H L Spurloc	6041	2	11/16/2022	300	2643	0.003128	0.355	0.000938
KY	H L Spurloc	6041	2	11/16/2022	301	2634.9	0.00316	0.361	0.000951
KY	H L Spurloc	6041	2	11/16/2022	300	2578	0.003119	0.363	0.000936
KY	H L Spurloc	6041	2	11/16/2022	372	3423.4	0.003166	0.344	0.001178

KY	H L Spurloc	6041	2	11/16/2022	318	2758.2	0.003114	0.359	0.00099
KY	H L Spurloc	6041	2	11/16/2022	386	3511.6	0.003093	0.34	0.001194
KY	H L Spurloc	6041	2	11/16/2022	503	4792	0.003096	0.325	0.001557
KY	H L Spurloc	6041	2	11/16/2022	499	4723.7	0.003086	0.326	0.00154
KY	H L Spurloc	6041	2	11/16/2022	379	3414	0.003072	0.341	0.001164
KY	H L Spurloc	6041	2	11/16/2022	410	3747.5	0.003117	0.341	0.001278
KY	H L Spurloc	6041	2	11/16/2022	412	3782.1	0.003103	0.338	0.001278
KY	H L Spurloc	6041	2	11/16/2022	361	3223.7	0.003125	0.35	0.001128
KY	H L Spurloc	6041	2	11/16/2022	354	3159.1	0.003106	0.348	0.001099
KY	H L Spurloc	6041	2	11/16/2022	369	3259.6	0.003012	0.341	0.001112
KY	H L Spurloc	6041	2	11/16/2022	343	2998.1	0.003016	0.345	0.001034
KY	H L Spurloc	6041	2	11/16/2022	379	3319.7	0.002996	0.342	0.001135
KY	H L Spurloc	6041	2	11/16/2022	426	3869.1	0.003024	0.333	0.001288
KY	H L Spurloc	6041	2	11/16/2022	508	4770.8	0.003043	0.324	0.001546
KY	H L Spurloc	6041	2	11/16/2022	509	4733.1	0.003031	0.326	0.001543
KY	H L Spurloc	6041	2	11/16/2022	503	4661.4	0.003012	0.325	0.001515
KY	H L Spurloc	6041	2	11/16/2022	481	4449.5	0.003062	0.331	0.001473
KY	H L Spurloc	6041	2	11/16/2022	430	3890.8	0.003031	0.335	0.001303
KY	H L Spurloc	6041	2	11/16/2022	330	2845.1	0.002992	0.347	0.000987
KY	H L Spurloc	6041	2	11/17/2022	373	3312.9	0.003038	0.342	0.001133
KY	H L Spurloc	6041	2	11/17/2022	331	2826	0.002971	0.348	0.000983
KY	H L Spurloc	6041	2	11/17/2022	313	2696.8	0.003041	0.353	0.000952
KY	H L Spurloc	6041	2	11/17/2022	404	3613.2	0.003023	0.338	0.001221
KY	H L Spurloc	6041	2	11/17/2022	346	2980.8	0.002972	0.345	0.001028
KY	H L Spurloc	6041	2	11/17/2022	360	3210.8	0.003032	0.34	0.001092
KY	H L Spurloc	6041	2	11/17/2022	497	4651.7	0.003051	0.326	0.001516
KY	H L Spurloc	6041	2	11/17/2022	516	4797.7	0.003031	0.326	0.001564
KY	H L Spurloc	6041	2	11/17/2022	483	4417	0.003	0.328	0.001449
KY	H L Spurloc	6041	2	11/17/2022	416	3737.1	0.002991	0.333	0.001244
KY	H L Spurloc	6041	2	11/17/2022	329	2844.3	0.002991	0.346	0.000984
KY	H L Spurloc	6041	2	11/17/2022	397	3573.2	0.003033	0.337	0.001204
KY	H L Spurloc	6041	2	11/17/2022	487	4524.4	0.003057	0.329	0.001489
KY	H L Spurloc	6041	2	11/17/2022	501	4687.5	0.003041	0.325	0.001523
KY	H L Spurloc	6041	2	11/17/2022	498	4651.5	0.003026	0.324	0.001507
KY	H L Spurloc	6041	2	11/17/2022	417	3714.7	0.002984	0.335	0.001244
KY	H L Spurloc	6041	2	11/17/2022	446	4056.9	0.003029	0.333	0.001351
KY	H L Spurloc	6041	2	11/17/2022	494	4605.6	0.003039	0.326	0.001501
KY	H L Spurloc	6041	2	11/17/2022	511	4778.3	0.003058	0.327	0.001563
KY	H L Spurloc	6041	2	11/17/2022	510	4761.9	0.003063	0.328	0.001562
KY	H L Spurloc	6041	2	11/17/2022	496	4619.1	0.003055	0.328	0.001515
KY	H L Spurloc	6041	2	11/17/2022	489	4527.1	0.003064	0.331	0.001498
KY	H L Spurloc	6041	2	11/17/2022	405	3572.1	0.003016	0.342	0.001222
KY	H L Spurloc	6041	2	11/17/2022	378	3296.9	0.002992	0.343	0.001131
KY	H L Spurloc	6041	2	11/18/2022	419	3748.6	0.003006	0.336	0.00126
KY	H L Spurloc	6041	2	11/18/2022	460	4210.5	0.003021	0.33	0.001389
KY	H L Spurloc	6041	2	11/18/2022	424	3799.9	0.00302	0.337	0.001281
KY	H L Spurloc	6041	2	11/18/2022	304	2560	0.002956	0.351	0.000899
KY	H L Spurloc	6041	2	11/18/2022	308	2626	0.002984	0.35	0.000919

KY	H L Spurloc	6041	2	11/18/2022	321	2806.1	0.003042	0.348	0.000977
KY	H L Spurloc	6041	2	11/18/2022	407	3659.4	0.003048	0.339	0.001241
KY	H L Spurloc	6041	2	11/18/2022	507	4702.4	0.003033	0.327	0.001538
KY	H L Spurloc	6041	2	11/18/2022	425	3798	0.002976	0.333	0.001265
KY	H L Spurloc	6041	2	11/18/2022	318	2653.5	0.002904	0.348	0.000923
KY	H L Spurloc	6041	2	11/18/2022	391	3371.9	0.002932	0.34	0.001146
KY	H L Spurloc	6041	2	11/18/2022	358	3052.9	0.002942	0.345	0.001053
KY	H L Spurloc	6041	2	11/18/2022	432	3800.5	0.002974	0.338	0.001285
KY	H L Spurloc	6041	2	11/18/2022	400	3500.7	0.003002	0.343	0.001201
KY	H L Spurloc	6041	2	11/18/2022	384	3314.1	0.00296	0.343	0.001137
KY	H L Spurloc	6041	2	11/18/2022	441	3954	0.002995	0.334	0.001321
KY	H L Spurloc	6041	2	11/18/2022	449	3969.7	0.002971	0.336	0.001334
KY	H L Spurloc	6041	2	11/18/2022	498	4512.9	0.002954	0.326	0.001471
KY	H L Spurloc	6041	2	11/18/2022	495	4519.6	0.003022	0.331	0.001496
KY	H L Spurloc	6041	2	11/18/2022	511	4686.6	0.00299	0.326	0.001528
KY	H L Spurloc	6041	2	11/18/2022	459	4113.8	0.002985	0.333	0.00137
KY	H L Spurloc	6041	2	11/18/2022	389	3402.4	0.002965	0.339	0.001153
KY	H L Spurloc	6041	2	11/18/2022	415	3718.1	0.003046	0.34	0.001264
KY	H L Spurloc	6041	2	11/18/2022	434	3922.5	0.003001	0.332	0.001302
KY	H L Spurloc	6041	2	11/19/2022	327	2802.6	0.002991	0.349	0.000978
KY	H L Spurloc	6041	2	11/19/2022	296	2465.7	0.003007	0.361	0.00089
KY	H L Spurloc	6041	2	11/19/2022	295	2554.6	0.003109	0.359	0.000917
KY	H L Spurloc	6041	2	11/19/2022	298	2563.7	0.003063	0.356	0.000913
KY	H L Spurloc	6041	2	11/19/2022	393	3499.7	0.003037	0.341	0.001193
KY	H L Spurloc	6041	2	11/19/2022	310	2623.2	0.003038	0.359	0.000942
KY	H L Spurloc	6041	2	11/19/2022	400	3584.3	0.003056	0.341	0.001222
KY	H L Spurloc	6041	2	11/19/2022	458	4188.9	0.003036	0.332	0.001391
KY	H L Spurloc	6041	2	11/19/2022	404	3583.3	0.00298	0.336	0.001204
KY	H L Spurloc	6041	2	11/19/2022	296	2515.9	0.003	0.353	0.000888
KY	H L Spurloc	6041	2	11/19/2022	301	2594.6	0.003051	0.354	0.000918
KY	H L Spurloc	6041	2	11/19/2022	300	2587.1	0.003053	0.354	0.000916
KY	H L Spurloc	6041	2	11/19/2022	300	2611	0.003116	0.358	0.000935
KY	H L Spurloc	6041	2	11/19/2022	300	2578.6	0.003077	0.358	0.000923
KY	H L Spurloc	6041	2	11/19/2022	344	3019.9	0.00309	0.352	0.001063
KY	H L Spurloc	6041	2	11/19/2022	466	4293.1	0.003086	0.335	0.001438
KY	H L Spurloc	6041	2	11/19/2022	488	4481.6	0.003021	0.329	0.001474
KY	H L Spurloc	6041	2	11/19/2022	506	4736.3	0.003182	0.34	0.00161
KY	H L Spurloc	6041	2	11/19/2022	501	4679.2	0.003166	0.339	0.001586
KY	H L Spurloc	6041	2	11/19/2022	489	4545.3	0.003151	0.339	0.001541
KY	H L Spurloc	6041	2	11/19/2022	489	4445.5	0.002991	0.329	0.001463
KY	H L Spurloc	6041	2	11/19/2022	489	4480.1	0.003014	0.329	0.001474
KY	H L Spurloc	6041	2	11/19/2022	489	4495.6	0.003025	0.329	0.001479
KY	H L Spurloc	6041	2	11/19/2022	489	4445.7	0.002973	0.327	0.001454
KY	H L Spurloc	6041	2	11/20/2022	467	4196.7	0.002966	0.33	0.001385
KY	H L Spurloc	6041	2	11/20/2022	490	4473	0.002985	0.327	0.001463
KY	H L Spurloc	6041	2	11/20/2022	494	4502.5	0.002999	0.329	0.001481
KY	H L Spurloc	6041	2	11/20/2022	490	4523.5	0.003148	0.341	0.001543
KY	H L Spurloc	6041	2	11/20/2022	489	4513.2	0.003138	0.34	0.001534

KY	H L Spurloc	6041	2	11/20/2022	490	4492.8	0.002989	0.326	0.001465
KY	H L Spurloc	6041	2	11/20/2022	488	4448.4	0.002963	0.325	0.001446
KY	H L Spurloc	6041	2	11/20/2022	504	4653.4	0.003001	0.325	0.001512
KY	H L Spurloc	6041	2	11/20/2022	503	4657.7	0.003	0.324	0.001509
KY	H L Spurloc	6041	2	11/20/2022	488	4468.5	0.002994	0.327	0.001461
KY	H L Spurloc	6041	2	11/20/2022	487	4501.8	0.003004	0.325	0.001463
KY	H L Spurloc	6041	2	11/20/2022	487	4464.8	0.002989	0.326	0.001456
KY	H L Spurloc	6041	2	11/20/2022	487	4429.1	0.002992	0.329	0.001457
KY	H L Spurloc	6041	2	11/20/2022	489	4477.7	0.002985	0.326	0.00146
KY	H L Spurloc	6041	2	11/20/2022	490	4496.1	0.002991	0.326	0.001466
KY	H L Spurloc	6041	2	11/20/2022	489	4510.1	0.003007	0.326	0.00147
KY	H L Spurloc	6041	2	11/20/2022	494	4539.4	0.003005	0.327	0.001484
KY	H L Spurloc	6041	2	11/20/2022	500	4603.6	0.002983	0.324	0.001492
KY	H L Spurloc	6041	2	11/20/2022	500	4613.6	0.002999	0.325	0.001499
KY	H L Spurloc	6041	2	11/20/2022	508	4735.7	0.003011	0.323	0.00153
KY	H L Spurloc	6041	2	11/20/2022	516	4825.9	0.003021	0.323	0.001559
KY	H L Spurloc	6041	2	11/20/2022	501	4629	0.003003	0.325	0.001504
KY	H L Spurloc	6041	2	11/20/2022	503	4650.8	0.003033	0.328	0.001525
KY	H L Spurloc	6041	2	11/20/2022	490	4501.2	0.003013	0.328	0.001476
KY	H L Spurloc	6041	2	11/21/2022	496	4579.1	0.003028	0.328	0.001502
KY	H L Spurloc	6041	2	11/21/2022	495	4609.2	0.003036	0.326	0.001503
KY	H L Spurloc	6041	2	11/21/2022	499	4628.7	0.003052	0.329	0.001523
KY	H L Spurloc	6041	2	11/21/2022	500	4616.5	0.003019	0.327	0.00151
KY	H L Spurloc	6041	2	11/21/2022	504	4664.2	0.003017	0.326	0.001521
KY	H L Spurloc	6041	2	11/21/2022	494	4598.4	0.003035	0.326	0.001499
KY	H L Spurloc	6041	2	11/21/2022	520	4908.1	0.003077	0.326	0.0016
KY	H L Spurloc	6041	2	11/21/2022	531	5028	0.003077	0.325	0.001634
KY	H L Spurloc	6041	2	11/21/2022	494	4604.4	0.003039	0.326	0.001501
KY	H L Spurloc	6041	2	11/21/2022	497	4596.4	0.003033	0.328	0.001508
KY	H L Spurloc	6041	2	11/21/2022	489	4479.3	0.002986	0.326	0.00146
KY	H L Spurloc	6041	2	11/21/2022	490	4502	0.002692	0.293	0.001319
KY	H L Spurloc	6041	2	11/21/2022	489	4481	0.002685	0.293	0.001313
KY	H L Spurloc	6041	2	11/21/2022	489	4456.9	0.002689	0.295	0.001315
KY	H L Spurloc	6041	2	11/21/2022	488	4457.7	0.002695	0.295	0.001315
KY	H L Spurloc	6041	2	11/21/2022	402	3585.6	0.002685	0.301	0.001079
KY	H L Spurloc	6041	2	11/21/2022	302	2591.8	0.002729	0.318	0.000824
KY	H L Spurloc	6041	2	11/21/2022	422	3848.1	0.002763	0.303	0.001166
KY	H L Spurloc	6041	2	11/21/2022	494	4617.5	0.002729	0.292	0.001348
KY	H L Spurloc	6041	2	11/21/2022	354	3126.3	0.002711	0.307	0.00096
KY	H L Spurloc	6041	2	11/21/2022	343	3028.3	0.002755	0.312	0.000945
KY	H L Spurloc	6041	2	11/21/2022	297	2599.9	0.00281	0.321	0.000835
KY	H L Spurloc	6041	2	11/21/2022	382	3448.4	0.00278	0.308	0.001062
KY	H L Spurloc	6041	2	11/21/2022	322	2817.6	0.002756	0.315	0.000888
KY	H L Spurloc	6041	2	11/22/2022	319	2801.6	0.002766	0.315	0.000883
KY	H L Spurloc	6041	2	11/22/2022	436	3985.7	0.002742	0.3	0.001196
KY	H L Spurloc	6041	2	11/22/2022	334	2874.8	0.002694	0.313	0.0009
KY	H L Spurloc	6041	2	11/22/2022	320	2790.7	0.002747	0.315	0.000879
KY	H L Spurloc	6041	2	11/22/2022	293	2554.9	0.002773	0.318	0.000812



KY	H L Spurloc	6041	2	11/22/2022	394	3624.4	0.002769	0.301	0.001091
KY	H L Spurloc	6041	2	11/22/2022	485	4522.8	0.002751	0.295	0.001334
KY	H L Spurloc	6041	2	11/22/2022	514	4859.3	0.002761	0.292	0.001419
KY	H L Spurloc	6041	2	11/22/2022	504	4736	0.002734	0.291	0.001378
KY	H L Spurloc	6041	2	11/22/2022	397	3514.3	0.002664	0.301	0.001058
KY	H L Spurloc	6041	2	11/22/2022	323	2776.6	0.002682	0.312	0.000866
KY	H L Spurloc	6041	2	11/22/2022	298	2585.1	0.002741	0.316	0.000817
KY	H L Spurloc	6041	2	11/22/2022	295	2608	0.002829	0.32	0.000835
KY	H L Spurloc	6041	2	11/22/2022	296	2586.9	0.002805	0.321	0.00083
KY	H L Spurloc	6041	2	11/22/2022	310	2717.1	0.00284	0.324	0.00088
KY	H L Spurloc	6041	2	11/22/2022	310	2706.9	0.002812	0.322	0.000872
KY	H L Spurloc	6041	2	11/22/2022	340	3015.7	0.002812	0.317	0.000956
KY	H L Spurloc	6041	2	11/22/2022	483	4523.6	0.0028	0.299	0.001353
KY	H L Spurloc	6041	2	11/22/2022	458	4204.1	0.002726	0.297	0.001249
KY	H L Spurloc	6041	2	11/22/2022	315	2742.1	0.002751	0.316	0.000867
KY	H L Spurloc	6041	2	11/22/2022	303	2663	0.002786	0.317	0.000844
KY	H L Spurloc	6041	2	11/22/2022	296	2593.9	0.002813	0.321	0.000833
KY	H L Spurloc	6041	2	11/22/2022	300	2597.7	0.002814	0.325	0.000844
KY	H L Spurloc	6041	2	11/22/2022	299	2610.7	0.002794	0.32	0.000835
KY	H L Spurloc	6041	2	11/23/2022	300	2603.1	0.002794	0.322	0.000838
KY	H L Spurloc	6041	2	11/23/2022	299	2610	0.002793	0.32	0.000835
KY	H L Spurloc	6041	2	11/23/2022	300	2614.3	0.002815	0.323	0.000844
KY	H L Spurloc	6041	2	11/23/2022	296	2562.5	0.002788	0.322	0.000825
KY	H L Spurloc	6041	2	11/23/2022	346	3028.9	0.002749	0.314	0.000951
KY	H L Spurloc	6041	2	11/23/2022	384	3466.9	0.002736	0.303	0.00105
KY	H L Spurloc	6041	2	11/23/2022	346	3031.4	0.002734	0.312	0.000946
KY	H L Spurloc	6041	2	11/23/2022	434	3981.6	0.00278	0.303	0.001206
KY	H L Spurloc	6041	2	11/23/2022	423	3816.3	0.002743	0.304	0.00116
KY	H L Spurloc	6041	2	11/23/2022	456	4099.8	0.002697	0.3	0.00123
KY	H L Spurloc	6041	2	11/23/2022	398	3440	0.002636	0.305	0.001049
KY	H L Spurloc	6041	2	11/23/2022	398	3548.3	0.002701	0.303	0.001075
KY	H L Spurloc	6041	2	11/23/2022	308	2715	0.002768	0.314	0.000853
KY	H L Spurloc	6041	2	11/23/2022	381	3444.4	0.002775	0.307	0.001057
KY	H L Spurloc	6041	2	11/23/2022	329	2917	0.002793	0.315	0.000919
KY	H L Spurloc	6041	2	11/23/2022	298	2641.8	0.002872	0.324	0.000856
KY	H L Spurloc	6041	2	11/23/2022	310	2796	0.002895	0.321	0.000898
KY	H L Spurloc	6041	2	11/23/2022	311	2790.8	0.002881	0.321	0.000896
KY	H L Spurloc	6041	2	11/23/2022	302	2627.8	0.002819	0.324	0.000851
KY	H L Spurloc	6041	2	11/23/2022	302	2633.9	0.002826	0.324	0.000853
KY	H L Spurloc	6041	2	11/23/2022	299	2586	0.002811	0.325	0.00084
KY	H L Spurloc	6041	2	11/23/2022	394	3525.1	0.002783	0.311	0.001096
KY	H L Spurloc	6041	2	11/23/2022	325	2797.2	0.002763	0.321	0.000898
KY	H L Spurloc	6041	2	11/23/2022	299	2585.5	0.002793	0.323	0.000835
KY	H L Spurloc	6041	2	11/24/2022	300	2587.4	0.00282	0.327	0.000846
KY	H L Spurloc	6041	2	11/24/2022	299	2575.9	0.002817	0.327	0.000842
KY	H L Spurloc	6041	2	11/24/2022	300	2468.4	0.002691	0.327	0.000807
KY	H L Spurloc	6041	2	11/24/2022	300	2472.4	0.002703	0.328	0.000811
KY	H L Spurloc	6041	2	11/24/2022	300	2463.1	0.002668	0.325	0.000801

KY	H L Spurloc	6041	2	11/24/2022	300	2457.7	0.002638	0.322	0.000791
KY	H L Spurloc	6041	2	11/24/2022	301	2481	0.002654	0.322	0.000799
KY	H L Spurloc	6041	2	11/24/2022	299	2453.7	0.002634	0.321	0.000788
KY	H L Spurloc	6041	2	11/24/2022	300	2455.8	0.002652	0.324	0.000796
KY	H L Spurloc	6041	2	11/24/2022	299	2475.6	0.002658	0.321	0.000795
KY	H L Spurloc	6041	2	11/24/2022	313	2585.3	0.002643	0.32	0.000827
KY	H L Spurloc	6041	2	11/24/2022	390	3405	0.002707	0.31	0.001056
KY	H L Spurloc	6041	2	11/24/2022	317	2651.6	0.002735	0.327	0.000867
KY	H L Spurloc	6041	2	11/24/2022	300	2553.6	0.002792	0.328	0.000838
KY	H L Spurloc	6041	2	11/24/2022	299	2630.3	0.00285	0.324	0.000852
KY	H L Spurloc	6041	2	11/24/2022	300	2710.7	0.002937	0.325	0.000881
KY	H L Spurloc	6041	2	11/24/2022	300	2727	0.002982	0.328	0.000894
KY	H L Spurloc	6041	2	11/24/2022	300	2710.5	0.002909	0.322	0.000873
KY	H L Spurloc	6041	2	11/24/2022	300	2696.7	0.002921	0.325	0.000876
KY	H L Spurloc	6041	2	11/24/2022	300	2678.4	0.002902	0.325	0.00087
KY	H L Spurloc	6041	2	11/24/2022	299	2655.8	0.002887	0.325	0.000863
KY	H L Spurloc	6041	2	11/24/2022	300	2650.5	0.002871	0.325	0.000861
KY	H L Spurloc	6041	2	11/24/2022	299	2631.4	0.002869	0.326	0.000858
KY	H L Spurloc	6041	2	11/24/2022	300	2600.3	0.0028	0.323	0.00084
KY	H L Spurloc	6041	2	11/25/2022	300	2610.7	0.002837	0.326	0.000851
KY	H L Spurloc	6041	2	11/25/2022	299	2590.2	0.002815	0.325	0.000842
KY	H L Spurloc	6041	2	11/25/2022	300	2581.4	0.002797	0.325	0.000839
KY	H L Spurloc	6041	2	11/25/2022	300	2538.9	0.002776	0.328	0.000833
KY	H L Spurloc	6041	2	11/25/2022	299	2518.2	0.002762	0.328	0.000826
KY	H L Spurloc	6041	2	11/25/2022	300	2489.6	0.002697	0.325	0.000809
KY	H L Spurloc	6041	2	11/25/2022	300	2490	0.002714	0.327	0.000814
KY	H L Spurloc	6041	2	11/25/2022	389	3409.2	0.002734	0.312	0.001064
KY	H L Spurloc	6041	2	11/25/2022	329	2759.9	0.002684	0.32	0.000883
KY	H L Spurloc	6041	2	11/25/2022	295	2437.2	0.002718	0.329	0.000802
KY	H L Spurloc	6041	2	11/25/2022	295	2461.9	0.002729	0.327	0.000805
KY	H L Spurloc	6041	2	11/25/2022	295	2450.5	0.0027	0.325	0.000796
KY	H L Spurloc	6041	2	11/25/2022	295	2478.4	0.002756	0.328	0.000813
KY	H L Spurloc	6041	2	11/25/2022	295	2459.7	0.002735	0.328	0.000807
KY	H L Spurloc	6041	2	11/25/2022	295	2466.8	0.002743	0.328	0.000809
KY	H L Spurloc	6041	2	11/25/2022	295	2486.4	0.002739	0.325	0.000808
KY	H L Spurloc	6041	2	11/25/2022	294	2501.4	0.002816	0.331	0.000828
KY	H L Spurloc	6041	2	11/25/2022	297	2516.4	0.002754	0.325	0.000818
KY	H L Spurloc	6041	2	11/25/2022	295	2436.5	0.002709	0.328	0.000799
KY	H L Spurloc	6041	2	11/25/2022	294	2385.8	0.002662	0.328	0.000783
KY	H L Spurloc	6041	2	11/25/2022	294	2373.6	0.002624	0.325	0.000771
KY	H L Spurloc	6041	2	11/25/2022	295	2436.4	0.002709	0.328	0.000799
KY	H L Spurloc	6041	2	11/25/2022	294	2429.2	0.002735	0.331	0.000804
KY	H L Spurloc	6041	2	11/25/2022	295	2436.2	0.002684	0.325	0.000792
KY	H L Spurloc	6041	2	11/26/2022	295	2440.5	0.002722	0.329	0.000803
KY	H L Spurloc	6041	2	11/26/2022	296	2410.7	0.002704	0.332	0.0008
KY	H L Spurloc	6041	2	11/26/2022	294	2418.7	0.002707	0.329	0.000796
KY	H L Spurloc	6041	2	11/26/2022	295	2413	0.002667	0.326	0.000787
KY	H L Spurloc	6041	2	11/26/2022	295	2389.9	0.002665	0.329	0.000786

KY	H L Spurloc	6041	2	11/26/2022	295	2408.1	0.002694	0.33	0.000795
KY	H L Spurloc	6041	2	11/26/2022	295	2404.8	0.002674	0.328	0.000789
KY	H L Spurloc	6041	2	11/26/2022	295	2403.5	0.002672	0.328	0.000788
KY	H L Spurloc	6041	2	11/26/2022	309	2536.8	0.002652	0.323	0.000819
KY	H L Spurloc	6041	2	11/26/2022	295	2398.4	0.00265	0.326	0.000782
KY	H L Spurloc	6041	2	11/26/2022	294	2397.9	0.002643	0.324	0.000777
KY	H L Spurloc	6041	2	11/26/2022	295	2384.2	0.002602	0.322	0.000768
KY	H L Spurloc	6041	2	11/26/2022	295	2399.7	0.002668	0.328	0.000787
KY	H L Spurloc	6041	2	11/26/2022	294	2418	0.002673	0.325	0.000786
KY	H L Spurloc	6041	2	11/26/2022	291	2402.4	0.002658	0.322	0.000774
KY	H L Spurloc	6041	2	11/26/2022	291	2441.2	0.002726	0.325	0.000793
KY	H L Spurloc	6041	2	11/26/2022	319	2710.6	0.002762	0.325	0.000881
KY	H L Spurloc	6041	2	11/26/2022	311	2623.5	0.002716	0.322	0.000845
KY	H L Spurloc	6041	2	11/26/2022	294	2448	0.002698	0.324	0.000793
KY	H L Spurloc	6041	2	11/26/2022	291	2394.9	0.002666	0.324	0.000776
KY	H L Spurloc	6041	2	11/26/2022	292	2394.8	0.002665	0.325	0.000778
KY	H L Spurloc	6041	2	11/26/2022	292	2380.5	0.00265	0.325	0.000774
KY	H L Spurloc	6041	2	11/26/2022	338	2824.3	0.002691	0.322	0.000909
KY	H L Spurloc	6041	2	11/26/2022	290	2347.5	0.002631	0.325	0.000763
KY	H L Spurloc	6041	2	11/27/2022	292	2360.1	0.002627	0.325	0.000767
KY	H L Spurloc	6041	2	11/27/2022	291	2352.8	0.002628	0.325	0.000765
KY	H L Spurloc	6041	2	11/27/2022	291	2354.4	0.002638	0.326	0.000768
KY	H L Spurloc	6041	2	11/27/2022	291	2364	0.00264	0.325	0.000768
KY	H L Spurloc	6041	2	11/27/2022	293	2369.7	0.002645	0.327	0.000775
KY	H L Spurloc	6041	2	11/27/2022	293	2353.8	0.002627	0.327	0.00077
KY	H L Spurloc	6041	2	11/27/2022	293	2386.3	0.002647	0.325	0.000776
KY	H L Spurloc	6041	2	11/27/2022	293	2370.2	0.002645	0.327	0.000775
KY	H L Spurloc	6041	2	11/27/2022	293	2396.4	0.002666	0.326	0.000781
KY	H L Spurloc	6041	2	11/27/2022	366	3121.4	0.002729	0.32	0.000999
KY	H L Spurloc	6041	2	11/27/2022	296	2449.4	0.002722	0.329	0.000806
KY	H L Spurloc	6041	2	11/27/2022	293	2406.3	0.002702	0.329	0.000792
KY	H L Spurloc	6041	2	11/27/2022	294	2431.6	0.002729	0.33	0.000802
KY	H L Spurloc	6041	2	11/27/2022	293	2443.5	0.002735	0.328	0.000801
KY	H L Spurloc	6041	2	11/27/2022	294	2432.3	0.002714	0.328	0.000798
KY	H L Spurloc	6041	2	11/27/2022	291	2403.9	0.00271	0.328	0.000788
KY	H L Spurloc	6041	2	11/27/2022	299	2477	0.002734	0.33	0.000817
KY	H L Spurloc	6041	2	11/27/2022	369	3182.1	0.002751	0.319	0.001015
KY	H L Spurloc	6041	2	11/27/2022	489	4388.6	0.002728	0.304	0.001334
KY	H L Spurloc	6041	2	11/27/2022	377	3168.3	0.002672	0.318	0.001008
KY	H L Spurloc	6041	2	11/27/2022	394	3400.2	0.002718	0.315	0.001071
KY	H L Spurloc	6041	2	11/27/2022	358	2999.7	0.002681	0.32	0.00096
KY	H L Spurloc	6041	2	11/27/2022	385	3258.7	0.002692	0.318	0.001036
KY	H L Spurloc	6041	2	11/27/2022	313	2540.5	0.002646	0.326	0.000828
KY	H L Spurloc	6041	2	11/28/2022	459	4069.8	0.002749	0.31	0.001262
KY	H L Spurloc	6041	2	11/28/2022	550	5116.3	0.002763	0.297	0.00152
KY	H L Spurloc	6041	2	11/28/2022	551	5068.7	0.002741	0.298	0.00151
KY	H L Spurloc	6041	2	11/28/2022	552	5063.5	0.002715	0.296	0.001499
KY	H L Spurloc	6041	2	11/28/2022	551	5057.8	0.002735	0.298	0.001507

KY	H L Spurloc	6041	2	11/28/2022	551	5101.3	0.00275	0.297	0.001515
KY	H L Spurloc	6041	2	11/28/2022	553	5186	0.002926	0.312	0.001618
KY	H L Spurloc	6041	2	11/28/2022	553	5247.8	0.002942	0.31	0.001627
KY	H L Spurloc	6041	2	11/28/2022	554	5248.6	0.002937	0.31	0.001627
KY	H L Spurloc	6041	2	11/28/2022	554	5302.6	0.003254	0.34	0.001803
KY	H L Spurloc	6041	2	11/28/2022	553	5384.7	0.003301	0.339	0.001825
KY	H L Spurloc	6041	2	11/28/2022	554	5367.2	0.003265	0.337	0.001809
KY	H L Spurloc	6041	2	11/28/2022	555	5383.6	0.003288	0.339	0.001825
KY	H L Spurloc	6041	2	11/28/2022	554	5350	0.003283	0.34	0.001819
KY	H L Spurloc	6041	2	11/28/2022	555	5402.9	0.003281	0.337	0.001821
KY	H L Spurloc	6041	2	11/28/2022	555	5381.9	0.003287	0.339	0.001824
KY	H L Spurloc	6041	2	11/28/2022	555	5415.7	0.003298	0.338	0.001831
KY	H L Spurloc	6041	2	11/28/2022	554	5357.2	0.003239	0.335	0.001795
KY	H L Spurloc	6041	2	11/28/2022	551	5363	0.003261	0.335	0.001797
KY	H L Spurloc	6041	2	11/28/2022	553	5375.2	0.003285	0.338	0.001817
KY	H L Spurloc	6041	2	11/28/2022	552	5399	0.003277	0.335	0.001809
KY	H L Spurloc	6041	2	11/28/2022	551	5317.3	0.003271	0.339	0.001803
KY	H L Spurloc	6041	2	11/28/2022	553	5380.7	0.003308	0.34	0.001829
KY	H L Spurloc	6041	2	11/28/2022	554	5397.4	0.003254	0.334	0.001803
KY	H L Spurloc	6041	2	11/29/2022	553	5367.9	0.003271	0.337	0.001809
KY	H L Spurloc	6041	2	11/29/2022	553	5360.2	0.003276	0.338	0.001812
KY	H L Spurloc	6041	2	11/29/2022	553	5398	0.00329	0.337	0.001819
KY	H L Spurloc	6041	2	11/29/2022	555	5426.9	0.003285	0.336	0.001823
KY	H L Spurloc	6041	2	11/29/2022	556	5300.7	0.003222	0.338	0.001792
KY	H L Spurloc	6041	2	11/29/2022	554	5216.6	0.003183	0.338	0.001763
KY	H L Spurloc	6041	2	11/29/2022	554	5222.7	0.003158	0.335	0.00175
KY	H L Spurloc	6041	2	11/29/2022	554	5206.4	0.003158	0.336	0.001749
KY	H L Spurloc	6041	2	11/29/2022	555	5186.1	0.003149	0.337	0.001748
KY	H L Spurloc	6041	2	11/29/2022	554	5220	0.003175	0.337	0.001759
KY	H L Spurloc	6041	2	11/29/2022	554	5199.9	0.003163	0.337	0.001752
KY	H L Spurloc	6041	2	11/29/2022	552	5284.1	0.003226	0.337	0.001781
KY	H L Spurloc	6041	2	11/29/2022	554	5463.7	0.003314	0.336	0.001836
KY	H L Spurloc	6041	2	11/29/2022	555	5540.8	0.003354	0.336	0.001862
KY	H L Spurloc	6041	2	11/29/2022	554	5631.7	0.003416	0.336	0.001892
KY	H L Spurloc	6041	2	11/29/2022	555	5672	0.003413	0.334	0.001894
KY	H L Spurloc	6041	2	11/29/2022	554	5677.6	0.003454	0.337	0.001913
KY	H L Spurloc	6041	2	11/29/2022	555	5696.6	0.003449	0.336	0.001914
KY	H L Spurloc	6041	2	11/29/2022	554	5656.3	0.003431	0.336	0.001901
KY	H L Spurloc	6041	2	11/29/2022	553	5613.2	0.003411	0.336	0.001886
KY	H L Spurloc	6041	2	11/29/2022	553	5630.1	0.0034	0.334	0.00188
KY	H L Spurloc	6041	2	11/29/2022	555	5635.3	0.003412	0.336	0.001893
KY	H L Spurloc	6041	2	11/29/2022	554	5688.7	0.003481	0.339	0.001928
KY	H L Spurloc	6041	2	11/29/2022	555	5667.6	0.003492	0.342	0.001938
KY	H L Spurloc	6041	2	11/30/2022	444	4332.7	0.003298	0.338	0.001464
KY	H L Spurloc	6041	2	11/30/2022	294	2744.7	0.003258	0.349	0.000958
KY	H L Spurloc	6041	2	11/30/2022	292	2771	0.003369	0.355	0.000984
KY	H L Spurloc	6041	2	11/30/2022	291	2772.9	0.003316	0.348	0.000965
KY	H L Spurloc	6041	2	11/30/2022	292	2786.2	0.003321	0.348	0.00097

KY	H L Spurloc	6041	2	11/30/2022	292	2770.8	0.003331	0.351	0.000973
KY	H L Spurloc	6041	2	11/30/2022	297	2774.9	0.003279	0.351	0.000974
KY	H L Spurloc	6041	2	11/30/2022	338	3048.1	0.003093	0.343	0.001045
KY	H L Spurloc	6041	2	11/30/2022	314	2792.2	0.003086	0.347	0.000969
KY	H L Spurloc	6041	2	11/30/2022	325	2922.5	0.003093	0.344	0.001005
KY	H L Spurloc	6041	2	11/30/2022	444	4164.8	0.003086	0.329	0.00137
KY	H L Spurloc	6041	2	11/30/2022	433	4009.2	0.003028	0.327	0.001311
KY	H L Spurloc	6041	2	11/30/2022	396	3582.6	0.00304	0.336	0.001204
KY	H L Spurloc	6041	2	11/30/2022	368	3295.1	0.003018	0.337	0.00111
KY	H L Spurloc	6041	2	11/30/2022	297	2592.5	0.003011	0.345	0.000894
KY	H L Spurloc	6041	2	11/30/2022	298	2647.8	0.003101	0.349	0.000924
KY	H L Spurloc	6041	2	11/30/2022	304	2678.7	0.003119	0.354	0.000948
KY	H L Spurloc	6041	2	11/30/2022	428	3929.6	0.003076	0.335	0.001316
KY	H L Spurloc	6041	2	11/30/2022	510	4847.2	0.003051	0.321	0.001556
KY	H L Spurloc	6041	2	11/30/2022	491	4610.1	0.003023	0.322	0.001484
KY	H L Spurloc	6041	2	11/30/2022	466	4296	0.002987	0.324	0.001392
KY	H L Spurloc	6041	2	11/30/2022	452	4075.2	0.002948	0.327	0.001333
KY	H L Spurloc	6041	2	11/30/2022	308	2533	0.002878	0.35	0.000887
KY	H L Spurloc	6041	2	11/30/2022	297	2460.1	0.002916	0.352	0.000866
KY	H L Spurloc	6041	2	12/1/2022	331	2816.9	0.002953	0.347	0.000977
KY	H L Spurloc	6041	2	12/1/2022	390	3337.6	0.00291	0.34	0.001135
KY	H L Spurloc	6041	2	12/1/2022	357	3010.6	0.002943	0.349	0.001051
KY	H L Spurloc	6041	2	12/1/2022	316	2794.1	0.003042	0.344	0.000961
KY	H L Spurloc	6041	2	12/1/2022	397	3686.6	0.003083	0.332	0.001224
KY	H L Spurloc	6041	2	12/1/2022	329	2851	0.002955	0.341	0.000972
KY	H L Spurloc	6041	2	12/1/2022	452	4198.2	0.003009	0.324	0.00136
KY	H L Spurloc	6041	2	12/1/2022	516	4879.7	0.003045	0.322	0.001571
KY	H L Spurloc	6041	2	12/1/2022	509	4788.8	0.00302	0.321	0.001537
KY	H L Spurloc	6041	2	12/1/2022	432	3931.4	0.002967	0.326	0.001282
KY	H L Spurloc	6041	2	12/1/2022	439	4012.8	0.00298	0.326	0.001308
KY	H L Spurloc	6041	2	12/1/2022	348	3081.3	0.002984	0.337	0.001038
KY	H L Spurloc	6041	2	12/1/2022	346	3065	0.002985	0.337	0.001033
KY	H L Spurloc	6041	2	12/1/2022	299	2624.5	0.003019	0.344	0.000903
KY	H L Spurloc	6041	2	12/1/2022	298	2607.6	0.003036	0.347	0.000905
KY	H L Spurloc	6041	2	12/1/2022	301	2586.4	0.002999	0.349	0.000903
KY	H L Spurloc	6041	2	12/1/2022	349	3092.5	0.00303	0.342	0.001058
KY	H L Spurloc	6041	2	12/1/2022	521	4991.3	0.003056	0.319	0.001592
KY	H L Spurloc	6041	2	12/1/2022	519	4879.5	0.002999	0.319	0.001557
KY	H L Spurloc	6041	2	12/1/2022	457	4256.5	0.003008	0.323	0.001375
KY	H L Spurloc	6041	2	12/1/2022	505	4820.6	0.003102	0.325	0.001567
KY	H L Spurloc	6041	2	12/1/2022	491	4676.3	0.003152	0.331	0.001548
KY	H L Spurloc	6041	2	12/1/2022	469	4399.9	0.003021	0.322	0.001417
KY	H L Spurloc	6041	2	12/1/2022	398	3613.4	0.003005	0.331	0.001196
KY	H L Spurloc	6041	2	12/2/2022	312	2765.9	0.00305	0.344	0.000951
KY	H L Spurloc	6041	2	12/2/2022	322	2847.8	0.003042	0.344	0.00098
KY	H L Spurloc	6041	2	12/2/2022	420	3899.3	0.003082	0.332	0.001295
KY	H L Spurloc	6041	2	12/2/2022	458	4298.9	0.003032	0.323	0.001389
KY	H L Spurloc	6041	2	12/2/2022	368	3233.4	0.002979	0.339	0.001096

KY	H L Spurloc	6041	2	12/2/2022	295	2613.8	0.003092	0.349	0.000912
KY	H L Spurloc	6041	2	12/2/2022	381	3489.5	0.003087	0.337	0.001176
KY	H L Spurloc	6041	2	12/2/2022	500	4793.9	0.003078	0.321	0.001539
KY	H L Spurloc	6041	2	12/2/2022	490	4671.6	0.00307	0.322	0.001504
KY	H L Spurloc	6041	2	12/2/2022	356	3190.6	0.003011	0.336	0.001072
KY	H L Spurloc	6041	2	12/2/2022	294	2586.2	0.00307	0.349	0.000903
KY	H L Spurloc	6041	2	12/2/2022	295	2630.1	0.003094	0.347	0.000913
KY	H L Spurloc	6041	2	12/2/2022	309	2765.2	0.003141	0.351	0.000971
KY	H L Spurloc	6041	2	12/2/2022	295	2658.5	0.003172	0.352	0.000936
KY	H L Spurloc	6041	2	12/2/2022	295	2657.9	0.003171	0.352	0.000936
KY	H L Spurloc	6041	2	12/2/2022	298	2680.1	0.003166	0.352	0.000943
KY	H L Spurloc	6041	2	12/2/2022	296	2682.3	0.003226	0.356	0.000955
KY	H L Spurloc	6041	2	12/2/2022	308	2805.5	0.003197	0.351	0.000985
KY	H L Spurloc	6041	2	12/2/2022	295	2680	0.003234	0.356	0.000954
KY	H L Spurloc	6041	2	12/2/2022	296	2672	0.003178	0.352	0.000941
KY	H L Spurloc	6041	2	12/2/2022	296	2721.8	0.003228	0.351	0.000955
KY	H L Spurloc	6041	2	12/2/2022	297	2726.9	0.003223	0.351	0.000957
KY	H L Spurloc	6041	2	12/2/2022	296	2698.4	0.003227	0.354	0.000955
KY	H L Spurloc	6041	2	12/2/2022	295	2692.5	0.003204	0.351	0.000945
KY	H L Spurloc	6041	2	12/3/2022	294	2702.9	0.003218	0.35	0.000946
KY	H L Spurloc	6041	2	12/3/2022	295	2690.7	0.003256	0.357	0.000961
KY	H L Spurloc	6041	2	12/3/2022	295	2688.3	0.003253	0.357	0.00096
KY	H L Spurloc	6041	2	12/3/2022	295	2685.5	0.003223	0.354	0.000951
KY	H L Spurloc	6041	2	12/3/2022	294	2668.5	0.003222	0.355	0.000947
KY	H L Spurloc	6041	2	12/3/2022	295	2683	0.00322	0.354	0.00095
KY	H L Spurloc	6041	2	12/3/2022	295	2682.1	0.003191	0.351	0.000941
KY	H L Spurloc	6041	2	12/3/2022	295	2713.6	0.00322	0.35	0.00095
KY	H L Spurloc	6041	2	12/3/2022	295	2728.6	0.003247	0.351	0.000958
KY	H L Spurloc	6041	2	12/3/2022	301	2824.8	0.003285	0.35	0.000989
KY	H L Spurloc	6041	2	12/3/2022	294	2715.6	0.003224	0.349	0.000948
KY	H L Spurloc	6041	2	12/3/2022	296	2689	0.00318	0.35	0.000941
KY	H L Spurloc	6041	2	12/3/2022	295	2690.1	0.003246	0.356	0.000958
KY	H L Spurloc	6041	2	12/3/2022	295	2696.5	0.003199	0.35	0.000944
KY	H L Spurloc	6041	2	12/3/2022	295	2702.4	0.003206	0.35	0.000946
KY	H L Spurloc	6041	2	12/3/2022	295	2713.9	0.00322	0.35	0.00095
KY	H L Spurloc	6041	2	12/3/2022	295	2675.1	0.003174	0.35	0.000936
KY	H L Spurloc	6041	2	12/3/2022	295	2686.9	0.003161	0.347	0.000932
KY	H L Spurloc	6041	2	12/3/2022	295	2695.1	0.00317	0.347	0.000935
KY	H L Spurloc	6041	2	12/3/2022	294	2695.7	0.003163	0.345	0.00093
KY	H L Spurloc	6041	2	12/3/2022	374	3469.5	0.003098	0.334	0.001159
KY	H L Spurloc	6041	2	12/3/2022	290	2609.4	0.00314	0.349	0.000911
KY	H L Spurloc	6041	2	12/3/2022	297	2600.9	0.003083	0.352	0.000916
KY	H L Spurloc	6041	2	12/3/2022	292	2458.7	0.002981	0.354	0.00087
KY	H L Spurloc	6041	2	12/4/2022	295	2689.8	0.003164	0.347	0.000933
KY	H L Spurloc	6041	2	12/4/2022	294	2659.5	0.003139	0.347	0.000923
KY	H L Spurloc	6041	2	12/4/2022	295	2694.5	0.003169	0.347	0.000935
KY	H L Spurloc	6041	2	12/4/2022	293	2660.4	0.003151	0.347	0.000923
KY	H L Spurloc	6041	2	12/4/2022	294	2635.3	0.00311	0.347	0.000914

KY	H L Spurloc	6041	2	12/4/2022	293	2542.2	0.003045	0.351	0.000892
KY	H L Spurloc	6041	2	12/4/2022	293	2659	0.003158	0.348	0.000925
KY	H L Spurloc	6041	2	12/4/2022	295	2670	0.00315	0.348	0.000929
KY	H L Spurloc	6041	2	12/4/2022	292	2640.5	0.003147	0.348	0.000919
KY	H L Spurloc	6041	2	12/4/2022	293	2622.7	0.003115	0.348	0.000913
KY	H L Spurloc	6041	2	12/4/2022	292	2622.2	0.003116	0.347	0.00091
KY	H L Spurloc	6041	2	12/4/2022	292	2612.6	0.003078	0.344	0.000899
KY	H L Spurloc	6041	2	12/4/2022	292	2628.3	0.003114	0.346	0.000909
KY	H L Spurloc	6041	2	12/4/2022	292	2643.5	0.003123	0.345	0.000912
KY	H L Spurloc	6041	2	12/4/2022	292	2625	0.003128	0.348	0.000914
KY	H L Spurloc	6041	2	12/4/2022	293	2635.6	0.003121	0.347	0.000915
KY	H L Spurloc	6041	2	12/4/2022	310	2771.1	0.003084	0.345	0.000956
KY	H L Spurloc	6041	2	12/4/2022	369	3379.3	0.003077	0.336	0.001135
KY	H L Spurloc	6041	2	12/4/2022	479	4556.4	0.003072	0.323	0.001472
KY	H L Spurloc	6041	2	12/4/2022	494	4664.6	0.00304	0.322	0.001502
KY	H L Spurloc	6041	2	12/4/2022	435	4014.3	0.003008	0.326	0.001309
KY	H L Spurloc	6041	2	12/4/2022	319	2784.1	0.002976	0.341	0.000949
KY	H L Spurloc	6041	2	12/4/2022	312	2804.3	0.00311	0.346	0.00097
KY	H L Spurloc	6041	2	12/4/2022	397	3666.5	0.003057	0.331	0.001214
KY	H L Spurloc	6041	2	12/5/2022	327	2898.9	0.003014	0.34	0.000986
KY	H L Spurloc	6041	2	12/5/2022	309	2733.7	0.003043	0.344	0.00094
KY	H L Spurloc	6041	2	12/5/2022	306	2717.7	0.003055	0.344	0.000935
KY	H L Spurloc	6041	2	12/5/2022	315	2792.6	0.003032	0.342	0.000955
KY	H L Spurloc	6041	2	12/5/2022	314	2755.8	0.002993	0.341	0.00094
KY	H L Spurloc	6041	2	12/5/2022	364	3327.2	0.003026	0.331	0.001101
KY	H L Spurloc	6041	2	12/5/2022	462	4352.9	0.003053	0.324	0.00141
KY	H L Spurloc	6041	2	12/5/2022	521	5010.1	0.003077	0.32	0.001603
KY	H L Spurloc	6041	2	12/5/2022	513	4931.8	0.003076	0.32	0.001578
KY	H L Spurloc	6041	2	12/5/2022	459	4267.4	0.003022	0.325	0.001387
KY	H L Spurloc	6041	2	12/5/2022	403	3659.1	0.002215	0.244	0.000893
KY	H L Spurloc	6041	2	12/5/2022	375	3339.2	0.002199	0.247	0.000825
KY	H L Spurloc	6041	2	12/5/2022	351	3149.5	0.002252	0.251	0.000791
KY	H L Spurloc	6041	2	12/5/2022	344	3079.9	0.002247	0.251	0.000773
KY	H L Spurloc	6041	2	12/5/2022	298	2632.1	0.002261	0.256	0.000674
KY	H L Spurloc	6041	2	12/5/2022	385	3465.2	0.002241	0.249	0.000863
KY	H L Spurloc	6041	2	12/5/2022	428	3916.4	0.002233	0.244	0.000956
KY	H L Spurloc	6041	2	12/5/2022	439	4083.9	0.002242	0.241	0.000984
KY	H L Spurloc	6041	2	12/5/2022	426	3977.3	0.002259	0.242	0.000963
KY	H L Spurloc	6041	2	12/5/2022	416	3841.7	0.002235	0.242	0.00093
KY	H L Spurloc	6041	2	12/5/2022	486	4629.1	0.002238	0.235	0.001088
KY	H L Spurloc	6041	2	12/5/2022	365	3260	0.002224	0.249	0.000812
KY	H L Spurloc	6041	2	12/5/2022	297	2627.1	0.002273	0.257	0.000675
KY	H L Spurloc	6041	2	12/5/2022	303	2681.5	0.002257	0.255	0.000684
KY	H L Spurloc	6041	2	12/6/2022	302	2691.5	0.002273	0.255	0.000686
KY	H L Spurloc	6041	2	12/6/2022	296	2647.3	0.00229	0.256	0.000678
KY	H L Spurloc	6041	2	12/6/2022	326	2934.1	0.002304	0.256	0.000751
KY	H L Spurloc	6041	2	12/6/2022	293	2554.7	0.002258	0.259	0.000662
KY	H L Spurloc	6041	2	12/6/2022	295	2651.2	0.002301	0.256	0.000679

KY	H L Spurloc	6041	2	12/6/2022	300	2507.7	0.002165	0.259	0.000649
KY	H L Spurloc	6041	2	12/6/2022	293	2432.3	0.002167	0.261	0.000635
KY	H L Spurloc	6041	2	12/6/2022	292	2392.5	0.002139	0.261	0.000624
KY	H L Spurloc	6041	2	12/6/2022	296	2452.5	0.002163	0.261	0.00064
KY	H L Spurloc	6041	2	12/6/2022	304	2511.8	0.002157	0.261	0.000656
KY	H L Spurloc	6041	2	12/6/2022	296	2454.3	0.002148	0.259	0.000636
KY	H L Spurloc	6041	2	12/6/2022	309	2566	0.002159	0.26	0.000667
KY	H L Spurloc	6041	2	12/6/2022	304	2554.6	0.002185	0.26	0.000664
KY	H L Spurloc	6041	2	12/6/2022	313	2607	0.002157	0.259	0.000675
KY	H L Spurloc	6041	2	12/6/2022	293	2423.4	0.00215	0.26	0.00063
KY	H L Spurloc	6041	2	12/6/2022	356	3091.8	0.002215	0.255	0.000788
KY	H L Spurloc	6041	2	12/6/2022	306	2569.7	0.0022	0.262	0.000673
KY	H L Spurloc	6041	2	12/6/2022	330	2822.6	0.002198	0.257	0.000725
KY	H L Spurloc	6041	2	12/6/2022	318	2735	0.00221	0.257	0.000703
KY	H L Spurloc	6041	2	12/6/2022	431	3932.1	0.002263	0.248	0.000975
KY	H L Spurloc	6041	2	12/6/2022	301	2562	0.002196	0.258	0.000661
KY	H L Spurloc	6041	2	12/6/2022	311	2715.4	0.002253	0.258	0.000701
KY	H L Spurloc	6041	2	12/6/2022	295	2588.6	0.00229	0.261	0.000676
KY	H L Spurloc	6041	2	12/6/2022	294	2588.9	0.002298	0.261	0.000676
KY	H L Spurloc	6041	2	12/7/2022	294	2633.9	0.002347	0.262	0.00069
KY	H L Spurloc	6041	2	12/7/2022	293	2635	0.002347	0.261	0.000688
KY	H L Spurloc	6041	2	12/7/2022	292	2661.9	0.002388	0.262	0.000697
KY	H L Spurloc	6041	2	12/7/2022	293	2674	0.002391	0.262	0.000701
KY	H L Spurloc	6041	2	12/7/2022	292	2637.4	0.002366	0.262	0.000691
KY	H L Spurloc	6041	2	12/7/2022	294	2639.8	0.002335	0.26	0.000686
KY	H L Spurloc	6041	2	12/7/2022	297	2637.1	0.002309	0.26	0.000686
KY	H L Spurloc	6041	2	12/7/2022	320	2823.5	0.00225	0.255	0.00072
KY	H L Spurloc	6041	2	12/7/2022	332	2928.6	0.002249	0.255	0.000747
KY	H L Spurloc	6041	2	12/7/2022	297	2580.1	0.002259	0.26	0.000671
KY	H L Spurloc	6041	2	12/7/2022	310	2703	0.00225	0.258	0.000697
KY	H L Spurloc	6041	2	12/7/2022	301	2614.2	0.002249	0.259	0.000677
KY	H L Spurloc	6041	2	12/7/2022	295	2575.5	0.002287	0.262	0.000675
KY	H L Spurloc	6041	2	12/7/2022	298	2590.9	0.002261	0.26	0.000674
KY	H L Spurloc	6041	2	12/7/2022	294	2571.8	0.002274	0.26	0.000669
KY	H L Spurloc	6041	2	12/7/2022	308	2675.8	0.002224	0.256	0.000685
KY	H L Spurloc	6041	2	12/7/2022	346	3091.1	0.00226	0.253	0.000782
KY	H L Spurloc	6041	2	12/7/2022	310	2695.8	0.002218	0.255	0.000687
KY	H L Spurloc	6041	2	12/7/2022	314	2741.7	0.002227	0.255	0.000699
KY	H L Spurloc	6041	2	12/7/2022	295	2561.8	0.002223	0.256	0.000656
KY	H L Spurloc	6041	2	12/7/2022	297	2575.2	0.00222	0.256	0.000659
KY	H L Spurloc	6041	2	12/7/2022	301	2630	0.002237	0.256	0.000673
KY	H L Spurloc	6041	2	12/7/2022	390	3565.7	0.002295	0.251	0.000895
KY	H L Spurloc	6041	2	12/7/2022	315	2784.1	0.002263	0.256	0.000713
KY	H L Spurloc	6041	2	12/8/2022	295	2559.8	0.002239	0.258	0.00066
KY	H L Spurloc	6041	2	12/8/2022	295	2607.3	0.00228	0.258	0.000673
KY	H L Spurloc	6041	2	12/8/2022	295	2603.4	0.002286	0.259	0.000674
KY	H L Spurloc	6041	2	12/8/2022	295	2595.1	0.002278	0.259	0.000672
KY	H L Spurloc	6041	2	12/8/2022	295	2614.1	0.002286	0.258	0.000674



KY	H L Spurloc	6041	2	12/8/2022	297	2673.9	0.00235	0.261	0.000698
KY	H L Spurloc	6041	2	12/8/2022	295	2708.3	0.002378	0.259	0.000701
KY	H L Spurloc	6041	2	12/8/2022	366	3423.5	0.002329	0.249	0.000852
KY	H L Spurloc	6041	2	12/8/2022	299	2735.9	0.002324	0.254	0.000695
KY	H L Spurloc	6041	2	12/8/2022	321	2939.7	0.002308	0.252	0.000741
KY	H L Spurloc	6041	2	12/8/2022	301	2707.8	0.002267	0.252	0.000682
KY	H L Spurloc	6041	2	12/8/2022	334	3028.1	0.002248	0.248	0.000751
KY	H L Spurloc	6041	2	12/8/2022	334	3051.1	0.002284	0.25	0.000763
KY	H L Spurloc	6041	2	12/8/2022	330	3000.7	0.002291	0.252	0.000756
KY	H L Spurloc	6041	2	12/8/2022	293	2629.1	0.002297	0.256	0.000673
KY	H L Spurloc	6041	2	12/8/2022	295	2628.3	0.00229	0.257	0.000675
KY	H L Spurloc	6041	2	12/8/2022	308	2772.9	0.002305	0.256	0.00071
KY	H L Spurloc	6041	2	12/8/2022	336	3004.5	0.002271	0.254	0.000763
KY	H L Spurloc	6041	2	12/8/2022	295	2619.7	0.002282	0.257	0.000673
KY	H L Spurloc	6041	2	12/8/2022	295	2575.9	0.002244	0.257	0.000662
KY	H L Spurloc	6041	2	12/8/2022	295	2626.9	0.00228	0.256	0.000672
KY	H L Spurloc	6041	2	12/8/2022	324	2867.2	0.002239	0.253	0.000725
KY	H L Spurloc	6041	2	12/8/2022	295	2543.8	0.002242	0.26	0.000661
KY	H L Spurloc	6041	2	12/8/2022	295	2630.6	0.002274	0.255	0.000671
KY	H L Spurloc	6041	2	12/9/2022	295	2587.4	0.002254	0.257	0.000665
KY	H L Spurloc	6041	2	12/9/2022	294	2619.2	0.002272	0.255	0.000668
KY	H L Spurloc	6041	2	12/9/2022	295	2624.7	0.002296	0.258	0.000677
KY	H L Spurloc	6041	2	12/9/2022	295	2606.4	0.002253	0.255	0.000665
KY	H L Spurloc	6041	2	12/9/2022	295	2529.5	0.002212	0.258	0.000653
KY	H L Spurloc	6041	2	12/9/2022	295	2594.2	0.00226	0.257	0.000667
KY	H L Spurloc	6041	2	12/9/2022	310	2668.7	0.002195	0.255	0.000681
KY	H L Spurloc	6041	2	12/9/2022	298	2620.8	0.002243	0.255	0.000668
KY	H L Spurloc	6041	2	12/9/2022	302	2692.5	0.002256	0.253	0.000681
KY	H L Spurloc	6041	2	12/9/2022	315	2788.6	0.002213	0.25	0.000697
KY	H L Spurloc	6041	2	12/9/2022	302	2672.3	0.002248	0.254	0.000679
KY	H L Spurloc	6041	2	12/9/2022	294	2593.2	0.00224	0.254	0.000659
KY	H L Spurloc	6041	2	12/9/2022	310	2761.2	0.002271	0.255	0.000704
KY	H L Spurloc	6041	2	12/9/2022	303	2673	0.002258	0.256	0.000684
KY	H L Spurloc	6041	2	12/9/2022	298	2644.6	0.002236	0.252	0.000666
KY	H L Spurloc	6041	2	12/9/2022	295	2611.3	0.002231	0.252	0.000658
KY	H L Spurloc	6041	2	12/9/2022	300	2667.2	0.00224	0.252	0.000672
KY	H L Spurloc	6041	2	12/9/2022	308	2755.9	0.002255	0.252	0.000694
KY	H L Spurloc	6041	2	12/9/2022	295	2652.2	0.002311	0.257	0.000682
KY	H L Spurloc	6041	2	12/9/2022	294	2629.1	0.002298	0.257	0.000676
KY	H L Spurloc	6041	2	12/9/2022	295	2649.6	0.00229	0.255	0.000676
KY	H L Spurloc	6041	2	12/9/2022	295	2620.4	0.002265	0.255	0.000668
KY	H L Spurloc	6041	2	12/9/2022	295	2609.2	0.002273	0.257	0.000671
KY	H L Spurloc	6041	2	12/9/2022	294	2613.9	0.002267	0.255	0.000667
KY	H L Spurloc	6041	2	12/10/2022	295	2615.9	0.002288	0.258	0.000675
KY	H L Spurloc	6041	2	12/10/2022	374	3422.6	0.00227	0.248	0.000849
KY	H L Spurloc	6041	2	12/10/2022	336	3006.2	0.002255	0.252	0.000758
KY	H L Spurloc	6041	2	12/10/2022	295	2598.2	0.002255	0.256	0.000665
KY	H L Spurloc	6041	2	12/10/2022	299	2618.8	0.002251	0.257	0.000673

KY	H L Spurloc	6041	2	12/10/2022	294	2597.6	0.002271	0.257	0.000668
KY	H L Spurloc	6041	2	12/10/2022	295	2606.1	0.00227	0.257	0.00067
KY	H L Spurloc	6041	2	12/10/2022	295	2609	0.002282	0.258	0.000673
KY	H L Spurloc	6041	2	12/10/2022	295	2596	0.00227	0.258	0.00067
KY	H L Spurloc	6041	2	12/10/2022	378	3441.7	0.002258	0.248	0.000854
KY	H L Spurloc	6041	2	12/10/2022	423	3924.6	0.002255	0.243	0.000954
KY	H L Spurloc	6041	2	12/10/2022	324	2866.8	0.002221	0.251	0.00072
KY	H L Spurloc	6041	2	12/10/2022	301	2651.2	0.002272	0.258	0.000684
KY	H L Spurloc	6041	2	12/10/2022	309	2760.2	0.002278	0.255	0.000704
KY	H L Spurloc	6041	2	12/10/2022	300	2658.8	0.002269	0.256	0.000681
KY	H L Spurloc	6041	2	12/10/2022	298	2649	0.002285	0.257	0.000681
KY	H L Spurloc	6041	2	12/10/2022	295	2647.9	0.002307	0.257	0.000681
KY	H L Spurloc	6041	2	12/10/2022	295	2644.3	0.002277	0.254	0.000672
KY	H L Spurloc	6041	2	12/10/2022	297	2672.6	0.002286	0.254	0.000679
KY	H L Spurloc	6041	2	12/10/2022	295	2647.7	0.002298	0.256	0.000678
KY	H L Spurloc	6041	2	12/10/2022	295	2650.5	0.0023	0.256	0.000679
KY	H L Spurloc	6041	2	12/10/2022	295	2644.7	0.002313	0.258	0.000682
KY	H L Spurloc	6041	2	12/10/2022	295	2630.1	0.0023	0.258	0.000679
KY	H L Spurloc	6041	2	12/10/2022	295	2606.4	0.002279	0.258	0.000672
KY	H L Spurloc	6041	2	12/11/2022	98	760.224	0.006222	0.385	0.000293
KY	H L Spurloc	6041	2	12/11/2022	0	163		0.609	9.93E-05
KY	H L Spurloc	6041	2	12/11/2022	0	183.4		0.62	0.000114
KY	H L Spurloc	6041	2	12/11/2022	0	164.7		0.628	0.000103
KY	H L Spurloc	6041	2	12/11/2022	0	180.8		0.631	0.000114
KY	H L Spurloc	6041	2	12/11/2022	0	180.2		0.634	0.000114
KY	H L Spurloc	6041	2	12/11/2022	0	180		0.634	0.000114
KY	H L Spurloc	6041	2	12/11/2022	0	163.9		0.636	0.000104
KY	H L Spurloc	6041	2	12/11/2022	0	147.5		0.637	9.4E-05
KY	H L Spurloc	6041	2	12/11/2022	7	216.832	0.079904	2.27	0.000492
KY	H L Spurloc	6041	2	12/11/2022	122	989.6	0.004413	0.544	0.000538
KY	H L Spurloc	6041	2	12/11/2022	233	1829.6	0.002348	0.299	0.000547
KY	H L Spurloc	6041	2	12/11/2022	284	2277.3	0.002125	0.265	0.000603
KY	H L Spurloc	6041	2	12/11/2022	376	3212.8	0.002162	0.253	0.000813
KY	H L Spurloc	6041	2	12/11/2022	504	4721.6	0.00223	0.238	0.001124
KY	H L Spurloc	6041	2	12/11/2022	379	3444.2	0.002236	0.246	0.000847
KY	H L Spurloc	6041	2	12/11/2022	299	2620.8	0.002261	0.258	0.000676
KY	H L Spurloc	6041	2	12/11/2022	302	2651.2	0.002274	0.259	0.000687
KY	H L Spurloc	6041	2	12/11/2022	380	3476.2	0.00225	0.246	0.000855
KY	H L Spurloc	6041	2	12/11/2022	494	4718.9	0.002283	0.239	0.001128
KY	H L Spurloc	6041	2	12/11/2022	483	4614.5	0.002274	0.238	0.001098
KY	H L Spurloc	6041	2	12/11/2022	459	4332	0.002256	0.239	0.001035
KY	H L Spurloc	6041	2	12/11/2022	401	3664	0.00222	0.243	0.00089
KY	H L Spurloc	6041	2	12/11/2022	381	3444.7	0.002224	0.246	0.000847
KY	H L Spurloc	6041	2	12/12/2022	338	3001.2	0.002238	0.252	0.000756
KY	H L Spurloc	6041	2	12/12/2022	304	2668.1	0.002247	0.256	0.000683
KY	H L Spurloc	6041	2	12/12/2022	299	2607.3	0.002232	0.256	0.000667
KY	H L Spurloc	6041	2	12/12/2022	301	2679.9	0.002288	0.257	0.000689
KY	H L Spurloc	6041	2	12/12/2022	299	2668.2	0.002276	0.255	0.00068

KY	H L Spurloc	6041	2	12/12/2022	380	3511.9	0.002255	0.244	0.000857
KY	H L Spurloc	6041	2	12/12/2022	337	2987	0.002234	0.252	0.000753
KY	H L Spurloc	6041	2	12/12/2022	381	3468.2	0.00223	0.245	0.00085
KY	H L Spurloc	6041	2	12/12/2022	466	4423.4	0.002269	0.239	0.001057
KY	H L Spurloc	6041	2	12/12/2022	446	4160.3	0.002239	0.24	0.000998
KY	H L Spurloc	6041	2	12/12/2022	431	3968.1	0.002228	0.242	0.00096
KY	H L Spurloc	6041	2	12/12/2022	494	4724.1	0.00393	0.411	0.001942
KY	H L Spurloc	6041	2	12/12/2022	398	3602.5	0.003847	0.425	0.001531
KY	H L Spurloc	6041	2	12/12/2022	502	4787.9	0.00392	0.411	0.001968
KY	H L Spurloc	6041	2	12/12/2022	487	4623.3	0.00393	0.414	0.001914
KY	H L Spurloc	6041	2	12/12/2022	433	3974.9	0.003874	0.422	0.001677
KY	H L Spurloc	6041	2	12/12/2022	506	4788.7	0.003927	0.415	0.001987
KY	H L Spurloc	6041	2	12/12/2022	504	4763.2	0.003913	0.414	0.001972
KY	H L Spurloc	6041	2	12/12/2022	457	4187.6	0.003867	0.422	0.001767
KY	H L Spurloc	6041	2	12/12/2022	493	4627.8	0.003905	0.416	0.001925
KY	H L Spurloc	6041	2	12/12/2022	509	4801.2	0.003886	0.412	0.001978
KY	H L Spurloc	6041	2	12/12/2022	442	4029.3	0.003856	0.423	0.001704
KY	H L Spurloc	6041	2	12/12/2022	324	2813.6	0.003847	0.443	0.001246
KY	H L Spurloc	6041	2	12/12/2022	332	2875.8	0.003785	0.437	0.001257
KY	H L Spurloc	6041	2	12/13/2022	319	2771.8	0.003806	0.438	0.001214
KY	H L Spurloc	6041	2	12/13/2022	413	3764.1	0.003864	0.424	0.001596
KY	H L Spurloc	6041	2	12/13/2022	443	4128	0.003942	0.423	0.001746
KY	H L Spurloc	6041	2	12/13/2022	399	3578.6	0.003821	0.426	0.001524
KY	H L Spurloc	6041	2	12/13/2022	455	4104.2	0.003788	0.42	0.001724
KY	H L Spurloc	6041	2	12/13/2022	424	3834.5	0.003816	0.422	0.001618
KY	H L Spurloc	6041	2	12/13/2022	366	3226.8	0.003791	0.43	0.001388
KY	H L Spurloc	6041	2	12/13/2022	500	4683.7	0.003869	0.413	0.001934
KY	H L Spurloc	6041	2	12/13/2022	504	4721.7	0.003888	0.415	0.00196
KY	H L Spurloc	6041	2	12/13/2022	497	4630.7	0.003857	0.414	0.001917
KY	H L Spurloc	6041	2	12/13/2022	456	4210.6	0.003832	0.415	0.001747
KY	H L Spurloc	6041	2	12/13/2022	487	4542.3	0.003833	0.411	0.001867
KY	H L Spurloc	6041	2	12/13/2022	497	4515.6	0.003761	0.414	0.001869
KY	H L Spurloc	6041	2	12/13/2022	481	4453.6	0.00387	0.418	0.001862
KY	H L Spurloc	6041	2	12/13/2022	435	3961.1	0.003852	0.423	0.001676
KY	H L Spurloc	6041	2	12/13/2022	363	3211.8	0.003822	0.432	0.001387
KY	H L Spurloc	6041	2	12/13/2022	420	3797.6	0.003843	0.425	0.001614
KY	H L Spurloc	6041	2	12/13/2022	480	4485.5	0.003878	0.415	0.001861
KY	H L Spurloc	6041	2	12/13/2022	395	3527.3	0.003813	0.427	0.001506
KY	H L Spurloc	6041	2	12/13/2022	447	4129.1	0.003852	0.417	0.001722
KY	H L Spurloc	6041	2	12/13/2022	503	4761.9	0.003863	0.408	0.001943
KY	H L Spurloc	6041	2	12/13/2022	462	4290.1	0.003844	0.414	0.001776
KY	H L Spurloc	6041	2	12/13/2022	402	3609.9	0.003825	0.426	0.001538
KY	H L Spurloc	6041	2	12/13/2022	440	4017.7	0.003817	0.418	0.001679
KY	H L Spurloc	6041	2	12/14/2022	452	4222.4	0.003867	0.414	0.001748
KY	H L Spurloc	6041	2	12/14/2022	464	4295.7	0.003861	0.417	0.001791
KY	H L Spurloc	6041	2	12/14/2022	398	3571.6	0.003841	0.428	0.001529
KY	H L Spurloc	6041	2	12/14/2022	389	3484.7	0.003834	0.428	0.001491
KY	H L Spurloc	6041	2	12/14/2022	422	3879.5	0.003889	0.423	0.001641

KY	H L Spurloc	6041	2	12/14/2022	328	2818	0.003797	0.442	0.001246
KY	H L Spurloc	6041	2	12/14/2022	303	2629.1	0.003844	0.443	0.001165
KY	H L Spurloc	6041	2	12/14/2022	334	2958.8	0.003898	0.44	0.001302
KY	H L Spurloc	6041	2	12/14/2022	384	3478.9	0.003923	0.433	0.001506
KY	H L Spurloc	6041	2	12/14/2022	438	4056.7	0.003927	0.424	0.00172
KY	H L Spurloc	6041	2	12/14/2022	504	4663.5	0.003858	0.417	0.001945
KY	H L Spurloc	6041	2	12/14/2022	505	4752.6	0.003887	0.413	0.001963
KY	H L Spurloc	6041	2	12/14/2022	505	4744.5	0.003871	0.412	0.001955
KY	H L Spurloc	6041	2	12/14/2022	507	4775.1	0.00388	0.412	0.001967
KY	H L Spurloc	6041	2	12/14/2022	507	4778.7	0.003883	0.412	0.001969
KY	H L Spurloc	6041	2	12/14/2022	475	4376.6	0.003861	0.419	0.001834
KY	H L Spurloc	6041	2	12/14/2022	377	3332.4	0.003801	0.43	0.001433
KY	H L Spurloc	6041	2	12/14/2022	498	4640.9	0.003867	0.415	0.001926
KY	H L Spurloc	6041	2	12/14/2022	508	4750.3	0.003862	0.413	0.001962
KY	H L Spurloc	6041	2	12/14/2022	507	4718.8	0.003872	0.416	0.001963
KY	H L Spurloc	6041	2	12/14/2022	504	4640.4	0.00383	0.416	0.00193
KY	H L Spurloc	6041	2	12/14/2022	493	4523.7	0.003817	0.416	0.001882
KY	H L Spurloc	6041	2	12/14/2022	420	3741.9	0.003813	0.428	0.001602
KY	H L Spurloc	6041	2	12/14/2022	310	2677.5	0.003878	0.449	0.001202
KY	H L Spurloc	6041	2	12/15/2022	307	2675.7	0.003931	0.451	0.001207
KY	H L Spurloc	6041	2	12/15/2022	340	2989.6	0.003904	0.444	0.001327
KY	H L Spurloc	6041	2	12/15/2022	309	2755.3	0.004039	0.453	0.001248
KY	H L Spurloc	6041	2	12/15/2022	291	2581.3	0.004045	0.456	0.001177
KY	H L Spurloc	6041	2	12/15/2022	394	3532.9	0.003901	0.435	0.001537
KY	H L Spurloc	6041	2	12/15/2022	487	4630.4	0.003955	0.416	0.001926
KY	H L Spurloc	6041	2	12/15/2022	442	4083.8	0.003927	0.425	0.001736
KY	H L Spurloc	6041	2	12/15/2022	498	4609.2	0.00385	0.416	0.001917
KY	H L Spurloc	6041	2	12/15/2022	504	4681.4	0.003864	0.416	0.001947
KY	H L Spurloc	6041	2	12/15/2022	510	4914	0.00396	0.411	0.00202
KY	H L Spurloc	6041	2	12/15/2022	512	4948.3	0.003972	0.411	0.002034
KY	H L Spurloc	6041	2	12/15/2022	505	4768.3	0.003919	0.415	0.001979
KY	H L Spurloc	6041	2	12/15/2022	477	4425.7	0.003906	0.421	0.001863
KY	H L Spurloc	6041	2	12/15/2022	523	4994.1	0.003934	0.412	0.002058
KY	H L Spurloc	6041	2	12/15/2022	474	4423.1	0.00391	0.419	0.001853
KY	H L Spurloc	6041	2	12/15/2022	389	3494.5	0.003881	0.432	0.00151
KY	H L Spurloc	6041	2	12/15/2022	296	2597.1	0.003975	0.453	0.001176
KY	H L Spurloc	6041	2	12/15/2022	352	3173.3	0.003958	0.439	0.001393
KY	H L Spurloc	6041	2	12/15/2022	440	4099.2	0.003978	0.427	0.00175
KY	H L Spurloc	6041	2	12/15/2022	424	3910.5	0.00392	0.425	0.001662
KY	H L Spurloc	6041	2	12/15/2022	394	3587.3	0.003942	0.433	0.001553
KY	H L Spurloc	6041	2	12/15/2022	321	2834	0.003902	0.442	0.001253
KY	H L Spurloc	6041	2	12/15/2022	296	2599.5	0.004013	0.457	0.001188
KY	H L Spurloc	6041	2	12/15/2022	295	2612	0.004029	0.455	0.001188
KY	H L Spurloc	6041	2	12/16/2022	298	2651.2	0.004057	0.456	0.001209
KY	H L Spurloc	6041	2	12/16/2022	294	2614.3	0.004055	0.456	0.001192
KY	H L Spurloc	6041	2	12/16/2022	298	2643.3	0.004045	0.456	0.001205
KY	H L Spurloc	6041	2	12/16/2022	295	2609.1	0.004033	0.456	0.00119
KY	H L Spurloc	6041	2	12/16/2022	344	3027	0.003898	0.443	0.001341

KY	H L Spurloc	6041	2	12/16/2022	378	3470.4	0.003957	0.431	0.001496
KY	H L Spurloc	6041	2	12/16/2022	456	4228.2	0.003922	0.423	0.001789
KY	H L Spurloc	6041	2	12/16/2022	497	4698	0.003913	0.414	0.001945
KY	H L Spurloc	6041	2	12/16/2022	468	4346.9	0.003864	0.416	0.001808
KY	H L Spurloc	6041	2	12/16/2022	301	2607.1	0.003863	0.446	0.001163
KY	H L Spurloc	6041	2	12/16/2022	443	4065.8	0.003864	0.421	0.001712
KY	H L Spurloc	6041	2	12/16/2022	363	3215.3	0.003818	0.431	0.001386
KY	H L Spurloc	6041	2	12/16/2022	392	3518.2	0.003841	0.428	0.001506
KY	H L Spurloc	6041	2	12/16/2022	338	2989.9	0.003857	0.436	0.001304
KY	H L Spurloc	6041	2	12/16/2022	387	3510.2	0.003882	0.428	0.001502
KY	H L Spurloc	6041	2	12/16/2022	376	3368.4	0.003879	0.433	0.001459
KY	H L Spurloc	6041	2	12/16/2022	327	2905.6	0.003936	0.443	0.001287
KY	H L Spurloc	6041	2	12/16/2022	471	4408.4	0.003922	0.419	0.001847
KY	H L Spurloc	6041	2	12/16/2022	339	2988.9	0.003879	0.44	0.001315
KY	H L Spurloc	6041	2	12/16/2022	409	3731.8	0.003878	0.425	0.001586
KY	H L Spurloc	6041	2	12/16/2022	336	2965.8	0.003893	0.441	0.001308
KY	H L Spurloc	6041	2	12/16/2022	395	3609.2	0.00392	0.429	0.001548
KY	H L Spurloc	6041	2	12/16/2022	313	2739.6	0.003895	0.445	0.001219
KY	H L Spurloc	6041	2	12/16/2022	295	2587.2	0.003964	0.452	0.001169
KY	H L Spurloc	6041	2	12/17/2022	342	3056.3	0.00395	0.442	0.001351
KY	H L Spurloc	6041	2	12/17/2022	314	2747.7	0.003929	0.449	0.001234
KY	H L Spurloc	6041	2	12/17/2022	297	2602.7	0.003996	0.456	0.001187
KY	H L Spurloc	6041	2	12/17/2022	301	2632.7	0.003962	0.453	0.001193
KY	H L Spurloc	6041	2	12/17/2022	443	4074.1	0.003927	0.427	0.00174
KY	H L Spurloc	6041	2	12/17/2022	464	4240.1	0.003893	0.426	0.001806
KY	H L Spurloc	6041	2	12/17/2022	476	4340.8	0.003867	0.424	0.00184
KY	H L Spurloc	6041	2	12/17/2022	477	4391.1	0.003857	0.419	0.00184
KY	H L Spurloc	6041	2	12/17/2022	466	4237.8	0.003847	0.423	0.001793
KY	H L Spurloc	6041	2	12/17/2022	459	4172	0.003854	0.424	0.001769
KY	H L Spurloc	6041	2	12/17/2022	484	4418.8	0.003816	0.418	0.001847
KY	H L Spurloc	6041	2	12/17/2022	467	4264.9	0.003854	0.422	0.0018
KY	H L Spurloc	6041	2	12/17/2022	463	4195.3	0.003851	0.425	0.001783
KY	H L Spurloc	6041	2	12/17/2022	472	4319.7	0.003825	0.418	0.001806
KY	H L Spurloc	6041	2	12/17/2022	467	4234.6	0.003827	0.422	0.001787
KY	H L Spurloc	6041	2	12/17/2022	461	4172.2	0.003837	0.424	0.001769
KY	H L Spurloc	6041	2	12/17/2022	495	4542	0.003863	0.421	0.001912
KY	H L Spurloc	6041	2	12/17/2022	491	4518.3	0.003828	0.416	0.00188
KY	H L Spurloc	6041	2	12/17/2022	492	4509.1	0.003813	0.416	0.001876
KY	H L Spurloc	6041	2	12/17/2022	462	4204.3	0.003849	0.423	0.001778
KY	H L Spurloc	6041	2	12/17/2022	472	4334.9	0.003857	0.42	0.001821
KY	H L Spurloc	6041	2	12/17/2022	478	4381.9	0.003859	0.421	0.001845
KY	H L Spurloc	6041	2	12/17/2022	461	4257	0.003888	0.421	0.001792
KY	H L Spurloc	6041	2	12/17/2022	477	4416	0.003861	0.417	0.001841
KY	H L Spurloc	6041	2	12/18/2022	454	4165.5	0.00389	0.424	0.001766
KY	H L Spurloc	6041	2	12/18/2022	342	3051.9	0.003989	0.447	0.001364
KY	H L Spurloc	6041	2	12/18/2022	294	2602.6	0.004054	0.458	0.001192
KY	H L Spurloc	6041	2	12/18/2022	290	2589.6	0.004063	0.455	0.001178
KY	H L Spurloc	6041	2	12/18/2022	290	2581.1	0.004059	0.456	0.001177

KY	H L Spurloc	6041	2	12/18/2022	290	2587	0.004068	0.456	0.00118
KY	H L Spurloc	6041	2	12/18/2022	292	2596.9	0.004011	0.451	0.001171
KY	H L Spurloc	6041	2	12/18/2022	402	3722.6	0.003991	0.431	0.001604
KY	H L Spurloc	6041	2	12/18/2022	488	4564.7	0.00391	0.418	0.001908
KY	H L Spurloc	6041	2	12/18/2022	397	3582.5	0.00388	0.43	0.00154
KY	H L Spurloc	6041	2	12/18/2022	301	2615.9	0.003833	0.441	0.001154
KY	H L Spurloc	6041	2	12/18/2022	366	3286.2	0.003906	0.435	0.001429
KY	H L Spurloc	6041	2	12/18/2022	494	4597.3	0.003909	0.42	0.001931
KY	H L Spurloc	6041	2	12/18/2022	458	4172.3	0.003844	0.422	0.001761
KY	H L Spurloc	6041	2	12/18/2022	347	3064.4	0.003859	0.437	0.001339
KY	H L Spurloc	6041	2	12/18/2022	385	3509.5	0.003901	0.428	0.001502
KY	H L Spurloc	6041	2	12/18/2022	383	3489	0.003935	0.432	0.001507
KY	H L Spurloc	6041	2	12/18/2022	508	4867.9	0.003929	0.41	0.001996
KY	H L Spurloc	6041	2	12/18/2022	508	4813.8	0.003876	0.409	0.001969
KY	H L Spurloc	6041	2	12/18/2022	508	4833.6	0.003911	0.411	0.001987
KY	H L Spurloc	6041	2	12/18/2022	476	4485.9	0.003892	0.413	0.001853
KY	H L Spurloc	6041	2	12/18/2022	482	4529.1	0.003862	0.411	0.001861
KY	H L Spurloc	6041	2	12/18/2022	492	4656	0.003871	0.409	0.001904
KY	H L Spurloc	6041	2	12/18/2022	509	4845	0.003855	0.405	0.001962
KY	H L Spurloc	6041	2	12/19/2022	514	4987.9	0.004105	0.423	0.00211
KY	H L Spurloc	6041	2	12/19/2022	474	4452.3	0.003945	0.42	0.00187
KY	H L Spurloc	6041	2	12/19/2022	502	4718.6	0.003844	0.409	0.00193
KY	H L Spurloc	6041	2	12/19/2022	504	4768.8	0.003832	0.405	0.001931
KY	H L Spurloc	6041	2	12/19/2022	506	4782.9	0.003847	0.407	0.001947
KY	H L Spurloc	6041	2	12/19/2022	508	4797.2	0.003834	0.406	0.001948
KY	H L Spurloc	6041	2	12/19/2022	508	4820.8	0.003853	0.406	0.001957
KY	H L Spurloc	6041	2	12/19/2022	527	5198.2	0.004153	0.421	0.002188
KY	H L Spurloc	6041	2	12/19/2022	516	4975	0.004059	0.421	0.002094
KY	H L Spurloc	6041	2	12/19/2022	504	4746.7	0.003937	0.418	0.001984
KY	H L Spurloc	6041	2	12/19/2022	508	4788.7	0.003931	0.417	0.001997
KY	H L Spurloc	6041	2	12/19/2022	508	4793.9	0.003954	0.419	0.002009
KY	H L Spurloc	6041	2	12/19/2022	506	4742.7	0.003824	0.408	0.001935
KY	H L Spurloc	6041	2	12/19/2022	506	4711.5	0.003808	0.409	0.001927
KY	H L Spurloc	6041	2	12/19/2022	509	4791.6	0.00385	0.409	0.00196
KY	H L Spurloc	6041	2	12/19/2022	506	4817.3	0.00397	0.417	0.002009
KY	H L Spurloc	6041	2	12/19/2022	509	4805.5	0.003946	0.418	0.002009
KY	H L Spurloc	6041	2	12/19/2022	513	4826.4	0.003839	0.408	0.001969
KY	H L Spurloc	6041	2	12/19/2022	507	4768.2	0.003828	0.407	0.001941
KY	H L Spurloc	6041	2	12/19/2022	511	4850.5	0.003854	0.406	0.001969
KY	H L Spurloc	6041	2	12/19/2022	504	4798.3	0.003884	0.408	0.001958
KY	H L Spurloc	6041	2	12/19/2022	502	4793.1	0.003915	0.41	0.001965
KY	H L Spurloc	6041	2	12/19/2022	502	4770.9	0.003916	0.412	0.001966
KY	H L Spurloc	6041	2	12/19/2022	492	4656.5	0.003899	0.412	0.001918
KY	H L Spurloc	6041	2	12/20/2022	487	4590.5	0.003884	0.412	0.001891
KY	H L Spurloc	6041	2	12/20/2022	424	3953.2	0.003953	0.424	0.001676
KY	H L Spurloc	6041	2	12/20/2022	401	3670.2	0.003926	0.429	0.001575
KY	H L Spurloc	6041	2	12/20/2022	370	3326.3	0.003884	0.432	0.001437
KY	H L Spurloc	6041	2	12/20/2022	407	3740.6	0.003906	0.425	0.00159

KY	H L Spurloc	6041	2	12/20/2022	479	4530.4	0.003925	0.415	0.00188
KY	H L Spurloc	6041	2	12/20/2022	504	4744.5	0.003888	0.413	0.001959
KY	H L Spurloc	6041	2	12/20/2022	527	5032.9	0.003963	0.415	0.002089
KY	H L Spurloc	6041	2	12/20/2022	511	4799.7	0.00386	0.411	0.001973
KY	H L Spurloc	6041	2	12/20/2022	502	4692.2	0.003842	0.411	0.001928
KY	H L Spurloc	6041	2	12/20/2022	372	3300.7	0.003833	0.432	0.001426
KY	H L Spurloc	6041	2	12/20/2022	334	2887.5	0.003743	0.433	0.00125
KY	H L Spurloc	6041	2	12/20/2022	294	2606.3	0.003892	0.439	0.001144
KY	H L Spurloc	6041	2	12/20/2022	300	2698.3	0.003949	0.439	0.001185
KY	H L Spurloc	6041	2	12/20/2022	295	2634.7	0.003903	0.437	0.001151
KY	H L Spurloc	6041	2	12/20/2022	295	2621.9	0.003893	0.438	0.001148
KY	H L Spurloc	6041	2	12/20/2022	308	2769.7	0.003939	0.438	0.001213
KY	H L Spurloc	6041	2	12/20/2022	500	4837.8	0.004015	0.415	0.002008
KY	H L Spurloc	6041	2	12/20/2022	497	4742.9	0.003941	0.413	0.001959
KY	H L Spurloc	6041	2	12/20/2022	505	4874	0.004034	0.418	0.002037
KY	H L Spurloc	6041	2	12/20/2022	507	4908.9	0.004183	0.432	0.002121
KY	H L Spurloc	6041	2	12/20/2022	488	4671.5	0.004174	0.436	0.002037
KY	H L Spurloc	6041	2	12/20/2022	489	4683.6	0.004176	0.436	0.002042
KY	H L Spurloc	6041	2	12/20/2022	415	3773.7	0.003837	0.422	0.001593
KY	H L Spurloc	6041	2	12/21/2022	395	3562.9	0.003806	0.422	0.001504
KY	H L Spurloc	6041	2	12/21/2022	496	4663.4	0.003864	0.411	0.001917
KY	H L Spurloc	6041	2	12/21/2022	509	4815.7	0.003879	0.41	0.001974
KY	H L Spurloc	6041	2	12/21/2022	488	4588.9	0.003855	0.41	0.001881
KY	H L Spurloc	6041	2	12/21/2022	498	4701.2	0.003823	0.405	0.001904
KY	H L Spurloc	6041	2	12/21/2022	410	3679.9	0.003779	0.421	0.001549
KY	H L Spurloc	6041	2	12/21/2022	476	4468.6	0.003858	0.411	0.001837
KY	H L Spurloc	6041	2	12/21/2022	507	4920.6	0.00428	0.441	0.00217
KY	H L Spurloc	6041	2	12/21/2022	513	4997.1	0.004442	0.456	0.002279
KY	H L Spurloc	6041	2	12/21/2022	493	4630.3	0.004189	0.446	0.002065
KY	H L Spurloc	6041	2	12/21/2022	324	2816.1	0.003911	0.45	0.001267
KY	H L Spurloc	6041	2	12/21/2022	295	2574.7	0.003971	0.455	0.001171
KY	H L Spurloc	6041	2	12/21/2022	295	2622.8	0.004099	0.461	0.001209
KY	H L Spurloc	6041	2	12/21/2022	294	2607.9	0.004063	0.458	0.001194
KY	H L Spurloc	6041	2	12/21/2022	294	2595.6	0.00407	0.461	0.001197
KY	H L Spurloc	6041	2	12/21/2022	295	2597.1	0.004059	0.461	0.001197
KY	H L Spurloc	6041	2	12/21/2022	413	3811.6	0.00407	0.441	0.001681
KY	H L Spurloc	6041	2	12/21/2022	389	3517.1	0.004005	0.443	0.001558
KY	H L Spurloc	6041	2	12/21/2022	396	3607.3	0.003981	0.437	0.001576
KY	H L Spurloc	6041	2	12/21/2022	376	3432.6	0.004053	0.444	0.001524
KY	H L Spurloc	6041	2	12/21/2022	307	2722.7	0.00408	0.46	0.001252
KY	H L Spurloc	6041	2	12/21/2022	373	3403.5	0.004079	0.447	0.001521
KY	H L Spurloc	6041	2	12/21/2022	307	2723.8	0.004117	0.464	0.001264
KY	H L Spurloc	6041	2	12/21/2022	295	2608.2	0.004129	0.467	0.001218
KY	H L Spurloc	6041	2	12/22/2022	295	2630.7	0.004173	0.468	0.001231
KY	H L Spurloc	6041	2	12/22/2022	294	2607.2	0.004115	0.464	0.00121
KY	H L Spurloc	6041	2	12/22/2022	294	2634.7	0.004176	0.466	0.001228
KY	H L Spurloc	6041	2	12/22/2022	295	2628.9	0.004153	0.466	0.001225
KY	H L Spurloc	6041	2	12/22/2022	295	2659.1	0.004237	0.47	0.00125

KY	H L Spurloc	6041	2	12/22/2022	295	2631.7	0.004193	0.47	0.001237
KY	H L Spurloc	6041	2	12/22/2022	295	2653.7	0.004228	0.47	0.001247
KY	H L Spurloc	6041	2	12/22/2022	295	2556.2	0.004116	0.475	0.001214
KY	H L Spurloc	6041	2	12/22/2022	294	2636.2	0.004214	0.47	0.001239
KY	H L Spurloc	6041	2	12/22/2022	379	3497.4	0.004134	0.448	0.001567
KY	H L Spurloc	6041	2	12/22/2022	339	3061.6	0.004145	0.459	0.001405
KY	H L Spurloc	6041	2	12/22/2022	307	2755.7	0.004201	0.468	0.00129
KY	H L Spurloc	6041	2	12/22/2022	317	2824.7	0.004152	0.466	0.001316
KY	H L Spurloc	6041	2	12/22/2022	318	2849.2	0.004139	0.462	0.001316
KY	H L Spurloc	6041	2	12/22/2022	315	2824.8	0.004143	0.462	0.001305
KY	H L Spurloc	6041	2	12/22/2022	306	2716.5	0.004119	0.464	0.00126
KY	H L Spurloc	6041	2	12/22/2022	296	2614.9	0.004179	0.473	0.001237
KY	H L Spurloc	6041	2	12/22/2022	295	2605.6	0.004142	0.469	0.001222
KY	H L Spurloc	6041	2	12/22/2022	295	2615.9	0.004159	0.469	0.001227
KY	H L Spurloc	6041	2	12/22/2022	295	2622.6	0.004169	0.469	0.00123
KY	H L Spurloc	6041	2	12/22/2022	295	2585	0.004145	0.473	0.001223
KY	H L Spurloc	6041	2	12/22/2022	295	2595.8	0.004162	0.473	0.001228
KY	H L Spurloc	6041	2	12/22/2022	295	2584.5	0.004188	0.478	0.001235
KY	H L Spurloc	6041	2	12/22/2022	294	2601.3	0.004167	0.471	0.001225
KY	H L Spurloc	6041	2	12/23/2022	398	3680.7	0.004171	0.451	0.00166
KY	H L Spurloc	6041	2	12/23/2022	479	4488.4	0.004104	0.438	0.001966
KY	H L Spurloc	6041	2	12/23/2022	497	4666.5	0.004103	0.437	0.002039
KY	H L Spurloc	6041	2	12/23/2022	546	5211.2	0.004123	0.432	0.002251
KY	H L Spurloc	6041	2	12/23/2022	549	5252.8	0.004133	0.432	0.002269
KY	H L Spurloc	6041	2	12/23/2022	553	5351.9	0.004191	0.433	0.002317
KY	H L Spurloc	6041	2	12/23/2022	552	5287.6	0.004129	0.431	0.002279
KY	H L Spurloc	6041	2	12/23/2022	551	5356.8	0.0042	0.432	0.002314
KY	H L Spurloc	6041	2	12/23/2022	552	5434.6	0.004243	0.431	0.002342
KY	H L Spurloc	6041	2	12/23/2022	552	5474.1	0.004234	0.427	0.002337
KY	H L Spurloc	6041	2	12/23/2022	552	5463.4	0.004216	0.426	0.002327
KY	H L Spurloc	6041	2	12/23/2022	552	5463.4	0.004216	0.426	0.002327
KY	H L Spurloc	6041	2	12/23/2022	553	5500.4	0.004227	0.425	0.002338
KY	H L Spurloc	6041	2	12/23/2022	551	5503.6	0.004245	0.425	0.002339
KY	H L Spurloc	6041	2	12/23/2022	552	5494.5	0.00423	0.425	0.002335
KY	H L Spurloc	6041	2	12/23/2022	550	5481.4	0.004226	0.424	0.002324
KY	H L Spurloc	6041	2	12/23/2022	549	5486.7	0.004267	0.427	0.002343
KY	H L Spurloc	6041	2	12/23/2022	550	5327.7	0.004136	0.427	0.002275
KY	H L Spurloc	6041	2	12/23/2022	549	5237.3	0.004064	0.426	0.002231
KY	H L Spurloc	6041	2	12/23/2022	548	5213.2	0.004043	0.425	0.002216
KY	H L Spurloc	6041	2	12/23/2022	544	5175.2	0.004081	0.429	0.00222
KY	H L Spurloc	6041	2	12/23/2022	553	5297.2	0.004042	0.422	0.002235
KY	H L Spurloc	6041	2	12/23/2022	509	4713.4	0.003982	0.43	0.002027
KY	H L Spurloc	6041	2	12/23/2022	536	5091.9	0.004028	0.424	0.002159
KY	H L Spurloc	6041	2	12/24/2022	552	5306.9	0.004096	0.426	0.002261
KY	H L Spurloc	6041	2	12/24/2022	553	5324.9	0.004102	0.426	0.002268
KY	H L Spurloc	6041	2	12/24/2022	553	5307.9	0.004089	0.426	0.002261
KY	H L Spurloc	6041	2	12/24/2022	554	5270.7	0.004053	0.426	0.002245
KY	H L Spurloc	6041	2	12/24/2022	553	5319.8	0.004088	0.425	0.002261



KY	H L Spurloc	6041	2	12/24/2022	553	5303.4	0.004057	0.423	0.002243
KY	H L Spurloc	6041	2	12/24/2022	553	5320.6	0.00407	0.423	0.002251
KY	H L Spurloc	6041	2	12/24/2022	553	5295.8	0.00406	0.424	0.002245
KY	H L Spurloc	6041	2	12/24/2022	553	5309.2	0.00408	0.425	0.002256
KY	H L Spurloc	6041	2	12/24/2022	553	5320.6	0.004089	0.425	0.002261
KY	H L Spurloc	6041	2	12/24/2022	552	5309.7	0.004088	0.425	0.002257
KY	H L Spurloc	6041	2	12/24/2022	554	5289.5	0.004058	0.425	0.002248
KY	H L Spurloc	6041	2	12/24/2022	554	5284.7	0.004026	0.422	0.00223
KY	H L Spurloc	6041	2	12/24/2022	553	5225.9	0.004026	0.426	0.002226
KY	H L Spurloc	6041	2	12/24/2022	554	5272.6	0.004045	0.425	0.002241
KY	H L Spurloc	6041	2	12/24/2022	552	5199.9	0.003985	0.423	0.0022
KY	H L Spurloc	6041	2	12/24/2022	551	5189.6	0.003993	0.424	0.0022
KY	H L Spurloc	6041	2	12/24/2022	551	5194.2	0.004016	0.426	0.002213
KY	H L Spurloc	6041	2	12/24/2022	551	5200.7	0.00403	0.427	0.002221
KY	H L Spurloc	6041	2	12/24/2022	551	5197.2	0.004028	0.427	0.002219
KY	H L Spurloc	6041	2	12/24/2022	551	5211.6	0.004029	0.426	0.00222
KY	H L Spurloc	6041	2	12/24/2022	552	5244.2	0.004038	0.425	0.002229
KY	H L Spurloc	6041	2	12/24/2022	554	5265.5	0.00402	0.423	0.002227
KY	H L Spurloc	6041	2	12/24/2022	553	5271.9	0.004042	0.424	0.002235
KY	H L Spurloc	6041	2	12/25/2022	554	5265.3	0.00402	0.423	0.002227
KY	H L Spurloc	6041	2	12/25/2022	552	5193.8	0.003989	0.424	0.002202
KY	H L Spurloc	6041	2	12/25/2022	553	5222.7	0.004042	0.428	0.002235
KY	H L Spurloc	6041	2	12/25/2022	553	5239.1	0.004036	0.426	0.002232
KY	H L Spurloc	6041	2	12/25/2022	552	5227.2	0.004015	0.424	0.002216
KY	H L Spurloc	6041	2	12/25/2022	552	5227.7	0.004072	0.43	0.002248
KY	H L Spurloc	6041	2	12/25/2022	554	5367.9	0.004244	0.438	0.002351
KY	H L Spurloc	6041	2	12/25/2022	554	5313.1	0.004239	0.442	0.002348
KY	H L Spurloc	6041	2	12/25/2022	555	5307.4	0.004227	0.442	0.002346
KY	H L Spurloc	6041	2	12/25/2022	555	5307.2	0.004188	0.438	0.002325
KY	H L Spurloc	6041	2	12/25/2022	554	5280.2	0.004175	0.438	0.002313
KY	H L Spurloc	6041	2	12/25/2022	555	5257.3	0.004149	0.438	0.002303
KY	H L Spurloc	6041	2	12/25/2022	555	5290.3	0.004175	0.438	0.002317
KY	H L Spurloc	6041	2	12/25/2022	550	5216.6	0.004192	0.442	0.002306
KY	H L Spurloc	6041	2	12/25/2022	548	5178.6	0.004139	0.438	0.002268
KY	H L Spurloc	6041	2	12/25/2022	554	5241.5	0.004182	0.442	0.002317
KY	H L Spurloc	6041	2	12/25/2022	553	5245.5	0.004221	0.445	0.002334
KY	H L Spurloc	6041	2	12/25/2022	554	5241.5	0.004201	0.444	0.002327
KY	H L Spurloc	6041	2	12/25/2022	553	5234.3	0.004174	0.441	0.002308
KY	H L Spurloc	6041	2	12/25/2022	551	5234.3	0.004199	0.442	0.002314
KY	H L Spurloc	6041	2	12/25/2022	552	5242.1	0.004178	0.44	0.002307
KY	H L Spurloc	6041	2	12/25/2022	553	5221.9	0.004136	0.438	0.002287
KY	H L Spurloc	6041	2	12/25/2022	551	5156.8	0.003996	0.427	0.002202
KY	H L Spurloc	6041	2	12/25/2022	551	5139.7	0.003983	0.427	0.002195
KY	H L Spurloc	6041	2	12/26/2022	553	5206	0.004057	0.431	0.002244
KY	H L Spurloc	6041	2	12/26/2022	554	5242.3	0.004154	0.439	0.002301
KY	H L Spurloc	6041	2	12/26/2022	494	4440	0.003919	0.436	0.001936
KY	H L Spurloc	6041	2	12/26/2022	544	5057.2	0.003951	0.425	0.002149
KY	H L Spurloc	6041	2	12/26/2022	495	4457.7	0.003872	0.43	0.001917

KY	H L Spurloc	6041	2	12/26/2022	534	4924.1	0.003928	0.426	0.002098
KY	H L Spurloc	6041	2	12/26/2022	552	5198	0.003974	0.422	0.002194
KY	H L Spurloc	6041	2	12/26/2022	553	5217.5	0.00401	0.425	0.002217
KY	H L Spurloc	6041	2	12/26/2022	553	5223.9	0.003996	0.423	0.00221
KY	H L Spurloc	6041	2	12/26/2022	554	5237	0.003999	0.423	0.002215
KY	H L Spurloc	6041	2	12/26/2022	553	5191.7	0.003971	0.423	0.002196
KY	H L Spurloc	6041	2	12/26/2022	553	5176.9	0.00396	0.423	0.00219
KY	H L Spurloc	6041	2	12/26/2022	553	5196.4	0.004003	0.426	0.002214
KY	H L Spurloc	6041	2	12/26/2022	553	5194.5	0.003992	0.425	0.002208
KY	H L Spurloc	6041	2	12/26/2022	554	5207.3	0.003985	0.424	0.002208
KY	H L Spurloc	6041	2	12/26/2022	555	5199.5	0.003972	0.424	0.002205
KY	H L Spurloc	6041	2	12/26/2022	553	5169	0.003973	0.425	0.002197
KY	H L Spurloc	6041	2	12/26/2022	553	5186	0.003948	0.421	0.002183
KY	H L Spurloc	6041	2	12/26/2022	553	5151.8	0.00395	0.424	0.002184
KY	H L Spurloc	6041	2	12/26/2022	551	5176.5	0.004068	0.433	0.002241
KY	H L Spurloc	6041	2	12/26/2022	552	5233.8	0.004115	0.434	0.002271
KY	H L Spurloc	6041	2	12/26/2022	552	5154.7	0.003941	0.422	0.002175
KY	H L Spurloc	6041	2	12/26/2022	520	4759.6	0.003872	0.423	0.002013
KY	H L Spurloc	6041	2	12/26/2022	547	5122.6	0.003924	0.419	0.002146
KY	H L Spurloc	6041	2	12/27/2022	513	4656	0.00383	0.422	0.001965
KY	H L Spurloc	6041	2	12/27/2022	501	4567	0.003856	0.423	0.001932
KY	H L Spurloc	6041	2	12/27/2022	509	4705.9	0.003911	0.423	0.001991
KY	H L Spurloc	6041	2	12/27/2022	504	4624	0.003918	0.427	0.001974
KY	H L Spurloc	6041	2	12/27/2022	379	3197.3	0.003737	0.443	0.001416
KY	H L Spurloc	6041	2	12/27/2022	400	3455.5	0.00381	0.441	0.001524
KY	H L Spurloc	6041	2	12/27/2022	479	4396	0.003919	0.427	0.001877
KY	H L Spurloc	6041	2	12/27/2022	538	5158.6	0.004113	0.429	0.002213
KY	H L Spurloc	6041	2	12/27/2022	522	4994.1	0.004267	0.446	0.002227
KY	H L Spurloc	6041	2	12/27/2022	502	4693	0.004132	0.442	0.002074
KY	H L Spurloc	6041	2	12/27/2022	490	4506.3	0.003955	0.43	0.001938
KY	H L Spurloc	6041	2	12/27/2022	508	4750.8	0.004096	0.438	0.002081
KY	H L Spurloc	6041	2	12/27/2022	451	4156	0.003962	0.43	0.001787
KY	H L Spurloc	6041	2	12/27/2022	373	3298.5	0.003918	0.443	0.001461
KY	H L Spurloc	6041	2	12/27/2022	384	3434.8	0.003936	0.44	0.001511
KY	H L Spurloc	6041	2	12/27/2022	404	3615.6	0.00392	0.438	0.001584
KY	H L Spurloc	6041	2	12/27/2022	372	3319.1	0.003935	0.441	0.001464
KY	H L Spurloc	6041	2	12/27/2022	502	4784.3	0.004012	0.421	0.002014
KY	H L Spurloc	6041	2	12/27/2022	489	4556	0.003969	0.426	0.001941
KY	H L Spurloc	6041	2	12/27/2022	506	4824.6	0.004043	0.424	0.002046
KY	H L Spurloc	6041	2	12/27/2022	500	4700.6	0.003986	0.424	0.001993
KY	H L Spurloc	6041	2	12/27/2022	443	4048.2	0.003957	0.433	0.001753
KY	H L Spurloc	6041	2	12/27/2022	466	4337.9	0.003993	0.429	0.001861
KY	H L Spurloc	6041	2	12/27/2022	455	4208.4	0.003968	0.429	0.001805
KY	H L Spurloc	6041	2	12/28/2022	501	4701.5	0.00396	0.422	0.001984
KY	H L Spurloc	6041	2	12/28/2022	484	4504.4	0.003965	0.426	0.001919
KY	H L Spurloc	6041	2	12/28/2022	487	4533.8	0.003994	0.429	0.001945
KY	H L Spurloc	6041	2	12/28/2022	500	4652.2	0.003964	0.426	0.001982
KY	H L Spurloc	6041	2	12/28/2022	460	4145.8	0.003929	0.436	0.001808

KY	H L Spurloc	6041	2	12/28/2022	424	3829.6	0.003947	0.437	0.001674
KY	H L Spurloc	6041	2	12/28/2022	427	3844.9	0.003944	0.438	0.001684
KY	H L Spurloc	6041	2	12/28/2022	469	4322.5	0.004	0.434	0.001876
KY	H L Spurloc	6041	2	12/28/2022	412	3705.2	0.003966	0.441	0.001634
KY	H L Spurloc	6041	2	12/28/2022	314	2691.9	0.003935	0.459	0.001236
KY	H L Spurloc	6041	2	12/28/2022	299	2589.9	0.003993	0.461	0.001194
KY	H L Spurloc	6041	2	12/28/2022	300	2572.2	0.003953	0.461	0.001186
KY	H L Spurloc	6041	2	12/28/2022	299	2602.5	0.004039	0.464	0.001208
KY	H L Spurloc	6041	2	12/28/2022	301	2649.5	0.004049	0.46	0.001219
KY	H L Spurloc	6041	2	12/28/2022	300	2631.9	0.004071	0.464	0.001221
KY	H L Spurloc	6041	2	12/28/2022	299	2660.8	0.004085	0.459	0.001221
KY	H L Spurloc	6041	2	12/28/2022	298	2647.4	0.004122	0.464	0.001228
KY	H L Spurloc	6041	2	12/28/2022	295	2574.2	0.004049	0.464	0.001194
KY	H L Spurloc	6041	2	12/28/2022	297	2576.5	0.004025	0.464	0.001195
KY	H L Spurloc	6041	2	12/28/2022	294	2553.9	0.004031	0.464	0.001185
KY	H L Spurloc	6041	2	12/28/2022	295	2569.3	0.00405	0.465	0.001195
KY	H L Spurloc	6041	2	12/28/2022	295	2574.5	0.004049	0.464	0.001195
KY	H L Spurloc	6041	2	12/28/2022	295	2565.4	0.004087	0.47	0.001206
KY	H L Spurloc	6041	2	12/28/2022	295	2570.6	0.004052	0.465	0.001195
KY	H L Spurloc	6041	2	12/29/2022	295	2579.7	0.004084	0.467	0.001205
KY	H L Spurloc	6041	2	12/29/2022	295	2561	0.004063	0.468	0.001199
KY	H L Spurloc	6041	2	12/29/2022	295	2582.2	0.004097	0.468	0.001208
KY	H L Spurloc	6041	2	12/29/2022	295	2570.6	0.004113	0.472	0.001213
KY	H L Spurloc	6041	2	12/29/2022	295	2595.5	0.004135	0.47	0.00122
KY	H L Spurloc	6041	2	12/29/2022	295	2570.6	0.004078	0.468	0.001203
KY	H L Spurloc	6041	2	12/29/2022	383	3407.9	0.004004	0.45	0.001534
KY	H L Spurloc	6041	2	12/29/2022	313	2749.3	0.004058	0.462	0.00127
KY	H L Spurloc	6041	2	12/29/2022	295	2574.5	0.004058	0.465	0.001197
KY	H L Spurloc	6041	2	12/29/2022	295	2576.6	0.00407	0.466	0.001201
KY	H L Spurloc	6041	2	12/29/2022	295	2611	0.004089	0.462	0.001206
KY	H L Spurloc	6041	2	12/29/2022	295	2517.2	0.003959	0.464	0.001168
KY	H L Spurloc	6041	2	12/29/2022	294	2634.5	0.004167	0.465	0.001225
KY	H L Spurloc	6041	2	12/29/2022	295	2653.7	0.004174	0.464	0.001231
KY	H L Spurloc	6041	2	12/29/2022	295	2706.9	0.004248	0.463	0.001253
KY	H L Spurloc	6041	2	12/29/2022	295	2722.5	0.004319	0.468	0.001274
KY	H L Spurloc	6041	2	12/29/2022	398	3844.6	0.004318	0.447	0.001719
KY	H L Spurloc	6041	2	12/29/2022	309	2871.9	0.004322	0.465	0.001335
KY	H L Spurloc	6041	2	12/29/2022	291	2727.1	0.004405	0.47	0.001282
KY	H L Spurloc	6041	2	12/29/2022	292	2758.3	0.004402	0.466	0.001285
KY	H L Spurloc	6041	2	12/29/2022	292	2722.6	0.004345	0.466	0.001269
KY	H L Spurloc	6041	2	12/29/2022	292	2715.9	0.004371	0.47	0.001276
KY	H L Spurloc	6041	2	12/29/2022	290	2706.8	0.004368	0.468	0.001267
KY	H L Spurloc	6041	2	12/29/2022	291	2708.5	0.004356	0.468	0.001268
KY	H L Spurloc	6041	2	12/30/2022	291	2720.8	0.004376	0.468	0.001273
KY	H L Spurloc	6041	2	12/30/2022	290	2722.1	0.004393	0.468	0.001274
KY	H L Spurloc	6041	2	12/30/2022	290	2704.7	0.004411	0.473	0.001279
KY	H L Spurloc	6041	2	12/30/2022	290	2674.5	0.004335	0.47	0.001257
KY	H L Spurloc	6041	2	12/30/2022	290	2649.8	0.004331	0.474	0.001256

KY	H L Spurloc	6041	2	12/30/2022	290	2644.2	0.004322	0.474	0.001253
KY	H L Spurloc	6041	2	12/30/2022	290	2663.6	0.004363	0.475	0.001265
KY	H L Spurloc	6041	2	12/30/2022	290	2667.7	0.00436	0.474	0.001264
KY	H L Spurloc	6041	2	12/30/2022	290	2653.5	0.004337	0.474	0.001258
KY	H L Spurloc	6041	2	12/30/2022	290	2672.1	0.004331	0.47	0.001256
KY	H L Spurloc	6041	2	12/30/2022	290	2694.1	0.004413	0.475	0.00128
KY	H L Spurloc	6041	2	12/30/2022	289	2720.5	0.004462	0.474	0.00129
KY	H L Spurloc	6041	2	12/30/2022	290	2772.3	0.004541	0.475	0.001317
KY	H L Spurloc	6041	2	12/30/2022	290	2782.2	0.00449	0.468	0.001302
KY	H L Spurloc	6041	2	12/30/2022	292	2813.7	0.004529	0.47	0.001322
KY	H L Spurloc	6041	2	12/30/2022	293	2822.7	0.004528	0.47	0.001327
KY	H L Spurloc	6041	2	12/30/2022	291	2817.4	0.004599	0.475	0.001338
KY	H L Spurloc	6041	2	12/30/2022	291	2806.4	0.004581	0.475	0.001333
KY	H L Spurloc	6041	2	12/30/2022	292	2815.3	0.00458	0.475	0.001337
KY	H L Spurloc	6041	2	12/30/2022	291	2834.8	0.004579	0.47	0.001332
KY	H L Spurloc	6041	2	12/30/2022	292	2807	0.004557	0.474	0.001331
KY	H L Spurloc	6041	2	12/30/2022	345	3389.5	0.004529	0.461	0.001563
KY	H L Spurloc	6041	2	12/30/2022	416	4112.8	0.00437	0.442	0.001818
KY	H L Spurloc	6041	2	12/30/2022	297	2846.5	0.004505	0.47	0.001338
KY	H L Spurloc	6041	2	12/31/2022	297	2854.7	0.004575	0.476	0.001359
KY	H L Spurloc	6041	2	12/31/2022	295	2762.1	0.004466	0.477	0.001318
KY	H L Spurloc	6041	2	12/31/2022	296	2781.1	0.004519	0.481	0.001338
KY	H L Spurloc	6041	2	12/31/2022	295	2733.2	0.00441	0.476	0.001301
KY	H L Spurloc	6041	2	12/31/2022	295	2713.2	0.004406	0.479	0.0013
KY	H L Spurloc	6041	2	12/31/2022	295	2763.2	0.004477	0.478	0.001321
KY	H L Spurloc	6041	2	12/31/2022	295	2740.9	0.004395	0.473	0.001296
KY	H L Spurloc	6041	2	12/31/2022	295	2734.5	0.004384	0.473	0.001293
KY	H L Spurloc	6041	2	12/31/2022	295	2762.8	0.00443	0.473	0.001307
KY	H L Spurloc	6041	2	12/31/2022	295	2778.4	0.004455	0.473	0.001314
KY	H L Spurloc	6041	2	12/31/2022	299	2820.2	0.004461	0.473	0.001334
KY	H L Spurloc	6041	2	12/31/2022	296	2688.2	0.00435	0.479	0.001288
KY	H L Spurloc	6041	2	12/31/2022	294	2698.5	0.004433	0.483	0.001303
KY	H L Spurloc	6041	2	12/31/2022	295	2795.9	0.004492	0.474	0.001325
KY	H L Spurloc	6041	2	12/31/2022	295	2778.9	0.004456	0.473	0.001314
KY	H L Spurloc	6041	2	12/31/2022	295	2796.1	0.004483	0.473	0.001323
KY	H L Spurloc	6041	2	12/31/2022	295	2775.5	0.004488	0.477	0.001324
KY	H L Spurloc	6041	2	12/31/2022	390	3747.6	0.004353	0.453	0.001698
KY	H L Spurloc	6041	2	12/31/2022	317	2912.4	0.004309	0.469	0.001366
KY	H L Spurloc	6041	2	12/31/2022	295	2728.1	0.004365	0.472	0.001288
KY	H L Spurloc	6041	2	12/31/2022	298	2608.1	0.004166	0.476	0.001241
KY	H L Spurloc	6041	2	12/31/2022	292	2535.9	0.004177	0.481	0.00122
KY	H L Spurloc	6041	2	12/31/2022	295	2704.5	0.004382	0.478	0.001293
KY	H L Spurloc	6041	2	12/31/2022	295	2676.4	0.004337	0.478	0.001279
KY	H L Spurloc	6041	3	10/1/2022	163	1533.6	5.37E-05	0.00571	8.76E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1501.4	5.37E-05	0.00583	8.75E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1513.8	5.36E-05	0.00577	8.73E-06
KY	H L Spurloc	6041	3	10/1/2022	172	1593.5	5.18E-05	0.00559	8.91E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1488.4	5.32E-05	0.00583	8.68E-06

KY	H L Spurloc	6041	3	10/1/2022	209	2018.8	4.65E-05	0.00481	9.71E-06
KY	H L Spurloc	6041	3	10/1/2022	197	1685.4	4.55E-05	0.00532	8.97E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1499.5	5.31E-05	0.00577	8.65E-06
KY	H L Spurloc	6041	3	10/1/2022	164	1501.7	5.28E-05	0.00577	8.66E-06
KY	H L Spurloc	6041	3	10/1/2022	167	1544.4	5.28E-05	0.00571	8.82E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1515.6	5.37E-05	0.00577	8.75E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1523.4	5.28E-05	0.00565	8.61E-06
KY	H L Spurloc	6041	3	10/1/2022	164	1537.9	5.24E-05	0.00559	8.6E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1515.7	5.25E-05	0.00565	8.56E-06
KY	H L Spurloc	6041	3	10/1/2022	175	1618.6	5.02E-05	0.00543	8.79E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1514.2	5.19E-05	0.00559	8.46E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1503.7	5.21E-05	0.00565	8.5E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1522.3	5.22E-05	0.00559	8.51E-06
KY	H L Spurloc	6041	3	10/1/2022	173	1573.3	5.03E-05	0.00553	8.7E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1505.4			
KY	H L Spurloc	6041	3	10/1/2022	164	1500.7	5.28E-05	0.00577	8.66E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1492	5.34E-05	0.00583	8.7E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1485	5.37E-05	0.00589	8.75E-06
KY	H L Spurloc	6041	3	10/1/2022	163	1501.8	5.37E-05	0.00583	8.76E-06
KY	H L Spurloc	6041	3	10/2/2022	163	1503.4	5.38E-05	0.00583	8.76E-06
KY	H L Spurloc	6041	3	10/2/2022	163	1504.6	5.38E-05	0.00583	8.77E-06
KY	H L Spurloc	6041	3	10/2/2022	163	1491	5.39E-05	0.00589	8.78E-06
KY	H L Spurloc	6041	3	10/2/2022	163	1508.6	5.34E-05	0.00577	8.7E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1537.6	5.32E-05	0.00571	8.78E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1527.8	5.34E-05	0.00577	8.82E-06
KY	H L Spurloc	6041	3	10/2/2022	166	1541.3	5.3E-05	0.00571	8.8E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1522.5	5.32E-05	0.00577	8.78E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1516.2	5.36E-05	0.00583	8.84E-06
KY	H L Spurloc	6041	3	10/2/2022	166	1530.6	5.32E-05	0.00577	8.83E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1525.4	5.33E-05	0.00577	8.8E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1525.2	5.33E-05	0.00577	8.8E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1529	5.35E-05	0.00577	8.82E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1516.7	5.36E-05	0.00583	8.84E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1520.9	5.37E-05	0.00583	8.87E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1519.2	5.37E-05	0.00583	8.86E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1523.5	5.38E-05	0.00583	8.88E-06
KY	H L Spurloc	6041	3	10/2/2022	166	1526.5	5.36E-05	0.00583	8.9E-06
KY	H L Spurloc	6041	3	10/2/2022	198	1834.8	4.79E-05	0.00517	9.49E-06
KY	H L Spurloc	6041	3	10/2/2022	168	1509.9	5.19E-05	0.00577	8.71E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1511.3	5.34E-05	0.00583	8.81E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1515.5	5.35E-05	0.00583	8.84E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1524.7	5.33E-05	0.00577	8.8E-06
KY	H L Spurloc	6041	3	10/2/2022	165	1529.4	5.35E-05	0.00577	8.82E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1536.4	5.37E-05	0.00577	8.87E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1533.5	5.36E-05	0.00577	8.85E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1535.5	5.37E-05	0.00577	8.86E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1538.2	5.38E-05	0.00577	8.88E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1552.5	5.37E-05	0.00571	8.86E-06

KY	H L Spurloc	6041	3	10/3/2022	166	1556.2	5.35E-05	0.00571	8.89E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1539.1	5.38E-05	0.00577	8.88E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1541.2	5.39E-05	0.00577	8.89E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1535.7	4.65E-05	0.005	7.68E-06
KY	H L Spurloc	6041	3	10/3/2022	166	1548.7	4.62E-05	0.00495	7.67E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1549.4	4.65E-05	0.00495	7.67E-06
KY	H L Spurloc	6041	3	10/3/2022	166	1551.6	4.63E-05	0.00495	7.68E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1545.3	4.64E-05	0.00495	7.65E-06
KY	H L Spurloc	6041	3	10/3/2022	198	1833.7	4.15E-05	0.00448	8.22E-06
KY	H L Spurloc	6041	3	10/3/2022	170	1535	4.42E-05	0.0049	7.52E-06
KY	H L Spurloc	6041	3	10/3/2022	219	2038.2	3.88E-05	0.00417	8.5E-06
KY	H L Spurloc	6041	3	10/3/2022	176	1571	4.33E-05	0.00485	7.62E-06
KY	H L Spurloc	6041	3	10/3/2022	179	1621.7	4.35E-05	0.0048	7.78E-06
KY	H L Spurloc	6041	3	10/3/2022	234	2151.5	3.77E-05	0.0041	8.82E-06
KY	H L Spurloc	6041	3	10/3/2022	197	1690.1	3.96E-05	0.00461	7.79E-06
KY	H L Spurloc	6041	3	10/3/2022	166	1488.8	4.53E-05	0.00505	7.52E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1505.1	4.56E-05	0.005	7.53E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1526.5	4.58E-05	0.00495	7.56E-06
KY	H L Spurloc	6041	3	10/3/2022	165	1515.6	4.59E-05	0.005	7.58E-06
KY	H L Spurloc	6041	3	10/4/2022	173	1592.8	4.47E-05	0.00485	7.73E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1534.5	4.58E-05	0.00495	7.6E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1557.4	4.57E-05	0.0049	7.63E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1548	4.54E-05	0.0049	7.59E-06
KY	H L Spurloc	6041	3	10/4/2022	168	1539.3	4.54E-05	0.00495	7.62E-06
KY	H L Spurloc	6041	3	10/4/2022	172	1606.3	4.48E-05	0.0048	7.71E-06
KY	H L Spurloc	6041	3	10/4/2022	181	1644.5	4.32E-05	0.00475	7.81E-06
KY	H L Spurloc	6041	3	10/4/2022	177	1588.7	4.35E-05	0.00485	7.71E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1521.7	4.54E-05	0.00495	7.53E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1538.1	4.56E-05	0.00495	7.61E-06
KY	H L Spurloc	6041	3	10/4/2022	174	1592.3	4.44E-05	0.00485	7.72E-06
KY	H L Spurloc	6041	3	10/4/2022	175	1578.6	4.37E-05	0.00485	7.66E-06
KY	H L Spurloc	6041	3	10/4/2022	175	1589.6	4.36E-05	0.0048	7.63E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1544.7	4.49E-05	0.00485	7.49E-06
KY	H L Spurloc	6041	3	10/4/2022	193	1722.3	4.08E-05	0.00457	7.87E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1515.2	4.52E-05	0.00495	7.5E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1552.2	4.51E-05	0.00485	7.53E-06
KY	H L Spurloc	6041	3	10/4/2022	170	1576.3	4.45E-05	0.0048	7.57E-06
KY	H L Spurloc	6041	3	10/4/2022	182	1669.3	4.27E-05	0.00466	7.78E-06
KY	H L Spurloc	6041	3	10/4/2022	185	1643	4.17E-05	0.0047	7.72E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1529.4	4.51E-05	0.0049	7.49E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1530.4	4.52E-05	0.0049	7.5E-06
KY	H L Spurloc	6041	3	10/4/2022	167	1549.7	4.5E-05	0.00485	7.52E-06
KY	H L Spurloc	6041	3	10/4/2022	166	1535.3	4.53E-05	0.0049	7.52E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1538.9	4.54E-05	0.0049	7.54E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1541.7	4.55E-05	0.0049	7.55E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1529.2	4.56E-05	0.00495	7.57E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1529.6	4.52E-05	0.0049	7.5E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1541.2	4.55E-05	0.0049	7.55E-06

KY	H L Spurloc	6041	3	10/5/2022	166	1531.4	4.57E-05	0.00495	7.58E-06
KY	H L Spurloc	6041	3	10/5/2022	194	1762.9	4.15E-05	0.00457	8.06E-06
KY	H L Spurloc	6041	3	10/5/2022	181	1616.9	4.29E-05	0.0048	7.76E-06
KY	H L Spurloc	6041	3	10/5/2022	178	1621.5	4.37E-05	0.0048	7.78E-06
KY	H L Spurloc	6041	3	10/5/2022	187	1758	4.3E-05	0.00457	8.03E-06
KY	H L Spurloc	6041	3	10/5/2022	179	1590.8	4.31E-05	0.00485	7.72E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1528.1	4.56E-05	0.00495	7.56E-06
KY	H L Spurloc	6041	3	10/5/2022	174	1631.2	4.45E-05	0.00475	7.75E-06
KY	H L Spurloc	6041	3	10/5/2022	177	1606.1	4.36E-05	0.0048	7.71E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1513.8	4.56E-05	0.005	7.57E-06
KY	H L Spurloc	6041	3	10/5/2022	166	1542.3	4.55E-05	0.0049	7.56E-06
KY	H L Spurloc	6041	3	10/5/2022	172	1609.2	4.49E-05	0.0048	7.72E-06
KY	H L Spurloc	6041	3	10/5/2022	189	1712.7	4.22E-05	0.00466	7.98E-06
KY	H L Spurloc	6041	3	10/5/2022	218	1997.8	3.96E-05	0.00432	8.63E-06
KY	H L Spurloc	6041	3	10/5/2022	214	1887.8	3.92E-05	0.00444	8.38E-06
KY	H L Spurloc	6041	3	10/5/2022	199	1780.9	4.09E-05	0.00457	8.14E-06
KY	H L Spurloc	6041	3	10/5/2022	222	2027.5	3.91E-05	0.00428	8.68E-06
KY	H L Spurloc	6041	3	10/5/2022	198	1697.6	4.03E-05	0.0047	7.98E-06
KY	H L Spurloc	6041	3	10/5/2022	167	1509.4	4.52E-05	0.005	7.55E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1540.7	4.55E-05	0.0049	7.55E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1544.5	4.56E-05	0.0049	7.57E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1561.7	4.56E-05	0.00485	7.57E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1543.8	4.56E-05	0.0049	7.56E-06
KY	H L Spurloc	6041	3	10/6/2022	170	1565.8	4.47E-05	0.00485	7.59E-06
KY	H L Spurloc	6041	3	10/6/2022	180	1669.4	4.36E-05	0.0047	7.85E-06
KY	H L Spurloc	6041	3	10/6/2022	173	1597.8	4.48E-05	0.00485	7.75E-06
KY	H L Spurloc	6041	3	10/6/2022	212	2009.6	4.02E-05	0.00424	8.52E-06
KY	H L Spurloc	6041	3	10/6/2022	191	1692.2	4.08E-05	0.00461	7.8E-06
KY	H L Spurloc	6041	3	10/6/2022	170	1550.6	4.52E-05	0.00495	7.68E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1533.1	4.57E-05	0.00495	7.59E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1536.3	4.58E-05	0.00495	7.6E-06
KY	H L Spurloc	6041	3	10/6/2022	168	1575.5	4.55E-05	0.00485	7.64E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1547.2	4.57E-05	0.0049	7.58E-06
KY	H L Spurloc	6041	3	10/6/2022	167	1537.2	4.56E-05	0.00495	7.61E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1538.5	4.59E-05	0.00495	7.62E-06
KY	H L Spurloc	6041	3	10/6/2022	167	1573.7	4.57E-05	0.00485	7.63E-06
KY	H L Spurloc	6041	3	10/6/2022	180	1673.4	4.37E-05	0.0047	7.87E-06
KY	H L Spurloc	6041	3	10/6/2022	172	1576.1	4.49E-05	0.0049	7.72E-06
KY	H L Spurloc	6041	3	10/6/2022	172	1586.5	4.47E-05	0.00485	7.69E-06
KY	H L Spurloc	6041	3	10/6/2022	167	1545.1	4.58E-05	0.00495	7.65E-06
KY	H L Spurloc	6041	3	10/6/2022	167	1557.3	4.57E-05	0.0049	7.63E-06
KY	H L Spurloc	6041	3	10/6/2022	167	1556	4.57E-05	0.0049	7.62E-06
KY	H L Spurloc	6041	3	10/6/2022	166	1556.8	4.6E-05	0.0049	7.63E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1543.3	4.6E-05	0.00495	7.64E-06
KY	H L Spurloc	6041	3	10/7/2022	167	1555.7	4.56E-05	0.0049	7.62E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1536.7	4.58E-05	0.00495	7.61E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1541.1	4.6E-05	0.00495	7.63E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1532.7	4.62E-05	0.005	7.66E-06

KY	H L Spurloc	6041	3	10/7/2022	166	1555.3	4.59E-05	0.0049	7.62E-06
KY	H L Spurloc	6041	3	10/7/2022	169	1571.9	4.56E-05	0.0049	7.7E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1537.9	4.63E-05	0.005	7.69E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1537.8	4.63E-05	0.005	7.69E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1558	4.6E-05	0.0049	7.63E-06
KY	H L Spurloc	6041	3	10/7/2022	167	1546.8	4.58E-05	0.00495	7.66E-06
KY	H L Spurloc	6041	3	10/7/2022	171	1590.9	4.51E-05	0.00485	7.72E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1555.2	4.59E-05	0.0049	7.62E-06
KY	H L Spurloc	6041	3	10/7/2022	167	1554	4.56E-05	0.0049	7.61E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1555.2	4.59E-05	0.0049	7.62E-06
KY	H L Spurloc	6041	3	10/7/2022	168	1557.8	4.54E-05	0.0049	7.63E-06
KY	H L Spurloc	6041	3	10/7/2022	172	1612.7	4.5E-05	0.0048	7.74E-06
KY	H L Spurloc	6041	3	10/7/2022	176	1597.9	4.36E-05	0.0048	7.67E-06
KY	H L Spurloc	6041	3	10/7/2022	171	1562.6	4.43E-05	0.00485	7.58E-06
KY	H L Spurloc	6041	3	10/7/2022	170	1567	4.47E-05	0.00485	7.6E-06
KY	H L Spurloc	6041	3	10/7/2022	167	1541.4	4.52E-05	0.0049	7.55E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1524.9	4.55E-05	0.00495	7.55E-06
KY	H L Spurloc	6041	3	10/7/2022	166	1525.2	4.55E-05	0.00495	7.55E-06
KY	H L Spurloc	6041	3	10/7/2022	168	1557.2	4.5E-05	0.00485	7.55E-06
KY	H L Spurloc	6041	3	10/8/2022	170	1571.1	4.44E-05	0.0048	7.54E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1549.4	4.5E-05	0.00485	7.51E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1567.3	4.5E-05	0.0048	7.52E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1537.8	4.51E-05	0.0049	7.54E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1560	4.53E-05	0.00485	7.57E-06
KY	H L Spurloc	6041	3	10/8/2022	214	2065	3.96E-05	0.0041	8.47E-06
KY	H L Spurloc	6041	3	10/8/2022	190	1678.4	4.04E-05	0.00457	7.67E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1527.8	4.48E-05	0.0049	7.49E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1533.4	4.5E-05	0.0049	7.51E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1542.9	4.48E-05	0.00485	7.48E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1552.7	4.46E-05	0.0048	7.45E-06
KY	H L Spurloc	6041	3	10/8/2022	169	1560.8	4.43E-05	0.0048	7.49E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1539.4	4.47E-05	0.00485	7.47E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1531.1	4.49E-05	0.0049	7.5E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1538.3	4.47E-05	0.00485	7.46E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1536.8	4.46E-05	0.00485	7.45E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1530.8	4.49E-05	0.0049	7.5E-06
KY	H L Spurloc	6041	3	10/8/2022	168	1552.6	4.53E-05	0.0049	7.61E-06
KY	H L Spurloc	6041	3	10/8/2022	219	2076	3.95E-05	0.00417	8.66E-06
KY	H L Spurloc	6041	3	10/8/2022	269	2449.8	3.54E-05	0.00389	9.53E-06
KY	H L Spurloc	6041	3	10/8/2022	193	1654.7	4.03E-05	0.0047	7.78E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1515.1	4.49E-05	0.00495	7.5E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1521.8	4.51E-05	0.00495	7.53E-06
KY	H L Spurloc	6041	3	10/8/2022	167	1554.6	4.51E-05	0.00485	7.54E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1593	4.53E-05	0.00475	7.57E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1570.9	4.52E-05	0.0048	7.54E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1550.5	4.46E-05	0.0048	7.44E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1552.9	4.46E-05	0.0048	7.45E-06
KY	H L Spurloc	6041	3	10/9/2022	168	1542.5	4.45E-05	0.00485	7.48E-06



KY	H L Spurloc	6041	3	10/9/2022	167	1541.1	4.48E-05	0.00485	7.47E-06
KY	H L Spurloc	6041	3	10/9/2022	168	1545.2	4.46E-05	0.00485	7.49E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1542.7	4.48E-05	0.00485	7.48E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1537.1	4.51E-05	0.0049	7.53E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1554.3			
KY	H L Spurloc	6041	3	10/9/2022	167	1541.2	2.1E-05	0.00228	3.51E-06
KY	H L Spurloc	6041	3	10/9/2022	168	1545	2.1E-05	0.00228	3.52E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1554.6	2.1E-05	0.00226	3.51E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1559	2.11E-05	0.00226	3.52E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1557.4	2.13E-05	0.00228	3.55E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1550.1	2.14E-05	0.00231	3.58E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1541.3	2.15E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/9/2022	170	1613.1	2.13E-05	0.00224	3.61E-06
KY	H L Spurloc	6041	3	10/9/2022	183	1656.5	2.01E-05	0.00222	3.68E-06
KY	H L Spurloc	6041	3	10/9/2022	197	1820.4	1.93E-05	0.00209	3.8E-06
KY	H L Spurloc	6041	3	10/9/2022	227	2054.7	1.77E-05	0.00196	4.03E-06
KY	H L Spurloc	6041	3	10/9/2022	204	1750.6	1.85E-05	0.00215	3.76E-06
KY	H L Spurloc	6041	3	10/9/2022	168	1546.1	2.1E-05	0.00228	3.53E-06
KY	H L Spurloc	6041	3	10/9/2022	167	1553.2	2.1E-05	0.00226	3.51E-06
KY	H L Spurloc	6041	3	10/10/2022	167	1539.9	2.1E-05	0.00228	3.51E-06
KY	H L Spurloc	6041	3	10/10/2022	167	1539.9	2.1E-05	0.00228	3.51E-06
KY	H L Spurloc	6041	3	10/10/2022	167	1552.5	2.1E-05	0.00226	3.51E-06
KY	H L Spurloc	6041	3	10/10/2022	167	1541.5	2.1E-05	0.00228	3.51E-06
KY	H L Spurloc	6041	3	10/10/2022	214	1982.5	1.85E-05	0.002	3.97E-06
KY	H L Spurloc	6041	3	10/10/2022	191	1610.9	1.92E-05	0.00228	3.67E-06
KY	H L Spurloc	6041	3	10/10/2022	179	1632.1	2.04E-05	0.00224	3.66E-06
KY	H L Spurloc	6041	3	10/10/2022	204	1849.3	1.88E-05	0.00207	3.83E-06
KY	H L Spurloc	6041	3	10/10/2022	181	1621.7	2.02E-05	0.00226	3.67E-06
KY	H L Spurloc	6041	3	10/10/2022	181	1657.4	2.05E-05	0.00224	3.71E-06
KY	H L Spurloc	6041	3	10/10/2022	212	1940.4	1.86E-05	0.00203	3.94E-06
KY	H L Spurloc	6041	3	10/10/2022	249	2312.9	1.76E-05	0.0019	4.39E-06
KY	H L Spurloc	6041	3	10/10/2022	295	2702.1	1.63E-05	0.00178	4.81E-06
KY	H L Spurloc	6041	3	10/10/2022	213	1772.1	1.77E-05	0.00213	3.77E-06
KY	H L Spurloc	6041	3	10/10/2022	171	1530.9	2.09E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/10/2022	169	1546.6	2.13E-05	0.00233	3.6E-06
KY	H L Spurloc	6041	3	10/10/2022	170	1605.8	2.13E-05	0.00226	3.63E-06
KY	H L Spurloc	6041	3	10/10/2022	248	2400.5	1.81E-05	0.00187	4.49E-06
KY	H L Spurloc	6041	3	10/10/2022	297	2799.2	1.65E-05	0.00175	4.9E-06
KY	H L Spurloc	6041	3	10/10/2022	283	2508.6	1.6E-05	0.00181	4.54E-06
KY	H L Spurloc	6041	3	10/10/2022	235	2023.7	1.69E-05	0.00196	3.97E-06
KY	H L Spurloc	6041	3	10/10/2022	195	1687.1	1.88E-05	0.00217	3.66E-06
KY	H L Spurloc	6041	3	10/10/2022	175	1619.3	2.07E-05	0.00224	3.63E-06
KY	H L Spurloc	6041	3	10/10/2022	222	2110.3	1.86E-05	0.00196	4.14E-06
KY	H L Spurloc	6041	3	10/11/2022	298	2822.2	1.63E-05	0.00172	4.85E-06
KY	H L Spurloc	6041	3	10/11/2022	300	2735.5	1.6E-05	0.00175	4.79E-06
KY	H L Spurloc	6041	3	10/11/2022	300	2766.7	1.6E-05	0.00174	4.81E-06
KY	H L Spurloc	6041	3	10/11/2022	300	2768.2	1.61E-05	0.00174	4.82E-06
KY	H L Spurloc	6041	3	10/11/2022	300	2760.2	1.6E-05	0.00174	4.8E-06

KY	H L Spurloc	6041	3	10/11/2022	299	2725.9	1.59E-05	0.00174	4.74E-06
KY	H L Spurloc	6041	3	10/11/2022	301	2723.9	1.58E-05	0.00175	4.77E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2705.8	1.6E-05	0.00179	4.84E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2730.3	1.62E-05	0.00179	4.89E-06
KY	H L Spurloc	6041	3	10/11/2022	292	2624.6			
KY	H L Spurloc	6041	3	10/11/2022	299	2736.4	1.63E-05	0.00178	4.87E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2682.6	1.59E-05	0.00179	4.8E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2681.7	1.59E-05	0.00179	4.8E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2636.4	1.59E-05	0.00182	4.8E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2644.9	1.59E-05	0.00181	4.79E-06
KY	H L Spurloc	6041	3	10/11/2022	299	2591.9	1.58E-05	0.00182	4.72E-06
KY	H L Spurloc	6041	3	10/11/2022	301	2637.9	1.59E-05	0.00181	4.77E-06
KY	H L Spurloc	6041	3	10/11/2022	301	2653	1.6E-05	0.00181	4.8E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2677.4	1.59E-05	0.00179	4.79E-06
KY	H L Spurloc	6041	3	10/11/2022	302	2673.8	1.58E-05	0.00179	4.79E-06
KY	H L Spurloc	6041	3	10/11/2022	290	2480.6	1.56E-05	0.00182	4.51E-06
KY	H L Spurloc	6041	3	10/11/2022	286	2489.2	1.58E-05	0.00181	4.51E-06
KY	H L Spurloc	6041	3	10/11/2022	301	2677.6	1.59E-05	0.00179	4.79E-06
KY	H L Spurloc	6041	3	10/11/2022	249	2084.6	1.63E-05	0.00195	4.07E-06
KY	H L Spurloc	6041	3	10/12/2022	173	1494.5	2.04E-05	0.00236	3.53E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1507.5	2.12E-05	0.00236	3.56E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1522.8	2.11E-05	0.00233	3.55E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1532.7	2.13E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1542.8	2.14E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/12/2022	213	2028.2	1.89E-05	0.00198	4.02E-06
KY	H L Spurloc	6041	3	10/12/2022	217	1930.8	1.81E-05	0.00203	3.92E-06
KY	H L Spurloc	6041	3	10/12/2022	176	1532.9	2.06E-05	0.00236	3.62E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1536.3	2.16E-05	0.00236	3.63E-06
KY	H L Spurloc	6041	3	10/12/2022	171	1559.4	2.15E-05	0.00236	3.68E-06
KY	H L Spurloc	6041	3	10/12/2022	173	1555.2			
KY	H L Spurloc	6041	3	10/12/2022	168	1553.3	2.18E-05	0.00236	3.67E-06
KY	H L Spurloc	6041	3	10/12/2022	173	1581.9	2.13E-05	0.00233	3.69E-06
KY	H L Spurloc	6041	3	10/12/2022	178	1596.9	2.09E-05	0.00233	3.72E-06
KY	H L Spurloc	6041	3	10/12/2022	169	1536.8	2.16E-05	0.00238	3.66E-06
KY	H L Spurloc	6041	3	10/12/2022	170	1552.3	2.15E-05	0.00236	3.66E-06
KY	H L Spurloc	6041	3	10/12/2022	168	1539.4	2.18E-05	0.00238	3.66E-06
KY	H L Spurloc	6041	3	10/12/2022	212	1986.2	1.96E-05	0.00209	4.15E-06
KY	H L Spurloc	6041	3	10/12/2022	279	2530.6	1.66E-05	0.00183	4.63E-06
KY	H L Spurloc	6041	3	10/12/2022	218	1852.5	1.78E-05	0.00209	3.87E-06
KY	H L Spurloc	6041	3	10/12/2022	231	2003.5	1.76E-05	0.00203	4.07E-06
KY	H L Spurloc	6041	3	10/12/2022	172	1486.3	2.08E-05	0.00241	3.58E-06
KY	H L Spurloc	6041	3	10/12/2022	203	1852.7	1.94E-05	0.00213	3.95E-06
KY	H L Spurloc	6041	3	10/12/2022	189	1621.8	1.94E-05	0.00226	3.67E-06
KY	H L Spurloc	6041	3	10/13/2022	168	1510.7	2.14E-05	0.00238	3.6E-06
KY	H L Spurloc	6041	3	10/13/2022	168	1533.9	2.15E-05	0.00236	3.62E-06
KY	H L Spurloc	6041	3	10/13/2022	168	1524.8	2.16E-05	0.00238	3.63E-06
KY	H L Spurloc	6041	3	10/13/2022	168	1534	2.17E-05	0.00238	3.65E-06
KY	H L Spurloc	6041	3	10/13/2022	169	1535.7	2.16E-05	0.00238	3.66E-06

KY	H L Spurloc	6041	3	10/13/2022	169	1541.2	2.15E-05	0.00236	3.64E-06
KY	H L Spurloc	6041	3	10/13/2022	169	1590.8			
KY	H L Spurloc	6041	3	10/13/2022	181	1665.7	2.06E-05	0.00224	3.73E-06
KY	H L Spurloc	6041	3	10/13/2022	263	2466	1.72E-05	0.00183	4.51E-06
KY	H L Spurloc	6041	3	10/13/2022	281	2430.3	1.58E-05	0.00183	4.45E-06
KY	H L Spurloc	6041	3	10/13/2022	242	2034.5	1.64E-05	0.00195	3.97E-06
KY	H L Spurloc	6041	3	10/13/2022	171	1479.2	2.06E-05	0.00238	3.52E-06
KY	H L Spurloc	6041	3	10/13/2022	170	1525.2	2.12E-05	0.00236	3.6E-06
KY	H L Spurloc	6041	3	10/13/2022	170	1541.4	2.11E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/13/2022	170	1538.7	2.11E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/13/2022	170	1540.4	2.11E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/13/2022	174	1590.7	2.08E-05	0.00228	3.63E-06
KY	H L Spurloc	6041	3	10/13/2022	210	1906.2	1.88E-05	0.00207	3.95E-06
KY	H L Spurloc	6041	3	10/13/2022	226	2028.1	1.75E-05	0.00195	3.95E-06
KY	H L Spurloc	6041	3	10/13/2022	237	2099.3	1.69E-05	0.00191	4.01E-06
KY	H L Spurloc	6041	3	10/13/2022	234	2062.4	1.7E-05	0.00193	3.98E-06
KY	H L Spurloc	6041	3	10/13/2022	276	2514.2	1.65E-05	0.00181	4.55E-06
KY	H L Spurloc	6041	3	10/13/2022	284	2439.4	1.56E-05	0.00182	4.44E-06
KY	H L Spurloc	6041	3	10/13/2022	288	2556.2	1.59E-05	0.00179	4.58E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2589.8	1.58E-05	0.00182	4.71E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2603.2	1.58E-05	0.00181	4.71E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2582.9	1.58E-05	0.00182	4.7E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2577.2	1.58E-05	0.00183	4.72E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2608.3	1.59E-05	0.00182	4.75E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2624.7	1.59E-05	0.00181	4.75E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2561.8	1.56E-05	0.00182	4.66E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2533.6			
KY	H L Spurloc	6041	3	10/14/2022	298	2563	1.57E-05	0.00182	4.66E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2609	1.58E-05	0.00181	4.72E-06
KY	H L Spurloc	6041	3	10/14/2022	299	2612.4	1.56E-05	0.00179	4.68E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2578.7	1.55E-05	0.00179	4.62E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2555.9	1.55E-05	0.00181	4.63E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2541.5	1.55E-05	0.00182	4.63E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2558.5	1.56E-05	0.00182	4.66E-06
KY	H L Spurloc	6041	3	10/14/2022	299	2619.7	1.57E-05	0.00179	4.69E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2604.1	1.56E-05	0.00179	4.66E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2584.2	1.55E-05	0.00179	4.63E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2557.1	1.55E-05	0.00181	4.63E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2579.1	1.57E-05	0.00181	4.67E-06
KY	H L Spurloc	6041	3	10/14/2022	296	2594.4	1.57E-05	0.00179	4.64E-06
KY	H L Spurloc	6041	3	10/14/2022	290	2599.8	1.58E-05	0.00176	4.58E-06
KY	H L Spurloc	6041	3	10/14/2022	298	2653.8	1.59E-05	0.00178	4.72E-06
KY	H L Spurloc	6041	3	10/14/2022	257	2167.8	1.59E-05	0.00188	4.08E-06
KY	H L Spurloc	6041	3	10/15/2022	178	1522.9	1.99E-05	0.00233	3.55E-06
KY	H L Spurloc	6041	3	10/15/2022	170	1510.5	2.11E-05	0.00238	3.6E-06
KY	H L Spurloc	6041	3	10/15/2022	170	1515.6	2.12E-05	0.00238	3.61E-06
KY	H L Spurloc	6041	3	10/15/2022	170	1512.4	2.12E-05	0.00238	3.6E-06
KY	H L Spurloc	6041	3	10/15/2022	171	1529.1	2.11E-05	0.00236	3.61E-06

KY	H L Spurloc	6041	3	10/15/2022	170	1533	2.13E-05	0.00236	3.62E-06
KY	H L Spurloc	6041	3	10/15/2022	182	1636.5	2.03E-05	0.00226	3.7E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1478.6	2.16E-05	0.00241	3.56E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1501.7	2.17E-05	0.00238	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1513.1	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1504.7	2.17E-05	0.00238	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1518.6	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1516.2	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1512	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1512.4	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1502.4	2.17E-05	0.00238	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	168	1543.4	2.14E-05	0.00233	3.6E-06
KY	H L Spurloc	6041	3	10/15/2022	171	1566.6	2.12E-05	0.00231	3.62E-06
KY	H L Spurloc	6041	3	10/15/2022	168	1568.9	2.13E-05	0.00228	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	168	1514.2	2.13E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1510.7	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1517.3	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/15/2022	166	1521.2	2.16E-05	0.00236	3.59E-06
KY	H L Spurloc	6041	3	10/15/2022	165	1535.4	2.17E-05	0.00233	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	206	1869.4	1.9E-05	0.00209	3.91E-06
KY	H L Spurloc	6041	3	10/16/2022	167	1505.2	2.1E-05	0.00233	3.51E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1514.1	2.17E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1518.5	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	166	1523.3	2.17E-05	0.00236	3.6E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1518.7	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	168	1526.4	2.14E-05	0.00236	3.6E-06
KY	H L Spurloc	6041	3	10/16/2022	166	1516.7	2.16E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1533.8	2.17E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/16/2022	168	1543.5	2.14E-05	0.00233	3.6E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1523.7	2.18E-05	0.00236	3.6E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1534.7	2.17E-05	0.00233	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1510.6	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/16/2022	166	1512.3	2.15E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/16/2022	169	1542.1	2.13E-05	0.00233	3.59E-06
KY	H L Spurloc	6041	3	10/16/2022	167	1525.9	2.16E-05	0.00236	3.6E-06
KY	H L Spurloc	6041	3	10/16/2022	175	1578.8	2.08E-05	0.00231	3.65E-06
KY	H L Spurloc	6041	3	10/16/2022	176	1638.3	2.1E-05	0.00226	3.7E-06
KY	H L Spurloc	6041	3	10/16/2022	198	1849.2	1.91E-05	0.00205	3.79E-06
KY	H L Spurloc	6041	3	10/16/2022	211	2011.3	1.89E-05	0.00198	3.98E-06
KY	H L Spurloc	6041	3	10/16/2022	188	1644.7	1.94E-05	0.00222	3.65E-06
KY	H L Spurloc	6041	3	10/16/2022	166	1499.1	2.15E-05	0.00238	3.57E-06
KY	H L Spurloc	6041	3	10/16/2022	166	1504.5	2.16E-05	0.00238	3.58E-06
KY	H L Spurloc	6041	3	10/16/2022	165	1516.9	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1514.4	2.17E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1518.6	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1537.8	2.17E-05	0.00233	3.58E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1532.7	2.16E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1533.6	2.17E-05	0.00233	3.57E-06

KY	H L Spurloc	6041	3	10/17/2022	183	1710.9	2.03E-05	0.00217	3.71E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1520.6	2.15E-05	0.00233	3.54E-06
KY	H L Spurloc	6041	3	10/17/2022	183	1678.3	2.04E-05	0.00222	3.73E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1516.3	2.14E-05	0.00233	3.53E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1550.2			
KY	H L Spurloc	6041	3	10/17/2022	167	1564.2	2.16E-05	0.00231	3.61E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1525.2	2.15E-05	0.00233	3.55E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1531.9	2.16E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1534.1	2.17E-05	0.00233	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1530	2.16E-05	0.00233	3.56E-06
KY	H L Spurloc	6041	3	10/17/2022	166	1528	2.14E-05	0.00233	3.56E-06
KY	H L Spurloc	6041	3	10/17/2022	215	2018.7	1.88E-05	0.002	4.04E-06
KY	H L Spurloc	6041	3	10/17/2022	189	1624	1.91E-05	0.00222	3.61E-06
KY	H L Spurloc	6041	3	10/17/2022	166	1524.1	2.12E-05	0.00231	3.52E-06
KY	H L Spurloc	6041	3	10/17/2022	166	1523.1	2.14E-05	0.00233	3.55E-06
KY	H L Spurloc	6041	3	10/17/2022	171	1559.6	2.11E-05	0.00231	3.6E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1511.6	2.16E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1514.7	2.17E-05	0.00236	3.57E-06
KY	H L Spurloc	6041	3	10/17/2022	165	1520.1	2.17E-05	0.00236	3.59E-06
KY	H L Spurloc	6041	3	10/18/2022	165	1521.7	2.18E-05	0.00236	3.59E-06
KY	H L Spurloc	6041	3	10/18/2022	165	1518.2	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/18/2022	165	1518.7	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/18/2022	165	1516	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/18/2022	165	1514.9	2.17E-05	0.00236	3.58E-06
KY	H L Spurloc	6041	3	10/18/2022	199	1981.1			
KY	H L Spurloc	6041	3	10/18/2022	292	2762.9	2.31E-05	0.00244	6.74E-06
KY	H L Spurloc	6041	3	10/18/2022	300	2714.8	5.25E-05	0.0058	1.57E-05
KY	H L Spurloc	6041	3	10/18/2022	300	2728.4	5.27E-05	0.0058	1.58E-05
KY	H L Spurloc	6041	3	10/18/2022	300	2660.3	2.28E-05	0.00257	6.84E-06
KY	H L Spurloc	6041	3	10/18/2022	300	2643	2.26E-05	0.00257	6.79E-06
KY	H L Spurloc	6041	3	10/18/2022	300	2652	2.22E-05	0.00251	6.66E-06
KY	H L Spurloc	6041	3	10/18/2022	300	2589.7	1.93E-05	0.00224	5.8E-06
KY	H L Spurloc	6041	3	10/18/2022	300	2619.9	2.21E-05	0.00253	6.63E-06
KY	H L Spurloc	6041	3	10/18/2022	299	2589.6	9.01E-05	0.0104	2.69E-05
KY	H L Spurloc	6041	3	10/18/2022	194	1520.3	0.000107	0.0137	2.08E-05
KY	H L Spurloc	6041	3	10/18/2022	21	56.712			
KY	H L Spurloc	6041	3	10/20/2022	0	21.645		0.0245	5.30E-07
KY	H L Spurloc	6041	3	10/20/2022	0	107			
KY	H L Spurloc	6041	3	10/20/2022	0	155		0.0245	3.8E-06
KY	H L Spurloc	6041	3	10/20/2022	0	168.7		0.0245	4.13E-06
KY	H L Spurloc	6041	3	10/20/2022	0	219.7		0.0245	5.38E-06
KY	H L Spurloc	6041	3	10/20/2022	0	257.1		0.0245	6.3E-06
KY	H L Spurloc	6041	3	10/20/2022	0	123.936		0.0245	3.04E-06
KY	H L Spurloc	6041	3	10/20/2022	0	130.954		0.0245	3.21E-06
KY	H L Spurloc	6041	3	10/20/2022	0	290.1		0.0245	7.11E-06
KY	H L Spurloc	6041	3	10/20/2022	0	300		0.0245	7.35E-06
KY	H L Spurloc	6041	3	10/20/2022	0	281.8		0.0245	6.9E-06
KY	H L Spurloc	6041	3	10/20/2022	0	290		0.0245	7.11E-06

KY	H L Spurloc	6041	3	10/20/2022	25	441.7	0.000636	0.036	1.59E-05
KY	H L Spurloc	6041	3	10/20/2022	38	512.9	0.000424	0.0314	1.61E-05
KY	H L Spurloc	6041	3	10/20/2022	58	580.3	0.000278	0.0278	1.61E-05
KY	H L Spurloc	6041	3	10/20/2022	60	587.3	0.000272	0.0278	1.63E-05
KY	H L Spurloc	6041	3	10/20/2022	86	834.7	0.000253	0.0261	2.18E-05
KY	H L Spurloc	6041	3	10/20/2022	120	1236.6	0.000189	0.0183	2.26E-05
KY	H L Spurloc	6041	3	10/20/2022	146	1586.9	0.000137	0.0126	2E-05
KY	H L Spurloc	6041	3	10/20/2022	159	1643	0.000123	0.0119	1.96E-05
KY	H L Spurloc	6041	3	10/20/2022	160	1628.6	0.000122	0.012	1.95E-05
KY	H L Spurloc	6041	3	10/20/2022	175	1755.1	0.000116	0.0116	2.04E-05
KY	H L Spurloc	6041	3	10/20/2022	191	1857.5	0.000108	0.0111	2.06E-05
KY	H L Spurloc	6041	3	10/21/2022	213	2012.2	0.0001	0.0106	2.13E-05
KY	H L Spurloc	6041	3	10/21/2022	239	2198.6	9.48E-05	0.0103	2.26E-05
KY	H L Spurloc	6041	3	10/21/2022	240	2157	9.44E-05	0.0105	2.26E-05
KY	H L Spurloc	6041	3	10/21/2022	260	2415.7	9.25E-05	0.00996	2.41E-05
KY	H L Spurloc	6041	3	10/21/2022	279	2529.8	8.81E-05	0.00972	2.46E-05
KY	H L Spurloc	6041	3	10/21/2022	200	1677.2	0.000101	0.0121	2.03E-05
KY	H L Spurloc	6041	3	10/21/2022	252	2379.1	9.63E-05	0.0102	2.43E-05
KY	H L Spurloc	6041	3	10/21/2022	299	2726.6	8.94E-05	0.0098	2.67E-05
KY	H L Spurloc	6041	3	10/21/2022	231	1977.3	9.24E-05	0.0108	2.14E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1564.1	0.000113	0.0121	1.89E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1561.7	0.000115	0.0124	1.94E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1539.7	0.000115	0.0126	1.94E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1535.1	0.000115	0.0126	1.93E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1541.3	0.000116	0.0126	1.94E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1533.2	0.000117	0.0128	1.96E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1539.7	0.000117	0.0128	1.97E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1540.2	0.000117	0.0128	1.97E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1550	0.000116	0.0126	1.95E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1544.6	0.000118	0.0128	1.98E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1556.1	0.000117	0.0126	1.96E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1570.9	0.000117	0.0125	1.96E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1556.4	0.000117	0.0126	1.96E-05
KY	H L Spurloc	6041	3	10/21/2022	168	1599.7	0.000116	0.0122	1.95E-05
KY	H L Spurloc	6041	3	10/21/2022	212	2037	0.000103	0.0107	2.18E-05
KY	H L Spurloc	6041	3	10/22/2022	290	2808	9.05E-05	0.00935	2.63E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2699.6	8.67E-05	0.00957	2.58E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2661.9	8.68E-05	0.00972	2.59E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2620	8.69E-05	0.00988	2.59E-05
KY	H L Spurloc	6041	3	10/22/2022	297	2630.6	8.68E-05	0.0098	2.58E-05
KY	H L Spurloc	6041	3	10/22/2022	280	2441.9	8.62E-05	0.00988	2.41E-05
KY	H L Spurloc	6041	3	10/22/2022	296	2643.6	8.82E-05	0.00988	2.61E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2677.1	8.88E-05	0.00988	2.64E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2696.4	8.87E-05	0.0098	2.64E-05
KY	H L Spurloc	6041	3	10/22/2022	299	2664.4	8.73E-05	0.0098	2.61E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2602.4	8.7E-05	0.00996	2.59E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2618.4	8.75E-05	0.00996	2.61E-05
KY	H L Spurloc	6041	3	10/22/2022	299	2632.2	8.77E-05	0.00996	2.62E-05

KY	H L Spurloc	6041	3	10/22/2022	299	2646.9	8.82E-05	0.00996	2.64E-05
KY	H L Spurloc	6041	3	10/22/2022	299	2637.7	8.79E-05	0.00996	2.63E-05
KY	H L Spurloc	6041	3	10/22/2022	299	2602.1	8.7E-05	0.01	2.6E-05
KY	H L Spurloc	6041	3	10/22/2022	298	2588.7	8.77E-05	0.0101	2.61E-05
KY	H L Spurloc	6041	3	10/22/2022	297	2590.3	8.72E-05	0.01	2.59E-05
KY	H L Spurloc	6041	3	10/22/2022	297	2605.7	8.77E-05	0.01	2.61E-05
KY	H L Spurloc	6041	3	10/22/2022	284	2449.4	8.62E-05	0.01	2.45E-05
KY	H L Spurloc	6041	3	10/22/2022	296	2626	8.84E-05	0.00996	2.62E-05
KY	H L Spurloc	6041	3	10/22/2022	286	2505.9	8.73E-05	0.00996	2.5E-05
KY	H L Spurloc	6041	3	10/22/2022	296	2647.8	8.84E-05	0.00988	2.62E-05
KY	H L Spurloc	6041	3	10/22/2022	296	2600.4	8.75E-05	0.00996	2.59E-05
KY	H L Spurloc	6041	3	10/23/2022	272	2438.5	8.86E-05	0.00988	2.41E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2677.8	8.84E-05	0.0098	2.62E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2733.6	8.87E-05	0.00964	2.64E-05
KY	H L Spurloc	6041	3	10/23/2022	290	2561.6	8.73E-05	0.00988	2.53E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2622.3	8.75E-05	0.00988	2.59E-05
KY	H L Spurloc	6041	3	10/23/2022	285	2480.1	8.67E-05	0.00996	2.47E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2642	8.82E-05	0.00988	2.61E-05
KY	H L Spurloc	6041	3	10/23/2022	294	2604.5	8.75E-05	0.00988	2.57E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2674.8	8.83E-05	0.0098	2.62E-05
KY	H L Spurloc	6041	3	10/23/2022	281	2420.8	8.61E-05	0.01	2.42E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2619.7	8.81E-05	0.00996	2.61E-05
KY	H L Spurloc	6041	3	10/23/2022	283	2466.2	8.68E-05	0.00996	2.46E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2659.5	8.85E-05	0.00988	2.63E-05
KY	H L Spurloc	6041	3	10/23/2022	289	2523.8	8.7E-05	0.00996	2.51E-05
KY	H L Spurloc	6041	3	10/23/2022	285	2484.9	8.68E-05	0.00996	2.47E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2648	8.81E-05	0.00988	2.62E-05
KY	H L Spurloc	6041	3	10/23/2022	281	2421.7	8.62E-05	0.01	2.42E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2636.7	8.8E-05	0.00988	2.61E-05
KY	H L Spurloc	6041	3	10/23/2022	299	2652.6	8.77E-05	0.00988	2.62E-05
KY	H L Spurloc	6041	3	10/23/2022	282	2431.8	8.59E-05	0.00996	2.42E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2632.5	8.79E-05	0.00988	2.6E-05
KY	H L Spurloc	6041	3	10/23/2022	283	2466.1	8.61E-05	0.00988	2.44E-05
KY	H L Spurloc	6041	3	10/23/2022	297	2715.6	8.89E-05	0.00972	2.64E-05
KY	H L Spurloc	6041	3	10/23/2022	296	2623.6	8.76E-05	0.00988	2.59E-05
KY	H L Spurloc	6041	3	10/24/2022	297	2694.4	8.82E-05	0.00972	2.62E-05
KY	H L Spurloc	6041	3	10/24/2022	289	2514.5	8.67E-05	0.00996	2.5E-05
KY	H L Spurloc	6041	3	10/24/2022	297	2615.2	8.7E-05	0.00988	2.58E-05
KY	H L Spurloc	6041	3	10/24/2022	285	2467.8	8.62E-05	0.00996	2.46E-05
KY	H L Spurloc	6041	3	10/24/2022	297	2630.9	8.75E-05	0.00988	2.6E-05
KY	H L Spurloc	6041	3	10/24/2022	290	2522.1	8.66E-05	0.00996	2.51E-05
KY	H L Spurloc	6041	3	10/24/2022	296	2616.4	8.73E-05	0.00988	2.59E-05
KY	H L Spurloc	6041	3	10/24/2022	281	2442.2	8.59E-05	0.00988	2.41E-05
KY	H L Spurloc	6041	3	10/24/2022	297	2605.9	8.67E-05	0.00988	2.57E-05
KY	H L Spurloc	6041	3	10/24/2022	298	2596.9	8.68E-05	0.00996	2.59E-05
KY	H L Spurloc	6041	3	10/24/2022	298	2605.5			
KY	H L Spurloc	6041	3	10/24/2022	286	2489	2.86E-05	0.00329	8.19E-06
KY	H L Spurloc	6041	3	10/24/2022	297	2585			

KY	H L Spurloc	6041	3	10/24/2022	298	2588.2	2.86E-05	0.00329	8.52E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2584.2	2.85E-05	0.00329	8.5E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2567.4	2.85E-05	0.00331	8.5E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2584	2.85E-05	0.00329	8.5E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2581.6	2.85E-05	0.00329	8.49E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2566	2.83E-05	0.00329	8.44E-06
KY	H L Spurloc	6041	3	10/24/2022	298	2586.7	2.83E-05	0.00326	8.43E-06
KY	H L Spurloc	6041	3	10/24/2022	286	2454.2	2.82E-05	0.00329	8.07E-06
KY	H L Spurloc	6041	3	10/24/2022	297	2572.5	2.85E-05	0.00329	8.46E-06
KY	H L Spurloc	6041	3	10/24/2022	286	2500.8	2.85E-05	0.00326	8.15E-06
KY	H L Spurloc	6041	3	10/24/2022	233	1956.2	3.03E-05	0.00361	7.06E-06
KY	H L Spurloc	6041	3	10/25/2022	172	1510.4	3.73E-05	0.00425	6.42E-06
KY	H L Spurloc	6041	3	10/25/2022	163	1472.5	3.92E-05	0.00434	6.39E-06
KY	H L Spurloc	6041	3	10/25/2022	163	1484.8	3.95E-05	0.00434	6.44E-06
KY	H L Spurloc	6041	3	10/25/2022	163	1489.6	3.97E-05	0.00434	6.46E-06
KY	H L Spurloc	6041	3	10/25/2022	170	1581.3	3.91E-05	0.0042	6.64E-06
KY	H L Spurloc	6041	3	10/25/2022	185	1692	3.66E-05	0.004	6.77E-06
KY	H L Spurloc	6041	3	10/25/2022	235	2141	3.23E-05	0.00354	7.58E-06
KY	H L Spurloc	6041	3	10/25/2022	283	2667.6	3.03E-05	0.00321	8.56E-06
KY	H L Spurloc	6041	3	10/25/2022	220	1921.9	3.18E-05	0.00364	7E-06
KY	H L Spurloc	6041	3	10/25/2022	171	1460.6	3.78E-05	0.00443	6.47E-06
KY	H L Spurloc	6041	3	10/25/2022	177	1564.5	3.76E-05	0.00425	6.65E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1492.2	3.96E-05	0.00438	6.54E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1505.6	4E-05	0.00438	6.59E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1507.7	4E-05	0.00438	6.6E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1524.3	4.01E-05	0.00434	6.62E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1511.8	4.01E-05	0.00438	6.62E-06
KY	H L Spurloc	6041	3	10/25/2022	170	1584.2	3.96E-05	0.00425	6.73E-06
KY	H L Spurloc	6041	3	10/25/2022	167	1529.7	3.98E-05	0.00434	6.64E-06
KY	H L Spurloc	6041	3	10/25/2022	173	1581.9	3.89E-05	0.00425	6.72E-06
KY	H L Spurloc	6041	3	10/25/2022	175	1600.2	3.84E-05	0.0042	6.72E-06
KY	H L Spurloc	6041	3	10/25/2022	166	1520.9	3.98E-05	0.00434	6.6E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1530.9	3.98E-05	0.00429	6.57E-06
KY	H L Spurloc	6041	3	10/25/2022	165	1506.4	4E-05	0.00438	6.6E-06
KY	H L Spurloc	6041	3	10/25/2022	211	1944.9	3.48E-05	0.00377	7.33E-06
KY	H L Spurloc	6041	3	10/26/2022	267	2456	3.07E-05	0.00334	8.2E-06
KY	H L Spurloc	6041	3	10/26/2022	286	2536.4	2.92E-05	0.00329	8.34E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2693.8	2.95E-05	0.00326	8.78E-06
KY	H L Spurloc	6041	3	10/26/2022	299	2652.1	2.92E-05	0.00329	8.73E-06
KY	H L Spurloc	6041	3	10/26/2022	282	2399.6	2.84E-05	0.00334	8.01E-06
KY	H L Spurloc	6041	3	10/26/2022	293	2543.2	2.87E-05	0.00331	8.42E-06
KY	H L Spurloc	6041	3	10/26/2022	297	2592	2.89E-05	0.00331	8.58E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2596.1	2.88E-05	0.00331	8.59E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2585.8	2.87E-05	0.00331	8.56E-06
KY	H L Spurloc	6041	3	10/26/2022	297	2536.2	2.88E-05	0.00337	8.55E-06
KY	H L Spurloc	6041	3	10/26/2022	259	2279.2	2.94E-05	0.00334	7.61E-06
KY	H L Spurloc	6041	3	10/26/2022	264	2283.3	2.94E-05	0.0034	7.76E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2535.6	2.87E-05	0.00337	8.55E-06



KY	H L Spurloc	6041	3	10/26/2022	286	2418.1	2.85E-05	0.00337	8.15E-06
KY	H L Spurloc	6041	3	10/26/2022	296	2559.1	2.89E-05	0.00334	8.55E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2570.3	2.88E-05	0.00334	8.58E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2587.6	2.87E-05	0.00331	8.57E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2571.9	2.86E-05	0.00331	8.51E-06
KY	H L Spurloc	6041	3	10/26/2022	297	2535	2.88E-05	0.00337	8.54E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2575.4	2.86E-05	0.00331	8.52E-06
KY	H L Spurloc	6041	3	10/26/2022	298	2568.6	2.84E-05	0.00329	8.45E-06
KY	H L Spurloc	6041	3	10/26/2022	289	2467.1	2.81E-05	0.00329	8.12E-06
KY	H L Spurloc	6041	3	10/26/2022	297	2560.1	2.84E-05	0.00329	8.42E-06
KY	H L Spurloc	6041	3	10/26/2022	286	2436.3	2.8E-05	0.00329	8.02E-06
KY	H L Spurloc	6041	3	10/27/2022	296	2580.2	2.87E-05	0.00329	8.49E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2559.1	2.83E-05	0.00329	8.42E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2570.7	2.81E-05	0.00326	8.38E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2572.1	2.82E-05	0.00326	8.39E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2535.8	2.83E-05	0.00331	8.39E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2535.2	2.81E-05	0.00329	8.34E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2501.6	2.79E-05	0.00331	8.28E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2513.8	2.78E-05	0.00329	8.27E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2531	2.8E-05	0.00329	8.33E-06
KY	H L Spurloc	6041	3	10/27/2022	297	2525.2	2.81E-05	0.00331	8.36E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2539.9	2.8E-05	0.00329	8.36E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2543.5	2.81E-05	0.00329	8.37E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2549.2	2.81E-05	0.00329	8.39E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2555.6	2.82E-05	0.00329	8.41E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2553.5	2.82E-05	0.00329	8.4E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2583.5	2.83E-05	0.00326	8.42E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2616.5	2.84E-05	0.00323	8.45E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2628.4	2.85E-05	0.00323	8.49E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2622.6	2.84E-05	0.00323	8.47E-06
KY	H L Spurloc	6041	3	10/27/2022	298	2603.4	2.85E-05	0.00326	8.49E-06
KY	H L Spurloc	6041	3	10/27/2022	284	2472.1	2.86E-05	0.00329	8.13E-06
KY	H L Spurloc	6041	3	10/27/2022	296	2684.4	2.91E-05	0.00321	8.62E-06
KY	H L Spurloc	6041	3	10/27/2022	284	2500.1	2.9E-05	0.00329	8.23E-06
KY	H L Spurloc	6041	3	10/27/2022	296	2696.6	2.92E-05	0.00321	8.66E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2683.5	2.91E-05	0.00323	8.67E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2700.7	2.91E-05	0.00321	8.67E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2667.5	2.89E-05	0.00323	8.62E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2654.9	2.9E-05	0.00326	8.66E-06
KY	H L Spurloc	6041	3	10/28/2022	284	2517.1	2.92E-05	0.00329	8.28E-06
KY	H L Spurloc	6041	3	10/28/2022	296	2653.3	2.92E-05	0.00326	8.65E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2674.9	2.93E-05	0.00326	8.72E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2652.2	2.9E-05	0.00326	8.65E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2658.5	2.91E-05	0.00326	8.67E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2646.8	2.9E-05	0.00326	8.63E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2621.1	2.89E-05	0.00329	8.62E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2640.5	2.89E-05	0.00326	8.61E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2618.1	2.89E-05	0.00329	8.61E-06

KY	H L Spurloc	6041	3	10/28/2022	298	2609.4	2.88E-05	0.00329	8.58E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2631.3	2.88E-05	0.00326	8.58E-06
KY	H L Spurloc	6041	3	10/28/2022	299	2639.2	2.88E-05	0.00326	8.6E-06
KY	H L Spurloc	6041	3	10/28/2022	299	2657.8	2.87E-05	0.00323	8.58E-06
KY	H L Spurloc	6041	3	10/28/2022	299	2621.7	2.86E-05	0.00326	8.55E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2621.2	2.87E-05	0.00326	8.55E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2647.9	2.87E-05	0.00323	8.55E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2653.6	2.88E-05	0.00323	8.57E-06
KY	H L Spurloc	6041	3	10/28/2022	299	2656.2	2.87E-05	0.00323	8.58E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2661.1	2.88E-05	0.00323	8.6E-06
KY	H L Spurloc	6041	3	10/28/2022	298	2656.2	2.88E-05	0.00323	8.58E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2655	2.88E-05	0.00323	8.58E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2657.9	2.88E-05	0.00323	8.59E-06
KY	H L Spurloc	6041	3	10/29/2022	258	2216.7	2.92E-05	0.0034	7.54E-06
KY	H L Spurloc	6041	3	10/29/2022	271	2433.7	3E-05	0.00334	8.13E-06
KY	H L Spurloc	6041	3	10/29/2022	284	2534.9	2.91E-05	0.00326	8.26E-06
KY	H L Spurloc	6041	3	10/29/2022	297	2688.2	2.92E-05	0.00323	8.68E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2678.8	2.9E-05	0.00323	8.65E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2685.7	2.91E-05	0.00323	8.67E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2657.4	2.91E-05	0.00326	8.66E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2684.4	2.91E-05	0.00323	8.67E-06
KY	H L Spurloc	6041	3	10/29/2022	298	2687.2	2.91E-05	0.00323	8.68E-06
KY	H L Spurloc	6041	3	10/29/2022	299	2709.7	2.91E-05	0.00321	8.7E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2693	2.9E-05	0.00323	8.7E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2699.3	2.91E-05	0.00323	8.72E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2711.5	2.92E-05	0.00323	8.76E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2716.6	2.92E-05	0.00323	8.77E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2719.4	2.91E-05	0.00321	8.73E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2709.3	2.9E-05	0.00321	8.7E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2685.3	2.89E-05	0.00323	8.67E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2712.6	2.9E-05	0.00321	8.71E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2786.6	2.94E-05	0.00316	8.81E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2702.1	2.91E-05	0.00323	8.73E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2734.2	2.93E-05	0.00321	8.78E-06
KY	H L Spurloc	6041	3	10/29/2022	300	2743.6	2.94E-05	0.00321	8.81E-06
KY	H L Spurloc	6041	3	10/30/2022	298	2693.8	2.92E-05	0.00323	8.7E-06
KY	H L Spurloc	6041	3	10/30/2022	300	2743.9	2.94E-05	0.00321	8.81E-06
KY	H L Spurloc	6041	3	10/30/2022	295	2711.1	2.9E-05	0.00316	8.57E-06
KY	H L Spurloc	6041	3	10/30/2022	300	2723.7	2.91E-05	0.00321	8.74E-06
KY	H L Spurloc	6041	3	10/30/2022	285	2508.5	2.87E-05	0.00326	8.18E-06
KY	H L Spurloc	6041	3	10/30/2022	299	2708.5	2.95E-05	0.00326	8.83E-06
KY	H L Spurloc	6041	3	10/30/2022	296	2652.2	2.92E-05	0.00326	8.65E-06
KY	H L Spurloc	6041	3	10/30/2022	301	2742.7	2.94E-05	0.00323	8.86E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2727.7	2.94E-05	0.00326	8.89E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2722	2.94E-05	0.00326	8.87E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2737.8	2.91E-05	0.00321	8.79E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2689.9	2.81E-05	0.00316	8.5E-06
KY	H L Spurloc	6041	3	10/30/2022	301	2635.5	2.74E-05	0.00313	8.25E-06

KY	H L Spurloc	6041	3	10/30/2022	301	2625.8	2.76E-05	0.00316	8.3E-06
KY	H L Spurloc	6041	3	10/30/2022	301	2639.4	2.83E-05	0.00323	8.53E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2619.7	2.85E-05	0.00329	8.62E-06
KY	H L Spurloc	6041	3	10/30/2022	302	2591.1	2.84E-05	0.00331	8.58E-06
KY	H L Spurloc	6041	3	10/30/2022	301	2578	2.89E-05	0.00337	8.69E-06
KY	H L Spurloc	6041	3	10/30/2022	289	2460.9	2.87E-05	0.00337	8.29E-06
KY	H L Spurloc	6041	3	10/30/2022	299	2632.4	2.91E-05	0.00331	8.71E-06
KY	H L Spurloc	6041	3	10/30/2022	285	2430.4	2.87E-05	0.00337	8.19E-06
KY	H L Spurloc	6041	3	10/30/2022	300	2686.9	2.92E-05	0.00326	8.76E-06
KY	H L Spurloc	6041	3	10/30/2022	287	2493.6	2.86E-05	0.00329	8.2E-06
KY	H L Spurloc	6041	3	10/30/2022	235	1983.8	3.01E-05	0.00357	7.08E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1462.9	3.88E-05	0.00443	6.48E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1492.8	3.98E-05	0.00443	6.61E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1504.6	3.95E-05	0.00438	6.59E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1500.1	3.96E-05	0.00438	6.57E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1493.5	3.99E-05	0.00443	6.62E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1503.8	3.97E-05	0.00438	6.59E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1499	3.96E-05	0.00438	6.57E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1518.8	3.95E-05	0.00434	6.59E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1515.4	3.96E-05	0.00434	6.58E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1517	3.97E-05	0.00434	6.58E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1524.6	5.28E-05	0.00575	8.77E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1515.6	5.3E-05	0.00581	8.81E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1531.1	5.27E-05	0.00575	8.8E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1525.8	5.25E-05	0.00575	8.77E-06
KY	H L Spurloc	6041	3	10/31/2022	184	1679.9	4.93E-05	0.0054	9.07E-06
KY	H L Spurloc	6041	3	10/31/2022	167	1494.2	5.2E-05	0.00581	8.68E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1501.2	5.25E-05	0.00581	8.72E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1502.4	5.26E-05	0.00581	8.73E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1505.6	5.27E-05	0.00581	8.75E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1508.9	5.28E-05	0.00581	8.77E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1532.9	5.31E-05	0.00575	8.81E-06
KY	H L Spurloc	6041	3	10/31/2022	170	1546	5.23E-05	0.00575	8.89E-06
KY	H L Spurloc	6041	3	10/31/2022	166	1497.4	5.3E-05	0.00587	8.79E-06
KY	H L Spurloc	6041	3	10/31/2022	221	2063	4.55E-05	0.00487	1E-05
KY	H L Spurloc	6041	3	11/1/2022	299	2832.6	4.01E-05	0.00423	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2669.5	3.92E-05	0.00444	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	287	2486.6	3.87E-05	0.00447	1.11E-05
KY	H L Spurloc	6041	3	11/1/2022	300	2668.8	3.89E-05	0.00437	1.17E-05
KY	H L Spurloc	6041	3	11/1/2022	291	2539.1	3.9E-05	0.00447	1.13E-05
KY	H L Spurloc	6041	3	11/1/2022	301	2711.8	3.94E-05	0.00437	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2746	3.97E-05	0.00437	0.000012
KY	H L Spurloc	6041	3	11/1/2022	302	2714.6	3.96E-05	0.0044	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2739.1	3.96E-05	0.00437	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2774.2	3.98E-05	0.00433	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	303	2769.8	3.96E-05	0.00433	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2768.4	3.97E-05	0.00433	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2762.6	3.96E-05	0.00433	1.2E-05

KY	H L Spurloc	6041	3	11/1/2022	302	2760.9	3.96E-05	0.00433	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2735.3	3.96E-05	0.00437	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2712	3.95E-05	0.0044	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2737.7	3.96E-05	0.00437	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2737.3	3.96E-05	0.00437	1.2E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2730.3	3.95E-05	0.00437	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	303	2741.6	3.92E-05	0.00433	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2717.2	3.93E-05	0.00437	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	285	2484.3	3.84E-05	0.0044	1.09E-05
KY	H L Spurloc	6041	3	11/1/2022	300	2695.9	3.95E-05	0.0044	1.19E-05
KY	H L Spurloc	6041	3	11/1/2022	302	2719.3	3.93E-05	0.00437	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	287	2510.7	3.85E-05	0.0044	1.1E-05
KY	H L Spurloc	6041	3	11/2/2022	300	2716.1	3.92E-05	0.00433	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	283	2540.9	3.86E-05	0.0043	1.09E-05
KY	H L Spurloc	6041	3	11/2/2022	299	2696	3.94E-05	0.00437	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	286	2446.5	3.8E-05	0.00444	1.09E-05
KY	H L Spurloc	6041	3	11/2/2022	299	2656.8	3.91E-05	0.0044	1.17E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2663.5	3.89E-05	0.0044	1.17E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2658.9	3.92E-05	0.00444	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2643.5	3.89E-05	0.00444	1.17E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2658.1	3.91E-05	0.00444	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2662.9	3.93E-05	0.00444	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2671.4	3.94E-05	0.00444	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2689.9	3.97E-05	0.00444	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2725.1	3.97E-05	0.0044	1.2E-05
KY	H L Spurloc	6041	3	11/2/2022	301	2720.7	3.98E-05	0.0044	1.2E-05
KY	H L Spurloc	6041	3	11/2/2022	295	2612.9	3.93E-05	0.00444	1.16E-05
KY	H L Spurloc	6041	3	11/2/2022	299	2719.3	3.97E-05	0.00437	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2714.3	3.95E-05	0.0044	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2737	3.92E-05	0.00433	1.19E-05
KY	H L Spurloc	6041	3	11/2/2022	303	2709.1	3.91E-05	0.00437	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	302	2682.3	3.91E-05	0.0044	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	287	2492.9	3.86E-05	0.00444	1.11E-05
KY	H L Spurloc	6041	3	11/2/2022	300	2705.6	3.94E-05	0.00437	1.18E-05
KY	H L Spurloc	6041	3	11/2/2022	256	2169.8	3.96E-05	0.00467	1.01E-05
KY	H L Spurloc	6041	3	11/3/2022	174	1490.3	5.03E-05	0.00587	8.75E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1500.5	5.22E-05	0.00581	8.72E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1523.4	5.28E-05	0.00575	8.76E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1527.9	5.26E-05	0.00575	8.79E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1523.1	5.28E-05	0.00575	8.76E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1541.7	5.28E-05	0.00569	8.77E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1533.3	5.31E-05	0.00575	8.82E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1541.1	5.31E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1559.1	5.31E-05	0.00569	8.87E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1547	5.33E-05	0.00575	8.9E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1542.9	5.37E-05	0.00581	8.96E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1540.6	5.36E-05	0.00581	8.95E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1556.4	5.39E-05	0.00575	8.95E-06

KY	H L Spurloc	6041	3	11/3/2022	166	1537.1	5.38E-05	0.00581	8.93E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1539.7	5.36E-05	0.00581	8.95E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1538.5	5.35E-05	0.00581	8.94E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1536.7	5.38E-05	0.00581	8.93E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1554.8	5.39E-05	0.00575	8.94E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1554.9	5.35E-05	0.00575	8.94E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1529.6	5.35E-05	0.00581	8.89E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1530.3	5.36E-05	0.00581	8.89E-06
KY	H L Spurloc	6041	3	11/3/2022	166	1549.3	5.37E-05	0.00575	8.91E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1583.3	5.34E-05	0.00563	8.91E-06
KY	H L Spurloc	6041	3	11/3/2022	167	1547.7	5.33E-05	0.00575	8.9E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1549.9	5.34E-05	0.00575	8.91E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1565	5.33E-05	0.00569	8.9E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1550.6	5.34E-05	0.00575	8.92E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1562.2	5.32E-05	0.00569	8.89E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1557.4	5.31E-05	0.00569	8.86E-06
KY	H L Spurloc	6041	3	11/4/2022	180	1687.5	5.06E-05	0.0054	9.11E-06
KY	H L Spurloc	6041	3	11/4/2022	168	1560.1	5.28E-05	0.00569	8.88E-06
KY	H L Spurloc	6041	3	11/4/2022	194	1742.1	4.8E-05	0.00535	9.32E-06
KY	H L Spurloc	6041	3	11/4/2022	179	1631.6	5.02E-05	0.00551	8.99E-06
KY	H L Spurloc	6041	3	11/4/2022	168	1543.1	5.28E-05	0.00575	8.87E-06
KY	H L Spurloc	6041	3	11/4/2022	168	1577.5	5.34E-05	0.00569	8.98E-06
KY	H L Spurloc	6041	3	11/4/2022	199	1873.5	4.85E-05	0.00515	9.65E-06
KY	H L Spurloc	6041	3	11/4/2022	174	1541.4	5.09E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/4/2022	168	1537.8	5.26E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1541.5	5.31E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1546.2	5.32E-05	0.00575	8.89E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1526.7	5.31E-05	0.00581	8.87E-06
KY	H L Spurloc	6041	3	11/4/2022	171	1580.9	5.26E-05	0.00569	9E-06
KY	H L Spurloc	6041	3	11/4/2022	180	1592.7	4.98E-05	0.00563	8.97E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1532.4	5.28E-05	0.00575	8.81E-06
KY	H L Spurloc	6041	3	11/4/2022	166	1535.8	5.32E-05	0.00575	8.83E-06
KY	H L Spurloc	6041	3	11/4/2022	167	1537.7	5.29E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/4/2022	166	1534	5.31E-05	0.00575	8.82E-06
KY	H L Spurloc	6041	3	11/4/2022	166	1538.2	5.33E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1547.1	5.3E-05	0.00569	8.8E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1534.2	5.31E-05	0.00575	8.82E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1554.1	5.33E-05	0.00569	8.84E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1541.3	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1553.7	5.33E-05	0.00569	8.84E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1541.4	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1554.8	5.33E-05	0.00569	8.85E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1545.6	5.35E-05	0.00575	8.89E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1528.4	5.35E-05	0.00581	8.88E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1521.7	5.33E-05	0.00581	8.84E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1524.9	5.34E-05	0.00581	8.86E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1527.2	5.35E-05	0.00581	8.87E-06
KY	H L Spurloc	6041	3	11/5/2022	167	1547.7	5.33E-05	0.00575	8.9E-06

KY	H L Spurloc	6041	3	11/5/2022	166	1528.3	5.35E-05	0.00581	8.88E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1530.2	5.36E-05	0.00581	8.89E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1526	5.34E-05	0.00581	8.87E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1524.9	5.34E-05	0.00581	8.86E-06
KY	H L Spurloc	6041	3	11/5/2022	188	1762	5.01E-05	0.00535	9.43E-06
KY	H L Spurloc	6041	3	11/5/2022	191	1668.4	4.72E-05	0.0054	9.01E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1506.6	5.27E-05	0.00581	8.75E-06
KY	H L Spurloc	6041	3	11/5/2022	167	1537.2	5.29E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1522.9	5.33E-05	0.00581	8.85E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1522.9	5.33E-05	0.00581	8.85E-06
KY	H L Spurloc	6041	3	11/5/2022	166	1526	5.34E-05	0.00581	8.87E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1539.9	5.33E-05	0.00575	8.85E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1538.7	5.33E-05	0.00575	8.85E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1525.1	5.34E-05	0.00581	8.86E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1526	5.34E-05	0.00581	8.87E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1541.2	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1540.3	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1541.4	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1540.8	5.34E-05	0.00575	8.86E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1530.8	5.36E-05	0.00581	8.89E-06
KY	H L Spurloc	6041	3	11/6/2022	167	1535.2	5.34E-05	0.00581	8.92E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1543	5.34E-05	0.00575	8.87E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1543.9	5.35E-05	0.00575	8.88E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1544.8	5.35E-05	0.00575	8.88E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1542	5.34E-05	0.00575	8.87E-06
KY	H L Spurloc	6041	3	11/6/2022	168	1547.4	5.3E-05	0.00575	8.9E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1537.7	5.33E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/6/2022	167	1534.6	5.28E-05	0.00575	8.82E-06
KY	H L Spurloc	6041	3	11/6/2022	173	1595.1	5.19E-05	0.00563	8.98E-06
KY	H L Spurloc	6041	3	11/6/2022	175	1579.5	5.08E-05	0.00563	8.89E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1529.5	5.3E-05	0.00575	8.79E-06
KY	H L Spurloc	6041	3	11/6/2022	167	1532.1	5.28E-05	0.00575	8.81E-06
KY	H L Spurloc	6041	3	11/6/2022	166	1546.1	5.3E-05	0.00569	8.8E-06
KY	H L Spurloc	6041	3	11/6/2022	167	1547.2	5.27E-05	0.00569	8.8E-06
KY	H L Spurloc	6041	3	11/6/2022	167	1543.5	5.26E-05	0.00569	8.78E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1523.4	5.28E-05	0.00575	8.76E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1528.1	5.29E-05	0.00575	8.79E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1532.9	5.31E-05	0.00575	8.81E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1548.5	5.31E-05	0.00569	8.81E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1551.8	5.32E-05	0.00569	8.83E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1537.4	5.33E-05	0.00575	8.84E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1549.8	5.31E-05	0.00569	8.82E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1550.2	5.31E-05	0.00569	8.82E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1538.8	5.33E-05	0.00575	8.85E-06
KY	H L Spurloc	6041	3	11/7/2022	167	1565.8	5.33E-05	0.00569	8.91E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1552.9	5.32E-05	0.00569	8.84E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1548.4	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/7/2022	169	1597.3	1.99E-05	0.00211	3.37E-06

KY	H L Spurloc	6041	3	11/7/2022	204	1903.8	1.79E-05	0.00192	3.66E-06
KY	H L Spurloc	6041	3	11/7/2022	196	1729.3	1.74E-05	0.00197	3.41E-06
KY	H L Spurloc	6041	3	11/7/2022	180	1689.6	1.91E-05	0.00203	3.43E-06
KY	H L Spurloc	6041	3	11/7/2022	203	1837.7	1.72E-05	0.0019	3.49E-06
KY	H L Spurloc	6041	3	11/7/2022	190	1757.8	1.84E-05	0.00199	3.5E-06
KY	H L Spurloc	6041	3	11/7/2022	179	1584.6	1.85E-05	0.00209	3.31E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1541.6	1.98E-05	0.00213	3.28E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1533.7	2E-05	0.00216	3.31E-06
KY	H L Spurloc	6041	3	11/7/2022	167	1550.6	1.98E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/7/2022	172	1601.9	1.95E-05	0.00209	3.35E-06
KY	H L Spurloc	6041	3	11/7/2022	166	1545.2	1.98E-05	0.00213	3.29E-06
KY	H L Spurloc	6041	3	11/8/2022	165	1544.6	1.99E-05	0.00213	3.29E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1548.1	1.99E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1548.2	1.99E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1563	1.99E-05	0.00211	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1551.8	1.99E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1556.7	2E-05	0.00213	3.32E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1555.3	2E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1560.1	2E-05	0.00213	3.32E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1557.4	2.05E-05	0.00218	3.4E-06
KY	H L Spurloc	6041	3	11/8/2022	169	1579.9	2.02E-05	0.00216	3.41E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1561.5	2.03E-05	0.00216	3.37E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1563	2.03E-05	0.00216	3.38E-06
KY	H L Spurloc	6041	3	11/8/2022	170	1603	1.99E-05	0.00211	3.38E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1544.9	1.98E-05	0.00213	3.29E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1551.6	1.99E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1551.3	1.99E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1555.2	2E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1552.2	1.99E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/8/2022	167	1549.4	1.98E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1549.7	1.99E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1535.3	2E-05	0.00216	3.32E-06
KY	H L Spurloc	6041	3	11/8/2022	173	1602.3	1.94E-05	0.00209	3.35E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1543.6	1.98E-05	0.00213	3.29E-06
KY	H L Spurloc	6041	3	11/8/2022	166	1551.7	1.99E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1540.1	2E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1541.8	2.01E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1544.3	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1558.3	2E-05	0.00213	3.32E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1546.5	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1543.1	2.01E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	174	1637	1.97E-05	0.00209	3.42E-06
KY	H L Spurloc	6041	3	11/9/2022	168	1551.2	1.97E-05	0.00213	3.3E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1563.5	2.01E-05	0.00213	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1561.6	2E-05	0.00213	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1560.1	2E-05	0.00213	3.32E-06
KY	H L Spurloc	6041	3	11/9/2022	171	1582.6	1.95E-05	0.00211	3.34E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1544.1	1.98E-05	0.00213	3.29E-06

KY	H L Spurloc	6041	3	11/9/2022	166	1564.2	1.99E-05	0.00211	3.3E-06
KY	H L Spurloc	6041	3	11/9/2022	167	1542.3	1.99E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1525.7	2E-05	0.00218	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1521.4	2E-05	0.00218	3.32E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1536.7	2E-05	0.00216	3.32E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1550.3	2.02E-05	0.00216	3.35E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1541.4	2.01E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1548.3	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1513.7	2.01E-05	0.0022	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1563.5	2.01E-05	0.00213	3.33E-06
KY	H L Spurloc	6041	3	11/9/2022	166	1534.3	2.01E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1546.6	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1533.8	2.01E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1525.9	2E-05	0.00218	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1527.5	2.01E-05	0.00218	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1530.5	2.01E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	167	1536.7	1.99E-05	0.00216	3.32E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1523.5	2E-05	0.00218	3.32E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1531	2.01E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1520.2	2.01E-05	0.0022	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1535.4	2.02E-05	0.00218	3.35E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1537.6	2.02E-05	0.00218	3.35E-06
KY	H L Spurloc	6041	3	11/10/2022	168	1532.9	1.99E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1539.6	2E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	167	1535.4			
KY	H L Spurloc	6041	3	11/10/2022	166	1508	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1527.3	2.01E-05	0.00218	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	168	1553.6	2E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1555.9	2E-05	0.00213	3.31E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1540.4	2E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	167	1525	1.99E-05	0.00218	3.32E-06
KY	H L Spurloc	6041	3	11/10/2022	167	1510.9	1.99E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1514.3	2.01E-05	0.0022	3.33E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1501.5	2.02E-05	0.00223	3.35E-06
KY	H L Spurloc	6041	3	11/10/2022	166	1513.3	2.01E-05	0.0022	3.33E-06
KY	H L Spurloc	6041	3	11/11/2022	168	1544.4	1.99E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1517.2	2.01E-05	0.0022	3.34E-06
KY	H L Spurloc	6041	3	11/11/2022	169	1530.4	1.99E-05	0.0022	3.37E-06
KY	H L Spurloc	6041	3	11/11/2022	167	1506.5	2.01E-05	0.00223	3.36E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1512.8	2.03E-05	0.00223	3.37E-06
KY	H L Spurloc	6041	3	11/11/2022	167	1524.6	2.01E-05	0.0022	3.35E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1509.9	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1529.2	1.99E-05	0.00216	3.3E-06
KY	H L Spurloc	6041	3	11/11/2022	180	1630.8	1.88E-05	0.00207	3.38E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1514.4	1.99E-05	0.00218	3.3E-06
KY	H L Spurloc	6041	3	11/11/2022	171	1540.4	1.95E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1496.7	1.98E-05	0.0022	3.29E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1511.9	1.99E-05	0.00218	3.3E-06



KY	H L Spurloc	6041	3	11/11/2022	166	1496.4	1.98E-05	0.0022	3.29E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1512.6	1.99E-05	0.00218	3.3E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1518.1	1.99E-05	0.00218	3.31E-06
KY	H L Spurloc	6041	3	11/11/2022	167	1505.1	1.98E-05	0.0022	3.31E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1506.9	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1499.9	2.01E-05	0.00223	3.34E-06
KY	H L Spurloc	6041	3	11/11/2022	180	1658.1	1.93E-05	0.00209	3.47E-06
KY	H L Spurloc	6041	3	11/11/2022	182	1585.5	1.86E-05	0.00213	3.38E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1507	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/11/2022	166	1508.5	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/11/2022	167	1516.9	2E-05	0.0022	3.34E-06
KY	H L Spurloc	6041	3	11/12/2022	186	1743	1.9E-05	0.00203	3.54E-06
KY	H L Spurloc	6041	3	11/12/2022	210	1822.3	1.67E-05	0.00193	3.52E-06
KY	H L Spurloc	6041	3	11/12/2022	168	1543.4	1.96E-05	0.00213	3.29E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1509.3	1.98E-05	0.00218	3.29E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1529.7	2.01E-05	0.00218	3.33E-06
KY	H L Spurloc	6041	3	11/12/2022	175	1581.5	1.95E-05	0.00216	3.42E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1547.5	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1548.2	2.01E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1553.3	2.02E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/12/2022	168	1561.7	2.01E-05	0.00216	3.37E-06
KY	H L Spurloc	6041	3	11/12/2022	205	1937.6	1.81E-05	0.00192	3.72E-06
KY	H L Spurloc	6041	3	11/12/2022	201	1744.9	1.74E-05	0.00201	3.51E-06
KY	H L Spurloc	6041	3	11/12/2022	169	1542.1	1.97E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/12/2022	168	1533.7	1.97E-05	0.00216	3.31E-06
KY	H L Spurloc	6041	3	11/12/2022	167	1545.2	2E-05	0.00216	3.34E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1540.3	2E-05	0.00216	3.33E-06
KY	H L Spurloc	6041	3	11/12/2022	168	1562.3	1.98E-05	0.00213	3.33E-06
KY	H L Spurloc	6041	3	11/12/2022	177	1631.7	1.93E-05	0.00209	3.41E-06
KY	H L Spurloc	6041	3	11/12/2022	172	1569.8	1.94E-05	0.00213	3.34E-06
KY	H L Spurloc	6041	3	11/12/2022	173	1575.1	1.94E-05	0.00213	3.36E-06
KY	H L Spurloc	6041	3	11/12/2022	177	1633.4	1.93E-05	0.00209	3.41E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1537.7	2E-05	0.00216	3.32E-06
KY	H L Spurloc	6041	3	11/12/2022	167	1556.4	1.99E-05	0.00213	3.32E-06
KY	H L Spurloc	6041	3	11/12/2022	166	1533.1	2.01E-05	0.00218	3.34E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1555.9	2.02E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/13/2022	167	1553.5	2.01E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/13/2022	167	1557.7	2.01E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1556.6	2.03E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1570.7	2.02E-05	0.00213	3.35E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1555.5	2.02E-05	0.00216	3.36E-06
KY	H L Spurloc	6041	3	11/13/2022	167	1567.6	2E-05	0.00213	3.34E-06
KY	H L Spurloc	6041	3	11/13/2022	176	1616.2	1.94E-05	0.00211	3.41E-06
KY	H L Spurloc	6041	3	11/13/2022	174	1595.2	1.93E-05	0.00211	3.37E-06
KY	H L Spurloc	6041	3	11/13/2022	171	1565.7	1.95E-05	0.00213	3.33E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1534.7	2E-05	0.00216	3.32E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1519.1	1.99E-05	0.00218	3.31E-06
KY	H L Spurloc	6041	3	11/13/2022	167	1541.9	1.99E-05	0.00216	3.33E-06

KY	H L Spurloc	6041	3	11/13/2022	168	1522.2	1.98E-05	0.00218	3.32E-06
KY	H L Spurloc	6041	3	11/13/2022	167	1530.8	1.98E-05	0.00216	3.31E-06
KY	H L Spurloc	6041	3	11/13/2022	166	1528.1	1.99E-05	0.00216	3.3E-06
KY	H L Spurloc	6041	3	11/13/2022	178	1649.7	1.92E-05	0.00207	3.41E-06
KY	H L Spurloc	6041	3	11/13/2022	236	2174.7	1.64E-05	0.00178	3.87E-06
KY	H L Spurloc	6041	3	11/13/2022	284	2542.7	1.5E-05	0.00167	4.25E-06
KY	H L Spurloc	6041	3	11/13/2022	301	2662	1.45E-05	0.00164	4.37E-06
KY	H L Spurloc	6041	3	11/13/2022	287	2512.5	1.45E-05	0.00166	4.17E-06
KY	H L Spurloc	6041	3	11/13/2022	260	2283.6	1.48E-05	0.00168	3.84E-06
KY	H L Spurloc	6041	3	11/13/2022	218	1885.1	1.63E-05	0.00188	3.54E-06
KY	H L Spurloc	6041	3	11/13/2022	172	1508.1	1.93E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/14/2022	165	1508.3	2.01E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/14/2022	179	1624.1	1.91E-05	0.00211	3.43E-06
KY	H L Spurloc	6041	3	11/14/2022	166	1509.2	2E-05	0.0022	3.32E-06
KY	H L Spurloc	6041	3	11/14/2022	169	1558.9	1.99E-05	0.00216	3.37E-06
KY	H L Spurloc	6041	3	11/14/2022	186	1669.3	1.88E-05	0.00209	3.49E-06
KY	H L Spurloc	6041	3	11/14/2022	220	2021.2	1.71E-05	0.00186	3.76E-06
KY	H L Spurloc	6041	3	11/14/2022	272	2433.2	1.58E-05	0.00177	4.31E-06
KY	H L Spurloc	6041	3	11/14/2022	302	2673.9	1.48E-05	0.00167	4.47E-06
KY	H L Spurloc	6041	3	11/14/2022	270	2316.7	1.49E-05	0.00174	4.03E-06
KY	H L Spurloc	6041	3	11/14/2022	265	2293.6	7.88E-05	0.0091	2.09E-05
KY	H L Spurloc	6041	3	11/14/2022	289	2560.6	7.73E-05	0.00873	2.24E-05
KY	H L Spurloc	6041	3	11/14/2022	275	2411.4	1.14E-05	0.0013	3.13E-06
KY	H L Spurloc	6041	3	11/14/2022	288	2505.6	1.13E-05	0.0013	3.26E-06
KY	H L Spurloc	6041	3	11/14/2022	284	2538	1.13E-05	0.00127	3.22E-06
KY	H L Spurloc	6041	3	11/14/2022	201	1687.5	1.28E-05	0.00152	2.57E-06
KY	H L Spurloc	6041	3	11/14/2022	167	1492.6	1.47E-05	0.00165	2.46E-06
KY	H L Spurloc	6041	3	11/14/2022	190	1747.1	1.4E-05	0.00152	2.66E-06
KY	H L Spurloc	6041	3	11/14/2022	248	2279.2	1.22E-05	0.00133	3.03E-06
KY	H L Spurloc	6041	3	11/14/2022	298	2717.6	1.13E-05	0.00124	3.37E-06
KY	H L Spurloc	6041	3	11/14/2022	277	2397.1	1.12E-05	0.00129	3.09E-06
KY	H L Spurloc	6041	3	11/14/2022	206	1752.4	1.27E-05	0.00149	2.61E-06
KY	H L Spurloc	6041	3	11/14/2022	196	1706.6	1.34E-05	0.00154	2.63E-06
KY	H L Spurloc	6041	3	11/14/2022	194	1730.3	1.36E-05	0.00152	2.63E-06
KY	H L Spurloc	6041	3	11/14/2022	216	1965.7	1.29E-05	0.00142	2.79E-06
KY	H L Spurloc	6041	3	11/15/2022	278	2600.8	1.18E-05	0.00126	3.28E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2765.6	1.13E-05	0.00123	3.4E-06
KY	H L Spurloc	6041	3	11/15/2022	300	2708.5	1.12E-05	0.00124	3.36E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2738.5	1.12E-05	0.00123	3.37E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2731.5	1.12E-05	0.00124	3.39E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2688.8	1.11E-05	0.00124	3.33E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2644.2	1.09E-05	0.00125	3.31E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2653.8	1.1E-05	0.00125	3.32E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2677.2	1.12E-05	0.00126	3.37E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2693.9	1.12E-05	0.00125	3.37E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2707	1.11E-05	0.00124	3.36E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2684.3	1.11E-05	0.00125	3.36E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2706	1.11E-05	0.00124	3.36E-06

KY	H L Spurloc	6041	3	11/15/2022	302	2697.2	1.11E-05	0.00124	3.34E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2674.2	1.11E-05	0.00125	3.34E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2664.1	1.1E-05	0.00125	3.33E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2631.8	1.1E-05	0.00126	3.32E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2604.7	1.1E-05	0.00127	3.31E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2608.5	1.1E-05	0.00127	3.31E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2598.7	1.1E-05	0.00127	3.3E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2668.3	1.1E-05	0.00124	3.31E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2585.9	1.09E-05	0.00127	3.28E-06
KY	H L Spurloc	6041	3	11/15/2022	302	2585.3	1.08E-05	0.00126	3.26E-06
KY	H L Spurloc	6041	3	11/15/2022	301	2559.8	1.08E-05	0.00127	3.25E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2570.2	1.08E-05	0.00126	3.24E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2576.1	1.08E-05	0.00126	3.25E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2585.9	1.08E-05	0.00126	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2614.3	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2626.7	1.09E-05	0.00125	3.28E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2616.1	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2614	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2617.3	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2613.7	1.09E-05	0.00126	3.29E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2681.1	1.1E-05	0.00123	3.3E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2609	1.09E-05	0.00126	3.29E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2609.3	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2608.2	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2611.1	1.09E-05	0.00126	3.29E-06
KY	H L Spurloc	6041	3	11/16/2022	302	2605.6	1.09E-05	0.00126	3.28E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2601	1.08E-05	0.00125	3.25E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2605.4	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2601.3	1.08E-05	0.00125	3.25E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2606.3	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2607.3	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2606.7	1.08E-05	0.00125	3.26E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2614.2	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2615.4	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/16/2022	301	2622.8	1.09E-05	0.00125	3.28E-06
KY	H L Spurloc	6041	3	11/17/2022	293	2524.5	1.08E-05	0.00125	3.16E-06
KY	H L Spurloc	6041	3	11/17/2022	281	2412.6	1.09E-05	0.00127	3.06E-06
KY	H L Spurloc	6041	3	11/17/2022	246	2109.8	1.14E-05	0.00133	2.81E-06
KY	H L Spurloc	6041	3	11/17/2022	281	2490.4	1.13E-05	0.00127	3.16E-06
KY	H L Spurloc	6041	3	11/17/2022	283	2439.7	1.09E-05	0.00127	3.1E-06
KY	H L Spurloc	6041	3	11/17/2022	287	2540.1	1.11E-05	0.00125	3.18E-06
KY	H L Spurloc	6041	3	11/17/2022	300	2649.1	1.1E-05	0.00125	3.31E-06
KY	H L Spurloc	6041	3	11/17/2022	301	2701.2	1.1E-05	0.00123	3.32E-06
KY	H L Spurloc	6041	3	11/17/2022	298	2631.9	1.09E-05	0.00123	3.24E-06
KY	H L Spurloc	6041	3	11/17/2022	296	2589.7	1.08E-05	0.00124	3.21E-06
KY	H L Spurloc	6041	3	11/17/2022	257	2185.7	1.1E-05	0.00129	2.82E-06
KY	H L Spurloc	6041	3	11/17/2022	290	2578.2	1.1E-05	0.00124	3.2E-06
KY	H L Spurloc	6041	3	11/17/2022	299	2761	1.13E-05	0.00122	3.37E-06

KY	H L Spurloc	6041	3	11/17/2022	293	2739.5	1.15E-05	0.00123	3.37E-06
KY	H L Spurloc	6041	3	11/17/2022	300	2641	1.1E-05	0.00125	3.3E-06
KY	H L Spurloc	6041	3	11/17/2022	294	2530	1.08E-05	0.00125	3.16E-06
KY	H L Spurloc	6041	3	11/17/2022	293	2532.5	1.08E-05	0.00125	3.17E-06
KY	H L Spurloc	6041	3	11/17/2022	299	2614.1	1.08E-05	0.00124	3.24E-06
KY	H L Spurloc	6041	3	11/17/2022	300	2583.3	1.09E-05	0.00126	3.26E-06
KY	H L Spurloc	6041	3	11/17/2022	300	2635.3	1.09E-05	0.00124	3.27E-06
KY	H L Spurloc	6041	3	11/17/2022	299	2634.4	1.09E-05	0.00124	3.27E-06
KY	H L Spurloc	6041	3	11/17/2022	300	2623.7	1.08E-05	0.00124	3.25E-06
KY	H L Spurloc	6041	3	11/17/2022	286	2458.2	1.07E-05	0.00125	3.07E-06
KY	H L Spurloc	6041	3	11/17/2022	275	2370.7	1.09E-05	0.00126	2.99E-06
KY	H L Spurloc	6041	3	11/18/2022	289	2532.6	1.1E-05	0.00125	3.17E-06
KY	H L Spurloc	6041	3	11/18/2022	299	2618.6	1.09E-05	0.00125	3.27E-06
KY	H L Spurloc	6041	3	11/18/2022	286	2473.4	1.09E-05	0.00126	3.12E-06
KY	H L Spurloc	6041	3	11/18/2022	250	2145.7	1.15E-05	0.00134	2.88E-06
KY	H L Spurloc	6041	3	11/18/2022	223	1924.9	1.23E-05	0.00142	2.73E-06
KY	H L Spurloc	6041	3	11/18/2022	219	1925.6	1.25E-05	0.00142	2.73E-06
KY	H L Spurloc	6041	3	11/18/2022	239	2174.2	1.24E-05	0.00136	2.96E-06
KY	H L Spurloc	6041	3	11/18/2022	301	2776.9	1.13E-05	0.00123	3.42E-06
KY	H L Spurloc	6041	3	11/18/2022	281	2420	1.1E-05	0.00128	3.1E-06
KY	H L Spurloc	6041	3	11/18/2022	243	2096.4	1.16E-05	0.00135	2.83E-06
KY	H L Spurloc	6041	3	11/18/2022	287	2566.7	1.12E-05	0.00125	3.21E-06
KY	H L Spurloc	6041	3	11/18/2022	284	2480.5	1.09E-05	0.00125	3.1E-06
KY	H L Spurloc	6041	3	11/18/2022	299	2667.2	1.11E-05	0.00124	3.31E-06
KY	H L Spurloc	6041	3	11/18/2022	293	2623.3	1.1E-05	0.00123	3.23E-06
KY	H L Spurloc	6041	3	11/18/2022	297	2625.1	1.1E-05	0.00124	3.26E-06
KY	H L Spurloc	6041	3	11/18/2022	284	2457.4	1.08E-05	0.00125	3.07E-06
KY	H L Spurloc	6041	3	11/18/2022	295	2573.3	1.08E-05	0.00124	3.19E-06
KY	H L Spurloc	6041	3	11/18/2022	300	2598	1.08E-05	0.00125	3.25E-06
KY	H L Spurloc	6041	3	11/18/2022	301	2616.3	1.08E-05	0.00124	3.24E-06
KY	H L Spurloc	6041	3	11/18/2022	301	2575	1.08E-05	0.00126	3.24E-06
KY	H L Spurloc	6041	3	11/18/2022	300	2539.6	1.07E-05	0.00126	3.2E-06
KY	H L Spurloc	6041	3	11/18/2022	283	2375.1	1.07E-05	0.00127	3.02E-06
KY	H L Spurloc	6041	3	11/18/2022	287	2430.2	1.07E-05	0.00126	3.06E-06
KY	H L Spurloc	6041	3	11/18/2022	277	2337.1	1.06E-05	0.00126	2.94E-06
KY	H L Spurloc	6041	3	11/19/2022	243	2048.5	1.13E-05	0.00134	2.75E-06
KY	H L Spurloc	6041	3	11/19/2022	200	1752.4	1.28E-05	0.00146	2.56E-06
KY	H L Spurloc	6041	3	11/19/2022	226	1975.9	1.19E-05	0.00136	2.69E-06
KY	H L Spurloc	6041	3	11/19/2022	205	1756.6	1.23E-05	0.00144	2.53E-06
KY	H L Spurloc	6041	3	11/19/2022	184	1636.7	1.34E-05	0.00151	2.47E-06
KY	H L Spurloc	6041	3	11/19/2022	167	1512.1	1.45E-05	0.0016	2.42E-06
KY	H L Spurloc	6041	3	11/19/2022	176	1606.1	1.41E-05	0.00155	2.49E-06
KY	H L Spurloc	6041	3	11/19/2022	265	2398.5	1.17E-05	0.00129	3.09E-06
KY	H L Spurloc	6041	3	11/19/2022	295	2627.9	1.1E-05	0.00123	3.23E-06
KY	H L Spurloc	6041	3	11/19/2022	214	1754.4	1.21E-05	0.00148	2.6E-06
KY	H L Spurloc	6041	3	11/19/2022	173	1572.7	1.43E-05	0.00157	2.47E-06
KY	H L Spurloc	6041	3	11/19/2022	167	1506.7	1.47E-05	0.00163	2.46E-06
KY	H L Spurloc	6041	3	11/19/2022	173	1586.5	1.45E-05	0.00158	2.51E-06

KY	H L Spurloc	6041	3	11/19/2022	227	1992.2	1.22E-05	0.00139	2.77E-06
KY	H L Spurloc	6041	3	11/19/2022	247	2175.8	1.18E-05	0.00134	2.92E-06
KY	H L Spurloc	6041	3	11/19/2022	251	2154.8	1.18E-05	0.00137	2.95E-06
KY	H L Spurloc	6041	3	11/19/2022	255	2236.3	1.19E-05	0.00136	3.04E-06
KY	H L Spurloc	6041	3	11/19/2022	298	2785.2	1.16E-05	0.00124	3.45E-06
KY	H L Spurloc	6041	3	11/19/2022	299	2658.2	1.12E-05	0.00126	3.35E-06
KY	H L Spurloc	6041	3	11/19/2022	291	2571.6	1.12E-05	0.00127	3.27E-06
KY	H L Spurloc	6041	3	11/19/2022	259	2216.8	1.14E-05	0.00133	2.95E-06
KY	H L Spurloc	6041	3	11/19/2022	253	2190.4	1.15E-05	0.00133	2.91E-06
KY	H L Spurloc	6041	3	11/19/2022	251	2176.3	1.15E-05	0.00133	2.89E-06
KY	H L Spurloc	6041	3	11/19/2022	251	2180.4	1.15E-05	0.00132	2.88E-06
KY	H L Spurloc	6041	3	11/20/2022	224	1942.9	1.21E-05	0.0014	2.72E-06
KY	H L Spurloc	6041	3	11/20/2022	175	1561.4	1.43E-05	0.0016	2.5E-06
KY	H L Spurloc	6041	3	11/20/2022	208	1865.8	1.3E-05	0.00145	2.71E-06
KY	H L Spurloc	6041	3	11/20/2022	171	1552.6	1.45E-05	0.0016	2.48E-06
KY	H L Spurloc	6041	3	11/20/2022	168	1550.3	1.49E-05	0.00162	2.51E-06
KY	H L Spurloc	6041	3	11/20/2022	169	1576.7	1.49E-05	0.0016	2.52E-06
KY	H L Spurloc	6041	3	11/20/2022	221	1994.4	1.26E-05	0.0014	2.79E-06
KY	H L Spurloc	6041	3	11/20/2022	271	2468.3	1.13E-05	0.00124	3.06E-06
KY	H L Spurloc	6041	3	11/20/2022	295	2621.3	1.1E-05	0.00124	3.25E-06
KY	H L Spurloc	6041	3	11/20/2022	236	2001	1.18E-05	0.00139	2.78E-06
KY	H L Spurloc	6041	3	11/20/2022	181	1583	1.38E-05	0.00158	2.5E-06
KY	H L Spurloc	6041	3	11/20/2022	167	1547.7	1.5E-05	0.00162	2.51E-06
KY	H L Spurloc	6041	3	11/20/2022	213	1975.5	1.32E-05	0.00142	2.81E-06
KY	H L Spurloc	6041	3	11/20/2022	191	1673.7	1.36E-05	0.00155	2.59E-06
KY	H L Spurloc	6041	3	11/20/2022	167	1536	1.49E-05	0.00162	2.49E-06
KY	H L Spurloc	6041	3	11/20/2022	171	1567	1.47E-05	0.0016	2.51E-06
KY	H L Spurloc	6041	3	11/20/2022	181	1701.4	1.43E-05	0.00152	2.59E-06
KY	H L Spurloc	6041	3	11/20/2022	242	2198.4	1.24E-05	0.00136	2.99E-06
KY	H L Spurloc	6041	3	11/20/2022	273	2442.5	1.16E-05	0.0013	3.18E-06
KY	H L Spurloc	6041	3	11/20/2022	299	2747.2	1.15E-05	0.00125	3.43E-06
KY	H L Spurloc	6041	3	11/20/2022	301	2752.8	1.13E-05	0.00124	3.41E-06
KY	H L Spurloc	6041	3	11/20/2022	294	2614.2	1.12E-05	0.00126	3.29E-06
KY	H L Spurloc	6041	3	11/20/2022	301	2705.9	1.11E-05	0.00124	3.36E-06
KY	H L Spurloc	6041	3	11/20/2022	247	2098	1.15E-05	0.00135	2.83E-06
KY	H L Spurloc	6041	3	11/21/2022	189	1643.4	1.35E-05	0.00155	2.55E-06
KY	H L Spurloc	6041	3	11/21/2022	181	1613.8	1.41E-05	0.00158	2.55E-06
KY	H L Spurloc	6041	3	11/21/2022	209	1930.8	1.31E-05	0.00142	2.74E-06
KY	H L Spurloc	6041	3	11/21/2022	279	2568	1.14E-05	0.00124	3.18E-06
KY	H L Spurloc	6041	3	11/21/2022	299	2624.7	1.09E-05	0.00124	3.25E-06
KY	H L Spurloc	6041	3	11/21/2022	288	2514.2	1.08E-05	0.00124	3.12E-06
KY	H L Spurloc	6041	3	11/21/2022	300	2613.5	1.08E-05	0.00124	3.24E-06
KY	H L Spurloc	6041	3	11/21/2022	300	2631.9	1.08E-05	0.00123	3.24E-06
KY	H L Spurloc	6041	3	11/21/2022	287	2476.4	1.08E-05	0.00125	3.1E-06
KY	H L Spurloc	6041	3	11/21/2022	287	2493.7	1.15E-05	0.00132	3.29E-06
KY	H L Spurloc	6041	3	11/21/2022	262	2226.5	1.16E-05	0.00137	3.05E-06
KY	H L Spurloc	6041	3	11/21/2022	211	1804.4	1.33E-05	0.00155	2.8E-06
KY	H L Spurloc	6041	3	11/21/2022	172	1505.8	1.53E-05	0.00175	2.64E-06

KY	H L Spurloc	6041	3	11/21/2022	198	1771.3	1.41E-05	0.00158	2.8E-06
KY	H L Spurloc	6041	3	11/21/2022	205	1813	1.37E-05	0.00155	2.81E-06
KY	H L Spurloc	6041	3	11/21/2022	205	1798.8	1.38E-05	0.00157	2.82E-06
KY	H L Spurloc	6041	3	11/21/2022	202	1788.6	1.4E-05	0.00158	2.83E-06
KY	H L Spurloc	6041	3	11/21/2022	245	2266.8	1.3E-05	0.00141	3.2E-06
KY	H L Spurloc	6041	3	11/21/2022	296	2668.3	1.21E-05	0.00134	3.58E-06
KY	H L Spurloc	6041	3	11/21/2022	277	2383.3	1.2E-05	0.0014	3.34E-06
KY	H L Spurloc	6041	3	11/21/2022	233	2040.9	1.28E-05	0.00146	2.98E-06
KY	H L Spurloc	6041	3	11/21/2022	196	1682.9	1.42E-05	0.00165	2.78E-06
KY	H L Spurloc	6041	3	11/21/2022	218	2032	1.36E-05	0.00146	2.97E-06
KY	H L Spurloc	6041	3	11/21/2022	191	1638	1.44E-05	0.00168	2.75E-06
KY	H L Spurloc	6041	3	11/22/2022	178	1664.3	1.52E-05	0.00163	2.71E-06
KY	H L Spurloc	6041	3	11/22/2022	165	1531.4	1.6E-05	0.00172	2.63E-06
KY	H L Spurloc	6041	3	11/22/2022	165	1545.9	1.61E-05	0.00172	2.66E-06
KY	H L Spurloc	6041	3	11/22/2022	165	1538.5	1.65E-05	0.00177	2.72E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1543.9	1.61E-05	0.00173	2.67E-06
KY	H L Spurloc	6041	3	11/22/2022	209	2050.7	1.44E-05	0.00147	3.01E-06
KY	H L Spurloc	6041	3	11/22/2022	290	2791.1	1.29E-05	0.00134	3.74E-06
KY	H L Spurloc	6041	3	11/22/2022	301	2832.6	1.24E-05	0.00132	3.74E-06
KY	H L Spurloc	6041	3	11/22/2022	298	2737.6	1.22E-05	0.00133	3.64E-06
KY	H L Spurloc	6041	3	11/22/2022	262	2277.6	1.2E-05	0.00138	3.14E-06
KY	H L Spurloc	6041	3	11/22/2022	240	2068.2	1.24E-05	0.00144	2.98E-06
KY	H L Spurloc	6041	3	11/22/2022	187	1616.5	1.45E-05	0.00168	2.72E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1487.5	1.57E-05	0.00175	2.6E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1506.1	1.57E-05	0.00173	2.61E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1503.4	1.57E-05	0.00173	2.6E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1506.8	1.57E-05	0.00173	2.61E-06
KY	H L Spurloc	6041	3	11/22/2022	185	1696.8	1.48E-05	0.00161	2.73E-06
KY	H L Spurloc	6041	3	11/22/2022	268	2458.8	1.23E-05	0.00134	3.29E-06
KY	H L Spurloc	6041	3	11/22/2022	293	2543.3	1.15E-05	0.00132	3.36E-06
KY	H L Spurloc	6041	3	11/22/2022	267	2312.3	1.15E-05	0.00133	3.08E-06
KY	H L Spurloc	6041	3	11/22/2022	268	2306.3	1.15E-05	0.00134	3.09E-06
KY	H L Spurloc	6041	3	11/22/2022	205	1738.9	1.33E-05	0.00157	2.73E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1486.8	1.57E-05	0.00175	2.6E-06
KY	H L Spurloc	6041	3	11/22/2022	166	1507.8	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/23/2022	166	1510.1	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/23/2022	166	1524.4	1.59E-05	0.00173	2.64E-06
KY	H L Spurloc	6041	3	11/23/2022	166	1509.9	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/23/2022	168	1536.2	1.58E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/23/2022	189	1695.8	1.46E-05	0.00163	2.76E-06
KY	H L Spurloc	6041	3	11/23/2022	168	1524.5	1.56E-05	0.00172	2.62E-06
KY	H L Spurloc	6041	3	11/23/2022	203	1862.9	1.41E-05	0.00154	2.87E-06
KY	H L Spurloc	6041	3	11/23/2022	276	2459.7	1.23E-05	0.00138	3.39E-06
KY	H L Spurloc	6041	3	11/23/2022	288	2550.9	1.19E-05	0.00134	3.42E-06
KY	H L Spurloc	6041	3	11/23/2022	294	2614	1.18E-05	0.00133	3.48E-06
KY	H L Spurloc	6041	3	11/23/2022	283	2471.1	1.17E-05	0.00134	3.31E-06
KY	H L Spurloc	6041	3	11/23/2022	282	2442.3	1.16E-05	0.00134	3.27E-06
KY	H L Spurloc	6041	3	11/23/2022	231	1957.1	1.25E-05	0.00147	2.88E-06

KY	H L Spurloc	6041	3	11/23/2022	168	1466.4	1.54E-05	0.00177	2.6E-06
KY	H L Spurloc	6041	3	11/23/2022	167	1495.4	1.57E-05	0.00175	2.62E-06
KY	H L Spurloc	6041	3	11/23/2022	167	1510.8	1.57E-05	0.00173	2.61E-06
KY	H L Spurloc	6041	3	11/23/2022	177	1614.6	1.51E-05	0.00166	2.68E-06
KY	H L Spurloc	6041	3	11/23/2022	199	1754.2	1.39E-05	0.00158	2.77E-06
KY	H L Spurloc	6041	3	11/23/2022	192	1667.8	1.42E-05	0.00163	2.72E-06
KY	H L Spurloc	6041	3	11/23/2022	173	1544.4	1.54E-05	0.00172	2.66E-06
KY	H L Spurloc	6041	3	11/23/2022	170	1542.7	1.56E-05	0.00172	2.65E-06
KY	H L Spurloc	6041	3	11/23/2022	170	1554.5	1.57E-05	0.00172	2.67E-06
KY	H L Spurloc	6041	3	11/23/2022	170	1562.2	1.58E-05	0.00172	2.69E-06
KY	H L Spurloc	6041	3	11/23/2022	170	1560	1.58E-05	0.00172	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1548.3	1.58E-05	0.00173	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1561	1.58E-05	0.00172	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1574.9	1.57E-05	0.0017	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1573.8	1.57E-05	0.0017	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1568	1.57E-05	0.0017	2.67E-06
KY	H L Spurloc	6041	3	11/24/2022	171	1588.9	1.56E-05	0.00168	2.67E-06
KY	H L Spurloc	6041	3	11/24/2022	175	1593	1.53E-05	0.00168	2.68E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1568.3	1.57E-05	0.0017	2.67E-06
KY	H L Spurloc	6041	3	11/24/2022	170	1564.1	1.56E-05	0.0017	2.66E-06
KY	H L Spurloc	6041	3	11/24/2022	169	1561.4	1.57E-05	0.0017	2.65E-06
KY	H L Spurloc	6041	3	11/24/2022	188	1710.4	1.46E-05	0.00161	2.75E-06
KY	H L Spurloc	6041	3	11/24/2022	215	1997.6	1.38E-05	0.00148	2.96E-06
KY	H L Spurloc	6041	3	11/24/2022	195	1691.7	1.43E-05	0.00165	2.79E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1495	1.59E-05	0.00177	2.65E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1510.2	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1511.4	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1512.8	1.59E-05	0.00175	2.65E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1517.4	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1530.7	1.6E-05	0.00173	2.65E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1526.6	1.59E-05	0.00173	2.64E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1526.9	1.59E-05	0.00173	2.64E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1518.1	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/24/2022	167	1519.9	1.59E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/24/2022	166	1518.2	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1522.2	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1524.2	1.61E-05	0.00175	2.67E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1537.6	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1521.4	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1519.2	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1536.7	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1534.5	1.6E-05	0.00173	2.65E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1534.8	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1538.4	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1545.5	1.6E-05	0.00173	2.67E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1541.2	1.61E-05	0.00173	2.67E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1552.3	1.61E-05	0.00172	2.67E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1541	1.61E-05	0.00173	2.67E-06

KY	H L Spurloc	6041	3	11/25/2022	166	1537.8	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1535.9	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1511.6	1.6E-05	0.00177	2.68E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1530.3	1.6E-05	0.00175	2.68E-06
KY	H L Spurloc	6041	3	11/25/2022	180	1666.6	1.54E-05	0.00166	2.77E-06
KY	H L Spurloc	6041	3	11/25/2022	170	1510.8	1.57E-05	0.00177	2.67E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1530.1	1.6E-05	0.00175	2.68E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1532.7	1.61E-05	0.00175	2.68E-06
KY	H L Spurloc	6041	3	11/25/2022	167	1525.5	1.62E-05	0.00177	2.7E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1539.7	1.62E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/25/2022	166	1527.5	1.63E-05	0.00177	2.7E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1526.9	1.63E-05	0.00177	2.7E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1539.5	1.61E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1534.4	1.62E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1547.7	1.61E-05	0.00173	2.68E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1566.4	1.61E-05	0.00172	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1536.4	1.61E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1538.2	1.63E-05	0.00177	2.72E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1539.6	1.65E-05	0.00179	2.76E-06
KY	H L Spurloc	6041	3	11/26/2022	181	1648.2	1.58E-05	0.00173	2.85E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1548.9	1.64E-05	0.00177	2.74E-06
KY	H L Spurloc	6041	3	11/26/2022	167	1538.6	1.61E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1537.1	1.62E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1536.5	1.62E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1518.6	1.62E-05	0.00177	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1538.3	1.62E-05	0.00175	2.69E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1542.4	1.63E-05	0.00175	2.7E-06
KY	H L Spurloc	6041	3	11/26/2022	177	1663.9	1.58E-05	0.00168	2.8E-06
KY	H L Spurloc	6041	3	11/26/2022	186	1675.9	1.51E-05	0.00168	2.82E-06
KY	H L Spurloc	6041	3	11/26/2022	201	1770.3	1.42E-05	0.00161	2.85E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1499.1	1.62E-05	0.00179	2.68E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1550.1	1.61E-05	0.00172	2.67E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1522.4	1.6E-05	0.00175	2.66E-06
KY	H L Spurloc	6041	3	11/26/2022	196	1763.1	1.45E-05	0.00161	2.84E-06
KY	H L Spurloc	6041	3	11/26/2022	166	1495.8	1.61E-05	0.00179	2.68E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1499.1	1.62E-05	0.00179	2.68E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1518.1	1.62E-05	0.00177	2.69E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1514.4	1.61E-05	0.00177	2.68E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1513.3	1.61E-05	0.00177	2.68E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1509.3	1.61E-05	0.00177	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1510.2	1.61E-05	0.00177	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1492.7	1.61E-05	0.00179	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1489.5	1.61E-05	0.00179	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1491.9	1.61E-05	0.00179	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	188	1685.9	1.49E-05	0.00166	2.8E-06
KY	H L Spurloc	6041	3	11/27/2022	169	1512.6	1.58E-05	0.00177	2.68E-06
KY	H L Spurloc	6041	3	11/27/2022	167	1489.1	1.6E-05	0.00179	2.67E-06
KY	H L Spurloc	6041	3	11/27/2022	166	1491.8	1.61E-05	0.00179	2.67E-06



KY	H L Spurloc	6041	3	11/27/2022	166	1505.5	1.61E-05	0.00177	2.66E-06
KY	H L Spurloc	6041	3	11/27/2022	168	1523.2			
KY	H L Spurloc	6041	3	11/27/2022	166	1530.1	1.63E-05	0.00177	2.71E-06
KY	H L Spurloc	6041	3	11/27/2022	170	1576.9	1.6E-05	0.00172	2.71E-06
KY	H L Spurloc	6041	3	11/27/2022	189	1760.2	1.49E-05	0.0016	2.82E-06
KY	H L Spurloc	6041	3	11/27/2022	259	2494.4	1.33E-05	0.00138	3.44E-06
KY	H L Spurloc	6041	3	11/27/2022	286	2653.5	1.24E-05	0.00134	3.56E-06
KY	H L Spurloc	6041	3	11/27/2022	271	2379.2	1.23E-05	0.0014	3.33E-06
KY	H L Spurloc	6041	3	11/27/2022	248	2155	1.24E-05	0.00143	3.08E-06
KY	H L Spurloc	6041	3	11/27/2022	231	2018.3	1.29E-05	0.00148	2.99E-06
KY	H L Spurloc	6041	3	11/27/2022	189	1618.9	1.44E-05	0.00168	2.72E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1509.7	1.59E-05	0.00175	2.64E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1528.8	1.59E-05	0.00173	2.64E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1528.9	1.59E-05	0.00173	2.65E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1538.4	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1553.7	1.61E-05	0.00172	2.67E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1535.1	1.6E-05	0.00173	2.66E-06
KY	H L Spurloc	6041	3	11/28/2022	167	1541.9	1.6E-05	0.00173	2.67E-06
KY	H L Spurloc	6041	3	11/28/2022	197	1854.2	1.46E-05	0.00155	2.87E-06
KY	H L Spurloc	6041	3	11/28/2022	180	1633	1.52E-05	0.00168	2.74E-06
KY	H L Spurloc	6041	3	11/28/2022	196	1843.8	1.46E-05	0.00155	2.86E-06
KY	H L Spurloc	6041	3	11/28/2022	227	2072.2	3.78E-05	0.00414	8.58E-06
KY	H L Spurloc	6041	3	11/28/2022	215	1937.3	3.9E-05	0.00433	8.39E-06
KY	H L Spurloc	6041	3	11/28/2022	240	2125.2	3.67E-05	0.00414	8.8E-06
KY	H L Spurloc	6041	3	11/28/2022	189	1663.8	4.12E-05	0.00468	7.79E-06
KY	H L Spurloc	6041	3	11/28/2022	166	1528.8	4.53E-05	0.00492	7.52E-06
KY	H L Spurloc	6041	3	11/28/2022	170	1582.9	4.49E-05	0.00482	7.63E-06
KY	H L Spurloc	6041	3	11/28/2022	228	2162.3	3.86E-05	0.00407	8.8E-06
KY	H L Spurloc	6041	3	11/28/2022	285	2641.6	3.41E-05	0.00368	9.72E-06
KY	H L Spurloc	6041	3	11/28/2022	251	2157.8	3.4E-05	0.00396	8.54E-06
KY	H L Spurloc	6041	3	11/28/2022	228	1944.5	3.59E-05	0.00421	8.19E-06
KY	H L Spurloc	6041	3	11/28/2022	172	1523.5	4.36E-05	0.00492	7.5E-06
KY	H L Spurloc	6041	3	11/28/2022	188	1706.2	4.17E-05	0.00459	7.83E-06
KY	H L Spurloc	6041	3	11/28/2022	183	1677.9	4.25E-05	0.00463	7.77E-06
KY	H L Spurloc	6041	3	11/28/2022	227	2085.2	3.8E-05	0.00414	8.63E-06
KY	H L Spurloc	6041	3	11/29/2022	273	2571.3	3.61E-05	0.00383	9.85E-06
KY	H L Spurloc	6041	3	11/29/2022	302	2803.9	3.42E-05	0.00368	1.03E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2752.8	3.35E-05	0.00368	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2737.6	3.34E-05	0.00368	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2701.3	3.32E-05	0.00371	1E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2697.5	3.31E-05	0.00371	1E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2703.4	3.36E-05	0.00374	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2717.8	3.38E-05	0.00374	1.02E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2706.9	3.34E-05	0.00371	1E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2700.3	3.36E-05	0.00374	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2765.5	3.4E-05	0.00371	1.03E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2764.4	3.42E-05	0.00374	1.03E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2705.8	3.4E-05	0.0038	1.03E-05

KY	H L Spurloc	6041	3	11/29/2022	301	2697.3	3.38E-05	0.00377	1.02E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2732.2	3.38E-05	0.00374	1.02E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2758.7	3.5E-05	0.00383	1.06E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2711.7	3.41E-05	0.0038	1.03E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2671.2	3.33E-05	0.00377	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2745.5	3.36E-05	0.00368	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2704.7	3.32E-05	0.00371	1E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2722.9	3.32E-05	0.00368	1E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2742	3.37E-05	0.00371	1.02E-05
KY	H L Spurloc	6041	3	11/29/2022	302	2708.3	3.35E-05	0.00374	1.01E-05
KY	H L Spurloc	6041	3	11/29/2022	301	2766.3	3.38E-05	0.00368	1.02E-05
KY	H L Spurloc	6041	3	11/30/2022	253	2125.6	3.42E-05	0.00407	8.65E-06
KY	H L Spurloc	6041	3	11/30/2022	170	1473.1	4.36E-05	0.00503	7.41E-06
KY	H L Spurloc	6041	3	11/30/2022	166	1495.4	4.49E-05	0.00498	7.45E-06
KY	H L Spurloc	6041	3	11/30/2022	167	1517.6	4.47E-05	0.00492	7.47E-06
KY	H L Spurloc	6041	3	11/30/2022	166	1516.9	4.5E-05	0.00492	7.46E-06
KY	H L Spurloc	6041	3	11/30/2022	166	1539.3	4.52E-05	0.00487	7.5E-06
KY	H L Spurloc	6041	3	11/30/2022	177	1697.2	4.4E-05	0.00459	7.79E-06
KY	H L Spurloc	6041	3	11/30/2022	202	1799	4.01E-05	0.0045	8.1E-06
KY	H L Spurloc	6041	3	11/30/2022	226	2069.5	3.73E-05	0.00407	8.42E-06
KY	H L Spurloc	6041	3	11/30/2022	251	2278.6	3.54E-05	0.0039	8.89E-06
KY	H L Spurloc	6041	3	11/30/2022	299	2730.8	3.36E-05	0.00368	1E-05
KY	H L Spurloc	6041	3	11/30/2022	283	2483	3.33E-05	0.0038	9.44E-06
KY	H L Spurloc	6041	3	11/30/2022	265	2405.7	3.48E-05	0.00383	9.21E-06
KY	H L Spurloc	6041	3	11/30/2022	268	2333.5	3.4E-05	0.0039	9.1E-06
KY	H L Spurloc	6041	3	11/30/2022	190	1658	4.04E-05	0.00463	7.68E-06
KY	H L Spurloc	6041	3	11/30/2022	173	1573	4.34E-05	0.00477	7.5E-06
KY	H L Spurloc	6041	3	11/30/2022	173	1608.3	4.39E-05	0.00472	7.59E-06
KY	H L Spurloc	6041	3	11/30/2022	221	2117.4	3.93E-05	0.0041	8.68E-06
KY	H L Spurloc	6041	3	11/30/2022	297	2852.4	3.46E-05	0.0036	1.03E-05
KY	H L Spurloc	6041	3	11/30/2022	300	2747.9	3.32E-05	0.00363	9.97E-06
KY	H L Spurloc	6041	3	11/30/2022	285	2537.3	3.3E-05	0.00371	9.41E-06
KY	H L Spurloc	6041	3	11/30/2022	245	2182.4	3.45E-05	0.00387	8.45E-06
KY	H L Spurloc	6041	3	11/30/2022	239	2097.6	3.51E-05	0.004	8.39E-06
KY	H L Spurloc	6041	3	11/30/2022	172	1549.9	4.34E-05	0.00482	7.47E-06
KY	H L Spurloc	6041	3	12/1/2022	179	1702.8	4.37E-05	0.00459	7.82E-06
KY	H L Spurloc	6041	3	12/1/2022	209	1923.8	3.91E-05	0.00425	8.18E-06
KY	H L Spurloc	6041	3	12/1/2022	209	1942.4	3.91E-05	0.00421	8.18E-06
KY	H L Spurloc	6041	3	12/1/2022	195	1811.2	4.02E-05	0.00433	7.84E-06
KY	H L Spurloc	6041	3	12/1/2022	218	2047.9	3.89E-05	0.00414	8.48E-06
KY	H L Spurloc	6041	3	12/1/2022	185	1680.2	4.17E-05	0.00459	7.71E-06
KY	H L Spurloc	6041	3	12/1/2022	243	2260.3	3.66E-05	0.00393	8.88E-06
KY	H L Spurloc	6041	3	12/1/2022	275	2492.7	3.42E-05	0.00377	9.4E-06
KY	H L Spurloc	6041	3	12/1/2022	276	2434.5	3.38E-05	0.00383	9.32E-06
KY	H L Spurloc	6041	3	12/1/2022	252	2235.4	3.49E-05	0.00393	8.79E-06
KY	H L Spurloc	6041	3	12/1/2022	244	2212.9	3.54E-05	0.0039	8.63E-06
KY	H L Spurloc	6041	3	12/1/2022	220	2015	3.76E-05	0.0041	8.26E-06
KY	H L Spurloc	6041	3	12/1/2022	240	2130.8	3.55E-05	0.004	8.52E-06

KY	H L Spurloc	6041	3	12/1/2022	188	1694.2	4.09E-05	0.00454	7.69E-06
KY	H L Spurloc	6041	3	12/1/2022	170	1566.1	4.44E-05	0.00482	7.55E-06
KY	H L Spurloc	6041	3	12/1/2022	170	1588.6	4.46E-05	0.00477	7.58E-06
KY	H L Spurloc	6041	3	12/1/2022	198	1879.5	4.11E-05	0.00433	8.14E-06
KY	H L Spurloc	6041	3	12/1/2022	286	2661.9	3.45E-05	0.00371	9.88E-06
KY	H L Spurloc	6041	3	12/1/2022	298	2710.5	3.35E-05	0.00368	9.97E-06
KY	H L Spurloc	6041	3	12/1/2022	293	2655.9	3.34E-05	0.00368	9.77E-06
KY	H L Spurloc	6041	3	12/1/2022	278	2495.3	3.36E-05	0.00374	9.33E-06
KY	H L Spurloc	6041	3	12/1/2022	296	2654.5	3.33E-05	0.00371	9.85E-06
KY	H L Spurloc	6041	3	12/1/2022	292	2609.3	3.32E-05	0.00371	9.68E-06
KY	H L Spurloc	6041	3	12/1/2022	274	2398.6	3.33E-05	0.0038	9.11E-06
KY	H L Spurloc	6041	3	12/2/2022	243	2118	3.51E-05	0.00403	8.54E-06
KY	H L Spurloc	6041	3	12/2/2022	243	2161.4	3.56E-05	0.004	8.65E-06
KY	H L Spurloc	6041	3	12/2/2022	267	2358.8	3.42E-05	0.00387	9.13E-06
KY	H L Spurloc	6041	3	12/2/2022	264	2340.4	3.46E-05	0.0039	9.13E-06
KY	H L Spurloc	6041	3	12/2/2022	268	2347.8	3.42E-05	0.0039	9.16E-06
KY	H L Spurloc	6041	3	12/2/2022	230	1972	3.61E-05	0.00421	8.3E-06
KY	H L Spurloc	6041	3	12/2/2022	232	2098.9	3.75E-05	0.00414	8.69E-06
KY	H L Spurloc	6041	3	12/2/2022	296	2773.2	3.45E-05	0.00368	1.02E-05
KY	H L Spurloc	6041	3	12/2/2022	294	2652.7	3.37E-05	0.00374	9.92E-06
KY	H L Spurloc	6041	3	12/2/2022	237	2158.5	3.61E-05	0.00396	8.55E-06
KY	H L Spurloc	6041	3	12/2/2022	237	2100.9	3.61E-05	0.00407	8.55E-06
KY	H L Spurloc	6041	3	12/2/2022	279	2448.1	3.33E-05	0.0038	9.3E-06
KY	H L Spurloc	6041	3	12/2/2022	282	2475.6	3.34E-05	0.0038	9.41E-06
KY	H L Spurloc	6041	3	12/2/2022	228	2128.5	3.64E-05	0.0039	8.3E-06
KY	H L Spurloc	6041	3	12/2/2022	168	1479.9	4.53E-05	0.00514	7.61E-06
KY	H L Spurloc	6041	3	12/2/2022	166	1507.5	4.61E-05	0.00508	7.66E-06
KY	H L Spurloc	6041	3	12/2/2022	167	1509	4.64E-05	0.00514	7.76E-06
KY	H L Spurloc	6041	3	12/2/2022	178	1593.2	4.4E-05	0.00492	7.84E-06
KY	H L Spurloc	6041	3	12/2/2022	175	1573.5	4.42E-05	0.00492	7.74E-06
KY	H L Spurloc	6041	3	12/2/2022	175	1574.5	4.43E-05	0.00492	7.75E-06
KY	H L Spurloc	6041	3	12/2/2022	175	1566.9	4.46E-05	0.00498	7.8E-06
KY	H L Spurloc	6041	3	12/2/2022	173	1555.2	4.48E-05	0.00498	7.74E-06
KY	H L Spurloc	6041	3	12/2/2022	165	1504.3	4.63E-05	0.00508	7.64E-06
KY	H L Spurloc	6041	3	12/2/2022	165	1497.4	4.66E-05	0.00514	7.7E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1498.8	4.67E-05	0.00514	7.7E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1515.9	4.67E-05	0.00508	7.7E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1519.6	4.68E-05	0.00508	7.72E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1523.6	4.69E-05	0.00508	7.74E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1520.9	4.68E-05	0.00508	7.73E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1521	4.68E-05	0.00508	7.73E-06
KY	H L Spurloc	6041	3	12/3/2022	164	1502.2	4.71E-05	0.00514	7.72E-06
KY	H L Spurloc	6041	3	12/3/2022	142	1292.68	5.44E-05	0.00508	6.57E-06
KY	H L Spurloc	6041	3	12/3/2022	0	13.77		0.00935	1.29E-07
KY	H L Spurloc	6041	3	12/3/2022	21	302.2	0.000281	0.0195	5.89E-06
KY	H L Spurloc	6041	3	12/3/2022	86	878.3	8.23E-05	0.00806	7.08E-06
KY	H L Spurloc	6041	3	12/3/2022	154	1504.5	4.96E-05	0.00508	7.64E-06
KY	H L Spurloc	6041	3	12/3/2022	180	1738.9	4.26E-05	0.00441	7.67E-06

KY	H L Spurloc	6041	3	12/3/2022	182	1708.3	4.22E-05	0.0045	7.69E-06
KY	H L Spurloc	6041	3	12/3/2022	182	1758.2	4.35E-05	0.0045	7.91E-06
KY	H L Spurloc	6041	3	12/3/2022	210	1925.2	3.9E-05	0.00425	8.18E-06
KY	H L Spurloc	6041	3	12/3/2022	187	1679.5	4.12E-05	0.00459	7.71E-06
KY	H L Spurloc	6041	3	12/3/2022	166	1531.9	4.49E-05	0.00487	7.46E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1529.7	4.56E-05	0.00492	7.53E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1536.8	4.58E-05	0.00492	7.56E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1555.3	4.59E-05	0.00487	7.57E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1537.5	4.58E-05	0.00492	7.56E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1553.5	4.59E-05	0.00487	7.57E-06
KY	H L Spurloc	6041	3	12/3/2022	165	1542.4	4.6E-05	0.00492	7.59E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1541.5	4.6E-05	0.00492	7.58E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1542.1	4.6E-05	0.00492	7.59E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1541	4.59E-05	0.00492	7.58E-06
KY	H L Spurloc	6041	3	12/4/2022	166	1558.4	4.57E-05	0.00487	7.59E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1537.1	4.58E-05	0.00492	7.56E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1537.5	4.58E-05	0.00492	7.56E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1547.3	4.61E-05	0.00492	7.61E-06
KY	H L Spurloc	6041	3	12/4/2022	166	1563.5	4.54E-05	0.00482	7.54E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1547.7	4.57E-05	0.00487	7.54E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1543.7	4.56E-05	0.00487	7.52E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1559.6	4.51E-05	0.00477	7.44E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1558.1	4.5E-05	0.00477	7.43E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1535.8	4.53E-05	0.00487	7.48E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1546.5	4.56E-05	0.00487	7.53E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1530.5	4.56E-05	0.00492	7.53E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1529.2	4.56E-05	0.00492	7.52E-06
KY	H L Spurloc	6041	3	12/4/2022	170	1595.9	4.48E-05	0.00477	7.61E-06
KY	H L Spurloc	6041	3	12/4/2022	193	1813	4.18E-05	0.00445	8.07E-06
KY	H L Spurloc	6041	3	12/4/2022	243	2233.2	3.61E-05	0.00393	8.78E-06
KY	H L Spurloc	6041	3	12/4/2022	266	2416.3	3.42E-05	0.00377	9.11E-06
KY	H L Spurloc	6041	3	12/4/2022	213	1832.1	3.72E-05	0.00433	7.93E-06
KY	H L Spurloc	6041	3	12/4/2022	170	1502.7	4.4E-05	0.00498	7.48E-06
KY	H L Spurloc	6041	3	12/4/2022	166	1520	4.56E-05	0.00498	7.57E-06
KY	H L Spurloc	6041	3	12/4/2022	165	1533.6	4.57E-05	0.00492	7.55E-06
KY	H L Spurloc	6041	3	12/5/2022	165	1523.8	4.6E-05	0.00498	7.59E-06
KY	H L Spurloc	6041	3	12/5/2022	166	1556.9	4.57E-05	0.00487	7.58E-06
KY	H L Spurloc	6041	3	12/5/2022	166	1538.5	4.56E-05	0.00492	7.57E-06
KY	H L Spurloc	6041	3	12/5/2022	170	1576.4	4.52E-05	0.00487	7.68E-06
KY	H L Spurloc	6041	3	12/5/2022	204	1861.8	4.02E-05	0.00441	8.21E-06
KY	H L Spurloc	6041	3	12/5/2022	232	2152.6	3.67E-05	0.00396	8.52E-06
KY	H L Spurloc	6041	3	12/5/2022	242	2145.2	3.57E-05	0.00403	8.65E-06
KY	H L Spurloc	6041	3	12/5/2022	279	2542.2	3.46E-05	0.0038	9.66E-06
KY	H L Spurloc	6041	3	12/5/2022	294	2592.6	3.35E-05	0.0038	9.85E-06
KY	H L Spurloc	6041	3	12/5/2022	291	2599.3	3.37E-05	0.00377	9.8E-06
KY	H L Spurloc	6041	3	12/5/2022	273	2348.7	3.33E-05	0.00387	9.09E-06
KY	H L Spurloc	6041	3	12/5/2022	278	2436.1	3.36E-05	0.00383	9.33E-06
KY	H L Spurloc	6041	3	12/5/2022	260	2296.1	3.42E-05	0.00387	8.89E-06

KY	H L Spurloc	6041	3	12/5/2022	257	2214	3.82E-05	0.00444	9.83E-06
KY	H L Spurloc	6041	3	12/5/2022	199	1693.5	4.45E-05	0.00523	8.86E-06
KY	H L Spurloc	6041	3	12/5/2022	249	2295.2	4.12E-05	0.00447	1.03E-05
KY	H L Spurloc	6041	3	12/5/2022	233	1999.7	4.01E-05	0.00467	9.34E-06
KY	H L Spurloc	6041	3	12/5/2022	256	2282.1	4.02E-05	0.00451	1.03E-05
KY	H L Spurloc	6041	3	12/5/2022	283	2502.2	3.79E-05	0.00429	1.07E-05
KY	H L Spurloc	6041	3	12/5/2022	296	2704.7	3.86E-05	0.00422	1.14E-05
KY	H L Spurloc	6041	3	12/5/2022	298	2699.5	3.86E-05	0.00426	1.15E-05
KY	H L Spurloc	6041	3	12/5/2022	277	2416.1	3.78E-05	0.00433	1.05E-05
KY	H L Spurloc	6041	3	12/5/2022	235	2020.7	3.98E-05	0.00463	9.36E-06
KY	H L Spurloc	6041	3	12/5/2022	177	1515.4	4.86E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/6/2022	168	1489.6	5.09E-05	0.00574	8.55E-06
KY	H L Spurloc	6041	3	12/6/2022	167	1541.3	5.13E-05	0.00556	8.57E-06
KY	H L Spurloc	6041	3	12/6/2022	166	1514	5.18E-05	0.00568	8.6E-06
KY	H L Spurloc	6041	3	12/6/2022	165	1513.9	5.21E-05	0.00568	8.6E-06
KY	H L Spurloc	6041	3	12/6/2022	165	1512.2	5.21E-05	0.00568	8.59E-06
KY	H L Spurloc	6041	3	12/6/2022	167	1531	5.15E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/6/2022	165	1516.6	5.22E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/6/2022	166	1530.3	5.18E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/6/2022	165	1524.5	5.25E-05	0.00568	8.66E-06
KY	H L Spurloc	6041	3	12/6/2022	178	1616.9	5E-05	0.0055	8.89E-06
KY	H L Spurloc	6041	3	12/6/2022	166	1531.2	5.18E-05	0.00562	8.61E-06
KY	H L Spurloc	6041	3	12/6/2022	172	1571.9	5.08E-05	0.00556	8.74E-06
KY	H L Spurloc	6041	3	12/6/2022	173	1597.6	5.08E-05	0.0055	8.79E-06
KY	H L Spurloc	6041	3	12/6/2022	187	1717.1	4.85E-05	0.00528	9.07E-06
KY	H L Spurloc	6041	3	12/6/2022	166	1504.9	5.15E-05	0.00568	8.55E-06
KY	H L Spurloc	6041	3	12/6/2022	178	1631	4.98E-05	0.00544	8.87E-06
KY	H L Spurloc	6041	3	12/6/2022	173	1601.6	5.09E-05	0.0055	8.81E-06
KY	H L Spurloc	6041	3	12/6/2022	205	1855	4.55E-05	0.00503	9.33E-06
KY	H L Spurloc	6041	3	12/6/2022	201	1776.9	4.54E-05	0.00513	9.12E-06
KY	H L Spurloc	6041	3	12/6/2022	246	2220.6	4.14E-05	0.00459	1.02E-05
KY	H L Spurloc	6041	3	12/6/2022	243	2101.7	4.04E-05	0.00467	9.81E-06
KY	H L Spurloc	6041	3	12/6/2022	198	1731.1	4.53E-05	0.00518	8.97E-06
KY	H L Spurloc	6041	3	12/6/2022	170	1518.3	5.02E-05	0.00562	8.53E-06
KY	H L Spurloc	6041	3	12/6/2022	165	1515.3	5.22E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1504.4	5.23E-05	0.00574	8.64E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1510.3	5.25E-05	0.00574	8.67E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1510.2	5.25E-05	0.00574	8.67E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1514.6	5.27E-05	0.00574	8.69E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1510.8	5.26E-05	0.00574	8.67E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1525	5.25E-05	0.00568	8.66E-06
KY	H L Spurloc	6041	3	12/7/2022	166	1516.8	5.24E-05	0.00574	8.71E-06
KY	H L Spurloc	6041	3	12/7/2022	173	1562.5	5.08E-05	0.00562	8.78E-06
KY	H L Spurloc	6041	3	12/7/2022	179	1649.6	4.97E-05	0.00539	8.89E-06
KY	H L Spurloc	6041	3	12/7/2022	173	1546.8	5.02E-05	0.00562	8.69E-06
KY	H L Spurloc	6041	3	12/7/2022	168	1535.4	5.14E-05	0.00562	8.63E-06
KY	H L Spurloc	6041	3	12/7/2022	166	1519	5.2E-05	0.00568	8.63E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1502	5.23E-05	0.00574	8.62E-06

KY	H L Spurloc	6041	3	12/7/2022	166	1525.5	5.22E-05	0.00568	8.66E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1517.7	5.22E-05	0.00568	8.62E-06
KY	H L Spurloc	6041	3	12/7/2022	172	1588.5	5.08E-05	0.0055	8.74E-06
KY	H L Spurloc	6041	3	12/7/2022	178	1626.9	4.97E-05	0.00544	8.85E-06
KY	H L Spurloc	6041	3	12/7/2022	170	1557.6	5.09E-05	0.00556	8.66E-06
KY	H L Spurloc	6041	3	12/7/2022	171	1579	5.08E-05	0.0055	8.68E-06
KY	H L Spurloc	6041	3	12/7/2022	166	1530.6	5.18E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/7/2022	166	1564.6	5.18E-05	0.0055	8.61E-06
KY	H L Spurloc	6041	3	12/7/2022	167	1540.5	5.18E-05	0.00562	8.66E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1546.2	5.21E-05	0.00556	8.6E-06
KY	H L Spurloc	6041	3	12/7/2022	165	1534.7	5.23E-05	0.00562	8.63E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1534.6	5.23E-05	0.00562	8.62E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1527.8	5.2E-05	0.00562	8.59E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1531.4	5.22E-05	0.00562	8.61E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1536.3	5.23E-05	0.00562	8.63E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1531	5.21E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/8/2022	166	1532.6	5.19E-05	0.00562	8.61E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1525.2	5.19E-05	0.00562	8.57E-06
KY	H L Spurloc	6041	3	12/8/2022	184	1701.9	4.88E-05	0.00528	8.99E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1514.4	5.16E-05	0.00562	8.51E-06
KY	H L Spurloc	6041	3	12/8/2022	174	1629	5.09E-05	0.00544	8.86E-06
KY	H L Spurloc	6041	3	12/8/2022	169	1525.3	5.07E-05	0.00562	8.57E-06
KY	H L Spurloc	6041	3	12/8/2022	178	1644.4	4.98E-05	0.00539	8.86E-06
KY	H L Spurloc	6041	3	12/8/2022	175	1631.5	5.03E-05	0.00539	8.79E-06
KY	H L Spurloc	6041	3	12/8/2022	170	1530.1	5.06E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/8/2022	168	1553.5	5.14E-05	0.00556	8.64E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1516.4	5.22E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/8/2022	168	1566	5.18E-05	0.00556	8.71E-06
KY	H L Spurloc	6041	3	12/8/2022	222	2078.7	4.46E-05	0.00476	9.89E-06
KY	H L Spurloc	6041	3	12/8/2022	187	1616.9	4.66E-05	0.00539	8.72E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1516	5.16E-05	0.00562	8.52E-06
KY	H L Spurloc	6041	3	12/8/2022	166	1532.7	5.19E-05	0.00562	8.61E-06
KY	H L Spurloc	6041	3	12/8/2022	171	1575.3	5.12E-05	0.00556	8.76E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1519.9	5.23E-05	0.00568	8.63E-06
KY	H L Spurloc	6041	3	12/8/2022	165	1534.2	5.23E-05	0.00562	8.62E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1518.9	5.23E-05	0.00568	8.63E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1522.4	5.24E-05	0.00568	8.65E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1518.4	5.23E-05	0.00568	8.62E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1527.3	5.2E-05	0.00562	8.58E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1550.6	5.23E-05	0.00556	8.62E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1520.8	5.24E-05	0.00568	8.64E-06
KY	H L Spurloc	6041	3	12/9/2022	168	1543.5	5.16E-05	0.00562	8.67E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1531.1	5.22E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1527.2	5.2E-05	0.00562	8.58E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1530.3	5.21E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1510.5	5.2E-05	0.00568	8.58E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1523	5.19E-05	0.00562	8.56E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1502.5	5.17E-05	0.00568	8.53E-06

KY	H L Spurloc	6041	3	12/9/2022	165	1501	5.17E-05	0.00568	8.53E-06
KY	H L Spurloc	6041	3	12/9/2022	168	1526.6	5.11E-05	0.00562	8.58E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1494.1	5.14E-05	0.00568	8.49E-06
KY	H L Spurloc	6041	3	12/9/2022	166	1506.8	5.16E-05	0.00568	8.56E-06
KY	H L Spurloc	6041	3	12/9/2022	168	1507.2	5.1E-05	0.00568	8.56E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1487.3	5.17E-05	0.00574	8.54E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1490.3	5.18E-05	0.00574	8.55E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1504.9	5.18E-05	0.00568	8.55E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1500.6	5.17E-05	0.00568	8.52E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1507.8	5.19E-05	0.00568	8.56E-06
KY	H L Spurloc	6041	3	12/9/2022	165	1509.8	5.2E-05	0.00568	8.58E-06
KY	H L Spurloc	6041	3	12/10/2022	166	1530.5	5.18E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1528.1	5.2E-05	0.00562	8.59E-06
KY	H L Spurloc	6041	3	12/10/2022	202	1862.8	4.64E-05	0.00503	9.37E-06
KY	H L Spurloc	6041	3	12/10/2022	169	1515.9	5.04E-05	0.00562	8.52E-06
KY	H L Spurloc	6041	3	12/10/2022	166	1528.3	5.17E-05	0.00562	8.59E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1524.8	5.19E-05	0.00562	8.57E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1515.5	5.22E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1532.3	5.22E-05	0.00562	8.61E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1534.1	5.23E-05	0.00562	8.62E-06
KY	H L Spurloc	6041	3	12/10/2022	201	1846.5	4.67E-05	0.00508	9.38E-06
KY	H L Spurloc	6041	3	12/10/2022	266	2467.2	4.04E-05	0.00436	1.08E-05
KY	H L Spurloc	6041	3	12/10/2022	220	1890.7	4.16E-05	0.00484	9.15E-06
KY	H L Spurloc	6041	3	12/10/2022	173	1560.7	4.96E-05	0.0055	8.58E-06
KY	H L Spurloc	6041	3	12/10/2022	174	1566.8	5.01E-05	0.00556	8.71E-06
KY	H L Spurloc	6041	3	12/10/2022	192	1689	4.69E-05	0.00533	9E-06
KY	H L Spurloc	6041	3	12/10/2022	171	1542.1	5.07E-05	0.00562	8.67E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1512.3	5.21E-05	0.00568	8.59E-06
KY	H L Spurloc	6041	3	12/10/2022	211	1953.4	4.56E-05	0.00493	9.63E-06
KY	H L Spurloc	6041	3	12/10/2022	188	1628.2	4.62E-05	0.00533	8.68E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1501	5.17E-05	0.00568	8.53E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1514.6	5.21E-05	0.00568	8.6E-06
KY	H L Spurloc	6041	3	12/10/2022	166	1521.8	5.21E-05	0.00568	8.64E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1503	5.23E-05	0.00574	8.63E-06
KY	H L Spurloc	6041	3	12/10/2022	165	1496.1	5.2E-05	0.00574	8.59E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1513.4	5.21E-05	0.00568	8.6E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1516.5	5.22E-05	0.00568	8.61E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1518.6	5.23E-05	0.00568	8.63E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1519.7	5.23E-05	0.00568	8.63E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1535.4	5.23E-05	0.00562	8.63E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1540.5	5.25E-05	0.00562	8.66E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1535.2	5.23E-05	0.00562	8.63E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1533.1	5.22E-05	0.00562	8.62E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1529.6	5.21E-05	0.00562	8.6E-06
KY	H L Spurloc	6041	3	12/11/2022	197	1801.2	4.69E-05	0.00513	9.24E-06
KY	H L Spurloc	6041	3	12/11/2022	169	1516.9	4.99E-05	0.00556	8.43E-06
KY	H L Spurloc	6041	3	12/11/2022	169	1539.3	5.06E-05	0.00556	8.56E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1514.1	5.16E-05	0.00562	8.51E-06

KY	H L Spurloc	6041	3	12/11/2022	166	1522.4	5.15E-05	0.00562	8.56E-06
KY	H L Spurloc	6041	3	12/11/2022	165	1504	5.18E-05	0.00568	8.54E-06
KY	H L Spurloc	6041	3	12/11/2022	169	1561.7	5.14E-05	0.00556	8.68E-06
KY	H L Spurloc	6041	3	12/11/2022	166	1515	5.13E-05	0.00562	8.51E-06
KY	H L Spurloc	6041	3	12/11/2022	191	1752.1	4.75E-05	0.00518	9.08E-06
KY	H L Spurloc	6041	3	12/11/2022	237	2156.4	4.18E-05	0.00459	9.9E-06
KY	H L Spurloc	6041	3	12/11/2022	291	2560.9	3.78E-05	0.00429	1.1E-05
KY	H L Spurloc	6041	3	12/11/2022	287	2471.8	3.73E-05	0.00433	1.07E-05
KY	H L Spurloc	6041	3	12/11/2022	285	2449	3.72E-05	0.00433	1.06E-05
KY	H L Spurloc	6041	3	12/11/2022	271	2299.9	3.73E-05	0.0044	1.01E-05
KY	H L Spurloc	6041	3	12/11/2022	257	2183.3	3.83E-05	0.00451	9.85E-06
KY	H L Spurloc	6041	3	12/12/2022	211	1784.2	4.25E-05	0.00503	8.97E-06
KY	H L Spurloc	6041	3	12/12/2022	178	1583	4.84E-05	0.00544	8.61E-06
KY	H L Spurloc	6041	3	12/12/2022	165	1509.1	5.14E-05	0.00562	8.48E-06
KY	H L Spurloc	6041	3	12/12/2022	169	1549.1	5.1E-05	0.00556	8.61E-06
KY	H L Spurloc	6041	3	12/12/2022	166	1495	5.12E-05	0.00568	8.49E-06
KY	H L Spurloc	6041	3	12/12/2022	211	1975.3	4.49E-05	0.0048	9.48E-06
KY	H L Spurloc	6041	3	12/12/2022	224	1980.5	4.21E-05	0.00476	9.43E-06
KY	H L Spurloc	6041	3	12/12/2022	248	2184.2	4.01E-05	0.00455	9.94E-06
KY	H L Spurloc	6041	3	12/12/2022	277	2548.1	3.95E-05	0.00429	1.09E-05
KY	H L Spurloc	6041	3	12/12/2022	300	2630	3.76E-05	0.00429	1.13E-05
KY	H L Spurloc	6041	3	12/12/2022	300	2687.4	5.32E-05	0.00594	1.6E-05
KY	H L Spurloc	6041	3	12/12/2022	300	2658.9	5.31E-05	0.00599	1.59E-05
KY	H L Spurloc	6041	3	12/12/2022	290	2555.2	0.000101	0.0115	2.94E-05
KY	H L Spurloc	6041	3	12/12/2022	298	2589.3	0.000101	0.0116	3E-05
KY	H L Spurloc	6041	3	12/12/2022	250	2127.7	0.000104	0.0122	2.6E-05
KY	H L Spurloc	6041	3	12/12/2022	234	2038.8	0.00011	0.0126	2.57E-05
KY	H L Spurloc	6041	3	12/12/2022	287	2602.7	0.000105	0.0116	3.02E-05
KY	H L Spurloc	6041	3	12/12/2022	297	2634.4	0.000103	0.0116	3.06E-05
KY	H L Spurloc	6041	3	12/12/2022	283	2515.8	0.000103	0.0116	2.92E-05
KY	H L Spurloc	6041	3	12/12/2022	298	2652.4	0.000102	0.0115	3.05E-05
KY	H L Spurloc	6041	3	12/12/2022	298	2679.4	0.000103	0.0115	3.08E-05
KY	H L Spurloc	6041	3	12/12/2022	276	2432.7	0.000102	0.0116	2.82E-05
KY	H L Spurloc	6041	3	12/12/2022	224	1949.2	0.000111	0.0127	2.48E-05
KY	H L Spurloc	6041	3	12/12/2022	205	1796.2	0.00012	0.0137	2.46E-05
KY	H L Spurloc	6041	3	12/13/2022	210	1885.2	0.00012	0.0134	2.53E-05
KY	H L Spurloc	6041	3	12/13/2022	237	2063.1	0.00011	0.0126	2.6E-05
KY	H L Spurloc	6041	3	12/13/2022	202	1780.6	0.000121	0.0137	2.44E-05
KY	H L Spurloc	6041	3	12/13/2022	230	2038.6	0.000113	0.0127	2.59E-05
KY	H L Spurloc	6041	3	12/13/2022	264	2341.6	0.000104	0.0117	2.74E-05
KY	H L Spurloc	6041	3	12/13/2022	267	2362.1	0.000101	0.0114	2.69E-05
KY	H L Spurloc	6041	3	12/13/2022	248	2157.2	0.000104	0.012	2.59E-05
KY	H L Spurloc	6041	3	12/13/2022	295	2605.1	0.000102	0.0116	3.02E-05
KY	H L Spurloc	6041	3	12/13/2022	299	2666.2	0.000104	0.0117	3.12E-05
KY	H L Spurloc	6041	3	12/13/2022	301	2683.3	0.000103	0.0116	3.11E-05
KY	H L Spurloc	6041	3	12/13/2022	302	2678.3	0.000103	0.0116	3.11E-05
KY	H L Spurloc	6041	3	12/13/2022	285	2420.7	0.000101	0.0119	2.88E-05
KY	H L Spurloc	6041	3	12/13/2022	299	2641	0.000102	0.0116	3.06E-05



KY	H L Spurloc	6041	3	12/13/2022	296	2658	0.000104	0.0116	3.08E-05
KY	H L Spurloc	6041	3	12/13/2022	286	2543.2	0.000102	0.0115	2.92E-05
KY	H L Spurloc	6041	3	12/13/2022	275	2475.5	0.000104	0.0115	2.85E-05
KY	H L Spurloc	6041	3	12/13/2022	283	2496.4	0.000103	0.0117	2.92E-05
KY	H L Spurloc	6041	3	12/13/2022	302	2730.5	0.000104	0.0115	3.14E-05
KY	H L Spurloc	6041	3	12/13/2022	264	2256.9	0.000104	0.0122	2.75E-05
KY	H L Spurloc	6041	3	12/13/2022	296	2666.8	0.000104	0.0115	3.07E-05
KY	H L Spurloc	6041	3	12/13/2022	302	2677	0.000103	0.0116	3.11E-05
KY	H L Spurloc	6041	3	12/13/2022	296	2630.2	0.000102	0.0115	3.02E-05
KY	H L Spurloc	6041	3	12/13/2022	301	2660.4	0.000102	0.0115	3.06E-05
KY	H L Spurloc	6041	3	12/13/2022	279	2365.1	0.0001	0.0118	2.79E-05
KY	H L Spurloc	6041	3	12/14/2022	293	2573.5	0.000103	0.0117	3.01E-05
KY	H L Spurloc	6041	3	12/14/2022	295	2536.5	0.000102	0.0119	3.02E-05
KY	H L Spurloc	6041	3	12/14/2022	282	2439.1	0.000103	0.0119	2.9E-05
KY	H L Spurloc	6041	3	12/14/2022	298	2683.4	0.000104	0.0115	3.09E-05
KY	H L Spurloc	6041	3	12/14/2022	292	2592	0.000104	0.0117	3.03E-05
KY	H L Spurloc	6041	3	12/14/2022	301	2662.1	0.000103	0.0117	3.11E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2701.8	0.000104	0.0116	3.13E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2729	0.000107	0.0118	3.22E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2693.8	0.000105	0.0118	3.18E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2635.2	0.000105	0.012	3.16E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2619.3	6.81E-05	0.00785	2.06E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2605.6	5.73E-05	0.00664	1.73E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2603.1	5.72E-05	0.00664	1.73E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2616.2	6.86E-05	0.00792	2.07E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2613.8	8.22E-05	0.0095	2.48E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2640.9	8.24E-05	0.00942	2.49E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2636.3	8.38E-05	0.0096	2.53E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2655.1	9.23E-05	0.0105	2.79E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2653	9.22E-05	0.0105	2.79E-05
KY	H L Spurloc	6041	3	12/14/2022	302	2665.8	9.09E-05	0.0103	2.75E-05
KY	H L Spurloc	6041	3	12/14/2022	299	2565.5	5.29E-05	0.00616	1.58E-05
KY	H L Spurloc	6041	3	12/14/2022	289	2435.1	5.23E-05	0.00621	1.51E-05
KY	H L Spurloc	6041	3	12/14/2022	276	2323.8	5.23E-05	0.00621	1.44E-05
KY	H L Spurloc	6041	3	12/14/2022	252	2136.5	5.4E-05	0.00637	1.36E-05
KY	H L Spurloc	6041	3	12/15/2022	234	1955.6	5.67E-05	0.00678	1.33E-05
KY	H L Spurloc	6041	3	12/15/2022	206	1768.6	6.16E-05	0.00717	1.27E-05
KY	H L Spurloc	6041	3	12/15/2022	200	1727.7	6.31E-05	0.00731	1.26E-05
KY	H L Spurloc	6041	3	12/15/2022	180	1556.8	6.79E-05	0.00785	1.22E-05
KY	H L Spurloc	6041	3	12/15/2022	213	1904.8	6.29E-05	0.00703	1.34E-05
KY	H L Spurloc	6041	3	12/15/2022	297	2669.9	5.49E-05	0.00611	1.63E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2613.7	5.35E-05	0.00616	1.61E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2719.7	4.45E-05	0.00492	1.34E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2735.2	4.47E-05	0.00492	1.35E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2750	4.5E-05	0.00492	1.35E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2710.5	4.47E-05	0.00496	1.34E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2710.4	4.25E-05	0.00472	1.28E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2727.4	4.24E-05	0.00468	1.28E-05

KY	H L Spurloc	6041	3	12/15/2022	301	2693.8	4.22E-05	0.00472	1.27E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2664	4.59E-05	0.00519	1.38E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2660.8	4.71E-05	0.00533	1.42E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2669.6	4.69E-05	0.00529	1.41E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2654.5	4.54E-05	0.00515	1.37E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2620.8	4.54E-05	0.00521	1.37E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2605.3	4.54E-05	0.00525	1.37E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2628.6	4.55E-05	0.00521	1.37E-05
KY	H L Spurloc	6041	3	12/15/2022	301	2631.8	3E-05	0.00343	9.03E-06
KY	H L Spurloc	6041	3	12/15/2022	275	2306.1	3.19E-05	0.00381	8.79E-06
KY	H L Spurloc	6041	3	12/15/2022	193	1623.7	3.88E-05	0.00461	7.49E-06
KY	H L Spurloc	6041	3	12/16/2022	167	1492.2	4.39E-05	0.00491	7.33E-06
KY	H L Spurloc	6041	3	12/16/2022	173	1553.9	4.28E-05	0.00476	7.4E-06
KY	H L Spurloc	6041	3	12/16/2022	185	1650.5	4.08E-05	0.00457	7.54E-06
KY	H L Spurloc	6041	3	12/16/2022	187	1663.4	4.07E-05	0.00457	7.6E-06
KY	H L Spurloc	6041	3	12/16/2022	222	1941	3.66E-05	0.00419	8.13E-06
KY	H L Spurloc	6041	3	12/16/2022	261	2439.4	3.5E-05	0.00375	9.15E-06
KY	H L Spurloc	6041	3	12/16/2022	302	2681.4	3.33E-05	0.00375	1.01E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2617.4	3.31E-05	0.00381	9.97E-06
KY	H L Spurloc	6041	3	12/16/2022	301	2667.8	4.77E-05	0.00538	1.44E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2649.8	4.74E-05	0.00538	1.43E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2629.2	4.74E-05	0.00543	1.43E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2640.4	4.55E-05	0.00519	1.37E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2674	4.4E-05	0.00495	1.32E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2668.8	4.39E-05	0.00495	1.32E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2711.2	4.39E-05	0.00487	1.32E-05
KY	H L Spurloc	6041	3	12/16/2022	301	2658.9	4.55E-05	0.00515	1.37E-05
KY	H L Spurloc	6041	3	12/16/2022	287	2490	4.71E-05	0.00543	1.35E-05
KY	H L Spurloc	6041	3	12/16/2022	298	2611.3	4.76E-05	0.00543	1.42E-05
KY	H L Spurloc	6041	3	12/16/2022	274	2354.6	4.7E-05	0.00547	1.29E-05
KY	H L Spurloc	6041	3	12/16/2022	297	2680.6	4.78E-05	0.0053	1.42E-05
KY	H L Spurloc	6041	3	12/16/2022	268	2268.2	4.75E-05	0.00561	1.27E-05
KY	H L Spurloc	6041	3	12/16/2022	236	2013	5.04E-05	0.00591	1.19E-05
KY	H L Spurloc	6041	3	12/16/2022	219	1859	5.25E-05	0.00619	1.15E-05
KY	H L Spurloc	6041	3	12/16/2022	168	1461.9	6.27E-05	0.0072	1.05E-05
KY	H L Spurloc	6041	3	12/17/2022	223	2037.2	5.44E-05	0.00596	1.21E-05
KY	H L Spurloc	6041	3	12/17/2022	257	2263.4	4.82E-05	0.00547	1.24E-05
KY	H L Spurloc	6041	3	12/17/2022	212	1800	5.31E-05	0.00625	1.13E-05
KY	H L Spurloc	6041	3	12/17/2022	225	1962.9	5.3E-05	0.00607	1.19E-05
KY	H L Spurloc	6041	3	12/17/2022	197	1644.9	5.53E-05	0.00662	1.09E-05
KY	H L Spurloc	6041	3	12/17/2022	166	1484.9	6.37E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	166	1488.8	6.39E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	165	1479.6	6.38E-05	0.00712	1.05E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1461.7	6.5E-05	0.0072	1.05E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1480.7	6.51E-05	0.00712	1.05E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1482.8	6.52E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1480.6	6.51E-05	0.00712	1.05E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1483.6	6.52E-05	0.00712	1.06E-05

KY	H L Spurloc	6041	3	12/17/2022	162	1483.9	6.52E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1485.5	6.53E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	162	1490.2	6.55E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/17/2022	164	1518	6.52E-05	0.00704	1.07E-05
KY	H L Spurloc	6041	3	12/17/2022	203	1897.5	5.79E-05	0.00619	1.17E-05
KY	H L Spurloc	6041	3	12/17/2022	289	2652	4.9E-05	0.00534	1.42E-05
KY	H L Spurloc	6041	3	12/17/2022	242	2070.3	4.88E-05	0.00571	1.18E-05
KY	H L Spurloc	6041	3	12/17/2022	249	2193.6	4.99E-05	0.00566	1.24E-05
KY	H L Spurloc	6041	3	12/17/2022	240	2082.3	4.95E-05	0.00571	1.19E-05
KY	H L Spurloc	6041	3	12/17/2022	232	1994.9	5.08E-05	0.00591	1.18E-05
KY	H L Spurloc	6041	3	12/17/2022	223	1964.6	5.35E-05	0.00607	1.19E-05
KY	H L Spurloc	6041	3	12/18/2022	227	1989.1	5.18E-05	0.00591	1.18E-05
KY	H L Spurloc	6041	3	12/18/2022	185	1587.5	5.85E-05	0.00682	1.08E-05
KY	H L Spurloc	6041	3	12/18/2022	167	1488.5	6.35E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/18/2022	166	1489.1	6.39E-05	0.00712	1.06E-05
KY	H L Spurloc	6041	3	12/18/2022	166	1509.4	6.4E-05	0.00704	1.06E-05
KY	H L Spurloc	6041	3	12/18/2022	166	1519	6.44E-05	0.00704	1.07E-05
KY	H L Spurloc	6041	3	12/18/2022	168	1551.1	6.44E-05	0.00697	1.08E-05
KY	H L Spurloc	6041	3	12/18/2022	211	1951.3	5.72E-05	0.00619	1.21E-05
KY	H L Spurloc	6041	3	12/18/2022	267	2374.8	4.87E-05	0.00547	1.3E-05
KY	H L Spurloc	6041	3	12/18/2022	251	2166.7	4.84E-05	0.00561	1.22E-05
KY	H L Spurloc	6041	3	12/18/2022	230	2013.5	5.13E-05	0.00586	1.18E-05
KY	H L Spurloc	6041	3	12/18/2022	270	2425.6	4.96E-05	0.00552	1.34E-05
KY	H L Spurloc	6041	3	12/18/2022	301	2680.1	4.75E-05	0.00534	1.43E-05
KY	H L Spurloc	6041	3	12/18/2022	290	2531.9	4.7E-05	0.00538	1.36E-05
KY	H L Spurloc	6041	3	12/18/2022	246	2149.7	4.86E-05	0.00556	1.2E-05
KY	H L Spurloc	6041	3	12/18/2022	196	1649.6	5.57E-05	0.00662	1.09E-05
KY	H L Spurloc	6041	3	12/18/2022	196	1796.5	5.84E-05	0.00637	1.14E-05
KY	H L Spurloc	6041	3	12/18/2022	289	2705.1	4.96E-05	0.0053	1.43E-05
KY	H L Spurloc	6041	3	12/18/2022	302	2650.4	4.72E-05	0.00538	1.43E-05
KY	H L Spurloc	6041	3	12/18/2022	301	2664.1	4.73E-05	0.00534	1.42E-05
KY	H L Spurloc	6041	3	12/18/2022	298	2656.7	4.8E-05	0.00538	1.43E-05
KY	H L Spurloc	6041	3	12/18/2022	301	2703.3	4.83E-05	0.00538	1.45E-05
KY	H L Spurloc	6041	3	12/18/2022	288	2513.2	4.77E-05	0.00547	1.37E-05
KY	H L Spurloc	6041	3	12/18/2022	301	2724.5	4.87E-05	0.00538	1.47E-05
KY	H L Spurloc	6041	3	12/19/2022	301	2728.7	4.88E-05	0.00538	1.47E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2738.7	4.91E-05	0.00538	1.47E-05
KY	H L Spurloc	6041	3	12/19/2022	301	2769	4.91E-05	0.00534	1.48E-05
KY	H L Spurloc	6041	3	12/19/2022	291	2591.3	4.79E-05	0.00538	1.39E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2701.4	4.84E-05	0.00538	1.45E-05
KY	H L Spurloc	6041	3	12/19/2022	301	2711.9	4.89E-05	0.00543	1.47E-05
KY	H L Spurloc	6041	3	12/19/2022	301	2769.3	4.95E-05	0.00538	1.49E-05
KY	H L Spurloc	6041	3	12/19/2022	302	2793.1	4.94E-05	0.00534	1.49E-05
KY	H L Spurloc	6041	3	12/19/2022	279	2532.1	5.05E-05	0.00556	1.41E-05
KY	H L Spurloc	6041	3	12/19/2022	285	2615.7	5.07E-05	0.00552	1.44E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2690.2	6.3E-05	0.00702	1.89E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2722	6.32E-05	0.00696	1.89E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2744.8	6.31E-05	0.0069	1.89E-05

KY	H L Spurloc	6041	3	12/19/2022	300	2753.1	6.29E-05	0.00685	1.89E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2730.8	6.24E-05	0.00685	1.87E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2685.6	6.18E-05	0.0069	1.85E-05
KY	H L Spurloc	6041	3	12/19/2022	291	2557.3	6.06E-05	0.0069	1.76E-05
KY	H L Spurloc	6041	3	12/19/2022	299	2692.1	6.11E-05	0.00679	1.83E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2714	6.14E-05	0.00679	1.84E-05
KY	H L Spurloc	6041	3	12/19/2022	302	2726.3	6.13E-05	0.00679	1.85E-05
KY	H L Spurloc	6041	3	12/19/2022	301	2742.5	6.19E-05	0.00679	1.86E-05
KY	H L Spurloc	6041	3	12/19/2022	299	2716.5	6.17E-05	0.00679	1.84E-05
KY	H L Spurloc	6041	3	12/19/2022	300	2797.4	6.23E-05	0.00668	1.87E-05
KY	H L Spurloc	6041	3	12/19/2022	287	2529.9	6.08E-05	0.0069	1.75E-05
KY	H L Spurloc	6041	3	12/20/2022	292	2648.7	6.16E-05	0.00679	1.8E-05
KY	H L Spurloc	6041	3	12/20/2022	243	2060.9	6.33E-05	0.00746	1.54E-05
KY	H L Spurloc	6041	3	12/20/2022	191	1683.2	7.36E-05	0.00835	1.41E-05
KY	H L Spurloc	6041	3	12/20/2022	203	1814.1	7.18E-05	0.00803	1.46E-05
KY	H L Spurloc	6041	3	12/20/2022	233	2114.4	6.65E-05	0.00733	1.55E-05
KY	H L Spurloc	6041	3	12/20/2022	278	2632.5	6.38E-05	0.00674	1.77E-05
KY	H L Spurloc	6041	3	12/20/2022	267	2347.1	6.07E-05	0.0069	1.62E-05
KY	H L Spurloc	6041	3	12/20/2022	258	2286.4	6.11E-05	0.0069	1.58E-05
KY	H L Spurloc	6041	3	12/20/2022	259	2276.4	6.12E-05	0.00696	1.58E-05
KY	H L Spurloc	6041	3	12/20/2022	259	2286.2	6.09E-05	0.0069	1.58E-05
KY	H L Spurloc	6041	3	12/20/2022	258	2268.3	6.12E-05	0.00696	1.58E-05
KY	H L Spurloc	6041	3	12/20/2022	258	2325.4	6.17E-05	0.00685	1.59E-05
KY	H L Spurloc	6041	3	12/20/2022	259	2324	6.15E-05	0.00685	1.59E-05
KY	H L Spurloc	6041	3	12/20/2022	258	2260.6	6.15E-05	0.00702	1.59E-05
KY	H L Spurloc	6041	3	12/20/2022	207	1754.4	7.01E-05	0.00827	1.45E-05
KY	H L Spurloc	6041	3	12/20/2022	175	1576.3	7.84E-05	0.0087	1.37E-05
KY	H L Spurloc	6041	3	12/20/2022	177	1614.7	7.85E-05	0.00861	1.39E-05
KY	H L Spurloc	6041	3	12/20/2022	248	2330.9	6.65E-05	0.00708	1.65E-05
KY	H L Spurloc	6041	3	12/20/2022	300	2767.6	6.07E-05	0.00658	1.82E-05
KY	H L Spurloc	6041	3	12/20/2022	302	2693.4	5.91E-05	0.00663	1.79E-05
KY	H L Spurloc	6041	3	12/20/2022	302	2711	5.95E-05	0.00663	1.8E-05
KY	H L Spurloc	6041	3	12/20/2022	302	2719.1	5.97E-05	0.00663	1.8E-05
KY	H L Spurloc	6041	3	12/20/2022	301	2727.1	5.96E-05	0.00658	1.79E-05
KY	H L Spurloc	6041	3	12/20/2022	293	2620.9	5.93E-05	0.00663	1.74E-05
KY	H L Spurloc	6041	3	12/21/2022	271	2392.3	5.9E-05	0.00668	1.6E-05
KY	H L Spurloc	6041	3	12/21/2022	301	2707.2	5.96E-05	0.00663	1.79E-05
KY	H L Spurloc	6041	3	12/21/2022	301	2696.7	5.98E-05	0.00668	1.8E-05
KY	H L Spurloc	6041	3	12/21/2022	301	2755.6	6.02E-05	0.00658	1.81E-05
KY	H L Spurloc	6041	3	12/21/2022	300	2754	5.99E-05	0.00652	1.8E-05
KY	H L Spurloc	6041	3	12/21/2022	284	2524.8	5.94E-05	0.00668	1.69E-05
KY	H L Spurloc	6041	3	12/21/2022	301	2650.2	5.98E-05	0.00679	1.8E-05
KY	H L Spurloc	6041	3	12/21/2022	301	2655.8	6.04E-05	0.00685	1.82E-05
KY	H L Spurloc	6041	3	12/21/2022	276	2491.7	6.34E-05	0.00702	1.75E-05
KY	H L Spurloc	6041	3	12/21/2022	217	2026.2			
KY	H L Spurloc	6041	3	12/21/2022	188	1693.3	7.67E-05	0.00852	1.44E-05
KY	H L Spurloc	6041	3	12/21/2022	175	1613.3	8.02E-05	0.0087	1.4E-05
KY	H L Spurloc	6041	3	12/21/2022	179	1627.9	7.83E-05	0.00861	1.4E-05

KY	H L Spurloc	6041	3	12/21/2022	185	1629.4	7.58E-05	0.00861	1.4E-05
KY	H L Spurloc	6041	3	12/21/2022	185	1621.7	7.55E-05	0.00861	1.4E-05
KY	H L Spurloc	6041	3	12/21/2022	176	1542	7.7E-05	0.00879	1.36E-05
KY	H L Spurloc	6041	3	12/21/2022	175	1560.1	7.84E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/21/2022	197	1808.3	7.3E-05	0.00795	1.44E-05
KY	H L Spurloc	6041	3	12/21/2022	233	2070	6.63E-05	0.00746	1.54E-05
KY	H L Spurloc	6041	3	12/21/2022	176	1532.3	7.73E-05	0.00888	1.36E-05
KY	H L Spurloc	6041	3	12/21/2022	175	1603.8	7.81E-05	0.00852	1.37E-05
KY	H L Spurloc	6041	3	12/21/2022	173	1555	7.9E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/21/2022	170	1555.7	8.04E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/21/2022	170	1561.5	8.07E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1560.5	8.07E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1551.1	8.12E-05	0.00879	1.36E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1535.6	8.12E-05	0.00888	1.36E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1538.8	8.13E-05	0.00888	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1554	8.13E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1554.8	8.13E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1540.7	8.14E-05	0.00888	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1554.8	8.13E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1555.4	8.14E-05	0.00879	1.37E-05
KY	H L Spurloc	6041	3	12/22/2022	203	1910.8	7.48E-05	0.00795	1.52E-05
KY	H L Spurloc	6041	3	12/22/2022	230	2063.9	6.81E-05	0.00759	1.57E-05
KY	H L Spurloc	6041	3	12/22/2022	191	1648.1	7.28E-05	0.00844	1.39E-05
KY	H L Spurloc	6041	3	12/22/2022	197	1801.6	7.42E-05	0.00811	1.46E-05
KY	H L Spurloc	6041	3	12/22/2022	191	1769.2	7.44E-05	0.00803	1.42E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1541.4	8.24E-05	0.00898	1.38E-05
KY	H L Spurloc	6041	3	12/22/2022	168	1572.5	8.31E-05	0.00888	1.4E-05
KY	H L Spurloc	6041	3	12/22/2022	196	1838.9	7.68E-05	0.00819	1.51E-05
KY	H L Spurloc	6041	3	12/22/2022	191	1695.9	7.41E-05	0.00835	1.42E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1556.4	8.13E-05	0.00888	1.38E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1571.3	8.21E-05	0.00888	1.4E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1569.7	8.2E-05	0.00888	1.39E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1582.4	8.18E-05	0.00879	1.39E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1568.4	8.19E-05	0.00888	1.39E-05
KY	H L Spurloc	6041	3	12/22/2022	170	1566	8.18E-05	0.00888	1.39E-05
KY	H L Spurloc	6041	3	12/23/2022	220	2081.7	7.18E-05	0.00759	1.58E-05
KY	H L Spurloc	6041	3	12/23/2022	298	2820.5	6.28E-05	0.00663	1.87E-05
KY	H L Spurloc	6041	3	12/23/2022	293	2628.2	6.14E-05	0.00685	1.8E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2788.6	6.24E-05	0.00674	1.88E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2785.9	6.26E-05	0.00679	1.89E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2805.8	6.26E-05	0.00674	1.89E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2787.9	6.22E-05	0.00674	1.88E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2766.6	6.17E-05	0.00674	1.86E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2784.9	6.11E-05	0.00663	1.85E-05
KY	H L Spurloc	6041	3	12/23/2022	302	2768.6	6.03E-05	0.00658	1.82E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2734.2	5.92E-05	0.00652	1.78E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2684.4	5.91E-05	0.00663	1.78E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2716.1	5.94E-05	0.00658	1.79E-05

KY	H L Spurloc	6041	3	12/23/2022	301	2715.2	5.94E-05	0.00658	1.79E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2711.5	5.93E-05	0.00658	1.78E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2718.1	5.94E-05	0.00658	1.79E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2678.5	6E-05	0.00674	1.81E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2726.6	6.01E-05	0.00663	1.81E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2694.6	6.03E-05	0.00674	1.82E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2726.8	6.05E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	12/23/2022	301	2765.2	6.09E-05	0.00663	1.83E-05
KY	H L Spurloc	6041	3	12/23/2022	284	2544	5.98E-05	0.00668	1.7E-05
KY	H L Spurloc	6041	3	12/23/2022	294	2673.2	6.03E-05	0.00663	1.77E-05
KY	H L Spurloc	6041	3	12/23/2022	295	2675.7	6.06E-05	0.00668	1.79E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2795.3	6.11E-05	0.00658	1.84E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2747.4	6.05E-05	0.00663	1.82E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2710.8	6.02E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2701.2	5.99E-05	0.00668	1.8E-05
KY	H L Spurloc	6041	3	12/24/2022	295	2624.2	6E-05	0.00674	1.77E-05
KY	H L Spurloc	6041	3	12/24/2022	299	2698.9	6.08E-05	0.00674	1.82E-05
KY	H L Spurloc	6041	3	12/24/2022	282	2495.6	5.96E-05	0.00674	1.68E-05
KY	H L Spurloc	6041	3	12/24/2022	293	2629.8	6.05E-05	0.00674	1.77E-05
KY	H L Spurloc	6041	3	12/24/2022	287	2580.2	6.06E-05	0.00674	1.74E-05
KY	H L Spurloc	6041	3	12/24/2022	299	2763	6.13E-05	0.00663	1.83E-05
KY	H L Spurloc	6041	3	12/24/2022	283	2543.8	6E-05	0.00668	1.7E-05
KY	H L Spurloc	6041	3	12/24/2022	299	2724.4	6.09E-05	0.00668	1.82E-05
KY	H L Spurloc	6041	3	12/24/2022	282	2516.1	6.01E-05	0.00674	1.7E-05
KY	H L Spurloc	6041	3	12/24/2022	289	2628.8	6.08E-05	0.00668	1.76E-05
KY	H L Spurloc	6041	3	12/24/2022	283	2537.9	5.99E-05	0.00668	1.7E-05
KY	H L Spurloc	6041	3	12/24/2022	300	2740.9	6.06E-05	0.00663	1.82E-05
KY	H L Spurloc	6041	3	12/24/2022	283	2513.7	5.99E-05	0.00674	1.69E-05
KY	H L Spurloc	6041	3	12/24/2022	299	2704.3	6.1E-05	0.00674	1.82E-05
KY	H L Spurloc	6041	3	12/24/2022	283	2493.8	5.98E-05	0.00679	1.69E-05
KY	H L Spurloc	6041	3	12/24/2022	298	2668.6	6.08E-05	0.00679	1.81E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2752.4	6.11E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2772.4	6.15E-05	0.00668	1.85E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2729.8	6.11E-05	0.00674	1.84E-05
KY	H L Spurloc	6041	3	12/24/2022	301	2695.7	6.13E-05	0.00685	1.85E-05
KY	H L Spurloc	6041	3	12/25/2022	297	2804.3	6.21E-05	0.00658	1.85E-05
KY	H L Spurloc	6041	3	12/25/2022	283	2489.5	6.03E-05	0.00685	1.71E-05
KY	H L Spurloc	6041	3	12/25/2022	299	2689.1	6.06E-05	0.00674	1.81E-05
KY	H L Spurloc	6041	3	12/25/2022	300	2680.9	6.07E-05	0.00679	1.82E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2706	6.1E-05	0.00679	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2755.1	6.11E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	285	2505.6	6.02E-05	0.00685	1.72E-05
KY	H L Spurloc	6041	3	12/25/2022	300	2724.6	6.12E-05	0.00674	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2760.8	6.18E-05	0.00674	1.86E-05
KY	H L Spurloc	6041	3	12/25/2022	302	2802	6.15E-05	0.00663	1.86E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2747.7	6.1E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2737.9	6.13E-05	0.00674	1.85E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2754.6	6.17E-05	0.00674	1.86E-05

KY	H L Spurloc	6041	3	12/25/2022	301	2748.6	6.1E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	300	2707.6	6.03E-05	0.00668	1.81E-05
KY	H L Spurloc	6041	3	12/25/2022	302	2670.8	6E-05	0.00679	1.81E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2706.1	6.06E-05	0.00674	1.82E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2720.4	6.09E-05	0.00674	1.83E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2759	6.12E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2753.6	6.11E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/25/2022	302	2715.9	6.06E-05	0.00674	1.83E-05
KY	H L Spurloc	6041	3	12/25/2022	301	2705.4	6.06E-05	0.00674	1.82E-05
KY	H L Spurloc	6041	3	12/25/2022	287	2564.8	6.02E-05	0.00674	1.73E-05
KY	H L Spurloc	6041	3	12/25/2022	290	2554.1	6.03E-05	0.00685	1.75E-05
KY	H L Spurloc	6041	3	12/26/2022	300	2721.5	6.11E-05	0.00674	1.83E-05
KY	H L Spurloc	6041	3	12/26/2022	293	2648.8	6.09E-05	0.00674	1.79E-05
KY	H L Spurloc	6041	3	12/26/2022	300	2804.2	6.15E-05	0.00658	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	302	2748.1	6.13E-05	0.00674	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2731.4	6.12E-05	0.00674	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	282	2491.9	0.00006	0.00679	1.69E-05
KY	H L Spurloc	6041	3	12/26/2022	300	2732.6	6.14E-05	0.00674	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2742.7	6.14E-05	0.00674	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2760.7	6.13E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	302	2727.9	6.09E-05	0.00674	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2711.2	6.12E-05	0.00679	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	302	2754.3	6.15E-05	0.00674	1.86E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2766.6	6.19E-05	0.00674	1.86E-05
KY	H L Spurloc	6041	3	12/26/2022	302	2762.3	6.16E-05	0.00674	1.86E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2714.8	6.18E-05	0.00685	1.86E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2729.2	6.16E-05	0.00679	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	287	2524	6.02E-05	0.00685	1.73E-05
KY	H L Spurloc	6041	3	12/26/2022	300	2722.8	6.16E-05	0.00679	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2726.2	6.15E-05	0.00679	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2751.6	6.16E-05	0.00674	1.85E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2757.6	6.12E-05	0.00668	1.84E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2741.2	6.18E-05	0.00679	1.86E-05
KY	H L Spurloc	6041	3	12/26/2022	292	2596.9	6.04E-05	0.00679	1.76E-05
KY	H L Spurloc	6041	3	12/26/2022	301	2866.5	6.16E-05	0.00647	1.85E-05
KY	H L Spurloc	6041	3	12/27/2022	300	2691.2	6.09E-05	0.00679	1.83E-05
KY	H L Spurloc	6041	3	12/27/2022	288	2557.2	6.03E-05	0.00679	1.74E-05
KY	H L Spurloc	6041	3	12/27/2022	301	2741.1	6.14E-05	0.00674	1.85E-05
KY	H L Spurloc	6041	3	12/27/2022	290	2584.2	6.05E-05	0.00679	1.75E-05
KY	H L Spurloc	6041	3	12/27/2022	249	2222.5	6.32E-05	0.00708	1.57E-05
KY	H L Spurloc	6041	3	12/27/2022	262	2325.7	6.12E-05	0.0069	1.6E-05
KY	H L Spurloc	6041	3	12/27/2022	290	2647.7	6.15E-05	0.00674	1.78E-05
KY	H L Spurloc	6041	3	12/27/2022	302	2689.9	6.1E-05	0.00685	1.84E-05
KY	H L Spurloc	6041	3	12/27/2022	301	2702	6.1E-05	0.00679	1.83E-05
KY	H L Spurloc	6041	3	12/27/2022	299	2686.3	6.06E-05	0.00674	1.81E-05
KY	H L Spurloc	6041	3	12/27/2022	301	2661	1.75E-05	0.00198	5.27E-06
KY	H L Spurloc	6041	3	12/27/2022	300	2621.4	1.75E-05	0.002	5.24E-06
KY	H L Spurloc	6041	3	12/27/2022	279	2424.7	1.76E-05	0.00202	4.9E-06

KY	H L Spurloc	6041	3	12/27/2022	263	2220.2	1.79E-05	0.00212	4.71E-06
KY	H L Spurloc	6041	3	12/27/2022	258	2226.4	1.81E-05	0.0021	4.68E-06
KY	H L Spurloc	6041	3	12/27/2022	216	1824.3	1.94E-05	0.0023	4.2E-06
KY	H L Spurloc	6041	3	12/27/2022	230	2052	1.94E-05	0.00218	4.47E-06
KY	H L Spurloc	6041	3	12/27/2022	280	2536.5	1.79E-05	0.00198	5.02E-06
KY	H L Spurloc	6041	3	12/27/2022	295	2563	1.74E-05	0.002	5.13E-06
KY	H L Spurloc	6041	3	12/27/2022	301	2645.1	1.74E-05	0.00198	5.24E-06
KY	H L Spurloc	6041	3	12/27/2022	300	2657.9	1.75E-05	0.00197	5.24E-06
KY	H L Spurloc	6041	3	12/27/2022	281	2412.3	1.72E-05	0.002	4.82E-06
KY	H L Spurloc	6041	3	12/27/2022	283	2436.7	1.72E-05	0.002	4.87E-06
KY	H L Spurloc	6041	3	12/27/2022	280	2426.5	1.72E-05	0.00198	4.8E-06
KY	H L Spurloc	6041	3	12/28/2022	299	2650.4	1.76E-05	0.00198	5.25E-06
KY	H L Spurloc	6041	3	12/28/2022	295	2588.7	1.74E-05	0.00198	5.13E-06
KY	H L Spurloc	6041	3	12/28/2022	298	2594.3	1.74E-05	0.002	5.19E-06
KY	H L Spurloc	6041	3	12/28/2022	298	2629.2	1.74E-05	0.00197	5.18E-06
KY	H L Spurloc	6041	3	12/28/2022	286	2462.6	1.74E-05	0.00202	4.97E-06
KY	H L Spurloc	6041	3	12/28/2022	292	2559.2	1.75E-05	0.002	5.12E-06
KY	H L Spurloc	6041	3	12/28/2022	298	2590.7	1.74E-05	0.002	5.18E-06
KY	H L Spurloc	6041	3	12/28/2022	297	2604.2	1.75E-05	0.002	5.21E-06
KY	H L Spurloc	6041	3	12/28/2022	279	2407.1	1.75E-05	0.00203	4.89E-06
KY	H L Spurloc	6041	3	12/28/2022	249	2124	1.81E-05	0.00212	4.5E-06
KY	H L Spurloc	6041	3	12/28/2022	178	1558.8	2.25E-05	0.00257	4.01E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1537.9	2.34E-05	0.00259	3.98E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1560.9	2.33E-05	0.00254	3.96E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1551	2.32E-05	0.00254	3.94E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1547.5	2.28E-05	0.00251	3.88E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1544.7	2.28E-05	0.00251	3.88E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1545.2	2.28E-05	0.00251	3.88E-06
KY	H L Spurloc	6041	3	12/28/2022	170	1547.3	2.28E-05	0.00251	3.88E-06
KY	H L Spurloc	6041	3	12/28/2022	169	1535.8	2.28E-05	0.00251	3.85E-06
KY	H L Spurloc	6041	3	12/28/2022	216	1975.2	2.01E-05	0.0022	4.35E-06
KY	H L Spurloc	6041	3	12/28/2022	189	1634.2	2.08E-05	0.00241	3.94E-06
KY	H L Spurloc	6041	3	12/28/2022	166	1529.5	2.31E-05	0.00251	3.84E-06
KY	H L Spurloc	6041	3	12/28/2022	166	1546.1	2.32E-05	0.00249	3.85E-06
KY	H L Spurloc	6041	3	12/28/2022	166	1546.1	2.32E-05	0.00249	3.85E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1550.8	2.33E-05	0.00249	3.86E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1551.6	2.33E-05	0.00249	3.86E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1548.8	2.32E-05	0.00249	3.86E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1547	2.32E-05	0.00249	3.85E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1549.9	2.32E-05	0.00249	3.86E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1548.1	2.32E-05	0.00249	3.85E-06
KY	H L Spurloc	6041	3	12/29/2022	220	2037.2	1.98E-05	0.00214	4.36E-06
KY	H L Spurloc	6041	3	12/29/2022	188	1652.5	2.1E-05	0.00239	3.95E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1533.7	2.39E-05	0.00259	3.97E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1529.3	2.37E-05	0.00257	3.93E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1551.4	2.37E-05	0.00254	3.94E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1547.6	2.37E-05	0.00254	3.93E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1547.1	2.37E-05	0.00254	3.93E-06



KY	H L Spurloc	6041	3	12/29/2022	166	1547	2.37E-05	0.00254	3.93E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1533.3	2.37E-05	0.00257	3.94E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1535.5	2.38E-05	0.00257	3.95E-06
KY	H L Spurloc	6041	3	12/29/2022	222	2055.9	2.02E-05	0.00218	4.48E-06
KY	H L Spurloc	6041	3	12/29/2022	189	1636.2	2.11E-05	0.00244	3.99E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1505.6	2.38E-05	0.00262	3.94E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1518	2.4E-05	0.00262	3.98E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1521.3	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1521.5	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1536.2	2.4E-05	0.00259	3.98E-06
KY	H L Spurloc	6041	3	12/29/2022	166	1528.7	2.39E-05	0.00259	3.96E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1525.9	2.38E-05	0.00259	3.95E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1528.8	2.39E-05	0.00259	3.96E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1532.4	2.39E-05	0.00259	3.97E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1549.2	2.4E-05	0.00257	3.98E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1553.5	2.39E-05	0.00257	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1537.3	2.38E-05	0.00259	3.98E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1549.2	2.4E-05	0.00257	3.98E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1523.7	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1543.3	2.41E-05	0.00259	4E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1530.9	2.4E-05	0.00262	4.01E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1556.7	2.41E-05	0.00257	4E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1525.2	2.41E-05	0.00262	4E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1522.4	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1539.4	2.4E-05	0.00259	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1541.8	2.39E-05	0.00259	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1537.5	2.38E-05	0.00259	3.98E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1523.7	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1520.4	2.4E-05	0.00262	3.98E-06
KY	H L Spurloc	6041	3	12/30/2022	167	1516.4	2.38E-05	0.00262	3.97E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1514.4	2.39E-05	0.00262	3.97E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1515.8	2.39E-05	0.00262	3.97E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1522.4	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1532.6	2.39E-05	0.00259	3.97E-06
KY	H L Spurloc	6041	3	12/30/2022	166	1535.2	2.4E-05	0.00259	3.98E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1517.7	2.4E-05	0.00262	3.98E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1521.8	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1528.5	2.41E-05	0.00262	4E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1544.3	2.41E-05	0.00259	4E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1543.5	2.41E-05	0.00259	4E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1544.8	2.41E-05	0.00259	4E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1522.6	2.4E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1524.3	2.41E-05	0.00262	3.99E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1513.9	2.42E-05	0.00265	4.01E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1508.3	2.41E-05	0.00265	4E-06
KY	H L Spurloc	6041	3	12/31/2022	170	1557.4	2.37E-05	0.00259	4.03E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1501.8	2.38E-05	0.00265	3.98E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1525.9	2.39E-05	0.00262	4E-06

KY	H L Spurloc	6041	3	12/31/2022	166	1525.4	2.41E-05	0.00262	4E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1515.4	2.4E-05	0.00265	4.02E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1514.9	2.42E-05	0.00265	4.01E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1512.9	2.42E-05	0.00265	4.01E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1515.7	2.41E-05	0.00265	4.02E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1506.9	2.41E-05	0.00265	3.99E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1510.7	2.41E-05	0.00265	4E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1515.6	2.42E-05	0.00265	4.02E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1531.9	2.4E-05	0.00262	4.01E-06
KY	H L Spurloc	6041	3	12/31/2022	166	1529.8	2.41E-05	0.00262	4.01E-06
KY	H L Spurloc	6041	3	12/31/2022	167	1530.2	2.4E-05	0.00262	4.01E-06
KY	H L Spurloc	6041	4	10/1/2022	210	1811.9	0.000206	0.0239	4.33E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1801.4	0.000208	0.0241	4.34E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1772.8	0.000206	0.0243	4.31E-05
KY	H L Spurloc	6041	4	10/1/2022	219	1889.8	0.000204	0.0236	4.46E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1782.5	0.000207	0.0243	4.33E-05
KY	H L Spurloc	6041	4	10/1/2022	238	2084.1	0.000196	0.0224	4.67E-05
KY	H L Spurloc	6041	4	10/1/2022	218	1852	0.0002	0.0236	4.37E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1818.2	0.000208	0.0239	4.35E-05
KY	H L Spurloc	6041	4	10/1/2022	210	1816.5	0.000207	0.0239	4.34E-05
KY	H L Spurloc	6041	4	10/1/2022	238	2058.8	0.000197	0.0228	4.69E-05
KY	H L Spurloc	6041	4	10/1/2022	217	1817.3	0.000202	0.0241	4.38E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1791.4	0.000207	0.0241	4.32E-05
KY	H L Spurloc	6041	4	10/1/2022	210	1814.9	0.000204	0.0236	4.28E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1803	0.000204	0.0236	4.26E-05
KY	H L Spurloc	6041	4	10/1/2022	218	1864.8	0.000202	0.0236	4.4E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1748.9	0.000208	0.0248	4.34E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1764.9	0.000208	0.0246	4.34E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1775.1	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/1/2022	216	1848.6	0.000208	0.0243	4.49E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1791	0.000208	0.0243	4.35E-05
KY	H L Spurloc	6041	4	10/1/2022	210	1797.9	0.000208	0.0243	4.37E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1782.6	0.000207	0.0243	4.33E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1781	0.000207	0.0243	4.33E-05
KY	H L Spurloc	6041	4	10/1/2022	209	1763.5	0.000208	0.0246	4.34E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1774.4	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1775.6	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1777.2	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1773.7	0.000209	0.0246	4.36E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1760.2	0.000209	0.0248	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1778.3	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1759.9	0.000209	0.0248	4.36E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1763.7	0.000209	0.0248	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1778	0.000209	0.0246	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1786.8	0.000209	0.0246	4.4E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1796.1	0.000208	0.0243	4.36E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1787.3	0.000208	0.0243	4.34E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1769.3	0.000208	0.0246	4.35E-05

KY	H L Spurloc	6041	4	10/2/2022	209	1771.1	0.000208	0.0246	4.36E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1767.6	0.000208	0.0246	4.35E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1783.7	0.000209	0.0246	4.39E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1786.1	0.000209	0.0246	4.39E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1785.5	0.00021	0.0246	4.39E-05
KY	H L Spurloc	6041	4	10/2/2022	239	2080.3	0.000202	0.0232	4.83E-05
KY	H L Spurloc	6041	4	10/2/2022	212	1762.8	0.000206	0.0248	4.37E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1779.3	0.000208	0.0246	4.38E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1788.9	0.000207	0.0243	4.35E-05
KY	H L Spurloc	6041	4	10/2/2022	210	1791.6	0.000206	0.0241	4.32E-05
KY	H L Spurloc	6041	4	10/2/2022	209	1774.3	0.000206	0.0243	4.31E-05
KY	H L Spurloc	6041	4	10/3/2022	209	1762.7	0.000207	0.0246	4.34E-05
KY	H L Spurloc	6041	4	10/3/2022	209	1778.1	0.000207	0.0243	4.32E-05
KY	H L Spurloc	6041	4	10/3/2022	209	1764.2	0.000208	0.0246	4.34E-05
KY	H L Spurloc	6041	4	10/3/2022	209	1761	0.000207	0.0246	4.33E-05
KY	H L Spurloc	6041	4	10/3/2022	209	1781.1	0.000207	0.0243	4.33E-05
KY	H L Spurloc	6041	4	10/3/2022	211	1802.3	0.000208	0.0243	4.38E-05
KY	H L Spurloc	6041	4	10/3/2022	210	1781.4	0.000204	0.0241	4.29E-05
KY	H L Spurloc	6041	4	10/3/2022	211	1786.1	0.000206	0.0243	4.34E-05
KY	H L Spurloc	6041	4	10/3/2022	210	1780.9	4.04E-05	0.00476	8.48E-06
KY	H L Spurloc	6041	4	10/3/2022	211	1803.2	4.07E-05	0.00476	8.58E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1792.9	4.03E-05	0.00472	8.46E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1790.5	4.02E-05	0.00472	8.45E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1802.2	4.05E-05	0.00472	8.51E-06
KY	H L Spurloc	6041	4	10/3/2022	222	1896.9	3.96E-05	0.00463	8.78E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1779.9	4E-05	0.00472	8.4E-06
KY	H L Spurloc	6041	4	10/3/2022	239	2034.2	3.86E-05	0.00454	9.24E-06
KY	H L Spurloc	6041	4	10/3/2022	211	1785.5	3.99E-05	0.00472	8.43E-06
KY	H L Spurloc	6041	4	10/3/2022	218	1875.8	3.98E-05	0.00463	8.69E-06
KY	H L Spurloc	6041	4	10/3/2022	262	2252.9	3.73E-05	0.00434	9.78E-06
KY	H L Spurloc	6041	4	10/3/2022	260	2164.4	3.68E-05	0.00442	9.57E-06
KY	H L Spurloc	6041	4	10/3/2022	221	1804.6	3.89E-05	0.00476	8.59E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1734.3	3.93E-05	0.00476	8.26E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1743.4	3.95E-05	0.00476	8.3E-06
KY	H L Spurloc	6041	4	10/3/2022	210	1749.2	3.96E-05	0.00476	8.33E-06
KY	H L Spurloc	6041	4	10/4/2022	214	1776.7	3.99E-05	0.00481	8.55E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1748.8	4.01E-05	0.00481	8.41E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1778.8	4E-05	0.00472	8.4E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1758	3.98E-05	0.00476	8.37E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1781.3	4.02E-05	0.00476	8.48E-06
KY	H L Spurloc	6041	4	10/4/2022	215	1843.6	4E-05	0.00467	8.61E-06
KY	H L Spurloc	6041	4	10/4/2022	219	1846	3.98E-05	0.00472	8.71E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1777.1	4.01E-05	0.00476	8.46E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1772.9	3.98E-05	0.00472	8.37E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1779.6	3.94E-05	0.00467	8.31E-06
KY	H L Spurloc	6041	4	10/4/2022	221	1870	3.88E-05	0.00458	8.56E-06
KY	H L Spurloc	6041	4	10/4/2022	226	1893.5	3.84E-05	0.00458	8.67E-06
KY	H L Spurloc	6041	4	10/4/2022	215	1800.6	3.91E-05	0.00467	8.41E-06

KY	H L Spurloc	6041	4	10/4/2022	211	1781.3	3.91E-05	0.00463	8.25E-06
KY	H L Spurloc	6041	4	10/4/2022	234	1948	3.78E-05	0.00454	8.84E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1763.6	3.92E-05	0.00467	8.24E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1777.1	3.93E-05	0.00467	8.3E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1773.2	3.97E-05	0.00472	8.37E-06
KY	H L Spurloc	6041	4	10/4/2022	222	1863.9	3.92E-05	0.00467	8.7E-06
KY	H L Spurloc	6041	4	10/4/2022	224	1849.4	3.9E-05	0.00472	8.73E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1780.1	4E-05	0.00472	8.4E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1783.1	4.01E-05	0.00472	8.42E-06
KY	H L Spurloc	6041	4	10/4/2022	211	1783.1	4.02E-05	0.00476	8.49E-06
KY	H L Spurloc	6041	4	10/4/2022	210	1777.2	4.03E-05	0.00476	8.46E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1756.6	4.06E-05	0.00476	8.36E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1749.5	4.04E-05	0.00476	8.33E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1751.2	4.05E-05	0.00476	8.34E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1772.6	4.06E-05	0.00472	8.37E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1766	4.05E-05	0.00472	8.34E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1788.5	4.05E-05	0.00467	8.35E-06
KY	H L Spurloc	6041	4	10/5/2022	219	1935.2	4.01E-05	0.00454	8.79E-06
KY	H L Spurloc	6041	4	10/5/2022	212	1851.6	4.04E-05	0.00463	8.57E-06
KY	H L Spurloc	6041	4	10/5/2022	218	1906.4	3.97E-05	0.00454	8.66E-06
KY	H L Spurloc	6041	4	10/5/2022	227	2043.9	3.94E-05	0.00438	8.95E-06
KY	H L Spurloc	6041	4	10/5/2022	217	1876.4	3.96E-05	0.00458	8.59E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1793.6	3.99E-05	0.00458	8.21E-06
KY	H L Spurloc	6041	4	10/5/2022	212	1889.2	4.01E-05	0.0045	8.5E-06
KY	H L Spurloc	6041	4	10/5/2022	209	1832.4	4.02E-05	0.00458	8.39E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1813.2	4.03E-05	0.00458	8.3E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1826.7	4.03E-05	0.00454	8.29E-06
KY	H L Spurloc	6041	4	10/5/2022	212	1867.5	4.03E-05	0.00458	8.55E-06
KY	H L Spurloc	6041	4	10/5/2022	225	1956.5	3.95E-05	0.00454	8.88E-06
KY	H L Spurloc	6041	4	10/5/2022	236	2057.5	3.92E-05	0.0045	9.26E-06
KY	H L Spurloc	6041	4	10/5/2022	228	1943.4	3.87E-05	0.00454	8.82E-06
KY	H L Spurloc	6041	4	10/5/2022	220	1918	3.96E-05	0.00454	8.71E-06
KY	H L Spurloc	6041	4	10/5/2022	237	2090.6	3.93E-05	0.00446	9.32E-06
KY	H L Spurloc	6041	4	10/5/2022	217	1858.2	3.96E-05	0.00463	8.6E-06
KY	H L Spurloc	6041	4	10/5/2022	206	1808.7	4.07E-05	0.00463	8.37E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1801	4.08E-05	0.00467	8.41E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1812	4.07E-05	0.00463	8.39E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1803.7	4.05E-05	0.00463	8.35E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1795.2	4.07E-05	0.00467	8.38E-06
KY	H L Spurloc	6041	4	10/6/2022	209	1818.3	4.06E-05	0.00467	8.49E-06
KY	H L Spurloc	6041	4	10/6/2022	212	1855.9	4.09E-05	0.00467	8.67E-06
KY	H L Spurloc	6041	4	10/6/2022	213	1928.3	4.07E-05	0.0045	8.68E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1797.9	4.08E-05	0.00467	8.4E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1800.9	4.08E-05	0.00467	8.41E-06
KY	H L Spurloc	6041	4	10/6/2022	209	1835.9	4.07E-05	0.00463	8.5E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1810	4.1E-05	0.00467	8.45E-06
KY	H L Spurloc	6041	4	10/6/2022	206	1803.5	4.09E-05	0.00467	8.42E-06
KY	H L Spurloc	6041	4	10/6/2022	208	1832	4.08E-05	0.00463	8.48E-06

KY	H L Spurloc	6041	4	10/6/2022	206	1809.7	4.07E-05	0.00463	8.38E-06
KY	H L Spurloc	6041	4	10/6/2022	208	1820.1	4.05E-05	0.00463	8.43E-06
KY	H L Spurloc	6041	4	10/6/2022	209	1828.3	4.05E-05	0.00463	8.47E-06
KY	H L Spurloc	6041	4	10/6/2022	209	1848	4.05E-05	0.00458	8.46E-06
KY	H L Spurloc	6041	4	10/6/2022	219	1887.7	3.99E-05	0.00463	8.74E-06
KY	H L Spurloc	6041	4	10/6/2022	213	1848.7	4.05E-05	0.00467	8.63E-06
KY	H L Spurloc	6041	4	10/6/2022	215	1872.2	4.03E-05	0.00463	8.67E-06
KY	H L Spurloc	6041	4	10/6/2022	211	1826.5	4.09E-05	0.00472	8.62E-06
KY	H L Spurloc	6041	4	10/6/2022	218	1926.5	4.09E-05	0.00463	8.92E-06
KY	H L Spurloc	6041	4	10/6/2022	270	2333.1	3.72E-05	0.0043	1E-05
KY	H L Spurloc	6041	4	10/6/2022	270	2323.9	3.67E-05	0.00426	9.9E-06
KY	H L Spurloc	6041	4	10/7/2022	270	2316.7	3.66E-05	0.00426	9.87E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2319.1	3.65E-05	0.00426	9.88E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2318.8	3.65E-05	0.00426	9.88E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2325.2	3.66E-05	0.00426	9.91E-06
KY	H L Spurloc	6041	4	10/7/2022	270	2325.9	3.67E-05	0.00426	9.91E-06
KY	H L Spurloc	6041	4	10/7/2022	270	2335.4			
KY	H L Spurloc	6041	4	10/7/2022	272	2338.8	3.66E-05	0.00426	9.96E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2326.9	3.66E-05	0.00426	9.91E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2337.2	3.64E-05	0.00422	9.86E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2361.2	3.65E-05	0.00419	9.89E-06
KY	H L Spurloc	6041	4	10/7/2022	271	2366.9	3.66E-05	0.00419	9.92E-06
KY	H L Spurloc	6041	4	10/7/2022	275	2402.5	3.66E-05	0.00419	1.01E-05
KY	H L Spurloc	6041	4	10/7/2022	271	2352.3	3.73E-05	0.0043	1.01E-05
KY	H L Spurloc	6041	4	10/7/2022	271	2346.8	3.69E-05	0.00426	1E-05
KY	H L Spurloc	6041	4	10/7/2022	271	2356.8	3.7E-05	0.00426	1E-05
KY	H L Spurloc	6041	4	10/7/2022	272	2366	3.71E-05	0.00426	1.01E-05
KY	H L Spurloc	6041	4	10/7/2022	276	2415.5	3.69E-05	0.00422	1.02E-05
KY	H L Spurloc	6041	4	10/7/2022	278	2427.3	3.66E-05	0.00419	1.02E-05
KY	H L Spurloc	6041	4	10/7/2022	273	2377.5	3.65E-05	0.00419	9.96E-06
KY	H L Spurloc	6041	4	10/7/2022	274	2366.1	3.64E-05	0.00422	9.98E-06
KY	H L Spurloc	6041	4	10/7/2022	242	2018.9	3.75E-05	0.0045	9.09E-06
KY	H L Spurloc	6041	4	10/7/2022	210	1772.9	3.98E-05	0.00472	8.37E-06
KY	H L Spurloc	6041	4	10/7/2022	210	1795.4	3.99E-05	0.00467	8.38E-06
KY	H L Spurloc	6041	4	10/7/2022	211	1828.5	4.01E-05	0.00463	8.47E-06
KY	H L Spurloc	6041	4	10/8/2022	214	1852.1	4.04E-05	0.00467	8.65E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1817.2	4.04E-05	0.00467	8.49E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1835.7	4.05E-05	0.00463	8.5E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1835.3	4.05E-05	0.00463	8.5E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1825.1	4.02E-05	0.00463	8.45E-06
KY	H L Spurloc	6041	4	10/8/2022	211	1795.4	3.97E-05	0.00467	8.38E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1782.6	3.96E-05	0.00467	8.32E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1786	3.97E-05	0.00467	8.34E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1819	3.97E-05	0.00458	8.33E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1822.4	3.97E-05	0.00458	8.35E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1831.9	4E-05	0.00458	8.39E-06
KY	H L Spurloc	6041	4	10/8/2022	212	1837.5	4.01E-05	0.00463	8.51E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1814.3	4E-05	0.00463	8.4E-06

KY	H L Spurloc	6041	4	10/8/2022	210	1815.7	4E-05	0.00463	8.41E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1810.7	3.99E-05	0.00463	8.38E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1815	4E-05	0.00463	8.4E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1815.9	4E-05	0.00463	8.41E-06
KY	H L Spurloc	6041	4	10/8/2022	211	1825.7	4.01E-05	0.00463	8.45E-06
KY	H L Spurloc	6041	4	10/8/2022	264	2313.3	3.73E-05	0.00426	9.85E-06
KY	H L Spurloc	6041	4	10/8/2022	275	2313.6	3.58E-05	0.00426	9.86E-06
KY	H L Spurloc	6041	4	10/8/2022	212	1787.3	3.98E-05	0.00472	8.44E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1789.3	4.02E-05	0.00472	8.45E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1795.7	4.04E-05	0.00472	8.48E-06
KY	H L Spurloc	6041	4	10/8/2022	210	1814.7	4.08E-05	0.00472	8.57E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1847.1	4.07E-05	0.00463	8.55E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1853.7	4.04E-05	0.00458	8.49E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1823.6	4.02E-05	0.00463	8.44E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1827.2	3.99E-05	0.00458	8.37E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1838.2	4.01E-05	0.00458	8.42E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1842.4	4.02E-05	0.00458	8.44E-06
KY	H L Spurloc	6041	4	10/9/2022	211	1823.8	4E-05	0.00463	8.44E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1826.2	3.98E-05	0.00458	8.36E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1818	4.01E-05	0.00463	8.42E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1818.4	4.01E-05	0.00463	8.42E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1835	4E-05	0.00458	8.4E-06
KY	H L Spurloc	6041	4	10/9/2022	211	1821	4E-05	0.00463	8.43E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1802.1	3.97E-05	0.00463	8.34E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1810	3.99E-05	0.00463	8.38E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1817	4.01E-05	0.00463	8.41E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1806.4	3.98E-05	0.00463	8.36E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1818.7	3.97E-05	0.00458	8.33E-06
KY	H L Spurloc	6041	4	10/9/2022	213	1860.1	4E-05	0.00458	8.52E-06
KY	H L Spurloc	6041	4	10/9/2022	225	1928	3.97E-05	0.00463	8.93E-06
KY	H L Spurloc	6041	4	10/9/2022	240	2073	3.89E-05	0.0045	9.33E-06
KY	H L Spurloc	6041	4	10/9/2022	243	2122.3	3.9E-05	0.00446	9.47E-06
KY	H L Spurloc	6041	4	10/9/2022	224	1938.8	4.01E-05	0.00463	8.98E-06
KY	H L Spurloc	6041	4	10/9/2022	211	1843.9	4E-05	0.00458	8.45E-06
KY	H L Spurloc	6041	4	10/9/2022	210	1839.2	3.98E-05	0.00454	8.35E-06
KY	H L Spurloc	6041	4	10/10/2022	210	1840.1	3.98E-05	0.00454	8.35E-06
KY	H L Spurloc	6041	4	10/10/2022	210	1839.6	4.01E-05	0.00458	8.43E-06
KY	H L Spurloc	6041	4	10/10/2022	210	1841.5	4.02E-05	0.00458	8.43E-06
KY	H L Spurloc	6041	4	10/10/2022	210	1827.4	4.03E-05	0.00463	8.46E-06
KY	H L Spurloc	6041	4	10/10/2022	210	1831.4	4.04E-05	0.00463	8.48E-06
KY	H L Spurloc	6041	4	10/10/2022	211	1858	4.03E-05	0.00458	8.51E-06
KY	H L Spurloc	6041	4	10/10/2022	215	1917.2	4.05E-05	0.00454	8.7E-06
KY	H L Spurloc	6041	4	10/10/2022	237	2065.9	3.92E-05	0.0045	9.3E-06
KY	H L Spurloc	6041	4	10/10/2022	223	1963.6	4E-05	0.00454	8.91E-06
KY	H L Spurloc	6041	4	10/10/2022	214	1894.3	4.02E-05	0.00454	8.6E-06
KY	H L Spurloc	6041	4	10/10/2022	233	2086.6	0.00011	0.0123	2.57E-05
KY	H L Spurloc	6041	4	10/10/2022	272	2416.9	0.000105	0.0118	2.85E-05
KY	H L Spurloc	6041	4	10/10/2022	288	2493.4	0.000101	0.0117	2.92E-05

KY	H L Spurloc	6041	4	10/10/2022	235	1989.5	0.000108	0.0127	2.53E-05
KY	H L Spurloc	6041	4	10/10/2022	243	2122.1	0.000109	0.0125	2.65E-05
KY	H L Spurloc	6041	4	10/10/2022	220	1880.7	0.000111	0.013	2.44E-05
KY	H L Spurloc	6041	4	10/10/2022	213	1886.2	0.000114	0.0129	2.43E-05
KY	H L Spurloc	6041	4	10/10/2022	282	2495.2	0.000104	0.0118	2.94E-05
KY	H L Spurloc	6041	4	10/10/2022	301	2579.7	0.000101	0.0118	3.04E-05
KY	H L Spurloc	6041	4	10/10/2022	283	2392.1	0.000101	0.012	2.87E-05
KY	H L Spurloc	6041	4	10/10/2022	244	2104.7	0.000109	0.0126	2.65E-05
KY	H L Spurloc	6041	4	10/10/2022	217	1859.9	0.000114	0.0133	2.47E-05
KY	H L Spurloc	6041	4	10/10/2022	210	1810.9	0.000116	0.0134	2.43E-05
KY	H L Spurloc	6041	4	10/10/2022	263	2365.6	0.000109	0.0121	2.86E-05
KY	H L Spurloc	6041	4	10/11/2022	300	2588.3	0.000101	0.0117	3.03E-05
KY	H L Spurloc	6041	4	10/11/2022	300	2562.4	0.000101	0.0118	3.02E-05
KY	H L Spurloc	6041	4	10/11/2022	301	2597.4	0.0001	0.0116	3.01E-05
KY	H L Spurloc	6041	4	10/11/2022	301	2542.3	9.97E-05	0.0118	3E-05
KY	H L Spurloc	6041	4	10/11/2022	301	2542.3	9.97E-05	0.0118	3E-05
KY	H L Spurloc	6041	4	10/11/2022	299	2526.6	9.97E-05	0.0118	2.98E-05
KY	H L Spurloc	6041	4	10/11/2022	301	2522	9.97E-05	0.0119	3E-05
KY	H L Spurloc	6041	4	10/11/2022	302	2554.4	9.98E-05	0.0118	3.01E-05
KY	H L Spurloc	6041	4	10/11/2022	302	2523.8	9.94E-05	0.0119	3E-05
KY	H L Spurloc	6041	4	10/11/2022	291	2430	0.0001	0.012	2.92E-05
KY	H L Spurloc	6041	4	10/11/2022	299	2517.1	0.0001	0.0119	3E-05
KY	H L Spurloc	6041	4	10/11/2022	302	2516.6	9.92E-05	0.0119	2.99E-05
KY	H L Spurloc	6041	4	10/11/2022	300	2504.2	9.93E-05	0.0119	2.98E-05
KY	H L Spurloc	6041	4	10/11/2022	299	2509	9.99E-05	0.0119	2.99E-05
KY	H L Spurloc	6041	4	10/11/2022	299	2507.5	9.98E-05	0.0119	2.98E-05
KY	H L Spurloc	6041	4	10/11/2022	298	2510.4	0.0001	0.0119	2.99E-05
KY	H L Spurloc	6041	4	10/11/2022	302	2550.9	9.97E-05	0.0118	3.01E-05
KY	H L Spurloc	6041	4	10/11/2022	296	2497.4	9.96E-05	0.0118	2.95E-05
KY	H L Spurloc	6041	4	10/11/2022	281	2379.5	0.000101	0.0119	2.83E-05
KY	H L Spurloc	6041	4	10/11/2022	300	2526.5	0.0001	0.0119	3.01E-05
KY	H L Spurloc	6041	4	10/11/2022	291	2449.1	0.000101	0.012	2.94E-05
KY	H L Spurloc	6041	4	10/11/2022	288	2483.6	0.000102	0.0118	2.93E-05
KY	H L Spurloc	6041	4	10/11/2022	284	2401.5	0.000101	0.0119	2.86E-05
KY	H L Spurloc	6041	4	10/11/2022	237	1967.8	0.000107	0.0129	2.54E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1776.5	0.000113	0.0134	2.38E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1777.6	0.000113	0.0134	2.38E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1778.8	0.000114	0.0134	2.38E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1787.3	0.000114	0.0134	2.39E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1784.6	0.000114	0.0134	2.39E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1791.6	0.000114	0.0134	2.4E-05
KY	H L Spurloc	6041	4	10/12/2022	243	2146.5	0.000111	0.0126	2.7E-05
KY	H L Spurloc	6041	4	10/12/2022	216	1879.2	0.000113	0.013	2.44E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1857.3	0.000114	0.0129	2.4E-05
KY	H L Spurloc	6041	4	10/12/2022	213	1908.4	0.000115	0.0128	2.44E-05
KY	H L Spurloc	6041	4	10/12/2022	214	1843.5	0.000114	0.0132	2.43E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1802.6	0.000115	0.0134	2.42E-05
KY	H L Spurloc	6041	4	10/12/2022	214	1851.1	0.000118	0.0136	2.52E-05

KY	H L Spurloc	6041	4	10/12/2022	221	1902.2	0.000115	0.0134	2.55E-05
KY	H L Spurloc	6041	4	10/12/2022	211	1832.3	0.000116	0.0134	2.46E-05
KY	H L Spurloc	6041	4	10/12/2022	211	1826.6	0.000115	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/12/2022	210	1815.4	0.000115	0.0133	2.41E-05
KY	H L Spurloc	6041	4	10/12/2022	255	2238.3	0.000111	0.0127	2.84E-05
KY	H L Spurloc	6041	4	10/12/2022	281	2412.7	0.000104	0.0121	2.92E-05
KY	H L Spurloc	6041	4	10/12/2022	225	1931.7	0.000112	0.013	2.51E-05
KY	H L Spurloc	6041	4	10/12/2022	245	2106.7	0.000111	0.0129	2.72E-05
KY	H L Spurloc	6041	4	10/12/2022	216	1836.8	0.000114	0.0134	2.46E-05
KY	H L Spurloc	6041	4	10/12/2022	229	1998.6	0.000113	0.013	2.6E-05
KY	H L Spurloc	6041	4	10/12/2022	216	1896.7	0.000114	0.013	2.47E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1856.1	0.000115	0.013	2.41E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1843.1	0.000116	0.0132	2.43E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1840.8	0.000116	0.0132	2.43E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1816.9	0.000115	0.0133	2.42E-05
KY	H L Spurloc	6041	4	10/13/2022	211	1830	0.000115	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/13/2022	211	1822.5	0.000115	0.0133	2.42E-05
KY	H L Spurloc	6041	4	10/13/2022	211	1818.5	0.000115	0.0133	2.42E-05
KY	H L Spurloc	6041	4	10/13/2022	221	1908.9	0.000112	0.013	2.48E-05
KY	H L Spurloc	6041	4	10/13/2022	275	2388.3	0.000104	0.012	2.87E-05
KY	H L Spurloc	6041	4	10/13/2022	280	2386.1	0.000101	0.0119	2.84E-05
KY	H L Spurloc	6041	4	10/13/2022	274	2293.4	0.0001	0.012	2.75E-05
KY	H L Spurloc	6041	4	10/13/2022	228	1886.1	0.000107	0.0129	2.43E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1788.9	0.000111	0.013	2.33E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1801.8	0.000112	0.013	2.34E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1780.9	0.000112	0.0132	2.35E-05
KY	H L Spurloc	6041	4	10/13/2022	210	1783.7	0.000113	0.0133	2.37E-05
KY	H L Spurloc	6041	4	10/13/2022	215	1843.9	0.000113	0.0132	2.43E-05
KY	H L Spurloc	6041	4	10/13/2022	239	2024.2	0.000108	0.0128	2.59E-05
KY	H L Spurloc	6041	4	10/13/2022	234	1995.1	0.000109	0.0128	2.55E-05
KY	H L Spurloc	6041	4	10/13/2022	241	2048.4	0.000108	0.0127	2.6E-05
KY	H L Spurloc	6041	4	10/13/2022	246	2101.1	0.000108	0.0126	2.65E-05
KY	H L Spurloc	6041	4	10/13/2022	286	2465.1	0.000102	0.0118	2.91E-05
KY	H L Spurloc	6041	4	10/13/2022	285	2408.4	0.000101	0.0119	2.87E-05
KY	H L Spurloc	6041	4	10/13/2022	290	2469.9	0.000101	0.0119	2.94E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2550.7	9.91E-05	0.0117	2.98E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2531.6	9.92E-05	0.0118	2.99E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2509	9.92E-05	0.0119	2.99E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2493.6	9.94E-05	0.012	2.99E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2534.9	0.0001	0.0119	3.02E-05
KY	H L Spurloc	6041	4	10/14/2022	302	2558.5	1E-04	0.0118	3.02E-05
KY	H L Spurloc	6041	4	10/14/2022	302	2540.7	9.93E-05	0.0118	3E-05
KY	H L Spurloc	6041	4	10/14/2022	302	2543.8	0.0001	0.0119	3.03E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2559.9	0.000101	0.0119	3.05E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2563.5	9.88E-05	0.0116	2.97E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2494.8	9.78E-05	0.0118	2.94E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2495.4	9.87E-05	0.0119	2.97E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2524.5	9.98E-05	0.0119	3E-05



KY	H L Spurloc	6041	4	10/14/2022	301	2518.9	9.96E-05	0.0119	3E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2524.2	9.98E-05	0.0119	3E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2558.5	0.0001	0.0118	3.02E-05
KY	H L Spurloc	6041	4	10/14/2022	302	2570.4	9.96E-05	0.0117	3.01E-05
KY	H L Spurloc	6041	4	10/14/2022	287	2398.2	0.0001	0.012	2.88E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2552.5	0.000101	0.0119	3.04E-05
KY	H L Spurloc	6041	4	10/14/2022	302	2579.4	0.000102	0.0119	3.07E-05
KY	H L Spurloc	6041	4	10/14/2022	300	2555	0.000101	0.0119	3.04E-05
KY	H L Spurloc	6041	4	10/14/2022	294	2482.2	0.000101	0.012	2.98E-05
KY	H L Spurloc	6041	4	10/14/2022	301	2582.6	0.000101	0.0118	3.05E-05
KY	H L Spurloc	6041	4	10/14/2022	261	2219	0.000104	0.0122	2.71E-05
KY	H L Spurloc	6041	4	10/15/2022	232	1975.4	0.000109	0.0128	2.53E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1834	0.000114	0.013	2.38E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1831.7	0.000115	0.0132	2.42E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1835.1	0.000116	0.0133	2.44E-05
KY	H L Spurloc	6041	4	10/15/2022	213	1814.8	0.000116	0.0136	2.47E-05
KY	H L Spurloc	6041	4	10/15/2022	211	1816.6	0.000117	0.0136	2.47E-05
KY	H L Spurloc	6041	4	10/15/2022	223	1898.3	0.000114	0.0134	2.54E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1799.2	0.000117	0.0136	2.45E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1802.9	0.000117	0.0136	2.45E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1828.8	0.000117	0.0134	2.45E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1835.4	0.000117	0.0134	2.46E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1827.9	0.000117	0.0134	2.45E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1825.9	0.000116	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1825.3	0.000116	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1811.4	0.000116	0.0134	2.43E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1820.5	0.000116	0.0134	2.44E-05
KY	H L Spurloc	6041	4	10/15/2022	230	2030.1	0.000114	0.0129	2.62E-05
KY	H L Spurloc	6041	4	10/15/2022	238	2034.7	0.00011	0.0129	2.62E-05
KY	H L Spurloc	6041	4	10/15/2022	213	1871.8	0.000116	0.0132	2.47E-05
KY	H L Spurloc	6041	4	10/15/2022	213	1820.6	0.000115	0.0134	2.44E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1814.2	0.000116	0.0134	2.43E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1836.5	0.000116	0.0133	2.44E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1836.4	0.000116	0.0133	2.44E-05
KY	H L Spurloc	6041	4	10/15/2022	210	1820.5	0.000115	0.0133	2.42E-05
KY	H L Spurloc	6041	4	10/16/2022	217	1899.6	0.000116	0.0132	2.51E-05
KY	H L Spurloc	6041	4	10/16/2022	218	1858.6	0.000114	0.0134	2.49E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1807.2	0.000117	0.0136	2.46E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1815.9	0.000118	0.0136	2.47E-05
KY	H L Spurloc	6041	4	10/16/2022	211	1851.1	0.000118	0.0134	2.48E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1841.7	0.000117	0.0133	2.45E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1825.9	0.000116	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1818.8	0.000115	0.0133	2.42E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1841.4	0.000116	0.0132	2.43E-05
KY	H L Spurloc	6041	4	10/16/2022	213	1881.6	0.000115	0.013	2.45E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1849	0.000114	0.013	2.4E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1835.9	0.000115	0.0132	2.42E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1823.8	0.000116	0.0133	2.43E-05

KY	H L Spurloc	6041	4	10/16/2022	211	1837.2	0.000116	0.0133	2.44E-05
KY	H L Spurloc	6041	4	10/16/2022	211	1850.3	0.000117	0.0133	2.46E-05
KY	H L Spurloc	6041	4	10/16/2022	212	1880.4	0.000117	0.0132	2.48E-05
KY	H L Spurloc	6041	4	10/16/2022	245	2174.9	0.000109	0.0123	2.68E-05
KY	H L Spurloc	6041	4	10/16/2022	224	1935.8	0.000112	0.013	2.52E-05
KY	H L Spurloc	6041	4	10/16/2022	232	2017.8	0.000111	0.0128	2.58E-05
KY	H L Spurloc	6041	4	10/16/2022	239	2126.5	0.000113	0.0127	2.7E-05
KY	H L Spurloc	6041	4	10/16/2022	218	1894.4	0.000115	0.0132	2.5E-05
KY	H L Spurloc	6041	4	10/16/2022	211	1850.2	0.000117	0.0133	2.46E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1837.6	0.000117	0.0134	2.46E-05
KY	H L Spurloc	6041	4	10/16/2022	210	1840	0.000117	0.0134	2.47E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1823.6	0.000118	0.0136	2.48E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1813.9	0.000117	0.0136	2.47E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1820	0.000116	0.0134	2.44E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1808.4	0.000115	0.0134	2.42E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1826.2	0.000117	0.0134	2.45E-05
KY	H L Spurloc	6041	4	10/17/2022	229	2085.2	0.000114	0.0125	2.61E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1864.4	0.000115	0.013	2.42E-05
KY	H L Spurloc	6041	4	10/17/2022	217	1857.7	0.000114	0.0133	2.47E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1826	0.000116	0.0133	2.43E-05
KY	H L Spurloc	6041	4	10/17/2022	210	1798.3	0.000707	0.0826	0.000149
KY	H L Spurloc	6041	4	10/17/2022	211	1804.7	0.000706	0.0826	0.000149
KY	H L Spurloc	6041	4	10/17/2022	210	1797.6	0.000707	0.0826	0.000148
KY	H L Spurloc	6041	4	10/17/2022	210	1811.7	0.000706	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	210	1814.2	0.000707	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	210	1804.2	0.000703	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	211	1810.3	0.000702	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	211	1807.2	0.000701	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	211	1807.6	0.000701	0.0818	0.000148
KY	H L Spurloc	6041	4	10/17/2022	210	1818	0.000701	0.081	0.000147
KY	H L Spurloc	6041	4	10/17/2022	210	1815.4	0.0007	0.081	0.000147
KY	H L Spurloc	6041	4	10/17/2022	217	1887.4	0.000691	0.0795	0.00015
KY	H L Spurloc	6041	4	10/17/2022	210	1803.4	0.000696	0.081	0.000146
KY	H L Spurloc	6041	4	10/17/2022	210	1814.4	0.0007	0.081	0.000147
KY	H L Spurloc	6041	4	10/17/2022	210	1811	0.000699	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1812	0.000699	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1780.5	0.0007	0.0826	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1782.8	0.000701	0.0826	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1790.1	0.000704	0.0826	0.000148
KY	H L Spurloc	6041	4	10/18/2022	210	1801.9	0.000702	0.0818	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1813.5	0.000699	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	238	2035.1	0.000667	0.078	0.000159
KY	H L Spurloc	6041	4	10/18/2022	210	1784	0.000695	0.0818	0.000146
KY	H L Spurloc	6041	4	10/18/2022	211	1812.6	0.000703	0.0818	0.000148
KY	H L Spurloc	6041	4	10/18/2022	210	1814.2	0.0007	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1814.5	0.0007	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1812.9	0.000699	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	211	1813	0.000696	0.081	0.000147

KY	H L Spurloc	6041	4	10/18/2022	210	1806.2	0.000697	0.081	0.000146
KY	H L Spurloc	6041	4	10/18/2022	210	1809.3	0.000698	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	210	1814.6	0.0007	0.081	0.000147
KY	H L Spurloc	6041	4	10/18/2022	238	2095	0.000674	0.0766	0.00016
KY	H L Spurloc	6041	4	10/18/2022	277	2437.3	0.000639	0.0726	0.000177
KY	H L Spurloc	6041	4	10/18/2022	279	2421.8	0.00063	0.0726	0.000176
KY	H L Spurloc	6041	4	10/18/2022	278	2439.2	0.000637	0.0726	0.000177
KY	H L Spurloc	6041	4	10/18/2022	285	2479.4	0.000632	0.0726	0.00018
KY	H L Spurloc	6041	4	10/18/2022	285	2473.9	0.000625	0.072	0.000178
KY	H L Spurloc	6041	4	10/18/2022	285	2416.2	0.000615	0.0726	0.000175
KY	H L Spurloc	6041	4	10/18/2022	285	2397.3	0.000617	0.0733	0.000176
KY	H L Spurloc	6041	4	10/19/2022	285	2437.8	0.000621	0.0726	0.000177
KY	H L Spurloc	6041	4	10/19/2022	285	2469.5	0.000629	0.0726	0.000179
KY	H L Spurloc	6041	4	10/19/2022	285	2450.6	0.000619	0.072	0.000176
KY	H L Spurloc	6041	4	10/19/2022	285	2396.4	0.000616	0.0733	0.000176
KY	H L Spurloc	6041	4	10/19/2022	285	2389.8	0.000615	0.0733	0.000175
KY	H L Spurloc	6041	4	10/19/2022	290	2441.4	0.000611	0.0726	0.000177
KY	H L Spurloc	6041	4	10/19/2022	299	2509.7	0.000609	0.0726	0.000182
KY	H L Spurloc	6041	4	10/19/2022	279	2352.3	0.000618	0.0733	0.000172
KY	H L Spurloc	6041	4	10/19/2022	267	2261	0.000621	0.0733	0.000166
KY	H L Spurloc	6041	4	10/19/2022	227	1916	0.000664	0.0787	0.000151
KY	H L Spurloc	6041	4	10/19/2022	229	1969.9	0.000671	0.078	0.000154
KY	H L Spurloc	6041	4	10/19/2022	210	1821.7	0.00069	0.0795	0.000145
KY	H L Spurloc	6041	4	10/19/2022	211	1797.9	0.00069	0.081	0.000146
KY	H L Spurloc	6041	4	10/19/2022	214	1827.7	0.000692	0.081	0.000148
KY	H L Spurloc	6041	4	10/19/2022	210	1813.9	0.000693	0.0802	0.000145
KY	H L Spurloc	6041	4	10/19/2022	210	1796.9	0.000693	0.081	0.000146
KY	H L Spurloc	6041	4	10/19/2022	211	1820.3	0.000699	0.081	0.000147
KY	H L Spurloc	6041	4	10/19/2022	226	2003.3	0.000691	0.078	0.000156
KY	H L Spurloc	6041	4	10/19/2022	278	2439.5	0.000637	0.0726	0.000177
KY	H L Spurloc	6041	4	10/19/2022	257	2199.1	0.000638	0.0746	0.000164
KY	H L Spurloc	6041	4	10/19/2022	219	1878	0.000682	0.0795	0.000149
KY	H L Spurloc	6041	4	10/19/2022	220	1845.1	0.000673	0.0802	0.000148
KY	H L Spurloc	6041	4	10/19/2022	211	1807.4	0.000701	0.0818	0.000148
KY	H L Spurloc	6041	4	10/19/2022	211	1819.8	0.000705	0.0818	0.000149
KY	H L Spurloc	6041	4	10/20/2022	212	1839.6	0.000703	0.081	0.000149
KY	H L Spurloc	6041	4	10/20/2022	213	1858.3	0.000707	0.081	0.000151
KY	H L Spurloc	6041	4	10/20/2022	216	1925.6	0.000709	0.0795	0.000153
KY	H L Spurloc	6041	4	10/20/2022	216	1895.7	0.000704	0.0802	0.000152
KY	H L Spurloc	6041	4	10/20/2022	216	1969.7	0.000711	0.078	0.000154
KY	H L Spurloc	6041	4	10/20/2022	235	2196.9	0.000679	0.0726	0.000159
KY	H L Spurloc	6041	4	10/20/2022	296	2622.4	0.000627	0.0708	0.000186
KY	H L Spurloc	6041	4	10/20/2022	298	2577.3	0.000623	0.072	0.000186
KY	H L Spurloc	6041	4	10/20/2022	284	2468	0.000631	0.0726	0.000179
KY	H L Spurloc	6041	4	10/20/2022	258	2237.8	0.000641	0.0739	0.000165
KY	H L Spurloc	6041	4	10/20/2022	277	2415.4	0.000628	0.072	0.000174
KY	H L Spurloc	6041	4	10/20/2022	257	2207.6	0.000641	0.0746	0.000165
KY	H L Spurloc	6041	4	10/20/2022	257	2221.5	0.000645	0.0746	0.000166

KY	H L Spurloc	6041	4	10/20/2022	257	2225.6	0.000651	0.0752	0.000167
KY	H L Spurloc	6041	4	10/20/2022	257	2231.3	0.000653	0.0752	0.000168
KY	H L Spurloc	6041	4	10/20/2022	258	2228.6	0.00065	0.0752	0.000168
KY	H L Spurloc	6041	4	10/20/2022	260	2256.2	0.000647	0.0746	0.000168
KY	H L Spurloc	6041	4	10/20/2022	260	2239.4	0.000648	0.0752	0.000168
KY	H L Spurloc	6041	4	10/20/2022	260	2213.5	0.000646	0.0759	0.000168
KY	H L Spurloc	6041	4	10/20/2022	257	2199.7	0.00065	0.0759	0.000167
KY	H L Spurloc	6041	4	10/20/2022	257	2215.3	0.000654	0.0759	0.000168
KY	H L Spurloc	6041	4	10/20/2022	257	2240.2	0.000655	0.0752	0.000168
KY	H L Spurloc	6041	4	10/20/2022	234	2006.9	0.000663	0.0773	0.000155
KY	H L Spurloc	6041	4	10/20/2022	264	2360.3	0.000649	0.0726	0.000171
KY	H L Spurloc	6041	4	10/21/2022	300	2566	0.000611	0.0714	0.000183
KY	H L Spurloc	6041	4	10/21/2022	300	2546	0.000606	0.0714	0.000182
KY	H L Spurloc	6041	4	10/21/2022	300	2472.1	0.000604	0.0733	0.000181
KY	H L Spurloc	6041	4	10/21/2022	300	2510.9	0.000608	0.0726	0.000182
KY	H L Spurloc	6041	4	10/21/2022	301	2527	0.000604	0.072	0.000182
KY	H L Spurloc	6041	4	10/21/2022	301	2571.5	0.000615	0.072	0.000185
KY	H L Spurloc	6041	4	10/21/2022	301	2623	0.000622	0.0714	0.000187
KY	H L Spurloc	6041	4	10/21/2022	301	2593.1	0.00061	0.0708	0.000184
KY	H L Spurloc	6041	4	10/21/2022	300	2511.9	0.000608	0.0726	0.000182
KY	H L Spurloc	6041	4	10/21/2022	301	2545.9	0.000609	0.072	0.000183
KY	H L Spurloc	6041	4	10/21/2022	301	2513.4	0.000601	0.072	0.000181
KY	H L Spurloc	6041	4	10/21/2022	301	2505.6	0.000599	0.072	0.00018
KY	H L Spurloc	6041	4	10/21/2022	301	2519.1	0.000603	0.072	0.000181
KY	H L Spurloc	6041	4	10/21/2022	301	2529	0.000605	0.072	0.000182
KY	H L Spurloc	6041	4	10/21/2022	301	2520.9	0.000603	0.072	0.000182
KY	H L Spurloc	6041	4	10/21/2022	301	2501.6	0.000603	0.0726	0.000182
KY	H L Spurloc	6041	4	10/21/2022	302	2501.1	0.000601	0.0726	0.000182
KY	H L Spurloc	6041	4	10/21/2022	302	2521.9	0.000606	0.0726	0.000183
KY	H L Spurloc	6041	4	10/21/2022	302	2512.7	0.00061	0.0733	0.000184
KY	H L Spurloc	6041	4	10/21/2022	302	2565	0.000612	0.072	0.000185
KY	H L Spurloc	6041	4	10/21/2022	302	2647.2	0.000621	0.0708	0.000187
KY	H L Spurloc	6041	4	10/21/2022	283	2361.7	0.000628	0.0752	0.000178
KY	H L Spurloc	6041	4	10/21/2022	187	1788.7	0.000775	0.081	0.000145
KY	H L Spurloc	6041	4	10/21/2022	171	1578	0.00081	0.0878	0.000139
KY	H L Spurloc	6041	4	10/22/2022	132	1028.444	0.001026	0.108	0.000111
KY	H L Spurloc	6041	4	11/19/2022	0	6.084			
KY	H L Spurloc	6041	4	11/19/2022	0	34.7			
KY	H L Spurloc	6041	4	11/19/2022	0	46.2		0.0145	6.70E-07
KY	H L Spurloc	6041	4	11/19/2022	0	68.7		0.0145	9.96E-07
KY	H L Spurloc	6041	4	11/19/2022	0	103.4		0.0145	1.5E-06
KY	H L Spurloc	6041	4	11/19/2022	0	107.5		0.0145	1.56E-06
KY	H L Spurloc	6041	4	11/19/2022	0	133.6		0.0145	1.94E-06
KY	H L Spurloc	6041	4	11/19/2022	0	145.3		0.0145	2.11E-06
KY	H L Spurloc	6041	4	11/19/2022	0	169.2		0.0145	2.45E-06
KY	H L Spurloc	6041	4	11/20/2022	0	170.1		0.0145	2.47E-06
KY	H L Spurloc	6041	4	11/20/2022	0	157.2		0.0145	2.28E-06
KY	H L Spurloc	6041	4	11/20/2022	0	144.2		0.0145	2.09E-06

KY	H L Spurloc	6041	4	11/20/2022	0	144.9		0.0145	2.1E-06
KY	H L Spurloc	6041	4	11/20/2022	0	157.5		0.0145	2.28E-06
KY	H L Spurloc	6041	4	11/20/2022	0	172.3		0.0145	2.5E-06
KY	H L Spurloc	6041	4	11/20/2022	0	174.1		0.0145	2.52E-06
KY	H L Spurloc	6041	4	11/20/2022	0	158.4		0.0145	2.3E-06
KY	H L Spurloc	6041	4	11/20/2022	0	180.2		0.0145	2.61E-06
KY	H L Spurloc	6041	4	11/20/2022	12	241.5	0.000729	0.0362	8.74E-06
KY	H L Spurloc	6041	4	11/20/2022	3	82.62	0.002932	0.0724	5.98E-06
KY	H L Spurloc	6041	4	11/20/2022	0	182.3		0.0145	2.64E-06
KY	H L Spurloc	6041	4	11/20/2022	0	217.1		0.0145	3.15E-06
KY	H L Spurloc	6041	4	11/20/2022	0	203.4		0.0145	2.95E-06
KY	H L Spurloc	6041	4	11/20/2022	0	202.2		0.0145	2.93E-06
KY	H L Spurloc	6041	4	11/20/2022	0	189.9		0.0145	2.75E-06
KY	H L Spurloc	6041	4	11/20/2022	0	190.3		0.0145	2.76E-06
KY	H L Spurloc	6041	4	11/20/2022	0	193.1		0.0145	2.8E-06
KY	H L Spurloc	6041	4	11/20/2022	0	194		0.0145	2.81E-06
KY	H L Spurloc	6041	4	11/20/2022	31	349.1	0.000292	0.0259	9.04E-06
KY	H L Spurloc	6041	4	11/20/2022	41	404.6	0.000223	0.0226	9.14E-06
KY	H L Spurloc	6041	4	11/20/2022	50	428.1	0.000182	0.0213	9.12E-06
KY	H L Spurloc	6041	4	11/20/2022	57	517.3	0.000161	0.0177	9.16E-06
KY	H L Spurloc	6041	4	11/20/2022	61	630.2	0.000153	0.0148	9.33E-06
KY	H L Spurloc	6041	4	11/21/2022	61	473.93	0.000161	0.0172	8.15E-06
KY	H L Spurloc	6041	4	11/21/2022	18	128.1	0.000508	0.025	3.2E-06
KY	H L Spurloc	6041	4	11/21/2022	0	133.365		0.0145	1.93E-06
KY	H L Spurloc	6041	4	11/21/2022	14	311.1	0.000644	0.029	9.02E-06
KY	H L Spurloc	6041	4	11/21/2022	40	344.5	0.000223	0.0259	8.92E-06
KY	H L Spurloc	6041	4	11/21/2022	53	531	0.000165	0.0165	8.76E-06
KY	H L Spurloc	6041	4	11/21/2022	83	870.2	0.000125	0.0119	1.04E-05
KY	H L Spurloc	6041	4	11/21/2022	66	852.159	0.000165	0.0119	1.01E-05
KY	H L Spurloc	6041	4	11/21/2022	66	1008.8			
KY	H L Spurloc	6041	4	11/21/2022	72	1003.6			
KY	H L Spurloc	6041	4	11/21/2022	85	1094.2	0.000128	0.00992	1.09E-05
KY	H L Spurloc	6041	4	11/21/2022	119	1469.1	9.12E-05	0.00739	1.09E-05
KY	H L Spurloc	6041	4	11/21/2022	142	1602.5	7.49E-05	0.00664	1.06E-05
KY	H L Spurloc	6041	4	11/21/2022	152	1579.9	6.97E-05	0.00671	1.06E-05
KY	H L Spurloc	6041	4	11/21/2022	155	1578.8	6.83E-05	0.00671	1.06E-05
KY	H L Spurloc	6041	4	11/21/2022	174	1759.6	6.21E-05	0.00614	1.08E-05
KY	H L Spurloc	6041	4	11/21/2022	186	1835	5.96E-05	0.00604	1.11E-05
KY	H L Spurloc	6041	4	11/21/2022	195	1859.2	5.71E-05	0.00599	1.11E-05
KY	H L Spurloc	6041	4	11/21/2022	195	1877.7	5.67E-05	0.00589	1.11E-05
KY	H L Spurloc	6041	4	11/21/2022	195	1836.6	5.74E-05	0.00609	1.12E-05
KY	H L Spurloc	6041	4	11/21/2022	195	1814.9	5.76E-05	0.00619	1.12E-05
KY	H L Spurloc	6041	4	11/21/2022	195	1816.9	5.72E-05	0.00614	1.12E-05
KY	H L Spurloc	6041	4	11/21/2022	201	1854.7	5.62E-05	0.00609	1.13E-05
KY	H L Spurloc	6041	4	11/21/2022	244	2120.8	5.25E-05	0.00604	1.28E-05
KY	H L Spurloc	6041	4	11/22/2022	272	2276	5.05E-05	0.00604	1.37E-05
KY	H L Spurloc	6041	4	11/22/2022	281	2325	5.04E-05	0.00609	1.42E-05
KY	H L Spurloc	6041	4	11/22/2022	293	2410.8	5.13E-05	0.00624	1.5E-05

KY	H L Spurloc	6041	4	11/22/2022	295	2455.2	4.94E-05	0.00594	1.46E-05
KY	H L Spurloc	6041	4	11/22/2022	295	2444.5	4.92E-05	0.00594	1.45E-05
KY	H L Spurloc	6041	4	11/22/2022	295	2495.8	4.94E-05	0.00584	1.46E-05
KY	H L Spurloc	6041	4	11/22/2022	295	2453.3	4.94E-05	0.00594	1.46E-05
KY	H L Spurloc	6041	4	11/22/2022	295	2424	4.92E-05	0.00599	1.45E-05
KY	H L Spurloc	6041	4	11/22/2022	295	2425.2	4.92E-05	0.00599	1.45E-05
KY	H L Spurloc	6041	4	11/22/2022	287	2340.3	4.97E-05	0.00609	1.43E-05
KY	H L Spurloc	6041	4	11/22/2022	245	1996.8	5.22E-05	0.00641	1.28E-05
KY	H L Spurloc	6041	4	11/22/2022	212	1745.3	5.52E-05	0.00671	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1724.2	5.56E-05	0.00677	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1730.6	5.58E-05	0.00677	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1736.4	5.6E-05	0.00677	1.18E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1717.5	5.59E-05	0.00683	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	227	1871.9	5.48E-05	0.00664	1.24E-05
KY	H L Spurloc	6041	4	11/22/2022	288	2349.1	5.01E-05	0.00614	1.44E-05
KY	H L Spurloc	6041	4	11/22/2022	286	2301.8	4.94E-05	0.00614	1.41E-05
KY	H L Spurloc	6041	4	11/22/2022	234	1857.2	5.22E-05	0.00658	1.22E-05
KY	H L Spurloc	6041	4	11/22/2022	211	1724.5	5.53E-05	0.00677	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1714.4	5.53E-05	0.00677	1.16E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1729.2	5.57E-05	0.00677	1.17E-05
KY	H L Spurloc	6041	4	11/22/2022	210	1718.2	5.59E-05	0.00683	1.17E-05
KY	H L Spurloc	6041	4	11/23/2022	210	1725.9	5.61E-05	0.00683	1.18E-05
KY	H L Spurloc	6041	4	11/23/2022	210	1728	5.62E-05	0.00683	1.18E-05
KY	H L Spurloc	6041	4	11/23/2022	210	1723.3	5.6E-05	0.00683	1.18E-05
KY	H L Spurloc	6041	4	11/23/2022	211	1727.4	5.59E-05	0.00683	1.18E-05
KY	H L Spurloc	6041	4	11/23/2022	225	1837.7	5.42E-05	0.00664	1.22E-05
KY	H L Spurloc	6041	4	11/23/2022	236	1975.7	5.42E-05	0.00647	1.28E-05
KY	H L Spurloc	6041	4	11/23/2022	230	1904	5.45E-05	0.00658	1.25E-05
KY	H L Spurloc	6041	4	11/23/2022	280	2285.7	5.05E-05	0.00619	1.41E-05
KY	H L Spurloc	6041	4	11/23/2022	283	2333.7	4.98E-05	0.00604	1.41E-05
KY	H L Spurloc	6041	4	11/23/2022	289	2409.3	4.91E-05	0.00589	1.42E-05
KY	H L Spurloc	6041	4	11/23/2022	277	2294.6	4.96E-05	0.00599	1.37E-05
KY	H L Spurloc	6041	4	11/23/2022	276	2292.9	4.98E-05	0.00599	1.37E-05
KY	H L Spurloc	6041	4	11/23/2022	243	2029.7	5.21E-05	0.00624	1.27E-05
KY	H L Spurloc	6041	4	11/23/2022	215	1792.3	5.44E-05	0.00653	1.17E-05
KY	H L Spurloc	6041	4	11/23/2022	210	1765.3	5.53E-05	0.00658	1.16E-05
KY	H L Spurloc	6041	4	11/23/2022	210	1769.5	5.54E-05	0.00658	1.16E-05
KY	H L Spurloc	6041	4	11/23/2022	220	1859.7	5.52E-05	0.00653	1.21E-05
KY	H L Spurloc	6041	4	11/23/2022	230	1918.6	5.45E-05	0.00653	1.25E-05
KY	H L Spurloc	6041	4	11/23/2022	217	1795.7	5.49E-05	0.00664	1.19E-05
KY	H L Spurloc	6041	4	11/23/2022	237	1980.9	5.5E-05	0.00658	1.3E-05
KY	H L Spurloc	6041	4	11/23/2022	216	1755.7	5.66E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/23/2022	162	1341.5	6.9E-05	0.00833	1.12E-05
KY	H L Spurloc	6041	4	11/23/2022	160	1371.7	6.98E-05	0.00814	1.12E-05
KY	H L Spurloc	6041	4	11/23/2022	160	1386	6.97E-05	0.00805	1.12E-05
KY	H L Spurloc	6041	4	11/24/2022	160	1383.9	6.96E-05	0.00805	1.11E-05
KY	H L Spurloc	6041	4	11/24/2022	162	1414.9	6.8E-05	0.00779	1.1E-05
KY	H L Spurloc	6041	4	11/24/2022	206	1821.5	5.77E-05	0.00653	1.19E-05

KY	H L Spurloc	6041	4	11/24/2022	210	1756.3	5.66E-05	0.00677	1.19E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1747	5.68E-05	0.00683	1.19E-05
KY	H L Spurloc	6041	4	11/24/2022	211	1771.9	5.74E-05	0.00683	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	215	1784.8	5.73E-05	0.0069	1.23E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1774.9	5.83E-05	0.0069	1.22E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1748.2	5.79E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1736.5	5.76E-05	0.00696	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	227	1874.3	5.59E-05	0.00677	1.27E-05
KY	H L Spurloc	6041	4	11/24/2022	240	1981.3	5.48E-05	0.00664	1.32E-05
KY	H L Spurloc	6041	4	11/24/2022	215	1760.2	5.65E-05	0.0069	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1729.3	5.68E-05	0.0069	1.19E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1720.4	5.7E-05	0.00696	1.2E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1732.5	5.74E-05	0.00696	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1745.2	5.78E-05	0.00696	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1744.3	5.78E-05	0.00696	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1734.6	5.75E-05	0.00696	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1724.4	5.77E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1735.1	5.81E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1731.9	5.8E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1726.1	5.78E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/24/2022	210	1732.4	5.8E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1723.7	5.83E-05	0.0071	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1719.8	5.76E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1728.6	5.79E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1740.7	5.83E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1733.9	5.86E-05	0.0071	1.23E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1749	5.86E-05	0.00703	1.23E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1758.1	5.83E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1737.2	5.82E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1739.5	5.82E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1752.7	5.81E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1749.3	5.8E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	205	1696.7	5.88E-05	0.0071	1.2E-05
KY	H L Spurloc	6041	4	11/25/2022	207	1726.1	5.86E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1727	5.84E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1713.1	5.85E-05	0.0071	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1693.5	5.84E-05	0.00717	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1704.4	5.82E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	210	1732.3	5.8E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1703	5.81E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1690.3	5.83E-05	0.00717	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1727.8	5.9E-05	0.0071	1.23E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1723.2	5.88E-05	0.0071	1.22E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1706.1	5.82E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/25/2022	208	1692.1	5.83E-05	0.00717	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1694.8	5.79E-05	0.0071	1.2E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1700.2	5.8E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1706.2	5.82E-05	0.0071	1.21E-05

KY	H L Spurloc	6041	4	11/26/2022	208	1688.5	5.82E-05	0.00717	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1702.9	5.87E-05	0.00717	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1714.3	5.79E-05	0.00703	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1701.7	5.81E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1710.9	5.84E-05	0.0071	1.21E-05
KY	H L Spurloc	6041	4	11/26/2022	211	1742.1	5.8E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1735.1	5.86E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1704.3	5.87E-05	0.00717	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1703.7	5.93E-05	0.00724	1.23E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1723.1	5.94E-05	0.00717	1.24E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1717.6	5.92E-05	0.00717	1.23E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1727.3	5.9E-05	0.0071	1.23E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1706.1	5.88E-05	0.00717	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	216	1792.3	5.83E-05	0.00703	1.26E-05
KY	H L Spurloc	6041	4	11/26/2022	215	1760.8	5.76E-05	0.00703	1.24E-05
KY	H L Spurloc	6041	4	11/26/2022	215	1785.9	5.78E-05	0.00696	1.24E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1729	5.84E-05	0.00703	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1672	5.88E-05	0.00732	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1653	5.87E-05	0.00739	1.22E-05
KY	H L Spurloc	6041	4	11/26/2022	225	1807.5	5.7E-05	0.0071	1.28E-05
KY	H L Spurloc	6041	4	11/26/2022	208	1670.6	5.81E-05	0.00724	1.21E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1659.9	5.84E-05	0.00732	1.22E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1662.3	5.79E-05	0.00724	1.2E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1648.4	5.74E-05	0.00724	1.19E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1660.5	5.78E-05	0.00724	1.2E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1659.3	5.84E-05	0.00732	1.21E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1673.5	5.89E-05	0.00732	1.23E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1671.2	5.94E-05	0.00739	1.24E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1693.2	6.02E-05	0.00739	1.25E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1686.8	5.99E-05	0.00739	1.25E-05
KY	H L Spurloc	6041	4	11/27/2022	227	1850	5.73E-05	0.00703	1.3E-05
KY	H L Spurloc	6041	4	11/27/2022	209	1670.8	5.85E-05	0.00732	1.22E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1672.6	5.89E-05	0.00732	1.22E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1671.8	5.88E-05	0.00732	1.22E-05
KY	H L Spurloc	6041	4	11/27/2022	208	1665.1	5.92E-05	0.00739	1.23E-05
KY	H L Spurloc	6041	4	11/27/2022	209	1743.4			
KY	H L Spurloc	6041	4	11/27/2022	208	1810.4	5.94E-05	0.00683	1.24E-05
KY	H L Spurloc	6041	4	11/27/2022	210	1801.6	5.86E-05	0.00683	1.23E-05
KY	H L Spurloc	6041	4	11/27/2022	228	1946.5	5.67E-05	0.00664	1.29E-05
KY	H L Spurloc	6041	4	11/27/2022	283	2448.2	5.27E-05	0.00609	1.49E-05
KY	H L Spurloc	6041	4	11/27/2022	283	2351.7	5.14E-05	0.00619	1.46E-05
KY	H L Spurloc	6041	4	11/27/2022	267	2231.8	5.27E-05	0.0063	1.41E-05
KY	H L Spurloc	6041	4	11/27/2022	244	2043.1	5.42E-05	0.00647	1.32E-05
KY	H L Spurloc	6041	4	11/27/2022	236	2010.5	5.56E-05	0.00653	1.31E-05
KY	H L Spurloc	6041	4	11/27/2022	214	1761.2	5.73E-05	0.00696	1.23E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1753	5.82E-05	0.0069	1.21E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1754.9	5.87E-05	0.00696	1.22E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1759.4	5.89E-05	0.00696	1.22E-05



KY	H L Spurloc	6041	4	11/28/2022	208	1796.4	5.85E-05	0.00677	1.22E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1767.2	5.86E-05	0.0069	1.22E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1768.3	5.92E-05	0.00696	1.23E-05
KY	H L Spurloc	6041	4	11/28/2022	208	1785.9	5.92E-05	0.0069	1.23E-05
KY	H L Spurloc	6041	4	11/28/2022	212	1838.8	5.82E-05	0.00671	1.23E-05
KY	H L Spurloc	6041	4	11/28/2022	210	1785.6	4.04E-05	0.00475	8.48E-06
KY	H L Spurloc	6041	4	11/28/2022	227	1930.5	3.93E-05	0.00462	8.92E-06
KY	H L Spurloc	6041	4	11/28/2022	227	1920.5	3.87E-05	0.00458	8.8E-06
KY	H L Spurloc	6041	4	11/28/2022	232	1989.9	3.86E-05	0.0045	8.95E-06
KY	H L Spurloc	6041	4	11/28/2022	246	2067.1	3.75E-05	0.00446	9.22E-06
KY	H L Spurloc	6041	4	11/28/2022	214	1807.5	3.94E-05	0.00466	8.42E-06
KY	H L Spurloc	6041	4	11/28/2022	208	1771.1	4.01E-05	0.00471	8.34E-06
KY	H L Spurloc	6041	4	11/28/2022	209	1752.6	4.03E-05	0.0048	8.41E-06
KY	H L Spurloc	6041	4	11/28/2022	237	2024.6	3.88E-05	0.00454	9.19E-06
KY	H L Spurloc	6041	4	11/28/2022	283	2418.9	3.59E-05	0.0042	1.02E-05
KY	H L Spurloc	6041	4	11/28/2022	246	2031.6	3.68E-05	0.00446	9.06E-06
KY	H L Spurloc	6041	4	11/28/2022	229	1890.1	3.81E-05	0.00462	8.73E-06
KY	H L Spurloc	6041	4	11/28/2022	208	1742.1	4.02E-05	0.0048	8.36E-06
KY	H L Spurloc	6041	4	11/28/2022	216	1817.6	3.96E-05	0.00471	8.56E-06
KY	H L Spurloc	6041	4	11/28/2022	215	1827.3	3.96E-05	0.00466	8.52E-06
KY	H L Spurloc	6041	4	11/28/2022	242	2042.3	3.83E-05	0.00454	9.27E-06
KY	H L Spurloc	6041	4	11/29/2022	279	2406.4	3.65E-05	0.00423	1.02E-05
KY	H L Spurloc	6041	4	11/29/2022	297	2469.3	3.55E-05	0.00427	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2533.3	3.6E-05	0.00423	1.07E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2562.6	3.52E-05	0.00409	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2542.1	3.49E-05	0.00409	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2540.2	3.49E-05	0.00409	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2508.7	3.48E-05	0.00413	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2442.1	3.44E-05	0.0042	1.03E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2458.1	3.46E-05	0.0042	1.03E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2477.7	3.49E-05	0.0042	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2523.2	3.52E-05	0.00416	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2515.5	3.51E-05	0.00416	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2474.9	3.49E-05	0.0042	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2498	3.49E-05	0.00416	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2491.5	3.48E-05	0.00416	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2460.8	3.47E-05	0.0042	1.03E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2507.3	3.5E-05	0.00416	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	299	2537.6	3.53E-05	0.00416	1.06E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2500.7	3.52E-05	0.0042	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2485.2	3.5E-05	0.0042	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	299	2528.8	3.52E-05	0.00416	1.05E-05
KY	H L Spurloc	6041	4	11/29/2022	299	2454.6	3.47E-05	0.00423	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2438.6	3.49E-05	0.00427	1.04E-05
KY	H L Spurloc	6041	4	11/29/2022	298	2523.3	3.52E-05	0.00416	1.05E-05
KY	H L Spurloc	6041	4	11/30/2022	247	1976.6	3.67E-05	0.00458	9.05E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1744.1	4.02E-05	0.0048	8.37E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1762.7	4.07E-05	0.0048	8.46E-06

KY	H L Spurloc	6041	4	11/30/2022	208	1762.7	4.07E-05	0.0048	8.46E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1729.9	4.03E-05	0.00484	8.37E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1719.7	4.04E-05	0.00489	8.41E-06
KY	H L Spurloc	6041	4	11/30/2022	211	1785.8	4.1E-05	0.00484	8.64E-06
KY	H L Spurloc	6041	4	11/30/2022	227	1923	3.99E-05	0.00471	9.06E-06
KY	H L Spurloc	6041	4	11/30/2022	233	1970.2	3.94E-05	0.00466	9.18E-06
KY	H L Spurloc	6041	4	11/30/2022	249	2146.7	3.88E-05	0.0045	9.66E-06
KY	H L Spurloc	6041	4	11/30/2022	296	2562.7	3.64E-05	0.0042	1.08E-05
KY	H L Spurloc	6041	4	11/30/2022	279	2332.1	3.54E-05	0.00423	9.86E-06
KY	H L Spurloc	6041	4	11/30/2022	257	2197.3	3.65E-05	0.00427	9.38E-06
KY	H L Spurloc	6041	4	11/30/2022	259	2160.4	3.59E-05	0.0043	9.29E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1736.8	3.97E-05	0.00475	8.25E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1712.4	3.98E-05	0.00484	8.29E-06
KY	H L Spurloc	6041	4	11/30/2022	209	1747	4.05E-05	0.00484	8.46E-06
KY	H L Spurloc	6041	4	11/30/2022	260	2244.2	3.82E-05	0.00442	9.92E-06
KY	H L Spurloc	6041	4	11/30/2022	298	2488.4	3.57E-05	0.00427	1.06E-05
KY	H L Spurloc	6041	4	11/30/2022	296	2455.7	3.51E-05	0.00423	1.04E-05
KY	H L Spurloc	6041	4	11/30/2022	281	2285.4	3.5E-05	0.0043	9.83E-06
KY	H L Spurloc	6041	4	11/30/2022	245	2047	3.73E-05	0.00446	9.13E-06
KY	H L Spurloc	6041	4	11/30/2022	237	1934.3	3.74E-05	0.00458	8.86E-06
KY	H L Spurloc	6041	4	11/30/2022	208	1747.1	3.99E-05	0.00475	8.3E-06
KY	H L Spurloc	6041	4	12/1/2022	217	1835.6	3.98E-05	0.00471	8.65E-06
KY	H L Spurloc	6041	4	12/1/2022	234	1962.3	3.84E-05	0.00458	8.99E-06
KY	H L Spurloc	6041	4	12/1/2022	228	1959.4	3.9E-05	0.00454	8.9E-06
KY	H L Spurloc	6041	4	12/1/2022	219	1807.5	3.92E-05	0.00475	8.59E-06
KY	H L Spurloc	6041	4	12/1/2022	247	2102.3	3.76E-05	0.00442	9.29E-06
KY	H L Spurloc	6041	4	12/1/2022	215	1795.3	3.93E-05	0.00471	8.46E-06
KY	H L Spurloc	6041	4	12/1/2022	279	2401.8	3.58E-05	0.00416	9.99E-06
KY	H L Spurloc	6041	4	12/1/2022	297	2456.6	3.47E-05	0.0042	1.03E-05
KY	H L Spurloc	6041	4	12/1/2022	297	2456.3	3.47E-05	0.0042	1.03E-05
KY	H L Spurloc	6041	4	12/1/2022	271	2233.2	3.54E-05	0.0043	9.6E-06
KY	H L Spurloc	6041	4	12/1/2022	260	2156.2	3.6E-05	0.00434	9.36E-06
KY	H L Spurloc	6041	4	12/1/2022	245	2057.6	3.71E-05	0.00442	9.09E-06
KY	H L Spurloc	6041	4	12/1/2022	235	1939.8	3.75E-05	0.00454	8.81E-06
KY	H L Spurloc	6041	4	12/1/2022	209	1755.4	3.99E-05	0.00475	8.34E-06
KY	H L Spurloc	6041	4	12/1/2022	208	1760	3.99E-05	0.00471	8.29E-06
KY	H L Spurloc	6041	4	12/1/2022	208	1755.4	3.93E-05	0.00466	8.18E-06
KY	H L Spurloc	6041	4	12/1/2022	229	1956.7	3.85E-05	0.0045	8.81E-06
KY	H L Spurloc	6041	4	12/1/2022	296	2496.8	3.48E-05	0.00413	1.03E-05
KY	H L Spurloc	6041	4	12/1/2022	300	2474.4	3.41E-05	0.00413	1.02E-05
KY	H L Spurloc	6041	4	12/1/2022	296	2454	3.39E-05	0.00409	1E-05
KY	H L Spurloc	6041	4	12/1/2022	300	2476.5	3.38E-05	0.00409	1.01E-05
KY	H L Spurloc	6041	4	12/1/2022	297	2446.1	3.37E-05	0.00409	1E-05
KY	H L Spurloc	6041	4	12/1/2022	288	2363.8	3.39E-05	0.00413	9.76E-06
KY	H L Spurloc	6041	4	12/1/2022	280	2305.3	3.43E-05	0.00416	9.59E-06
KY	H L Spurloc	6041	4	12/2/2022	253	2079.6	3.57E-05	0.00434	9.03E-06
KY	H L Spurloc	6041	4	12/2/2022	249	2064.7	3.6E-05	0.00434	8.96E-06
KY	H L Spurloc	6041	4	12/2/2022	266	2175.9	3.49E-05	0.00427	9.29E-06

KY	H L Spurloc	6041	4	12/2/2022	263	2158.4	3.5E-05	0.00427	9.22E-06
KY	H L Spurloc	6041	4	12/2/2022	270	2190.4	3.43E-05	0.00423	9.27E-06
KY	H L Spurloc	6041	4	12/2/2022	230	1829.3	3.67E-05	0.00462	8.45E-06
KY	H L Spurloc	6041	4	12/2/2022	241	2009	3.68E-05	0.00442	8.88E-06
KY	H L Spurloc	6041	4	12/2/2022	299	2473.3	3.42E-05	0.00413	1.02E-05
KY	H L Spurloc	6041	4	12/2/2022	295	2400.2	3.38E-05	0.00416	9.98E-06
KY	H L Spurloc	6041	4	12/2/2022	234	1875.3	3.67E-05	0.00458	8.59E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1731.1	3.88E-05	0.00466	8.07E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1716.8	3.92E-05	0.00475	8.15E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1728.7	3.91E-05	0.00471	8.14E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1722.6	3.93E-05	0.00475	8.18E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1722.8	3.93E-05	0.00475	8.18E-06
KY	H L Spurloc	6041	4	12/2/2022	210	1742.6	3.94E-05	0.00475	8.28E-06
KY	H L Spurloc	6041	4	12/2/2022	209	1748.7	3.97E-05	0.00475	8.31E-06
KY	H L Spurloc	6041	4	12/2/2022	215	1776.2	3.92E-05	0.00475	8.44E-06
KY	H L Spurloc	6041	4	12/2/2022	209	1724.7	3.96E-05	0.0048	8.28E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1721.2	3.97E-05	0.0048	8.26E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1730.3	3.99E-05	0.0048	8.31E-06
KY	H L Spurloc	6041	4	12/2/2022	210	1748	4E-05	0.0048	8.39E-06
KY	H L Spurloc	6041	4	12/2/2022	209	1742.2	3.96E-05	0.00475	8.28E-06
KY	H L Spurloc	6041	4	12/2/2022	208	1734.8	4.04E-05	0.00484	8.4E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1774.8	4.13E-05	0.00484	8.59E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1774.7	4.1E-05	0.0048	8.52E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1749.1	4.04E-05	0.0048	8.4E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1762.8	4.03E-05	0.00475	8.37E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1744.2	4.03E-05	0.0048	8.37E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1753.4			
KY	H L Spurloc	6041	4	12/3/2022	208	1754.3	4.05E-05	0.0048	8.42E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1773.8	4.05E-05	0.00475	8.43E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1773.2	4.05E-05	0.00475	8.42E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1804.2	4.05E-05	0.00471	8.5E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1794.5	4.06E-05	0.00471	8.45E-06
KY	H L Spurloc	6041	4	12/3/2022	208	1758.8	4.02E-05	0.00475	8.35E-06
KY	H L Spurloc	6041	4	12/3/2022	200	1729.2	4.07E-05	0.00471	8.14E-06
KY	H L Spurloc	6041	4	12/3/2022	204	1762.7	4.07E-05	0.00471	8.3E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1778.4	4.06E-05	0.0048	8.54E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1785.8	4.01E-05	0.00471	8.41E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1808.9	3.98E-05	0.00462	8.36E-06
KY	H L Spurloc	6041	4	12/3/2022	211	1772.3	3.96E-05	0.00471	8.35E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1783.6	3.96E-05	0.00466	8.31E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1790.3	3.97E-05	0.00466	8.34E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1781.3	4E-05	0.00471	8.39E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1790.5	4.02E-05	0.00471	8.43E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1795.6	4.03E-05	0.00471	8.46E-06
KY	H L Spurloc	6041	4	12/3/2022	210	1794.6	4.03E-05	0.00471	8.45E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1796.3	4.03E-05	0.00471	8.46E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1800.2	3.99E-05	0.00466	8.39E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1796.9	3.99E-05	0.00466	8.37E-06

KY	H L Spurloc	6041	4	12/4/2022	211	1784	3.98E-05	0.00471	8.4E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1788.2	3.97E-05	0.00466	8.33E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1788.5	3.97E-05	0.00466	8.33E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1782.9	3.96E-05	0.00466	8.31E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1784.7	3.96E-05	0.00466	8.32E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1766.8	4E-05	0.00475	8.39E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1786	4.04E-05	0.00475	8.48E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1797.7	4.03E-05	0.00471	8.47E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1814	4.03E-05	0.00466	8.45E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1805.1	4.01E-05	0.00466	8.41E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1793.7	3.98E-05	0.00466	8.36E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1786.9	3.97E-05	0.00466	8.33E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1769.5	3.97E-05	0.00471	8.33E-06
KY	H L Spurloc	6041	4	12/4/2022	215	1833.8	3.97E-05	0.00466	8.55E-06
KY	H L Spurloc	6041	4	12/4/2022	239	2071.2	3.83E-05	0.00442	9.15E-06
KY	H L Spurloc	6041	4	12/4/2022	284	2383.4	3.52E-05	0.0042	1E-05
KY	H L Spurloc	6041	4	12/4/2022	280	2307	3.52E-05	0.00427	9.85E-06
KY	H L Spurloc	6041	4	12/4/2022	219	1785.3	3.84E-05	0.00471	8.41E-06
KY	H L Spurloc	6041	4	12/4/2022	213	1789.2	3.96E-05	0.00471	8.43E-06
KY	H L Spurloc	6041	4	12/4/2022	211	1777.6	3.97E-05	0.00471	8.37E-06
KY	H L Spurloc	6041	4	12/4/2022	210	1756.7	3.97E-05	0.00475	8.34E-06
KY	H L Spurloc	6041	4	12/5/2022	210	1774.5	3.98E-05	0.00471	8.36E-06
KY	H L Spurloc	6041	4	12/5/2022	211	1782.9	3.98E-05	0.00471	8.4E-06
KY	H L Spurloc	6041	4	12/5/2022	211	1766	3.98E-05	0.00475	8.39E-06
KY	H L Spurloc	6041	4	12/5/2022	214	1806.6	3.98E-05	0.00471	8.51E-06
KY	H L Spurloc	6041	4	12/5/2022	227	1882.4	3.83E-05	0.00462	8.7E-06
KY	H L Spurloc	6041	4	12/5/2022	243	2101.1	3.75E-05	0.00434	9.12E-06
KY	H L Spurloc	6041	4	12/5/2022	250	2085.6	3.69E-05	0.00442	9.22E-06
KY	H L Spurloc	6041	4	12/5/2022	285	2397.1	3.56E-05	0.00423	1.01E-05
KY	H L Spurloc	6041	4	12/5/2022	295	2404.7	3.42E-05	0.0042	1.01E-05
KY	H L Spurloc	6041	4	12/5/2022	292	2387.8	3.43E-05	0.0042	1E-05
KY	H L Spurloc	6041	4	12/5/2022	273	2224.7	3.48E-05	0.00427	9.5E-06
KY	H L Spurloc	6041	4	12/5/2022	281	2330.9	6.59E-05	0.00794	1.85E-05
KY	H L Spurloc	6041	4	12/5/2022	260	2091.8	6.78E-05	0.00843	1.76E-05
KY	H L Spurloc	6041	4	12/5/2022	258	2096	6.78E-05	0.00835	1.75E-05
KY	H L Spurloc	6041	4	12/5/2022	214	1766	7.41E-05	0.00898	1.59E-05
KY	H L Spurloc	6041	4	12/5/2022	262	2204.9	6.97E-05	0.00828	1.83E-05
KY	H L Spurloc	6041	4	12/5/2022	236	1956.3	7.11E-05	0.00858	1.68E-05
KY	H L Spurloc	6041	4	12/5/2022	254	2143.3	7.05E-05	0.00835	1.79E-05
KY	H L Spurloc	6041	4	12/5/2022	285	2350	6.71E-05	0.00814	1.91E-05
KY	H L Spurloc	6041	4	12/5/2022	297	2519	6.73E-05	0.00794	2E-05
KY	H L Spurloc	6041	4	12/5/2022	299	2530.3	6.67E-05	0.00788	1.99E-05
KY	H L Spurloc	6041	4	12/5/2022	279	2275.4	6.64E-05	0.00814	1.85E-05
KY	H L Spurloc	6041	4	12/5/2022	237	1907.3	7.09E-05	0.00881	1.68E-05
KY	H L Spurloc	6041	4	12/5/2022	213	1792.7	7.56E-05	0.00898	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	214	1799.4	7.62E-05	0.00906	1.63E-05
KY	H L Spurloc	6041	4	12/6/2022	211	1782.5	7.65E-05	0.00906	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	210	1768.6	7.63E-05	0.00906	1.6E-05

KY	H L Spurloc	6041	4	12/6/2022	210	1753.2	7.64E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/6/2022	210	1766.8	7.62E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/6/2022	211	1775.6	7.62E-05	0.00906	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	239	2031.8	7.29E-05	0.00858	1.74E-05
KY	H L Spurloc	6041	4	12/6/2022	216	1792.6	7.45E-05	0.00898	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	210	1766.2	7.55E-05	0.00898	1.59E-05
KY	H L Spurloc	6041	4	12/6/2022	213	1785.9	7.53E-05	0.00898	1.6E-05
KY	H L Spurloc	6041	4	12/6/2022	211	1767.7	7.52E-05	0.00898	1.59E-05
KY	H L Spurloc	6041	4	12/6/2022	214	1804.3	7.5E-05	0.0089	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	216	1809.9	7.46E-05	0.0089	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	215	1823.2	7.47E-05	0.00881	1.61E-05
KY	H L Spurloc	6041	4	12/6/2022	210	1781.8	7.48E-05	0.00881	1.57E-05
KY	H L Spurloc	6041	4	12/6/2022	223	1888.7	7.33E-05	0.00866	1.64E-05
KY	H L Spurloc	6041	4	12/6/2022	213	1817.3	7.45E-05	0.00873	1.59E-05
KY	H L Spurloc	6041	4	12/6/2022	233	1943.1	7.22E-05	0.00866	1.68E-05
KY	H L Spurloc	6041	4	12/6/2022	216	1818.1	7.42E-05	0.00881	1.6E-05
KY	H L Spurloc	6041	4	12/6/2022	256	2127.2	7E-05	0.00843	1.79E-05
KY	H L Spurloc	6041	4	12/6/2022	244	1973.6	7.13E-05	0.00881	1.74E-05
KY	H L Spurloc	6041	4	12/6/2022	219	1816.8	7.52E-05	0.00906	1.65E-05
KY	H L Spurloc	6041	4	12/6/2022	212	1760.5	7.52E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/6/2022	210	1738.9	7.65E-05	0.00924	1.61E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1734.7	7.63E-05	0.00924	1.6E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1734.8	7.63E-05	0.00924	1.6E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1740.9	7.59E-05	0.00915	1.59E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1744.6	7.6E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1743.7	7.67E-05	0.00924	1.61E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1749.5	7.7E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1742.4	7.74E-05	0.00933	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	218	1849.6	7.69E-05	0.00906	1.68E-05
KY	H L Spurloc	6041	4	12/7/2022	222	1883.3	7.62E-05	0.00898	1.69E-05
KY	H L Spurloc	6041	4	12/7/2022	213	1777.2	7.63E-05	0.00915	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	213	1785.9	7.67E-05	0.00915	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	211	1759.2	7.7E-05	0.00924	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	208	1749.9	7.77E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	209	1762	7.79E-05	0.00924	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	209	1757.1	7.77E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	212	1779.8	7.76E-05	0.00924	1.64E-05
KY	H L Spurloc	6041	4	12/7/2022	222	1870.5	7.63E-05	0.00906	1.69E-05
KY	H L Spurloc	6041	4	12/7/2022	214	1806.8	7.73E-05	0.00915	1.65E-05
KY	H L Spurloc	6041	4	12/7/2022	215	1819	7.67E-05	0.00906	1.65E-05
KY	H L Spurloc	6041	4	12/7/2022	209	1785.6	7.74E-05	0.00906	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1768.6	7.71E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	210	1777.9	7.75E-05	0.00915	1.63E-05
KY	H L Spurloc	6041	4	12/7/2022	208	1769.1	7.78E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/7/2022	208	1771.8	7.79E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	208	1769.5	7.78E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	209	1777.8	7.78E-05	0.00915	1.63E-05
KY	H L Spurloc	6041	4	12/8/2022	209	1777.2	7.78E-05	0.00915	1.63E-05

KY	H L Spurloc	6041	4	12/8/2022	208	1769.1	7.78E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	209	1763.5	7.72E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/8/2022	209	1765.7	7.73E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1769.7	7.71E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	228	1927	7.52E-05	0.0089	1.72E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1762.3	7.68E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/8/2022	218	1822.5	7.65E-05	0.00915	1.67E-05
KY	H L Spurloc	6041	4	12/8/2022	213	1807.5	7.69E-05	0.00906	1.64E-05
KY	H L Spurloc	6041	4	12/8/2022	219	1869.1	7.66E-05	0.00898	1.68E-05
KY	H L Spurloc	6041	4	12/8/2022	220	1890.8	7.65E-05	0.0089	1.68E-05
KY	H L Spurloc	6041	4	12/8/2022	215	1798.1	7.58E-05	0.00906	1.63E-05
KY	H L Spurloc	6041	4	12/8/2022	213	1810.9	7.63E-05	0.00898	1.63E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1778.2	7.67E-05	0.00906	1.61E-05
KY	H L Spurloc	6041	4	12/8/2022	213	1802.8	7.67E-05	0.00906	1.63E-05
KY	H L Spurloc	6041	4	12/8/2022	244	2043.7	7.31E-05	0.00873	1.78E-05
KY	H L Spurloc	6041	4	12/8/2022	216	1806.4	7.51E-05	0.00898	1.62E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1768.4	7.63E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1770.6	7.64E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/8/2022	217	1834.4	7.59E-05	0.00898	1.65E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1774	7.65E-05	0.00906	1.61E-05
KY	H L Spurloc	6041	4	12/8/2022	210	1752.9	7.64E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1755.2	7.65E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1751.5	7.63E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1767.3	7.62E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1781.4	7.62E-05	0.00898	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1748.1	7.54E-05	0.00906	1.58E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1745.5	7.61E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	214	1773.4	7.58E-05	0.00915	1.62E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1750.4	7.63E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1748.2	7.62E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1742.2	7.59E-05	0.00915	1.59E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1752.2	7.63E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1748.7	7.77E-05	0.00933	1.63E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1745.6	7.83E-05	0.00942	1.64E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1758.5	7.89E-05	0.00942	1.66E-05
KY	H L Spurloc	6041	4	12/9/2022	211	1755.6	7.61E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1761.1	7.6E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	211	1757.9	7.62E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/9/2022	213	1756	7.62E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1748.4	7.62E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1757.6	7.66E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1754.4	7.72E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1756.3	7.73E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1753	7.71E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/9/2022	210	1742	7.66E-05	0.00924	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	211	1756.3	7.62E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1745.2	7.6E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/10/2022	216	1828.5	7.6E-05	0.00898	1.64E-05

KY	H L Spurloc	6041	4	12/10/2022	225	1864.5	7.44E-05	0.00898	1.67E-05
KY	H L Spurloc	6041	4	12/10/2022	211	1753.5	7.68E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1755.7	7.65E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1745.8	7.68E-05	0.00924	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1750.1	7.7E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1755.7	7.73E-05	0.00924	1.62E-05
KY	H L Spurloc	6041	4	12/10/2022	239	2005.6	7.39E-05	0.00881	1.77E-05
KY	H L Spurloc	6041	4	12/10/2022	275	2298.3	6.98E-05	0.00835	1.92E-05
KY	H L Spurloc	6041	4	12/10/2022	226	1831.7	7.28E-05	0.00898	1.64E-05
KY	H L Spurloc	6041	4	12/10/2022	211	1764.6	7.58E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/10/2022	215	1826.4	7.63E-05	0.00898	1.64E-05
KY	H L Spurloc	6041	4	12/10/2022	222	1819.1	7.42E-05	0.00906	1.65E-05
KY	H L Spurloc	6041	4	12/10/2022	215	1793.7	7.56E-05	0.00906	1.63E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1756.8	7.65E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	239	2014.8	7.36E-05	0.00873	1.76E-05
KY	H L Spurloc	6041	4	12/10/2022	216	1778.6	7.46E-05	0.00906	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1742	7.52E-05	0.00906	1.58E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1736.5	7.57E-05	0.00915	1.59E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1748.7	7.62E-05	0.00915	1.6E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1739.5	7.65E-05	0.00924	1.61E-05
KY	H L Spurloc	6041	4	12/10/2022	210	1735.8	7.64E-05	0.00924	1.6E-05
KY	H L Spurloc	6041	4	12/11/2022	219	1885.6	7.66E-05	0.0089	1.68E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2044.3	7.38E-05	0.00866	1.77E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2026.5	7.37E-05	0.00873	1.77E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2021.7	7.42E-05	0.00881	1.78E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2019.6	7.41E-05	0.00881	1.78E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2031.9	7.39E-05	0.00873	1.77E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2033	7.34E-05	0.00866	1.76E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2024.6	7.31E-05	0.00866	1.75E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2021.9	7.3E-05	0.00866	1.75E-05
KY	H L Spurloc	6041	4	12/11/2022	251	2108.3	7.14E-05	0.0085	1.79E-05
KY	H L Spurloc	6041	4	12/11/2022	240	2019.5	7.15E-05	0.0085	1.72E-05
KY	H L Spurloc	6041	4	12/11/2022	220	1846.8	7.4E-05	0.00881	1.63E-05
KY	H L Spurloc	6041	4	12/11/2022	210	1766	7.48E-05	0.0089	1.57E-05
KY	H L Spurloc	6041	4	12/11/2022	210	1720.6	7.42E-05	0.00906	1.56E-05
KY	H L Spurloc	6041	4	12/11/2022	210	1728.6	7.46E-05	0.00906	1.57E-05
KY	H L Spurloc	6041	4	12/11/2022	213	1768.7	7.52E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/11/2022	210	1726.8	7.52E-05	0.00915	1.58E-05
KY	H L Spurloc	6041	4	12/11/2022	214	1758.5	7.52E-05	0.00915	1.61E-05
KY	H L Spurloc	6041	4	12/11/2022	247	2049.7	7.24E-05	0.00873	1.79E-05
KY	H L Spurloc	6041	4	12/11/2022	295	2434.7	6.66E-05	0.00807	1.96E-05
KY	H L Spurloc	6041	4	12/11/2022	297	2425.9	6.59E-05	0.00807	1.96E-05
KY	H L Spurloc	6041	4	12/11/2022	279	2283.8	6.61E-05	0.00807	1.84E-05
KY	H L Spurloc	6041	4	12/11/2022	260	2103.2	6.75E-05	0.00835	1.76E-05
KY	H L Spurloc	6041	4	12/11/2022	244	1996.5	7.02E-05	0.00858	1.71E-05
KY	H L Spurloc	6041	4	12/12/2022	217	1742.4	7.27E-05	0.00906	1.58E-05
KY	H L Spurloc	6041	4	12/12/2022	218	1777.6	7.32E-05	0.00898	1.6E-05
KY	H L Spurloc	6041	4	12/12/2022	210	1715.4	7.47E-05	0.00915	1.57E-05

KY	H L Spurloc	6041	4	12/12/2022	211	1743.3	7.49E-05	0.00906	1.58E-05
KY	H L Spurloc	6041	4	12/12/2022	238	1984.8	7.22E-05	0.00866	1.72E-05
KY	H L Spurloc	6041	4	12/12/2022	218	1767.3	7.34E-05	0.00906	1.6E-05
KY	H L Spurloc	6041	4	12/12/2022	224	1868.9	7.43E-05	0.0089	1.66E-05
KY	H L Spurloc	6041	4	12/12/2022	248	2020.6	7.11E-05	0.00873	1.76E-05
KY	H L Spurloc	6041	4	12/12/2022	277	2329.5	6.85E-05	0.00814	1.9E-05
KY	H L Spurloc	6041	4	12/12/2022	273	2217.9	6.67E-05	0.00821	1.82E-05
KY	H L Spurloc	6041	4	12/12/2022	291	2474.3	6.7E-05	0.00788	1.95E-05
KY	H L Spurloc	6041	4	12/12/2022	297	2491.4	6.55E-05	0.00781	1.95E-05
KY	H L Spurloc	6041	4	12/12/2022	268	2179.8	6.68E-05	0.00821	1.79E-05
KY	H L Spurloc	6041	4	12/12/2022	295	2446.1	6.53E-05	0.00788	1.93E-05
KY	H L Spurloc	6041	4	12/12/2022	249	1992	0.000343	0.0429	8.55E-05
KY	H L Spurloc	6041	4	12/12/2022	234	1913.2	0.000364	0.0445	8.51E-05
KY	H L Spurloc	6041	4	12/12/2022	289	2485.3	0.000344	0.04	9.94E-05
KY	H L Spurloc	6041	4	12/12/2022	293	2413.9	0.00033	0.04	9.66E-05
KY	H L Spurloc	6041	4	12/12/2022	284	2372.8	0.000334	0.04	9.49E-05
KY	H L Spurloc	6041	4	12/12/2022	299	2506.3	0.000328	0.0391	9.8E-05
KY	H L Spurloc	6041	4	12/12/2022	299	2484.9	0.000325	0.0391	9.72E-05
KY	H L Spurloc	6041	4	12/12/2022	276	2249.6	0.000329	0.0404	9.09E-05
KY	H L Spurloc	6041	4	12/12/2022	226	1801.5	0.000358	0.0449	8.09E-05
KY	H L Spurloc	6041	4	12/12/2022	218	1769.5	0.000368	0.0453	8.02E-05
KY	H L Spurloc	6041	4	12/13/2022	240	1983.5	0.000361	0.0437	8.67E-05
KY	H L Spurloc	6041	4	12/13/2022	234	1900.1	0.000361	0.0445	8.46E-05
KY	H L Spurloc	6041	4	12/13/2022	217	1828.2	0.000378	0.0449	8.21E-05
KY	H L Spurloc	6041	4	12/13/2022	245	2054.7	0.000363	0.0433	8.9E-05
KY	H L Spurloc	6041	4	12/13/2022	274	2282.8	0.000345	0.0414	9.45E-05
KY	H L Spurloc	6041	4	12/13/2022	298	2573.4	0.000338	0.0391	0.000101
KY	H L Spurloc	6041	4	12/13/2022	300	2507.5	0.000329	0.0394	9.88E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2512.2	0.000326	0.0391	9.82E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2494.6	0.000327	0.0394	9.83E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2495.8	0.000329	0.0397	9.91E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2509.9	0.000331	0.0397	9.96E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2499.4	0.000332	0.04	1E-04
KY	H L Spurloc	6041	4	12/13/2022	301	2458.7	0.000327	0.04	9.83E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2450.9	0.000326	0.04	9.8E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2451.9	0.000326	0.04	9.81E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2452.9	0.000324	0.0397	9.74E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2456.7	0.000324	0.0397	9.75E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2441.8	0.000324	0.04	9.77E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2422.9	0.000328	0.0407	9.86E-05
KY	H L Spurloc	6041	4	12/13/2022	299	2430.4	0.000328	0.0404	9.82E-05
KY	H L Spurloc	6041	4	12/13/2022	301	2448.4	0.000329	0.0404	9.89E-05
KY	H L Spurloc	6041	4	12/13/2022	295	2389.5	0.00033	0.0407	9.73E-05
KY	H L Spurloc	6041	4	12/13/2022	285	2300.7	0.000332	0.0411	9.46E-05
KY	H L Spurloc	6041	4	12/13/2022	296	2382.6	0.000331	0.0411	9.79E-05
KY	H L Spurloc	6041	4	12/14/2022	293	2376.4	0.00033	0.0407	9.67E-05
KY	H L Spurloc	6041	4	12/14/2022	286	2356.5	0.000333	0.0404	9.52E-05
KY	H L Spurloc	6041	4	12/14/2022	281	2315.8	0.000335	0.0407	9.43E-05



KY	H L Spurloc	6041	4	12/14/2022	294	2460.9	0.00033	0.0394	9.7E-05
KY	H L Spurloc	6041	4	12/14/2022	292	2430.8	0.00033	0.0397	9.65E-05
KY	H L Spurloc	6041	4	12/14/2022	253	1991.6	0.000341	0.0433	8.62E-05
KY	H L Spurloc	6041	4	12/14/2022	216	1745.8	0.000366	0.0453	7.91E-05
KY	H L Spurloc	6041	4	12/14/2022	236	1905.7	0.000356	0.0441	8.4E-05
KY	H L Spurloc	6041	4	12/14/2022	241	1969.9	0.000364	0.0445	8.77E-05
KY	H L Spurloc	6041	4	12/14/2022	285	2355.9	0.000346	0.0418	9.85E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2452.4	0.000333	0.0407	9.98E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2464.9	0.000329	0.04	9.86E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2403.9	0.000326	0.0407	9.78E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2419.2	0.000328	0.0407	9.85E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2433.2	0.000328	0.0404	9.83E-05
KY	H L Spurloc	6041	4	12/14/2022	298	2410.4			
KY	H L Spurloc	6041	4	12/14/2022	281	2306.7			
KY	H L Spurloc	6041	4	12/14/2022	300	2387.3	0.000324	0.0407	9.72E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2436.1	0.000328	0.0404	9.84E-05
KY	H L Spurloc	6041	4	12/14/2022	300	2447.9	0.000326	0.04	9.79E-05
KY	H L Spurloc	6041	4	12/14/2022	299	2416.3	0.000326	0.0404	9.76E-05
KY	H L Spurloc	6041	4	12/14/2022	295	2362.1	0.000326	0.0407	9.61E-05
KY	H L Spurloc	6041	4	12/14/2022	231	1849	0.000356	0.0445	8.23E-05
KY	H L Spurloc	6041	4	12/14/2022	231	1852.6	0.000363	0.0453	8.39E-05
KY	H L Spurloc	6041	4	12/15/2022	230	1809.6	0.000363	0.0462	8.36E-05
KY	H L Spurloc	6041	4	12/15/2022	218	1762.5	0.000374	0.0462	8.14E-05
KY	H L Spurloc	6041	4	12/15/2022	217	1763.3	0.000375	0.0462	8.15E-05
KY	H L Spurloc	6041	4	12/15/2022	210	1726.1	0.00038	0.0462	7.97E-05
KY	H L Spurloc	6041	4	12/15/2022	241	1975.5	0.000365	0.0445	8.79E-05
KY	H L Spurloc	6041	4	12/15/2022	288	2445.9	0.00034	0.04	9.78E-05
KY	H L Spurloc	6041	4	12/15/2022	286	2319.7	0.000333	0.0411	9.53E-05
KY	H L Spurloc	6041	4	12/15/2022	296	2423.7	0.000333	0.0407	9.86E-05
KY	H L Spurloc	6041	4	12/15/2022	300	2434.1	0.00033	0.0407	9.91E-05
KY	H L Spurloc	6041	4	12/15/2022	300	2437.2	0.000331	0.0407	9.92E-05
KY	H L Spurloc	6041	4	12/15/2022	300	2445.1	0.000332	0.0407	9.95E-05
KY	H L Spurloc	6041	4	12/15/2022	296	2377	0.000327	0.0407	9.67E-05
KY	H L Spurloc	6041	4	12/15/2022	295	2367.6	0.00033	0.0411	9.73E-05
KY	H L Spurloc	6041	4	12/15/2022	300	2345.2	0.000327	0.0418	9.8E-05
KY	H L Spurloc	6041	4	12/15/2022	295	2329.1	0.00033	0.0418	9.74E-05
KY	H L Spurloc	6041	4	12/15/2022	295	2361	0.000326	0.0407	9.61E-05
KY	H L Spurloc	6041	4	12/15/2022	245	1961.6	0.000347	0.0433	8.49E-05
KY	H L Spurloc	6041	4	12/15/2022	263	2110.6	0.000344	0.0429	9.05E-05
KY	H L Spurloc	6041	4	12/15/2022	296	2359.6	0.000328	0.0411	9.7E-05
KY	H L Spurloc	6041	4	12/15/2022	281	2214.6	0.000326	0.0414	9.17E-05
KY	H L Spurloc	6041	4	12/15/2022	286	2275.6	0.000329	0.0414	9.42E-05
KY	H L Spurloc	6041	4	12/15/2022	277	2190.6	0.000331	0.0418	9.16E-05
KY	H L Spurloc	6041	4	12/15/2022	233	1845.4	0.000352	0.0445	8.21E-05
KY	H L Spurloc	6041	4	12/15/2022	210	1703.1	0.000367	0.0453	7.72E-05
KY	H L Spurloc	6041	4	12/16/2022	211	1743.5	0.000371	0.0449	7.83E-05
KY	H L Spurloc	6041	4	12/16/2022	210	1721.3	0.000371	0.0453	7.8E-05
KY	H L Spurloc	6041	4	12/16/2022	211	1705.4	0.000373	0.0462	7.88E-05

KY	H L Spurloc	6041	4	12/16/2022	211	1708.5	0.000374	0.0462	7.89E-05
KY	H L Spurloc	6041	4	12/16/2022	237	1920.9	0.000357	0.0441	8.47E-05
KY	H L Spurloc	6041	4	12/16/2022	238	1946	0.000361	0.0441	8.58E-05
KY	H L Spurloc	6041	4	12/16/2022	268	2200.6	0.000346	0.0421	9.26E-05
KY	H L Spurloc	6041	4	12/16/2022	300	2396.4	0.000328	0.0411	9.85E-05
KY	H L Spurloc	6041	4	12/16/2022	295	2345.7	0.000327	0.0411	9.64E-05
KY	H L Spurloc	6041	4	12/16/2022	232	1820.8	0.000352	0.0449	8.18E-05
KY	H L Spurloc	6041	4	12/16/2022	266	2156.1	0.000341	0.0421	9.08E-05
KY	H L Spurloc	6041	4	12/16/2022	252	1991.7	0.000342	0.0433	8.62E-05
KY	H L Spurloc	6041	4	12/16/2022	276	2233.6	0.000338	0.0418	9.34E-05
KY	H L Spurloc	6041	4	12/16/2022	272	2147.4	0.000336	0.0425	9.13E-05
KY	H L Spurloc	6041	4	12/16/2022	215	1700.3	0.000369	0.0466	7.92E-05
KY	H L Spurloc	6041	4	12/16/2022	238	1959	0.00036	0.0437	8.56E-05
KY	H L Spurloc	6041	4	12/16/2022	263	2222	0.000347	0.0411	9.13E-05
KY	H L Spurloc	6041	4	12/16/2022	297	2459.7	0.000329	0.0397	9.77E-05
KY	H L Spurloc	6041	4	12/16/2022	273	2205.5	0.000334	0.0414	9.13E-05
KY	H L Spurloc	6041	4	12/16/2022	296	2479.7	0.00033	0.0394	9.77E-05
KY	H L Spurloc	6041	4	12/16/2022	267	2137.2	0.000337	0.0421	9E-05
KY	H L Spurloc	6041	4	12/16/2022	245	2015.1	0.000353	0.0429	8.64E-05
KY	H L Spurloc	6041	4	12/16/2022	225	1834.9	0.000363	0.0445	8.17E-05
KY	H L Spurloc	6041	4	12/16/2022	234	1974.4	0.000365	0.0433	8.55E-05
KY	H L Spurloc	6041	4	12/17/2022	264	2229	0.000347	0.0411	9.16E-05
KY	H L Spurloc	6041	4	12/17/2022	258	2079.5	0.000343	0.0425	8.84E-05
KY	H L Spurloc	6041	4	12/17/2022	220	1821.3	0.000368	0.0445	8.1E-05
KY	H L Spurloc	6041	4	12/17/2022	244	2042	0.000359	0.0429	8.76E-05
KY	H L Spurloc	6041	4	12/17/2022	221	1819.9	0.000366	0.0445	8.1E-05
KY	H L Spurloc	6041	4	12/17/2022	210	1762.6	0.000377	0.0449	7.91E-05
KY	H L Spurloc	6041	4	12/17/2022	210	1758.6	0.000379	0.0453	7.97E-05
KY	H L Spurloc	6041	4	12/17/2022	240	2049.7	0.000366	0.0429	8.79E-05
KY	H L Spurloc	6041	4	12/17/2022	279	2313	0.000337	0.0407	9.41E-05
KY	H L Spurloc	6041	4	12/17/2022	233	1866.2	0.000356	0.0445	8.3E-05
KY	H L Spurloc	6041	4	12/17/2022	241	2004.1	0.00036	0.0433	8.68E-05
KY	H L Spurloc	6041	4	12/17/2022	221	1786.9	0.000366	0.0453	8.09E-05
KY	H L Spurloc	6041	4	12/17/2022	217	1824.7	0.000374	0.0445	8.12E-05
KY	H L Spurloc	6041	4	12/17/2022	217	1798.3	0.000372	0.0449	8.07E-05
KY	H L Spurloc	6041	4	12/17/2022	215	1798.1	0.000376	0.0449	8.07E-05
KY	H L Spurloc	6041	4	12/17/2022	212	1757.2	0.000375	0.0453	7.96E-05
KY	H L Spurloc	6041	4	12/17/2022	242	2030.9	0.000363	0.0433	8.79E-05
KY	H L Spurloc	6041	4	12/17/2022	266	2246.1	0.00035	0.0414	9.3E-05
KY	H L Spurloc	6041	4	12/17/2022	297	2471.8	0.00033	0.0397	9.81E-05
KY	H L Spurloc	6041	4	12/17/2022	234	1883	0.000355	0.0441	8.3E-05
KY	H L Spurloc	6041	4	12/17/2022	244	2033	0.000357	0.0429	8.72E-05
KY	H L Spurloc	6041	4	12/17/2022	245	2028.2	0.000355	0.0429	8.7E-05
KY	H L Spurloc	6041	4	12/17/2022	238	1968.3	0.000355	0.0429	8.44E-05
KY	H L Spurloc	6041	4	12/17/2022	239	2014.3	0.000358	0.0425	8.56E-05
KY	H L Spurloc	6041	4	12/18/2022	236	1966.6	0.000357	0.0429	8.44E-05
KY	H L Spurloc	6041	4	12/18/2022	210	1761.8	0.000377	0.0449	7.91E-05
KY	H L Spurloc	6041	4	12/18/2022	209	1726.4	0.000382	0.0462	7.98E-05

KY	H L Spurloc	6041	4	12/18/2022	208	1743.1	0.00038	0.0453	7.9E-05
KY	H L Spurloc	6041	4	12/18/2022	209	1765.6	0.000379	0.0449	7.93E-05
KY	H L Spurloc	6041	4	12/18/2022	208	1768.7	0.000382	0.0449	7.94E-05
KY	H L Spurloc	6041	4	12/18/2022	209	1782.6	0.000383	0.0449	8E-05
KY	H L Spurloc	6041	4	12/18/2022	247	2141	0.000365	0.0421	9.01E-05
KY	H L Spurloc	6041	4	12/18/2022	290	2414.9	0.000336	0.0404	9.76E-05
KY	H L Spurloc	6041	4	12/18/2022	270	2206.6	0.000338	0.0414	9.14E-05
KY	H L Spurloc	6041	4	12/18/2022	241	2010.6	0.000355	0.0425	8.55E-05
KY	H L Spurloc	6041	4	12/18/2022	274	2369	0.000343	0.0397	9.4E-05
KY	H L Spurloc	6041	4	12/18/2022	299	2474.8	0.000326	0.0394	9.75E-05
KY	H L Spurloc	6041	4	12/18/2022	288	2358.3	0.000328	0.04	9.43E-05
KY	H L Spurloc	6041	4	12/18/2022	245	2060.5	0.000352	0.0418	8.61E-05
KY	H L Spurloc	6041	4	12/18/2022	215	1789	0.00037	0.0445	7.96E-05
KY	H L Spurloc	6041	4	12/18/2022	246	2058.8	0.000356	0.0425	8.75E-05
KY	H L Spurloc	6041	4	12/18/2022	283	2424.6	0.00034	0.0397	9.63E-05
KY	H L Spurloc	6041	4	12/18/2022	301	2506.2	0.000326	0.0391	9.8E-05
KY	H L Spurloc	6041	4	12/18/2022	301	2498	0.000324	0.0391	9.77E-05
KY	H L Spurloc	6041	4	12/18/2022	298	2471.2	0.000329	0.0397	9.81E-05
KY	H L Spurloc	6041	4	12/18/2022	300	2536.7	0.000333	0.0394	9.99E-05
KY	H L Spurloc	6041	4	12/18/2022	288	2407.4	0.000332	0.0397	9.56E-05
KY	H L Spurloc	6041	4	12/18/2022	300	2544.9	0.000326	0.0384	9.77E-05
KY	H L Spurloc	6041	4	12/19/2022	298	2494.8	0.000324	0.0387	9.65E-05
KY	H L Spurloc	6041	4	12/19/2022	298	2527.6	0.000328	0.0387	9.78E-05
KY	H L Spurloc	6041	4	12/19/2022	300	2551.9	0.000329	0.0387	9.88E-05
KY	H L Spurloc	6041	4	12/19/2022	290	2437.3	0.000329	0.0391	9.53E-05
KY	H L Spurloc	6041	4	12/19/2022	299	2527.5	0.000327	0.0387	9.78E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2552.4	0.000332	0.0391	9.98E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2623.3	0.000337	0.0387	0.000102
KY	H L Spurloc	6041	4	12/19/2022	301	2595.2	0.000331	0.0384	9.97E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2557.7	0.000326	0.0384	9.82E-05
KY	H L Spurloc	6041	4	12/19/2022	300	2557	0.000175	0.0205	5.24E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2575.5	0.000175	0.0205	5.28E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2568.4	0.000177	0.0207	5.32E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2522.8	0.000176	0.021	5.3E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2543.9	0.000177	0.0209	5.32E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2542.3	0.000177	0.0209	5.31E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2552.4	0.000177	0.0209	5.33E-05
KY	H L Spurloc	6041	4	12/19/2022	292	2457.3	0.000177	0.021	5.16E-05
KY	H L Spurloc	6041	4	12/19/2022	300	2566.2	0.000177	0.0207	5.31E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2545.7	0.000177	0.0209	5.32E-05
KY	H L Spurloc	6041	4	12/19/2022	301	2548	0.000177	0.0209	5.33E-05
KY	H L Spurloc	6041	4	12/19/2022	300	2551.4	0.000178	0.0209	5.33E-05
KY	H L Spurloc	6041	4	12/19/2022	298	2541.3	0.000178	0.0209	5.31E-05
KY	H L Spurloc	6041	4	12/19/2022	299	2556.3	0.000179	0.0209	5.34E-05
KY	H L Spurloc	6041	4	12/19/2022	287	2435.1	0.000178	0.021	5.11E-05
KY	H L Spurloc	6041	4	12/20/2022	285	2426.4	0.000179	0.021	5.1E-05
KY	H L Spurloc	6041	4	12/20/2022	242	1988.4	0.000188	0.0229	4.55E-05
KY	H L Spurloc	6041	4	12/20/2022	230	1991.9	0.000195	0.0225	4.48E-05

KY	H L Spurloc	6041	4	12/20/2022	238	2054.2	0.000194	0.0225	4.62E-05
KY	H L Spurloc	6041	4	12/20/2022	255	2157.5	0.000187	0.0221	4.77E-05
KY	H L Spurloc	6041	4	12/20/2022	289	2500.4	0.000181	0.0209	5.23E-05
KY	H L Spurloc	6041	4	12/20/2022	300	2520	0.000176	0.021	5.29E-05
KY	H L Spurloc	6041	4	12/20/2022	298	2506.2	0.000177	0.021	5.26E-05
KY	H L Spurloc	6041	4	12/20/2022	299	2509.1	0.000176	0.021	5.27E-05
KY	H L Spurloc	6041	4	12/20/2022	298	2525.1	0.000177	0.0209	5.28E-05
KY	H L Spurloc	6041	4	12/20/2022	278	2312	0.00018	0.0216	4.99E-05
KY	H L Spurloc	6041	4	12/20/2022	240	2017.1	0.000191	0.0227	4.58E-05
KY	H L Spurloc	6041	4	12/20/2022	223	1836	0.000195	0.0237	4.35E-05
KY	H L Spurloc	6041	4	12/20/2022	238	2014.9	0.000194	0.0229	4.61E-05
KY	H L Spurloc	6041	4	12/20/2022	216	1811.8	0.000199	0.0237	4.29E-05
KY	H L Spurloc	6041	4	12/20/2022	210	1783.5	0.000204	0.024	4.28E-05
KY	H L Spurloc	6041	4	12/20/2022	213	1842.5	0.000203	0.0235	4.33E-05
KY	H L Spurloc	6041	4	12/20/2022	279	2422.5	0.000186	0.0214	5.18E-05
KY	H L Spurloc	6041	4	12/20/2022	298	2522.9	0.000178	0.021	5.3E-05
KY	H L Spurloc	6041	4	12/20/2022	299	2520.8	0.000177	0.021	5.29E-05
KY	H L Spurloc	6041	4	12/20/2022	299	2493	0.000177	0.0212	5.29E-05
KY	H L Spurloc	6041	4	12/20/2022	284	2351.8	0.000177	0.0214	5.03E-05
KY	H L Spurloc	6041	4	12/20/2022	296	2479.9	0.000175	0.0209	5.18E-05
KY	H L Spurloc	6041	4	12/20/2022	285	2370.3	0.000176	0.0212	5.03E-05
KY	H L Spurloc	6041	4	12/21/2022	280	2351.6	0.00018	0.0214	5.03E-05
KY	H L Spurloc	6041	4	12/21/2022	299	2540.6	0.000176	0.0207	5.26E-05
KY	H L Spurloc	6041	4	12/21/2022	299	2519.5	0.000176	0.0209	5.27E-05
KY	H L Spurloc	6041	4	12/21/2022	299	2536.1	0.000177	0.0209	5.3E-05
KY	H L Spurloc	6041	4	12/21/2022	298	2521.8	0.000177	0.0209	5.27E-05
KY	H L Spurloc	6041	4	12/21/2022	280	2387	0.000179	0.021	5.01E-05
KY	H L Spurloc	6041	4	12/21/2022	265	2219.5	0.000182	0.0217	4.82E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2196.7	0.000182	0.0216	4.74E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2180.8	0.000184	0.0219	4.78E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2196.7	0.000185	0.0219	4.81E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2183.1	0.000187	0.0223	4.87E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2216.4	0.000187	0.0219	4.85E-05
KY	H L Spurloc	6041	4	12/21/2022	260	2189.6	0.000184	0.0219	4.8E-05
KY	H L Spurloc	6041	4	12/21/2022	233	1911.9	0.000194	0.0237	4.53E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1766.1	0.000205	0.0244	4.31E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1753.6	0.000205	0.0246	4.31E-05
KY	H L Spurloc	6041	4	12/21/2022	226	1903.8	0.000202	0.024	4.57E-05
KY	H L Spurloc	6041	4	12/21/2022	247	2058.9	0.000194	0.0233	4.8E-05
KY	H L Spurloc	6041	4	12/21/2022	271	2255.8	0.000184	0.0221	4.99E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1714.1	0.000201	0.0246	4.22E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1745.9	0.000203	0.0244	4.26E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1765.5	0.000205	0.0244	4.31E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1754.4	0.000206	0.0246	4.32E-05
KY	H L Spurloc	6041	4	12/21/2022	210	1766.2	0.000207	0.0246	4.34E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1768.4	0.000207	0.0246	4.35E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1749.1	0.000207	0.0249	4.36E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1755.2	0.000206	0.0246	4.32E-05

KY	H L Spurloc	6041	4	12/22/2022	210	1759.7	0.000206	0.0246	4.33E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1761.1	0.000206	0.0246	4.33E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1752	0.000208	0.0249	4.36E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1755	0.000208	0.0249	4.37E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1747.8	0.000207	0.0249	4.35E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1741.9	0.000207	0.0249	4.34E-05
KY	H L Spurloc	6041	4	12/22/2022	233	1943.1	0.000202	0.0242	4.7E-05
KY	H L Spurloc	6041	4	12/22/2022	234	1930.5	0.0002	0.0242	4.67E-05
KY	H L Spurloc	6041	4	12/22/2022	212	1731	0.000205	0.0251	4.34E-05
KY	H L Spurloc	6041	4	12/22/2022	221	1854.4	0.000205	0.0244	4.52E-05
KY	H L Spurloc	6041	4	12/22/2022	212	1737	0.000206	0.0251	4.36E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1737.5	0.000208	0.0251	4.36E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1733.8	0.00021	0.0254	4.4E-05
KY	H L Spurloc	6041	4	12/22/2022	230	1937.2	0.000206	0.0244	4.73E-05
KY	H L Spurloc	6041	4	12/22/2022	217	1786.3	0.000205	0.0249	4.45E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1763	0.000209	0.0249	4.39E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1749.8	0.000209	0.0251	4.39E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1745	0.000209	0.0251	4.38E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1742.5	0.000208	0.0251	4.37E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1736.4	0.000208	0.0251	4.36E-05
KY	H L Spurloc	6041	4	12/22/2022	210	1746.7	0.000209	0.0251	4.38E-05
KY	H L Spurloc	6041	4	12/23/2022	243	2030.5	0.000198	0.0237	4.81E-05
KY	H L Spurloc	6041	4	12/23/2022	285	2392.9	0.000187	0.0223	5.34E-05
KY	H L Spurloc	6041	4	12/23/2022	294	2401.2	0.000179	0.0219	5.26E-05
KY	H L Spurloc	6041	4	12/23/2022	301	2447.3	0.000178	0.0219	5.36E-05
KY	H L Spurloc	6041	4	12/23/2022	301	2461	0.000177	0.0217	5.34E-05
KY	H L Spurloc	6041	4	12/23/2022	301	2465.3	0.000177	0.0216	5.33E-05
KY	H L Spurloc	6041	4	12/23/2022	301	2462.9	0.000177	0.0216	5.32E-05
KY	H L Spurloc	6041	4	12/23/2022	63	369.615	0.000845	0.0216	7.98E-06
KY	H L Spurloc	6041	4	12/23/2022	0	480.42			
KY	H L Spurloc	6041	4	12/23/2022	0	134.1		0.0517	6.93E-06
KY	H L Spurloc	6041	4	12/23/2022	0	274.3		0.0517	1.42E-05
KY	H L Spurloc	6041	4	12/23/2022	0	279.6		0.0517	1.45E-05
KY	H L Spurloc	6041	4	12/23/2022	0	280.5		0.0517	1.45E-05
KY	H L Spurloc	6041	4	12/23/2022	25	338.7	0.001348	0.0995	3.37E-05
KY	H L Spurloc	6041	4	12/23/2022	40	383.8	0.000856	0.0892	3.42E-05
KY	H L Spurloc	6041	4	12/24/2022	52	507.9	0.000665	0.0681	3.46E-05
KY	H L Spurloc	6041	4	12/24/2022	83	827.2	0.000444	0.0446	3.69E-05
KY	H L Spurloc	6041	4	12/24/2022	136	1265.9	0.000293	0.0315	3.99E-05
KY	H L Spurloc	6041	4	12/24/2022	185	1694.9	0.000224	0.0244	4.14E-05
KY	H L Spurloc	6041	4	12/24/2022	232	2178.9	0.000201	0.0214	4.66E-05
KY	H L Spurloc	6041	4	12/24/2022	299	2597.3	0.000182	0.0209	5.43E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2495	0.000178	0.0214	5.34E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2495.5	0.000178	0.0214	5.34E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2472.8	0.000176	0.0214	5.29E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2494.1	0.000176	0.0212	5.29E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2514.8	0.000178	0.0212	5.33E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2508.1	0.000177	0.0212	5.32E-05

KY	H L Spurloc	6041	4	12/24/2022	300	2460.8	0.000176	0.0214	5.27E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2457.9	0.000175	0.0214	5.26E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2501.3	0.000177	0.0212	5.3E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2460.1	0.000177	0.0216	5.31E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2459.1	0.000177	0.0216	5.31E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2460.9	0.000177	0.0216	5.32E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2420	0.000175	0.0217	5.25E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2436.3	0.000176	0.0217	5.29E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2410.9	0.000176	0.0219	5.28E-05
KY	H L Spurloc	6041	4	12/24/2022	299	2448	0.000177	0.0216	5.29E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2462	0.000177	0.0216	5.32E-05
KY	H L Spurloc	6041	4	12/24/2022	300	2420.7	0.000174	0.0216	5.23E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2411.7	0.000174	0.0216	5.21E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2451.9	0.000175	0.0214	5.25E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2460.7	0.000176	0.0214	5.27E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2451.5	0.000177	0.0216	5.3E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2419.5	0.000174	0.0216	5.23E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2438.6	0.000176	0.0216	5.27E-05
KY	H L Spurloc	6041	4	12/25/2022	300	2425.5	0.000175	0.0217	5.26E-05
KY	H L Spurloc	6041	4	12/25/2022	299	2503.5	0.000179	0.0214	5.36E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2481.1	0.00018	0.0216	5.36E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2449.1	0.000178	0.0216	5.29E-05
KY	H L Spurloc	6041	4	12/25/2022	299	2446.5	0.000177	0.0216	5.28E-05
KY	H L Spurloc	6041	4	12/25/2022	299	2452.9	0.000177	0.0216	5.3E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2443.2	0.000177	0.0216	5.28E-05
KY	H L Spurloc	6041	4	12/25/2022	297	2434.9	0.000177	0.0216	5.26E-05
KY	H L Spurloc	6041	4	12/25/2022	297	2449.7	0.000178	0.0216	5.29E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2453	0.000178	0.0216	5.3E-05
KY	H L Spurloc	6041	4	12/25/2022	286	2331.4	0.000179	0.0219	5.11E-05
KY	H L Spurloc	6041	4	12/25/2022	297	2468.9	0.000178	0.0214	5.28E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2454.6	0.000178	0.0216	5.3E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2442.7	0.000177	0.0216	5.28E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2446.1	0.000177	0.0216	5.28E-05
KY	H L Spurloc	6041	4	12/25/2022	285	2369.9	0.000178	0.0214	5.07E-05
KY	H L Spurloc	6041	4	12/25/2022	283	2308.9	0.000177	0.0217	5.01E-05
KY	H L Spurloc	6041	4	12/25/2022	298	2469.9	0.000176	0.0212	5.24E-05
KY	H L Spurloc	6041	4	12/26/2022	286	2306.8	0.000177	0.0219	5.05E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2476.5	0.000178	0.0214	5.3E-05
KY	H L Spurloc	6041	4	12/26/2022	299	2476.6	0.000177	0.0214	5.3E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2432.6	0.000177	0.0217	5.28E-05
KY	H L Spurloc	6041	4	12/26/2022	283	2294.6	0.000179	0.0221	5.07E-05
KY	H L Spurloc	6041	4	12/26/2022	288	2366.9	0.000178	0.0217	5.14E-05
KY	H L Spurloc	6041	4	12/26/2022	296	2428.3	0.000177	0.0216	5.25E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2431.7	0.000176	0.0216	5.25E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2432.4	0.000176	0.0216	5.25E-05
KY	H L Spurloc	6041	4	12/26/2022	299	2437.1	0.000176	0.0216	5.26E-05
KY	H L Spurloc	6041	4	12/26/2022	299	2439.1	0.000176	0.0216	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2434.9	0.000176	0.0216	5.26E-05

KY	H L Spurloc	6041	4	12/26/2022	298	2462.5	0.000177	0.0214	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2436	0.000177	0.0216	5.26E-05
KY	H L Spurloc	6041	4	12/26/2022	299	2445.3	0.000177	0.0216	5.28E-05
KY	H L Spurloc	6041	4	12/26/2022	295	2412.5	0.000177	0.0216	5.21E-05
KY	H L Spurloc	6041	4	12/26/2022	283	2308.9	0.000177	0.0217	5.01E-05
KY	H L Spurloc	6041	4	12/26/2022	297	2462.4	0.000177	0.0214	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2486.5	0.000177	0.0212	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2483.9	0.000177	0.0212	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2484.8	0.000177	0.0212	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	299	2442.1	0.000176	0.0216	5.27E-05
KY	H L Spurloc	6041	4	12/26/2022	289	2387.1	0.000178	0.0216	5.16E-05
KY	H L Spurloc	6041	4	12/26/2022	298	2468.7	0.000177	0.0214	5.28E-05
KY	H L Spurloc	6041	4	12/27/2022	297	2451.9	0.000177	0.0214	5.25E-05
KY	H L Spurloc	6041	4	12/27/2022	284	2328	0.000178	0.0217	5.05E-05
KY	H L Spurloc	6041	4	12/27/2022	297	2558.1	0.000178	0.0207	5.3E-05
KY	H L Spurloc	6041	4	12/27/2022	285	2339.5	0.000176	0.0214	5.01E-05
KY	H L Spurloc	6041	4	12/27/2022	284	2339.7	0.000176	0.0214	5.01E-05
KY	H L Spurloc	6041	4	12/27/2022	281	2304.6	0.000176	0.0214	4.93E-05
KY	H L Spurloc	6041	4	12/27/2022	293	2443.8	0.000175	0.021	5.13E-05
KY	H L Spurloc	6041	4	12/27/2022	298	2471.5	0.000174	0.021	5.19E-05
KY	H L Spurloc	6041	4	12/27/2022	298	2429.5	0.000174	0.0214	5.2E-05
KY	H L Spurloc	6041	4	12/27/2022	295	2386.1	1.77E-05	0.00219	5.23E-06
KY	H L Spurloc	6041	4	12/27/2022	297	2411.9	1.79E-05	0.00221	5.33E-06
KY	H L Spurloc	6041	4	12/27/2022	298	2418.5	1.79E-05	0.00221	5.34E-06
KY	H L Spurloc	6041	4	12/27/2022	276	2235.9	1.82E-05	0.00225	5.03E-06
KY	H L Spurloc	6041	4	12/27/2022	261	2094.5	1.85E-05	0.00231	4.84E-06
KY	H L Spurloc	6041	4	12/27/2022	252	2094.2	1.89E-05	0.00227	4.75E-06
KY	H L Spurloc	6041	4	12/27/2022	226	1860.5	1.95E-05	0.00237	4.41E-06
KY	H L Spurloc	6041	4	12/27/2022	245	2042.3	1.93E-05	0.00231	4.72E-06
KY	H L Spurloc	6041	4	12/27/2022	281	2281.9	1.84E-05	0.00227	5.18E-06
KY	H L Spurloc	6041	4	12/27/2022	290	2344.2	1.8E-05	0.00223	5.23E-06
KY	H L Spurloc	6041	4	12/27/2022	298	2412.5	1.79E-05	0.00221	5.33E-06
KY	H L Spurloc	6041	4	12/27/2022	297	2415.5	1.78E-05	0.00219	5.29E-06
KY	H L Spurloc	6041	4	12/27/2022	283	2260.5	1.78E-05	0.00223	5.04E-06
KY	H L Spurloc	6041	4	12/27/2022	296	2397.9	1.79E-05	0.00221	5.3E-06
KY	H L Spurloc	6041	4	12/27/2022	286	2294.1	1.8E-05	0.00225	5.16E-06
KY	H L Spurloc	6041	4	12/28/2022	297	2404.4	1.81E-05	0.00223	5.36E-06
KY	H L Spurloc	6041	4	12/28/2022	292	2354.4	1.81E-05	0.00225	5.3E-06
KY	H L Spurloc	6041	4	12/28/2022	295	2390	1.81E-05	0.00223	5.33E-06
KY	H L Spurloc	6041	4	12/28/2022	295	2382.8	1.8E-05	0.00223	5.31E-06
KY	H L Spurloc	6041	4	12/28/2022	284	2266.7	1.81E-05	0.00227	5.15E-06
KY	H L Spurloc	6041	4	12/28/2022	289	2343.2	1.82E-05	0.00225	5.27E-06
KY	H L Spurloc	6041	4	12/28/2022	295	2393.4	1.81E-05	0.00223	5.34E-06
KY	H L Spurloc	6041	4	12/28/2022	293	2372.4	1.82E-05	0.00225	5.34E-06
KY	H L Spurloc	6041	4	12/28/2022	276	2206.7	1.83E-05	0.00229	5.05E-06
KY	H L Spurloc	6041	4	12/28/2022	246	1974	1.9E-05	0.00237	4.68E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1727.3	2.04E-05	0.00248	4.28E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1744.9	2.04E-05	0.00246	4.29E-06

KY	H L Spurloc	6041	4	12/28/2022	210	1724.6	2.04E-05	0.00248	4.28E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1732.6	2.05E-05	0.00248	4.3E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1726.3	2.06E-05	0.0025	4.32E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1722.1	2.05E-05	0.0025	4.31E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1725.1	2.05E-05	0.0025	4.31E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1731.2	2.06E-05	0.0025	4.33E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1735.6	2.07E-05	0.0025	4.34E-06
KY	H L Spurloc	6041	4	12/28/2022	235	1961.4	2.01E-05	0.00241	4.73E-06
KY	H L Spurloc	6041	4	12/28/2022	244	2004.5	1.96E-05	0.00239	4.79E-06
KY	H L Spurloc	6041	4	12/28/2022	217	1776.1	2.03E-05	0.00248	4.4E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1742.1	2.06E-05	0.00248	4.32E-06
KY	H L Spurloc	6041	4	12/28/2022	210	1751.4	2.05E-05	0.00246	4.31E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1744.6	2.06E-05	0.00248	4.33E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1752.1	2.07E-05	0.00248	4.35E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1740.2	2.07E-05	0.0025	4.35E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1740.4	2.07E-05	0.0025	4.35E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1742.7	2.07E-05	0.0025	4.36E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1743.5	2.08E-05	0.0025	4.36E-06
KY	H L Spurloc	6041	4	12/29/2022	236	1961.8	2E-05	0.00241	4.73E-06
KY	H L Spurloc	6041	4	12/29/2022	216	1777.6	2.04E-05	0.00248	4.41E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1754.8	2.07E-05	0.00248	4.35E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1765.1	2.08E-05	0.00248	4.38E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1734.9	2.07E-05	0.0025	4.34E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1743.7	2.08E-05	0.0025	4.36E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1748.4	2.08E-05	0.0025	4.37E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1755.3	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1754.8	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1756	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1756.8	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1754.8	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1760.6	2.1E-05	0.0025	4.4E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1748.8	2.11E-05	0.00253	4.42E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1769.8	2.11E-05	0.0025	4.42E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1770.7	2.11E-05	0.0025	4.43E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1772.6	2.11E-05	0.0025	4.43E-06
KY	H L Spurloc	6041	4	12/29/2022	210	1776	2.11E-05	0.0025	4.44E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1766	2.13E-05	0.00253	4.47E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1759.2	2.12E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1767	2.1E-05	0.0025	4.42E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1755.9	2.12E-05	0.00253	4.44E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1751.9	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1755.4	2.11E-05	0.00253	4.44E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1759.7	2.12E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1757.7	2.12E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1752.1	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1750.8	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1779.3	2.1E-05	0.00248	4.41E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1777.5	2.1E-05	0.00248	4.41E-06



KY	H L Spurloc	6041	4	12/30/2022	210	1775.5	2.1E-05	0.00248	4.4E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1744.8	2.08E-05	0.0025	4.36E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1749.2	2.08E-05	0.0025	4.37E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1751.6	2.09E-05	0.0025	4.38E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1752.9	2.09E-05	0.0025	4.38E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1742.3	2.1E-05	0.00253	4.41E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1755.2	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1756.9	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/30/2022	209	1757.1	2.1E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1757.4	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1755.3	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/30/2022	210	1754.7	2.09E-05	0.0025	4.39E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1759.2	2.09E-05	0.0025	4.4E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1752.8	2.09E-05	0.0025	4.38E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1739.7	2.1E-05	0.00253	4.4E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1741.9	2.1E-05	0.00253	4.41E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1742	2.1E-05	0.00253	4.41E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1745.4	2.1E-05	0.00253	4.42E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1745.6	2.1E-05	0.00253	4.42E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1752.2	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1751.1	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1748.8	2.11E-05	0.00253	4.42E-06
KY	H L Spurloc	6041	4	12/31/2022	211	1757.6	2.11E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1751.5	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1753	2.11E-05	0.00253	4.44E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1748.8	2.11E-05	0.00253	4.42E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1735.1	2.11E-05	0.00255	4.42E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1756.1	2.12E-05	0.00253	4.44E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1759.6	2.12E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1747.6	2.12E-05	0.00255	4.46E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1742.5	2.12E-05	0.00255	4.44E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1736.5	2.11E-05	0.00255	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1750.8	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1751.9	2.11E-05	0.00253	4.43E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1758.8	2.12E-05	0.00253	4.45E-06
KY	H L Spurloc	6041	4	12/31/2022	210	1751.7	2.11E-05	0.00253	4.43E-06