

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
1	Non-Participant	734991	4215397	1,465	4,805	46
2	Non-Participant	735279	4215483	1,498	4,914	46
3	Non-Participant	735279	4215440	1,455	4,772	46
4	Non-Participant	735070	4215371	1,419	4,657	47
5	Non-Participant	734987	4215341	1,412	4,631	47
6	Non-Participant	734894	4215190	1,301	4,269	47
7	Non-Participant	734750	4215225	1,395	4,576	47
8	Non-Participant	734648	4215359	1,560	5,120	46
9	Non-Participant	734674	4214915	1,174	3,853	49
10	Non-Participant	734789	4214783	1,000	3,281	50
11	Non-Participant	734909	4215100	1,212	3,978	48
12	Non-Participant	734925	4215026	1,139	3,735	49
13	Non-Participant	735032	4214781	872	2,859	51
14	Non-Participant	734879	4214464	703	2,307	53
15	Non-Participant	733989	4214116	1,242	4,074	49
16	Non-Participant	733946	4214077	1,263	4,143	49
17	Non-Participant	733813	4213993	1,352	4,437	48
18	Non-Participant	734046	4213795	1,072	3,517	51
19	Non-Participant	733904	4214019	1,277	4,188	49
20	Non-Participant	734999	4213802	223	732	59
21	Non-Participant	735182	4213863	106	347	60
22	Non-Participant	734822	4213761	345	1,133	58
23	Non-Participant	734755	4213718	378	1,241	57
24	Non-Participant	734715	4213612	378	1,241	57
25	Non-Participant	736323	4213962	211	691	58
26	Non-Participant	737710	4213802	1,380	4,526	48
27	Non-Participant	737601	4213658	1,273	4,175	49
28	Non-Participant	734468	4213536	617	2,023	55
29	Non-Participant	733659	4213418	1,360	4,461	48
30	Non-Participant	733731	4213406	1,291	4,236	49
31	Non-Participant	733348	4213460	1,658	5,439	46
32	Non-Participant	733295	4213375	1,674	5,493	46
33	Non-Participant	733327	4213517	1,701	5,580	46
34	Non-Participant	733315	4212898	1,551	5,089	46

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
35	Non-Participant	733376	4212958	1,496	4,909	46
36	Non-Participant	733513	4213214	1,416	4,645	48
37	Non-Participant	734158	4213202	818	2,685	53
38	Non-Participant	734168	4213149	784	2,572	53
39	Non-Participant	734338	4213233	691	2,266	54
40	Non-Participant	734341	4213164	644	2,114	55
41	Non-Participant	734618	4213242	519	1,704	57
42	Non-Participant	734330	4212822	533	1,748	54
43	Non-Participant	734322	4212867	546	1,790	54
44	Non-Participant	734307	4212915	571	1,872	54
45	Non-Participant	734295	4212954	592	1,941	54
46	Non-Participant	734275	4212990	622	2,041	54
47	Non-Participant	734272	4213047	646	2,121	54
48	Non-Participant	734345	4213011	564	1,852	55
49	Non-Participant	734366	4212940	520	1,705	55
50	Non-Participant	734454	4212969	449	1,472	55
51	Non-Participant	734483	4212902	397	1,302	56
52	Non-Participant	734383	4212879	488	1,601	55
53	Non-Participant	734346	4212779	515	1,691	54
54	Non-Participant	734412	4212786	450	1,476	55
55	Non-Participant	734470	4212789	392	1,287	55
56	Non-Participant	734517	4212802	345	1,132	56
57	Non-Participant	734557	4212810	306	1,003	55
58	Non-Participant	734607	4212811	256	840	57
59	Non-Participant	734644	4212810	219	719	57
60	Non-Participant	734701	4212762	161	527	57
61	Non-Participant	734363	4212739	498	1,634	54
62	Non-Participant	736508	4213055	192	630	61
63	Non-Participant	736615	4212921	252	828	59
64	Non-Participant	737594	4212954	1,197	3,926	50
65	Non-Participant	737652	4212988	1,262	4,140	49
66	Non-Participant	737872	4212674	1,437	4,716	47
67	Non-Participant	737441	4212512	1,018	3,339	50
68	Non-Participant	737413	4212394	1,014	3,327	50

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
69	Non-Participant	737251	4212564	822	2,697	52
70	Non-Participant	737299	4212606	866	2,842	52
71	Non-Participant	737080	4212502	665	2,182	53
72	Non-Participant	737285	4212442	878	2,880	51
73	Non-Participant	736985	4212515	569	1,867	54
74	Non-Participant	736875	4212674	441	1,447	56
75	Non-Participant	736485	4212560	111	365	59
76	Non-Participant	736628	4212429	301	989	57
77	Non-Participant	736720	4212407	381	1,250	56
78	Non-Participant	736806	4212436	434	1,422	55
79	Non-Participant	736908	4212376	552	1,811	54
80	Non-Participant	736469	4212405	255	836	58
81	Non-Participant	736495	4212462	207	678	58
82	Non-Participant	736250	4212526	79	260	60
83	Non-Participant	735462	4212422	11	35	67
84	Non-Participant	734831	4212742	29	97	59
85	Non-Participant	734686	4212713	174	572	57
86	Non-Participant	734623	4212704	237	778	57
87	Non-Participant	734562	4212744	299	980	56
88	Non-Participant	734507	4212742	354	1,162	56
89	Non-Participant	734444	4212723	417	1,368	55
90	Non-Participant	734377	4212696	483	1,583	54
91	Non-Participant	734392	4212649	467	1,532	54
92	Non-Participant	734407	4212612	452	1,482	54
93	Non-Participant	734421	4212565	436	1,431	54
94	Non-Participant	734433	4212509	423	1,389	54
95	Non-Participant	734431	4212438	424	1,392	54
96	Non-Participant	734494	4212443	361	1,185	54
97	Non-Participant	734489	4212555	368	1,208	55
98	Non-Participant	734467	4212624	391	1,284	55
99	Non-Participant	734451	4212668	408	1,340	55
100	Non-Participant	734549	4212620	309	1,014	56
101	Non-Participant	734588	4212620	271	887	56
102	Non-Participant	734635	4212618	223	733	56

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
103	Non-Participant	734684	4212626	174	572	57
104	Non-Participant	734704	4212593	154	504	57
105	Non-Participant	734646	4212562	212	695	56
106	Non-Participant	734597	4212563	260	854	56
107	Non-Participant	734549	4212562	309	1,012	55
108	Non-Participant	734550	4212443	305	1,000	55
109	Non-Participant	734597	4212444	259	849	55
110	Non-Participant	734643	4212439	212	696	60
111	Non-Participant	734715	4212425	140	459	61
112	Non-Participant	734021	4212468	834	2,737	51
113	Non-Participant	733668	4212430	1,186	3,892	48
114	Non-Participant	733586	4212437	1,269	4,162	47
115	Non-Participant	733543	4212439	1,312	4,304	47
116	Non-Participant	733510	4212436	1,345	4,412	47
117	Non-Participant	733442	4212435	1,413	4,636	46
118	Non-Participant	733381	4212440	1,474	4,836	46
119	Non-Participant	733412	4212501	1,444	4,739	46
120	Non-Participant	733491	4212585	1,367	4,485	47
121	Non-Participant	733514	4212618	1,344	4,411	47
122	Non-Participant	733549	4212646	1,310	4,296	47
123	Non-Participant	733577	4212625	1,281	4,203	48
124	Non-Participant	733611	4212588	1,247	4,090	48
125	Non-Participant	733580	4212515	1,276	4,188	47
126	Non-Participant	733233	4212785	1,628	5,341	45
127	Non-Participant	733318	4212209	1,550	5,084	45
128	Non-Participant	733768	4212280	1,094	3,591	48
129	Non-Participant	734365	4212331	496	1,626	53
130	Non-Participant	734195	4212325	665	2,182	51
131	Non-Participant	734556	4212228	350	1,147	54
132	Non-Participant	734639	4212334	229	750	55
133	Non-Participant	734365	4212271	509	1,669	52
134	Non-Participant	735010	4212325	83	272	62
135	Non-Participant	735066	4212331	89	293	63
136	Non-Participant	735109	4212333	115	376	63

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
137	Non-Participant	735145	4212335	143	469	59
138	Non-Participant	735181	4212328	120	393	59
139	Non-Participant	735230	4212323	97	319	59
140	Non-Participant	735348	4212325	87	286	65
141	Non-Participant	735389	4212331	81	265	65
142	Non-Participant	735423	4212331	80	262	65
143	Non-Participant	735463	4212332	80	262	65
144	Non-Participant	735497	4212332	83	273	65
145	Non-Participant	735556	4212331	80	264	66
146	Non-Participant	735559	4212194	217	713	59
147	Non-Participant	735508	4212186	226	742	64
148	Non-Participant	735451	4212181	229	752	59
149	Non-Participant	735415	4212180	231	759	59
150	Non-Participant	735335	4212188	224	734	63
151	Non-Participant	735308	4212181	232	760	63
152	Non-Participant	735261	4212183	230	755	63
153	Non-Participant	735220	4212180	238	779	62
154	Non-Participant	735173	4212177	253	831	62
155	Non-Participant	735123	4212181	248	815	57
156	Non-Participant	735086	4212185	232	760	57
157	Non-Participant	735043	4212194	215	704	62
158	Non-Participant	735003	4212155	253	830	56
159	Non-Participant	735011	4212102	306	1,003	61
160	Non-Participant	735100	4212123	296	970	61
161	Non-Participant	735052	4212058	351	1,153	60
162	Non-Participant	735141	4212121	310	1,019	61
163	Non-Participant	735184	4212118	306	1,004	62
164	Non-Participant	735231	4212118	297	975	62
165	Non-Participant	735302	4212119	293	963	62
166	Non-Participant	735354	4212116	296	971	62
167	Non-Participant	735394	4212108	303	996	62
168	Non-Participant	735463	4212114	297	975	63
169	Non-Participant	735498	4212126	287	940	63
170	Non-Participant	735537	4212123	289	947	63

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
171	Non-Participant	735211	4212027	389	1,277	61
172	Non-Participant	735194	4211985	434	1,423	60
173	Non-Participant	735179	4211944	477	1,566	55
174	Non-Participant	735289	4212038	375	1,229	61
175	Non-Participant	735261	4211961	452	1,482	60
176	Non-Participant	735239	4211919	494	1,621	55
177	Non-Participant	735132	4211889	530	1,739	54
178	Non-Participant	735208	4211848	568	1,863	54
179	Non-Participant	735218	4211880	535	1,756	55
180	Non-Participant	735595	4212332	79	261	66
181	Non-Participant	735628	4212334	78	256	66
182	Non-Participant	735674	4212330	82	269	66
183	Non-Participant	735615	4212189	223	731	59
184	Non-Participant	735667	4212199	213	698	59
185	Non-Participant	735649	4212052	360	1,180	58
186	Non-Participant	735819	4211942	470	1,544	56
187	Non-Participant	735853	4212016	397	1,303	57
188	Non-Participant	735824	4212259	154	504	60
189	Non-Participant	736001	4212260	153	503	60
190	Non-Participant	736121	4212091	337	1,106	57
191	Non-Participant	736301	4212059	411	1,349	56
192	Non-Participant	736402	4212337	266	873	58
193	Non-Participant	737279	4212277	928	3,044	51
194	Non-Participant	737542	4212252	1,180	3,871	49
195	Non-Participant	736369	4211738	736	2,416	53
196	Non-Participant	736114	4211560	859	2,820	52
197	Non-Participant	735989	4211580	834	2,735	53
198	Non-Participant	735940	4211717	696	2,283	54
199	Non-Participant	735817	4211873	539	1,769	56
200	Non-Participant	735783	4211552	861	2,824	52
201	Non-Participant	735756	4211468	944	3,098	52
202	Non-Participant	735556	4211600	812	2,663	58
203	Non-Participant	735251	4210974	1,439	4,722	52
204	Non-Participant	735755	4211332	1,080	3,544	51

Table A-1. Pile Driving Acoustic Modeling Results Summary

NSR ID	Status	UTM Coordinates (m)		Distance of the NSR to the Nearest Project Boundary (meters)	Distance of the NSR to the Nearest Project Boundary (feet)	Received Sound Level, L_{eq} (dBA)
		Easting	Northing			Maximum
205	Non-Participant	735751	4211284	1,128	3,701	50
206	Non-Participant	735820	4210930	1,482	4,863	47
207	Non-Participant	735254	4210945	1,468	4,815	52
208	Non-Participant	734974	4210894	1,514	4,968	46
209	Non-Participant	734974	4210869	1,540	5,051	46