

CUSTOMER NOTICE

Notice is hereby given that Wood Creek Water District ("District") in fulfillment of Order of the Public Service Commission (PSC) in case number 2023-00110 expects to file an application with the PSC on or before July 31, 2024 seeking approval of a proposed adjustment to its sewer rates. The proposed rates shall not become effective until the PSC has issued an order approving them. The proposed changes are as follows:

	Monthly Rates	Existing Rates	Proposed Rates	\$ Increase	% Increase
5/8" x 3/4" Meter					
First	2,500 gallons	\$ 28.01 Minimum Bill	\$ 28.01	\$ -	0.00 %
Next	1,500 gallons	\$ 0.01044 per Gallon	\$ 0.01044	\$ -	0.00 %
Next	1,500 gallons	\$ 0.00976 per Gallon	\$ 0.00976	\$ -	0.00 %
Next	2,500 gallons	\$ 0.00885 per Gallon	\$ 0.00885	\$ -	0.00 %
Over	7,500 gallons	\$ 0.00786 per Gallon	\$ 0.00786	\$ -	0.00 %
1" Meter					
First	5,000 gallons	\$ 58.33 Minimum Bill	\$ 58.33	\$ -	0.00 %
Next	2,500 gallons	\$ 0.00885 per Gallon	\$ 0.00885	\$ -	0.00 %
Over	7,500 gallons	\$ 0.00786 per Gallon	\$ 0.00786	\$ -	0.00 %
2" Meter					
First	20,000 gallons	\$ 178.76 Minimum Bill	\$ 178.76	\$ -	0.00 %
Over	20,000 gallons	\$ 0.00786 per Gallon	\$ 0.00786	\$ -	0.00 %
3" Meter					
First	30,000 gallons	\$ 257.37 Minimum Bill	\$ 257.37	\$ -	0.00 %
Over	30,000 gallons	\$ 0.00786 per Gallon	\$ 0.00786	\$ -	0.00 %
6" Meter					
First	100,000 gallons	\$ 807.68 Minimum Bill	\$ 807.68	\$ -	0.00 %
Over	100,000 gallons	\$ 0.00786 per Gallon	\$ 0.00786	\$ -	0.00 %

If the PSC approves the proposed rates, then the monthly bill for a residential customer using an average of 4,000 gallons per month will increase from \$43.67 to \$43.67. This is an increase of \$0.00 or 0.0%. The rates contained in this notice are the rates proposed by the District. However, the PSC may order rates to be charged that differ from these proposed rates. Such action may result in rates for customers other than the rates shown in this notice. Any person may examine this application at the District's office located at 1670 E. Hal Rogers Parkway in London, Kentucky; telephone (606) 878-9420. Any person may examine this application at the PSC located at 211 Sower Boulevard, Frankfort, Kentucky, Monday through Friday, 8:00 a.m. to 4:30 p.m. or on the PSC website at <http://psc.ky.gov>; telephone (502) 564-3490. Comments regarding the application may be submitted to the PSC through its website or by mail to PSC, PO Box 615, Frankfort, KY 40602. A person may submit a timely written request for intervention to the PSC at the same address, establishing the grounds for the request including the status and interest of the party. If the PSC does not receive a written request for intervention within thirty (30) days of the initial publication of this notice, the PSC may take final action on the application.