

Transformer	Time	8/25/2023	8/28/2024	Max Demand
		MVA	MVA	MVA
AB 12KV TR1	HE 1500	20.36	19.23	28
AB 12KV TR2	HE 1500	20.98	20.11	28
AK 12KV TR1	HE 1500	29.74	29.32	44.8
AK 12KV TR2	HE 1500	25.23	22.24	28
AL 14KV TR2	HE 1500	19.54	17.26	25
AL 14KV TR3	HE 1500	18.73	17.38	44.8
AL 14KV TR4	HE 1500	5.17	4.91	31.25
AS 14KV TR3	HE 1500	13.22	12.41	70
AS 14KV TR4	HE 1500	11.45	12.81	28
BB 12KV TR1	HE 1500	5.99	3.06	10.5
BI 12KV TR1	HE 1500	18.62	18.83	28
BI 12KV TR2	HE 1500	7.97	7.95	28
BR 12KV TR3	HE 1500	18.42	17.23	28
BR 12KV TR4	HE 1500	16.54	15.22	28
BR 12KV TR5	HE 1500	21.99	20.90	28
BR 14KV TR1	HE 1500	11.08	9.91	20
BR 14KV TR2	HE 1500	11.12	9.87	20
BY 12KV TR1	HE 1500	28.70	29.98	44.8
BY 12KV TR2	HE 1500	21.98	23.96	44.8
CA 14KV TR3	HE 1500	17.49	16.51	30
CA 14KV TR4	HE 1500	19.30	17.98	30
CF 12KV TR1	HE 1500	28.90	25.23	44.8
CF 12KV TR2	HE 1500	0.00	6.18	44.8
CG 14KV TR1	HE 1500	23.93	22.34	44.8
CL 12KV TR2	HE 1500	18.01	17.05	28
CL 12KV TR5	HE 1500	15.11	14.19	28
CL 14KV TR1	HE 1500	8.79	6.64	20
CL 14KV TR3	HE 1500	15.66	16.00	28
CO 12KV TR1	HE 1500	19.69	18.75	28
CO 12KV TR2	HE 1500	11.31	10.71	28
CR 14KV TR1-A	HE 1500	6.90	6.10	36
CS 12KV TR1	HE 1500	11.48	10.93	28
CW 12KV TR1	HE 1500	20.00	16.88	28
CW 12KV TR2	HE 1500	19.48	19.53	28
CY 14KV TR1	HE 1500	12.80	12.59	25
CY 14KV TR2	HE 1500	11.30	11.01	25
DA 12KV TR1	HE 1500	21.20	19.45	28
DA 12KV TR2	HE 1500	18.41	16.64	28
DE 14KV TR1	HE 1500	19.85	21.62	44.8
DX 12KV TR1	HE 1500	31.92	30.64	44.8
ET 12KV TR2	HE 1500	17.64	16.85	28
ET 12KV TR6	HE 1500	23.19	21.30	28

ET 14KV TR1	HE 1500	6.66	6.72	25
EW 12KV TR1	HE 1500	20.06	19.93	44.8
FA 12KV TR1	HE 1500	14.54	13.76	28
FA 12KV TR2	HE 1500	14.59	7.01	28
FH 12KV TR1	HE 1500	16.65	15.96	28
FH 12KV TR2	HE 1500	28.08	26.41	44.8
FL 14KV TR1	HE 1500	29.75	0.00	44.8
FM 12KV TR1	HE 1500	23.79	22.25	28
FM 12KV TR2	HE 1500	20.15	19.07	44.8
FV 12KV TR2	HE 1500	18.85	18.33	44.8
FV 12KV TR3	HE 1500	23.47	22.93	28
FV 12KV TR4	HE 1500	16.10	16.53	28
FV 14KV TR1	HE 1500	1.83	1.94	33.3
FV 14KV TR8	HE 1500	13.21	13.31	44.8
GL 14KV TR1	HE 1500	13.85	32.24	67.2
GL 14KV TR2	HE 1500	16.06	18.98	67.2
GL 14KV TR3	HE 1500	1.67	8.61	67.2
GR 12KV TR1	HE 1500	0.54	0.50	6.25
GR 14KV TR1	HE 1500	17.24	15.76	25
GR 14KV TR2	HE 1500	10.19	9.68	35
HB 12KV TR1	HE 1500	28.63	26.84	44.8
HB 12KV TR2	HE 1500	25.31	27.23	44.8
HC 12KV TR2	HE 1500	35.32	32.74	44.8
HC 14KV TR1	HE 1500	8.44	9.53	33.6
HI 12KV TR2	HE 1500	36.05	33.17	44.8
HI 14KV TR1	HE 1500	14.35	12.96	33.6
HK 12KV TR1	HE 1500	18.33	17.86	28
HK 12KV TR2	HE 1500	9.28	8.59	28
HK 12KV TR3	HE 1500	15.01	14.09	28
HL 12KV TR1	HE 1500	14.08	16.65	28
HN 12KV TR1	HE 1500	16.27	15.40	44.8
IN 12KV TR1	HE 1500	24.95	22.85	44.8
IN 12KV TR2	HE 1500	7.94	7.71	44.8
JT 12KV TR1	HE 1500	13.35	12.40	44.8
JT 12KV TR2	HE 1500	20.83	19.86	44.8
KC 34KV TR1	HE 1500	7.23	6.77	30
KE 12KV TR1	HE 1500	19.47	18.26	28
KE 12KV TR2	HE 1500	19.69	20.23	28
LO 12KV TR2	HE 1500	24.29	24.36	44.8
LS 12KV TR3	HE 1500	17.94	16.62	28
LS 12KV TR5	HE 1500	9.81	9.20	44.8
LY 12KV TR2	HE 1500	16.57	15.89	28
MC 12KV TR9	HE 1500	12.12	11.71	28
MD 14KV TR1	HE 1500	7.27	7.17	44.8

MD 14KV TR2	HE 1500	33.85	27.24	44.8
MD 14KV TR3	HE 1500	11.73	11.49	44.8
MG 14KV TR5	HE 1500	34.75	33.07	44.8
MG 14KV TR6	HE 1500	4.97	4.39	44.8
MG 14KV TR7	HE 1500	4.65	4.36	44.8
MK 12KV TR1	HE 1500	21.60	6.92	44.8
MK 12KV TR2	HE 1500	19.46	17.77	44.8
ML 12KV TR3	HE 1500	31.07	30.22	44.8
ML 12KV TR6	HE 1500	39.55	36.77	44.8
MU 12KV TR1	HE 1500	1.95	1.79	7
NA 12KV TR1	HE 1500	16.98	16.02	28
NA 12KV TR2	HE 1500	20.17	19.19	28
NA 12KV TR3	HE 1500	13.18	11.86	28
OH 12KV TR1	HE 1500	34.15	33.86	44.8
OK 12KV TR1	HE 1500	28.38	27.28	44.8
OX 12KV TR1	HE 1500	21.76	20.37	28
OX 12KV TR2	HE 1500	9.08	8.62	28
PL 12KV TR1	HE 1500	26.59	24.49	44.8
PL 12KV TR2	HE 1500	12.03	11.22	44.8
PR 14KV TR1	HE 1500	13.30	8.36	60
PR 14KV TR2	HE 1500	0.05	0.00	50
PR 14KV TR3	HE 1500	2.80	2.64	186.6
PR 14KV TR4	HE 1500	0.00	0.00	100
PR 14KV TR5	HE 1500	24.44	20.23	50
PV 12KV TR1	HE 1500	24.33	24.03	44.8
PV 12KV TR2	HE 1500	8.97	8.55	44.8
SH 12KV TR2	HE 1500	19.32	17.73	44.8
SH 14KV TR1	HE 1500	9.05	7.74	25
SK 12KV TR1	HE 1500	6.90	7.04	10.5
SM 12KV TR4	HE 1500	33.53	30.81	44.8
SM 14KV TR1	HE 1500	13.26	10.06	25
SM 14KV TR2	HE 1500	12.39	9.40	25
SM 14KV TR3	HE 1500	13.48	13.60	44.8
SM 14KV TR5	HE 1500	0.00	0.00	67.2
SM 14KV TR6	HE 1500	0.73	0.73	67.2
SP 12KV TR2	HE 1500	19.08	18.72	28
SV 12KV TR1	HE 1500	2.92	2.86	10.5
SV 12KV TR2	HE 1500	4.26	4.56	10.5
SW 12KV TR1	HE 1500	19.44	18.63	28
SW 12KV TR2	HE 1500	17.16	23.11	28
SW 14KV TR1	HE 1500	0.01	0.01	7
SY 12KV TR1	HE 1500	22.69	21.61	28
SY 12KV TR2	HE 1500	21.83	19.78	28
TA 12KV TR1	HE 1500	20.21	18.88	28

TA 12KV TR3	HE 1500	17.36	16.60	28
TA 12KV TR4	HE 1500	21.94	21.40	28
TE 12KV TR1	HE 1500	17.54	15.62	28
TE 12KV TR2	HE 1500	25.97	29.02	44.8
TT 34KV TR1	HE 1500	5.37	7.65	56
TT 34KV TR2	HE 1500	13.23	11.49	44.8
WH 12KV TR2	HE 1500	5.05	4.75	10.5
WH 12KV TR3	HE 1500	1.22	1.22	9.375
WO 12KV TR1	HE 1500	28.98	28.24	44.8
WO 12KV TR2	HE 1500	27.90	27.02	44.8
WP 12KV TR1	HE 1500	2.45	2.27	10.5
WS 14KV TR1	HE 1500	18.78	17.35	50
WS 14KV TR2	HE 1500	18.27	17.93	50
WS 14KV TR3	HE 1500	18.93	17.63	50
WS 14KV TR4	HE 1500	18.53	18.21	50
WT 12KV TR4	HE 1500	34.79	32.95	44.8
WT 12KV TR5	HE 1500	24.06	22.96	28

Circuit	Time	2023	2024	Max Demand
		Amps		Amps
AB-1201	HE 1500	0.0	0.0	600
AB-1202	HE 1500	368.6	344.5	600
AB-1203	HE 1500	227.5	206.0	600
AB-1204	HE 1500	325.6	314.3	600
AB-1205	HE 1500	326.4	304.7	600
AB-1206	HE 1500	345.8	347.9	600
AB-1207	HE 1500	223.9	210.6	600
AK-1289	HE 1500	438.9	428.9	600
AK-1290	HE 1500	327.4	307.5	600
AK-1291	HE 1500	458.0	426.7	600
AK-1292	HE 1500	345.8	268.4	600
AK-1293	HE 1500	74.2	85.5	600
AK-1294	HE 1500	90.9	90.3	600
AK-1295	HE 1500	323.8	331.0	600
AK-1296	HE 1500	415.0	395.5	600
AL-1370	HE 1500	0.0	0.0	500
AL-1371	HE 1500	0.0	0.0	500
AL-1372	HE 1500	215.5	197.3	400
AL-1373	HE 1500	311.0	246.3	700
AL-1374	HE 1500	64.7	68.5	700
AL-1375	HE 1500	0.0	0.0	600
AL-1376	HE 1500	0.0	0.0	600
AL-1377	HE 1500	18.4	17.7	600

AL-1378	HE 1500	211.9	191.5	400
AL-1379	HE 1500	0.0	0.0	700
AL-1380	HE 1500	121.7	116.3	700
AL-1440	HE 1500	3.3	5.9	500
AL-1441	HE 1500	194.3	204.5	500
AL-1442	HE 1500	317.3	289.6	500
AL-1443	HE 1500	246.0	207.0	700
AL-1444	HE 1500	77.8	71.4	700
AS-1415	HE 1500	122.6	72.0	600
AS-1416	HE 1500	282.2	281.2	868
AS-1417	HE 1500	64.9	47.4	500
AS-1418	HE 1500	394.7	468.9	600
AS-1419	HE 1500	31.7	31.0	600
AS-1420	HE 1500	0.0	0.0	0
AS-1421	HE 1500	5.0	5.0	600
BB-1102	HE 1500	183.4	99.0	358
BB-1103	HE 1500	86.5	38.6	358
BI-1217	HE 1500	108.7	104.2	600
BI-1218	HE 1500	126.4	120.0	600
BI-1219	HE 1500	276.8	280.0	600
BI-1220	HE 1500	342.5	352.0	600
BI-1221	HE 1500	91.8	83.3	600
BI-1222	HE 1500	13.4	13.2	600
BI-1223	HE 1500	44.2	64.8	600
BI-1224	HE 1500	215.5	202.6	600
BR-1176	HE 1500	267.8	250.8	600
BR-1177	HE 1500	335.3	302.3	600
BR-1179	HE 1500	311.2	299.9	600
BR-1180	HE 1500	253.8	234.9	600
BR-1181	HE 1500	363.5	341.3	600
BR-1182	HE 1500	41.9	38.3	600
BR-1184	HE 1500	388.8	365.5	600
BR-1185	HE 1500	238.7	228.6	600
BR-1186	HE 1500	258.3	240.9	600
BR-1187	HE 1500	115.3	114.2	600
BR-1350	HE 1500	0.0	0.0	0
BR-1351	HE 1500	320.2	302.2	513
BR-1352	HE 1500	137.5	232.0	513
BR-1354	HE 1500	103.2	98.3	513
BR-1356	HE 1500	350.0	194.9	600
BY-1276	HE 1500	233.0	231.4	600
BY-1277	HE 1500	291.0	337.0	600
BY-1278	HE 1500	248.6	229.2	600
BY-1279	HE 1500	224.5	235.2	600

BY-1280	HE 1500	1.0	0.0	600
BY-1281	HE 1500	362.2	339.9	600
BY-1282	HE 1500	0.0	0.0	600
BY-1283	HE 1500	461.3	471.8	600
BY-1284	HE 1500	329.8	318.5	513
BY-1285	HE 1500	200.0	206.7	600
CA-1304	HE 1500	331.3	317.8	800
CA-1306	HE 1500	220.9	218.3	600
CA-1340	HE 1500	155.6	126.4	700
CA-1341	HE 1500	168.5	158.7	314
CA-1342	HE 1500	178.4	162.2	314
CA-1343	HE 1500	17.6	16.3	400
CA-1344	HE 1500	3.0	3.0	400
CA-1345	HE 1500	127.3	122.9	315
CA-1346	HE 1500	320.1	296.2	500
CF-1201	HE 1500	110.7	114.7	600
CF-1202	HE 1500	188.0	180.3	600
CF-1203	HE 1500	229.3	208.7	600
CF-1204	HE 1500	563.3	430.6	600
CF-1205	HE 1500	142.7	140.0	600
CF-1206	HE 1500	0.0	168.3	600
CF-1207	HE 1500	0.0	111.0	600
CG-1435	HE 1500	120.8	95.9	788
CG-1436	HE 1500	179.6	222.4	883
CG-1437	HE 1500	572.4	471.2	868
CG-1438	HE 1500	141.8	119.8	600
CL-1225	HE 1500	0.0	0.0	600
CL-1226	HE 1500	317.2	308.1	600
CL-1227	HE 1500	100.3	93.8	600
CL-1228	HE 1500	0.0	0.0	600
CL-1229	HE 1500	267.6	253.3	600
CL-1230	HE 1500	257.1	236.1	600
CL-1231	HE 1500	121.0	118.1	600
CL-1232	HE 1500	430.9	392.2	600
CL-1401	HE 1500	0.0	0.0	500
CL-1402	HE 1500	192.1	181.5	700
CL-1403	HE 1500	9.8	9.9	500
CL-1404	HE 1500	151.8	86.0	484
CL-1405	HE 1500	181.0	167.1	600
CL-1406	HE 1500	0.0	0.0	600
CL-1407	HE 1500	459.2	486.3	600
CO-1192	HE 1500	204.3	185.0	747
CO-1193	HE 1500	367.6	345.0	600
CO-1194	HE 1500	8.8	7.1	600

CO-1195	HE 1500	289.2	281.8	747
CO-1196	HE 1500	130.0	127.9	600
CO-1197	HE 1500	384.0	367.7	600
CR-1420	HE 1500	28.7	29.3	800
CR-1421	HE 1500	261.6	223.5	800
CR-1422	HE 1500	0.0	0.0	800
CS-1260	HE 1500	56.3	52.6	600
CS-1261	HE 1500	255.1	238.9	600
CS-1262	HE 1500	192.9	190.0	600
CS-1263	HE 1500	0.0	0.0	600
CW-1222	HE 1500	409.9	383.9	600
CW-1223	HE 1500	2.1	2.3	600
CW-1224	HE 1500	445.4	418.2	600
CW-1225	HE 1500	275.3	261.9	600
CW-1226	HE 1500	131.5	127.6	600
CW-1227	HE 1500	203.4	99.7	600
CW-1228	HE 1500	263.8	278.8	600
CW-1229	HE 1500	0.0	0.0	600
CY-1481	HE 1500	184.2	182.6	600
CY-1482	HE 1500	145.5	137.5	500
CY-1483	HE 1500	22.0	16.3	500
CY-1484	HE 1500	187.8	187.7	700
CY-1486	HE 1500	181.8	185.3	600
CY-1487	HE 1500	292.3	276.5	500
CY-1488	HE 1500	0.0	0.0	0
CY-1489	HE 1500	0.0	0.0	0
DA-1237	HE 1500	192.5	175.3	600
DA-1238	HE 1500	231.3	207.6	600
DA-1239	HE 1500	276.9	244.9	600
DA-1240	HE 1500	254.1	236.1	600
DA-1241	HE 1500	303.8	277.6	600
DA-1242	HE 1500	277.7	258.6	600
DA-1243	HE 1500	233.0	217.9	600
DA-1244	HE 1500	0.0	0.0	600
DE-1406	HE 1500	257.5	231.1	600
DE-1407	HE 1500	211.8	237.5	600
DE-1408	HE 1500	146.8	207.5	600
DE-1409	HE 1500	15.0	34.5	600
DE-1410	HE 1500	216.8	198.1	600
DX-1220	HE 1500	455.8	423.8	600
DX-1221	HE 1500	232.6	231.8	600
DX-1222	HE 1500	404.8	396.2	600
DX-1223	HE 1500	361.9	326.8	600
DX-1224	HE 1500	0.0	0.0	600

ET-1166	HE 1500	166.6	155.9	600
ET-1167	HE 1500	138.5	135.9	600
ET-1168	HE 1500	249.8	236.1	600
ET-1169	HE 1500	237.0	216.3	600
ET-1170	HE 1500	182.4	174.1	600
ET-1171	HE 1500	265.6	258.7	600
ET-1172	HE 1500	264.4	238.4	600
ET-1173	HE 1500	320.2	278.4	600
ET-1421	HE 1500	31.6	46.8	600
ET-1422	HE 1500	156.8	149.5	600
ET-1423	HE 1500	82.9	74.9	600
ET-1424	HE 1500	0.0	0.0	0
EW-1240	HE 1500	113.0	112.2	600
EW-1241	HE 1500	458.8	440.1	600
EW-1242	HE 1500	226.3	241.8	600
EW-1243	HE 1500	85.8	87.7	600
EW-1244	HE 1500	0.0	0.0	600
FA-1123	HE 1500	142.6	136.2	600
FA-1148	HE 1500	344.8	325.2	600
FA-1149	HE 1500	163.1	157.1	600
FA-1150	HE 1500	0.0	0.0	600
FA-1213	HE 1500	0.0	0.0	600
FA-1214	HE 1500	167.9	131.1	600
FA-1215	HE 1500	273.0	0.0	600
FA-1216	HE 1500	207.9	178.2	600
FH-1209	HE 1500	196.1	181.8	600
FH-1210	HE 1500	425.6	409.6	600
FH-1211	HE 1500	119.2	119.3	600
FH-1212	HE 1500	0.0	0.0	600
FH-1213	HE 1500	447.8	424.5	600
FH-1214	HE 1500	192.3	180.6	600
FH-1215	HE 1500	179.4	171.5	600
FH-1216	HE 1500	230.7	220.0	600
FH-1217	HE 1500	205.9	190.7	600
FL-1495	HE 1500	274.9	189.8	600
FL-1496	HE 1500	167.2	156.5	600
FL-1497	HE 1500	399.5	369.9	600
FL-1498	HE 1500	64.3	61.1	600
FL-1499	HE 1500	332.8	283.5	600
FM-1256	HE 1500	483.6	446.7	600
FM-1257	HE 1500	389.5	363.4	600
FM-1258	HE 1500	0.0	0.0	600
FM-1259	HE 1500	194.2	183.4	600
FM-1260	HE 1500	307.8	292.5	600

FM-1261	HE 1500	101.3	94.1	600
FM-1262	HE 1500	494.5	474.0	600
FM-1263	HE 1500	0.0	0.0	600
FV-1134	HE 1500	309.6	300.1	600
FV-1135	HE 1500	358.0	334.4	600
FV-1136	HE 1500	0.0	0.0	600
FV-1137	HE 1500	173.5	169.5	600
FV-1138	HE 1500	234.5	244.2	600
FV-1139	HE 1500	145.5	161.7	600
FV-1140	HE 1500	271.7	262.0	600
FV-1141	HE 1500	300.2	310.2	600
FV-1142	HE 1500	343.1	319.2	600
FV-1143	HE 1500	260.8	256.2	600
FV-1144	HE 1500	71.8	62.3	600
FV-1145	HE 1500	200.4	182.4	600
FV-1146	HE 1500	0.0	0.0	600
FV-1471	HE 1500	0.0	0.0	868
FV-1472	HE 1500	74.2	79.9	868
FV-1473	HE 1500	0.0	0.0	513
FV-1474	HE 1500	0.0	0.0	513
FV-1475	HE 1500	104.4	126.2	600
FV-1476	HE 1500	154.6	158.6	513
FV-1477	HE 1500	89.1	84.5	600
FV-1478	HE 1500	186.0	170.9	513
FV-1479	HE 1500	0.0	0.0	0
GL-1330-1	HE 1500	210.1	234.7	1130
GL-1331-1	HE 1500	218.6	270.7	1130
GL-1332-1	HE 1500	275.7	289.3	1130
GL-1333-1	HE 1500	191.7	442.8	1200
GL-1334-1	HE 1500	191.3	442.5	1200
GL-1335-1	HE 1500	191.0	440.5	1200
GL-1330-2	HE 1500	210.1	234.7	1130
GL-1331-2	HE 1500	218.6	270.7	1130
GL-1332-2	HE 1500	275.7	289.3	1130
GL-1333-2	HE 1500	191.7	442.8	1200
GL-1334-2	HE 1500	191.3	442.5	1200
GL-1335-2	HE 1500	191.0	440.5	1200
GL-1336	HE 1500	68.5	355.7	1200
GL-1337	HE 1500	0.0	0.0	0
GL-1338	HE 1500	0.0	0.0	0
GL-1339	HE 1500	0.0	0.0	0
GR-1124	HE 1500	31.0	29.8	450
GR-1462	HE 1500	174.3	181.0	600
GR-1463	HE 1500	361.8	343.7	600

GR-1464	HE 1500	174.6	173.4	518
GR-1465	HE 1500	166.3	128.0	600
GR-1466	HE 1500	248.7	229.2	600
HB-1141	HE 1500	284.0	259.8	600
HB-1142	HE 1500	412.9	378.2	600
HB-1143	HE 1500	201.4	190.6	600
HB-1144	HE 1500	174.3	199.7	600
HB-1145	HE 1500	437.4	427.3	600
HB-1146	HE 1500	212.8	285.2	600
HB-1147	HE 1500	188.5	188.2	600
HB-1148	HE 1500	348.8	328.5	600
HB-1149	HE 1500	34.3	36.6	600
HB-1150	HE 1500	117.4	118.8	600
HC-1290	HE 1500	474.3	446.6	600
HC-1291	HE 1500	233.3	216.4	600
HC-1292	HE 1500	195.0	174.5	600
HC-1293	HE 1500	428.5	395.1	600
HC-1294	HE 1500	256.8	230.8	600
HC-1431	HE 1500	80.0	84.0	600
HC-1432	HE 1500	17.0	17.0	500
HC-1433	HE 1500	71.9	136.3	400
HC-1434	HE 1500	89.3	92.1	513
HC-1435	HE 1500	92.7	87.2	600
HI-1101	HE 1500	303.3	270.1	700
HI-1102	HE 1500	260.9	246.4	600
HI-1103	HE 1500	305.4	279.8	600
HI-1104	HE 1500	382.6	333.1	600
HI-1105	HE 1500	381.6	350.3	600
HI-1472	HE 1500	98.0	89.0	550
HI-1473	HE 1500	318.8	275.8	550
HI-1474	HE 1500	14.4	14.7	550
HI-1475	HE 1500	154.2	149.5	553
HK-1233	HE 1500	300.5	286.8	600
HK-1234	HE 1500	336.2	315.2	600
HK-1235	HE 1500	278.5	257.8	600
HK-1236	HE 1500	0.0	0.0	600
HK-1237	HE 1500	0.0	0.0	600
HK-1238	HE 1500	77.1	74.2	600
HK-1239	HE 1500	0.0	0.0	600
HK-1240	HE 1500	242.0	254.8	600
HK-1241	HE 1500	119.6	113.9	600
HK-1242	HE 1500	160.3	147.9	600
HK-1243	HE 1500	367.0	351.9	600
HK-1244	HE 1500	0.0	0.0	600

HK-1245	HE 1500	11.1	11.9	600
HL-1155	HE 1500	49.0	66.3	600
HL-1156	HE 1500	321.0	368.3	600
HL-1157	HE 1500	172.0	211.8	600
HL-1158	HE 1500	87.0	101.4	600
HN-1200	HE 1500	189.1	173.2	600
HN-1201	HE 1500	185.7	172.8	600
HN-1202	HE 1500	0.0	0.0	600
HN-1203	HE 1500	0.0	0.0	600
HN-1204	HE 1500	161.0	162.3	600
IN-1290	HE 1500	186.9	179.9	553
IN-1291	HE 1500	495.6	466.1	600
IN-1292	HE 1500	112.8	127.8	600
IN-1293	HE 1500	140.7	119.6	600
IN-1294	HE 1500	205.7	146.0	1200
IN-1295	HE 1500	1.0	1.0	1200
IN-1296	HE 1500	232.1	220.0	600
IN-1297	HE 1500	0.0	0.0	600
IN-1298	HE 1500	124.1	125.3	553
IN-1299	HE 1500	0.0	0.0	600
JT-1120	HE 1500	109.4	107.0	600
JT-1121	HE 1500	220.7	223.6	600
JT-1122	HE 1500	253.6	236.1	600
JT-1123	HE 1500	360.0	344.1	600
JT-1124	HE 1500	99.5	91.5	600
JT-1125	HE 1500	98.4	95.7	600
JT-1126	HE 1500	300.4	270.9	553
JT-1127	HE 1500	77.2	74.3	600
JT-1128	HE 1500	0.0	0.0	600
KC-3321	HE 1500	0.0	0.0	400
KC-3322	HE 1500	83.9	79.0	400
KC-3323	HE 1500	33.2	31.0	400
KE-1155	HE 1500	161.1	155.2	600
KE-1156	HE 1500	280.2	266.3	600
KE-1157	HE 1500	58.2	48.9	600
KE-1158	HE 1500	360.8	345.5	600
KE-1159	HE 1500	231.7	216.6	600
KE-1160	HE 1500	272.8	315.2	600
KE-1161	HE 1500	125.4	115.4	600
KE-1162	HE 1500	246.9	246.0	600
LO-1190	HE 1500	408.3	384.6	600
LO-1191	HE 1500	147.1	128.9	600
LO-1192	HE 1500	190.1	183.3	600
LO-1193	HE 1500	266.8	250.8	600

LS-1240	HE 1500	0.0	0.0	600
LS-1241	HE 1500	70.7	63.6	600
LS-1242	HE 1500	0.0	0.0	600
LS-1243	HE 1500	133.1	129.4	435
LS-1244	HE 1500	234.6	221.2	600
LS-1245	HE 1500	331.7	303.9	600
LS-1246	HE 1500	25.7	24.0	600
LS-1247	HE 1500	0.0	0.0	600
LS-1248	HE 1500	451.8	418.5	600
LY-1111	HE 1500	359.1	346.8	600
LY-1112	HE 1500	32.4	32.1	600
LY-1163	HE 1500	366.2	340.6	513
MC-1261	HE 1500	440.0	403.8	600
MC-1262	HE 1500	204.0	197.0	600
MC-1263	HE 1500	0.0	0.0	600
MC-1264	HE 1500	0.0	0.0	130
MD-1445-A	HE 1500	0.0	0.0	500
MD-1445-B	HE 1500	159.0	145.5	500
MD-1446-A	HE 1500	0.0	0.0	500
MD-1446-B	HE 1500	175.8	173.1	500
MD-1447-A	HE 1500	0.0	0.0	500
MD-1447-B	HE 1500	147.2	138.2	500
MD-1448-A	HE 1500	0.0	0.0	500
MD-1448-B	HE 1500	154.3	141.9	500
MD-1449-A	HE 1500	0.0	0.0	500
MD-1449-B	HE 1500	132.5	129.8	500
MD-1450	HE 1500	0.0	0.0	600
MD-1451	HE 1500	25.1	30.9	600
MD-1452	HE 1500	276.4	267.4	600
MD-1453	HE 1500	0.0	0.0	600
MD-1454	HE 1500	405.7	392.3	1000
MD-1455	HE 1500	234.6	223.5	600
MD-1456	HE 1500	179.1	183.0	600
MD-1457	HE 1500	89.1	82.4	600
MD-1458	HE 1500	0.0	0.0	0
MD-1459	HE 1500	0.0	0.0	0
MG-1314	HE 1500	68.3	64.8	700
MG-1323	HE 1500	0.0	0.0	700
MG-1326	HE 1500	196.6	156.0	700
MG-1327	HE 1500	327.2	325.0	700
MG-1328	HE 1500	372.0	352.1	600
MG-1329	HE 1500	226.4	214.3	700
MG-1332-A	HE 1500	49.2	41.7	450
MG-1332-B	HE 1500	37.4	35.0	450

MG-1333-A	HE 1500	53.3	46.2	450
MG-1333-B	HE 1500	36.7	34.7	450
MG-1334-A	HE 1500	39.9	38.9	450
MG-1334-B	HE 1500	27.4	28.2	450
MG-1335-A	HE 1500	54.2	46.6	450
MG-1335-B	HE 1500	29.8	27.6	450
MG-1336-A	HE 1500	46.1	40.3	450
MG-1336-B	HE 1500	25.0	23.2	450
MK-1290	HE 1500	106.8	98.8	600
MK-1291	HE 1500	30.2	29.0	600
MK-1292	HE 1500	320.0	299.4	600
MK-1293	HE 1500	331.2	293.3	600
MK-1294	HE 1500	72.0	65.0	600
MK-1295	HE 1500	326.0	341.0	600
MK-1296	HE 1500	218.0	253.6	600
MK-1297	HE 1500	76.7	90.1	600
MK-1298	HE 1500	91.0	82.0	600
MK-1299	HE 1500	150.7	145.5	600
ML-1281	HE 1500	144.1	131.0	600
ML-1282	HE 1500	388.1	351.4	600
ML-1283	HE 1500	418.6	385.8	600
ML-1284	HE 1500	518.6	505.2	600
ML-1285	HE 1500	311.3	292.5	600
ML-1286	HE 1500	442.3	416.5	600
ML-1287	HE 1500	358.6	342.8	600
ML-1288	HE 1500	423.8	436.0	600
ML-1289	HE 1500	118.9	110.8	600
ML-1290	HE 1500	60.7	59.5	600
ML-1291	HE 1500	0.0	0.0	600
MU-1101	HE 1500	90.7	81.0	235
NA-1263	HE 1500	0.0	0.0	600
NA-1264	HE 1500	149.9	144.5	600
NA-1265	HE 1500	213.5	202.9	600
NA-1266	HE 1500	401.3	379.7	600
NA-1267	HE 1500	196.5	195.0	600
NA-1268	HE 1500	294.1	288.6	600
NA-1269	HE 1500	420.2	386.7	600
NA-1270	HE 1500	0.0	0.0	600
NA-1271	HE 1500	293.8	260.7	600
NA-1272	HE 1500	270.5	252.9	600
NA-1273	HE 1500	19.2	18.5	600
NA-1274	HE 1500	0.0	0.0	600
OH-1170	HE 1500	246.0	250.3	600
OH-1171	HE 1500	316.7	319.3	600

OH-1172	HE 1500	102.3	315.3	600
OH-1173	HE 1500	554.7	372.3	600
OH-1174	HE 1500	304.0	293.0	600
OK-1271	HE 1500	364.5	344.2	600
OK-1272	HE 1500	276.6	271.9	600
OK-1273	HE 1500	198.4	195.0	600
OK-1274	HE 1500	251.1	240.8	600
OK-1275	HE 1500	176.7	170.2	600
OX-1273	HE 1500	371.3	337.3	600
OX-1274	HE 1500	499.3	475.8	600
OX-1275	HE 1500	106.1	104.0	600
OX-1276	HE 1500	0.0	0.0	235
OX-1277	HE 1500	152.9	144.8	600
OX-1278	HE 1500	29.3	32.1	600
OX-1279	HE 1500	223.8	213.3	600
OX-1280	HE 1500	0.0	0.0	600
PL-1270	HE 1500	337.7	300.0	600
PL-1271	HE 1500	220.0	206.7	600
PL-1272	HE 1500	253.2	201.7	600
PL-1273	HE 1500	156.5	148.6	600
PL-1274	HE 1500	147.3	135.2	600
PL-1275	HE 1500	0.0	0.0	600
PL-1276	HE 1500	396.0	369.4	600
PL-1277	HE 1500	153.3	134.5	600
PR-1380	HE 1500	10.9	11.0	700
PR-1381	HE 1500	64.3	101.3	885
PR-1382	HE 1500	310.8	258.0	885
PR-1383	HE 1500	297.9	247.3	885
PR-1384	HE 1500	336.8	275.9	885
PR-1385	HE 1500	47.6	48.2	788
PR-1386	HE 1500	77.1	76.8	484
PR-1387	HE 1500	298.6	305.9	788
PR-1388	HE 1500	0.0	0.0	788
PR-1389	HE 1500	5.9	6.0	868
PR-1390	HE 1500	32.4	33.8	500
PR-1391	HE 1500	70.4	68.5	868
PR-1392	HE 1500	0.4	0.0	500
PR-1393	HE 1500	46.6	44.3	868
PR-1394	HE 1500	0.0	0.0	700
PV-1250	HE 1500	414.1	442.3	600
PV-1251	HE 1500	234.8	212.1	600
PV-1252	HE 1500	0.0	0.0	600
PV-1253	HE 1500	249.8	236.2	600
PV-1254	HE 1500	191.5	182.4	600

PV-1255	HE 1500	59.9	56.4	600
PV-1256	HE 1500	152.3	156.1	600
PV-1257	HE 1500	189.8	170.7	600
PV-1258	HE 1500	1.0	1.0	600
PV-1259	HE 1500	0.0	0.0	600
SH-1281	HE 1500	205.3	188.0	600
SH-1282	HE 1500	262.0	251.9	600
SH-1283	HE 1500	38.4	11.6	600
SH-1284	HE 1500	158.0	149.1	513
SH-1285	HE 1500	191.0	187.6	600
SH-1456	HE 1500	231.1	187.1	500
SH-1457	HE 1500	25.8	22.7	314
SH-1458	HE 1500	6.3	6.9	500
SH-1459	HE 1500	112.3	105.2	500
SK-1127	HE 1500	40.4	37.5	315
SK-1128	HE 1500	265.7	279.0	500
SM-1231	HE 1500	156.1	127.3	600
SM-1232	HE 1500	235.7	207.7	600
SM-1233	HE 1500	417.8	390.4	600
SM-1234	HE 1500	335.8	325.4	600
SM-1235	HE 1500	342.3	318.0	600
SM-1360	HE 1500	202.3	192.3	484
SM-1361	HE 1500	150.8	158.9	500
SM-1362	HE 1500	67.8	59.5	700
SM-1363	HE 1500	173.9	101.8	700
SM-1364	HE 1500	69.4	66.3	700
SM-1366	HE 1500	372.6	215.8	700
SM-1380	HE 1500	9.3	9.3	1200
SM-1381	HE 1500	9.0	9.0	1200
SM-1382	HE 1500	9.0	9.0	1200
SM-1384	HE 1500	0.0	0.0	1200
SM-1385	HE 1500	0.0	0.0	0
SM-1386	HE 1500	0.0	0.0	0
SM-1387	HE 1500	0.0	0.0	0
SM-1393	HE 1500	0.0	0.0	0
SM-1394	HE 1500	104.3	115.0	600
SM-1396	HE 1500	0.0	0.0	0
SM-1397	HE 1500	308.1	327.3	747
SM-1398	HE 1500	132.5	106.0	747
SP-1114	HE 1500	112.1	113.6	513
SP-1115	HE 1500	298.9	290.3	600
SP-1116	HE 1500	347.3	328.8	513
SP-1117	HE 1500	90.8	92.3	600
SV-1121	HE 1500	13.3	129.0	600

SV-1122	HE 1500	18.8	203.7	600
SW-1184	HE 1500	218.0	215.0	600
SW-1185	HE 1500	63.6	59.6	600
SW-1186	HE 1500	283.7	274.0	600
SW-1187	HE 1500	284.4	263.9	600
SW-1188	HE 1500	281.2	410.9	600
SW-1190	HE 1500	290.5	268.6	600
SW-1191	HE 1500	210.9	199.4	600
SY-1249	HE 1500	0.0	0.0	600
SY-1250	HE 1500	363.2	341.3	600
SY-1251	HE 1500	264.7	251.3	600
SY-1252	HE 1500	380.2	365.5	600
SY-1253	HE 1500	251.5	230.1	600
SY-1254	HE 1500	260.0	222.4	600
SY-1255	HE 1500	453.2	419.3	600
SY-1256	HE 1500	0.0	0.0	600
TA-1105	HE 1500	411.4	412.1	600
TA-1106	HE 1500	339.8	307.2	600
TA-1130	HE 1500	349.5	341.6	600
TA-1131	HE 1500	0.0	0.0	500
TA-1132	HE 1500	147.9	137.4	600
TA-1133	HE 1500	372.5	364.2	600
TA-1134	HE 1500	248.8	238.7	600
TA-1136	HE 1500	0.0	0.0	600
TA-1138	HE 1500	73.7	137.9	600
TA-1172	HE 1500	222.3	206.8	600
TA-1173	HE 1500	413.7	383.3	600
TE-1242	HE 1500	145.1	136.0	600
TE-1243	HE 1500	290.3	270.6	600
TE-1244	HE 1500	275.4	330.7	600
TE-1245	HE 1500	297.3	281.7	600
TE-1246	HE 1500	396.3	411.7	600
TE-1247	HE 1500	354.0	296.0	600
TE-1248	HE 1500	200.2	282.5	747
TT-3311	HE 1500	73.5	68.5	235
TT-3313	HE 1500	73.1	105.3	235
TT-3314	HE 1500	20.3	23.4	235
TT-3316	HE 1500	138.3	119.3	235
WH-1114	HE 1500	0.0	0.0	500
WH-1115	HE 1500	222.7	212.0	600
WH-1116	HE 1500	227.0	218.9	484
WO-1176	HE 1500	0.0	0.0	600
WO-1177	HE 1500	408.3	411.2	600
WO-1178	HE 1500	122.9	110.3	600

WO-1179	HE 1500	287.4	281.8	600
WO-1180	HE 1500	465.2	458.4	600
WO-1181	HE 1500	97.5	92.9	600
WO-1182	HE 1500	414.9	395.9	600
WO-1183	HE 1500	264.9	250.1	600
WO-1184	HE 1500	449.4	450.4	600
WO-1185	HE 1500	0.0	0.0	600
WP-1104	HE 1500	109.4	101.1	235
WS-1303-1	HE 1500	0.0	0.0	600
WS-1304-1	HE 1500	138.8	88.0	600
WS-1305-1	HE 1500	61.7	56.4	315
WS-1305-2	HE 1500	0.0	0.0	315
WS-1306-1	HE 1500	169.0	159.6	500
WS-1306-2	HE 1500	0.0	0.0	500
WS-1308-1	HE 1500	8.7	8.9	450
WS-1310-1	HE 1500	178.1	245.9	500
WS-1310-2	HE 1500	0.0	0.0	500
WS-1315-1	HE 1500	53.5	60.7	450
WS-1315-2	HE 1500	49.2	49.2	450
WS-1319-1	HE 1500	130.3	122.7	450
WS-1319-2	HE 1500	0.0	0.0	450
WS-1322-1	HE 1500	97.5	93.8	400
WS-1322-2	HE 1500	0.0	0.0	400
WS-1324-1	HE 1500	0.0	0.0	400
WS-1324-2	HE 1500	0.0	0.0	400
WS-1330-1	HE 1500	0.0	0.0	450
WS-1330-2	HE 1500	0.0	0.0	450
WS-1331-3	HE 1500	111.4	103.2	500
WS-1332-3	HE 1500	108.4	97.4	500
WS-1333-3	HE 1500	118.4	108.3	500
WS-1334-3	HE 1500	135.9	121.5	500
WS-1335-3	HE 1500	116.2	104.1	500
WS-1336-3	HE 1500	131.7	116.9	500
WS-1337-3	HE 1500	112.5	99.1	500
WS-1425-3	HE 1500	129.1	121.6	500
WS-1426-3	HE 1500	133.7	136.3	500
WS-1427-3	HE 1500	101.5	106.8	500
WS-1428-3	HE 1500	128.9	129.7	500
WS-1429-3	HE 1500	126.4	126.7	500
WS-1331-4	HE 1500	66.3	66.3	500
WS-1332-4	HE 1500	0.0	0.0	500
WS-1333-4	HE 1500	77.8	77.8	500
WS-1334-4	HE 1500	0.0	0.0	500
WS-1335-4	HE 1500	0.0	0.0	500

WS-1336-4	HE 1500	0.0	0.0	500
WS-1337-4	HE 1500	0.0	0.0	500
WS-1471-1	HE 1500	164.7	152.5	500
WS-1472-1	HE 1500	172.5	158.4	484
WS-1473-1	HE 1500	134.9	125.0	484
WS-1474-1	HE 1500	160.4	141.1	500
WS-1475-1	HE 1500	171.2	152.1	500
WT-1151	HE 1500	389.4	370.1	600
WT-1152	HE 1500	407.1	393.6	600
WT-1153	HE 1500	194.0	180.8	600
WT-1154	HE 1500	483.8	467.6	600
WT-1155	HE 1500	242.6	234.1	600
WT-1209	HE 1500	271.7	254.7	600
WT-1210	HE 1500	346.0	326.1	600
WT-1211	HE 1500	0.0	0.0	600
WT-1212	HE 1500	265.7	253.5	600