

October 17, 2025

Ms. Linda Bridwell, P.E.
Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
Frankfort, KY 40601


RE: *Application of Atmos Energy Corporation to Extend its Demand Side Management Program and Cost Recovery Mechanism for Three Years* - **Case No. 2025-00200**

Dear Ms. Bridwell:

Please find enclosed Atmos Energy Corporation's responses to data requests in the above-styled case.

This is to certify that the electronic filing was made on October 17, 2025 and there are no parties the Commission has excused from electronic filing procedures. Pursuant to the Commission's July 22, 2021 Order in Case No. 2020-00085, no paper copies of this filing are being made.

Sincerely,



L. Allyson Honaker

Enclosure

BEFORE THE PUBLIC SERVICE COMMISSION

COMMONWEALTH OF KENTUCKY

ELECTRONIC APPLICATION OF ATMOS)	
ENERGY CORPORATION TO EXTEND ITS)	
DEMAND SIDE MANAGEMENT PROGRAM AND)	Case No. 2025-00200
COST RECOVERY MECHANISM FOR THREE (3))	
YEARS)	

CERTIFICATE AND AFFIDAVIT

The Affiant, Brannon C. Taylor, being duly sworn, deposes and states that the attached responses to Commission Staff's second request for information are true and correct to the best of his knowledge and belief.




 Brannon C. Taylor

STATE OF TENNESSEE
COUNTY OF WILLIAMSON

SUBSCRIBED AND SWORN to before me by Brannon C. Taylor on this the 17 day of October, 2025.





 Notary Public
 My Commission Expires: October 24, 2026

My Commission Expires
October 24, 2026

Case No. 2025-00200
Atmos Energy Corporation, Kentucky Division
Staff DR Set No. 2
Question No. 2-01
Page 1 of 1

REQUEST:

Refer to Atmos's response to Commission Staff's First Request for Information, Item 5. Prepare and provide a cost-benefit analysis including a Total Resource Cost score for Atmos's DSM program.

RESPONSE:

See Attachment 1. The TRC score for the weatherization component is approximately 0.27. As noted in Staff 1-05 and in the Company's Order in Case No. 2017-00424, the Commission stated that "[it] recognizes that low-income weatherization programs provide valuable assistance to income-eligible customer by reducing their heating bills, and has consistently approved such programs despite unfavorable TRC scores." The Company has also kept relevant information intact within the tests from the Company's Case No. 2017-00424 filing to provide the Commission information on the rebate program in place at the time and for consideration as a follow up information per the Company's response in Staff 1-06.

ATTACHMENT:

Staff_2-01_Att 1 - 2025 Atmos DSM Program Renewal California Tests (Weatherization Only).xlsx

Respondent: Brannon Taylor