

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

IN THE MATTER OF:

ELECTRONIC APPLICATION OF KENTUCKY-	)	
AMERICAN WATER COMPANY FOR A	)	
CERTIFICATE OF PUBLIC CONVENIENCE	)	CASE NO. 2025-00240
AND NECESSITY FOR INSTALLATION OF	)	
ADVANCED METERING INFRASTRUCTURE	)	

KENTUCKY-AMERICAN WATER COMPANY’S
STATEMENT REGARDING HEARING

On July 11, 2025, Kentucky-American Water Company (“KAWC”) filed an Application pursuant to KRS 278.020(1) requesting a Certificate of Public Convenience and Necessity (“CPCN”) to deploy Advanced Metering Infrastructure (“AMI”) throughout its service territory.

The Commission issued a procedural schedule on August 6, 2025 that included an intervention deadline and two rounds of discovery to be issued to KAWC. The Office of the Attorney General of Kentucky (“AG”) moved to intervene in this case and the Commission granted that intervention on August 4, 2025. Commission Staff and the AG each issued two sets of data requests to KAWC and KAWC responded to those data requests on August 29, 2025 and September 24, 2025. The AG filed intervenor testimony from Mr. Larry Holloway on October 1, 2025 and filed corrected testimony on October 14, 2025. KAWC issued data requests to the AG and the AG responded on October 20, 2025. KAWC filed the rebuttal testimony of Krista Citron on October 29, 2025.

The only remaining item on the procedural schedule is a November 12, 2025 deadline which is the “last day for Parties to request a Public Hearing or submit a request for the matter to

be decided upon the written record.” (August 6, 2025 Order, Appendix). KAWC hereby files this statement on the issue of whether it requests a hearing.


KAWC appreciates the opportunity to request a hearing and the Commission’s willingness to conduct one. Based on the information in: (1) KAWC’s Application and supporting materials (including direct testimony, its AMI Plan, and a Cost Benefit Analysis); (2) KAWC’s responses to data requests; (3) Mr. Holloway’s intervenor testimony; and (4) KAWC’s rebuttal testimony, KAWC believes the Commission has before it all the information it needs to grant KAWC’s request for a CPCN to deploy AMI throughout its service territory. Therefore, KAWC believes a decision can be reached on the existing record without the need for hearing. However, to the extent the Commission has any remaining questions or concerns that would prevent full approval of all relief requested, KAWC would gladly appear at a hearing or an informal conference to address those questions or concerns.

Respectfully submitted,

Lindsey W. Ingram III
L.Ingram@skofirm.com

Monica H. Braun
Monica.braun@skofirm.com

STOLL KEENON OGDEN PLLC
300 West Vine Street, Suite 2100
Lexington, Kentucky 40507-1801
Telephone: (859) 231-3000
Fax: (859) 259-3503


BY: 

Attorneys for Kentucky-American Water Company

CERTIFICATE

In accordance with the Commission's Order of July 22, 2021 in Case No. 2020-00085 (Electronic Emergency Docket Related to the Novel Coronavirus COVID-19), this is to certify that the electronic filing has been transmitted to the Commission on October 30, 2025; and that there are currently no parties in this proceeding that the Commission has excused from participation by electronic means.

STOLL KEENON OGDEN PLLC

By 

Attorneys for Kentucky-American Water Company