

BRUCE E. SMITH LAW OFFICES, PLLC

201 SOUTH MAIN STREET

NICHOLASVILLE, KENTUCKY 40356

(859) 885-3393 + (859) 885-1152 FAX

BRUCE E. SMITH
bruce@smithlawoffice.net

HENRY E. SMITH
henry@smithlawoffice.net

August 11, 2025

Ms. Linda C. Bridwell, P.E.
Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
P.O. Box 615
Frankfort, Kentucky 40601
Submitted Electronically: <https://psc.ky.gov>

Re: Jessamine-South Elkhorn Water District, Sewer Division (“District”)
P.O. Box 731, Nicholasville, KY 40340-0731
Treated Sewage Adjustment Application **Amendment** – 807 KAR 5:075
Case No. 2025-00247

Dear Executive Director Bridwell,

I am filing today a revision to South Elkhorn’s Treated Sewage Adjustment filing, responding to discrepancies pointed out by PSC staff member Liz Stefanski. I am grateful for the chance to revise.

Enclosed please find Treated Sewage Adjustment Form attachment, a schedule of the new rates, with amended numbers.

Please call or email with any questions.

Sincerely,

/s/ Henry E. Smith