

June 19, 2026

Kentucky Public Service Commission

Re: Case No. 2026-00007 – Response from Milburn Water District Commissioner Ben Bevins

To Whom It May Concern:

Please accept this letter as my response regarding Case No. 2026-00007 on behalf of Milburn Water District Operator, Eric Young.

Regarding the rate adjustment study ordered in Case No. 2021-00341, the study was completed by Kentucky Rural Water Association and submitted to the Kentucky Public Service Commission. The study concluded that a rate adjustment was not necessary at this time.

Additionally, the Carlisle County Fiscal Court was awarded \$5,000,000 in funding to replace aging water lines throughout the Milburn Water District and to extend service to the Carlisle County School campus. Upon completion of this project, the district anticipates an increase in monthly revenue of approximately \$3,000 to \$4,000. This additional revenue is expected to significantly strengthen the district's financial position and improve its long-term sustainability.

As a Commissioner of the Milburn Water District, I support the recommendation of the Kentucky Rural Water Association and agree that a rate adjustment is not necessary at this time.

Thank you for your consideration of this response.

Sincerely,

A handwritten signature in black ink that reads "Eric Young". The signature is written in a cursive style with a long, sweeping underline for the name "Young".


Eric Young

Operator
Milburn Water District

COMMONWEALTH OF KENTUCKY
COUNTY OF CARLISLE

SUBSCRIBED, ACKNOWLEDGED AND SWORN TO before me by **Eric Young**, on
this the 19th day of June, 2026.

My commission expires:
KYNP #:



NOTARY PUBLIC, State at Large

**MICHAEL BOYD STACY
NOTARY PUBLIC
STATE AT LARGE - KENTUCKY
COMMISSION # KYNP110023
MY COMMISSION EXPIRES MARCH 17, 2030**

June 19, 2026

Kentucky Public Service Commission

Re: Case No. 2026-00007 – Response from Milburn Water District Commissioner Ben Bevins

To Whom It May Concern:

Please accept this letter as my response regarding Case No. 2026-00007 on behalf of Milburn Water District Commissioner Ben Bevins.


Regarding the rate adjustment study ordered in Case No. 2021-00341, the study was completed by Kentucky Rural Water Association and submitted to the Kentucky Public Service Commission. The study concluded that a rate adjustment was not necessary at this time.

Additionally, the Carlisle County Fiscal Court was awarded \$5,000,000 in funding to replace aging water lines throughout the Milburn Water District and to extend service to the Carlisle County School campus. Upon completion of this project, the district anticipates an increase in monthly revenue of approximately \$3,000 to \$4,000. This additional revenue is expected to significantly strengthen the district's financial position and improve its long-term sustainability.

As a Commissioner of the Milburn Water District, I support the recommendation of the Kentucky Rural Water Association and agree that a rate adjustment is not necessary at this time.

Thank you for your consideration of this response.

Sincerely,

A handwritten signature in black ink, appearing to read "Ben Bevins". The signature is written in a cursive style with a horizontal line at the end.

Ben Bevins
Commissioner
Milburn Water District

COMMONWEALTH OF KENTUCKY
COUNTY OF CARLISLE

SUBSCRIBED, ACKNOWLEDGED AND SWORN TO before me by **Ben Bevins**, on
this the 19th day of June, 2026.

My commission expires:
KYNP #:



NOTARY PUBLIC, State at Large

**MICHAEL BOYD STACY
NOTARY PUBLIC
STATE AT LARGE - KENTUCKY
COMMISSION # KYNP110023
MY COMMISSION EXPIRES MARCH 17, 2030**

June 19, 2026

Kentucky Public Service Commission

Re: Case No. 2026-00007 – Response from Milburn Water District Commissioner Ben Bevins

To Whom It May Concern:

Please accept this letter as my response regarding Case No. 2026-00007 on behalf of Milburn Water District Commissioner Ernie Scarritt.

Regarding the rate adjustment study ordered in Case No. 2021-00341, the study was completed by Kentucky Rural Water Association and submitted to the Kentucky Public Service Commission. The study concluded that a rate adjustment was not necessary at this time.

Additionally, the Carlisle County Fiscal Court was awarded \$5,000,000 in funding to replace aging water lines throughout the Milburn Water District and to extend service to the Carlisle County School campus. Upon completion of this project, the district anticipates an increase in monthly revenue of approximately \$3,000 to \$4,000. This additional revenue is expected to significantly strengthen the district's financial position and improve its long-term sustainability.

As a Commissioner of the Milburn Water District, I support the recommendation of the Kentucky Rural Water Association and agree that a rate adjustment is not necessary at this time.

Thank you for your consideration of this response.

Sincerely,



Ernie Scarritt
Commissioner
Milburn Water District

COMMONWEALTH OF KENTUCKY
COUNTY OF CARLISLE

SUBSCRIBED, ACKNOWLEDGED AND SWORN TO before me by **Ernie Scarritt**, on
this the 19th day of June, 2026.

My commission expires:
KYNP #:



NOTARY PUBLIC, State at Large

MICHAEL BOYD STACY
NOTARY PUBLIC
STATE AT LARGE - KENTUCKY
COMMISSION # KYNP110023
MY COMMISSION EXPIRES MARCH 17, 2030