Amendment to the Agreement Between Coral Telecom, Inc. and BellSouth Telecommunications, Inc. Dated June 8, 2002

Pursuant to this Amendment, (the "Amendment"), Coral Telecom, Inc. (Coral Telecom), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 8, 2002 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Coral Telecom entered into the Agreement on June 8, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated June 8, 2002, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.

Name Data to N Town

Title: 1557 Director

Date: 12-18-03

Coral Telecom, Inc.

Name: LANCE C. NOIZRIS

Title:

Date: 12-11-03

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	26
4	LOCAL SWITCHING	32
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	40
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	44
7	DATABASES	49
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENI SERVICE	
9	LINE INFORMATION DATABASE (LIDB)	50
10	SIGNALING	52
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	58
12	CALLING NAME (CNAM) DATABASE SERVICE	59
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	60
Ra	tes Exhibi	it A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Coral Telecom in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Coral Telecom (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Coral Telecom to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Coral Telecom used in the provision of a qualifying service, as defined by the FCC. Coral Telecom may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Coral Telecom, and to the extent technically feasible, provide to Coral Telecom access to its Network Elements for the provision of Coral Telecom's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Coral Telecom may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to Coral Telecom under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Coral Telecom and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Coral Telecom will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Coral Telecom will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Coral Telecom may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Coral Telecom has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Coral Telecom reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Coral Telecom for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Coral Telecom shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Coral Telecom purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Coral Telecom modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Coral Telecom in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Coral Telecom shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Coral Telecom on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Coral Telecom. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Coral Telecom seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Coral Telecom with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

- 2.1.1.6 Coral Telecom may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Coral Telecom's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Coral Telecom in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Coral Telecom wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Coral Telecom may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Coral Telecom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Coral Telecom for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 Coral Telecom will be responsible for testing and isolating troubles on the Loops. Coral Telecom must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Coral Telecom will be required to provide the results of the Coral Telecom tests which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Coral Telecom has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Coral Telecom reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Coral Telecom for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Coral Telecom (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Coral Telecom for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 Order Coordination (OC) allows BellSouth and Coral Telecom to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Coral Telecom's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination Time Specific (OC-TS) allows Coral Telecom to order a specific time for OC to take place. BellSouth will make every effort to accommodate Coral Telecom's specific conversion time request. However, BellSouth reserves the right to negotiate with Coral Telecom a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Coral Telecom may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Coral Telecom specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges.

Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Coral Telecom when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Coral Telecom's Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Coral Telecom pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office

Version 3Q03: 11/12/2003

Unbundled Copper Loop	Chargeable in accordance	Not available	Included	Included	Charged for Dispatch outside Central Office			
(Designed)	with Section 2							
For UVL-SL1 and UCLs, Coral Telecom must order and will be billed for both OC and OC-TS if requesting OC-TS.								

2.1.9 **Bulk Migration**

2.1.9.1 If Coral Telecom requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, Coral Telecom must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Coral Telecom should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

 http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities

that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Coral Telecom will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Coral Telecom. Coral Telecom may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that Coral Telecom may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Coral Telecom. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Coral Telecom to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop

- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Coral Telecom will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Coral Telecom or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Coral Telecom may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Coral Telecom in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 Coral Telecom may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Coral Telecom for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.

2.4 <u>Unbundled Copper Loops (UCL)</u>

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Coral Telecom.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Coral Telecom to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Coral Telecom or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Coral Telecom can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Coral Telecom may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Coral Telecom to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Coral Telecom may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by Coral Telecom which has over 6kft of combined bridged tap will be modified, upon request from Coral Telecom, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to Coral Telecom. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a

copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Coral Telecom may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Coral Telecom requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Coral Telecom will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Coral Telecom shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that Coral Telecom desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Coral Telecom, Coral Telecom will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Coral Telecom is available at the location for which the ULM was requested, Coral Telecom will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Coral Telecom will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Coral Telecom has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Coral Telecom. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Coral Telecom (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.

- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Coral Telecom, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Coral Telecom will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Coral Telecom to connect Coral Telecom's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Coral Telecom may access the End User's premise wiring by any of the following means and Coral Telecom shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Coral Telecom to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Coral Telecom may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Coral Telecom's responsibility to ensure there is no safety hazard, and Coral Telecom will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Coral Telecom shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Coral Telecom shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Coral Telecom to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Coral Telecom's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Coral Telecom may request BellSouth to do additional work to the NID on a time and material basis.

When Coral Telecom deploys its own local Loops in a multiple-line termination device, Coral Telecom shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Coral Telecom requests a UCSL and it is not available, Coral Telecom may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Coral Telecom, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function

as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Coral Telecom's use on this cross-connect panel. Coral Telecom will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Coral Telecom shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Coral Telecom's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Coral Telecom is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Coral Telecom's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Coral Telecom can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Coral Telecom's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Coral Telecom will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Coral Telecom requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Coral Telecom for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.

2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Coral Telecom will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Coral Telecom for each pair activated commensurate to the price specified in Coral Telecom's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Coral Telecom will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based

rates have not been negotiated and Coral Telecom has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Coral Telecom any applicable disconnect charges.

2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Coral Telecom, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Coral Telecom to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Coral Telecom is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Coral Telecom information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Coral Telecom.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Coral Telecom within twenty (20) business days after Coral Telecom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Coral Telecom to connect Coral Telecom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Coral Telecom LMU information so that Coral Telecom can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Coral Telecom intends to install and the services Coral Telecom wishes to provide. This section addresses LMU as a preordering transaction, distinct from Coral Telecom ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Coral Telecom LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Coral Telecom as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Coral Telecom may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Coral Telecom and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Coral Telecom's ability to provide advanced data services over the ordered Loop type. Further, if Coral Telecom orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Coral Telecom is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Coral Telecom may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Coral Telecom needs further Loop information in order to determine Loop service capability, Coral Telecom may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMU, Coral Telecom may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Coral Telecom may reserve up to three (3) Loop facilities.
- 2.9.3.2 Coral Telecom may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Coral Telecom. During and prior to Coral Telecom placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Coral Telecom does not submit an LSR for a UNE service on a reserved facility

within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Coral Telecom will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Coral Telecom does not reserve facilities upon an initial LMUSI, Coral Telecom's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Coral Telecom has reserved multiple Loop facilities on a single reservation, Coral Telecom may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Coral Telecom, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Coral Telecom.

3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Coral Telecom provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Coral Telecom using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Coral Telecom. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Coral Telecom may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Coral Telecom may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Coral Telecom, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.

- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Coral Telecom the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Coral Telecom shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Coral Telecom on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Coral Telecom requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Coral Telecom shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Coral Telecom desires to continue providing xDSL service on such Loop, Coral Telecom shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Coral Telecom notice in a reasonable time prior to disconnect, which notice shall give Coral Telecom an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Coral Telecom purchases the full stand-alone Loop, Coral Telecom may elect the type of Loop it will purchase. Coral Telecom will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event Coral Telecom purchases a voice grade Loop, Coral Telecom acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If Coral Telecom reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Coral Telecom for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Coral Telecom with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Coral Telecom must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.
- 3.2.1.2 Coral Telecom may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of Coral Telecom's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).
- 3.2.1.3 Once a splitter is installed on behalf of Coral Telecom in a CO in which Coral Telecom is located, Coral Telecom shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and Coral Telecom shall pay the electronic or manual ordering charges as applicable when Coral Telecom orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Coral Telecom's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Coral Telecom access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Coral Telecom's xDSL equipment in Coral Telecom's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Coral Telecom with a carrier notification letter, informing Coral Telecom of change. Coral Telecom shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Coral Telecom shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Coral Telecom's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Coral Telecom's DS0 termination point as possible. Coral Telecom shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Coral Telecom on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data ports to a specified Coral Telecom DS0 at such time that a Coral Telecom End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Coral Telecom may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Coral Telecom may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Coral Telecom in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Coral Telecom may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Coral Telecom shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Coral Telecom the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Coral Telecom access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Coral Telecom shall pay the rates for such services, as described in Exhibit A.

3.6 **Maintenance and Repair – Line Sharing**

3.6.1 Coral Telecom shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Coral Telecom is using

a BellSouth owned splitter, Coral Telecom may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Coral Telecom provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Coral Telecom will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Coral Telecom shall inform its End Users to direct data problems to Coral Telecom, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Coral Telecom, BellSouth will notify Coral Telecom. Coral Telecom will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Coral Telecom will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Coral Telecom's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Coral Telecom provides its own switching or obtains switching from a third party, Coral Telecom may engage in line splitting arrangements with another CLEC using a splitter, provided by Coral Telecom, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Coral Telecom is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.

- 3.7.4 Coral Telecom shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Coral Telecom will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Coral Telecom or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Coral Telecom for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Coral Telecom or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Coral Telecom or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Coral Telecom or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Coral Telecom or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Coral Telecom shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Coral Telecom the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Coral Telecom access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Coral Telecom shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Coral Telecom on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Coral Telecom will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Coral Telecom shall inform its End Users to direct all problems to Coral Telecom or its authorized agent.
- 3.10.3 If Coral Telecom is not the data provider, Coral Telecom shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as

set forth in the Sections below to Coral Telecom for the provision of a telecommunications service.

4.2 <u>Local Circuit Switching Capability</u>, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Coral Telecom when Coral Telecom: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Coral Telecom is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Coral Telecom or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Coral Telecom's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

- 4.2.7 Provided that Coral Telecom purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Coral Telecom local End User, or originated by a BellSouth local End User and terminated to a Coral Telecom local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Coral Telecom the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Coral Telecom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Coral Telecom purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Coral Telecom End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Coral Telecom the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Coral Telecom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Coral Telecom the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Coral Telecom selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Coral Telecom will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Coral Telecom an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Coral Telecom will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Coral Telecom the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit

Node and Automatic Call Distributors. BellSouth shall offer to Coral Telecom all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.

- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Coral Telecom.
- 4.2.13 **Local Switching Interfaces**.
- 4.2.13.1 Coral Telecom shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Coral Telecom who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Coral Telecom shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Coral Telecom shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed

address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.

4.2.17 Coral Telecom will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Coral Telecom utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Coral Telecom and BellSouth;

- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Coral Telecom.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Coral Telecom's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Coral Telecom's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Coral Telecom's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Coral Telecom, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Coral Telecom. AIN SCR will provide Coral Telecom with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Coral Telecom shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.

- 4.4.4 Where AIN SCR is utilized by Coral Telecom, the routing of Coral Telecom's End User calls shall be pursuant to information provided by Coral Telecom and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Coral Telecom shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each Coral Telecom End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. Coral Telecom shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Coral Telecom's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Coral Telecom, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.
- 4.4.7 The NRC End Office Establishment Charge will be billed to Coral Telecom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to Coral Telecom following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Coral Telecom following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.
- 4.5 <u>Selective Call Routing Using Line Class Codes</u>

- 4.5.1 Where Coral Telecom purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Coral Telecom's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Coral Telecom to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Coral Telecom specific and unique LCCs are programmed in each BellSouth end office switch where Coral Telecom intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Coral Telecom's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Coral Telecom intends to provide Coral Telecom-branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Coral Telecom to order dedicated trunking from each BellSouth end office identified by Coral Telecom, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Coral Telecom Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Coral Telecom to the BellSouth TOPS.
- 4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 **Unbundled Network Element Combinations**

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Coral Telecom are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Coral Telecom are not already combined by BellSouth in the location requested by Coral Telecom but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Coral Telecom are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links

- 5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Coral Telecom with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Coral Telecom thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Coral Telecom's high-capacity EELs as specified below.
- If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.

5.2.5 Service Eligibility Criteria

- 5.2.5.1 Coral Telecom must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Coral Telecom has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Coral Telecom will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Coral Telecom will have at least one (1) active DS1 local service interconnection trunk over which Coral Telecom will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Coral Telecom's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Coral Telecom failed to comply with the service eligibility criteria, Coral Telecom must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Coral Telecom did not comply in any material respect with the service eligibility criteria, Coral Telecom shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Coral Telecom did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Coral

Telecom for its reasonable and demonstrable costs associated with the audit. Coral Telecom will maintain appropriate documentation to support its certifications.

5.2.7 In the event Coral Telecom converts special access services to UNEs, Coral Telecom shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Coral Telecom if Coral Telecom's customer has four (4) or more DS0 equivalent lines.
- BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Coral Telecom is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Coral Telecom or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Coral Telecom's UNE port/Loop combinations. BellSouth will not bill Coral Telecom for 911 surcharges. Coral Telecom is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Coral Telecom in addition to those specifically referenced in this Section 5 above, where available. To the extent Coral Telecom requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Coral Telecom for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Coral Telecom uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end

office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Coral Telecom.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Coral Telecom exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Coral Telecom to connect such interoffice facilities to equipment designated by Coral Telecom, including but not limited to, Coral Telecom's collocated facilities; and
- Permit, to the extent technically feasible, Coral Telecom to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Coral Telecom.

- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Coral Telecom may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Coral Telecom designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1:
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Coral Telecom shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Coral Telecom may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 <u>Technical Requirements</u>

- 6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, Coral Telecom's channelization equipment must adhere strictly to form and protocol standards. Coral Telecom must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Coral Telecom to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Coral Telecom may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Coral Telecom, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Coral Telecom is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Coral Telecom information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Coral Telecom. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Coral Telecom within twenty (20) business days after Coral Telecom submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Coral Telecom to connect Coral Telecom provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Coral Telecom.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.

8. <u>BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Coral Telecom's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Coral Telecom.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 <u>Line Information Database</u>

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Coral Telecom must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Coral Telecom any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Coral Telecom's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Coral Telecom what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Coral Telecom, BellSouth shall provide Coral Telecom with a list of the customer data items, which Coral Telecom would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Coral Telecom data to the LIDB shall be solely at the direction of Coral Telecom. Such direction from Coral Telecom will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Coral Telecom data upon Coral Telecom's request (e.g., to support fraud detection), via password-protected

telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Coral Telecom customer records will be missing from LIDB, as measured by Coral Telecom audits. BellSouth will audit Coral Telecom records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Coral Telecom contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Coral Telecom within one (1) business day of audit. Once reconciled records are received back from Coral Telecom, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Coral Telecom to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Coral Telecom's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Coral Telecom with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Coral Telecom and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Coral Telecom data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Coral Telecom in writing.
- 9.2.13 BellSouth shall provide Coral Telecom performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Coral Telecom at least at parity with BellSouth Customer Data. BellSouth shall obtain from Coral Telecom the screening information associated with LIDB Data Screening of Coral Telecom data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Coral Telecom under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Coral Telecom customer records and shall return responses in accordance with industry standards.

- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Coral Telecom shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Coral Telecom shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 <u>Signaling Link Transport</u>

10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Coral Telecom designated Signaling Points of Interconnection that provide appropriate physical diversity.

10.2.2	Technical Requirements
10.2.2.1	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
10.2.2.1.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
10.2.2.1.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
10.2.2.2	Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
10.2.2.2.1 10.2.2.2.2	An A-link layer shall consist of two (2) links. A B-link layer shall consist of four (4) links.
10.2.2.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
10.2.2.3.1	No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
10.2.2.3.2	No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
10.2.3	Interface Requirements
10.2.3.1	There shall be a DS1 (1.544 Mbps) interface at Coral Telecom's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
10.3	Signaling Transfer Points
10.3.1	A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.
10.3.2	Technical Requirements
10.3.2.1	STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.

- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Coral Telecom local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Coral Telecom local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Coral Telecom or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Coral Telecom database, then Coral Telecom agrees to provide BellSouth with the Destination Point Code for Coral Telecom database.
- STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Coral Telecom or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 SS7 AIN Access

- 10.4.1 When technically feasible and upon request by Coral Telecom, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Coral Telecom's SS7 network to exchange TCAP queries and responses with a Coral Telecom SCP.
- 10.4.2 SS7 AIN Access shall provide Coral Telecom SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Coral Telecom SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Coral Telecom SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 <u>Interface Requirements</u>

- 10.4.3.1 BellSouth shall provide the following STP options to connect Coral Telecom or Coral Telecom-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Coral Telecom local switching systems; and,
- 10.4.3.1.2 A B-link interface from Coral Telecom local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 <u>Message Screening</u>

- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Coral Telecom local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Coral Telecom switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Coral Telecom local or tandem switching systems destined to any signaling

point or network accessed through BellSouth's SS7 network where the Coral Telecom switching system has a valid signaling relationship.

10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Coral Telecom from any signaling point or network interconnected through BellSouth's SS7 network where the Coral Telecom SCP has a valid signaling relationship.

10.5 <u>Service Control Points/Databases</u>

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.
- A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

10.7.1 SS7 Network Interconnection is the interconnection of Coral Telecom local signaling transfer point switches or Coral Telecom local or tandem switching

systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Coral Telecom local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Coral Telecom or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Coral Telecom local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Coral Telecom local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Coral Telecom local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Coral Telecom local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Coral Telecom or Coral Telecom-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Coral Telecom local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Coral Telecom STPs.
- The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Coral Telecom local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Coral Telecom switching system has a valid signaling relationship.

11 Automatic Location Identification/Data Management System

- The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Coral Telecom will be required to provide BellSouth daily updates to E911 database. Coral Telecom shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.
- 11.2 Technical Requirements
- BellSouth shall provide Coral Telecom the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Coral Telecom after Coral Telecom provides End User information for input into the ALI/DMS database.
- 11.2.2 Coral Telecom shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 <u>Calling Name Database Service</u>

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Coral Telecom the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 Coral Telecom shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Coral Telecom's access to BellSouth's CNAM Database Services and shall be addressed to Coral Telecom's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Coral Telecom requires interconnection from Coral Telecom to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Coral Telecom shall provide its own CNAM SSP. Coral Telecom's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Coral Telecom elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Coral Telecom desires to query.
- 12.6 If Coral Telecom queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Coral Telecom for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Coral Telecom in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls.

It is the responsibility of Coral Telecom to provide accurate information to BellSouth on a current basis.

- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Coral Telecom CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System Advanced</u> <u>Intelligent Network Access</u>

- 13.1 BellSouth's SCE/SMS AIN Access shall provide Coral Telecom the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Coral Telecom. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Coral Telecom service logic and data from unauthorized access.
- When Coral Telecom selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Coral Telecom to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Coral Telecom access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Coral Telecom to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 <u>Operational Support Systems</u>

- 14.1 BellSouth has developed and made available electronic interfaces by which Coral Telecom may submit LSRs electronically.
- 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other

than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 <u>Denial/Restoral OSS Charge</u>

- 14.3.1 In the event Coral Telecom provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Coral Telecom will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

														T			
UNBL	INDLE	NETWORK ELEMENTS - Alabama			T										ment: 2		ibit: B
													1		Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
OPERA		ww.interconnection.bellsouth.com/become_a_clec/html/inter .SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	m I		1		I					I	1		
OI LIG		(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.		•			•						•				
	NOTE:	(2) Any element that can be ordered electronically will be billed	ed acco	rding 1	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be ordere	ed electronica	lly. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	nual ordering	g charge,
	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				001150		0.50	0.00	0.50	0.00						
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				001111111		10.00	0.00		0.00						
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL, UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU	IDLED E	XCHANGE ACCESS LOOP						200.00									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30						+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.05	37.81	17.56	23.49	5.30	 	 				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User										1					
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
L		Loop Testing - Basic Additional Half Hour			UEANL	URETA]	19.85	19.85					l			

UNRU	NDI FI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: B
3.1551		Jill EEEMENTO Plabama										Svc Order	Svc Order	Incremental		Incremental	
				1								Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
İ	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					<u> </u>		<u> </u>	<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													
	DI E5 -	Zone 3	-	3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						-
		XCHANGE ACCESS LOOP	-	<u> </u>	1	1				-				1		1	-
$\vdash \vdash$	2-WIRE	ANALOG VOICE GRADE LOOP	1	<u> </u>		1									 	ļ	-
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	LIEA	LIEALO	44.00	00.00	FF 00	47.04	7.44	1			1		I
\vdash		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44				-		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	22.85	88.00	FF 00	47.04	7.44				Ì		I
\vdash		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						1
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	<u> ١</u>	UEA	OCOSL	30.14	18.09	55.00	41.24	1.44			-	-	-	-
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	-	OLA	JUUSL		10.09						-	 	-	
		2-vvire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44				Ì		I
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	+-	OLA	ULAKZ	14.30	00.00	55.00	41.24	7.44	-	1	1	1	1	
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						1
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		OL/ (JEANE	22.00	00.00	33.00	71.24	7.44				 		
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	1			Ì		I
 		Order Coordination for Specified Conversion Time (per LSR)	1	-	UEA	OCOSL	30.14	18.09	33.00	71.24	7.44			1			
		CLEC to CLEC Conversion Charge without outside dispatch	1	 	UEA	UREWO	-	87.72	36.36					1			
		Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL		11.21	1.10								-
	4-WIRF	ANALOG VOICE GRADE LOOP		-		-/	+	2 1	0								<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50				1		1
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50				İ		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	131.97	94.51	59.14	14.50			İ	İ	İ	İ
			† 		UEA	OCOSL		18.09			50	 	1	 		 	
\vdash		Order Coordination for Specified Conversion Time (per LSR)			ULA	UCUSL		10.09		1							

UNRI	JNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: B
0.400	,.1DLE	METHORIC ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	1141.00/	44.04	440.00	00.00	47.04	7.44						
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry		_			40.00			47.04							
-	1	& facility reservation - Zone 2	1	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		ļ		 		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		1		Ì		
-	1	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL	OCOSL	14.30	110.00	00.80	47.24	7.44		ļ		 		
					UAL	UCUSL		18.09		-							
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
-	-	2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UALZVV	11.01	90.00	57.00	47.24	7.44						
				2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZW	12.73	90.00	57.00	47.24	7.44						
		facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
-		Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	14.30	18.09	57.00	47.24	7.44						
	1	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
-	2-WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOB	UAL	UKEWU		00.20	40.40								
	Z-VVIINE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF													
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry		'	OFIL	UTILZA	0.74	110.00	00.00	47.24	7.44						
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	10.17	110.00	00.00	47.24	7.44						
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	111.44	18.09	00.00	71.27	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OCCOL		10.03									
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILEVV	0.74	50.00	07.00	77.27	7						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL		18.09	07.00								
		CLEC to CLEC Conversion Charge without outside dispatch	†		UHL	UREWO		86.14	40.40	1					1		
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						1							
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		1		Ì		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
L		and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73	<u> </u>	<u> </u>		<u> </u>		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
	<u> </u>	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73				L		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry															<u></u>
		and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	ļ	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73				ļ		
		4-Wire Unbundled HDSL Loop without manual service inquiry	1			1 -				_		<u> </u>	1]		
		and facility reservation - Zone 3	ļ	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		18.09									·
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		86.14	40.40	ļ							
<u> </u>	4-WIRE	DS1 DIGITAL LOOP	ļ							1							
L		4-Wire DS1 Digital Loop - Zone 1	ļ		USL	USLXX	82.55	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 2	ļ		USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	1	Order Coordination for Specified Conversion Time (per LSR)	l	l	USL	OCOSL		18.09		<u> </u>		<u> </u>	l		<u> </u>		

UNBL	JNDLEI	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
0.1.2		7.000										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	l ⁻	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonro		Monroourring	Dissennest			220	Rates (\$)		
-	-			<u> </u>		-	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	FIISL	Auu i	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OOL	OKEWO		101.03	+3.03								
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
—		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	35.95	126.27	88.80	59.14	14.50			 	ļ		
<u> </u>		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL UDL	UDL64 OCOSL	37.88	126.27 18.09	88.80	59.14	14.50			 	 		
-	+	CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO	1	102.13	49.75	 		1		1	1		1
-	2-WIRE	Unbundled COPPER LOOP	1	 	UDL.	SIVEAAO		102.13	45.75					 	 		
1		2-Wire Unbundled Copper Loop-Designed including manual	1		1							1		1	1		1
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual			1												
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual					40.00		=								
-		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	14.30	8.15	8.15	41.24	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch		1	OOL	OCLIVIC		0.13	0.13								
		(UCL-Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP			002	ORLETTO		07.20	12.10	İ							
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry		1	l .]			[1]		
<u> </u>		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73			ļ	ļ		
		Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.15	8.15	ļ							
		4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	LICL AVA	47.00	444.04	07.05	F4 70	0.70			1	1		
-	+	and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73			-	-		
		4-vvire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73			1	1		
-		4-Wire Copper Loop-Designed without manual service inquiry			JUL	JOLHVV	20.70	114.21	07.05	31.70	5.13			1	1		1
		and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73			1	1		
		Order Coordination for Unbundled Copper Loops (per loop)	t i	Ť	UCL	UCLMC	23.21	8.15	8.15	370	5.70						
		CLEC to CLEC conversion Charge without outside dispatch	1		UCL	UREWO	i i	97.23	42.48								
LOOP	MODIFIC						<u> </u>										
					UAL, UHL, UCL,												
				1	UEQ, ULS, UEA,					j				1	1		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1 .	1	UEANL, UEPSR,	l]	_]				1	1		
		pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	ļ							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	١,	1]	0.00	0.00]				1	1		
—		less than or equal to 18K ft, per Unbundled Loop	-	-	UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		0.00	0.00	 				 	ļ		
				1	UEQ,ULS,UEA,]]				1	1		
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
		per unbundled loop	Li	1	UEPSB	ULMBT]	32.41	32.41]				1	1		
SUB-L	OOPS	L	† ·					32.41	32.41	†							
	, •			<u> </u>	1	-								1	1		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama							·		·			Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711201		10112 =======	m						= (4)			perLSK	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
-			 	 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	op Distribution						FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	OUD-LO	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		The			UEANL	USBSA		244.42									
-		ор			ULAINL	USBSA	+	244.42									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB		22.04				1					
		Facility Set-Up			UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEAINL	USBSC		177.45									
		Set-Up	١.		UEANL	USBSD		55.15									
			<u> </u>		UEAINL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١.,		LIODNIO	11.21	05.00	00.00	45.05	0.70						
-		Zone 1	-	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						-
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		• • • • • • • • • • • • • • • • • • • •															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		3 · · · · · · · · · · · · · · · · · · ·								_							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	19.85	19.85								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
 		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70	1	 	 	 		†
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 		UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	 	 		 		+
\vdash		2 This sappor oribunated out Loop Distribution - Zolle 3	 	۲	V=1	3002/	11.21	00.00	30.30	70.23	0.70	 	 		 		+
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC		8.15	8.15				l		l		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07	1			 		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	1			 		
 		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	t	1		1		
\vdash		T TYTHE COPPER CHIDUNGIEG SUD-LOOP DISTRIBUTION - 2018 3	 	3	OLI	00047	10.30	19.03	44.19	49.71	9.07	}	 	1	 		
		Order Coordination for Unbundled Sub-Leans, per out least and		1	UEF	USBMC		8.15	8.15				1				
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	1	UEF	URET1	 	34.16	34.16			1	 		 		
\vdash		Loop Testing - Basic 1st Half Hour	 	1			 					1	 		 		
\vdash	l laster	Loop Testing - Basic Additional Half Hour	 	1	UEF	URETA	 	19.85	19.85			1	 		 		
\vdash	unbund	dled Network Terminating Wire (UNTW)	 	<u> </u>	LIENITA	LIENDS	0.40	20.01				1		-	 		
<u> </u>	Matrice	Unbundled Network Terminating Wire (UNTW) per Pair		.	UENTW	UENPP	0.40	30.01				1					├
$\vdash \vdash \vdash$	networ	k Interface Device (NID)		.	LICATON	LINIDAG		40.00	00.00			1					├
\vdash		Network Interface Device (NID) - 1-2 lines	<u> </u>	<u> </u>	UENTW	UND12	ļ .	43.23	28.38			1	ļ				
\vdash		Network Interface Device (NID) - 1-6 lines	<u> </u>	<u> </u>	UENTW	UND16	ļ .	63.97	49.11			1	ļ				
\vdash		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87			ļ					
		Network Interface Device Cross Connect - 4W	<u> </u>	<u> </u>	UENTW	UNDC4	ļ	5.87	5.87								ļ
UNE OT	HER, P	ROVISIONING ONLY - NO RATE	<u> </u>	<u> </u>	L	l		_									ļ
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									<u> </u>
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0.00	0.00					ļ				
1 T			1	1	UEANL,UEF,UEQ,U								<u> </u>]		
		Unbundled Contract Name, Provisioning Only - No Rate	<u> </u>	<u></u>	ENTW	UNECN	0.00	0.00		<u> </u>	<u></u>			<u></u>	L		<u> </u>
LINE OF	HED D	ROVISIONING ONLY - NO RATE	[

UNBUNDED NETWORK ELEMENTS Interfer Zone BCS USOC RATES (1) Sec Cried Sec C	T Full	ibit. D
CATEGORY RATE ELEMENTS Interf. Zone BCS USOC RATE (S) Submitted Submitted Charge	Exhib	
CATEGORY RATE ELEMENTS Intering Zone BCS USC RATE (S) Electronic		
CAPTED CRY RATE CLEMENTS Min Zone BCS USOC RATES (\$) per LSR per LSR Coder vs. Secretoric fact S	Charge -	Charge -
No. Non-recurring Non-re		
1	Order vs.	Order vs.
No. No.		Electronic-
United Control Name, Provisioning Only - no rate Unit, UCL UDC UNIT, USS ON Unit, UNIT, USS ON UNIT,	Disc 1st	Disc Add'l
Unbunded Contact Name, Prosteining Only - no rate Unbunded Contact Name, Prosteining Only - no rate Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Closs Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Box Jumper - no Unbunded Sub-Loop Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Feeder-2 Wire Close Fe		
Ubbundled Sub-Lop Feeder Vivi Cross But Jumper - no UBAULEA, UBC UBRCH 0.00 0.	SOMAN	SOMAN
Ubbundled Sub-Lop Feeder Vivi Cross But Jumper - no UBAULEA, UBC UBRCH 0.00 0.		
Unburnded Sub-Loop Feeder-4 Wire Cross Box Jumper - no		
Internation Internation		
URBURNERS Logo Expended Superframe Format Option - no ratio URBURNERS URburners URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URburners URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URburners URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URburners URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URBURNERS URburners URBURNERS URburners URburners URburners URburners Urburners		
Internation Internation		
Unblumded DST Loop - Superformer Format Option - nor are Unblumded DST Loop - Superformer Format Option - nor are Unblumded DST Loop - Superformer Format Option - No. 2000		
Unburnded DST Loop - Expanded Superframe Format option - USL		
Incompanies	+	
Hight Capacity Unbundled Local Loop - DS3 - Per Mile per		
High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 1L5ND 8.38	+	
Ministry Ministry	++	
High Capacity Unbundled Local Loop - DS3 - Facility LE3		
Termination per month	+	+
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		
month	+	+
High Capacity Unbundled Local Loop - STS-1 - Facility UDLSX		
LOP MAKE-UP LOP MAKE-UP	+	+
ILDOP MAKE-UP		
Spare facility queried (Manual).	+	1
Loop Makeup - Preordering With Reservation, per spare facility UMK	1	
Queried (Manual).		
Line Sharing Spillter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 Line Sharing Spillter, per System, 8 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 Line Sharing Spillter, Per System, 8 Line Capacity ULS ULSDB 12.73 377.58 0.00 355.96 0.00 Line Sharing Spillter, Per System, 8 Line Capacity ULS ULSDB 12.73 377.58 0.00 49.84 0.00 Line Sharing Spillter, Der Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) ULS ULSDT 2.80 18.51 10.60 10.01 4.92 (E:10/2/2004) Line Sharing Service, TRO per line activation, BST owned spiliter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2004) ULS ULSDT 5.60 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSD ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULSDT 8.40 18.51 10.60 10.01 4.92 (E:10/2/2004) ULSDT E:10/2/2004 ULSD		
Spare facility queried (Mechanized)		
INDEEST: The Line Sharing on the SPLITTING NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows: NOTE 1: 100/202003 - 10/01/2004; 25% of the rate for an unbundled copper loop non-designed ("UCLND") NOTE 1: 100/202005 - 10/01/2006; 75% of the rate for UCLND NOTE 1: 100/22005 - 10/01/2006; 75% of the rate for UCLND NOTE 1: 100/22005 - 10/01/2006; 75% of the rate for UCLND NOTE 1: 100/22005 - 10/01/2006; 75% of the rate for UCLND NOTE 1: Above will apply to USOCS: ULSDT and ULSCT NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 NOTE 1: Above will apply to USOCS: ULSDT and ULSCT NOTE 2: The Line Sharing Splitter per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 NOTE 1: NOTE 2: The Line Splitter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 NOTE 2: NOTE 1: NOTE 2: NOT		
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:		
NOTE 1: 100/22003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND") NOTE 1: 100/22004 - 10/01/2005: 50% of the rate for UCLND NOTE 1: 100/22005 - 10/01/2006: 75% of the rate for UCLND NOTE 1: 100/02/2005 - 10/01/2006: 75% of the rate for UCLND NOTE 1: Above will apply to USOCS: ULSDT and ULSCT NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 NOTE 2: The Line Sharing shifter, per System 98 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98		
NOTE 1: 100/2/2005 - 1001/2006: 59% of the rate for UCLND NOTE 1: 1002/2005 - 1001/2006: 75% of the rate for UCLND NOTE 1: 1002/2005 - 1001/2006: 75% of the rate for UCLND NOTE 1: 1002/2005 - 1001/2006: 75% of the rate for UCLND NOTE 1: 1002/2005 - 1001/2006: 75% of the rate for UCLND NOTE 1: Above will apply to USOCS: ULSDT and ULSCT ULSC U		
NOTE 1: 100/2/2005 - 10/01/2006: 75% of the rate for UCLND	+	
NOTE 1: Above will apply to USOCS: ULSDT and ULSCT "NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003	+	
#*NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 Line Sharing Splitter, per System 96 Line Capacity	++	+
LINE SHARING SPLITTERS-CENTRAL OFFICE BASED ULS ULSDA 155.97 188.79 0.00 177.98 0.00 177.9	++	+
SPLITTERS-CENTRAL OFFICE BASED	+	+
Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00	+	+
Line Sharing Splitter, per System 24 Line Capacity ULS ULSDB 38.99 188.79 0.00 177.98 0.00 177.98 0.00	+ +	
Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSD8 12.73 377.58 0.00 355.96 0.00 Line Sharing-DLEC Owned Splitter in CO-CFA activator-deactivation (per LSOD) ULS ULSDG 86.47 0.00 49.84 0.00 END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING ULSDG 86.47 0.00 49.84 0.00 Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2 ULSDC 0.61 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 ULS ULSDT 2.80 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 ULS ULSDT 5.60 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 ULS ULSDT 5.60 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 ULS ULSDT 5.60 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 ULS ULSDT 8.40 18.51 10.60 10.01 4.92	1	1
Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)	1	1
Description Description	1	†
Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2	<u>1 </u>	<u> </u>
OBSOLETE see **NOTE 2		
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		1
Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		
CE:10/2/2003 ULS ULSDT 2.80 18.51 10.60 10.01 4.92 ULSDT 2.80 18.51 ULSDT 2.80 18.51 ULSDT 2.80 18.51 ULSDT 2.80 ULSDT 2.8		
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) ULS ULSDT 5.60 18.51 10.60 10.01 4.92 ULSDT 8.40 18.51 10.60 10.01 4.92		
Central Office Located (50% of UCLND) - please see NOTE 1 ULS	+	
(E:10/2/2004)	1	1
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) ULS ULSDT 8.40 18.51 10.60 10.01 4.92		
Central Office Located (75% of UCLND) - please see NOTE 1 ULS ULSDT 8.40 18.51 10.60 10.01 4.92	++	+
(E:10/2/2005) ULS ULSDT 8.40 18.51 10.60 10.01 4.92		
Line Sharing - per Subsequent Activity per Line	+	+
Rearrangement(BST Owned Spitter ULS ULSDS 16.39 8.19		
Neenrangement(ST owned Spritter) Line Sharing - per Subsequent Activity per Line	+	+
Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19		
Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1
OBSOLETE see *NOTE 2	1	1

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	bit: B
3.120	. 10 LL	Automici Automic										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually			Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING		ļ											ļ		
—	END U	SER ORDERING-CENTRAL OFFICE BASED		<u> </u>	HEDOD HEDOD	LIDECO	0.01			1		}		!	1	1	
<u> </u>		Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS UREBP	0.61 0.61	27.04	04.40	00.00	0.00	}		!	1	1	
-		Line Splitting - per line activation BST owned - physical		1	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61	37.01 37.01	21.19 21.19	20.02	9.83 9.83	1		1			
	BA A INIT	Line Splitting - per line activation BST owned - virtual ENANCE			UEPSK UEPSB	UKEBV	0.61	37.01	21.19	20.02	9.83	1					
	WAIN	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			1					
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		1				120.00	82.50			1					
		No Trouble Found - per 1/2 hour increments - Premium				+		160.00	110.00								
UNBUN	DLED I	DEDICATED TRANSPORT						100.00	1.0.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-														
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	40.70	40.54	27.41	40.74	6.90						
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	18.73	40.54	27.41	16.74	6.90	1					
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIDA	TESAX	0.000030										
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				20	.02		2		3.30			1			
		per month		1	U1TDX	1L5XX	0.008838							1			
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility										İ					
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90			<u></u>		<u></u>	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.18										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			l <u> </u>	I								_			
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44			ļ			
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEO	41.5307								I			
-		month		1	U1TD3	1L5XX	4.09			1		1		1			
		Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46			1			
—	-	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	 	פעווט	UIIF3	703.52	218.15	102.76	60.20	∠8.46	 			1		
		month			U1TS1	1L5XX	4.09							I			
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	LOAA	4.09							-	1		
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			I			
DARK	IBER					7		2. 0 0	.020	55.20	20.40			1			
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												1		İ	
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29			<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									-						
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.32										
		NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66			l .			

UNRU	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	nit· B
0.100		METHORIC ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CESS 1	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15												
		Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			5.04	0.04	4.57	0.54						
		POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			5.94	0.81	4.57	0.54						
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOI IA		3.54	0.01	4.37	0.54						
		Per 8XX Number			OHD	N8FCX		2.58	1.29								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR	1					2.00	1.20						1		
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73						1		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	1	3.02	0.44						1		
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.58									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE IN	VFORM <i>A</i>	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU		0.012002										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
		CCS7 Signaling Usage, Per Call Setup Message			LIDD		0.0000142										
		CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB UDB	TPP++	0.0000569 15.46	35.53	35.53	16.44	16.44						
-		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	15.46	33.33	33.33	10.44	10.44				-		
		link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Usage, Per ISUP Message			UDB	111177	0.0000142	33.33	33.33	10.44	10.44						
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 S	ERVICE	0 11															
		Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination				1	21.13	40.54	27.41	16.74	6.90						
		Local Channel - Dedicated - DS1 - Zone 1	<u> </u>				35.76	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 2	ļ			1	49.98	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 3	<u> </u>			1	107.63	177.47	153.72	22.19	15.26				-		
		Interoffice Transport - Dedicated - DS1 Per Mile	<u> </u>			1	0.18			ļ					-		
		Intereffice Transport Dedicated DC4 Des Feeliks Territories	1				60.16	89.27	81.81	16.35	14.44		1		I		
CALL	IC NIASS	Interoffice Transport - Dedicated - DS1 Per Facility Termination	 			+	60.16	89.27	81.81	16.35	14.44				 		
CALLIN	NAM DN	E (CNAM) SERVICE CNAM For DB Owners - Service Establishment	 		OQV	+	 	22.95		21.11			 				
-	-	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	 		OQV	+	1	22.95		21.11			 		 		
-	-	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 		OQ V	+	1	22.90		21.11			 		 		
		Establishment	1		OQV]	990.88	732.84	268.93	197.74		1		I		
		CNAM For Non DB Owners - Service Provisioning With Point						555.50	. 32.04	200.00	.0				1		
		Code Establishment			OQV			342.33	245.14	275.25	197.74				1		
		CNAM for DB Owners, Per Query			OQV		0.000902	5 12.00		_::::20							
		CNAM for Non DB Owners, Per Query			OQV		0.000902										
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch	<u></u>				<u> </u>	84.70	84.70	14.11	14.11				<u></u>		
VIRTU	AL COLI	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line												_			
		Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						

AIN SELECTIVE	RATE ELEMENTS LOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting E CARRIER ROUTING Regional Service Establishment End Office Establishment Query NRC, per query	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc
AIN SELECTIVE	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting E CARRIER ROUTING Regional Service Establishment End Office Establishment										per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
AIN SELECTIVE	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting E CARRIER ROUTING Regional Service Establishment End Office Establishment					Rec	Nonrec		Nonrecurring					Rates (\$)		
AIN SELECTIVE	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting E CARRIER ROUTING Regional Service Establishment End Office Establishment					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN SELECTIVE	Splitting E CARRIER ROUTING Regional Service Establishment End Office Establishment															
AIN SELECTIVE	CARRIER ROUTING Regional Service Establishment End Office Establishment			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						1
AIN - BELLSOU	Regional Service Establishment End Office Establishment			UEPSK UEPSB	PEILS	0.03	12.30	11.80	6.03	5.44						
AIN - BELLSOU	End Office Establishment			SRC	SRCEC		101.098.91		8.590.70							
AIN - BELLSOU				SRC	SRCEO		169.88	169.88	1.70	1.70						
1				SRC		0.002749										
	ITH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															1
! [Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.00	7.83	9.09	0.00						l '
	AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83 7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Port Confriction - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		7.03	7.03	9.09	9.09						
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						1
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										1
	IVIINUTE ITH AIN TOOLKIT SERVICE					0.73			+							
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						1
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								ļ
,	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						, ,	,								
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPTIVI		7.03	1.03	9.09	9.09						
	DN, 10-Digit PODP				ВАРТО		34.47	34.47	14.36	14.36						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5, 1, 10		0	0	1 11.00							
	DN, CDP				BAPTC		34.47	34.47	14.36	14.36						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36						 '
	AIN Toolkit Service - Query Charge, Per Query				1	0.05			ļ						ļ	 '
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										1 '
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00382			 						1	
	Account, Per 100 Kilobytes					0.05										1 '
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					2.00									İ	
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						<u> </u>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service									-						
	Subscription			CAM	BAPLS	2.87	8.66	8.66								 '
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BADDO	7.00	7.00	7.00	F F0	F F0						1 '
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50					-	
	Service Subscription			CAM	BAPES	0.10	8.66	8.66								1 '
	TENDED LINK (EELs)			O, 441	J, 11 LO	0.10	0.00	0.00	 							
NOTE: T	The monthly recurring and non-recurring charges below will a	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements.					[
NOTE: T	The monthly recurring and the Switch-As-Is Charge and not the	he non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	etwork Eleme	nts.					
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1						· · · · · ·		· · · · ·						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						 '
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44					 	
	per month			UNC1X	1L5XX	0.18										1 '

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) RATE SEMENTS Elect per LSR Manually per LSR Ord Elect 1 Proc. Nonrecurring Disconnect		Order vs. Order vs.
CATEGORY RATE ELEMENTS Interfire Zone BCS USOC RATES (6) Submitted Che	Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Svc Order vs. Electronic- Add'l OSS Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Interference None	Manual Svc Order vs. Electronic- 1st OSS Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l
RATE ELEMENTS	Order vs. Electronic- 1st OSS Rates (\$)	Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l
Rec Nonrecurring	Electronic- 1st Electronic- Add'l OSS Rates (\$)	Electronic- Disc 1st Disc Add'l
1	1st Add'I OSS Rates (\$)	Disc 1st Disc Add'l
Nonrecurring Nonr	OSS Rates (\$)	
Interdifice Transport - Dedicated - DS1 combination - Facility UNC1X		SOMAN SOMAN
Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Zone 1 Interoffice Transport - Dedicated - DS1 combination - Zone 2 Interoffice Transport - Dedicated - DS1 combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Zone 2 Interoffice Transport - Dedicated - DS1 combination - Zone 3 Interoffice Transp	SOMAN SOMAN	SOMAN SOMAN
Termination per month		
1/10 Channelization System in combination Per Month		
Voice Grade COCI - Per Month		
Voice Grade COCI - Per Month		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX		
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 2 2 UNCVX		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		
Voice Grade COCI - Per Month		
Voice Grade COCI- Per Month		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X		
Scharge		
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 1/0 Channel System in combination - Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI in combination - Per month UNCVX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional Voice Grade COCI in combination - per month UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combination - per month UNCVX UDCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combination - Per month UNCVX UDCVX		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X UTTF1 60.16 89.27 81.81 16.35 14.44 11/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 11/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combined Network Elements Switch -As-Is Indicated a Uncolor of State Combination - State Com		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		
Per Month		
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		
Month		
1/0 Channel System in combination Per Month		
Voice Grade COCI in combination - per month		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50		
Interoffice Transport Combination - Zone 1		
Additional 4-Wire Analog Voice Grade Loop in same DS1		
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Nonrecurring Currently Combined Network Elements Switch - As- UNCX UNCCC 5.59 5.59 6.98 6.98		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50		
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50		
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Nonrecurring Currently Combined Network Elements Switch -As-ls Charge UNC1X UNCCC 5.59 5.59 6.98 6.98		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98		
Is Charge		
EATERDED 4-WIRE 30 ADPS EATERDED DIGITAL LOUP WITH DEDICATED DSTINTEROPPICE TRANSPORT		
		+ + +
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 26.09 126.27 88.80 59.14 14.50		
1 105-7 17110 001000 Digital Grade Loop in Combination - 2010 1 1 01007/ 00100 20.00 120.21 00.00 05.14 14.00		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		
1 103 - TYTHE SOTUPS SIGNAL GLAVE LOOP III CONTINHALION - 2016 2 2 1010000 000000		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50		
Interoffice Transport - Dedicated - DS1 combination - Per Mile		
Per Month UNC1X 1L5XX 0.18		
Interoffice Transport - Dedicated - DS1 - combination Facility		
1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79		
OCU-DP COCI (data) per month (2.4-64kbs)		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		
Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 26.09 126.27 88.80 59.14 14.50		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 35.95 126.27 88.80 59.14 14.50		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50	i 1	
Additional OCU-DP COCI (data) - in combination per month (2.4-	l l	
Nonrecurring Currently Combined Network Elements Switch -As-		
Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98		
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		1

F	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: B
1											Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Int									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	5		_				400.00									
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First A Wire Odd as Picital Occile Lead to Occile and Table 7		3	LINODY	1101.04	07.00	400.07	00.00	50.44	44.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Per Month			UNC1X	1L5XX	0.18										
	interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.16										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	10.04	0.70						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0110271	10.00		0.00									
	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									1.00						
	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.5307	0.40										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.18										
	Termination Per Month			UNC1X	U1TF1	60.16	00.07	81.81	40.05	4444						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UTIFT	60.16	89.27	81.81	16.35	14.44						
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.39	5.59	0.90	0.90						
- LXIL	First DS1Loop in Combination - Zone 1	1	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť		1	3152	2027	.004		1				1		
	Per Month	l		UNC3X	1L5XX	4.09			1							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				1				1							
	month	<u></u>		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46	<u> </u>	<u></u>		<u> </u>		<u></u>
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l]		
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		l .					I			1		1		
\vdash	Zone 2	ļ	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				ļ		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	_	LINIOAY	1101.307	6	c=c -					1		1		
$\vdash \vdash \vdash$	Zone 3	!	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				 		
\vdash	Additional DS1 COCI in combination per month	 		UNC1X	UC1D1	12.70	6.58	4.72	!					 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	UNCCC		5.59	5.59	6.98	0.00		1		1		
EVTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	I F INTE	UNC3X			5.59	5.59	6.98	6.98						
EVIE	2-WireVG Loop in combination - Zone 1	GRADI		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
 	2-WireVG Loop in combination - Zone 2	 	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
 	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		 		 		
\vdash	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1	5	J. 10 V/	JL/1L2	30.14	00.00	33.00	71.24	7.44		 		 		
	Month	1		UNCVX	1L5XX	0.008838			I			1		1		
	Interoffice Transport - 2-wire VG - Dedicated - Facility	1				2.300000			t					1		
	Termination per month	I	1	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		l		I		

UNBUNDI	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: B
3.1201101	LE TEL TOTAL LELIELTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			†			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrecurring Currently Combined Network Elements Switch -As-						11131	Auu	11100	Addi	COME	COMPAR	COMAIN	COMPAR	COMPAN	COMPAR
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EVT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	C INTE				5.55	3.33	0.30	0.30						
LAI	4-WireVG Loop in combination - Zone 1	GRAD	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				-		
-	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
-	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50				-		
-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	UEAL4	60.02	131.97	94.51	39.14	14.50				-		
	Month			UNCVX	1L5XX	0.000000										
-				UNCVX	ILOXX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility					40.00										
-	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	1110000	LINIOGO							1		I		
<u> </u>	Is Charge	<u> </u>		UNCVX	UNCCC		5.59	5.59	6.98	6.98	ļ					
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FICE													
\vdash	DS3 Local Loop in combination - per mile per month	<u> </u>	<u> </u>	UNC3X	1L5ND	8.38										
1 1				l .	1	. I					1					
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		l				
	Interoffice Transport - Dedicated - DS1 combination - per mile															
1 1	per month	1	1	UNC1X	1L5XX	0.18						1		I		
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1			51.10					i	1		1		
1 1	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1					
	1/0 Channel System in combination - per month	1	<u> </u>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	1		1		
	2-wire ISDN COCI (BRITE) - in combination - per month	i –	1	UNCNX	UC1CA	2.41	6.58	4.72		3.70	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>			2	0.00	2			1	1		1		
	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		2	J/	21.00	117.27	10.77	02.00	10.04		l		 		
	Combination - Zone 2	l	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	l	1				
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	!		OT TOTAL	UILZA	52.05	117.24	13.11	52.00	10.54	 					
	Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1		I		
\vdash	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	-	CIVOIVA	JILEA	40.55	111.24	13.11	32.00	10.34	 	1		 	-	1
	month			UNCNX	UC1CA	2.41	6.58	4.72			1					
\vdash		1	 	OINCINA	OCTOA	2.41	0.58	4.72	-			-		-		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINCAY	LINICCO		F F0	F F0	0.00	0.00		1		I		
EVT	Is Charge	ED STO	1 INTE	UNC1X	UNCCC		5.59	5.59	6.98	6.98		-		-		
EXI	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED 212				00.55	050.47	457.54	44.70	44 74		ļ		 	-	-
	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		ļ		 	-	-
\vdash	First DS1 Loop Combination - Zone 2	<u> </u>		UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				1		
\vdash	First DS1 Loop Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				-	1	1
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	l	1			,					l	1				
	Per Month	<u> </u>	<u> </u>	UNCSX	1L5XX	4.09						ļ		1		ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility	l	1	l	l						l	1				
	Termination per month	<u> </u>		UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
330.10		1									Svc Order	Svc Order	Incremental		Incremental	
		1	1	İ							Submitted	Submitted		Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Manual Svc			
CATEGOR	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1													
\vdash						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS1 COCI in combination per month		-	UNC1X	UC1D1	12.70	6.58	4.72	77.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As		+	ONOTA	COIDI	12.70	0.00	7.72								
	Is Charge	1		UNCSX	UNCCC		5.59	5.59	6.98	6.98						
F	IS Charge ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI	DDC INT	EDOCT		UNCCC		5.59	5.59	0.98	0.98	 	-				
		DES IN I			LIDLE?	00.00	400.07	00.00	50.44	4450	1	 		 	-	
$\vdash \vdash$	4-wire 56 kbps Local Loop in combination - Zone 1	 	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	1	1	1		-
\vdash	4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		ļ		ļ		
\vdash	4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		ļ				ļ
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	1	İ					I			l		Ì		1
igsquare	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EX.	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KI	BPS INT	EROFF													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1 1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
—	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1					-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	37.00	120.27	00.00	35.14	14.50						
				UNCDX	1L5XX	0.008838										
	Per Mile per month		-	UNCDX	ILOXX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	LIATEDO	45.40	40.54	07.44	40.74	0.00						
\vdash	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EX	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE	TRANSP	ORT w													
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile	1	1	UNC1X	1L5XX	0.18			I			l		Ì		1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month	1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		l		Ì		1
	Per each DS1 Channelization System Per Month	1		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	İ	İ	İ	İ	1
	Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.53	6.58	4.72		50	1	i		1		1
	3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	t	 		 		-
 	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	1	1	1	1	1	t
\vdash	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1	014017	ועוטט	12.10	0.56	4.12	 	-	+	 	1	 	-	
		1		LINCVY	LIEALO	44.00	00.00	FF 00	47.04	7.44		l		Ì		1
\vdash	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	1	1		 		-
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			LINIONA		00.0=	00.00	FF 00		.						
\vdash	Interoffice Transport Combination - Zone 2	 	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		ļ		ļ		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1 _							_		l		Ì		1
\bot	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	1			ļ		ļ
		1	1	İ					I		1	l		Ì		1
	Each Additional Voice Grade COCI - in combination - per month	ı		UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	1		UNC1X	1L5XX	0.18			1			1				
	Each Additional DS1 Interoffice Channel Facility Termination in	1										İ				
	same 3/1 Channel System per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1				
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72	1 2.00							
\vdash	Nonrecurring Currently Combined Network Elements Switch -As	-	1		-0.5.	.2.70	0.00	,2	1			1		1		1
1 1			1	1	1				1	I	1	1	l	1	l	1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

JUNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISCISE	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			1110101		00.00	404.07	04.54	50.44	44.50						
 	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	-					
	Mile Per Month			UNC1X	1L5XX	0.18										
-	First Interoffice Transport - Dedicated - DS1 - Facility	1	1	UNCIX	ILJAA	0.16					1					
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.53	6.58	4.72	1				İ		İ	İ
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.18										
 	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-	-	UNCIA	ILSAA	0.16										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	10.00	14.44						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		0.10171	15110	0.00	0.00		İ							
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
<u> </u>	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
		-	3	UNCDA	UDLS6	31.00	120.21	00.00	39.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
\vdash	First Interoffice Transport - Dedicated - DS1 - combination	1	1	011017	120//	0.10			-							
1 1	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				1		
	Per each 1/0 Channel System in combination Per Month	1	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
1 1 -	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1		I				I	l]		<u> </u>
\vdash	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINCDY	LIDLES	25.25	400.0=	20.00	50.4.	44.50				1		
\vdash	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	-		-	 	-	
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				1		
	OCU-DP COCI (data) COCI in combination per month (2.4-	1	-	011007	30130	31.00	120.27	00.00	35.14	14.30			1	1	1	1
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1	2	0.00	2	1					1		İ
1 1	Channel System per month			UNC1X	1L5XX	0.18			1					1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
_	Each Additional DS1 COCI in the same 3/1 channel system				I				_					1		
\vdash	combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						
1 1				DE DISHECTEX	THE TANK TO THE			5 50	6 48				i		i	

CATEGORY	D NETWORK ELEMENTS - Alabama RATE ELEMENTS													ment: 2		bit: B
CATEGORY	DATE ELEMENTO										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY	DATE EL EMENTO										Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTO	Indan:									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															i .
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													1
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						├
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	LINODY	LIDLAA	07.00	400.07	00.00	50.44	44.50						i .
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Mile Per Month			UNC1X	1L5XX	0.18										i .
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSAX	0.10										
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						i .
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) in combination - per month (2.4-						004	02.01		50						
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						ſ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50				<u> </u>		L
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						<u> </u>
1 1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															ı
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
1 1 '	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System							. =-								i
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								├
1 1 '	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.40										i
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILOXX	0.18										
1 1	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ı
\vdash	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	00.10	03.21	01.01	10.55	14.44						
1 1 '	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								i
	Nonrecurring Currently Combined Network Elements Switch -As-					_										
1 1 '	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						i
EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
,	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						L
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															i
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			Liniani							1	1				1
	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						├
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAV	11.577	0.40					1	1				1
	Mile per month	-		UNC1X	1L5XX	0.18					 	 				
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	1				1
 	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	or caon chamier dystem 1/0 in combination - per month			ONOIX	IVIQ I	101.00	31.04	02.37	10.54	3.15						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72			1	1				1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								ſ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ſ
	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			L BLOWN												1
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						⊢—
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINONIY	110404		0 =0	4 ===			1	1				1
 	system combination- per month			UNCNX	UC1CA	2.41	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										1
 	Each Additional DS1 Interoffice Channel Facility Termination in	-		014017	1LUAA	U. 18					 	 				
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -			Charge -
														Charge -	Charge -	
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (A)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system	1	1					71441		71441	0020	00	00	00		
				LINIOAY	110454	12.70	0.50	4.70								
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
		1	3	UNCIA	USLAA	314.32	232.41	137.34	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			1							1					1
	Facility Termination Per Month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	I			1		1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ		İ
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			CITO IX	00.5.	12.70	0.00	2								
	Channel System per month	1		UNC1X	1L5XX	0.18					I			1		1
				UNCIX	ILDXX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		4	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional A Wise DC4 Digital Level Level in Combination 7 and	1	-	UNCIA	USLAA	02.33	232.41	137.34	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTFI	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
LX.L.	First 4-wire 56 kbps Local Loop in combination - Zone 1	T LING	1 1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
		_	2			35.95	126.27			14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56			88.80	59.14							
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month	1		UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	1	1		1		1
	Nonrecurring Currently Combined Network Elements Switch -As-	1				.5.12	.0.04	2	.5.77	3.00	1	t		1		1
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98	I			1		1
FVT		NITESS	<u> </u>		UNCCC		5.59	5.59	0.98	0.98	1	1		1		1
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	INTERO			LIBL C		,					.				
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		ļ				
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50					-	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile													İ		İ
	per month	1		UNCDX	1L5XX	0.008838					I			1		1
+	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	+	1	12.102/1	.20,51	3.300000					 	1		 		
				LINCDY	LIATEC	45.40	40.54	07.44	40.74	0.00	1					1
	Termination per month	1		UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	-	-				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		I							1	1		1		1
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
ADDITIONAL	NETWORK ELEMENTS	\perp														
When	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is c	harge does app	oly.									
	used as ordinarily combined network elements in All States, the															
	curring Currently Combined Network Elements "Switch As Is"						·									
1.01110	Nonrecurring Currently Combined Network Elements Switch -As-		1									 				
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98	1					1
		1	1	0140 4V	DINCCC		5.59	5.59	0.98	0.98	-	 		 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		Linioni							I			1		1
J				UNCDX	UNCCC		5.59	5.59	6.98	6.98	1	1	ı	1		
	Is Charge - 56/64 kbps			UNCDA	UNCCC		0.00	0.00	0.00	0.00						
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1	-		UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: B
ONDOND	LED NETWORK ELEMENTO Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Opt	ional Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	OI	OI	OI						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S		1		I		
MU	LTIPLEXERS		1													
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00				1		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per						<u> </u>	-							I	1
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	hange Ports									1				1		
	TE: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	ng retail USOC	S		ļ				ļ		
2-W	IRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33				1		
											<u> </u>	1		_		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33				1		
				l						I		1		I		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled AL extended local			l	1		_	_		I .		1		I		
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33				.		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			l	1					I		1		I		
\vdash	with Caller ID (LUM)	1		UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33				.		
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan													1		
\vdash	without Caller Id	1		UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33				.		
	2-Wire voice unbundled Low Usage Line Port without Caller ID			l	1		_	_		I .		1		I		
\vdash	Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						
L	Subsequent Activity	1	1	UEPSR	USASC	0.00	0.00	0.00								
FE	ATURES	1	<u> </u>	LIEDOD	LIEDV'E			0.5-								
<u> </u>	All Available Vertical Features	1	1	UEPSR	UEPVF	1.98	0.00	0.00								
2-W	IRE VOICE GRADE LINE PORT RATES (BUS)				1					<u> </u>		l				

ONDONDLE	D NETWORK ELEMENTS - Alabama			1	1						1 -	1 -		ment: 2	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled AL extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			LIEBOE			0.4.00		10.01							
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP UEPSP	UEPLD UEPA2	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						1
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.00	01.27	14.00	10.04	0.00						
	Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	02.7.2	1.00	01.2.	1 1.00	10.01	0.00						
	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33						
	Transmission/usage charges associated with POTS circuit sy															
	Access to B Channel or D Channel Packet capabilities will be	availal	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	etermined via t	he Bona Fid	le Request/l	New Busines:	s Request Pro	ocess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES		ļ.,	1												
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI											riff rates or a	a separate ag	reement.	ļ	ļ
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	arter the	ettect													
	Exchange Ports - 2-Wire DID Port		<u> </u>	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76	}			1	1	1
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			LIEDDD	LIEDES	22.22	000.00	05.00	70.50	0.40						
	capability (E:4/1/2004)		<u> </u>	UEPDD HEREY	UEPDD U1PMA	60.09	202.02	95.69	72.59 47.79	2.46 10.74						1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered		 	UEPTX, UEPSX	UEPVF	9.79	72.77	52.99	47.79	10.74	1			1		
			<u> </u>	UEPTX, UEPSX UEPTX, UEPSX	U1UMA	1.98	0.00	0.00								<u> </u>
																1
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	witch o -	11600						iccion by B CL	annole cooce	iated with a	wire ISDN -	orte			
	Exchange Ports - 2-Wife ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be			will also apply to c	ircuit switche	d voice and/or	circuit switche	ed data transm						e Request Pro	cass	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
İ											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonred	curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detai	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
1	Locator Capability - Subsequent Profile Changes, Additions,				[]				1				1			
	Deletions			UEPEX	UEP1B	0.00	175.14									
New	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel				<u> </u>											
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
\vdash	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
	New or Additional Useage Sensitive Voice Data "B" Channel	 		UEPEX	PR7BS	0.00	14.53									
\vdash	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
	New or Additional PRI "D" Channel	 	<u> </u>	UEPEX	PR7EX	0.00	14.53		.				-		1	1
CALI	L TYPES	 	<u> </u>	HEDEY HEDEY	DD704	0.00	0.00	0.00	.				-		1	
	Inward	-	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	 	-	-		1			-
	Outward	 	1	UEPEX	PR7CO	0.00	0.00	0.00	 	1	1		 	1	-	-
H 1000	Two-way	<u> </u>	<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00	.				-		1	
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		1		ļ				 	-	-		1			-
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1	1	LIED\/D	LIEDAO	1.00	2.00	0.00	1.00	1.00	1		 	1	-	-
$\vdash \vdash \vdash$	Unbundled Remote Call Forwarding Service, Area Calling, Res	+	 	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33			 	-		
1 1	Unbundled Pemete Call Ferwarding Service Lead Calling Page	.1		UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33			I			
\vdash	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res	' 	1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33	-		-	-		
$\vdash \vdash \vdash$	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	1	<u> </u>	UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33			-	 	-	-
Non	Recurring	1	1	OLI VIX	OLKIK	1.30	2.30	2.21	1.42	1.33	1	1	1			-
Non-	Unbundled Remote Call Forwarding Service - Conversion -	1	1		1				 	1	 	1	 	1	1	1
1	Switch-as-is	1		UEPVR	USAC2		0.10	0.10	I				I			
$\vdash \vdash \vdash$	Unbundled Remote Call Forwarding Service - Conversion with	1	1	OLI VIX	USAUZ		0.10	0.10	1		1	1	1			-
1 1	allowed change (PIC and LPIC)	1		UEPVR	USACC		0.10	0.10	I				I			
LIND	UNDLED REMOTE CALL FORWARDING - Bus	1	1	OLI VIX	JUAGO		0.10	0.10	 	1	 	1	 	1	1	1
UNB	ONDEED VEHICLE CALL LOVMANDING - DRS	+	1		 				 	 			 			-
1 1	1			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		1				
ļ l	Unbundled Remote Call Forwarding Service Area Calling - Rus															
ļ <u> </u>	Unbundled Remote Call Forwarding Service, Area Calling - Bus		ļ	UEPVB	ULKAC	1.30	2.30	2.21	1.72	1.33			1			

IINRII	NDI FI	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	sit: R
CIADO	NDLLI	NETWORK ELLINENTS - Alabama	T	ı			1					Syc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -			Charge -
															Charge -	Charge -	
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1					Nonred		Monroourrin	g Disconnect		l	000	Rates (\$)		
 			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, InterLATA - Bus	+		UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		Unbundled Remote Call Forwarding Service, IntelEATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	+		UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
 		Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	1		UEFVB	UEKIK	1.30	2.30	2.21	1.42	1.33						
'		Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
-	Non-Po	curring	1		OLI VD	OLIVO	1.30	2.30	2.21	1.42	1.55						
	NOII-NE	Unbundled Remote Call Forwarding Service - Conversion -	1	_		1					<u> </u>						
'		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with	1	_	OLI VB	OOAOZ		0.10	0.10		<u> </u>						
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
LINBLIN	DLEDI	OCAL SWITCHING, PORT USAGE	1		OLI VB	00/100		0.10	0.10								
		ice Switching (Port Usage)	1	1	+	 					 		l				
\vdash		End Office Switching Function, Per MOU	1	1		1	0.0007025				<u> </u>						
\vdash		End Office Trunk Port - Shared, Per MOU	1	1		1	0.0001638				<u> </u>						
		n Switching (Port Usage) (Local or Access Tandem)	1	1	 	t	2.230.000			1	t						
		Tandem Switching Function Per MOU	 	t	1	1	0.000095			1	1						
		Tandem Trunk Port - Shared, Per MOU	1		İ	1	0.0002015			1	1						
		Tandem Switching Function Per MOU (Melded)					0.000040993										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
		Melded Factor: 43.15% of the Tandem Rate															
—	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000023										
		Common Transport - Facilities Termination Per MOU					0.0003224										
		Continuit transport - raciniles remination renivido					0.0003224										
		ORT/LOOP COMBINATIONS - COST BASED RATES															
			nd/or St	tate Co	mmission rule to pr	ovide Unbun		tching or Swite	ch Ports.								
	Cost Ba	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at a shall apply to the Unbundled Port/Loop Combination - Cost	st Based	d Rate s	section in the same	manner as th	dled Local Swi	to the Stand-A	lone Unbundle								
	Cost Ba Feature End Of	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us	st Based sage rat	d Rate s tes in ti	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Ba Feature End Off The firs	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport User and additional Port nonrecurring charges apply to Not Curr	st Based sage rat	d Rate s tes in ti	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat	d Rate s tes in ti	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE	ORT/LOOP COMBINATIONS - COST BASED RATES sased Rates are applied where BellSouth is required by FCC at shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates	st Based sage rat	d Rate stes in the	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos ti	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at se shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	d Rate stes in the combined	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos the 12.70	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Usard additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	tes in the sombine of	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Ba Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are see shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Utit and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtf/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	st Based sage rat	d Rate stes in the combined	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos the 12.70	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Ba Feature End Of The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at se shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	st Based sage rat	d Rate stes in the ombine 1 2 3	section in the same he Port section of the ed Combos. For Cur	manner as th is rate exhib rently Comb	dled Local Swi ey are applied it shall apply to ned Combos ti	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Ba Feature End Of The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos ities and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage rat	d Rate stes in the combine of the co	section in the same ne Port section of the ed Combos. For Cur	manner as the is rate exhibit rently Combination of the image of the i	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Ba Feature End Of The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usard additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	section in the same he Port section of the ed Combos. For Cur UEPRX UEPRX	manner as the is rate exhib rently Comb	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage rat	d Rate stes in the combine of the co	section in the same ne Port section of the ed Combos. For Cur	manner as the is rate exhibit rently Combination of the image of the i	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	ments except 1	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos its and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rot/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	ueprx UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibited is rate exhibited in the combination of	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combinati- ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	rt network ele	ments except (ntified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at ase shall apply to the Unbundled Port/Loop Combination - Cost is shall apply to the Unbundled Port/Loop Combination - Cost it and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	wanner as this rate exhibits rate exhibits rently Combination of the c	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	ort network eleili be those ide	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	wanner as the is rate exhib rently Combination of the interest	12.70 12.79 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/pc g charges sha	ut network ele II be those ide	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	wanner as this rate exhibits rate exhibits rently Combination of the c	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	ort network eleili be those ide	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cos its and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop dort outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	24.91	ments except (ntified in the N 6.63 6.63	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	wanner as the is rate exhib rently Combination of the interest	12.70 12.79 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/pc g charges sha	ut network ele II be those ide	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled res, low usage line port with Caller ID	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rot/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	24.91	ments except (ntified in the N 6.63 6.63	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) AND COMPONITY OF COMP	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or transport Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	Cost Bar Feature End Off The firs 2-WIRE UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) with Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Sone 3	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	died Local Swi ey are applied tt shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Bar Featurer End Off The first UNE Po	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) MICLION COMBINATION - CONDITION - COMBINATIO	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature Local	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature Interpretation of the first Country of the first	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	died Local Swi ey are applied tt shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature Interpretation of the first Country of the first	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA	died Local Swi ey are applied tt shall apply to 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature UNE Pc UNE Lc 2-Wire FEATU LOCAL	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Pates 2-Wire VG Loop/Port Combo - Zone 3 101 Pates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 102 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Port Vire Port Vire Voice Unbundled Port Vire Voice Unbundled Vire Port Vire Voice Vire Voice Vire Voice Vire Voice Vire Voice Vire Vire Voice Vire Vire Voice Vire Vire Vire Vire Vire Vire Vire Vir	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature UNE Pc UNE Lc 2-Wire FEATU LOCAL	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) into Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 I Supply Solve Combo - Zone 3 I Supply Solve Combo - Zone 3 I Supply Solve Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 I Supply Solve Combo - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 I Supply Solve Combo - Zone 2 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA	died Local Swi ey are applied tt shall apply to 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature UNE Pc UNE Lc 2-Wire FEATU LOCAL	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Sone 3 Voice Grade Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPWA UEPWA UEPWA UEPVF	died Local Swi ey are applied tt shall apply to 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature UNE Pc UNE Lc 2-Wire FEATU LOCAL	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at is shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Port vith Caller ID res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA	died Local Swi ey are applied tt shall apply to 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	Cost Ba Feature Feature UNE Pc UNE Lc 2-Wire FEATU LOCAL	ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC at as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) riv/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop (SL1) - Sone 3 Voice Grade Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat	d Rate stes in the combined of the steel in the combined of the steel in the combined of the steel in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPWA UEPWA UEPWA UEPVF	died Local Swi ey are applied tt shall apply to 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except intified in the N 6.63 6.63 6.63 6.63	for UNE Coi					

UNBUN	DLEI	NETWORK ELEMENTS - Alabama						_						Attach	ment: 2	Exhi	bit: B
		**** **										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OAILOO		NATE ELEMENTO	m	20110	200	0000			πατ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonred	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		
-				1			Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Voice Crade Lean/Line Bort Combination Subacquent				+		FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	LICACO	0.00	0.00	0.00								1
		Activity			UEPRA	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDETI		0.00	0.00								1
	/	Premise			UEPRX	URETL		8.33	0.83								└
0	FF/ON	PREMISES EXTENSION CHANNELS		<u> </u>	LIEBBY .		10.50		4==0	00.40							
<u> </u>		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						!
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						1
II.	NTERC	OFFICE TRANSPORT															l
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1]				1
		Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						i
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								1
2-	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
U	NE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
U		op Rates		Ť			0 1.00										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55					1					
h		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										—
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	33.65					1					
2	Wire	Voice Grade Line Port (Bus)		3	OLI DX	OLILX	33.03										
- F	WIIIC	2-Wire voice unbundled port without Caller ID - bus		 	UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
-		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63	-					
-		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63	-					
-				 	ULFBA	OLFBO	1.13	40.19	19.03	24.51	0.03						
		2-Wire voice Grade unbundled Alabama extended local dialing			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						i
		parity port with Caller ID - bus		<u> </u>													
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						+
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															i
		Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled Incoming Only Port without Caller ID															1
		Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
L		NUMBER PORTABILITY															<u> </u>
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F	EATU																
		All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				ļ											
T		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
		Switch-as-is		Ш_	UEPBX	USAC2		0.10	0.10			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						_						_			
1 1		Switch with change		1	UEPBX	USACC		0.10	0.10				1				1
Α	DDITI	ONAL NRCs															ſ
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											1
1 1		Activity		1	UEPBX	USAS2		0.00	0.00			1	1				1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise		1	UEPBX	URETL		8.33	0.83			1	1				1
10	FF/ON	I PREMISES EXTENSION CHANNELS		1		J		0.00	0.00								<u> </u>
\vdash	, 01	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30	<u> </u>	1				
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30	1					
 		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30	1	l				
\vdash		Wire Analog Voice Grade Extension Loop – Non-Besign Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44	1					
\vdash		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44	1	l				
\vdash				3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44	+	1		1		
-	ITEE .	2 Wire Analog Voice Grade Extension Loop – Design		3	UEFBX	UEAED	30.14	88.00	55.00	41.24	7.44	1					
	WIEK(OFFICE TRANSPORT		l								1	l				<u></u>

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
0		KATE EEEMENTO	m			0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Monrocurring	Disconnect		l .	088	Rates (\$)	l .	
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Intereffice Transport Dedicated O Wire Vaice Conda Facility	<u> </u>					FIIST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	04.40	40.54	07.44	40.74	0.00						
		Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNF L	pop Rates															
	0.42 2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEPRG	UEPLX	20.04			 		l .	 		1	 	
			 	3	UEPRG	UEPLX	33.65						-		-		
	0.140	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.00										
	2-wire	Voice Grade Line Port Rates (RES - PBX)															
l	1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1	l	1				Ì		1	1				1
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			02.110	00/102		7.01	1.00								
		Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
	ADDIT	ONAL NRCs			ULFRG	USACC		7.01	1.50								
	ADDII																
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
	+	Non-Wire Direct Serve Channel Voice Grade	 	2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40				1		†
-	+	Non-Wire Direct Serve Channel Voice Grade	 		UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40		 		1		
	INTER	OFFICE TRANSPORT	 		021110	ODDZX	55.12	131.00	01.32	30.30	13.40		l		1	1	
	INTER		-	-		+				-	-	-	 		-	-	
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDO	11471/0	04.40	10.51	07 //	10-1	0.00		l				1
<u> </u>		Termination	<u> </u>		UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90		ļ				├
l	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1						Ì		1	1				1
		or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1	\Box	1			12.70						<u> </u>				
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNE L	pop Rates											l				
	T	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55			İ	İ		İ		1	İ	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.04			1		1	1		1		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEPPX	UEPLX	33.65			 					1		<u> </u>
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	 		J X	JLI DX	55.05			 			 		1		
	Z-44116	- Side Sidde Line i Oit Nates (DOS - FDA)	 	-	-	+				1	1		1		 	1	+
ı	1	Line Side Unbundled Combination 2 Way DRV True! Deat Due	1	1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20	1]		1]	1
	-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	-									1			-		
		Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						
1	1	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		l		1	l	1

UNRUND	I FD	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: B
SIADOIAD		NETWORK ELLINENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	v	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGOR	.	KATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	— h							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l	l .
-	— h						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
-	-	2-Wire Voice Unbundled 2-Way Combination PBX Alabama						FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFA	UEFAD	1.10	69.06	32.41	37.43	6.20						
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
					ULFFX	ULFAL	1.13	09.00	32.41	37.43	0.20						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	1		UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		1		I		
\vdash		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		ULFFA	UEFAL	1.15	09.08	32.41	31.43	6.20	-	-	-	-	-	-
1 1		2-wire voice Oribundled 2-way PBX Hotel/Hospital Economy Room Calling Port	l		UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	-	ULFFA	UEFAIVI	1.15	80.69	32.41	31.43	6.20				 		
					HEDDY	LIEDVO	4.45	00.00	00.44	07.40	0.00						
		Discount Room Calling Port	-		UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						
1.00		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
LO		NUMBER PORTABILITY			LIEDDY	LNDOD	0.45	0.00	0.00								
		ocal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	ATUR				LIEBBY .		4.00										
		All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADI		NAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Inbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						
INT		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1							_		<u> </u>	1		_		
		Termination			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1											I		I	I
		or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.008838	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNI		t/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3	-		34.80		-								
UNI		pp Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
2-W		oice Grade Line Ports (COIN)															
	2	2-Wire Coin 2-Way without Operator Screening and without															
l		Blocking (AL, KY, LA, MS)	<u></u>		UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
	2	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	9	900/976, 1+DDD (AL, KY, LA, MS)	l		UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		l				

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: B
0.120.12	TED ITE I WORK ELEMENTO TRADAMA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OATEOOR	NATE ELEMENTO	m		500	0000			πατ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	2-Wire Coin 2-Way with Operator Screening and 011 Blocking						11130	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						ł '
	2-Wire Coin 2-Way with Operator Screening & Blocking:			021 00	CLIND	1.10	40.10	10.00	24.01	0.00						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						ł
	2-Wire Coin Outward with Operator Screening and 011 Blocking			021 00	OLI OD	1.10	40.10	10.00	24.01	0.00						
	(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						í
	2-Wire Coin Outward with Operator Screening and Blocking:			OLI GO	OLITAK	1.15	40.13	13.03	24.31	0.03						
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						ł
-	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI OO	OLITAIT	1.15	40.13	13.03	24.31	0.03						
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						ł
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Smartline with 900/976 (all states except			OLI GO	OLI OK	1.15	40.13	13.03	24.51	0.03						
1 1	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						í
AD	DITIONAL UNE COIN PORT/LOOP (RC)			ULFCO	OLFCK	1.13	40.13	19.03	24.31	0.03	-					
AD	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	-					
10	CAL NUMBER PORTABILITY			UEPCO	UKECU	1.30	0.00	0.00	0.00	0.00	-					
100	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					-					
NO	NRECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LINFOX	0.33										
NO	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								ł
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USACZ		0.10	0.10								
	Switch with change			UEPCO	USACC		0.10	0.10								ł
40	DITIONAL NRCs			UEPCO	USACC		0.10	0.10								
AD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								í
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-		UEPCO	USAS2		0.00	0.00								
	Premise			UEPCO	URETL		8.33	0.83								í
2 14	/IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	EINE	DODT /		UKEIL		0.33	0.03								
	E Port/Loop Combination Rates	LLINE	TOKI	I I							-					
ON	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76					-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23					-					
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			37.52										
LIN	E Loop Rates		3			31.32					-					
OIN	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38					-					
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85					-					
-	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	36.14					-					
2.10	/ire Voice Grade Line Port Rates (Res)		3	OLFIK	OLCI 2	30.14										
2-4	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77	-					
\vdash	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	1	1	UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77	-	-		-		
\vdash	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	1	1	UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77	 	-		1		1
\vdash	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	1	1	OLFIN	OLFKU	1.38	90.38	51.21	40.00	0.77	 	-		1		1
	parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						1
\vdash	2-Wire voice unbundles res, low usage line port with Caller ID	1	1	OL: IK	OLFAN	1.30	30.30	31.21	40.00	0.77	-	-		-		
	(LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						1
-	2-Wire Voice Unbundled Alabama Residence Dialing Plan			OLITIK	OLI AI	1.50	30.30	31.21	40.00	0.77						
	without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						ł
TAIL	EROFFICE TRANSPORT	1	1	OLFIN	OLFWA	1.38	90.38	51.21	40.00	0.77	 	-		1		1
INI	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 		+	 								 		
	Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						1
\vdash	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	OL111X	01172	21.13	40.34	21.41	10.74	0.90	+	1		 		
1 1	or Fraction Mile			UEPFR	1L5XX	0.008838						1		Ì		1
-	ATURES	1	1	OLFIN	ILUAA	0.000038			1		 	-		1		1
I I'E	All Features Offered	1	 	UEPFR	UEPVF	1.98	0.00	0.00						 		
10	CAL NUMBER PORTABILITY	1	 	OLFIN	OLF VF	1.98	0.00	0.00						 		
I-0	Local Number Portability (1 per port)	1	 	UEPFR	LNPCX	0.35								 		
N/O	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	ULFFR	LINEUX	0.35								 		
NO	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	 		+	 								 		
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87				1		Ì		1
	Combination - Conversion - Switch-as-is	<u> </u>	L	OLITA	USAUZ		0.40	1.07	l	l	1	l				

UNBUNDI	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	ibit: B
ONDONE	LED HETWORK ELEMENTO / Habama										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (BUS)												
UNE	Port/Loop Combination Rates		1													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3	<u></u>	3	UEPFB	UECF2	36.14										
2-Wi	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FEA	TURES															
	All Features Offered		<u> </u>	UEPFB	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		0.40	4.07								
\vdash	Combination - Conversion - Switch with change	 	 	UEPFB	USACC		8.48	1.87						 		-
1 1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		1	UEPFB	URETN	l	11.21	1.10						1		
2-14/1	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT /		UKETIN		11.21	1.10						-	-	
	Port/Loop Combination Rates	LINE	OKI (رمو ا	+	+					1	 		+	1	
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		+	15.76								 		1
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		+	24.23								 		1
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	3		+	37.52								 		1
UNF	Loop Rates	 	<u> </u>		+	31.32								 		1
- ONE	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFP	UECF2	14.38					l	l		 		<u> </u>
 	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	22.85								<u> </u>		
 	2-Wire Voice Grade Loop (SL2) - Zone 3	†	3	UEPFP	UECF2	36.14								t		
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ť			33								†	1	
		†	t		1	İ			i					t		Ì
1 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34	1	1		I		
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34				İ	İ	1
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	1	1		1	1								İ	İ	1
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34	1	1		I		
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	t		UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34	i	i e		t e	i e	1
	2-Wire voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPAC	1.38	119.27	09.00	01.10	0.34						

IINRII	NDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: B
ONDO	NULL	NETWORK ELLMENTS - Alabama				1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						
	LOCAL	NUMBER PORTABILITY					0.45										
	INITED	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTER	DFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATVO	24.42	40.54	07.44	40.74	0.00						
		Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.008838										
	FEATU				UEFFF	ILSAA	0.000030					1					-
	FEATU	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								-
	NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIF	OLFVI	1.50	0.00	0.00			1					-
	INOMINE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+						1					
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITI	00/102		0.40	1.07								
		Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02	007.00		0.10	1.01								
		End User Premise			UEPFP	URETN		11.21	1.10								
UNBUN	IDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
		ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22.40										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
	UNE L	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
	UNE P	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				ļ											
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			HEDDY]								1		1
-	 	Switch-as-is		-	UEPPX	USAC1		7.31	1.87			1			-		
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USA1C]	7 24	1.87						1		1
\vdash	ADDIT	with BellSouth Allowable Changes ONAL NRCs		-	ULFFA	USAIC		7.31	1.87			1					
	ADDITI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78	-				-	-	-	
-	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-		OLFFA	USASI		20.18	20.78			}		1	1	1	
	1	End User Premise			UEPPX	URETN]	11.21	1.10						1		1
-	Telenh	one Number/Trunk Group Establisment Charges		 	OLI I A	JILLIN	 	11.21	1.10			1	-		 		
—	. elebii	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00						 		
	1	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			1					—
	1	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00						1		t
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00						1		
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00						İ		
	LOCAL	NUMBER PORTABILITY				1									İ		
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					İ		İ	
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	NE SIDE	PORT		1		-				İ					
		ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	1	UNE Zone 1	<u></u>	_1	UEPPB UEPPF	2	27.28		<u></u>	<u> </u>		<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	1

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: B
													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l										Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	l e	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m		_					== (+)			per LSK	per LSK				
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								1	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	l	
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								,,,,,,		7.00.	0020					
		UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02	<u> </u>		01.00										
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
	UNFI	pop Rates		Ŭ	02	02		00.01										†
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISL2X	19.03										†
		2 Wile lebit bigital Grade 200p - Gitz 2010 1		-	OLITE	OLITIK	OOLEX	10.00										†
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		45.60										
		ort Rate			OLI I D	OLITIK	OOLEX	40.00										-
	ONLI	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						-
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	 		J_1 1 D	OL: III	JEITE	0.24	130.01	132.70	100.07	21.20		l		 		
	TOTAL	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1				†	 								 		
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02			1					
	ADDIT	ONAL NRCs	 		JLIFD	OLITER	JUAUD	0.00	30.31	21.02	1		1			 	1	1
	ADDIII	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFFB	OLFFR	UKLIN		11.21	1.10								-
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	1.0041	NUMBER PORTABILITY	<u> </u>	-	UEPPB	UEFFR	UKEIL		0.33	0.03								
			<u> </u>	-	LIEDDD	UEPPR	LNPCX	0.05	0.00	0.00								
		Local Number Portability (1 per port) NNEL USER PROFILE ACCESS:	<u> </u>	-	UEPPB	UEPPR	LINPUX	0.35	0.00	0.00								
-	в-спа	CVS/CSD (DMS/5ESS)	-		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								-
			-			UEPPR	U1UCB	0.00	0.00	0.00								-
		CVS (EWSD)	-		UEPPB													-
	D 01141	CSD		Th1\	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								-
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C, IVI S, &	IN)	LIEDDD	HEDDD	U1UCD	0.00	0.00	0.00								-
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR		0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD FERMINAL PROFILE	-		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								-
	USER	FERMINAL PROFILE	-		LIEDDD	UEPPR	U1UMA	0.00	0.00	0.00								-
	VEDTIC	User Terminal Profile (EWSD only)	-		UEPPB	UEPPR	UTUMA	0.00	0.00	0.00								-
	VERTIC	CAL FEATURES			LIEDDD	LIEDDD	LIED) /E	4.00	0.00	0.00								
	INITED	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and				HEDDD		04.40	40.54	07.44	40.74	0.00						
		facilities termination	-			UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						ļ
	4 14"5-	Interoffice Channel mileage each, additional mile	(DCC=		UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00						-	1	
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			CDN DC4	Digital To	nk Bort in di	o roto onbibit	nnly 40 4h	boddod bee:	n nloss' 1	0/2/02	IOA A44 4	14104 +	rotoo al-all	Lord to tonier	100 05	
ı		E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-vvire I	13ט אטכ	⊳ıgıτaı ıru	iik Port in th	is rate exhibit a	ppiy to the em	neaded base i	iii piace as of 1	u/2/U3 UNTII 4/	704. Atter 4	1/U4 these	rates shall re	vert to tariff ra	nes or a sepa	ıate
	agreem			- mt - 6*	. 41 "	-411	£ 41-1-	mantak-Ut				an tanier - r F :	C41 !- "				ı	1
		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort atte	the ette	Live date o	n mis amend	ment snall be p	oviaea pursi	iant to a separ	ate agreement	or tariif at Bel	South's di	scretion.		 	-	<u> </u>
	UNE PO	ort/Loop Combination Rates		-	-		1	 					 	-		1	-	<u> </u>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDE			400.07					1					
		Zone 1	<u> </u>	1	UEPPP		1	166.87								-	1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDE			000 =					1					
		Zone 2	ļ	2	UEPPP		ļ	238.50										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	١ ـ									l	1				
		Zone 3		3	UEPPP			398.85										_
		pop Rates	ļ	L.												.		<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPPP		USL4P	82.55								.		<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										ļ
		4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPPP		USL4P	314.52								ļ		1
	UNE Po	ort Rate	<u> </u>													ļ		
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			l						<u> </u>				-		I	
		Combination - Conversion -Switch-as-is (E:4/1/2004)	<u></u>	<u></u>	UEPPP		USACP	0.00	119.07	78.56		<u></u>				<u> </u>		
	ADDITI	ONAL NRCs																

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
	CALL																
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	The UN	IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire D	DITS Trunk Port in	this rate exh	ibit apply to the	e embedded b	ase in place as	of 10/2/03 unti	I 4/1/04. After	4/1/04 these	rates shall	revert to tari	ff rates or a se	eparate agree	ment.
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	this amendment sh	all be provide	ed pursuant to	a separate agr	eement or tarif	f at BellSouth's	s discretion.						
	UNE P	ort/Loop Combination Rates			LIEBBO		110.01										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		142.64										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
	UNE L	oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		1	UEPDC	USLDC	82.55 154.18										
	-				UEPDC	USLDC											
	LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		3	UEPDC	USLDC	314.52										
	UNE P	4-Wire DDITS Digital Trunk Port (E:4/1/2004)		-	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
	NOND	ECURRING CHARGES - CURRENTLY COMBINED			UEPDC	ווטטט	60.09	454.49	253.23	117.29	14.17						
	NONKI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+											
		- Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4]	129.49	67.02	Ì			1		I	Ì	1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	OOACT		123.43	07.02								
		- Conversion with DS1 Changes (E:4/1/2004)	l		UEPDC	USAWA		129.49	67.02						1		1
	+	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		02.100	JUANA		123.43	07.02						-		
		- Conversion with Change - Trunk (E:4/1/2004)	1		UEPDC	USAWB]	129.49	67.02	Ì			1		I	Ì	1
	ADDIT	ONAL NRCs			OLI DO	OOMID		120.40	07.02								
	ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OBTIN		14.40	14.40			1					
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1			1322		0	0						<u> </u>	1	
l		Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC]	14.48	14.48	Ì			1		I	Ì	I
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1			52.10	1	14.40	14.40	1	1				†	1	
		Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD]	14.48	14.48	Ì			1		I	Ì	1
	+	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1			55.15		1-110	1-110				l		 		
		Activation / Chan - 2-Way DID w User Trans	l		UEPDC	UDTTE		14.48	14.48						1		
	BIPOL	AR 8 ZERO SUBSTITUTION	1		- "	1 · · · -	1	+0	+0	1	1				†	1	t
		B8ZS -Superframe Format	1		UEPDC	CCOSF	1	0.00i	600.00s	1					1	1	f
	1	B8ZS - Extended Superframe Format	l		UEPDC	CCOEF		0.00i	600.00s	1					t	1	
	Alterna	ate Mark Inversion	l							1					t	1	
		AMI -Superframe Format	1		UEPDC	MCOSF	1	0.00	0.00	1					t	1	
				<u> </u>				2.50	2.50		•				i		

UNBL	JNDLF	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: B
0.10	JIIDEEL	THE I TOTAL CEEMENTO TRADAINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Monro	curring	Monroourring	Disconnect			000	Rates (\$)		
	1						Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00	11130	Addi	SOME	JOHAN	JOWAN	JOWAN	JONIAN	JOMAN
	Telepho	one Number/Trunk Group Establisment Charges							0.00								
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00	1							
	Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loon			0.00	0.00	0.00								
	Deulcal	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Jigita	Loop		Tunk i Oit											
		Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		1		1		
		,															
L		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities											1]		
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41 NO5	0.40	0.00	0.00	1			1		1		
-		miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.18	0.00	0.00	1							
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Termination)			OLFDC	TLINO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
		ystem can have up to 24 combinations of rates depending on				<u> </u>	<u>. </u>	<u> </u>				<u> </u>	l <u></u>				
-		E-P DS1 combination rates below for 4-Wire DS1 Loop with C											snall revert	to tariff rates	or a separate	agreement.	
		St Loop	e eneci	ive uate	or this amendmen	Silali be pic	Vided pursuan	li to a separate	agreement or	lariii at Belloo	uiii s uiscieiii)II.					
	OILL DO	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
	UNE DS	60 Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	1	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	1	96 DSO Channel Capacity -1per 4 DS1s		 	UEPMG	VUM96	405.60	0.00	0.00	-							
-	1	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG UEPMG	VUM14 VUM19	608.40 811.20	0.00	0.00	_							
-	1	240 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM2O	1,014.00	0.00	0.00	 		1	-		1		
-	1	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,014.00	0.00	0.00	+							
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00	1							
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,028.00	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						rstem		ļ					ļ		
		num System configuration is One (1) DS1, One (1) D4 Channe													ļ		
	wuitiple	es of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without	ad'i arte	r tne m	inimum system con	riguration is	countea.			-							
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36	1			1		1		
—	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.30	†		1			1		
		ot Currently Combined) in all states, except in Density Zone 1															
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent			LIEDMC	CCOSE	0.00	0.00;	600.00-								1
<u> </u>	1	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.001	600.00s	 			-		1		
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
	1			1		, , , , , , , , , , , , , , , , , , , ,	0.00	100.	- 30.000	1		L	·		1		

UNRUI	NDI FE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: B
OITE OI		THE THORIT ELEMENTO TRADAINA				I						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	-	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>		e Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
├ ──	Exchan	ge Ports Line Side Combination Channelized PBX Trunk Port - Business								-							
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business			OLFFX	OLFCX	1.13	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID			OZ. TX	02. 07.	0	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			OZ. TX	02. 17.		0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –					0.00										
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
		2-Wire Channelized PBX Area Calling Service Combination Port															
		(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
		2 Wire Channelized PBX Area Calling Service Outgoing Only															
		Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.56	54.55									
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.56	77.03									
		one Number/ Group Establishment Charges for DID Service				ļ											
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
-		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00								
-		umber Portability			UEFFA	NDV	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
 		RES - Vertical and Optional			OLFFX	LINE CE	3.13	0.00	0.00	†							
		witching Features Offered with Line Side Ports Only				1	 			t					1		
 		All Features Available			UEPPX	UEPVF	1.98	0.00	0.00	-							
UNBUNI		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s			1		0.00	3.30	t					1		
		Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unbi	undled Local Sv	witching or Sw	itch Ports.	t					1		
		res shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.			1		
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		irst and additional Port nonrecurring charges apply to Not Co														Additional NR	Cs may
		so and are categorized accordingly.	,			•			_ •				-	-			-
į	5. Mark	et Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, un	til further notice	э.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
<u> </u>		rt/Loop Combination Rates (Non-Design)						, and the second									
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		l					_]		
\sqcup		Non-Design		1	UEP91	1	12.70			ļ							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			l					1							
\vdash		Non-Design		2	UEP91	1	21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOA		04.55			1							
\vdash		Non-Design		3	UEP91	1	34.80			-					 		
├ ──		rt/Loop Combination Rates (Design)				1				 					-		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	_	UEP91		15.53			I					1		
		Design	1	1 1	ULFSI	1	15.53			i	Ī	ĺ	1		Ì	ı	

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: B
		* ***										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.LO		KATE EEEMENTO	m		500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnoct	1	I	066	Rates (\$)		
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Mine VC Lear /2 Mine Veire Conde Book (Contract) Book Conde						FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAIN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEDOA		24.00										
		Design		2	UEP91		24.00										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP91		37.29										<u> </u>
	UNE Lo	pop Rate															<u> </u>
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										
	UNE Po	orts															
	All Stat	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
		Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 31	OLI III	1.10	40.10	10.00	24.01	0.00	<u> </u>					
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF91	UEPTIVI	1.15	90.36	31.21	40.00	0.11		-				
					UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.00	8.77		ļ				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	Switching									-						
		Centrex Intercom Funtionality, per port	1	1	UEP91	URECS	0.5488					1	1		 		t
	l ocal N	Number Portability	l				0.0.00					1	†		 		
	_ooai i	Local Number Portability (1 per port)	-	!	UEP91	LNPCC	0.35					 	1		 		+
	Feature		-	I	OL: 01	LIVI OO	0.33					 	1		-		
-	. catult	All Standard Features Offered, per port	1	1	UEP91	UEPVF	1.98			-		1	 		 		
\vdash		All Select Features Offered, per port	 	1	UEP91	UEPVS	0.00	405.52				1	 				
			 	1				403.32				1	 				
	NACO	All Centrex Control Features Offered, per port	l		UEP91	UEPVC	1.98					 	1		 		<u> </u>
—	NARS	Halanda Maranda Anna Bartin Carta d		<u> </u>	LIEDO4	LIABOX						1	1				├
.		Unbundled Network Access Register - Combination	 	ļ	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ					
		Unbundled Network Access Register - Indial	 	ļ	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ					
		Unbundled Network Access Register - Outdial	<u> </u>		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	ļ	ļ		ļ		<u> </u>
		aneous Terminations															
	2-Wire	Trunk Side	<u> </u>									Į	1				<u> </u>
		Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
	Interoff	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56					i e			İ		

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Fort and Authorities and D. A. Ohannold David E. Villago City Language			LIEBOA	4001440	0.50										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.56									-	
	Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	11 QVV7	0.50										
	Different Wire Center			UEP91	1PQWP	0.56										
						5.55										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block		1	UEP91	M1ACS	0.00	667.21	10.50								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21								1	
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP91	URETN		11.21	1.10								
	P CENTREX - 5ESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo				_											-
	Port/Loop Combination Rates (Non-Design)															
ONE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1													
	Non-Design		1	UEP95		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		34.80										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			LIEDOE		45.50										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '	UEP95		15.53					1				-	
	Design		2	UEP95		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		H	02.00		200										
	Design		3	UEP95		37.29										
UNE L	.oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2	UEP95 UEP95	UECS2 UECS2	14.38 22.85									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14					1				-	-
UNF F	Port Rate		3	OLF 93	ULC32	30.14									1	
All Sta																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		<u> </u>	UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63	ļ				1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					ll			40						1	
	Center)2,3 Basic Local Area		<u> </u>	UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77	<u> </u>		-	ļ.	1	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77					1	
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	 	OLF 30	ULF 1Z	1.15	90.38	51.21	40.00	0.77	1	-	1	1	 	1
	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		1			I	
	1		1	1	J	0	.0.10	.0.00		3.00	1	l	l	·	1	

UNRI	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: B
CIAD	,,,,DEE	NETWORK ELEMENTO Alabama	l			1	l					Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CAIL	JOINT	KATE ELEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -						FIISL	Auu i	FIISL	Addi	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						1
	AI KV	LA, MS, SC, & TN Only			ULF 93	ULF 12	1.13	40.19	19.03	24.31	0.03	-					
	AL, KI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						——
		2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63						——
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						——
		2-Wire Voice Grade Port (Centrex with Carlet 15)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			ULF 93	ULFQII	1.13	40.19	19.03	24.31	0.03						——
		Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			ULF 93	ULFQIVI	1.13	90.30	31.21	40.00	0.11						
		Term 2.3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						1
	-	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.00	8.77						
1		2 Wire Voice Crade Bort terminated in an Magaliali as assistant	l		UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		1		İ		1
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent					1.15		19.83								
	1 1 6	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	witching					0.5100										
	ļ	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
	Local N	lumber Portability				LLIBOO											
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature				115505		4.00										
		All Standard Features Offered, per port			UEP95	UEPVF	1.98										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
	Interoff	ice Channel Mileage - 2-Wire															<u> </u>
		Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										!
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	D4 Cha	nnel Bank Feature Activations															1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										1
1			l		l	1							1		Ì		1
<u> </u>	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ	<u> </u>	UEP95	1PQW6	0.56								ļ		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l		l	1							1		Ì		1
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
		Different Wire Center			UEP95	1PQWP	0.56										<u> </u>
																	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										<u> </u>
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
		Slot			UEP95	1PQWQ	0.56										L
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex				ļ											
		NRC Conversion Currently Combined Switch-As-Is with allowed	l														1
		changes, per port	ļ	<u> </u>	UEP95	USAC2		0.10	0.10]		!
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use									1]				1
1		Premise	<u> </u>	<u>L</u>	UEP95	URETL	<u> </u>	8.33	0.83	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>

LINBLINDI E	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	ibit: B
ONDONDEL											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Auu	Disc 1st	Disc Add I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	l	_													
	Non-Design	 	3	UEP9D		34.80					1					
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOD		45.50								1		
	Design		1	UEP9D	-	15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		24.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	-	24.00					1					
	Design		3	UEP9D		37.29										
TIME I	oop Rate		3	UEP9D	-	31.29										
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	36.14										
UNE F	Port Rate															
	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				1											
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			LIEDOD	LIEDVE	4.45	40.40	40.00	24.04	0.00						
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	 		UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63	 			-		
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
 	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	 		OLF3D	JLF 1G	1.15	40.19	19.63	24.91	0.03	1			1		
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	1.10	40.10	10.00	24.01	0.00						
	Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63	<u> </u>					1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1					40 :-							1		
	Basic Local Area	ļ		UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63	ļ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEBOD	LIEDVAA		00.00		40.00					1		
\vdash	2,3-Basic Local Area	 		UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77				-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area	l		UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						
	Dasic Local Alea	l .	L	OLFAD	UEFIU	1.15	90.38	51.21	48.00	ŏ.//	l	<u> </u>		1		1

HNRHNDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: B
ONBOND	LED NET WORK ELEMENTS - Alabama	1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE EEEMENTO	m	20116	Воо	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-							Nonred		Monroourring	Disconnect		l	000	Rates (\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Voice Crade Port (Centray/differ SWC /EBS ME000)2 2.4				ļ		FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYP	1 15	90.38	57.27	48.66	8.77						ł
	Basic Local Area			UEF9D	UEFTF	1.15	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLF3D	ULFIQ	1.13	90.30	31.21	40.00	0.77	-					
				UEP9D	UEPYR	1 15	00.30	57.07	48.66	8.77						ł
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPTK	1.15	90.38	57.27	40.00	0.11	-					
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEF9D	UEPTS	1.10	90.36	31.21	40.00	0.11						
	Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						ł
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	1.15	90.36	31.21	40.00	0.11	-					
	, ,			LIEDOD	LIEDVE	1 15	00.30	57.07	10.66	0.77						í
	Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			LIEDOD	UEPY6	4.45	00.00	F7 07	40.00	0.77						ł
-	Basic Local Area	-		UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	UED)/7	4.45	00.00	F7.07	40.00	0.77						ł
-	Basic Local Area	-		UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	00.00	F7.07	40.00	0.77						ł
	Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDAD				40.00								ł
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDAD				40.00								ł
L	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL,	KY, LA, MS, SC, & TN Only			LIEDAD			10.10	10.00								
-	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)	ļ		UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEBO							1		Ì		1
\vdash	Indication)4	ļ		UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l		LIEDOD	LIEBC:											í
\vdash	2,3	ļ		UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	0 M/2 V/2 0 0 1 Port /0 1 1 0 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2	l		LIEDOD	LIEBOO		00.00	F7 0-	40.00	0						1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	O Miss Vaiss Crade Day (Carter 1977 - Old O /FDO MESSA)	l		LIEDOD	LIEBOS		22.22	57.6-	40.00	0						í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
																ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
	0.147 N. 1 0 1 D 1 (0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1															í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
		1										1		Ì		1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	 		UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
		l			1				1	_						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	ļ		UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						
		l														1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						
		l			1				1	_						1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	 		UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						
		l														1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		l				1

IUNBUND'	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
0.1.20.1.2											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								40.00							
\vdash	Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2 Wise Value Condo Dout to residented in an Manadials or annis related			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D UEP9D			40.19									
 	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc	al Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
1.00	al Number Portability			UEP9D	URECS	0.5400										
Loc	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Eos	tures			OLF 9D	LINECC	0.33										
rea	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
\vdash	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
\vdash	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98	-100.0Z									
NAF		1		05	52.70	1.00					1	 				
1.57.	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00				1	1	1
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Mis	cellaneous Terminations						0.00		0.00							
	ire Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
4-W	ire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Inte	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										
Fea	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 (Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56			ļļ							
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	400140	0										
	Slot			UEP9D	1PQWQ	0.56										
F	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non	NPC Copyrigina Currently Combined Switch As Is with allowed	-	 		+				 			 				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10]			1				
\vdash	Conversion of existing Centrex Common Block, each	-	 	UEP9D UEP9D	USAC2		37.75	16.58	 			 				
\vdash	New Centrex Standard Common Block	-	-	UEP9D UEP9D	M1ACS	0.00	667.21	10.38	1		1	 		1	1	1
 	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D UEP9D	M1ACC	0.00	667.21		 					1	1	1
 	NAR Establishment Charge, Per Occasion	-		UEP9D	URECA	0.00	72.73					 				
Adc	litional Non-Recurring Charges (NRC)			J_1 0D	JILOA	0.00	12.13		 							
- Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-			+							 				
	Premise			UEP9D	URETL		8.33	0.83]			1				
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			01.00	CINETE	 	0.00	0.00								
	End Use Premise			UEP9D	URETN		11.21	1.10]			1				
UNI	E-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				1			0								
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1	†										
	Port/Loop Combination Rates (Non-Design)				1									l	İ	İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
1 1	Non-Design		1	UEP9E	1	12.70]		1	1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	<u></u>	2	UEP9E	<u></u>	21.19			<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
	_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								1							
		Non-Design		3	UEP9E		34.80										
	UNE P	ort/Loop Combination Rates (Design)		Ť													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		37.29										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	33.65			1				İ	İ		
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38			1				İ	İ		
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85			1			İ	İ	İ		
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
	UNE P	ort Rate															
		, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	_	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 02	02	0	00.00	01.21	10.00	0						
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	_	2-Wire Voice Grade Port terminated in on Megalink or equivalent									• • • • • • • • • • • • • • • • • • • •						
		- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
	_	2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
	AL. KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63						
	_	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire									0.00						
		Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800									-						
		Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
					İ	1				1				İ	İ		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63			Ì	Ì		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63			İ	İ		
	Local	Switching				1				1				İ	İ		
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488			1	İ			İ	İ		
	Local I	Number Portability			İ					İ	İ			İ	İ		
	1	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			İ	İ			İ	İ		
	Featur																
		All Standard Features Offered, per port			UEP9E	UEPVF	1.98			İ	İ			İ	İ		
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52		İ	İ			İ	İ		
		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	1.98			İ							
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00			İ	İ		
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			İ	İ		
	Miscel	laneous Terminations															
		Trunk Side			İ	1				1	İ			İ	İ		
	1	Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76			İ	İ		
	4-Wire	Digital (1.544 Megabits)			İ		1.14			1				İ	İ		
		DS1 Circuit Terminations, each		1	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						

UNBUNDI	LED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: B
0.1201121												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Order vs.
OAT LOOK!		NATE ELEMENTO	m	20.10	500	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	- 							Nonrec	rurring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
	- 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	— h	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
Inte		ce Channel Mileage - 2-Wire			OLI OL	WITIBO	0.00	14.40				1					
IIII		Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
h		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	10.01	2	10.7 1	0.00	1					
Feat		Activations (DS0) Centrex Loops on Channelized DS1 Service	-		02. 02		0.000000					1					
		nnel Bank Feature Activations	Ĭ														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
	- 1																
	lı	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.56										
	Ti	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 02		0.00										
	li	Different Wire Center			UEP9E	1PQWP	0.56										
		Billiototti VVIII Contoi			OLI OL	11 00111	0.00										
	l,	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Title Line/Trunk Loop			OLI OL	11 00 11 1	0.00					1					
		Slot			UEP9E	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
Non		curring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 001171	0.00										
1101		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10								
h		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58			1					
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Add		nal Non-Recurring Charges (NRC)			02. 02	OTTEOT	0.00										
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
UNE		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		21.19										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1	į.	Non-Design		3	UEP93		34.80						1		Ì		1
UNE	E Po	rt/Loop Combination Rates (Design)															
	- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						_									
	į.	Design		1	UEP93		15.53										
	- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		37.29										
UNE		op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55	, and the second									
\Box		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
oxdot		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65										↓
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38								ļ		
oxdot		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85										1
$oxed{oxed}$		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14										1
		rt Rate				1											1
AL,		LA, MS, & TN only				1											1
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63				ļ		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	l	1				l	_		1		l		1
		Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	1	l		l		

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: B
CIADO	IDEL	NETWORK ELEMENTO Alabama										Cua Ordar	Cua Ordar	Incremental			
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Addi	Disc 1st	Disc Add I
							_	Nonrec	urrina	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				-		11131	Auu i	11130	Addi	JOINEC	JONAN	JOHIAN	JONAN	JOHAN	JONIAN
		Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
					UEP93	UEPTH	1.15	40.19	19.83	24.91	0.03						<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 30	OLI 10	1.10	40.10	10.00	24.01	0.00						
					LIEBOO	LIEDVO	4.45	40.40	40.00	04.04	0.00						
		Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						ļ
		2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	ļ					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63					1	1
İ		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3	l		UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	 	t	021 00	OLI GIVI	1.13	30.30	51.21	70.00	0.77	1	 	 	1	 	
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.00	8.77						ļ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
h	ocal N	lumber Portability															
l I		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
					OLI 33	LIVI CC	0.55					ļ					
	Feature				LIEBAA												
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										ļ
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
		Trunk Side															
	L-VVIIC	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	ļ					
			-		UEF93	CENDO	6.05	119.31	10.74	59.90	3.76						
	1-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	ļ					
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48									
	nteroff	ice Channel Mileage - 2-Wire	\Box														L
		Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
Ì		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838							İ			
h		Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1					İ	1			1		
		nnel Bank Feature Activations	Ť	1		1						1	 			1	—
	J-F Uila	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP93	1PQWS	0.56					1	 	1	1		
		Gature Activation on D-4 Channel Bank Centrex Loop 510t	 	 	OLF 30	IFUVVO	0.36					1	-	 	-	-	
			l														1
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		<u> </u>	UEP93	1PQW6	0.56			ļ		ļ					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l			I					1		I	1	1]	1
		Slot	l		UEP93	1PQW7	0.56				1		I	1	1]	1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP93	1PQWP	0.56										
- 1			1	1		1	5.30			1	1	1	i	1	1	1	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	ĺ		UEP93	1PQWV	0.56						1	1			1
		Feature Activation on D-4 Channel Bank Filvate Line Loop Stot	 	!	OL: 30	11 4777	0.36			1	1	1	 	1	1	1	
			ĺ		LIEDOO	400040	0 ==						1	1			1
		Slot		<u> </u>	UEP93	1PQWQ	0.56			ļ		ļ					
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
]ı	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex									L						
		NRC Conversion Currently Combined Switch-As-Is with allowed														1	
		changes, per port	ĺ		UEP93	USAC2		0.10	0.10				1	1			1
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58		İ	1			1		
-		New Centrex Standard Common Block	-	†	UEP93	M1ACS	0.00	667.21	.0.00			1					
-		TOW CONTROL CHANGE CONTINUE DIOCK		1	OL: 30	WITAGG	0.00	007.21			l	<u> </u>		I	1	l	1

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									l -		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block		UEP93	M1ACC	0.00	667.21										
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage			, and the second												
		 Installation is combination of Installation charge for SL2 Loc 															
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	e-up as set forth in	ons.													

MADURAL DIVISION Part Pa															T			
ATECONY RATE LIMINS THE PLAN BY AND STATE STATES AND	UNBL	INDLE	NETWORK ELEMENTS - Florida			T												
ATTER BLEMENTS IN THE PROPERTY OF THE STATE														1				
ATTECHY RATE ELEMENTS IMP 200 BCS																		
The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections for stand-drone loops or loops as part of scinnission refers to Description (1997). The "Yours" shown in the sections of the "Yours" shown in the sections of the "Yours" shown in the sections of the "Yours" shown in the sections of the "Yours" shown in the sections of the "Yours" shown in the section of the "Yours" shown in the se	CATE	ODV	DATE ELEMENTO	Interi	7000	BCC	HEOC			DATES (\$)								
The Table The	CATE	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR				
The second control of the design of the second decreases and control of the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second decreases and the second of the second decreases and																		
The "Some" shown in the accidence for stand-done loops of loops as part of nonfloation inters to designation between purposes of the property of the propert															1st	Add'I	Disc 1st	Disc Add'l
The "Zone" shown in the sections for stand-allone loops or loops as part of a combination refers to Selegraphically Deveraged UNE Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically Severaged United Zone. To view Geographically								Boo	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
DESCRIPTION OF STREET (SIGN PARTY STREET) (SIG								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DESCRIPTION OF STREET (SIGN PARTY STREET) (SIG		The #7			<u> </u>	in eti en vefeve te Ce		. Danisanana d II	NE 7 T-		hiaallu Daawan		. Daainmati				Mahaita.	
OPERATIONAL SUPPORT SYSTEMS (OSB) - REGIONAL RATES* MTE (T) CLE could consent in consent supportant of its prefer by "state specific" OSS charge as ordered by the State Commissions. The OSS charges correctly contained in this rate exhibit are the Bell-South "regions" service ordering charges. CLEC may short the regional service referring charge, the contained in this rate exhibit are the Bell-South" regions of the state. AND EC (A) we determined the contained descreanically in the State Commissions. The OSS charges correctly contained in this rate exhibit are the Bell-South" regions of the State Contained in this case, "Post of the State Contained in this case," Post of the State Contained in the case, "Post of the State Contained in the Case, "Post of the State Contained in the Case, "Post of the State Contained in the Case, "Post of the State Contained in the Case, "Post of the State Contained							ograpnically	Deaveraged U	INE Zones. 10	view Geograp	nically Deaver	aged UNE ZON	e Designatio	ons by Cent	rai Office, refe	er to internet v	vebsite:	
NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge per District of Land Assignable USCC. pure to the Charge that would be silled to a CEC. but when it submiss is a LSR to BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge will be maintained commensurate with BellSouth's ECR best Tarrill, Section 2 as applicable. NOTE: The Expedite Charge per District of Land Assignable USCC. pure to the Charge that the Charge that would be site of the Carte of Land Assignable USCC. pure to the Charge that the Charge that would be site of the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to Land Assignable USCC. pure to the Carte of Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC. pure to Land Assignable USCC.	OPER/			Cominec	LIOII.IIL													
each of the 9 states. NOTE: CTA without mit taken be ordered electronically will be billed according to the SOMEC rate is sted in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to eleminal a product can be ordered electronically. For those elements that cannot be ordered electronically as present per the LOK, the Istate SOMEC care in this category reflects the charge that would be billed to SCLE once electronic cordering capabilities come or fine for this element. Otherwise, the manual ordering charge. SOMEC 3.50 0.00 3.50 0.00 1.60 1.				e "state	specif	ic" OSS charges as	ordered by t	he State Comm	nissions. The	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
NOTE: (2) Any element that can be ordered electronically all possibility according to the SOMEC rate listed in this casegory. Please rifer to BellSouth's Local Ordering Namibook (LOP) to determine if a product can be ordered electronically all possibilities come on-line for that elements. Only the product of the product can be ordered electronically all possibilities come on-line for that elements. Only the product of the				ce orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
Internation to ordered descriptions by a pressed per the LOR+, the listed SOMEC rise in this category reflects the charge that would be billied to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMEN, using the paper of t																		
SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth. COST - Exercise Device Child Child; Per Local Service Request Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child Child; Cost - Child;																		
COST - Electronic Service Charge, Per Local Service Required SOMEC 3.50 0.00 0.00						e in this category ref	lects the cha	arge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Othe	erwise, the ma	inual ordering	g charge,
Request (SSP) LINE Cuty SOMEC 3.00 0.00 3.50 0.00		SUMAN		ensout	n.					I	ı				I			I
OSS - Manual Service Criter Charge, Pert Local Service Request SOMAN 11.00 0.00 1.80 0.00							SOMEC		3.50	0.00	3.50	0.00						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.							SOMAN		11.90	0.00	1.83	0.00						
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEUR Expedite Charge per Circuit or Line Assignable USOC, per Day UNEUR Expedite Charge per Circuit or Line Assignable USOC, per Day UNBURGE EXPEDITE AND AND AND AND AND AND AND AND AND AND	UNE S							l										
UFF, UFF, UEO, UDC, UEFTW, UDN, UEA, UH-L, UC, USB, UTITUTI TITING, UTITUT,		NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
UFF, UFF, UEO, UDC, UEFTW, UDN, UEA, UH-L, UC, USB, UTITUTI TITING, UTITUT,						UAL UEANI UCI												
UEA, UHL, ULC, USC, UTT2, UTT48, UTT03, UTT04, UTT03, UTT04, UTT03, UTT04, UTT03, UTT05, UTT05, UTT05, UTT05, UTT05, UTT05, UTT06, UTC16, UC																		
UNEL Expedite Charge per Circuit or Line Assignable USOC, per Dry UNBURDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE Grade Loop - Service Level 1-Zone 1 1 UEANL UEAL 10.69 49.57 22.63 25.50 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL 10.69 49.57 22.63 25.50 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 3 UEANL UEAL 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL 2 10.69 49.57 22.63 25.60 6.57 1																		
UNTDL, UTTOS, UT																		
UTIDX, UTIDX, UTIDX, UCIBG, UCIBL, UCIBG, UCIBL, UCIBG, UCIBG, UCICG, UCICL, UCIDC, UC																		
UTST, UTITX, UCHGL, ULDOS, ULD																		
USES, UCITICAL UCITIC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNDIANO, UNCOX, UN																		
UCIEC, UCIEL,																		
UCIFC, UCIFL, UCIFG, UCIFSL, UCIFG, UCIFSL, UCIFG, UCIFSL, UCIFG, UCIFSL, UCIFG, UCIFSL, UDL02, UDL03, UDL03, UDL03, UDL03, UDL03, UDB, UDD01, UDB, UDB01, UD						UC1DC, UC1DL,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																		
UCHC, UCHEL, UDL12, UDL48, UDD.12, UDL52, UDL52, ULD12, UDL53, ULD34, ULD15, UDL5, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNED UNED UNED UNED UNED UNED UNED UNED																		
UDLO3, UDLD3, UDLD4, ULD04, ULD04, ULD05, ULD05, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, ULD03, ULD04, ULD03, ULD05, ULD03, ULD04, ULD04, ULD04, ULD05, ULD04, ULD05, UL																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNITUR, UITUR,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEAL2 10.69 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 3 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 3 UEANL UEASL 10.69 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 3 UEANL UEASL 10.69 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 15.20 49.57 22.83 25.62 6.57 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 UEANL URETL 8.33 0.83 UEANL URETL 8.36 0.85 UEANL URETL 8.36 0.83 URETI 48.66 48.65																		
ULDO3, ULDS1, ULDVX, UNCTX, UNCDX, UN						ULD48, ULDD1,												ļ l
ULDVX, UNCAX,																		
UNCDX, UNTDA, UX																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DUTTUB, UTT																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTTUB, UXTD3, UXTS1, UTTUC, UTTUD, UTTUB, UTTU																		
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 26.97 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 10.69 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 10.69 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 15.20 49.57 22.83 25.62 6.57 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 15.20 49.57 22.83 25.62 6.57 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 UEANL URETL 48.65 48.65																		
Day						UXTD3, UXTS1,												
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	LIMBU	IDI ES E	Baj			U1TUB, U1TUA	SDASP		200.00					<u> </u>				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ONRO				-													
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 15.20 49.57 22.83 25.62 6.57					1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 					
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 10.69 49.57 22.83 25.62 6.57																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 15.20 49.57 22.83 25.62 6.57 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26.97 49.57 22.83 25.62 6.57 2 2.83 25.62 2 2.83 25.62 6.57 2 2.83 25.62 2 2.83 2 2.83 2 2.83 2 2.83 2 2.83 2 2.83 2 2.83 2 2.83 2																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 26.97 49.57 22.83 25.62 6.57																		
Unbundled Miscellaneous Rate Element, Tag Loop at End User		 											1					
Premise UEANL URETL 8.33 0.83 <		-			3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	1					
Loop Testing - Basic 1st Half Hour UEANL URET1 48.65 48.65						UEANL	URETI		8.33	0.83								
								1				1						
								<u> </u>				<u> </u>						

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
0.1.2												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
																	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CAIL	JOIN	KATE EEEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						-	Nonrec	urrina	Nonrecurring	Disconnect		l	088	Rates (\$)		
-	-						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	-	CLEC to CLEC Conversion Charge Without Outside Dispatch						riist	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								1
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1		UEAINL	UKEWU		13.76	0.94								\vdash
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									1
-		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	-	Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		9.00	9.00								
		(per LSR)			UEANL	OCOSL		23.02									1
-	2-WIDE	Unbundled COPPER LOOP			UEAINL	UCUSL		23.02									
	Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
			i i		UEQ	UEQ2X	10.92	44.98		24.88							
-	+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		2	UEQ	UEQ2X UEQ2X	10.92	44.98 44.98	20.90 20.90	24.88 24.88	6.45 6.45	 			 		
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UĽW	UEQZX	19.38	44.98	∠0.90	∠4.88	0.45				 		
1	1	Premise	1	1	UEQ	URETL		8.33	0.83			1	1		Ì		1
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1		UEQ	UKEIL		0.33	0.03								
	1	Non-Designed (per loop)	1	1	UEQ	USBMC		9.00				1	1		Ì		1
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for	1		UEQ	USBIVIC		9.00									
					UEQ	UEQMU		13.49									1
-		BST providing make-up (Engineering Information - E.I.)	-		UEQ	URET1			48.65								
-		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-		UEQ	URETA		48.65 23.95	23.95								
					UEQ	UKETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43								1
LINIDII	NDI ED I	EXCHANGE ACCESS LOOP	1		UEQ	UREWU		14.27	7.43								\vdash
UNBU		E ANALOG VOICE GRADE LOOP	-														
	Z-WIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		4	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	UEPSK UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		Zone 1		4	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	UEPSK UEPSB	UEADS	10.09	49.57	22.03	23.02	6.57						
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSK UEPSB	UEALS	15.20	49.57	22.03	23.02	6.57						
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULADO	13.20	49.57	22.03	25.02	0.57						——
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						1
-	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLF SK OLF SD	ULALS	20.91	49.57	22.03	25.02	0.57						
		Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						1
IINDII	NDI ED I	EXCHANGE ACCESS LOOP		3	UEPSK UEPSB	UEADS	20.97	49.57	22.03	23.02	6.57						
UNDU		E ANALOG VOICE GRADE LOOP															
-	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	OLA	OLALZ	12.24	155.75	02.47	05.55	12.01						——
1	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01	1	1		Ì		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLALZ	17.40	100.70	02.47	00.00	12.01						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						1
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	00.07	23.02	02.47	00.00	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	COCCE		20.02									
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	OLA	OLTURE	12.24	100.70	02.47	00.00	12.01						
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA	OLTULE	17.40	100.70	02.47	00.00	12.01						——
		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						1
	1	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL	55.67	23.02	02.41	55.55	12.01						
	1	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35						1		1
	1	Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL	-	11.21	1.10								
—	4-WIRE	E ANALOG VOICE GRADE LOOP	 	-		J.1 / E	-	11.21	1.10			l	l				
		4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	l	l				f
—	1	4-Wire Analog Voice Grade Loop - Zone 1		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	1	4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56				1		1
	1	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	02	23.02	1.0.10	37.00	.0.00		1		 		
	1	CLEC to CLEC Conversion Charge without outside dispatch	 	-	UEA	UREWO	-	87.71	36.35			l	l				1
		Jazo deliterent enarge without outside dispatch	1	1		5.12.770		01.11	55.55						1		

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.L		KATE EEEMENTO	m		500	0000			πΑΤΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)		
	-					_	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O WIDE	L SISDN DIGITAL GRADE LOOP		-		_		FIISL	Auu i	FIISL	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Z-WIRE	2-Wire ISDN Digital Grade Loop - Zone 1	<u> </u>	-	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	_			1													
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP)												
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63			<u> </u>			
		2 Wire Unbundled ADSL Loop including manual service inquiry		1							1		l	1			-
L		& facility reservation - Zone 3	<u></u>	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63	<u></u>	<u> </u>	<u> </u>	<u> </u>		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	-	Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL	20.01	23.02	2	00.01	0.12						
	-	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOP	O/ IL	OILLIVO		00.10	40.00								
		2 Wire Unbundled HDSL Loop including manual service inquiry	· · · · · · · ·	1		_						1					
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
-	+	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	OTTE	OTILEX	7.22	100.00	110.41	70.00	10.00						
		& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry			OFF	OTILZX	10.20	133.03	113.41	75.05	13.03						
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
-	-	Order Coordination for Specified Conversion Time (per LSR)		J	UHL	OCOSL	10.21	23.02	110.41	75.05	13.03				-		
-	-	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOSL		23.02							-		
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	-	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	UTILZVV	1.22	134.40	00.09	00.04	5.12						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	_				UNL	UHLZW	10.26	134.40	60.09	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry		_			40.04	404.40	00.00	00.04	0.40						
-	-	and facility reservation - Zone 3	-	3	UHL	UHL2W OCOSL	18.21	134.40	80.69	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)						23.02	40.00								
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry		l .													
		and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
1		4-Wire Unbundled HDSL Loop without manual service inquiry		1							1		l	1			-
L		and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		İ				
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	1	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									

UNBL	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
O.V.D.	J.112 E.E.	THE TWO THE LEE TO THE THE THE THE THE THE THE THE THE THE										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CAIL	COICI	NATE ELEMENTO	m	20116	Воо	0000			IAILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			-				Nonrec	urrina	Nonrecurring	n Dissennest		l	000	Rates (\$)		
	_					+	Rec					SOMEC	SOMAN	SOMAN		0011411	001111
-	+	01501-01500		-	1101	LIDEWO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>		1101.40	20.00	101.50	100.05								
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56			_			
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74				l				
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	1	2-Wire Unbundled Copper Loop-Designed including manual			002	002. 2	0.00	1 10.00	102.02	70.00	10.00						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
		2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCLI D	11.00	140.50	102.02	73.03	13.03						
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
-		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00	75.05	13.63						
	_				UCL	UCLIVIC		9.00	9.00								
		2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
-	+	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual		_					=								
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual		_													
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL -Des)			UCL	UREWO		97.21	42.47								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
L		and facility reservation - Zone 2	<u></u>	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
		4-Wire Copper Loop-Designed including manual service inquiry			-												
1		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73	1					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Copper Loop-Designed without manual service inquiry				1						İ					
		and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	l	1				
		4-Wire Copper Loop-Designed without manual service inquiry											l				
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		1		I		
	1	4-Wire Copper Loop-Designed without manual service inquiry				1						İ					
		and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22	1					
	1	Order Coordination for Unbundled Copper Loops (per loop)		۱	UCL	UCLMC	20.02	9.00	9.00	02.14	11.22	 	1		t		
	1	CLEC to CLEC Conversion Charge without outside dispatch		1	UCL	UREWO		97.21	42.47			 	1				
LOOP	MODIFIC			 		13		U1.21	74.71			 			1		
2007				 	UAL, UHL, UCL,	†				 					 		
					UEQ, ULS, UEA,	1						1					
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1							l				
		pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		0.00	0.00			l	1				
-	1	Unbundled Loop Modification Removal of Load Coils - 4 Wire		 	ULFOD	ULIVIZL		0.00	0.00				-		-		
				1	UHL, UCL, UEA	ULM4L		0.00	0.00				1		I		
—	1	less than or equal to 18K ft, per Unbundled Loop		1		ULIVI4L		0.00	0.00	ļ		 			1		
				1	UAL, UHL, UCL,	I							1		I		
		Unbundled Leep Medification Reserved of Bridged Tea Dawn			UEQ, ULS, UEA,	1						1					!
1		Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,	LUMBE		40.50	40.50			l	1				
01:5	0050	per unbundled loop		<u> </u>	UEPSB	ULMBT		10.52	10.52			ļ	ļ				
SOR-L	OOPS					1							l		1		

UNBUND	DLED	NETWORK ELEMENTS - Florida	· ·											Attach	ment: 2	Exhi	bit: B
	J											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
h +							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Su	ıh-l oo	p Distribution					1	11100	Addi	11100	Auui	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
- Ju		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					+										
	ì	In			UEANL	USBSA		487.23									
)	<u> </u>		OLITAL	COBOA		101.20									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
—		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		OLANL	USBSB		0.23									
		Facility Set-Up			UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEAINL	USBSC		109.25									
		Set-Up	١.,		UEANL	USBSD		38.65									
			'		UEAINL	USBSD		30.03									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				LIODNIO	0.40	00.40	04.70	47.50	5.00						
—		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_					0.4.70								
		Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Z	Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	5	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Z	Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	9	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Z	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	9	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	2	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
		3															
	c	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
		()															
	(Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-		oop Testing - Basic 1st Half Hour			UEANL	URET1	1	48.65	48.65								
		Loop Testing - Basic 1st Hall Flour			UEANL	URETA		23.95	23.95								
		Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
		Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26	1			†		
 		Wire Copper Unbundled Sub-Loop Distribution - Zone 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	 	1		}	1	+
 		. wire copper oribunated sub-Loop Distribution - Zone 3		3	OLI	00021	12.98	60.19	21.18	47.50	5.26	 	1		}	1	+
	,	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	l	9.00	9.00			1					1
\vdash				1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		-		-		-
 		Wire Copper Unbundled Sub-Loop Distribution - Zone 1										 	 		1		
 -		Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		ļ		1	-	
 	- 4	Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	 	-		1	-	1
	١,	Seles Occupies for the best Heal Oct Learner		1	uee	LIODAGO		0.00	0.00			İ	1				1
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00						ļ		
		.oop Testing - Basic 1st Half Hour		ļ	UEF	URET1		48.65	48.65								
		.oop Testing - Basic Additional Half Hour		<u> </u>	UEF	URETA		23.95	23.95								ļ
Un		ed Network Terminating Wire (UNTW)		<u> </u>													ļ
		Jnbundled Network Terminating Wire (UNTW) per Pair		<u> </u>	UENTW	UENPP	0.4572	18.02									ļ
Ne		Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63				l				
UNE OTHE	ER, PR	OVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	l	JNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
	- 1	Jnbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00					l		1	1	1
	JĮ																

UNBUNDI	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonred		Nonrecurring		201150	001441		Rates (\$)	0014411	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			LIEA LIQUILIQUILIDI	HODED	0.00	0.00									
	rate Unbundled DS1 Loop - Superframe Format Option - no rate	-		UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - 10 rate			USL	CCCGI	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLS	ULSFA	360.66	330.37	343.01	139.13	30.04						
	month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		52.17	52.17								
	queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or				_											
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	NG AND LINE SPLITTING															
	E 1: The Line Sharing monthly recurring rates for all installation E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					idnight Octobe	r 01, 2004 sha	I be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for UCLND	opper ic	ор по	II-designed (OCLINE	<u>' </u>											
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	OTE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSO	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING															
SPL	ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1	1	ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
\vdash	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					2.00	2.2.10	2.00	200	2.00						
	deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -			111.0	LII CDC	0.04	20.00	04.00	40.57	0.04						
\vdash	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter -								l i	-						
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)	1	1	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	1														
1 1	(E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
1 1		1				5.01	20.00	220	.0.07	5.01						
	Line Sharing - per Subsequent Activity per Line Rearrangement								1	1	l	i l		1	1	
	- (BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
	- (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement															
	- (BST Owned Splitter)			ULS	ULSCS		21.68	16.44								

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															i
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															i .
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															ĺ
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						i
	LINE S	PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINT	ENANCE						_									
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU	JNDLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						i .
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0091										1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										1
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						1
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										i
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.1856										i .
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	İ	İ	1	1			1				İ	İ		ſ
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															ſ
		month	1		U1TD3	1L5XX	3.87			I				Ì	Ì		1
		Interoffice Channel - Dedicated Transport - DS3 - Facility															ſ
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						1
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
1		month			U1TS1	1L5XX	3.87			1							1
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															ſ
1		Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						1
DARK	FIBER		1	İ	İ	1				1				İ	İ		ſ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	İ	İ	İ	i			1				İ	İ		ſ
1		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85			1							1
		NRC Dark Fiber - Interoffice Channel	1	İ	UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11			İ	İ		ſ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															ſ
		Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	55.04			I				Ì	Ì		1
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						ſ

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
OVY ACCESS	TEN DIGIT SCREENING		1		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BAX ACCESS	8XX Access Ten Digit Screening, Per Call		1	OHD		0.0006252					1					
	8XX Access Ten Digit Screening, Fer Can 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1	OLID		0.0000232										
	Number Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OUD	NOTAN		4.05	0.70								
-	Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request		-	OHD OHD	N8FMX N8FAX		4.85 4.85	2.78 0.70								
—	8XX Access Ten Digit Screening, Change Charge Fer Request		1	ОПО	INOFAA		4.00	0.70			1					
	Features			OHD	N8FDX		4.15	4.15								
	i catalos			OLID	I TOT DX		4.10	4.10								
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006252										
LINE INFORM	IATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU		0.0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.13	55.13	55.13	55.13						
SIGNALING (1		DT001/	105.05										
-	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB UDB	TPP++	0.0000607 17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		1	ODB	IFFTT	17.53	43.37	45.57	10.31	10.31						
	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152	10.01	10.01	.0.01	10.01						
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		1			29.62	265.84	46.97	37.63	4.00						
\vdash	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		 	 	+	57.22	265.84	46.97	37.63	4.00	<u> </u>			1	1	1
\vdash	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		+	0.0091			1		 				-	
	Termination		1	1		25.32	47.35	31.78	18.31	7.03						1
 	Local Channel - Dedicated - DS1 - Zone 1		1	 	1	35.28	216.65	183.54	21.47	19.05	 				1	
	Local Channel - Dedicated - DS1 - Zone 1		\vdash			47.63	216.65	183.54	21.47	19.05						
 	Local Channel - Dedicated - DS1 - Zone 3			1	1	92.01	216.65	183.54	21.47	19.05				1		1
	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.1856										
	·													1		1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05						
CALLING NA	ME (CNAM) SERVICE									-						
	CNAM For DB Owners - Service Establishment			OQV	1		25.35	25.35	19.01	19.01						
$\vdash \vdash \vdash$	CNAM For Non DB Owners - Service Establishment	ļ	<u> </u>	OQV	-	ļ	25.35	25.35	19.01	19.01	<u> </u>				ļ	ļ
	CNAM For DB Owners - Service Provisioning With Point Code	l		001/			4 500 00	4 477 00	050.00	050 00						
\vdash	Establishment CNAM For Non DB Owners - Service Provisioning With Point	!	+	OQV	-	1	1,592.00	1,177.00	352.36	259.09	1			-	1	-
	Code Establishment	l	1	ogv			546.51	393.82	358.06	259.09				1		1
 	CNAM for DB Owners, Per Query		+	OQV OQV	+	0.001024	340.31	383.62	330.06	259.09	1			1	1	1
 	CNAM for Non DB Owners, Per Query	1	1	OQV	+	0.001024										
SELECTIVE F					1	5.501024			1					1		1
1	Selective Routing Per Unique Line Class Code Per Request Per				1											
1 1	Switch	l	1	1			93.55	93.55	12.71	12.71				1		1
VIRTUAL CO	LLOCATION															

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonre	rurring	Nonrecurring	Disconnect			oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1		11130	Auu	1 11 50	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAN
	Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL C	DLLOCATION			02. 0 02. 02	72.20	0.0002	11.01		0.00	0.00						+
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECT	VE CARRIER ROUTING															1
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							1
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						1
	Query NRC, per query			SRC		0.0031868										1
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															1
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	1		A1N	CAMSE		43.56	43.56	44.93	44.93	1					1
İ																
I	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u></u>	L	A1N	CAMDP	<u> </u>	8.64	8.64	10.03	10.03	<u></u>			<u> </u>		<u>1</u>
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4609										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								4= 00	4= 00						
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Query Charge, Per Query					0.0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.000000										
—	Subscription, Per Node, Per Query	 	<u> </u>	 	1	0.0063698			 						ļ.	+
I	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes	1		1	1	0.06]		1					1
						0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAIVI	BAPIVIS	8.34	8.64	8.64	6.08	6.08						+
	Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAPLO	3.73	9.56	9.50								+
1	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08						
+	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	 	 	O/LIVI	DAFDO	4.73	0.04	0.04	0.00	0.00					1	+
1	Service Subscription	1		CAM	BAPES	0.12	9.56	9.56]		1					I
ENHANCED	EXTENDED LINK (EELs)	 	!	O, uvi	טרו בט	0.12	3.30	9.30	 					1	1	+
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not ann	ly for UNE con	hinations pro	visioned as ' C	Ordinarily Comb	ined' Network	Flemente				1	+
	: The monthly recurring and the Switch-As-Is Charge and not t															+
FXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTF	ROFFICE TRANSPO	RT	C.1E COMBINAL	C PIOVISION	Ja ao Junem							<u> </u>	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81				1		
							00			01					1	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						

LINDLING) E	D NETWORK ELEMENTS - Florida												A44b	ment: 2	Ful-1	bit: B
UNDUN	JLEI	NETWORK ELEMENTS - FIORIDA	1	ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -		Charge -
																Charge -	
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	\ 1	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-			ı	Managa		Name and a second to a	- Dianamant			000	Rates (\$)		
-				-			Rec	Nonrec		Nonrecurring		001150	SOMAN			0011411	0011411
-		Literatura De l'este la DOA continuire. De Mile		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5007	0.4050										ł
		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAN	114754	00.44	474.40	400.40	45.04	47.05						ł
		Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
										40.70							ł
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
																	ł
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
			l		l .	1											1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															ł
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						l .
E	(TEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	DRT											l .
																	ł
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ł
																	í
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ł
																	í
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.1856										ł
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ł
		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						i
		Additional 4-Wire Analog Voice Grade Loop in same DS1															i
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ł
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						í
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-		1	0.10171	.5	1.00	10.01	1.00	0.00	0.00						
		Is Charge	l	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
F	(TFN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				0.00	0.00	5.56	0.30						ſ
 		: OU NO. O EXTENDED BIGHTAL LOGI WITH DEBI			oor man	1											ſ
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	l	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
\vdash		Control Digital Crade Loop III Combination - Zone 1	-	+	5.10DA	55550	22.20	121.03	00.54	72.13	2.01	1	ł – – –				ſ
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	l	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						1
\vdash		i iist - Tille Soltopa Digital Grade Loop III Combination - Zone Z	1		011007	0000	31.30	127.59	00.54	42.19	2.01	 	1				1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	l	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						1
 		Interoffice Transport - Dedicated - DS1 combination - Per Mile	l	3	OHODA	SDLOG	55.55	127.55	00.54	72.13	2.01	1	1				
		Per Month	l		UNC1X	1L5XX	0.1856										1
 		Interoffice Transport - Dedicated - DS1 - combination Facility	l	 	ONOIA	ILUAA	0.1036					1	1				
		Termination Per Month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
\vdash		1/0 Channel System in combination Per Month	1	1	UNC1X	MQ1	146.77	101.42	71.62	40.01	17.33	+	 		1		
\vdash		OCU-DP COCI (data) per month (2.4-64kbs)	1	1	UNCDX	1D1DD	2.10	101.42	7.08	0.00	0.00	+	 		1		
\vdash		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1	ONODA	טטוטו	2.10	10.07	7.08	0.00	0.00	+	 		1		
		Interoffice Transport Combination - Zone 1	l	4	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
\vdash			<u> </u>	 '	OINODA	UDLOG	22.20	121.59	00.54	42.79	2.81	-					
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	2	LINCDY	UDL56	31.56	127.59	60.54	42.79	2.81	1	I				1
————		Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDLOB	31.56	127.59	60.54	42.79	2.81	1					
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	_	LINCDY	LIDLES	55.00	407.50	20.51	40.70	0.01						1
\vdash		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	1				
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1		LINCDY	10100	0.40	40.07	7.00	0.00	0.00						1
		64kbs)	l	<u> </u>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	1	l		l		1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OAT LOOK!	KATE ELEMENTO	m		500	0000			ιται 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		-		N		N	. B'		l .	000	D-((A)		
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	That I was a mape bigital blade beep in combination 2010 2		_	OHODA	05201	01.00	127.00	00.01	12.10	2.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		J	ONODA	ODLOT	33.33	127.55	00.54	42.13	2.01	ļ					
				LINIOAN	41.5307	0.4050										
\vdash	Per Month		<u> </u>	UNC1X	1L5XX	0.1856				1	-	ļ		1		1
	interoffice Transport - Dedicated - DS1 combination - Facility		1				,				1	1		l		
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	0110071	05201	01.00	127.00	00.01	12.70	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month		3	UNCDA	UDL64	55.99	127.59	60.34	42.79	2.01						
				LINODY	40400	0.40	40.07	7.00	0.00	0.00						
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility		†	011017	120701	0.1000										
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
-	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	01111	00.44	174.40	122.40	40.01	17.33	ļ					
			1	LINCAV	LINICCO		0.00	0.00	0.00	0.00		1		l		
H	Is Charge	ED DCC	INITES	UNC1X	UNCCC	1	8.98	8.98	8.98	8.98	1					-
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D23					6:==				-	ļ		1		1
\vdash	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
\vdash	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		1									1		l		
	Per Month		<u> </u>	UNC3X	1L5XX	3.87					<u> </u>					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		1							1		1				1
	month		1	UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	1	1		l		
	3/1Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		l				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1	-	1				2.30	2.30	1	İ		İ		İ
	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45]		1		1
 	Additional DS1Loop in DS3 Interoffice Transport Combination -		- '-		55200	, , , , ,	217.73	121.02	J17-	14.40	1			 		
	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45]		1		1
				CHOIA	JOLAA	100.54	211.13	121.02	31.44	14.43	1	 		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINGAY	1101.307	470.00	047.7-	404.00				l				
\vdash	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	.					
	Additoinal DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1	ļ				
	Nonrecurring Currently Combined Network Elements Switch -As-											l				
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA.L	00	TATE ELEMENTO	m	20110	500	0000			ιτατ ΕΘ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	ı	Nonrec		Nonrecurring	. Dianamant	1		000	Rates (\$)		
	_						Rec										
	_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month		1	UNCVX	1L5XX	0.0091						İ				İ
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1			2.2201					İ	1				1
		Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		1				
	+	Nonrecurring Currently Combined Network Elements Switch -As-		 	J. 1.5 VA	511V-	22.00	54.70	02.00	55.45	21.00	 	 				
		Is Charge	1	1	UNCVX	UNCCC]	8.98	8.98	8.98	8.98		İ				İ
	EVTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED	EEICE		UNCCC		0.90	0.90	0.90	0.90				-		
	EVIEN		INTERC	FFICE		41 END	40.00					1					
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-					,										
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	FXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	ONOOX	011000		0.00	0.00	0.50	0.00						
	-XIL.	First 2-Wire ISDN Loop in Combination - Zone 1	1117414	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	_	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	+	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	1					
	+	Interoffice Transport - Dedicated - DS1 combination - per mile		-	0140147	JILZA	40.02	121.08	00.00	42.19	2.01	}	 		 		
		per month			UNC1X	1L5XX	0.1856						1				
	-	Interoffice Transport - Dedicated - DS1 combination - Facility	-	├	ONCIA	ILOVY	U. 1806			-		-	-		-		
					LINIOAN	U1TF1	00.44	474.40	100.10	45.04	47.05						
		Termination per month			UNC1X		88.44	174.46	122.46	45.61	17.95						
		1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
	_	2-wire ISDN COCI (BRITE) - in combination - per month		 	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		ļ				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		l .									1				
		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1]						l				Ì
		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		ļ				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport					1					1					1
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		1				
		Nonrecurring Currently Combined Network Elements Switch -As-				1							İ				
'n		Is Charge		1	UNC1X	UNCCC]	8.98	8.98	8.98	8.98		İ				Ì
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE			i i					1	İ				
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	Ì	1		1		1
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1	1		1		1
			1	Ŭ				270	02	5		1			1		

UNBL	JNDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
0						1						Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
																	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CAIL	JOICI	KATE EEEMENTO	m	20116	500	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1		11130	Auu	11130	Auu i	JOINEC	JONAN	JONAN	JOHAN	JOHAN	JOHAN
		Per Month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			OHOOX	TEO/O	0.07										
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		3/1 Channel System in combination per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07	1					
		DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport			0.10.17	00.5.	10.70	10.07	7.00	0.00	0.00						
		Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	0.10.1%	002.01	70	20	.202	0							
		Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		Additional DS1Loop in the same STS-1 Interoffice Transport			0.1017	002.01	100.01	20	121102	0							
		Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	1	DS1 COCI in combination per month		Ť	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				t		t
		Nonrecurring Currently Combined Network Elements Switch -As-		 						2.00	2.00				1		
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF		1		0.00			0.00						
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	3/1 MUX												
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per		1													1
		Mile			UNC1X	1L5XX	0.1856										
		First Interoffice Transport - Dedicated - DS1 combination -													1		1
		Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	<u> </u>	Per each Voice Grade COCI - Per Month per month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00				ļ		1
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				.		
	<u> </u>	Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		1
1		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1									1		I		1
	1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		_	111000	11541.0							1		I		1
<u> </u>	<u> </u>	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81				-		├
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	LINOVO	LIEALO	00.0-	407.50	00.51	40.70	0.01				1		1
-	1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2 1D1VG	30.87	127.59	60.54	42.79	2.81	-			1		
	1	Each Additional Voice Grade COCI in combination - per month		-	UNCVX	טווטו	1.38	10.07	7.08	0.00	0.00				 		
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1	UNC1X	1L5XX	0.1856						1		I		1
-	1	Channel System per month		 	UNCIX	ILOXX	0.1856			 					 		
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
-	<u> </u>	Each Additional DS1 COCI combination per month		-	UNC1X UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	1	Lach Additional Do LOOGI combination per month			OINCIA	וטוטט	13.76	10.07	7.08	0.00	0.00	1	l		1		1

UNBUNDL	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Instant									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													151	Auu i	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	IUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															1
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						1
	First 4-Wire Analog Voice Grade Local Loop in Combination -															i .
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						<u> </u>
	First 4-Wire Analog Voice Grade Local Loop in Combination -															1
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per					0.40			1							1
\vdash	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.1856			-					 		+
	First Interoffice Transport - Dedicated - DS1 - Facility	1		LINGAV	LIATE4	20.41	, , , , ,	100.40	45.61	47.00		1		1		1
 	Termination Per Month	 	<u> </u>	UNC1X UNC1X	U1TF1	88.44	174.46 101.42	122.46	45.61	17.95				 		
	Per each 1/0 Channel System in combination Per Month				MQ1	146.77		71.62	0.00	0.00						+
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG MQ3	1.38 211.19	10.07 199.28	7.08 118.64	0.00	0.00 39.07						
	3/1 Channel System in combination per month			UNC3X	UC1D1	13.76	199.28	7.08	40.34 0.00	0.00						
	Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNC1X	OCIDI	13.76	10.07	7.08	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						i .
-	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	UEAL4	10.09	127.59	60.54	42.79	2.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						i .
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	ULAL4	20.04	127.59	00.34	42.13	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						i .
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOVA	OL/1L4	47.02	127.00	00.04	42.70	2.01						—
	Channel System per month			UNC1X	1L5XX	0.1856										i
<u> </u>	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120701	0.1000			İ							
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						i .
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						<u> </u>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	TRANSPORT w/ 3/	1 MUX											l
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															i .
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						.
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															i
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_			== 00			40.00							i
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<u> </u>	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Mile Per Month			UNC1X	1L5XX	0.1856										i
\vdash	First Interoffice Transport - Dedicated - DS1 - combination	 		014017	ILUAA	0.1000			 			 		1		
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						i .
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	45.01	17.93						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1					0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						i .
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						i .
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						l
	OCU-DP COCI (data) COCI in combination per month (2.4-															1
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1							_			1]		1
	Channel System per month	ļ		UNC1X	1L5XX	0.1856			ļ					ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1		=							1		Ì		1
	same 3/1 Channel System per month		ļ	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system			LINICAV	UC1D1	40.70	40.07	7.00	0.00	0.00						1
	combination per month		<u> </u>	UNC1X	UCTUT	13.76	10.07	7.08	0.00	0.00						<u> </u>

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: B
ONDONDE	LD NETWORK ELLINENTS - Florida	I				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_			0.4 = 0			40.00							
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL64	55.00	407.50	CO 54	40.70	2.04						
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Mile Per Month	1		UNC1X	1L5XX	0.1856								Ì		
-	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSAA	0.1636					1					
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
-	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	45.01	17.93	1					
 	Per each OCU-DP COCI (data) in combination - per month (2.4-			ONCIA	IVIQI	140.77	101.42	71.02			1					
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.1017	00.5.	.0 0	10.01	7.00	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		·	0.102/1	02201	22.20	127.00	00.01	12.10	2.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								_							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		1						ļ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	١											Ì		
\vdash	Transport - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	<u> </u>			 		ļ
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81				1		
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		UNUNA	UTLZX	27.40	127.59	60.60	42.79	2.81	1			 		-
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	OINCINA	UILZX	48.62	127.59	00.00	42.79	∠.81	}			1		1
	Mile per month	1		UNC1X	1L5XX	0.1856								1		
-	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSAA	0.1650					1					
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62	40.01	17.55						
	1 3. 333.1 Gridinior Gystom 1/0 in Combination - per month	†		501/	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	140.77	101.42	71.02			1			 		
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00				Ì		
	3/1 Channel System in combination per month	1		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				1		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			-					5.50	2.30						İ
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															İ
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															1
	system combination- per month	<u></u>		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						<u> </u>

ONBONDLE	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
		"'										•	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		0.1000		0.00	0.00	0.00	0.00						1
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
i	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -			11041/	LIATE4	00.44	474.40	100.10	45.04	47.05						
	Facility Termination Per Month 3/1 Channel System in combination per month			UNC1X UNC3X	U1TF1 MQ3	88.44 211.19	174.46 199.28	122.46 118.64	45.61 40.34	17.95 39.07						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	199.28	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1						10.07	7.06	0.00	0.00						
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		Ĭ	UNC1X	UNCCC	170.00	8.98	8.98	8.98	8.98						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		011000		0.30	0.30	0.30	0.30						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1 1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC	10.44	8.98	8.98	8.98	8.98						
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE		UNCCC		8.98	8.98	8.98	8.98						
EVIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	-			-	-	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81				1	1	1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility						04.70	50.50	50.40	04.50						
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53				1	1	
ADDITIONAL	Is Charge NETWORK ELEMENTS			UNCDX	UNCCC		8.98	8.98	8.98	8.98	-			-	-	
When	used as a part of a currently combined facility, the non-recurr	rng cha	rges de	o not apply, but a	Switch As Is cl	narge does app	oly.									1
When	used as ordinarily combined network elements in All States, to	he non-	recurri	ng charges apply a	and the Switch	As Is Charge	does not.									
1.5.110	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG		, ,,,,,,,	UNCVX	UNCCC		8.98	8.98	8.98	8.98						

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
0.121												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							Order vs.	Order vs.
OA.L	JOIL.	TOTAL ELEMENTO	m	20110	500	0000			ππι ΣΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)	l	
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						11130	Addi	11100	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	COMPAR
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-						0.00									
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	01	OI	OI						
					U1TD1,												
	<u> </u>	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
		PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1			LIATUD	10100	0.40	40.07	7.00	0.00	0.00						
	-	Local Channel in the same SWC as collocation		-	U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UCTCA	3.00	10.07	7.08								-
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
		Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	UCTCA	3.00	10.07	7.00	0.00	0.00		-		-		
		used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVO	1.50	10.07	7.00								
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
		DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64		39.07						
		STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64		39.07						
		DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08		22.07			İ	İ		
		DS1 COCI (used for connection to a channelized DS1 Local					3.1.4		1	1				İ	İ		
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00				1		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
L		month		<u></u>	ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00				<u> </u>		
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports															
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, tl	he desired features	will need to b	e ordered usir	ng retail USOC	s	ļ							
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)				<u> </u>				<u> </u>				ļ	.		
	ļ	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80			ļ	.		
		Enhance Born Aller Andrews British City III			LIEDOD	LIEBES								1	I		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
		Forhore Bode OMfor Acaba Disa Bod o design	1	1	LIEDOD	LIEBBO		0	0.00	4.00	4			Ì	I		
<u> </u>	 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80	}		 	!	1	
1		Exchange Ports - 2-Wire VG unbundled Florida area calling with			LIEDOD	LIEDAE			0.00	1.00	4.00				1		
-	 	Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Florida Residence Area		1	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80	1		-	1		
					LIEDED	UEPA9	4.40	0.74	2.00	4.00	4.00				1		
-	1	Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG unbundled Florida extended		-	UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80			-	-	-	
		dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80				1		
-	1	Exchange Ports - 2-Wire VG unbundled Florida extended		1	OLI OK	OLFAI	1.40	3.74	3.03	1.00	1.00	1	1		1		
1		dialing port for use with CREX7, without Caller ID capability	1	1	UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80			Ì	I		
	1	ulailing port for use with GNLA7, without Galler in Capability			OLI SIN	OLFAO	1.40	3.74	3.03	1.00	1.00	1					

JNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+/			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)	l	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		 				11131	Auu	11130	Addi	SOME	JONAN	JONAN	JOHAN	JOHAN	JONAN
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLI OIX	OLI AI	1.40	3.74	3.03	1.00	1.00						
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity	-		UEPSR	USASC	0.00	0.00	0.00	1.00	1.00				-		-
FFA	TURES		 	UEFSK	USASC	0.00	0.00	0.00								
FEA			<u> </u>	LIEDOD	UEPVF	2.20	0.00	0.00								
0.14/	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				l											
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with	1]					İ	1		1		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
		1	1	l	I						1			I	Ì	1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1	1								1	i		_	<u> </u>	_
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
FXC	HANGE PORT RATES (DID & PBX)						0.00	0.00								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18		0.7187						
-	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	1.40	39.06	18.18		0.7187						-
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35							
				UEPSP	UEPXA	1.40	39.06	18.18	12.35							
	2-Wire Vice Unbundled 2-Way PBX Usage Port									0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1								1	<u> </u>		_	<u> </u>	_
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	1	1	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	1	l		I	Ì	1
i	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	1	1	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	1			I	Ì	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				İ				
FEA	TURES	1	1	İ						İ			İ	İ	İ	1
- 1	All Available Vertical Features	1	†	UEPSP UEPSE	UEPVF	2.26	0.00	0.00		1				t	1	1
EXC	HANGE PORT RATES (COIN)		1		1	20	2,00	2.00		1	1	1		1	1	1
	Exchange Ports - Coin Port	1	 		1	1.40	3.74	3.63	1.88	1.80	1	 		†	†	I
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	IISane	will also annly to o	rircuit switche						ated with 2	wire ISDN r	norts			1
	E: Access to B Channel or D Channel Packet capabilities will b													s Request Pro	cess	
	D LOCAL EXCHANGE SWITCHING(PORTS)	- uvana	T 5111	,vag.: Di IVIVEW	_uomess Ne	-queen 100655.		paonor capabi		l	Dona i'll	- request	Duames		1000.	1
	HANGE PORT RATES	1	1	1	-	+			-	 		 	1	 	 	
IEV^	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Da-	in 4h!-	rata avhibit anni	to the ember-	dod base in ri-	00 00 0f 40/0/0	2 until 4/4/04	After 4/4/04 45	oco rates shell	rovert to to	riff rates s=	a congrete co	roomon*	 	
		אטר אוטפ	in this	ive data of this	ndmorf ala "	be presided	urought to	o until 4/1/04.	Aiter 4/1/04 the	Palicardo Shall	revert to ta	in rates or	a separaté ag I	reement.		-
The	socia for 4 Wire DDITC Trunk Berts with 4 Mins ICDN DC4 Douts				mament snall	ne brovided b	ursuant to a se	parate agreen	lent or tariff at	4.26	iscretion.	.				-
The	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	enecu		LIEDES	^										1
The	Lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port	after the	enecu	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
The	Lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	after the	enecu	UEPEX	UEPP2	8.73										
The	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)	after the	enecu	UEPEX UEPDD	UEPP2 UEPDD	8.73 54.95	151.11	77.75	48.81	3.10						
The	Iests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.)	after the	enecu	UEPDD UEPTX, UEPSX	UEPP2 UEPDD U1PMA	8.73 54.95 8.83	151.11 46.83	77.75 50.68								
The	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)	after the	enecti	UEPEX UEPDD	UEPP2 UEPDD	8.73 54.95	151.11	77.75	48.81 27.64	3.10						

ATECOPY RATE ELEMENTS USES BCS USOC RATES (B) RATE SUBJECT OF Converse of Succession Substitution (Congress) RATE ELEMENTS RATE ELEME	UNBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: B
ATE CLEMENTS PARTE CLEMENTS	SINDONDLE	D INC. WORK ELLINEIN 10 - FIUIUA		1								Svc Order	Svc Order				Incremental
ARTE BLEMENTS						1											
CATEGORY SATE ELEMENTS																	
Monte Mont	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)								
Page Page	o, o o		m		200	5555			(4)			per LSR	per LSR				
Pack Pack																	
NOTE Content 2 Content Packet capabilities will be variable out frough BFFOther (business Record Prince). First April SOME SOM														1st	Add'l	Disc 1st	Disc Add'l
NOTE Content 2 Content Packet capabilities will be variable out frough BFFOther (business Record Prince). First April SOME SOM			1			1		Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)		
NOTE: Access to B Channel Pocks capabilises will be available only through BFRANE (business Require Process.)			1				Rec					SOMEC	SOMAN			SOMAN	SOMAN
Rechard Prior A-Mine School Colf Per oil Dealed EFT USPEX	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process										
Exchange Forts - A-Vive SSM OST FOR 4th Dutable ST1 Leave Capability (3-1200) Le			1	1	timough Dirighton	1	440011100000	- realise ren and	pastiot supus	1		1	l		- Hoquoti II		
Locato Capatinity (24 1/2004) UPPEX UPPE			1														
Sectionary Forms - West SIGN SST Part (14-12004) JAPPEX JAPP		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
Payded Coloration - Size Consect Set MC, cross 5 UM,			1														
Views collocation, Special Access & UNIV. Create connect per Dept.																	
Design D																	
Desired 6911 with Locator Capability (required with UEPEX port)					UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Unbounded Extrange Ports, 4-Wire ISRN 651 Port - E911 UEPEX UEP1B 0.00 1,809.00 151.12 UEP1B 0.00 1,809.00 151.12 UEPEX UEP1B UEPEX UEP1B 0.00 1,809.00 151.12 UEPEX UEP1B 0.00 1,809.00 151.12 UEPEX UEP1B 0.00 1,809.00 151.12 UEPEX UEP1B 0.00 1,809.00 151.12 UEPEX UEP1B 0.00 1,809.00 0.00 1,809.00 0.00	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
State UPPA UPPA U. UPPA U. U. U. U. U. U. U. U																	
State UPPA UPPA U. UPPA U. U. U. U. U. U. U. U						1									1	1	
Unbounded Extrange Profit - Affects Address - Address					UEPEX	UEP1A	0.00	1,809.00		151.12		1		Ì	I	I	
Discretor Capability - Subsequent Profits Changes, Additions, Discretor Changes, Additions, Discretor Changes, Additions, Discretor Changes, Additions, Discretor Changes, C		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1							1							
Deletions Dele						I						1		Ì	I	I	
New or Additional Part Telephone Numbers UPPX					UEPEX	UEP1B	0.00	175.66				1		Ì	I	I	
Unbounded Exhange Ports, 4-Wire ISON DST Port - E011 Locate Copability 2-way Technology - Port -	New o																
E811 profile (New or Additional UPPEX UEP1C 0.0899 0.5412																	
Unbounded Exchange Ports. 4-Wire SDN DSF Port. E911 Locato Capability - Oxidat Telephone Numbers, per number in E911 profile (Pelw of Additional) UEPEX UEPI		Locator Capability 2-way Telephone Numbers, per number in															
Locator Capability - Outdied Telephone Numbers, per number in E811 pridred [New or Additional] UEPTA UEPTD 0.0699 12.71 12.71 12		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
Locator Capability - Outdied Telephone Numbers, per number in E811 pridred [New or Additional] UEPTA UEPTD 0.0699 12.71 12.71 12		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
Unbundled Exhange Ports, 4-Wire ISDN DS1 Port - Inward Talephone Numbers - Inward Data Only Option (New or Additional Inward Tale Numbers (Customer Testing Purposes) UEPDX																	
Tdephone Numbers - Invard Data Only Option (New or Additional Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] UEPEX PR7ZT 0.00 25.42 25.42		E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
Additional Depth		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
Exchange Ports -4-Wire ISDN DSI Port - Subsequent [New] Inward Tel Numbers (Customer Testing Purposes) UEPEX PR7ZT 0.00 25.42 25.42 Inward Tel Number October (Customer Testing Purposes) UEPEX PR7ZT 0.00 25.42 25.42 Inward Tel Number October (Customer Testing Purposes) UEPEX PR7ZT 0.00 0.00 0.00 Invarious Customer Testing Purposes UEPEX PR7ZT 0.00 0.00 0.00 0.00 Invarious Customer Testing Purpose Invarious Customer Testing Purpo		Telephone Numbers - Inward Data Only Option [New or															
Inward Tel Numbers (Customer Testing Purposes)					UEPDX	UEP1E	0.00	0.5412									
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
INTERFACE (Provisioning Only)	LOCAI																
Violeo/Data					UEPEX UEPDX	LNPCN	1.75										
Digital Data	INTER																
Inward Data																	
New or Additional - Voice/Data 'B' Channel																	
New or Additional - Voice/Data 'B' Channel UEPEX PR7BV 0.00 15.48 New or Additional - Digital Data 'B' Channel UEPEX PR7BF 0.00 15.48 New or Additional Inward Data 'B' Channel UEPEX PR7BF 0.00 15.48 New or Additional Inward Data 'B' Channel UEPEX PR7BD 0.00 15.48 New or Additional Useage Sensitive Voice Data 'B' Channel UEPEX PR7BD 0.00 0.00 New or Additional Useage Sensitive Digital Data 'B' Channel UEPEX PR7BD 0.00 New or Additional Useage Sensitive Digital Data 'B' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD New or Additional PRI 'D' Channel '					UEPDX	PR71E	0.00	0.00	0.00								
New or Additional Inward Data 'B' Channel	New o					L											
New or Additional Inward Data "B" Channel UEPDX PR7BD 0.00 15.48			1														
New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR7BS 0.00	\vdash		 	<u> </u>						[ļ				-	-	
New or Additional Usage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00 15.48	\vdash		 	1				15.48		ļ				 	-	-	
New or Additional PRI*D* Channel	\vdash		<u> </u>	<u> </u>						ļ					-	-	
CALL TYPES	 		 	1				15.10		 	-			1	 	 	
Inward	CALL		 	1	UEPEX	PK/EX	0.00	15.48		 	-			1	 	 	
Outward	CALL		1	1	HEDEV HEDDY	DD7C4	0.00	0.00	0.00	 					 	 	
Two-way			 	1						 	-			1	 	 	
UNBUNDLED PORT with REMOTE CALL FORWARDING SCRICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 1.88 1.80 UIPVR UERTE 1.40 3.74 3.63 3.63 3.63 3.63 3.63 3.63 3.63 3.6			+	 						 					 	 	
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR 3.63 1.88 1.80 UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 UEPVR 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 UNBUNDLED REMOTE CALL FORWARDING - Bus	UNDU		,	 	ULPEA	PR/UU	0.00	0.00	0.00	 					 	 	
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80	UNBU	ADLED FOR I WILL REMOTE CALL FURWARDING CAPABILITY	:	 		+				 				-			
Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80	UNBU			1	LIED\/D	LIEBAC	1 40	2 74	3 63	1 00	1 90	1	1		1	1	
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC UNBUNDLED REMOTE CALL FORWARDING - Bus	\vdash	onbunded Kemole Can i orwarding Service, Area Calling, Res	+	 	OLF VIX	OLINAC	1.40	3.14	3.03	1.68	1.60			-			
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC UNBUNDLED REMOTE CALL FORWARDING - Bus		Unbundled Remote Call Forwarding Service Local Calling Res			LIED\/D	LIERIC	1 40	3 74	3 63	1 00	1 90	1		Ì	I	I	
Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR	 		1	1								1	1	1	 	 	
Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UNBUNDLED REMOTE CALL FORWARDING - Bus	 		+	1										 	 	 	
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus	Non-P		1	!	OLI VIX	CERTIN	1.40	3.74	5.05	1.00	1.00				-	-	
Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus	11011-10		1	!		1				†					-	-	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus					UEPVR	USAC2		0.102	0.102						1	1	
allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UNDUBLED REMOTE CALL FORWARDING - Bus			 	i -				502	5.102	1				1	1	1	
UNBUNDLED REMOTE CALL FORWARDING - Bus					UEPVR	USACC		0.102	0,102			1		Ì	I	I	
	UNBU		1			1		332	052	1				İ	1	1	
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.40 3.74 3.63 1.88 1.80			1			1				1				İ	1	1	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	1		Ì	I	I	

LINDII	NDI EI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit. D
UNBU	NULLI	I NETWORK ELEMENTS - Florida	1									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted				
														Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred		Monroourring	g Disconnect		l	000	Rates (\$)		
							Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIRSt	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
		Habita dia di Barrata Cali Farriardia a Candaa il acal Callina - Bua			UEPVB	UERLC	4.40	0.74	2.02	4.00	4.00						
-		Unbundled Remote Call Forwarding Service, Local Calling - Bus					1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is	ļ	ļ	UEPVB	USAC2		0.102	0.102								
1		Unbundled Remote Call Forwarding Service - Conversion with	1	1	l	1							1				
		allowed change (PIC and LPIC)	<u> </u>	<u> </u>	UEPVB	USACC		0.102	0.102		ļ		ļ				
UNBUN		OCAL SWITCHING, PORT USAGE	<u> </u>			1						ļ	<u> </u>				
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU					0.000164										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)												-			
		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)					0.000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
		Melded Factor: 20.61% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ıs.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1							<u> </u>				
		ort/Loop Combination Rates															
	0	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNFI	pop Rates	1	Ť		†	20.00				 	 	1				
—		2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	9.77				 	 					
-		2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPRX	UEPLX	13.88				 	 					
		2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX	UEPLX	24.63			1	1	1	l		1		
	2-Wire	Voice Grade Line Port Rates (Res)	1	<u> </u>	021100	JLI LA	27.00				 						
—		2-Wire voice unbundled port - residence	1	 	UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unburidled port - residence 2-Wire voice unbundled port with Caller ID - res	1	 	UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37	1					
-			1	1	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37	 	1		-		
<u> </u>		2-Wire voice unbundled port outgoing only - res	1	 	OLFKA	UEPRU	1.17	JJ.31	20.46	21.50	0.37		-				
				1	LIEDDY	UEPAF	1.17	53.31	26.46	27.50	8.37	l	1				
		2 Wire union unbundled Florida Area Colling with Calland							∠n 4h	21.50	8.37	l	1				1
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEFAF	1.17	33.31	20.10								
		2-Wire voice unbundles res, low usage line port with Caller ID			-	-											
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID			-	-				27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31 53.31	26.46 26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPAP	1.17	53.31	26.46								
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31 53.31	26.46 26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	FEATU	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						

IUNBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: B
ONDONDER											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.102	0.102								
ADDI ⁷	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTEF	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wire	Voice Grade Line Port (Bus)				I											
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
1 1	2-Wire voice unbundled Incoming Only Port without Caller ID	1		LIEDBY	LIEDDE	4 47	50.04	00.40	07.50	0.07				1		
1.00	Capability	1		UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		ļ		 	1	1
LUCA	L NUMBER PORTABILITY	1		LIEDBY	LNPCX	0.25				-		ļ		 	1	1
FEAT	Local Number Portability (1 per port)	 		UEPBX	LINECX	0.35								 		-
FEAT	All Features Offered	 		UEPBX	UEPVF	2.26	0.00	0.00							 	-
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		ULFDA	UEFVF	2.20	0.00	0.00			1			1		
INONR	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 			1										 	-
1 1	Switch-as-is	1		UEPBX	USAC2		0.102	0.102				1		I	Ì	l
\vdash	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>		OLI DA	USAUZ		0.102	0.102			1			1		
1 1	Switch with change	1		UEPBX	USACC		0.102	0.102						1		
ADDI.	TONAL NRCs	 		OLI DA	33700		0.102	0.102						-		
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 			+ -				 					 	 	
1 1	Activity	1		UEPBX	USAS2		0.00	0.00				1		I	Ì	l
\vdash	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 			30, 32		0.00	0.00				l		 		
1 1	Premise	1		UEPBX	URETL		8.33	0.83				1		I	Ì	l
OFF/C	ON PREMISES EXTENSION CHANNELS	†					3.50	3.30						1	1	İ
1 1 1 1 1 1	2 Wire Analog Voice Grade Extension Loop – Non-Design	†	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57				1	1	1
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57				t	1	1
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1		UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57				İ	İ	İ
	2 Wire Analog Voice Grade Extension Loop – Design	1	1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01				1		İ
			2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design															
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
-				+			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		+				11100	Addi	11130	Addi	COMILO	COMPAN	JOINIAN	JOHIAN	COMPAR	JOHNAN
		Termination			UEPBX	U1TV2	25.32	47.35	31.78								1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	ULFBA	UTIVZ	23.32	47.33	31.70								
		or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								i
	0.14/10/			1	UEPBA	UTTVIVI	0.0091	0.00	0.00								
-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
-	UNE P	ort/Loop Combination Rates					10.01										
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPRG	UEPLX	9.77						ļ				
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
		Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						i
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATL																
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED							0.00								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		+	OLI IKO	CONCE		0.40	1.01								
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								1
-	ADDIT	IONAL NRCs			UEFRG	USACC		0.40	1.91			-					
	ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										-					
					UEPRG	USAS2	0.00	0.00	0.00								i
-	-	Subsequent Activity		-	UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															i
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						1
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	1	Termination			UEPRG	U1TV2	25.32	47.35	31.78								1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
1	1	or Fraction Mile	I	1	UEPRG	U1TVM	0.0091	0.00	0.00				l	Ì	İ		1
	2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		ort/Loop Combination Rates	1										İ	İ	İ		
		2-Wire VG Loop/Port Combo - Zone 1	1	1	Ì	İ	10.94					1	i	1	1		
	1	2-Wire VG Loop/Port Combo - Zone 2	1	2			15.05			1		t	 	†	 		f
	1	2-Wire VG Loop/Port Combo - Zone 3	1	3			25.80			1		t	 	†	 		f
\vdash	UNE	pop Rates	 	Ť		+	20.00			1		1	 	 	 		
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	9.77			1				 	 		
\vdash	-	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	2	UEPPX	UEPLX	13.88			1		1	1	1	1		
	-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	24.63				-	-	-	-	-		
—	2-Wi=0	Voice Grade Line Port Rates (BUS - PBX)	1	13	OLFFA	OLFLA	24.03			-		 	-				
—	z-wire	Voice Grade Lifte FUIT Rates (DUS - FDA)	1	+		+				-		-					
1	1	Line Cide Habandled Combination C. West DDV Total Day	I	1	UEPPX	LIEDDO	4.47	474.04	400.05	75.00	40.70	1	İ	Ì	l		1
—	-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1		UEPPC	1.17	174.81	100.65	75.88	12.73	1	 	 	 		
<u> </u>		Line Side Unbundled Outward PBX Trunk Port - Bus	<u> </u>	1	UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	1					
<u> </u>	_	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	1	UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		ļ				├
L	1	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73	1			l		1

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
			1								Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OATEGOR	NATE ELEMENTO	m	20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
		-	-		UEPXB											
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX		1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								== 00							
	Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1		[1		Ì		
	Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LO	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE/	ATURES															
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
AD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFI	F/ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination	1	3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
-	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
-	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
-	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INT	EROFFICE TRANSPORT		-	OLITA	ODDEA	02.00	120.00	40.00	30.00	10.04						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	 		+						 			 		
	Termination			UEPPX	U1TV2	25.32	47.35	31.78			1					
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	 		072	20.02	47.00	01.70			 			 		
	or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00			1					
2-14	VIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	?T	 	OEI I A	O I I VIVI	0.0031	0.00	0.00			 			 		
	E Port/Loop Combination Rates	ì ·	 		1						1			1		
UNI	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1			10.94					1	-		1		
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2	 	2		+	15.05			1		 	1		 		
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		+	25.80					-	-		-		
LIKI	E Loop Rates	 	3		+	23.00			1		 	1		 		
UNI		 	1	UEPCO	UEPLX	9.77						-				
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 		UEPCO	UEPLX	13.88										
\vdash		 			UEPLX	24.63						-				
0.14	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	24.63										
2-W	Vire Voice Grade Line Ports (COIN)	 	 		+											
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBCO	LIEBOE	4.47	50.04	20.42	07.50	0.07	1					
$\vdash \vdash$	900/976, 1+DDD (FL)	<u> </u>	<u> </u>	UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37				1		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1	LIEBOO	LIEDE:							1		Ì		
	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1	1									1		Ì		
$oxed{oxed}$	900/976, 1+DDD, 011+, and Local (FL)	ļ	 	UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37				ļ		
	2-Wire Coin Outward with Operator Screening and 011 Blocking				1					_	1					
	(AL, FL)		1	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37	<u>l</u>	l		<u>l</u>		

UNRI	JNDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: B
3.15	10LL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward Smartline with 900/976 (all states except									0.0.						
		LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	ADDIT	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35								t		
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED	l				5.00								t		
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1									†		
		Switch-as-is			UEPCO	USAC2		0.102	0.102								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1					002	352					1	†	1	1
		Switch with change			UEPCO	USACC		0.102	0.102								
	ADDIT	ONAL NRCs			021 00	00/100		0.102	0.102			1					
	ADDII.	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI OO	00/102		0.00	0.00								
		Premise			UEPCO	URETL		8.33	0.83								
	2-WIDE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (OINETE		0.55	0.00								
-		ort/Loop Combination Rates	LINE	T NO	I I	+						-			-		
	ONLI	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			18.80										
	-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	32.27					-			-		
	LINEL	pop Rates		3			32.21										
	ONL L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24					-			-		
-	-	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR	UECF2	17.40					-			-		
	-	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87					-			-		
	2 Wire	Voice Grade Line Port Rates (Res)		3	UEPFR	UECFZ	30.67					-			-		
	Z-VVIIE	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	-	2-Wire voice unbundled port vith Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73	-			-		
	-	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73	-			-		
	-	2-Wife voice unburidled port odigoling only - les			OLFIK	OLFRO	1.40	174.01	100.03	75.00	12.73	-			-		
	1	2-Wire voice unbundled Florida Area Calling with Caller ID - res	l	1	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		1		I		
-	+	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID	1	1	ULFFR	UEPAF	1.40	174.81	100.05	15.88	12.73	-	-	-	-	-	-
	1	(LUM)	l	1	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		1		I		
	INTER	DEFICE TRANSPORT	-	 	OLFIN	ULFAF	1.40	1/4.01	100.05	75.08	12.73			-		-	-
-	MILK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	-		+						1			1		
	1	Termination	l	1	UEPFR	U1TV2	25.32	47.35	31.78				1		I		
-	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	ULFFR	UTIVZ	20.32	41.33	31./8			1			1		
	1	or Fraction Mile	l	1	UEPFR	1L5XX	0.0091						1		I		
-	FEATU		-	 	OLFIN	ILUAA	0.0091							-		-	
-	FEATU	All Features Offered	-	 	UEPFR	UEPVF	2.26	0.00	0.00					-		-	
	LOCAL	IAII FEATURES OTIFIED NUMBER PORTABILITY	-	 	ULFFR	UEFVF	2.26	0.00	0.00					-		-	-
-	LOCAL	Local Number Portability (1 per port)	1	-	UEPFR	LNPCX	0.35					1			1		
	NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	OLFIN	LINE OA	0.35							-		-	-
-	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		+						-	-	-	-	-	-
	1	Combination - Conversion - Switch-as-is	l	1	UEPFR	USAC2		16.97	3.73				1		I		
-	+	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	ULFFR	USAUZ		10.97	3.73			-	-	-	-	-	-
	1	Combination - Conversion - Switch-With-Change	l	1	UEPFR	USACC		16.97	3.73				1		I		
<u> </u>	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<u> </u>	 	ULFTK	USACC		10.97	3.73			-	-		-		
	1	End User Premise	l	1	UEPFR	URETN		11.21	1.10				1		I		
	2 WIDE	End User Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		UKETIN		11.21	1.10						 		
		crt/Loop Combination Rates	LINE	-UKI (DUO <i>j</i>	+								-	-	-	-
<u> </u>	UNE P		!	1		+	40.64						 				
1	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1			+	13.64 18.80					1	ļ	-	 	-	ļ
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	l	2		+	18.80 32.27					1	-	-	1		
Ь		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	l	3			32.27					l	l	l	l	l	

UNBUNDL	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	E Loop Rates						11131	Addi	THOU	Auu i	JONIEC	JONAN	JONAN	JONAN	JOHAN	JOHAN
OIVE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
2 W	/ire Voice Grade Line Port (Bus)		3	OLITB	OLOI 2	30.07										
2-44	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
				UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO UEPB1	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	1.40	174.81	100.65	75.88	12.73						
LOC	CAL NUMBER PORTABILITY			LIEDED	LNDOV	0.05										
13.177	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						4= 0=									
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0091										<u> </u>
FEA	ATURES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.21	1.10								
2-W	/IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (PBX)												
	E Port/Loop Combination Rates		,	l '												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	E Loop Rates															
0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-W	/ire Voice Grade Line Port Rates (BUS - PBX)			OLITI	OLO: 2	00.01										
2-44	The voice Grade Line Fort Rates (BOS - FBX)															
1 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73	I	1		Ì		
			-	UEPFP		1.40	174.81									
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	 	-	UEPFP	UEPPO UEPP1	1.40	174.81	100.65	75.88 75.88	12.73 12.73	1	-		 		
								100.65								
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	!		UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						├
\vdash	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	!		UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						├
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73	ļ	ļ		ļ		
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	!		UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
1 1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1								I	1		Ì		
\vdash	Capable Port	<u> </u>	<u> </u>	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73		ļ		ļ		
1 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		l	l							1		Ì		
	Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
1 1 -	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1			\Box					i	1				
	Room Calling Port	<u> </u>		UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1										1	-			
1	Discount Room Calling Port	1		UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73						
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	Ì		UEPFP	LNPCP	3.15	0.00	0.00								
INTE	EROFFICE TRANSPORT											l				
—	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1						İ					

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1			,,,,,,		7144						
		or Fraction Mile			UEPFP	1L5XX	0.0091										1 '
	FEATU				OLITI	TEO/OX	0.0001					1					
	LATO	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00			1					
	NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	2.20	0.00	0.00								
	NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								i
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEFFF	USACZ		16.97	3.13								\vdash
					UEPFP	USACC		16.97	3.73								1
<u> </u>		Combination - Conversion - Switch with change		1	ULFFF	USACC	 	10.97	3.73		-	-	 				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	LIDETAL		44.04	1.10								1
LIMPLE	IDLED:			 	UEPFP	URETN	 	11.21	1.10		-	1					
ONBON		PORT/LOOP COMBINATIONS - COST BASED RATES	DOD-	<u> </u>		1					1	1	1	1	1		
<u> </u>		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PUKI	<u> </u>		1					1	1					
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	20.95				ļ	ļ	ļ				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.11										
	L	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	39.58						ļ				
	UNE L	pop Rates															L
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
	UNE P	ort Rate															L
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								L
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED															L
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															1 '
		Switch-as-is			UEPPX	USAC1		7.85	1.87								<u> </u>
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								1
	ADDIT	ONAL NRCs															1
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPX	URETN		11.21	1.10								i
	Teleph	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								1
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			1					
		DID Numbers, Non- consecutive DID Numbers , Per Number		i –	UEPPX	ND5	0.00	0.00	0.00	İ	Ì	İ	1	İ	İ		
		Reserve Non-Consecutive DID numbers		i –	UEPPX	ND6	0.00	0.00	0.00	İ	Ì	İ	1	İ	İ		
		Reserve DID Numbers		İ	UEPPX	NDV	0.00	0.00	0.00	İ	1			İ	İ		ſ
	LOCAL	NUMBER PORTABILITY		i –		† 	2.00	2.00	2.00	İ		İ			İ		
		Local Number Portability (1 per port)		i –	UEPPX	LNPCP	3.15	0.00	0.00	İ		İ			İ		
	2-WIRE	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		1 5	50	3.50	3.50	1		1		1	1		
		ort/Loop Combination Rates		T		1	† †			1		1		1	1		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	1	1	† †			1		1		1	1		1
1		UNE Zone 1		1	UEPPB UEPPF	2 l	22.63								Ì		1 '
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	JELIE GEITI	`	22.03			 		1	i		 		
		UNE Zone 2		2	UEPPB UEPPR		29.05			Ì					l		1 '
—		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		 	CELLE OFFICE	+	23.03			 	1	1	-		 		
1		UNE Zone 3		3	UEPPB UEPPR		45.84			Ì					l		1
—	LINE 1	pop Rates		- 3	OLITO OLPER	+	45.04			 	1	1	-		 		
—	SHE L	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25			 	1	1	-		 		
-		2 THIS ISSIN DIGITAL CHARGE LOOP - CINE ZOILE I		+-	OLITO OLFFR	JULEA	15.25			 	}	}	 	1	 		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67								Ì		1
				3	UEPPB UEPPR		38.46				-	-	 				
-	LINES	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46			 	1	1	1		 		 '
—	UNE P	ort Rate		1	HEDDD HEDDS	LIEDES	7.00	404.50	115.00	 	1	1	1	-	 		
<u> </u>	Norre	Exchange Port - 2-Wire ISDN Line Side Port		1	UEPPB UEPPR	UEPPB	7.38	194.52	145.09	ļ	ļ	1	ļ				├
1	NONRE	ECURRING CHARGES - CURRENTLY COMBINED															

UNB	UNDLE	D NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: B
				l									Svc Order	Svc Order	Incremental		Incremental	
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	l P	BCS	USOC			RATES (\$)							Order vs.	Order vs.
OA!		KATE EEEMENTO	m		_		0000			πατ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-									Nonrec	urring	Nonrecurrin	g Disconnect		L	OSS	Rates (\$)	l	<u> </u>
							+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					+		11130	Auu	11130	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
		Combination - Conversion			LIEPPR	UEPPR	USACB	0.00	25.22	17.00								
	ADDIT	IONAL NRCs			OLI I D	OLITIK	CONOD	0.00	20.22	17.00								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					+							1				
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			CLITE	OLITIK	ORLIN		11.21	1.10								
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	LOCAL	L NUMBER PORTABILITY			02	02	OTTE		0.00	0.00				1				
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:						0.00	0.00									
		CVS/CSD (DMS/5ESS)	l		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1				1	t		
	1	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	t	Ì			1	t		
	1	CSD	1		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	t				1	†	1	†
	B-CHA	INNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	02	OL: TI	0.000	0.00	0.00	0.00								
		TERMINAL PROFILE] , , 				†				t				1	†	1	
	002.1	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VERTI	CAL FEATURES			OL: I D	02	0.0	0.00	0.00	0.00								
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				1				
	INTER	OFFICE CHANNEL MILEAGE			02	02	02. 1.	2.20	0.00	0.00				1				
		Interoffice Channel mileage each, including first mile and					+							1				
		facilities termination			LIFPPR	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00	10.01	7.00						
	4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLI I D	OLITIK	WITCHWI	0.0001	0.00	0.00								
		NE-P DS1 combination rates below for in this rate exhibit apply			ided base	in place a	s of 10/2/03 i	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a senara	te commerc	ial agreeme	nt.			
		ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													1			
		ort/Loop Combination Rates	1	1	1	ouro aato t	1	The state of the s	oronasa parec	ant to a copa	l agreement	- C. ta at 20.						
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			153.48										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			183.28										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			261.12										
	UNE L	oop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38										
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65								
	NONR	ECURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1				1	1			İ	İ	İ	
		Combination - Conversion -Switch-as-is (E:4/1/2004)	l	1	UEPPP		USACP	0.00	84.17	61.38	I				Ì	I		I
	ADDIT	IONAL NRCs																
	1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					1				1	1			İ	İ	İ	1
		Inward/two way Tel Nos. (except NC)	l		UEPPP		PR7TF		0.5412		1					1		1
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -					1				1	1			İ	İ	İ	1
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
		Subsequent Inward Tel Numbers	l	1	UEPPP		PR7ZT		25.42	25.42	I				Ì	I		I
	LOCAL	L NUMBER PORTABILITY					1				1	1			İ	İ	İ	1
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	INTER	FACE (Provsioning Only)																
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP		PR71D	0.00	0.00	0.00	1		İ		İ			
	1	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00	t	Ì			1	t		
	New o	r Additional "B" Channel	1				† -	2.20	2.30	2.30	t	Ì			1	t		
	7 0	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48		1	1			İ	İ	İ	
		New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48		1		İ		İ			
	1	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	15.48		t				1	†	1	†
	CALI	TYPES	1				† · · · · · ·	5.50			t				1	†	1	†
							1	1				1	1	1	1	1		

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interor	ffice Channel Mileage			LIEDDD	41.514.5	00.0050	105.51	00.47	04.47	10.05						
\longrightarrow	Fixed Each Including First Mile Each Airline-Fractional Additional Mile			UEPPP UEPPP	1LN1A 1LN1B	88.6256 0.1856	105.54	98.47	21.47	19.05						
4 WIDI	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILNIB	0.1856										
	NE-P DS1 combination rates below for in this rate exhibit apply	v to the	omboo	idad basa in niaca a	ne of 10/2/02 i	until 4/1/04 Aft	or 4/1/04 those	ratae chall ra	vort to tariff rat	oc or a conara	to commore	ial agroomo	nt			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										le commerci	iai agreenie I	111.			
	ort/Loop Combination Rates	1	lute o.		I De provide	l pursuant to t	a separate agr	l l l l l l l l l l l l l l l l l l l	l at Belloodtii e	discretion.						
ONL F	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	†	1	UEPDC	1	125.69					<u> </u>	 	 	1	1	1
$\overline{}$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	2	UEPDC	1	155.49							1			
$\overline{}$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1		UEPDC	1	233.33							1			
UNE L	oop Rates		Ť		1								1			1
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	70.74		İ	İ	İ			İ	İ		1
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	178.38										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -						4= 00	4=00								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LIDTED		45.00	45.00								
\longrightarrow	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB	-	15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTC		45.00	45.00								
	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	ODITO		15.69	15.69								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			ULFDC	ODITO		13.03	13.09								
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOL	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		10.00	10.00								
	B8ZS -Superframe Format	†	†	UEPDC	CCOSF		0.00i	655.00s			<u> </u>	 	 	1	1	1
	B8ZS - Extended Superframe Format	†	1	UEPDC	CCOEF		0.00i	655.00s					1			
Altern:	ate Mark Inversion		1		1	† 1							1			1
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format		i –	UEPDC	MCOPO	†	0.00	0.00		l			İ	İ		
Teleph	none Number/Trunk Group Establisment Charges	1	i –		1	į į										
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0.00	0.00	0.00]			
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
\longrightarrow	DID Numbers, Non- consecutive DID Numbers , Per Number	ļ	<u> </u>	UEPDC	ND5	0.00			ļ				ļ			
$\longrightarrow \longleftarrow$	Reserve Non-Consecutive DID Nos.	<u> </u>		UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	1 5	<u> </u>	UEPDC	NDV	0.00	0.00	0.00							ļ	ļ
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS 1	runk Port	ļ							 			ļ
l	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	1	1	LIEBBO	41.004	00.44	105.51	00.47	04.47	40.05		1	1			
1		1	1	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	1	ı			1	
	Terrilination)										i e					

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
	1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11200111		m		200	0000			= (4)			perLSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonre	curring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)	<u> </u>	
					+	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities				+		11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								ł
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TENOE	0.00	0.00	0.00								f
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								f
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							f
																·
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								f
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							(
	Central Office Termininating Point			UEPDC	CTG	0.00										(
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00										(
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
	System can have up to 24 combinations of rates depending on			her of ports used	+						1	1				ſ
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit and	nly to the embe	edded base in i	place as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement.	ſ
	ests for 4-Wire DS1 Loop with Channelization with Port after the											1		l coparate	ug. 000	ſ
LINE	OS1 Loop	1	lvc date	or uno amenamer	lt Shan be pre	Triaca parsaai	lt to a separate	dgreement or	turni ut Benee	l allocation	T	1				ſ
OIVE I	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00			1	1				ſ
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
LINE	OSO Channelization Capacities (D4 Channel Bank Configuration	ne)		OLI WO	OCLDO	170.00	0.00	0.00								
ONL	24 DSO Channel Capacity - 1 per DS1	13)		UEPMG	VUM24	118.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	472.24	0.00	0.00			1	-				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00			1	-				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00			1	-				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00			1	-				
	288 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>	UEPMG	VUM28	1,416.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,888.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 16 DS1s		-	UEPMG	VUM4O	2,361.20		0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57	2,361.20	0.00	0.00								
			-	UEPMG	VUM67		0.00	0.00								
Non F	672 DS0 Channel Capacity - 1 per 28 DS1s decurring Charges (NRC) Associated with 4-Wire DS1 Loop with	- Ch				3,305.68		0.00								
							ystem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
IWIUITI	oles of this configuration functioning as one are considered Ac	iα i aπe	r the m	inimum system cor	iriguration is	countea.										
	NRC - Conversion (Currently Combined) with or without			LIEDMO	110404	0.00	00.77	4.04								í
0	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								
	m Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1				mation Curre	endy ⊏xists and	u	1	1	 	ļ	-	-	 		
New (or rop	8 IVI SA	S												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	l	1	UEPMG	VUMD4	0.00	700 11	468.21	445.00	47.04	1			İ		i
D'1				UEPIVIG	VUIVID4	0.00	726.11	408.21	145.32	17.24						
Bipoi	ar 8 Zero Substitution		-													
	Clear Channel Capability Format, superframe - Subsequent Activity Only	l	1	UEPMG	CCOSF	0.00	0.00i	655.00s						Ì		1
			-	UEPIVIG	CCOSF	0.00	0.001	800.008								
	Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00:	055.00-								ł
A14	Subsequent Activity Only		-	UEPMG	CCOEF	0.00	0.00i	655.00s								
Altern	ate Mark Inversion (AMI)		-	LIEDMO	140005	0.00	0.00	0.00								
	Superframe Format			UEPMG UEPMG	MCOSF	0.00		0.00			1					
E.c. t.	Extended Superframe Format	L	D	UEPIVIG	МСОРО	0.00	0.00	0.00	1	1	1	1	1	1		
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on With	ron		 	1	1	1	1	 	ļ	-	-	 		
Excha	Inge Ports	l	1		+			 		 	 	1		 		
	Line Side Combination Channelized PBX Trunk Port - Business	l	1	LIEDDY	LIEDCY	4 40	0.00	0.00	0.00	0.00				Ì		1
	(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00	1					
	Line Side Outward Channelized PBX Trunk Port - Business	l	1	LIEDDY	LIEDOY		0.00	0.00	0.00					Ì		1
	(E:4/1/2004)	<u> </u>	<u> </u>	UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00	<u> </u>		1	1		
	Line Side Inward Only Channelized PBX Trunk Port without DID	l	1	HEDDY	LIEBOX									Ì		1
	(E:4/1/2004)			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00	1					
1 1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	l	1	HEDDY	UEDE:									Ì		1
<u> </u>	(E:4/1/2004)		 	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	ļ			ļ		
Featu	re Activations - Unbundled Loop Concentration		1						1							

HUNKUN		NETWORK FLEMENTS FLEET															
0.120.1	IDLEL	D NETWORK ELEMENTS - Florida			ı	1	1								ment: 2	Exhil	
														Incremental		Incremental	
												Submitted	Submitted	•	Charge -	Charge -	Charge -
CATEGO	NDV	RATE ELEMENTS	Interi	7000	BCS	usoc			DATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	JK T	RATE ELEMENTS	m	Zone	BCS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4				1		11130	Addi	11100	Auui	COMILO	COMPAN	COMPAR	COMPAN	COMPAR	COMPAR
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
		Feature (Service) Activation for each Trunk Port Terminated in					0.0.02										
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
Т	elepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	1	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
L		lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
F	EATU	RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
UNBUND	LED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
1	. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
2	2. Featu	ures shall apply to the Unbundled Port/Loop Combination - C	Cost Bas	sed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
3	B. End (Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4	. The f	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		Ilso and are categorized accordingly.															
5	. Mark	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ase Basis, un	til further notic	е.									
U	JNE-P (CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	()														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
U	JNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design		1	UEP91		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		New Desire															
		Non-Design		2	UEP91		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		15.05										
U		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91 UEP91		15.05 25.80										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>													
1	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		<u> </u>	UEP91		25.80										
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design)	-	<u> </u>													
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	3	UEP91		25.80										
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	-	3	UEP91		25.80										
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	3 1 2	UEP91 UEP91 UEP91		25.80 13.41 18.57										
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	-	3	UEP91		25.80										
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3 1 2	UEP91 UEP91 UEP91 UEP91		25.80 13.41 18.57 32.04										
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7vt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1		3 1 2 3 1	UEP91 UEP91 UEP91 UEP91	UECS1	25.80 13.41 18.57 32.04										
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 3-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	25.80 13.41 18.57 32.04 9.77 13.88										
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	25.80 13.41 18.57 32.04 9.77 13.88 24.63										
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7-WLoop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3 1 2 3 1 2 3 1	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24											
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40											
	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24											
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7-WLoop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 7tts		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40											
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts es (Except North Carolina and Sout Carolina)		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87											
U	JNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 10ts 1		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	53.31	26.46	27.50	8.37							
U	JNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local		3 1 2 3 1 2 3 1 2	UEP91 S2	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87											
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46 26.46	27.50	8.37							
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 24.17.40 30.87 1.17	53.31	26.46	27.50	8.37							
U	JNE Lo	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Des		3 1 2 3 1 2 3 1 2	UEP91 S2	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87											
U	JNE Lo	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic		3 1 2 3 1 2 3 1 2	UEP91 UEPYA	25.80 13.41 18.57 32.04 9.77 13.88 24.63 24.17.40 30.87 1.17	53.31	26.46	27.50	8.37							
U	JNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Des		3 1 2 3 1 2 3 1 2	UEP91	25.80 13.41 18.57 32.04 9.77 13.88 24.63 24.17.40 30.87 1.17	53.31	26.46	27.50	8.37							
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7vt-Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 7vts 1-2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		3 1 2 3 1 2 3 1 2	UEP91 UEPYA	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37							
U	JNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEPYA	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37							
U	JNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91 UEPYB UEPYH	25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17 1.17	53.31 53.31 139.49	26.46 26.46 86.10	27.50 27.50 65.41	8.37 8.37 13.81							

UNBUND	OLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: B
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	Dioc / ida :
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
Ge		a and Florida Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
-		Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		O Mine Vision Conside Double-considerate Live of Manual Constant			LIEDO4	LIEDUS		50.01	20.42	07.50	0.07						1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37				1	1	├
.		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	-					
LO	cal S	Switching		1	UEP91	URECS	0.7384			 		-					
-	and N	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										-
LO		Local Number Portability (1 per port)			UEP91	LNPCC	0.35					1					-
Fo	ature				OLF91	LINFOC	0.33					1					-
1 6		All Standard Features Offered, per port			UEP91	UEPVF	2.26			†							
h +		All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70				1					
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26	010.10									
NA	ARS	THE CONTROL CONTROL I CALABOO CHOICA, DOI DOIL			02. 0.	02. 70	2.20										
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Mi	iscella	aneous Terminations															
2-V		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.73										
Int		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4	Cha	nnel Bank Feature Activations			LIEDOA	400140	0.00										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Facture Activation on D. 4 Channel Bank EV line Side Lean Slat			UEP91	1PQW6	0.66										
-		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	IFQW6	0.00					-					
		Slot			UEP91	1PQW7	0.66										
 		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	11 Q VV 7	0.00			†							
		Different Wire Center			UEP91	1PQWP	0.66										
h h		Billiotett Wile Genter			OLI 01	11 QVVI	0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.00										
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
No	n-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															1
		changes, per port			UEP91	USAC2		21.50	8.42								<u> </u>
		Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82		.							
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82		-					ļ	ļ	
		Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									
- I.		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48		-					ļ	ļ	
		CENTREX - 5ESS (Valid in All States)				+				 							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	-	 						 			 				
UN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								1		1					
		Non-Design		1	UEP95		10.94			1							1
			L			1	10.04					1			·	·	

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_			4= 0=										
		Non-Design		2	UEP95		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3													
<u> </u>		Non-Design		3	UEP95		25.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE		10.44										
-	-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP95	-	13.41										
				2	UEP95		18.57										
		Design	1		UEF93	-	10.57										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	3	UEP95		32.04						1		I		
-	LINE !	oop Rate	 	3	OLF 30	1	32.04					 	-		 		
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP95	UECS1	9.77					 	-		 		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95	UECS1	13.88								t		
-		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	24.63								 		
—		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP95	UECS2	12.24								 		
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	30.87										
	UNF P	ort Rate		Ŭ	OLI SO	OLOGE	00.07										
	All Sta					1						1					
	All Old	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02		00.01	20.10	21.00	0.07						
		Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
	AL, KY	/, LA, MS, SC, & TN Only															
	FL & G	GA Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
<u> </u>	_	Term 2,3	ļ	<u> </u>	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81				.		
1		L	1				ll						1		I		
<u> </u>	_	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ	<u> </u>	UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37				.		
<u> </u>	<u> </u>	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	<u> </u>	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37						
<u> </u>	Local	Switching	<u> </u>	<u> </u>	LIEBOE	LIDEOO	0.7001								-		
<u> </u>	Lasci	Centrex Intercom Funtionality, per port	 	!	UEP95	URECS	0.7384					1	ļ		 		
<u> </u>	Local	Number Portability	 	 	LIEDOE	LNDCC	0.05					-			1		
	Featur	Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35								 		
-	reatur		 	 	UEP95	UEPVF	2.26										
-	+	All Standard Features Offered, per port All Select Features Offered, per port	1	1	UEP95 UEP95	UEPVS	0.00	370.70				1			1		
—		All Centrex Control Features Offered, per port	1	 	UEP95	UEPVC	2.26	310.70							 		
	NARS	7 at Control Control Features Offered, per port	 	!	OLI 33	JL: VO	2.20								t		
-	11/11/0	Unbundled Network Access Register - Combination	 	†	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		 		t		
 	-	Unbundled Network Access Register - Indial	 	 	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		l		 		
		Unbundled Network Access Register - Outdial		t	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				†		
	Miscel	Ianeous Terminations	<u> </u>	t		27.07.07.	3.00	2.00	5.00	5.00	3.00				t		
		Trunk Side	<u> </u>	t											t		
	1	Trunk Side Terminations, each			UEP95	CEND6	8.73								İ		
_																	

	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Intero	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
\longrightarrow	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	<u> </u>	UEP95	1PQW6	0.66				1	<u> </u>					
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	1					1						
\longrightarrow	Slot	1	<u> </u>	UEP95	1PQW7	0.66				1	<u> </u>					
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			l <u>_</u>	1					1				1		
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		<u> </u>	UEP95	1PQWQ	0.66										
No. F	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	-			_											
				UEP95	USAC2	0.00	21.50	8.42								
+-	changes, per port Conversion of Existing Centrex Common Block, each	-		UEP95	USACN	0.00	5.17	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.32			1					
-+-	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
-	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC)			02. 00	0.120/1	0.00	00.10									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
	Non-Design		2	UEP9D	_	15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		05.00										
LINE	Non-Design		3	UEP9D		25.80										
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	 		+	 				+	 			-		1
1	Design		1	UEP9D	1	13.41				1				1		
-+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	 ' -	OL: 3D	+	10.41				†				 		1
1	Design		2	UEP9D	1	18.57				1				1		
$\overline{}$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	05		.0.07				1				1		
1	Design		3	UEP9D	1	32.04				1				1		
UNE I	Loop Rate	1		-	1					1				İ		
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9D	UECS1	9.77					Ì					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.40										
			3	UEP9D	UECS2	30.87				1	1	1		1		1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		J	OLI OD	OLOGE	00.07										
	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate STATES		J	OLI OD	02002	00.07										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
	1										Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,11200111		m		200				== (+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
h					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						101	71441	101	7.44.1	0020		•••••		00	
	Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				l											
	Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDAD			=0.04									
	Indication))4 Basic Local Area		<u> </u>	UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			LIEDOD	LIEDY I	4.47	50.04	00.40	07.50	0.07						
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						——
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEF9D	UEPTIVI	1.17	55.51	20.40	27.50	0.37						-
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLF 9D	OLFIO	1.17	33.31	20.40	27.50	0.37						
	Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI OD	OLI II	1.17	00.01	20.40	27.00	0.07						
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				I											
	Term 2,3		<u> </u>	UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	4 4-7	50.04	20.40	07.50	0.07						1
\vdash	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic	1	-	UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	Local Area	1	1	UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		1				1
EI 0 /	Local Area GA Only	 	 	OFLAD	UEF12	1.17	53.31	∠0.46	21.50	8.37		 				
FL & '	2-Wire Voice Grade Port (Centrex)	1		UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		 		1		
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37				1		
 	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	 		UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		 				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	1		UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		 				—
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1		UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		 				—
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1	1	UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37				1		t
	1= ::::: ::::: ::::::::::::::::::::::::	<u> </u>	1	00	1		55.01	_5.∓0		0.01	1			ı		1

UNBL	INDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKT	RATE ELEMENTS	m	Zone	BCS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37	0020	00	00	00		00
	1											1			-		
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						
	 	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37	1	l		1		l
—	 			-	OE1 3D	JLI IIJ	1.17	ا د.دا	20.40	21.50	0.37	 	 				
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l		LIEDOD	LIEBU.							l		1		1
		2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81	ļ	ļ				
						1							l				
l	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l		UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81]		1		1
		, , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	1	13.55 5.440 1 6.1 (65.140.7 4.110.1 6.110.7 2.50 W00000/2,0,4			05		,	.00.40	30.10	30.71	.5.01	1	l		<u> </u>		l
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
		2-Wile Voice Grade Port (Centrex diller SWC /EBS-5209)2,3,4			UEP9D	UEFFIQ	1.17	139.49	00.10	03.41	13.01						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
-		2-Wile Voice Grade Fort (Certifexuller SWC/LBS-W5200)2,3,4			OLF 3D	ULFIIS	1.17	133.43	00.10	05.41	13.01	ļ					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
	1! 6				OLI 3D	OLITIZ	1.17	33.31	20.40	27.50	0.57	ļ					
	Local S	Switching			LIEDOD	LIDECO	0.7001					1			 		
<u> </u>	 	Centrex Intercom Funtionality, per port		 	UEP9D	URECS	0.7384					!	 				ļ
	Local N	lumber Portability										1]
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						L				L
L	Feature	es															l
		All Standard Features Offered, per port			UEP9D	UEPVF	2.26									-	
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
	NARS	I I I I I I I I I I I I I I I I I I			05		2.20					1	 				
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1	l		+		1
—	 						0.00				0.00	1	 		-		
 	1	Unbundled Network Access Register - Inward			UEP9D	UAR1X		0.00	0.00	0.00		1	 		1		
<u> </u>	 	Unbundled Network Access Register - Outdial		 	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	!	 				ļ
		aneous Terminations															
	2-Wire	Trunk Side										1					
		Trunk Side Terminations, each			UEP9D	CEND6	8.73										L
	4-Wire	Digital (1.544 Megabits)															l
		DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					ĺ				ĺ
	Interoff	fice Channel Mileage - 2-Wire			-	1						1	1		1		1
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32					 					
	1				UEP9D	M1GBM	0.0091					1			1		
├	F4	Interoffice Channel mileage, per mile or fraction of mile		-	OLFSD	IVITODIVI	0.0091					 	 				
<u> </u>		Activations (DS0) Centrex Loops on Channelized DS1 Service	e			+						1	 		1		ļ — — —
	D4 Cha	nnel Bank Feature Activations															
1	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66			L	<u></u>	<u> </u>	L		<u> </u>		1

UNBUNDLE	D NETWORK ELEMENTS - Florida			1							1-	_		ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9D	1PQWV	0.66										
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		1	UEP9D	USAC2]	21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	LIDETN		11.21	4.40								
LINE-B	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	URETN	-	11.21	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	ort/Loop Combination Rates (Non-Design)															
ORE!	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		25.80										
UNF P	ort/Loop Combination Rates (Design)			OLI SL		25.00										-
OIVE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		18.57										<u> </u>
	Design		3	UEP9E		32.04										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										_
	ort Rate		<u> </u>													.
AL, FL	, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex) Basic Eddar Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLLAE	JEFIR	1.17	33.31	20.40	21.50	0.37						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					1	1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						= (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Auu i	DISC 1SI	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						<u> </u>
	Florida																
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						<u> </u>
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						L
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
		Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															i .
		Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		2 Wire Voice Crede Port termineted in an Manalist and in the			UEP9E	UEPH9	1.17	53.31	26.46	07.50	8.37		1		1		1
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP9E UEP9E	UEPH9 UEPH2	1.17	53.31	26.46	27.50 27.50	8.37 8.37	-			 		
	Local	Switching		-	OLF 9E	UEFFIZ	1.17	33.31	20.46	21.50	0.37				-		
-	LUCAI	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384					1					
	I ocal N	Number Portability		1	OLF9L	UKLCS	0.7304										
	LUCALI	Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35										
	Feature			1	OLI 3L	LIVI CC	0.55										
	- Cuture	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
-		All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									—
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26	070.70									
	NARS	rai control Co			02.02	02. 70	2.20										
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.73										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										<u> </u>
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									<u> </u>
	Interoff	fice Channel Mileage - 2-Wire															L
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<u> </u>													
-	D4 Cha	annel Bank Feature Activations			LIEDOE	4001410	0.00										+
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										+
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
-	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		OLFBL	IF QVV0	0.00					-	 		1		
		Slot			UEP9E	1PQW7	0.66						1		1		1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 3L	11 Q VV /	0.00										—
		Different Wire Center			UEP9E	1PQWP	0.66										i .
		Emoraria Trino Contor			02. 02		0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66						1		1		1
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1	3.30								1		
		Slot			UEP9E	1PQWQ	0.66						1		1		1
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66				l				İ		ſ
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				1											ſ
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		21.50	8.42								
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82									
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82									
	L	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48							ļ		
<u> </u>	Additio	onal Non-Recurring Charges (NRC)				ļ											├
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l	1									1		Ì		1
1	1	Premise		1	UEP9E	URETL		8.33	0.83]	l	1	l		l		<u> </u>

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi!	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															i
		End Use Premise			UEP9E	URETN		11.21	1.10							<u> </u>	i
	Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3 -	Installation is combination of Installation charge for SL2 Loc	op and	Port													
		Requires Specific Customer Premises Equipment															
	Note: F	ates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in (Seneral Term	ns and Condition	ns.	·								

LINDUND	NI ED NETWORK ELEMENTO															
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
							FIISL	Add I	FIISL	Addi	SOWIEC	SOWIAN	SOWAN	SOWAN	SUMAN	SOWAN
	e "Zone" shown in the sections for stand-alone loops or loops as p				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ns by Cent	ral Office, refe	er to internet V	Vebsite:	
	p://www.interconnection.bellsouth.com/become_a_clec/html/interc	connec	tion.ht	m												
	TE: (1) CLEC should contact its contract negotiator if it prefers the															
	ect either the state specific Commission ordered rates for the service ch of the 9 states.	ce orde	ring ch	arges, or CLEC may	elect the reg	gional service of	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	OTE: (2) Any element that can be ordered electronically will be billed	ed acco	rding t	o the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be ordere	ed electronica	lly. For those	elements
	at cannot be ordered electronically at present per the LOH, the lister			in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	nual ordering	g charge,
SON	MAN, will be applied to a CLECs bill when it submits an LSR to Be OSS - Electronic Service Order Charge, Per Local Service	ellSouth	n.							1	1	1		1		
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				SOMAN		44.70	0.00	0.40	0.00						
UNE SERVI	(LSR) - UNE Only /ICE DATE ADVANCEMENT CHARGE				SOIVIAN		11.73	0.00	6.13	0.00						
	TE: The Expedite charge will be maintained commensurate with B	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
				UAL, UEANL, UCL,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD3, U1TD3, U1TD4, UC1C, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UDL03, UDL03, UDL03, UDL03, ULD03, ULD03, ULD051, ULD03, ULD051, ULD03, ULD051, ULD03, ULD051, ULD03, UNC1X, UNC2X, UNC1X, UNC3X, UNCX, UNC1X, UNC3X, UNCX, UNTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTTUB, U1TUB, U	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP			2.13/1	-201		200.00									
2-W	VIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	 					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	10.51 15.85	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72	-					
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3			UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	†					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
0												Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc			
OAILC	JOINT	KATE EEEMENTO	m	20116	B00	0000			KATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		
			-				Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Commerciae Channe Without Contaids Dispetch	-					FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SUMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92								
			-		UEANL	UREWU		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			LIFANII	UEANM		7.00	7.00								
		providing make-up (Engineering Information - E.I.) Manual Order Coordiantion for UVL-SL1s (per loop)	-		UEANL UEANL	UEAMC		7.30 18.92	7.30 18.92								
			-		UEANL	UEAMC		18.92	18.92								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		57.70									
	O MUDE	(per LSR)			UEANL	OCOSL		57.79									ļ
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED			LIEO	LIEGOV	44.00	44.00	00.40	0.00	0.00						ļ
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						ļ
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						ļ
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET!		0.00	0.00				1				
		Premise	1		UEQ	URETL		8.33	0.83						ļ		
1		Manual Order Coordination 2 Wire Unbundled Copper Loop -						40.55	40								
		Non-Designed (per loop)	1		UEQ	USBMC		18.92	18.92						ļ		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
UNBUN		EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
	UNE Lo	oop Rates for Line Splitting (In Ga. PSC ordered the line spli	itting lo														
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I		UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	- 1	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									1
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	1	87.72	36.36						1		1
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL	İ	11.19	1.10						İ		1
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12				İ		1
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						1
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	30.25	93.01	28.17	19.52	8.12				1		1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	1	57.79							1		1
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	1	87.72	36.36						1		
	2-WIRE	ISDN DIGITAL GRADE LOOP					i								1		1
	1	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97				İ		1
-	1	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				1		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						

UNBUNDLI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Manual Svc	Manual Svc	
CATEGORI	KATE ELEMENTO	m	20116	500	0000			IAILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urrina	Nonrecurring	Disconnoct			000	Rates (\$)		
						Rec					001150	0011411			0014411	001111
	0.50.0.500						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04				ļ				
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP	1												
	2 Wire Unbundled ADSL Loop including manual service inquiry	١.		l												ł
	& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry	١.	_	l		40.00										1
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry	_	_													ł
	& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
	2 Wire Unbundled ADSL Loop without manual service inquiry &	_														1
	facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		ļ				
	2 Wire Unbundled ADSL Loop without manual service inquiry &	l .	_	l	1141634									Ì		1
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00				ļ		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	l	1				_	_						1
	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29								
2-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1	ı	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop including manual service inquiry															ł
	& facility reservation - Zone 2	I	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															ł
	& facility reservation - Zone 3	I	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	2 Wire Unbundled HDSL Loop without manual service inquiry															ł
	and facility reservation - Zone 1	I	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															ł
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry															ł
	and facility reservation - Zone 3	ı	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		44.69	31.55								1
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 1	ı	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry													Ì		1
	and facility reservation - Zone 2	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						.
	4-Wire Unbundled HDSL Loop including manual service inquiry													Ì		1
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	4-Wire Unbundled HDSL Loop without manual service inquiry			l										Ì		1
	and facility reservation - Zone 1	l l	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						1
	4-Wire Unbundled HDSL Loop without manual service inquiry													Ì		1
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						.
	4-Wire Unbundled HDSL Loop without manual service inquiry													Ì		1
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
4-WIF	E DS1 DIGITAL LOOP				1									ļ		
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	41.02	211.93	72.49	38.24	7.20				ļ		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						1
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						.
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79									1
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97								1
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
$oxed{oxed}$	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20						1
1	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20		1]			1

UNRU	INDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: B
0.150		NETWORK ELEMENTO Coorgia										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	OKI	KATE EEEMENTO	m	Zone	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	30.22	57.79	37.00	10.02	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UDL	OCOSL	00.22	57.79	01.00	10.02	7.20						
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	2-WIRE	Unbundled COPPER LOOP			002	ONLING		101.00	10.00								
		2-Wire Unbundled Copper Loop-Designed including manual					† †					1	1	1	1		
		service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed including manual	<u> </u>	† ·		1	.2.02		050	5.50	5.50			1	1		1
		service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						1
		2 Wire Unbundled Copper Loop-Designed including manual			002	002. 2	10.00	11.00	01.00	0.00	0.00						
		service inquiry & facility reservation - Zone 3	1 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	l i	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed without manual					10.00			0.00	0.00						
		service inquiry and facility reservation - Zone 3	l i	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	- 1		UCL	UREWO		44.69	31.55								1
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						1
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						i .
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry															1
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						l
		4-Wire Copper Loop-Designed without manual service inquiry															i .
		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						1
		4-Wire Copper Loop-Designed without manual service inquiry															i .
		and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00			ļ			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC conversion Charge without outside dispatch	I		UCL	UREWO		44.69	31.55								
LOOP	MODIFIC	CATION															
					UAL, UHL, UCL,												i .
					UEQ, ULS, UEA,												1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	LILAMOL		0.00	0.00								i .
-	 	pair less than or equal to 18k ft, per Unbundled Loop		<u> </u>	UEPSB	ULM2L	 	0.00	0.00					-	ļ		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire			LILLI LICI LIEA	ULM4L		0.00	0.00								1
—	 	less than or equal to 18K ft, per Unbundled Loop		 	UHL, UCL, UEA UAL, UHL, UCL,	ULIVI4L	 	0.00	0.00					-	-		
					UEQ, ULS, UEA,												i .
1		Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,]							Ì	Ì		1
1		per Unbundled Loop			UEPSB	ULMBT		17.91									1
SUB-L	OOBS	hei ounguraeg rooh		-	OLFOD	OLIVID I	 	17.91						-	-		
JUB-L		Lop Distribution			1	1	 			 				1	1		
-	Jub-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1		+	 										
1		Up		1	UEANL	USBSA]	255.76						Ì	Ì		1
	1	T F		1	1	2020/1		200.70		ı		l .	l .	l	l		

UNBUN	IDLEI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
		•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Diac 1at	Diac Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up			UEANL	USBSC		175.09									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
<u> </u>		Set-Up			UEANL	USBSD		51.61									
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working				LIODDO	0.04	00.40	0.05	0.00	0.04						
		and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			LIFANII	HCDDD	7.67	31.07	4.79	2.27	0.01						
-		and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01	ļ					
				1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
\vdash		Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	+	OLAINL	OODINZ	0.52	∠0.40	3.65	2.20	0.01	}	-	1	1		
		Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLAIVL	OODINZ	10.10	20.40	3.03	2.20	0.01	1					
		Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Ŭ	OLITAL	OODINE	10.01	20.40	0.00	2.20	0.01						
		Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027.11.12	005.11	0.00	01.01		2.2.	0.01						
		Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			<u> </u>			0.1.01									
		Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	=	13.62	13.62	0.00							
<u> </u>		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01 0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	2	UEF	UCS2X	7.51	28.46	3.85	2.20							
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEF	USBMC		18.92	18.92					1	1		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01	1	1				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	l i		UEF	UCS4X	6.32	31.07	4.79	2.27	0.01			 	 		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
 		11ppor Silvaria.ca Sab Loop Distribution 2016 0		Ť			5.10	01.07	7.70	2.21	0.01	1		1	1		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEF	USBMC		18.92	18.92					1	1		
 		Loop Testing - Basic 1st Half Hour	1		UEF	URET1		25.12	25.12					1			
+		Loop Testing - Basic Additional Half Hour	l		UEF	URETA		13.62	13.62					1	1		
u	Inbun	dled Network Terminating Wire (UNTW)												İ	İ		
		Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.533	25.12	12.28			İ					
N		k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.86	20.69								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		56.03	43.86								
		Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		2.45	2.45								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OTI		ROVISIONING ONLY - NO RATE		<u> </u>	L							<u> </u>					
		NID - Dispatch and Service Order for NID installation	ļ	<u> </u>	UENTW	UNDBX	0.00	0.00		ļ				ļ	ļ		
—		UNTW Circuit Id Establishment, Provisioning Only - No Rate	!	<u> </u>	UENTW	UENCE	0.00	0.00				ļ					
		Haland Hall Control Name Brooks 1 Control Name	l	1	UEANL,UEF,UEQ,U	LINEON								1	1		
LINE OF	IFF -	Unbundled Contract Name, Provisioning Only - No Rate	l	1	ENTW	UNECN	0.00	0.00				1	-	-	ļ		
UNE OT	ı⊏K, P	ROVISIONING ONLY - NO RATE	l									1	<u> </u>				

LINDLI	NDI E	D NETWORK ELEMENTS Coordia												A 11 1		F. 1. 1	
UNBU	NDLE	D NETWORK ELEMENTS - Georgia	1			1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	IOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7.00.		71441	0020					
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP															
	l	High Capacity Unbundled Local Loop - DS3 - Per Mile per month	l		UE3	1L5ND	10.97										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	ILSND	10.97										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UES	UESFA	255.56	1,755.25	131.90	112.91	75.00						
		Imonth			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.07										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP N	MAKE-U							.,									
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper Io	op nor	-designed ("UCLND	<u>~) </u>											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for OCEND 1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	1111 50	C annlies only to cit	cuite inetall	d and inservic	e on or before	October 1 20	U3							
		HARING	l and	I	c applies only to cit	Cuito instan	eu anu miservic	e on or belore	October 1, 20	I							
		TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	l	Line Sharing - per Line Activation (BST Owned splitter) -	l		l <u>-</u>	l <u>-</u> -											
	ļ	OBSOLETE see **NOTE 2	ļ		ULS	ULSDC	0.61	10.51	7.70	7.00	4.20				ļ		
	l	Line Share Service, TRO per line activation, BST owned splitter -	l														
		Central Office Located (25% of UCLND) - please see NOTE 1				LUODT	0.70	40.54	7.70	7.00	4.00						
\vdash	 	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	 		ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				 		
	l	Central Office Located (50% of UCLND) - please see NOTE 1	l														
	1	(E:10/2/2004)	1		ULS	ULSDT	5.51	10.51	7.70	7.00	4.20		1		1		
\vdash	 	Line Share Service, TRO per line activation, BST owned splitter -	 		010	OLOD1	0.01	10.51	1.10	7.00	4.20				 		
	1	Central Office Located (75% of UCLND) - please see NOTE 1	1										1		1		
	1	(E:10/2/2005)	1		ULS	ULSDT	8.27	10.51	7.70	7.00	4.20		1		1		
		Line Sharing - per Subsequent Activity per Line								1700	20						
	1	Rearrangement(BST Owned Splitter	1		ULS	ULSDS		36.23	13.23	16.94	1.69		1		1		
		Line Sharing - per Subsequent Activity per Line													1		
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
	l	Line Sharing - per Line Activation (DLEC owned Splitter) -	l										1				
		OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	17.82	9.36	8.53	4.30		l]		

UNBU	NDLEI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
														Incremental	Incremental	Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec per LSR	per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			m						- (.,			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															1
		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		splitter - Central Office Located (50% of UCLND) - please see															1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						1 '
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see				ULSCT	8.27	17.82	9.36	8.53	4.30						1 '
-	LINES	NOTE 1 (E:10/2/2005) PLITTING			ULS	ULSCI	8.21	17.82	9.36	8.53	4.30						\vdash
	END US	SER ORDERING-CENTRAL OFFICE BASED															$\vdash \vdash \vdash$
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical		lacksquare	UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
-	MAINT	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30	1					\vdash
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		PEDICATED TRANSPORT															ļ!
	INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1											\vdash
		Per Mile per month			U1TVX	1L5XX	0.0057										1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						ļ!
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTIVA	ILSAA	0.0057										
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						1 '
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
-		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0057										\longleftarrow
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			011177	0	10.70	10.10	10.10	10.00	0.00						
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LUTDY	LIATOR	7.00	40.40	10.10	40.50	5.00						Ĭ '
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		per month			U1TDX	1L5XX	0.0057										j '
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination		ļ	U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						<u> </u>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1154										1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			-							t					
		Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATES	1L5XX	0.50										1 7
-		month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.53										\vdash
		Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						1
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	2.53										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						j '
DARK F	FIBER	Terrimation			01131	UIIFO	330.07	320.47	00.32	00.77	5∠.81	 					\vdash
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70	1					<u> </u>
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										1
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4	.5.57	1,745.99	87.54	73.64	18.70						

UNR	UNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: B
3,40	UNDEL	- TETTOTAL ELEMENTO OCOIGIA	I	l		1						Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
							B	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	ACCESS	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Customized Area of Service															
<u> </u>	_	Per 8XX Number	ļ		OHD	N8FCX	1	2.50	1.25	ļ					ļ		ļ
1	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1		0.15										1]
<u> </u>		Routing Per CXR Requested Per 8XX No.	ļ		OHD	N8FMX	ļ	2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request		ļ	OHD	N8FAX		2.93	0.43								
1	1	8XX Access Ten Digit Screening, Call Handling and Destination	1		OLID	NOEEN									1]
		Features (95) No. 2011		<u> </u>	OHD	N8FDX		2.50									
	-	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543										
	INFORM	8XX Access Ten Digit Screening, w/POTS No. Delivery		<u> </u>	OHD		0.0008543										
LINE	INFORM	ATION DATA BASE ACCESS (LIDB)			007		0.0000000										
		LIDB Common Transport Per Query			OQT OQU	+	0.0000682										
		LIDB Validation Per Query LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRBPX	0.0266962	33.24	33.24	39.35	39.35						
CICN	ALING (C				OQ1, OQU	INRBPA		33.24	33.24	39.35	39.35						
SIGN	ALING (C	CCS7 Signaling Connection, Per 56Kbps Facility	1	<u> </u>	UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
-	-	CCS7 Signaling Connection, Per Strainly CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80	34.77	34.77	10.91	16.91	-					
	_	CCS7 Signaling Termination, Fel STF Fort			UDB	1 100%	0.0000132										
	-	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000132										
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D							•								
		link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132										
		CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
		CCS7 Signaling Point Code, Establishment or Change, per STP															
		affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911	SERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057										
1		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1]]
<u> </u>		Termination	<u> </u>				12.87	48.46	19.48	16.58	5.00						
		Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 3		<u> </u>			164.70	149.46	111.20	40.36	26.12						
<u> </u>		Interoffice Transport - Dedicated - DS1 Per Mile	 	<u> </u>		1	0.1154			ļ					 		
1	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				34.19	111.03	80.28	31.36	21.73				1		
CALL	ING NAS	E (CNAM) SERVICE	├	 		+	34.19	111.03	80.28	31.36	21./3				-		
CALL	ING NAIV	CNAM For DB Owners - Service Establishment	 		OQV	1	1	22.90		20.32		-			1		1
-		CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	 		OQV	1	1	22.90		20.32		-			1		1
		CNAM For DB Owners - Service Provisioning With Point Code	 		O4 v	1	1	22.30		20.32					1		1
1	1	Establishment	1		oqv			959.77	709.83	251.47	184.91				1		
-	+	CNAM For Non DB Owners - Service Provisioning With Point	 		~~·	+	1	333.11	100.00	251.47	104.31				 		
1	1	Code Establishment	1		OQV			331.89	237.45	257.65	184.91				1]
	1	CNAM for DB Owners, Per Query	1		OQV	1	0.0009924	301.09	201.40	207.00	104.91				1		1
	1	CNAM for Non DB Owners, Per Query	1		OQV	1	0.0009924								1		1
	1	CNAM (Non-Databs Owner), NRC, applies when using the				1									1		1
	1	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00								
SELE	CTIVE R		1				1										
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch	<u> </u>					102.19	61.15	12.68	6.34				<u> </u>		L '
VIRT	JAL COL	OCATION															

UNBUNDLE	D NETWORK ELEMENTS - Georgia			1	T	1					T -			ment: 2		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO			1	UEFSK UEFSB	VEILS	0.0100	0.00	0.00	0.00	0.00					1	
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1						İ							
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user		1	SRC SRC	SRCLP	0.0020368	2.06	2.06								
AIN - BELLSO	Query NRC, per query UTH AIN SMS ACCESS SERVICE		1	SKC		0.0020366			1						1	
AIN - BELLOO	AIN SMS Access Service - Service Establishment, Per State,		1		1											
1 1	Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63	1					
	· ·				1											
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		<u> </u>	A1N	CAMAU		35.29	35.29	26.50	26.50						
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
 	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIN	CAIVIRC	0.0038	40.24	40.24	11.72	11.72					1	
	AIN SMS Access Service - Session, Per Minute		1		1	1.81										
	AIN SMS Access Service - Company Performed Session, Per								İ						1	
	Minute					0.8323										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						
	AIN Toolkit Service - Training Session, Per Customer		1		BAPVX		4,236.62	4,236.62								
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFII		0.13	0.13	9.10	9.10						
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														İ	
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP		<u> </u>		BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTO		00.00	00.00	44.00	44.00						
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTC		33.98	33.98	14.09	14.09						
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query		1		D/ 11 11	0.0271438	00.00	00.00	14.00	14.00						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
\vdash	Account, Per 100 Kilobytes		ļ		1	0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	44.70	0.45	0.45	F 74	F 74					1	
\vdash	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service		-	CAIVI	DAPIVIO	14.78	8.15	8.15	5.71	5.71					-	-
	Subscription			CAM	BAPLS	6.46	8.98	8.98								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		1			50	5.50	3.30								
	Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71	<u> </u>				<u> </u>	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit							-		-						
	Service Subscription			CAM	BAPES	0.22	8.98	8.98								
	XTENDED LINK (EELs)	<u> </u>	<u> </u>		<u> </u>	<u> </u>			<u> </u>		l				ļ	
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	bly for UNE com	binations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements.				1	1
NOTE:	The monthly recurring and the Switch-As-Is Charge and not to ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	HED DO	-recurri	ING CHARGES DEIOW I	viii apply for	UNE COMBINATION	ons provisione	u as Current	iy Combinea, N	etwork Eleme	nts.					
	TILD 2-TTINE TOICE GRADE EXTENDED LOOF WITH DEDICAT		· IIVIE			l										
EXIEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						

UNRUN	IDI F	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: B
3,1001		ALL TOTAL ELEMENTO Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
<u> </u>		per month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Termination per month 1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10	45.73	43.60	21.91	1					
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Voice Crade OCOL 1 of World			ONOVA	15110	0.4000	27.00	2.00	10.00	1.04						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		<u> </u>		<u> </u>		
		<u> </u>															
	_	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	1 INTER	ROFFICE TRANSPO	RT											
		First AME: Analysis On to London Continues 7			111000		47.00	405.04	00.00	40.40	0.00						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		First 4 Wiss Apples Vaiss Conda Lass in Combination 7-2-2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	21.08	195.94	30.38	18.42	0.80						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVX	OLAL	30.23	133.34	30.30	10.42	0.00						
		Per Month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.1017	120701	0.1101			İ							
		Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
L		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX		00.05	405.04	00.00	40.40	0.00						
-		Interoffice Transport Combination - Zone 3 Additional Voice Grade COCI in combination - per month		3	UNCVX	UEAL4 1D1VG	30.25 0.4689	195.94 27.33	36.38 2.90	18.42 16.86	6.86 1.04	-					
+		Nonrecurring Currently Combined Network Elements Switch -As-			UNUVA	טיוטו	0.4689	21.33	2.90	10.86	1.04				 		
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61		1				
E	XTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			 	5.70	5.70	0.01	0.01	<u> </u>	 		I		
H					. ,	1				1					1		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86		1		I		
	_	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
									· · · · · · · · · · · · · · · · · · ·								
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				1		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 3.0									1		
$\vdash \vdash$		Per Month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	34.19	07.70	45.70	40.00	07.07		1				
\vdash		1/0 Channel System in combination Per Month			UNC1X UNC1X	MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97	-			 		
\vdash		OCU-DP COCI (data) per month (2.4-64kbs)	-		UNCTX	1D1DD	0.9963	27.33	2.90	16.86	1.04	-	-		 		
 		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OINODA	טטוטו	0.5503	21.33	2.90	10.00	1.04				 		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				1		
 		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_		32200	21.00	100.04	00.00	10.72	0.00	<u> </u>	 		I		
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				1		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			-	1			22.30		2.30						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1		I		
		Additional OCU-DP COCI (data) - in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						

UNBUNDL	ED NETWORK ELEMENTS - Georgia						-		•				Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1				I					Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11_GG111	10112 =======	m		200	5555			101120 (4)			perLSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Nonrequiring Currently Combined Network Flomenta Switch As					-	FIISL	Add I	FIISL	Auu i	SOWIEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINICOC		F 70	F 70	0.04	0.04						1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						├
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPURI											├
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						L
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86		<u> </u>	<u></u>	L		L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month	l		UNC1X	1L5XX	0.1154								l		1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	İ			İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			CHOBA	10.00	0.0000	27.00	2.00	10.00	1.01						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			CHODA	ODLOT	21.00	100.04	00.00	10.42	0.00	1					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL04	20.30	133.34	30.30	10.42	0.00						
			3	LINODY	UDL64	38.22	405.04	00.00	40.40	0.00						i
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	1					
	Additional OCU-DP COCI (data) - in combination - per month								40.00							i
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						├
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						L
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															i
	Per Month			UNC1X	1L5XX	0.1154										i
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			†	20		5.51	2.31	İ	1	İ	İ		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			İ	İ		ſ
	First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				1		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		-	1					2.30	Ì	1		1		
1 1	Per Month	l		UNC3X	1L5XX	2.53										1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1		2.7007	. 20, 51	2.00					1	1		 		f
1 1	month	l		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						1
\vdash	3/1Channel System in combination per month	1		UNC3X	MQ3	121.90	323.31	11.01	45.50	32.00	}	 	1	 		
\vdash	DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	}	 	1	 		
\vdash		1		UNUIA	OCIDI	1.35	21.33	2.90	10.86	1.04	 	 	-	-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINICAY	LICLYY	44.00	200 45	70.44	27.04	0.00				l		1
\vdash	Zone 1	.	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1	1	1	1		
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINIOAY	1101.307		000 1-	70	07.01	0.00				l		1
\vdash	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	ļ	ļ				
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l												l		1
L	Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		ļ				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	l														1
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nicono		_ M	. B'			200	D-1 (A)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0057										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		T		1	11.20		22.50		2.30	İ	1		1		
	1	Month	1	1	UNCVX	1L5XX	0.0057										1
	 	Interoffice Transport - 4-wire VG - Dedicated - Facility	 	 		.20,51	3.0001			 		 	1		1		
	1	Termination per month	1	1	UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						I
					ONCVX	01174	10.70	00.55	33.01	40.42	27.00	1	1				
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	LINICOC		F 70	5.70	0.04	0.04						
	EVEEN	ls Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED			UNCCC		5.70	5.70	6.61	6.61	1					
	EXIEN		INTERC	PFFICE		41 END	40.07										
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-	·l														
		Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-			0.100/1	01110	000.07	020.01		10.00	02.00						
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	EVTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	EDODT		ONCCC		3.70	3.70	0.01	0.01	1					
	LAILI	First 2-Wire ISDN Loop in Combination - Zone 1	- 1117/111	1 1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	1					
		First 2-Wire ISDN Loop in Combination - Zone 1		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		-		-		
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86		-		-		
				3	UNCINA	UTLZX	42.17	193.94	30.30	10.42	0.00						
	1	Interoffice Transport - Dedicated - DS1 combination - per mile per month	1	1	UNC1X	1L5XX	0.1154										I
	 	per month Interoffice Transport - Dedicated - DS1 combination - Facility	 	├	UNCIA	ILOAA	0.1154			-		-	 		-		
					LINIOAN	U1TF1	04.40	07.70	45.70	40.00	07.07						
		Termination per month			UNC1X		34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination - per month	<u> </u>	<u> </u>	UNC1X	MQ1	69.75	86.10		10		1	ļ				
	ļ	2-wire ISDN COCI (BRITE) - in combination - per month	ļ	 	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 .											I		I
		Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						1
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1]										I
		Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport					1					1					
		Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
		Additional 2-wire ISDN COCI (BRITE) - in combination- per		1													
	1	month	1	1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						1
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO												
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1					
		First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	Ì	1		1		
	1	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		1		1		t
		: Combination Lone C	1	Ŭ	1		52.00	200.40	. 5.77	001	5.00	1	1		1		1

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	bit: B
0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1									Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)							Order vs.	
OA.L		KATE EEEMENTO	m	20.10	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect	1	l	oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile							7144.	101	71441					00	
		Per Month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		3/1 Channel System in combination per month			UNCSX	MQ3	121.90										
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	EROFF													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				l											
		Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	EVTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DO 111T	FRAFE	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
-	EXIEN	4-wire 64 kbps Looal Loop in Combination - Zone 1	PS INI	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	-			-		
	+	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	1					-
-		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<u> </u>													
		Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1 - 2 - 1 - 1	0.000										
		Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	3/1 MUX												
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per							·						1		1
	<u> </u>	Mile			UNC1X	1L5XX	0.1154								1		
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10									
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
-	1	3/1 Channel System in combination per month	l	1	UNC3X UNC1X	MQ3 UC1D1	121.90	07.00	0.00	40.00	1.04	-			1		
-	1	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	l	1	UNC1X	UCTDT	7.35	27.33	2.90	16.86	1.04	-			1		
		Interoffice Transport Combination - Zone 1	l	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86				1		1
<u> </u>	+	Each Additional 2-Wire VG Loop(SL2) in the same DS1	-		OINCVA	UEALZ	11.5/	195.94	30.38	10.42	0.86				-		
	1	Interoffice Transport Combination - Zone 2	l	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		1		I		1
-	+	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	 	0110 1/	JLALZ	10.93	133.34	30.30	10.42	0.00				 		
	1	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86		1		I		1
-	1	Each Additional Voice Grade COCI in combination - per month	-	ٽ	UNCVX	1D1VG	0.4689	27.33	2.90		1.04				-		
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1		1	5555	200	2.50	.0.50	54				†		t
		Channel System per month	l		UNC1X	1L5XX	0.1154								1		1
	1	Each Additional DS1 Interoffice Channel Facility Termination in		İ	-	1									İ		
	1	same 3/1 Channel System per month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		1
	1	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				1		

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: B
CABOIADE											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N 1		T 51	. B'						
						Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	001441	001441
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
FXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR				3.70	3.70	0.01	0.01						
LXIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	T	ANOI OILI W/ O/ I MIC	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per			l	1											
\vdash	Mile Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1154								ļ		
	First Interoffice Transport - Dedicated - DS1 - Facility	1		UNC1X	U1TF1	04.40	07.70	45.70	43.80	27.97		1		1		
 	Termination Per Month Per each 1/0 Channel System in combination Per Month	 		UNC1X UNC1X	MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97				-		
—	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
 	3/1 Channel System in combination per month	!	1	UNC3X	MQ3	121.90	21.33	2.90	10.00	1.04				<u> </u>		
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				1		
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1				7.50	200	2.50	. 5.50					1		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1										1				
	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				ļ		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINGAY	41.5007				1			1		1		
	Channel System per month	ļ	-	UNC1X	1L5XX	0.1154			1							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		1		
	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
 	Nonrecurring Currently Combined Network Elements Switch -As-		 	0110 1/	טייטי	0.4009	21.33	2.90	10.00	1.04				 		
	Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61		1		1		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF				20		1							
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1	<u></u>	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				<u> </u>		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2	ļ	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		ļ				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINORY	1101.50	00.00	405.01	00.00	40.00							
\vdash	Zone 3	!	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				 		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
 	First Interoffice Transport - Dedicated - DS1 - combination	 	 	011017	ILUM	0.1154			 					 		
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	69.75	86.10	70.70	70.00	21.01				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1										1				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINORY	1151.50	00.55	405.01	00.00	40.00			1		1		
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				 		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
 	OCU-DP COCI (data) COCI in combination per month (2.4-	 	3	OINODA	ODEO	30.22	190.94	30.38	10.42	0.00				 		
	64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		- +		5.5550	200	2.50	. 5.50					1		
	Channel System per month	1		UNC1X	1L5XX	0.1154			1			1		1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system	1										1				
	combination per month	<u> </u>		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				Ì		

UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: B
3.123112E											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVEE	Is Charge	INTER	FFIOR	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/1	INIUX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL04	21.00	195.94	30.30	10.42	0.00						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						İ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	ONODA	ODLOT	20.00	100.04	00.00	10.42	0.00						
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						İ
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINICDY	LIDI CA	20.20	405.04	20.20	40.40	0.00						İ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						İ
+	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	3	UNCDX	UDL04	30.22	193.94	30.30	10.42	0.00	1	1				-
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						İ
+	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	0.0000	27.00	2.00	10.00	1.04						
	Channel System per month			UNC1X	1L5XX	0.1154										İ
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX											ļ		
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1												1		1
	Transport - Zone 1	ļ	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	ļ					
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				1		1
\vdash	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		UNUNX	UILZX	∠6.26	195.94	30.38	18.42	6.86	-		-			
1 1	Transport - Zone 3	1	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86				1		1
	First Interoffice Transport - Dedicated - DS1 combination - Per	 	J	OI TOTAL	JILEA	42.17	133.34	30.30	10.42	0.00	 			 		
1 1	Mile per month			UNC1X	1L5XX	0.1154										1
 	First Interoffice Transport - Dedicated - DS1 combination -	1		- +		354								1		t
1 1	Facility Termination per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10			-	Ì					
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04			<u> </u>			<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						1
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											1
	Combination - Zone 1	ļ	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86				ļ		I
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINONIV	1141.07	20.00	405.04	20.00	40.40	0.00				1		1
	Combination - Zone 2	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	1	1		 		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3	1	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86				1		1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	3	OINCINA	UILZX	42.17	195.94	30.38	18.42	0.86	}		1	1		
1 1	system combination- per month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04				1		1
	layatam adminination- per month	1		CHONA	JUTUA	1.00	21.33	2.30	10.00	1.04	l		L			<u> </u>

LINBLIND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: B
ONDOND	LED NETWORK ELEMENTS - Georgia	1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CATEGOR	NATE ELEMENTS	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec		Nonrecurring	Disconnect		l	000	Rates (\$)		
-						Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Each Additional DS1 Interoffice Channel per mile in same 3/1						FIISL	Add I	FIISL	Auu i	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
				LINICAV	41.577	0.4454										1
	Channel System per month			UNC1X	1L5XX	0.1154										l
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN		04.40	07.70	45.70	40.00	07.07						ł
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system								40.00							ł
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	i														ł
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EX1	TENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per		1		1											i
	Mile Per Month	<u> </u>	<u></u>	UNC1X	1L5XX	0.1154								<u> </u>		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						l
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ł
	Each Additional DS1 COCI in the same 3/1 channel system			0110171		00	01.110	10.70	10.00	27.07						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	00101	7.00	27.00	2.00	10.00	1.04						
	1		4	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						l
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u>'</u>	UNCIX	USLAA	41.02	209.43	70.44	37.91	0.00						
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						ł
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	USLAA	40.41	209.43	70.44	37.91	0.00						-
	Additional 4-Wife DST Digital Local Loop in Combination - Zone		3	LINIOAN	1101.307	00.00	200.45	70.44	07.04	0.00						1
-	None of the Continue of the Co	-	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														l
	ls Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
1 1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	1	1	l .	1							1				i
	per month			UNCDX	1L5XX	0.0057										ļ
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1											i
	Termination per month]	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1						<u> </u>	1				i
	Is Charge	<u> </u>	<u></u>	UNCDX	UNCCC		5.70	5.70	6.61	6.61				<u> </u>		<u> </u>
EXT	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0057					1					i '
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility										İ	l				ſ
1 1	Termination per month	1	1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1				i '
	Nonrecurring Currently Combined Network Elements Switch -As-				1		22.00	22.01		00	İ					
	Is Charge	1	1	UNCDX	UNCCC		5.70	5.70	6.61	6.61	l	1				i
ADDITIONA	AL NETWORK ELEMENTS		1			H	3.70	5.10	3.01	3.01	 	1				
	en used as a part of a currently combined facility, the non-recurr	rna cha	raes do	not apply, but a S	Switch As Is o	harge does ann	ilv.				 					
	en used as a part of a currently combined facility, the non-recurr															
	nrecurring Currently Combined Network Elements "Switch As Is"					As is cliarge t	ioes not.				1					
ION	Nonrecurring Currently Combined Network Elements Switch As is Nonrecurring Currently Combined Network Elements Switch -As-		Cone a	ppnes to each com	ibiliauoli)						1					——
	Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.70	5.70	6.61	6.61	1					i '
	is Charge - 2 Wile/4-Wile VG	1	1	OINCAV	UNCCC		5.70	5.70	0.01	10.0	1	l				ı

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.L	JO	NATE ELEMENTO	m	20110	500	0000			πΑΙ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Nonre	curring	Nonrecurring	Disconnect		I	OSS	Rates (\$)	I.	L
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-				1		11130	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	ONCCC		3.70	3.70	0.01	0.01						
		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			OHOTA	011000		0.70	0.70	0.01	0.01						
		Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOON	ONCCC		3.70	5.70	0.01	0.01						
		Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
-	Ontion	al Features & Functions:			UNCOX	UNCCC		3.70	3.70	0.01	0.01						-
	Орион	ai i eatures a i unctions.			U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1.UNC1X	CCOEF		οı	OI	OI	OI						
		Clear Charmer Capability Extended Frame Option - per 231			U1TD1,	CCOLI		UI	OI .	OI .	OI .						
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI.	οι	οι	οι						
	<u> </u>	Clear Channel Capability (SF/ESF) Option - Subsequent	-		ULDD1, U1TD1,	CCOSF		UI	UI	UI	UI						
						NIDOCCO		404 000	22.700	2.03S	0.700						
		Activity - per DS1	- !	-	UNC1X, USL	NRCCC		184.62S	23.78S	2.035	0.79S						
		O L'A Parit - Outil - O La constant Autil A constant - DOO			U1TD3, ULDD3,	NDOOO		040.740	7.000	0.75040	00						
	84111 711	C-bit Parity Option - Subsequent Activity - per DS3	- 1		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
		PLEXERS			1110414			20.10									
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
		DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month		<u> </u>	U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61					<u> </u>	<u> </u>
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per												_			
L_	<u> </u>	month	<u></u>	<u>L</u>	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u>1</u>
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports															
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, t	ne desired features	will need to I	oe ordered usin	ng retail USOC	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28			_			
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28	1					1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28	1					1
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)	1	1	UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28		1				1
		Exchange Ports - 2-Wire Voice Georgia basic dialing port															
		without Caller ID	1	1	UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28		1				1
		2-Wire voice unbundled Georgia basic dialing port for use with		1	-	1	50	<u>_</u>	1	1	1					İ	
		Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						1
		2-Wire voice unbundled Georgia basic dialing port - outgoing		t	-	1	50	<u></u>			120						
1	1	only	l	1	UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28	l	1				1
					-		50				0				1		

JNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental		Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
DATECON	TATE ELEMENTO	m	20.10	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l .	<u> </u>
					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID				+		riist	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability,			UEFSK	UEPKI	1.09	2.42	2.31	1.37	1.20						
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,			UEFSK	UEPKV	1.09	2.42	2.31	1.37	1.20						
	Georgia Capability,			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.37	1.28						1
FEAT	TURES			UEPSK	USASC	0.00	0.00	0.00								-
FEAT				UEPSR	UEPVF	0.775	0.00	0.00								ļ
0.14	All Available Vertical Features			UEPSK	UEPVF	0.775	0.00	0.00								ļ
2-1/11	RE VOICE GRADE LINE PORT RATES (BUS)															ļ
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	4.00	0.40	0.04	4.07	4.00						
	Bus But OMin NO of the Hard State St			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXCH	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83		l				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	1		UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83	1	1		Ì		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	1		UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83	1	1		Ì		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		-										İ		
1	Room Calling Port	1		UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83		1		Ì		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	t		-						2.30	1	1		1		1
	Discount Room Calling Port	1		UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						
- 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83				1	1	1
_	2-Wire voice unbundled Georgia basic dialing port - 1-Way	 			52.70	1.00	20.00	10.00	1170	0.00	1			 		+
	Oudial Trunk	1		UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83						
_	2-Wire voice unbundled Georgia basic dialing port - 2-Way	 			5=. 770	1.00	20.00	10.00	1170	0.00	1			 		+
	Trunk	1		UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
- 	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	 	 	OL: 01	OLI VVI	1.09	20.00	13.03	11.40	0.03				 		
	Trunk	1		UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83		1		Ì		
	Subsequent Activity	ł		UEPSP	USASC	0.00	0.00	0.00	11.40	0.03	-	-		-	-	
CEAT	TURES	1	1	JL1 J1	30730	0.00	0.00	0.00	1	1	 	-		1	1	1
FEAT	All Available Vertical Features	ł		UEPSP UEPSE	UEPVF	0.775	0.00	0.00	-	-	-	-		-	-	
EVC	HANGE PORT RATES (COIN)	1	1	OLFOF UEFOE	OLF VF	0.775	0.00	0.00	1	1	 	-		1	1	1
EVCL	Exchange Ports - Coin Port	1	 		+	1.09	2.42	2.31	1.37	1.28	 	-				
	ILACHANGE FUILS - CUIT FUIL	1	1			1.09			1.37 nission by B-Ch			i		1	I	1

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental			Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
UNBL		LOCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES	<u> </u>			<u> </u>					l	L					
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	UEPEX	UEPP2					BellSouth's d	scretion.					
	_	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45						
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
	_	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
	-	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00	45.07	10.30						
	_	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usane							nannels assoc	ated with 2	wire ISDN -	oorts.	I	 	
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
		NGE PORT RATES (continued)														1	
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	†												1	1	
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,818.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
	<u> </u>	Deletions			UEPEX	UEP1B	0.00	176.57									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in			LIEDEV	UEP1C	0.0703	0.50									
	_	E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEPIC	0.0703	0.50									
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
	_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID	0.0703	10.72	10.72								
		Telephone Numbers - Inward Data Only Option [New or															
		Additional			UEPDX	UEP1E	0.00	0.50									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			02. 27.	022	0.00	0.00									
		Inward Tel Numbers [Customer Testing Purposes]	1		UEPEX	PR7ZT	0.00	21.43	21.43						I	1	
	LOCAL	NUMBER PORTABILITY	1												İ	İ	
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTERI	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or	Additional Channel	<u> </u>														
		New or Additional - Voice/Data "B" Channel	<u> </u>		UEPEX	PR7BV	0.00	28.71		1							
		New or Additional - Digital Data "B" Channel	ļ		UEPEX	PR7BF	0.00	28.71							ļ	ļ	
<u> </u>		New or Additional Inward Data "B" Channel	ļ		UEPDX	PR7BD	0.00	28.71		ļ							
		New or Additional Useage Sensitive Voice Data "B" Channel	<u> </u>		UEPEX	PR7BS	0.00							ļ	-	 	
<u> </u>		New or Additional Useage Sensitive Digital Data "B" Channel	!		UEPEX	PR7BU	0.00	00 7:		1	-			1	!	 	
<u> </u>	C4: 1 -	New or Additional PRI "D" Channel	!		UEPEX	PR7EX	0.00	28.71		1	-			1	!	 	
-	CALL		1		UEPEX UEPDX	DD7C4	0.00	0.00	0.00	1				-	 	 	
 	+	Inward Outward	 		UEPEX UEPDX UEPEX	PR7C1 PR7CO	0.00	0.00	0.00	1						-	
 	-	Two-way	1		UEPEX	PR7CC	0.00	0.00	0.00	1				1	 	1	_
	UNRUN	ITWO-WAY NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	/ 		OLFLA	i K/CC	0.00	0.00	0.00	1				1	t	1	
		NOTED FOR TWITH REMOTE CALL FORWARDING CAPABILITY NOTED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1				1				1	t	1	
	ONDO	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28				 	 	
		Chibanata Atamoto Can't of Warding Corvice, 7 and Caning, 17ea	1	1	J VIV	021010	1.03	4.74	2.51	1.07	1.20				1		

LINDLINDLE	D NETWORK ELEMENTS - Georgia												A44b		Ful:	bit: B
UNBUNDLE	D NETWORK ELEMENTS - Georgia	1			1	ı					Cua Ordar	Cvo Ordor	Incremental	ment: 2 Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-				Manne		Managarania.	- Di			000	D-4 (A)		
		-	-			Rec	Nonred			Disconnect	001150	001111		Rates (\$)	001441	0011411
		<u> </u>	<u> </u>				First	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Habita diad Barreta Call Farmardiaa Carrier I and Calling Bar			UEPVR	UERLC	4.00	0.40	2.31	1.37	4.00						
	Unbundled Remote Call Forwarding Service, Local Calling - Res	-	-	UEPVR	UERTE	1.09 1.09	2.42 2.42	2.31	1.37	1.28 1.28						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	-	-	UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
Non D		<u> </u>	<u> </u>	UEFVR	UERIK	1.09	2.42	2.31	1.37	1.20						
Non-R	Recurring Unbundled Remote Call Forwarding Service - Conversion -	<u> </u>	<u> </u>													
	Switch-as-is			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with	-	-	UEPVR	USAC2		2.01	0.31								
				UEPVR	USACC		2.04	0.04								
LINIBLE	allowed change (PIC and LPIC)	-	-	UEPVR	USACC		2.01	0.31								
UNBU	NDLED REMOTE CALL FORWARDING - Bus	-	 		 									 		
	Unbundled Remote Cell Forwarding Conice Arcs Calling Russ	1	1	LIEDVB	UERAC	1.09	2.40	0.04	1.07	1.00		1		I		1
 	Unbundled Remote Call Forwarding Service, Area Calling - Bus	 	1	UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28	-			1		
	Habitadlad Barreta Call Farmedian Conice Land Calling Bur			LIEDVD	LIEDLO	4.00	0.40	0.04	4.07	4.00						1
\vdash	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u> </u>	UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28				-		├
\vdash	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<u> </u>	<u> </u>	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28				-		├
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service Expanded and															
L	Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
Non-R	decurring	<u> </u>	<u> </u>													
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
	LOCAL SWITCHING, PORT USAGE															
End C	office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0006153										
	End Office Trunk Port - Shared, Per MOU					0.0001226										
Lande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0000972										
	Tandem Trunk Port - Shared, Per MOU					0.0001557										
	Tandem Switching Function Per MOU (Melded)					0.000017904										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
	Melded Factor: 18.42% of the Tandem Rate															
Comm	non Transport															
\vdash	Common Transport - Per Mile, Per MOU	-			1	0.0000027					1			1		├
LINIDI NIDI EE	Common Transport - Facilities Termination Per MOU	-			1	0.0001914					1			1		├
	PORT/LOOP COMBINATIONS - COST BASED RATES	 - = /= : ^:	-1		L	 	tables	ah Daut	1					-		├
	Based Rates are applied where BellSouth is required by FCC and specific apply to the Unburylled Bott/Lean Combination								d Dort	of this Bate 5	Vhihit	ļ		 		
	res shall apply to the Unbundled Port/Loop Combination - Cos											. Daw" :	C	1		
	office and Tandem Switching Usage and Common Transport Usage															
	rst and additional Port nonrecurring charges apply to Not Curr	entry C	ombine	u compos. For Cur	rentiy Combi	nea compos ti	ne nonrecurrin	y cnarges sha	ii de those idei	nuriea in the N	onrecurring	- Currently	Compined S	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates		1		+	 			 		1	-		1		
UNE			1		+	10.46			 		1	-		1		
\vdash	2-Wire VG Loop/Port Combo - Zone 1				 									 		
\vdash	2-Wire VG Loop/Port Combo - Zone 2	-	2		 	15.76								 		
	2-Wire VG Loop/Port Combo - Zone 3	-	3		 	32.56								 		
UNE L	oop Rates		1	UEPRX	UEPLX	9.56			 		1	-		1		
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	9.56			 		1	-		1		
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	-			UEPLX									 		
2 14/:	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX	UEPLA	31.66					-	-		-		
Z-WIFE	e Voice Grade Line Port Rates (Res)	 	 	LIEDDY	LIEDDI	0.0040	10.05	7.00	1.07	1.00	-	-		-		
	2-Wire voice unbundled port - residence	 	1	UEPRX	UEPRL	0.9019	10.05 10.05	7.36	1.37	1.28	1	ļ		 		
	2-Wire voice unbundled port with Caller ID - res	 	1	UEPRX	UEPRC	0.9019		7.36	1.37	1.28	1	ļ		 		
	2-Wire voice unbundled port outgoing only - res	 	1	UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28	1	ļ		 		
	2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAP	0.0040	10.05	7.00	1.07	1.00		1		I		1
\vdash	(LUM)	 	 	UEFKA	UEPAP	0.9019	10.05	7.36	1.37	1.28	-	-		-		
	2-Wire voice unbundled Georgia basic dialing port without Caller	1	1	HEDDY	LIEDWO	0.0010	40.05	7.00	4.07	4.00	1	1				1
	ID capability - res	1	<u> </u>	UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28	1	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OAT LOOK I	NATE ELEMENTO	m	20.10	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)	l	
+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with						11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing			OLITOX	OLI WQ	0.0010	10.00	7.00	1.07	1.20						
	only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
+	2-Wire voice unbundled Low Usage Line Port without Caller ID			02.700	02	0.00.0	10.00	7.00	1.07	1.20	1					
	Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						+
1	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FFΔT	URES			OLITOX	OLI IXO	0.0010	10.00	7.00	1.07	1.20						
I LAI	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00	†							
1.004	L NUMBER PORTABILITY	1	 	OLI IVA	JLI VI	0.775	0.00	0.00	 					 		
LOCA	Local Number Portability (1 per port)	1	 	UEPRX	LNPCX	0.35			 					 		
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLI IXX	LINEUX	0.33			1		1					1
NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-			1				 					 	-	
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		UEFRA	USACZ		0.10	0.10			-					-
				UEPRX	USACC		0.10	0.10								
ADDI	Switch with change			UEPRA	USACC		0.10	0.10								
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
				LIEDDY	LICACO	0.00	0.00	0.00								
	Activity	-		UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDETI		0.00	0.00								
055/	Premise			UEPRX	URETL		8.33	0.83								ļ
OFF/C	ON PREMISES EXTENSION CHANNELS			LIEDDY	LIEVEN	10.51	40.00	0.00	5.04	4.70						ļ
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						ļ
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						ļ
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						ļ
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						ļ
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						ļ
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76			1							1
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			32.56			ļ							1
UNE I	oop Rates															<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66										<u> </u>
2-Wire	Voice Grade Line Port (Bus)				ļ											<u> </u>
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus	<u> </u>	<u></u>	UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28				L	<u></u>	
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus	l		UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
i	2-Wire voice unbundled Incoming Only Port without Caller ID															
1	Capability	1	1	UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28		1		Ì		
LOCA	L NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00	1					İ		
								2.20								

UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
<u> </u>				1								Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA!L		NATE ELEMENTO	m	20110	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	n Disconnect		L	OSS	Rates (\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						11100	Auu	11100	Addi	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAN
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. BX	00/102		0.10	0.10				1				†
		Switch with change			UEPBX	USACC		0.10	0.10								
	ADDIT	IONAL NRCs															
	712211	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72	İ					
	1	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	1	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		3		UEAED	33.08	79.85	24.65	18.92	7.87	İ					
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	<u> </u>		+				!	-	}		1	!	 	
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1	LIEDBO	USAC2		0.40	0.40	1					1		
	+	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	-	UEPRG	USAC2		0.10	0.10					-	-	-	┼
	1	Conversion - Switch with Change	l	1	UEPRG	USACC		0.10	0.10	I					I	Ì	
	ADDIT	IONAL NRCs	-	-	ULFRU	USACC	-	0.10	0.10	 				-	-	-	
	ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+				 		}		1	 	1	1
	1	Subsequent Activity	l	1	UEPRG	USAS2	0.00	0.00	0.00	1					1		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	OLFRG	U3A32	0.00	0.00	0.00	1		1					
	1	Group	l	1				6.70	6.70	I					I	Ì	
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		+	1	0.70	0.70	 		1	-	1	 	1	1
	1	Premise	l	1	UEPRG	URETL		8.33	0.83	1					1		
	OFF/O	N PREMISES EXTENSION CHANNELS	-	l	02.110	JILLE	 	0.00	0.00	-					-		
	3	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87				<u> </u>	1	†
	1	Local Channel Voice grade, per termination	l	2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87				1	1	
	1	Local Channel Voice grade, per termination	1	3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87	1		1	t	1	1
	1	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02				1	1	1
	1	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02				1	İ	1
	1	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02				İ	İ	
	INTER	OFFICE TRANSPORT			-	1	1				3.32			İ	İ	İ	
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1	i i			1	İ			İ	İ	İ	
		Termination	l		UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00				1		
		•										•					

UNBUNE	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
0.1120111		g										Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
07112001	``		m						= (4)			per LSR	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	l	<u> </u>
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						11130	Auu i	11130	Auu i	JOINEC	JONAN	JONAN	JOHAN	JOHAN	JOHAN
		or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
2.1	WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			ULFRG	OTTVIVI	0.0037	0.00	0.00			-			-		
		ort/Loop Combination Rates				-						-			-		ļ
0.		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										-
-		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
118		pop Rates		3		-	32.30										
- Oi	VE EU	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										+
					UEPPX	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPPX	UEPLX	31.66										
2.1	M: 1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.00										
2-1	AAILG ,	Voice Grade Line Port Rates (BUS - PBX)	1	1		-						1	ļ		 	-	
		Line Cide Habandled Combination O West DDV To all Dark D	l		LIEDDY	LIEDDO	0.0010	40.05	7.00	4.07	4.00						
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
		Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 1-Way															
		Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 2-Way															
		Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
		Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll															
		Terminal Ports	l		UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28		1		I		
		2-Wire voice unbundled Georgia basic dialing port - PBX LD		İ		1					20				İ	İ	
		DDD Terminal Port	l		UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28		1		I		
		2-Wire voice unbundled Georgia basic dialing port - PBX LD	1	i e		1	2.22.0		00		20						
		Terminal Switchboard Port	l		UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - PBX LD	1	1		1			50		20	1	1		1		1
		Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
\vdash		2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way	1	1		J= **	5.5519	10.00	7.50	1.57	1.20				†	1	†
		Trunk	l		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
10	CAI	NUMBER PORTABILITY	l	1			0.0010				20	-	 				†
		Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00	1					†	1	†
FF	ATU		1	1			0.10	0.00	0.00	1					†	1	†
<u> </u>		All Features Offered	1	1	UEPPX	UEPVF	0.775	0.00	0.00	1					t	1	†
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	t		J=: 71	0.773	0.00	0.00				l		 		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1			 					-	1				†
		Conversion - Switch-As-Is	l		UEPPX	USAC2		0.10	0.10								
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	!	0=11 A	30,102		0.10	0.10			1			1		+
		Conversion - Switch with Change	l		UEPPX	USACC		0.10	0.10								
AF	יידוחר	ONAL NRCs	1	1	OLITA	JUAGO		0.10	0.10	-		+	1		 	1	
AL	וווטי	OHAL HIVO	l	1	L	1						1	l		1	l	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
						Doo	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	I	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		6.70	6.70						1		
	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
.	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	3	UEPPX UEPPX	SDD2X SDD2X	19.76	56.92 56.92	7.70	4.40 4.40	0.02	1			1		1
INTE	ROFFICE TRANSPORT	 	3	OLPPA	Ουυ <u>ζ</u> χ	37.18	56.92	7.70	4.40	0.02	-				-	
11112	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE	Port/Loop Combination Rates					10.10										
.	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3			15.76 32.56										
UNE	Loop Rates		3			32.30										1
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86								1		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
2-Wii	e Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)	1		UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Coin Outward with Operator Screening and 011 Blocking	 		02.1 00	02. 011	0.3013	10.03	7.30	1.57	1.20				t		
	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						-
	900/976, 1+DDD, 011+, and Local (FL, GA)	<u> </u>		UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADD	TIONAL UNE COIN PORT/LOOP (RC)	 	<u> </u>	LIEBOO	LIDEOU	0.50	0.00	0.00	0.00	0.00				1	-	├
100	UNE Coin Port/Loop Combo Usage (Flat Rate) AL NUMBER PORTABILITY	<u> </u>		UEPCO	URECU	3.59	0.00	0.00	0.00	0.00	-			 		
LOCA	Local Number Portability (1 per port)	1	 	UEPCO	LNPCX	0.35						1		+		1
NON	RECURRING CHARGES - CURRENTLY COMBINED			021 00	LIVI OX	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADD	TIONAL NRCs					_									_	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	RES)		_		•								

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	•	Charge -	Charge -	Charge -
CATEGO	nv	DATE ELEMENTO	Interi	7	BCS	usos			DATEC (6)			Elec		Manual Svc	Manual Svc		
CATEGO	KY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NE Po	rt/Loop Combination Rates		1			25.53										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										+
U	NE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-	Wire	/oice Grade Line Port Rates (Res)					4.00	400.05		11.00							ļ
		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	 		UEPFR UEPFR	UEPRL UEPRC	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44				-		
\vdash		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	1		UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44	1	-		1		+
-		2-Wire voice unburidled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID	 		OLITIK	JLI NO	1.09	100.05	45.00	41.09	10.44				 		
		(LUM)	1		UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44		1		1		
		2-Wire voice unbundled Georgia basic dialing port, without															1
		Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						<u> </u>
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port - outgoing							40.00								
-	ITED	only FFICE TRANSPORT			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						<u> </u>
IIN	HERC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			021111	01112	12.01	10.10	10.10	10.00	0.00						
		or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FI	EATU																
		All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								
L		NUMBER PORTABILITY			LIEBER	LUBOY											
N.		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
IN		CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			021111	007.02		7.00									
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.19	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												1
U	NE Po	rt/Loop Combination Rates	<u> </u>	_			05.50								ļ		4
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	1 2		+	25.53 30.92								-		
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	30.92 47.04					1	-		1		+
U		op Rates		3		1	41.04						 				
		2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	11.57								1		
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.95										1
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2-	Wire \	/oice Grade Line Port (Bus)							· · · · ·								
		2-Wire voice unbundled port without Caller ID - bus	ļ		UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						ļ
		2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						↓
\vdash		2-Wire voice unbundled port outgoing only - bus	1		UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44				 		
\vdash		2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without	-		UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44		-		-		
		Caller ID capability - bus	l		UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port for use with	1			52. 775	1.00	100.00	-10.00	41.55	1014	1			1		†
		Caller ID - bus	1		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44		1		1		
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35		•								
IN	ITERC	FFICE TRANSPORT															<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l		HEDED	LIATVO	40.07	40.40	10.10	10.50							
		Termination	l	L	UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00		l		<u> </u>		<u> </u>

UNRUND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: B
31120110	LLD III. WORK LELINEW O - Ocorgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'l	Disc 1st	Disc Add'l
								_							2.00	2.007.001
		<u> </u>				Rec	Nonrec		Nonrecurring		001:50	001		Rates (\$)	001::::	001
ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5007	0.0057	0.00	0.00								
	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FE	ATURES All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00	-							
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEFVF	0.775	0.00	0.00								
INO	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITB	00/102		7.00	1.00								
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.19	1.10								
	/IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	ORT (PBX)												
	E Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UN	E Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFP	UECF2	11.57										
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFP	UECF2	16.95								ļ		
<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFP	UECF2	33.08										
2-V	/ire Voice Grade Line Port Rates (BUS - PBX)	<u> </u>												-	ļ	
	Line Cide Unboundled Combination O West DDV To all Days	1		UEPFP	UEPPC	4.00	400.05	40.00	44.00	45.44		1		I		
 -	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	!				1.09	166.05	43.66	41.89	15.44				!	1	
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPFP UEPFP	UEPPO UEPP1	1.09 1.09	166.05	43.66 43.66	41.89 41.89	15.44 15.44				 		
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	1.09	166.05 166.05	43.66	41.89	15.44				+		
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 		UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44				 	-	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	 		UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44				t	1	
+	2-Wire Voice Unbundled PBX LD DDD Terminals Port	!		UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44		 		t		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44				†		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	†			,			.0.50	55	.0.17				1		
	Capable Port	1		UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44		1		I		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1												1	l	
	Administrative Calling Port	1		UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44		1		I		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	<u></u>		UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44				<u></u>	<u></u>	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						_									
	Discount Room Calling Port	<u> </u>		UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way	1			1				l l			1		I		
\vdash	Oudial Trunk	<u> </u>		UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44				-	ļ	
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	1		LIEDED	LIEDWY	4.00	400.0-	10.00	44.00	45.00		1		I		
H-	Trunk CAL NUMBER PORTABILITY	!		UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44				!	1	
LO		1		UEPFP	LNPCP	2.45	0.00	0.00	 					 		
1817	Local Number Portability (1 per port) EROFFICE TRANSPORT	 		UEPFP	LINPUP	3.15	0.00	0.00	<u> </u>			 		 		
INI	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+				-			-		+	1	
	Termination	1		UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00		1		I		
\vdash	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	†		O=111	31172	12.07	70.70	13.40	10.30	5.00		 		t		
	or Fraction Mile	1		UEPFP	1L5XX	0.0057	0.00	0.00				1		I		
FF	ATURES	1			0, 0,	3.0007	0.00	0.00						1		
	All Features Offered	1		UEPFP	UEPVF	0.775	0.00	0.00								
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
L l	Combination - Conversion - Switch-as-is	<u> </u>		UEPFP	USAC2		7.85	1.86	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change	<u></u>		UEPFP	USACC		7.85	1.86						<u></u>		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at						_									
	End User Premise	<u></u>	<u></u>	UEPFP	URETN		11.19	1.10							<u></u>	

UNB	UNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	ibit: B
													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	-100 101	
								Rec	Nonrec			Disconnect				Rates (\$)		
			ļ						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	L															
		E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	PORT															<u> </u>
-	UNEF	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05										-
	_	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				22.44										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56										+
	UNE L	pop Rates		Ŭ				00.00										
	0.1.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										
	UNE P	ort Rate	<u></u>															
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27						
	NONRI	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																_
		Switch-as-is	ļ		UEPPX		USAC1		6.66	1.86								<u> </u>
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1]					_]	
		with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
	ADDIT	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	-	End User Premise	ļ		UEPPX		URETN		11.19	1.10								
	Teleph	one Number/Trunk Group Establisment Charges			LIEDDY		NDT	0.00	0.00	0.00								
	-	DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		NDT	0.00	0.00	0.00								
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	+	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00			1					
	_	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								•
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRI	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		19.44										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1]					_]	
		UNE Zone 2	ļ	2	UEPPB	UEPPR		24.45			ļ					1	ļ	<u> </u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	_	l==											I	1	
	110	UNE Zone 3	ļ	3	UEPPB	UEPPR		38.09								-		↓
<u> </u>	UNE L	Dop Rates	1	1	LIEDOD	HEDDE	LICL OV	44.05			 		1			1	 	1
	-	2-Wire ISDN Digital Grade Loop - UNE Zone 1	 	1	UEPPB	UEPPR	USL2X	14.25					-			 	-	
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	19.26									1	
-	+	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR	USL2X USL2X	32.90			1		-			+	1	1
-	UNF P	ort Rate	 	J	OLI FD	OLFFR	JULZA	32.30			1					t	1	1
	0.12	Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37				-		
<u> </u>	NONRI	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>		SEI I D	JEITIN	02110	0.19	101.00	141.00	40.00	5.57				1		
	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	†								1					1	1	
		Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	42.52	26.99						1		
	ADDIT	ONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk	<u> </u>		UEPPB	UEPPR	USASB		0.00									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1]	
		End User Premise	ļ		UEPPB	UEPPR	URETN		11.19	1.10								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					l									1		
	1.5	Premise	ļ		UEPPB	UEPPR	URETL		8.33	0.83								
	LOCAL	NUMBER PORTABILITY	<u> </u>		LIEBER	LIESSE	LNDCV									-		
	D 0111	Local Number Portability (1 per port)	<u> </u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						-		↓
	B-CHA	NNEL USER PROFILE ACCESS:	ļ		HEDDD	HEDDO	LIALICA	0.00	0.00	0.00						1		
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	UTUCA	0.00	0.00	0.00			1			1		<u> </u>

	UNBL	JNDLEI	NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: B
ATT CATE CLEAN AND ALTER LEADNESS AND ALTER LEADNES			, ===											Svc Order	Svc Order				Incremental
ATT CATE CLEAN AND ALTER LEADNESS AND ALTER LEADNES														Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ANTECHNICAL SAME PROPRIES ALL PLANTS AND AND AND AND AND AND AND AND AND AND				Intori										Elec	Manually		Manual Svc		Manual Svc
Second Continue	CATE	ORY	RATE ELEMENTS		Zone	В	CS	USOC			RATES (\$)								
Second S				m										po. zo.t	po. 20.1				
Part																			
Company Comp																		Disc 1st	Disc Add I
COS ENVESTO SUBSET PROPRIES ACCESS (ALLYLLANS SUN) SUPPRE SUPPR SU									Rec										
Column C			OVO (EWOR)									First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Section Sect	-																		
Use Company	-	D CITAL		C MC o	TAIN	UEPPB	UEPPR	01000	0.00	0.00	0.00								
Due Tennish Profes (PMPO only)				C,IVIS, 6	i IN)			-											
VERTICAL FEATURES						LIEDDR	LIEDDD	ΠΙΙΙΜΑ	0.00	0.00	0.00								
All Vessical Features - One per Cleaner of Liver of EU per Politics Liver						OLITD	OLITIK	OTOWA	0.00	0.00	0.00								
NETROPYNCE CHANNEL MILEAGE						LIFPPR	LIFPPR	UEPVE	0.775	0.00	0.00								
Interestic Channel mileage each, including rist mile and learning term table a						02.75	OL: III	02. 1.	00	0.00	0.00								
InterOffice Contend mileage and Legisland																			
InterOffice Contend mileage and Legisland			facilities termination			UEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
The UNEF DST combination rates below for in this rate exhibit apply to the embedded base in place as of 1920's until 47/05. After 47/05 the base rates shall a revert to until rates or a separate commercial agreement.						UEPPB	UEPPR	M1GNM	0.0057		0.00								
Request for 4-Wire DSD ligital Loop with A-Wire ISDN DSD Digital Trux Port - UNE																			
Weep Prof. Loop Combination Rates																nt.			
West Comparison Compariso				runk P	ort afte	the effec	tive date o	of this amend	dment shall be p	provided pursu	iant to a sepai	ate agreement	or tariff at Bel	lSouth's di	scretion.		ļ	ļ	
Zame 1		UNE Po						ļ											
AV DST Digital Loop-WI SSN DST Digital Trunk Port - UNE		1		1		LIEDSS											I	1	
200 2 111.54					1	UEPPP			106.15										
### Design Design						LIEDDD			444.54										
Net Long Rates						UEPPP		+	111.54					1					
New Code Name					2	LIEDDD			127 15										
4-Vive DST Digital Loop - UNEZ Zone 1		LINELO			3	UEFFF			127.15										
4-Wire DST Digital Loop - UNE Zone 3					1	HEPPP		LISLAP	41 02										
A-Wire DST Digital Loop - LWE Zone 3					2														
UNE Port Rate					_														
NONRÉCURRING CHARGES - CURRENTLY COMBINED		UNE Po																	
A-Wire DS1 Digital Looy / A-Wire ISDN DS1 Digital Trunk Port UEPPP USACP			Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						
Combination - Conversion - Switch-as-is (E-4/1/2004) UEPPP USACP 0.00 122.56 77.97		NONRE	CURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL INICS AVIFIC DST Loop/4-WI SDN Digit Trunk Port - Subset Activy- Invardrivo way Tel Nos. (except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Trunk Port - Outward Tel Numbers (all States except NC) AVIFIC DST Loop 4-Wire ISDN Digit Data to UEPPP PRTID 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																			
A-Wire DS1 Loopl-W ISND Digit Tirk Port - Subset Actyy-						UEPPP		USACP	0.00	122.56	77.97								
Inward/two way Tel Nos. (except NC)		ADDITI																	
A-Wire DS1 Loop (A-Wire ISDN DS1 Digital Trunk Port -																			
Outward Tel Numbers (All States except NC)						UEPPP		PR7TF		0.50									
4-Wire DS1 Loop / 4-Wire SDN DS1 Dgital Trk Port - Subsequent Inward Tel Numbers UEPPP PR7T 21.43										40.00									
Subsequent Inward Tel Numbers UEPPP PR7T 21.43						UEPPP		PR/10		10.72									
LOCAL NUMBER PORTABILITY		1		1		HEDDD		DD77T		21 42							I	1	
Local Number Portability (1 per port)	<u> </u>	LOCAL		 	 	UEFFF		PRIZI	1	21.43				 				-	
NTERFACE (Provsioning Only)	-			l		LIFPPP		LNPCN	1 75								 		-
Voice/Data				1		J 1 1			1.75					1			I	 	
Digital Data				†		UEPPP		PR71V	0.00	0.00	0.00						1		
New or Additional - Voice/Data B Channel				1								İ					1		l
New or Additional - Voice/Data B Channel			Inward Data			UEPPP		PR71E	0.00	0.00	0.00			İ					
New or Additional - Digital Data B Channel		New or	Additional "B" Channel																
New or Additional Inward Data B Channel																			
CALL TYPES						-													
Inward		L		<u> </u>		UEPPP		PR7BD	0.00	13.59				<u> </u>			1		
Outward		CALL		ļ		LIEDSS		DD7C:											
Two-way Interoffice Channel Mileage Interof	<u> </u>	 		<u> </u>										<u> </u>			-	 	ļ
Interoffice Channel Mileage Fixed Each Including First Mile UEPPP 1LN1A 34.31 111.03 80.28 31.36 21.73		 		1	-							ļ		1	-		 	 	
Fixed Each Including First Mile UEPPP 1LN1A 34.31 111.03 80.28 31.36 21.73	<u> </u>			 	 	UEPPP		PR/UU	0.00	0.00	0.00			 				-	
Each Airline-Fractional Additional Mile 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates	<u> </u>	merom		 	 	LIEDDD		11 N11 A	3/1 2/1	111 02	80.20	31.26	21 72	 				-	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates		 		 						111.03	00.20	31.30	21.73	1			t	1	1
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates	-	4-WIRE		 	l	02111			0.1104								-		
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates		The UN	E-P DS1 combination rates below for in this rate exhibit anni	v to the	ember	ded base	in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	I	 	
UNE Port/Loop Combination Rates		Reques	ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective o	late of	this amen	dment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	discretion			1	1	1	
				1															
					1	UEPDC			82.22										

UNRUND	l FD	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: B
CHDOHDL		THE I WORK ELLINEITO - Ocorgia		l								Svc Order	Svc Order	Incremental		Incremental	
				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)						Order vs.	Order vs.	Order vs.
G/11 _ G G 11 1			m			0000			101120 (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
		W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
UNF	E Loo	op Rates															
	4	1-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
	4	1-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41										
	4	1-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
UNE		t Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NON		CURRING CHARGES - CURRENTLY COMBINED															
		1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
\bot		Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79						ļ		
1 1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
\vdash		Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79								
		1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
\vdash		Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79					ļ			ļ
ADD		NAL NRCs															
		1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
L		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LIDTTD		40.05	40.05								
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	UDTTC		13.95	13.95								
 		Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan			UEPDC	UDITC		13.95	13.95								
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
—		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		13.93	13.95								
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BIP/		R 8 ZERO SUBSTITUTION		1	OLI DO	ODITE		10.90	13.33								
<u> </u>		38ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
		38ZS - Extended Superframe Format			UEPDC	CCOEF			392.25s								
Alte		e Mark Inversion			02. 50	0002.		0.00.	002.200								
1		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele		ne Number/Trunk Group Establisment Charges															
		Felephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Felephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		OID Numbers, Establish Trunk Group and Provide First Group		1]]]
\vdash		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
\vdash		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							ļ	ļ		ļ
\vdash		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							ļ	ļ		ļ
\vdash		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers	L Dietri	11	UEPDC	NDV	0.00	0.00	0.00	1				 	 	1	
Ded		ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS'	i טוgital	Loop	WITH 4-WIRE DUITS T	runk Port				1				 	 	-	
1 1		nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities [ermination]		1	UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73			Ì	Ì		Ì
\vdash		i emination)		-	ULFDC	ILINUI	34.19	111.03	00.28	31.30	21./3			-	-	-	-
1 1	le	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00								
		nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities		 	02.00	ILINOA	0.1134	0.00	0.00					 	 		
1		Fermination)			UEPDC	1LNO2	0.00	0.00	0.00								
\vdash		nteroffice Channel Mileage - Additional rate per mile - 9-25			02. 00	.21102	0.00	0.00	0.00					1			1
1 1		niles			UEPDC	1LNOB	0.1154	0.00	0.00								
		nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities						2.20	2.30					1	1		1
		Fermination)			UEPDC	1LNO3	0.00	0.00	0.00								
	T	,															
		nteroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00								
	- 1	ocal Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
		Central Office Termininating Point			UEPDC	CTG	0.00										

UNBI	JNDLFI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	Each S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rat	e exhibit app	ly to the embe	dded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
		ets for 4-Wire DS1 Loop with Channelization with Port after th															
		S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
	1	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46,41	0.00	0.00								
	1	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00								
	UNE DS	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	86.06	0.00	0.00	İ	İ				İ	İ	İ
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00	İ	İ				İ		
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00	İ	İ				İ		
	†	192 DS0 Channel Capacity -1 per 8 DS1s		†	UEPMG	VUM19	344.32	0.00	0.00	t	1				t		
	†	240 DS0 Channel Capacity - 1 per 10 DS1s		†	UEPMG	VUM2O	430.40	0.00	0.00	t	1				t		
	†	288 DS0 Channel Capacity - 1 per 12 DS1s		†	UEPMG	VUM28	516.48	0.00	0.00	t	1				t		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio					0.00								
		num System configuration is One (1) DS1, One (1) D4 Channe						0.0				1					
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without		1													
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.07			1					
		ot Currently Combined) in all states, except in Density Zone 1				1											
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	J. 10p														
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
	Binolar	8 Zero Substitution			02: 11:0		0.00	0.0.0.	200.01	00.10	0.00						
	po.a.	Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s								
		Clear Channel Capability Format - Extended Superframe -			020	0000.	0.00	0.00.	002.200			1					
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
	Δiterna	te Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.001	002.200			1					
	Aiteina	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
-	1	Extended Superframe Format		1	UEPMG	MCOPO	0.00	0.00	0.00	 			l		 		
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1	5.50	5.50	3.30	t	1				†	1	1
		ge Ports	1			1	1		1	t	1				t	1	1
		Line Side Combination Channelized PBX Trunk Port - Business		1		1	1		1	t	1				t	1	1
	1	(E:4/1/2004)		1	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00		1		I		
	1	Line Side Outward Channelized PBX Trunk Port - Business					00	0.00	3.00	0.00	3.00	-	 				
1	1	(E:4/1/2004)		1	UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00		1		I		
<u> </u>	1	Line Side Inward Only Channelized PBX Trunk Port without DID		1	J. 17	521 0/	1.03	0.00	0.00	0.00	5.00				-		
		(E:4/1/2004)			UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00						
-	1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	J_1 1 /	JLI IX	1.09	0.00	0.00	0.00	0.00		l		 		
1	1	(E:4/1/2004)		1	UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		I		
	Feature	Activations - Unbundled Loop Concentration		 	J_1 1 /	JEI DIVI	5.50	0.00	0.00	0.00	0.00				 		
	. catale	Feature (Service) Activation for each Line Port Terminated in D4		1		 				-					-		
	1	Rank		1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95		1		I		
	1	Feature (Service) Activation for each Trunk Port Terminated in			J. 17		0.4000	12.30	0.00	1.90	1.55	-	 				
1	1	D4 Bank		1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1		I		
	Telenh	one Number/ Group Establishment Charges for DID Service		 	J_1 1 /	.1 & 170	0.4009	30.09	3.10	20.11	5.54				 		
	, elebili	DID Trunk Termination (1 per Port)		 	UEPPX	NDT	0.00	0.00	0.00	t		1			1		
-	1	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00	 	1	 			 	1	1
	1	DID Numbers - groups of 20 - Valid all States		 	UEPPX	ND4	0.00	0.00	0.00	t		1			1		
-	1	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00	 	1	 			 	1	1
-	1	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00		-	-	-		-	-	-
	1	ואפספי אפ האחוו-החושפהמתואפ חוה ואמוווחקופ	L	1	OLFFA	ואטט	0.00	0.00	0.00	L	1	<u> </u>	l		L	l	

ACRESION BATE ELEMENTS Trans. Tran																	
AATS CART PATE LEMENTS Part Par	UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	oit: B
RATE ELEMENTS INTO THE PROPERTY OF THE PROPERY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATESION RATE REMEMBY												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc			Intori									Elec	Manually			Manual Svc	Manual Svc
Secure DP Numbers Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				Order vs.
Fig. Part			m									po. 20.1	PG: 2011				Electronic-
																	Disc Add'l
MEDICAL DISTRICTS MARKET MARKET First Adert SOME SO														151	Add I	DISC 1St	DISC Add I
SECOND DIA NUMBERS 1 per post							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	U	
Comparison Com							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Comparison Com		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
FEATURES - Vertical and Optional	Loca																
Local Synchroling Testures Officed with Line Side Ports Only DEPTH DEPTH D. 775 D. 00 D. 0		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
Institution Committee Co	FEA	TURES - Vertical and Optional															
UNBURLED CENTERX PORTAGOP COMBINATIONS COST BASED RATES	Loca	I Switching Features Offered with Line Side Ports Only															
1. Coal Based Rates are applied where BallSouth is required by PCC and/or State Commission rule to provide tribunded Local Swintness tribunding or Switch Ports.		All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
2. Features shall apply to the Unbounded Port Accordination - Court Based Rise section in the same manner as they are applied to the Stand-Alons Unbounded Port section of this Rase Exhibits of this rase shall have a free from the following the post of the standard of the post of th	UNBUNDLE	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														
S. Fic Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply and common shorpers shall be recovering through your bod Currents ("Owner) when the disclosion ("Owner Switching" and the North Common Switching ("Owner Switching") in	1. Co	ost Based Rates are applied where BellSouth is required by FCC	and/or	State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
S. Fic Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply and common shorpers shall be recovering through your bod Currents ("Owner) when the disclosion ("Owner Switching" and the North Common Switching ("Owner Switching") in										dled Port secti	on of this Rate	Exhibit.					
A. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined combos, the nonrecurring sharpes shall be these identified in the Nonrecurring - Currently Combined sections. Additional MPIC may apply also and are categorized accordingly.													oin Port/Lo	op Combinat	ons.		
Section Sect	4. Tł	e first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in the	ne Nonrecu	rring - Curre	ntly Combine	ed sections.	Additional NR	Cs may
S. Marker Rates for Unburdied Centres Pert Copt Copt Control Control Control Copt Copt Copt Copt Control Control Copt Copt Copt Copt Copt Control Control Copt Copt Copt Copt Copt Copt Control Copt Copt Copt Copt Copt Copt Copt Copt			•			•		•					ū	•			•
UNE PORT Comparison Compa			be neg	otiated	on an Individual Ca	se Basis, un	til further notice	a.									
2. Wink VGL Copy2-Wink Voice Grade Port (Centres) Port Combo 1. WEPPORT WORK (St. Copy2-Wink Voice Grade Port (Centres) Port Combo 2. Wink VGL Copy2-Wink Voice Grade Port (Centres) Port Combo 3. WEPPORT 15.76						1	1										
UPP UPP						+											
2-Wie VS Loop/2-Wie Valoe Grade Port (Centres) Port Combo 1 UPP1 10.46						+											
Non-Design						+											
2-Wire Visit Corpt-Wire Visice Grade Port (Centres)Port Combo-Non-Design 2-Wire Visit Corpt-Wire Visit C				1	LIEP91		10.46										
Non-Design 2 DEP91 32.56					OLI 31	-	10.40										
2-Wife Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Non-Design Service Vol Copp2-Wife Voca Grade Port (Centres) Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres) Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Design Service Vol Copp2-Wife Voca Grade Port (Centres)Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres) Port Combo Service Voca Grade Port (Centres Port Port Combo Service Voca Grade Port (Centres Port Port Oft Port Port Port Port Port Port Port Por				2	LIED01		15.76										
Non-Design 2-Wirr Voluce Grade Port (Centrex) Port Combo-Design 1 UEP91 12.47					OLI 31		15.70										
New Port/Loop Combination Rates (Design)				2	LIED01		22.56										
2-Wire Vota Corporative Vota Grade Port (Centrex) Port Combo-Design	LINE			3	OLF91		32.30										
Design 1 UEP91 12.47	UNE					+	-										
2-Wire VLoop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1			1	4	LIEDO4		10.47										
Design			<u> </u>	-	UEP91		12.47										
Design		, , , ,		_	LIEDO4		47.05										
Design 3 UEP91 33.3.88			<u> </u>		UEP91		17.85										
Net Loop Rate					LIEDO4		00.00										
2. Wife Voice Grade Loop (St. 1) - Zone 1				3	UEP91		33.98										
2-Wire Voice Grade Loop (SL 1): Zone 2	UNE				LIEDOA	LIEGOA	0.50										
2-Wire Voice Grade Long (SL 1) - Zone 3 3 UEP91 UECS1 31.66																	
2-Wire Voice Grade Loop (SL 2) - Zone 1																	
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP91 UECS2 16.95																	
2-Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP91 UECS2 33.08																	
UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEP91 UEPYA 0.9019 10.05 7.36 1.37 1.28 1.37 1.28 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP91 UEP91 UEPYH 0.9019 10.05 7.36 1.37 1.28 1.37 1.28 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area UEP91 UEPYH 0.9019 10.05 7.36 1.37 1.28 1.37 1.28 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic UEP91 UEPYH 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area UEP91 UEPYH 0.9019 82.27 2.6.96 20.29 9.15 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEPYB 0.9019 82.27 2.6.96 20.29 9.15 - Wire Voice Grade Port terminated on Megalink or equivalent - Basic Local Area UEP91 UEPY9 0.9019 10.05 7.36 1.37 1.28 1.38 1.37 1.28 1.37 1.38 1.37 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.38 1.39 1.39 1.30 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.38 1.39 1.39 1.39 1.																	
All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEP91 UEPY2 0.9019 10.05 7.36 1.37 1.28 1.28 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.37 1.38 1.38 1.37 1.38 1.3		1 \ /		3	UEP91	UECS2	33.08										
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 0.9019 10.05 7.36 1.37 1.28																	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	All S						0.0010	40.05									
Area			ļ		UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic UEP91 UEPYH 0.9019 10.05 7.36 1.37 1.28					LIEBOA	LIEDY (S											
Local Area					UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP91 UEPYZ 0.9019 82.27 26.96 20.29 9.15 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEPY2 0.9019 10.05 7.36 1.37 1.28 3-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP91 UEPY2 0.9019 10.05 7.36 1.37 1.28 3-Wire Voice Grade Port (Centrex) UEP91 UEP91 UEP1A 0.9019 10.05 7.36 1.37 1.28 3-Wire Voice Grade Port (Centrex with Caller ID)1 UEP91 UEP91 UEP91 UEPHA 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP91 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 2-Wire Voice Grade Port, Centrex from diff Serving Wire UEP91 UEPHM 0.9019 82.27 26.96 20.29 9.15 9.15						l											
Note 2, 3 Basic Local Area					UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP91 UEPY2 0.9019 82.27 26.96 20.29 9.15 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEPY9 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area UEP91 UEP91 UEPY2 0.9019 10.05 7.36 1.37 1.28 Seorgia and Florida Only 2-Wire Voice Grade Port (Centrex) UEP91 UEP91 UEPHA 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex With Caller ID)1 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28																	
Term - Basic Local Area					UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEPY9 0.9019 10.05 7.36 1.37 1.28 Basic Local Area UEP91 UEPY1 UEPY2 0.9019 10.05 7.36 1.37 1.28 Georgia and Florida Only 2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 Georgia and Florida Only 2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPHB 0.9019 10.05 7.36 1.37 1.28 1.37 1.38 1.37 1.28 1.37 1.38 1.37 1.38 1.38 1.37 1.38 1.37 1.38 1.38 1.37 1.38 1.37 1.38 1.38 1.37 1.38 1.38 1.37 1.38 1																	
Basic Local Area					UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP91																	
Basic Local Area					UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						
Georgia and Florida Only UEP91 UEPHA 0.9019 10.05 7.36 1.37 1.28 UEP91 UEP91 UEPHA 0.9019 10.05 7.36 1.37 1.28 UEP91 U																	
2-Wire Voice Grade Port (Centrex)					UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex 800 termination)	Geo					1											
2-Wire Voice Grade Port (Centrex with Caller ID)1																	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3 UEP91 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15																	
Center)2,3 UEP91 UEPHM 0.9019 82.27 26.96 20.29 9.15 Second 10 cm 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27 26.96 20.29 9.15 UEPHM 0.9019 82.27					UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
			<u></u>		UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15						

LINBLE	NDI FI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	nit: D
ONDO	INDEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
-	Local S	Switching		<u> </u>													
	l! N	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237			-							
	Local	Local Number Portability (1 per port)			UEP91	LNPCC	0.35			-		-					
	Feature				OLF91	LINECC	0.55					1					
		All Standard Features Offered, per port		1	UEP91	UEPVF	0.775			†							
		All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port		†	UEP91	UEPVC	0.00	2.00		t				1	1		
	NARS				-		2.20			1							
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
	Interoff	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
-		Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP91	M1GBM	0.0057										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>													
	D4 Cna	Innel Bank Feature Activations			LIEDO4	4DOMC	0.4000										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP91	1PQWS	0.4689					-					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF91	IFQW0	0.4009										
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 0.		0.1000										
		Different Wire Center			UEP91	1PQWP	0.4689										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed				1		_	_	I				1	1		
		changes, per port			UEP91	USAC2		0.10	0.10					ļ	ļ		
\vdash		New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			 	 		
\vdash		New Centrex Customized Common Block		-	UEP91	M1ACC M2CC1	0.00	317.90	37.59	48.99	5.92			 	 		
\vdash		Secondary Block, per Block NAR Establishment Charge, Per Occasion		<u> </u>	UEP91 UEP91	URECA	0.00	77.10 0.00		-							
-		onal Non-Recurring Charges (NRC)			UEP91	UKECA	0.00	0.00									
\vdash	Auditio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	-		+				 		1	1	1	1		
		Premise			UEP91	URETL		8.33	0.83	I				1	1		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at				5		0.00	0.00	t				1	1		
		End Use Premise		1	UEP91	URETN		11.19	1.10	1							
	UNE-P	CENTREX - 5ESS (Valid in All States)			-	1				İ				İ	İ		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design		1	UEP95		10.46										
1 1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	l . ¯						_				1]		
		Non-Design		2	UEP95	1	15.76			ļ				ļ	ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								I				1	1		
\vdash		Non-Design		3	UEP95	1	32.56			.				 	 		
\vdash	UNE PO	ort/Loop Combination Rates (Design)		<u> </u>		1				!				 	 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP95		12.47			I				Ì	Ì		
oxdot		Design		<u> </u>	OLF 90		12.47			1		1	l .				

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	COBA	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA. L	00	INTE ELEMENTO	m	20110	500	0000			ιτΑι ΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ı	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
	+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_				FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
				2	UEP95		17.85										1
		Design			UEP95		17.85										+
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													i
		Design		3	UEP95		33.98										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										1
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86										1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66										l
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57										1
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										[
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										1
	UNE P	ort Rate															
	All Sta																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28	1	İ				
		2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28						ſ
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1			50		20	İ	İ	İ	İ		
		Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						1
	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 00	02	0.0010	10.00	7.00	1.01	1120						—
		Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						1
	+	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	OLI 33	OLI TIVI	0.3013	02.21	20.30	20.23	3.13	1					
					UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						1
		Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.21	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	LIEDVO	0.0040	40.05	7.00	4.07	4.00						ĺ
		- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															1
		Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						1
	FL & G	A Only															!
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						l
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						[
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						i
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local	Switching			02. 00	022	0.0010	10.00	7.00	1.01	1120						
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										—
\vdash	Local	Number Portability	 	 		3200	J.7201					 	 	 	 		
-	Local	Local Number Portability (1 per port)	 	1	UEP95	LNPCC	0.35					1	1	1	1		
-	Featur		 	1	OL1 30	LIVI 00	0.35					1	1	1	1		
	reatur	All Standard Features Offered, per port		1	UEP95	UEPVF	0.775					1					
					UEP95	UEPVS	0.775	0.00									
-	-	All Select Features Offered, per port		ļ				0.00									+
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
	NARS																
<u> </u>	1	Unbundled Network Access Register - Combination	<u> </u>	1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	1	ļ				
	4	Unbundled Network Access Register - Indial	ļ	1	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		ļ				
	1	Unbundled Network Access Register - Outdial	<u> </u>	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations	<u> </u>	<u> </u>		ļ											
	2-Wire	Trunk Side	ļ	ļ													
		Trunk Side Terminations, each	<u> </u>	1	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45		ļ				
	4-Wire	Digital (1.544 Megabits)	<u> </u>														
		DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057										
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1	i i					1					
		annel Bank Feature Activations		1			i i					İ					f

UNBI	JNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
3,150	,,10 <u>LL</u>	D ILL HOLL ELLINEITIO OCOIGIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						ļ		Nonrec		l Names according	. Diazana ant						
-	1			-		1	Rec	First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689	11130	Addi	11130	Addi	JOINLO	JOHAN	JONAN	JONIAN	JOWAN	JONIAN
		Today Today Con B Today Today Control 2005 Cot			02.00		0.1000			İ							
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.4689										
1	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.4689			1			1				
	-	Different wire Center			UEP95	TPQWP	0.4689										
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689			1							
		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			02. 00		0.1000										
	<u> </u>	Slot		<u>L</u>	UEP95	1PQWQ	0.4689			<u></u>		<u></u>			<u></u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689								_		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOS	110400		0.10	0.10						1		
		changes, per port			UEP95 UEP95	USAC2 M1ACS	0.00	0.10	0.10	48.99	5.92						
-	1	New Centrex Standard Common Block New Centrex Customized Common Block		-	UEP95 UEP95	M1ACS M1ACC	0.00	317.90 317.90	37.59 37.59	48.99	5.92	-	-		-		
\vdash	+	NAR Establishment Charge, Per Occasion		 	UEP95	URECA	0.00	0.00	31.39	40.39	5.92	-			t		
	Additio	onal Non-Recurring Charges (NRC)			OL1 30	ORLOR	0.00	0.00									
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	ļ <u> </u>	End Use Premise			UEP95	URETN		11.19	1.10								
-		CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Non-Design		1	UEP9D		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	LINIE B	Non-Design		3	UEP9D		32.56										
	UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													-		
		Design		1	UEP9D		12.47										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '-	021 00	1	12.7/										
1	1	Design		2	UEP9D		17.85			1			1				
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ĺ	İ				1			1		
	<u> </u>	Design		3	UEP9D		33.98										
	UNE L	oop Rate		.	LIEDOD	LIEOC :	0.50					ļ					
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56			 					1		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1 UECS1	14.86 31.66			 		 			 		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D UEP9D	UECS1	11.57			 		+					
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95			†		1			†	1	
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	33.08									1	
		ort Rate															
	ALL S								· · · · ·								
	1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	UEPYB	0.0040	40.05	7.00	4.07	4.00				1		
-	1	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		 	UEP9D	UEPIB	0.9019	10.05	7.36	1.37	1.28				+		
	1	Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				32. 10	3.5019	10.00	7.50	1.57	1.20						
		Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local					ĺ										
	1	Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local													1		
		Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28						

LINBLIND	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: B
ONDOND	LED NET WORK ELEMENTS - Georgia										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Name		l Names accoming	. Diazzanazat			220	Detec (\$)		1
\vdash						Rec	Nonrec First	arring Add'l	First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local						FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02. 03	02 0	0.0010	10.00	7.00	1.01	1.20						
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															ĺ
	Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						!
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						40.00	= 00								ĺ
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						+
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						ĺ
-	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLF 9D	OLF 13	0.9019	10.03	7.30	1.37	1.20						
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															1
\vdash	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						ĺ
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPTIVI	0.9019	02.21	20.90	20.29	9.15						1
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			02. 03	02 0	0.0010	02.2.	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						<u></u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															ĺ
\vdash	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						ĺ
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEFTS	0.9019	02.21	20.90	20.29	9.15						1
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3					0.00.0				00						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															i
	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						!
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	LIEDV7	0.0040	00.07	00.00	00.00	0.45						ĺ
\vdash	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15	-					
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						ĺ
—	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI 12	0.5015	02.27	20.00	20.20	0.10						——
	Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															ſ
\Box	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL	GA Only			LIEDAD	UEDU		10.0-									<u> </u>
\vdash	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28	-					
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPHB UEPHC	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28	-					
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						L
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28				-		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D UEP9D	UEPH3 UEPHH	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLFAD	UEFAR	0.9019	10.05	7.36	1.37	1.28	1					
	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28		1				1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28						

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	ibit: B
CITE	JINDEL		I	1								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA!L		KATE EEEMERTO	m	20.10	500	0000			itai Lo (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		 					Nonred	rurring	Nonrecurring	Disconnect		1	220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						11130	Auu	11130	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAN	COMPAR
		2.3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	1	2,0			02. 05	02	0.0010	OZ.Z.	20.00	20.20	0.10	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4	·		UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local	Switching															
	<u> </u>	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
	Local	Number Portability			LIEDAD	111500											
	 	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Featur				LIEDOD	LIED) /E	0.775										
	1	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	0.775 0.00	0.00									
	1	All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
	NARS	All Centrex Control Features Offered, per port			UEF9D	UEPVC	0.00										-
	IVANO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1					1
	+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations	†			5, 5,	0.00	0.00	0.00	0.00	0.00	<u> </u>					
		Trunk Side	1			1				1							
		Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
	4-Wire	Digital (1.544 Megabits)			-	1	2.20			1	31.10				l		
		DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	1	DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	13.95									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP9D	1PQWS	0.4689										ļ
			1		l												
	ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ	<u> </u>	UEP9D	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	ļ	Slot	ļ	ļ	UEP9D	1PQW7	0.4689										<u> </u>
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1							Ì							
	 	Different Wire Center	<u> </u>		UEP9D	1PQWP	0.4689								1		├
1		Facture Astination on D.4 Observal Book British 1711 Cont.	1		LIEDOD	40000/	0.4000			Ì							
-	 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	 	1	UEP9D	1PQWV	0.4689			1		1			-		
		Slot	1		UEP9D	1PQWQ	0.4689			Ì							
	1	Olul	1	1	0 トラロ	IFUVVU	0.4089					1			i		1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					-					·			
Note 4	- Requires Specific Customer Premises Equipment							•					•			
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to I	rate tru	e-up as set forth in	General Term	ns and Condition	ns.	•					·			

Version 3Q03: 11/12/2003 Page 115 of 348

														ı			
UNBU	NDLE	NETWORK ELEMENTS - Kentucky			T										ment: 2		bit: B
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	IOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<u> </u>		l		<u> </u>					L		<u> </u>			
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet V	Nebsite:	
OPER4		ww.interconnection.bellsouth.com/become_a_clec/html/inter- SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	m		1		I					I			1
		1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional'	' service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the service															
	each of	the 9 states.		-	-		-						-				
		(2) Any element that can be ordered electronically will be billed															
		nnot be ordered electronically at present per the LOH, the liste			e in this category ref	ects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	nual ordering	g charge,
	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.	ı		1		1		1			1	1		T
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				OOWEO		3.30	0.00	3.30	0.00						
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINDII	IDI ED 2	Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	2	UEANL UEANL	UEASL UEASL	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65						
<u> </u>		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAINL	ULAUL	31.11	40.00	22.37	20.05	7.00						1
1		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								

IINRII	NDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
01400	.4DEE					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
			1		1							Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		00.04	00.04								
	2 WIDE	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01								
\vdash	2-WIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
\vdash	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			«	JEGEN	13.13	77.31	20.09	20.04	0.03			1	I	 	1
	l	Premise			UEQ	URETL		8.33	0.83						1		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	†		i	<u> </u>	1	2.20	2.30	1					1	1	
	1	Non-Designed (per loop)	1		UEQ	USBMC		9.00	9.00						I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	1	BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		13.49	13.49						I	1	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	115 450	40.50	40.00	00.57	00.05	7.05						
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
\vdash		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	15.54	40.00	22.31	20.00	7.05						
		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	13.34	40.00	22.31	20.03	7.03						
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0. 02. 02	02,120	0	10.00	22.0.	20.00	1.00						
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88			<u> </u>	<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
igspace		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88				1		
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_	l	l		,								1	
	ļ	Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		23.01								ļ	ļ
	l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	١.,	L.E.	LIEADO	10.00	404.00	04.0=	70.00	44.00				1		
\vdash	 	Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88				1	-	
	l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				1		
\vdash	 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		ULA	JEAKZ	17.40	134.89	81.87	73.05	14.88					-	
1 1	1	Battery Signaling - Zone 3	1	3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				I	1	
\vdash	 	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	33.22	23.01	01.07	73.05	14.00				t	 	
\vdash	1	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.72	36.36					1	I	 	1
\vdash	1	Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.21	1.10					1	I	 	1
\vdash	4-WIRE	E ANALOG VOICE GRADE LOOP	1		1				0						1	1	
	T	4-Wire Analog Voice Grade Loop - Zone 1	†	1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66				1	1	
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	34.25	164.11	112.36	78.91	18.66			İ	1		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	ibit: B
			1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	USOC			RATES (\$)					Order vs.		Order vs.	Order vs.
OATEGORT	NATE ELEMENTO	m	20110		200	0000			ππι ΔΟ (ψ)			per LSR	per LSR		Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
						+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 14/1	RE ISDN DIGITAL GRADE LOOP					+		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
2-991	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN		U1L2X	18.44	146.77	95.02	71.38	13.83						-
-	2-Wire ISDN Digital Grade Loop - Zone 2			UDN		U1L2X	25.08	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN		U1L2X	42.87	146.77	95.02	71.38	13.83						
	Order Coordination For Specified Conversion Time (per LSR)		3	UDN		OCOSL	42.07	23.01	95.02	/1.30	13.03						
				UDN					44.40			ļ					<u> </u>
0.14/1	CLEC to CLEC Conversion Charge without outside dispatch	A TIBLE				UREWO		91.63	44.16			ļ					
2-771	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOUP	1													-
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL		UAL2X	10.82	141.98	79.73	69.02	44.47						
	& facility reservation - Zone 1		1	UAL		UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry		_	UAL													
	& facility reservation - Zone 2		2	UAL		UAL2X	11.79	141.98	79.73	69.02	11.47						
]	2 Wire Unbundled ADSL Loop including manual service inquiry	1	١.	l		l			= 0 =-			I	I				
	& facility reservation - Zone 3		3	UAL		UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 1		1	UAL		UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 2		2	UAL		UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 3		3	UAL		UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86.20	40.40								
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UHL		UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UHL		UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 3		3	UHL		UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 1		1	UHL		UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 2		2	UHL		UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 3		3	UHL		UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86.14	40.40								
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	0		O.K.E.V.O		00.11	10.10								†
	4 Wire Unbundled HDSL Loop including manual service inquiry	1	1														
]	and facility reservation - Zone 1	1	1	UHL		UHL4X	13.95	185.75	123.50	74.95	14.69	I	I				
	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	0		0.12.71	10.00	100.10	.20.00	7 1100	1 1.00						
	and facility reservation - Zone 2		2	UHL		UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry	-	-	OTIL		OTILTIC	10.00	100.70	120.00	74.00	14.00						
	and facility reservation - Zone 3		3	UHL		UHL4X	16.98	185.75	123.50	74.95	14.69						
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL		OCOSL	10.90	23.01	123.30	74.55	14.05						
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIL		OCCOSE		23.01									
	and facility reservation - Zone 1		1	UHL		UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	UNL		UHL4VV	13.93	104.93	114.04	11.32	15.60						
		1	2	UHL		UHL4W	15.68	164.95	114.04	77.32	15.80						
\vdash	and facility reservation - Zone 2	 	2	UHL		UHL4VV	15.68	164.95	114.04	11.32	15.80	1					
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	3	UHL		UHL4W	40.00	404.05	444.04	77.00	45.00						
\vdash	and facility reservation - Zone 3	!	3				16.98	164.95	114.04	77.32	15.80	1					
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL		OCOSL		23.01	40.7-			ļ					
	CLEC to CLEC Conversion Charge without outside dispatch	!	<u> </u>	UHL		UREWO		86.14	40.40						1		
4-WI	RE DS1 DIGITAL LOOP	<u> </u>	<u> </u>			1101301				0.0		ļ					
\vdash	4-Wire DS1 Digital Loop - Zone 1	!		USL		USLXX	86.47	306.69	174.44	65.83	14.55	1					_
	4-Wire DS1 Digital Loop - Zone 2	<u> </u>		USL		USLXX	114.10	306.69	174.44	65.83	14.55	ļ					ļ
	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL		USLXX	297.76	306.69	174.44	65.83	14.55	Į	<u> </u>				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			USL		OCOSL		23.01									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Names		Non no accessina	Diagona			220	Datas (ft)		
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		First 101.09	43.04	First	Add'l	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKLWO		101.09	43.04								
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
—	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	32.48	157.81	106.06	78.91	18.66				 		
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL UDL	UDL64 OCOSL	36.37	157.81 23.01	106.06	78.91	18.66				-		
 	CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO	 	102.13	49.75	1		1	-		1		1
2-WIDI	E Unbundled COPPER LOOP	1		ODL	JINE WO		102.13	45.75	1					 		
2 ****	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPVV	11.79	120.15	67.97	69.09	11.54						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	12.01	9.00	9.00	00.00							
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WIRI	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry		2	LICI	1101.40	17.00	470.01	100.00	74.6-	44.00		1		1		
	and facility reservation - Zone 2	1	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69				 		
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		1		1		
 	Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	20.10	9.00	9.00		14.09						-
	4-Wire Copper Loop-Designed without manual service inquiry	1			552.00		5.50	3.50	1		1			1		1
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		1		1		
	4-Wire Copper Loop-Designed without manual service inquiry	1												1		
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry															
\vdash	and facility reservation - Zone 3	1	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC	ļ	9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		07.00	42.48								
LOOP MODIFI		1		UOL	UKEWU	 	97.23	42.48	-			-		-		1
LOGI WIODIFI		1		UAL, UHL, UCL,	+				1					 		
				UEQ, ULS, UEA,	1											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1]						1		1		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1					İ							1		
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
				UAL, UHL, UCL,	1	Ι Π]		1		
	Halandia Halanda Markarana Barana (B. 1977)			UEQ, ULS, UEA,	1											
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	LILMET	j	40.47	40.47				1		1		
	per unbundled loop	1	<u> </u>	UEPSB	ULMBT	ı	10.47	10.47	I .		l .	l		L		l

CATEGORY SUB-LOOPS		Interi m	Zone	BCS	USOC						Svc Order Submitted		Incremental		Incremental	bit: B Incremental
SUB-LOOPS	3 Loop Distribution		Zone	BCS	usoc						Submitted	CL	Channa	A	OI	
SUB-LOOPS	3 Loop Distribution		Zone	BCS	USOC						Jubillitteu	Submitted	Charge -	Charge -	Charge -	Charge -
SUB-LOOPS	3 Loop Distribution		Zone	BCS	USOC						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
	-Loop Distribution							RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	-Loop Distribution											-	Electronic-	Electronic-	Electronic-	Electronic-
	-Loop Distribution												1st	Add'l	Disc 1st	Disc Add'l
	-Loop Distribution	1				1	Nonred		Nonrecurring	Dissennest			220	Rates (\$)		
	-Loop Distribution		<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Loop Distribution						FIISL	Auu i	FIISL	Auu i	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		1			1											f
	Up	1		UEANL	USBSA		207.91	207.91								í
																í
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		12.50	12.50								<u> </u>
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															1
	Facility Set-Up	- 1		UEANL	USBSC		80.87	80.87								<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															ł
	Set-Up	I		UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								==							í
\vdash	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+-	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Zone 2	1 .	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						1
\vdash	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '		UEAINL	USDINZ	9.00	65.03	39.05	39.61	7.90						
	Zone 3	1 .	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						ł
	2010 0	 ' -	3	S=/ 111L	555142	17.02	00.03	33.03	33.01	7.30						(
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						í
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						í
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						<u> </u>
																ł
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC	0.57	9.00	9.00	50.04	7.00						
\vdash	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
 	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Oub-Loop 4-Wile intrabuliding Network Cable (INC)	- '-		OLANL	OODIC4	4.50	70.43	30.31	05.24	10.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ł
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								i
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								i
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						i
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
						l										ł
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	7.00	9.00	9.00	05.01	10.00				ļ		
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X UCS4X	7.09	102.31	56.32	65.24	10.88						
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>	3	UEF	UCS4X UCS4X	8.66 19.40	102.31 102.31	56.32 56.32	65.24 65.24	10.88 10.88				-		
\vdash	4 vviile Copper Oribunialed Sub-Loop Distribution - Zone 3	- '	3	ULF	UU34X	19.40	102.31	56.32	ხე.∠4	10.88				1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC	l	9.00	9.00								i
\vdash	Loop Testing - Basic 1st Half Hour	1		UEF	URET1		46.88	46.88								$\overline{}$
	Loop Testing - Basic Additional Half Hour	†		UEF	URETA	İ	24.16	24.16								í
Unb	undled Network Terminating Wire (UNTW)						-									1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								i
Netv	vork Interface Device (NID)									•						
\vdash	Network Interface Device (NID) - 1-2 lines	<u> </u>		UENTW	UND12		73.53	49.47								
\vdash	Network Interface Device (NID) - 1-6 lines	ļ		UENTW	UND16		115.96	91.91								
\vdash	Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		8.56	8.56						ļ		
UNE OTUE	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	!	<u> </u>	UENTW	UNDC4	+	8.56	8.56	ļ					1		
ONE OTHER	NID - Dispatch and Service Order for NID installation	<u> </u>	<u> </u>	UENTW	UNDBX	0.00	0.00									
\vdash	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	-	UENTW	UENCE	0.00	0.00							1		1
+	OTT TO OFFICE IN LISTADISHITION, FIOVISIONING OTHY - NO Rate	†		UEANL,UEF,UEQ,U	CLINOL	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00									í
UNE OTHER	R, PROVISIONING ONLY - NO RATE	1				3.30	0.00									

LINDI	NDI E	D NETWORK ELEMENTS Kontucky												Attack		Fulci	L:4. D
UNBU	NULE	D NETWORK ELEMENTS - Kentucky	1			1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILC	OKI	KATE EEEMENTO	m	20116	БОО	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41.5115	0.05										
		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	UE3PX	000.04	554.00	338.08	470.00	400.40						
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	ILSND	9.25			-							
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP	MAKE-L				UDLOX	UDLST	320.51	331.36	330.00	173.00	120.42						
LOOF	WARL-C	Loop Makeup - Preordering Without Reservation, per working or								†							
		Ispare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility			OWIK	OWINE		23.40	25.40	†							
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or			O.I.I. C	O.V.II CE.		2	2								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE S	HARING	AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation	is comp	leted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	follows:							
	NOTE '	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
<u> </u>	SPLITT	TERS-CENTRAL OFFICE BASED	<u> </u>			III OD :	100.0-	C=2 2-		252.5-					 		
-		Line Sharing Splitter, per System 96 Line Capacity	1	-	ULS	ULSDA	198.83	379.05	0.00	358.55	0.00				-		
-		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	1	-	ULS ULS	ULSDB ULSD8	49.71 16.94	379.05 377.71	0.00	358.55 357.29	0.00				-		
\vdash	-	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	 		ULO	ししるひと	16.94	311.11	0.00	351.29	0.00		 		-		
1		Ideactivation (per LSOD)	1		ULS	ULSDG		173.62	0.00	100.40	0.00		1		1		
\vdash	END II	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	 		ULO	OLODG		173.02	0.00	100.40	0.00				1		
\vdash	U	Line Sharing - per Line Activation (BST Owned splitter) -				 				t			 		 		
		OBSOLETE see **NOTE 2	l		ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	1	1			3.01	510	220	20.17	0.00				1		
1		Central Office Located (25% of UCLND) - please see NOTE 1	1							I			1		1		
1		(E:10/2/2003)	1		ULS	ULSDT	2.65	37.16	21.28	20.17	9.90		1		1		
		Line Share Service, TRO per line activation, BST owned splitter -			-			20	0		2.30						
		Central Office Located (50% of UCLND) - please see NOTE 1	1							I			1		1		
		(E:10/2/2004)	l		ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1	1							I			1		1		
L		(E:10/2/2005)	L	<u> </u>	ULS	ULSDT	7.94	37.16	21.28	20.17	9.90			<u> </u>		<u> </u>	<u> </u>
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								
		Line Sharing - per Subsequent Activity per Line							·								
<u> </u>		Rearrangement(DLEC Owned Splitter)	ļ		ULS	ULSCS		32.90	16.43	ļ					ļ		
1		Line Sharing - per Line Activation (DLEC owned Splitter) -	1										1		1		
		OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		l				

UNBU	INDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
														Incremental		Incremental	
												Submitted		_	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CAILC	OKI	NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		Line Chara Canina TDO and line antimation CLEC accord						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see															1 '
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						1 '
		Line Share Service, TRO per line activation, CLEC owned			020	0200.	2.00		10.01	20.0.							
		splitter - Central Office Located (50% of UCLND) - please see															1 '
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															1
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						j '
	LINE S	PLITTING			OLS	OLSCI	7.54	47.44	19.51	20.07	12.74						
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
<u> </u>	BA A IN	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						├ ───
-		ENANCE No Trouble Found - per 1/2 hour increments - Basic		-		+		80.00	55.00			-					\vdash
		No Trouble Found - per 1/2 hour increments - Dasic						120.00	82.50								\vdash
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			11475.07	41.5307	0.04										1 '
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.01										
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						1 '
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						_									
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-														1 '
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						\vdash
		Per Mile per month			U1TVX	1L5XX	0.01										1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			011177	120701	0.01										
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															1 '
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115										
		Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						j '
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01157	01150	20.01	17.00	00		0.70						·
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															j '
		Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
		month			U1TD1	1L5XX	0.23										j '
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															ļ ,
		Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															j '
		month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4.97										
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						1 '
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					1,110110										
		month			U1TS1	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			=0.4	==0											j '
DARK	FIRER	Termination		-	U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75	-					
DAKK	IDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		<u> </u>		+						 					
1		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74										1
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				I											1
-		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01	700.50	400.07	077.07	044.07						
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67	1	1				1

HNP	INDI =	D NETWORK ELEMENTS - Kentucky												Attach	mont: 2	Exhil	nit. D
CND	JINDLE	NETWORK ELEMENTS - Remucky					1					Svc Order	Svc Order	Incremental	ment: 2	Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	COICI	KATE EEEMENTO	m	20116	ВОО	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RXX A	CCESS	TEN DIGIT SCREENING				-		11131	Auu	11130	Auu i	JONEC	JONAN	JOINAIN	JOHAN	JOINAIN	JOHAN
O/O/C/A	1	8XX Access Ten Digit Screening, Per Call			OHD	1	0.0006478										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID		0.0000470										
		Number Reserved			OHD	N8R1X		4.14	0.70								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			05	11011171			00								
		POTS Translations			OHD			8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15			0.70		7.00	0.00						
		POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		4.14	2.07								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR		†		1.5 5,1	1		2.51	t				1	1		
		Routing Per CXR Requested Per 8XX No.		1	OHD	N8FMX]	4.85	2.78	I				Ì	Ì		
	1	8XX Access Ten Digit Screening, Change Charge Per Request		†	OHD	N8FAX	1	4.85	0.70	t				1	1		
		8XX Access Ten Digit Screening, Call Handling and Destination				1		50		1				1	1		
		Features			OHD	N8FDX		4.14	4.14	1							
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE I	NFORM	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.000023										
		LIDB Validation Per Query			OQU		0.0137322										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59							
SIGNA	ALING (C	CS7)															
		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 S	SERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade		 		1	18.57	265.78	46.96	46.79	4.98			ļ	ļ		
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0115			ļ				ļ	ļ		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility												1	1		
<u> </u>	-	Termination		<u> </u>			29.11	47.34	31.78	22.77	8.75						
<u> </u>	-	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>			40.46	209.60	176.51	30.21	21.07						
<u> </u>	-	Local Channel - Dedicated - DS1 - Zone 2		<u> </u>			43.39	209.60	176.51	30.21	21.07						
<u> </u>	-	Local Channel - Dedicated - DS1 - Zone 3		<u> </u>			164.50	209.60	176.51	30.21	21.07						
-	1	Interoffice Transport - Dedicated - DS1 Per Mile		1		-	0.23			 				-	-		
		Interesting Transport Dedicated DC4 Dec Facility Transport					00.04	405.50	00.40	00.00	20.40						
CALL	NC NA	Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE		 		1	96.04	105.52	98.46	23.09	20.49						
CALL	NAIV	CNAM For DB Owners - Service Establishment		-	OQV	1		25.34	25.34	23.30	23.30			-	 		
\vdash	+	CNAM For Non DB Owners - Service Establishment		-	OQV	1		25.34	25.34	23.30	23.30			-	 		
-	1	CNAM For DB Owners - Service Provisioning With Point Code		1		1	1	25.54	20.04	23.30	23.30	1	1	1	1		
		Establishment		1	OQV]	1,591.54	1,177.08	431.95	317.61			Ì	Ì		
-	1	CNAM For Non DB Owners - Service Provisioning With Point		 	<u> </u>	+	 	1,581.54	1,177.00	431.93	317.01			 	 		
		Code Establishment		1	OQV]	546.40	393.74	438.93	317.61			Ì	Ì		
\vdash	1	CNAM for DB Owners, Per Query			OQV	1	0.0010348	340.40	353.14	430.33	317.01			1	1		
\vdash	1	CNAM for Non DB Owners, Per Query		 	OQV	+	0.0010348			 				 	 		
-	1	CNAM (Non-Databs Owner), NRC, applies when using the		l	~~.	+	0.0010040			-							
1		Character Based User Interface (CHUI)			OQV	CDDCH]	595.00	595.00	I				1	1		
SEL F	CTIVE R			l	<u></u>	320011		333.00	333.00	-							
J-LL.	1	Selective Routing Per Unique Line Class Code Per Request Per		l		+				-							
		Switch		1]	93.53	93.53	15.58	15.58			Ì	Ì		
	1	J= ····=·		·		<u> </u>		55.55	55.55	10.00	10.00	l	l	1	1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-						ı	Name		l Names and a	Diagonard			220	Detec (\$)		
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
VIRTUAL COL	I OCATION						First	Add'l	First	Add'l	SOWIEC	SOWAN	SOWAN	SOMAN	SOWAN	SUMAN
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO				OLI OK OLI OB	VETEO	0.0000	24.00	20.00	12.14	10.00						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
 	Initial Setup			AIIN	CAIVISE		43.33	43.33	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
-	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
+	AIN SMS Access Service - User Identification Codes - Per User				0,		0.01	0.0.	10.00	10.00						
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4608										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		8,436.93	8,436.93	44.93	44.33						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				Dru VX		0,400.00	0,400.00								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				DADTO		E4 04	E4 04	10.50	10 50	1	1				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	 		BAPTC		51.01	51.01	18.50	18.50	-	 				
	DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50	1	1				
	AIN Toolkit Service - Query Charge, Per Query				۱۱ ۱۱ د د	0.0549207	31.01	31.01	10.50	10.50				1		
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0066492]		1	1				
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	DADLO	2.22	0.50	0.50			1	1				
 	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	3.26	9.56	9.56								
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08	1	1				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			· · · · ·	2.11 20	7.72	5.04	0.04	3.00	3.00						
	Service Subscription			CAM	BAPES	0.11	9.56	9.56]		1	1				
ENHANCED E	(TENDED LINK (EELs)													1		
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE com	binations pro	visioned as ' C	Ordinarily Comb	ined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for											
EXTEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
		1									Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	curring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					00	
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			0.1017	O E / LEE	00.22	120.22	00.10	00.00	7.01	1					
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84								
																1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		1		Ì		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	l	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTE	ROFFICE TRANSPO	RT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1						40= 00		====							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	LINIONO	UEAL4	34.25	405.00	60.48	50.00	7.84						
	Interoffice Transport Combination - Zone 2	-		UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
h + + -	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.62	6.71	4.84	39.69	7.04	1					1
	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVA	IDIVG	0.02	0.71	4.04			-					ļ
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
FYT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				0.30	0.30	11.17	11.17						
LATI		I		TEROTTIOE TRAINS	I											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		1		1		
 	1		- '-	5.10DX	35230	21.09	120.22	00.40	33.09	7.04		 		 		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		1		Ì		
	: :							-								
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	Ť		1	33.57	.20.22	55.10	55.55	54				1		
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility													İ		
	Termination Per Month	l		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
L l	Interoffice Transport Combination - Zone 1	<u> </u>	_1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	<u> </u>	<u></u>		<u></u>		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84				L		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
1 1	Interoffice Transport Combination - Zone 3	L	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	<u> </u>	<u> </u>		<u> </u>		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky						-		-		_	_	Attach	ment: 2	Exhi	bit: B
0.1.20.1.2.2.											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OATEGORT	KATE EEEMENTO	m		500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	n Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-				1		11130	Auu	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	COMPAN
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
	Nonrecurring Currently Combined Network Elements Switch -As-			011057	.5.55		0									
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
EXTEN	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN													
		Ī														
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i
										_						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i
	The state of the s									_						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				Ì		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										i
	interoffice Transport - Dedicated - DS1 combination - Facility				1				t					1		
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i .
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									_						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						ı
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						i
	Additional OCU-DP COCI (data) - in combination - per month									_						
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT.											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										i
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														ĺ
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															ı
	Per Month			UNC3X	1L5XX	4.09										<u> </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															i
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39				ļ		
	3/1Channel System in combination per month	<u> </u>		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84						ļ		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	l .	l .	1				l					Ì		1
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_													1
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						├
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_													1
	Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				ļ		
	Additoinal DS1 COCI in combination per month	ļ		UNC1X	UC1D1	11.80	6.71	4.84	.					ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge	<u> </u>	<u> </u>	UNC3X	UNCCC		8.98	8.98	11.17	11.17						├
EXTEN	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	_			10.0-				-2.						├
 	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						1

UNBUN	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
011201												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				1											
		Month			UNCVX	1L5XX	0.01										
h +		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
-	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	PRT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month	1	1	UNCVX	1L5XX	0.01								I		1
		Interoffice Transport - 4-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42				1		1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
E	XTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge	<u></u>		UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	XTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				1		
		Interoffice Transport - Dedicated - DS1 combination - per mile	1	1											I		1
		per month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility			l .	1									1		1
		Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	<u> </u>			ļ		1
		1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	l	1									I		1
		Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	<u> </u>			ļ		1
1]		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 _	l	l					_				I		1
\vdash		Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 _											I		1
ļļ		Combination - Zone 3	ļ	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				.		1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINIONIX	11046									1		1
		month	ļ	<u> </u>	UNCNX	UC1CA	2.84	6.71	4.84			1					
		Nonrecurring Currently Combined Network Elements Switch -As-	1												1		1
-		ls Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	11.17	11.17	1					
	XIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				00 15	040 =0	444.00	00.00	47.00	1					
$\vdash \!$		First DS1 Loop Combination - Zone 1	ļ		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	ļ					├
		First DS1 Loop Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97	1	<u> </u>	l		l	

UNRI	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit· R
0.100	,.12LL	NET TORK ELEMENTO - Remucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100	
	ļ						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	1	First DC4 Lass Combination 7-1-2		2	LINICAV	LICLYY	207.70	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	-					
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
-	1	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILSAA	4.09			-		-					
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional DS1Loop in the same STS-1 Interoffice Transport						-									
		Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
	ļ	Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	1	Additional DS1Loop in the same STS-1 Interoffice Transport	1		l <u>-</u>					_				1	1		
	!	Combination - Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	<u> </u>	DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	11.80	6.71	4.84					ļ	ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
-	EVTEN	Is Charge	DO INT		UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	1	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	ONODA	ODESO	30.37	120.22	00.40	33.03	7.04						
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	41.577	0.04										
		Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.01			-							
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEG	17.25	30.03	33.07	30.31	22.72						
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		27.000		2.00	3.50	1							
	†	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			İ	Ì		
		First 2-wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	1	First Interoffice Transport - Dedicated - DS1 combination - Per]]		
	ļ	Mile			UNC1X	1L5XX	0.19										
		First Interoffice Transport - Dedicated - DS1 combination -															
	<u> </u>	Facility Termination per month	<u> </u>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			ļ	ļ		
<u> </u>	!	Per each DS1 Channelization System Per Month	 		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67			 	 		
<u> </u>	!	Per each Voice Grade COCI - Per Month per month 3/1 Channel System in combination per month	 		UNCVX UNC3X	1D1VG MQ3	0.62 158.20	6.71 115.48	4.84 56.53	15.12	5.30						
-	 	Per each DS1 COCI in combination per month	 		UNC3X UNC1X	UC1D1	158.20	6.71	4.84	15.12	5.30			-	-		
-	 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	 		014017	30101	11.00	0.71	4.04	t				1	1		
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	†	Each Additional 2-Wire VG Loop(SL2) in the same DS1		Ė		1	.2.07	.20.22	33.10	55.55	7.54			1	1		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	l											1	1		
	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		l <u>-</u>					_				1	1		
<u> </u>	ļ	Channel System per month	ļ		UNC1X	1L5XX	0.19			ļ				ļ	ļ		
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	l	same 3/1 Channel System per month	<u> </u>	l	OINCIA	UTIFI	79.02	181.24	123.53	50.72	22.32	l	<u> </u>	<u> </u>	1		

UNRUI	NDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: B
CIADO	IDEL	NETWORK ELEMENTO Remacky	1									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OA!LO	J. ()	TATE ELEMENTO	m	20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84	11130	Auu i	JONEC	JONAN	JONAN	JOHAN	JOHIAN	JOHAN
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	11.00	0.71	4.04								
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
	FXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				0.30	0.30	11.17	11.17						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		T	ANOI OILI W/ O/ I WI	1											
		Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
		First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	ONOVA	OL/1L-	20.20	120.22	00.40	00.00	7.04						
		Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
		First 4-Wire Analog Voice Grade Local Loop in Combination -			0.10171	02/12:	0 1120	120.22	00.10	00.00							
		Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	0.10171	02/12:	00.00	120.22	00.10	00.00	7.01						
		Mile Per Month	l	1	UNC1X	1L5XX	0.19						1		Ì		1
1		First Interoffice Transport - Dedicated - DS1 - Facility	1			. 20,01	5.10										
		Termination Per Month	l	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1		Ì		1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	0.62	6.71	4.84	1.50	1.07				1		<u> </u>
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10.17	00.5.	11.00	0									
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						ı
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	0.10171	02/12:	20.20	120.22	00.10	00.00	7.01						
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						i .
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10171	02/12:	0 1120	120.22	00.10	00.00							
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.19										1
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i .
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1													
		Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						1
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						-									
		Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i .
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 3	l	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1		Ì		1
		First Interoffice Transport - Dedicated - DS1 combination - Per		1													ſ
		Mile Per Month	l	1	UNC1X	1L5XX	0.19						1		Ì		1
		First Interoffice Transport - Dedicated - DS1 - combination															ſ
		Facility Termination Per Month	l	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1		Ì		1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						ſ
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								ſ
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
L l		Interoffice Transport Combination - Zone 1	<u> </u>	_1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	<u> </u>	<u></u>		<u> </u>		<u> </u>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
		Interoffice Transport Combination - Zone 2	<u></u>	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		<u></u>		<u> </u>	<u> </u>	1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
L l		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	<u> </u>	<u></u>		<u> </u>		<u> </u>
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)	<u></u>	<u> </u>	UNCDX	1D1DD	1.32	6.71	4.84	<u> </u>			<u></u>		<u> </u>	<u> </u>	<u> </u>
		Each Additional DS1 Interoffice Channel per mile in same 3/1						_									1
		Channel System per month	<u> </u>	<u></u>	UNC1X	1L5XX	0.19			<u></u>					L		<u> </u>
1 T		Each Additional DS1 Interoffice Channel Facility Termination in	l	1								l	1				1
		same 3/1 Channel System per month	L	Ш_	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			Disconnect				Rates (\$)		•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>													
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	CHODA	ODLOT	02.40	120.22	00.40	00.00	7.04						
	Transport Combination - Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	l]				
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	!	3	UNUDA	UDL04	30.37	120.22	00.48	59.69	7.84	-					
		1	1	LINICAV	41.5707	0.40			I		l]				
\vdash	Mile Per Month	 		UNC1X	1L5XX	0.19					ļ					
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
+	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLOT	32.40	125.22	00.40	33.03	7.04						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
			3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	40400	4.00	0.74	4.04								
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX				2.00	2.00								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1			1				†		1					
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
 	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	- '-	50177	JILLA	10.44	125.22	00.40	55.05	7.04	1					
	Transport - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	l]				
\vdash	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		OINCINA	UILZX	∠5.∪8	125.22	60.48	59.69	7.84	-					
	Transport - Zone 3	1	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	l]				
			3	UNCIX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1						I		l]				
	Mile per month	<u> </u>		UNC1X	1L5XX	0.19			ļ							
	First Interoffice Transport - Dedicated - DS1 combination -	1	1						I		l]				
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination - per month		<u></u>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67				L		
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	2.84	6.71	4.84	I		l]				
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		-		50			İ		İ	i				
	Combination - Zone 1	1	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	İ]				
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	- '-	50177	JILLA	10.44	120.22	00.40	55.05	7.04	1					
	Combination - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	İ]				
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		OINOINA	UILZA	20.08	123.22	00.48	59.69	7.64	 	H		-		
		1	3	LINICNIV	U1L2X	40.07	405.00	00.40	50.00	7.04	İ]				'
\vdash	Combination - Zone 3	1	3	UNCNX	UILZX	42.87	125.22	60.48	59.69	7.84	1					
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINIONIV	110404	201	0.71		1		1					
	system combination- per month		1	UNCNX	UC1CA	2.84	6.71	4.84								

CATEGORY RATE ELEMENTS Interact Inte	UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
Mode Price Address Price Address SOME				Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
Control Additional PST Interedition Character Parity Services SMAN SOMAN								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	<u> </u>
Each Additional CPS Imensities Character per risk in sense 31						1	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Exch Additional DST Intendition Channel registery growth and a series of the contribution of the contrib		Each Additional DS1 Interoffice Channel per mile in same 3/1															
Series 27 Channel System per morth Series					UNC1X	1L5XX	0.19										
Description of the process of the		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
In Charge					UNC1X	UC1D1	11.80	6.71	4.84								
Extractor white 60 LOOP with DEFORTATION TOWN 1 1 1 1 1 1 1 1 1 1		Nonrecurring Currently Combined Network Elements Switch -As-															
First 4 win DST Digital Loss Loop in Confinencian - Zince 2 1,860 KT 10,80 KT 21,070 114,60 63,96 17,97						UNCCC		8.98	8.98	11.17	11.17						
First 4-wer DST Digital Local Loop in Combination - Zero 2 2 UNCTX	EXTE		TRANS														
First A-wise DST Digital Local Loop in Combination - Zone 3 3 MICKX USUNX 29776 2/1070 114.60 63.96 17.97																	
First Intendinc Trainport - Decidated - DST commination - Per Mem UNC1X																	
Mile Per Momm				3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
Facility Tomination Per Month		Mile Per Month			UNC1X	1L5XX	0.19										
St Channel System in combination per month UNCSX MOS 115.48 56.53 15.12 5.30					LINICAV	LIATEA	70.00	404.04	400.50	50.70	22.22						
Per each DST COCI combination per month UNC1X UCIDI 11.80 6.71 4.84												-					
Each Additional SSI Interoffice Channel per mile in same 3/1 UNC1X 1L6XX 0.19	<u> </u>									15.12	5.30						
Channel System per month	—				UNCIX	OCIDI	11.00	0.71	4.04			1					
Same 3/1 Channel System per month		Channel System per month			UNC1X	1L5XX	0.19										
Esch Additional PST COCI in the same 31 channel system					UNC1X	U1TF1	79.02	181 24	123 53	56.72	22.32						
Combination per month					0.1017		70.02	.02.	.20.00	00.12	22.02						
1					UNC1X	UC1D1	11.80	6.71	4.84								
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 297.78 210.70 114.60 63.96 17.97 3 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17 II.17 III.17		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	LINC1X	LISL XX	86 47	210.70	114 60	63.96	17 97						
2		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLXX	00.47	210.70	114.00	05.50	17.57						
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 3 Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 8.98 8.98 11.17 11.		2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
Is Charge UNC1X		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3													
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1		Nonrecurring Currently Combined Network Elements Switch -As-															
First 4-wire 56 kbps Local Loop in combination - Zone 1		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
First 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE 1	FRANSPORT												
First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84																	
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Formination per month Nonrecurring Currently Combined Network Elements Switch - As- Is Charge EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 64 kbps Local Loop in combination - Zone 1 1 UNCDX UDL64 27.59 125.22 60.48 59.69 7.84 First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UDLCX UDL64 36.37 125.22 60.48 59.69 7.84 First 4-wire 66 kbps Interoffice Transport - Dedicated - Per Mile per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCD																	
Der month				3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
Termination per month		per month			UNCDX	1L5XX	0.01										
Scharge UNCDX UNCCC 8.98 8.98 11.17 11.17 11.17		Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT					UNCDX	UNCCC		8.98	8.98	11.17	11.17						
First 4-wire 64 kbps Local Loop in combination - Zone 1	EXTE		NTERO														
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 First Id-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCCC 8.98 8.98 11.17 11.17 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch As Is "Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As Is "Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As Is "Charge (One applies to each combination)						UDL64	27.59	125.22	60.48	59.69	7.84						
First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month Description Description Dedicated Description Dedicated Description Dedicated Description Dedicated Description																	
Der month				3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Termination per month UNCDX		per month			UNCDX	1L5XX	0.01										
Is Charge		Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-					UNCDX	UNCCC		8.98	8.98	11.17	11.17					-	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-	ADDITIONAL				-	1		2.20	2.30	1							
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)			ng cha	rges do	not apply, but a S	witch As Is cl	harge does app	oly.									
Nonrecurring Currently Combined Network Elements Switch -As-	When	used as ordinarily combined network elements in All States, t	he non-	recurrii	ng charges apply a	nd the Switch											
	Nonr		Charge	(One a	pplies to each com	bination)			•								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
0		y										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.	Order vs.	Order vs.	Order vs.
OA.L.		TOTAL ELEMENTO	m	20110	500	0000			ππι ΣΟ (ψ)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)	<u> </u>	
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						1 01	7.00.1		7.00.						
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
		Nonrecurring Currently Combined Network Elements Switch -As-						0.00									
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	01	01	OI						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		01	OI	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
		PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1						40.00	=								
		Local Channel in the same SWC as collocation		<u> </u>	U1TUD	1D1DD	1.32	10.07	7.08								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	2.84	10.07	7.08								
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	2.84	10.07	7.08	-	-	1					
		used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.0220	10.07	7.00			1	1				
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI used with Loop per month			USL	UC1D1	11.80	10.07	7.08	.02	0.00						
		DS1 COCI (used for connection to a channelized DS1 Local				1	50			<u> </u>	1			1	1		
1		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08	I	I			1	1		
	1	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08	1	1						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				1		1	1			İ					
		month			ULDD1	UC1D1	11.80	10.07	7.08								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOC	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)				1											
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
						L				1	1						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13			ļ			
										_	_						
<u> </u>	<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
1		Exchange Ports - 2-Wire VG unbundled KY extended local			LIEDOD	LIEDES 4			0.00	0.00							
-	1	dialing parity Port with Caller ID - Res.		1	UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13	1		-	ļ		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDED	UEPAP	4.40	0.74	2.00	0.00	0.40						
	<u> </u>	with Caller ID (LUM) Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan		-	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13			-	-		
		without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						
-	1	2-Wire voice unbundled Low Usage Line Port without Caller ID		1	OLI OK	OLFVVL	1.49	3.74	3.03	2.23	2.13	1	1				
1		Capability	1	1	UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13			Ì	Ì		
	1	oupdointy		1	OLI 01\	OFI IVI	1.49	5.74	5.03	2.23	2.13	l .		1	1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT				UEPSR	UEPVF	0.00	0.00	0.00								
2-WID	All Available Vertical Features E VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEFVF	0.00	0.00	0.00	-		-					
Z-Wiik	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1		UEPSB	UEPBIVI	1.49	3.74	3.03	2.23	2.13						
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan	1			,,,,,,		5	2.30		2.10	l –					
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT				LIEDOD	LIED) (E	0.00	0.00	0.00								
EVOL	All Available Vertical Features ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00	1							
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Unburidled 2-Way 1 BX Hullik - Nes 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP UEPSP	UEPXC UEPXD	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEPSP	UEPAD	1.49	39.05	10.17	15.36	0.69						
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area									0.00						
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			LIEDOD	LIEDY											
\vdash	Port Without LUD 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 		UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 		<u> </u>	OLI AL	1.45	55.05	10.17	15.56	0.09						
	Room Calling Port	1		UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		1				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1								- 72			1	1		1
	Discount Room Calling Port	<u> </u>		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
<u> </u>	Subsequent Activity	ļ		UEPSP	USASC	0.00	0.00	0.00								
FEAT				HEDOD HEDOE	HEDVE	0.00	0.00	0.00	 		-					
EYCU	All Available Vertical Features ANGE PORT RATES (COIN)	1		UEPSP UEPSE	UEPVF	0.00	0.00	0.00	 		-	-	1	1		1
EXCH	Exchange Ports - Coin Port	 			+	1.49	3.74	3.63	2.23	2.13						
Local	Switching Features offered with Port	1			1	1.43	5.74	5.05	2.25	2.10						
	: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.			
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features							· · · · · · · · · · · · · · · · · · ·								
<u></u>	included	ļ			UEPEX	101.60	188.36	95.15	61.92	22.67						
	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>	<u> </u>		1								ļ	ļ		ļ
EXCH	ANGE PORT RATES	1	1		l				l		<u> </u>	l	L	L		L

JNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The D	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla										
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	E: Transmission/usage charges associated with POTS circuit so	witched			rcuit switche	d voice and/or		ed data transm	ission by B-C	nannels associ	ated with 2-	wire ISDN	ports.			
	E: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	ocess.	
	HANGE PORT RATES (continued)				1							l				
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		1		1				İ	İ			İ	1		İ
	Locator Capability (E:4/1/2004)	1	1	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67			I	I		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1	UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67			t	t		1
	Physical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57			t	t		1
	Virtual collocation - Special Access & UNE, cross-connect per			02.2% 02.3%			11.20	01.00	12.01	11.07						
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
Detai	iled E911 with Locator Capability (required with UEPEX port)			02.20 02.30	0.1017		11.20	01.00	12.01	11.01				-		1
2014	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1									-		1
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IX	0.00	1,011.00		100.00					-		1
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
New (or Additional PRI Telephone Numbers			OLI LX	OLI ID	0.00	170.02									
INCW (Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.07	0.54									
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			ULFLX	OLFID	0.07	12.71	12.71								
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	0.54									
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
LOCA	AL NUMBER PORTABILITY			ULFLX	FINIZI	0.00	25.41	25.41								
LOGA	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			OLI LX OLI DX	LIVI CIV	1.75										
III LI	Voice/Data	 	 	UEPEX	PR71V	0.00	0.00	0.00					 	t	1	
	Digital Data	1	 	UEPEX	PR71D	0.00	0.00	0.00					 	1	1	
	Inward Data	 	 	UEPDX	PR71E	0.00	0.00	0.00					 	t	1	
New	or Additional Channel	 	1	OLI DA	1 1X/ 1L	0.00	0.00	0.00	1	1	1		 	 	1	
IACM (New or Additional - Voice/Data "B" Channel	 	1	UEPEX	PR7BV	0.00	15.48		1	1	1		 	 	1	1
	New or Additional - Digital Data "B" Channel	 	1	UEPEX	PR7BF	0.00	15.48		1	1	1		 	 	1	1
	New or Additional Inward Data "B" Channel	1	 	UEPDX	PR7BD	0.00	15.48						 	1	1	
	New or Additional Useage Sensitive Voice Data "B" Channel	 	 	UEPEX	PR7BS	0.00	15.48						 	t	1	
	New or Additional Useage Sensitive Voice Data B Channel	 	1	UEPEX	PR7BU	0.00	15.48		1	1	1		 	 	1	1
	New or Additional PRI "D" Channel	 	1	UEPEX	PR7EX	0.00	15.48		1	1	1		 	 	1	1
CALL	TYPES		 	OLI LX	I IVILA	0.00	15.40				1		 	 	1	1
CALL	Inward	 	 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00					 	t	1	
1	Outward		 	UEPEX UEPDA	PR7CO	0.00	0.00	0.00			1		 	 	1	1
	Two-way	-	-	UEPEX	PR7CC	0.00	0.00	0.00	-	-					1	1
IINDI	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1	OLI LA	1 1/1/00	0.00	0.00	0.00	-	-	-				-	
	UNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-		+				-	-					1	
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	-	UEPVR	UERAC	1.49	3.74	3.63	-	-					1	1
	Unburidied Remote Call Forwarding Service, Area Calling, Res	 	 	UEFVK	UERAU	1.49	3.74	3.63					-	-	-	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	1	UEPVR	UERLC	1.49	3.74	3.63					I	I		
1				IULE VIC	IUEKLU	1.49	3.74	3.03	1	1		1		i		

UNBUN	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
0.1.2011												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N1		T M	. D'			000	D-1 (A)		
							Rec	Nonrec	urring Add'l	First	g Disconnect	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	First 3.74	3.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N/		curring			UEFVK	UEKIK	1.49	3.74	3.03								
-	JII-ING	Unbundled Remote Call Forwarding Service - Conversion -								1							
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UI	NBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	1									_]	1	1]		
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63	ļ	ļ				ļ		
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63								
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.49	3.74	3.63	_					 		
		Unbundled Remote Call Forwarding Service Expanded and			LIED\/D	HEDVI	4.40	0.74	2.00	I		1	1		1		
L.		Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63	 	ļ				 		
NO.		curring Unbundled Remote Call Forwarding Service - Conversion -								-							
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
h		Unbundled Remote Call Forwarding Service - Conversion with			OLI VD	OOAOZ		0.10	0.10	1							
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDI		OCAL SWITCHING, PORT USAGE			OLI VD	00/100		0.10	0.10								
		ice Switching (Port Usage)								1							
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port - Shared, Per MOU					0.0002112										
Ta	nden	Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port - Shared, Per MOU					0.0002416										
		Tandem Switching Function Per MOU (Melded)					0.000094381										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000117538										
		Melded Factor: 48.65% of the Tandem Rate															
Co		on Transport					0.000000										
-		Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.000003 0.0007466			-							
LINDLIND		ORT/LOOP COMBINATIONS - COST BASED RATES					0.0007400										
		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	nmission rule to nr	l ovide Unbun	dled Local Swi	tching or Swite	sh Porte								
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	yhihit					
		ice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
		t and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)											,				
UI	NE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UI		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			ļ	ļ				ļ		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37			_					 		
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-		Voice Grade Line Port Rates (Res)			LIEDDY	LIEDDI	1 45	24.00	15 40	2.05	2.07				 		
\vdash		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	-		UEPRX UEPRX	UEPRL UEPRC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	-	 		-		
\vdash		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	-		UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67	 	 		1		
\vdash		2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing			OLFIX	OLFRU	1.15	21.29	15.49	2.65	2.07				1		
		parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67	1	1		1		
		2-Wire voice unbundles res, low usage line port with Caller ID					0	220	.5.40	2.00	2.07						
		(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67	1	1		1		
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67	<u> </u>	<u> </u>		<u> </u>		
		2-Wire voice unbundled Low Usage Line Port without Caller ID												_			
		Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67]]		

LINDLINI	N EF	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
ONDON	JLEL	NETWORK ELEMENTS - Remucky										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec					
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	\ I	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>						-	l	Managa		Name and a committee of	. Diazzanast			000	Detec (t)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FE	ATU																
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								<u> </u>
LC		NUMBER PORTABILITY															<u> </u>
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										<u> </u>
NO	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															L
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															i
		Switch-as-is			UEPRX	USAC2		0.10	0.10								<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
		Switch with change			UEPRX	USACC		0.10	0.10								1
AI	DDITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								i
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								1
OI		PREMISES EXTENSION CHANNELS		1				2.00	2.00			1			1		
	.,,	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65	1					
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						—
-		2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88	1					t
-		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88	1					t
				3	UEPRX	UEAED	33.22	134.89			14.88	-					
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRA	UEAED	33.22	134.89	81.87	73.65	14.88						
IIN		FFICE TRANSPORT										ļ					+
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	00.05	00.00	50.07	50.04	00.40						1
		Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															i
		or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															<u> </u>
UI		rt/Loop Combination Rates															l
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										L
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										l
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										1
UI	NE Lo	op Rates															[
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-		/oice Grade Line Port (Bus)															ſ
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						ſ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						ſ
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		l				ſ
		2-Wire voice Grade unbundled Kentucky extended local dialing				T -						1	İ		İ		
		parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67						1
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67				İ		
		2-Wire Voice Unbundled Kentucky Business Dialing Plan		t		1		220	.0.70	2.30	2.57	1	1		 		f
		without Caller ID		1	UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		1		l		1
		2-Wire voice unbundled Incoming Only Port without Caller ID		t		1		220	.0.70	2.30	2.57	1	1		 		f
		Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						1
110	CAL	NUMBER PORTABILITY		-	021 DA	JL, DL	1.13	21.23	15.43	2.00	2.07	1			 		
		Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35					1	l		1		
-	ATU			-	OLI DA	LIVIOA	0.33					1			1		
		All Features Offered		-	UEPBX	UEPVF	0.00	0.00	0.00			1			1		
B1/		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLI DA	OLF VI	0.00	0.00	0.00			1			1		
INC		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+						 	-		-		
					UEPBX	USAC2		0.40	0.10								1
\vdash		Switch-as-is		-	ULPDA	USAC2		0.10	0.10			1	 		 		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.40	0.40								1
- 		Switch with change		-	UEPBX	USACC		0.10	0.10			1	ļ		1		+
AI		DNAL NRCs				-						ļ	ļ				├
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1									1		İ		1
		Activity			UEPBX	USAS2		0.00	0.00								L

UNBU	INDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: B
CITE		NETWORK ELEMENTO Romadky										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination	1		UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42		1		I		1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
L	<u> </u>	Subsequent Activity	<u></u>		UEPRG	USAS2	0.00	0.00	0.00			<u></u>	<u></u>		<u> </u>		1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															1
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User												-		I	1
		Premise			UEPRG	URETL		8.33	0.83						<u> </u>	<u> </u>	<u> </u>
	OFF/OI	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											1		_		1
		Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												-		I	1
		or Fraction Mile			UEPRG	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE P	ort/Loop Combination Rates						, and the second									
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
	1	•										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGOR		RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nicon			. D'			000	D-1 (A)	ļ.	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-V	Vire \	/oice Grade Line Port Rates (BUS - PBX)															
		<u> </u>															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67	1	1		1		1
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling	1	1			0	220		2.30	2.57	1	1		†		
		Port	1	1	UEPPX	UEPOA									I		İ
-		2-Wire Voice Unbundled PBX LD Terminal Ports	 	1	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67	1	1	1	t	1	1
			1	-	UEPPX	UEPXA		21.29	15.49		2.67	 	 		-		-
	}	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	-			1.15			2.85		1	1	-	1	-	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	_	UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1	.				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	<u> </u>		UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67	ļ	ļ				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
	ļ	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1											I		İ
		Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
	ŀ	without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	OLITA	OLI OK	1.13	21.23	10.40	2.00	2.07	1					
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFFA	UEFAL	1.15	21.29	15.49	2.00	2.07	1					
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE.	ATUF																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NO	NRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		8.45	1.91						I		İ
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							***			1					
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91			1					1
AD	DITIO	DNAL NRCs	†		1			50				Ì	1		1		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	1	_	-					1	1		†		
		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00						I		İ
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	 	1	OLI I A	UUNUZ	0.00	0.00	0.00			1	1	1	t	1	
		Group	1	1				7.86	7.86						I		İ
		-·p	1	 				7.00	1.00			-	 		 		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	LIEDDY	LIDET		0.00	0.00						I		İ
		Premise	!		UEPPX	URETL		8.33	0.83			1	1	1	1	1	
OF	F/ON	PREMISES EXTENSION CHANNELS	!	<u> </u>	LIEDDY	DO II II I	10.0-	/0.00		== 0-		1			1		
		Local Channel Voice grade, per termination	<u> </u>	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88	1	ļ				
		Local Channel Voice grade, per termination	<u> </u>	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88		ļ		ļ		
		Local Channel Voice grade, per termination	<u> </u>	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88		L				ļ
		Non-Wire Direct Serve Channel Voice Grade	<u> </u>	1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80		L				
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
INT	TERO	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	1					1
						_						•					

UNBLINE)LFI	NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: B
3.450146		THE THE LEE HE TO THE HUCKY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
—				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
2-1/	//IDE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT		OLFFX	OTTVIVI	0.0093	0.00	0.00			1					
		rt/Loop Combination Rates	<u> </u>														
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UN		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										
2-V		/oice Grade Line Ports (COIN)		<u> </u>		1									1	 	
		2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		1			1	1
\vdash		2-Wire Coin 2-Way with Operator Screening (AL, KY)		1	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67				+		
		2-Wire Coin 2-Way with Operator Screening (AL, KT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLFCO	OLFKL	1.13	21.29	13.43	2.03	2.07						
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67				1		
h +		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			02. 00	02.101	0	220	10.10	2.00	2.01						
		(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Coin 2-Way with Operator Screening & Blocking:															
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.45	04.00	45.40	0.05	0.07						
_		011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67				-		
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	0	220	10.10	2.00	2.01						
		LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
AD	DITIO	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LO		NUMBER PORTABILITY															
]	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35	, i							ļ	ļ	ļ
NO		CURRING CHARGES - CURRENTLY COMBINED				 									1	ļ	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDCO	116460		0.40	0.40				1			1	1
		Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<u> </u>	UEPCO	USAC2		0.10	0.10						-		
		2-wire voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC	l	0.10	0.10				1		I	1	1
ΔD		ONAL NRCs			02, 00	20/100		0.10	0.10						-		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1 1	-					1			†	1	1
		Activity			UEPCO	USAS2	l	0.00	0.00						1		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				1		_								1	1
		Premise			UEPCO	URETL		8.33	0.83								<u> </u>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UN		rt/Loop Combination Rates		<u> </u>		 	10.55								1		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.90									ļ	ļ
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.68								 	 	
LIN		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3		1	34.45						-			-	-
UN		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67					1	-		 	1	1
		2-Wire Voice Grade Loop (SL2) - Zone 2	<u> </u>	2	UEPFR	UECF2	17.45								 	 	
		2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	33.22								1	1	1
2-V		Voice Grade Line Port Rates (Res)		Ť		1											
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97					1	1
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						

UNBUND	LED NETWORK ELEMENTS - Kentu	icky												Attach	ment: 2	Exhi	bit: B
0.120.12		,										Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	s	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
		+				1		Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)	<u> </u>	
—		+				1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky	extended local dialing						11131	Addi	11130	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	parity port with Caller ID - res	chionada ideai didiing			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundles res, low usage li	ne port with Caller ID			CLITIC	OLI IXW	1.20	120.00	04.11	01.02	0.01						
	(LUM)	ne port with earler ib			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
h + + + + + + + + + + + + + + + + + + +	2-Wire Voice Unbundled Kentucky Resid	ence Dialing Plan			02	02.7.	1.20	120.00	0	01.02	0.01						
	without Caller ID	ence blaning i lan			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INT	TEROFFICE TRANSPORT	+			OLITIK	OLI WL	1.23	120.30	04.11	01.32	3.31						
	Interoffice Transport - Dedicated - 2 Wire	Voice Grade - Facility															
	Termination	Voice Grade - Facility			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire	Voice Crade Der Mile			OLFIK	UTIVZ	23.93	90.09	33.07	30.31	22.42						
	or Fraction Mile	voice Grade - Per iville			UEPFR	1L5XX	0.0095										
	ATURES	-			UEFFR	ILSAA	0.0093										
FE					LIEDED	LIEDVE	0.00	0.00	0.00								
	All Features Offered				UEPFR	UEPVF	0.00	0.00	0.00	 							
LO	CAL NUMBER PORTABILITY				HEDED	LNDCY				1							
	Local Number Portability (1 per port)	ITI V COMPINE			UEPFR	LNPCX	0.35			.							
NO	NRECURRING CHARGES (NRCs) - CURREI																
	2-Wire Loop / Dedicated IO Transport / 2	Wire Line Port															
	Combination - Conversion - Switch-as-is				UEPFR	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2																
	Combination - Conversion - Switch-With-				UEPFR	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element	Tag Designed Loop at															
	End User Premise				UEPFR	URETN		11.21	1.10								
	VIRE VOICE LOOP/ 2WIRE VOICE GRADE I	O TRANSPORT/ 2-WIRE	LINE P	ORT (BUS)												
UN	E Port/Loop Combination Rates																
	2-Wire VG Loop/IO Tranport/Port Combo			1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo			2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo	- Zone 3		3			34.45										
UN	E Loop Rates																
	2-Wire Voice Grade Loop (SL2) - Zone 1			1	UEPFB	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2			2	UEPFB	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3			3	UEPFB	UECF2	33.22										
2-W	Vire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Call	er ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller	+ E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing or				UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97	İ					
	2-Wire voice Grade unbundled Kentucky																
	parity port with Caller ID - bus	3			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled incoming only p	ort with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97	İ	İ				
	2-Wire Voice Unbundled Kentucky Busin					İ				<u> </u>		İ	İ		İ		
	without Caller ID	3 44			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
LO	CAL NUMBER PORTABILITY						0			1	2.37	İ	İ		İ		
	Local Number Portability (1 per port)				UEPFB	LNPCX	0.35										
INT	TEROFFICE TRANSPORT						3.55			t							
	Interoffice Transport - Dedicated - 2 Wire	Voice Grade - Facility				1				 		 	 				
	Termination				UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42	l	I				
 	Interoffice Transport - Dedicated - 2 Wire	Voice Grade - Per Mile			OLI I D	51172	25.90	30.03	33.07	50.51	22.42	 	1				
	or Fraction Mile	. S.SC GIGGO - I GI WING			UEPFB	1L5XX	0.0095			I		İ	I				
FE	ATURES	+			סבווט	1LUAA	0.0095			 		 	 		1		
	All Features Offered	+			UEPFB	UEPVF	0.00	0.00	0.00			-	-				
NO	NRECURRING CHARGES (NRCs) - CURREI	ITI V COMPINED			סבווט	OLI VI	0.00	0.00	0.00	 		 	 		1		
NO	2-Wire Loop / Dedicated IO Transport / 2					+						-	-				
		vviie Lilie FOIT			UEPFB	USAC2		9.03	1.87	I							
	Combination - Conversion - Switch-as-is	Wire Line De-t			UEPFB	USAU2		9.03	1.87	 							
	2-Wire Loop / Dedicated IO Transport / 2				LIEDED	LICACO		9.03	4.07	1		1					
	Combination - Conversion - Switch with o				UEPFB	USACC		9.03	1.87	 							
	Unbundled Miscellaneous Rate Element	i ag Designed Loop at			LIEDED	LIDETNI		44.51	4	I		İ	I				
	End User Premise	TD 4 NODODT (0 1::::==		ODT (UEPFB	URETN		11.21	1.10	1							
	VIRE VOICE LOOP/ 2WIRE VOICE GRADE I	J IKANSPORT/ 2-WIRE	LINE P	UKT (I	-RY)												
UN	E Port/Loop Combination Rates					<u> </u>	10					ļ	ļ				
ı I	2-Wire VG Loop/IO Tranport/Port Combo	- ∠one 1		1		1	13.90										

UNRUME)LFI	NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: B
SINDONE	<u> </u>	HEI WORK LELWENTO - Rentucky		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
	•		m						== (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)	l	
h + +						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
h + +		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.68	11100	Auu	11130	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAN	COMPAN
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
UN		op Rates				+	01.10										
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22										
2-V		/oice Grade Line Port Rates (BUS - PBX)				1											
		,															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73			İ	İ	İ	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73			İ	İ	İ	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73			İ	İ	İ	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73			İ	İ	İ	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73				1		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					_										
		Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
		Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port					_	_									
		without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
LO	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
IN	TERO	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	\Box	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile		<u></u>	UEPFP	1L5XX	0.0095				L			L	<u></u>	L	
FE	ATU																
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										<u> </u>	<u> </u>	<u> </u>	_]	
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													1		
		Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					ļ		ļ	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at										<u> </u>	<u> </u>	<u> </u>	_]	
		End User Premise			UEPFP	URETN		11.21	1.10							ļ	
		ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>											ļ		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT											ļ	.		
UN		rt/Loop Combination Rates												ļ	.	ļ	
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30							ļ	.	ļ	
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08							ļ	.		
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85							ļ	.	ļ	
UN		op Rates		<u> </u>	LIEBBY	1				ļ							
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	12.67										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.45			ļ							
<u> </u>		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22			ļ							
UN		rt Rate			LIEDDY	LIEDE (600.1	AP F-	100 5	2.5						
		Exchange Ports - 2-Wire DID Port		l	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31				<u> </u>		

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: B
	•											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
1						-		Nonrec	urring	Nonrecurring	n Disconnect		l	088	Rates (\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	LECURRING CHARGES - CURRENTLY COMBINED					1		LIISI	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOMAN	SOWAN	SOWAN	SOWAN
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion					1	1			†		1					
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
ADDI	FIONAL NRCs			OLITA		00/110		7.00	1.01								
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OL: IX		00,101		02.20	02.20								
	End User Premise			UEPPX		URETN		11.21	1.10								
Telep	hone Number/Trunk Group Establisment Charges																
1	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIF	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE I	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR	!	25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			02	<u> </u>		01.02										
	UNE Zone 3		3	UEPPB	UEPPR		50.21										
UNE I	Loop Rates		Ŭ	02	02	1	00.21										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
	2 Tille legita elade 2005 elle 2010 i		i i	02	<u> </u>	OGLEX	10.10										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		40.63										
UNE I	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
NONE	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
ADDI	FIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User							_									
$oxedsymbol{oxed}$	Premise	L		UEPPB	UEPPR	URETL	<u> </u>	8.33	0.83	<u> </u>		<u> </u>	L	<u> </u>	<u> </u>	<u> </u>	1
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE					1											
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1							
VERT	ICAL FEATURES					 				.				ļ	.	ļ	
$oxed{oxed}$	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	ļ		<u> </u>			ļ		1
INTER	ROFFICE CHANNEL MILEAGE					1				ļ		<u> </u>			ļ		1
1 1	Interoffice Channel mileage each, including first mile and	1				1				I				Ì	I	Ì	1
	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
\vdash	Interoffice Channel mileage each, additional mile	<u></u>		UEPPB	UEPPR	M1GNM	0.01	0.00	0.00	.				ļ	.	ļ	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK					1	ll			l			<u> </u>	Ì	ļ		1
	NE-P DS1 combination rates below for in this rate exhibit apply													nt.	1		└
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	tive date o	of this amend	ment shall be p	provided pursu	ant to a separ	ate agreement	or tariff at Bel	iSouth's di	scretion.]	1]	1

HINDHINDI	.ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
ONBONDE	LED NET WORK ELEMENTS - Relitucky	1			1	I					Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add 1
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 3 Loop Rates		3	UEPPP		381.35										
UNE			1	UEPPP	USL4P	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	1		UEPPP	USL4P USL4P	114.10										
-	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	297.76					1					
LINE	Port Rate	1	J	OLI FF	USL4F	231.70			 					 		
JOINE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82				 		
NON	RECURRING CHARGES - CURRENTLY COMBINED	 		02111	J	00.09	730.10	302.74	133.40	70.02		 		 		
1131	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1			 						<u> </u>	 		 		
	Combination - Conversion - Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
ADD	ITIONAL NRCs			02	00,101	0.00	010	01.01								
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				1											
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
ļ	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CAL	L TYPES			UEPPP	DD7C4	0.00	0.00	0.00								
	Inward Outward			UEPPP	PR7C1 PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00			1					
Into	office Channel Mileage	1	 	OLFFF	1.K/00	0.00	0.00	0.00	1			 		1		
Inter	Fixed Each Including First Mile	 		UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49				1		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.23	100.02	33.40	20.00	20.49	<u> </u>	 		 		
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		02.71		0.20										
	UNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base in place a	s of 10/2/03 i	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1		
	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff													1		
	Port/Loop Combination Rates				1									İ		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	Ì	1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPDC	USLDC	114.10										
	4-Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPDC	USLDC	297.76			ļ					ļ		
UNE	Port Rate	ļ			1											
<u> </u>	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ		UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98				ļ		
NON	RECURRING CHARGES - CURRENTLY COMBINED	ļ			ļ											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								

HINDIII	NDI EF	NETWORK ELEMENTS - Kontucky												A441-	manti 2	E.J.:	hit. D
ONBU	NULEL	NETWORK ELEMENTS - Kentucky	ı	ı	I							Svc Order	Sun Order	Attach Incremental	ment: 2	Incremental	bit: B Incremental
1			1														
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	usoc			DATES (6)			Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-				Manne		Nonrecurring	- Di			000	Rates (\$)		
			-	-			Rec	Nonred				001150	001441			001441	0011411
-		A Miller DOA Divited Law / A Miller DDITO To all Days Overhiller	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWB		92.84	46.70								
-	ADDITIO	- Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs	-	-	UEPDC	USAWB		92.84	46.70								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	-	-													
					LIEDDO	UDTTA		15.09	45.00								
		Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	<u> </u>		UEPDC	UDITA		15.09	15.09								
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	<u> </u>		UEFDC	UDITE		15.09	15.09								
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEFDC	ODITO		15.09	15.09								
		4-wire DS1 Loop / 4-wire DD11S Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID	1	1	UEPDC	UDTTD		15.09	15.09						I	Ì	I
H		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1	OLFDC	טווטט		15.09	15.09			1	1		1		1
		Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		15.09	15.09						1		1
\vdash		R 8 ZERO SUBSTITUTION	-	 	OLFDO	ODITE		15.09	15.09	 		-				 	
\vdash		B8ZS -Superframe Format	-	 	UEPDC	CCOSF		0.00i	730.00s	 		-				 	
		B8ZS - Extended Superframe Format			UEPDC	CCOEF			730.00s			1					
		te Mark Inversion			UEPDC	CCOEF		0.001	730.008			1					
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			1					
-		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00						-		-
 		one Number/Trunk Group Establisment Charges			ULFDC	IVICOFO		0.00	0.00						-		-
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00			1					
-		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	0.00	0.00			1					
-		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00			1					
-		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00			1					
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
-		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers		1	UEPDC	NDV	0.00	0.00	0.00			1					
		ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Lloon			0.00	0.00	0.00			1					
	Dealcat	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	СООР	With 4-Wile DDITO 1	Tulik i Oit						1					
		Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
		•															
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	ľ	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
İ		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles	1	1	UEPDC	1LNOB	0.45	0.00	0.00						I	Ì	I
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0.00						I	Ì	I
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	<u>L</u>	UEPDC	1LNOC	0.45	0.00	0.00	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT	<u></u>														
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	Each Sy	stem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rat	e exhibit app	ly to the embe	dded base in p	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	Reques	ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
		1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
		O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00								
\Box		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00								
																	1
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG UEPMG UEPMG	VUM19 VUM2O VUM28	889.28 1,111.60 1,333.92	0.00 0.00 0.00	0.00 0.00 0.00								

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T 81	B'				D-1 (A)		
	1						Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00	FIRST	Addi	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
		480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,223.20	0.00	0.00			1					
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00			1					
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.112.48	0.00	0.00								
	Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio													
		mum System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
		Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	<u>d</u>									
	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			LIEDMO	\" IN 45 4	0.00	740.00	400.00	440.00	47.77						
	Dimeler	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
	Біроіаі	r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent				-											
		Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -			OLFING	CCOSI	0.00	0.001	730.005								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	Alterna	te Mark Inversion (AMI)			020	0002.	0.00	0.00.	. 00.000								
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchar	nge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			OLFFX	OLFIX	1.13	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			OZ. TX	02. 2	0.00	0.00	0.00	0.00	0.00						
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
1		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1		LIEBBY										I		
<u> </u>		Kentucky Only – Calling Plan (E:4/1/2004)	 		UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00	1		-	1	-	-
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan (E:4/1/2004)	l		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00				1		
\vdash	Feature	e Activations - Unbundled Loop Concentration	 		OLFFA	OLFOW	1.15	0.00	0.00	0.00	0.00	1		1	t	1	1
—	Catult	Feature (Service) Activation for each Line Port Terminated in D4				+	1	 				 			t		
1		Bank	l		UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15				1		
		Feature (Service) Activation for each Trunk Port Terminated in							1						1		
L		D4 Bank	<u> </u>		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
		one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00		•						
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
<u> </u>		Non-Consecutive DID Numbers - per number	ļ		UEPPX	ND5	0.00	0.00	0.00			ļ					
-	1	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00						1		
<u> </u>	I occi s	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00			1	1		1		
-	Local	Local Number Portability - 1 per port	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00			 		-	-	-	-
-	FEATU	RES - Vertical and Optional	1		OLFFA	LINFOR	3.15	0.00	0.00			1	1	1	 	1	1
		Switching Features Offered with Line Side Ports Only	1			 									-		
		All Features Available	1		UEPPX	UEPVF	0.00	0.00	0.00						1		
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S			1	2.00	2.00	2.00						1		
		Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.								

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
ONDONDE	- NETWORK ELEMENTO ROMANY	1									Svc Order	Svc Order			Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	_	_	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444
						Rec		curring	Nonrecurring			•		Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2. Fe	atures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	I-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
	d Office and Tandem Switching Usage and Common Transport														A 1 17071 NIE	
	e first and additional Port nonrecurring charges apply to Not Co	urrentiy	Comb	inea Combos. For	Currently Co	ombinea Combo	s, the nonrec	urring charges	snall be those	identified in t	ne Nonrecu	rring - Curr	entry Combine	ea sections.	Additional NR	ics may
	y also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will	ho nom	atiotod	on on Individual Co	oo Boolo un	til further netic	•		1		1			ı	1	
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualea	I an individual Ca	Se basis, un	til lurther notic	е.									
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1					1								
	Port/Loop Combination Rates (Non-Design)															
0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1						1					1			
I	Non-Design	<u> </u>	2	UEP91	<u> </u>	15.52		<u> </u>	<u> </u>		<u> </u>		<u> </u>			<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	<u></u>	3	UEP91		31.74							<u></u>			
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1					·						1			
\longmapsto	Design	ļ	1	UEP91		13.82		ļ					1			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP91		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOA		24.27										
LINIE	Design Pote		3	UEP91		34.37		1								
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										-
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP91	UECS1	14.37		†								
-	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	30.59		†								
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	33.22		İ								
UNE	Ports															
All S	tates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area		<u> </u>	UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		UEP91	UEPYZ	1 45	24.00	15.40	2.05	2.67			I	1	1	
\vdash	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	<u> </u>	UEF91	UEPIZ	1.15	21.29	15.49	2.85	2.67			-			
1 1	- Basic Local Area	1		UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67			I	1	1	
 	2-Wire Voice Grade Port Terminated on 800 Service Term -	!		02101	JE: 10	1.13	21.23	15.45	2.00	2.07			t	 	 	
1 1	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67			1			
AL. I	(Y, LA, MS, & TN Only	†		- " - "	T	0	220	.0.10	2.30	2.57			1	İ	1	
1,	2-Wire Voice Grade Port (Centrex)	†		UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67			1	İ	1	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u> </u>		UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			_										_		
	Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						
_	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1		[l			_					_	1]	
	Service Term	ļ		UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67			1		ļ	
	L	1											I	1	1	
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	<u> </u>	UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67			!	 	 	
10	2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67	1		1	 	 	1
Loca	I Switching Centrex Intercom Funtionality, per port	1	-	UEP91	URECS	0.8873		 			-		 	 	 	
1 000	I Number Portability	1		OLF31	UNLUG	0.0073		+	1				+	1	1	\vdash
Loca	Local Number Portability (1 per port)	-		UEP91	LNPCC	0.35		 					 	 	<u> </u>	
Feat		 	l	OL1 31	L. VI OO	0.33		-					-			
. cat		1	<u> </u>	l	1	I .		L	1		L		1	1	1	

UNR	UNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: B
OND	ONDEL		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
	Interof	fice Channel Mileage - 2-Wire					i										
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e:e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
<u> </u>	Additio	onal Non-Recurring Charges (NRC)	ļ												ļ	ļ	
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1]						1		I	I	
		Premise			UEP91	URETL		8.33	0.83						1	1	
	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at	l			L									1	1	
	1	End Use Premise			UEP91	URETN		11.21	1.10						.	.	
		CENTREX - 5ESS (Valid in All States)	 	\vdash		ļ											
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	\vdash		ļ											
	UNE P	ort/Loop Combination Rates (Non-Design)	 	\vdash		ļ											
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	ارا	LIEBOE										1	1	
	 	Non-Design	<u> </u>	1	UEP95	1	10.79			ļ					-	-	
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE		45.50						1		I	I	
	 	Non-Design	ļ	2	UEP95	1	15.52								-	-	
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1	3	LIEDOE		24.7.						1		I	I	
-	118:55	Non-Design	1	3	UEP95	1	31.74			1		1	ļ		 	 	
<u> </u>	UNE PO	ort/Loop Combination Rates (Design)	 	-		1				-					 	 	
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE		12.00						1		I	I	
-	1	Design	1	- 1	UEP95	1	13.82			1		1	ļ		 	 	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	UEP95		10.00						1		I	I	
-	+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		ULF90	1	18.60			-					 	 	
	1	Design	l	3	UEP95		34.37								1	1	
-	LINE	Design Dop Rate	 	3	UEP95	 	34.37			1			 			 	
	UNE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP95	UECS1	9.64								 	 	
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-			UECS1	14.37			1							
	1	Z-VVIIG VOICE GIAUE LOOP (OL 1) - ZUILE Z	l		OFL 22	ULUSI	14.37			1		L	l		1	L	

CATEGORY RATE ELEMENTS	UNBUNDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: B
## RATE ELEMENTS Intel® 20th Bus	ONBONDEE	NETWORK ELEMENTS - Remucky				1						Svc Order	Svc Order				Incremental
## BCS USOC PRINT Manual See Manual																	Charge -
CATECONY RATE ELEMENTS m Series BOS USC File No. Series Deliver Series																	Manual Svc
Best Best	CATEGORY	DATE ELEMENTS	Interi	Zone	RCS	LISOC			DATES (\$)								
SAME NUMBER CROSS DUE 551 1, 7 sep. 2 SAME NUMBER CROSS DUE 551 1, 7 sep. 2 SAME NUMBER CROSS DUE 551 1, 7 sep. 2 SAME NUMBER CROSS DUE 551 1, 7 sep. 2 SAME NUMBER CROSS DUE 551 2, 2 sep. 1 SAME	CATEGORI	KATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR				Order vs.
A																	Electronic-
Miles Mile														1st	Add'l	Disc 1st	Disc Add'l
Miles Mile	1					+		Nonroc	urring	Nonrocurring	Disconnect	-	l	088	Pates (\$)		l
2-Virti Vess Control Loss (28, 11 - Zenz 2				-			Rec					COMEC	COMAN			COMAN	SOMAN
2 Wins Vesser Context Long (E.C.) - Zone 1		0 Mins Vains Conda Lans (CL 4) - 7ans 0		2	LIEDOE	LIECC4	20.50	FIIST	Add I	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Local Area System Votes Grade Port (Centres of Barric Barric Local Area System Votes Grade Port (Centres of Barric Barric Local Area System Votes Grade Port (Centres of Barric Barric Local Area System Votes Grade Port (Centres of Barric																	
2-Vivi Votes Criste Service (1997) 200 3 3 10F995 10F995 10F994 115 212 15.69 2.85 2.67																	
URF For Table																	
All States				3	UEP95	UECS2	33.22										
2-Wine Vaca Grade Prof (Centres) Seas Local Anne UPP96 UPP97 1.56 2.26 2.66																	
2-Wile Viola Glass Pert Centres 800 immiliation UEP95 UEP78 1.15 21.20 15.40 2.86 2.67	All Stat					1											
2-We Voor Grade Prof (Centre voir of Serving Wine UEP96 UEP74 1.15 21.29 15.49 2.65 2.67																	
Age 2-WW Vote Grade Pot (Certise from fill Serving Wire UEP96 UEP74 1.15 21.29 15.49 2.85 2.87					UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
2-WW Valor Grade Prt (Centres Ton off Seving Wife Centre 2.3 -800 UEP96 UEP7M 1.15 21.29 15.49 2.25 2.67		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Centerij 2 State Local Ansa					UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		ļ				
Service Vision Grade Port, Dell's Serving Wise Centrier 23 - 900 UEP95 UEP72 1.15 21.29 15.49 2.65 2.67	1 -					1 7							<u> </u>		_	<u> </u>	
Service Term - Saic Local Area				<u></u>	UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
2-Wire Votes Grade Port terminated in an Megalink or equivalent UEP96 UEPV9 1.15 21.29 15.49 2.85 2.67		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
Beale Local Area	1	Service Term - Basic Local Area		1	UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67	1	l		I	Ì	
Beale Local Area	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
2-Vitre Votes Grade Port Terminated on 800 Service Term -	1				UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		1		1		
Basic Local Area							-			1			İ				
AL, KY, LA, MS, SC, &TN Only					UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
2-Wire Vocae Grade Port (Centrex) UEP96 UEP0A 1.15 21.29 15.49 2.85 2.67	AL. KY																
2-Wire Votos Grade Port (Centrox 800 termination)	7.=,				HEP95	ΠΕΡΩΔ	1 15	21 29	15.49	2.85	2 67	1					
2-Wire Voice Grade Port (Centrex with Califer ID)	+											1					
2.Wire Voice Grade Part (Centrex from diff Sensing Wire UEP95 UEP0M 1.15 21.29 15.49 2.85 2.67																	
Center 2.3 Cen	+			-	OLI 00	OLI QII	1.10	21.20	10.40	2.00	2.07						
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP05 UEP02 1.15 21.29 15.49 2.85 2.67					LIEDOE	HEDOM	1 15	21.20	15.40	2.95	2.67						
Term 2,3	-				ULF 93	ULFQIVI	1.13	21.29	13.43	2.03	2.07	-			-		
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPQ9 1.15 21.29 15.49 2.86 2.67					LIEDOE	LIEDO7	1 15	21.20	15 40	2.05	2.67						
Local Switching	-	161111 2,3			UEF93	UEFQZ	1.15	21.29	15.49	2.00	2.07	-			-		
Local Switching		2 Mine Vales Canda Destaurainated in an Manalini, as an air alast			LIEDOE	LIEDOO	4.45	04.00	45.40	2.05	0.07						
Local Switching																	
Centrex Intercom Funtionality, per port	- I				UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.07						
Local Number Portability Local Number Portability (1 per port) UEP95 LNPCC 0.35	Local S																
Lucal Number Portability (1 per port)					UEP95	URECS	0.8873										
Features	Local N																
All Slandard Features Offered, per port					UEP95	LNPCC	0.35										
All Select Features Offered, per port	Feature																
All Centrex Control Features Offered, per port																	
NARS				<u> </u>				405.66		ļ		1			ļ	ļ	
Unbundled Network Access Register - Combination		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
Unbundled Network Access Register - Indial UEP95 UAR1X	NARS																
Unbundled Network Access Register - Outdial																	
Miscellaneous Terminations																	
2-Wire Trunk Side					UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Trunk Side Terminations, each																	
4-Wire Digital (1.544 Megabits)	2-Wire																
DS1 Circuit Terminations, each					UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
DS1 Circuit Terminations, each																	
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX Irine Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -					UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1																
Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	Interoff	fice Channel Mileage - 2-Wire											İ				
Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62					UEP95	M1GBC	29.11			İ							
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1									İ	İ			İ	İ	İ	İ
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	Feature		e			1				İ	İ	1	İ	İ	İ	İ	İ
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot -						†				İ	İ			İ	İ	İ	İ
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot -	2.5110				UEP95	1PQWS	0.62			t	1			1	t	1	1
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			1			5.02						1		1	1	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62								I	Ì	
Slot UEP95 1PQW7 0.62 Seature Activation on D-4 Channel Bank Centrex Loop Slot -	 			t	02.00		0.02			†		-	 	 	—	 	
Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			1	LIEP95	1POW7	0.62						l		I	Ì	
		0.01		-	02.00		0.02			 			 		 	-	
1 Ditterent Wire Center	1	Different Wire Center		1	UEP95	1PQWP	0.62						l		I	Ì	

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	7	BCS	usoc			DATES (6)			Elec		Manual Svc			
CATE	JURT	RATE ELEMENTS	m	Zone	BCS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect		l.	oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	1 '
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62										j '
-	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWQ	0.62										$\vdash \vdash \vdash$
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 95	II QWA	0.02										
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
<u> </u>	<u> </u>	New Centrex Standard Common Block	<u> </u>		UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27					ļ	
<u> </u>	1	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	<u> </u>		UEP95 UEP95	M1ACC URECA	0.00	669.80 72.75	78.32	111.05	13.27				 		
—	Additio	onal Non-Recurring Charges (NRC)			OLF 30	UNLUA	0.00	12.15		1							
	aiti	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
1		Premise			UEP95	URETL		8.33	0.83						1		1 '
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					-										\longleftarrow
	UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															$\vdash \vdash \vdash$
		Non-Design		1	UEP9D		10.79										j '
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													İ		
		Non-Design		2	UEP9D		15.52										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															l l
		Non-Design		3	UEP9D		31.74										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.82										1 '
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 3D	+	13.02										\vdash
		Design		2	UEP9D		18.60										j '
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		3	UEP9D		34.37										
	UNE L	pop Rate		1	LIEBAR												
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D UEP9D	UECS1 UECS1	9.64 14.37										
\vdash	1	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	_	UEP9D	UECS1	30.59								 	1	
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67								—		
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22		•								
		ort Rate															
<u> </u>	ALL S				LIEDOD	LIEDYA	4.45	04.00	45.40	0.05	0.07						
\vdash	+	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	 	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67				 		
1		Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						1 '
	1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			02	102.10	1.13	21.20	10.40	2.00	2.07						
L		Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67	<u> </u>					1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local							· · · · · · · · · · · · · · · · · · ·		· · · · · ·						1
	1	Area	ļ	ļ	UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67						
1		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67						1 '
\vdash	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	1	OLFAD	UEFTE	1.15	21.29	15.49	∠.85	2.07				 	1	
1		Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67				1		1
	1	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			-	1	5	0									
		Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				I											1
	<u> </u>	Area	<u> </u>		UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area	1		UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		1			1	1 '
<u> </u>	1	nica	<u> </u>	l	OLFBD	ULFTU	1.10	21.29	15.49	2.65	2.07	1	l		1	l	

CATEGORY	RATE ELEMENTS 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area	Interi m	UEP9D UEP9D UEP9D UEP9D	UEPYV UEPY3 UEPYH UEPYW	Rec 1.15 1.15 1.15	Nonrec First 21.29 21.29	RATES (\$) curring Add'l 15.49	Nonrecurring First	J Disconnect Add'l 2.67	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D UEP9D	UEPYV UEPY3 UEPYH	1.15	First 21.29	curring Add'l	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D UEP9D	UEPYV UEPY3 UEPYH	1.15	First 21.29	curring Add'l	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D UEP9D	UEPYV UEPY3 UEPYH	1.15	First 21.29	curring Add'l	First	Add'l	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	m	UEP9D UEP9D UEP9D UEP9D	UEPYV UEPY3 UEPYH	1.15	First 21.29	curring Add'l	First	Add'l		•	Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15	First 21.29	Add'l	First	Add'l	SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add'l
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15	First 21.29	Add'l	First	Add'l	SOMEC	SOMAN	oss	Rates (\$)		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15	First 21.29	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15	First 21.29	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15	21.29				JOHLE	JOWAN	JOHAN	JOHIAN	JOHIAN	JOHIAN
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex from Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15		15.49	2.85	2 67						•
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D UEP9D	UEPY3	1.15		10.40								
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D	UEPYH		21 20			2.01						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D UEP9D	UEPYH			15.49	2.85	2.67						ł
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D		1 15	21.20	10.40	2.00	2.01						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D			21.29	15.49	2.85	2.67						ł
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			HEPYW/	1.10	21.23	13.43	2.00	2.01						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4				1.15	21.29	15.49	2.85	2.67						ł
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2-3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			JLI IW	1.13	21.23	15.45	2.00	2.07						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						ł
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		OLF9D	ULFIJ	1.13	21.29	13.49	2.03	2.07						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						ł
			OLF9D	OLFTIVI	1.13	21.29	13.49	2.03	2.07						
 	Dadio Local Alba		UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	-	OLF9D	OLFIO	1.13	21.29	13.49	2.03	2.07						
1			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						ł
\vdash	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	-	UEP9D	UEFTF	1.15	21.29	15.49	2.00	2.07						
			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						ł
\vdash	Basic Local Area		UEF9D	UEFTQ	1.15	21.29	15.49	2.00	2.07						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		LIEDOD	UEPYR	4.45	24.20	45.40	2.05	0.07						ł
	Basic Local Area	-	UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		LIEDOD	LIEDY(O	4.45	04.00	45.40	0.05	0.07						ł
	Basic Local Area		UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		LIEDOD	LIEDY/4	4.45	04.00	45.40	0.05	0.07						ł
	Basic Local Area	-	UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		LIEDOD	LIEDV6	4.45	04.00	45.40	0.05	0.07						ł
	Basic Local Area	-	UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		LIEDOD	LIEDY(0	4.45	04.00	45.40	0.05	0.07						ł
	Basic Local Area		UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		LIEDOD	LIEDV7	4.45	04.00	45.40	0.05	0.07						í
<u> </u>	Basic Local Area		UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		LIEDOD	LIEDV7	4.45	04.00	45.40	0.05	0.07						í
	Term 2,3		UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		LIEDOD	LIEDVO	4.45	04.00	45.40	0.05	0.07						ł
	Basic Local Area		UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		LIEDOD	LIEDVO	4.45	04.00	45.40	0.05	0.07						í
41 10	Local Area		UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	Y, LA, MS, SC, & TN Only		LIEDOD	LIEDO A	4.15	04.00	45.40	0.05	0.07						
\vdash	2-Wire Voice Grade Port (Centrex)		UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	1	UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)		UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		LIEBOE	UEDO:::		04.00	45	0.00	0.00						1
\vdash	Indication)4		UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														1
	2,3		UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						
			l						_						1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67	ļ	ļ				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						ł

		D NETWORK ELEMENTO															
UNB	UNDLE	D NETWORK ELEMENTS - Kentucky					1						· - ·		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTS	Interi	7	DCC	11000			DATES (#)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67	1					
	I ocal 9	Switching			02.05	02. Q2	0	21120	101.10	2.00	2.07	1					
	Looui	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
	Local	Number Portability			OLI 3D	UNLOG	0.0073										
	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Feature				OLF3D	LINFOC	0.33					-					
-	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00					-					
-	-				UEP9D	UEPVS	0.00	405.66				-					
-	-	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	403.66				-					
	NARS	All Centrex Control Features Offered, per port			UEP9D	UEFVC	0.00										
	INAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
							0.00	0.00			0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X			0.00	0.00							
	Minnel	Unbundled Network Access Register - Outdial laneous Terminations			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
-		Trunk Side															
-	z-wire				LIEDOD	CENIDO	40.54	00.40	45.00	50.40	F 20						
	4 100	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
	4-wire	Digital (1.544 Megabits)			LIEBAR			10100									
		DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09									
	interof	fice Channel Mileage - 2-Wire			LIEDOD	MACEC	00.11				ļ			1			
<u></u>		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11					1					
	+	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP9D	M1GBM	0.01				ļ			1			
<u> </u>		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е			1					ļ			1			
<u> </u>	D4 Cha	annel Bank Feature Activations			LIEDOD	400000				ļ							
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
1	1		l		l	1						1	l				
<u> </u>	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		<u> </u>	UEP9D	1PQW6	0.62						ļ				
1	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1			4B01/											
<u></u>	1	Slot			UEP9D	1PQW7	0.62					1					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.62						ļ				
													1				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
1	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop									<u> </u>			1			
L		Slot			UEP9D	1PQWQ	0.62				<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
	1	changes, per port	l		UEP9D	USAC2		0.102	0.102			1	l				
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
	1	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27			İ	İ		

UNRIII	NDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: B
3.120	··	THE THORK ELEMENTO ROMANNY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise Profil			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOD	UDETN		44.04	4.40								
	IINE D	End Use Premise			UEP9D	URETN		11.21	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
\vdash	UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			+	+				1			1	+	1	1
		Non-Design	1	1	UEP9E		10.79							1	I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+ -	OLI OL	+	10.79				 			 	 		
		Non-Design	1	2	UEP9E		15.52							1	I		
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			0_1 0L	+	10.02			1				 	t		
		Non-Design	1	3	UEP9E		31.74							1	I		
	UNE P	ort/Loop Combination Rates (Design)	1				01.74				1			1	1		
	<u> </u>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		34.37										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										
		ort Rate															
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
\vdash		Area	 		UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67			 	!	1	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEP9E	UEPYH	4 45	24.20	15 40	2.05	2.07			1	I		
\vdash		Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		UEP9E	UEPTH	1.15	21.29	15.49	2.85	2.67			 	 		-
		Center)2,3 Basic Local Area	1		UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67			1	I		
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	 		OLI 3L	OLI IIVI	1.13	21.29	15.49	2.05	2.07			1	t	1	1
		Service Term - Basic Local Area	1		UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67			1	I		
 		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OL	ULI IZ	1.13	21.29	10.49	2.00	2.07			 	t		
		- Basic Local Area	1		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67			1	I		
 		2-Wire Voice Grade Port Terminated on 800 Service Term -	1			52.10	1.10	21.20	10.40	2.00	2.07	1		 	I		
		Basic Local Area	1		UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67			1	I		
	AL, KY	, LA, MS, & TN Only			- "		5	220	.0.10	2.50	2.57			İ	1		
	,	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67				1	İ	İ
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67				1	İ	İ
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3	<u> </u>		UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67			<u> </u>	<u></u>	<u></u>	<u></u>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873								1		
	Local N	Number Portability	l			Ì	l				Ì			Ì	l		

UNRU	NDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit: B
ONDO	INDEL	RETWORK ELLINERY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OAILO		TOTAL ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1	1	Nonrec	urring	Nonrecurring	Disconnoct		l .	066	Rates (\$)		
-			-	 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Lacel Niverbas Destability (Assessed)		<u> </u>	UEP9E	LNPCC	0.35	FIRST	Add I	FIRST	Addi	SUMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	F 1	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature						2.22										
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00	40= 00									
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86				İ		
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09					l				
	Interoff	ice Channel Mileage - 2-Wire											l				
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	29.11										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	1													
		nnel Bank Feature Activations	1	1													
	D+ Cita	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
		realure Activation on 5-4 Charmer Bank Centrex Loop Stot			OLFBL	IFQWS	0.02										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	 	ULF3L	IFQWO	0.02										
					LIEDOE	40014/7	0.00										
		Slot	-	-	UEP9E	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use											l				
ı	1	Premise		1	UEP9E	URETL		8.33	0.83			1	1		l		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	 		1	 	0.00	0.00			I	1		 		
		End Use Premise			UEP9E	URETN		11.21	1.10								
	IINF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1	02.02	OTTENT			0								
—		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	 		+						1			 		
—		ort/Loop Combination Rates (Non-Design)	 	 		+									 		
-	SIVE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		+	 			-		+	1		 		
ı	1	Non-Design		1	UEP93		10.79					1	1		İ		
—			1	+	OLF 30	+	10.79			-		 	-				
ı	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOS		45.50					1	1		İ		
<u> </u>		Non-Design	<u> </u>	2	UEP93	1	15.52			1		-	ļ		1		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOO		04					1	1		İ		
<u> </u>		Non-Design	1	3	UEP93	1	31.74										
	UNE Po	ort/Loop Combination Rates (Design)	1	ļ													
	l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1								1	1		İ		
		Design		1	UEP93		13.82										
1	l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1								1	1		İ		
1		Design	<u> </u>	2	UEP93		18.60					<u> </u>	<u> </u>		<u> </u>	<u></u>	<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									p 0 0	P	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
<u> </u>	Design		3	UEP93		34.37										
UNE L	oop Rate		<u> </u>	LIEBOO	LIEGOA	0.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93 UEP93	UECS1	14.37					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1 UECS2	30.59 12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	17.45										
—	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22						-				
LINE D	ort Rate		3	OLI 33	02002	33.22										
	, LA, MS, & TN only	 			+ -						 			 		
AL, KI	2-Wire Voice Grade Port (Centrex) Basic Local Area	†		UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67	1			 		
 	2-Wire Voice Grade Port (Centrex) Basic Educat Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	l	02.00	JEI I/X	1.10	21.23	10.40	2.00	2.07						
	Area		1	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		- "		5	220	.0.70	2.30	2.57				1		1
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
+	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			UEF93	UEPQIVI	1.15	21.29	15.49	2.00	2.07		-				
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	Oervice reini			OLI 33	OLI QZ	1.13	21.23	13.43	2.00	2.07						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port	<u> </u>	<u> </u>	UEP93	UEPVC	0.00					<u> </u>					
NARS			 	115000	1											ļ
\vdash	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	ļ					
\vdash	Unbundled Network Access Register - Indial	 	<u> </u>	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	}		1	 		1
Micaal	Unbundled Network Access Register - Outdial laneous Terminations	 	-	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	1	-	-	 		
	Trunk Side	 			+ -				1		}		1	1		1
2-44116	Trunk Side Terminations, each	1	1	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	1	-				
4-Wire	Digital (1.544 Megabits)	 		J_1 50	021400	10.51	32.10	13.02	52.10	5.50	 			 		
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09		22.30	2.30			İ			İ
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination	1		UEP93	M1GBC	29.11					İ					1
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		-				•								
D4 Cha	nnel Bank Feature Activations	<u> </u>														L
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP93	1PQWS	0.62			ļ					ļ		
	Factors Astination on D.4 Observed Book EVIII - Older	1		LIEDOS	4001440	0.00								1		1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	<u> </u>	<u> </u>	UEP93	1PQW6	0.62					1	<u> </u>	l	<u> </u>		l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	? - Requres Interoffice Channel Mileage							•		•						
	- Installation is combination of Installation charge for SL2 Lo	op and	Port							•						
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 155 of 348

														ı			
UNBU	NDLE	NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
												1			Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OBY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc		Manual Svc	
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							l		L		<u> </u>	L	L	l	l		
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograpi	hically Deavera	aged UNE Zone	e Designatio	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
OPER4		ww.interconnection.bellsouth.com/become_a_clec/html/inter- SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	m I		1				I			I	1		1
		1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
		ther the state specific Commission ordered rates for the service															
		the 9 states.		•			•	3 3	, , .								
	NOTE: (2) Any element that can be ordered electronically will be billed	ed acco	rding 1	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be ordere	ed electronica	lly. For thos	e elements
		nnot be ordered electronically at present per the LOH, the liste			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	nual ordering	g charge,
	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				COMEO		3.50	0.00	3.50	0.00						
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE SI	RVICE	DATE ADVANCEMENT CHARGE				0011011		10.20	0.00	.0.20	0.00						
	NOTE:	The Expedite charge will be maintained commensurate with E	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE E - L'IV OL O' - 'I - L' - A - ' LL LIOOO			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUC, U1TUD, U1TUB. U1TUA	SDASP		200.00									
UNRUN	DLED F	XCHANGE ACCESS LOOP			OTTOB, OTTOM	ODAGE		200.00									1
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87								ļ
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEASL UEASL	12.90 23.33	36.54 36.54	16.87 16.87								1
<u> </u>	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	23.33 48.43	36.54 36.54	16.87			-	-				
—		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	S=/ 111L	JL/ 10L	70.73	30.34	10.07								
'		Premise			UEANL	URETL		8.33	0.83				1				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								

UNRU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
214100	HULL			l								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)		<u> </u>	UEANL	UEAMC		7.92	7.92								
'		Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		47.50	47.50								
	2 WIDE	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
\vdash	2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	12.40	35.27	15.60	-							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	14.32	35.27	15.60								
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	«	JEGEN	10.07	55.21	13.00	I		<u> </u>		 	I	 	1
1		Premise	1	1	UEQ	URETL	l	8.33	0.83	I				1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	†		1		İ	2.50	2.00	1					1		
1		Non-Designed (per loop)	1	1	UEQ	USBMC	l	7.92	7.92	I				1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
1 '		BST providing make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU	l	13.04	13.04	I				1	I	1	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	115 450	40.00	00.54	40.07	0.00	0.00						
		Zone 1		7	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	25.55	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 0. 02. 02	027120	10.10	00.01		0.00	0.00						
'		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
		EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.93	102.10	65.72						<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							<u> </u>								
<u> </u>		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	25.35	102.10	65.72						1		
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	L	1				1					1		
<u> </u>		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	50.46	102.10	65.72								
└		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	ļ	UEA	OCOSL		17.56						ļ		ļ	ļ
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	44.00	400.40	05 =0						1		
$\vdash \vdash \vdash$		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.93	102.10	65.72	 				 	 	ļ	
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	100 10	65.72						1		
$\vdash \vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	-	ULA	UEAKZ	∠5.35	102.10	05.72	 				-	 	-	
1		Battery Signaling - Zone 3	1	3	UEA	UEAR2	50.46	102.10	65.72	I				1	I	1	
\vdash		Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	30.40	17.56	05.72	t				 	t	 	
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.59	36.30	I		<u> </u>		 	I	 	
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.20	1.10	I		<u> </u>		 	I	 	1
\vdash	4-WIRE	E ANALOG VOICE GRADE LOOP	1		1			5	0	t				1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1	†	1	UEA	UEAL4	30.81	127.40	91.02	1				İ	1	1	
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.32	127.40	91.02	1					1		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$) Sec Order Submitted Submit	Charge - Svc Manual Svc Ss. Order vs. Electronic- Add'l OSS Rates (\$)	Charge - Manual Svc Order vs.	bit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$)	Charge - Svc Manual Svc Order vs. Electronic- Add'l OSS Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Internal Zone BCS USOC RATES (\$) Electron Per LSR Per	Svc Manual Svc s. Order vs. Electronic- Add'l OSS Rates (\$)	Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Intelligent Cone BCS USOC RATES (\$) Per LSR Per LSR Order Electron First Add" First Add" First Add" SOMEC SOMAN SOME SO	Order vs. Electronic- Add'I OSS Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Electron	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
Rec	Add'I OSS Rates (\$)	Disc 1st	Disc Add'l
Rec Nonrecurring Nonrecurring Nonrecurring Nonrecurring Nonrecurring Some	OSS Rates (\$)		
2-WIRE ISDN Digital Grade Loop - Zone 1		SOMAN	SOMAN
2-WIRE ISDN DIGITAL GRADE LOOP 1	N SOMAN	SOMAN	SOMAN
2-Wire ISDN Digital Grade Loop - Zone 1			COMPAN
2-Wire ISDN Digital Grade Loop - Zone 2			
2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 65.18 113.34 76.96			
Order Coordination For Specified Conversion Time (per LSR) UDN UREWO 91.49 44.09 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 UAL UAL2X 14.09 117.08 68.36 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 U			
CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 14.09 117.08 68.36 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 14.09 117.08 68.36 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 15.75 117.08 68.36 Corder Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 12.29 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 14.09 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 15.75 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 15.75 92.83 56.02 3 UAL UAL2W 15.75 92.83 56.02 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.07 40.34 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservatio			
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 1 UAL UAL2X 12.29 117.08 68.36 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 14.09 117.08 68.36 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08 4 UAL2X 15.75 117.08			
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1			
& facility reservation - Zone 1			
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 14.09 117.08 68.36 2 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 15.75 117.08 68.36 2 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 3 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 0 UAL UAL2X 15.75 117.08 68.36 UAL UAL2X 15.75 117.08 68.36 UAL UAL2X 15.75 117.08 68.36 UAL UAL2X 15.75 117.08 68.36 UAL UAL2X 15.75 117.08 68.36 UAL UAL2X 15.75 UAL UAL2X 15.75			
Reactify reservation - Zone 2			
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 15.75 117.08 68.36			
& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2X 15.75 117.08 68.36 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 12.99 92.83 56.02 UAL UAL2W 14.09 92.83 56.02 UAL UAL2W 14.09 92.83 56.02 UAL UAL2W 14.09 92.83 56.02 UAL UAL2W 15.75 UAL UAL2W 14.09 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 UAL UAL2W 15.75 UAL UAL2W 15.75 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W UAL2		+	-
Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.29 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.09 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 15.75 92.83 56.02 17.56 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.07 40.34 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.79 125.50 76.77 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 11.52 125.50 76.77			I
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1	-	1	
facility reservaton - Zone 1	+	+	1
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 14.09 92.83 56.02 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 15.75 92.83 56.02 17.56 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.79 125.50 76.77 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 UHL UHL2X 11.52 125.50 76.77			
facility reservation - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 15.75 92.83 56.02 Drider Coordination for Specified Conversion Time (per LSR) UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 92.83 56.02 UAL UAL2W 15.75 17.56 UAL UREWO 86.07 40.34 UAL UREWO 86.07 40.34 UAL UREWO 2-Wire Unbundled HDSL Loop including manual service inquiry 4 facility reservation - Zone 1 UHL UHL2X 9.79 125.50 76.77 UHL UHL2X 11.52 125.50 76.77	-	+	t
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 15.75 92.83 56.02 UAL OCOSL 17.56 UAL OCOSL 17.56 UAL UREWO 86.07 40.34 UAL2W UREWO 86.07 40.34 UAL2W UREWO 86.07 40.34 UAL3W UREWO 86.07 40.34 U			
facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 17.56 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.07 40.34 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.79 125.50 76.77 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 UHL UHL2X 11.52 125.50 76.77		+	
Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 UHL UHL2X 11.52 125.50 76.77			
CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL.) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry 2 UHL UHL2X 11.52 125.50 76.77			
2-WIRE HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 11.52 125.50 76.77			
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 11.52 125.50 76.77 2 Wire Unbundled HDSL Loop including manual service inquiry 2 UHL UHL2X 11.52 125.50 76.77			
& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 UHL UHL2X 9.79 125.50 76.77 2 UHL UHL2X 11.52 125.50 76.77			
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 11.52 125.50 76.77			
2 Wire Unbundled HDSL Loop including manual service inquiry			
0 5-21/4			
8 facility reservation - Zone 3 UHL UHL2X 12.74 125.50 76.77			
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 17.56			
2 Wire Unbundled HDSL Loop without manual service inquiry			
and facility reservation - Zone 1 1 UHL UHL2W 9.79 101.24 64.43 64.43			
2 Wire Unbundled HDSL Loop without manual service inquiry			
and facility reservation - Zone 2 2 UHL UHL2W 11.52 101.24 64.43 64.43			
2 Wire Unbundled HDSL Loop without manual service inquiry			
and facility reservation - Zone 3 3 UHL UHL2W 12.74 101.24 64.43 664.43		ļ	ļ
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 17.56		ļ	ļ
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.00 40.34		-	
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		1	!
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 16.24 153,26 104,54			I
	+	+	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 16.65 153.26 104.54			I
and facility reservation - Zone 2 UHL UHL4X 16.65 153.26 104.54 16.65 4-Wire Uhbundled HDSL Loop including manual service inquiry	-	+	
and facility reservation - Zone 3 UHL UHL4X 17.34 153.26 104.54			I
and lacinty reservation - Zone 3 3 UPL UPL4X 17.34 153.26 104.94	+	1	t
Order coolination for specialed conversion fine (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry 14-Wire Unbundled HDSL Loop without manual service inquiry	+	+	t
and facility reservation - Zone 1 1 UHL UHL4W 16.24 129.00 92.20		1	1
4-Wire Unbundled HDSL Loop without manual service inquiry	+	1	I
and facility reservation - Zone 2 UHL UHL4W 16.65 129.00 92.20			I
4-Wire Unbundled HDSL Loop without manual service inquiry		1	İ
and facility reservation - Zone 3 3 UHL UHL4W 17.34 129.00 92.20		1	1
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 17.56		1	İ
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.00 40.34		İ	1
4-WIRE DS1 DIGITAL LOOP			
4-Wire DS1 Digital Loop - Zone 1 1 USL USLXX 85.70 245.16 152.98			
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 194.96 245.16 152.98			
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 491.94 245.16 152.98			
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 17.56			

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-W	/IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48								
	Order Coordination for Specified Conversion Time (per LSR)		_	UDL	OCOSL	00.00	17.56	05.40								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48		-						
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	3	UDL UDL	UDL64 UDL64	36.78 38.92	121.86 121.86	85.48	1	-	 		-			
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	38.92	121.86	85.48		 				 		
	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UDL	UREWO		17.56	49.67	1	-	 		-			
2 14	/IRE Unbundled COPPER LOOP	-		UDL	UKEWU		101.97	49.67								
2-41	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual		-	OOL	OCLI D	12.23	110.10	07.40		1	1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
—	2 Wire Unbundled Copper Loop-Designed including manual			OOL	OOLI D	14.00	110.10	07.40								
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.70	7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual			002	0020		7.02	7.02								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual					-										
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-W	/IRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry		_													
	and facility reservation - Zone 3	1	3	UCL	UCL4S	10.99	139.69	90.96	ļ		ļ					
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	1	<u> </u>	UCL	UCLMC		7.92	7.92		-	<u> </u>		 	-	ļ	ļ
	4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	1101.04	20.0-	445.40	70.00		I			1	I		
\vdash	and facility reservation - Zone 1	1	1	UUL	UCL4W	22.27	115.43	78.63	1	 	1		 	 		
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63		I			1	I		
\vdash	4-Wire Copper Loop-Designed without manual service inquiry	1	-	UUL	JOL4VV	10.95	110.43	10.03		+	}		1	 	1	1
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63		I			1	I		
	Order Coordination for Unbundled Copper Loops (per loop)	1	-	UCL	UCLMC	10.59	7.92	7.92	1	 	 		 	t		
	CLEC to CLEC Conversion Charge without outside dispatch	1	†	JUL	JOLIVIO		1.52	1.32	1	 	 		 	t		
	(UCL-Des)			UCL	UREWO		91.92	42.47		I			1	I		
LOOP MOD	DIFICATION	1	!		5,		01.02	74.41	1	-	1		 	I		
			1	UAL, UHL, UCL,	1					1			İ	1		
				UEQ, ULS, UEA,	İ					I			Ì	I		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	İ					I			Ì	I		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00		I			1	I		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1								Ì					
	less than or equal to 18K ft, per Unbundled Loop	<u> </u>	L	UHL, UCL, UEA	ULM4L		0.00	0.00	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,	1					I			1	I		
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	1					1				1		
	per unbundled loop			UEPSB	ULMBT		12.15	12.15		l						

	ED NETWORK ELEMENTS - Louisiana												Allacii	ment: 2	EXNI	bit: B
											Svc Order		Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Nonrec		Nonrecurring	n Dissennest			220	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS							THOL	Addi	11130	Auu i	JOHILO	JOHAN	JONAN	JONIAN	JONIAN	JONAN
	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1			7.57										
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>		UEANL	USBN2	7.57	63.89	30.06								
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	2	UEANL	USBN2	12.75	63.89	30.06								
	Zone 3	I	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		7.92	7.92								
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS2X	6.26	63.89	30.06								
\vdash	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06	 		 					
	·	<u> </u>	Ĭ			.2.70										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	8.03	7.92 76.75	7.92 42.92			-					
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X UCS4X	10.71	76.75 76.75	42.92			1	-		1		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
Unbu	Indled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
Netw	ork Interface Device (NID)			-/11VV	J = 1 11 1	0.0404	17.72	17.72			 	 				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	İ	42.26	27.83								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43								
\Box	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
LINE CTUES	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
UNE OTHER,	PROVISIONING ONLY - NO RATE			LIENTW	LINIDDY	0.00	0.00				-					
\vdash	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UENTW	UNDBX UENCE	0.00	0.00		-					-		
	ONTIVE OFFICER IS ESTABLISHINGTH, PROVISIONING OTHY - NO RATE			UEANL,UEF,UEQ,U	OLINGE	0.00	0.00				†					
1 1	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00				ļ					

LINIDI	INDIE	D NETWORK ELEMENTS. Lavisiana												A 11 1		F. 1.1	
UNBU	NDLE	D NETWORK ELEMENTS - Louisiana		1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JOINT	KATE EEEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	24 24 21	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH	APACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per								-							
		Imigh Capacity Unbundled Local Loop - DS3 - Per Mile per Imonth			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	10.04										
		Termination per month			UE3	UE3PX	362.34	438.46	256.30	I			1		1		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UES	UESFA	362.34	430.40	230.30								
		Imonth			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.04										
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP	MAKE-L																
	1	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE S		AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		<u> </u>													
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 66	C amplian ambuta air			b.f	0-4-1	00							
		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	ULSC	c applies only to cil	cuits instail	ed and inservic	e on or before	October 1, 20	U3							
		TERS-CENTRAL OFFICE BASED								-							
\vdash	SELIT	Line Sharing Splitter, per System 96 Line Capacity		 	ULS	ULSDA	187.17	183.33	0.00	 	 				 		
	1	Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDB	46.79	183.33	0.00	-			 		 		
	1	Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	15.59	183.33	0.00	 			 		 		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					12.00		2.00	1	Ì						
1		deactivation (per LSOD)			ULS	ULSDG]	83.98	0.00	I			1		1		
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
<u></u>		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29	<u></u>	<u> </u>				<u> </u>		
		Line Share Service, TRO per line activation, BST owned splitter -															
1		Central Office Located (25% of UCLND) - please see NOTE 1]			I			1		1		
L		(E:10/2/2003)		 	ULS	ULSDT	3.10	17.97	10.29	ļ	ļ						
1		Line Share Service, TRO per line activation, BST owned splitter -]			I			1		1		
1		Central Office Located (50% of UCLND) - please see NOTE 1		1		LUODT	0.00	47.00	40.00	1							
<u> </u>	1	(E:10/2/2004)		<u> </u>	ULS	ULSDT	6.20	17.97	10.29	!	1				 		
1		Line Share Service, TRO per line activation, BST owned splitter -]			I			1		1		
1		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)		1	ULS	ULSDT	9.30	17.97	10.29	1							
—	1		-	 	ULO	ULOUI	9.30	17.97	10.29	 	-		 		-		
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)		1	ULS	ULSDS		15.91	7.95	1							
 	1	Line Sharing - per Subsequent Activity per Line	-		OLO	OLODO	1	18.61	7.95	+	1		 		1		
		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		15.91	7.95	1							
	1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1		0_0	31000		15.31	1.33	-			 		 		
1		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	1			1		Ì		
	1			1	ı -		0.01	71.77	10.01	1	1	l	·		1		

CATEGORY RATE ELEMENTS Interior Date BCS USC RATES (8) Section Secti	BUNDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
ATTEMPT Part												Svc Order	Svc Order				
Part Part																Charge -	Charge -
CATEGORY RATE ELEMENTS																	
No. No.	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)							Order vs.	Order vs.
Section			m						***			per Lor	per Lor			Electronic-	Electronic-
Note																Disc 1st	Disc Add'l
In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 pri lies anticotron, CLEC caused In Share Season, 1900 prince and In Share Seas																DISC 1St	DISC Add I
U.S. Control States Control Cont							Poo	Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates (\$)		
Spitter Contract Office							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE 1 (1:1002000)																	
Unit State State (1974) Problems of the Common of the		splitter - Central Office Located (25% of UCLND) - please see															
Spittler - Central Office Located (50% of UCLND) - please see ULS					ULS	ULSCT	3.10	47.44	19.31								
NOTE 16 16 120 2000 U.S.																	
Une State Service, TRO per line activation, CLEC cowned splitter coveral Office of Control Office of																	
Spiller - Central Office Located (79% of ULNN) - please see					ULS	ULSCT	6.20	47.44	19.31								
NOTE 1 (E-10/20/2005)																	
Line SPUTTING Charge Process Charg																	
END USER ORDERING-CENTRAL OFFICE BASED					ULS	ULSCT	9.30	47.44	19.31								
Line Spitting - per line activation DLCC cowned spittler Line Spitting - per line activation SET comes - physical UEPPSR UEPSR DRECS																	
Line Spitting - per line activation BST convert - physical UEPSR UEPSB UREBY 0.61 17.97 10.29	END US				LIEDOD LIEDOD	LIDEOO	0.04										
Intersofted Channel - Dedicated Transport - 2-Wire Voice Grade - Part May per month Dedicated Transport - 56 Mays - Part Mile per month Dedicated Tran								47.07	40.00								
MANTENANCE No Trouble Found - per 1/2 hour increments - Basic 180.00 55.00 180.00 170.00 180.00																	
No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime 120.00 85.00	M A INIT		1		UEPSK UEPSB	OKERA	0.61	17.97	10.29	 	+	1			 	-	
No Trouble Found - per 1/2 hour increments - Overtime 120.00 82.50			 			+	 	90.00	EE 00	 	1	 					
No Trouble Found - per 1/2 hour increments - Premium												1					
UNBUNDLED DEDICATED TRANSPORT InterOffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per morth												1					
InterOFFICE CHANNEL - DEDICATED TRANSPORT								100.00	110.00								
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month U1TVX						1						-					
Per Mile per month	IIII ZIII											1					
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade U1TVX					U1TVX	1L5XX	0.013										
Facility Termination							0.0.0										
Rev Bat Per Mile per month UTIVX LLSXX UTIV					U1TVX	U1TV2	22.60	39.36	26.62								
Rev Bat Per Mile per month UTIVX LLSXX UTIV		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
Facility Termination U1TVX U1TR2 22.60 39.36 26.62		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month U1TVX		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-														
Per Mile per month					U1TVX	U1TR2	22.60	39.36	26.62								
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade U1TVX U1TV4 19.81 39.36 26.62			-														
Facility Termination					U1TVX	1L5XX	0.013										
InterOffice Channel - Dedicated Transport - 56 kbps - per mile per month U1TDX 1.5XX 0.013																	
Der month Netroffice Channel - Dedicated Transport - 56 kbps - Facility Termination Dedicated Transport - 56 kbps - Facility Def month Dedicated Transport - 56 kbps - Facility Def month Dedicated Transport - 56 kbps - Facility Def month Dedicated Transport - 56 kbps - Facility Def month Dedicated Transport - 57 kbps - Facility Def month Dedicated Transport - 57 kbps - Facility Def month Dedicated Channel - DS1 - Per Mile per month Deficition Defi					U1TVX	U1TV4	19.81	39.36	26.62								
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX					LIATOV	41.577	0.040										
Termination					UTIDX	ILOXX	0.013					-					
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 -					LIATOV	LIATOS	15.61	20.27	26.62								
Der month Der					OTIDA	01103	13.01	33.37	20.02			-					
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination					LITDX	1I 5XX	0.013										
Termination					01127	120701	0.0.0					1					
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop Dark Fib					U1TDX	U1TD6	15.61	39.37	26.62								
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination U1TD1 U1TF1 70.47 86.69 79.44 U1TD3 U1TD3 U1TF1 70.47 86.69 79.44 U1TD3 U1TD		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
Termination		month			U1TD1	1L5XX	0.2652										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Thereof per month - Interoffice Channel - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - Dearth Fiber - D																	
month literoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 850.45 270.69 158.05					U1TD1	U1TF1	70.47	86.69	79.44								
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 850.45 270.69 158.05 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 IL5XX 6.04 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TS1 U1TFS 830.19 270.69 158.05 DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX UDFCX																	
Termination per month					U1TD3	1L5XX	6.04										
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF14 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14 S2.23																	
month					01103	U11F3	850.45	270.69	158.05								
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel Dark Fiber, - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF, UDFCX UDF14 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX UDF, UDFCX					LIATOA	11.577	6.04										İ
Termination	-		1		01131	ILOAA	0.04			1	+	+	1		1		
DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX 1L5DF 25.28					LIITS1	LIITES	830 19	270.69	158.05								
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DF 25.28 NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14 52.28 UDF, UDFCX UDF14 52.28	RK FIBER	TOTALISTI CONTRACTOR OF THE PROPERTY OF THE PR	 		5.101	5111.5	550.19	210.09	130.03	 	+	1			t		
Thereof per month - Interoffice Channel		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1							<u> </u>	1				1		
NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 620.60 133.88 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 52.23					UDF, UDFCX	1L5DF	25.28			1					1		1
Thereof per month - Local Loop UDF, UDFCX 1L5DL 52.23								620.60	133.88		1						
			<u> </u>				52.23										
NRC Dark Fiber - Local Loop UDF, UDFCX UDFL4 620.60 133.88		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		620.60	133.88								

LINID	IINIDI E	D NETWORK ELEMENTO Laudalana												•			
UNB	UNDLE	D NETWORK ELEMENTS - Louisiana	1			1	1					Cue Onden	Cura Curdan		ment: 2	Exhi	
														Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OA.L		KATE EEEMENTO	m	20.10	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurrin	g Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.51	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.77	0.78								
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.77	0.78								
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.51	1.26								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FMX		2.93	1.68								
		Routing Per CXR Requested Per 8XX No.			OHD	N8FAX		2.93	0.43								
	+	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	 		OUD	INSTAX	 	2.93	0.43		 	1					
		Features			OHD	N8FDX		2.51									
 	+	i calules	1		מווט	NOLDY	 	∠.51			1	}					
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			מווט	+	0.0000367					1					
		query			OHD		0.0006387										
LINE	INFORM	ATION DATA BASE ACCESS (LIDB)			OLID		0.0000307					1					
LINE	IIVI OIXIVI	LIDB Common Transport Per Query			OQT	+	0.0000221										
		LIDB Validation Per Query			OQU	+	0.0135077										
		LIDB Originating Point Code Establishment or Change			OQT. OQU	NRBPX	0.0100077	33.33									
SIGN	ALING (C				٥٩., ٥٩٥			00.00									
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911	SERVICE		<u> </u>			+	40.00	107.7	00.01		 	<u> </u>					
<u> </u>	-	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	<u> </u>			+	18.32	187.51	32.21		 	<u> </u>					
<u> </u>	-	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	1	-		+	18.32 18.32	187.51 187.51	32.21 32.21		1	1					
 	+	Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3	 			+	0.013	16.181	32.21		1	 					
-	-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-			+	0.013				 				-		
1		Termination	1			1	22.60	39.36	26.62								
 	+	Local Channel - Dedicated - DS1 - Zone 1	1			+	39.18	172.34	149.27		1	}					
-	+	Local Channel - Dedicated - DS1 - Zone 2	1	1		+	121.58	172.34	149.27		 						
_	+	Local Channel - Dedicated - DS1 - Zone 3				+	70.02	172.34	149.27		1	 					
	1	Interoffice Transport - Dedicated - DS1 Per Mile	1	1		+	0.2652	172.04	1-10.21		1						
		2011011110				1	5.2552				Ì						
1		Interoffice Transport - Dedicated - DS1 Per Facility Termination	l			1	70.47	86.69	79.44								
CALL	ING NAM	IE (CNAM) SERVICE				1					İ						
		CNAM For DB Owners - Service Establishment			OQV		į į	22.29				Ì					
		CNAM For Non DB Owners - Service Establishment			OQV			22.29									
		CNAM For DB Owners - Service Provisioning With Point Code					İ										
		Establishment	<u></u>		OQV		<u> </u>	962.22	711.64		<u> </u>	<u></u>			<u> </u>		
		CNAM For Non DB Owners - Service Provisioning With Point															
		Code Establishment			OQV			332.43	238.05								
		CNAM for DB Owners, Per Query			OQV		0.0010217										
		CNAM for Non DB Owners, Per Query			OQV		0.0010217	, and the second									
SELE	CTIVE R	OUTING				1											

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: B
UNDO		THE THORK ELEMENTO LOGICIAN										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T 51	. B'						
			-				Rec	Nonrec		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Selective Routing Per Unique Line Class Code Per Request Per				1		First	Add'l	FIRST	Add'l	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		Switch						82.25	82.25								1
VIRTU	AL COL	LOCATION		1				02.23	02.20	†							
******	LOOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						ı
PHYSIC	CAL CO	LLOCATION			<u> </u>		0.000										
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						1
AIN SE	LECTIV	E CARRIER ROUTING															1
		Regional Service Establishment			UEBIB	SRCEC		100,209.33									L
		End Office Establishment			UEBIB	SRCEO		164.29	164.29								
		Query NRC, per query			UEBIB		0.0030293										
AIN - B	ELLSO	UTH AIN SMS ACCESS SERVICE															,
		AIN SMS Access Service - Service Establishment, Per State,			AANI	CAMOE		20.20	20.20								1
		Initial Setup		<u> </u>	A1N	CAMSE		38.30	38.30			-					
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								ı
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
		AIN SMS Access Service - User Identification Codes - Per User			7.111	O/ UVIII		7.00	7.00								
		ID Code			A1N	CAMAU		33.99	33.99								ı
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		41.39	41.39								1
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0022										
		AIN SMS Access Service - Session, Per Minute					0.5795										1
		AIN SMS Access Service - Company Performed Session, Per															ı
		Minute					0.8104										,
AIN - B	ELLSO	UTH AIN TOOLKIT SERVICE															,
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		38.30	38.30								ı
		AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		4,175.10	4,175.10	-		-					
		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFVA		4,173.10	4,175.10								
		DN, Term. Attempt				BAPTT		7.60	7.60								ı
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D,		7.00	7.00								
		DN, Off-Hook Delay				BAPTD		7.60	7.60								ı
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		7.60	7.60								1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		33.47	33.47								1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
		DN, CDP	<u> </u>			BAPTC		33.47	33.47	-							
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			DADTE		20.47	22.47	1			1				,
-		DN, Feature Code AIN Toolkit Service - Query Charge, Per Query	 	<u> </u>		BAPTF	0.0536446	33.47	33.47	-							
-	-	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	 			1	0.0330446			 			-				
		Subscription, Per Node, Per Query	1				0.006569			I			1				.
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.000000										
		Account, Per 100 Kilobytes	1				0.06			1			1				,
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	10.90	7.60	7.60								
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1										1				. 7
		Subscription	<u> </u>	<u> </u>	CAM	BAPLS	2.80	8.41	8.41								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1							I			1				
		Subscription	<u> </u>	ļ	CAM	BAPDS	8.20	7.60	7.60	-							
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEC	0.09		0.44								
ENHA	ICED E	Service Subscription (TENDED LINK (EELs)	 	-	CAIVI	BAPES	0.09	8.41	8.41	 		-	-		1		
LINDAN		The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not and	oly for UNE con	hinations pro	visioned as ' C	I Ordinarily Com	nined' Network	Flements					
\vdash		The monthly recurring and the Switch-As-Is Charge and not t											 				
	EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	RT											
				· · · · - ·						1							

ATSOMY RATE REMBRYS THE PROPERTY OF THE PROP	UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: B
RATE REMEMBER ARE REMEMBER A	CIVECIVEL											Svc Order	Svc Order				Incremental
MATE LLEMENTS																	
ATTEMPT SATE BLEMENTS May Sac																	
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
March Marc			m						== (+)			per LSK	per LSK				
Page Page																	
Proceedings of Computations														1st	Addi	Disc 1st	Disc Add'l
Proceedings of Computations							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
First 2 View York Logs (Sub 2 in Commission - James 1 1 10 10 10 10 10 10							Rec					SOMEC	SOMAN			SOMAN	SOMAN
First 2-Year VS Clore (SQ -1) Combination - Zene 2 2 2 MCDVX		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93										
First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per Mile First 2 View Vol. Long (SC2) in Commission - Per																	
Interestive Transport - Declared - CSF continuence - Fee Male Declared - CSF conti		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
Interestive Transport Declarates 10St continuous - Pacility UNCX																	
Termination per month		per month			UNC1X	1L5XX	0.2652										
10 Chammalization System in continuation Per March 10 Chick 105 Chie		Interoffice Transport - Dedicated - DS1 combination - Facility															
Visice Grade COCI - Per Month Control (1981) in Combination - Zone 1 1 NACVX UFA12 45.00 45.01 45.00		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								ĺ
Each Additional Z-Wire VG Loop (St. 2) in Combination - Zone 2 2 UNCVX					UNC1X		105.09	59.97									
Each Autilional 2-Wire VGL Long (EL 7) in Combination - Zone 2 2 UNCVX		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
Each Autilional 2-Wire VGL Long (EL 7) in Combination - Zone 2 2 UNCVX																	
Each Additional 2-Wire VOLLoop (St. 2) in Combination - Zone 3 3 UNC/VX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	ļ	1	UNCVX	UEAL2	14.93	94.21	45.09								<u> </u>
Each Additional 2-Wire VOLLoop (St. 2) in Combination - Zone 3 3 UNC/VX			1				[1		1
Vision Grade COCK: Fee Martin NACON Control Committee Nacon		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
Vision Grade COCK: Fee Martin NACON Control Committee Nacon																	
Namescuring Currently Continued Network Elements Switch -As- UNCIX			ļ	3											1		!
In Charge UNION					UNCVX	1D1VG	0.6497	5.91	4.26								
Extraored - Wine VOICE GRADE EXTENDED LOOP WITH DEDICATED OST INTEROPFICE TRANSPORT		Nonrecurring Currently Combined Network Elements Switch -As-	-														
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ							5.43	5.43								
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE	ROFFICE TRANSPO	DRT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX		L															ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First A Wire Analys Vision One to Love to Occabing the Town O		_	1110000		00.00	04.04	45.00								ĺ
Interdifice Transport - Dedicated - DS1 - Combination - Per Mile Per Morch Interdifice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 70.47 143.58 103.88	-	First 4-vvire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	38.32	94.21	45.09								
Interdifice Transport - Dedicated - DS1 - Combination - Per Mile Per Morch Interdifice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 70.47 143.58 103.88		First 4 Wire Angles Voice Crede Leep in Combination - Zone 2		2	LINCVV	LIEALA	60.20	04.24	45.00								
Per Month				3	UNCVX	UEAL4	60.39	94.21	45.09								
Interoffice Transport - Dedicated - DS1 - Facility Termination Per UNC1X					LINC1V	11.577	0.2652										ĺ
Month UNC1X U1FF1 70.47 143.58 103.88					UNCIX	ILJAA	0.2032										+
1/10 Channel System in combination Per Month UNC1X MO1 105.09 59.97 12.98					LINC1X	UITE1	70 47	143 58	103.88								ĺ
Voice Grade COCI in combination - per month																	
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX																	
Interoffice Transport Combination - Zone 1					0.10 171	.5	0.0.01	0.01	20								
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.32 94.21 45.09 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 60.39 94.21 45.09 Interoffice Transport - Zone 1 2 UNCVX UNCVX				1	UNCVX	UEAL4	30.81	94.21	45.09								İ
Interoffice Transport Combination - Zone 2																	
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.39 94.21 45.09				2	UNCVX	UEAL4	38.32	94.21	45.09								
Interoffice Transport Combination - Zone 3																	
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X				3	UNCVX	UEAL4	60.39	94.21	45.09								İ
Scharge			Ì		UNCVX	1D1VG	0.6497	5.91	4.26								
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		Nonrecurring Currently Combined Network Elements Switch -As-	-				İ										
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1								5.43	5.43								<u> </u>
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 36.78 94.21 45.09	EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT			<u> </u>								
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 36.78 94.21 45.09															1		1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			1														1
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.2652 UNCDX 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 Termination Per Month UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X UNC1X U1TF1 70.47 143.58 103.88 UNC1X		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL56	36.78	94.21	45.09						1		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.2652 UNCDX 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 Termination Per Month UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X U1TF1 70.47 143.58 103.88 UNC1X UNC1X U1TF1 70.47 143.58 103.88 UNC1X			1		l .	1							1		I		1
Per Month UNC1X 1L5XX 0.2652			ļ	3	UNCDX	UDL56	38.92	94.21	45.09						.		
Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X			1		LINGAY	41.500									1		1
Termination Per Month	 		!		UNC1X	1L5XX	0.2652								-		⊢
1/0 Channel System in combination Per Month			1		LINGAY	LIATE 4	70.4-	440.50	400.00						1		1
OCU-DP COCÍ (data) per month (2.4-64kbs)	 		1										ļ		 	-	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice	 		!												!	1	
Interoffice Transport Combination - Zone 1			1		UNCDX	טטוטו	1.38	5.91	4.26	 					 		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 36.78 94.21 45.09			1	4	LINCDY	LIDLES	20.00	04.24	45.00				1		I		1
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 36.78 94.21 45.09 45.09 45.09	 		 		UNCDX	UDLOO	30.99	94.21	45.09	 					-	-	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			1	2	LINCDY	LIDI 56	26.70	04.24	45.00						1		1
	\vdash		 		ONODA	ODESO	30.18	94.∠1	45.09	+						-	
		Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09								1

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: B
5.1D511DE			l								Svc Order	Svc Order	Incremental			Incremental
			1								Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrec	urring	Nonrecurring Dis	sconnect		l	oss	Rates (\$)	<u> </u>	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-				1		11100	Addi	11130	Auu	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26	1							
	Nonrecurring Currently Combined Network Elements Switch -As-	_		ONODA	10100	1.00	0.01	7.20	 							
	Is Charge			UNC1X	UNCCC		5.43	5.43	1							
EVTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC1 IN				3.43	3.43								
LATE	NDED 4-WIRE 04 RBF3 EXTENDED DIGITAL LOOF WITH DEDI	CAILD	I IN	I LKOFFICE TRANS	FORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	1							
	First 4-Wife 64Kbps Digital Grade Loop in Combination - Zone 1		- 1	UNCDA	UDL04	30.99	94.21	45.09								
	First 4 Wire CAl/han Digital Conda Lang in Combination 7-2-2		2	LINICDV	UDL64	20.70	94.21	45.00	1							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
	First AME AND AND PROTEIN ON THE STATE OF TH		_	LINODY	LIDLG:											
\vdash	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.92	94.21	45.09	\vdash					1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			l					j			1		l		
\vdash	Per Month	1	ļ	UNC1X	1L5XX	0.2652										
	interoffice Transport - Dedicated - DS1 combination - Facility			l <u></u>	1											
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								1							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								1							
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								1							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09	1							
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26	1							
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43	1							
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	₹Ť											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652			1							
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88	1							
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			1	20	20	† †			1		1		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89						1		
	First DS1Loop in Combination - Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89	 					1		
	First DS1Loop in Combination - Zone 3	1		UNC1X	USLXX	491.94	169.22	100.89	 			1		 		
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	Ť	5517	202701	401.04	100.22	100.00	 			 		 		
	Per Month			UNC3X	1L5XX	6.04] [1		Ì		
 	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1	01400/	ILUAA	0.04			 			-		1		
1 1	month			UNC3X	U1TF3	850.45	296.68	121.16	j			1		İ		
\vdash	3/1Channel System in combination per month	1	1	UNC3X UNC3X	MQ3	201.48	107.05	91.25	 			-		-		
\vdash	DS1 COCI in combination per month	1	1	UNC1X	UC1D1	11.78	5.91	4.26	+ +			1		 		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	1	UNUIA	OCIDI	11.78	5.91	4.20				-				
	Zone 1		4	UNC1X	USLXX	85.70	169.22	100.89] [1		Ì		
\vdash		1		UNCIA	USLAA	85.70	169.22	100.89	 			 		 		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINGAY	LICLYS!	404.00	400.00	100.00								
\vdash	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1 _	L IN CAN	1101.307] [1		Ì		
\vdash	Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89								
\vdash	Additoinal DS1 COCI in combination per month	1	ļ	UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		l]] [1		Ì		
	Is Charge	1	<u> </u>	UNC3X	UNCCC		5.43	5.43	$oxed{oxed}$					ļ		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD							<u> </u>							
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09				<u> </u>				
	2-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL2	25.35	94.21	45.09								

UNBUI	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p == ==0.1		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Di					Rates (\$)		
 _					1 11 10 1 11 1			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			LINOVA	41.577	0.042										
-		Month Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.013										
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UTIVZ	22.00	72.00	41.73								
		Is Charge			UNCVX	UNCCC		5.43	5.43								
 	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				0.40	0.40								
		4-WireVG Loop in combination - Zone 1	0.1.7.12	1	UNCVX	UEAL4	30.81	94.21	45.09								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															1
		Month			UNCVX	1L5XX	0.013								1		
		Interoffice Transport - 4-wire VG - Dedicated - Facility															1
		Termination per month	<u> </u>		UNCVX	U1TV4	19.81	72.60	41.75	<u> </u>				<u> </u>	<u> </u>		<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.43	5.43								
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	850.45	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5 40	5 40								
├ ──╁	EVTEN	Is Charge DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INT	EBOEE		UNCCC		5.43	5.43								
	EVIEN	STS-1 Local Lolp in combination - per mile per month	3-1 INT	EKOFF	UNCSX	1L5ND	10.04								-		
 		STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILSIND	10.04										
		month			UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Transport - Dedicated - STS-1 combination - per mile			ONCOX	ODLOT	374.30	100.40	120.01								
		per month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			0.100/1	120701	0.0 .										
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.43	5.43]				1	I	1	
j	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - per mile													1		
igsquare		per month		<u> </u>	UNC1X	1L5XX	0.2652								1		
		Interoffice Transport - Dedicated - DS1 combination - Facility				=.			100						1		
\vdash		Termination per month		ļ	UNC1X	U1TF1	70.47	143.58	103.88								
\longmapsto		1/0 Channel System in combination - per month		<u> </u>	UNC1X	MQ1	105.09	59.97	12.96						-		
├		2-wire ISDN COCI (BRITE) - in combination - per month		1	UNCNX	UC1CA	2.96	5.91	4.26					-	1	-	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22.09	94.21	45.09						1		
\vdash		Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCINA	UILZX	22.09	94.21	45.09						 		
		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09						1		
\vdash		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			OINCINA	UILZA	33.28	94.∠1	45.09				1		1		
		Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09						1		
\vdash		Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	0140147	JILZA	05.10	34.∠1	45.09	 				1	t	1	1
		month			UNCNX	UC1CA	2.96	5.91	4.26]				1	I	1	
1		Nonrecurring Currently Combined Network Elements Switch -As-				20.0.	2.00	5.51	20						1		
		Is Charge			UNC1X	UNCCC		5.43	5.43						1		
, t	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				2.10	2.10								
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								İ
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89								

UNRI	INDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: B
0.100		D ILL WORK ELLMENT OF LOUISIANA									1	Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month DS1 COCI in combination per month			UNCSX UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26								
		Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	OCIDI	11.78	5.91	4.26								
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	COLOR	00.70	100.22	100.00								
		Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport			OHO IX	002.00	101.00	100.22	100.00								
		Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		DS1 COCI in combination per month	1		UNC1X	UC1D1	11.78	5.91	4.26		i				1		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
<u></u>	<u></u>	Is Charge	<u> </u>		UNCSX	UNCCC		5.43	5.43						<u></u>		
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LIATOS	45.04	70.00	44.75								
-		Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		5.43	5.43								
-	EVTEN	is charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DE INT	EDOEE		UNCCC		5.43	5.43						-		
-	LAILN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I		UNCDX	UDL64	30.99	94.21	45.09								
		4-wire 64 kbps Looal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0.10271	02201	00.02	0	.0.00	1							
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								
	EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
<u> </u>	ļ	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ		UNCVX	UEAL2	25.35	94.21	45.09		ļ				ļ		
<u></u>	<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	50.46	94.21	45.09	 					-		
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAY	41.530	0.0050			1					1		
—	1	Mile First Interoffice Transport - Dedicated - DS1 combination -	1		UNC1X	1L5XX	0.2652			 					1		
		First interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88	1					1		
-	 	Per each DS1 Channelization System Per Month	1		UNC1X UNC1X	MQ1	105.09	59.97	12.96	 					+		
	1	Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.6497	59.97	4.26	 					t		
 	†	3/1 Channel System in combination per month	1		UNC3X	MQ3	201.48	107.05	91.25	 					-		
	†	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	11.78	5.91	4.26	 			 		I		
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	i					2.01	20						1		
1		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.93	94.21	45.09	1			1		I		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u></u>	Interoffice Transport Combination - Zone 2	<u>L</u>	2	UNCVX	UEAL2	25.35	94.21	45.09	<u> </u>			<u></u>		<u> </u>		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1					1										
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
<u> </u>	<u> </u>	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1							1			1		I		
<u> </u>	ļ	Channel System per month	ļ		UNC1X	1L5XX	0.2652			\vdash							
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.47	143.58	103.88	1					1		
	<u> </u>	same 3/1 Channel System per month	l		UNUIX	UTIFT	70.47	143.58	103.88		l		l		l		

HINRHI	NDI FI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
CIADOI	IDEL	S NET WORK ELEMENTO - Louisiana					l					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
E	EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 MI	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		First 4-Wire Analog Voice Grade Local Loop in Combination -			111000		00.00	04.04	45.00								
		Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		First 4-Wire Analog Voice Grade Local Loop in Combination -		3	111000		00.00	04.04	45.00								
		Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09			1					
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		UNC1X	1L5XX	0.2652										
\vdash		First Interoffice Transport - Dedicated - DS1 - Facility	1		OINO IA	1LJAA	0.2002			1	1	}					
		Termination Per Month	l		UNC1X	U1TF1	70.47	143.58	103.88								
+		Per each 1/0 Channel System in combination Per Month	1	-	UNC1X	MQ1	105.09	59.97	12.96	 	 						
-		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26			1					
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10 1.7	00.5.		0.01	20								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1						-									
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.2652										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
E	EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
		Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	l	_	LINCDY	LIDI 50	00.00	2421	45.00								
\vdash		Zone 3	 	3	UNCDX	UDL56	38.92	94.21	45.09	 	1	}					
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		LINC4V	1L5XX	0.0050										
+		First Interoffice Transport - Dedicated - DS1 - combination	-		UNC1X	ILOXX	0.2652			-	 				-		
		First interoffice Transport - Dedicated - DST - combination Facility Termination Per Month	l		UNC1X	U1TF1	70.47	143.58	103.88								
\vdash		Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	105.09	59.97	12.96	1	1	}					
+		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 		UNCDX	1D1DD	1.38	5.91	4.26	1	1	1					
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
\vdash		Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	11.78	5.91	4.26		†						
 		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1				11.70	0.01	7.20	1							
		Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	30.99	94.21	45.09								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								İ	†						
		Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	36.78	94.21	45.09								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26		<u> </u>						
		Each Additional DS1 Interoffice Channel per mile in same 3/1						_									
		Channel System per month			UNC1X	1L5XX	0.2652										
		Each Additional DS1 Interoffice Channel Facility Termination in	l														
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -		Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st			Manual Svc Order vs.
1					+	_	Nonred	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX											<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 1	UNCDX	UDL64	30.99	94.21	45.09							-	+
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	0.10271	00201	000	01.21	.0.00								1
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) in combination - per month (2.4-			UNCDX	1D1DD	1.38	5.91	4.26								
	64kbs) 3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25		-						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	11.70	3.31	4.20								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						-									
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				45455											
	combination - per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	1.38	5.91	4.26								
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.2052									1	
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%		70	. 10.00	100.00								
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		4	UNCNX	U1L2X	22.09	94.21	45.09							1	
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCINX	UTLZX	22.09	94.21	45.09		-						
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONONA	OTLZX	33.20	34.21	43.03								
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per				1											1
	Mile per month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								ļ
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	105.09	59.97	12.96		1						
	December 2 mine ICDN COCI (PRITE) in combination			LINIONIV	110404	2.00	F 04	4.00	1							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month 3/1 Channel System in combination per month			UNCNX UNC3X	UC1CA MQ3	2.96 201.48	5.91 107.05	4.26 91.25	1	+	-		1	-		1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26		1			-	1	 	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			011017	COIDI	11.76	5.51	4.20		+	 			 	 	+
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09	1							
i d	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1								1			1
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	<u> </u>	<u> </u>			<u> </u>			<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport							. <u></u>								
1	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							<u> </u>	<u></u>

UNRI	INDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
CIAD	HULL	NETWORK ELLINERTO Louisiana										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_				
OA! L		TOTAL ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+	I	Nonrec	urring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		L
-						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel				+		11130	Auu i	11130	Addi	JOHILO	JONAN	JONAN	JOHAN	JOHIAN	JOHAN
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								1
-		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINA	UCTOA	2.90	3.91	4.20		+		-				
		Channel System per month			UNC1X	1L5XX	0.2652										1
		Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TESTON	0.2002										—
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								1
		Each Additional DS1 COCI in the same 3/1 channel system			UNCIA	UTIFT	70.47	143.30	103.00		+		-				
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								1
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.70	5.91	4.20								
					UNC1X	LINICCO		5.40	F 40								1
	EVTEN	Is Charge IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	COORT		UNCCC		5.43	5.43								
	EXIEN		IKAN		UNC1X	LICLYY	85.70	169.22	100.89								
	-	First 4-wire DS1 Digital Local Loop in Combination - Zone 1				USLXX											
		First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -															1
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								!
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								!
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.2652										l
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								l
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								l
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
		1		1	UNC1X	USLXX	85.70	169.22	100.89								1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															[
		2		2	UNC1X	USLXX	194.96	169.22	100.89								<u> </u>
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															[
		3		3	UNC1X	USLXX	491.94	169.22	100.89								i
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								ſ
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								ſ
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															ſ
		per month	1	1	UNCDX	1L5XX	0.013								Ì		1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															ſ
		Termination per month	l	1	UNCDX	U1TD5	15.61	72.60	41.75						İ		1
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1						İ	İ				İ		ſ
		Is Charge	1	1	UNCDX	UNCCC		5.43	5.43						Ì		1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE							İ	İ			İ		
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09		İ	İ			İ		
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09		İ	İ			İ		
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09		1	İ	1		1		
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		T -			55.02	- · · - ·	.2.00		1	İ	1		1		
		per month	l	1	UNCDX	1L5XX	0.013								İ		1
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<u> </u>			0.0.0				1	Ì	1		1		
		Termination per month	1	1	UNCDX	U1TD6	15.61	72.60	41.75						Ì		1
—	t	Nonrecurring Currently Combined Network Elements Switch -As-		1		550	10.01	72.00	71.73		<u> </u>	1					
		Is Charge	1	1	UNCDX	UNCCC		5.43	5.43						Ì		1
ADDIT	IONAL N	NETWORK ELEMENTS		1				3.40	0.40		1	1	i		 		
		used as a part of a currently combined facility, the non-recurr	na cha	raes do	notanniv hut a S	Switch As Is a	narge does ann	ilv.			<u> </u>	1					
		used as a part of a currently combined facility, the non-recurr									<u> </u>	1					
-		curring Currently Combined Network Elements "Switch As Is"					As is onarge t	1003 1101.			1	†	1		1		
	Home	Janning Garronay Combined Network Elements Switch As is	-man ye	(One o	ppiles to each con	iomanon)				l	1	I	1				

UNRU	NDI F	O NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Exhil	hit: B
CIABO	11066	ALT WORK ELLINERTO' LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,		Order vs.	Order vs.	Order vs.
071120			m			5555			= (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								, '
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								ł '
		Nonrecurring Currently Combined Network Elements Switch -As-															·
		Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								i '
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								í
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								ł
	Option	al Features & Functions:															i
					U1TD1,												i
		Clear Channel Capability Extended Frame Option - per DS1	L		ULDD1,UNC1X	CCOEF		OI	OI	OI	OI				<u> </u>		<u> </u>
					U1TD1,												ı
		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						L
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												ĺ
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						<u> </u>
					U1TD3, ULDD3,												ĺ
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
	MULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															í
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															ł
		month (2.4-64kbs) used for connection to a channelized DS1															í
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															ł
		month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															í
		month used for connection to a channelized DS1 Local Channel															ł
		in the same SWC as collocation		<u> </u>	U1TUB	UC1CA	2.96	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month				404140	0.0407	0.00	4.50								í
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															ł
		used for connection to a channelized DS1 Local Channel in the	l		U1TUC	1D1VG	0.6497	6.39	4.58	I			1		I		í
-	-	same SWC as collocation DS3 to DS1 Channel System per month	-	-	UNC3X	MQ3	201.48	107.05	91.25	-	 				-		
-	-	STS-1 to DS1 Channel System per month	-	-	UNCSX	MQ3	201.48	107.05	91.25	-	 				-		
-	1	DS1 COCI used with Loop per month	1	1	USL	UC1D1	11.78	6.39	4.58	1		1			1		
-	 	DS1 COCI (used for connection to a channelized DS1 Local	1	 		30101	11.70	0.39	7.30	t	1				 		
	l	Channel in the same SWC as collocation) per month	l		U1TUA	UC1D1	11.78	6.39	4.58	1					1		í
	1	DS1 COCI used with Interoffice Channel per month	1	1	U1TD1	UC1D1	11.78	6.39	4.58	t					†		1
	1	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	1		30.51	11.70	0.00	7.50	 	<u> </u>		l		 		ſ
	l	month	l		ULDD1	UC1D1	11.78	6.39	4.58	1					1		1
UNBUN	IDLED I	OCAL EXCHANGE SWITCHING(PORTS)	l	 				2.00		1					t		·
		ge Ports				1				İ					İ		i
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	ng retail USOC	s								í
		VOICE GRADE LINE PORT RATES (RES)															í
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21								ĺ
		•															ĺ
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	<u>L</u>	UEPSR	UEPRC	1.52	2.31	2.21	<u> </u>	<u> </u>	<u></u>	<u></u>		<u> </u>		<u> </u>
		-															1
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	<u>L</u>	UEPSR	UEPRO	1.52	2.31	2.21	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
		Exchange Ports - 2-Wire VG unbundled LA extended local															1
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21						<u> </u>		<u> </u>
	l	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus	l	1			-	<u> </u>	<u> </u>								
		with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21								<u> </u>
	1	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	1									1		_		1
		with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21	1							

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: B
SHEGHEL	LO INC. FORK ELEMENTO - Louisiana										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.44
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Follow Botto OWiss VOL Silver Besiles Bisline						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan			UEPSR	UEPWG	1.52	2.31	0.04								
-	without Caller ID Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			UEPSK	UEPWG	1.52	2.31	2.21	-							
	without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
 	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLI OK	OLITIQ	1.02	2.51	2.21	†							
	Capability			UEPSR	UEPRT	1.52	2.31	2.21								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEA	TURES								İ							
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															_
	Bus			UEPSB	UEPBL	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Line Port with		1										1]		
	unbundled port with Caller+E484 ID - Bus.		ļ	UEPSB	UEPBC	1.52	2.31	2.21	ļ							
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	1	UEPSB	UEPBO	1.52	2.31	2.21	-				 	 		
	Exchange Ports - 2-Wire VG unbundled LA extended local			LIEDOD	LIEDAY	4.50	0.04	0.04	I				1	1		
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			LIEDOD	UEPB1	1.52	0.04	2.21								
-	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area	-		UEPSB	UEPBI	1.52	2.31	2.21								
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan	1		OLFOB	ULFAA	1.32	2.31	2.21			1					
	without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling			02. 03	02		2.01									
	Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	2-Wire voice unbundled Incoming Only Port without Caller ID			<u> </u>			-14.									
	Capability			UEPSB	UEPBE	1.52	2.31	2.21								
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42								
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42								
\vdash	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	1	1	UEPSP	UEPPO	1.52	30.37	14.42	-							
\vdash	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1	ļ	UEPSP	UEPP1	1.52	30.37	14.42	1							
\vdash	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1	1	UEPSP	UEPLD	1.52	30.37	14.42	!	 			 	 		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports	1	 	UEPSP UEPSP	UEPL2 UEPLD	1.52 1.52	30.37 30.37	14.42 14.42	_		-		-			
\vdash	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	1	UEPSP	UEPKA	1.52	30.37	14.42	 	1			1	1		
 	2-Wire Voice Unburidled 2-Way PBX Osage Port 2-Wire Voice Unburidled PBX Toll Terminal Hotel Ports	1	1	UEPSP	UEPXB	1.52	30.37	14.42	 				 	 		
	2-Wire Voice Unbundled PBX 10ii Terminal Floter Forts 2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPSP	UEPXC	1.52	30.37	14.42	-							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXD	1.52	30.37	14.42	-							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1			2	00.01	12	t	1			1	1		
	Capable Port			UEPSP	UEPXE	1.52	30.37	14.42	I				1	1		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1	1	-	T				1	İ				İ		
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42					<u> </u>			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						_									
	Room Calling Port		<u> </u>	UEPSP	UEPXM	1.52	30.37	14.42]		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								_]			1]		
	Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			l	1				I				1	1		
\vdash	Discount Calling Port	1	ļ	UEPSP	UEPXP	1.52	30.37	14.42								
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPSP	UEPXS	1.52	30.37	14.42	-				 	 		
	Subsequent Activity	1	1	UEPSP	USASC	0.00	0.00	0.00	-				 	 		
FEA	FURES All Available Vertical Features	1	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	 	-	-		-	ļ		
	All Available vertical Features	1	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	l	l	1	l .	L	L		

RATE ELEMENTS RATE ELEMENTS RATE SEMBILITY SUBMITTED	NULEL	D NETWORK ELEMENTS - Louisiana								_				Attach	ment: 2	Exhi	ibit: B
ATECONY RATE ELEMENTS Interf Done DoS USBOC RATES (4) USBOC RATES (5) USBOC RATES (6) USBOC USboc USb			1									Svc Order	Svc Order				Incrementa
### ATE ELEMENTS Bear Both																Charge -	Charge -
ATE ELEMENTS																	
EXAMAGE PORT EATIS (COM) DECEMBER PORT FAITS (C	OBV	DATE ELEMENTS	Interi	Zono	BC6	LISOC			DATES (\$)								II.
EXCHANGE PORT ELTS COSIN SECURING PORT ELTS COSIN PORT ELTS COSIN PORT IN this case cability apply to be embedded base in pice as of 10200 until 6/104. After 6/104 these rares shall rever to suff rares or a separate agreement. Sequence of the support of the support electron portion provided personal to 15 cosporate agreement or large portion provided personal to 15 cosporate agreement or large portion provided personal to 15 cosporate agreement or large portion provided personal to 15 cosporate agreement or large portion provided personal to 15 cosporate agreement or large portion provided personal to 15 cosporate agreement or large portion personal to 15 cosporate agreement or large portion personal to 15 cosporate personal to 15 c	UKI	RATE ELEMENTS	m	Zone	ВСЭ	0300			KAIES (\$)			per LSR	per LSR			Order vs.	Order vs.
ECHANGE PORT RATES (COM) EXCHANGE PORT RATES (C														Electronic-	Electronic-	Electronic-	Electronic
DECADAGE PORT PATES COM: SOME S														1st	Add'l	Disc 1st	Disc Add'
DECADAGE PORT PATES COM: SOME S																	
Exclusion Port Aure First							Rec				<u> </u>						
Exchange Prints - Conn Port							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: Transmission/suspecturages associated with Porte Scrott enterhold usage will also apply to circuit serviched vote and/or circuit serviched data transmission by B-Channels associated with 2-vive ISON ports. RECLANCE SERVICE SERVICE SERVICE AND SERVICE SERV																	
NOTE: Access to 8 Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Boas Fish RequestProcess. Request Process. Rates for the packet capabilities will be determined via the Boas Fish RequestProcess. Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bons Fish RequestProcess. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be																	
NOTE: Access to B Channel or D Channel Replacet capabilities will be available only through BFR/Mew Business Request Process. Nates for the packet capabilities will be determined vis the Boars Fish RequestReve Business Request Process.	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-C	hannels assoc	iated with 2-	wire ISDN	ports.			
INDIBIDATE DI COLA EXCHANDE SWITCHINGIPORTS]															s Request Pro	cess.	
EXCHANGE PORT PATES	DLED L	OCAL EXCHANGE SWITCHING(PORTS)					ľ										
This DST Port rates below for 4-WINE DOTS Trunk Port and 4-Wire ISON Port in this rate enhalts apply to the ammediated base in place as of 10/200 until 47/104. After 47/104 these rates shall revert to until rate or a separate agreement.	EXCHAI	NGE PORT RATES															
Requests for 4-Wire DDTS Trunk Ports with 4-Wire ISDN DST Port with DID UPPE S.29 UPPE S.20 UPPE UPPE S.20 UPP			DN Port	in this	rate exhibit annly t	o the embed	ded hase in nia	ce as of 10/2/0	3 until 4/1/04	Δfter 4/1/04 th	ese rates shall	revert to tai	iff rates or	a senarate an	reement		
Exchange Ports - 2-Wine Dio Port UPEX UPEP 8.20 116.85 16.20													iii rates or	a separate ag	Toomont.		1
Exchange Potrs - 2-Wins ISDN Port (-Servin DST Potr with DID Coppelint (E-41/2004) UEPDD UEPDD 66,47 196,18 92,92			T T	Terrect							Delioodiii 3 d	iscretion.					
Comparisy (F4470004)					ULFLX	ULFFZ	0.29	113.03	10.20								1
Exchange Points - 2-Wine ISON Port IC Politics ULEPTX, UEPSX UPPN 0.00					LIEDDD	LIEDDD	00.47	100.10	00.00								
All Feathures Offered			!	<u> </u>							1	1		1	ļ.	1	1
Exchange Ports = 2-Wire ISON Port — Channel Profise UEPTX, UEPSX UTUMA 0.00			<u> </u>									ļ		ļ		ļ	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to 8 Channel or D Channel Picket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fice Request/New Business Request Process. EXCHANGE PORT RATES (continued)																	
NOTE: Access to 8 Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fice Request/New Business Request Process. EXCHANGE PORT RATES (continued)	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	nission by B-C	hannels assoc	iated with 2-	wire ISDN	ports.			
Exchange Ports - 44/File ISDN DS1 Port (= E41/2004)	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble onl	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be d	etermined via	he Bona Fic	le Request/	New Busines	s Request Pro	cess.	
Exchange Ports - 4-Wire ISDN DST Port with Detailed E911 UEPEX UEPEX 94.82 197.92 98.62	EXCHAI	NGE PORT RATES (continued)															
Locator Capability (E-W1/2004) UEPEX UEPEX 94.82 197.92 98.82																	
Exchange Ports - 4-Wire ISDN DST Port E-41/2004 UEPDX 94.82 197.92 98.62					LIEPEX	LIEPEX	94 82	197 92	98 62								
Physical Collocation - DS1 Cross-Connects UEPEX UEPDX PE1P1 1.04 21.39 15.47																	<u> </u>
Virtual collocation - Special Access & UNE, cross-connect per UEPEX UEPDX												1					1
Destailed Eschange Ports, 4-Wire ISDN DSI Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State					DEPEN DEPDN	FEIFI	1.04	21.39	13.47								1
Detailed E911 with Locator Capability (required with UEPEX port) Ubundled Exhange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State					HEREN HERRY	0110414											
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State					UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
Locator Capability - Initial Profile Establishment per CLEC per																	
State																	
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deteitions UEPEX UEP1B		Locator Capability - Initial Profile Establishment per CLEC per															
Locator Capability - Subsequent Profile Changes, Additions, UEPEX UEP1B 0.00 174.03		State			UEPEX	UEP1A	0.00	1,792.00									
Deletions		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
New or Additional PRI Telephone Numbers Ubbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911 Ucator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C		Locator Capability - Subsequent Profile Changes, Additions,															
New or Additional PRI Telephone Numbers Ubbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911 Ucator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C					UEPEX	UEP1B	0.00	174.03									
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 UEPEX UEP1C 0.0692 0.48 UEP1C 0.48 UEP1C 0.4																	
Locator Capability Z-way Telephone Numbers, per number in E911 profile (New or Additional) UEPEX UEPIC 0.0692 0.48 UEPEX UEPIC 0.48 UEPEX UEPIC 0.48 UEPEX UEPIC 0.48 UEPEX UEPIC 0.48 UEP																	
E911 profile (New or Additional)																	
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEPID 0.0692 11.18 11.18 11.18					LIEDEY	LIED1C	0.0602	0.49									
Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1D 0.0692 11.18 11.18					ULFLX	OLFIC	0.0092	0.40									
E911 profile New or Additional UEPEX UEP1D 0.0692 11.18 11.18 11.18																	
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional UEPDX UEP1E 0.00 0.48																	
Telephone Numbers - Inward Data Only Option [New or Additional] UEPDX					UEPEX	UEP1D	0.0692	11.18	11.18								
Additional			1			1				Ì				I		I	
Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			1			1				Ì				I		I	
Inward Tel Numbers [Customer Testing Purposes]					UEPDX	UEP1E	0.00	0.48									
LOCAL NUMBER PORTABILITY UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN 1.75 UEPEX UEPDX LNPCN UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEDDA UEPDX UEPDX UEPDX UEDDA UEPDX UEDDA UEDX UEDX UEDX UEDX UEDX UEDX UEDX UEDX		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
Local Number Portability (1 per port)			1		UEPEX	PR7ZT	0.00	22.35	22.35	Ì				I		I	
Local Number Portability (1 per port)	LOCAL	NUMBER PORTABILITY					1										1
INTERFACE (Provisioning Only)					UEPEX UEPDX	LNPCN	1.75								1		İ
Voice/Data						† · · · · · · · · · · · · · · · · · · ·				1		1		1	1	1	1
Digital Data			1	1	LIEPEX	PR71\/	0.00	0.00	0.00			1					1
New or Additional Channel			 	 						1	1	1		t	1	t	1
New or Additional Channel			 	1							 	 		 	 	 	1
New or Additional - Voice/Data "B" Channel UEPEX PR7BV 0.00 14.11			1	1	OLPDA	PR/IE	0.00	0.00	0.00	 	1	1		 	1	 	
New or Additional - Digital Data "B" Channel UEPEX PR7BF 0.00 14.11			!	<u> </u>	LIEDEY	DD3E;				1	1	1		1	ļ.	1	1
New or Additional Inward Data "B" Channel UEPDX PR7BD 0.00 14.11			 	1						ļ	ļ	ļ			-		1
New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR7BS 0.00 14.11																	ļ
New or Additional Useage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00 14.11 New or Additional PRI "D" Channel UEPEX PR7EX 0.00 14.11																	<u></u>
New or Additional PRI "D" Channel UEPEX PR7EX 0.00 14.11							0.00	14.11									
New or Additional PRI "D" Channel UEPEX PR7EX 0.00 14.11		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11									
					UEPEX	PR7EX	0.00	14.11		İ							Ì
			1	1		1	1										İ
			1	1	LIEPEX LIEPDX	PR7C1	0.00	0.00	0.00	1	1	1		1	1	1	1
			 	 						1	1	1		t	1	t	1
Odiward OEFEX FR7CC 0.00 0.00 0.00		Outmana												ļ			

LINID	IND! E	D NETWORK ELEMENTS audiciona															Lit. D
ONR	MULE	D NETWORK ELEMENTS - Louisiana		1			1					Sun Carde	Cup Cade		ment: 2	Exhil	
												Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
		DATE EL EMENTO	Interi	-	B00	11000			DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
																	I
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								1
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								į
	Non-Re	ecurring															l .
1	1	Unbundled Remote Call Forwarding Service - Conversion -						<u> </u>				l	1				
<u></u>	<u></u>	Switch-as-is		<u> </u>	UEPVR	USAC2	<u> </u>	0.10	0.10		L						<u> </u>
		Unbundled Remote Call Forwarding Service - Conversion with												_			
1	1	allowed change (PIC and LPIC)			UEPVR	USACC	Ì	0.10	0.10		Ì	l	1				ı
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
	1	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21			1					I
	1					1	1				İ	İ	İ		1		
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21								I
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service Expanded and			02. 15	OLIVIIV	1.02	2.01									
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								I
	Non-Re	ecurring			OLI VD	OLIVO	1.02	2.01	2.21								
	NOII-IX	Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								I
		Unbundled Remote Call Forwarding Service - Conversion with			OLI VB	OOAOZ		0.10	0.10								
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								I
LIMBIII	IDI ED I	OCAL SWITCHING, PORT USAGE			UEFVB	USACC		0.10	0.10						-		
UNDUI																	
-	Ena Or	fice Switching (Port Usage) End Office Switching Function, Per MOU					0.004000										
-							0.001868										
-	T 1	End Office Trunk Port - Shared, Per MOU					0.00018										
	Lander	n Switching (Port Usage) (Local or Access Tandem)															-
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port - Shared, Per MOU					0.000222										
		Tandem Switching Function Per MOU (Melded)					0.000035296										
L	ļ	Tandem Trunk Port - Shared, Per MOU (Melded)		ļ		1	0.000073438								.		
<u> </u>	ļ	Melded Factor: 33.08% of the Tandem Rate				1	ļ				ļ		ļ		1		-
	Commo	on Transport															ļ
	<u> </u>	Common Transport - Per Mile, Per MOU					0.0000032					ļ	<u> </u>				ļ
		Common Transport - Facilities Termination Per MOU					0.0003748										ļ
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															<u> </u>
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															<u> </u>
		fice and Tandem Switching Usage and Common Transport Us															<u> </u>
		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos tl	he nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	Ì	2-Wire VG Loop/Port Combo - Zone 2		2			23.75					İ					
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	UNE L	pop Rates				1		İ			İ				İ		i
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39				İ	İ					
1	1	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	48.26	1			1				t		
1	2-Wire	Voice Grade Line Port Rates (Res)				1	.0.20	1			1				t		i
	1	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08		 	 	 				
—	1	2-Wire voice unbundled port vite Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08				l		 		
-	l -	2-Wire voice unbundled port with Galler 15 - res			UEPRX	UEPRO	1.36	38.85	19.08		 	 	 				
	 	2-Wire voice Grade unbundled Louisiana extended local dialing			OLI IX	SEI NO	1.30	30.83	13.00	1		1			1		
	1	parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08								I
	1	panty port with Galler ID - 163	<u> </u>	1	OEI IVA	JLI AU	1.30	30.03	13.00	1	I	1	L		1		

HINBLINDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: B
UNBUNDL	ED NETWORK ELEMENTS - Louisiana	1									Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		1									Elec	1		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															ĺ
	(RUL)			UEPRX	UEPAG	1.36	38.85	19.08								ı
	2-Wire voice unbundles res, low usage line port with Caller ID															ĺ
	(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								<u> </u>
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan															ł
	without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								<u></u>
	2-Wire voice unbundled Louisiana Area Plus Port without Caller															í
	ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								<u></u>
	2-Wire voice unbundled Low Usage Line Port without Caller ID															ł
	Capability			UEPRX	UEPRT	1.36	38.85	19.08								
FEAT	URES				1				ļ	ļ				ļ		
<u> </u>	All Features Offered	ļ		UEPRX	UEPVF	0.00	0.00	0.00	ļ	ļ				ļ		
LOCA	AL NUMBER PORTABILITY			LIEBBY .	LUBOY				ļ	ļ				ļ		
<u> </u>	Local Number Portability (1 per port)	ļ		UEPRX	LNPCX	0.35					ļ					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ								ļ						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															ł
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															ł
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															ł
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															ł
055/	Premise Company Change Company			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS		_	HEDDY	LIEVEN	40.00	00.54	10.07								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1 2	UEPRX UEPRX	UEAEN	12.90 23.33	36.54 36.54	16.87 16.87			1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	48.43	36.54	16.87								
-	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAEN	14.93	102.10	65.72			1					
<u> </u>	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72								
\vdash	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	50.46	102.10	65.72				-				
INTE	ROFFICE TRANSPORT		3	ULFKX	ULALD	30.40	102.10	05.72								
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1					
	Termination			UEPRX	U1TV2	22.60	39.36	26.62								í
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITOR	OTTVE	22.00	00.00	20.02								
	or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								ł
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLI TOX	OTTVIVI	0.010	0.00	0.00								
	Port/Loop Combination Rates	1								†						(
1	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	13.13			1	1				1		i
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	23.75			1	1				1		ĺ
	2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62			İ	İ			İ	İ		í Toronto
UNE	Loop Rates															í
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77			İ	1			İ	İ		í
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39				1						1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										ĺ
2-Wir	e Voice Grade Line Port (Bus)															i .
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08								1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08								ı .
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08								
	2-Wire voice Grade unbundled Louisiana extended local dialing							<u> </u>								, <u></u>
	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08								.
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with															
	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08								
-	2-Wire Voice Unbundled Louisiana Business Dialing Plan							·								1
	without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port	l														1
	without Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08								ı

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: B
311201101											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.36	38.85	19.08								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURES	1														
	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00								
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.40	0.40								
	Switch-as-is	1		UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPBX	USACC		0.10	0.10	I					I		1
ADE	Switch with change ITIONAL NRCs	+	 	ULPDA	USACC	-	0.10	0.10		1	-				-	
ADL	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	<u> </u>		+	-			-	 				-	-	
	Activity Activity			UEPBX	USAS2		0.00	0.00	I					I		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	OLI BA	UUNUZ		0.00	0.00	1	1	1	1		1		
	Premise			UEPBX	URETL		8.33	0.83								
OFF	/ON PREMISES EXTENSION CHANNELS	+	!	OLI DA	OINETE		0.33	0.03	 	1	 			t		
J	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPBX	UEAEN	12.90	36.54	16.87	1		1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPBX	UEAEN	48.43	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
INTI	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
—	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPRG	UEPLX	22.39			1		1			1		
0.184	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEPRG	UEPLX	48.26			1		1			1		
2-W	ire Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1		+				 					 		
	Res			UEPRG	UEPRD	1.36	66.91	31.29	1					1		1
100	AL NUMBER PORTABILITY	1	1	ULFRU	DEPRD	1.30	00.91	31.29	1	1	1	1		1		
100	Local Number Portability (1 per port)	+	1	UEPRG	LNPCP	3.15	0.00	0.00	 					 		
FFA	TURES	+	l -	OLI NO	LIVI OF	3.13	0.00	0.00	 	1	1			t	1	
H . 27	All Features Offered	+	!	UEPRG	UEPVF	0.00	0.00	0.00	 	1	 			t		
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1		J	0.00	0.00	0.00	-	1	1			I		—
1.101	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	İ						1					1		
	Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85	1					1		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		-	1			30	1					1		
	Conversion - Switch with Change			UEPRG	USACC		7.68	1.85	I					I		1
ADE	ITIONAL NRCs	1	1				_									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
L	Subsequent Activity	1	<u>L</u>	UEPRG	USAS2	0.00	0.00	0.00	<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.11	7.11								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise	<u> </u>		UEPRG	URETL		8.33	0.83	ļ	1	<u> </u>			1		1
OFF	ON PREMISES EXTENSION CHANNELS	<u> </u>			1				1					1		
\vdash	Local Channel Voice grade, per termination	ļ	1	UEPRG	P2JHX	14.93	102.10	65.72	ļ					1		I
	Local Channel Voice grade, per termination	1	2	UEPRG	P2JHX	25.35	102.10	65.72	L					L	<u> </u>	1

CATEGORY RATE ELEMENTS Interest Code BCS USC RATES (B) Section Company Code Co	UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
ATE ELEMENTS Intel	S. TOO TOEL	DITE TO THE LEE HELL TO LOUISIGHU										Svc Order	Svc Order				Incremental
ATE CLEMENTS IN THE PROPERTY OF THE PROPERTY O																	Charge -
CATEGORY RATE GLEMENTS Manual Part Deep Line			Inter.														Manual Svc
Contract Contract	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Table April Table Tabl			m									por Lore	per Lore				Electronic-
Noncomment Non																	Disc Add'l
Description (Control of Control																D130 131	DISC Add I
Description Security Securi							Rec										
INTERCEPTICE TRANSPORT										First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Instantible Frontiero - Declarate - 2 Wite Voice Grade - Parity Libera				3	UEPRG	P2JHX	50.46	102.10	65.72								
Territorion	INTER			<u> </u>													
Insection Transport - Declared - 2 Wire Voxe Create - Per Mile UPPRC UPP					LIEDDO	11477.60	00.00	00.00	00.00								
SPRING WORD CRANE LONG PWT1-2WIRE LINE PORT (BUS-PIRS) UFFIN DISTRICT CRANE LONG PWT1-2WIRE LINE PORT (BUS-PIRS) UFFIN DISTRICT CRANE LONG PWT1-2WIRE LINE PORT (BUS-PIRS) DISTRICT CRANE LONG PWT1-2WIRE LINE PORT CRANE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG PWT1-2WIRE LONG LONG LONG LONG LONG LONG LONG LONG	-	* *** *			UEPRG	U11V2	22.60	39.36	26.62								
2.WWW Vote Charlester Core WTH 2-WWE LUB PORT (BUS - PRX)					LIEBBO	11477/04	0.042	0.00	0.00								
Description of the control of the	2.WID				UEPRG	UTIVIVI	0.013	0.00	0.00								
2-WWW VEL Loop/Perf Corticol - Zone 1																	
2-Wine Vol LoopPert Control - Zone 2 2 4,952	ONLF			1			13 13										
December December																	
UNE Loop Rates				_													
2-Wine Votes Gradua Loop (St. 1) - Zone 2 2 UEPPX UEPX UEPX 2.239	UNF I		1	Ŭ			70.02							1	1		
2-Wire Votes Grade Lotes (St. 1) - Zone 3	0.1.2		1	1	UEPPX	UEPLX	11.77					1		 	 		
2-Wire Votes Grade Line Port Rate (BUS - PRX)			1											1	1		
2 2 2 2 2 2 2 2 2 2			†											1	1		
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 1.36 66.91 31.29	2-Wire		†	Ť		J2. 2.	.5.20							1	1		
Line Side Unbunded Culturar PSX Trunk Port - Bus			†											İ	1		
Line Side Librandied Outward PSK Trunk Port - Bus UEPPX UEPP1 1.36 66.91 31.29		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29								
Line Side Unbundled Norming PRX Trunk Port - Bus																	
2-Vitro Voice Unbunded 2-Wey PS (Combination PBX Louisians Calling Port UEPL2 1.36 66.91 31.29																	
Calling Port																	
2.Wire Visice Unbunded 2 Visigo Combision PBX Usage Port UEPPX UEPX 1.36 66.91 31.29					UEPPX	UEPL2	1.36	66.91	31.29								
2-Wire Voice Unburdled PRX LD DD Terminals Port UEPPX UEPX 1.36 66.91 31.29					UEPPX	UEPLD	1.36	66.91	31.29								
2-Wire Voice Unbundled PSK LD DDD Terminal Switchboard Port UEPPX UEPXC 1.36 66.91 31.29		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
2-Wire Voice Unbundled PSX LD Terminal Switchboard IDD Capable Port UEPPX UEPX UEPX		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29								
2-Wire Voice Unbundled PSk LD Terminal Switchboard IDD UEPPX		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29								
Capable Port		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port UEPYX UEPXK 1.36 66.91 31.29 31.2		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port					UEPPX	UEPXE	1.36	66.91	31.29								
Administrative Calling Port																	
Administrative Calling Port					UEPPX	UEPXK	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPPX UEPXM 1.36 66.91 31.29																	
Room Calling Port					UEPPX	UEPXL	1.36	66.91	31.29								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPPX UEPX																	
Discount Room Calling Port					UEPPX	UEPXM	1.36	66.91	31.29								
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port UEPPX UE			1		l	1]				1	1		
Discount Calling Port			ļ	<u> </u>	UEPPX	UEPXO	1.36	66.91	31.29								
Cocal Number Portability (1 per port)			1				,										
LOCAL NUMBER PORTABILITY			ļ														
Local Number Portability (1 per port)			<u> </u>		UEPPX	UEPXS	1.36	66.91	31.29					 	 		
FEATURES	LOCA		<u> </u>		HEDDY	LNDCS								 	 		
All Features Offered			<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00					 	 		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPPX	FEATU		!	<u> </u>	LIEDDY	LIED\/E	0.00	0.00	0.00								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	Neve		1	1	UEPPX	UEPVF	0.00	0.00	0.00					-	-		
Conversion - Switch-As-is	NONR		 	-													
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change LUEPX ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPX USAS2 0.00 0.00 0.00 PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group UEPX USAS2 0.00 0.0			1		LIEDDY	LISACO		7.60	1 05								
Conversion - Switch with Change			 	-	OLFFA	USAUZ	-	7.08	1.65	 				-	 		
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group UEPPX USAS2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			1	1	LIEPPX	LISACC		7 69	1 95]		1		Ì	Ì		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group VI VI VI VI VI VI VI V	ADDIT		1	 	OLI I X	30,00		7.00	1.05	 				 	 		
Subsequent Activity	ADDIT		 	1		+											
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.11 7.11 7.11			1	1	UEPPX	USAS2	0.00	0.00	0.00]		1		Ì	Ì		
Group 7.11 7.11 7.11			1	1			5.50	3.50	0.00	1				1	1		
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPPX			1	1				7.11	7.11]		1		Ì	Ì		
Premise			1	1						i				İ	İ		
OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72			1		UEPPX	URETL		8.33	0.83]				1	1		
Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72	OFF/O																
				1	UEPPX	P2JHX	14.93	102.10	65.72								
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72								

UNBUNDI F	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhil	bit: B
CINDONDEL	THE TWO TREE LEGISLATION LOUISIANIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
i											Submitted	Submitted		Charge -	Charge -	Charge -
i											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ł																
i													1st	Add'l	Disc 1st	Disc Add'l
i I						_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)		
r - †						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i i	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								
INTEF	ROFFICE TRANSPORT															
r - †	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
(l	Termination			UEPPX	U1TV2	22.60	39.36	26.62								
r - †	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
(l	or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	Port/Loop Combination Rates															
r ti	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
r - †	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
- 	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		1	49.62			İ	İ			İ	İ		İ
UNE I	Loop Rates	1			1				İ	İ			İ	İ		İ
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77			İ	†			İ	İ		
, 	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	22.39			İ	†			İ	İ		
i t	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	48.26			1	İ		İ	İ	İ		
2-Wire	e Voice Grade Line Ports (COIN)	1	Ť	- "	1	.0.20			t	1			1	1		l
	2-Wire Coin 2-Way without Operator Screening and without															
(l	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
(l	900/976. 1+DDD (AL. KY, LA. MS)			UEPCO	UEPRA	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			02. 00	02.701		00.00	10.00								
(l	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening & Blocking:			02. 00	OZ. ILB		00.00	10.00			1					
(l	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
	2-Wire Coin Outward without Blocking and without Operator			02. 00	02. 02		00.00	10.00			1					
i l	Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02		00.00	10.00								
ı l	(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02.2.		00.00	10.00			1					
ı l	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			02. 00	02		00.00	10.00								
ı l	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08			1					
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08			1					
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 02	1.00	00.00	.0.00								
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY	†	†				0.00	2.00	3.00	5.00			1	1		
	Local Number Portability (1 per port)	1	1	UEPCO	LNPCX	0.35			t	l .			1	1		1
NONE	ECURRING CHARGES - CURRENTLY COMBINED	1	†		1				t	1			1	1		l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		†		1				t	1			1	1		l
ı	Switch-as-is	1		UEPCO	USAC2		0.10	0.10	1							
- 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1		21.10	2.70	İ	İ			İ	İ		İ
ı l	Switch with change	1		UEPCO	USACC		0.10	0.10	1							
ADDIT	FIONAL NRCs	1	†		1		20	2.70	t	1			1	1		l
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	†		1				t	1			1	1		l
ı l	Activity	1	1	UEPCO	USAS2		0.00	0.00	I				Ì	Ì		
i i	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
ı	Premise	1	1	UEPCO	URETL		8.33	0.83	I				Ì	Ì		
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (1				İ	†			İ	İ		
	Port/Loop Combination Rates			,	1				İ	İ			İ	İ		İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	16.45				1						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1 1	26.87				1						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	51.98			İ	İ			İ	İ		İ
UNE I	oop Rates	1			1				İ	İ			İ	İ		İ
<i>i</i>	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93										
- 	2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFR	UECF2	25.35			İ	İ			İ	İ		İ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46						İ	İ			
'	2-Wile Voice Grade Loop (SL2) - Zorie 3															
2-Wire	e Voice Grade Line Port Rates (Res)		Ů		020.2	33.10			İ							

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
0.1.2011.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	1			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)						Manual Svc		
CATEGORI	KATE EEEMENTO	m	20116	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-			1	Nonrec	urrina	Monroourrin	g Disconnect			000	Rates (\$)		
						Rec				<u> </u>	001150	001111			0011411	001441
	0.145					4.50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Louisiana extended local dialing															
	parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															
	(RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OL: TI	01112	22.00	00.00	20.02								
	or Fraction Mile			UEPFR	1L5XX	0.013										
EE A	TURES			UEPFR	ILSAA	0.013						-				
FEA	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00								
1.00				UEPFR	UEPVF	0.00	0.00	0.00				ļ				
LOC	AL NUMBER PORTABILITY			HEDED	LNDOV	0.05										
L	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.20	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
UNF	Loop Rates		Ť													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
 	2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFB	UECF2	50.46				+	†	1		 		
2.14/6	re Voice Grade Line Port (Bus)	1		02.10	JL01 2	30.40				+	 	 		 		
2-441	2-Wire voice unbundled port without Caller ID - bus	1	 	UEPFB	UEPBL	1.52	104.41	67.93		+	 	 		 		
-	2-Wire voice unbundled port with Caller + E484 ID - bus	1	 	UEPFB	UEPBC	1.52	104.41	67.93		+	-	 				
\vdash		1	 	UEPFB	UEPBO	1.52	104.41	67.93		+	-	 				
\vdash	2-Wire voice unbundled port outgoing only - bus	1	-	ULFFD	UEPBU	1.52	104.41	67.93		1	1	1		 		
1 1	2-Wire voice Grade unbundled Alabama extended local dialing	1		LIEDED	LIEDAYA											
\vdash	parity port with Caller ID - bus	!	-	UEPFB	UEPAW					1	1	1	1	1		
	2-Wire voice Grade unbundled Louisiana extended local dialing										1					
\vdash	parity port with Caller ID - bus	ļ		UEPFB	UEPAX	1.52	104.41	67.93								
	2-Wire voice unbundled incoming only port with Caller ID - Bus	<u> </u>	<u> </u>	UEPFB	UEPB1	1.52	104.41	67.93				ļ				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with	1														
	Caller ID (BUC)	<u> </u>		UEPFB	UEPAA	1.52	104.41	67.93				L				
	2-Wire Voice Unbundled Louisiana Business Dialing Plan	1	1]								l		
	without Caller ID	<u> </u>	<u></u>	UEPFB	UEPWH	1.52	104.41	67.93					<u></u>	L		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1 1	Termination	1	1	UEPFB	U1TV2	22.60	39.36	26.62						l		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		İ	1	1					İ	1	İ	İ		
1 1	or Fraction Mile	1		UEPFB	1L5XX	0.013										
FFA	TURES	†		- ··· -		5.5.0				1	Ì	1		1		
1.27	All Features Offered	1	1	UEPFB	UEPVF	0.00	0.00	0.00			İ	1		1		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	t	 		vi	0.00	0.00	0.00		+	 	1	 	 		
HON	NEGOTIANO GIANOLO (MINOS) - OUNINEMIET OUMBINED	1	<u> </u>	l .	1					ı	l .	1	L	1		

UNBU	INDLEI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
													1	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec per LSR	per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
0,1120			m		200	0000			= (4)			per LSR	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
								Names		Name and a committee of	. Dianamant				Rates (\$)	2.00 .00	2.007.444
							Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						11100	Addi	11130	Addi	COMEO	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACC		8.24	1.81								
		Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEFFB	USACC		0.24	1.01								
		End User Premise			UEPFB	URETN		11.20	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
		ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
		pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP UEPFP	UECF2	25.35 50.46										
		Voice Grade Line Port Rates (BUS - PBX)		3	UEFFF	UEGFZ	50.46										
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14								
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPO UEPP1	1.52	132.47	82.14								
-		Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			UEPFP	UEPP1	1.52	132.47	82.14								
		Calling Port			UEPFP	UEPL2	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14								
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP UEPFP	UEPXB	1.52 1.52	132.47 132.47	82.14 82.14								
		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXC	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	OL: AD		102.11	02								
		Capable Port			UEPFP	UEPXE	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			LIEDED	LIEDVIA	4.50	400.47	00.44								
		Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXK	1.52	132.47	82.14								
		Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			OLFIF	OLFAO	1.52	132.47	02.14								
		Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14								
-		NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				 				
		DFFICE TRANSPORT		1	OLI FF	LINFOF	3.15	0.00	0.00								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											1				
		Termination			UEPFP	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	41.577	0.042										
-	FEATU	or Fraction Mile RES		-	ULFFF	1L5XX	0.013						1				
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				†				
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				110400		0.04	4.01								
-	-	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		8.24	1.81				 				
1		Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	<u>L</u> _	End User Premise		<u> </u>	UEPFP	URETN		11.20	1.10								
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES EVOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT	<u> </u>		+							ļ				
—		ort/Loop Combination Rates	FURI	<u> </u>		+							 				
	•	p		1			L							·		L	1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC		N	RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Rec	Nonrec First			g Disconnect	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20	FIFSt	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3				58.73	-								-	+
UNE	Loop Rates						30.73										+
- OILE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
UNE	Port Rate			OL: : X		0200.	00.10										†
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								†
NON	RECURRING CHARGES - CURRENTLY COMBINED																
1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is	1		UEPPX		USAC1		7.10	1.81						1	I	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion										†				İ	İ	1
	with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81								
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.20	1.10								
Teler	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	Ī													
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
			_														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60										
UNE	Port Rate Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								
NON	RECURRING CHARGES - CURRENTLY COMBINED		-	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								-
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-														-
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23								
ADD	ITIONAL NRCs			OLFFB	ULFFR	USACB	0.00	37.40	20.23								+
ADDI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																+
	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEPPR	URETN		11.20	1.10								ļ
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOC	AL NUMBER PORTABILITY																
1=55.	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		†				İ	İ	1
B-CI-	IANNEL USER PROFILE ACCESS:			T		1			2.30	İ	İ				İ	İ	1
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	İ	İ				İ	İ	1
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		1						
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-Cl-	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	:TN)														
				UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)															l	
	CVS/CSD (DMS/5ESS) CVS (EWSD) CSD			UEPPB UEPPB	UEPPR UEPPR	U1UCE	0.00	0.00	0.00								

UNBUNDI	LED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Fyhi	ibit: B
3.1D3.1DL	LED ITE : ITO THE LETTER TO LOUISIGHU											Svc Order	Svc Order	Incremental		Incremental	
1		1		1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	ВС	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec		curring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES			LIEDDD													
15.177	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB (LIEDDD	M1GNC	22.613	39.36	26.62								
	Interoffice Channel mileage each, additional mile			UEPPB (0.013	0.00	0.00								
4-10/	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	CDODT		UEFFB	UEFFR	MIGNIM	0.013	0.00	0.00								
	UNE-P DS1 combination rates below for in this rate exhibit appl			idad basa i	in place a	s of 10/2/02 :	intil 4/1/04 Aft	or 4/1/04 those	ratos shall ro	vort to tariff rat	toe or a conara	to commore	ial agraoma	nt			
	uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													111.			
	E Port/Loop Combination Rates		, cane			. uno ameno		o tiucu pulsi	to a sepai	are agreement	- carmat Bel	uii o uii		I		I	1
3142	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1			1								†		<u> </u>	l .
	Zone 1	1	1	UEPPP		1	180.52							I		I	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1				1				İ				İ		İ	i e
	Zone 2	1	2	UEPPP		1	289.78							1		1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	Ì															
	Zone 3	1	3	UEPPP		1	586.76							1		1	
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94										
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	94.82	443.08	251.60								
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port								=								
400	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	115.63	76.29								
ADD	H-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.48									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR/IF		0.48									
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18								
-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLFFF		FR/10		11.10	11.10								
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		22.35	22.35								
LOC	CAL NUMBER PORTABILITY			OLITI		11(72)		22.00	22.00								
1200	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	ERFACE (Provsioning Only)	1		, J =			1.75			1				1		1	1
	Voice/Data	1		UEPPP		PR71V	0.00	0.00	0.00	1				1		1	1
	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00	İ				1	İ	1	İ
	Inward Data	Ì		UEPPP		PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.11									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.11									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.11									
CAL	L TYPES																
igsquare	Inward	ļ	<u> </u>	UEPPP		PR7C1	0.00	0.00	0.00					1		1	
$oxed{oxed}$	Outward	ļ	<u> </u>	UEPPP		PR7CO	0.00	0.00	0.00					1		1	
\vdash	Two-way	ļ	 	UEPPP		PR7CC	0.00	0.00	0.00					.		.	ļ
Inter	roffice Channel Mileage	ļ	ļ			1	=0 =0		=0 ::		ļ						ļ
$\vdash \vdash \vdash$	Fixed Each Including First Mile	 	<u> </u>	UEPPP		1LN1A	70.7352	86.69	79.44					-		-	ļ
	Each Airline-Fractional Additional Mile	1	1	UEPPP		1LN1B	0.2652			-	1	1		1		1	
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	V 40 41-	omt -	ldod bass '	n nlc	0 of 40/0/00	mtil 4/4/04 ***	or 4/4/04 4hr -	rotoo chall	want to take		to com	ol oarsse	l	1	!	ļ
	UNE-P DS1 combination rates below for in this rate exhibit appl uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											te commerc	ai agreeme	1	-	-	
	ests for 4-wire DS1 Digital Loop with 4-wire DD11S after the eff	Live o	iale of	ins ameno	inient sna	I ne biovide	u pursuant to a	a separate agr	ement or tarm	at Deligouth	a uiscretion.			+	-	+	1
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		+	154.17			1	1	}		+	1	+	1
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC		1	263.43			1	1	1		t	1	t	1
				UEPDC		+	560.41			 	-	1		 	1	-	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		1 3														

UNBUNDLE	D NETWORK ELEMENTS - Louisiana			1								_	Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC UEPDC	USLDC	194.96 491.94										
UNE P	Port Rate		3	OLFDC	USLDC	451.54										
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
ADDIT	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		125.75	65.08								
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	-			+										-	-
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 20	05			1 1100								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEBBO	UDTTE		44.00	44.00								
PIPOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		14.06	14.06								
ыгос	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF			605.00s								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges			LIEBBO	LIBTOY											
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44								
	Termination)			OLFDC	ILINOT	70.47	00.09	75.44								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.2652	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.2652	0.00	0.00			<u> </u>					
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				to ovhibit or "	ly to the emb-	ddad bass is -	lace as of 4019	/02 until 4/4/04	After 4/4/04	those rotes	shall revert	to tariff rate -	or a concret-	agrooment	
i ne U												onan revert t	o tariir rates	or a separate	agreement.	
Regue	ests for 4-Wire DS1 Loop with Channelization with Port atter the															
	ests for 4-Wire DS1 Loop with Channelization with Port after the DS1 Loop	e eneci	- To dut			vided pursuan	t to a separate	ugi cement or	I Delicot	util 5 discretic	,					

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
JIIDONDE	ED NET WORK ELEMENTO LOGICIANA										Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>				Mana		Name and a committee of	. Dianamant			220	Rates (\$)		
+-		<u> </u>	 		-	Rec	First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
-+	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
	24 DSO Channel Capacity - 1 per DS1	ĺ		UEPMG	VUM24	97.35	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
\longrightarrow	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
+-	288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>	 	UEPMG UEPMG	VUM28 VUM38	1,168.20 1,557.60	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 16 DS1s		1	UEPMG	VUM4O	1,947.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2.336.40	0.00	0.00								
-+	672 DS0 Channel Capacity - 1 per 28 DS1s		1	UEPMG	VUM67	2,725.80	0.00	0.00								
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chan	neliztio													
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multi	ples of this configuration functioning as one are considered A	dd'l afte	er the m	ninimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
	em Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and										
New	(Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			LIEDMO	\ // IN 4D 4	0.00	745.54	107.51								
Pine	and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution		1	UEPMG	VUMD4	0.00	715.54	467.54			1					
Біроі	Clear Channel Capability Format, superframe - Subsequent		1		+						1					
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
_	Clear Channel Capability Format - Extended Superframe -		1	OLI MO	00001	0.00	0.001	000.000								
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports				_											
	Line Side Combination Channelized PBX Trunk Port - Business			HEDDY	LIEBOY	4.50	0.00	0.00	0.00	0.00						
-+	(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>	 	UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID		1	ULFFX	OLFOX	1.52	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port					_										
	(E:4/1/2004)			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)		1	UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						
	Habitadiad Evaluate David O Witz Changelined Contain						0.00	0.00	0.00	0.00						
\dashv	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	ILIEDC2	1.50			0.00	0.00			ı		1	
	Louisiana Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00									
	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			UEPPX UEPPX					0.00	0.00						
Featu	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Louisiana Only – Calling Plan (E:4/1/2004)				UEPC2 UEPC3	1.52	0.00	0.00	0.00	0.00						
Featu	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way -								0.00	0.00						
Featu	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Louisiana Only – Calling Plan (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank								0.00	0.00						
Featu	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Louisiana Only – Calling Plan (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	UEPC3	1.52 0.6497	0.00 25.36	0.00	0.00	0.00						
	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Louisiana Only – Calling Plan (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00						
	Louisiana Only – Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Louisiana Only – Calling Plan (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	UEPC3	1.52 0.6497	0.00 25.36	0.00	0.00	0.00						

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISI	DISC Add I
						Б	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	l Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUNDLED	DICENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														
	ost Based Rates are applied where BellSouth is required by FCC															
	atures shall apply to the Unbundled Port/Loop Combination - C															
	nd Office and Tandem Switching Usage and Common Transport															
	e first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	RCs may
	y also and are categorized accordingly.															
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, unt	til further notic	е.									
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>()</u>														
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP91		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP91		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		3	UEP91		48.26										
UNE	Loop Rate	ļ														
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ		UEP91	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP91	UECS2	50.46										
	Ports	1	\vdash		1					 				 		1
All Si	tates (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	1	 	UEP91	UEPYA	1.36	38.85	19.08		 						-
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		OFLAI	UEFTA	1.36	38.85	19.08		-		 		-		1
	2-wire voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.36	38.85	19.08		1						
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1	\vdash	OLF31	ULFID	1.30	30.05	19.08	1	 	1	-		1	1	1
	Local Area			UEP91	UEPYH	1.36	38.85	19.08		I		1		Ì		
\vdash	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	-	טבו פו	OLFIII	1.30	30.03	19.00		1	1					1
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93		I		1		Ì		
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		OL: 31	OLFIN	1.30	104.41	07.93		 				 		1
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93		I		1		Ì		
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		OL1 31	JLI IZ	1.30	104.41	01.93		 				1	1	1
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08		1						
\vdash	2-Wire Voice Grade Port Terminated on 800 Service Term -	t		0.	320	1.50	55.55	10.00		 		l				<u> </u>
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08		1						
ΔΙ Ι	KY, LA, MS, & TN Only	t		J_1 J1	JL1 12	1.50	50.05	13.00		 		l				<u> </u>
	2-Wire Voice Grade Port (Centrex)	†		UEP91	UEPQA	1.36	38.85	19.08		-						<u> </u>
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP91	UEPQB	1.36	38.85	19.08		 		 		 		
								10.00							1	1
				UFP91		1 36	38 85	19 08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPQH	1.36	38.85	19.08								

UNBUN	IDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit· R
3,400		DITE TO THE LEGICAL CONTROL OF THE LEGICAL CO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor			1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			1								Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							Rec	Nonrec		Nonrecurring		001450	SOMAN		Rates (\$)	001141	001141
-		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
-		Jervice Terrii			OLF91	ULFQZ	1.50	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08								
L	ocal S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
L		Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
F	eature				115504		2.22										
		All Standard Features Offered, per port			UEP91 UEP91	UEPVF	0.00	440.05									
		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP91	UEPVS UEPVC	0.00	412.25		1							
<u> </u>	IARS	All Control Control i catures Oriereu, per port	1	-	OLFBI	OLF VC	0.00			 		1	1	1	1		
 		Unbundled Network Access Register - Combination	1	-	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
+		Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1		1	1		
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
1	/liscell	laneous Terminations															
2	-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
I	nterof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e			+				1							
	J4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497			-							
 		l eature Activation on 5-4 Channel Bank Centrex Loop Slot			OLF91	IFQWS	0.0457										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.6497										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.6497										
L		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	40000	0.0407										
		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP91 UEP91	1PQWQ 1PQWA	0.6497 0.6497			_				-	-		
H-	lon-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex	1		OLFSI	IFQVA	0.0497			+							
 	-JII-KE	Conversion - Currently Combined Switch-As-Is with allowed	 	 		+				 				 	 		
		changes, per port			UEP91	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block	1		UEP91	USACN	0.00	36.66	16.10								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40									
		Secondary Block, per Block			UEP91	M2CC1	0.00	79.31									
		NAR Establishment Charge, Per Occasion	ļ	<u> </u>	UEP91	URECA	0.00	73.93									
	Additio	onal Non-Recurring Charges (NRC)	<u> </u>	<u> </u>		-				-							
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP91	URETL		8.33	0.83	1				1	1		
+-+		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		OLFSI	UKEIL		0.33	0.83	+							
		End Use Premise	1		UEP91	URETN		11.20	1.10	1				1	1		
l	JNE-P	CENTREX - 5ESS (Valid in All States)			02. 01	SILLII		11.20	1.10	1							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			İ											
		ort/Loop Combination Rates (Non-Design)	L			1								İ	<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design	<u> </u>	1	UEP95		13.13			ļ				ļ	ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_		1				1				1	1		
		Non-Design	ļ	2	UEP95		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		49.62										
$\overline{}$		เมดแ-กะอเหิแ	1	3	しにてもつ		49.02			l		<u> </u>	<u> </u>	1	1		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF F	Port/Loop Combination Rates (Design)						101	7144.		7144		00				
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		51.82										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
- 	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	50.46			t		1		1	†	1	1
LINE P	Port Rate	1	Ť	- "	1	330			t		1		1	†	1	1
All Sta		1			1				t		1		1	†	1	1
7 0	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95	UEPYA	1.36	38.85	19.08	1		İ	1				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								†
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02	1.00	00.00	10.00								†
	Area			UEP95	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI SO	OLI III	1.00	00.00	10.00								†
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI 33	OLI TIVI	1.50	104.41	07.33								
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI 12	1.00	104.41	01.00								+
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	1.50	30.03	13.00								+
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AI K	Y, LA, MS, SC, & TN Only			OLI SO	OLI 12	1.00	00.00	10.00								+
AL, K	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								+
	2-Wire Voice Grade Fort (Centrex 666 termination) 2-Wire Voice Grade Fort (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								+
	2-Wire Voice Grade Fort (Centrex with Carlet ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	OLI QII	1.50	30.03	13.00								
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 33	OLI QIVI	1.50	104.41	07.33								
	Term 2.3			UEP95	UEPQZ	1.36	104.41	67.93								
	16111 2,3			OLF 93	ULFQZ	1.30	104.41	07.53								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP95	UEPQ9	1.36	38.85	19.08		1	-		-		-	
Local	Switching			OLI 33	OLI QZ	1.50	30.03	13.00								
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577										
Local	Number Portability	1		OFL 20	UNLUS	0.0011			 	1	1	1	1	 	1	1
Local	Local Number Portability (1 per port)	1		UEP95	LNPCC	0.35			1	1	1	1		1		1
Featu		1		OLI 33	LIVI OU	0.35			 	1	1	1	1	 	1	1
realu	All Standard Features Offered, per port	1		UEP95	UEPVF	0.00			1	1	1	1		1		1
	All Select Features Offered, per port	1		UEP95 UEP95	UEPVS	0.00	412.25		 	1	1	1	1	 	1	1
	All Centrex Control Features Offered, per port	l	1	UEP95	UEPVC	0.00	412.20		t	1	†	1		1		+
NARS		1		OLI 33	OLI VO	0.00			 	1	1	1	1	 	1	1
INAIS	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	1
-	Unbundled Network Access Register - Combination	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	1
+	Unbundled Network Access Register - Indiai Unbundled Network Access Register - Outdial	1		UEP95 UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	1
Misso	Ilaneous Terminations	1		OFL 20	UANUA	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	1
	Trunk Side	-				-				1	-		-		-	
Z-44116	Trunk Side Terminations, each	1	1	UEP95	CEND6	8.29	115.85	18.20		 	 	-	-	-	-	+
4-18/:=-	e Digital (1.544 Megabits)	1		OLI 33	OLIVDO	0.29	113.03	10.20	 	1	1	1	1	 	1	1
4-1116	DS1 Circuit Terminations, each	1	1	UEP95	M1HD1	68.47	196.18	92.92		 	 	-	-	-	-	
-	DS1 Circuit Terminations, each DS0 Channels Activated, each	1		UEP95 UEP95	M1HD0	0.00	14.06	92.92	1	1	1	1		1		1
Intoro	ffice Channel Mileage - 2-Wire	-		OFL 20	טטוווואו	0.00	14.00			1	-		-		-	
intero	Interoffice Channel Facilities Termination	-		UEP95	M1GBC	22.60	39.36	26.62		1	-		-		-	
	Interonice Channel Facilities Termination		1	OL P90	INLIGEC	22.00	<i>ა</i> ყ.ახ	20.02		1	1		<u> </u>		<u> </u>	L

CATEGORY Feature D4 Char	RATE ELEMENTS RATE ELEMENTS Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service	Interi m	Zone	BCS	USOC						Svc Order Submitted		Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
Feature D4 Chai	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Servic		Zone	BCS	usoc											
Feature D4 Chai	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Servic		Zone	BCS	usoc											
Feature D4 Chai	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Servic		Zone	BCS	USOC						Elec		Manual Svc	Manual Svc		Manual Svc
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service	m						RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service							- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service												1st	Add'l	Disc 1st	Disc Add'l
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service												ist	Addi	DISC 1St	DISC Add 1
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service					B	Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	•	
Feature D4 Chai	Activations (DS0) Centrex Loops on Channelized DS1 Service					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Char				UEP95	M1GBM	0.013										
		e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
1 1 !	Different Wire Center			UEP95	1PQWP	0.6497			ļ	ļ						
1 1 1					450											1
igwdow	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497				ļ						
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOS	400140	0.040=										1
	Slot		1	UEP95	1PQWQ	0.6497			 	-				ļ		
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.6497			 	1				1		├
	curring Charges (NRC) Associated with UNE-P Centrex		.		+				 	 						
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.10								
	changes, per port Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40	10.10								-
	New Centrex Standard Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									
	nal Non-Recurring Charges (NRC)			OLI 50	ONLON	0.00	70.00									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								İ
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.20	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo					10.10										
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D		23.75										-
	Non-Design		3	UEP9D		49.62										
	ort/Loop Combination Rates (Design)		3	OLF3D		45.02										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		51.82										
UNE Lo	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48.26										└
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.35			 	1				1		
UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46			 	 						
ALL ST		-	1		+				1	1				1		
	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	1	UEP9D	UEPYA	1.36	38.85	19.08	1	1				1		
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			021 00	JEI IA	1.50	30.03	13.00		 						
	Area			UEP9D	UEPYB	1.36	38.85	19.08								1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			-	1		33.30		İ	1				İ		
	Area			UEP9D	UEPYC	1.36	38.85	19.08								1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.36	38.85	19.08								1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
J J. 17 EL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	l	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
—	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.36	38.85	19.08								
	Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
-	Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYV	1.36	38.85	19.08	1	1						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 9D	JLI IV	1.30	30.03	13.00	†	†	<u> </u>					
	Area			UEP9D	UEPY3	1.36	38.85	19.08	1	1						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIED (M	4.00	00.05	10.00								
—	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYW	1.36	38.85	19.08								
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI 10	1.00	00.00	10.00								
	2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDVD	4.00	404.44	07.00								
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4						-									
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
-	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 14	1.00	104.41	07.00								
	Basic Local Area	<u> </u>		UEP9D	UEPY5	1.36	104.41	67.93	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93	1	1						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLFAD	UEP 1/	1.36	104.41	67.93	 	 						
	Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93	1	1						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIED) (C				1	1						
AI V	Local Area Y, LA, MS, SC, & TN Only			UEP9D	UEPY2	1.36	38.85	19.08	 	 	-					
AL, K	2-Wire Voice Grade Port (Centrex)	-		UEP9D	UEPQA	1.36	38.85	19.08	 	+	-	-				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4	-		UEP9D UEP9D	UEPQF UEPQG	1.36 1.36	38.85 38.85	19.08 19.08	 	 	1					
 	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQG	1.36	38.85	19.08	 	 						
	2-Wire Voice Grade Port (Centrex / EBS-M5006)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08	<u> </u>	<u> </u>						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								

CATEGORY	ED NETWORK ELEMENTS - Louisiana RATE ELEMENTS													ment: 2		bit: B
CATEGORY	RATE ELEMENTS										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		Interi	Zone	BCS	USOC			RATES (\$)				,				
		m		200				= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			JEP9D	UEPQJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			JEP9D	UEPQM	1.36	104.41	67.93								<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								<u> </u>
																[
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			JEP9D	UEPQP	1.36	104.41	67.93								L
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			JEP9D	UEPQQ	1.36	104.41	67.93								
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
																i .
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
	0.14% - 14% - 0.14% - 0.14% - 0.14% - 0.14% - 0.14%															i .
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			JEP9D	UEPQ4	1.36	104.41	67.93								
	0.14/5 1/4/5 O I D1/O1/5/1/(5 0.14/0/ED0.145000)0.0.4			IEDOD	LIEBOE	4.00	404.44	07.00								1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			JEP9D	UEPQ5	1.36	104.41	67.93								
	2 Mire Veice Crede Best (Control/differ CMC (EDC MESAC)2 2 4			IEDOD	LIEBOC	4.00	404.44	67.00								1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
	2 Wire Voice Crede Bort (Controy/differ SWC /EBS ME316)2 3 4			JEP9D	UEPQ7	1 26	104.41	67.93								1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			DEP9D	UEPQI	1.36	104.41	67.93								
	Term 2,3			JEP9D	UEPQZ	1.36	104.41	67.93								1
	16111 2,0			OLI OD	OLI QZ	1.50	104.41	07.33								——
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			JEP9D	UEPQ9	1.36	38.85	19.08								1
	2-Wire Voice Grade Port Terminated on 800 Service Term			JEP9D	UEPQ2	1.36	38.85	19.08								——
Loca	Switching			02. 02	02. Q2	1.00	00.00	10.00								
	Centrex Intercom Funtionality, per port			JEP9D	URECS	0.8577										
Loca	Number Portability			02. 02	0.1200	0.0011										
	Local Number Portability (1 per port)			JEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			JEP9D	UEPVF	0.00										
	All Select Features Offered, per port			JEP9D	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										ſ
NARS																ſ
	Unbundled Network Access Register - Combination			JEP9D	UARCX	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register - Inward			JEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			JEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations		$oxed{oxed}$													
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			JEP9D	CEND6	8.29	115.85	18.20		ļ						
4-Wir	e Digital (1.544 Megabits)			15505												├
\vdash	DS1 Circuit Terminations, each		 	UEP9D	M1HD1	68.47	196.18	98.62		ļ						├
- Inter-	DS0 Channels Activiated per Channel		!	UEP9D	M1HDO	0.00	14.06		1	 	-	ļ				
Interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		!	JEP9D	M1GBC	22.60	39.36	26.62	 	 	-					
\vdash	Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	M1GBC M1GBM	0.013	38.30	20.02	-	 						
Eoot.	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	•		UL1 3D	IVITGDIVI	0.013				1	1					
	nannel Bank Feature Activations	c	 		1				1	1						
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	JEP9D	1PQWS	0.6497			1	1						
	Total Total Total Control Dank Control Loop Slot			JL1 JD		0.0437			 	 						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.6497						1				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1			3.0.07			1							
1 1	Slot		l ,	UEP9D	1PQW7	0.6497										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -									1						ſ
	Different Wire Center		1)	UEP9D	1PQWP	0.6497						1				1

ATECOPY RATE ELEMENTS RATE ELEMENTS RATE SUBSCIENCE R	IBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
ATE ALEMENTS PATE LIMENTS PATE LIMENTS PATE ALEMENTS PATE LIMENTS PATE ALEME												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
PATE BLEMENTS Minute Min																	Charge -
## CATEONY RATE (LEMENTS 200																	
Pettern Activation or D-4 Channel Basic Prince Line Local Science Color First Address Color First Address Color First Address Color First Address Color First Address Color First Address Color First Address Color First Address Color First Address Color First Address Color First Color First Address Color First Colo	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
18			m									per Lore	per Lore				Electronic-
Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Loss Dig Pearly Artifolion to be Cleared Bank Name Line Line Dig Pearly Artifolion to be Cleared Bank Name Line Line Dig Pearly Artifolion Line Line Line Line Line Line Line Lin																	Disc Add'l
Security Activation on D-4 Charmel Bank Place Line Loop Bild SPON SPON SOM																Diac rat	Disc Add I
Secure Activation on DA Committee Lanchage Secure Sec							Poo	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
Control Actionation in the Colorania Bark (Fig Fund Funds Capp UPPW) UPPW							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Control Actionation in the Colorania Bark (Fig Fund Funds Capp UPPW) UPPW																	
Size					UEP9D	1PQWV	0.6497										
Feature Activation in the Charmel Spent WTSL Log Site. SPPID IPOWA O.8497																	
New Networks (Company NRTC) Associated with UNB-P Centree		Cict															
NetConversion Contrarily Controlland Statistics Asia selected changes, part of the Control Control Statistics Control Statist					UEP9D	1PQWA	0.6497										
Commission desirating Central Commission (ask) CEPSID USACZ 0.10	Non-Re																
Connection of exerting Centrines Common Block Sept.																	
New Comments Standard Common Block																	
New Centrex Customical Common Block									16.10								
NATE Establishment Charge, Per Occasion UPPO URECA 0.00 73.93																	
Additional Non-Recurring Charges (RRC)			<u> </u>	_											-	-	
Unbounded Miscellaneous Rate Element, Tag Losp at End Use Person Unbounded Miscellaneous Rate Element, Tag Design Loop at Unbounded Miscellaneous Rate Element, Tag Design Loop at Unbounded Miscellaneous Rate Element, Tag Design Loop at Unbounded Miscellaneous Rate Element, Tag Design Loop at Unbounded Miscellaneous Rate Element, Tag Design Loop at Unbounded Miscellaneous Rate Rate (Miscellaneous Rate Rate (Miscellaneous Rate Rate Rate) Unbounded Miscellaneous Rate Rate (Miscellaneous Rate)			<u> </u>		UEP9D	URECA	0.00	73.93		ļ		<u> </u>		ļ	-	-	.
Premise	Additio		<u> </u>	_		+									-	-	
Unbounded Miscollaneous Rate Element, Tag Design Loop at End UPPD URETN					LIEDOD	LIDET!]	0.00	0.00						I	I	
End Use Premise ULPPG URETIN 11.20 1.10					UEP9D	UREIL		8.33	0.83								
UNE Copp? Wire Voice Grade Port (CentracyPort Combo					LIEDOD	LIDETN		44.00	4.40								
2-Wire Vot Loop/2-Wire Voice Grade Port (Centres) Combo UNE Port Loop Combination Rates (Mon-Design) 1	LINE D				UEP9D	UREIN		11.20	1.10		-						
Description Process Description Desc						+					-						
2-Wire VC Loop/2-Wire Voice Grade Port (Centres) Port Combo-bon-Design 1																	
Non-Design	UNE PO											1					1
2-Wire Vol. Lopp/2-Wire Volce Grade Port (Centrex)Port Combo 2 UEP9E 23.75			1	1	LIEDOE		13 13										
Non-Design 2 UEP9E 23.75				-	OLI 3L		13.13										1
2				2	LIEPOE		23.75										
Non-Design 3 UPP0E 49.62				_	OLI OL		20.70										1
UNE Fort/Loop Combination Rates (Design 1 UEPBE 16,29				3	LIEPOE		49.62										
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9E 16.29	UNF Po			Ť	02.02		10.02										
Design																	
2. Wire Volce Grade Port (Centrex) Port Combo - Design 2. UEP9E 26.71				1	UEP9E		16.29										
Design D		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
2-Wire Voice Grade Loop (St. 1) - Zone 1		Design		2	UEP9E		26.71										
UNE Loop Rate		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
2-Wire Voice Grade Loop (SL 1) - Zone 1		Design		3	UEP9E		51.82										
2-Wire Voice Grade Loop (St. 1) - Zone 2 2 UEP9E UECS1 22.39																	
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP9E UEC\$1 48.26		2-Wire Voice Grade Loop (SL 1) - Zone 1		1		UECS1	11.77										
2-Wire Voice Grade Loop (SL 2) - Zone 1																	
2-Wire Voice Grade Loop (SL.2) - Zone 2																	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 50.46																	
UNE Port Rate																	
AL, FL, KY, LA, MS, & TN only				3	UEP9E	UECS2	50.46										
2-Wire Voice Grade Port (Centrex) Basic Local Area			<u> </u>														
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP9E UEPYB 1.36 38.85 19.08	AL, FL,		<u> </u>		LIEBOE	LIEDVA	4.00	00.05	40.00								
Area			<u> </u>		UEP9E	UEPYA	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area 1-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area 1-Basic Local Area 1					LIEDOE	LIEDVD	4.00	00.05	40.00								
Area					UEP9E	UEPYB	1.36	38.85	19.08		-						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800 UEP9E UEPYM 1.36 104.41 67.93					LIEDOE	HEDVII	4.00	20.05	40.00								
Center)2,3 Basic Local Area	_		<u> </u>		UEF9E	UEFTH	1.30	30.03	19.00								
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP9E UEPY2 1.36 104.41 67.93 UEP9E UEPY3 1.36 38.85 19.08 AL, KY, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex) UEP9E UEP42 1.36 38.85 19.08 UEP9E UEPY2 1.36 38.85 19.08 UEP9E UEPY2 1.36 38.85 19.08 UEP9E UEPY2 1.36 38.85 19.08 UEP9E UEPY3 1.36 38.85 19.08					LIEDOE	HEDVM	1 26	104.41	67.02								
Service Term - Basic Local Area			 		OLI JL	OLI TIVI	1.30	104.41	01.33	1	1	1		1	t	t	
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area					UFP9F	UEPY7	1 36	104 41	67 93						I	I	
Basic Local Area			†		OLI 0L	OL: 12	1.50	104.41	01.33	1	1	1	<u> </u>	1	I	I	†
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP9E					UEP9E	UEPY9	1.36	38.85	19 08						1	1	
Basic Local Area				1		32	00	55.00							<u> </u>	<u> </u>	t
AL, KY, LA, MS, & TN Only L2-Wire Voice Grade Port (Centrex) UEP9E UEPQA 1.36 38.85 19.08 2-Wire Voice Grade Port (Centrex 800 termination) UEP9E UEPQB 1.36 38.85 19.08			1	1	UEP9E	UEPY2	1.36	38.85	19.08						I	I	
2-Wire Voice Grade Port (Centrex)	AL, KY					1		55.55		Ì					t	t	
2-Wire Voice Grade Port (Centrex 800 termination)			l		UEP9E	UEPQA	1.36	38.85	19.08	1				İ	İ	İ	1
			l							1				İ	İ	İ	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08			İ					1

UNBU	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: B
5.150												Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									_							2.00	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	4.00	404.44	07.00								
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
		Service Terrii			UEF9E	UEFQZ	1.30	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08								
	Local S	Switching			OLI OL	OLI QZ	1.00	00.00	10.00								
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	_									
	NARS				-												
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial	ļ		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				1		
\vdash		aneous Terminations	ļ			1											
<u> </u>	2-Wire	Trunk Side	<u> </u>		LIEBOE	OFNIDO	0.00	445.00	10.00						-	ļ	ļ
<u> </u>	4 18/:	Trunk Side Terminations, each	<u> </u>		UEP9E	CEND6	8.29	115.85	18.20						-	ļ	ļ
<u> </u>	4-Wire	Digital (1.544 Megabits)	 		LIEDOE	MALIDA	CO 47	400.40	92.92	ļ					!	1	1
		DS1 Circuit Terminations, each DS0 Channel Activated Per Channel	 		UEP9E UEP9E	M1HD1 M1HDO	68.47 0.00	196.18 14.06	92.92						 		-
	Interes	Fice Channel Mileage - 2-Wire	1		UEF9E	INITIDO	0.00	14.06							+		
	meron	Interoffice Channel Facilities Termination	 		UEP9E	M1GBC	22.60	39.36	26.62						 	-	-
		Interoffice Channel mileage, per mile or fraction of mile	 		UEP9E	M1GBM	0.013	39.30	20.02	 					t	1	1
\vdash	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		J_1 J_	.vi i ODIVI	0.013						 		t		
		innel Bank Feature Activations	1												1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
					*												
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9E	1PQW6	0.6497								1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot	<u> </u>		UEP9E	1PQW7	0.6497								<u></u>	<u></u>	<u></u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
		Different Wire Center			UEP9E	1PQWP	0.6497										
			l														
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l			1									1		
		Slot	<u> </u>		UEP9E	1PQWQ	0.6497								-	ļ	ļ
	Nan B	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>		UEP9E	1PQWA	0.6497								-	ļ	ļ
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	 			1	1			ļ					!	1	1
		NRC Conversion Currently Combined Switch-As-Is with allowed	1		LIEDOE	LICACO		0.10	0.40				1		I		
\vdash		changes, per port Conversion of Existing Centrex Common Block, each	 		UEP9E UEP9E	USAC2 USACN		0.10 36.66	0.10 16.10				 				
		New Centrex Standard Common Block	1		UEP9E UEP9E	M1ACS	0.00	680.40	10.10	1			 		 	1	1
		New Centrex Standard Common Block	1		UEP9E UEP9E	M1ACC	0.00	680.40		1			 		 	1	1
\vdash		NAR Establishment Charge, Per Occasion	 		UEP9E	URECA	0.00	73.93		 					t	1	1
	Additio	onal Non-Recurring Charges (NRC)	1			5.125/1	0.00	70.00					 		I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l				İ								t		
		Premise	l		UEP9E	URETL		8.33	0.83						1		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			-		İ	2.20	2.30						1		
		End Use Premise	l		UEP9E	URETN	[11.20	1.10						1		
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u></u>														
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												_			
		Non-Design		1	UEP93		13.13										

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP93		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP93		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		26.71										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		l]							Ì	Ì		
		Design	ļ	3	UEP93		51.82			ļ							
	UNE L	oop Rate		<u> </u>	L	1	ļ					1					
<u> </u>	_	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77			ļ				ļ	ļ		
<u> </u>	_	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36			ļ				ļ	ļ		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
		ort Rate															
	AL, K	, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP93	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP93	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08								
<u> </u>		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08								
<u> </u>		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOO	LIEDOM	4.00	404.44	07.00								
		Center)2,3			UEP93	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			LIEBOO	115507	4.00	404.44	07.00								
-	-	Service Term			UEP93	UEPQZ	1.36	104.41	67.93								
		OME Visco Octob Bod (see See See See See See See See See See			UEP93	UEPQ9	4.00	00.05	40.00								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent					1.36	38.85	19.08								
	Land	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08								
	Local	Switching			LIEDOS	LIDECC	0.8577					-					
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577					-					
-	Local	Number Portability			UEP93	LNPCC	0.05										
-	Fastur	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
—	Featur	All Standard Features Offered, per port	-	1	UEP93	UEPVF	0.00	73.93	27.14	 		1					
—			 	1	UEP93 UEP93	UEPVF	0.00	73.93	27.14	 		1					
—	NADO	All Centrex Control Features Offered, per port	 	1	UEP93	UEPVC	0.00	73.93	27.14	 		1					
<u> </u>	NARS	Linkundlad Naturali Access Bonister Combination	<u> </u>	1	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	 					
—		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	1	UEP93	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
-	-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	1	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00			-	-		
—	Missa	laneous Terminations	-	 	OLF 33	UANUA	0.00	0.00	0.00	0.00	0.00	1		-	 		
—		Trunk Side	-	 		+	 			 	-	1		-	 		
-	z-wire	Trunk Side Trunk Side Terminations, each	1	1	UEP93	CEND6	8.27	115.85	18.20	l .	1	1	1	1	1		
	4.Wiro	Digital (1.544 Megabits)	1	1	OL1 33	OLIVDO	0.27	110.00	10.20	l .	1	1	1	1	1		
	wile	DS1 Circuit Terminations, each	1	1	UEP93	M1HD1	68.47	196.18	92.92	l .	1	1	1	1	1		
	1	DO I GIGGIL TETTIHI ALIOTIS, EAGIT		1	OE1 30	וטווואו	00.47	130.10	32.32	1	I	1	1		1	1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11200111		m		200	5555			1011 = 0 (4)			per LSR	per LSR				Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop					0.0.01										
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex					0.0.01										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								ŀ
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93				1					
Δdditi	onal Non-Recurring Charges (NRC)			OLI 50	ORLOR	0.00	70.00				1					
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+	1					1					
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			00		 	5.50	0.00	 		-	-				
	End Use Premise			UEP93	URETN		11.20	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			02.00	CINEIII	 	11.20	1.10	 		-	-				
	- Required Interoffice Channel Mileage				1						1					
	- Installation is combination of Installation charge for SL2 Lo	op and I	Port		+	 			 		-	-				
	- Requires Specific Customer Premises Equipment		J		+	 			 		-	-				
	Rates displaying an "R" in Interim column are interim and sub	iect to r	ate tru	e-un as set forth in	General Term	ns and Condition	ns					 				
HOLE.	nates anopiasing an it in interim column are litterim and sub	Jour 10 I	ute if U	o up ao octivitii iii	Contra rem	no ana conanti	110.		1	1	1	1	1			

LINIBL	INIBI EI	D NETWORK ELEMENTO MINISTRA															
UNBU	JNDLEI	D NETWORK ELEMENTS - Mississippi										Submitted	Submitted	Incremental Charge -	Charge -	Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	The "7	one" shown in the sections for stand-alone loops or loops as	nort of	0.00m	hingtion refere to Co	o aronhioolly	Degranad II	NE Zanas Ta	wiew Coogran	hinally Deaver	aged LINE Zen	Docimantia	ana by Cant	rol Office refe	r to internet	Nahaita.	
	http://w	www.interconnection.bellsouth.com/become_a_clec/html/inter				одгарпісану	Deaveraged 0	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZON	e Designatio	ons by Cent	rai Office, reie	er to internet v	vensite:	
OPERA		_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	fic" OSS charges as	ordered by t	he State Comm	issions. The (OSS charges c	urrently conta	ned in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges	CI FC may
	elect ei	ther the state specific Commission ordered rates for the servi															
		f the 9 states. (2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be ordere	ed electronica	lly. For those	e elements
	that car	nnot be ordered electronically at present per the LOH, the list N, will be applied to a CLECs bill when it submits an LSR to B	ed SOM	IEC rat													
		OSS - Electronic Service Order Charge, Per Local Service	ensour	n. 													
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
UNE SI		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with I	Policon	th's E	C No 1 Tariff Soction	n 5 ac annli	eable										
	NOTE.	The Expedite charge will be maintained commensurate with	Delisou	IIII S FC		ii 5 as appii	capie.										
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL.												
					UC1BC, UC1BL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1.												
					UNLD3, UXTD1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUN		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
-	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL UEANL	UEAL2 UEAL2	25.68 43.85	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		3	UEANL UEANL	UEASL UEASL	25.68 43.85	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-			40.00			2040	0.20						
		Premise			UEANL UEANL	URETL URET1		8.33 34.36	0.83 34.36								
	<u> </u>	Loop Testing - Basic 1st Half Hour		<u> </u>	UEAINL	UKETT		34.36	34.36]	l	1	1	l	l .		

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
01120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	usos			DATEC (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL UEANL	URETA UREWO		19.97 15.75	19.97 8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1		UEAINL	UKEWU		15.75	0.92								
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.19	18.19								
	2-WIRE	Unbundled COPPER LOOP			LIEO	LIEONY	44.04	00.50	10.10	00.00	4.40						
—		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ UEQ	UEQ2X UEQ2X	11.01 11.51	36.53 36.53	16.16 16.16	22.66 22.66	4.42 4.42						
—		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	H		UEQ	UEQ2X UEQ2X	11.57	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	i	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1														
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			l												
<u> </u>		Non-Designed (per loop)	<u> </u>	<u> </u>	UEQ	USBMC		8.20	8.20	ļ							
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)		1	UEQ	UEQMU		13.51	13.51	[
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.00										
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	OLI OK OLI OB	OLABO	12.03	51.52	17.55	25.40	5.25						
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					0.7.00										
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OLI OK OLI OD	OLABO	23.00	57.92	17.55	25.40	5.25						
		Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
L		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
UNBUN		XCHANGE ACCESS LOOP	<u> </u>	<u> </u>	1					ļ							
-	∠-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1						-							
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	†	1				33.20	52.52	.0.57						
		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1				· · · · · · · · · · · · · · · · · · ·		· · · · · ·						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
-		Ground Start Signaling - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	1	4	UEA	OCOSL	45.72	105.96	b8.28	5∠.82	10.37		-				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			0_/\	JUUGE		10.19									
		Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	l.,_,	LIEAS?											
-		Battery Signaling - Zone 3	1	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37				 		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL	45.72	18.19	00.20	52.02	10.37						
		T. T. T. T. T. T. T. T. T. T. T. T. T. T	1	1	1	J J J J J J	1	10.10		1		L	l		1		l

UNBU	JNDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
01120												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		<u> </u>
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29	Filat	Auu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP													1		
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
	2-WIRE	ISDN DIGITAL GRADE LOOP	1		LIBN	1141.637	2.2	,,= 0:	=0.5-	=0.0-					-		├
-	1	2-Wire ISDN Digital Grade Loop - Zone 1	1		UDN	U1L2X	21.01	117.61	79.92	52.82	10.37				!	1	
-		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN UDN	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37				 		
-	1	2-Wire ISDN Digital Grade Loop - Zone 3 2-Wire ISDN Digital Grade Loop - Zone 4	1	4	UDN	U1L2X	37.34 59.18	117.61	79.92	52.82	10.37						
—		Order Coordination For Specified Conversion Time (per LSR)	1	-	UDN	OCOSL	J3.10	18.19	19.92	32.02	10.37				t	1	
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								-
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP		OKEWO		31.40	44.07								
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	1													
		& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	-	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	UAL	UALZVV	11.11	96.15	58.03	50.38	7.93						
		facility reservation - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						İ
		2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL	UALZVV	11.47	30.13	30.03	30.30	7.55						
		facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						İ
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						İ
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		l	L	l									1		1
	1	& facility reservation - Zone 1	1	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry		0		LILLIAV	0.00	400.00	70.50	E0 22	7.00						1
-	1	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry	1	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
		& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						1
—		2 Wire Unbundled HDSL Loop including manual service inquiry	1	3	O. IL	UI ILZA	5.07	123.30	19.32	30.36	1.33				t	1	
		& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93				1		1
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL	.0.40	18.19	. 5.02	55.00					1		
		2 Wire Unbundled HDSL Loop without manual service inquiry	1														
L	<u> </u>	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		<u> </u>		<u> </u>	<u> </u>	<u>1</u>
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
1		2 Wire Unbundled HDSL Loop without manual service inquiry			L	L									_		1
		and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93				1		I
		2 Wire Unbundled HDSL Loop without manual service inquiry					40.40	404.00	00 = 1	50.00	7.00				1		1
-		and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	1	4	UHL UHL	UHL2W OCOSL	10.46	104.86	66.74	50.38	7.93				 		
-		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UHL	UREWO		18.19 85.98	40.33			-				-	
1	1-WIPE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	LOOP	OI IL	UKEWU	-	85.98	40.33	1		-			 	1	
—	wirk	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOUP		1									 	-	
		and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68				1		1
<u> </u>		, 100011011011 E0110 1	1	<u>' </u>		J T/	10.70	100.14	100.20	00.12	10.00	1	1		1	l	

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
			1								Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.		Order vs.	
	NATE ELEMENTO	m	20110	500	0000			πατ ΔΟ (ψ)			per LSR	per LSR		Order vs.		Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		<u> </u>
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry							71441		71441			•••••			
1	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry		-													
1	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
L	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIR	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07						ļ
	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	USL	USLXX	458.46	253.93 18.19	158.45	46.10	12.07						
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								+
4-WIE	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWU		100.90	42.90			-					
4-9018	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88.85	60.68	14.64						+
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						†
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL		18.19									_
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDL	UREWO		101.94	49.66								↓
2-WIR	RE Unbundled COPPER LOOP	<u> </u>			+											↓
	2-Wire Unbundled Copper Loop-Designed including manual	1	1	LICI	LICLER	44.44	400.04	00.07	50.00	7.00		1				
	service inquiry & facility reservation - Zone 1	 	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						├
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		1				
				UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						+
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		1				
	2 Wire Unbundled Copper Loop-Designed including manual		3	OCL	OCLFB	11.74	120.34	09.07	30.36	7.93	1					
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	12.05	8.20	8.20	30.36	7.33		 				
	2-Wire Unbundled Copper Loop-Designed without manual	†			COLIVIO		0.20	0.20			<u> </u>	 				†
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		1				
1	2-Wire Unbundled Copper Loop-Designed without manual				1			230	22.30	50						1
	service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		1				
	2-Wire Unbundled Copper Loop-Designed without manual	1														
<u></u>	service inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	<u> </u>	<u></u>				
	2-Wire Unbundled Copper Loop-Designed without manual												_			
	service inquiry and facility reservation - Zone 4	1	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93	ĺ	l		l		1
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		8.20	8.20								

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		""											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>	CLEC to CLEC Conversion Channel without suitaids disposed						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								
4-W	IRE COPPER LOOP			002	O.K.E.I.G		00.21	12.10								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry		_			10.01			00.72	10.00						
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4S UCLMC	21.33	8.20	8.20	56.72	80.01						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCL4VV	18.84	119.56	81.44	56.72	10.68						
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		8.20	8.20								
	(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP MOD	IFICATION															
				UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL. UEPSR.												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.												
	per unbundled loop			UEPSB	ULMBT		32.59	32.59								
SUB-LOOP																
Sub	-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1		UEANL	USBSA		259.69									
$\sqsubseteq \bot$	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.77									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- 1		OLANL	JUDGU		1/0.4/									
	Set-Up	- 1		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Zone 2	1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						220									
$\sqsubseteq \bot$	Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	ZUIIG 4		4	ULANL	USDINZ	10.20	00.18	31.14	45.36	0.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC	<u> </u>	8.20	8.20			<u></u>	<u> </u>				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
\vdash	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
1 1	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

CATEGORY	ED NETWORK ELEMENTS - Mississippi RATE ELEMENTS	Interi m	Zone								Svc Order	Svc Order	Incremental	ment: 2 Incremental	Incremental	bit: B Incremental
CATEGORY	RATE ELEMENTS		Zono								Svc Order	Svc Orger	incrementai	incrementai	Incremental	
CATEGORY	RATE ELEMENTS		Zono													
CATEGORY	RATE ELEMENTS		Zono								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	m		BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
			Zone	ьсэ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
1 1	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						ł
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						1
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
	Order Coordination for Linburghed Cub Lases asset Lases	l		UEANL	USBMC		8.20	8.20								ĺ
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	<u> </u>	1	UEANL	USBMC URET1		34.36	34.36								
\vdash	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	-	1	UEANL	URETA		19.97	19.97								
\vdash	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H	3		UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	2 This copper chibanalog cap 200p Blokibation 2010 1		<u> </u>	02.	0002/	0.00	00.10	0	10.00	0						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						ĺ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						ſ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbun	ndled Network Terminating Wire (UNTW)															
N1.4	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
Netwo	rk Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		65.30	50.36								
	Network Interface Device (ND) - 1-0 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94			1					
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OTHER	PROVISIONING ONLY - NO RATE	1	1	OLIVIVV	0.4004		5.54	5.54								<u> </u>
3.1 <u>2</u> 3 111 <u>2</u> 10, 1	NID - Dispatch and Service Order for NID installation	1	1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		i –	UENTW	UENCE	0.00	0.00									
	. 5 ,			UEANL,UEF,UEQ,U												ſ
	Unbundled Contract Name, Provisioning Only - No Rate	<u></u>	<u>L</u>	ENTW	UNECN	0.00	0.00				<u></u>			<u> </u>		<u> </u>
UNE OTHER, I	PROVISIONING ONLY - NO RATE															
		l														i
		l		UAL,UCL,UDC,UDL,												i
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	l		l			_									ĺ
\vdash	rate	ļ	ļ	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									├ ──
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	l		HEA HOL HOLLS:	LIODED	0.00	0.00									i
\vdash	Inhundled DC1 Loop, Superfrome Formet Option, no rate		ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00									
\vdash	Unbundled DS1 Loop - Superframe Format Option - no rate	l	l	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate	l		USL	CCOEF	0.00	0.00									ĺ
HIGH CARACI	no rate ITY UNBUNDLED LOCAL LOOP	-	1	USL	CCUEF	0.00	0.00									
IIIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	1			-										
	month	l		UE3	1L5ND	11.20										l
 	High Capacity Unbundled Local Loop - DS3 - Facility		!	0_0	.20110	11.20										
	Termination per month	l		UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						i
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per					323.10		200.11	.23.20	55.10						
	month	l		UDLSX	1L5ND	11.20										i

LINIDI	INDI E	NETWORK ELEMENTO Missississis															
UNBU	INDLE	NETWORK ELEMENTS - Mississippi	1	1	ı	1	1					00	00		ment: 2		bit: B
														Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEG	JOKI	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or			UMK			0.0050	0.0050								
	LIABINO	spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		AND LINE SPLITTING : The Line Sharing monthly recurring rates for all installation		alatad f	irom Ootobor 02, 200	12 through m	idniaht Ostobo	* 04 2004 aba	l be billed so t	fellower		-					
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					ildnight Octobe	1 01, 2004 Sha	i be billed as i	ioliows:							
-		: 10/02/2003 – 10/01/2004: 25% of the rate for all unbundled cc : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	Apei 10	JP IIUI	i assigned (OCLNL	, , <u> </u>	1			1		-			t		
-		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	 	1		1									-		
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	CC applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING							,								
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -				000	0.04	40.00	40.00	40.04	4.00						
		OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			010	OLOD1	2.70	10.02	10.00	10.04	4.00						
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line						40							1		1
	<u> </u>	Rearrangement(DLEC Owned Splitter)	<u> </u>	!	ULS	ULSCS		16.48	8.24	ļ						ļ	
1		Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1			0.04	47.44	40.04	20.27	40.74		1		I		1
-	1	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned	 	<u> </u>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				-	-	
		splitter - Central Office Located (25% of UCLND) - please see	1	1		1							1		I		1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74				1		[
-	1	Line Share Service, TRO per line activation, CLEC owned	 	†	010	02001	2.13	77.44	10.01	20.07	12.74				 		
		splitter - Central Office Located (50% of UCLND) - please see	1	1		1							1		I		1
		NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74		1				1
		Line Share Service, TRO per line activation, CLEC owned		i –		1									1	İ	
		splitter - Central Office Located (75% of UCLND) - please see													1		1
		NOTE 1 (E:10/2/2005)		<u> </u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74						
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter	ļ	<u> </u>	UEPSR UEPSB	UREOS	0.61				ļ				1		I
	<u> </u>	Line Splitting - per line activation BST owned - physical	<u> </u>	!	UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93					ļ	
-	B4 A 151-	Line Splitting - per line activation BST owned - virtual	 	<u> </u>	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93				1	-	├
—	WAINT	No Trouble Found - per 1/2 hour increments - Basic	 	 		+		80.00	55.00	1	-	-			 	-	
-	-	No Trouble Found - per 1/2 nour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	├	 		 	1	120.00	82.50	1			 				
-	1	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	 	 		+		160.00	110.00			-	 		+	1	
	1	140 Housia i duna - per 1/2 hour incientents - Fremiuill	1	1	1	1	1	100.00	110.00	1	l .	1	l	ı	1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
011201122													Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
					+	_ 1	Nonred	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			-												
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0098					1					
	- Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			_			40.78	21.51	17.26	7.11						
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.201										
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBER						_										i
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel	1		UDF, UDFCX	UDF14	20.21	642.79	138.67	326.97	203.85	1		1	1		1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF. UDFCX	1L5DL	59.95										
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4	39.93	642.79	138.67	326.97	203.85						ſ
8XX ACCESS	TEN DIGIT SCREENING			021, 021 01	02.2.		0.20	100.01	020.01	200.00						
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216							1			1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.60	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service			OHD	N8FTX		5.97	0.81	4.60	0.54						
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		2.60	1.30								
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FAX		3.04	0.44								
	Features			OHD	N8FDX		2.60									
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										l

LINDIII	NDI E	D NETWORK ELEMENTS Mississippi												A 11 1		F.A.	B
UNDU	NULE	D NETWORK ELEMENTS - Mississippi	1	1		ı	1					Cua Ordar	Cvo Ordor	Incremental	ment: 2 Incremental		bit: B Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				1		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAN	COMPAR
		query			OHD		0.0006216										
I INF IN	FORM.	ATION DATA BASE ACCESS (LIDB)			01.15	1	0.00002.0					1					
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0.00	34.52	34.52	42.33	42.33						
SIGNAL	ING (C				,												
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						<u> </u>
E911 SE	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination					22.52	40.77	27.57	17.26	7.11						
		Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
		Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
		Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
-		Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLIN	G NAM	E (CNAM) SERVICE				1	31.33	09.79	02.20	10.00	14.50	-					
CALLIN	IC ITAIN	CNAM For DB Owners - Service Establishment			OQV	1	1	23.09	23.09	21.23	21.23						
		CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23						
		CNAM For DB Owners - Service Provisioning With Point Code				1		20.00	20.00	21.20	21.20						
		Establishment			OQV			996.62	737.08	270.49	198.89						
		CNAM For Non DB Owners - Service Provisioning With Point				1		*******									
		Code Establishment			OQV			344.32	246.56	276.85	198.89						
		CNAM for DB Owners, Per Query			OQV		0.0010231										
		CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECT	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per						_]		
		Switch						85.19	85.19	14.19	14.19						
VIRTUA	L COLI	LOCATION				1											
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line				l											
		Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSIC	AL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line				5541.6		40.00									
AIN CEI	ECTIV	Splitting E CARRIER ROUTING			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SEL	LECTIV	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
-		End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71						
\vdash		Query NRC, per query			SRC	SINOLO	0.0030502	107.49	107.49	1.71	1.71				1		1
AIN - P	FLLSO	JTH AIN SMS ACCESS SERVICE			51.0	+	0.0030302						 		 		
Z4 - DI		AIN SMS Access Service - Service Establishment, Per State,				1						<u> </u>	 		 		
		Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		1		Ì		
					-	1		00.01	55.57	.0.02	.0.52				1		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14						
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14						l
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		1		Ì		

LINDI	INDI E	D NETWORK ELEMENTS - Mississippi												Assach		Ful:	bit: B
UNDU	INDLE	D NET WORK ELEMENTS - MISSISSIPPI	ı ———		ı	T	1					Cva Ordar	Cua Ordar		ment: 2		
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
		AIN SMS Access Service - Session, Per Minute					0.5649										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					0.8393										
AIN - B	ELL SOL	JTH AIN TOOLKIT SERVICE															
	1	AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						
		AIN Toolkit Service - Training Session, Per Customer			OAW	BAPVX		4.226.54	4,226.54	40.32	40.32						
-	1	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	-		DAL AV	1	4,220.54	4,220.34	-		}	1	1	 		1
1	1	DN. Term. Attempt	l	1		BAPTT		7.87	7.07	044	9.14						
-	1			-		DAPTI	1	1.87	7.87	9.14	9.14	1	1	-	1		
1	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l	1		DARTE		7	7.0-								
<u> </u>	ļ	DN, Off-Hook Delay	 			BAPTD		7.87	7.87	9.14	9.14		ļ				
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l									1					
	<u> </u>	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		Į]
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN. Feature Code				BAPTF		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Query Charge, Per Query					0.0535577										
	1	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0000011										
		Subscription, Per Node, Per Query					0.0063509										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access		-		+	0.0003303					1	1				
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.00						1				
					CAM	BAPMS	44.44	7.07	7.07	5.54	5.54						
		Subscription			CAM	DAFIVIO	11.11	7.87	7.87	5.54	5.54	1	ļ				
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	2.71	8.71	8.71								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHAN		TENDED LINK (EELs)															
\Box		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	ly Combined' N	Network Eleme	nts.					
	EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTER	ROFFICE TRANSPO	RT											
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	1	1				
	1	First 2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	İ	İ				
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1			1			22.20			Ì	l		1		1
		per month	l		UNC1X	1L5XX	0.1813					1					
	1	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	2.30.77	. 20, 31	0.1010					1	1		t		1
		Termination per month	l		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1					
-	1	1/0 Channelization System in combination Per Month	1	-	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	}	1	1	 		1
	 	Voice Grade COCI - Per Month	-	-	UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10	1	1	-	-		-
—	1	VOICE CIAGE COOL FEI WOITH	 	 	ONOVA	טעוטו	0.5/3/	0.02	4.74			-	1		-		
		Foot Additional O.Mira VO.Lean (OLO) is Constitution 5	l		LINOVA	LIEALO	10.00	105.00	00.00	50.00	10.0-						
<u> </u>	<u> </u>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	1	1				
1	1		l		l .	I											
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
1	1		l	1		1											
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
1	1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4	l	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
				•		•								•			

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11200111	10112 =======	m		200				== (+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		 	 			t i	Nonrec	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrequiring Currently Combined Naturals Flomenta Switch As		1				FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAV	LINICOC		F C2	F CO	7.00	7.00						
	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	IED DS	INIE	ROFFICE TRANSPO	KI											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	Per Month			UNC1X	1L5XX	0.1813					1					
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	1	-	1						1	1				
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		 	UNCVA	IDIVG	0.5757	0.02	4.74								
	Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
—		-	1	UNCVX	UEAL4	21.41	132.27	94.59	80.08	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	J															
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		1	<u> </u>													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	İ	1				
 	1 1130 - VVIII OONOPS Digital Grade Loop in Combination - Zone S	 		01100/	CDLOU	40.70	120.00	00.00	00.00	17.04		 				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	1					
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	- 4	OINODA	UDLUG	32.23	120.03	00.00	80.08	14.04	-	-				
	Per Month	1	1	UNC1X	1L5XX	0.1813					İ	1				
 		 	1	UIVU IA	ILOAA	0.1813			-		 					
	Interoffice Transport - Dedicated - DS1 - combination Facility			LINICAV	LIATE 4	54.70	00.70	00.00	10.00	44.00	1					
	Termination Per Month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	 	-				
\vdash	1/0 Channel System in combination Per Month	<u> </u>	<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	ļ	ļ				
	OCU-DP COCI (data) per month (2.4-64kbs)	ļ	ļ	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1]					l	1				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1								l	1				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1						<u> </u>		l	1				
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												_			
	Interoffice Transport Combination - Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	İ	1				
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														
	64kbs)	1	1	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00	İ	1				
	Nonrecurring Currently Combined Network Elements Switch -As-		1		İ	†					İ	İ		İ		
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20	1					
FXTFN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			† 1	5.50	5.50		20	1	1				
					T	† †					1					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		l				
	1 O-mopo Digital Orade Loop III Combination - Zone I	1		JODA	JULUT	21.74	120.00	00.00	00.00	17.04	1	l		l .		

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Elec Manually per LSR Per Short State of the control o	UNDLED N	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
## ATT ELEMENTS Manual Property Manual Prope												Svc Order	Svc Order				Incremental
## ATT ELEMENTS Manual Property Manual Prope												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
All Column			Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Procedure Process Pr	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Pack A Willie Selfage Digital Grade Long in Combination - Zone 2 2 UNCDX			""													Electronic-	Electronic-
First AWWe 640tgs Digital Grade Loop in Combination - Zono 3 3 MCXX														1st	Add'l	Disc 1st	Disc Add'l
See Print Add Print Add SOMEN SO							ļ										
First 4-Wine 680-pape Diplate Grade Loop in Commissions - Zone 2 2 UNICON USUAL 40.76 175.53 88.85 60.66 14.64	\bot						Rec										
Frait A-Wile Diffice Digital Grade Loop in Combination - Zone 3 3 UNICIX UDL64 40.76 125.53 88.85 60.68 14.64	\bot							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Frait A-Wile Diffice Digital Grade Loop in Combination - Zone 3 3 UNICIX UDL64 40.76 125.53 88.85 60.68 14.64				_				400 =0									i .
Part 4-Wire 64Rope Digital Grade Loop in Combination - Zeroe 4	Fir	rst 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
Part 4-Wire 64Rope Digital Grade Loop in Combination - Zeroe 4		and A Million CARRIAN Provincia Constitution of the Constitution o			LINODY	LIDLO4	40.70	100 50	00.05	00.00	44.04						i .
Insertific Transport Cedebase JSS combination - Fer Mile Pre-Month Pre-M	Fir	rst 4-vvire 64kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
Interface Transport Control of Sci combination - Family UNICIX U.15XX 0.1813 1.50	Ci-	rat 4 Wire 64Khas Digital Crade Lean in Combination - Zone 4		4	LINCDV	LIDL64	22.25	106.50	00.05	60.69	14.64						i .
Per Month				4	UNCDX	UDL64	32.25	120.53	88.85	80.08	14.64				-		
Interestical Praintagion - Desicoación - 2015 Combination - Pacidity Security Secu					LINC1Y	11 5YY	0 1813										i .
Termination Per Mouth UNCIX UTFT 51.72 88.79 82.28 18.88 14.80 10.00					UNCIX	ILJAA	0.1013										
10 Channel System in combination - per month 2-4-44kbg)					LINC1Y	LI1TE1	51 72	80 70	82.28	16.86	1/1 90						i .
OCU-DP COOL (data) - in combination - per month (24-64bs) VINCDX VINC																	—
Addisonal 4-Vire 64-Opp Digital Grade Loop in same DS1														1	t	1	<u> </u>
Interoffice Transport Combination - Zone 1						1.2.22		3.02		3.00	3.00			1	<u> </u>		
Additional 4-Wine 64Opps Digital Grande Loop in same DS1 2 UNCDX UDL64 34.55 126.53 88.85 60.68 14.64				1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1		1	I	1	1
Interdifice Transport Combination - Zone 2						1	2	.20.00	33.30	55.50	54			1	1	1	
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 INCIX UDL64 40.76 126.53 88.85 60.68 14.64 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 4 Interoffice Transport Combination - Zone 4 Interoffice Transport Combination - Zone 4 Interoffice Transport Combination - Zone 4 Interoffice Transport Combination - Zone 5 Interoffice Transport Combination - Zone 5 Interoffice Transport Combination - Zone 5 Interoffice Transport Combination - Zone 6 Interoffice Transport Combination - Zone 6 Interoffice Transport Combination - Zone 6 Interoffice Transport Combination - Zon				2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						i .
Interdifice Transport Combination - Zone 3							000										
Additional A-Wire GRUPS Digital Carde Loop in same DS1 Interficing Transport Combination - Zone 4 4 UNCDX UDL64 32.25 126.53 88.85 60.88 14.64 Interficing Transport Combination - Zone 1 UNCDX UDLDD 1.22 6.62 4.74 0.00 0.				3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						i .
Additional OCU-DP COCI (data) - in combination - per month (2.4-64sbs) (2.4-64sb	Ad	dditional 4-Wire 64Kbps Digital Grade Loop in same DS1															
C2-4-64kbs UNCOX 1010D 1.22 6.62 4.74 0.00 0.00 0.00 0.00 Noncecuring Currently Combined Network Elements Swatch -As-ls Charge Currently Combined Network Elements Swatch -As-ls Charge Currently Combined Network Elements Swatch -As-ls Charge Currently Cur	Int	teroffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	Ad	dditional OCU-DP COCI (data) - in combination - per month															
INCIDENT UNCICE S.63 S.63 7.20 7.20	(2.	.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						1
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 NTEROFFICE TRANSPORT 1 UNC1X USLXX 79.08 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 253.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 123.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 123.93 158.45 46.10 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.93 158.45 12.07 1 UNC1X USLXX 123.38 123.38 123.39 158.45 12.07 1 UNC1X USLXX 123.38 123.39 1	No	onrecurring Currently Combined Network Elements Switch -As-															[
A-Wire DSI Digital Loop in Combination - Zone 1								5.63	5.63	7.20	7.20						L
A-Wire DST Digital Loop in Combination - Zone 2 2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07			ED DS1														
4-Wire DS1 Digital Loop in Combination - Zone 4 4 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07																	
A-Wire DS1 Digital Loop in Combination - Zone 4																	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1813																	
Per Month Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X U1TF1 51.72 89.79 82.28 16.86 14.90				4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						├
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X					LINICAV	41.577	0.4040										i .
Termination Per Month					UNCIX	ILSAA	0.1813										
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X					LINC1V	LIATEA	51 72	90.70	92.20	16.96	14.00						i
Is Charge					ONOTA	011111	31.72	03.73	02.20	10.00	14.50						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT					LINC1X	LINCCC		5.63	5.63	7 20	7 20						i
First DS1Loop in Combination - Zone 1			FD DS3	INTER				0.00	0.00	7.20	7.20						
First DS1Loop in Combination - Zone 2							79.08	253.93	158.45	46.10	12.07			İ	1	1	
First DS1Loop in Combination - Zone 3 3 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07														İ	İ	İ	
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 4.29										46.10							ſ
Per Month UNC3X 1L5XX 4.29				4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
Interoffice Transport - Dedicated - DS3 - Facility Termination per month								_]	1
month					UNC3X	1L5XX	4.29										<u> </u>
3/1Channel System in combination per month								_]	1
DS1 COCI in combination per month																	
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1														ļ	.		├
Zone 1					UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07				,	LINICAY	LICLY	70.00	050.00	450.75	40.40	10.0-	1		1	I	1	1
Zone 2				1	UNCTX	USLXX	79.08	253.93	158.45	46.10	12.07			 	!	 	
Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07		·		_	LINICAV	LICLYY	400.00	050.00	450.45	40.40	40.07	1		1	I	1	1
Zone 3 3 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07		=	-		UNCIA	USLXX	129.38	253.93	158.45	46.10	12.07	-		-		-	
Additional DS1Loop in DS3 Interoffice Transport Combination - 4 UNC1X USLXX 458.46 253.93 158.45 46.10 12.07				2	LINC1Y	LIGI VV	206.74	252.02	150 45	46.40	12.07				1		1
Zone 4				3	OINCIA	USLAA	200.74	200.93	100.45	46.10	12.07			-	-	-	
Additional DS1 COCI in combination per month UNC1X UC1D1 2.62 6.62 4.74 0.00 0.00				4	LINC1X	LISLXX	458 46	253 03	158 45	46 10	12.07				1		1
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC3X UNCCC 5.63 5.63 7.20 7.20			-	7								 		 	t	 	
Is Charge					5.101/	30.01	2.02	0.02	7.14	0.00	0.00	 		 	I	 	
					UNC3X	UNCCC]	5.63	5.63	7.20	7.20	1		1	I	1	1
			GRADI	E INTE				2.20	2.30	1.20	1.20			İ	1	1	
2-WireVG Loop in combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37							13.89	105.96	68.28	52.82	10.37			İ	İ	İ	ſ

LINBLINDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: B
ONBONDE	I WORK ELEMENTS - MISSISSIPPI	1	1		1						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CATEGORI	NATE ELEMENTO	m	Zone	500	0000			KATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	2-WireVG Loop in combination - Zone 2		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
-	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
-	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		7	ONOVA	OLALZ	40.72	103.30	00.20	32.02	10.57						
	Month			UNCVX	1L5XX	0.00088										ł
	Interoffice Transport - 2-wire VG - Dedicated - Facility			ONOVA	TESKK	0.00000										
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						ł
	Nonrecurring Currently Combined Network Elements Switch -As-			OHOVA	OTTVE	20.02	40.77	21.01	17.20	7.11						
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	FINTE				0.00	0.00	7.20	7.20						
LATE	4-WireVG Loop in combination - Zone 1	. J. (ADI		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		l				ſ
	4-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						1
h + + + + + + + + + + + + + + + + + + +	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1					f
	4-WireVG Loop in combination - Zone 4	1	-	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		l				ſ
h + + + + + + + + + + + + + + + + + + +	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			0.1017	02/12/	00.00	102.27	0 1.00	00.00	1 110 1	1					f
	Month			UNCVX	1L5XX	0.00088										ł
	Interoffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	120/01	0.00000										
	Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						í
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.00	40.77	27.07	17.20	7.11						
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
FXTF	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		011000		0.00	0.00	7.20	7.20						
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	11.20										
-	Dec 2000 200p in combination per mile per month			0.1007	120.12	11.20					1					f
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						ł
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29				-						
	Interoffice Transport - Dedicated - DS3 combination - Facility			0.1007	120701	20										
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ł
	Nonrecurring Currently Combined Network Elements Switch -As-									-						
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						í
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month	<u> </u>		UNCSX	1L5ND	11.20										i
	STS-1 Local Loop in combination - Facility Termination per															i
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						í
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.29										í
	Interoffice Transport - Dedicated - STS-1 combination - Facility															i
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						ł
	Nonrecurring Currently Combined Network Elements Switch -As-				1											í T
	Is Charge	1	1	UNCSX	UNCCC		5.63	5.63	7.20	7.20		1				1
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	PORT													ĺ
i	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						i
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						ı .
	First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						í
	Interoffice Transport - Dedicated - DS1 combination - per mile															1
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	l -		1							1				1
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<u> </u>
	1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	2-wire ISDN COCI (BRITE) - in combination - per month	ļ	<u> </u>	UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1		1							1				1
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						.
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	١	l .	I							1				1
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l	١	l .												í
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l		l .	1											1
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			
											Submitted		Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
																<u> </u>
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO	ORT											
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month	l	l	UNCSX	1L5XX	4.29										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility					0			İ	İ	İ	1		1		
	Termination per month	l	l	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						1
	3/1 Channel System in combination per month	-		UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82	 	1		1		
 	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	 	1				
	Additional DS1Loop in the same STS-1 Interoffice Transport	 	-	014017	30101	2.02	0.02	4.74	0.00	0.00	1	1		1		
	Combination - Zone 1	l	4	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						1
	Additional DS1Loop in the same STS-1 Interoffice Transport		'	UNCIA	USLAA	79.06	200.90	136.43	40.10	12.07	1					
			2	LINICAV	LICLYY	400.00	252.02	450.45	40.40	40.07						
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_													
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	_													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
 	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	l	<u> </u>			52.20	.20.00	55.00	55.00		1	i				—
	Per Mile per month	1	1	UNCDX	1L5XX	0.0098								I		1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-		2.102/1	.20.01	5.0000					†	1		1		<u> </u>
	Facility Termination per month	l	l	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODX	OTTE	22.02	40.70	21.01	17.20	7.11	1					
	Is Charge	l	l	UNCDX	UNCCC		5.63	5.63	7.20	7.20						1
EVTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCD	ODT w		UNCCC		5.05	3.03	1.20	7.20		-		-		
LATE	First 2-wire VG Loop (SL2) in Combination - Zone 1	LANGE		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	}	 		 		
-	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	1	-		 		
		1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	}	 		 		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	 	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	1	1		1		
1	First 2-wire VG Loop (SL2) in Combination - Zone 4	l	4	OINCVA	UEAL2	45.72	105.96	68.28	5∠.82	10.37	1	1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1	LINGAY	41.5307	0.4040								I		1
\vdash	Mile	<u> </u>		UNC1X	1L5XX	0.1813								-		├
	First Interoffice Transport - Dedicated - DS1 combination -	l	l		=.											1
$oxed{oxed}$	Facility Termination per month	 		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
igwdow	Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
1 1	Per each Voice Grade COCI - Per Month per month	l	l	UNCVX	1D1VG	0.5737	6.62	4.74		l	1					1

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	1110101		07.55	405.00	00.00	50.00	40.07						
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		4	1110101	UEAL2	45.70	405.00	00.00	50.00	40.07						
\vdash	Interoffice Transport Combination - Zone 4	1	4	UNCVX	1D1VG	45.72	105.96 6.62	68.28 4.74	52.82	10.37						
\vdash	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1	1	-	UNCVX	טוועו	0.5737	0.62	4.74		-				-		
1 1	Channel System per month			UNC1X	1L5XX	0.1813			1							
\vdash	Each Additional DS1 Interoffice Channel Facility Termination in	 		ONOIA	ILUAA	0.1013			 			 		1		
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		1		
	Each Additional DS1 COCI combination per month	+	 	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				 		
 	Nonrecurring Currently Combined Network Elements Switch -As-	! 		014017	10101	2.02	0.02	4.74	0.00	0.00		 		 		
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	TEROFE	ICF TR				0.00	0.00	7.20	7.20						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each Voice Grade COCI in combination - per month	1	<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74		00.00						
	3/1 Channel System in combination per month	1		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
\vdash	Per each DS1 COCI in combination per month	1	-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
1 1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	- ' -	OINCVA	UEAL4	21.41	132.27	94.59	80.08	14.04				-		
1 1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
 	Additional 4-Wire Analog Voice Grade Loop in same DS1	+		5.10 VA	JE/164	30.20	102.21	34.33	00.00	17.04		 		 		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1		1		
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	Ť		J ,	00.00	102.21	54.55	00.00	14.04				1		
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1				1	1						
	Channel System per month			UNC1X	1L5XX	0.1813			I			1		1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
<u> </u>	same 3/1 Channel System per month	1	<u>L</u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	<u> </u>	<u></u>		<u> </u>		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	-]		
$oxed{oxed}$	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX				ļ							
1 1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			l .	1											
\vdash	Zone 1	ļ	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64				ļ		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_				,					1		1		
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	ļ	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		1	1	I					1	l	1	l				
			•	LINICDY	LIDLEC	40.70	400 50	00.05	00.00	44.04						
	Zone 3 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OAT LOOK!	NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - combination		-	UNCIA	ILJAA	0.1013										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	-					
-	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00	-					
	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month	-	-	UNC1X	UC1D1			94.52 4.74	0.00	0.00						
		-	-	UNCTX	OCTOT	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIDI 50	07.44	100 50	00.05	00.00	44.04						
\vdash	Interoffice Transport Combination - Zone 1	 	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	-		 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINCDY	LIDLES	0.4.5-	400.50	20.0-	00.00	4461						
\vdash	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_	LINCDY	LIDI 50	40.70	400.50	20.0-	00.00	4461		1		Ì		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month	<u></u>	<u>L</u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	<u></u>	<u></u>		<u> </u>		<u> </u>
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	l	1		1									İ		1
	combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00		1		Ì		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l	1		1			-						İ		1
1 1	Channel System per month		1	UNC1X	1L5XX	0.1813						1		Ì		
	Each Additional DS1 Interoffice Channel Facility Termination in		1	-	1									İ		1
							89.79	82.28	16.86	14.90	1			•		1

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fvhi	bit: B
SHESHELL	- Maritality - Mississippi										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 00								
EVE	Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T / 0/	4 841137	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I WUX		-											
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		 '	ONONA	OTLZX	21.01	117.01	13.32	32.02	10.57						
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		1		1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	l												1		
	Transport - Zone 4	<u> </u>	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	<u> </u>	<u> </u>			<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -	1]]		
\vdash	Facility Termination per month	ļ		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	D															
\longrightarrow	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX UNC3X	UC1CA MQ3	2.62 170.63	6.62 179.17	4.74	0.00	0.00						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	94.52 4.74	34.30 0.00	32.82 0.00						
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIA	OCIDI	2.02	0.02	4.74	0.00	0.00						
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	CITOLOT	O I LEX	2		70.02	02.02	10.01						
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 = 304											
\vdash	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINICAV	LIATE4	F4 70	00.70	00.00	40.00	44.00						
\vdash	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	 	<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						-
	combination per month	1		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		1		1		
 	Nonrecurring Currently Combined Network Elements Switch -As-	 		014017	00101	2.02	0.02	4.14	0.00	0.00				1	1	1
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		5550		0.00	0.00	7.20	7.20				1		
125,72	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07				İ		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					l	İ
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	First Interoffice Transport - Dedicated - DS1 combination - Per													1		
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -	1										1		1		
\vdash	Facility Termination Per Month	<u> </u>	ļ	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ	ļ	
\vdash	3/1 Channel System in combination per month	 	<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82				 	1	1
\vdash	Per each DS1 COCI combination per month	 	<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					-	-
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1813										
\vdash	Each Additional DS1 Interoffice Channel Facility Termination in	 		UNUIA	ILOAA	0.1013			+							-
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
 	Each Additional DS1 COCI in the same 3/1 channel system	 		DINOTA	OTTE	31.72	09.79	02.20	10.00	14.90				 		
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	1				2.02	0.02	4	5.50	0.30				1		
	1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	I	l		1	1]

UNRUN	IDI FI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: B
CIADOIA	DLL	O NET WORK ELEMENTO - MISSISSIPPI	l	l		1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							n	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
E	XTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						<u> </u>
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l	l						1							
		per month	ļ		UNCDX	1L5XX	0.0098			ļ	ļ						<u> </u>
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						ļ
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														ļ
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile				41 =>04											
		per month			UNCDX	1L5XX	0.0098										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINODY	LIATEDO	00.50	40.70	07.57	47.00	7.44						
		Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						ļ
		Nonrecurring Currently Combined Network Elements Switch -As-								= 00							
ADDITIO		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
		ETWORK ELEMENTS		<u> </u>													-
v	vnen u	ised as a part of a currently combined facility, the non-recurr	ng cnai	ges ac	not apply, but a S	Witch As is ci	narge does ap	piy.									
V	vnen u	ised as ordinarily combined network elements in All States, th urring Currently Combined Network Elements "Switch As Is"	Charge	(One o	ng charges apply an	hingtion)	As is Charge	does not.		-							
- IN	ionrec		Charge	(One a	ppnes to each com	Dination)											
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	l	l	UNCVX	UNCCC		5.63	5.63	7.20	7.20						
+		Nonrecurring Currently Combined Network Elements Switch -As-	1	-	OIVOVA	JINCCC		5.03	5.03	1.20	7.20	-	-		1		1
		Is Charge - 56/64 kbps	1	1	UNCDX	UNCCC		5.63	5.63	7.20	7.20	1	1				
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1		OINODA	UNCCC		5.65	5.05	7.20	1.20						1
		Is Charge - DS1	1	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20	1	1				
 		Nonrecurring Currently Combined Network Elements Switch -As-	1	 	DINOIA	UNCCC		3.63	5.03	1.20	1.20						
		Is Charge - DS3	1	1	UNC3X	UNCCC		5.63	5.63	7.20	7.20	1	1				
 		Nonrecurring Currently Combined Network Elements Switch -As-	1	 	01100/	0.1000		5.03	5.05	7.20	7.20						
		Is Charge - STS1	1	1	UNCSX	UNCCC		5.63	5.63	7.20	7.20	1	1				
)ntion:	al Features & Functions:	1	 		3555		0.00	0.00	7.20	7.20	l	l				
\vdash	١١٠٥٠١٥ م.		1	-	U1TD1.	1		1		t	1				1		1
		Clear Channel Capability Extended Frame Option - per DS1	1	l	ULDD1,UNC1X	CCOEF		OI	OI	oı	OI						
		por Bot	<u> </u>	-	U1TD1,	1		1	-	F	1				1		1
		Clear Channel Capability Super FrameOption - per DS1	1	l	ULDD1,UNC1X	CCOSF		OI	OI	01	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	1				t	1						
		Activity - per DS1	1	l	UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S						
H		y 1 et = e t	<u> </u>		U1TD3, ULDD3,			1		1							1
		C-bit Parity Option - Subsequent Activity - per DS3	l i	1	UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S	1	1				
N	NULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				İ		
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
1 1		month (2.4-64kbs) used for a Local Loop	l	l	UDL	1D1DD	1.22	6.62	4.74	1	1	l	l		1		1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
													Incremental		Incremental	Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
OATEGORI	NATE ELEMENTO	m	20.10	200	0000			πΑΤΕΘ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
						ı	Nonrec		Nonrecurring	n Diocennect				Rates (\$)		
 						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per						11130	Auu	11100	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIN	OCTOA	2.02	0.02	4.74								
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				454)(0	0.5707	0.00	474								
 	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74								
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
—	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
-	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	12.96	6.62	4.74								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
LINDLINDLE	month D LOCAL EXCHANGE SWITCHING(PORTS)			ULDD1	UC1D1	12.96	6.62	4.74								
	nange Ports															
	E: Although the Port Rate includes all available features in GA,	KY, LA	& TN, ti	ne desired features	will need to b	e ordered usin	g retail USOCs	3								
2-WI	RE VOICE GRADE LINE PORT RATES (RES)															
—	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
	Exchange Forts 2 wile rulalog Eine Fort with Galler ID Trees.			OLI OIL	OLI IKO	1.41	2.00	2.20	1.42	1.00						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled MS extended local															
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
	with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															
	Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDDT		0.00	0.00	4.40	4.00						
-	Capability Subsequent Activity			UEPSR UEPSR	UEPRT	1.41 0.00	2.39 0.00	2.29 0.00	1.42	1.33						
FEA	TURES			OLI OIL	00/100	0.00	0.00	0.00								
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)			·												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with	1		OLI OD	OLI DL	1.41	2.39	2.29	1.42	1.33						
	unbundled port with Caller+E484 ID - Bus.	<u> </u>		UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
					UEDE ÷											
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled MS extended local	<u> </u>	1	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with				02(1	1.41	2.09	2.23	1.42	1.00						
	Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			LIEDOD	LIEDVA		2.22	0.00	4.00	4.00						
	without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID		 	UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						
	Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES			LIEDOD	LIED) (E											
	All Available Vertical Features	1		UEPSB	UEPVF	2.56	0.00	0.00			İ					

UNBL	JNDLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Nonrec	rrina	Nonrecurring	Dissennest			220	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FXCHA	NGE PORT RATES (DID & PBX)						11131	Auu i	THOU	Auu i	JOHILO	JONAN	JOINAIN	JONIAN	JONAN	JONAN
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	-	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP UEPSP	UEPXC UEPXD	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92						
-	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFOF	UEFAD	1.41	31.45	14.93	14.38	0.92						1
1		Capable Port	1		UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92			1	1		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>		01			040			0.02			1	1		
1		Administrative Calling Port	1		UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92			1	1		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			LIEDOD	LIEDVD		04.45	44.00	44.00	0.00						
		Calling Port 2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP UEPSP	UEPXR UEPA5	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	14.30	0.92						
	FEATU				OLI OI	00/100	0.00	0.00	0.00								
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00	İ							
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33						
		Transmission/usage charges associated with POTS circuit so															
L		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fi	le Request/	New Busines	s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES	DN Daw	in Abia		. 46		10/2/0	2	After 4/4/04 th			-iff				
	Pegues	I Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	ofter the	offecti	rate exhibit apply to	o the embedo	he provided p	ureuant to a se	o until 4/1/04.	After 4/1/04 the	ese rates snaii BellSouth's d	revert to ta	riff rates or	a separate ag	reement.		
 	reques	Exchange Ports - 2-Wire DID Port	arter tile	, GIIECII	UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	†			322	0.20	120.00	10.00	07	0.00	1		1	1		1
1		capability (E:4/1/2004)	1		UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54			1	1		1
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit s													L		ļ
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	ne Bona Fi	te Request/	New Busines	s Request Pro	cess.	
<u> </u>	EXCHA	NGE PORT RATES (continued) Exchange Ports: 4 Wire ISDN DS1 Port with Detailed E011	 			 				_		-			-		
1		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)	1		UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69			1	1		1
-	1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	 	UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69			 	<u> </u>		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
		Virtual Collocation - Special Access & UNE, cross-connect per	1			1				1 2.30	2.3,			İ	İ		İ
1		DS1	1		UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97			1	1		1
	Detaile	E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911							· · · · · · · · · · · · · · · · · · ·					1	1		1
1		Locator Capability - Initial Profile Establishment per CLEC per	1							I				1	1		1
	1	State			UEPEX	UEP1A	0.00	1,814.00		156.15							ļ
1		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1							I				1	1		1
1		Locator Capability - Subsequent Profile Changes, Additions, Deletions	1		UEPEX	UEP1B	0.00	176.15		I				1	1		1
-	New or	Additional PRI Telephone Numbers	 		OLFEA	UEFID	0.00	170.15		+							
	HEW OF	radialonal i iti relepitone numbers	1	ı		1				1		1	l	1			l

UNRI	JNDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: B												
3,150	,.40LL	- TETTOTAL ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental												
1			1			1						Submitted	Submitted		Charge -	Charge -	Charge -												
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc												
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.												
1			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-												
														1st	Add'l	Disc 1st	Disc Add'l												
							_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı													
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN												
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911																											
		Locator Capability 2-way Telephone Numbers, per number in																											
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49																					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911																											
		Locator Capability - Outdial Telephone Numbers, per number in																											
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58																				
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward																											
		Telephone Numbers - Inward Data Only Option [New or																											
		Additional]			UEPDX	UEP1E	0.00	0.49																					
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1												I	-												
	1	Inward Tel Numbers [Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.15	23.15					ļ															
	LOCAL	NUMBER PORTABILITY																											
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75																						
	INTER	ACE (Provsioning Only)	<u> </u>							ļ																			
	<u> </u>	Voice/Data		<u> </u>	UEPEX	PR71V	0.00	0.00	0.00	1					1														
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00																				
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00																				
	New or	Additional Channel																											
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61																					
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61																					
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61																					
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61																					
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61																					
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61																					
	CALL				HEREN HERRY	PR7C1																							
-	-	Inward	-	-	UEPEX UEPDX		0.00	0.00	0.00																				
-		Outward			UEPEX	PR7CO PR7CC	0.00	0.00	0.00																				
	LINIDIIN	Two-way IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		UEPEX	PR/CC	0.00	0.00	0.00	-		ļ																	
		IDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				-				-		ļ																	
-	UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33																		
-	+	Unbundled Remote Can Forwarding Service, Area Calling, Res			UEFVK	UERAC	1.41	2.39	2.29	1.42	1.33				-														
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33																		
	1	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33	1																	
-	+	Unbundled Remote Call Forwarding Service, IntelEATA - Res		1	UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33	1																	
	Non-Re	ecurring			OLI VIC	OLIVIIV	1.41	2.55	2.23	1.72	1.55																		
		Unbundled Remote Call Forwarding Service - Conversion -		1		1				<u> </u>				1	<u> </u>														
		Switch-as-is		1	UEPVR	USAC2		0.0988	0.0988	1					1														
	 	Unbundled Remote Call Forwarding Service - Conversion with	<u> </u>	†				2.2200	2.2300	t				1	t														
		allowed change (PIC and LPIC)		1	UEPVR	USACC		0.0988	0.0988	1					1														
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus																											
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	1		UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33			1	I														
	1		1					-	-																				
L		Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u>L</u>	UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	<u> </u>		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33																		
		Unbundled Remote Call Forwarding Service Expanded and																											
		Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33																		
	Non-Re	ecurring																											
		Unbundled Remote Call Forwarding Service - Conversion -													1														
		Switch-as-is			UEPVB	USAC2		0.0988	0.0988																				
		Unbundled Remote Call Forwarding Service - Conversion with]															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988																				
UNBU		OCAL SWITCHING, PORT USAGE		<u> </u>						1					1														
	End Of	fice Switching (Port Usage)	<u> </u>	<u> </u>		1				ļ		<u> </u>			ļ														
	<u> </u>	End Office Switching Function, Per MOU	<u> </u>				0.0010269					<u> </u>																	
<u> </u>	Ļ	End Office Trunk Port - Shared, Per MOU	ļ			1	0.000161			ļ				ļ	ļ														
	Tander	n Switching (Port Usage) (Local or Access Tandem)	<u> </u>	1		i .				L					L	<u> </u>													

IINR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: B
OND	UNDEL		1				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
UA. L	00	NATE ELEMENTO	m	20.10	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>														
		ased Rates are applied where BellSouth is required by FCC ar								l	L	l					
		es shall apply to the Unbundled Port/Loop Combination - Cos												L			
		ffice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	eniamo	u compos. For Curi	ently Combi	iriea Compos ti T	ie nonrecurrin	y cnarges sha	ii be those idei	iuriea in thé N	onrecurring	- Currently	Compined S	ะเตอกร. 		1
		ort/Loop Combination Rates	 			 	 							-	-		
	ONE P	2-Wire VG Loop/Port Combo - Zone 1	 	1			12.22							1			
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										+
-		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										+
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										•
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local			UEPRX	UEPAT	1.23	40.04	40.04	24.90	6.58						
	-	dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAI	1.23	40.31	19.84	24.90	6.58						
		(LLIM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			OLFKX	OLFAF	1.23	40.31	19.04	24.90	0.30	1					
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			02.101	02	1.20			200	0.00						•
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU																
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00								
	ADDIT	IONAL NRCs						0.00	0.00								-
	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1			33.32	0.00	0.00	0.00					1	1		
		Premise	l		UEPRX	URETL	1	8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS					1										
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
<u> </u>	1	2 Wire Analog Voice Grade Extension Loop – Design	ļ		UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37			ļ	ļ		ļ
	1	2 Wire Analog Voice Grade Extension Loop – Design	I	2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37	1				l	1

CATEGORY NATE ELEMENTS Interference Security Charges C	BUNDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: B
CATEGORY RATE ELEMENTS Interé m												Svc Order	Svc Order			Incremental	
ATTE BLEMENTS Marie Zone BCG																Charge -	Charge -
## 2006 BCS USOC ## ATTECH ELBRENTS ## 2006 BCS USOC ## ATTECH Decision D			Intori												Manual Svc		Manual Svc
Becardon Section Sec	regory	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR				Order vs.	Order vs.
Test			m									P 0.1 _ 0.11	,		Electronic-	Electronic-	Electronic-
2 Wee Anabet Vices Centre Exercise Log - Design 3 UEPEX UERED 27.55 10.56 63.29 52.22 10.37																Disc 1st	Disc Add'l
With Andread Victor Grade Ederation Loop — Design 3 UEPRX UCPED 2/55 10.50 63.28 52.28 10.37 10.50																2.00 .01	2.007.444
SWINN Parlang Valves Grante Exercises Logs - Design 3 LISPEN LISPEN LISPEN SWINN S							Rec										
WINCOFFECT ANASPORT WINCOFFECT ANASPORT WINCOFFE CONTROL WINCO						_						SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Network Production 1				_													
Interoffice Triansport - Cedestader - 2 Vivre Voor Grade - Facility UEPRX UTIVA 0.0068 0.00 0.0				4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
Termination UPPRX											-	ļ					
Interesting Transport - Decidicated - 2 View Votice Grade - Per Miles					LIEDDY	LIATVO	20.22	40.77	27.57	17.06	7 11						
CF Fraction Mile UFPRX UFPX					UEPRA	UTIVZ	20.32	40.77	21.31	17.20	7.11	1					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					LIEDRY	LIATVM	0.0088	0.00	0.00								
Well FortiLoop Combination Rates					ULFKX	OTTVIVI	0.0088	0.00	0.00			1					-
24/We Vol. CoppProf Combor - Zone 1 1 12.22 2 2.24 2.						+											
24/19/20 17.13 2.20 17.13 2.20 2.20 17.13 2.20				1			12 22										
Will Coop Rate William						1					1				1	1	
WHE Loop Rates																	
2 2 2 2 3 2 3 3 2 2																	
2-Wife Votos Grade Loop (SL1) - Zone 3	2-1	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
2-Wire Voice Grade Loop (St.) - Zone 4																	
2-Wire viole Grade Line Port (Bus) UEPBX UEBBX				4	UEPBX	UEPLX	43.68		-								
2-Wire voice unbundled port with Caller = E484 ID - bus																	
2-Wire voice Grade unbundled board outpoing only - bus UEPBX UEP																	
2-Wire votoe Grade unbundled Mississpip issended local dialing parity port with Caller ID - Dus UEPBX UEPBX UEPB 1,23 40,31 19,84 24,90 6,58																	
Galining parriy port with Caller ID - bus UEPBX USACC UEPBX					UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX																	
2-Wire vioice Unbundled Mississipic Business Dialing Plan UEPBX UEPWK 1.23 40.31 19.84 24.90 6.58																	
Without Caller ID UEPBX UEPWK 1.23 40.31 19.84 24.90 6.58					UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
2-Wire voice unbundled Incoming Only Port without Caller ID UEPBX UEPBE 1.23 40.31 19.84 24.90 6.58					LIEDDY	LIEDWIK	4.00	40.04	40.04	24.00	0.50						
LOCAL NUMBER PORTABILITY					UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						-
LOCAL NUMBER PORTABILITY					LIEDRY	LIEDRE	1 23	40.31	10.84	24 90	6 58						
Lucal Number Portability (1 per port)					OLFBA	OLFBL	1.23	40.31	15.04	24.90	0.36						
FEATURES					LIEPRX	LNPCX	0.35										
All Features Offered UEPBX UEPVF 2.56 0.00 0.00					02. 27.	Litti OX	0.00										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UEPBX					UEPBX	UEPVF	2.56	0.00	0.00								
Switch-as-is					-												
2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change UEPBX USACC 0.0988																	
Switch with change	Sv	witch-as-is			UEPBX	USAC2		0.0988	0.0988								
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 0.00								_	-]	1
Subsequent Database Update 0.00 0.00 0.00 0.00					UEPBX	USACC		0.0988	0.0988								
ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00															1		1
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			ļ					0.00	0.00		ļ				ļ	ļ	1
Activity			ļ	<u> </u>											-		├
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPBX URETL 8.33 0.83			1		LIEDDY	LICACO		0.00	0.00		I				I	1	1
Premise			 	1	UEPBX	USAS2		0.00	0.00		1	1			1	-	
OFF/ON PREMISES EXTENSION CHANNELS UEAEN 12.03 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED			l		LIEDDY	LIDETI		0 22	0.00		1				1		1
2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UEPBX UEAEN 12.03 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 24.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facilit			-	-	ULFDA	UKEIL		0.33	0.83	-	-			-	-	-	
2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport -			1	1	LIEDRY	ΠΕΔΕΝ	12.02	37.02	17 55	23.40	5.25	1	1		1		
2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice Transport - Dedicated - 2 Wire Voice Grade - Interoffice T												 			t	 	
2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												 			t	 	
2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 13.89 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37			1									1		1	I	 	—
2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT															1	1	
2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37 2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37 INTEROFFICE TRANSPORT InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedicated - 2 Wire Voice Grade - Facility InterOffice Transport - Dedica				2										İ	1		
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility																	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37						
								_	-]	1
Termination UEPBX U1TV2 20.32 40.77 27.57 17.26 7.11					UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1								_				_]	1
Or Fraction Mile					UEPBX	U1TVM	0.0088	0.00	0.00							ļ	

UNBUNE)I Fr	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fvhi	bit: B
21120112		TEL TOTAL ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add 1
							Rec	Nonrec		Nonrecurring					Rates (\$)		
$oxed{\Box}$							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91			-							
UN		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04					1					
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-V		/oice Grade Line Port Rates (RES - PBX)		-	OLI IKO	OLI DX	40.00										
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -								1						1	
		Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17					1	
LC	CAL	NUMBER PORTABILITY						-	-								
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE	ATUF	RES															
		All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
NC	DNRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·														
		Subsequent Database Update						0.00	0.00								
AD		ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00								
\vdash		Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0.00	0.00	0.00	-							
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		7.50	7.50	†							
		Premise			UEPRG	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS			OLI IKO	ORLIL		0.00	0.00								
, .		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
IN		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
	T	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
$\vdash \vdash$		or Fraction Mile	ļ		UEPRG	U1TVM	0.0088	0.00	0.00	ļ						ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ														
UN		rt/Loop Combination Rates	<u> </u>			ļ	10.00			-							
\vdash		2-Wire VG Loop/Port Combo - Zone 1	 	1		1	12.22			!	-			1	1	 	1
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	2		+	17.13			 		-		-	1	 	-
\vdash		2-Wire VG Loop/Port Combo - Zone 3	├	3		1	26.26			 					1	-	
118		2-Wire VG Loop/Port Combo - Zone 4	├	4		1	44.91			 					1	-	
UN		2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.98			1		1	1				
+		2-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEPPX	UEPLX	15.91			 						 	
		2-Wire Voice Grade Loop (SL 1) - Zone 3	†	3	UEPPX	UEPLX	25.04			I		<u> </u>		1	1	 	
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEPPX	UEPLX	43.68			1						1	
2-V		oice Grade Line Port Rates (BUS - PBX)		Ė			.0.00			1						1	
t t	Ť					1				1						1	
	l	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17					1	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17						

UNBLIND	LED NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Fyhi	bit: B
ON BOND	LED NET WORK ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATECORY	, DATE ELEMENTS	Interi	7	BCS	11000			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		+	UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	OLITA	OLIAD	1.20	03.57	32.40	37.00	0.17						
				LIEDDY	LIEDVE	4.00	00.07	00.40	07.00	0.47						
	Capable Port		1	UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				l											
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy										ĺ		ĺ			
	Calling Port	1	1	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17]	I	1	1	1	1
 	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	1	1	J_11/	JL1 //Q	1.23	03.31	J2. 1 0	37.00	0.17		1	1	1	1	1
				LIEDDY	LIEDVD	4 00	00.07	20.40	07.00	0.47	l					
\vdash	Calling Port	1	1	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		 		1	-	
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17						
$\sqcup \sqcup \sqcup$	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		1]]	
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE#	ATURES															
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
ION	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
110.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		+		+											
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
			1	UEPPA	USACZ		7.90	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update						0.00	0.00								
ADI	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OZ. I X	00/102	0.00	0.00	0.00								
	Group						7.36	7.36								
\vdash	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		+		7.30	7.30								
	Premise	1		UEPPX	URETL		8.33	0.83								
OFF	F/ON PREMISES EXTENSION CHANNELS				1						ļ					
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination	\perp	2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37					l	
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37	ĺ					İ
INT	EROFFICE TRANSPORT										i			1	i	
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		+ +						1	 	1		1	
	Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11	l					
\vdash		1	1	OLFFA	UTIVZ	20.32	40.77	21.31	17.20	7.11	 	-	-	-	-	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEBBY		,					l					
\vdash	or Fraction Mile	<u> </u>	<u> </u>	UEPPX	U1TVM	0.0088	0.00	0.00								
	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT										1]]	
UNF	Port/Loop Combination Rates	L	<u> </u>		1						l	<u> </u>	l		l	<u> </u>
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22							1			
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26					ĺ		ĺ			
	2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91					i			1	i	
LIME	E Loop Rates	1			+ +	77.01						 		t		†
- JOINE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	10.98			1			 		1		1
\vdash		1							1		 	-	-	-		
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	15.91										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPCO	UEPLX	25.04										
$\sqcup \sqcup \sqcup$	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68						1]]	
2-W	ire Voice Grade Line Ports (COIN)	L	<u> </u>		1						l	<u> </u>	l		l	<u> </u>
	2-Wire Coin 2-Way without Operator Screening and without															
1 1				UEPCO	UEPRF		40.31	19.84	24.90	6.58						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CHECHEL											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						i .
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin 2-Way with Operator Screening & Blocking:															1
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,						_	-]		1
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator															1
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator															i .
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						L
	2-Wire Coin Outward with Operator Screening and 011 Blocking															1
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and 011															1
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:															i .
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															ı
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															ı
	011+, and Local; with Dialing Parity (MS)		<u> </u>	UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						├
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						+
	2-Wire Coin Outward Smartline with 900/976 (all states except I.A)			UEPCO	UEPCR	1.23	40.04	40.04	04.00	6.58						ı
ADDIT	IONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY			OLFCO	UKLCO	4.02	0.00	0.00	0.00	0.00	1					
LOOA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			†							
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLI CO	LIVI OX	0.55										—
- INSINI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				† †				†				1			
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988	1							1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 					2.2300	t				1	1		
	Switch with change			UEPCO	USACC		0.0988	0.0988	1							1
ADDIT	IONAL NRCs															ſ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															ſ
	Activity		1	UEPCO	USAS2		0.00	0.00	I				Ì	Ì		1
İ	Unbundled Miscellaneous Rate Element, Tag Loop at End User															ſ
LI	Premise		<u>L</u>	UEPCO	URETL		8.33	0.83	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I													
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02	, and the second									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	28.82			1							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99			.				ļ			
UNE L	oop Rates		L		1,,505				.				ļ			
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	13.89			.				ļ	ļ		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										├
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	27.55										
L	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72										├
2-Wire	Voice Grade Line Port Rates (Res)		<u> </u>	LIEDED	LIEDDI	4.0=	100.05	70	F4.5.	44 ===						├
\vdash	2-Wire voice unbundled port - residence		<u> </u>	UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70 11.70						⊢
	2-Wire voice unbundled port with Caller ID - res	l	<u> </u>	UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70	<u> </u>	<u> </u>	L	L		<u> </u>

UNBUND	DLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
CATEGOR		DATE ELEMENTO	Interi	7	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGOR	K T	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
						LIEBBO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Mississippi extended local			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
		dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundles res, low usage line port with Caller ID			02	02.71.		100.00	70.07	02.							
		(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
18.15		without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
IN		PFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1	20.02		207	20							
		or Fraction Mile			UEPFR	1L5XX	0.0088										
FE	ATU																
-		All Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	2.56	0.00	0.00								
LU		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIK	LINFOX	0.33										
1.7		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
-		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.19	1.10								
2-V	WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (OKETIV		11.10	1.10								
		rt/Loop Combination Rates		Ì	,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		3			28.82 46.99										
UN	JE I o	op Rates		4			40.55			1							
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-V	Wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice Grade unbundled Mississippi extended local															
		dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						<u> </u>
 		2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Mississippi Business Dialing Plan			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
		2-wire voice Unbundled Mississippi Business Dialing Plan without Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						
LO		NUMBER PORTABILITY			52.15	JEI VIII	1.21	100.00	70.07	54.24	11.70						
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
IN	TERC	OFFICE TRANSPORT			•				•								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATVO	20.00	40.77	07.55	17.00	3						
		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11	-					-
		or Fraction Mile			UEPFB	1L5XX	0.0088										
FE	ATU					. 20,01	0.0000										
		All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
NO	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ <u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		40.04	0.70								
\vdash		Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16.94	3.72			-	-				
		Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.19	1.10								

LOIADOIN	םם וח	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: B
	DLEL	NETWORK ELEMENTS - MISSISSIPPI	1	1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OATEGO.		NATE ELEMENTO	m	200	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l	
\vdash							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	WIDE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	IIINE	OPT (DDV\			riist	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
		rt/Loop Combination Rates	LINE	I NO	- DA)												
01		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16								-		
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			20.02								-		
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			28.82								-		
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		4			46.99								-		ļ
1.17		op Rates		4			40.99								-		
01		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										+
-		/oice Grade Line Port Rates (BUS - PBX)	1	4	ULFFF	UEUFZ	45.72				-	-	-			-	
<u> - - </u>	wile !	TOICE GIAGE LINE FUIL RAIES (DUS - FDA)	<u> </u>			1				-			-		-		
		Line Side Unbundled Combination 2 Way DDV Trusk Dart Dur	1	1	UEPFP	UEPPC	1.27	137.41	00.44	67.00	44.00		1		I		
++		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	 		UEPFP				80.14	67.20	11.29				 		
\vdash		Line Side Unbundled Outward PBX Trunk Port - Bus	!	-		UEPPO	1.27	137.41	80.14		11.29	 	-		 		
\vdash		Line Side Unbundled Incoming PBX Trunk Port - Bus	!	-	UEPFP UEPFP	UEPP1	1.27	137.41	80.14		11.29	 	-		 		
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports				UEPLD	1.27	137.41	80.14		11.29						ļ
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14		11.29						ļ
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						ļ
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29						ļ
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
\vdash		Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
\vdash		Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
LC		NUMBER PORTABILITY															<u> </u>
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
IN		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	l -						_		<u> </u>	1		_		
\bot		Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						<u> </u>
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	l -						_		<u> </u>	1		_		
		or Fraction Mile			UEPFP	1L5XX	0.0088										
FF	EATU																
		All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l							1					1		1
$oxed{oxed}$		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								L
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	l -						_		<u> </u>	1		_		
$oxed{oxed}$		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72								L
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	l -						_		<u> </u>	1		_		
\bot		End User Premise			UEPFP	URETN		11.19	1.10								<u> </u>
		ORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>														
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
Ul	NE Po	rt/Loop Combination Rates							-								
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32		-								
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16		-								
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			34.98										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4			53.15										
111	NE Lo	op Rates															

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	ibit: B
													Svc Order	Svc Order	Incremental		Incremental	
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	l P	cs	USOC			RATES (\$)							Order vs.	
OA! L	00	KATE EEEMENTO	m	20.10	_	.00	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							+		Nonrec	urring	Nonrecurring	Disconnect	1	l .	OSS	Rates (\$)	l	
							+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89		7144.	101	7.44		00				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55										+
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
	UNE P	ort Rate																
	0.1.	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED								• • • • • • • • • • • • • • • • • • • •								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		7.35	1.88								
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1				1	1			İ	İ			İ	İ	İ	
	1	with BellSouth Allowable Changes	1		UEPPX		USA1C		7.35	1.88	Ì					I		
	ADDIT	ONAL NRCs																
	1	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94						İ		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	1	End User Premise	1		UEPPX		URETN		11.19	1.10	Ì					I		
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	•													
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR	:	28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4		4				67.61										
	UNE L	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
					l		1									1		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		24.67								1		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		34.85								.		ļ
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										_
	UNE P	ort Rate	ļ			LIEBBE		10.55	100	100	100 ==							
	Nevir	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13				-		_
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>				+									-		_
	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1		LIEBSS	LIEDDO	LICACE	0.00	00.70	07.4=	Ì					I		
	400:-	Combination - Conversion	<u> </u>		UEPPB	UEPPR	USACB	0.00	38.73	27.17	1				1	-	1	
	ADDIT	ONAL NRCs	 		 		+				ļ		-		-	 	-	
	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1		UEPPB	UEPPR	URETN		11.19	1.10	Ì					I		
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 		UEPPB	UEPPR	UKETIN		11.19	1.10						 		
		Premise			UEPPB	UEPPR	URETL		8.33	0.83						1		
	1.004	NUMBER PORTABILITY	-		ULFFD	ULPPR	UNLIL	1	0.33	0.63	-				-			
	LOCAL	Local Number Portability (1 per port)	 		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1		 	1	1	 	1	1
	B-CHA	NNEL USER PROFILE ACCESS:	 		ULFFD	ULPPR	LINE OA	0.35	0.00	0.00	1				1	t	1	1
	B-CHA	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1	1		1		1
	1	CVS (EWSD)	 		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1		 	1	1	 	1	1
	1	CSD	 		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 					 		
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS º	TN\	OLFFB	OLFFIX	01000	0.00	0.00	0.00	 					 		
	D-CHA	CVS/CSD (DMS/5ESS)	J,141 J, 6	1 111)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	 					 		
—	1	CVS (EWSD)	 		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	 					 		
	1	CSD CSD	 		UEPPB	UEPPR		0.00	0.00	0.00	 					 		
	1		1		ני	JLI I I	0.000	5.00	5.00	5.00	1		1		l	1	l	1

UNBUN	IDLFI	O NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Fxhi	bit: B
CITECIT		THE THORK ELEMENTO IMPONOTOR											Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	1		Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BO	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								ļ										
								Rec	Nonrec			g Disconnect				Rates (\$)		
<u> </u>	10ED T	FRANKI PROFILE							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ISER I	ERMINAL PROFILE			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		-						
	EDTIC	User Terminal Profile (EWSD only) AL FEATURES			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00		-	1					
-	EKIIC	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00		-		-		-		
	NTERC	OFFICE CHANNEL MILEAGE			OLITB	OLITIK	OLI VI	2.00	0.00	0.00								
		Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	JEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0098	0.00	0.00								
4	-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
T	he UN	E-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base	in place a	s of 10/2/03 t	until 4/1/04. Aft	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
F	Reques	ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
L	JNE Po	rt/Loop Combination Rates																
T		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1									_				_	1	
\vdash		Zone 1	ļ	1	UEPPP			155.43										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
\vdash		Zone 2	<u> </u>	2	UEPPP			205.74				-	<u> </u>			-	 	ļ
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD			000.40										
		Zone 3		3	UEPPP			283.10										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPP			504.04										
- h	INELO	Zone 4		4	UEPPP			534.81										
	INE LO	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08				-		-		-		
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
-		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74				1	1					
-		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46										
	INF Po	ort Rate		_	OLITI		COLTI	400.40										
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
N		CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
P	DDITI	ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		DD777		00.45	00.45								
—	OCAL	Subsequent Inward Tel Numbers NUMBER PORTABILITY			UEPPP		PR7ZT	-	23.15	23.15		-						
 		Local Number Portability (1 per port)	 		UEPPP		LNPCN	1.75				+				+		
 		ACE (Provsioning Only)	 		02111		LIVI OIV	1.73				 	 			 	 	
 		Voice/Data	†		UEPPP		PR71V	0.00	0.00	0.00	1	-	1	<u> </u>		I	 	
		Digital Data			UEPPP		PR71D	0.00	0.00	0.00		<u> </u>				1	1	
		Inward Data			UEPPP		PR71E	0.00	0.00	0.00		1				1	1	
l l		Additional "B" Channel										1				1		İ
		New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.61									
		New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.61									
		New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.61									
	CALL T																	
		Inward	ļ		UEPPP		PR7C1	0.00	0.00	0.00		ļ				ļ	ļ	
\vdash		Outward	<u> </u>		UEPPP		PR7CO	0.00	0.00	0.00		-	<u> </u>			-	 	ļ
— .		Two-way	 	-	UEPPP		PR7CC	0.00	0.00	0.00		1	1			1	-	
<u> </u>	nteroff	ice Channel Mileage	 		UEPPP		1LN1A	57.F0	89.79	82.28	16.66	14.90	}			!	 	1
\vdash		Fixed Each Including First Mile Each Airline-Fractional Additional Mile	├		UEPPP		1LN1A 1LN1B	57.53 0.20	89.79	82.28	10.06	14.90	 				-	
H.	-WIDE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	 		ULFFF		ILINID	0.20			1	+	}			+	1	1
		E-P DS1 combination rates below for in this rate exhibit appl	v to the	embes	ded base	in nlace a	s of 10/2/02 :	Intil 4/1/04 Afe	ter 4/1/04 these	rates chall ro	vert to tariff rat	es or a senera	te commerc	ial agreems	nt	 		-
	HO ON	ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	his amen	Iment cha	Il he provide	ed nursuant to	a senarate acre	ement or tarif	f at BellSouth	s discretion	te commerc	iai agreenie		 	 	
		ort/Loop Combination Rates	SOLIVE U	U1			Do provide	parsaant to	Joparate agre	Or tall	. at Boilooutil		 			t	 	
 		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	†	1	UEPDC		1	131.78			1	-	1	<u> </u>		I	 	
				<u> </u>								L	1				1	l

ACTECION RAYE LEMENTS IN THE PLANT COLOR BCS USC BCS U	UNBL	JNDLFI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: B
ATTERLEMENTS Inter 200 BCC B	0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO IMOSIOSIPPI										Svc Order	Svc Order				
ATT BLEMENTS														1				
ATTECHY BATE ELEMENTS BY DESCRIPTION BATE ELEMENTS BY DESCRIPTION BY DESC				Intori														
Proceedings	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. No.				m									po. 20.1	po. 20.1				
Proc. Proc																		
STATE Continue C																		
WY DIST Digital Locate Vision (Line Paris 2)								Rec										
MY DOE Depart Lospen 2015 Frame Part - LNA Zave 3			AW DC4 Digital Lagraday DDITC Tarrely Dark LINE 7 0		2	LIEDDO		400.07	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A USPCC Section Se		-																
Monte Mont			4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3															
H-Wise DST Data Love - UNE Zoord 1 UEPDC US-DC 79.98		UNE Lo	oop Rates			OLI DO		011.10										
4-Wine DSE Option Long - LINE Zong 3					1	UEPDC	USLDC	79.08										
E-Vive DST Data Log URE Zone 4					2		USLDC	129.38										
UPPG UPPG			4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
H-Wine DDTS Dubla Trout Port E-M-1200H DBPC DBPT S5.70 497.12 294.70 190.96 146.11					4	UEPDC	USLDC	458.46										
Advisor St. Digital Copt / Afvisor DDTS Trunk Proc Combination SPPDC USA/04 130.24 67.41																		
4-Web DS 10 piled Loop / 4-Web DDTS Trank Port Combination UEPDC USACA 130.24 (67.4)						UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
- Switch-selse Evit A2006 Affirm DST Struk Port Combination Committee and DST Charage (Evit A2006) Committee and DST Charage (Evit A2006) Committee and DST Charage (Evit A2006) Committee and DST Charage (Evit A2006) Committee and DST Charage (Evit A2006) Committee and DST Charage (Evit A2006) Committee and DST Charage Committee an		NONRE																
4-Wine DS1 Digital Logo / 4-Wine DDTS Trunk Prof Combination UPPDC USAWA 130.24 67.41						LIEDDC	LISACA		130.24	67.41								
- Conversion with DS1 Optatio part Avertino DS1 Strate part Combination - Avertino DS1 Optatio part Avertino DS1 Strate part Combination - Avertino DS1 Optatio part Avertino DS1 Strate part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Canada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Avertino DS1 Strate Part Subsept Chanada - Avertino DS1 Logo Ave		1				OLI DO	00/104		130.24	07.41								
### 4-Wine DS1 logs All-yes DD1'S Trank Port Combination ### Combination DFPDC USAWB 130.24 67.41 ### Combination DFPDC USAWB 14.56 ### Combination DFPDC USAWB 14.56 ### Combination DFPDC USAWB USAW						UEPDC	USAWA		130.24	67.41						1		
ADMINISTRATION APPRIEST Logs / 4-Wire DDITS Trunk Port - NRC -										•								
4-Wite DST Loop / 4-Wite DDTS Trunk Port - NRC - Subsequent Channel Activation. Chan - 2-Wite DDTS Trunk Port - Subsequent Channel Activation. Chan - 1-Wite DDTS Trunk Port - Subsequent Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Activation. Channel Trunk Visid Did Channel Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel Activation. Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Visid Did Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Channel New of Trunk Channel State Channel New of Trunk Channel State Channel New of Trunk Ch			- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
Subsequent Channel ActivationChan - 2Vitry Trunk		ADDITI																
Harmon H																		
Channel Activation/Chan - 1-1/a/y Journard Trunk Word DID						UEPDC	UDTTA		14.56	14.56								
Advise DST Loop / A-Wire DDTS Trunk Port - Subspat Channel UEPOC UDTTC 14.56 14.56									44.50									
Activation/Chan Inward Trunk wido DID						UEPDC	ODLIB		14.56	14.56								
4-Wike DST Loop / 4-Wike DDTS Trunk Port - Subspace Chan UEPDC UDTTD 14.56 14.56						LIEDDC	LIDTTC		14.56	14.56								
Activation Per Chan - Inward Trunk with DID			A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsant Chan			OLFDC	ODITO		14.30	14.50								
4-Wire DST Loop /4-Wire DDTS Trunk Port - Subsignt Chan LePDC LOTTE 14.56 14.56						UEPDC	UDTTD		14.56	14.56								
Activation / Chan - 2-Way DID W User Trans UEPDC UDTTE																		
B825 - Superframe Format						UEPDC	UDTTE		14.56	14.56								
B82S - Estended Superframe Format		BIPOLA																
Alternate Mark Inversion																		
AMI - Standed Superframe Format UEPDC MCOSF 0.00 0.00 0.0						UEPDC	CCOEF		0.00i	600.00s								
Mil - Estended SuperFrame Format		Alterna				LIEDDO	140005		0.00	0.00								
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00 UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX UEPDC UDTGX 0.00 UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UEPDC UDTGX UDT																		
Telephone Number for 1-Way Trunk Group UEPDC UDTGX 0.00 UDTGX UDT	-					UEPDC	IVICOPO		0.00	0.00				-				
Telephone Number for 1-Way Outward Trunk Group		relepiii				LIEPDC	UDTGX	0.00										
Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 UDTGZ																		
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00																		
Reserve Non-Consecutive DID Nos.		<u>L</u>	DID Numbers for each Group of 20 DID Numbers															
Reserve DID Numbers																		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				ļ							ļ					ļ		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC ILNO1 57.33 89.79 82.28 16.86 14.90 Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.00 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOB 0.00 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.00 0.0		D. II.		1 5::				0.00	0.00	0.00								
Termination UEPDC	-	Dedica		i Digital	гоор	with 4-Wire DDITS	runk Port									-		ļ
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.20 0.00 0.00 Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC 1LNO2 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC 1LNOB 0.20 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC 1LNO3 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC 1LNOC 0.20 0.00 0.00 Local Number Portability, per DSO Activated UEPDC LNPCP 3.15 0.00 0.00 UEPDC UEPDC CTG 0.00 4-WIRE DST LOOP WITH CHANNELIZATION WITH PORT						LIEDDC	11 NO1	57 22	90.70	92.20	16.06	14.00				1		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC U	-	1	rominauvii)	1		OLFDO	ILINUT	31.33	09.79	02.28	10.00	14.90	-	-		 		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC U			Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
Termination UEPDC 1LNO2 0.00								5.20	2.00	2.00								
miles						UEPDC	1LNO2	0.00	0.00	0.00						1		
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC 1LNO3 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																		
Termination UEPDC 1LNO3 0.00						UEPDC	1LNOB	0.20	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles																1		
Local Number Portability, per DS0 Activated		1	Termination)	<u> </u>		UEPDC	1LNO3	0.00	0.00	0.00	0.00				ļ	ļ		
Local Number Portability, per DS0 Activated			Intereffice Channel Mileage Additional rate per mile 25:			LIEDDC	11 NOC	0.20	0.00	0.00						1		
Central Office Termininating Point UEPDC CTG 0.00	-	1		 							0.00							
4-WIRÉ DS1 LOOP WITH CHANNELIZATION WITH PORT	-	 		 					0.00	0.00	0.00							
		4-WIRE		1			15.5	0.00					1		1	1		
				ivations			1				Ì					Ì		

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
			 		+	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each	h System can have up to 24 combinations of rates depending or	tuno a	nd num	har of parts used	+		11130	Auu	11130	Auu	JONEC	JONAN	JONAN	JOINAIN	JOINAIN	JONAN
					4			 40/5	102	After 4/4/04		aladi waxaant	t- t-=:ff ==t-=			
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with											snall revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization with Port after the	ne effect	ive dat	e of this amendmer	it shall be pro	vided pursuar	it to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00		İ				i		
-	96 DSO Channel Capacity -1per 4 DS1s	1	1	UEPMG	VUM96	380.24	0.00	0.00			1	1				
+	144 DS0 Channel Capacity - 1 per 6 DS1s	+	 	UEPMG	VUM14	570.36	0.00	0.00				 				
+	192 DS0 Channel Capacity - 1 per 8 DS1s	1	1	UEPMG	VUM19	760.48	0.00	0.00	-	-	 	1		-		
		1	1													
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	1	UEPMG	VUM2O	950.60	0.00	0.00	-	-	1	 		 		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	/stem									
A Mi	inimum System configuration is One (1) DS1, One (1) D4 Channe	el Bank,	and Up	To 24 DSO Ports v	vith Feature	Activations.										
Mult	tiples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without			•	T											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Svet	tem Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat					0.41								
	(Not Currently Combined) in all states, except in Density Zone				I Control Control		1									
INCW	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1 01 100	U WIOF													
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
D:		-		UEFIVIG	VUIVID4	0.00	7 15.15	321.39	146.03	17.50						
Вірс	plar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alte	rnate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excl	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
	hange Ports											i				
	Line Side Combination Channelized PBX Trunk Port - Business		<u> </u>		1						i	1				
1	(E:4/1/2004)		1	UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	l	1				
-	Line Side Outward Channelized PBX Trunk Port - Business	+	 	OLITA	OLI OX	1.23	0.00	0.00	0.00	0.00		 				
	(E:4/1/2004)	1	1	UEPPX	LIEBOY	1.23	0.00	0.00	0.00	0.00	I]		1		
		1	1	UEFFA	UEPOX	1.23	0.00	0.00	0.00	0.00	1					
1	Line Side Inward Only Channelized PBX Trunk Port without DID				l== ···							l				
I	(E:4/1/2004)	1	1	UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	ļ					
						1	i					l				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port									0.00		1				
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
	(E:4/1/2004)				UEPDM	7.40	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)															
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access			UEPPX		1.23	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)				UEPCY											
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial–Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00						

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhil	bit: B
OND	NULL	NETWORK ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															ı l
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in															i l
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States		<u> </u>	UEPPX UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX	ND5	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	ND6 NDV	0.00	0.00	0.00								
	L acal N	lumber Portability			UEPPX	NDV	0.00	0.00	0.00								
	Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								$\overline{}$
	FEATU	RES - Vertical and Optional			OLFFX	LINE CE	3.13	0.00	0.00								$\overline{}$
		Switching Features Offered with Line Side Ports Only				1				†							
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S		OLITA	OLI VI	2.00	0.00	0.00								
ONDO		Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		Ilso and are categorized accordingly.	•			•							ū	•			•
		ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ase Basis, un	til further notic	e.									
	UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>') </u>														
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		12.22										ı
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i l
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ı l
		Non-Design		3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														i l
	LINE D	Non-Design		4	UEP91		44.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP91		15.12										i l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF91	-	15.12										
	1	Design		2	UEP91		19.98			1							₁
-	 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OL: 31	+	13.30			-							$\overline{}$
	1	Design		3	UEP91		28.78			1							₁ 1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			1	20.70			I			 		 		
	1	Design		4	UEP91		46.95			1							, l
	UNE L	pop Rate		<u> </u>		İ	.0.50			1					1		$\overline{}$
	T	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98			1							$\overline{}$
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91			1							$\overline{}$
	Ì	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
	UNE Po		<u> </u>			1	ļ			ļ							
	All Sta	es (Except North Carolina and Sout Carolina)		<u> </u>			1			1							
	<u> </u>	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>		UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															, l
	 	Area		ļ	UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															₁
		Local Area	1	1	UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		l	l			ı

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Fvhi	bit: B
0.100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- INDICIT ELEMENTO - IMIGGIGGIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Aud I
							Rec	Nonrec	urring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	UEPY2	4.00	40.04	40.04	24.00	0.50						
	A1 1/2/	Basic Local Area , LA, MS, & TN Only			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, K				UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	ļ					
-	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP91 UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	}		1	 	1	1
-	1	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58	1		1	t	1	1
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	טבו פו	ULFUII	1.23	40.31	13.04	24.90	0.56	1	1		1		
		Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70				1		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				5 = . S(IVI	1.20	100.00	10.01	04.24	11.70	1		 	I	 	
		Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70			1	I	1	
	1				-	- ~-	0			1	1				1		İ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58			1	I	1	
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	2.56										
-		All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98									
	NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56										
	NAKS	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	1	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	Ianeous Terminations			OLI 01	O/WOX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	annel Bank Feature Activations				1				ļ	ļ			ļ	ļ	ļ	
L	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57					ļ					
		Factors Astination on D.4 Obers of Book EVEN COLD 1			LIEDO4	400000	0.5-			1	1				1		
-	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP91	1PQW6	0.57			 	 	1		 	1	 	
		Slot Scrivation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW7	0.57			I	1			1		1	
-	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	OLFSI	IFQVV/	0.57			 	 	1		-		-	1
		Different Wire Center			UEP91	1PQWP	0.57			I	I			1	I	1	
	1	Different Wife Office			OL: 31	11 (4771	0.57				-				-		
1		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57			I	I			1	I	1	
	1	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop				1	3.57			1	1			1	1	1	
1		Slot			UEP91	1PQWQ	0.57			I	I			1	I	1	
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.10	0.10								<u> </u>
		Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								
	ļ	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32		ļ	ļ			ļ	1	ļ	
	ļ	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32		ļ	ļ			ļ	1	ļ	L
L	1	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91									
		NAR Establishment Charge, Per Occasion		<u> </u>	UEP91	URECA	0.00	72.63		1	1	1	1	l	1	l	l

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							Order vs.	
OA!LO		KATE EEEMENTO	m	20110	500	0000			παι Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-				Nonred	curring	Nonrecurring	Disconnect	1	1	220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	A dditio	l onal Non-Recurring Charges (NRC)						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
		Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLI 31	OKLIL		0.55	0.03			1					+
		End Use Premise			UEP91	URETN		11.19	1.10								
	IINE-D	CENTREX - 5ESS (Valid in All States)			OLF91	UKLTN		11.19	1.10								
	2-Wiro	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
-		ort/Loop Combination Rates (Non-Design)				-									-	-	-
-	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-									-	-	-
		Non-Design		1	UEP95		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	ULF 93		12.22										
		Non-Design		2	UEP95		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OFL 20	+	17.13					-					
		Non-Design	1	3	UEP95		26.26								1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	3	OLF 90	+	20.20					-			-	-	
				4	UEP95		44.91										
	LINE D	Non-Design		4	UEP95		44.91										
	UNE PO	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	LIEDOE		45.40										
-		Design		1	UEP95		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOS		40.00										
-		Design		2	UEP95		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOS		00.70										
		Design		3	UEP95		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4			40.05										
		Design		4	UEP95		46.95										
	UNE LO	pop Rate		<u> </u>			40.00										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	UNE Po																
	All Stat		1		LIEDOE	HEDYA	1.00	40.01	10.01	04.00	0.50	1			 	 	
		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	!		UEP95 UEP95	UEPYA UEPYB	1.23	40.31 40.31	19.84	24.90	6.58 6.58				-	-	
					UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEDOE	HEDV	4.00	40.01	40.01	04.00	0.50				I	I	
		Area	1		UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58	1			1	1	
1		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEDOE	LIEDY44	4.00	400.0-	70.55	5401	44 ===				I	I	
<u> </u>		Center)2,3 Basic Local Area	!		UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70				-	-	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		LIEDOE	LIEDYZ	4.00	400.0-	70.55	5401	44 ===				I	I	
		Service Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58						
1		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LIEDOE	LIEDY (S									I	I	
		Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
<u> </u>	AL, KY	, LA, MS, SC, & TN Only	!		LIEDOE	LIEDO:				212-	2				-	-	
<u> </u>		2-Wire Voice Grade Port (Centrex)	!		UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58				-	-	
		2-Wire Voice Grade Port (Centrex 800 termination)	!		UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58	1			1	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1	!		UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58	1					.
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEDOE	LIEDO.									I	I	
ļ		Center)2,3	ļ		UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		l										I	I	
 		Term 2,3	ļ		UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70				.	.	
		L	1		l										I	I	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58	<u> </u>			ļ	ļ	
I	I	2-Wire Voice Grade Port Terminated on 800 Service Term		l	UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58	1				1	1

Interf m Zone BCS	Order Incremental Charge - Manual Svc Order vs. Electronic-1st	Charge - Manual Svc Order vs.	Incremental Charge -	bit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Intering Inte	charge - ually Manual Svc Order vs. Electronic-1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interi Zone BCS USOC RATES (\$) Elic El	ually Manual Svc LSR Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Cartecory RATE ELEMENTS Min. Zone BCS USOC RATES (\$) per LSR per L	USR Order vs. Electronic- 1st	Order vs. Electronic- Add'I S Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- 1st	Electronic- Add'l S Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
FL & GA Only	1st OSS	Add'I S Rates (\$)	Disc 1st	Disc Add'l
Fi. 8. GA Only	oss	Rates (\$)		
Fi. 8. GA Only			SOMAN	SOMAN
P.L. S.G. Only	MAN SOMAN	SOMAN	SOMAN	SOMAN
Local Switching				
Contrex hiercom Funtionality, per port				
Local Number Portability (1 per port)				•
Local Number Portability (1 per port)				-
Features				
All Standard Features Offered, per port				
All Select Features Offered, per port				
NARS				
Unbundled Network Access Register - Combination UEP95 UARCX 0.00				
Unbundled Network Access Register - India UEP95 UARX 0.00				
Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0				
Miscellaneous Terminations				
2-Wire Trunk Side		ļ		
Trunk Side Terminations, each		 		-
4-Wire Digital (1.544 Megabits)		 		1
DS1 Circuit Terminations, each UEP95 M1HD1 58.41 203.19 96.25 74.86 2.54		1	1	
DSO Channels Activated, each UEP95 M1HDO 0.00 14.56		1		+
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile UEP95 MIGBM 0.0098 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQWS 0.57 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 1PQWP 0.57 Feature Activation on D-4 Channel Bank Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57		1	1	t
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57		1	1	†
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-5 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Footners on D-6 Channel Bank WATS Loop Slot UEP95 IPQWA 0.57 Footners on D-7 Channel Bank WATS Loop Slot UEP95 IPQWA 0.57 Footners on D-7 Channel Bank WATS Loop Slot UEP95 IPQWA 0.57 Footners on D-7 Channel Bank WATS Loop Slot UEP95 IPQWA 0.57		1		1
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 IPQW7 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				
Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.57		1		
Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 IPQW7 IPQW7 IPQW7 IPQW9 I				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP95 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP95 1PQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWQ 0.57 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP95 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWO 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWO 0.57				_
Slot		 		ļ
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP95				
Different Wire Center		 		1
Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP95 IPQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWQ 0.57 INOR-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				1
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		1	1	t
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed				
Slot UEP95 1PQWQ 0.57		1	1	I
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWA 0.57				1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed Switch-As-Is with allowed NRC Conversion Currently Combined		1		
NRC Conversion Currently Combined Switch-As-Is with allowed				
Conversion of Existing Centrex Common Block, each UEP95 USACN 37.97 16.68		ļ		1
New Centrex Standard Common Block UEP95 M1ACS 0.00 666.32		 	ļ	
New Centrex Customized Common Block UEP95 MTACC 0.00 666.32		1		-
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.63 Additional Non-Recurring Charges (NRC)		+	1	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Miscellaneous Rate Element, Tag Loop at End Use Unbundled Rate Element, Tag Loop at End Use	+	1	1	
Unburinder wiscellaneous Rate Element, Tag Loop at End Use Premise UEP95 URETL 8.33 0.83				I
Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	1	†
End Use Premise UPP95 URETN 11.19 1.10				I
UNE-P CENTREX - DMS100 (Valid in All States)		1		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo				
UNE Port/Loop Combination Rates (Non-Design)				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				
Non-Design 1 UEP9D 12.22				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				I
Non-Design 2 UEP9D 17.13	1	 		-
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - language Visit Port (Centrex)Port Combo - language Visit Visit VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - language Visit Visit VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - language Visit Vi				
Non-Design 3 UEP9D 26.26		+	1	
Z-Wife VG Loop/2-vvire Voice Grade Port (Centrex) Port Combo - Non-Design UEP9D 44.91				1

UNBUN	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
0.1.201												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	JNE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design 2 Wire VC Lean / 2 Wire Voice Crade Part (Contrav) Part Comba		3	UEP9D		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP9D		46.95										
	INF Lo	op Rate		-	OLI 3D		40.33										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68		-							_	
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP9D	UECS2	18.75							ļ	ļ		ļ
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4 ort Rate		4	UEP9D	UECS2	45.72										
	ALL ST																
 	TEL OI	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									0.00						
		Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEBAB					0.4.00							
		Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
h		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 3D	OLITE	1.20	40.51	13.04	24.30	0.30						
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
		Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.23	40.24	40.04	24.00	6.58						
-		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.23	40.31	19.84	24.90	0.58						
		Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local					23			250	0.30						
		Area	L_	<u>L</u>	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local												1	1		
		Area	ļ		UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIED. CT.								1	1		
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
+		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			C2. 0D	SEI 10	1.23	40.01	10.04	24.50	0.00						
		2,3-Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
		Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDY'S			===								
\vdash		Basic Local Area	ļ	<u> </u>	UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area	1		UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70			1	1		
 		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	-	OLFAD	UEFIL	1.23	108.35	70.57	54.24	11.70	1	1	1	1		1
		Basic Local Area	1		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70			1	1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			-	1	<u> </u>										
		Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70						

UNB	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
															_	•	_
CATE	SORV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	всэ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02.05	02	1120	100.00	7 0.07	01.21	11110						
		Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						Í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			OLI 3D	OLI 13	1.25	100.55	10.51	34.24	11.70	ļ					
					LIEDOD	LIEDVO	4.00	400.05	70.57	5404	44.70						i .
		Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															Í
		Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
		Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						Í
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						i .
—	 	2-Wire Voice Grade Port Terminated on 800 Service Term Basic	 	\vdash		52. 10	1.20	70.01	10.04	24.50	0.00	1	 		 		
l		Local Area	İ		UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		l				1
—	AL IO		 	—	ひにており	ULF 12	1.23	40.31	19.64	24.90	0.38	1	 		 		
<u> </u>	AL, KY	, LA, MS, SC, & TN Only			LIEDOD	LIEBC :				0.0-		-	ļ		1		+
	ļ	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						├
	1	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>		UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58		<u> </u>				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						Í
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
	-	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5006)4		1	UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
																	+
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						i .
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02. 05	02. Q0	20	10.01	10.01	21.00	0.00						
		2 2			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						Í
		2,3		1	OLF3D	ULFQIVI	1.23	100.33	10.31	34.24	11.70						
																	Í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						1
l	1		l										l		1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
			l														1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						i .
													ĺ				f
l		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	İ		UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		l				1
<u> </u>	1	2 11.10 10.00 0.000 1 of Control and 0110 / EBO-100112/2,0,4	1		CL. 0D	JEI WIT	1.20	100.00	70.07	54.24	11.70	 					t
l	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	l		UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70]		1		1
	1	2-vviie voice Grade Port (Ceritiex diller SVVC /EBS-IVB312)2,3,4	-		OFLAD	UEFUS	1.23	100.35	10.57	34.24	11.70	1			-		
		OMEN Velocity Book (October 1977) COMO (FEO MESSAGE)	l		LIEDOD	LIEBC :			=			1	1		l		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						1
																	1
l		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		l				1
		,						•				1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	l		UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		l				1
-	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-	+ -	OL1 3D	OLI WI	1.23	100.33	10.51	57.24	11.70	 	 		 		
l	1		l		LIEDOD	LIEDOZ	4.00	400.05	70.57	5404	44.70		l		1		1
		Term 2,3	<u> </u>	1	UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70	.					+
			l										l				1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															1
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
	Local N	lumber Portability								İ		1					
		Local Number Portability (1 per port)	l		UEP9D	LNPCC	0.35					1	1				t
	1	Leoda Hamber - Ortability (1 por port)		1	02.00	241 00	0.00			1		1			1		

IINR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: B
OND	UNDEL		1	l			ı					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
			ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature	All Standard Features Offered, per port			UEP9D	LIED) (E	0.50										
	-	All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	2.56 0.00	404.98									
	-	All Centrex Control Features Offered, per port	-		UEP9D	UEPVC	2.56	404.90									
	NARS	All Centrex Control Features Chered, per port			OLI 3D	OLI VO	2.50										
	IVAINO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88			_			
		Digital (1.544 Megabits)							`								
<u> </u>		DS1 Circuit Terminations, each	1		UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54						
	1	DS0 Channels Activiated per Channel	1	<u> </u>	UEP9D	M1HDO	0.00	14.56									
<u> </u>	Interoff	fice Channel Mileage - 2-Wire	1	1	LIEBOD	14000	00.50	40 ==	07	47.00					-	 	
	+	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	1	}	UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11	1			1	 	
	Footure	pinteroffice Channel mileage, per mile of fraction of mile each Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	M1GBM	0.0098										
		innel Bank Feature Activations	l			-											
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
		realtire Activation on 5-4 channel bank centrex Loop clot			OLI 3D	II QWO	0.37										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.57										
	Non De	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.57					-					
	NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed	-			-											
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32	10.00								
	1	New Centrex Customized Common Block	1	1	UEP9D	M1ACC	0.00	666.32		1					1		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63									
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise		<u> </u>	UEP9D	URETL		8.33	0.83						1	ļ	
1		Unbundled Miscellaneous Rate Element, Tag Design Loop at]						1		I	1	
<u> </u>	118/5 5	End Use Premise	1	1	UEP9D	URETN		11.19	1.10	ļ					-		
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	}		+				-		1			1	 	
\vdash		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	1	1		1	 			1			 			-	
\vdash	JINE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_	1		1				 					 		
		Non-Design		1	UEP9E		12.22						1		I	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1									1		
		Non-Design		2	UEP9E		17.13						1		1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E	<u> </u>	26.26			<u> </u>					<u></u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-]	
	1	Non-Design		4	UEP9E		44.91										
<u> </u>	UNE Po	ort/Loop Combination Rates (Design)	1	<u> </u>		ļ											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	Ι.	LIEBOE		45.5						1		I	1	
-	-	Design	1	1	UEP9E	1	15.12			1					!	 	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		19.98								1		
Щ	1	Dealil			OLFAE	1	19.98			<u> </u>		l	L		l	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
	1										Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		200				= (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+		11130	Auu i	11130	Addi	JOINEC	JONAN	JONAN	JOHAN	JOHAN	JOHAN
	Design		3	UEP9E		28.78										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLI 3L		20.70										-
	Design		4	UEP9E		46.95										
LINE	oop Rate		7	OLI 3L		40.55										
ONLL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
																<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75			 		1	 		1		1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55			.					-	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72										
	ort Rate				1											
AL, FL	, KY, LA, MS, & TN only				uen::											_
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, KY	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
 					J XL	1.23	100.00	70.07	07.27	11.70				†	1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP9E	UEPQ9	1,23	40.31	19.84	24.90	6.58		1		I		
	2-Wire Voice Grade Port Terminated in 61 Wiggain of equivalent			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						+
Local	Switching			OLI OL	OLI QZ	1.20	70.01	10.04	24.00	0.00						
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local	Number Portability		-	OLI JL	UNLUG	0.7547			t		1			1		+
Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			 						-	
Easter			 	OLF 3L	LINFOU	0.35			 		 	-		-		
Featur			!	LIEDOE	LIED\/C	0.50			-		-	-		-		
	All Standard Features Offered, per port		-	UEP9E	UEPVE	2.56	404.00		 					 		
	All Select Features Offered, per port		!	UEP9E UEP9E	UEPVS	0.00 2.56	404.98		 		1	 		1		<u> </u>
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56			1		1			1		
NARS	Historia Halling and Assess Burgara Control			LIEDOE	LIABON											
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		ļ				
	Unbundled Network Access Register - Indial		<u> </u>	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00				-	1	1
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		ļ				
	laneous Terminations								ļ							
2-Wire	Trunk Side			LIEDOE	OFNES	2.2-	400.0-									_
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)								1							ļ
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54				.		<u> </u>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									1
Interof	fice Channel Mileage - 2-Wire											<u> </u>				1
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11		I		1	l	1

UNB	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			l									Elec		Manual Svc			
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect	1	l	OSS	Rates (\$)	l	
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098	11131	Auu i	11130	Auu i	JONIEC	JONAN	JONAN	JONAN	JOHAN	JOINAIN
	Foatur	Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3L	IVITODIVI	0.0030										
		innel Bank Feature Activations															-
	D4 CITE	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57					-			-		
-	+	realure Activation on 5-4 Chainlei Bank Centrex Loop Slot			OLFBL	IFQWS	0.57					-			-		
		Facture Activities on D. 4 Channel Book EV line Cide I and Clat			UEP9E	1PQW6	0.57										
	+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF9E	IFQW6	0.57										-
					LIEDOE	40014/7	0.57										
	 	Slot			UEP9E	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				400140											
	 	Different Wire Center			UEP9E	1PQWP	0.57										
1		Fortuna Autoritario de B. 4 Okaza de B. 1 Billion de B. 1	l		LIEBOE	4001177	. =-						1		I	Ì	
ļ	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	 	ļ	UEP9E	1PQWV	0.57										
1		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l										1		I	Ì	
	1	Slot		ļ	UEP9E	1PQWQ	0.57										
	ļ	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9E	1PQWA	0.57								.	ļ	<u> </u>
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex	<u> </u>									1	ļ		1	ļ	ļ
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.19	1.10								
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP93		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		4	UEP93		44.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP93		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		28.78										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		T -		1				İ					İ	İ	
		Design		4	UEP93		46.95										
	UNE L	pop Rate	1			1				1					t	1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	10.98			1						1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP93	UECS1	15.91			1		1	1		1	1	
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	25.04			1					t	1	
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 4	1	4	UEP93	UECS1	43.68			1					t	1	
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP93	UECS2	13.89			1					†	1	1
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP93	UECS2	18.75			1					†	1	1
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	l	3	UEP93	UECS2	27.55			 		<u> </u>	1			 	
	 	2-Wire Voice Grade Loop (SL 2) - Zone 4	1	4	UEP93	UECS2	45.72				<u> </u>		l		 		
 	UNF P	ort Rate	l		CL. 00	52002	70.72			 		<u> </u>	1			 	
		, LA, MS, & TN only	1	1		+				 	1				 	 	
-	~=, IXI	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	1	l		1	1	
	1	12 5 Orado i ora (Ocintos) Dasio Local Alea	1		J_1 00	UL: 17	1.20	70.01	19.04	24.30	0.30		1		1	ı	1

UNBUN	IDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
5.1.2.5.												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEGO	אחע	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	JK T	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								24.00							i '
-		Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			02.00	02	20	10.01		200	0.00						
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															1
		Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOO	LIEDVO	4.00	40.04	10.01	04.00	0.50						ł
		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		1	UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						ł
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						i
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDOM	4.00	400.05	70.57	54.04	44.70						l
-		Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						i
		CONTROL TOTAL			021 00	OLI QL	1.20	100.00	70.07	04.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						ł
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						<u> </u>
		Switching				1											
<u> </u>		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	ocai r	Number Portability Local Number Portability (1 per port)		1	UEP93	LNPCC	0.35										
	eature				OLI 33	LIVI CC	0.55										ſ
		All Standard Features Offered, per port			UEP93	UEPVF	2.56										i
		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
!	NARS					1											
-		Unbundled Network Access Register - Combination			UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		1	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	Niscell	aneous Terminations			021 00	O/ II CO/C	0.00	0.00	0.00	0.00	0.00						
		Trunk Side															i
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
4	-Wire	Digital (1.544 Megabits)			LIEBAA	1441154		222.12		7100	0.51						
-		DS1 Circuit Terminations, each DS0 Channels Activated, Per Channel			UEP93 UEP93	M1HD1 M1HDO	58.41 0.00	203.19 14.56	96.25	74.86	2.54						
 	nterof	fice Channel Mileage - 2-Wire			OLI 30	IVITIOU	0.00	14.50				<u> </u>					ſ
├ ॉ		Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	04 Cha	Innel Bank Feature Activations			LIEDOS	400000	0.55					<u> </u>					
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										1
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										l
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1											
		Slot			UEP93	1PQW7	0.57										
1 T	_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1,50,											
\vdash		Different Wire Center			UEP93	1PQWP	0.57						1				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										l
\vdash		Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			OLI 30	11 04 4 4 4	0.57					-					
		Slot			UEP93	1PQWQ	0.57										l
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOS	LICACO		0.40	2.12								l
<u> </u>		changes, per port	l	1	UEP93	USAC2		0.10	0.10]			l		<u> </u>		<u> </u>

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates (\$)	I	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
Add	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.19	1.10								
Note	e 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	Note 2 - Requires Interoffice Channel Mileage															
Note	3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
	4 - Requires Specific Customer Premises Equipment															
Note	e: Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	s and Condition	ns.	<u> </u>								

Version 3Q03: 11/12/2003 Page 238 of 348

UNBU	NDLE	NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				-				Nonre	curring	Monrocurrin	g Disconnect		l	088	Rates (\$)		
							Rec	First	Add'I	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
			1					11131	Auu i	THOU	Addi	JOHILO	JONAN	JONAN	JOHIAN	JOHAN	JOHIAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
	http://w	ww.interconnection.bellsouth.com/become a clec/html/inter	rconnec	ction.hti	m				٠.	•	•	ū	•	•			
OPERA	TIONAL	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
	elect ei	ther the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	LEC can not o	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
	ouc c.	the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			in this category ref	flects the ch	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	s come on-li	ne for that e	element. Oth	erwise, the m	anual ordering	g charge,
		I, will be applied to a CLECs bill when it submits an LSR to B															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	niy **Pi	ease se	e applicable rate ele	ement for SC	MAN charge**					<u> </u>					
		OSS - Electronic Service Order Charge, Per Local Service				COMEO		0.50	0.00						1	1	
LINE OF	DVICE	Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE	!	1		SOMEC	1	3.50	0.00	3.50	0.00	}		1	!	!	1
		The Expedite charge will be maintained commensurate with	Dallea.	th's FC	C No 1 Tariff Coatio	n E ao anni	aabla				-	1					
	NOTE:	The Expedite charge will be maintained commensurate with	Delisot	IIII S FC	C NO.1 Tariii, Sectio	on 5 as appn	cable.										
					UAL. UEANL. UCL.												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
			1		UNC3X, UNCDX,					I	I				I	I	
			1		UNCNX, UNCSX,					I	I				I	I	
					UNCVX, UNLD1,												
			1		UNLD3, UXTD1,					I	I				I	I	
					UXTD3, UXTS1,					1	1				1	1	
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUC, U1TUD,					I	I				I	I	
		Day	ļ		U1TUB, U1TUA	SDASP		200.00		ļ	ļ				ļ	ļ	
		XCHANGE ACCESS LOOP	<u> </u>	<u> </u>								<u> </u>					
-		ANALOG VOICE GRADE LOOP	ļ	\perp	LIFANII	LIEALO	10.11	F7.00	40.6=	.	.			20.61	10 =0	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	!		UEANL UEANL	UEAL2 UEAL2	12.11 21.24	57.99 57.99	42.37 42.37	!	.	}		26.94 26.94	12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 		UEANL	UEAL2 UEAL2	21.24 33.65	57.99 57.99	42.37 42.37	 	 	1	-	26.94 26.94	12.76 12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEASL	12.11	57.99	42.37	+	-			26.94	12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL UEANL	UEASL	12.11 21.24	57.99 57.99	42.37	+	+	}		26.94	12.76	0.00	0.00
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 		UEANL	UEASL	33.65	57.99	42.37	 	 	1	-	26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	-	U-/ 11 1L	JL/ (JL	33.03	31.39	72.37	†	+	1		20.34	12.70	0.00	0.00
		Premise	1		UEANL	URETL		8.33	0.83	I	I			26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour	1		UEANL	URET1	1	76.24	76.24	1	1			26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
1		(UVL-SL1)		1	UEANL	UREWO		15.76	8.93	1	1	Ì		26.94	12.76	0.00	0.00

UNBUN	IDLEI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	bit: B
CITECI		THE THORK ELEMENTO HOLL GUIDING										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Dee	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		45.34	45.34								
2	-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60					26.94		0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		LIEO	LIDET!		0.00	0.00					00.00	10 =0	0.00	0.00
\vdash		Premise Manual Order Coordination 3 Wire Habundled Copper Lean	1		UEQ	URETL		8.33	0.83	1	-			26.94	12.76	0.00	0.00
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1		UEQ	USBMC		61.38	61.38					I		1	1
\vdash		Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for	 		ULW	USDIVIC	 	81.38	61.38	1					 	-	-
		BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94		0.00	0.00
+		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	 		UEQ	URETA		39.51	39.51	1				26.94		0.00	0.00
-		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLQ	ORLIN		00.01	00.01					20.04	12.70	0.00	0.00
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
UNBUNE	I FD F	EXCHANGE ACCESS LOOP			024	O.V.E.V.O		20	2					20.01	.20	0.00	0.00
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													
-		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	LIEDOD LIEDOD	LIEADO	22.05	F7.00	40.07	0.00	0.00			20.04	40.70		
LINDLING	I ED E	Zone 3 EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		ANALOG VOICE GRADE LOOP													1		
-	- VVIIXL	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	†	<u> </u>		1									1	2.30	2.30
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
1 T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		l	L								_]	<u> </u>
		Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	_													
\vdash		Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	25.93	142.97	106.56	ļ				26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	1	3	UEA	UEAR2	40.81	142.97	400.50					26.94	40.70	0.00	0.00
\vdash		Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	40.81	45.34	106.56	1				∠6.94	12.76	0.00	0.00
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	 		UEA	UREWO		87.64	36.33	1				26.94	12.76	0.00	0.00
\vdash		Loop Tagging - Service Level 2 (SL2)	 		UEA	URETL	 	11.20	1.10					26.94		0.00	0.00
4	-WIRE	ANALOG VOICE GRADE LOOP	1			3		11.20	1.10					20.04	12.70	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 2	1	2		UEAL4	36.27	288.47	237.45		l			26.94		0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45					26.94		0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
2		ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76	0.00	0.00

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	ĺ												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76	0.00	0.00
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	_	l								1				_
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96	1				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		45.34		.					10.5-		
4	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36	1				26.94	12.76	0.00	0.00
4-WII	RE DS1 DIGITAL LOOP	<u> </u>		LICI	HOLYY	17.00	71101	101.7	+				10.10	10 ==	2.00	1
L	4-Wire DS1 Digital Loop - Zone 1	<u> </u>		USL	USLXX	47.60	714.84	421.47	.				42.19	12.76	0.00	0.00
	4-Wire DS1 Digital Loop - Zone 2	<u> </u>		USL	USLXX	84.36	714.84	421.47	1				42.19	12.76	0.00	0.00
ļ	4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	134.29	714.84	421.47	+ +				42.19	12.76	0.00	0.00
L	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		USL	OCOSL		48.31	10.00	.				00.61	10 ==	2.00	
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.99	43.00	.		ļ		26.94	12.76	0.00	0.00
. 14-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1													l	l

UNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	LICOC			DATEC (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates (\$)		ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	67.26 25.32	489.04 489.04	337.51 337.51					26.94 26.94	12.76 12.76	0.00	0.00
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	43.11	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL56	67.26	489.04	337.51					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76	0.00	0.00
-		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDL UDL	OCOSL UREWO		45.34 102.03	49.70	-				26.94	12.76	0.00	0.00
	2-WIRE	Unbundled COPPER LOOP			ODL	UKEWU		102.03	49.70					20.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		_1	UCL	UCLPB	13.26	262.86	143.75			<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop-Designed including manual													40.00		
-		service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	34.80	262.86 61.38	143.75 61.38					26.94	12.76	0.00	0.00
-		2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLIVIC		01.38	61.38								
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual			002	002. 11	10.20	.00.00	1.12.00					20.0	12.70	0.00	0.00
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76	0.00	0.00
-	4-WIRF	COPPER LOOP			OOL	OKEWO		37.14	72.77					20.54	12.70	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility															
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility															
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility		3	UCL	UCL4S	46.26	311.03	191.93					26.94	12.76	0.00	0.00
-		reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	61.38	61.38					26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility			OCL	OCLIVIC		01.30	01.30								
		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility															
		reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility		_	LICI	LICLAW	40.00	000 ==	404.4.					00.01	40.70	0.00	2.00
\vdash		reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	46.26	236.57 61.38	161.14 61.38	 				26.94	12.76	0.00	0.00
\vdash		CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		01.30	01.30	 							
		(UCL-Des)			UCL	UREWO		97.14	42.44								
LOOP N	ODIFIC	ATION															
					UAL, UHL, UCL,				-								
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24					26.94	12.76	0.00	0.00
-		Unbundled Loop Modification Removal of Load Coils - 4 Wire			UEPSB	ULIVIZL		21.24	21.24					26.94	12.76	0.00	0.00
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24					26.94	12.76	0.00	0.00
		The state of the s			UAL, UHL, UCL,			224	224	†				20.04	120	5.50	5.50
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	[]											
CIID : C	NO DC	per unbundled loop			UEPSB	ULMBT		24.84	24.84					26.94	12.76	0.00	0.00
SUB-LC		op Distribution				1				 							
$oxed{oxed}$	JUD-LO	סף הופתומתותוו	L	<u> </u>		1						l	l				

CATEGORY RATE ELEMENTS Intel I	UNBUNDI E	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: B
## ATT BLEMENTS Intelligence Part April Company	CHECHEL											Svc Order	Svc Order				
NATE FLEMENTS Name																	Charge -
CATEGORY RATE ELEMENTS Mark Book BCS UBC RATE 1																	Manual Svc
Section	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Section			m						- (1)			per LSK	per LOK				Electronic-
Sub-Lacy - Per Cruss Sout Location - CILCF Feelow Flority See 1																	
Section Per Cross Box Location - CECF Feeder Facility Service DUNN. URSEA STAST First Adert First Adert State Stat														151	Add I	DISC ISL	DISC Add I
Sub-Loop - Per Cross Res Lection - CuEC Fooder Facility Set							Dee	Nonred	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	•
Up							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-Loco - Per Choss Best Location - For 25 Pair Pained Set-Lip		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
Sub-Loop - Tee floating Equipment Room - CLEC Feeder		Up	- 1		UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
Sub-Loco - Part Dulling Equipment Room - CLCC Feeder 1																	
Fasting Set-big 1			- 1		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
Sub-Loop - Tem Building Equipment Roam - Per 25 Pair Parel 1																	
Set Up			ı		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
Sub-torp Destrobution Par 2-With Analogy Varies Grands Loop - 1 UEANL USINO 7.31 128.00 54.54 86.94 12.76 0.00			l .														
2mm 1			ı		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
Sub-Loop Distribution For 2-Vitre Analog Voice Grade Loop - 1 2 UEANL USBN2 11:50 126:03 64:54			Ι.												40 =0		
Exempto 1				1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
Sixt-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 1 3 UEANL USBN2 18:20 128:03 54:54 28:84 12:76 0.00			١.	_		LIODNIO	44.00	400.00	5454					00.04	40.70	0.00	0.00
Zone 9			ı	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
Direct Coordination for Unbundled Sub-Loops, per aub-loop part UEANL USBMC 61.38 61.38 156.52 79.66 26.94 12.76 0.00			١.,	2	LIEANI	LICDNO	19.20	126.02	E4 E4					26.04	10.76	0.00	0.00
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 1 UEANL USBN4 8.44 156.52 79.66 26.94 12.76 0.00		Zone 3	'	3	UEANL	USBINZ	18.20	126.03	54.54			1		26.94	12.76	0.00	0.00
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 1 UEANL USBN4 8.44 156.52 79.66 26.94 12.76 0.00		Order Coordination for Habrardlad Cub Lagran and sub-lagrania			LIFANII	LICDMC		C4 20	04.00								
Zone 1 UEANL					UEANL	USBIVIC		61.38	61.38								
Sub-Loop Detribution Per 4-Wire Analog Voice Grade Loop - 2				4	LIEANI	LICDNIA	9.44	156 50	70.66					26.04	10.76	0.00	0.00
Zone 2 2 UEANL USBN4 13.81 15652 79.66 26.04 12.76 0.00					UEAINL	USBIN4	0.44	156.52	79.00					20.94	12.76	0.00	0.00
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 3 UEANL USBN4 21,10 156,52 79,66 26,94 12,76 0,00				2	LIEANI	LICDNIA	12 01	156 52	70.66					26.04	12.76	0.00	0.00
Zone 3					ULANL	USBIN4	13.01	130.32	79.00					20.94	12.70	0.00	0.00
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 1 UEANL USBMC 2.79 114.05 37.20 26.94 12.76 0.00				3	ΙΙΕΔΝΙ	LISBNA	21 10	156 52	70.66					26.94	12.76	0.00	0.00
Sub-Loop 2-Wire Intrabuliding Network Cable (INC) 1	_	2016 3		3	OLANE	COBINA	21.10	130.32	73.00			1		20.34	12.70	0.00	0.00
Sub-Loop 2-Wire Intrabuliding Network Cable (INC) 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIFANI	USBMC		61.38	61.38								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC G1.38							2 79							26.94	12 76	0.00	0.00
Sub-Loop 4-Wire Intrabulating Network Cable (INC)		Cab 2005 2 Trito initiabalianing rections cable (into)			0271112	OOD. LE	20		07.20					20.01	12.70	0.00	0.00
Sub-Loop 4-Wire Intrabuilding Network Cable (NC)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC EASA						USBR4	3.74							26.94	12.76	0.00	0.00
Loop Testing - Basic 1st Half Hour																	
Loop Testing - Basic Additional Half Hour UEANL URETA 39.51 39.51 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 UEF UCS2X 9.70 137.10 60.24 26.94 12.76 0.00 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 1 2 UEF UCS2X 9.70 137.10 60.24 26.94 12.76 0.00 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 1 3 UEF UCS2X 14.59 137.10 60.24 26.94 12.76 0.00 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 1 3 UEF UCS2X 14.59 137.10 60.24 26.94 12.76 0.00 2 2 2 2 2 2 2 2 2		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		Loop Testing - Basic Additional Half Hour			UEANL			39.51	39.51								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			ı														0.00
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 61.38 61.38 61.38		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2													0.00
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1 1 -									·							
A Wire Copper Unbundled Sub-Loop Distribution - Zone 2											ļ						
A Wire Copper Unbundled Sub-Loop Distribution - Zone 3	\vdash										ļ						0.00
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF	\vdash		<u> </u>									ļ					0.00
Loop Testing - Basic 1st Half Hour	\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38			ļ		26.94	12.76	0.00	0.00
Loop Testing - Basic 1st Half Hour	1 1		l		luce	1100040]	04.00	04.00					Ì			Ì
Loop Testing - Basic Additional Half Hour UEF URETA 39.51 39.51 39.51	\vdash		 	<u> </u>						-	1	}		 	1		
Unbundled Network Terminating Wire (UNTW) UENTW UENTP UENTW UENPP UENTW UENPP UENTW UENPP UENTW UENPP UENTW UENPP UENTW UENPP UENTW			1	1							1	1		-			ļ
Unbundled Network Terminating Wire (UNTW) per Pair	I last		 	 	UEF	UKETA		39.51	39.51		 	1		 	-		
Network Interface Device (NID) 1.2 lines 1 UENTW UND12 86.37 56.69 26.94 12.76 0.00	Unbur		!	 	LIENTW/	LIENDD	0.4354	64.00			1	 		26.04	40.70	0.00	0.00
Network Interface Device (NID) - 1-2 lines	Notice		1	1	OLIVIVV	OLINER	0.4351	04.98			1	1	1	20.94	12.76	0.00	0.00
Network Interface Device (NID) - 1-6 lines I UENTW UND16 127.93 98.21 26.94 12.76 0.00	IAGEMO		<u> </u>	1	HENTW	LIND12		ge 27	56 60		1	1	1	26.04	10 76	0.00	0.00
Network Interface Device Cross Connect - 2 W	 		H	!			 				1	1					0.00
Network Interface Device Cross Connect - 4W			i	1							1						0.00
UNE OTHER, PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			L i	1							<u> </u>	1					0.00
NID - Dispatch and Service Order for NID installation UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 UEANL, UEF, UEQ, U Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	UNE OTHER		<u> </u>		J	5.1504		11.00	11.00		1			20.04	12.70	3.00	0.00
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 UEANL,UEF,UEQ,U Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	J J		1	1	UENTW	UNDBX	0.00	0.00			<u> </u>	1					
Unbundled Contract Name, Provisioning Only - No Rate UEANL,UEF,UEQ,U UNECN UNECN 0.00 0.00			1								1			1			
Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00		The state of the s	l				2.00	2.00			1			1			1
	1 1	Unbundled Contract Name, Provisioning Only - No Rate	l			UNECN	0.00	0.00						Ì			Ì
TORE OTHER LINOTHOUGH ONE LINOTH CONTROL CONTR	UNE OTHER. I						3.20	2.20		İ	İ			İ	İ		İ

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												Attack	ment: 2	Exhil	L:4. D
UNDU	INDLE			ı			I					Syc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -		Charge -
														Manual Svc	Manual Svc	Charge -	•
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,				Manual Svc
OAIL		KATE EEEMERTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_ 1	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	CAPACI	TY UNBUNDLED LOCAL LOOP															
1		High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.515							1				
		month			UE3	1L5ND	13.33										
		High Capacity Unbundled Local Loop - DS3 - Facility					450.00							== 40	==		
-		Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOV	1L5ND	40.00										
-		month			UDLSX	1L5ND	13.33										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOD	MAKE-L				UDLSX	UDLST	464.26	1,071.00	646.12		<u> </u>			53.48	53.48		
LUUP	WAKE-U	Loop Makeup - Preordering Without Reservation, per working or									-						
		Ispare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		55.44	55.44		-			19.99	19.99	19.99	19.99
		queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or			OWIK	OWNE		00.70	00.70					10.00	10.00	10.00	10.00
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE S	HARING	G AND LINE SPLITTING			Civii	0.0 t		0.0000021	0.0000021								
		1: The Line Sharing monthly recurring rates for all installation	ns comi	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	l be billed as t	follows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
	NOTE '	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE '	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
	<u> </u>	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00		ļ			26.94	12.76		
		Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDB	38.99	631.54	0.00					26.94	12.76		
	ļ	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00	ļ	ļ			26.94	12.76		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000							1				
<u> </u>	END	deactivation (per LSOD)		1	ULS	ULSDG		146.32	31.27	1	 			26.94	12.76		
<u> </u>	באט ט	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	-	 						1	 		 				
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
-	 	Line Share Service, TRO per line activation, BST owned splitter -		-	ULO	OLODO	0.61	54.71	20.77	 	 			20.94	12.76		
		Central Office Located (25% of UCLND) - please see NOTE 1											1				
		(E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77								
 	†	Line Share Service, TRO per line activation, BST owned splitter -	1		0_0	52001	5.75	54.71	20.77	1	1		 				
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77				1				
		Line Share Service, TRO per line activation, BST owned splitter -									1						
		Central Office Located (75% of UCLND) - please see NOTE 1											1				
		(E:10/2/2005)			ULS	ULSDT	10.48	54.71	28.77								
		Line Sharing - per Subsequent Activity per Line															
	<u></u>	Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57		<u> </u>			26.94	12.76		
		Line Sharing - per Subsequent Activity per Line			_												
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29		ļ			26.94	12.76		
		Line Sharing - per Line Activation (DLEC owned Splitter) -			l <u>.</u>	l							1				
<u> </u>	1	OBSOLETE see **NOTE 2		<u> </u>	ULS	ULSCC	0.61	47.44	19.31]	l]	26.94	12.76		

UNBII	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: B
3.120	.,,,,,,,											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
		PLITTING	ļ											ļ	.		
	END U	SER ORDERING-CENTRAL OFFICE BASED	!		LIEBOR LIEBOR							1					
	ļ	Line Splitting - per line activation DLEC owned splitter	ļ		UEPSR UEPSB	UREOS	0.61	=0.0-				ļ					
—	<u> </u>	Line Splitting - per line activation BST owned - physical	<u> </u>		UEPSR UEPSB	UREBP	0.61	56.92	28.59			<u> </u>		26.94	12.76	 	
		Line Splitting - per line activation BST owned - virtual	<u> </u>		UEPSR UEPSB	UREBV	0.61	56.92	28.59			<u> </u>		26.94	12.76	 	
-	WAINT	ENANCE	!			+		20.00	FF 60	1		}		 	!	 	
-	 	No Trouble Found - per 1/2 hour increments - Basic	1			+		80.00 120.00	55.00 82.50	 		1		 	 	 	
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			1					
LINIDIIN	IDLEDI	DEDICATED TRANSPORT		-				160.00	110.00								
UNDUN		OFFICE CHANNEL - DEDICATED TRANSPORT				-											
-	INIER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										1					
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	ILJAX	0.0123					1					
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	OTTVE	10.00	107.40	02.00					00.07	00.07		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					0.00										
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination	ļ		U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		l <u></u>	1								1	I	1	
	ļ	per month	ļ		U1TDX	1L5XX	0.0282							ļ	ļ	ļ	
	l	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1				!		=								
-	 	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	!		U1TDX	U1TD6	17.40	137.48	52.58	1		}		38.07	38.07	 	
	1		1		LIATD4	1L5XX	0.5750							1	I	1	
-	 	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		U1TD1	ILOAA	0.5753			<u> </u>		 		-		-	
	1	Termination	1		U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07	1	
-	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		וטווט	UTIFI	11.29	211.11	103.75	-		}		36.07	36.07	1	
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Imonth	1		U1TD3	1L5XX	12.98							1	I	1	
-		Interoffice Channel - Dedicated Transport - DS3 - Facility	!		0.100	LUAA	12.30			 		 		 	t	 	
	1	Termination per month	1		U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26	1	
	1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1			30	. 20.00	704.04	0,0.00			1		31.20	31.20	 	
	1	month	1		U1TS1	1L5XX	6.14							1	I	1	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		-		*								1		
	1	Termination	1		U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48	1	
DARK	FIBER		1											1			
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96		-						
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1											1	_]	
	ļ	Thereof per month - Local Loop	ļ		UDF, UDFCX	1L5DL	64.04							ļ	1	ļ	
		NRC Dark Fiber - Local Loop	1		UDF, UDFCX	UDFL4		1,347.00	279.87				l]	1]	

UNR	INDI F	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhil	hit: R
ONDU	MULE	D NETWORK ELEMENTS - NOTHI CATOLINA									Syc Orde	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.
0,1120		10112 =======	m		200	0000			= (4)		per LSR	per LSR	Order vs.	Electronic-		
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring Disconne	ct		oss	Rates (\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CESS 1	EN DIGIT SCREENING														
		8XX Access Ten Digit Screening, Per Call			OHD		0.0005			1						
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX								1						
		Number Reserved			OHD	N8R1X		7.05	0.96				26.94			
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O														
		POTS Translations			OHD			23.82	2.73				41.35			
		8XX Access Ten Digit Screening, Per 8XX No. Established With														
		POTS Translations			OHD	N8FTX		23.82	2.73				41.35			
		8XX Access Ten Digit Screening, Customized Area of Service							<u> </u>							
		Per 8XX Number			OHD	N8FCX		5.63	2.82			ļ				
		8XX Access Ten Digit Screening, Multiple InterLATA CXR	1											_		
		Routing Per CXR Requested Per 8XX No.	<u> </u>		OHD	N8FMX		6.59	3.77					1		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94			
		8XX Access Ten Digit Screening, Call Handling and Destination				1		_						1		
		Features			OHD	N8FDX		5.63		.						
LINE IN	NFORMA	ATION DATA BASE ACCESS (LIDB)	<u> </u>		007	+	0.0000-					ļ	ļ	-		
		LIDB Common Transport Per Query			OQT		0.00003			.						
		LIDB Validation Per Query		<u> </u>	OQU	NIDDDDV	0.0134	00.00		.			20.04	00.04		
OLONIA	1110 (0	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26		_			26.94	26.94		
SIGNA	LING (C				LIDD	TPP++	40.00	070.00	270.00	+			41.35	41.35		
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	18.22	278.02	278.02	 			41.35	41.35		
		link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35		
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83	270.02	270.02	 	+	1	41.55	41.55		
		CCS7 Signaling Usage, Per ISUP Message			UDB	1 100%	0.00004			+ + + + + + + + + + + + + + + + + + + +						
		CCS7 Signaling Usage, Per TCAP Message			UDB	+	0.00009									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98			1						
		CCS7 Signaling Point Code, per Originating Point Code								İ						
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99		
		CCS7 Signaling Point Code, per Destination Point Code														
		Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				19.99	19.99		
E911 S	ERVICE															
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		ļ			0.0282					ļ	ļ			
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	40.00	407.10	F0 F0				00.00	00.00		
		Termination	<u> </u>	L_		+	18.00	137.48	52.58				38.07	38.07		
—		Local Channel - Dedicated - DS1 - Zone 1	 	1 2		+	27.05 47.94	534.48	462.69 462.69	 	_	 	86.15 86.15	1.77 1.77		
<u> </u>	-	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	├	3		+	76.32	534.48 534.48	462.69 462.69	 	_	1	86.15 86.15	1.77		
-	-	Interoffice Transport - Dedicated - DS1 - Zone 3	 	3		+	0.5753	534.48	40∠.09	+ + +		 	80.15	1.//		
-		interonice transport - Dedicated - DST Fer Mile	 	-		+	0.0753					<u> </u>	 	-		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1			1	71.29	217.17	163.75				38.07	38.07		
CALLI	NG NAM	E (CNAM) SERVICE	 			+	71.29	211.11	103.73	 		 	30.07	30.07		
JALLII		CNAM For DB Owners - Service Establishment	†		OQV	+		75.62					1	I		
		CNAM For Non DB Owners - Service Establishment			OQV	+		75.62				1		<u> </u>		
		CNAM For DB Owners - Service Provisioning With Point Code	1			1		70.02						1		
1		Establishment (Initial)	1		OQV	1		2,354.00	2,354.00					I		
		CNAM For DB Owners - Service Provisioning With Point Code				1								1		
		Establishment (Subsequent)	1		OQV	1		1,739.00	1,739.00					I		
		CNAM For Non DB Owners - Service Provisioning With Point														
		Code Establishment (Initial)			OQV	1		1,072.00	1,072.00					1		
		CNAM For Non DB Owners - Service Provisioning With Point														
		Code Establishment (Subsequent)			OQV			768.44	768.44							
L		CNAM for DB & Non DB Owners, Per Query	<u> </u>		OQV	1	0.0009592									
SELEC	TIVE RO	DUTING	ļ			1								1		
1		Selective Routing Per Unique Line Class Code Per Request Per	1			1		400 ==					00.01	40.70		
	l	Switch	<u> </u>	<u> </u>				188.59				<u> </u>	26.94	12.76		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
METHALOG	NI COATION						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL CC	DLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		1
PHYSICAL C	COLLOCATION		1	OLI OK OLI OD	VETEO	0.0207	33.30	32.00	0.00	0.00			13.33	13.33		
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		1
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									1
	Query NRC, per query			SRC		0.0053758										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE		1		+											
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									1
 	miniai Getup	1	1	CIN	CAIVIOE		294.11				1				1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									1
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		200.83									1
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service - Session, Per Minute		1			0.0791										
	AIN SMS Access Service - Company Performed Session, Per					2.08										1
AIN DELLO	Minute OUTH AIN TOOLKIT SERVICE		-		-	2.08										\vdash
AIN - BELES	AIN Toolkit Service - Service Establishment Charge, Per State,		1		+											
	Initial Setup			CAM	BAPSC		290.05									1
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		72.76									İ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		70.70									1
-	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTM		72.76									
	DN, 10-Digit PODP				ВАРТО		149.95									1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		149.93									
	DN, CDP				BAPTC		149.95									1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		149.95									İ
	AIN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.45										1
-	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				+	1.45										
	Subscription			CAM	BAPMS	15.98	71.80									1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1			27VIO	10.00	71.50								1	
	Subscription			CAM	BAPLS	0.08	47.20									1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	15.90	71.80									.
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				L											1 7
FAULATION	Service Subscription	1		CAM	BAPES	0.003	47.20									
	EXTENDED LINK (EELs)	onn!:::	nd 45-	Cuitob Ac la Chara	l will rat a	ly for LINE a	abinotic	violened ! C	rdinoril: Ca :: '	inadi Natura	Elements					\vdash
NOT	E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not	apply a	ra the	owitch-As-Is Charg	e will apply for	INE combined	one provisions	visioned as ' C	rainarily Comb	omea. Network	nte					\vdash
FYTI	E: The monthly recurring and the Switch-As-is Charge and not ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED De	1 INTF	ROFFICE TRANSPO	RT	CIAE COMBINATI	ons provisione	as current	y combined N	ELWOIK EIEINE						
- - - - - - - - -	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07	1	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
		•					=									

UNBII	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: B
CITE		NOTAL CALCULATION OF CHICAGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		5:					10.01	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			LINGAV	41 EVV	0.5750										
		Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	36.07		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
		Voice Crade CCCi 1 ci Montii			ONOVA	15110	1.27	10.00	0.00								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	l	2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
		. (= /															
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	l	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	DRT											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
		First AME - Andrew Veiter Constitution in Constitution 7			1110101		50.57	000 47	007.45					00.07	00.07		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIX	ILSXX	0.5753										
		Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10 171	.5		10.00	0.00								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-													1		
		Is Charge	<u> </u>		UNC1X	UNCCC	ļ	21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT								ļ	ļ		
		First AME - FOR Pictual Condition	l		LINODY	UDI 50											
-		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	25.32	489.04	337.51	1				38.07	38.07	1	1
		First 4 Wire F6Vbps Digital Crade Lean in Combination 7-1-2	l	2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	-		UNCDA	UDLOO	43.11	489.04	331.51					38.07	38.07		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	l	3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
—		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	OINCDA	UDLOO	07.20	409.04	337.51			1	1	30.07	30.07		
		Per Month	l		UNC1X	1L5XX	0.5753								1		
—		Interoffice Transport - Dedicated - DS1 - combination Facility	1	1	011017	ILOXX	0.5755							 	 		
		Termination Per Month	l		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					33.07	55.07		
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					İ	1		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07	<u></u>	<u></u>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1				\exists						<u> </u>	<u> </u>	_		
		64kbs)			UNCDX	1D1DD	2.00	15.76	11.28				1				

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurring	n Disconnect		I	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	Nonrequiring Currently Combined Network Flomenta Switch As	-					riist	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICCO		04.75	04.75	22.20	40.00			20.07	20.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	L	3	UNCDX	UDL64	67.26	489.04	337.51		<u> </u>	<u> </u>		38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	l	1	UNC1X	1L5XX	0.5753					l	1		İ		
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	71.29	217.17	163.75			1		38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06	İ	İ	İ	İ				
<u> </u>	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28			İ			İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1			1	2.00	.5 0	20			i	1		1		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	OHODA	ODLOT	20.02	400.04	007.01					00.07	00.01		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL04	45.11	409.04	337.31					36.07	36.07		
			3	LINODY	LIBLOA	07.00	400.04	007.54					00.07	00.07		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			i			52.20	12.30	İ	İ		1		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47	İ	İ			38.07	38.07		
<u> </u>	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47			İ		38.07	38.07		
<u> </u>	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	134.29	714.84	421.47			İ		38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	Ť			.020	7.1.04				 	1	55.57	55.57		
	Per Month	1	1	UNC3X	1L5XX	12.98						1		Ì		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1			. 20, 0 .	.2.00					1			1		
	month	l	1	UNC3X	U1TF3	720.38	794.94	579.55			İ	1	38.07	38.07		
 	3/1Channel System in combination per month	l	-	UNC3X	MQ3	233.10	403.97	234.40			1		30.07	30.07		
H	DS1 COCI in combination per month	1	-	UNC1X	UC1D1	16.07	13.09	9.38	1	1	 	1	1	 		
\vdash		1	1	UNUIA	OCIDI	10.07	13.09	9.38		-	-	-	-	-		
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	١,	LINGAY	LICLYY	47.00	74404	404 47			İ	1	20.07	20.07		
\vdash	Zone 1	ļ	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINGAY	1101.307	04.55	74404	404 :-			l	1	00.00	00.00		
\vdash	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1	l .]	_				l	1		İ		
	Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47				ļ	38.07	38.07		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-	l									1					
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nicono		_ M	. D'			000	D-1 (A)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															1
	Month			UNCVX	1L5XX	0.0282										L
	Interoffice Transport - 2-wire VG - Dedicated - Facility															1
	Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		Í
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
	4-WireVG Loop in combination - Zone 1		1 1	UNCVX	UEAL4	21.32	288.47	237.45								
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								—
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								—
+	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	30.37	200.47	237.43								
	Month			UNCVX	1L5XX	0.0282						l	Ì	I	Ì	1
 	mona.	1	1	ONCVA	ILOAA	0.0282			 		1	 	 	 	 	
	Interoffice Transport - 4-wire VG - Dedicated - Facility			1110101		00.10	400 **	05.05					00.5=	00.07		1
\vdash	Termination per month	1	1	UNCVX	U1TV4	22.16	106.11	65.95				ļ	38.07	38.07	ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		l <u></u>	I							l	Ì	I	Ì	1
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DFFICE													l
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										1
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98	·									
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EVTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INIT	EDOEE		UNCCC		21.73	21.73	32.20	10.90			30.07	30.07		—
EVIE	STS-1 Local Lolp in combination - per mile per month	3-1 INT	EROFF	UNCSX	1L5ND	13.33			-		-			-		
-		ļ		UNCSX	ILSND	13.33										+
	STS-1 Local Loop in combination - Facility Termination per			LINIOOV	1101.04	404.00	4 074 00	040.40								i
	month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile															1
	per month			UNCSX	1L5XX	6.14										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility															1
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i .
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN	SPORT													1
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		1
	First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		f
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - per mile		T -		1	*****					1	1			1	
l l	per month			UNC1X	1L5XX	0.5753						l	Ì	I	Ì	1
 	Interoffice Transport - Dedicated - DS1 combination - Facility	 	!	5.401A	ILO///	0.0700			 		1	 	 	t	 	
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75				l	38.07	38.07	Ì	1
\vdash	1/0 Channel System in combination - per month	1	1	UNC1X	MQ1	146.69	197.78	140.06	 		+	 	30.07	30.07	 	
\vdash		1	1						-		 	-		 		
 	2-wire ISDN COCI (BRITE) - in combination - per month	1	1	UNCNX	UC1CA	3.59	15.76	11.28	 		1	 	 	 	 	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		l .	LINGNIN	1141.037							l			Ì	1
\vdash	Combination - Zone 1	1	1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_		l							l			Ì	1
	Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31			1		38.07	38.07	ļ	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		1
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															1
l l	month			UNCNX	UC1CA	3.59	15.76	11.28			1	İ	Ì	I	Ì	1
	Nonrecurring Currently Combined Network Elements Switch -As-	-					-					İ				
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	1	İ	38.07	38.07	Ì	1
FXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTF				20	20	52.20	.0.50	1	1	33.57	55.57	1	
LATE	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	47.60	714.84	421.47			t	 	38.07	38.07	 	<u> </u>
 	First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	84.36	714.84	421.47			1	1	38.07	38.07	1	
\vdash	First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	134.29	714.84	421.47	 		+	 	38.07	38.07	 	
	I Hat DO I LOOP COMDINATION - ZONE 3	1	J	ONOIA	JULAA	134.29	114.04	421.47			L	l	30.07	30.07	1	

UNBUI	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: B
3.100												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.14										i
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		i
		3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
		DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		i
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		i
		Additional DS1Loop in the same STS-1 Interoffice Transport	1		-		223			1				1	1	İ	ſ
		Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		1
		DS1 COCI in combination per month	1		UNC1X	UC1D1	16.07	13.09	9.38	1				1		İ	ſ
		Nonrecurring Currently Combined Network Elements Switch -As-								1				İ	İ	İ	ſ
		Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF													ſ
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0282										i
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		i
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
		Per Mile per month			UNCDX	1L5XX	0.0282										1
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															[
		Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		l
		Nonrecurring Currently Combined Network Elements Switch -As-															ſ
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP						-								
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
1 7		First Interoffice Transport - Dedicated - DS1 combination - Per	1										<u> </u>	<u> </u>	_]	1
		Mile			UNC1X	1L5XX	0.5753									ļ	
		First Interoffice Transport - Dedicated - DS1 combination -													1		1
		Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	ļ	
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.69	197.78	140.06								
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.27	13.09	9.38						1		
igspace		3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	233.10	403.97	234.40			<u> </u>			ļ		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38]	
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	l .	l	1									l	Ì	1
		Interoffice Transport Combination - Zone 1	 	1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1		l	1								Ì	I	Ì	1
		Interoffice Transport Combination - Zone 2	 	2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07	ļ	
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													1
		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	40.81	142.97	106.56			<u> </u>		38.07	38.07		
<u> </u>		Each Additional Voice Grade COCI in combination - per month	 		UNCVX	1D1VG	1.27	13.09	9.38					ļ	.		
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1										Ì	I	Ì	1
<u> </u>		Channel System per month	 		UNC1X	1L5XX	0.5753							ļ	.		
		Each Additional DS1 Interoffice Channel Facility Termination in	1	1	l .	l								Ì	I	Ì	1
		same 3/1 Channel System per month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75			<u> </u>		38.07	38.07		
1		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38	l			<u>l</u>]	l .	<u>l</u>	1

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR Order vs. Electronic- Elec Manually per LSR Order vs. Electronic- Elec	I Fyh	Exhibit: B
Name Company	ntal Incremental	
CATEGORY RATE ELEMENTS Intest Macro BCS USOC RATES (3) Part LSR Value		
Name Section	Svc Manual Svc	
Besteroise Bes		
Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Combrend Network Elements Switch - As- Nonrecurring Currently Currently Combrend Combren	nic- Electronic-	
Nonrecurring Currently Combined Network Elements Switch As- Nonrecurring Currently Combined Network Elements Switch As- Nonrecurring Currently Combined Network Elements Switch As- Nonrecurring Currently Combined Network Elements Switch As- Nonrecurring Currently Combined Network Elements Switch As- EXTRARGE AWINE VOICE GRADE LOOP WITH DESIGNATED BSI INTEROFFICE TRANSPORT w/J W MUX Zone 1 Zone 1 Zone 1 Zone 1 Zone 1 Zone 1 Zone 3 Zone Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Currently Nonrecurring Currently Nonrecu	Disc 1st	Disc 1st Disc Add
None		
Norweauring Currienty Continent Network Elements Switch - Apr. UNC1X		T
SCHARGE STRINGE VIWE VOICE GRADE LOOP WITH DEDICATED DSI INTEROFFOE TRANSPORT w/ 3rl MUX STRINGE VIWE AVRIGUY VIOUR GRADE LOOP WITH DEDICATED DSI INTEROFFOE TRANSPORT w/ 3rl MUX STRINGE VIVE AVRIGUY VIOUR GRADE LOOP IN COMPINION RIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIOUR VIVE AVRIGUY VIVE AVRIGUY VIOUR VIVE AVRIGUY VI	N SOMAN	SOMAN SOMAN
EXTRNOED 4-WINE VOICE GRADE LODG LODG DOS INTEROFFICE TRANSPORT w/ 3/1 MUX First William Analog Voice Grade Local Loop in Combination - 1 UNCVX UEA.4 21.32 288.47 237.45 38.07		
First 4-Wire Analog Voice Grade Local Loop in Combination -	3.07	
Zone 1	$-\!\!\!\!+\!\!\!\!-\!\!\!\!-$	
First 4-Wire Analog Voice Grade Local Loop in Combination - 2 UNCVX UEAL4 36.27 288.47 237.45 38.07	3.07	
Zone 2	.07	
First A-Wire Analog Vacie Grade Local Loop in Combination - 2	3.07	
Zone 3	-	
First Interoffice Transport - Declarated - DST - combination - Per Month UNC1X LLSXX 0.5753	3.07	
First Interoffice Transport - Dedicated - DS1 - Facility UNC1X		
Termination Per Month		
Per each I/O Channel System in combination Per Month		
Per each Voice Grade COCI in combination - per month	3.07	
S1 Channel System in combination per month		
Per each DSI COCI in combination per month	\longrightarrow	
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX		
Interoffice Transport Combination - Zone 1		
Additional 4-Wire Analog Voice Grade Loop in same DS1 2 UNCVX		
Interoffice Transport Combination - Zone 2	3.07	
Additional Verifier Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX	3.07	
Interoffice Transport Combination - Zone 3	.07	
Each Additional DS1 Interoffice Channel per mile in same 3/1	3.07	
Channel System per month	.07	
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07		
Same 3/1 Channel System per month	_	
Additional Voice Grade COCI - in combination - per month UNCVX 1D1VG 1.27 13.09 9.38	3.07	
IS Charge UNC1X		
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2	3.07	
Zone 1		
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 2 UNCDX UDL56 43.11 489.04 337.51 38.07		
Zone 2	3.07	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		
Zone 3	3.07	
First Interoffice Transport - Dedicated - DS1 combination - Per Wile Per Month UNC1X 1L5XX 0.5753 UNC1X 1.5XX 0.5753 UNC1X U1F1 T1.29 217.17 163.75 38.07	3.07	
Mile Per Month UNC1X 1L5XX 0.5753	.07	
First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 71.29 217.17 163.75 38.07		
Facility Termination Per Month	+	
Per each 1/0 Channel System in combination Per Month	3.07	
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		
3/1 Channel System in combination per month		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 43.11 489.04 337.51 38.07		
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07	3.07	
	[
	3.07	
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07	3.07	
OCU-DP COCI (data) COCI in combination per month (2.4- 64kbs) UNCDX 1D1DD 2.00 15.76 11.28		
Each Additional DS1 Interoffice Channel per mile in same 3/1	+	
Channel System per month Channel System per month UNC1X 1L5XX 0.5753		
Criaminer System per mortar Civil Tissa, Co. 3733 Each Additional DS1 Interoffice Channel Facility Termination in	+	
Lack Additional Continuous Cont	3.07	
Each Additional DSI COCI in the same 3/1 channel system		
combination per month UNC1X UC1D1 16.07 13.09 9.38		

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (A)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDI 04	25.32	489.04	337.51					38.07	38.07		
		Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
		Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1		ОНОВА	ODLOT	40.11	400.04	007.01					00.07	00.07		
		Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.5753										
		First Interoffice Transport - Dedicated - DS1 combination -	1			=	_,						1				
	<u> </u>	Facility Termination Per Month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-	<u> </u>	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	 		UNC1X	MQ1	146.69	197.78	140.06								
		64kbs)	1		UNCDX	1D1DD	2.00	15.76	11.28				1		1		
		3/1 Channel System in combination per month	1		UNC3X	MQ3	233.10	403.97	234.40								
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBI 04	07.00	400.04	007.54					00.07	00.07		
-		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1		ONODA	10100	2.00	13.70	11.20								
		Channel System per month			UNC1X	1L5XX	0.5753										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-	-		LINICAV	LINICOC		04.75	04.75	20.00	40.00			20.07	20.07		
	EVTEN	Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	DT w/ 2/	1 MIIV	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	LAILN	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	W/ 3/	IWIOX													
		Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination				-	-										
		Transport - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination				_			· · · · · · · · · · · · · · · · · · ·		· · · · · ·						
	ļ	Transport - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINICAV	41.577	0.5750						1		1		
	<u> </u>	Mile per month First Interoffice Transport - Dedicated - DS1 combination -	 		UNC1X	1L5XX	0.5753										
		Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1	Per each Channel System 1/0 in combination - per month	1		UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
			1		-									1			
	<u> </u>	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u></u>		UNCNX	UC1CA	3.59	15.76	11.28					<u> </u>			
		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	ļ	Per each DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINICNIV	LIMLOV	19.42	205.01	054.04					20.07	20.07		
-	<u> </u>	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		Combination - Zone 2	1	2	UNCNX	U1L2X	32.88	325.91	251.31				1	38.07	38.07		
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-		J	02.00	320.01	201.01					55.57	55.57		
		Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
		system combination- per month			UNCNX	UC1CA	3.59	15.76	11.28								
					-							•	•			•	

UNBI	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	bit: B
												1		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1				11100	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAN	COMPAN
		Channel System per month			UNC1X	1L5XX	0.5753										i l
		Each Additional DS1 Interoffice Channel Facility Termination in		1	ONOTA	TEO/O	0.0700										
		same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i
		Each Additional DS1 COCI in the same 3/1 channel system															$\overline{}$
		combination per month			UNC1X	UC1D1	16.07	13.09	9.38								i l
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		1
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.5753						1				
		First Interoffice Transport - Dedicated - DS1 combination -															1
		Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
		Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.5753										1
		Each Additional DS1 Interoffice Channel Facility Termination in															i
		same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ı .
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i
		1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															ı
		2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															ı l
		3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-															ı l
		ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO			1101.50	05.00	100.01									
	<u> </u>	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
-	-	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										,
<u> </u>	1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1	OINCDA	ILOAA	0.0282										
		Termination per month			UNCDX	U1TD5	17.40	137.48	52.58				1	38.07	38.07		
-	1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	OINODA	פעווט	17.40	137.48	52.58			 		30.07	30.07		
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1
-	FXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :		014000		21.75	21.75	32.20	10.90			30.07	30.07		
-	EXTEN	First 4-wire 64 kbps Local Loop in combination - Zone 1	I LKO		UNCDX	UDL64	25.32	489.04	337.51	 							
—	+	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51	 		-					
—	1	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			5.13BX	CDLOT	07.20	400.04	307.31								
		per month			UNCDX	1L5XX	0.0282						1				1
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		,	3.0202										
		Termination per month			UNCDX	U1TD6	17.40	137.48	52.58				1	38.07	38.07		, ,
	1	Nonrecurring Currently Combined Network Elements Switch -As-				1	0		32.30					30.07	33.57		
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
ADDIT	IONAL N	IETWORK ELEMENTS		1						, ,							1
	When t	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	Switch As Is cl	harge does app	oly.									1
	When t	used as ordinarily combined network elements in All States, t	he non-	recurri	ng charges apply a	nd the Switch											i
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											i
		Nonrecurring Currently Combined Network Elements Switch -As-															, — —
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		1
		· · · · · · · · · · · · · · · · · · ·			·	· ·		· ·	· ·		· ·						

UNBU	INDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA. L		NATE ELEMENTO	m		500	0000			πΑΤΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1									. N	. D'		l .	000	D-((A)		
							Rec		curring		Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-						-	-								
		Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Ontion	al Features & Functions:		 	OHOOX	011000		21.70	21.70	02.20	10.00			20.04	12.70		
	Option	arreatures a runctions.		1	U1TD1.												
		Class Channel Constiller Franched France Ontice and DC4			ULDD1, ULDD1.UNC1X	CCOEF		OI.	OL	OI.	OL						
<u> </u>	 	Clear Channel Capability Extended Frame Option - per DS1		1		CCUEF	 	UI	UI	UI	UI	 	 	-	 		
		0 0 10 1111 0 5 0 11	١.		U1TD1,		1	l	l	l.,	l		l				
	<u> </u>	Clear Channel Capability Super FrameOption - per DS1	- 1	<u> </u>	ULDD1,UNC1X	CCOSF	ļ	UI	OI	01	OI		ļ				
		Clear Channel Capability (SF/ESF) Option - Subsequent		1	ULDD1, U1TD1,		_					<u> </u>	1				
	<u></u>	Activity - per DS1		<u></u>	UNC1X, USL	NRCCC	<u></u>	184.76S	23.8S	1.99S	0.78S		<u> </u>	26.94	12.76		
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
	MULTI	PLEXERS															
		DS1 to DS0 Channel System per month		†	UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		
-		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	ONOTA	IVIQ I	140.00	107.70	140.00					20.04	12.70		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								
-				 	UDL	טטוטו	2.00	13.09	9.30								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1	OLIT	10110	1.27	10.00	0.00								
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								
														00.04	40.70		
<u> </u>	-	DS3 to DS1 Channel System per month		<u> </u>	UNC3X	MQ3	233.10	403.97	234.40	1	1	1	ļ	26.94	12.76		
	ļ	STS-1 to DS1 Channel System per month		 	UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38								
		DS1 COCI (used for connection to a channelized DS1 Local					1			1			l				
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16.07	13.09	9.38								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	16.07	13.09	9.38	1			l				
										1				26.94	12.76		
	1					1	†			<u> </u>		1	1	26.94	12.76		
UNRU	IDI ED I	OCAL EXCHANGE SWITCHING(PORTS)		1		†	-			-				20.04	.2.70		
31400		ge Ports		 		+	 			 			 		 		
-		ge Ports Although the Port Rate includes all available features in GA, I	(V I A	1 2 TNI 4	no docirod footures	will need to !	no ordered	la rotail LISCO		+	1	 	1	1	 		
<u> </u>		VOICE GRADE LINE PORT RATES (RES)	∖ī, LA	ox in, ti	ie desired reatures	will need to I	oe oraerea uSII T	ig retail USUC	5 	 		 	 	-	 		
<u> </u>	Z-WIRE			 	LIEDOD	LIEBBI	0.10	04.00	04.00		ļ	.	 	00.01	40 =0		
	ļ	Exchange Ports - 2-Wire Analog Line Port- Res.		 	UEPSR	UEPRL	2.19	21.60	21.60			ļ		26.94	12.76		
1	1		l	1			I			1		l	1		İ		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60			ļ	<u> </u>	26.94	12.76		
													1				
1	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l	1	UEPSR	UEPRO	2.19	21.60	21.60	1	1	I]	26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port										İ	l				
		with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60	1			l	26.94	12.76		
		2-Wire voice unbundled Low Usage Line Port without Caller ID		 		J=	2.13	21.50	21.00	†		 	1	20.04	12.70		
		Capability			UEPSR	UEPRT	2.19	21.60	21.60	1			l	26.94	12.76		
-	1	2-Wire Voice Grade Unbundled Port without Caller ID capability,		1	OLI OIL	OLI IXI	2.19	21.00	21.00	 		 		20.54	12.70		
1	1	North Carolina	l	1	UEPSR	UEPRZ	2.19	21.60	21.60	1	1	I]	1	1		
	<u> </u>	INOTHI CATOMINA		1	ULFOR	UEPKZ	2.19	∠1.00	∠1.00	1	l	1	l	l			

UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	ibit: B
ONDONDEE	NOTAL COLONIA	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually			Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEATU																
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.		1	UEPSB	UEPBC	2.19	21.60	21.60		I	1		26.94	12.76		
																1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60		1			26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1				-									1
	Caller ID - Bus		1	UEPSB	UEPB1	2.19	21.60	21.60		I	1		26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID		1				-									1
	Capability		1	UEPSB	UEPBE	2.19	21.60	21.60		I	1		26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								1
FEATU	JRES															1
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		1
EXCHA	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1								1	<u> </u>	_			
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1								1	<u> </u>	_			
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		<u> </u>
	Subsequent Activity		<u> </u>	UEPSP	USASC	0.00	0.00	0.00		1			26.94	12.76		
FEATU		1	<u> </u>							ļ			ļ			
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (COIN)		<u> </u>							1			1			
	Exchange Ports - Coin Port					2.59	21.60	21.60		l			26.94	12.76		1
	Transmission/usage charges associated with POTS circuit s															1
	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fic	de Request/	New Busines	s Request Pro	cess.	<u> </u>
	LOCAL EXCHANGE SWITCHING(PORTS)	1	<u> </u>							ļ			ļ			
	ANGE PORT RATES	<u> </u>	<u> </u>						l	l .	<u> </u>	<u> </u>	I			<u> </u>
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effecti							BellSouth's d	scretion.					_
	Exchange Ports - 2-Wire DID Port	1	<u> </u>	UEPEX	UEPP2	12.36	81.84	81.84	ļ				26.94	12.76		.
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID									1		1		40		
\vdash	capability (E:4/1/2004)	1	 	UEPDD	UEPDD	123.65	116.59	69.92		.			26.94	12.76		
\vdash	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	 	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29		.			55.30	55.30		<u> </u>
	All Features Offered		ļ	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		L			L	ļ		↓
	Transmission/usage charges associated with POTS circuit s													<u> </u>	<u> </u>	<u> </u>
NOTE:	Access to B Channel or D Channel Packet capabilities will be ANGE PORT RATES (continued)	e availal	pie only	tnrough BFR/New	Business Red	quest Process.	kates for the	packet capabi	lities will be de	etermined via t	ne Bona Fic	e Request/	New Busines	s Request Pro	cess.	.
EVA																

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonred		Nonrecurring	g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															1
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		<u> </u>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63					53.89	53.89		Ĺ
		Physical Collocation - DS1 Cross-Connects	- 1		UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		<u> </u>
		Virtual collocation - Special Access & UNE, cross-connect per															ĺ
		DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		L
	Detaile	d E911 with Locator Capability (required with UEPEX port)															<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i
		Locator Capability - Initial Profile Establishment per CLEC per															i
		State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911								1					1	1	1
		Locator Capability - Subsequent Profile Changes, Additions,		1						I						I	1
		Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i
		Locator Capability 2-way Telephone Numbers, per number in															i
		E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															ĺ
		Locator Capability - Outdial Telephone Numbers, per number in															ĺ
		E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															ĺ
		Telephone Numbers - Inward Data Only Option [New or															i
		Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]						=	=								i
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		└
-	LOCAL	NUMBER PORTABILITY	ļ	-	UEPEX UEPDX	LNPCN	1.75										
	INITEDI	Local Number Portability (1 per port)	ļ	-	DEPEX DEPDX	LINPCIN	1.75										
	INTER	FACE (Provsioning Only) Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	-				26.94	12.76		
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00	-				26.94	12.76		
		Inward Data	-		UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
	Now or	Additional Channel			OLFDX	FRIIL	0.00	0.00	0.00					20.94	12.70		-
	INEW OI	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92				-		26.94	12.76	-	
		New or Additional - Digital Data "B" Channel	1		UEPEX	PR7BF	0.00	36.92				1		26.94	12.76		+
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		-
		New or Additional Useage Sensitive Voice Data "B" Channel	1	 	UEPEX	PR7BS	0.00	30.32		 	 			26.94	12.76	 	
		New or Additional Useage Sensitive Voice Data B Channel	1	1	UEPEX	PR7BU	0.00			-				26.94	12.76	-	
		New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	36.92		-				26.94	12.76	-	
	CALL 1						5.00	55.5 <u>E</u>		†				20.04	.2.70	<u> </u>	
		Inward		 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	t	1			26.94	12.76	t	
		Outward		†	UEPEX	PR7CO	0.00	0.00	0.00	t	1			26.94	12.76	t	
		Two-way		†	UEPEX	PR7CC	0.00	0.00	0.00	t	1			26.94	12.76	t	
	UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Ý	†		1	2.20	2.20	2.30	t	1					t	
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1				İ	İ			İ	İ	İ	
		Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	2.19	21.60	21.60	1	İ			26.94	12.76	İ	ſ
		, , , , , , , , , , , , , , , , , , ,		1													
		Unbundled Remote Call Forwarding Service, Local Calling - Res	:1	1	UEPVR	UERLC	2.19	21.60	21.60	I				26.94	12.76	I	1
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		ſ
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		ſ
	Non-Re	ecurring		<u></u>													
		Unbundled Remote Call Forwarding Service - Conversion -															1
<u> </u>		Switch-as-is	<u> </u>	<u>L</u>	UEPVR	USAC2	<u> </u>	2.77	0.40	<u> </u>	<u></u>	<u></u>	<u> </u>	26.94	12.76	<u> </u>	<u> </u>
		Unbundled Remote Call Forwarding Service - Conversion with															
L		allowed change (PIC and LPIC)		<u></u>	UEPVR	USACC		2.77	0.40		L			<u> </u>			L
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
l				1													1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76	<u> </u>	<u> </u>
l				1													1
l	<u></u> _	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u></u>	<u></u>	UEPVB	UERLC	2.19	21.60	21.60	<u></u>	L			26.94	12.76		L

UNR	INDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit: B
OND	ONDEL											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVO	110400		2.77	0.40								
	NDI ED I	allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
UNBU		LOCAL SWITCHING, PORT USAGE ffice Switching (Port Usage)	1	-		+	-			-	 				-		
-	Liiu Oi	End Office Switching Function, Per MOU	1		1	 	0.0015			 	 				1		
-	+	End Office Trunk Port - Shared, Per MOU	1		1	 	0.00013			 	 				1		
\vdash		m Switching (Port Usage) (Local or Access Tandem)	1			 	0.00023			 	 		 		 		
1	· unuel	Tandem Switching Function Per MOU	1			1	0.0006			-	1	<u> </u>	 		 		
		Tandem Trunk Port - Shared, Per MOU	1			1	0.0003			<u> </u>	1				1		
		Tandem Switching Function Per MOU (Melded)					0.00024618										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309										
		Melded Factor: 41.03% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.00001										
		Common Transport - Facilities Termination Per MOU					0.00034										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC at															
		es shall apply to the Unbundled Port/Loop Combination - Cos											l	L			
-		ffice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	rentiy C	ombine	a Compos. For Cur	rentiy Comb	inea Combos tr	ie nonrecurring	g charges sha	ii de those ide	entified in the N	onrecurring	- Currentiy	Combined S	ections.		
-		ort/Loop Combination Rates	1			1						1					
	OILL I	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		
<u> </u>		2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPRX	UEPRC	2.28	79.59	63.97	1				40.18	9.45		
	1	2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	2.28	79.59	63.97		ļ			40.18	9.45		
		2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAS		====		I			1				
<u> </u>	-	(LUM)	1		UEPRX	UEPAP	2.28	79.59	63.97	-				40.18	9.45		
1		2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDBY	LIEDRT	0.00	70.50	00.07	I			1	40.18	9.45		
1	+	Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability,	1	-	UEPRX	UEPRT	2.28	79.59	63.97	 	 	-		40.18	9.45		
		North Carolina			UEPRX	UEPRZ	2.28	79.59	63.97								
-	+	2-Wire Voice Grade Unbundled Port without Caller ID capability,	1		OLFIVA	ULFIX	2.28	79.59	63.97	 	 				1		
		North Carolina		1	UEPRX	UEPRY	2.28	79.59	63.97	1							
1	FEATU		1			3=: .\\	2.20	70.00	00.01	-	1	<u> </u>	 		 		
	1	All Features Offered	1		UEPRX	UEPVF	3.40	0.00	0.00	<u> </u>	1			40.18	9.45		
	LOCAL	NUMBER PORTABILITY	1			1	5.10	2.00	2.00	İ	1				50		
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
			1	1	LIEDDY	LICACO	i l	2.77	0.40	İ	1	1	i	40.18	9.45	l	1
		Switch-as-is			UEPRX	USAC2		2.11	0.40					40.10	9.43		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	-		UEPRX	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														

UNBI	UNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: B
3.450												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	055/01	Premise N PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/O	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37	+				26.94	12.76	0.00	0.00
	_	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37	1				26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	1	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56	1				26.94	12.76	0.00	0.00
	INTER	OFFICE TRANSPORT				1				1					1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	<u> </u>	Termination	<u> </u>		UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07	<u> </u>	<u></u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile									-]	
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	I INCE	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
	UNE L	oop Rates		4	LIEDDY	LIEDLY	40.75										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX UEPBX	UEPLX	10.75 19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33			+							
	2-Wire	Voice Grade Line Port (Bus)		3	ULFBA	OLFLX	30.33										
	2 ******	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU					I											
		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
<u> </u>	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1				+ +				 	1	 	-
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		UEPBX	USAC2		2.77	0.40	1				40.18	9.45	1	
<u> </u>	+	Switch-as-is	!		UEPBA	USAC2		2.77	0.40	+				40.18	9.45	-	
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	l		UEPBX	USACC		2.77	0.40	1				40.18	9.45	1	
-	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OLI DA	USACC		2.11	0.40	 				40.10	9.40		-
1		Subsequent Database Update						1.42		1				10.27		1	
	ADDIT	IONAL NRCs								1				.5.27	1		
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1				1				İ	1	1	
1		Activity	l		UEPBX	USAS2		0.00	0.00					40.18	9.45	1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	<u> </u>	Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/O	N PREMISES EXTENSION CHANNELS					_		•		•						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37	ļ				26.94	12.76	0.00	0.00
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37	1				26.94	12.76	0.00	0.00
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
<u> </u>	1	2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	1	UEPBX	UEAED	14.97	142.97	106.56	 				26.94	12.76	0.00	0.00
-	+	2 Wire Analog Voice Grade Extension Loop – Design	l	2	UEPBX	UEAED	25.93	142.97	106.56	+ +				26.94	12.76	0.00	0.00
<u> </u>	INTER	2 Wire Analog Voice Grade Extension Loop – Design OFFICE TRANSPORT	!	3	UEPBX	UEAED	40.81	142.97	106.56	+		-		26.94	12.76	0.00	0.00
-	MIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-			+				+					+		
1		Termination	l		UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		- OTTIMI GROUP	<u> </u>		0-1 D/	J1114	10.00	107.101	32.30	<u> </u>		1	1	30.07	30.07	1	l

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring		201150	001141		Rates (\$)	001111	001111
		Intereffice Transport Dedicated O.Wire Vaice Conds Des Mile						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								İ
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBX	OTTVIVI	0.0123	0.00	0.00			1					
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03			İ		1			1		
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
		pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05										
-	O Mir.	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	30.33			 		ļ		 	!	 	
	∠-vvire	Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	!		-				 		 		-	 	-	
		Res		1	UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45	1	1
	LOCAL	NUMBER PORTABILITY			OLI NO	OLITO	2.20	104.57	120.10					40.10	3.43		-
	LOUAL	Local Number Portability (1 per port)	1	†	UEPRG	LNPCP	3.15	0.00	0.00			1		1	†	1	†
	FEATU																
		All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															l
		Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			İ
	ADDITI	ONAL NRCs						1.42				1		10.27			
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	 	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade		2	UEPRG UEPRG	SDD2X SDD2X	14.62 23.86	252.06 126.03	109.08 54.54					26.94 26.94	12.76 12.76	0.00	0.00
	+	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X SDD2X	36.40	126.03	54.54	+		1		26.94	12.76	0.00	
	INTER	OFFICE TRANSPORT			OLI IKO	ODDEX	00.40	120.00	01.01					20.04	12.70	0.00	0.00
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-		-						
	1	or Fraction Mile			UEPRG	U1TVM	0.0125	0.00	0.00			ļ					
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								ļ <u> </u>				ļ	ļ	ļ	
	UNE Po	ort/Loop Combination Rates	1	<u> </u>			10.00								-		├
<u> </u>	1	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	1 2		-	13.03 21.33			 		 		-	 	-	
-	1	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		+	32.61			 		<u> </u>		 	t	 	
-	UNFI	pop Rates	1	-		+	32.01			 		<u> </u>		 	t	 	
	3	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75								1		
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.33										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
					l	I					·						1
	<u> </u>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	!	UEPPX	UEPPC	2.28	164.57	128.16			<u> </u>		40.18	9.45	ļ	
-	1	Line Side Unbundled Outward PBX Trunk Port - Bus	1	}	UEPPX UEPPX	UEPPO UEPP1	2.28	164.57	128.16 128.16			<u> </u>		40.18 40.18	9.45 9.45	 	
-	+	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	1	 	UEPPX	UEPP1 UEPLD	2.28 2.28	164.57 164.57	128.16 128.16	 		 		40.18	9.45	-	
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPPX	UEPXA	2.28	164.57	128.16	 		<u> </u>		40.18	9.45	1	
-	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		
	1	o o o o o rominar notor r orto	1		1	0 L. AD	2.20	10-1-01	120.10	ı		1	l .	70.10	0.40	ı	

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
L															Diac iat	Disc Add I
$\vdash \vdash \vdash$						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	First 164.57	Add'I 128.16	First	Add'l	SOMEC	SOMAN	SOMAN 40.18	SOMAN 9.45	SOMAN	SOMAN
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		OLITA	OLI AD	2.20	104.07	120.10					40.10	0.40		
	Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
\vdash	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOCA	L NUMBER PORTABILITY	1	†	J=117	02.70	2.20	104.57	120.10	 				40.10	3.73	1	†
1 30%	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEAT																
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<u> </u>													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LICACO		0.77	0.40					40.40	0.45		
\vdash	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		OLITA	OOACC		2.11	0.40					40.10	3.43		
	Subsequent Database Update						1.42						10.27			
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													40.00		
OFF/C	Premise DN PREMISES EXTENSION CHANNELS	1		UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
UFF/C	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPA	UTIVZ	16.00	137.40	52.56					36.07	30.07		
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT														
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.03										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.33										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.61										
UNE L	Loop Rates	1	1	LIEDOO	LIEDLY	40.75										
 	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO UEPCO	UEPLX UEPLX	10.75 19.05						-			1	
 	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	30.33										
2-Wire	e Voice Grade Line Ports (COIN)	1	Ť		1	55.55										
	2-Wire Coin 2-Way without Operator Screening and without					İ										İ
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1		LIEBOO	LIEDDD	0.00	70.50	00.00					40.10			
 	900/976, 1+DDD (NC, TN)	1	}	UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1						1		l	l			l	
]	(NC)			LIEPCO	LIEPNR	2 22	79 50	63 07					40 19	9.45		
	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		

UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1	1				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			1	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking				+		11130	Auu i	11130	Addi	JOINEC	JONAN	JONAN	JONIAN	JOHAN	JONAN
		(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
					UEPCO	UEFINE	2.20	79.59	03.97					40.16	9.45		
		2-Wire Coin Outward with Operator Screening and Blocking:						=====									
		900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED											l				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	t		1						1	1		Ì	1	
	l	Switch-as-is			UEPCO	USAC2		2.77	0.40				l	40.18	9.45		
-	 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	 	52, 50	30,102		2.11	0.40			1	l	70.10	3.43	1	1
	l	Switch with change	1	1	UEPCO	USACC		2.77	0.40					40.18	9.45		
-	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	ULFUU	USACC		2.77	0.40		-	-	-	40.18	9.45	-	-
			1					4.40									
	ADDIT	Subsequent Database Update				+		1.42									
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (RES)												
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
	UNFI	pop Rates					10.00					1					
	OILL E	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 1	 	2	UEPFR	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81										
	0 18/:			3	UEPFR	UECFZ	40.01										
	2-wire	Voice Grade Line Port Rates (Res)			HEDED	LIEDDI	0.40	205.00	005.00					10.10	0.45		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - res		 	UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	l	2-Wire voice unbundles res, low usage line port with Caller ID											l				
		(LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
	INTER	OFFICE TRANSPORT															
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1 7							1				
	<u> </u>	Termination	<u> </u>	<u> </u>	UEPFR	U1TV2	18.00	140.00	71.00		<u></u>		<u> </u>	<u></u>			<u></u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	l	or Fraction Mile			UEPFR	1L5XX	0.0125						l				
	FEATU	RES				1										İ	
	1	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00				i	40.18	9.45		
		NUMBER PORTABILITY		1			20	2.20	2.30	İ	İ	1	İ	120	2.10	İ	İ
	1	Local Number Portability (1 per port)		1	UEPFR	LNPCX	0.35			İ	İ	1	İ	İ	Ì	İ	İ
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1		1	2.00					1	1		1	1	
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		+						 					
	l	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87				l	40.18	9.45		
-	l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 	OLITA	USAUZ		9.03	1.07			1		40.10	9.43	1	
	l	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87				l	40.18	9.45		
-			1	1	UEFFK	USACC		9.03	1.87			1		40.18	9.45		-
	l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.00	4				l	00.51	40.70	0.00	0.00
		End User Premise	<u> </u>	<u> </u>	UEPFR	URETN		11.20	1.10				ļ	26.94	12.76	0.00	0.00
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)	+											
	UNE P	ort/Loop Combination Rates	<u> </u>	<u> </u>		1						1	ļ			ļ	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12		-								
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00							1			

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										[
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		L
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		[
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										l
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination	<u> </u>		UEPFB	U1TV2	18.00	140.00	71.00		<u> </u>			<u> </u>			<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															[
		or Fraction Mile			UEPFB	1L5XX	0.0125										<u> </u>
	FEATU																[
		All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															[
		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (PBX)												
	UNE Po	ort/Loop Combination Rates															[
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
	UNE Lo	pop Rates															L
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										<u> </u>
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															l
																	i
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	i		Π]			1]		1
		Capable Port	ļ		UEPFP	UEPXE	2.18	225.00	225.00]	1			40.18	9.45		
	l	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1				[1						1
		Administrative Calling Port	<u> </u>		UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		L
1	l	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		<u> </u>									1			1
		Room Calling Port	<u> </u>		UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		L
	l	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		<u> </u>									1			1
		Discount Room Calling Port	<u> </u>		UEPFP	UEPXO	2.18	225.00	225.00		<u> </u>			40.18	9.45		<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
	INTER	OFFICE TRANSPORT															
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1									1	1			1
1	l	Termination			UEPFP	U1TV2	18.00	140.00	71.00				l				1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
			<u> </u>			Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				-		First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	or Fraction Mile			UEPFP	1L5XX	0.0125										
FEAT	URES				1											
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		9.03	4.07					40.18	9.45		
-	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		9.03	1.87		-			40.18	9.45		
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			-												
	End User Premise			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>														
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>													
UNE	Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1			20.97				-						
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			20.97										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08										
UNE	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
UNE	Port Rate			LIEBBY .	LIEBS (10.10	00101						10.10			
NONE	Exchange Ports - 2-Wire DID Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NONE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -				+	-										
	Switch-as-is			UEPPX	USAC1		13.26	8.39					53.89	11.34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			CELLY	00/101		10.20	0.00					00.00	11.04		
	with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADDI	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
Tolon	End User Premise hone Number/Trunk Group Establisment Charges			UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
i eiep	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group		1	OLI I A	וטויו	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers		<u> </u>	UEPPX	ND6	0.00	0.00	0.00								
1.00	Reserve DID Numbers	<u> </u>	<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
LOCA	Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00				-				
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT		LIVI OF	3.15	0.00	0.00								
	Port/Loop Combination Rates	1	1													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 1		1	UEPPB UEPPF	2	38.84										
1 1 -	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		l			I T				T						
\vdash	UNE Zone 2	1	2	UEPPB UEPPR		50.01								ļ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		65.18										
UNF	Loop Rates	1	3	OLFFB UEPPR	1	05.18										
3.42	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB UEPPR	USL2X	14.47										
	·	1	<u> </u>			· ·										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR		25.64								<u> </u>		
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	40.81										
UNE	Port Rate	1	ļ	LIEDDD LIEDE	HEDES	212-	600.0-	222 ==						10.0-		
NONE	Exchange Port - 2-Wire ISDN Line Side Port RECURRING CHARGES - CURRENTLY COMBINED	1	}	UEPPB UEPPR	UEPPB	24.37	388.20	302.77		-			19.99	19.99		
INON	ALGGRANGES - CONNENTET COMIDINED	1	1	l	ı				L			L	1	l		

ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBEF	RATE ELEMENTS	Interi m											Svc Order	Incremental		Incremental	Incremental
2-Wire IS Combinat ADDITIONAL NR Unbundle End User Unbundle Premise	RATE ELEMENTS																
2-Wire IS Combinat ADDITIONAL NR Unbundle End User Unbundle Premise	RATE ELEMENTS											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
2-Wire IS Combinat ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBEF	RATE ELEMENTS											Elec		Manual Svc	Manual Svc		Manual Svc
2-Wire IS Combinat ADDITIONAL NR Unbundle End User Unbundle Premise		m	Zone	В	cs	USOC			RATES (\$)			1				Order vs.	Order vs.
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBEF			20.10		.00	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBEF														Electronic-	Electronic-	Electronic-	Electronic-
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBER														1st	Add'l	Disc 1st	Disc Add'l
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBER							I	Nonred	urring	Nonrecurrin	g Disconnect	1	1	220	Rates (\$)		
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBER							Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBEF	SDN Digital Grade Loop / 2-Wire ISDN Line Side Port							FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
ADDITIONAL NR Unbundle End User Unbundle Premise LOCAL NUMBER	ation - Conversion			LIEDDD	UEPPR	USACB	0.00	174.35	174.35								
Unbundle End User Unbundle Premise				UEPPB	UEPPR	USACB	0.00	174.35	174.35								
End User Unbundle Premise LOCAL NUMBER																	
Unbundle Premise LOCAL NUMBER	dled Miscellaneous Rate Element, Tag Designed Loop at																
Premise LOCAL NUMBER				UEPPB	UEPPR	URETN		11.20	1.10								
LOCAL NUMBER	dled Miscellaneous Rate Element, Tag Loop at End User																
				UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	umber Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	SER PROFILE ACCESS:					ļ					1	ļ					
	SD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
CVS (EW	WSD)				UEPPR	U1UCB	0.00	0.00	0.00								
CSD				UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								1
	REA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)														
USER TERMINAL	AL PROFILE										Î						
User Terr	erminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		1	1	İ				
VERTICAL FEAT																	
	cal Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00		1						
	CHANNEL MILEAGE						0										
	ce Channel mileage each, including first mile and																
	s termination			LIEPPR	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	ce Channel mileage each, additional mile					M1GNM	0.0282	0.00	0.00					10.00	10.00		
	GITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITD	OLITIK	IVITOTAIVI	0.0202	0.00	0.00								
	1 combination rates below for in this rate exhibit apply			dod baco	in place a	c of 10/2/02 i	intil 4/1/04 Aft	or 4/1/04 those	rates shall re	vort to tariff ra	toe or a conara	to commore	ial agraomo	nt			
	-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													111.			
	Combination Rates	Tunk Po	ort arter	the enec	live date C	i uns amenu	Intent Shan be	provided pursu	iani to a separ	ate agreement	or tariii at bei	ISOULII S UI	Scretion.				
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	LIEDDD			000.55										
Zone 1	A District control DOA District Doal LINE		1	UEPPP			226.55										
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
Zone 2			2	UEPPP			263.28										
	1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 3			3	UEPPP			313.15										
UNE Loop Rates																	
	DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										
	DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27										
	DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134.14										
UNE Port Rate																	1
	ge Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		
	NG CHARGES - CURRENTLY COMBINED																
	DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	ation - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51				l	l			1
ADDITIONAL NR																	
	DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -					İ	i - 1			1	İ			İ	İ		
	uent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG]	1.17	1.17					Ì			1
	DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent					† ····	1				1	1	1	1			
	Outward tel nos. (NC only)			UEPPP		PR7TP]	28.17	28.17				l	l			1
	DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			J		1		20.17	20.11	1	1	1	 	 			
	uent Inward Tel Numbers			UEPPP		PR7ZT		56.33	56.33				1				1
	ER PORTABILITY			J_111		. 13721	1	50.55	50.55	1	1	1	1	1	1		
	umber Portability (1 per port)		1	UEPPP		LNPCN	1.75			}	+	 	 	 	-		
	rovsioning Only)		1	ULFFF		LINFOIN	1.75			}	+	 	 	 	-		
		-	 	UEPPP		DD74\/	0.00	0.00	0.00	 	_	!	-				
Voice/Dat						PR71V	0.00	0.00	0.00	1	1	!	1	1			├
Digital Da			<u> </u>	UEPPP		PR71D	0.00	0.00	0.00	ļ			ļ				
Inward Da				UEPPP		PR71E	0.00	0.00	0.00	ļ							
New or Addition						<u> </u>						<u> </u>					
	Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92						19.99	19.99		└
	Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	36.92						19.99	19.99		L
	Additional Inward Data B Channel			UEPPP		PR7BD	0.00	36.92						19.99	19.99		
CALL TYPES																	

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hit: B
020			1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Indan:									Elec		_	Manual Svc	•	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>	L					L	L							
		IE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of t	his amendment sha	III be provide	d pursuant to	a separate agr	ement or tarif	t at BellSouth's	discretion.						
1	UNE P	ort/Loop Combination Rates	1	-	UEPDC	 	474.00	-		 		1	ļ	-	1		
—		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	1 2	UEPDC UEPDC	<u> </u>	171.06 207.79			 							
—		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC	<u> </u>	257.66			 							
\vdash	IINE I	pop Rates	 	3	ULPUU	1	207.00			 			 		-		
<u> </u>	ONE LO	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	47.54	-						-	-		
		4-Wire DS1 Digital Loop - ONE Zone 1			UEPDC	USLDC	84.27					1					
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
	LINE D	ort Rate		3	OLFDC	USLDC	134.14					1					
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
		ECURRING CHARGES - CURRENTLY COMBINED			02. 00	055	120.02	001110	101.00			1		10.00	10.00		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
	ADDIT	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		00.04	00.04					40.00	40.00		
		Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan			UEPDC	UDTTC		28.81	28.81	-				19.99	19.99		
1		Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD		28.81	28.81	I			1	19.99	19.99		
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		0L1 D0	טווט		20.01	20.01	1		1		15.55	19.99		
1		Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		28.81	28.81	I			1		1		
	BIPOL	AR 8 ZERO SUBSTITUTION	1			22		20.01	20.01	I		<u> </u>	 		 		
	<u>J</u>	B8ZS -Superframe Format	†		UEPDC	CCOSF		0.00i	615.00s	t					1		
		B8ZS - Extended Superframe Format	1		UEPDC	CCOEF		0.00i	615.00s	1	l			İ			
	Alterna	ate Mark Inversion	1			İ			-	1	l			İ			
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>		UEPDC	UDTGZ	0.00			ļ				19.99	19.99		
		DID Numbers, Establish Trunk Group and Provide First Group	1			L	_	_	_	1							
<u> </u>		of 20 DID Numbers	<u> </u>	 	UEPDC	NDZ	0.00	0.00	0.00	-				ļ	 		
		DID Numbers for each Group of 20 DID Numbers	ļ		UEPDC	ND4	0.00										
<u></u>		DID Numbers, Non- consecutive DID Numbers , Per Number	!		UEPDC	ND5	0.00	0.00	0.00	-							
		Reserve Non-Consecutive DID Nos.	l		UEPDC UEPDC	ND6	0.00	0.00	0.00	 					 		
<u> </u>	Dod: a -	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l 1 Diaita	Lloon		NDV	0.00	0.00	0.00	 			 		-		
-	Deuica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l Digital	Loop		Tunk Port				1		1					
		Termination)	1		UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	L		1			1.2.0.	20		.55.76	5.00	3.00	1		.0.00			

UNRUN	IDI FI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: B
ONDON	IDEL	NETWORK ELLMENTS - North Carolina	ı			I	l					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	
														ist	Addi	DISC 1St	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								ł
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															1
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															ĺ
		miles			UEPDC	1LNOB	0.5753	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															ĺ
L		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
																	ĺ
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC UEPDC	1LNOC LNPCP	0.5753	0.00	0.00	0.00							
		Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC	CTG	3.15 0.00	0.00	0.00	0.00							
	WIDE	EDS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			1				1		1	1				—
		ystem can have up to 24 combinations of rates depending on			her of ports used					†		1					
		IE-P DS1 combination rates below for 4-Wire DS1 Loop with C				e exhibit ann	oly to the embe	dded base in r	lace as of 10/3	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement	
		sts for 4-Wire DS1 Loop with Channelization with Port after th											Jiian ievell	Lo tarrir rates	o, a separate	agreement.	
		S1 Loop	I	l v c dut	c or tino amenamen	l snan be pre	l	l to a separate	agreement or	I Delice	dill'S disorcin	J					
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								1
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
		SO Channelization Capacities (D4 Channel Bank Configuration	ns)						0.00								
		24 DSO Channel Capacity - 1 per DS1	T T		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		ĺ
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		l
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		num System configuration is One (1) DS1, One (1) D4 Channe								.				ļ			
N	/lultipl	es of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.					ļ					
		NRC - Conversion (Currently Combined) with or without	1		LIEDMO					I							i
<u> </u>	·	BellSouth Allowed Changes	 		UEPMG	USAC4	0.00	330.61	16.64	-				19.99	19.99		
		Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	a I		!		}		 	 		
	iew (N	ot Currently Combined) in all states, except in Density Zone 1	of lop	8 MSA	·'S	 	ļ			 		1		-	ļ		
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	1		UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		i
-	Rincla	*8 Zero Substitution	 		OLFING	V UIVID4	0.00	143.14	320.22	149.02	17.08			19.99	19.99		
	hoidi	Clear Channel Capability Format, superframe - Subsequent	1			1	1			 		}		1	1		
		Activity Only	1		UEPMG	CCOSF	0.00	0.00i	615.00s	1							i
\vdash		Clear Channel Capability Format - Extended Superframe -	 	 	OLI IVIO	55551	0.00	0.001	010.008	 		1		 	 		
		Subsequent Activity Only	1		UEPMG	CCOEF	0.00	0.00i	615.00s	I				1	1		i
	lterna	te Mark Inversion (AMI)	 			3002.	0.00	2.00.	0.000	 		1					<u> </u>
H		Superframe Format	1	1	UEPMG	MCOSF	0.00	0.00	0.00	<u> </u>				1			i
 		Extended Superframe Format	1	1	UEPMG	MCOPO	0.00	0.00	0.00	t		1		1	1		i
E		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	0		5.00	3.00	0.00	t				1	1		
		ige Ports	1			İ	Ì			1				İ	1		
t f		Line Side Combination Channelized PBX Trunk Port - Business	1			1	1			t				1	1		
		(E:4/1/2004)	1		UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		İ
		Line Side Outward Channelized PBX Trunk Port - Business	Ì			1											ĺ
		(E:4/1/2004)	1	1	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		i
		Line Side Inward Only Channelized PBX Trunk Port without DID															ĺ
		(E:4/1/2004)	<u>L</u>		UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		i

UNBU	NDI FI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	nit: R
5.450		S RELITORIX ELEMENTO 'NOITH Carollia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																2.00 .01	2.007.000
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (F:4/1/2004)			LIEDDY	LIEDDA	40.00	0.00	0.00	0.00	0.00			40.40	0.45		
	F4	Activations - Unbundled Loop Concentration			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
	reature	Feature (Service) Activation for each Line Port Terminated in D4				-											
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in			ULFFX	IFQVVIVI	0.05	25.21	13.34	4.13	4.12			40.10	3.43		
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	Telepho	one Number/ Group Establishment Charges for DID Service			02.17		0.00		10.00	56.7 1				10.10	00		
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00		•						•
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability			L	1											
<u> </u>		Local Number Portability - 1 per port	ļ	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional	ļ	<u> </u>													
<u> </u>	Local S	Switching Features Offered with Line Side Ports Only	1	<u> </u>	HEDDY	LIEDVE	2.40	0.00	0.00					40.40	0.45		
LIMBUS	DI ED A	All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	<u></u>	}	UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
		Based Rates are applied where BellSouth is required by FCC		State 1	Commission mile 4-	provide Unt	Indied Lead C	witching or C.	itch Dorto				 				
		Based Rates are applied where Bellsouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C								dled Port cocti	on of this Data	Evhibit	-				
		area andir dubiy to the onbunuleu FolkLoop Combination • C		idu Kdl	e accuon in the Saf	ie manner as	uicy are applie	รน เบ เมษ อเสกิน	-Aione Onbun	uieu FUIL SECTI	un un uns kate	LAHIDIL.	i	1	1		
					the Port section of	this rate ovh	ihit shall annly			nort network a	ements even	for LINE	oin Port/I o	on Combine	ions		
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section o	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The f	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co	Usage	rates in	the Port section of the Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combina	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C ne Nonrecu	oin Port/Lo	op Combinat ently Combine	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The fapply a	Office and Tandem Switching Usage and Common Transport	Usage urrently	rates in Comb	ined Combos. For	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C ne Nonrecu	oin Port/Lo	op Combinat ently Combine	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The fapply a 5. Mari	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co Iso and are categorized accordingly.	Usage urrently	rates in Comb	ined Combos. For	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C ne Nonrecu	oin Port/Lo rring - Curre	op Combinat ently Combine	ions. ed sections. /	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Usage urrently	rates in Comb	ined Combos. For	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo rring - Curre	op Combinat ently Combine	ions. ed sections. /	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	Usage urrently	rates in Comb	ined Combos. For	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo rring - Curre	op Combinat ently Combine	ions. ed sections. /	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	Usage urrently	rates in Comb	on an Individual C	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not College and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	Usage urrently	rates in Comb	ined Combos. For	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design)	Usage urrently	rates in Comb	on an Individual Co	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Usage urrently	rates in Comb	on an Individual C	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	Cs may
	3. End (4. The fapply a 5. Mark UNE-P (2-Wire)	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	rates in Comb	on an Individual C	Currently Co	til further notice 13.03 21.33	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	Coin Port/Lo	op Combinat	ions. d sections.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	Usage urrently	rates in Comb	on an Individual Co	Currently Co	mbined Combo	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	Coin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combont/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	Usage urrently	rates in Comb	on an Individual C	Currently Co	til further notice 13.03 21.33	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep identified in t	t for UNE C	Coin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Usage urrently	rates in Comb	on an Individual Control of the Individual C	Currently Co	til further notice 13.03 13.03 21.33 32.61	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	Coin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	otiated 1 2	on an Individual C	Currently Co	til further notice 13.03 21.33	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	Coin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Usage urrently	otiated 1 2	on an Individual C: UEP95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	Usage urrently	otiated 1 2 3	on an Individual Control of the Individual C	Currently Co	til further notice 13.03 13.03 21.33 32.61	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	Cs may
	3. End 4. The f apply a 5. Marl UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	Usage urrently	otiated 1 2 3	on an Individual C: UEP95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	otiated 1 2 3	uep95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61 17.25	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combont/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign	Usage urrently	combotiated 1 2 3 1 2 3	uep95 uep95 uep95 uep95 uep95 uep95 uep95	Currently Co	13.03 21.33 32.61 17.25 28.21 43.09	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. //	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design	Usage urrently	combotiated 1 2 3 1 2 3 1 2 3	uep95 uep95 uep95 uep95 uep95 uep95 uep95 uep95	UECS1	13.03 21.33 32.61 17.25 28.21 43.09	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Citson and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combont/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combonomy 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2	Usage urrently	rates in Comb tiated 1 2 3 1 2 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 4 4 5 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections.	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire VG Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Usage urrently	rates in Comb	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2	13.03 21.33 22.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The fapping apply a 5. Maril UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	Usage urrently	1	UEP95	UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional NR	Cs may
	3. End 4. The f 5. Marl UNE-P 2-Wire P UNE PC	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Opp Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage urrently	rates in Comb	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2	13.03 21.33 22.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Citso and are categorized accordingly. Net Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1t Rate	Usage urrently	1	UEP95	UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combina os, the nonrecu	ations of loop	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions. ed sections. /	Additional NR	Cs may
	3. End 4. The f 5. Marl UNE-P 2-Wire P UNE PC	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1- Rate 8-	Usage urrently	1	UEP95	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combina	ations of loop/ urring charges	port network e shall be those	lements excep	t for UNE C	oin Port/Lo	ently Combine	ed sections.	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design	Usage urrently	1	UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combinations, the nonrecue.	ations of loop/ urring charges	port network e shall be those	lements exception to the state of the state	t for UNE C	oin Port/Lo	40.18	ed sections. A	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage urrently	1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combina	ations of loop/ urring charges	port network e shall be those	lements excep identified in ti	t for UNE C	oin Port/Lo	ently Combine	ed sections.	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Net Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 1-T Rate 8- 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combinations, the nonrective.	tions of loop/ irring charges	port network e shall be those	lements excep identified in ti	t for UNE C	oin Port/Lo	40.18 40.18	9.45 9.45	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 11 Rate 8 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area	Usage urrently	1	UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combinations, the nonrecue.	ations of loop/ urring charges	port network e shall be those	lements excep identified in ti	t for UNE C	oin Port/Lo	40.18	ed sections. A	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1	Usage urrently	1	UEP95	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYH	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81 2.28 2.28	v to all combinations, the nonrective.	tions of loop/ urring charges	port network e shall be those	lements exception to the state of the state	t for UNE C	oin Port/Lo	40.18 40.18	9.45 9.45	Additional NR	Cs may
	3. End 4. The t apply a apply a s 5. Mari UNE-P 2-Wire UNE Pc	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci Iso and are categorized accordingly. Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 11 Rate 8 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	v to all combinations, the nonrective.	tions of loop/ irring charges	port network e shall be those	lements excep identified in ti	t for UNE C	oin Port/Lo	40.18 40.18	9.45 9.45	Additional NR	Cs may

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: B
0.1.20.1.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
-						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	2 Mire Vaise Conde Deut terreinsted in an Manufiel, as as vivolent				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1	OLF 95	OLF19	2.20	19.59	03.97			1		40.16	9.43		
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC C				OLI 50	OLI 12	2.20	70.00	00.01					40.10	0.40		
1.00	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		-]]
	Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		
 -	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	1	UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Loca	Il Switching Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.903										
Loca	I Number Portability		-	UEP95	URECS	0.903										
Loca	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat				OLI 50	LIVI OO	0.00										
- Cut	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NAR	S															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	ellaneous Terminations															
2-Wi	re Trunk Side				051100	40.00										
4 180	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-WI	re Digital (1.544 Megabits) DS1 Circuit Terminations, each		-	UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each	1	1	UEP95	M1HDO	0.00	28.81				1		40.18	9.45		
Inter	office Channel Mileage - 2-Wire			OLI 33	WITTE	0.00	20.01						40.10	3.43		
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282			İ							
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
		1		-]]
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ	ļ	UEP95	1PQW6	0.65			ļļ					ļ		ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		LIEDOS	400117									1		1
\vdash	Slot	!	1	UEP95	1PQW7	0.65							-	 		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		LIEDOE	100140	0.05								1		1
\vdash	Different Wire Center	1	1	UEP95	1PQWP	0.65					-					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	 	 	021 00	11 32 77 7	0.00			 					 		
	Slot	1		UEP95	1PQWQ	0.65								1		1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	i	†	UEP95	1PQWA	0.65										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				1				1							
	NRC Conversion Currently Combined Switch-As-Is with allowed				i i				ĺ							
	changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion	ļ	ļ	UEP95	URECA	0.00	72.73		ļļ				40.18	9.45		
Addi	tional Non-Recurring Charges (NRC)	ļ	1						ļ							ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOE	LIDETI		0.00	0.00								
<u> </u>	Premise	<u> </u>	<u> </u>	UEP95	URETL		8.33	0.83	i		1	1	l	L		L

UNBUNDI	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	UDETN		44.00	4.40								ı
LINE	End Use Premise E-P CENTREX - DMS100 (Valid in All States)	1		UEP95	URETN	-	11.20	1.10								
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+	-				-						
	Port/Loop Combination Rates (Non-Design)															
0.112	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design		1	UEP9D		13.03										i l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	•	_													ı
1100-	Non-Design	 	3	UEP9D	1	32.61			1	1	1			-		
UNE	Port/Loop Combination Rates (Design)	1	}		-				 	 	1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP9D		17.25				1						
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.	 '	OLI 3D	+	17.25				 						
	Design	1	2	UEP9D		28.21				1						1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Design		3	UEP9D		43.09										l l
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	14.97										-
-	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP9D UEP9D	UECS2 UECS2	25.93 40.81				-	1					
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3 E Port Rate	1	3	UEP9D	UECSZ	40.81				-						
	STATES	1			+											
F	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		ı
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local												40.40			i l
-	Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	 	 	OLFBD	ULFTE	2.28	19.59	63.97	1	 	1		40.18	9.45		
	Area	1	1	UEP9D	UEPYF	2.28	79.59	63.97		1			40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1	<u> </u>	-									- 14			
	Area		<u> </u>	UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area	ļ	ļ	UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1		LIEDOD	LIEDY''	0.00	70.50	00.5=		1			40.40	0.4-		1
	Area	1	 	UEP9D	UEPYU	2.28	79.59	63.97		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area	1		UEP9D	UEPYV	2.28	79.59	63.97		1			40.18	9.45		ı .
 	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	 	 	OLFAD	UEFIV	2.28	19.59	63.97		 			40.18	9.45		
	Area	1	1	UEP9D	UEPY3	2.28	79.59	63.97		1			40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1	<u> </u>			2.23	. 0.00	55.51	1	1				5. 70		
	Area	<u> </u>	L	UEP9D	UEPYH	2.28	79.59	63.97	<u> </u>	<u> </u>	<u></u>		40.18	9.45		<u>. </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
	Indication))4 Basic Local Area	<u> </u>		UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1					====]	_				l		1
	Basic Local Area	 	!	UEP9D	UEPYJ	2.28	79.59	63.97			<u> </u>		40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area	1	1	UEP9D	UEPYM	2.28	164.57	128.16		1			40.18	9.45		, ,
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	 	 	OLFAD	UEP I IVI	2.28	104.57	120.10		 			40.18	9.45		
	Basic Local Area	1	1	UEP9D	UEPYO	2.28	164.57	128.16		I			40.18	9.45		ı
	240.0 200ai , 1100	1	1	102.00	JE1 10	2.20	10-1.01	120.10	l	1	1		-70.10	0.40		

UNBUNDU	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: B
CIADOIADE											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK		Electronic-	Electronic-	Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurrin	g Disconnect	1	l	oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4							71441		71441						
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		f '
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			02. 05	02	2.20	10 1.01	120.10			1		10.10	0.10		f
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															i
	Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															i
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															í
	Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4									1						1
	Basic Local Area	1		UEP9D	UEPY6	2.28	164.57	128.16				1	40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		ł
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															1
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		ł
NC O	nly															1
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		i T
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		i T
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		<u></u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		-
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1					=====					1				1
\vdash	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97		ļ			40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	<u> </u>	 	UEP9D	UEPUJ	2.28	79.59	63.97		ļ			40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDOD	LIEDUNA	2.00	404 ==	100.10				1	40.40	0.4-		1
	2,3	 	1	UEP9D	UEPUM	2.28	164.57	128.16		 	1	ļ	40.18	9.45		
	2 Wire Voice Crade Bort (Centre-V-199 CWC /EBC BCETIC C. 4			LIEDOD	LIEDUO	0.00	404 57	400.40					40.40	0.45		í
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	 	1	UEP9D	UEPUO	2.28	164.57	128.16		 	-		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16				1	40.18	9.45		ł
	2-Wife Voice Grade Port (Certifex differ SWC /EBS-W5009)2,3,4	<u> </u>		UEF9D	UEFUF	2.20	164.57	120.10					40.16	9.43		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	1		UEP9D	UEPUQ	2.28	164.57	128.16				1	40.18	9.45		1
	2-wife voice Grade Port (Centrex/diller SWC /EBS-5209)2,3,4	<u> </u>		UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2 Wire Voice Crade Bort (Centroy/differ SWC /EBS ME112)2 2.4			UEP9D	LIEDLID	2.20	164 57	100 16					40.18	9.45		í
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	 	1	OLFAD	UEPUR	2.28	164.57	128.16		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UEP9D	UEPUS	2.28	164.57	128.16				1	40.18	9.45		1
		1		OFLAD	UEPUS	2.28	104.57	120.10		1	1		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		i
\vdash	2-vviie voice Grade Port (Certilexullier SVVC /EBS-MS008)2,3,4	 		OFLAD	UEFU4	2.28	104.57	120.10	-	 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		i
 	2-vviie voice Glade Folt (Celifie/Vullet SvVC/LBS-W3200)2,3,4	1		טבו שט	OLF US	2.20	104.57	120.10		1	1		40.10	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		í
 	2-vviile voice Grade Fort (CertifeX/diller SVVC /EDS-IVISZ10)2,3,4	 	H	OLFBD	JLFUD	2.28	104.57	120.10		1			40.18	9.45		ſ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		1
	12 TVIIG VOICE CIAGE I OIL (CEITLENGIITEI GWC/LDG-WG310)2,3,4	1	ı	0L1 3D	JLI UI	2.20	104.57	120.10	L	J		l	40.10	უ.₩ე		

2-Wire V Term 2,3 2-Wire V 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Nu Features All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Interoffic DS1 Circ DS0 Cha Interoffice Chan Interoffic Feature Activati D4 Channel Ban Feature Feature Slot Feature	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Terminated Ones T		Zone	BCS UEP9D UEP9D UEP9D UEP9D UEP9D	USOC UEPUZ UEPU9 UEPU2 URECS	Rec - 2.28 2.28 2.28	Nonrec First 164.57	RATES (\$) urring Add'I 128.16	Nonrecurring First	Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
2-Wire V Term 2,3 2-Wire V 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl	re Voice Grade Port, Diff Serving Wire Center - 800 Service 1 2,3 re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated on 800 Service Terminated Terminated One Port Portability I Number Portability (1 per port) I Number Portability (1 per port) I Service Serv	m	Zone	UEP9D UEP9D UEP9D UEP9D	UEPUZ UEPU9 UEPU2	2.28	First 164.57	urring Add'l			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
2-Wire V Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Feature Sicut Feature Activati D4 Channel Ban Feature Feature Feature Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	re Voice Grade Port, Diff Serving Wire Center - 800 Service 1 2,3 re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Serv	m	Zone	UEP9D UEP9D UEP9D UEP9D	UEPUZ UEPU9 UEPU2	2.28	First 164.57	urring Add'l			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add'l
2-Wire V Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Feature Sicut Feature Activati D4 Channel Ban Feature Feature Feature Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	re Voice Grade Port, Diff Serving Wire Center - 800 Service 1 2,3 re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Serv	m	Zone	UEP9D UEP9D UEP9D UEP9D	UEPUZ UEPU9 UEPU2	2.28	First 164.57	urring Add'l			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
2-Wire V Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Feature Sicut Feature Activati D4 Channel Ban Feature Feature Feature Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	re Voice Grade Port, Diff Serving Wire Center - 800 Service 1 2,3 re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Serv	1		UEP9D UEP9D UEP9D UEP9D	UEPUZ UEPU9 UEPU2	2.28	First 164.57	urring Add'l			•		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port renter Service Portability en port renter Soffered, per port renter Control Features Of			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	First 164.57	Add'l			SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port releter Features Offered, per port rentrex Control			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	First 164.57	Add'l			SOMEC	SOMAN	OSS	Rates (\$)		
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port releter Features Offered, per port rentrex Control			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	First 164.57	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port releter Features Offered, per port rentrex Control			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	First 164.57	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port releter Features Offered, per port rentrex Control			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	164.57		FIISL	Add I	SOWIEC	SUMAIN	SUMAN	SUMAN		
Term 2,3 2-Wire V 2-Wire V Local Switching Centrex Local Number P Local Number P Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous S	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Termining rex Intercom Funtionality, per port re Portability I Number Portability (1 per port) Itandard Features Offered, per port releter Features Offered, per port rentrex Control			UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	-	128,16								COMMIN
2-Wire V	re Voice Grade Port terminated in on Megalink or equivaler re Voice Grade Port Terminated on 800 Service Terminated Ones T	it		UEP9D UEP9D UEP9D UEP9D	UEPU9 UEPU2	2.28	-	128.10					40.18	9.45		i
2-Wire V Local Switching Centrex Local Number P Local Number P Local Number P Local Number P Local Number P Local Number P Local Number Numb	re Voice Grade Port Terminated on 800 Service Term ing rex Intercom Funtionality, per port er Portability I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward	at .		UEP9D UEP9D UEP9D	UEPU2								40.18	9.45		
2-Wire V Local Switching Centrex Local Number P Local Number P Local Number P Local Number P Local Number P Local Number P Local Number Numb	re Voice Grade Port Terminated on 800 Service Term ing rex Intercom Funtionality, per port er Portability I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D UEP9D UEP9D	UEPU2		79.59	63.97					40.18	9.45		1
Local Switching Centrex Local Number P Local Number P Local Number S Local Number S Local Number S Local Number S Local Number S All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Miscellaneous S 2-Wire Trunk Si Trunk Si 4-Wire Digital (1 DS1 Circ DS0 Che Interoffice Chan Interoffice Chan Interoffice Feature Activati D4 Channel Ban Feature Feature Feature Different Feature Different Feature Feature Feature Feature	ning rex Intercom Funtionality, per port er Portability I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D UEP9D		2.28							40.18			
Centrex Local Number P Local Numbe	rex Intercom Funtionality, per port er Portability I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D	URECS		79.59	63.97					40.18	9.45		
Local Number P Local Number P Local Nu Features All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Miscellaneous 1 2-Wire Trunk Si 4-Wire Digital (I DS1 Circ DS0 Cha Interoffice Chan Interoffice Teature Interoffice Teature Feature Feature Feature Feature Different Feature	er Portability I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D	URECS											
Local Nu Features All Stanc All Selec All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Interoffice Chan Interoffice Chan Interoffice Feature Activation Feature Feature Feature Feature Different Feature	I Number Portability (1 per port) tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward					0.903										
Features All Stanc All Stanc All Select All Celect All	tandard Features Offered, per port elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward				Lungo											
All Stanc All Select All Select All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Miscellaneous 7 2-Wire Trunk Si Frunk Si 1 Trunk Si 1 DS1 Circ DS0 Cha Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Different Feature Different Feature Feature Feature Feature Feature Fieature	elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward				LNPCC	0.35								└─ ─		
All Selec All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Miscellaneous Tennk Si Trunk Si 4-Wire Digital (I DS1 Circ DS0 Che Interoffice Chan Interoffice Chan Interoffice Peature Activati D4 Channel Ban Feature Feature Feature Different Feature Different Feature Feature Feature Feature Feature Feature Feature	elect Features Offered, per port entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			LIEDAD									ļI	↓		
All Centr NARS Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl All Centr Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Unbundl Irunk Si 4-Wire Digital (1 DS1 Circ DS0 Che Interoffice Chan Interoffic Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Uniferent Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature	entrex Control Features Offered, per port undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D	UEPVF	3.40			L							
NARS Unbundl Unbundl Unbundl Unbundl Miscellaneous 1 2-Wire Trunk Si 1-Trunk Si 4-Wire Digital (1 DS1 Circ DS0 Chae Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature	undled Network Access Register - Combination undled Network Access Register - Inward			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
Unbundl Unbundl Unbundl Unbundl Miscellaneous 2-Wire Trunk Si Trunk Si 4-Wire Digital (I DS1 Circ DS0 Che Interoffice Chan Interoffice Chan Interoffice Teature Interoffice Teature Feature Feature Feature Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	undled Network Access Register - Inward		1 1	UEP9D	UEPVC	3.40										
Unbundl Unbundl Unbundl Miscellaneous 1 2-Wire Trunk Si Trunk Si 4-Wire Digital (1 DS1 Circ DS0 Che Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Different Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	undled Network Access Register - Inward															
Unbundl Miscellaneous 1 2-Wire Trunk Si: 4-Wire Digital (1 DS1 Circ DS0 Che Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature		1	<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		.
Miscellaneous 1 2-Wire Trunk Si Frunk Si 4-Wire Digital (1 DS1 Circ DS0 Cha Interoffice Chan Interoffic Interoffic Peature Activati D4 Channel Ban Feature Feature Feature Different Feature Feature Feature Feature Feature				UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
2-Wire Trunk Si Trunk Si 4-Wire Digital (1) DS1 Circ DS0 Che Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Feature Feature Different Feature Feature Feature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature Fieature	undled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Trunk Si 4-Wire Digital (1 DS1 Circ DS0 Cha Interoffice Chan Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature	us Terminations												1			1
4-Wire Digital (1 DS1 Circ DS2 Che Interoffice Chan Interoffic Interoffic Interoffic Interoffic Peature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature	k Side															1
DS1 Circ DS0 Che Interoffice Charm Interoffice Harm Interoffice Peature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature Feature	k Side Terminations, each			UEP9D	CEND6	12.36							1			1
DS0 Cha Interoffice Chan Interoffice Chan Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature Feature Feature	al (1.544 Megabits)												1			
Interoffice Chan Interoffic Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
Interoffic Interoffic Interoffic Feature Activati D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature	Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		1
Feature Activati D4 Channel Ban Feature Feature Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature Feature	hannel Mileage - 2-Wire												i			
Feature Activati D4 Channel Ban Feature Feature Slot Feature Different Feature Feature Feature Feature Feature Feature Feature	office Channel Facilities Termination			UEP9D	M1GBC	18.00										1
D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature	office Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
D4 Channel Ban Feature Feature Feature Slot Feature Different Feature Feature Feature Feature	vations (DS0) Centrex Loops on Channelized DS1 Serv	ice														
Feature Feature Slot Feature Different Feature Feature	Bank Feature Activations												,		į į	
Feature Slot Feature Different Feature Feature	ure Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65							,		į į	
Feature Slot Feature Different Feature Feature																
Feature Slot Feature Different Feature Feature	ure Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65							, I	j ,		1
Slot Feature Different Feature Feature	ure Activation on D-4 Channel Bank FX Trunk Side Loop															
Feature Different Feature Feature				UEP9D	1PQW7	0.65							, I			i
Different Feature	ure Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature /	rent Wire Center			UEP9D	1PQWP	0.65							, I	j ,		1
Feature A	TOTAL VALIC CONTO			OLI OD	11 Q111	0.00								—	 	
Feature /	ure Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65			1				, ,	1	1	ı
	ure Activation on D-4 Channel Bank Tilvate Eine Loop Glot	1		J , J ,		0.00			+					 	 	<u> </u>
	a.o., a.i. alion on b - orialmoi bank tjie Elife/ Hullk Edop			UEP9D	1PQWQ	0.65							, ,	1 1	1 !	i
	ure Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP9D	1PQWA	0.65			1					 	\vdash	
	ng Charges (NRC) Associated with UNE-P Centrex	1	+	OL1 3D	11 4717	0.03			+						 	
		1	1		+	1			+					 		
	Conversion Currently Combined Switch As Is with allowed	'		UEP9D	USAC2		2.77	0.40					40.18	9.45	1	1
	Conversion Currently Combined Switch-As-Is with allowed	+	1	UEP9D	M1ACS	0.00	695.11	0.40	+				40.18	9.45		
	ges, per port	+	1	UEP9D UEP9D	M1ACC	0.00	695.11		-				40.18	9.45	\vdash	
	ges, per port Centrex Standard Common Block	+	1	UEP9D UEP9D	URECA	0.00	72.73		-				40.18	9.45 9.45	\vdash	1
	ges, per port Centrex Standard Common Block Centrex Customized Common Block	+	1	OLFSD	UKECA	0.00	12.13		+				40.18	9.45	\vdash	i
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion		1		+				-							
Premise	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC)	+		UEP9D	URETL		8.33	0.83					, ,	1	1	ı
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use		1	OLFAD	UKEIL		0.33	0.83	-							
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use ise			LIEDOD	LIDETN		44.00	4.40					, ,	1	1	ı
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use isie undled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	URETN		11.20	1.10	1						├ ───	
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use nise undled Miscellaneous Rate Element, Tag Design Loop at Use Premise			l	+									─ ──		
Note 2 - Require	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use isie undled Miscellaneous Rate Element, Tag Design Loop at Use Premise uired Port for Centrex Control in 1AESS, 5ESS & EWSI			l .										. ,		
	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use ise undled Miscellaneous Rate Element, Tag Design Loop at Use Premise uired Port for Centrex Control in 1AESS, 5ESS & EWSI qures Interoffice Channel Mileage	0	Pari						<u> </u>					+		
Note 4 - Require	ges, per port Centrex Standard Common Block Centrex Customized Common Block Establishment Charge, Per Occasion Ion-Recurring Charges (NRC) undled Miscellaneous Rate Element, Tag Loop at End Use isie undled Miscellaneous Rate Element, Tag Design Loop at Use Premise uired Port for Centrex Control in 1AESS, 5ESS & EWSI	0	Port													1

														1			
UNB	JNDLE	NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
													1	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	BCS	USOC			DATES (A)			Elec	_	Manual Svc	Manual Svc		Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	всэ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T1 - 117	one" shown in the sections for stand-alone loops or loops as						T.			111111111111111111111111111111111111111	B			,	A7 - 1	
		one" snown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become a clec/html/inter				ograpnically	Deaveraged U	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zone	Designation	ons by Cent	rai Office, refe	er to internet v	website:	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	LIOILIIL													
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rate	exhibit are	the BellSo	uth "regional	service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list I, will be applied to a CLECs bill when it submits an LSR to B			e in this category ref	lects the cha	arge that would	i be billed to a	CLEC once en	ectronic order	ng capabilities	come on-ii	ne for that e	element. Otne	erwise, the ma	anuai orderin	g cnarge,
-	SOWA	OSS - Electronic Service Order Charge, Per Local Service	ensout	ii.		1				l	ı	1			l	l	
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	PallCar	th's EC	C No 1 Toriff Coatio	n E oo onnii	aabla										
	NOTE:	The Expedite charge will be maintained commensurate with	Delisou	IIII S FC	C No.1 Tallii, Secur	п з аз аррп	Cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE For a 1% Of any and O're it and in Assistant LINE A			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBII	NDLED F	XCHANGE ACCESS LOOP		-	OTTOB, OTTOA	ODAGE		200.00									
-		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32						
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEANL	URETL		8.33	0.83								
-	1	Loop Testing - Basic 1st Half Hour		-	UEANL	URET1 URETA		34.23 19.90	34.23 19.90		-		1				
	1	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	UKETA	ı	19.90	19.90	l	ı	l	1		L	L	

UNBU	INDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
ONDO	HULL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILO	OKI	KATE ELEMENTO	m	Lone	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				1	Nonrec	rurring	Nonrecurring	Disconnect			220	Rates (\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1					FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	SOWAN
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
			1		UEAINL	UKEWU		10.01	0.90								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UEANM		13.47	13.47								
		providing make-up (Engineering Information - E.I.)	1		UEANL	UEAMC		8.17	8.17								
		Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>		UEANL	UEAIVIC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
	2 WIDE	Unbundled COPPER LOOP	-		UEANL	UCUSL		18.13	18.13								
	Z-WIKE		1 1	1	LIFO	UEQ2X	12.94	36.40	40.40	20.00	4.42						
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+		UEQ				16.10	22.66							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
<u> </u>		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	 	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42				 		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET	l	0.00	0.00			1			I	Ì	1
-	-	Premise Manual Order Coordination 3 Wire Unbundled Conner Loop	 	!	UEQ	URETL	-	8.33	0.83	ļ				-	 	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO	LIODAGO	l	0 :-	0 :-			İ			1		1
		Non-Designed (per loop)	1		UEQ	USBMC		8.17	8.17						1		+
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ		l	40.1-	40			İ			1		1
		BST providing make-up (Engineering Information - E.I.)	1			UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)	1		UEQ	UREWO		14.30	7.45								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32				1		
		EXCHANGE ACCESS LOOP	<u> </u>	<u> </u>	ļ		ļ								ļ		↓
	2-WIRE	ANALOG VOICE GRADE LOOP		<u> </u>													
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1										I			1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					\neg					1	<u> </u>		_]	1
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61					ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				l					1	l		I	Ì	1
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse													1		1
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					\neg					1	<u> </u>		_]	1
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1										I			1
		Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL	1	11.24	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	İ	87.90	36.44								

UNRI	JNDI F	D NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Exhi	hit: B
31400	J.4DLL	NETWORK ELLWIENTO - South Carollila										Svc Order	Svc Order	Incremental		Incremental	Incremental
1						1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
		Order Coordination For Specified Conversion Time (per LSR)	<u> </u>		UDN	OCOSL		18.13									
	0.14/105	CLEC to CLEC Conversion Charge without outside dispatch	A TIBL F		UDN	UREWO		91.82	44.25								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	12.19	120.04	70.56	50.57	7.93						
		& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
—	+	2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZA	13.71	120.04	70.36	50.37	1.93				1		
	1	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		1		1		
\vdash	+	Order Coordination for Specified Conversion Time (per LSR)	 	-	UAL	OCOSL	17.14	18.13	70.30	50.57	7.33		 		 		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	†			00000		10.10		I		<u> </u>	 		 		
	1	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		1		1		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>			.20	55.51	33 <u>E</u>	55.57	50				1		
	1	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		1		1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry		_				400 =0									
		& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
-		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry		- 1	UHL	UHLZVV	9.58	104.49	06.00	50.37	7.93						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OFILZVV	10.92	104.43	00.50	30.37	1.93	1					
	1	and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		1		1		
	1	Order Coordination for Specified Conversion Time (per LSR)	†	3	UHL	OCOSL	11.40	18.13	00.30	30.37	7.33	<u> </u>	 		 		
	1	CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		86.32	40.48	-							
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		3		55.62	.0.40	1							
	1	4 Wire Unbundled HDSL Loop including manual service inquiry								İ					İ		
		and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1							_]]		
	 	and facility reservation - Zone 1	ļ	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38				ļ		
	1	4-Wire Unbundled HDSL Loop without manual service inquiry		_		[1		1		
<u> </u>	 	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38				 		
		4-Wire Unbundled HDSL Loop without manual service inquiry		_			40.04	400.44	05.10	55.40	40.00						
<u> </u>	1	and facility reservation - Zone 3	 	3	UHL UHL	UHL4W OCOSL	16.84	133.14	95.16	55.12	10.38				 		
 	+	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		18.13 86.32	40.48	-							
-	A-WIDE	E DS1 DIGITAL LOOP	 		OI IL	UKEWU		00.32	40.48	+							
-	4-WIRE	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						
-	+	4-Wire DS1 Digital Loop - Zone 1	1		USL	USLXX	136.00	253.03	157.89	44.80	11.73				 		
-	+	4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	229.15	253.03	157.89	44.80	11.73				 		
-	+	Order Coordination for Specified Conversion Time (per LSR)	 	-	USL	OCOSL	220.10	18.13	107.05	77.00	11.73		 		 		
Ь	1	10.46. Goordination for opcomed conversion fillie (pel LON)	<u> </u>		- J-L	COOL		10.13		1		<u> </u>	l .		l		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina									-			Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			Incremental
I			1	İ							Submitted	Submitted		Charge -	Charge -	Charge -
			1	ĺ							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13	1							
4-WI	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		1					İ	İ	İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WI	RE Unbundled COPPER LOOP	1		İ					1			İ		1	İ	İ
	2-Wire Unbundled Copper Loop-Designed including manual	†		1					1					t	1	1
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual	1														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual	1	 													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17		7.00						
	2-Wire Unbundled Copper Loop-Designed without manual	1		002	0020		0.11	0			1					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1	<u> </u>	002	002	10.7 1	0 1.01	00.00	00.07	7.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch	1		002	0020		0.11	0			1					
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WI	RE COPPER LOOP	1	1	002	U.V.E.V.O		0 1.01	12.01								
 	4-Wire Copper Loop-Designed including manual service inquiry	1														
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
 	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	002	002.0	10.01		00.00	00.12	10.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>		552.70	20.00	1-7-17	30.30	00.12	10.00			1	t	1	
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17	55.12	.0.00				<u> </u>		
	4-Wire Copper Loop-Designed without manual service inquiry	1		 			57	5.17	t	1			1	t	1	
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	 	<u> </u>	1				510	55.12	.0.00				1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	1	┢▔	1		20.00		510	55.12	.0.00				<u> </u>		
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	10.04	8.17	8.17		10.00			1	t	1	
	CLEC to CLEC Conversion Charge without outside dispatch	 		1			3.17	5.17	1					1	1	1
	(UCL-Des)		1	UCL	UREWO		94.87	42.57						I	Ì	l
LOOP MODIF		1		 			0	.2.57	t	1			1	t	1	
1		 		UAL, UHL, UCL,					1					1	1	1
				UEQ, ULS, UEA,										1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	Ì	l
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46						I	Ì	l
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1				32.10	50				1		1	1	1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46						1		
	The state of the s	†		UAL, UHL, UCL,	1		320	32.10	1					t	1	1
			1	UEQ, ULS, UEA,										1		
	1	1	Ì	UEANL, UEPSR.	1					l	1	1	I	1		I
	Unbundled Loop Modification Removal of Bridged Tap Removal,															

UNBU	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
		-										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									Po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
			ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO		Bl + H + d															
		op Distribution															
	l.	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		241.42	241.42								
		ОР			ULANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			OLANE	ООВОВ		22.03	22.03								
		Facility Set-Up	1		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	1		UEANL	USBSD		55.58	55.58								
	:	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1	1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	- 1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			LIFANII	LIODALA	44.44	70.04	44.00	40.00	0.00						
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIN4	19.40	79.21	44.29	49.82	9.09						
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
-		Zone 3		3	OLANE	OODIV4	10.50	13.21	44.23	43.02	3.03						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
		3 ,			-						-						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	,	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
\longmapsto	- 1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF UEF	UCS2X UCS2X	9.83 10.48	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71			-	 		-
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UUSZA	10.48	ხე.94	31.03	45.35	6.71			-			-
	l.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.]	1	UEF	USBMC		8.17	8.17			1			1		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09	 			 		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09	 			 		1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
				T -					20	2	5.30				Ì		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour	1		UEF	URET1		34.23	34.23						<u> </u>		
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
		lled Network Terminating Wire (UNTW)															
\Box		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
L		Interface Device (NID)		<u> </u>	<u> </u>	ļ				ļ					ļ		
		Network Interface Device (NID) - 1-2 lines	1	<u> </u>	UENTW	UND12		43.68	28.79					ļ	 		
\longmapsto		Network Interface Device (NID) - 1-6 lines	1	 	UENTW	UND16		64.42	49.53						 		
\longmapsto		Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	1	 	UENTW UENTW	UNDC2 UNDC4		5.92 5.92	5.92 5.92						 		
IINE OT		ROVISIONING ONLY - NO RATE	1	 	UEINIW	UNDC4		5.92	5.92					-			-
ONE UI		NID - Dispatch and Service Order for NID installation	1	 	UENTW	UNDBX	0.00	0.00		1		1		1	1		1
1		UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	 	UENTW	UENCE	0.00	0.00				 			 		
\vdash																	!
	- 1	ON TW Circuit id Establishment, Provisioning Only - No Rate					0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc		Incremental Charge - Manual Svo
CATEGORT	NATE ELEMENTS	m	Zone	803	0300			.,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -				CCOEF	0.00	0.00									İ
HICH CARAC	no rate CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.26										İ
1	High Capacity Unbundled Local Loop - DS3 - Facility			020	. 20.12	12.20										
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						İ
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						İ
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
	IG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper Io	op nor	n-designed ("UCLND)")											
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND					-										-
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	i UI SC	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	13							
	SHARING	J	1				0 011 01 201010	0010001 1, 20								
SPLIT	ITERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															İ
END	deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						-
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1			010	JEOD1	3.24	10.33	10.02	10.04	4.33						
	(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						<u> </u>
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		16.42	8.21								-
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS		16.42	8.21								1
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						<u> </u>

UNBU	NDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
ONDO	NULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
								Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															·
		splitter - Central Office Located (25% of UCLND) - please see															1 '
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						<u> </u>
		Line Share Service, TRO per line activation, CLEC owned															1
		splitter - Central Office Located (75% of UCLND) - please see															i .
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
<u> </u>		PLITTING				1						ļ			ļ		├
	END U	SER ORDERING-CENTRAL OFFICE BASED		ļ	LIEBOR LIEBOR										ļ		├
	ļ	Line Splitting - per line activation DLEC owned splitter		ļ	UEPSR UEPSB	UREOS	0.61	07.00	04.01	00.00	0.05				ļ		├
<u> </u>	!	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85	<u> </u>		ļ	ļ	 	
<u> </u>	B4 A 15 1-	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85	}		 	ļ	 	
\vdash	WAINT	No Trouble Found - per 1/2 hour increments - Basic		-		1		80.00	55.00	 		1		 	 	 	
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime				-		120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Overtime				-		160.00	110.00								
LINIDLIN	IDI ED I	DEDICATED TRANSPORT				ļ		100.00	110.00								
ONBOI		OFFICE CHANNEL - DEDICATED TRANSPORT										1			1		
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1								1					
		Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TLOTO	0.0107										
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						1
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	01112	200	10.00	2	10.77	0.01						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										ĺ
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															ĺ
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						<u> </u>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															1
		per month			U1TDX	1L5XX	0.0167										<u> </u>
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															i .
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															i .
	!	per month			U1TDX	1L5XX	0.0167			ļ		<u> </u>		ļ	ļ	 	
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATES	10.70	40.00	07:-	10	00:			1		1	1
	<u> </u>	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		 	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91				 		
	1	month			U1TD1	1L5XX	0.3415							1		1	1
<u> </u>	-	Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	ועווט	ILOAA	0.3415			 				-	 	-	
1	1	Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48			1		1	1
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1			7	77.14	00.41	01.00	10.53	14.40	1		 	1	 	<u> </u>
1	1	Imonth			U1TD3	1L5XX	8.02							1		1	1 '
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01120	120701	0.02										
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						1
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	l	month		1	U1TS1	1L5XX	8.02										1
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															ſ
		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						i .
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	36.41					<u> </u>			[
	ļ	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11	ļ			ļ		 '
1	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDESY	41.50/								1		1	1
<u> </u>	!	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	97.65	040.51	100 4=	0.17 =0	100 **	<u> </u>		ļ	ļ	 	
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11	l	l	l	1	l	

UNBUND	OLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	ibit: B
CINDOINE		THE TWO KIN ELEMENTO GOULT CATOLINA				1						Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc	Manual Svc		
CATEGOR		NATE ELEMENTO	m	20116	B00	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OVY ACCE	CC T	EN DIGIT SCREENING						FIISL	Auu i	FIISL	Add I	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
OXX ACCE		BXX Access Ten Digit Screening, Per Call			OHD		0.0006673										
		BXX Access Ten Digit Screening, Reservation Charge Per 8XX			OND		0.0000073										-
		Number Reserved			OHD	N8R1X		2.59	0.44								
		BXX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		2.00	0.11								
		POTS Translations			OHD			5.95	0.81	4.58	0.54						
		BXX Access Ten Digit Screening, Per 8XX No. Established With			OTID			0.00	0.01	4.00	0.04		1				
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
		BXX Access Ten Digit Screening, Customized Area of Service			0.1.5	1101 171		0.00	0.01		0.0 .		1				
1		Per 8XX Number			OHD	N8FCX		2.59	1.30								
		BXX Access Ten Digit Screening, Multiple InterLATA CXR			OTID	1401 07		2.00	1.00								1
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
		BXX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	 	3.03	0.44								†
		BXX Access Ten Digit Screening, Call Handling and Destination			0.1.5	1101701		0.00	0								1
		Features			OHD	N8FDX		2.59	2.59						Ì		
		BXX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD	110. 27.	0.0006673	2.00	2.00								
		BXX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFO		TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000246										
		LIDB Validation Per Query			OQU		0.0138158										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18							
SIGNALIN					,												
		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		ink)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SER																	
		Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21						
		nteroffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
		nteroffice Transport - Dedicated - 2-wr Voice Grade Per Facility							·								
\vdash		Termination					24.30	40.63	27.47	16.77	6.91	<u> </u>					ļ
\vdash		Local Channel - Dedicated - DS1 - Zone 1		ļ			42.62	177.87	154.06	22.24	15.30						
		Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30						
\vdash		Local Channel - Dedicated - DS1 - Zone 3		ļ			190.68	177.87	154.06	22.24	15.30						<u> </u>
\vdash		nteroffice Transport - Dedicated - DS1 Per Mile		<u> </u>			0.3415								ļ		<u> </u>
															Ì		
041::::		nteroffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		1	77.14	89.47	81.99	16.39	14.48						
CALLING		E (CNAM) SERVICE		<u> </u>	001/	1				2.1-							
		CNAM For DB Owners - Service Establishment		<u> </u>	OQV	1		23.00	23.00	21.15	21.15						
		CNAM For Non DB Owners - Service Establishment		<u> </u>	OQV	1		23.00	23.00	21.15	21.15						
		CNAM For DB Owners - Service Provisioning With Point Code			001/			000.00	704 47	200.50	400.40				Ì		
\vdash		Establishment		1	OQV		ļ	993.09	734.47	269.53	198.18	1	-		 		<u> </u>
		CNAM For Non DB Owners - Service Provisioning With Point			001/			0.40.00	045.00	075.07	400.40				Ì		
\vdash		Code Establishment		<u> </u>	OQV	-	0.0040400	343.09	245.69	275.87	198.18				1		
\vdash		CNAM for DB Owners, Per Query		1	OQV OQV		0.0010433					1	-		 		<u> </u>
CEL FOT		CNAM for Non DB Owners, Per Query		1	υųν		0.0010433					1	-		 		<u> </u>
SELECTIV				1		+											
		Selective Routing Per Unique Line Class Code Per Request Per						04.00	04.00	4444	44.44				Ì		
VIDTUAL		Switch		<u> </u>		+	1	84.89	84.89	14.14	14.14	1	1		1		
VIRTUAL (UULL	UCATION			l							<u> </u>	1				

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
ONDONDE	LD NETWORK ELEMENTS - South Carolina										Svc Order	Svc Order	Incremental		Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		T N1	B'			000	D-1 (A)		
						Rec	Nonrec		Nonrecurring First		201150	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						First	Add'l	FIIST	Add'l	SOWIEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
	Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICAL C	OLLOCATION			OLI OK OLI OD	VETEO	0.0317	12.02	11.00	0.04	3.43						
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
	Query NRC, per query			SRC		0.0035036										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,			A 4 8 1	044405		00.50	00.50	40.70	10.70						
\vdash	Initial Setup	 	 	A1N	CAMSE	1	39.53	39.53	40.78	40.78				-	1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						
-	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85		9.11						
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	1	†		37 WYIII	1	7.00	7.00	3.11	3.11					1	
	ID Code	1	1	A1N	CAMAU		35.08	35.08	27.12	27.12						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
	AIN SMS Access Service - Session, Per Minute					0.7121										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
-	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		4,211.54	4,211.54	0.00	0.00						
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VX		4,211.04	7,211.04	0.00	0.00						
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				DARTO		04.54	04.54	44.00	44.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.54	34.54	14.39	14.39						
	DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Query Charge, Per Query				2/11 11	0.0558238	54.54	04.04	14.55	14.00						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1			İ	5.1300200			†							
	Subscription, Per Node, Per Query	1	1			0.0069214			j							
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1													
	Subscription	 	<u> </u>	CAM	BAPMS	11.87	7.85	7.85	5.52	5.52					1	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription	1	1	CAM	BAPLS	3.51	8.68	8.68	j							
\vdash	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1	1	CAW	DAPLO	3.51	0.08	0.08	+ -					-		
1	Subscription	1	1	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	<u> </u>	<u> </u>		2 20	5.40	7.00	7.00	0.02	0.02						
	Service Subscription			CAM	BAPES	0.12	8.68	8.68								
	EXTENDED LINK (EELs)															
	E: The monthly recurring and non-recurring charges below will															
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurri	ng charges below v	will apply for	UNE combination	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS					,									
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61					ļ	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	-		UNCVX UNCVX	UEAL2 UEAL2	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61				-	1	
	I HOLZ-AAHE AG FOOD (OFF) III COHIDIHATIOH - TOHE 2	<u> </u>	J	OINONA	ULALZ	20.40	105.98	00.43	ეე.0ე	10.01	1			l	1	

ALTECONY BATE LLEMENTS PAGE	LINBUNDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: B
NATE ELEMENTS Mark	ONBONDE	I NETWORK ELEMENTS - South Carolina					I					Svc Order	Svc Order				
Part Part													1				
CAPTION Part CAPTION Part CAPTION																	
Record R	CATEGORY	DATE ELEMENTS	Interi	Zono	BC6	HEOC			DATES (\$)								
No. Company	CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR				
Part														Electronic-			
Section Sect														1st	Add'l	Disc 1st	Disc Add'l
Section Sect				-			l	Manna		Name and a second to a	. Diazzanast			000	Detec (t)		
Institution Transport - Disclosured - Polistoner - Poliston Poliston Polistoner - Poliston							Rec										
Description								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Bissorter Trasport - Todocoar - Dist Commission - Pacifity		·															ł
Termination pair morth					UNC1X	1L5XX	0.27										<u> </u>
10 Charmodizeno System in contribution by Mode Mode		Interoffice Transport - Dedicated - DS1 combination - Facility															í
Sept Additional 2 Wins Visit Long (SL 7) in Combination - Zone 1 1, INCVX 15PVS 0.58 5.59 4.73 0.00 0.00		Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						i
Seath Additional 2 Winn VG Loop (St. 7) in Combination - Zene 1 1 UNCX		1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						í
Each Additional J.Wine VG Loop (St. 7) in Combination - Zone 2		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						i
Each Additional J.Wine VG Loop (St. 7) in Combination - Zone 2																	í
Each Additional J.Wine VG Loop (St. 7) in Combination - Zone 2		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						í
Eco Additional 2-Wire Visit Log (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 28.46 19.586 88.43 53.06 19.61																	
Eco Additional 2-Wire Visit Log (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 28.46 19.586 88.43 53.06 19.61		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	LINC\/X	LIEAL 2	23 13	105 98	68 43	53.05	10.61						í
None Grade COCI - Ptr Morthal Newson Elements Switch - Application UNCX 1019/05 5.56 6.59 4.73 0.00 0.00		2017 Additional 2 11110 10 Loop (OL 2) III Combination - Zone 2			J., J. V.) L/ (L/	20.10	100.00	00.40	33.03	10.01	1	 				
None Grade COCI - Ptr Morthal Newson Elements Switch - Application UNCX 1019/05 5.56 6.59 4.73 0.00 0.00		Each Additional 2-Wire VG Loop (SL 2) in Combination 7000 2		2	LINCVX	LIEALS	20 46	105.09	60 43	E2 0E	10.61				l		1
Nanecuring Currently Combined Network Elements Switch Asserting Switch Asserting Information - Survey Lincold Switch Asserting Switch Asse	\vdash		-	_ 3								-	 				
Mincry M	\vdash			1	UNCVX	IDIVG	0.56	6.59	4.73	0.00	0.00	1	1	-			
Extended 4-wise Voice Grade Loop in Combination - Zone 1																	ł
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1								5.61	5.61	7.00	7.00						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	FED DS	1 INTER	ROFFICE TRANSPO	DRT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61																	ł
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						l
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	í
Intereffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LEXX 0.27		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						ł
Intereffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LEXX 0.27		-															1
Intereffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LEXX 0.27		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						ł
Per Month				<u> </u>													
Interoffice Transport - Dedicated - DST - Facility Termination Per North Nor					LINC1X	11 5XX	0.27										ł
Month					OHOTA	TEO/O	0.27										
10 Channel System in combination Per Month UNC1X MO1 107.57 91.24 62.71 10.56 9.81 Wice Grade COCI in combination - Jone 1 1 UNCVX 101VG 0.56 6.59 4.73 0.00 0.00 Moldificated A-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade COCI in combination - Per month UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade COCI in combination - Per month UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Analog Voice Grade COCI in combination - Per month UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Extended Digital Combination - Society & UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Extended Digital Combination - Zone 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Extended Digital Combination - Zone 1 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Extended Digital Combination - Zone 2 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Digital Combination - Zone 2 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Digital Combination - Zone 2 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 Moldificated A-Wire Self-Best Digital Combination - Zone					LINC1V	LIATEA	61 71	90.47	91.00	16 20	1/ /0						ł
Voice Grade COCI in combination - per month	-			1								1	1				
Additional 4-Wire Analog Voice Grade Loop in same DS1												1					
Interoffice Transport Combination - Zone 1					UNCVX	IDIVG	0.56	6.59	4.73	0.00	0.00		ļ				
Additional 4-Wire Analog Voice Grade Loop in same DS1 2 UNCVX																	í
Interoffice Transport Combination - Zone 2 2 UNCVX				1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61																	í
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61				2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
Additional Voice Grade COCI in combination - per month UNCVX 101VG 0.56 6.59 4.73 0.00																	í
Nonrecurring Currently Combined Network Elements Switch -As- Sc Charge				3	UNCVX		43.38		94.83	59.35							l
Scharge UNC1X UNCCC 5.61 5.61 7.00 7.00		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						ĺ
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		Nonrecurring Currently Combined Network Elements Switch -As-														-	1
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT				1	UNC1X	UNCCC		5.61	5.61	7.00	7.00				l		1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61												1					1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61	1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61				 		1	20.00	.20.00	332	55.56		Ì	1		1		ĺ
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61	1 1	First 4-Wire 56Khps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL 56	33 99	126 66	89 12	59 35	14 61	1					ł
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 I1.00 I1.	 	- 100 1 1110 CONDO DIGITAL CITAGE ECOP III COMBINATION - ZONE Z		 -	S.13DX	35200	55.55	120.00	00.12	55.55	17.01	 	 		 		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 I1.00 I1.		First 4-Wire 56Khne Digital Grade Loop in Combination 7000 2		2	LINCDY	LIDLES	24 74	126 66	90.12	50.25	1161				l		1
Per Month UNC1X 1L5XX 0.27				3	UNCDA	ODLJO	34.74	120.00	09.12	39.33	14.01						
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48				1	LINCAV	11.5	0.07								l		1
Termination Per Month	\vdash			-	UNUTA	ILOXX	0.27					 	 		-		
1/0 Channel System in combination Per Month				1	LINGAV	LIATE 4	24.71	00.47	04.00	10.00	44.00				l		ł
OCU-DP COCI (data) per month (2.4-64kbs)	\vdash			<u> </u>								1	ļ				
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 1 UNCDX UDL56 29.93 126.66 89.12 59.35 14.61	\vdash			 													
Interoffice Transport Combination - Zone 1				<u> </u>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		ļ				1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1											İ		1
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	<u> </u>					1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-	I T			1										1			
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61	I			2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															í
Additional OCU-DP COCI (data) - in combination per month (2.4-				3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61				İ		1
						İ									İ		í
	1 1				UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	1					ł

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		_			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														- 4		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		İ		İ		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		† Ť				00		22.00		1	1		1		
	Per Month			UNC1X	1L5XX	0.27					1					
 	interoffice Transport - Dedicated - DS1 combination - Facility		-	011017	ILOAA	0.21			 		 	 		 		
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1					
 		-	 	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	-	-				
	1/0 Channel System in combination Per Month		-								1	 	-	 		
\vdash	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	1	1	1	1		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		l .		un s		,					l		İ		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			OHOTA	COLDOX	201.00	200.00	107.00	44.00	11.70						
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAX	0.21										
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
-				UNCIA	UTIFT	01.71	09.47	01.99	10.39	14.40	1					
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINGAY	LINICOO		5.01		7.00	7.00		l		İ		
	Is Charge	ED DC:	L	UNC1X	UNCCC	1	5.61	5.61	7.00	7.00	1	1	-			
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	⊏D DS3				20.0-	6=0.0-	.== -			1	1	1	1		
\vdash	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	1	ļ				
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		ļ				
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		ļ				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		1]						l		l		
	Per Month			UNC3X	1L5XX	6.42						ļ				
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										1					
	month		<u></u>	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59			<u></u>	L		
	3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	1					
	Additional DS1Loop in DS3 Interoffice Transport Combination -					į i					1	İ				
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		1				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	-					50		Ì	1		1		
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		İ		İ		
 	Additional DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	†	 		 		
 	Nonrecurring Currently Combined Network Elements Switch -As-		-	011017	COIDI	0.04	0.59	7.73	0.00	0.00	†	1		1		
	Is Charge		1	UNC3X	UNCCC		5.61	5.61	7.00	7.00		İ		İ		
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	L E INITE:			 	3.01	0.01	1.00	7.00	 	-	-	-		
EVIE		GRAD		UNCVX		16.68	405.00	68.43	50.05	10.61	-	-				
—	2-WireVG Loop in combination - Zone 1				UEAL2		105.98		53.05		1	 		 		
\vdash	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1	1	1	1		
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61]	1				

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
	ODV	DATE ELEMENTS	Interi	7	BCS	11000			DATES (6)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	OKT	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0134										
		Interoffice Transport - 2-wire VG - Dedicated - Facility			0110171	120701	0.0101					-					
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	011172	13.44	+0.03	21.41	10.77	0.31						
					UNCVX	1111000		5.04	5.04	7.00	7.00						
		Is Charge		<u> </u>		UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	1	Month	l	1	UNCVX	1L5XX	0.0134					I	l				1
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1		1						1	1		1		
	l	Termination per month	l	1	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91	1	I		1]	
	1		1	1	014047	J11 V4	17.03	40.03	21.41	10.11	0.91	1	 		 	1	
	l	Nonrecurring Currently Combined Network Elements Switch -As-	İ		LINOVA	LINICOO			F C :	7.00	7.00	1					
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10071	01110	701.02	2, 0.0.	100.12	00.00	00.00						
		Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	EVTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	FRAFE		UNCCC		3.01	3.01	7.00	7.00	1					
	EXIEN		9-1 IN I	EKUFF		41 = 115	40.00										
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	EVTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	CDODT	UNCOA	UNCCC		3.01	3.01	7.00	7.00	1					
	EXIEN		IKAN	SPURI	LINONIX	1141.02/	05.04	447.50	00.00	50.05	40.04	ļ					
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	1	Interoffice Transport - Dedicated - DS1 combination - per mile	1	1									i				_
	<u> </u>	per month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.27					<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - Facility															
	1	Termination per month	l	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	I	l				1
	1	1/0 Channel System in combination - per month	1	t	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1	 		t		
	 	2-wire ISDN COCI (BRITE) - in combination - per month	 	 	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	 	 		1	 	
	1		1	1	OIVOIVA	JUTUA	2.30	0.59	4.73	0.00	0.00	1	 		 	1	
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	İ		LINICALY	1141.024	05.01	417.50	00.00	50.05	10.01	1					
	<u> </u>	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	1					
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	İ	l -								1					
		Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61]	1]	
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1			1						1]	
	<u> </u>	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	l	month	l	1	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	1	I		1]	
		Nonrecurring Currently Combined Network Elements Switch -As-		1		1		2.00		2.00	2.00	1	1		1		t
	l	Is Charge	l	1	UNC1X	UNCCC		5.61	5.61	7.00	7.00	1	I		1]	
	EVTEN	IS Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 INITE				0.01	10.0	7.00	7.00	1	 		 	1	
	EXIEN		ED 212				20.0=	050.00	157.00	44.00	44 =	 	1		-		-
	 	First DS1 Loop Combination - Zone 1	 		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	 					
	<u> </u>	First DS1 Loop Combination - Zone 2	<u> </u>		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	ļ			1		
	1	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	L	L			L	

UNBLINDLE	D NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: B
CIVECIVEL	Code Code Carolina										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
CATEGORI	KATE ELEMENTO	m	20116	ВСО	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Per Month			UNCSX	1L5XX	6.42										1
—	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOA	ILJAA	0.42			-					-		
				UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						1
	Termination per month	1	<u> </u>	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
-	3/1 Channel System in combination per month DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
-	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIA	OCIDI	0.04	6.59	4.73	0.00	0.00				-		
	Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						1
		1	<u> </u>	UNCIA	USLAA	90.67	255.05	157.09	44.00	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport		2	LINGAV	USLXX	455.40	252.02	457.00	44.00	44.70						i
\vdash	Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport	-		UNC1X	USLAX	155.43	253.03	157.89	44.80	11.73					-	
	Combination - Zone 3	1	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	1	1		I		1
 	DS1 COCI in combination per month	 	3	UNC1X UNC1X	UC1D1	261.89 8.64	6.59	4.73	0.00	0.00				 		
 	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	OINCIA	OCIDI	8.04	0.09	4.73	0.00	0.00				 		
				LINCOV	LINICCO		F C4	F C4	7.00	7.00						1
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT	EDOE	UNCSX	UNCCC		5.61	5.61	7.00	7.00				-	-	
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	SPS IN I		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		1		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	3	UNCDA	UDLS6	34.74	120.00	09.12	39.33	14.01						
				LINCDY	1L5XX	0.0134										1
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	<u> </u>	UNCDX	ILDAX	0.0134										
				UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						1
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCDA	UTIDS	13.41	40.63	21.41	10.77	0.91						
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						1
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EBOEE		UNCCC		5.01	5.01	7.00	7.00						
EVIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	PS IN I	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
—	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61				-		
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	34.74	120.00	09.12	39.33	14.01						
	Per Mile per month			UNCDX	1L5XX	0.0134										1
 	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.0134										
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						1
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	UTIDO	13.41	40.03	21.41	10.77	0.91						
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						1
EYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSD	ORT W		UNCCC		5.01	0.01	7.00	7.00				 		
- ILATE	First 2-wire VG Loop (SL2) in Combination - Zone 1	LANGE		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61				 		
	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	-			 	1	
 	First 2-wire VG Loop (SL2) in Combination - Zone 3	 		UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				 		
 	First Interoffice Transport - Dedicated - DS1 combination - Per	 	-	5.101/	J L / 11_E	20.40	100.00	00.43	33.03	10.01				 		
	Mile	1	1	UNC1X	1L5XX	0.27					1	1		I		1
 	First Interoffice Transport - Dedicated - DS1 combination -	1	1	ONOTA	ILOAA	0.21								-		
	Facility Termination per month	1	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	1		I		1
 	Per each DS1 Channelization System Per Month	 	 	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				 		
 	Per each Voice Grade COCI - Per Month per month	 	 	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00				 		
 	3/1 Channel System in combination per month	 	 	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				 		
 	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	l	l		 		f
 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	 	 	5.101A	30101	0.04	0.09	7.73	0.00	0.00				 		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
 	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1			J	10.00	100.00	00.40	55.55	10.01	l	l		 		f
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1	1		I		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			J. 1.5 V/	J = 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20.10	100.00	00.40	55.05	10.01		1				
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	1	1		I		1
 	Each Additional Voice Grade COCI in combination - per month	 	-	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00				 		
 	Each Additional DS1 Interoffice Channel per mile in same 3/1	 	 	5.101/	12.140	0.50	0.09	7.73	0.00	0.00				 		
	Channel System per month			UNC1X	1L5XX	0.27										1
 	Each Additional DS1 Interoffice Channel Facility Termination in	 	 	CHOIA	1LUAA	0.27			 					 		
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
 	Each Additional DS1 COCI combination per month	 	 	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		l		1	1	
	Edon / Additional Do Food Combination per month	<u> </u>	<u> </u>	011017	00101	0.04	0.09	7.73	0.00	0.00	l	l		l	l	

UNBUNE	DLEC	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: B
CITECITE	1	THE THORK ELEMENTO COUNTY OUT ON THE										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonrec			g Disconnect				Rates (\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY	1111000		5.04	5.04	7.00	7.00						
	TENI	IS Charge DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	SEEICE	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
E^		First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	FFICE	TRANSPORT W/ 3/1	WOX											
		Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		First 4-Wire Analog Voice Grade Local Loop in Combination -			ONOVA	OLAL4	32.33	132.30	34.03	39.33	14.01						
		Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.27										
	\Box	First Interoffice Transport - Dedicated - DS1 - Facility															
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Per each 1/0 Channel System in combination Per Month	<u> </u>		UNC1X	MQ1	107.57	91.24	62.71		9.81						
		Per each Voice Grade COCI in combination - per month	ļ	<u> </u>	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
\vdash		3/1 Channel System in combination per month	<u> </u>	<u> </u>	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	UEAL4	32.39	132.30	94.03	59.55	14.01						
	ľ	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONCVA	ULAL4	43.03	132.30	34.03	39.33	14.01						
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť	0.1017	02/121	10.00	.02.00	0 1.00	00.00							
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	•														
		ls Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX		DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								== ==							
		Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	LINCDY	UDL56	22.00	400.00	00.40	50.05	44.04						
		Zone 2 First 4 Wire 56Khas Digital Grade Legal Legal in Combination			UNCDX	UDLS6	33.99	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
\vdash		First Interoffice Transport - Dedicated - DS1 combination - Per	 	-	5.10DA	32200	54.74	120.00	00.12	55.55	14.01		 		 		
		Mile Per Month			UNC1X	1L5XX	0.27										
		First Interoffice Transport - Dedicated - DS1 - combination	1		-	1					Ì				İ		
		Facility Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		1		
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90					•	
		Per each DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	ŀ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
\vdash		Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				ļ		
	ŀ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	33.99	106.00	89.12	E0.25	14.61		1		1		
\vdash		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		UNCDA	UDLOO	33.99	126.66	89.12	59.35	14.61						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
\vdash		OCU-DP COCI (data) COCI in combination per month (2.4-	 	3	CINODA	JULJU	34.14	120.00	09.12	39.33	14.01		 		 		
		64kbs)	1		UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		1		1		
		Each Additional DS1 Interoffice Channel per mile in same 3/1					0	2.00	0	2.00	2.00						
		Channel System per month	1		UNC1X	1L5XX	0.27						1		1		
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month	<u></u>		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system						_	-								
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CHECHEL	TENTONIC ELEMENTO GOULT GUIOTING										Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
G/11200111		m		200	0000			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	I	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
 					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrecurring Currently Combined Network Elements Switch -As-				-		11130	Auu i	THOU	Addi	JOHILO	JOINAN	JONAN	JOHAN	JOHIAN	JOINAIN
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						ł
FXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.01	0.01	7.00	7.00						
H-1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1			1							1				
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						ł
—	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLOT	20.00	120.00	00.12	00.00	14.01		1				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						ł
—	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	CHODA	05201	00.00	120.00	00.12	00.00	1		1				
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						ł
—	First Interoffice Transport - Dedicated - DS1 combination - Per		_	CHODA	05201	0	120.00	00.12	00.00	1		1				f
	Mile Per Month			UNC1X	1L5XX	0.27										ł
	First Interoffice Transport - Dedicated - DS1 combination -			O. CO. IX	120701	0.27										
	Facility Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				Ì		1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	 			1	107.07	J1.24	02.71	10.00	5.51	1					ſ
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						ł
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		1				f
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	00101	0.04	0.00	4.70	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						ł
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODA	ODLO4	23.33	120.00	03.12	33.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						ł
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	33.99	120.00	03.12	33.33	14.01	1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						ł
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		-	CHODA	ODLOT	04.14	120.00	00.12	00.00	14.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						ł
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	1.10	0.00	4.70	0.00	0.00		1				
	Channel System per month			UNC1X	1L5XX	0.27										ł
	Each Additional DS1 Interoffice Channel Facility Termination in			011017	120/01	0.27										
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						ł
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	01.71	00.47	01.00	10.00	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						í
—	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	00.5.	0.01	0.00	0	0.00	0.00		1				f
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						ł
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
1 1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1 3			İ					İ				İ		i Total
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						í
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						i
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															í
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				Ì		1
	First Interoffice Transport - Dedicated - DS1 combination - Per															1
	Mile per month	1		UNC1X	1L5XX	0.27								Ì		1
	First Interoffice Transport - Dedicated - DS1 combination -	Ì														ĺ
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						í
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						i .
						İ										ĺ
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00				Ì		1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						ĺ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						ı .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61				Ì		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
L l	Combination - Zone 2	<u>L</u>	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	<u></u>	<u></u>		<u></u>		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>	<u></u>		<u> </u>	<u> </u>	1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															ı
	system combination- per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00				l		1

UNBI	JNDLF	O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring			•		Rates (\$)		•
		-					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 = 204											
		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.27										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system			0.10.17		0	00.11	01.00	.0.00							
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	EVTEN	ls Charge DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDAN	CDODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IKAN		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
-	+	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
\vdash	1	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		۲		30200	201.00	200.00	107.00	44.50	11.75				1		
L	<u> </u>	Mile Per Month	L		UNC1X	1L5XX	0.27					<u> </u>	<u> </u>		<u></u>		
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAV	1L5XX	0.27										
	-	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	ILSXX	0.27										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system			0.10.77		0	00	01.00	.0.00	0						
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone					.== .0		.==								
-	-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS i Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Nonrecurring Currently Combined Network Elements Switch -As-		3	UNCIX	USLAA	201.09	255.05	137.09	44.00	11.73						
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINCDY	11 EVV	0.0404										
	1	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0134										
		Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	1	Nonrecurring Currently Combined Network Elements Switch -As-			2.7027	350	10.71	40.00	21.41	10.77	0.91						
	<u> </u>	Is Charge	L		UNCDX	UNCCC		5.61	5.61	7.00	7.00	<u> </u>	<u></u>		<u> </u>		
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
-	1	First 4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
1		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
\vdash	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	-	1	011007	ILUAA	0.0134										
		Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	İ	Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
ADDIT		ETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, the urring Currently Combined Network Elements "Switch As Is"					As Is Charge of	ioes not.									
—	Noniec	Nonrecurring Currently Combined Network Elements Switch As is	onarge	(One a	ppnes to each com	DillatiOII)				 							
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
			•		L									·		·	·

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		Disconnect	201150	001141		Rates (\$)	001111	001441
	Nonrecurring Currently Combined Network Elements Switch -As-				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
-	Nonrecurring Currently Combined Network Elements Switch -As-			ONOBA	CITOCO		0.01	0.01	7.00	7.00						
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.04	5.04	7.00	7.00						
Ontio	Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Орио	mai reatures & runctions.		1	U1TD1,		-	-								-	
	Clear Channel Capability Extended Frame Option - per DS1	l ,		ULDD1,UNC1X	CCOEF		OI	OL	OI	OL						
	Occar Oriannici Capability Extended France Option - per Bot	<u> </u>		U1TD1,	CCCLI		01	OI .	OI .	OI .						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MUL	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UNCIA	IVIQI	107.57	91.24	62.71	10.56	9.01					-	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			002		0	0.00								1	
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	2.56	6.59	4.73								
	used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	15170	0.00	0.00	4.70								
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		1	OTIDI	OCIDI	0.04	0.55	4.73								
	month			ULDD1	UC1D1	8.64	6.59	4.73								
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	be ordered usi	ng retail USOC	s								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)			UEDOD												
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
 	Zanango i oro Z ivilo ratalog Lilie i ort with Galler ID - Nes.	l	 	021 010	JL1 110	1.00	2.30	2.20	1.42	1.33					†	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33					1	
	Exchange Ports - 2-Wire VG unbundled SC extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Area															
	Calling port with Caller ID - Res (LW8)	<u> </u>		UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33					ļ	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEDAD	1		0.00	1 40	4.00						
 	with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33					 	
	Plan without Caller ID	ĺ		UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33					1	
<u> </u>	i ian matout oalioi ib		1	OLI OIX	OLI VVL	1.00	2.30	2.20	1.42	1.33	l			1		L

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	KATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>			+		N			. D'		l .	000	D-((A)		ļ.
\longrightarrow						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG South Carolina Residence Area															
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1														
	Bue			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with	1		OLI OD	OLI DL	1.00	2.00	2.20	1.72	1.00						
1 1	unbundled port with Caller+E484 ID - Bus.	1		UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		l				
$\vdash \vdash \vdash$	unbundiou port with Callette404 ID - Dus.	+	1	OLFOD	OLFDC	1.05	2.38	2.28	1.42	1.33		-				
1 1	Fushers Darte O.Wiss Apples Line Bost outes in the Burn	1		LIEDOD	LIEDDO	4.05	0.00	0.00	1 440	4.00		l				
$\vdash \vdash \vdash$	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	-	<u> </u>	UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		ļ		1		1
1 1	Exchange Ports - 2-Wire VG unbundled SC extended local	1			1				I			1		Ì		I
\longrightarrow	dialing parity Port with Caller ID - Bus.	<u> </u>		UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		ļ		ļ		ļ
1 1	Exhange Ports - 2-Wire VG unbundled incoming only port with	1							1			l				
	Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus															
	Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing															
	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Area															
	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1		02. 05	02. 55	1.00	2.00	2.20		1.00						
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
	Subsequent Activity	+		UEPSB	USASC	0.00	0.00	0.00	1.42	1.33						
FEAT		-		UEPSB	USASC	0.00	0.00	0.00								
FEAT	TURES	 		LIEDOD	LIEDVE	0.04	0.00	0.00								
\longrightarrow	All Available Vertical Features	1		UEPSB	UEPVF	3.04	0.00	0.00								
	All Available Vertical Features				UEPVF	3.04	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	1	UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		i				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		1		1		1
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		1		 		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	+	!	<u> </u>	JEI AD	1.00	31.34	17.00	10.37	0.30				 		
1 1	Capable Port	1		UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		1		Ì		I
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	1	OLFOF	ULFAE	1.05	31.34	14.68	13.97	0.90		-				
1 1		1		LIEDOD	LIEDY!	4.0-	24.24	44.00	10.00	0.00		1		Ì		I
$\vdash \vdash \vdash$	Administrative Calling Port	-	<u> </u>	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		ļ				1
1 1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEDOD	LIEDVA.							1		Ì		I
\vdash	Room Calling Port	ļ	ļ	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90						
1 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1			1				I			1		Ì		I
\sqsubseteq	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		<u> </u>				<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus											1	-		-	1
	Calling Port	1		UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		1		Ì		I
i i	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES				1	-						l				
	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	3.04	0.00	0.00								
EXCF	IANGE PORT RATES (COIN)	1	i –		1	2.01	2.00	2.00	1					İ		
 	Exchange Ports - Coin Port	1	i e		1	1.65	2.38	2.28	1.42	1.33				1		
		1	1		1	1.00	2.00	2.20	1.42	1.00				1		
l ocal	Switching Features offered with Port				I I											

CATEGORY	ED NETWORK ELEMENTS - South Carolina	1														bit: B
CATEGORY											Svc Order	Svc Order	Incremental	ment: 2	Incremental	Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac 1at	Disc Add I
						Rec	Nonre			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	E: Access to B Channel or D Channel Packet capabilities will be	e availat	le only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/l	New Busines:	s Request Pro	cess.	L
	LOCAL EXCHANGE SWITCHING(PORTS)															L
	IANGE PORT RATES															
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Requ	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the									iscretion.					├
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77						+
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	LIEDDD	70.00	202 47	05.00	70.75	0.47						i
	capability (E:4/1/2004)				UEPDD	73.62	202.47 72.93	95.90	72.75 47.90	2.47 10.76						+
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38		53.11	47.90	10.76						+
+-	All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
NOT	Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so	witchal		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	iccion by B C	hannole coors	atod with a	wire ICDN	orte	-		
	 :: Iransmission/usage charges associated with POTS circuit st :: Access to B Channel or D Channel Packet capabilities will be 													Paguast Dra	COSS	
	E. Access to B Channel of D Channel Facket capabilities will be HANGE PORT RATES (continued)	. avandi	ie omy	ougii DER/NEW	Luomess Re	44691 1 100699	nates for the	Pucket capabi	ILLES WIII DE U	l via i	ina bolla rik	ao nequest/i	TOW DUSINGS	. Nequest P10		
- ILAGI	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	 			1									 		
] [Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10	1			Ì		1
—	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 		UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						f
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						—
	Virtual collocation - Special Access & UNE,cross-connect per			OLI EX OLI DX		1.12	22.00	10.00	0.42	0.00						—
	DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						i
Deta	led E911 with Locator Capability (required with UEPEX port)			OLI EX OLI BX	O. CO. IX	2	22.00	10.00	0.12	0.00						
2014	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															i
	State			UEPEX	UEP1A	0.00	1,808.00		156.43							ı
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						,									
	Locator Capability - Subsequent Profile Changes, Additions,															ı
	Deletions			UEPEX	UEP1B	0.00	175.53									i
New	or Additional PRI Telephone Numbers			-	_											
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															i .
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								<u> </u>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															ĺ
	Locator Capability - Outdial Telephone Numbers, per number in															i .
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															1
	Telephone Numbers - Inward Data Only Option [New or															i .
$oxed{oxed}$	Additional]			UEPDX	UEP1E	0.00	0.49	0.49]		1
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															1
igwdow	Inward Tel Numbers [Customer Testing Purposes]	<u> </u>		UEPEX	PR7ZT	0.00	23.07	23.07								
LOC	AL NUMBER PORTABILITY	ļ	$\sqcup \sqcup$		Lung											├
	Local Number Portability (1 per port)	<u> </u>		UEPEX UEPDX	LNPCN	1.75								 		+
INTE	RFACE (Provsioning Only)	<u> </u>		HEDEV	DD74)/	0.00	0.00	0.00								├
$\vdash \vdash$	Voice/Data	_		UEPEX	PR71V	0.00	0.00	0.00								+
	Digital Data	 		UEPEX	PR71D	0.00	0.00	0.00	-	-				ļ		
N	Inward Data or Additional Channel	-		UEPDX	PR71E	0.00	0.00	0.00								
New	New or Additional - Voice/Data "B" Channel	}	 	UEPEX	PR7BV	0.00	14.56		1	1				1		
\vdash	New or Additional - Voice/Data B Channel New or Additional - Digital Data "B" Channel	1	 	UEPEX	PR7BF	0.00	14.56				1					
 	New or Additional Inward Data "B" Channel	1	H	UEPDX	PR7BD	0.00	14.56		 	 				 		
 	New or Additional Useage Sensitive Voice Data "B" Channel	 	H	UEPEX	PR7BS	0.00	14.50		 	 				 		
	New or Additional Useage Sensitive Voice Data "B" Channel	 	1	UEPEX	PR7BU	0.00										f
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.56		1	1				1		
CAL	TYPES	†	1			0.00	14.50				1			 		
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	1				1		
	Outward	†		UEPEX	PR7CO	0.00	0.00	0.00		1				1		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00						İ		
UNB	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	7														
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				İ	İ			İ	İ				İ		ſ
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33						

LINBLINDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: B
ONBONDE	LED NET WORK ELEMENTS - South Calonna	1	1								Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0475000	DATE ELEMENTO	Interi	-	BCS	11000			DATEO (6)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
LINE	UNDLED REMOTE CALL FORWARDING - Bus			OLI VIC	00/100		0.10	0.10								
CIND	ONDEED REMOTE GALL I ORMANDING - DUS	 	1		1	<u> </u>			1		1	1		1		1
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		l				
 	Oribunided Nemote Call Forwarding Service, Area Calling - Bus	1	 	OFL AD	OLIVAC	1.05	2.38	2.28	1.42	1.33	-	-		-		
	Unbundled Remote Cell Fernanding Conice Level Celling Re-	l	1	LIEDVB	LIEBLO	1.05	2.20	2.00	1 40	1 22		l				
\vdash	Unbundled Remote Call Forwarding Service, Local Calling - Bus	!		UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33	1	1		-		
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<u> </u>		UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33	1	ļ				
$\vdash \vdash \vdash$	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	<u> </u>		UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33	ļ					
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
Non-	-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLE	D LOCAL SWITCHING, PORT USAGE															
	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010519										
	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tano	dem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Tandem Switching Function Per MOU (Melded)				+	0.00004951					1					
	Tandem Trunk Port - Shared, Per MOU (Melded)				+	0.00004931					1					
	Melded Factor: 30.30% of the Tandem Rate					0.000000749										
C					-						1					
Com	mon Transport	1	!		+	0.0000015			 		1	 		1		
	Common Transport - Per Mile, Per MOU	1	-		+	0.0000045					1	1		1		
LINIDLINIDI T	Common Transport - Facilities Termination Per MOU	1	-		+	0.0004095			 		1	 		1		
	D PORT/LOOP COMBINATIONS - COST BASED RATES	L			1						1	ļ				
	Based Rates are applied where BellSouth is required by FCC a								L							
	ures shall apply to the Unbundled Port/Loop Combination - Cos											<u> </u>				
	Office and Tandem Switching Usage and Common Transport U															
	first and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined s	ections.		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	<u> </u>														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	13.76			İ	İ	İ	İ		1		İ
	2-Wire Voice Grade Loop (SL1) - Zone 2	†	2	UEPRX	UEPLX	20.38					Ì	i		1		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04			1		1	1		1		
2-1//	re Voice Grade Line Port Rates (Res)	1			32.20	20.04			 		1	 		t		
2-441	2-Wire voice unbundled port - residence	 		UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	 	 		1		
 	2-Wire voice unbundled port - residence	1	-	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65	t	1		1		
\vdash	2-Wire voice unbundled port outgoing only - res	1	-	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65	}	 		 		1
\vdash		1	 	OLFIVA	ULFRU	1.13	40.30	19.90	24.98	0.05	-	-		-		
	2-Wire voice Grade unbundled South Carolina extended local	1	1	HEDDY	LIEDALI	1 440	40.00	40.00	04.00	0.05		l				1
\vdash	dialing parity port with Caller ID - res	!		UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65	1	1		-		ļ
1 1	2-Wire voice unbundled South Carolina Area Calling port with				l=s		40	40			1					
$oxed{oxed}$	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65	1	1				

CATEGORY RATE ELEMENTS Mint 20mm BCS USOC RATE (8) Wint Color Colo	UNBUN	DLEI	O NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY RATE REMENTS Interest No. 2006 RATE REMENTS Part 150 Color 150 Colo													Svc Order	Svc Order				Incremental
CATEGORY RATE GLEMENTS														1	_		Charge -	
Record Secretaria Secreta	CATEGO	DV	DATE ELEMENTO	Interi	7	DOC	usos			DATEC (6)								Manual Svc
No. No.	CATEGO	KY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES (\$)			per LSR	per LSR				
Professional Control Professional Control																		
Authorities Authorities															1st	Add'l	Disc 1st	Disc Add'l
Description Description								Poc	Nonrec	urring		Disconnect			oss	Rates (\$)		
LLAM								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SVINE Vision Library Confirms Reconstruct During Plant Improx						LIEDDY	LIEDAD	1 12	27.02	16.72								
Instruct Caller ID						UEPKA	UEPAP	1.13	37.93	10.72								
Institute Caller ID Capacitally UEPRX UE						UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
Cock Cock			2-Wire voice unbundled South Carolina Area Calling Port															
Conductors Conductor Con						UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
FATAVES						LIEDDY	LIEDDT	1 12	40.20	10.00	24.00	6.65						
Description of the process of the	F	FΔTII				UEPKA	UEPKI	1.13	40.30	19.90	24.90	0.03						
LOCAL MANEER PORTABILITY						UEPRX	UEPVF	3.04	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	L	OCAL	NUMBER PORTABILITY															
EPPEX USACC U.10 0.10						UEPRX	LNPCX	0.35										
Bellich-sale St. DEPRX USACZ 0.10 0.10	N	ONRE																
EPPEX USACC 0.10						LIEDDY	LICACO		0.40	0.40								
Switch with change						UEPRX	USAC2		0.10	0.10								
E-Viviv Voice Grade Loop-Line Port Combination - Subsequent Lorenz Lo						UEPRX	USACC		0.10	0.10								
Activity UPPRX USAS2 U.00 0	Α	DDITI																
Unbundled Macellaneous Rate Element, Tig Loop at End User UEPRX																		
Premise						UEPRX	USAS2	0.00	0.00	0.00								
CFFION PREMISES EXTENSION CHANNELS						LIEDDY	LIDETI		0.22	0.00								
2 Wire Anisoly Voice Grade Extension Loop - Non-Design 1 USEPRX UEARN 14.94 37.92 17.62 23.56 5.32	0	FF/ON	1 10111100			UEPKA	UKEIL		0.33	0.63								
2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPRX UEARN 21.30 37.92 17.62 23.56 5.32					1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
2 Wire Analog Vacioe Grade Extension Loop - Design 1 UEPRX UEAED 16.68 105.98 68.43 53.05 10.61					2	UEPRX		21.39	37.92		23.56	5.32						
2 Wire Analog Voice Grade Extension Loop - Design 2 UEPRX UEAED 23.13 106.98 68.43 53.05 10.61					_													
2 Wire Analog Vicice Grade Extension Loop - Design 3 UPERX																		
INTEROFFICE TRANSPORT Interdifice Transport - Dedicated - 2 Wire Voice Grade - Per Allie UEPRX U1TVZ 24.30 40.63 27.47 16.77 6.91																		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPRX	IN.	ITER			3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
Termination UEPRX UTIV2 24.30 40.63 27.47 16.77 6.91		*I LIKE																
OF Fraccion Mile UEPRX UTVM 0.0167 0.00 0						UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
2-Wire Voice Grabe Loop WiTH 2-Wire Link PORT (BUS)																		
UNE PorULoop Combination Rates						UEPRX	U1TVM	0.0167	0.00	0.00								
2-Wire VG Loop/Port Combo - Zone 1																		
2-Wire VG Loop/Port Combo - Zone 2 2 2.1.52	- 0	NE PO			1		+	14 89			1							
Cambridge Camb							† †											
2-Wire Voice Grade Loop (SL1) - Zone 1								27.17										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPBX UEPLX 20.38	U																	
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPBX	\vdash				1								<u> </u>					
2-Wire Voice Unbundled port with Caller ID - bus UEPBX UEPBL 1.13 40.30 19.90 24.98 6.65	\vdash										 		-					
2-Wire voice unbundled port with Caller ID - bus UEPBX UEPBL 1.13 40.30 19.90 24.98 6.65	2.	-Wire			3	OLFDA	JLFLA	20.04										
2-Wire voice unbundled port with Caller + E484 ID - bus UEPBX UEPBC 1.13 40.30 19.90 24.98 6.65	F					UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus UEPBX UEPAZ 1.13 40.30 19.90 24.98 6.65																		
dialing parity port with Caller ID - bus						UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
2-Wire voice unbundled incoming only port with Caller ID - Bus UEPBX UEPB1 1.13 40.30 19.90 24.98 6.65						LIEDDY	LIEDAZ		40.00	10.00	04.00	0.0-						
2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB) 2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID (LPBX UEPBX UEPBM 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled Incoming Only Port without Caller ID Capability UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65 UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65	\vdash												-					
with Caller ID (LMB)	 					OLFBA	OLFDI	1.13	40.30	19.90	24.98	0.00	<u> </u>					
2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability UEPBX UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65 2-Wire voice unbundled Incoming Only Port without Caller ID Capability UEPBX UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65						UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65 Capability UEPBX UEPBX UEPBB 1.13 40.30 19.90 24.98 6.65			2-Wire Voice Unbundled South Carolina Business Dialing Plan															
Port without Caller ID Capability						UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
2-Wire voice unbundled Incoming Only Port without Caller ID Capability UEPBX UEPBE 1.13 40.30 19.90 24.98 6.65						LIEDBY	LIEDED	4 40	40.00	40.00	04.00	0.05						
Capability UEPBX UEPBE 1.13 40.30 19.90 24.98 6.65	 					UEPBA	UEPBB	1.13	40.30	19.90	24.98	6.65		1				
						UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
LOCAL NUMBER FOR INDICATE	L	OCAL	NUMBER PORTABILITY				1											

CATEORY RATE ELEMENTS Inferf Zone BCS USOC RATE (8) Week Section Compared Charges	UNBUNDI ED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: B
CATEGORY RATE ELEMENTS Interé note RATE ELEMENTS RAT	CARDONDEEL	THE THE PARTY OF COULT CALCULA										Svc Order	Svc Order				Incremental
APPLICATION PRATE ELEMENTS Head 2 cm BCS USOS PRATES (s) PRATES (s) Prof. Marriago Marri			1														Charge -
CATEGORY RATE ELEMENTS m m m m m m m m m																	Manual Svc
Restrict	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second Second			m						.,,			per Lor	per Lor				Electronic-
Pack Print																	Disc Add'l
PRATISES DEPOS D																Disc 1st	Disc Add I
Core Number Processing / Leg Core Core							Poc	Nonrec	urring	Nonrecurring	Disconnect						
PEATURES								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Mile Pendance Grinder Mile Pend Comprision Commissi					UEPBX	LNPCX	0.35										
NONECURRING CHARGES (MICE) - CURRENTLY COMMINED 2-Win Vester Grants Long / Line Prior Combination - Commission - Service with of surge per wind of surge																	
Dept. Dept					UEPBX	UEPVF	3.04	0.00	0.00								
Sente has as																	
2-Win Victo Grade Locy Line Fort Combination - Conversion USPEX																	
Section with change ULEPEX USACC 0.10 0.1					UEPBX	USAC2		0.10	0.10								
ADDITIONAL NRCS			1														
2-WW VOOG Grade Loog Live Fort Commission - Subsequent Live Fox Live Acids Live Fox Live				<u> </u>	UEPBX	USACC		0.10	0.10								
Activity UPPEN U																	
Disturbled Miscellaneous Rale Element, Tay Lopp at End User UPPRX			1		LIEDDY	116 463		0.00	0.00	I					I		
Premise			 	-	UEFBA	USAS2	ļ	0.00	0.00					-	-	-	-
CFFON PREMISES EXTENSION CHANNELS 1 UPPEX UEARN 14.94 97.92 17.62 23.66 5.32			1		LIEDRY	LIDETI		0 22	0.63	I					I		
2 Wire Anstog Voice Grade Extension Loop - Non-Design 1 UPPRX UAREN 14,94 37.02 17.62 23.56 5.32			1		OLFDA	UNLIL		0.33	0.63	 		-		1	+	1	1
2 Wire Analog Voce Griefe Esterision Log - Non-Design 2 UEPBX UEARN 26.73 37.82 77.62 23.66 5.32			 	1	LIEPRY	ΠΕΔΕΝ	1/1 0/1	37 02	17 62	22 56	5 22			1	t	1	1
PYWE Antidg Votes Grade Esterison Log - Nov-Design 1 UEPRX			 												t		
2 Vivis Analog Voice Grade Extension Loop - Design			 												-		
2 Vitro Analog Voca Grade Extension Loop — Design 2 VIEPBX UEAED 23.13 105.88 68.43 53.05 10.61																	
2 Vitro Analog Vices Grade Extension Loop — Design 3 UEPBX UEAED 28.46 105.98 68.43 53.06 10.61				2													
INTEROPFICE TRANSPORT InterOrition Transport - Delicated - 2 Wire Voice Grade - Facility Intermination InterOrition Transport - Delicated - 2 Wire Voice Grade - Per Mile InterOrition Miles																	
Interdifice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPBX UTITVZ																	
Termination UEPBX																	
OFFREIDN MINE UPPS					UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
Z-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
UNE Port/Loop Combination Rates					UEPBX	U1TVM	0.0167	0.00	0.00								
2-Wire VG Loop/Port Combo - Zone 2 2 21.52	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
2-Wire VG Loop/Port Combo - Zone 2 2 21.52																	
2-Wire Voice Grade Loop (St. 1) - Zone 1																	
UNE Loop Rates																	
2-Wire Voice Grade Loop (St. 1) - Zone 1				3			27.17										
2-Wire Voice Grade Loop (St. 1) - Zone 2 2 UEPRG UEPLX 20.38				<u> </u>			10 =0										
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPRG UEPLX 26.04																	
2-Wire Voice Grade Line Port Rates (RES - PBX) UEPRG UEPRD										-							
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res				3	UEFRG	UEPLA	26.04										
Res												1					
LOCAL NUMBER PORTABILITY UEPRG LNFCP 3.15 0.00 0.00			1	1	LIEPRG	LIEPRD	1 13	69.26	32 50	37.53	6 22				1		
Local Number Portability (1 per port)			1	 	OLI NO	CLIND	1.13	03.20	52.50	57.55	0.22				 		
FEATURES			1		UEPRG	LNPCP	3.15	0.00	0.00	I		<u> </u>		1	I		1
All Features Offered			†		-	1 -	55	2.20	2.30	1					1		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					UEPRG	UEPVF	3.04	0.00	0.00								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPRG USAC2 7.93 1.91																	
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Conversion - Switch with Change	<u> </u>	Conversion - Switch-As-Is	<u> </u>	<u></u>	UEPRG	USAC2		7.93	1.91	<u> </u>					<u> </u>		
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								_	-								
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group T.34 T.					UEPRG	USACC		7.93	1.91								
Subsequent Activity			<u> </u>														
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.34 7.34 7.34			1	1						1					1		
Group			<u> </u>		UEPRG	USAS2	0.00	0.00	0.00	-				ļ	-	ļ	ļ
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPRG			1					704	704	I					I		
Premise			 	 		+		7.34	7.34	 							
OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPRG P2JHX 16.68 105.98 68.43 53.05 10.61 Local Channel Voice grade, per termination 2 UEPRG P2JHX 23.13 105.98 68.43 53.05 10.61 Local Channel Voice grade, per termination 3 UEPRG P2JHX 23.13 105.98 68.43 53.05 10.61 Non-Wire Direct Serve Channel Voice Grade 1 UEPRG SDD2X 17.74 131.88 62.06 90.70 13.42			1		LIEDDG	LIDETI		0 22	0.00	I					I		
Local Channel Voice grade, per termination 1 UEPRG P2JHX 16.68 105.98 68.43 53.05 10.61			 	 	ULFRU	UKEIL	-	8.33	0.83	 							
Local Channel Voice grade, per termination 2 UEPRG P2JHX 23.13 105.98 68.43 53.05 10.61	UFF/UN		1	1	LIEDRG	D2 IHY	16.60	105.09	68 43	53 OF	10.61			1	+	1	1
Local Channel Voice grade, per termination 3 UEPRG P2JHX 28.46 105.98 68.43 53.05 10.61	 		 											1	t	1	1
Non-Wire Direct Serve Channel Voice Grade			1	_								<u> </u>		1	I		
			1									<u> </u>		1	I		1
I INON-WIRE DIRECT Serve Channel Voice Grade I I Z IUEPRG ISDUZX I 25.16 I 65.94 I 31.03 I 45.35 I 6.71 I I I I I I I I		Non-Wire Direct Serve Channel Voice Grade	1	2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71				<u> </u>		

UNBLINDI	ED NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: B
CHECHEL	NET WORK ELEMENTO Godin Garonna										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
INT	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-W	re Voice Grade Line Port Rates (BUS - PBX)	Ì														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00						ļ		1
FEA	TURES	ļ			1								ļ	.	ļ	
	All Features Offered	ļ		UEPPX	UEPVF	3.04	0.00	0.00								├
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	!														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	HEDDY	110465						1		Ì	I	Ì	1
\vdash	Conversion - Switch-As-Is	!		UEPPX	USAC2		7.93	1.91								├
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDY	110466									1		1
 	Conversion - Switch with Change	1	-	UEPPX	USACC		7.93	1.91					-	1	-	
ADE	ITIONAL NRCs	1	-		+								1	 	1	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	LIEDDY	LICACO	0.00	0.00	0.00			1		Ì	I	Ì	1
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	-	UEPPX	USAS2	0.00	0.00	0.00					1	 	1	
1		1					704	704						1		1
\vdash	Group	 	-		+		7.34	7.34						 		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1	1	UEPPX	URETL		8.33	0.83			1		Ì	I	Ì	1
	ON PREMISES EXTENSION CHANNELS	 	-	UEFFA	UKEIL		8.33	0.83						 		
UFF		 	1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61				 		
\vdash	Local Channel Voice grade, per termination	 		UEPPX	P2JHX P2JHX	23.13	105.98	68.43	53.05	10.61			-		-	
\vdash	Local Channel Voice grade, per termination	 	3	UEPPX	P2JHX P2JHX	23.13				10.61			-	-	-	
\vdash	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade	 	1	UEPPX	SDD2X	17.74	105.98 131.88	68.43 62.06	53.05 90.70	13.42			-		 	
\vdash	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	2	UEPPX	SDD2X SDD2X	25.16	65.94	31.03	90.70 45.35	6.71				 		
\vdash	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	3		SDD2X SDD2X	29.58	65.94	31.03	45.35	6.71			-		 	
	INOT-WITE DITECT SELVE CHAITHEL VOICE GTAGE	I	J	OLFFA	SUUZA	29.38	00.94	31.03	40.00	0.71	1	1	1	1	l	

UNR	UNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
0140	CHDLL	- TETTIONIC ELEMENTO - GOULH GALONINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter:	1								Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR			UEPPX	U1TVM	0.0167	0.00	0.00	-							
-		ort/Loop Combination Rates	<u> </u>			1				-					-		
	ONL F	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
	UNFI	pop Rates		Ŭ			27.17										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76			1					1	1	İ
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38			1					1	1	İ
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04			1					1		
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (SC)		<u>L</u>	UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65				<u></u>	<u> </u>	<u> </u>
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:			LIEBOO	LIEBOO	4.40	40.00	40.00	04.00	0.05						
		900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
-		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			OLFCO	OLFCL	1.13	40.30	19.90	24.30	0.03						
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward without Blocking and without Operator			02. 00	02. 0.	0	10.00	.0.00	200	0.00						
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and 011 Blocking				-					0.00						
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:												_			
L		900/976, 1+DDD, 011+, and Local (SC)		<u> </u>	UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
<u> </u>		011+, Local; Enhanced Calling OPT 3YW (SC)		<u> </u>	UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65				1	ļ	ļ
		2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward Smartline with 900/976 (all states except		1	LIEDOO	LIEDOD		40.00	40.00	04.55	0.0-		1		I	1	1
<u> </u>	ADDIT	LA) ONAL UNE COIN PORT/LOOP (RC)		<u> </u>	UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65				1		
<u> </u>	ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	!	UEPCO	URECU	4.05	0.00	0.00	0.00	0.00				 	-	
-	LOCAL	INE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY		 	ULFCU	UKEUU	4.05	0.00	0.00	0.00	0.00		-			-	-
		Local Number Portability (1 per port)		!	UEPCO	LNPCX	0.35			t					t	1	1
1		ECURRING CHARGES - CURRENTLY COMBINED		1	<u>52.7 60</u>	LIVIOA	0.33			-					-		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 						1					1		
		Switch-as-is			UEPCO	USAC2		0.10	0.10						1		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i –		1				1					1		İ
L		Switch with change	<u></u>	L	UEPCO	USACC		0.10	0.10	<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u></u>
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent												_			
		Activity			UEPCO	USAS2		0.00	0.00								
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1									1		_]	1
		Premise	<u> </u>	L	UEPCO	URETL		8.33	0.83	ļ					ļ	ļ	ļ
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (KES)	ļ											
-	UNE P	ort/Loop Combination Rates		<u> </u>		1	18.00			1					1		
L		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	1 1		1	18.00						l		l		

UNBUN	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
0.1.20.1.1												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-		0.W/ \/O.L //O.T		_		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
———		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3			29.78										
UN		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.68										
H		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23.13					1					
		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	28.46										
2-1		/oice Grade Line Port Rates (Res)		Ü	OLITIK	02012	20.40										
 		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - res	<u></u>		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire voice unbundled South Carolina Area Calling port with															
		Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan													1		
<u> </u>		without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
IN		OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
-		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	UTIVZ	19.44	40.63	21.41	16.77	6.91						
		or Fraction Mile			UEPFR	1L5XX	0.0134										
FF	ATU				OLFIK	ILSXX	0.0134										
H + + -		All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
10		NUMBER PORTABILITY			OLITIK	OLI VI	0.04	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.24	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
UN		rt/Loop Combination Rates		<u> </u>		1	10.00								1		
 -		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	18.00								1		
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	24.45 29.78			 		-			 	-	
1 14		op Rates		3		+ +	29.78								+		
Ur		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.68			1					t	1	1
 		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13			 			 		t		
		2-Wire Voice Grade Loop (GL2) - Zone 3		3	UEPFB	UECF2	28.46					<u> </u>	 		I	1	
2-\		/oice Grade Line Port (Bus)		Ť			200								1		1
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33				1	İ	İ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled South Carolina Bus Area Calling Port			l								1		I		1
\vdash		with Caller ID (LMB)			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				ļ		ļ
		2-Wire Voice Unbundled South Carolina Business Dialing Plan			LIEDED	LIED.		,		l			1		I		1
 -	2047	without Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33				-		
LC		NUMBER PORTABILITY			UEPFB	LNPCX	0.05			 		-			 	-	
JA P		Local Number Portability (1 per port) PFICE TRANSPORT	-		UEPFB	LINPUX	0.35			<u> </u>			 				-
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ +									+		
		Termination			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91				1		
		rommano/I	l	L	OLITO	01172	13.44	40.03	21.41	10.77	0.91	1	·		1	l	1

UNBUNDU	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fvhi	bit: B
SHOUNDE	- Outil Galolila										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
I		Inter'									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		0.50	4.07								
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACC		8.50	1.87								
-	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		0.30	1.07								
	End User Premise			UEPFB	URETN		11.24	1.10								
2-///10	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT (UKETIN		11.24	1.10			1			1		-
	Port/Loop Combination Rates	_ CINE I	J.V.1 (I	- N	1									t	1	1
J.42 1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	18.00								-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	†	2		1	24.45					1	 		I	 	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			29.78								1	1	
UNE I	oop Rates					200								1	1	İ
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.68								1	1	İ
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	23.13								1		İ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
2-Wir	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPXE	4.00	407.00	00.04	67.00	44.54						
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPAE	1.32	137.32	83.31	67.02	11.51						
	Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
-				UEPFF	UEPAL	1.32	137.32	03.31	67.02	11.51				-		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	1		UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51		1		I	1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	†		0=111	JEI AIVI	1.02	101.02	00.01	01.02	11.31	1	 		I	 	
	Discount Room Calling Port	1		UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51		1		I	1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51				1	1	
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus				1									İ	İ	
	Calling Port	1		UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51		1		I	1	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
	Termination	ļ		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91				ļ	ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		LIEDED	41.5307							1		I	1	
H	or Fraction Mile	<u> </u>		UEPFP	1L5XX	0.0134								-	 	
FEAT		 	<u> </u>	LIEDED	LIEDVE	0.01	0.00	0.00						!	 	
NONE	All Features Offered	 	-	UEPFP	UEPVF	3.04	0.00	0.00						 	 	-
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 		1							 			-	-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		8.50	1.87				1		I	1	
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 	ULFFF	USAUZ		0.50	1.87				 			-	
	Combination - Conversion - Switch with change	1		UEPFP	USACC		8.50	1.87				1		I	1	
 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 		OL111	JUAGO		0.50	1.07				 		t	 	
	End User Premise	1		UEPFP	URETN		11.24	1.10				1		I	1	
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES	†			5.12/14		11.27	1.10				 		I	 	
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1									<u> </u>		
		•			1						l .	l		1	ı	L

UNBL	JNDLEI	NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fxhi	bit: B
UND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE I TOTAL CEEMENTO GOULD GALORING											Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										F • · · · · · · · · · · · · · · · · · ·	F	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								1										1
			<u> </u>					Rec	Nonrec		Nonrecurring					Rates (\$)		
	LINE D	will and Combination Dates							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52										
	UNE Lo	op Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
		ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
-	NONRE	CURRING CHARGES - CURRENTLY COMBINED	 				1											\longleftarrow
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	1		UEPPX		USAC1		7.32	1.87								1
<u> </u>	 	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	├		UEFFX		USACT	 	1.32	1.87				 		-		\vdash
	1	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87				1		1		1
	ADDITI	ONAL NRCs			OLITA		OOATO		7.52	1.07								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.24	1.10								1
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																1
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								\longleftarrow
-		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX UEPPX		ND5 ND6	0.00	0.00	0.00								\vdash
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
		NUMBER PORTABILITY			OLITA		NDV	0.00	0.00	0.00								
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																ĺ
		UNE Zone 1		1	UEPPB	UEPPR		30.86										1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_														1
		UNE Zone 2		2	UEPPB	UEPPR		38.60										\longleftarrow
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.23										1
	LINELO	op Rates		3	UEPPB	UEFFR		44.23										1
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USI 2X	21.90										
	†		<u> </u>	Ė				250			1					1		
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64						1		1		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
	UNE Po																	
		Exchange Port - 2-Wire ISDN Line Side Port	ļ		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37				ļ		igsquare
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>													ļ		
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			UEPPB	UEPPR	LICACE	0.00	20.50	27.00								i I
<u> </u>	ADDIT	Combination - Conversion ONAL NRCs	 		UEFFB	UEPPK	USACB	0.00	38.59	27.08				 		-		
	APPITE	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1								 					 		
	1	End User Premise			UEPPB	UEPPR	URETN		11.24	1.10				1		1		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				2=: : / (
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								1
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHAI	NNEL USER PROFILE ACCESS:	ļ											ļ				
-	ļ	CVS/CSD (DMS/5ESS)	 		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								\longleftarrow
—	 	CVS (EWSD) CSD	<u> </u>		UEPPB UEPPB	UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00								
-	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS º	TN\	UEPPB	UEFFR	01000	0.00	0.00	0.00								\vdash
	D-OHAI	THEE AREA I LOU OULK I NOT THE MODERS. (AL, KT, LA, MIS S	J,1113, 0	111)			<u> </u>				1		1	·		1		1

ONRONDLE	D NETWORK ELEMENTS - South Carolina		_			1	ı					1_			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)			UEPPB UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								├
	CVS (EWSD) CSD			UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			OLFFB	ULFFR	01001	0.00	0.00	0.00								—
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIO	CAL FEATURES							0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
4 14/100	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(DODT		UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								—
	IE-P DS1 combination rates below for in this rate exhibit appl			ided base	in place a	c of 10/2/02 i	intil 4/1/04 Af	tor 4/1/04 those	ratos shall ro	ort to tariff rate	oe or a conara	to commore	ial agraeme	nt			-
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
	ort/Loop Combination Rates		1			1		l and bare	and to a copa	ato agroomont	o a. 20.						
<u> </u>	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			1		1	İ	İ									
	Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
I INCE	Zone 3		3	UEPPP			347.84										
UNE LO	pop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87					1					
	4-Wire DS1 Digital Loop - ONE Zone 1		2	UEPPP		USL4P	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										-
UNE P	ort Rate		Ŭ	02		002	201.00										
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
ADDIT	ONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD		DDZTE		0.40	0.40								
	Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TF		0.49	0.49								
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI		11010		11.04	11.04								
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
Mour -	Inward Data Additional "B" Channel	 	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00			1					├
ivew of	New or Additional - Voice/Data B Channel	 	 	UEPPP		PR7BV	0.00	14.56				-			-	1	
	New or Additional - Voice/Data B Channel	1	-	UEPPP		PR7BF	0.00	14.56				1					
	New or Additional Inward Data B Channel	<u> </u>	<u> </u>	UEPPP		PR7BD	0.00	14.56									
CALL						Ī	1.30	150								1	
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage	ļ	<u> </u>							10							
	Fixed Each Including First Mile	<u> </u>	ļ	UEPPP		1LN1A 1LN1B	77.4815 0.3415	89.47	81.99	16.39	14.48						
A MIDE	Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	 	!	UEPPP		ILNIB	0.3415	ļ				1					
	EDST DIGITAL LOOP WITH 4-WIRE DUITS TRONK PORT IE-P DS1 combination rates below for in this rate exhibit appl	v to the	ambo	Ided baca	in place a	s of 10/2/02 ·	Intil 4/1/04 Af	tor 4/1/04 these	rates shall ra	ert to tariff rate	e or a concre	to commore	ial agroomo	nt	-	-	\vdash
Regue	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective	late of	this amen	dment sha	all be provide	ed pursuant to	a separate ann	ement or tarif	at BellSouth's	discretion	Le commerc	iai agreeille				\vdash
	ort/Loop Combination Rates			o unien		Se provide	puroudin to	_ copulate agre	oon or tarm	a. Donoouth a							—
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		i e	149.77										
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC			214.33					İ					

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
D											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
	1	m						(+/			per LSR	per LSK	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					1		Nonro	curring	Monrocurring	g Disconnect			088	Rates (\$)		
-		-	-			Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	AM DOA D'O'GALL AND ADDITO TO ALL DOAR AND TO TO A		_	LIEDDO		000.70	First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
<u> </u>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								1	İ			İ	İ		
1 1	- Conversion with DS1 Changes (E:4/1/2004)		1	UEPDC	USAWA		129.78	67.17		Ì	l	l	Ì	l		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		t						1		i	i	1	1		
	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		129.78	67.17		Ì	l	l	Ì	l		
ADDI	FIONAL NRCs	 	t		3010		120.70	57.17	†	 	 	 	 	 		
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	 		1				1	1	1	1	1	1		
1	Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		14.51	14.51								
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	 	OLFDO	JULIA		14.01	14.31	 		-	-				
				LIEDDO	UDTTB		14.51	14.51								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	ODLIB		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s								
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teler	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
 	Telephone Number for 1-Way Inward Trunk Group Without DID	1	 	UEPDC	UDTGZ	0.00			1	1	1	1	1	1		
 	DID Numbers, Establish Trunk Group and Provide First Group	1	 	021 00	3D13L	0.00			1	1	1	1	1	1		
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00		Ì	l	l	Ì	İ		
		1	1				0.00	0.00	 	 	 	 	 	 		
	DID Numbers for each Group of 20 DID Numbers	1	 	UEPDC	ND4	0.00	0.00	0.00	 	 	 	 	 	 		
\vdash	DID Numbers, Non- consecutive DID Numbers , Per Number	<u> </u>	1	UEPDC	ND5	0.00	0.00	0.00	1		1	1		1		
\vdash	Reserve Non-Consecutive DID Nos.	<u> </u>	1	UEPDC	ND6	0.00	0.00	0.00	1		1	1		1		
	Reserve DID Numbers	1 5: ::	<u>. </u>	UEPDC	NDV	0.00	0.00	0.00	1		1	1		1		
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS 1	runk Port				ļ							
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		1	l	1					Ì	l	l	Ì	İ		
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
			1	<u> </u>							i	i	<u> </u>			
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
1 1	Termination)		1	UEPDC	1LNO2	0.00	0.00	0.00		Ì	l	l	Ì	İ		
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles		1	UEPDC	1LNOB	0.3415	0.00	0.00		Ì	l	l	Ì	l		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities								1		İ	İ				
1 1	Termination)		1	UEPDC	1LNO3	0.00	0.00	0.00		Ì	l	l	Ì	l		
 		 	t			0.00	0.00	0.00	†	 	 	 	 	 		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.3415	0.00	0.00		Ì	l	l	Ì	l		
 	Local Number Portability, per DS0 Activated	 	-	UEPDC	LNPCP	3.15	0.00	0.00	 		 	 		 		
 	Central Office Termininating Point	1	 	UEPDC	CTG	0.00	0.00	0.00	†		1	1		1		
4 18/11	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	1	1	ULFUC	CIG	0.00		-	 	-	-	-	-	-		
		ivetie] 		+				 	 	 	 	 	 		
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act				1				1		1	1	1			
Each	System can have up to 24 combinations of rates depending or	ı type aı	ıd num	iber of ports used				l	l .	l	1	1				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK		Electronic-	Electronic-	Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonre	curring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The II	NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	`hannel	ization	with Port in this ra	to evhibit ann	ly to the embe										JONAN
	ests for 4-Wire DS1 Loop with Channelization with Port after th											l levert	to tariii rates	Or a separate	agreement.	+
	OS1 Loop	e enect	IVE date		It shan be pro	Videa pursuan	l to a separate	agreement or	tariii at Belloo	uni s uiscient	,,,, 					+
ONLE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								+
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
LINE	DSO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	ULFIVIG	USLDC	201.09	0.00	0.00								
ONL	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	82.78	0.00	0.00						-	-	+
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00						-	-	+
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	331.12	0.00	0.00						-	-	+
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	496.68	0.00	0.00		-		-				+
	192 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14 VUM19	496.68	0.00	0.00	 	-						+
<u> </u>			1							 		-		 	 	+
	240 DS0 Channel Capacity - 1 per 10 DS1s	-	1	UEPMG	VUM2O	827.80	0.00	0.00	1	1	ļ	ļ		 	 	
	288 DS0 Channel Capacity - 1 per 12 DS1s	-	1	UEPMG	VUM28	993.36	0.00	0.00	1	1	ļ	ļ		 	 	+
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00						1	1	+
-	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00						1	1	+
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	2,317.84	0.00	0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						rstem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system cor	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and	i									
New (Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	<u>'s</u>												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	inge Ports															
İ	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)		1	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	1	1		I	I	1
T I	Line Side Outward Channelized PBX Trunk Port - Business		1													1
	(E:4/1/2004)		1	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	1	1		I	I	1
	Line Side Inward Only Channelized PBX Trunk Port without DID											l				1
1	(E:4/1/2004)			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00				1	1	1
1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		t		1		2.30	2.30	2.30	2.30				t	t	1
	(E:4/1/2004)		1	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00	1	1		I	I	1
Featur	re Activations - Unbundled Loop Concentration		1	:-			3.00	5.00	3.00	3.00				1	1	1
- Cuttu	Feature (Service) Activation for each Line Port Terminated in D4		1		1	1	1	1		1				t	t	
1	Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17				1	1	1
	Feature (Service) Activation for each Trunk Port Terminated in		1	02.17		0.00	20.10	10.11								+
	D4 Bank		1	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		1		I	I	1
Teleni	hone Number/ Group Establishment Charges for DID Service		1	0=11 A	11 9770	0.30	70.31	10.40	33.37	11.00		l		 	 	+
reiebi	DID Trunk Termination (1 per Port)		 	UEPPX	NDT	0.00	0.00	0.00	1	 				 	 	+
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00	-	 		1		 	 	+
+	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00	1	1	-	-		 	 	+
	Non-Consecutive DID Numbers - per number		-	UEPPX	ND5	0.00	0.00	0.00	1	-						+
	Reserve Non-Consecutive DID Numbers - per number		-	UEPPX	ND6	0.00	0.00	0.00	1	-						+
	Reserve DID Numbers		 	UEPPX	NDV	0.00	0.00	0.00	-			-		-	-	+
1 00-1			 	ULPFA	NDV	0.00	0.00	0.00						 	 	+
Local	Number Portability		<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00	1		ļ	ļ		ļ	ļ	4
	Local Number Portability - 1 per port															

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Sv
٠ ۸ Т Е	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	OOKI	KATE ELEMENTO	m	Zone	500	0000			KAILO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		JRES - Vertical and Optional															
	Local	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								
UNBU	INDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
	1. Cos	t Based Rates are applied where BellSouth is required by FCC	and/or	State (Commission rule to	provide Unb	undled Local Sw	vitching or S	witch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the san	ne manner as	they are applied	to the Stand	d-Alone Unbun	dled Port secti	ion of this Rate	Exhibit.			Î		
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combina	tions.		
	4. The	first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For	Currently Co	mbined Combos	s. the nonrec	urring charges	shall be those	identified in t	he Nonrecu	rring - Curr	ently Combin	ed sections.	Additional N	RCs may
		also and are categorized accordingly.						,					•				
		ket Rates for Unbundled Centrex Port/Loop Combination will	he near	ntiated	on an Individual Ca	ea Racie un	til further notice		1		1	1	ı		1	1	1
		CENTREX - 5ESS (Valid in All States)	e nego	Tialea	I an marvidual Ca	us pasis, uli	runnier mode	•	1	+	1	1		 	+	1	}
				1		1	+		 	 	1	 	 	 	+	 	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		1	+ +		1	1	1	1			1	1	1
	UNE P	ort/Loop Combination Rates (Non-Design)		!		1	\vdash		 				ļ				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	l	1			1			1			1	Ì	1		
	Ш_	Non-Design		1	UEP95		14.89		<u> </u>			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	l	2	UEP95		21.52			1			1	1	1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		27.17										
	LINE D	ort/Loop Combination Rates (Design)		Ť	02.00	1	2										
	ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					+								+		1
					LIEDOE		47.04										
	_	Design (2007)		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		29.59										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	+	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	26.04										
	-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68					1			+		
	-	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95	UECS2	23.13								+		1
	_											ļ			+		1
	 	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
		ort Rate															
	All Sta																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30		24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
	-	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		 	OLI 33	OLI IIVI	1.13	100.50	70.71	54.47	11.34	1			+		
					UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94						
	_	Service Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent				l											
		- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port Terminated on 800 Service Term -	l	1			1			1			1	Ì	1		
	Ш_	Basic Local Area		<u></u>	UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65	<u></u>	L		<u> </u>	<u></u>	<u> </u>
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65	Ì	İ		1	1	1
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30		24.98	6.65	İ			1	1	1
	+	2-Wire Voice Grade Port (Centrex with Carlet IB)		1		J=: XII	1.10	40.00	10.00	24.30	0.00	1	1		1		1
		Center)2,3	l	1	UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		1	Ì	1		
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	OL1 30	OLFQIVI	1.13	100.30	70.71	J 4 .41	11.94	1		1	+	†	1
			l	1	LIEDOE	LIEDOZ	1 440	400.00	70.74	F4.47	44.04		1	1	1		
	1	Term 2,3		!	UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		ļ				
			l	1	l	1	1			1			1	Ì	1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65				1		L
		2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		L	<u> </u>	1	<u> </u>	L
	Local	Switching		1		1					1	1	I			1	1

CATEGORY MATE ELEMENTS Manual Control Manual Cont	UNBUNDI F	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: B
ARTE ELEMENTS RATE ELEMENTS RATE SERVICES RATE S	CHECHEL	DIVERNORIA ELEMENTO GOGGIOGIGIA										Svc Order	Svc Order				Incremental
ACT Committee																	Charge -
CATEGORY RATE ELEMENTS Was Zone BCS USOC RATE (1) pp. 1,50 pm. 1,50 cheeves December Dec																	Manual Svc
Billion	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Section Principal Confidencial Line Confidenci			m						== (+)			per LSK	per LSK				
Description Committee Co																	
Control Cont														1st	Add'I	Disc 1st	Disc Add'l
Control Cont							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		ı
Content National Professional ntent National Content Nat							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Coast Number Protability 1 pr port		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Features	Local																
Features			1		UEP95	LNPCC	0.35										
As Standard Features Cifered, pare port 0,679.58 0,007.00 0,00	Featu						0.00										
All Sears Features Charters Cert Per port 10,6996 10,6996 10,000					UEP95	UEPVF	3.04										
MARS								406.42									
MASS Multifulded Memorit Access Register - Conformation UEPS UARCX 0.00 0.																	
Unbounded Network Access Register - Volded UEP95 UAPKIX 0.00 0	NARS																
Unbounded Network Access Register - Volded UEP95 UAPKIX 0.00 0		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
Miscollaneous Farminations								0.00		0.00	0.00						
Miscellameous Terminations							0.00	0.00									
2 Wire Truth Side	Misce		1														
France Sole Terminations, each UEP95 CRUGE 8,86 119.57 18.79 60.03 3.77						1				İ					İ	İ	
Avrice Digital (1.544 Magabitis)					UEP95	CEND6	8.86	119.57	18.78	60.03	3.77				İ	İ	
DS1 Circuit Terminations, each UEP96 MH19D1 7382 202.47 95.90 72.75 2.47	4-Wire																
Interoffice Channel Risages - Wire	1.33		†		UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47				t	1	
Interoffice Channel Mileage 3-Wire									00.00	72.70	2						
Interoffice Channel Facilities Termination UEP96 MIGBIC 24:30 40:83 27:47 16:77 6:81	Intero		1		02. 00		0.00										
Feature Activation (ASS) Central Environment (Associated With UNIX-P Central Composition (Associated With UNIX-P Central Composition (Associated With UNIX-P Central		Interoffice Channel Facilities Termination	1		UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
Feature Activation on D-4 Channel Bank Potent Lop Stot UEP96 1POWD 0.56			1														
D4 Channel Bank Feature Activation on D4 Channel Bank Centrex Loop Slot UEP95 1POWS 0.56	Featu		ce		02.00		0.0.0.										
Feature Activation on D-4 Channel Bank FX Tiun Side Loop Dict			Ī														
Feature Activation on D-4 Channel Bank FX Time Side Loop Stot UEP95 1POW7 0.56			1		UFP95	1POWS	0.56										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.56	h + + + + + + + + + + + + + + + + + + +	r catalor istration on a r chamber bank control 200p clot	1		02. 00		0.00										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.56		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			LIEP95	1POW6	0.56										
Siot	h + + + + + + + + + + + + + + + + + + +	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI 50	11 00000	0.00										
Feature Activation on D-4 Channel Bank Centrex Loop Stot UEP95		Slot			LIEP95	1POW7	0.56										
Different Wire Center		9.44	1		OLI 00	11 00 117	0.00										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 1PQWV 0.56					LIEP95	1POWP	0.56										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPOWQ 0.56	h + + + + + + + + + + + + + + + + + + +	Different Tribe Conton	1		02. 00		0.00										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPOWQ 0.56		Feature Activation on D-4 Channel Bank Private Line Loop Slot			LIEP95	1POW//	0.56										
Slot	h + + + + + + + + + + + + + + + + + + +		1		OLI 50	11 Q 11 1	0.00										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 IPQWA 0.56					LIEP95	1POWO	0.56										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95																	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95	Non-R		1		02. 00		0.00										
Changes, per port	THOIL IS		1			+											
New Centrex Standard Common Block					LIEP95	USAC2		37 93	16.72								
New Centrex Customized Common Block	 		1				0.00		10.72	-					-		
NAR Establishment Charge, Per Occasion	 		1							 			l		 		
Additional Non-Recurring Charges (NRC)	 		1							 			l		 		
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP95 URETN 11.24 1.10 UNE-P CENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 14.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2 UEP9D 21.52 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3 UEP9D 27.17 UNE Port/Loop Combination Rates (Design) 1 UEP9D 17.81 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81	Additi		1		02. 00	SILLOIL	0.00	, 2.03		†					<u> </u>		
Premise	Additi		1			1	-			t					t	1	1
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise URETN 11.24 1.10 11.24 1.1					UEP95	URETL		8.33	0.83	I			1		I	Ì	
End Use Premise	 		1		00	J. 1		0.00	0.00	 			l		 		
UNE-P CENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 14.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 27.17 UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81					UEP95	URETN		11 24	1 10	1					1		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 14.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 27.17 UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81	UNF-F		1		02. 00	SILLII		11.24	1.10	†					<u> </u>		
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 14.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2 UEP9D 2 UEP9D 2 UEP9D 2 UEP9D 2 UEP9D 2 USEP9D 2 Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 2 Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1 UEP9D 2 Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2 Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2 Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 1 VIEPPD	1																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9D 27.17 UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81			1			1				 			l		 		
Non-Design			-			1				†					<u> </u>		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP9D 21.52				1	UEP9D		14 89			I			1		I	Ì	
Non-Design 2 UEP9D 21.52					02		00			1		1			1	1	
2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9D 17.81				2	UEP9D		21.52			I			1		I	Ì	
Non-Design 3 UEP9D 27.17					05	1	202			—		 	 		—	 	
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 1 UEP9D 17.81				3	UEP9D		27.17			I			1		I	Ì	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP9D 17.81 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	LINE F		1			1				t					t	1	1
Design			1			1	-			t					t	1	1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	UEP9D		17.81			I			1		I	Ì	
					05	1	01			—		 	 		—	 	
1 1 (UESUII) 1 1 1 1 1 1 1 1 1		Design		2	UEP9D		24.26			1		1			1		

CATEGORY	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
AFT BLEMENTS Interest Manual State Manual S	0.1.2011.222											Svc Order	Svc Order				
## CATE CLIMPTS ## APPL STORY Process Proc																	
CATEGORY RAYE ELEMENTS Date Scale DSC Section Sectio			Intori														Manual Svc
Description Description	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	-				Order vs.
Note that Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Note Section Sect			""														Electronic-
Note Note																	Disc Add'l
March Marc									_								
Description Print Add Print Add State St	ļ						Rec										
Design D								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Declaration Declaration				_													
3 - 3/We Vacc Control Long (St. 1) - 2/We Vacc Control Long (St. 1) - 2/We Vacc Control Long (St. 2) - 2/We Vacc Control Long (St.	L			3	UEP9D		29.59										
Different Venes Content Express (1.1) - Zeno 2	UNE L				LIEBAB	115004	40.70										
2-Wine Vision Grade Loop (St. 11 - Zoure 9 1 UEPRO UEC\$3 28.04	ļ			1													
2-We Vision Grade Long (St. 2) - Zeron 1																	
2-Were Voted Grands Look (S.2) - Zone 2 2 (UEPR) UECS2 75.86				3													——
2-Vive Vote Grade Port (Centrex (EBS-MSC19)) Basic Local Ana. UEP90 UEP76 1.13 40.00 19.00 24.96 6.65 UEP90 UEP70 P90 UEP90				1													
UPPO																	
ALLSTATES 2-Willia Volice Grade Port (Centrics Basic Local Area UEP90 UEP7A 1.13 40.30 19.00 24.96 6.65	LINE D			3	UEF9D	UECSZ	20.40										-
2-Wire Votor Grade Port (Centrex F (ES-MSD09)) Basic Local Area			1		1		1						-		1		
2-Wire Votor Grade Prof (Centrex / EBS-NES/13)38aic Local UEPp0 UEPYC 1.13 40.30 19.90 24.98 6.65	ALL 3		1		LIEP9D	ΠΕΡΥΔ	1 13	40.30	19 90	24 08	6.65				 		
Avea	 		1		JL: 3D	OLI IA	1.13	40.30	19.90	24.90	0.03				 		
2-Wise Vaca Grade Port (Centrex / EBS-MED09)38 Base Local LEPPO LEPPC 1.13 40.30 19.90 24.88 6.65			1		UEP9D	UEPYR	1 13	40.30	19.90	24 98	6.65						1
Area	h h				02. 02	025		.0.00	10.00	21.00	0.00	1					
2-Wire Voice Grade Port (Centrex / EBS-MSSO9)/SBasic Local					LIEP9D	LIEPYC	1 13	40.30	19 90	24 98	6.65						
Area UEP9D UEPYE 1.13 4.0.30 19.00 24.98 6.65					OLI OD	OLI 10	1.10	40.00	10.00	24.00	0.00						
2-Wire Voice Grade Port (Centrex / EBS-M6209))3 Basic Local UEP9D UEPYF 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
Area Q-PWire Voice Grade Port (Centrex / EBS-MS112)3 Basic Local Q-PBD UEPYF 1.13 40.30 19.90 24.88 6.66		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
2-Vitro Votos Grade Port (Centrex / EBS-M5219)3 Basic Local VEPPD VEPYF 1.13 40.30 19.90 24.98 6.65 VEPPD VEPYG VEPPD VEPYG 1.13 40.30 19.90 24.98 6.65 VEPPD VEPYG VEPPD VEPYG 1.13 40.30 19.90 24.98 6.65 VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG 1.13 40.30 19.90 24.98 6.65 VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VEPYG VEPPD VE		,			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
Area UEPPO UEPY 1.13 40.30 19.90 24.98 6.65						1					0.00						
2-Wire Visios Grade Port (Centrex / EBS-MS312))Basic Local UEP9D UEPYG 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS209))Basic Local UEP9D UEPYU 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS209))Basic Local UEP9D UEPYU 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316))Basic Local UEP9D UEPYU 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316))Basic Local Amaze UEP9D UEPYU 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316))Basic Local Amaze UEP9D UEPY3 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316))Basic Local Amaze UEP9D UEPY3 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316))Basic Local Amaze UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316)Basic Local Amaze UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS316)Basic Local Amaze UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS09) UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS09) UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS09) UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS09) UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 Amaze 2-Wire Visios Grade Port (Centrex / EBS-MS09) UEP9D UEPYW 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYW 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYW 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYW 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYW 1.13 108.36 70.71 54.47 11.94		` "			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
Area UEP9D UEPYT 1.13 40.30 19.90 24.98 6.65		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
Area					UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
2-Wire Vice Grade Port (Centrex / EBS-MS209)3 Basic Local LEPBD LEPYU 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Vice Grade Port (Centrex / EBS-MS210)3 Basic Local LEPBD LEPYU 1.13 40.30 19.90 24.98 6.65 Area LEPBD LEPYU 1.13 40.30 19.90 24.98 6.65 Area LEPBD LEPYU 1.13 40.30 19.90 24.98 6.65 Area LEPBD LEPYU LEPBD		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
Area		Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M6216))3 Basic Local Area		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
Area					UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local UEP9D UEP79 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEP7H 1.13 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30 19.90 24.98 6.65 Area 40.30		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
Area VEP9D VEPY3 1.13 40.30 19.90 24.98 6.66					UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area																	
Area UEPBD UEPYH 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65		,				l											
Indication) 4 Basic Local Area	ļ				UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65					LIEDOD	LIEDVA	4.40	40.00	40.00	04.00	0.05						
Basic Local Area					UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					LIEDOD	LIEDVI	1 12	40.20	10.00	24.09	6.65						
2.3-Basic Local Area	 		l		051 30	OLFIJ	1.13	40.30	19.90	24.90	0.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94			1		UEP9D	UEPYM	1 13	108 36	70 71	54 47	11 0/		1		1		1
Basic Local Area	 		1		52. 50	CE1 1141	1.13	100.00	70.71	54.47	11.54						†
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.13 108.36 70.71 54.47 11.94			1		UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		1		1		1 '
Basic Local Area			†			1				· · · ·					1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94					UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						1 '
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYA 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYA 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYA 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYA 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYA UEPPD UEPYA 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYA UEPPD UEPYA 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYA UEPPD UEPYA 1.13 108.36 70.71 54.47 11.94		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
Basic Local Area		Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						<u> </u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94			1						-]		1
Basic Local Area					UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94																	
Basic Local Area					UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1										1		1		1
Basic Local Area			ļ		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1		LIEDOD	LIEDY'S		400.00	70 7 .				1		1		1
Basic Local Area	 		1		UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94	-			-		 '
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1		LIEDOD	LIEDVE	4 40	100 20	70.74	EA 47	11.04		1		1		1 '
	\vdash		1		OLFBD	UEFIO	1.13	100.30	70.71	54.47	11.94	1					
		Basic Local Area	1		UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						1

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OAT LOOK!	KATE EEEMENTO	m		500	0000			ιτΑι ΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Mana		Managaring	Dianamant			000	Datas (\$)		1
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															i
	Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															1
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															1
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						1
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		1	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65	1	1	1			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65	 	 	 			
 	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		1	UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65	 	 	1			
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4		1	UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65	 	 	 	-		
\vdash			-	UEP9D UEP9D	UEPQG		40.30				1	1	ļ			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4					1.13		19.90	24.98	6.65						+
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
	Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						1
	2 The Toles Stade For (Solition and STE / 250 FSE 1/2,6)			02. 03	02. Q0	0	100.00		0	11.01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						1
-	2 Wile Voice Grade Fort (Certification GWO/EBS Microsoft)2,5,4		 	OLI OD	OLI QI	1.10	100.00	70.71	04.47	11.04						
	2 Wire Voice Crade Bort (Controy/differ SWC /EBS 5200)2 2 4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		 	UEF9D	UEFQQ	1.13	100.30	70.71	34.47	11.94						
	0 M/2 - V-1 - 0 - 1 - D - 1 (0 - 1 / 1/4 - 0 M/2 /ED0 ME440) 0 0 4			UEP9D	UEPQR	1.13	400.00	70.71	54.47	11.94						1
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						+
	0.145 N. 1 O. 1 D. 1/O. 1 / 1/4 O.140 / 5DO 1470/000 A.															1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						1
																i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						l
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
			1								l	l				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						1
							_									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65	l	l	Ì			1
	2-Wire Voice Grade Port Terminated in 60 Weganink of equivalent		<u> </u>	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65	i	i	1			
Local	Switching			05		0		.0.00	200	3.00	 	 	 			
Local	Centrex Intercom Funtionality, per port		 	UEP9D	URECS	0.7996			1	 	 	 	 			
Local	Number Portability		 		5200	3.7330			1	 	 	 	 			
Local	Local Number Portability (1 per port)		 	UEP9D	LNPCC	0.35				 			 			
Featu			1	OLFBD	LINE CC	0.35			-	 	 	 	 	1		
reatu	All Standard Features Offered, per port		1	UEP9D	UEPVF	3.04			1	 	 	 	 			
 			1			0.00	400.40		1	 	 	 	 			
 	All Select Features Offered, per port		1	UEP9D	UEPVS		406.42		1	-	1	1	1			
—	All Centrex Control Features Offered, per port		<u> </u>	UEP9D	UEPVC	3.04			ļ	ļ	ļ	ļ				←
NARS			 		1				<u> </u>		ļ	ļ				Ь——
	Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	1	1	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1			I		i

NBUNDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual So
		-				ı	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscella	neous Terminations						11130	Addi	11130	даат	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	runk Side															1
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						1
	Pigital (1.544 Megabits)									• • • • • • • • • • • • • • • • • • • •						1
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						1
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51	00.00		2						†
	ce Channel Mileage - 2-Wire			02. 02		0.00										†
	nteroffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						+
	nteroffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167	10.00		10.11	0.01						+
	Activations (DS0) Centrex Loops on Channelized DS1 Service	`e		02. 02		0.0107	1									+
	inel Bank Feature Activations	ĩ														+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	IFQW6	0.56										+
	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	curring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								
1	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70			-						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89			-						
	nal Non-Recurring Charges (NRC)									-						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.24	1.10								
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1			3	 	24	0			1	-		1		†
	Required I of tol Schiller Schiller in TALES, SEES & EVISE						1					i				1
	Installation is combination of Installation charge for SL2 Lo	on and P	Port			 					1	-		1		+
	Requires Specific Customer Premises Equipment		J			 	t				1	-		1		+
	ates displaying an "R" in Interim column are interim and sub					ı								ļ	ļ	

														•		1	
UNBU	NDLE	D NETWORK ELEMENTS - Tennessee					1						1		ment: 2		bit: B
														Incremental			
												Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
			m									per Lak	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									1							2.00 .01	2.007.444.
							Rec	Nonrecurring			g Disconnect	001150	001111		Rates (\$)	SOMAN	001441
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	I one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	tral Office. refe	er to internet	Website:	
		/ww.interconnection.bellsouth.com/become_a_clec/html/inter				- 5,				,	3		,	,			
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	LEC can not o	btain a mixture	of the two	regardless i	if CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.							0	0.1			· · · · · · · · · · · · · · · · · · ·			n. F. a.	
		(2) Any element that can be ordered electronically will be bill nnot be ordered electronically at present per the LOH, the list															
		N. will be applied to a CLECs bill when it submits an LSR to B			e in this category rei	iects the ch	arge mai would	i be billed to a	CLEC once en	ectronic order	ing capabilities	come on-n	ine for that	element. Othe	erwise, the ma	anuai ordenn	g charge,
		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			e applicable rate ele	ment for SO	MAN charge**			1	I			1	1	I	1
		OSS - Electronic Service Order Charge, Per Local Service	Γ.							1	1			1			
<u></u>		Request (LSR) - UNE Only	<u> </u>	<u>L</u>		SOMEC		3.50	0.00	3.50	0.00	<u> </u>		<u> </u>			
UNE SE		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF, UDF, UEQ,												
					UDL. UENTW. UDN.												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL, UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		UNE Franchis Character Circuit and inc. Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD.												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUB, U1TUB,	SDASP		200.00									
LINBLIN	DI ED E	EXCHANGE ACCESS LOOP			OTTOB, OTTOA	SDASF		200.00									
		ANALOG VOICE GRADE LOOP								1	İ	t e		1			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	13.19	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.23	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65			<u> </u>	20.35	10.54	13.32	13.32
—		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEASL UEASL	17.23 22.53	31.99 31.99	20.02	10.65 10.65		-	1	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
 		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLAINL	UEAOL	22.53	31.99	20.02	10.65	1.41	-	-	20.35	10.54	13.32	13.32
1		Premise			UEANL	URETL		8.33	0.83	1				20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92	1	Ì			20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch													1		
		(UVL-SL1)			UEANL	UREWO		15.80	8.95	1				20.35	10.54	13.32	13.32

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		04.00	04.00								
	2 MIDE	(per LSR)			UEANL	OCOSL		34.29	34.29			1					
	2-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.3
		2 Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	22.53	31.99	20.02		1.41	1		20.35	10.54	13.32	13.3
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OL W	OLGEA	22.00	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.3
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	l	1	UEQ	USBMC		36.52	36.52					1	1	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.3
		CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEWO		44.00	7.44					00.05	40.54	40.00	40.0
LINIBLIN	DIEDE	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUN		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		<u> </u>		+							-				
	Z-VVIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						1					
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI GIL OLI OD	OLITICO	10.10	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			02. 0 02. 02	027.20	10.10	01.00	20.02	10.00				20.00	10.01	10.02	10.0.
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								40.0=						40.00	40.00
LIMBLIN	DIEDE	Zone 3 EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
UNBUN		E ANALOG VOICE GRADE LOOP		<u> </u>		+							-				
	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+						1					
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	027	027122	10.00	7 0.00	10.20	20.10				20.00	10.01	10.02	10.0.
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64	ļ		20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29				ļ					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	١					40						40 = -	40	45.5
		Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64	<u> </u>		20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	LIEA	LIEADO	04.00	75.00	10.00	00.70	47.01			20.65	10.51	10.00	10.00
		Battery Signaling - Zone 2	 	2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64	 	-	20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	l	3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	 	J	UEA	OCOSL	20.20	34.29	40.20	20.10	17.04	 		20.35	10.34	13.32	13.34
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10	İ				20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP				1			• • •							1	
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29				ļ			10 - :	10	
	0 14"5	CLEC to CLEC Conversion Charge without outside dispatch	ļ	ļ	UEA	UREWO		75.06	36.41	ļ		<u> </u>		20.35	10.54	13.32	13.3
	Z-WIKE	ISDN DIGITAL GRADE LOOP	l	1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16	1	1	20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF)												
	2 Wire Unbundled ADSL Loop including manual service inquiry		l .													
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry														40.00	40.00
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry	l	_		LIALOY	00.00	070.01	004.00		00.44			20.05	10.51	10.00	40.00
 	& facility reservation - Zone 3	-	3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
 	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &	 	-	UAL	OCOSL		34.29		 	-	-		 	 	 	
	facility reservaton - Zone 1	Ι.	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		<u>'</u>	<u> </u>	UAL	UALZVV	13.02	31.99	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	Ι.	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &	-		UAL	UALZVV	10.00	31.99	20.02	10.05	1.41	1		20.33	10.54	13.32	13.32
	facility reservation - Zone 3	١,	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UAL	OCOSL	23.00	34.29	20.02	10.03	1.41	1		20.33	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	1	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F	OOP	UAL	OKEWO		31.99	20.02					20.55	10.54	10.02	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry	I	1													
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	02	OT ILLEX	10.00	2, 0.0.	2000	7 1.0 1	00.11			20.00	10.01	10.02	10.02
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	I	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP										ļ	ļ	ļ	
	4 Wire Unbundled HDSL Loop including manual service inquiry	l		l	11111 457	10.00	070.00	044.00		20.44		1	20.5-	10.51	10.00	10.00
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14	-		20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	l	2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	23.00	34.29	244.22	74.54	39.14	1		20.33	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry		1	OFIL	OCCOL		34.23									
	and facility reservation - Zone 1	l ,	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	<u> </u>	OTIL	OTILATE	10.00	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
	and facility reservation - Zone 2	l ı	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>					21.00		12.00					12.01	: ::02	13.02
	and facility reservation - Zone 3	1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29							1		
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
I 4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP												l			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order		Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
													1st	Add'l	DISC 1St	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	A Wise Habour died Digital 40 O Mass		1	LIDI	LIDI 40		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19 UDL19	31.10 40.61	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64 UDL64	31.10 40.61	207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL UDL	UDL64	53.11	207.01 207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
 	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	55.11	34.29	141.30	90.70	44.10	1		20.33	10.34	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	service inquiry & facility reservation - Zone 1	ı	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual	-		UCL	UCLPB	17.23	31.99	20.02	10.05	1.41			20.33	10.54	13.32	13.32
	service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual		_			4= 00			40.0=						40.00	40.00
	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	22.00	36.52	36.52	10.05	1.41			20.55	10.54	10.02	13.32
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry		1	UCL	1101.40	04.70	100 70	05.57	70.05	00.40			00.05	40.54	40.00	40.00
	and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry	-	- 1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	and facility reservation - Zone 2	1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry	·	_	002	002.0	02.20	122.10	00.01	7 0.00	00.10			20.00	10.01	10.02	10.02
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop-Designed without manual service inquiry		1	LICI	LICL #W	04.70	100.70	05.55	70.0-	20.42			00.0=	10.51	10.00	40.00
	and facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	L	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>			332.77	02.20	122.70	55.57	7 0.00	33.10			20.00	10.04	10.02	10.02
L [and facility reservation - Zone 3	<u>_</u> ı	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch	Ι												40 -	40	
LOOP MODIFIC	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFIC	I			UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				L									40 -	40	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL. UEPSR.												
	per unbundled loop	- 1		UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-Lo	pop Distribution															

UNRUN	DLF	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: B
CIVECIA		THE THORK ELEMENTO TOMICSSEE										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	ı		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	ı		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					40.00										40.00
-		Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65	1		20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		34.29	34.29	I				1	I	1	
+		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	 	OLAINL	USDIVIC		34.29	34.29	 		 		-		-	
		Sub-Loop Distribution Per 4-wire Analog voice Grade Loop -		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
\vdash		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-		OLAINL	00014	1.30	147.93	75.11	99.90	10.98	}		20.35	10.54	13.32	13.32
		Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
 		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULAINL	CODINA	5.54	147.93	73.11	33.90	10.90			20.33	10.54	13.32	13.32
		Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Zone 3		_ J	OLANE	OODIV	12.71	147.33	75.11	33.30	10.30	1		20.55	10.54	10.02	10.02
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
		out 2005 2 Trito intratamaning from out out of (into)	·		02/11/2	002.12	1.00	0 1.00	20.00					20.00	10.01	10.02	10.02
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		34.29	34.29								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- !	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98	<u> </u>		20.35	10.54	13.32	13.32
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98	1		20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		34.29	34.29	I				1	I	1	
+		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-	 	UEF	URET1		78.92	78.92	 		 		-	 	-	
 		Loop Testing - Basic 1st Hall Hour		-	UEF	URETA		23.33	23.33	1		1	1		1		
 		lled Network Terminating Wire (UNTW)		 	OL:	OKLIA		23.33	20.00	 				 	 	 	
H 1		Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4555	2.48	2.48	t		 		20.35	10.54	13.32	13.32
N		Interface Device (NID)	- '-		0=11111	OE1111	0.4555	2.70	2.40	t		 		20.33	10.34	10.02	10.02
T		Network Interface Device (NID) - 1-2 lines	1	<u> </u>	UENTW	UND12		89.69	54.56	0.6391	0.6391	1		20.35	10.54	13.32	13.32
+		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11			İ		20.35	10.54	13.32	13.32
UNE OTH		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				İ					
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
L_ 1		Unbundled Contract Name, Provisioning Only - No Rate	<u></u>	L	ENTW	UNECN	0.00	0.00		<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
UNE OTH	IER, PI	ROVISIONING ONLY - NO RATE															
1 1				1	UAL,UCL,UDC,UDL,					I				Ì	I	Ì	
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00							<u> </u>		<u> </u>
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
31153115	7	ILLINEITO TOMOGOO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							5	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	U	Inbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	ra	ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	U	Inbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Inbundled DS1 Loop - Expanded Superframe Format option -															
	n	o rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	ACITY	UNBUNDLED LOCAL LOOP															
	Н	ligh Capacity Unbundled Local Loop - DS3 - Per Mile per															
		nonth			UE3	1L5ND	9.19										
	Н	ligh Capacity Unbundled Local Loop - DS3 - Facility															
		ermination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per								1							
		nonth	l		UDLSX	1L5ND	9.19								1		
	H	ligh Capacity Unbundled Local Loop - STS-1 - Facility			_		3.1.2			1				İ	İ		
		ermination per month	l		UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
Not		Rates provided in TN for both electronic and manual Loop	Makeu	p are in								nents from t	he Tenness				
LOOP MAK				1				l ponum	, , , ,						,		
		oop Makeup - Preordering Without Reservation, per working or								1				1	1		
		pare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		oop Makeup - Preordering With Reservation, per spare facility															
		ueried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		oop MakeupWith or Without Reservation, per working or			O.V.II.	O.V.II V.E.I		0.70	00					10.00	10.00	10.00	10.00
		pare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
LINE SHAR		AND LINE SPLITTING	- ` `		O.V.II.Y			0.10	00			1					
		The Line Sharing monthly recurring rates for all installation	is comi	nleted f	rom October 02, 200	3 through m	idnight Octobe	er 01, 2004 shal	l be billed as t	follows:		1					
		10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co															
		10/02/2004 – 10/01/2005: 50% of the rate for UCLND	 	, op	- accigned (CC2.12	1											
		10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		Above will apply to USOCS: ULSDT and ULSCT										1					
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservio	ce on or before	October 1, 20	03							
		ARING		1					,,_,	Ī							
		RS-CENTRAL OFFICE BASED															
J		ine Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		ine Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00	1		20.35	10.54	13.32	13.32
		ine Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		eactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
FNI		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1		32000	1	100.00	0.00	J2.71	0.00			20.00	10.04	10.02	10.02
		ine Sharing - per Line Activation (BST Owned splitter) -	1	1		1	1			t	1			1	†	1	
		DBSOLETE see **NOTE 2	l		ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		ine Share Service, TRO per line activation, BST owned splitter -	1	1			0.01	.5.00	000	3.00	3.00			20.00	.0.04		
		Central Office Located (25% of UCLND) - please see NOTE 1	l											Ì	I		
		E:10/2/2003)	l		ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						
		ine Share Service, TRO per line activation, BST owned splitter -	1	1		32001	2.54	40.00	01.00	0.50	0.00			1	†	1	
		Central Office Located (50% of UCLND) - please see NOTE 1	l											Ì	I		
		E:10/2/2004)	l		ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			Ì	I		
		ine Share Service, TRO per line activation, BST owned splitter -	1	1		32001	0.07	40.00	01.00	0.00	0.00				 		
		Central Office Located (75% of UCLND) - please see NOTE 1	l											Ì	I		
		E:10/2/2005)	l		ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		ine Sharing - per Subsequent Activity per Line	-	 		32001	0.01	40.00	01.00	0.00	0.00	1	 	 	1		
		Rearrangement(BST Owned Splitter)	l		ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
		ine Sharing - per Subsequent Activity per Line	1	1		32000		55.56	10.00	†				20.00	10.04	10.02	10.02
		Rearrangement(DLEC Owned Splitter)	l		ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
		ine Sharing - per Line Activation (DLEC owned Splitter) -	l	 	0-0	52000		33.00	10.00	1		-	 	20.00	10.04	10.02	10.02
		DBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
 		ine Share Service, TRO per line activation, CLEC owned	1	 	5_0	32000	0.01	77.74	10.01	0.00	0.00			20.33	10.34	10.02	10.02
		plitter - Central Office Located (25% of UCLND) - please see	l														
		IOTE 1 (E:10/2/2003)	l		ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			Ì	I		
 		ine Share Service, TRO per line activation, CLEC owned	l	1	OLO	OLGOI	2.94	41.44	15.51	0.00	0.00	1	1		1		
	Ľ	plitter - Central Office Located (50% of UCLND) - please see	l											Ì	I		
1 1		IOTE 1 (E:10/2/2004)	l		ULS	ULSCT	5.87	47.44	19.31	0.00	0.00		1				
	IN	OIL 1 (L. 10/2/2004)	l	1	ULO	OLOUI	5.67	41.44	19.31	0.00	0.00	L	l	1	L	l	

UNBUI	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: B
O.T.D.O.	1022	THE THORK ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Dee	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
		PLITTING															
	END US	ER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		NANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50]						
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00						1		
		EDICATED TRANSPORT															
	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>									<u> </u>					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month	<u> </u>		U1TVX	1L5XX	0.0054					<u> </u>		ļ	ļ	ļ	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1														
		Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1														
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
-		Termination	<u> </u>		U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	47.00	55.00	47.07	07.00	0.54			20.05	04.00		
-		Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	LIATDA	41.577	0.0500]						I		I	
\vdash		month	-	-	U1TD1	1L5XX	0.3562							 	 	 	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATDA	LIATE4	77.00	440.40	70.07	40.55	44.00			20.05	04.00	1	
 		Termination	 	-	U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99	1	1	20.35	21.09	 	1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.34]						I	1	I	
\vdash		montn Interoffice Channel - Dedicated Transport - DS3 - Facility	 		טווט	ILOAA	∠.34			-				-	+	-	
					U1TD3	U1TF3	848.99	395.29	176.56	109.04	10F 01			36.84	36.84	1	
\vdash		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 		פעווט	UIIF3	040.99	393.29	170.56	109.04	105.91			30.84	30.84	-	
		month	1	1	U1TS1	1L5XX	2.34]						I		I	
-		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1	01101	ILUAA	2.34					1	1	1	1	1	1
		Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	1	
DARK F	IRFP	TOTTIMICATOR	 	 	0.101	51113	045.30	393.29	170.30	105.04	105.91	1		30.04	30.04	t	1
DAKK F	יייייי	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 			1		 		1	1	1		t	1	t	1
		Thereof per month - Interoffice Channel	1	1	UDF. UDFCX	1L5DF	28.74]						I		I	
		NRC Dark Fiber - Interoffice Channel	 		UDF, UDFCX	UDF14	20.74	1,121.00	153.19	580.26	357.17	1		20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	55., 65i 6A	551 17		1,121.00	100.19	000.20	337.17			20.00	10.04	10.02	10.02
		Thereof per month - Local Loop	1	1	UDF, UDFCX	1L5DL	58.83]						I		I	
		NRC Dark Fiber - Local Loop	†		UDF, UDFCX	UDFL4	55.55	1,121.00	153.19	580.26	357.17	1	<u> </u>	20.35	10.54	13.32	13.32
8XX AC		EN DIGIT SCREENING			. ,	1		.,.200	.00.10	000.20	33			20.00		.5.52	.0.52
1		8XX Access Ten Digit Screening, Per Call	†		OHD		0.0005192							1	1	1	
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			-	1								İ	1	İ	
		Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations	1	1	OHD			11.47	1.46	7.34	0.7602	1		20.35	20.35	13.28	13.28

ATECOPY RATE LEMINTS Had ROS USOC RATES (1) RATES (2) RATES (3) RATES (2) RATES (3) RATES	UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
AFE ELEMENTS March													Svc Order	Svc Order				Incremental
AFE ELEMENTS March													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
A				Intori														Manual Svc
Bestronic Best	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. No.				m									per Lore	per Lore				
Pace Pace																		
Mode First Add Solido															151	Add I	DISC 1St	DISC Add I
BACK ACCESS for Dig Screening, Per SOUND SCREENING SCREENING SCR								B	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
PCTS Translations								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DOCK ACCORD From Dig Screening Customerical Annual Services Dock Devices Do			8XX Access Ten Digit Screening, Per 8XX No. Established With															
Per 80X Number Per 20X Number Per						OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
BOX.Account Ton Digit Screening, Multiple InterLATA COST. Children Proc Cold Repossible Mark Link. Drop Recognition (Cold Procedure) Children Proc Cold Repossible Mark Link. Drop Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Procedure) Children Proc Cold Recognition (Cold Recognition (Cold Procedure) Children Proc Cold Recognition (8XX Access Ten Digit Screening, Customized Area of Service															
Restricts Color			Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
BOX Accords Tool pil Streeming, Charge Charge Pix Required DOI			8XX Access Ten Digit Screening, Multiple InterLATA CXR															
DOX Access Tem Dox Sovereining, Call Failed ring and Destination Deft Dox NPTOX																		13.28
Features						OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
LIBE BEFORMATION DATA BASE ACCESS (LIDB)			8XX Access Ten Digit Screening, Call Handling and Destination															
LOB Common Transport Per Cuert LOB Validation For Validation For Cuert LOB Validation For Validation For Cuert LOB Validation For Validation For Validation For Cuert LOB Validation For Validation For Validation For Cuert LOB Validation For Valida						OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
Control Cont	LINE IN	FORM.																
USB CONTINUED CONTINUED					$oxed{\Box}$					-								
SIGNALING (CCSP) CCSP Signaling Termination. Per STP Port USB PT8SX 198.41								0.0117403										
CCSF Signarian Termanation, Par STP Port UDB PPSSX 138.41						OQT, OQU	NRBPX		49.03						20.35	20.35	13.28	13.28
CCSF Signating Lusiage, Fee TCAP Messages UCB 0.0000916 10.004 10	SIGNAL	ING (C																
CCSF Signaling Connection, Per link (6 link) (also known as D USB TPP++ 17.84 130.84 130.84 120.85 20.35 20.35 13.32 13.32 13.32 13.32 13.32 13.32 13.33 1							PT8SX											
CCS7 Signaling Connection, Per link (B Ink) (also known as D In Inc. Inc.																		
Ilinity UDB						UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
CCSF Signating Usage, Per ISUP Missage UDB STU56 352.30																		
CCSF Signating Usages Surrogate, per link per LATA UDB STU96 392.30							TPP++		130.84	130.84					20.35	20.35	13.32	13.32
Signaling Point Code, per Originating Point Code Establishment UDB																		
Or Change, per STP						UDB	STU56	352.30										
CALUNG NAME (CNAM) SERVICE CNAME FOR DOWNERS - Service Establishment OQV 43.27																		
CNAMF for Non DB Owners - Service Establishment OGV						UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CNAMF or Non DB Owners - Service Provisioning With Priorit Code	CALLIN	G NAM																
CNAM For DB Cwners - Service Provisioning With Point Code																		
Establishment						OQV			43.27									
CNAM For Nor BG Owners, Per Query																		
Code Establishment						OQV			1,868.00	1,382.00								
CNAM for DB Owners, Per Query																		
CNAM for Non DB Owners, Per Query									645.50	432.23								
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch Virtual Collocations Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB VE1LS 0.57 11.62 9.90 10.38 8.66 19.99 19.99 19.99 19.99 19.99 PHYSICAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB PE1LS 0.7905 11.62 9.90 10.38 8.66 19.99					ļ													
Character Based User Interface (CHUI)						OQV		0.0010541										
Selective Routing Selective Routing Per Unique Line Class Code Per Request Per Switch 179.60 179.60 179.60 20.35																		
Selective Routing Per Unique Line Class Code Per Request Per Switch 179.60 179.60 179.60 20.35 20.35 20.35					ļ	OQV	CDDCH								20.35	20.35	13.28	13.28
Switch 179.60 179.60 179.60 20.35 20.35 20.35	SELEC	TIVE RO																
VIRTUAL COLLOCATION									470.00	.=								
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB VE1LS 0.57 11.62 9.90 10.38 8.66 19.99 1									179.60	179.60					20.35	20.35		
Splitting	VIRIUA	L COLI		<u> </u>	 						-					-		1
PHYSICAL COLLOCATION				l		LIEDOD LIEDOD	VE41.0	0	44.55	0.00	40.00	0.00		1	40.00	40.00	40.00	40.00
Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting Splitting Splitting Splitting Splitting Splitting SPC	DUNG	AL 00		1	1	UEPSK UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	-		19.99	19.99	19.99	19.99
Splitting	PHYSIC	AL CO		1	1		-	1			 		1		1	 	1	-
AIN SELECTIVE CARRIER ROUTING Regional Service Establishment SRC SRCEC 190,638.00 SRCE 20.35 SRCE 20.35 SRCE SRCEO 317.55 3.19 3.19 20.35 3.28 SRCE SRCEO 317.55 3.19 3.19 SRCE SRCEO SRCEO 317.55 3.19 SRCE SRCEO S				l		HEDOD HEDOD	DE4LC	0.7005	44.00	0.00	40.00	0.00		1	40.00	40.00	40.00	40.00
Regional Service Establishment	AIN: OF	ECT!!		1	1	DEPSK DEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66	-		19.99	19.99	19.99	19.99
End Office Establishment	AIN SE	LECTIV		1	1	CDC	CDCEC	1	400.000.00		 		1		20.65	 	1	-
Query NRC, per query	-			1	1			1		247.55	0.10	0.10	1			20.05	40.00	40.00
AIN - BELLSOUTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,	-			-	1		SKCEO	0.0000047	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN SMS Access Service - Service Establishment, Per State, Initial Setup	AIN! D	1160		-	1	SRU	+	0.0206047			 					 		
Initial Setup	AIN - B			 	1		+				 					 		
AIN SMS Access Service - Port Connection - Dial/Shared Access				l		A4NI	CAMSE	Ì	125.50	125.50	I			1	20.25	20.25	12.00	12.00
AIN SMS Access Service - Port Connection - ISDN Access	-		Initial Setup	-	1	AIN	CAIVISE	-	135.56	135.56	 				∠0.35	20.35	13.28	13.28
AIN SMS Access Service - Port Connection - ISDN Access			AINI SMS Access Services Port Connection Dict/Chared Access	l		A1NI	CVMDD	Ì	44 75	44 75	I			1	20.25	20.25	42.00	42.20
AIN SMS Access Service - User Identification Codes - Per User ID Code A1N	-			!	+						 							
ID Code	-			-	1	AIN	CAIVITE	-	41./5	41.75	 				20.35	20.35	13.28	13.28
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement A1N CAMRC 113.67 113.67 20.35 20.35 13.28				l		A1N	CAMALI		06.60	06.60	I				20.25	20.25	42.00	12.00
Initial or Replacement	-			1	1	AIN	CAIVIAU	1	90.03	90.03	 		-		20.35	20.35	13.28	13.28
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) 0.0024				l		A1N	CAMPC		112.67	112 67	I				20.25	20.25	12 20	12 20
	—			-	-	A III	CAIVING	0.0024	113.07	113.07	 				20.35	20.35	13.28	13.28
	-		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute	1	1		+	0.0024					-		-		-	-

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrecurring		Nonrecurring	Disconnect		l	oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per		1					,,,,,,	101	7.44.	0020					
	Minute					2.27										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE				1											
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,	,								
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per							<u> </u>								
	DN, Off-Hook Immediate	1	1		BAPTM]	31.21	31.21	Ì			1	20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP	1	1		ВАРТО]	85.24	85.24	Ì			1	20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	 						1							
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED E	XTENDED LINK (EELs)															
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Com	bined' Networl	Elements.					
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' I	Network Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPOR	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month	<u></u>		UNC1X	1L5XX	0.3562										<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1										-		-	1
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<u> </u>
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
								·								1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
		1	1]			Ì			1		Ì		1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
					l											1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
\vdash	Voice Grade COCI - Per Month	<u> </u>	<u> </u>	UNCVX	1D1VG	0.91	5.70	4.42								
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1]	====					1				1
<u> </u>	Is Charge	<u> </u>	1 15/===	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	I ED DS	INTE	KUFFICE (RANSPO	KI											
	First AWEst Assistant Visits Const. 1. C. 11. II. F.			1110101				a= -	=0.5:					2.2-		1
\vdash	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		├
	First AWEst Assets Wiles On Lit. 1 C. 11 Fig. 7	1	_	1110101				a= -	=0.5:			1				1
<u> </u>	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1		20.35	21.09		1

UNBU	NDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
O.T.D.O.	10	THE THORK ELLINEITY TO TO THOUSE OF										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1						400 =0		=0.04							
-		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1		2	LINCVY	UEAL4	32.26	108.76	05.47	70.04	40.00			20.35	04.00		1
		Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1	 	- 2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	-		20.35	21.09	 	
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	1	1
		Additional Voice Grade COCI in combination - per month	 	3	UNCVX	1D1VG	0.91	5.70	4.42		10.00	-		20.35	21.09	1	
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.91	5.70	4.42			1					
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
1	FXTFN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				02.70	24.02	0.12	0.12			20.00	21.00		
				<u> </u>		1											
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		1 0															
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility															
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		OCU-DP COCI (data) per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIDL 50	04.40	400.70	05.47	70.04	40.00			00.05	04.00		
-		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
-		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDLS6	40.61	100.76	33.47	72.94	10.00			20.33	21.09		-
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
 		Additional OCU-DP COCI (data) - in combination per month (2.4-	! 	3	0.1007	ODEJO	55.11	100.76	33.47	12.94	10.00			20.35	21.09	 	
		64kbs)	1		UNCDX	1D1DD	0.91	5.70	4.42					1	I	1	1
		Nonrecurring Currently Combined Network Elements Switch -As-	1			1	3.31	50	12					1	1	1	t
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
]]	1
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		1
			1		l .	I								1	I	1	1
\vdash		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		├
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.577	0.0500								1		1
\vdash		Per Month interoffice Transport - Dedicated - DS1 combination - Facility	 	-	UNC1X	1L5XX	0.3562			1		-		 	 	 	
		Termination Per Month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	1	1
		1/0 Channel System in combination Per Month	1	 	UNC1X	MQ1	80.77	105.76	14.48		2.74			20.33	21.09	 	
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 		UNCDX	1D1DD	0.91	5.70	4.42	3.04	2.74			1	t	1	
\vdash		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	 		5.13DA	.5155	0.91	5.70	7.72						-		—
		Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	1	1
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		Ė	-					1_131							
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		1
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3	<u>L_</u>	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	<u></u>	<u> </u>	20.35	21.09	<u> </u>	1

(2.4-64) Nonrecc Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 1-Wire I Interoffi Per Mon Interoffi Termina Nonrecc Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi Do Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Addition EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoffi Nonrecc Is Char. EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoff Interoffi Interoff	recurring Currently Combined Network Elements Switch -Asharge	TED DS1	2	UNCDX UNC1X COFFICE TRANSPOR UNC1X UNC1X UNC1X	USOC 1D1DD UNCCC	Rec 0.91	Nonrecurring First	RATES (\$)	Nonrecurring First		Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Addition (2.4-64) Nonrec Is Char EXTENDED 4-V 4-Wire I 4-Wire I Interoffi Per Moi Interoffi Termina Nonrec Is Char EXTENDED 4-V First DS First DS First DS Interoffi Per Moi Interoffi Per Moi Interoffi Por Moi Interoffi Por Moi Interoffi Contact C	itional OCU-DP COCI (data) - in combination - per month -64kbs) recurring Currently Combined Network Elements Switch -Ar harge -4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month -6-WIRE Transport - Dedicated - DS1 combination - Facility nination Per Month -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-BS1 DOS1 Combination - Zone 1	m = 3-	INTER 1 2	UNCDX UNC1X COFFICE TRANSPOR	1D1DD			, ,	· · ·		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
Addition (2.4-64) Nonrec Is Char EXTENDED 4-V 4-Wire I 4-Wire I Interoffi Per Moi Interoffi Termina Nonrec Is Char EXTENDED 4-V First DS First DS First DS Interoffi Per Moi Interoffi Per Moi Interoffi Por Moi Interoffi Por Moi Interoffi Contact C	itional OCU-DP COCI (data) - in combination - per month -64kbs) recurring Currently Combined Network Elements Switch -Ar harge -4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month -6-WIRE Transport - Dedicated - DS1 combination - Facility nination Per Month -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-BS1 DOS1 Combination - Zone 1	m = 3-	INTER 1 2	UNCDX UNC1X COFFICE TRANSPOR	1D1DD			, ,	· · ·		Elec	Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
Addition (2.4-64) Nonrecc Is Chare EXTENDED 4-V 4-Wire I 4-Wire I A-Wire I Interoffi Per Moi Interoffi Termina Nonrecc Is Chare EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Moi Interoffi Per Moi Interoffi Por Moi Interoffi Concord Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition EXTENDED 2-V EXTENDED 2-V Is Chare EXTENDED 2-V Is Chare Interoffi Nonrecc Is Chare EXTENDED 2-V Is Chare Interoffi Interoffi Nonrecc Is Chare Is Chare Is Chare Is Chare Interoffi Interoff Interoffi op in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month -6-WIRE Transport - Dedicated - DS1 combination - Facility nination Per Month -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA -6-BS1 DOS1 Combination - Zone 1	m = 3-	INTER 1 2	UNCDX UNC1X COFFICE TRANSPOR	1D1DD			, ,	· · ·			-	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic-	Order vs. Electronic-	
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS 1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Anditior Interoffi Interoffi Interoffi Month	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	3- TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X				Add'I	· · ·		per zerk	per Lore	Electronic- 1st	Electronic- Add'l	Electronic-	Electronic-
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS 1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Anditior Interoffi Interoffi Interoffi Month	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X				Add'I	· · ·				1st	Add'l		
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS I CO Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Additior Interoffi Nonrecci Is Char. EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoff Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoff	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X				Add'I	· · ·						Disc 1st	Disc Add I
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS I CO Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Additior Nonrecci Is Char. EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoff Interoffi Interoff Intero	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X				Add'l	· · ·				OSS	Rates (\$)		
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS I CO Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Additior Nonrecci Is Char. EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoff Interoffi Interoff Intero	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X			First	Add'l	Eiro4					. (4)		
(2.4-64) Nonrecci Is Char. EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrecci Is Char. EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Mon Interoffi DS 1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Anditior Interoffi Interoffi Interoffi Month	-64kbs) recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility initiation Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X		Λ 01			riiSt	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrect Is Char EXTENDED 4-W 4-Wire I 4-Wire I 4-Wire I Interoffi Per Mon Interoffi Termina Nonrect Is Char EXTENDED 4-W First DS First DS First DS First DS Interoffi Per Mon Interoffi Per Mon Interoffi Per Mon Interoffi Control Interoffi Per Mon Interoffi Ronth Addition Zone 1 Addition Zone 2 Addition Zone 2 Addition Zone 3 Addition EXTENDED 2-W Interoffi Nonrect Is Char EXTENDED 2-W 2-Wirel 2-Wirel Interoffi Interoff Inter	recurring Currently Combined Network Elements Switch -Asharge	TED DS1	2	UNC1X COFFICE TRANSPOR UNC1X		U 01								j ,		i .
Is Charled Is Charled	harge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	TED DS1	2	OFFICE TRANSPOR	LINCCC	0.51	5.70	4.42								
EXTENDED 4-V 4-Wire I 4-Wire I 4-Wire I 1-Wire I 1-Wire I Interoffi Per Moo Interoffi Termina Nonrecci Is Chart EXTENDED 4-V First DS First DS First DS Interoffi Per Moo Interoffi Do Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Addition EXTENDED 2-V EXTENDED 2-V 1-Wirel 1-Wire	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month recurring Currently Combined Network Elements Switch - Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	5-	2	OFFICE TRANSPOR	HINCCC											i .
4-Wire 4-Wire 4-Wire 4-Wire 1-W	ire DS1 Digital Loop in Combination - Zone 1 ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch - Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1	5-	2	UNC1X			52.73	24.62	9.12	9.12			20.35	21.09		
4-Wire 4-Wire 1 4-Wire 1 4-Wire 1 Interoff 1 Per Mon Interoff 1 Termina Nonrecc Is Char EXTENDED 4-V First DS First DS Interoff 1 Per Mon Interoff 1 Per Mon Interoff 1 Interoff 2 Interoff 2 Interoff 2 Interoff 2 Interoff 3/1 Interoff 2 Interoff 3/1 Interoff 2 Interoff 3/1 Interoff 2 Interoff 3/1 Inte	ire DS1 Digital Loop in Combination - Zone 2 ire DS1 Digital Loop in Combination - Zone 3 refice Transport - Dedicated - DS1 combination - Per Mile Month office Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1		2			57.70	000.40	101 71	70.07	04.00						+
4-Wire Interoffi Per Mon Interoffi Termina Nonrecci Is Chart Strict De First De First De First De First De First De First De De Tour D	ire DS1 Digital Loop in Combination - Zone 3 roffice Transport - Dedicated - DS1 combination - Per Mile Month roffice Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAL DS1Loop in Combination - Zone 1				USLXX	57.73 75.40	228.40 228.40	161.74 161.74	79.87 79.87	24.88 24.88				├ ──		
Interoffi Per Mon Interoffi Termine Nonrect Is Char EXTENDED 4-V First DS First DS First DS Interoffi Per Mon Interoffi Month 3/1Chan DS1 C/C Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior EXTENDED 2-V SETENDED 2-V SETENDED 2-V SETENDED 2-V SETENDED 2-V SETENDED 2-V SETENDED 3-V S	office Transport - Dedicated - DS1 combination - Per Mile Month office Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAL DS1Loop in Combination - Zone 1		3	UNC1X	USLXX	75.40 98.59	228.40	161.74	79.87	24.88				├ ──		
Per Moi Interoffi Termina Nonreci Is Chari EXTENDED 4-V First DS First DS First DS Interoffi Per Moi Interoffi Month 3/1Chai DS1 CC Additior Zone 1 Additior Zone 2 Additior EXTENDED 2-V Is Chari EXTENDED 2-V Is Chari EXTENDED 2-V IreV 1-V Interoffi Interoff Interof	Month Office Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1			UNCIA	USLAA	96.39	220.40	101.74	19.01	24.00						
Interoffi Termina Nonrect Is Chart EXTENDED 4-V First DS First DS Interoffi Per Mon Interoffi month 3/1Chai DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additor EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V EXTENDED 2-V Interoffi Interoff Inter	office Transport - Dedicated - DS1 combination - Facility nination Per Month recurring Currently Combined Network Elements Switch - Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAL DS1Loop in Combination - Zone 1			UNC1X	1L5XX	0.3562								j ,		i
Termina Nonrece Is Chare EXTENDED 4-V First DS First DS First DS Interoffi Per Mon Interoffi month 3/1Chan DS1 CC Additior Zone 1 Additior Zone 3 Additior Zone 3 Additior EXTENDED 2-V Service Service Service Service Interoffi Interoff Interof	nination Per Month recurring Currently Combined Network Elements Switch -Asharge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAL DS1Loop in Combination - Zone 1		1	ONOTA	TLOAK	0.3302								 		—
Nonrect Is Chart EXTENDED 4-V First DS First DS First DS Interoffi Per Mot Interoffi Month 3/1Chart DS1 CZ Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Nonrect Is Chart EXTENDED 2-V 2-WireV 1-WireV Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Interoffi Month	recurring Currently Combined Network Elements Switch -Asharge		1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
ls Char. EXTENDED 4-V First DS First DS Interoffi Per Mon Interoffi Month 3/1Char DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Zone 3 Additior Zone 3 Additior Zone 4 EXTENDED 2-V 2-WireV 2-WireV Interoffi Interoff	harge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA DS1Loop in Combination - Zone 1		!		7	77.00	171.27	110.12	70.07	55.50			20.00	21.00		<u> </u>
EXTENDED 4-V First DS First DS First DS First DS Interoffi Per Moo Interoffi Month 3/1Chan DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior EXTENDED 2-V 2-Wirev 2-Wirev Interoffi Month	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAL DS1Loop in Combination - Zone 1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
First DS First DS First DS First DS Interoffi Per Mol Interoffi month 3/1Cha DS1 C/C Additior Zone 1 Additior Zone 3 Additior Zone 3 Additior EXTENDED 2-V 2-Wirel 2-Wirel Interoffi Interoffi Interoffi Interoffi Interoffi	: DS1Loop in Combination - Zone 1	TED DS3	INTER				02.70	202	0.12	0.12			20.00	200		
First DS First DS Interoffi Per Mon Interoffi month 3/1Chan DS1 CC Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition EXTENDED 2-V 2-Wirel 2-Wirel Interoffi Month			1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
First DS Interoffi Per Mon Interoffi month 3/1Chai DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 2 Additior Zone 3 Additior Zone 3 Additior Interoffi Month	: DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
Per Mori Interoffi month addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Extended Solution Solution Solution Solution Sol	DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
Interoffi month 3/1Chai DS1 CC Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Zone 3 Addition EXTENDED 2-Wirel 2-Wirel 1nteroffi Month	roffice Transport - Dedicated - DS3 combination - Per Mile															
month 3/1Chai DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Nonrecc Is Charl EXTENDED 2-Wirel 2-Wirel Interofiti Month	Month			UNC3X	1L5XX	2.34								j ,		i .
3/1Chai DS1 CC Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Zone 3 Addition Ronrect Is Charl EXTENDED 2-V 2-Wirev 2-Wirev Interoffi Month	roffice Transport - Dedicated - DS3 - Facility Termination pe	r														
DS1 CC Additior Zone 1 Additior Zone 2 Additior Zone 3 Additior Zone 3 Additior In Nonrect Is Char EXTENDED 2-V 2-Wirev 2-Wirev Interofit Month	th			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		i .
Addition Zone 1 Addition Zone 2 Addition Zone 3 Addition Zone 3 Addition Nonrect Is Chart EXTENDED 2-V 2-WireV 2-WireV Interofit Month	Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
Zone 1 Addition Zone 2 Addition Zone 3 Addition Nonrecc Is Chart EXTENDED 2-V 2-Wirel 2-Wirel Interofiti Month	COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								L
Addition Zone 2 Addition Zone 3 Addition Zone 3 Additoin Nonrect Is Charr EXTENDED 2-V 2-WireV 2-WireV Interoffi Month	itional DS1Loop in DS3 Interoffice Transport Combination -													j ,		i .
Zone 2 Additior Zone 3 Additior Nonrect Is Chart EXTENDED 2-V 2-Wirel 2-Wirel Interofit Month			1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
Addition Zone 3 Addition Nonrect Is Chart EXTENDED 2-V 2-WireV 2-WireV Interofit Month	itional DS1Loop in DS3 Interoffice Transport Combination -													j ,		i .
Zone 3 Additoir Nonrect Is Char; EXTENDED 2-V 2-WireV 2-WireV Interoffi Month			2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
Additoir Nonrect Is Char EXTENDED 2-V 2-Wire\ 2-Wire\ 100	itional DS1Loop in DS3 Interoffice Transport Combination -		_											24.22		i .
Nonrect Is Chart EXTENDED 2-W 2-WireV 2-WireV 10-10-10-10-10-10-10-10-10-10-10-10-10-1			3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		├
ls Char EXTENDED 2-V 2-Wire\ 2-Wire\ 1nteroff Month	itoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
2-Wire\ 2-Wire\ 2-Wire\ 2-Wire\ 1-Wire	recurring Currently Combined Network Elements Switch -As	3-		UNC3X	UNCCC		50.70	04.00	0.40	0.40			20.25	21.09		i .
2-WireV 2-WireV 2-WireV Interoffi Month	narge 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOIC	E CBAD	EINITE				52.73	24.62	9.12	9.12			20.35	21.09		
2-Wire\ 2-Wire\ Interoffi Month	ireVG Loop in combination - Zone 1	E GRAD	1 1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
2-Wire\ Interoffi Month	ireVG Loop in combination - Zone 1		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86				\vdash		+
Interoffi Month	ireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86				 		
Month	roffice Transport - 2-wire VG - Dedicated- Per Mile Per	+	٦	5140VA	JLALL	20.20	100.76	33.47	12.34	10.00				 		
		1	1	UNCVX	1L5XX	0.0174								1 1		1
	roffice Transport - 2-wire VG - Dedicated - Facility				. 20, 0 .	0.0.14										
	nination per month	1	1	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		1
	recurring Currently Combined Network Elements Switch -As	3-	i –			•				220						ſ
ls Char				UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTENDED 4-1	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	E GRAD	Ė INTE	ROFFICE TRANSPO												ſ
	ireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
				UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	ireVG Loop in combination - Zone 2		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3													1		1
Month	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 office Transport - 4-wire VG - Dedicated - Per Mile Per	1	<u> </u>	UNCVX	1L5XX	0.0174										
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 orffice Transport - 4-wire VG - Dedicated - Per Mile Per th	1		l .	1									1		1
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility		<u> </u>	UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		├
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility nination per month		1	LINOVA	LINIOGG											1
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility nination per month recurring Currently Combined Network Elements Switch -As	S-	 	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		+
	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility rination per month recurring Currently Combined Network Elements Switch -Ar harge			IKANSPORI	41 END	0.10						l				
DS3 Lo	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility rination per month recurring Currently Combined Network Elements Switch -As harge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3		JEFICE	LINICOV												
Deale	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility rination per month recurring Currently Combined Network Elements Switch -Ar harge)FFICE	UNC3X	1L5ND	9.19				•						——
Interoffi	ireVG Loop in combination - Zone 2 ireVG Loop in combination - Zone 3 roffice Transport - 4-wire VG - Dedicated - Per Mile Per th roffice Transport - 4-wire VG - Dedicated - Facility rination per month recurring Currently Combined Network Elements Switch -As harge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	BINTERC	J-FICE	UNC3X UNC3X	1L5ND UE3PX	9.19	240.23	180.87	106.78	45.24						

UNBLINDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: B
SHEGHEL	- I HOM LELINEW O - Telliessee										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		1
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						1
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	2.34										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month		1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43	1	1	36.84	36.84		i
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		i
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.3562										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								i
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		ı
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		ı
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		1
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															1
	month			UNCNX	UC1CA	3.24	5.70	4.42								ı
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO												
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		·
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		!
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		·
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile		1								1	1		Ì		i
\vdash	Per Month		 	UNCSX	1L5XX	2.34								ļ		1
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1		===						1	1				i
\vdash	Termination per month		 	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		1
	3/1 Channel System in combination per month		ļ	UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						
\vdash	DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in the same STS-1 Interoffice Transport		١								1	1				i
\vdash	Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINICAV	LICLY	75.40	000.40	101 = 1	70.00	04.00			00.0=	04.00		1
\vdash	Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
1 1	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINICAV	LICLY	00.50	000.40	101 = 1	70.00	04.00	1	1	00.0-	04.00		i
\vdash	Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88		-	20.35	21.09		
\vdash	DS1 COCI in combination per month		-	UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINICOV	UNCCC		52.73	04.00	0.40	9.12	1	1	36.84	36.84		i
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT	EDOE	UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EXIE		PLO INI			LIDLE?	04.40	400.70	25.47	70.04	40.00						
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			-	 		
\vdash	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	ļ	ļ	-	 		
1 1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174										ı
LL	rei wiie pei montii		<u> </u>	OINCDV	ILOAX	0.0174			l		l	l	L	<u> </u>		

UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: B
S. TDOITDEL	TETTORIC ELLINEITO TOMOGGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
 	Nonrecurring Currently Combined Network Elements Switch -As-			O. TODA	01150	2	7 0.00	11.00	00.02	01.00			20.00	21.00		
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ĺ
FXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RPS INT	FROFE		0.1000		020	202	02	0.12			20.00	21.00		
LXIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
 	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Looal Loop in Combination - Zone 3		3		UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			OHODA	ODLOT	00.11	100.70	00.41	72.04	10.00						
	Per Mile per month			UNCDX	1L5XX	0.0174										1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1		.20.01	0.0174	 					1		t		<u> </u>
	Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-		-	5.15DA	51150	21.13	7 0.00	44.00	00.02	31.00			20.00	21.03		
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
FYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT W		3,1000		32.13	27.02	3.12	9.12			20.00	21.09		
LAIL	First 2-wire VG Loop (SL2) in Combination - Zone 1	IVAINOI	1 1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
 	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONOVA	OLALZ	20.20	100.70	33.47	72.34	10.00			20.55	21.03		—
	Mile			UNC1X	1L5XX	0.3562										1
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	TLOAK	0.5502										
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.33	21.09		
 	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.14						—
 	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		—
 	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			30.04	30.04		—
 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONCIA	OCIDI	17.30	3.70	4.42								—
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		-	UNCVA	ULALZ	10.50	100.70	33.47	12.54	10.00			20.33	21.09		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	UEALZ	21.03	100.76	33.47	72.94	10.00			20.33	21.09		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		1
	Each Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.91	5.70	4.42	72.94	10.00			20.33	21.09		
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCVA	IDIVG	0.91	3.70	4.42	-					-		
	Channel System per month			UNC1X	1L5XX	0.3562										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.3362	-		-					-		
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	Each Additional DS1 COCI combination per month	 	-	UNC1X UNC1X	UC1D1	17.58	5.70	4.42	70.07	30.90			∠0.35	∠1.09		
 	Nonrecurring Currently Combined Network Elements Switch -As-	 		OINCIA	OCIDI	17.58	5.70	4.42	-					-	-	
	Is Charge	1	1	UNC1X	UNCCC		52.73	24.62	9.12	9.12	1	1	20.35	21.09		1
EVTE	_lis Charge NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDOE	ICE TO				52.73	24.02	9.12	9.12			∠0.35	∠1.09	-	
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	LKUFF	ICE IK	MNOFURI W/ 3/1 W	UA									1		
	Zone 1	1	4	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
\vdash	First 4-Wire Analog Voice Grade Local Loop in Combination -	-	-	OINONY	JLAL4	24.70	100.76	33.47	12.94	10.00			20.35	21.09	-	
			2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		1
\vdash	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -	 		OINONA	ULAL4	32.20	100.76	33.47	12.94	10.00	-		20.35	21.09	1	
	Zone 3	1	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
\vdash	First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	OINCVA	UEAL4	42.18	100.76	35.47	12.94	10.86		-	20.35	∠1.09		
	Mile Per Month	1	1	UNC1X	1L5XX	0.3562					1	1		I		1
\vdash		-		ONCIA	1LJ//	0.3362	 								-	
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
\vdash	Per each 1/0 Channel System in combination Per Month	 	1	UNC1X UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	-		20.35	21.09	1	
\vdash	Per each Voice Grade COCI in combination - per month	 	!	UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.74		-		-		
 	3/1 Channel System in combination per month	 		UNC3X	MQ3	222.98	156.02	4.42	17.12	6.77			36.84	36.84	-	
\vdash	Per each DS1 COCI in combination per month	 	-	UNC1X	UC1D1	17.58	156.02 5.70	49.41	17.12	0.77			30.84	30.84		
 	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		OINCIA	וטוטט	17.58	5.70	4.42							-	
	Interoffice Transport Combination - Zone 1	1	4	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	 		OINCVA	UEAL4	24.70	100.76	35.47	12.94	10.86		-	20.35	∠1.09		
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
	interonice transport Combination - Zone Z	l		OINCVA	UEAL4	32.20	100.76	33.47	12.94	10.86	l	l	20.35	21.09	l	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: B
CHECHEL	TO THE TWO THE PERSON OF THE P										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
ļ	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
ļ	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EVTE	IS Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE				52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	FFICE	TRANSPORT W/ 3/1	MUX											
	Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
- 	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	-	OHODA	ODLOG	31.10	100.70	33.47	12.34	10.00			20.33	21.09		
	Zone 2	1	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86		1	20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	†	_		132200	70.01	100.70	55.41	72.54	10.00		 	20.00	21.09		
	Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per			CHODA	02200	00.11	100.10	00.11	72.01	10.00			20.00	21.00		
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
ļ	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAV	LIATEA	77.00	474.04	440.40	70.07	20.00			20.25	21.09		
-	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
 	Nonrecurring Currently Combined Network Elements Switch -As-			OINO IA	OCIDI	17.50	5.70	4.42						-		
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FYTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				32.13	24.02	5.12	5.12		 	20.33	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				1											
	Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86		1	20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	†			1	20										
	Transport Combination - Zone 2	1	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86		1	20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1														
	Transport Combination - Zone 3	1	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86		1	20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.3562						<u></u>				
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1			1							1				
	64kbs)	ļ		UNCDX	1D1DD	0.91	5.70	4.42								
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1		LINODY	LIBI C.							1				
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1		20.35	21.09		

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
0.121												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_				==									
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDA	UDL04	55.11	100.70	33.47	72.94	10.00			20.33	21.09		-
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	טטוטו	0.91	3.70	4.42								
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120701	0.0002										1
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system															
1	1	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42						1		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													
		Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_				=-									
		Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSAA	0.3362										
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.55	21.03		
		To cash oname dystem for in combination per month			ONOTA	IVIQ I	00.77	100.70	14.40	0.04	2.17						
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	1	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month	1		UNCNX	UC1CA	3.24	5.70	4.42						1		
-	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	 		UNUNX	UCTCA	3.24	5.70	4.42			 		-			
1		Channel System per month			UNC1X	1L5XX	0.3562										
-	 	Each Additional DS1 Interoffice Channel Facility Termination in	 		OI TO IA	ILUAA	0.3302					 			 		
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1	Each Additional DS1 COCI in the same 3/1 channel system	1			1	50			, 5.57	55.50			20.00	255		
	1	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42						1		
		Nonrecurring Currently Combined Network Elements Switch -As-	i .				_					İ					
	<u></u>	Is Charge	<u></u>		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	<u> </u>	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						<u> </u>
<u> </u>	ļ	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88				ļ		<u> </u>
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	41.500											
<u> </u>	<u> </u>	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.3562					<u> </u>		ļ	 		
	1	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-	1	3/1 Channel System in combination per month	 		UNC3X	MQ3	222.98	171.24	49.41	17.12	6.77	 		36.84	36.84		
-	1	Per each DS1 COCI combination per month	 		UNC3X UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.77	}		30.84	30.84		
-	!	Each Additional DS1 Interoffice Channel per mile in same 3/1	 		OINO IA	COIDI	11.30	5.70	4.42			 			 		
1	1	Channel System per month	1	1	UNC1X	1L5XX	0.3562								Ì		
	1	onamor oyotom per month	1		OHOIX	LOAA	0.0002			l		I	l	l			

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: B
CHECHEL	ED NETWORK ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		_	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								1								
						Rec	Nonrecurring			Disconnect				Rates (\$)		
	Fort All Wood DOA have Wood Observed For War Tourism Co.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAV	114754	77.00	474.04	440.40	70.07	00.00			00.05	04.00		
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	OCIDI	17.56	5.70	4.42								
	1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	OOLAC	07.70	220.40	101.74	70.07	24.00						
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-	i .							1							
	Is Charge		L	UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u></u>	20.35	21.09		
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility							44.00								
	Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOC		50.70	04.00	0.40	0.40			20.25	24.00		
EVT	Is Charge ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE :	UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EATI	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO	T 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
 	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		5	ONODA	ODLOT	33.11	100.70	33.47	72.34	10.00						
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recur															
	n used as ordinarily combined network elements in All States, t					As Is Charge	does not.		[
Noni	ecurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each com	bination)			ļ	ļ					ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1								_		1				
\vdash	Is Charge - 2 wire/4-Wire VG	<u> </u>	ļ	UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCDX	UNCCC		52.73	04.00	9.12	0.40			20.35	10.54		
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-	 	 	UNCDX	UNCCC		52.73	24.62	9.12	9.12	-	 	20.35	10.54		
	Is Charge - DS1	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
 	Nonrecurring Currently Combined Network Elements Switch -As-	 		ONOIN	0.1000		52.73	24.02	3.12	9.12			55.75	24.02		
	Is Charge - DS3	1		UNC3X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-	!			3000		02.70	24.02	J. 12	Ų. IZ	1	 	55.75	24.02		
	Is Charge - STS1	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
Optio	onal Features & Functions:			-												
				U1TD1,				İ	1				İ	İ		
	Clear Channel Capability Extended Frame Option - per DS1	<u></u> ı	L	ULDD1,UNC1X	CCOEF		OI	OI	OI	OI	<u> </u>	<u></u>	<u> </u>	<u></u>		
				U1TD1,												_
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,]		
	Activity - per DS1	I		UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S			45.68	1.76		
				U1TD3, ULDD3,				L	l			1		1		
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		
MUL	TIPLEXERS	<u> </u>		LINIOAN	1404	00 ==	105 =0	44.50	0.01				00.00	0.00		
\vdash	DS1 to DS0 Channel System per month	<u> </u>		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		LIDI	1D1DD	4.00	0.07	4.00				1		0.00		
	month (2.4-64kbs) used for a Local Loop	<u> </u>	<u> </u>	UDL	טטוטו	1.82	6.07	4.66	l	l		l	l	9.80		

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			14									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	l .	l.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															1
		same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								1
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	17.58	6.07	4.66								
UNBUN	IDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	g retail USOCs	3								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling														40.00	
		port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling														40.00	
1	 	port with Caller ID - Res (TACSR)		1	UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92	1	ļ	20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			LIEDOD	LIEDANI	4.00	0.00	0.40	2.00	2.00			20.25	40.54	40.00	4.40
\vdash	 	port with Caller ID - Res (1MF2X) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		-	UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92	-		20.35	10.54	13.32	1.40
					LIEDED	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	12.22	1.40
-		port with Caller ID - Res (2MR) Exchange Ports - 2-Wire VG unbundled res, low usage line port		-	UEPSR	UEFAU	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
		with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan			UEFSK	UEPAP	1.09	9.93	9.19	3.00	2.92	1		20.33	10.54	13.32	1.40
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Exchange Port - 2-Wire VG Tennessee Residence Area Plus		1	OLI OIL	OLI WIN	1.09	5.53	5.19	3.00	2.32	 		20.33	10.34	13.32	1.40
		without Caller ID		1	UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92		1	20.35	10.54	13.32	1.40
		2-Wire voice unbundled Low Usage Line Port without Caller ID		 	OLI OIL	JLI IXIX	1.09	3.33	5.19	3.00	2.32			20.33	10.34	13.32	1.40
		Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		Subsequent Activity		l	UEPSR	USASC	0.00	0.00	0.00	5.00	2.02			20.35	10.54	13.32	
—	FEATU			1		3000	0.00	0.00	0.00				l	20.00	10.04	10.02	110
		All Available Vertical Features		1	UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		VOICE GRADE LINE PORT RATES (BUS)		 			3.00	0.00	0.00					20.00		.0.02	40
	12-WIRF																1
	2-WIRE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: B
UND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	I TETTORIX ELEMENTO TOMICOGO										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							D	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville								<u> </u>							
		& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville							·								
		& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
		Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU	-															<u> </u>
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHA	ANGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	<u> </u>	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD UEPT2	1.79 1.79	9.93 9.93	9.19 9.19	3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32	1.40 1.40
-	-	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus 2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP UEPSP	UEPTO	1.79	9.93	9.19	3.66 3.66	2.92			20.35	10.54	13.32 13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Termessee Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEFSF	UEF12	1.79	9.93	9.19	3.00	2.92	-	-	20.33	10.54	13.32	1.40
		Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	 	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92	 	 	20.35	10.54	13.32	1.40
-	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—	 	2-Wire Voice Unbundled PBX LD DDD Terminal Plots 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—	 	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				32.70	1.75	5.55	5.13	5.50	2.92			20.00	10.04	10.02	1.40
		Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	†	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						2,00	2.10	2.00	02						
1		Administrative Calling Port	1		UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			<u> </u>			0.00	*****								
		Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy															
1		Administrative Calling Port TN Calling Port	1		UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
L	<u></u>	Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92		<u> </u>	20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination,															
L_	<u></u>	Collierville and Memphis Local Calling Plan	<u></u>		UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92	<u> </u>	<u> </u>	20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,															
L	<u></u>	Collierville and Memphis Local Calling Plan	L	<u> </u>	UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92	<u></u>	<u></u>	20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling							<u> </u>								
	1	Port	L		UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92	<u></u>	<u> </u>	20.35	10.54	13.32	1.40

LINDUNE	ED NETWORK ELEMENTS T															
CATEGORY	ED NETWORK ELEMENTS - Tennessee RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental	Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs.
J. 1. 2. 0. 1. 1		m		300				1311 20 (4)			per LSR	per LSR	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	FURES All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	HANGE PORT RATES (COIN)			OLF OF OLF OL	OLFVI	0.00	0.00	0.00					20.33	10.54	13.32	1.40
	Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	E: Transmission/usage charges associated with POTS circuit son E: Access to B Channel or D Channel Packet capabilities will be													Deminant Des		
	E: Access to B Channel of D Channel Packet capabilities will be D LOCAL EXCHANGE SWITCHING(PORTS)	avanai	oie oni	y through BFR/New	Business Re	equest Process	Rates for the	раскет сараві	lities will be de	termined via t	ne Bona Fio	ie Request/	New Busines:	s Request Pro	cess.	-
EXCH	HANGE PORT RATES															
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Requ	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this amer	ndment shall UEPP2	be provided p 8.97		eparate agreem 47.01	ent or tariff at 9.21	BellSouth's d 8.47	iscretion.		20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		 	ULFEA	UEFFZ	0.97	41.15	47.01	9.21	0.47			20.35	10.54	13.32	1.40
	capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
	All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX UEPTX, UEPSX	UEPVF U1UMA	0.00		0.00								_
NOTE	E: Transmission/usage charges associated with POTS circuit so	witched	usage						l ission by B-Cl	nannels associ	ated with 2	-wire ISDN i	orts.	1		
	E: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
EXCH	HANGE PORT RATES (continued)			_												
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16	00.10	00.00			20.00	10.01		
	Virtual collocation - Special Access & UNE, cross-connect per															
Dotoi	DS1 iled E911 with Locator Capability (required with UEPEX port)			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						_
Detai	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911													1		
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
New	or Additional PRI Telephone Numbers			OLI LX	02. 15	0.00	.0						20.00	10.01		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0733	0.54						20.33	10.54		
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes] AL NUMBER PORTABILITY			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
LOCA	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		
INTE	RFACE (Provsioning Only)			III. IX. OLI DX		15	<u> </u>						20.00	10.04		
	Voice/Data			UEPEX	PR71V	0.00		0.00					20.35	10.54		
	Digital Data			UEPEX	PR71D	0.00		0.00					20.35	10.54		
Now	Inward Data or Additional Channel			UEPDX	PR71E	0.00	0.00	0.00					20.35	10.54		
IACM	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.39						20.35	10.54		
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	29.11						20.35	10.54		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	29.39						20.35	10.54		
 	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel		<u> </u>	UEPEX UEPEX	PR7BS PR7BU	0.00	29.39 29.39						20.35 20.35	10.54 10.54		
	Inew or Additional Oseage Sensitive Digital Data B Channel	l	1	ULPEA	LK/BU	0.00	29.39		L		L	<u> </u>	20.35	10.54	L	

LIND	IND! F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evh:	bit: B
OND	JINDLE	D MET WORK ELEMENTS - Tellile3366				1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		No. 10 A LEW and DRIVING Channel			HEDEV	DDZEV	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CALL	New or Additional PRI "D" Channel TYPES		<u> </u>	UEPEX	PR7EX	0.00	29.39						20.35	10.54		
	CALL	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	1	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	UNBUN	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	/					0.00									
	UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	<u> </u>	Unbundled Remote Call Forwarding Service, InterLATA - Res		<u> </u>	UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	Non-B	Unbundled Remote Call Forwarding Service, IntraLATA - Resecurring	-	-	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	NOII-RE	Unbundled Remote Call Forwarding Service - Conversion -	1	-	1	+	 			+	1	1	1	1	1	1	
1		Switch-as-is	1	1	UEPVR	USAC2	1	1.03	0.29					20.35	10.54	13.32	1.40
—	1	Unbundled Remote Call Forwarding Service - Conversion with	<u> </u>			30.102	1	1.00	0.20	1				20.00	10.04	10.02	1.40
1		allowed change (PIC and LPIC)	1	1	UEPVR	USACC	1	1.03	0.29							1	
	UNBUN	NDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	 	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and		1	UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring			OLI VB	OLIVO	1.03	9.95	3.13	3.00	2.02			20.55	10.54	10.02	1.40
		Unbundled Remote Call Forwarding Service - Conversion -					İ										
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
UNBU		LOCAL SWITCHING, PORT USAGE															
	End Of	ffice Switching (Port Usage)					0.0000044										
	Tondo	End Office Switching Function, Per MOU		<u> </u>		-	0.0008041										
	rander	m Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU					0.0009778										
	1	Tandem Switching Function Per MOU (Melded)	†		1	1	0.000380364			1		1	1		1	1	
	1	Melded Factor: 38.90% of the Tandem Rate	<u> </u>		1	†	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1					1	1	
	Comm	on Transport			<u> </u>	İ											
		Common Transport - Per Mile, Per MOU					0.0000064		-								
		Common Transport - Facilities Termination Per MOU					0.0003871										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES			<u> </u>	1	1.11.12	(-1.5	L B								
-		ased Rates are applied where BellSouth is required by FCC ar								d Bort	of this Date 5	L Vhihit		-	ļ.	 	
-		es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us											n Bort/Loo	Combination	ne .	-	
		st and additional Port nonrecurring charges apply to Not Curr														1	
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Jy U			. Sincy Combi	Combos t	Homecum	Jilulyes sila	De triode idei	ca in the N		, Janeilly	John Sineu S		1	
		ort/Loop Combination Rates	1		İ		1									Ì	
		2-Wire VG Loop/Port Combo - Zone 1		1	<u> </u>		14.18								<u> </u>	<u> </u>	
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	UNE L	oop Rates	1	<u> </u>	LIEDDY	LIEDLY											
	 	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPRX	UEPLX	12.48										
	1	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPRX UEPRX	UEPLX	16.31 21.32			1					1	-	
-	2-Wiro	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	 	3	UEPKA	UEPLA	21.32										
-	Z-44116	2-Wire voice unbundled port - residence	 		UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69		<u> </u>		
	1	2-Wire voice unbundled port * residence 2-Wire voice unbundled port with Caller ID - res	†		UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91	1	15.69		1	1	
	1	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69			1	
			•	•	•	•	·								•	•	

CATEGORY 2-W diali 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 2-W ID- 1- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 2-W ID- 1- 1- 2-W ID- Zone	BCS UEPRX UEPRX UEPRX UEPRX	USOC UEPAQ UEPAH UEPAK	Rec 1.70 1.70	Nonrecurring First 22.14	Add'I 15.25	Nonrecurring First 8.45	J Disconnect Add'l 3.91	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I			
2-W diali 2-W lD - 2-	Vire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diali 2-W lD - 2-	Vire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
2-W diali 2-W lD - 2-	Vire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l		per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller	m		UEPRX UEPRX	UEPAH	1.70	First		First	Add'l		SOMAN	Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC		1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC		OSS	Rates (\$)		
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC				SOMAN	SOMAN
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	1.70					SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
diali 2-W	ling parity port with Caller ID - res Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	-	22.14	15.25	8.45	2.01		15.60				
2-W res. 2-W lD - 2-W	Vire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (TMCSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	-	22.14	15.25	8.45							
res 2-W	· (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX		1.70				3.91		15.69				
2-W ID -	Vire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX		1.70	00.44	45.05	0.45	0.04		45.00				
ID - 2-W ID -	- res (F2R) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller				UEPAK		22.14	15.25	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W	Vire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller				UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
D - 2-W 2-W	- res (TACER) Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX		1.70	22.14	15.25	0.40	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W	Vire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			OLI ION	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
ID - 2-W ID - 2-W ID - 2-W	- res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller				OLI AL	1.70	22.14	13.23	0.40	5.51		15.05				
2-W ID - 2-W ID - 2-W	Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
ID - 2-W ID - 2-W	- res (1MF2X) Vire voice unbundled Tennessee Area Calling port with Caller			02.700	02.7			10.20	0.10	0.01		10.00				
2-W ID - 2-W	Vire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
ID - 2-W						-		-								
		<u></u>		UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				
L (LU)	Vire voice unbundles res, low usage line port with Caller ID															
				UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire Voice Unbundled Tennessee Residence Dialing Plan															
	hout Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire voice unbundled Tennessee Area Plus Port without															
	ller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire voice unbundled Low Usage Line Port without Caller ID					. =-										
	pability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEATURES				HEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	Features Offered IMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	cal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFKA	LINFOX	0.33										
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
	ritch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															
	itch with change			UEPRX	USACC		1.03	0.29				15.69				
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
Sub	bsequent Database Üpdate						0.76					15.69				
ADDITIONA	AL NRCs															
2-W	Vire Voice Grade Loop/Line Port Combination - Subsequent															
	tivity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	bundled Miscellaneous Rate Element, Tag Loop at End User				[
	emise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	REMISES EXTENSION CHANNELS			HEDDY	LIEAES:			20.5-	10.0-				22.2-		10.0-	10.5-
	Vire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN UEAEN	13.19	31.99 31.99	20.02	10.65	1.41			20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Vire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX UEPRX	UEAEN	17.23 22.53	31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAEN	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06 75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ICE TRANSPORT				322	20.20	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.02
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
	rmination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00	<u> </u>							
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Loop Combination Rates															
	Vire VG Loop/Port Combo - Zone 1		1			14.18										
	Vire VG Loop/Port Combo - Zone 2		2		1	18.01										
	Vire VG Loop/Port Combo - Zone 3		3		1	23.02										
UNE Loop I				HEDDY	LIEBLY	10.10	ļ									
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPBX UEPBX	UEPLX	12.48	ļ									
	Vire Voice Grade Loop (SL1) - Zone 2 Vire Voice Grade Loop (SL1) - Zone 3		2	UEPBX UEPBX	UEPLX UEPLX	16.31 21.32										

UNBUNDL	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
CATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi		pice Grade Line Port (Bus)				-											
		-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
-		-Wire voice unbundled port outgoing only - bus -Wire voice Grade unbundled Tennessee extended local			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
		ialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
		-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
-		-Wire voice unbundled Tennessee Bus 2-Way Area Calling		1	OLI DX	OLIDI	1.70	22.14	10.20	0.43	3.31		15.05				
	Р	ort Economy Option (TACC1) -Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
	Р	ort Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		-Wire voice unbundled Tennessee Bus 2-Way Collierville and			LIEDDY	UEPAE	1.70	20.44	45.05	0.45	2.04		45.00				
		lemphis Local Calling Port (B2F) -Wire Voice Unbundled Tennessee Business Dialing Plan	1		UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91	-	15.69				
	w	ithout Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	(E	ennessee Inward Collierville and Memphis Local Calling Plan BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	(E	ennessee 2-Way Collierville and Memphis Local Calling Plan BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		Wire voice unbundled Incoming Only Port without Caller ID apability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LOC	CAL N	UMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURE	-															
		Il Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
NON		URRING CHARGES (NRCs) - CURRENTLY COMBINED															
		-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	USAC2		4.00	0.29				45.00				
		witch-as-is -Wire Voice Grade Loop / Line Port Combination - Conversion -		<u> </u>	UEPBX	USACZ		1.03	0.29			-	15.69				
	S	witch with change			UEPBX	USACC		1.03	0.29				15.69				
		-Wire Voice Grade Loop / Line Port Combination - Conversion -						0.70					45.00				
ADD		ubsequent Database Update NAL NRCs		<u> </u>		_		0.76				-	15.69				-
ADD		-Wire Voice Grade Loop/Line Port Combination - Subsequent				+						-					
	A	ctivity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
		nbundled Miscellaneous Rate Element, Tag Loop at End User remise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF		PREMISES EXTENSION CHANNELS			OLFBA	UKLIL		0.33	0.03			1		20.33	10.54	13.32	13.32
0		Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTE		FICE TRANSPORT															
	Te	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility ermination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile r Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								
2-WI	_	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)						2.20	2.20						1		
		/Loop Combination Rates												<u> </u>	İ		
	2-	-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		-Wire VG Loop/Port Combo - Zone 3		3			23.02										1
		-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										_
		-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	16.31					1	1	i	I		<u> </u>
		-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										

UNRUNDI	ED NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Fyhi	bit: B
GNEGNEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
I											Submitted	Submitted		Charge -	Charge -	Charge -
í		Intani									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
L															Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
ı l	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		4.00	0.00				45.00		1		
	Conversion - Switch with Change	1	1	UEPRG	USACC		1.03	0.29				15.69		 		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1					0.76				1	15.00	Ì	I	Ì	l
ADDI	Subsequent Database Update TIONAL NRCs	1	!		+		0.76		1	ļ		15.69	 	 	 	
ADDI		1	 		+		 		-					 		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00				15.69		1		
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	 	ULFRU	USASZ	0.00	0.00	0.00	 	-		15.69	 		 	-
							14.64	14.64				15.69				
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	-					14.04	14.04				15.69				
i	Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OEE/	ON PREMISES EXTENSION CHANNELS			ULFING	UKLIL		0.33	0.03					20.33	10.54	13.32	13.32
OFFA	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
$\overline{}$	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT		011	OLI IKO	ODDEA	10.02	140.04	112.04	70.14	00.00			20.00	10.04	10.02	10.02
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE	Loop Rates	1														
<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31								ļ		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1	1										 	-	 	
. 1	Live On the Heat of the Lorentz and Manager To 1. S. 1. S. 1. S. 1.			LIEDDY	LIEBBO	4 =		45.00	0 :-	0.01	1	45.00	Ì	I	Ì	l
+	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	-	<u> </u>	UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69		-		ļ
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	!	UEPPX UEPPX	UEPPO	1.70		15.25	8.45 8.45	3.91		15.69	 	 	 	
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1	!		UEPP1	1.70		15.25		3.91		15.69	 	 	 	
	2-Wire Voice Unbundled PBX LD Terminal Ports	1	<u> </u>	UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69	-	-	-	-
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91	1	15.69	Ì	I	Ì	l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	1	 	OLFFA	ULF IZ	1.70	22.14	15.25	0.45	3.91		15.69	-		 	
. 1	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91	1	15.69	Ì	I	Ì	l
+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69	 	 	 	
+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	1.70		15.25	8.45	3.91		15.69	1	<u> </u>	1	
- 	2-Wire Voice Unbundled PBX LD DDD Terminal Poter Fors	1	1	UEPPX	UEPXC	1.70		15.25	8.45	3.91		15.69	1	t	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69	1	t	1	l
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								20				1	t	1	i
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91	1	15.69	Ì	I	Ì	l
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
, 1		1	1	UEPPX	LIEDVI	4 =0	00.44	45.05	8.45	3.91	1	15.69	1	l	l	l
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	0.40	3.91		15.69				
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	1.70	22.14	15.25	0.40	3.91		15.09				

	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ł											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
í													Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
							N			. B'			000	D-1 (A)		
						Rec	Nonrecurring			Disconnect				Rates (\$)		
	OME VENT HELD BY LAW OF BRY HAVE A LONG TO B						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı l	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			LIEDDY	LIEDVAL	4.70	00.44	45.05	0.45	2.04		45.00				
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
ı l	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
				UEPPX	UEPXS	1.70	22.14			3.91	1					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91	1	15.69				
ı l	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	-		UEFFA	UEFAU	1.70	22.14	15.25	0.40	3.91		15.69				
ı l	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk			ULFFA	OLFAV	1.70	22.14	13.23	0.43	3.91		13.08				
ı l	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and			ULFFX	ULFAU	1.70	22.14	13.23	0.43	3.91		13.08				
ı l	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
Loc	AL NUMBER PORTABILITY			OLITA	OLI AI	1.70	22.14	10.20	0.43	3.31	1	15.05				
<u> </u>	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEA-	TURES			OLITA	LIVI OI	3.13	0.00	0.00				15.05				
<u> </u>	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.00	0.00	0.00				10.00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ı l	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			02.17	00/102		1.00	0.20				10.00				
ı l	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ı l	Subsequent Database Update						0.76					15.69				
ADD'	ITIONAL NRCs															
(2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ı l	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
i I	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64				15.69				
í l	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/	ON PREMISES EXTENSION CHANNELS															
igspace	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INIE	ROFFICE TRANSPORT															
(l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						1
	Termination	-		UEPPX	UTIVZ	18.58	55.39	17.37	27.96	3.51						
(Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0174	0.00	0.00					1	1		I
LINE	Port/Loop Combination Rates	1		UEFFX	O I I VIVI	0.0174	0.00	0.00			1					
ONE	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1			14.18					1					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
\leftarrow	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNF	Loop Rates	1	Ť			20.02							1	1		f
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
, 	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	16.31							İ	İ		
, 	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	21.32										
2-Wi	re Voice Grade Line Ports (COIN)															
i l	2-Wire Coin 2-Way without Operator Screening and without															
ı l	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69	Ì	Ì		I
i l	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69	<u> </u>			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking]]		
۱				UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91	1	15.69	1	1		1
	(TN) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			ULFCO	OLITA	1.70	22.17	10.20	0.40	0.01		10.00				

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
0.1.2011												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				ļ
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				ļ
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88						15.69				
		2-Wire Coin Outward Smartline with 900/976 (all states except															
L		LA)			UEPCO	UEPCR	1.88						15.69				ļ
Al		ONAL UNE COIN PORT/LOOP (RC)			LIEBOO	LIBEOU		2.22					1= 00				
$\vdash \vdash$		UNE Coin Port/Loop Combo Usage (Flat Rate)		ļ	UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
$\vdash \vdash$		Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0.35			ļ				1	-		↓
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBCO	LICACO		4.00	0.00				45.00		I	Ì	
$\vdash \vdash$		Switch-as-is		<u> </u>	UEPCO	USAC2		1.03	0.29	ļ			15.69	1	-		↓
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBCO	LICAGO		4.00	0.00				45.00		I	Ì	
$\vdash \vdash$		Switch with change		1	UEPCO	USACC		1.03	0.29	ļ		-	15.69		1	-	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEBCO	USAS2	0.00	0.00	0.00				45.00		I	1	
\vdash		Activity		1	UEPCO	USAS2	0.00	0.00	0.00	 			15.69		 		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDOO	LIDETI		0.00	0.00					20.25	40.54	42.22	42.22
-		Premise		DODT (UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (KES)												ļ
Ur	NE PO	ort/Loop Combination Rates					10.15										
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45 23.52										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
Ur		op Rates		1	UEPFR	LIECEO	16.56										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 1		2		UECF2	21.63										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR UEPFR	UECF2	28.28										1
-	Mira I	Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	28.28										
2-1	wile	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56	-	15.69		-		-
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
\vdash		2-Wire voice Grade unbundled Tennessee extended local			OLFIK	OLFRO	1.09	04.55	31.35	32.30	20.30		13.09				
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
\vdash		2-Wire voice unbundled Tennessee Area Plus with Caller ID -			OLITIK	OLI AQ	1.03	04.55	37.33	32.30	20.50		13.03				
		res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller		1	0=1111	OLI AII	1.03	04.33	57.55	52.30	20.30		10.09		 		
		ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69		I	Ì	
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller		1	J 1 K	JEI / II C	1.00	04.93	07.00	02.00	20.00		10.00		-		
		ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69		1		
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller		1		7		200	2.100	500	_5.00		12.00		1	1	
		ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69		I	Ì	
		2-Wire voice unbundled Tennessee Area Calling port with Caller			1			0	000	52.50	20.00				t	1	
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69		1		
\vdash		2-Wire voice unbundled Tennessee Area Calling port with Caller			1		50	220	230	330			12.20		t	1	
		ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69		I	Ì	
		2-Wire voice unbundles res, low usage line port with Caller ID		İ	İ	1		1	230	330				İ	İ	İ	
		(LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69		1		
		2-Wire Voice Unbundled Tennessee Residence Dialing Plan		İ	İ	1				1	1			İ	İ	İ	
		without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69		I	Ì	
IN	ITERC	OFFICE TRANSPORT								1							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51				I	Ì	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-	1							
		or Fraction Mile			UEPFR	1L5XX	0.0174								I	Ì	
FF	EATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
L(NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35			1							
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED								i e							i e

CATEGORY	NETWORK ELEMENTS - Tennessee RATE ELEMENTS				1									ment: 2		ibit: B
	RATE ELEMENTS		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	RATE ELEMENTS	i									Submitted	Submitted		Charge -	Charge -	Charge -
	RATE ELEMENTS										Elec	Manually		Manual Svc	Manual Svc	Manual Svc
		Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
1 lc	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
2	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
U	Jnbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-WIRE V	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (I	BUS)												
UNE Port	t/Loop Combination Rates															
2-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
2	P-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE Loo																
	P-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28										
2-Wire Vo	oice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	fialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
2.	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
	Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	vithout Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				ļ
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															
	BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
	NUMBER PORTABILITY				LLIBOY											.
	ocal Number Portability (1 per port)			UEPFB	LNPCX	0.35									1	├
	FFICE TRANSPORT				+								 	 	ļ	
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATVO	40.50	FF 00	47.07	07.00	0.51						
	ommiddion.			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51			-	-		
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0.0174										
FEATURE	or Fraction Mile		-	UEPFB	ILDAX	0.0174			 							
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFD	DEFVF	0.00	0.00	0.00	-			15.09	-	-	-	
	P-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+								 	 	-	
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69	Ì	Ì		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLFID	USAUZ		10.94	3.12			1	15.69	1	1	1	
	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
	Inbundled Miscellaneous Rate Element, Tag Designed Loop at			02.10	COACC		10.54	5.12	 			15.09	 	 		
	End User Premise			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.32
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INFF	PORT (JILLIN		11.23	1.10					20.33	10.34	10.02	13.32
	t/Loop Combination Rates		J. (1		1		-						 	 		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45	-									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	23.52										†
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17							1	1		
UNE Loo					1	30.77							1	1		
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56			1				1	1		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63							1	1		
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28					i	i	1	1		1

UNBUND	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
				1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OATEGON		NATE ELEMENTO	m	20110	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		+		Nonrecurring		Nonrecurring	Disconnect		1	088	Rates (\$)		
				 			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2.1	M/: N	(ains Crede Line Best Bates (BUC BBV)		<u> </u>				FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
Z-V	wire v	oice Grade Line Port Rates (BUS - PBX)				+											
	١.						. =0			40.00							
	!	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
		Calling Port	<u> </u>	<u></u>	UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69		<u></u>		<u></u>
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				1
	12	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD							_			İ					1
		Capable Port	1	1	UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54	l	15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			-		-										
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													1
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy		 	OLITI	OLI XIVI	1.73	100.40	05.00	42.07	10.54		15.05				
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		 	OLFIF	ULFAIN	1.75	100.40	03.00	42.07	10.34		13.09				
	أا	Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling		 	UEPFP	UEFAS	1.79	100.40	03.00	42.07	10.34		15.69				
					UEPFP	UEPXU	1.79	100.40	CO 00	42.67	40.54		45.00				
		Port		-	UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			LIEDED	UEPXV	4.70	100.40	63.08	42.67	40.54		45.00				
l		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LO		NUMBER PORTABILITY				LLIBOR	0.15						1= 00				
		_ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
IN		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.0174										
FE	ATUR																
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is	<u> </u>		UEPFP	USAC2		16.94	3.72				15.69				<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change	<u> </u>	Ш_	UEPFP	USACC		16.94	3.72			<u> </u>	15.69				<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at												_		_	
		End User Premise	1	1	UEPFP	URETN		11.23	1.10			l	I	20.35	10.54	13.32	13.32
UNBUNDL	ED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UN	NE Poi	rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38	İ									1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87					İ					1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			24.78					İ					1
UN		op Rates															1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	9.60	İ				İ	İ		İ		1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	11.09	İ							İ		1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	16.00	İ				İ	İ				
		rt Rate	1	T -		1		İ				İ	İ				1
UN																	+
UN		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	
		1										Submitted	Submitted		Charge -	Charge -	Charge -
		Intor										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>														Diac 1st	Diac Auu I
							Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.23	1.10								
Tele	phone Number/Trunk Group Establisment Charges			LIEBBY/													
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
-	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY	1	1	UEPPX		LNPCP	0.45	0.00	0.00	1	1	 	-		1	-	
0.14//	Local Number Portability (1 per port)	NE OID	DODT			LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI Port/Loop Combination Rates	NE SIDE	PORT			<u> </u>				 	 	<u> </u>			 		
UNE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	 			1	1	 		-	-	 				-	
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	UEPPB	UEFFR		32.21										
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB	UEFFR	1	34.76			-	-	1	-		-		
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
LINE	Loop Rates		3	UEPPB	UEFFR		44.32										
ONL	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISI 2Y	16.20					1	1				
	2-Wile IODIN Digital Grade Loop - GINE Zone 1		_ '	OLITD	OLITIK	OOLZX	10.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
+	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25			1	1	1					
UNE	Port Rate		3	OLITO	OLITIK	OOLZX	20.25			1	1	1					
ONE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26	1		19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	10.07	141.70	110.07	40.20	40.20			10.00	10.00		
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port											1					
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	ITIONAL NRCs			02	OL: III	007.02	0.00	111.20	20			1		10.00	10.00		
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy																
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise	1		UEPPB	UEPPR	URETN		11.23	1.10	I	I				I	1	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1				İ				İ	İ				İ	İ	
	Premise	1	1	UEPPB	UEPPR	URETL		8.33	0.83	I	I				I	Ì	1
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)	<u> </u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)		<u></u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CF	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)	ļ		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and	1								1	1				1		1
	facilities termination	<u> </u>	<u> </u>		UEPPR	M1GNC	17.91	53.99	17.37	ļ	ļ			19.99	19.99		1
$\vdash \vdash \vdash$	Interoffice Channel mileage each, additional mile	<u> </u>		UEPPB	UEPPR	M1GNM	0.173	0.00	0.00	ļ	ļ						↓
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI					L				l	l .	1	L				
IThe	UNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	lded base	in place a	s of 10/2/03	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			1

HINBLINDLE	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: B
SHEGHEL	LD WELLACKY EFFINENCE - Leuriessee										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		lustani									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
			<u> </u>	<u> </u>	<u> </u>		First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk Po	ort afte	r the effective date of	of this amend	ment shall be	provided pursu	iant to a sepai	ate agreement	or tariff at Bel	South's di	scretion.				
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLFFF	1	132.30					1					
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI	+	150.25										
	Zone 3		3	UEPPP		173.44										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40							<u> </u>			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
UNE F	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDIT	FIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD	DDTTE		0.04						40.00	40.00		
 	Inward/two way Tel Nos. (except NC)	1		UEPPP	PR7TF		0.94		-	-	ļ		19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-		UEFFF	PR/IO		22.30	22.30	-	-			19.99	19.99	-	
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY	1		02									10.00	10.00		
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75			İ					1		
INTEF	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
0411	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES Illuward	1		UEPPP	PR7C1	0.00	0.00	0.00	_	-	1			 	 	
\vdash	Inward Outward	 		UEPPP	PR7C0	0.00	0.00	0.00	+	+	}		1	 	+	1
\vdash	Two-way	 		UEPPP	PR7CC	0.00	0.00	0.00	+	+	}		1	 	+	1
Interc	ffice Channel Mileage	+		OLI I I	1.17.00	0.00	0.00	0.00	 	 	 		 	 	 	
1111010	Fixed Each Including First Mile	1		UEPPP	1LN1A	76.1825	145.98	109.85	19.55	†	1		19.99	19.99	†	
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.3525	1-10.00	100.00	10.00	1			10.00	10.00	1	
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1			1 -				1	1				1	1	İ
	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embed	ded base in place a	is of 10/2/03 ι	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1	1	İ
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff															
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		93.28							19.99	19.99		
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC	1	110.95			ļ	ļ	<u> </u>		19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ļ	3	UEPDC		134.14							19.99	19.99		
UNE L	Loop Rates	<u> </u>		LIEDDO	1101 00	F7			_	-	<u> </u>		 	-	-	
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	57.53			 	 	1		 	 	 	-
\vdash	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	+	3	UEPDC UEPDC	USLDC	75.40 98.59			-	-	 		-			-
I INIE I	Port Rate	+	3	OLPDO	USLUC	98.59			-	-	 		-			-
UNE	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	 		UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49	}		19.99	19.99	+	1
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1		OLI DO	ווטטו	33.33	J4∠.0U	231.01	01.41	40.49			15.99	19.99	 	-
INONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	+			+				 	 	 		 	 	 	
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		312.91	312.91	1	1			19.99	19.99	1	
		+	 	l	, , , , , ,	-	3.2.31	0.2.01	1	 	1		.0.50	.0.00		-
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															

UNBUNDU	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: B
SINDSINDER	LD IVEL WORK ELEMENTO - Tellilessee		1								Svc Order	Svc Order	Incremental		Incremental	
1											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (+)			per Lak	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>	<u>L</u>												טוטט ואנ	DISC AUU'I
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO			04.00	04.00								
\vdash	Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4		94.88	94.88			1					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLFDC	ODITA		100.07	100.07			1		19.99	19.99		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 00	022		100.01	100.01					10.00	10.00		
1 1	Activation/Chan Inward Trunk w/out DID	1		UEPDC	UDTTC		108.67	108.67					19.99	19.99		1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1						1		İ					
I	Activation Per Chan - Inward Trunk with DID	<u> </u>	<u>L</u>	UEPDC	UDTTD		108.67	108.67	<u> </u>		<u> </u>	<u> </u>	19.99	19.99	<u> </u>	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans		<u> </u>	UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPOI	LAR 8 ZERO SUBSTITUTION	ļ						ļ					ļ	ļ	ļ	ļ
	B8ZS -Superframe Format	ļ	ļ	UEPDC	CCOSF		0.00i	590.00s	ļ				19.99	19.99	1	ļ
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
Altern	nate Mark Inversion			LIEDDO	140005		0.00	0.00								
	AMI - Superframe Format AMI - Extended SuperFrame Format			UEPDC UEPDC	MCOSF MCOPO		0.00	0.00						-		
Tolon	hone Number/Trunk Group Establisment Charges			UEPDC	MCOPO		0.00	0.00						-	-	
reiep	Telephone Number for 2-Way Trunk Group	1	 	UEPDC	UDTGX	0.00	1	 	1		1	1	19.99	19.99	 	1
	Telephone Number for 1-Way Outward Trunk Group	 	1	UEPDC	UDTGY	0.00		 	 		 		19.99	19.99	 	
	Telephone Number for 1-Way Outward Trunk Group Without DID	†	†	UEPDC	UDTGZ	0.00	1	†	†		1		19.99	19.99	†	1
	DID Numbers for each Group of 20 DID Numbers		i –	UEPDC	ND4	0.00		1	İ				19.99	19.99	1	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.	1	1	UEPDC	ND6	0.00	0.00	0.00	1		İ					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											
1 1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1									1	1	
$\vdash \vdash \vdash$	Termination)		ļ	UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
1 1	Intereffice Channel Mileage Additional anti-page 2.0 miles	1		LIEDDC	11 N/C A	0.0505	0.00	0.00					1			1
\vdash	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	 	!	UEPDC	1LNOA	0.3525	0.00	0.00	 		1		 	 	 	
1 1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00					1	I	I	1
\vdash	Interoffice Channel Mileage - Additional rate per mile - 9-25	 	1	OLPDC	ILINUZ	0.00	0.00	0.00	1		}		1	 	+	1
1 1	miles			UEPDC	1LNOB	0.3525	0.00	0.00						1	1	
\vdash	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	†	1			0.0020	0.00	0.00	1		1		 	I	I	
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00						1	1	
				-		2.30	1.30	1.50								
1 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00					1	I	I	1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on				to out it is	h. ta th			2/02	A44 4/4/5 1	46	Laboration of	1			ļ
	JNE-P DS1 combination rates below for 4-Wire DS1 Loop with C ests for 4-Wire DS1 Loop with Channelization with Port after th											snali revert	to tariff rates	or a separate	agreement.	
	ests for 4-wire DS1 Loop with Channelization with Port after th DS1 Loop	e errect	ive date	o uns amenamen	it silali be pro	vided pursuar	icio a separate	agreement or	tariii at Beli50	uui s discretio	J11.		1			1
UNE	4-Wire DS1 Loop - UNE Zone 1	 	1	UEPMG	USLDC	57.73	0.00	0.00	1		1		1	t	t	1
\vdash	4-Wire DS1 Loop - UNE Zone 2	 	2	UEPMG	USLDC	75.40	0.00	0.00	†					-	-	
\vdash	4-Wire DS1 Loop - UNE Zone 3	 		UEPMG	USLDC	98.59	0.00	0.00	†					-	-	
UNE I	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ť		1000	55.55	5.50	3.30	1				1	1	1	1
	24 DSO Channel Capacity - 1 per DS1		1	UEPMG	VUM24	131.87	0.00	0.00	1				19.99	19.99	1	İ
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		

UNRI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: B
3.450		THE PARTY COMPANY OF THE PARTY										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
	Multipl	es of this configuration functioning as one are considered Ac	ld'I afte	r the m	inimum system con	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes		L.,	UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
		Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	1									
	new (N	ot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	оттор	8 IVI SA	r's	-				-							
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
	Dinolo	8 Zero Substitution (E:4/1/2004)			UEPING	VUIVID4	0.00	704.68	441.48	138.36	16.41			19.99			
	ырога	Clear Channel Capability Format, superframe - Subsequent				1						1					
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -			OLI MO	00001	0.00	0.001	330.003	†							
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
	Alterna	te Mark Inversion (AMI)			OLI MO	CCCLI	0.00	0.001	000.000								
	7	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchar	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port													=		
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access	l		UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
-	1	Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination	1		ULPPA	UEPUT	1.70	0.00	0.00	0.00	0.00	-	 	30.89	7.03	1	1
	1	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1				I			1		I		
	1	Service) (E:4/1/2004)	1		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
-	1	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1			32. 31	1.70	0.00	0.00	0.00	0.00	<u> </u>	 	55.55	7.55		1
		Tennessee Only – Calling Plan - Regionserv (E:4/1/2004)	l		UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -				1		2.00	2.00	2.00	2.00			22.00			
		Tennessee Only – Calling Plan - Regionsery (E:4/1/2004)	l		UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
	<u></u>	Bank (includes Q.1.4, P50.1, P.50.498)	<u> </u>		UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03	<u></u>	<u></u>
		Feature (Service) Activation for each Trunk Port Terminated in															
	<u> </u>	D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03		
		one Number/ Group Establishment Charges for DID Service				1				ļ							
	ļ	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	.					.		
	!	DID Numbers - groups of 20 - Valid all States	 		UEPPX	ND4	0.00	0.00	0.00								
	 	Non-Consecutive DID Numbers - per number	ļ		UEPPX	ND5	0.00	0.00	0.00								
<u> </u>	 	Reserve Non-Consecutive DID Numbers	<u> </u>		UEPPX	ND6	0.00	0.00	0.00	-					-		
	Lecal *	Reserve DID Numbers	!		UEPPX	NDV	0.00	0.00	0.00	 					 		-
<u> </u>	Local N	Local Number Portability Local Number Portability - 1 per port	 		UEPPX	LNPCP	3.15	0.00	0.00	 			 				-
 	EEATII	RES - Vertical and Optional	1		ULPPA	LINEUP	3.15	0.00	0.00	 		-	-	1	 	1	1
-		switching Features Offered with Line Side Ports Only	1			+				 		-	-	1	 	1	1
-		All Features Available	1		UEPPX	UEPVF	0.00	0.00	0.00	 					 		
	1	7 III 1 GULUTGO 7 WAIIADIG			OLI I A	OLI VI	0.00	0.00	0.00	I		1	l	l	1	l	L

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1		Incremental Charge - Manual Svc Order vs.		Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
		m						,,,			per LOK	per LOIX	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
INDUNDUE	 DICENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ost Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	nrovide Unb	undled Local S	witching or Sy	witch Ports							1	
	atures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
3. En	d Office and Tandem Switching Usage and Common Transport	Usage i	rates in	the Port section of	this rate exh	ibit shall apply	to all combin	ations of loop/	port network e	lements excep	t for UNE C					
apply	e first and additional Port nonrecurring charges apply to Not C y also and are categorized accordingly.							urring charges	shall be those	identified in t	he Nonrecu	rring - Curr	ently Combin	ed sections.	Additional NR	Cs may
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7														
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_	LIEDOA		4440										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		14.18										
	Non-Design		2	UEP91		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOA		00.00										
LINE	Non-Design Port/Loop Combination Rates (Design)	<u> </u>	3	UEP91		23.02		_			-		-		 	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1		1							1	
	Design		1	UEP91		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		29.98										
UNE	Loop Rate			02.01		20.00		İ							İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2 UECS2	16.56 21.63									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	28.28										
UNE	Ports		_	OLI 01	OLOGE	20.20										
	tates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
AI L	Basic Local Area (Y, LA, MS, & TN Only	 		UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-	-	
AL, r	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800										1					
	Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
l oca	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03		 	
Loca	Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.6381		†					1	1	†	
	I Number Portability	1				0.0001		t			1		1	1	1	

UNBUNDI	.ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
i			1								Submitted	Submitted		Charge -	Charge -	Charge -
í		Inter.	1								Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
\longrightarrow							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
\longleftarrow	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NAR:		1														
\longleftarrow	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
\longleftarrow	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial	 		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	rellaneous Terminations	1									1					
Z-WI	re Trunk Side Trunk Side Terminations, each	1	<u> </u>	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03	-		-
Into	office Channel Mileage - 2-Wire	+	 	OFLAI	CEINAD	8.78	22.14	15.25	8.45	3.91	 	30.89	7.03	-		-
inter	Interoffice Channel Facilities Termination - Voice Grade	+	 	UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91	 	30.89	7.03	-		-
	Interoffice Channel mileage, per mile or fraction of mile	 	 	UEP91	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	}	30.09	1.03	1		1
Foot	ure Activations (DS0) Centrex Loops on Channelized DS1 Service		1	OLF31	INITODINI	0.0174	+				1	1	1	1		1
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service Channel Bank Feature Activations		!		1		+		1		1	1	1	1		1
 }-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66										
+-	realtire Activation on 5-4 Ghanner Bank Centrex Loop Glot	1		OLI 31	11 QVV0	0.00					1					
ı l	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
\leftarrow	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 31	II QWO	0.00										
ı l	Slot			UEP91	1PQW7	0.66										
\leftarrow	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 01	11 Q 111	0.00										
ı l	Different Wire Center			UEP91	1PQWP	0.66										
\leftarrow	Sincial The Contain	1		02. 0.		0.00										
ı l	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02.01		0.00										
ı l	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
ı l	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
ullet	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
Addi	tional Non-Recurring Charges (NRC)		1										ļ	ļ		
ı l	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			l	l								Ì	Ì		
\longleftarrow	Premise	ļ	<u> </u>	UEP91	URETL		8.33	0.83					ļ	ļ		
(l	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	LIEDO4	LIDET:								1	1		
- 	End Use Premise	 	<u> </u>	UEP91	URETN		11.23	1.10								1
	-P CENTREX - 5ESS (Valid in All States)	 	<u> </u>		1				1		}		 	 		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	+	 		+				 		1	1	 	 		-
UNE		+	 		1				<u> </u>		 	 	-	-		-
ı l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP95		14.18							Ì	Ì		
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+-'-	OLF 30	1	14.18	+				1	1	1	1		1
ı l	Non-Design		2	UEP95		18.01							Ì	Ì		
$\overline{}$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.†	 	021 00	+	10.01	+		 		1	1	 	 		
(l	Non-Design		3	UEP95		23.02							1	1		
UNF	Port/Loop Combination Rates (Design)	1	۲		1	20.02	1						1	1		
10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	1				İ		1				İ	1		İ
(l	Design		1	UEP95		18.26	Į Į									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1		i i						1	1		l
ı l	Design		2	UEP95		23.33							Ì	Ì		
i t	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						İ									
	Design	1	3	UEP95		29.98							Ì	Ì		
'																
UNE	Loop Rate															

CATEGORY	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: B
CATEGORY											Svc Order	Svc Order	Incremental	Incremental	Incremental	
CATEGORY											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
!		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
																
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$oxed{oxed}$	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
UNE Po					+											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEF93	UEPTB	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
	2-wire voice Grade Port (Centrex with Caller ID) (Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 30	JLFIN	1.70	22.14	15.25	0.40	3.91		30.09	1.03	1		
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		\vdash	OLI 30	JLI IIVI	1.70	22.14	15.25	0.40	3.91	 	30.09	7.03	1		
	Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OL1 33	OLFIZ	1.70	22.14	15.25	0.45	3.91		30.09	1.03			
ı l l'	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
 	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	1.70	22.17	13.23	0.43	5.51		30.03	7.00			
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	LA, MS, SC, & TN Only			OLI 33	OLI 12	1.70	22.14	13.23	0.43	5.51		30.03	7.00			
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex odd termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex With Galler 18)1			OL1 30	OLI GII	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Center)2.3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00	02. Q	0		10.20	0.10	0.01		00.00	7.00			
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FL & GA																
	witching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local N	umber Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<u> </u>
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<u> </u>
	aneous Terminations				1											
	Trunk Side		igwdot	LIEBAE	OENIBA		4= ==	4=				00.57				
	Trunk Side Terminations, each		 	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03	1		↓
	Digital (1.544 Megabits)		 	LIEDOE	MALIDA	05.55	75.00	00.4=				00.00	7.00	1		├
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15			-	30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67		 			30.89	7.03			
	ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	-		
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP95	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	1	30.89	1.03			1
	Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OLF 30	INITODINI	0.0174	+		+					1		1
	nnel Bank Feature Activations	~			1 1		ł		 					1		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP95	1PQWS	0.66	+		 							
 	. Salars , Suralion on D + Chamber Bank Centrex Loop Slot			021 00	11 9770	0.00	-		 							
1 1 1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66	l									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1	0.00	<u> </u>							1		1
	Slot			UEP95	1PQW7	0.66	l									

CATCORY RATE ELEMENTS Number 2006 BCS USDC RATES (8) Sec Code Sec Code Charges Charg	BUNDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
ACRES (N. Marrier, Ma	100110220	TELITORIA ELEMENTO TOMOGOGO	1									Svc Order	Svc Order				
## BCS USO PATE EMENTS Inter Box USO PATE Spring																	Charge -
CATEGORY RATE ELEMENTS m Zone BDS UBC			1														Manual Svc
Note	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second S			m						***			per Lor	per Lor				Electronic-
Position Action on D-4 Channel Shill Center (Print Age) Committee (Print Age) Committe																	Disc Add'l
Section Sect														151	Auu	DISC 1St	DISC Add I
Feature Activation on PAC Channel Stank Centres Logo Star UEP96 From P 0.00							Dee	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
Different Vivin Center Different Vivin Cen							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Different Vivin Center Different Vivin Cen	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Beach WIRLE PE Centrees NEW PEAC New York Control Peac P					UEP95	1PQWP	0.66										
Fastine Activation on D-4 Channel Bank W150 (page 5)																	
Set	F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
Feature Activation on D-4 Channel Brank W/15 Loop Stell Mon-Reserving Changes (MRC) Accordance of Stell Miles Preserved Changes, per port will Control Stell Miles (MRC) Accordance of S	F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Non-Recurring Charges (RMC) Associated with UNE-P Gentrex NRC (reversion Current) Combined Wish-Pass with allowed USPPS USRC2 1.50 0.20 3.55 7.63 1.50 0.20 1.50 0.20 0.50	S	Slot			UEP95	1PQWQ	0.66										
NRC Convention Currently Combined Switch-Net with allowed sharpers, per port of common Block UEPS USACS 0.00 0.29 30.00 7.00 1	F	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Changes, per port UEPPS USRCZ 1.03 0.29 3.089 7.03	Non-Recu	curring Charges (NRC) Associated with UNE-P Centrex															
New Center & Standard Common Block	N	NRC Conversion Currently Combined Switch-As-Is with allowed															
New Centers Customized Common Block UEP96 MYACC 0.00 68.67 30.89 7.03			L	<u> </u>	UEP95	USAC2	<u> </u>	1.03	0.29	<u> </u>	<u> </u>	<u></u>	30.89	7.03	<u> </u>	<u> </u>	1
New Centres Customized Common Block UEP95 M/ACC 0.00 68.67 30.89 7.03																	
Additional Non-Recurring Charles (NRC)	N	New Centrex Customized Common Block															
Unit					UEP95	URECA	0.00	68.57					30.89	7.03			
Premise																	
Unbounded Macelaneous Rate Element, Tag Design Loop at Entrop Processing Combo United Premises U																	1
End Use Premise UREPN 11.23 1.10			<u> </u>	<u></u>	UEP95	URETL		8.33	0.83		<u></u>			<u> </u>		<u> </u>	<u></u>
UNEP CENTREX - DMS100 (Valid in all States)	U	Jnbundled Miscellaneous Rate Element, Tag Design Loop at															
2-Wire Vol. Loop/2-Wire Volce Grade Port (Centres) Combo					UEP95	URETN		11.23	1.10								
Number N	UNE-P CI	ENTREX - DMS100 (Valid in All States)															
2-Wire VGL Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VGL Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VGL Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VGL Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Corp Combo-Non-Design 1-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wire VGL Loop/2-Wire VGL Grade Port (Centrex) Port Combo-Design 1-Wire VGL Loop/2-Wir	2-Wire VO	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
Non-Design 14.18																	
2.Wire Vot Loop/2-Wire Votes Grade Port (Centres)Port Combo 2 UEPBD 18.01																	
Non-Design 2 UEPBD 18.01				1	UEP9D		14.18										
2-Wire VG Loop/2-Wire Valce Grade Port (Centrex)Port Combo 3 UEP9D 23.02	2-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Nor-Design 3 UEPBD 23.02				2	UEP9D		18.01										
UNE Port/Loop Combination Rates (Design)																	
2-Wire Vice Grade Port (Centrex) Port Combo 1 UEPpD 18.26				3	UEP9D		23.02										
Design																	
Design			ł														
Design 2 UEPDD 23.33				1	UEP9D		18.26										
2-Wire Voice Grade Loop (St. 1) - Zone 1	2-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design				2	UEP9D		23.33										
UNE Loop Rate																	
2-Wire Voice Grade Loop (SL 1) - Zone 1				3	UEP9D		29.98										
2-Wire Voice Grade Loop (St. 1) - Zone 2																	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS1 21.32														ļ	.	ļ	
2-Wire Voice Grade Loop (SL 2) - Zone 1														ļ	.	ļ	
2-Wire Voice Grade Loop (St. 2) - Zone 2 2 UEP9D UECS2 21.63														ļ	.	ļ	1
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 28.28 UNE Port Rate UNE Port Rate UNE Port Rate UEP9D UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYC 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area UEP9D UEPYE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M50312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45			 														
UNE Port Rate ALL STATES UEP9D UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03			ļ												-		⊢—
ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9D UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area UEP9D UEPYE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03			<u> </u>	3	UEP9D	UECS2	28.28				ļ				-		├
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9D UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03			ļ	_		+									-		├
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M512))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			ļ	_	LIEDOD	LIEDYA	4 70	00.11	15.0=	0.75	0.01		20.00	7.00	-		├
Area			<u> </u>	<u> </u>	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-		├
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	1	LIEDOD	LIEDY'S		00.44	45.05	0.4-			00.00	7.00	I	Ì	1
Area			<u> </u>	-	UEP9D	DEPTE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 		
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area UEP9D UEPYE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local 2-Wire Voice Grade Port (Centrex / EBS-M508))3 Basic Local 2-Wire Voice Grade Port (Centrex / EBS-M508))3 Basic Local		· · · · · · · · · · · · · · · · · · ·	l		LIEDOD	LIEDVO	1 70	22.44	15.05	0 45	2.04		20.00	7.00	1		1
Area			 	-	OLFBD	UEF1U	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 		
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area UEP9D UEPYE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03		•	1	1	LIEDOD	LIEDAD	1 70	22.44	15.05	0 45	2.04		20.00	7.00	I	Ì	1
Area			1	1	OLFAD	DEPTD	1.70	22.14	15.25	0.45	3.91	1	30.89	1.03	1		
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03		, ,,,	l		HEDAD	HEDVE	1 70	22.14	1E 2E	0 15	2.04		20.00	7.03	1		1
Area UEP9D UEPYF 1.70 22.14 15.25 8.45 3.91 30.89 7.03			-		OLFBD	UEPTE	1.70	22.14	15.25	0.45	3.91		30.89	1.03	-	-	
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area UEP9D UEPYG 1.70 22.14 15.25 8.45 3.91 30.89 7.03			l		LIEP9D	LIEDVE	1 70	22 14	15.25	Ω ΛΕ	3 01		30 80	7 02	1		1
Area			1	1	טבו שט	OLFII	1.70	22.14	15.25	0.45	3.91	1	30.09	7.03	1		
2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			1		LIEP9D	LIEPYG	1 70	22 14	15.25	Q /E	3.01		30 80	7.02	I	1	1
			 		OLFBD	OLF 1G	1.70	22.14	15.25	0.45	3.91		30.09	1.03	t	1	
I I IIIEPON IIIEPON IIIEPON 1 1 70 1 20 14 1 1 5 25 1 9 45 1 3 04 1 1 20 00 1 7 02 1 1 1		Area	1	1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03		Ì	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per Lor	per LSK		Electronic-	Electronic-	Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$							Nonrecurring		Nonrecurring	Disconnect	1	l	oss	Rates (\$)		
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local							7144.		71441					00	
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			02.05	020			10.20	0.10	0.01	1	00.00	7.00			
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															1
	Basic Local Area	1		UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															1
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															1
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															ĺ
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic	1										1				
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only				1											
	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			↓
	2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	ļ		UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\longrightarrow \longleftarrow$	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	ļ		UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			↓
$\!\!\!\!+\!\!\!\!-$	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	<u> </u>		UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		↓
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	 		UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	-		
\longrightarrow	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	<u> </u>		UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\longrightarrow	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4	 		UEP9D UEP9D	UEPQT	1.70 1.70	22.14 22.14	15.25	8.45 8.45	3.91 3.91	-	30.89 30.89	7.03 7.03			
\longrightarrow	, ,	 	-	UEP9D UEP9D	UEPQV	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-M5216)4 2-Wire Voice Grade Port (Centrex / EBS-M5316)4	1		UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-N5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)	1		UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		OLFSD	UEFUN	1.70	22.14	15.25	0.45	3.91	1	30.89	1.03			
	Indication)4	1		UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex/Msq Wtg Lamp Indication)4	1		UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
-+	2-Wire Voice Grade Port (Centrexinsg Witg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		OL1 3D	2L1 Q3	1.70	22.14	15.25	0.45	3.91	 	30.09	1.03	1		+
	2.3	1		UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
l																
	2,3					0			0.10	0.01						

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhil	bit: B
CIVE	MULL	NETWORK ELEMENTO TERMESSEE										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
																	ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
																	í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																	í
	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																	ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2 Miss Vaiss Canda Bot (Control/differ CMC /EBS M5000)2 2 4	1		LIEDOD	LIEDOE	4.70	20.44	45.05	0.45	2.24		20.00	7.00	Ì		1
<u> </u>	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	 		UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91	}	30.89	7.03	 		
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
		2-vvire voice Grade Port (Centrex diller SVVC /EBS-IVIS216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Ì		1
	1	2-Wire Voice Grade Port (Centrex differ SWC /EBS-NSS 16)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQI	1.70	22.14	15.25	0.40	3.91	1	30.69	7.03			
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
-		16111 2,0			OLI 3D	OLI QZ	1.70	22.14	13.23	0.40	3.91	1	30.03	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local S	Switching			OLI OD	OLI QZ	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	Local I	lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										i
	Feature																í
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			í
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<u> </u>
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<u> </u>
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			<u> </u>
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each	ļ		UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	4-Wire	Digital (1.544 Megabits)	<u> </u>		LIEDOD	MALIE	05.55	75.00	00.4=			<u> </u>	20.00	7.00	 		
<u> </u>	-	DS1 Circuit Terminations, each	<u> </u>		UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
-	Interes*	DS0 Channels Activiated per Channel	 		UEP9D	M1HDO	0.00	108.67		1		1	30.89	7.03	 		
<u> </u>	interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	 		UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91	 	30.89	7.03	-		
-	1	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	1		UEP9D UEP9D	M1GBC M1GBM	0.0174	22.14	15.25	8.45	3.91	}	30.89	7.03	1		
-	Feature	a Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OLF3D	IVITODIVI	0.0174					}	}	1	1		
-		nnel Bank Feature Activations	Ĭ			+				1		1	1	1	1		
1	0.16	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9D	1PQWS	0.66			1		1	1		 		ſ
—		- I I I I I I I I I I I I I I I I I I I	l		02		3.00								1		í
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.66								Ì		1
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			-	1	2.30								1		í
		Slot	1		UEP9D	1PQW7	0.66								Ì		1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ĺ
L	<u> </u>	Different Wire Center	<u></u>		UEP9D	1PQWP	0.66					<u></u>	<u></u>	<u> </u>	<u></u>		<u> </u>
																	1
L		Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>		UEP9D	1PQWV	0.66	<u> </u>			<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>		i
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			_												1
		Slot			UEP9D	1PQWQ	0.66							<u> </u>			<u> </u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
		NRC Conversion Currently Combined Switch-As-Is with allowed	l			1											í
		changes, per port	l		UEP9D	USAC2		1.03	0.29				30.89	7.03	Ì		

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			l									Elec	Manually				Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
0,	••••		m						1011 = 0 (4)			per LSR	per LSK	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Name a comina a		Managarania	. Dianamant	1		000	D=4== (\$)		
				<u> </u>			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
	_	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	OLI OD	OINETE		0.00	0.00			 					
		End Use Premise			UEP9D	URETN		11.23	1.10								
	 			<u> </u>	UEP9D	UKETN		11.23	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1		l
l		Non-Design	1	1	UEP9E		14.18					Ì	I]
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1									İ			1		
		Non-Design	I	2	UEP9E		18.01						İ	I			I
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OL: 3L	+	10.01	-		<u> </u>		 		1	 		
				_	LIEDOE		22.02										
<u> </u>		Non-Design		3	UEP9E		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP9E		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		29.98										
	LINE L	poop Rate		Ŭ	OLI OL		20.00					1					
	UNE L				LIEDOE	115004	40.40					ļ					
	_	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
	UNF P	ort Rate															
		, KY, LA, MS, & TN only		1								 					
	AL, I L				UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	_	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEF9E	UEPTA	1.70	22.14	15.25	0.40	3.91	1	30.09	7.03			
l		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1									Ì]
		Area	<u> </u>		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	ļ		ļ
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1									Ì	I				1
		Area	<u>L_</u>	<u></u>	UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u></u>		<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area	l		UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1							2.10	2.01	İ	22.50		1		
l		Service Term - Basic Local Area	1		UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91	Ì	30.89	7.03]
—	+		 	!	OLI DL	JLF 12	1.70	22.14	15.25	0.43	3.91	1	30.09	1.03	1		-
l		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEDOE	LIEDYO		00.44	45.65	2.7-	0.01	Ì	00.00	7.00]
		- Basic Local Area	!	!	UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	 		
l		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		l							Ì	1]
		Basic Local Area	1		UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only	L	L													
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91	Ì	30.89	7.03	i e		ĺ
		2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03	i e		
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		J WII	1.70	22.17	10.20	5.45	0.01	†	30.03	7.00	1		1
		Center)2,3	l		UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
<u> </u>	-	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	 	1	OLFBL	ULFUIVI	1.70	22.14	15.25	0.45	3.91	 	30.69	1.03	 		-
			l		LIEDOE	LIEDOZ	4 70	00.44	45.65	2.7-	000	1	00.00	7.00			
		Service Term	<u> </u>		UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	ļ		
ĺ			I										İ	I			I
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local	Switching															
	1	Centrex Intercom Funtionality, per port	1	1	UEP9E	URECS	0.6381			1		1	i	1	1		1
		, por port	1	1		0	0.0001	1		1				•	•		ī

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add 1
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loc	cal Nu	ımber Portability															
		ocal Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Fea	atures																
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
NAI							0.00										
	ī.	Jnbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Jnbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Jnbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Mis		neous Terminations	1				2.00	2.00	2.00	2.00	2.00	İ	2.30	1.00			
		runk Side	1			Ì		i i				İ	İ			İ	
		Trunk Side Terminations, each	†		UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-W		igital (1.544 Megabits)	1				50	,	.0.20	50	5.51		30.00			1	1
		OS1 Circuit Terminations, each	1		UEP9E	M1HD1	35.55	75.93	38.15	†			30.89	7.03		1	1
		OSO Channel Activated Per Channel	1		UEP9E	M1HDO	0.00	108.67	55.15	†			30.89	7.03		1	1
Inte		ce Channel Mileage - 2-Wire	1				0.00	100.07		†			30.00	7.00		1	1
		nteroffice Channel Facilities Termination	1		UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		nteroffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			
Fee		Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OLI OL	INTODIN	0.0174										
		nel Bank Feature Activations	T														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	1PQWS	0.66										
-		eature Activation on B-4 orialmer Bank Centrex Loop Siot	1		OLI 3L	II QVVO	0.00										——
	-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI 3L	II QVV0	0.00										——
		Slot			UEP9E	1PQW7	0.66										1
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OLFBL	IF Q VV I	0.00										
		Different Wire Center			UEP9E	1PQWP	0.66										1
		omerent wire center	+		OLF3L	IFQWF	0.00	-									
	-	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										1
		Feature Activation on D-4 Channel Bank Filvate Line Loop Slot	+		UEF9E	IFQVV	0.00	-									
		Slot			UEP9E	1PQWQ	0.66										1
		Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWQ	0.66										
Nor		curring Charges (NRC) Associated with UNE-P Centrex	1		UEF9E	IFQWA	0.00										
INOI		NRC Conversion Currently Combined Switch-As-Is with allowed	+														
		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			1
-		New Centrex Standard Common Block	+		UEP9E	M1ACS	0.00	658.60	0.29				30.89	7.03			
		New Centrex Standard Common Block	1		UEP9E	M1ACC	0.00	658.60					30.89	7.03			
\vdash		NAR Establishment Charge, Per Occasion	+		UEP9E	URECA	0.00	68.57		 			30.89	7.03		-	
A 4.		al Non-Recurring Charges (NRC)	1		OLI JL	UNLUA	0.00	00.37		-		-	30.09	1.03		-	
Add		Jnbundled Miscellaneous Rate Element, Tag Loop at End Use	1			+		-		-		-	-			-	
1 1		Premise			UEP9E	URETL		8.33	0.83			1					1
\vdash		Inbundled Miscellaneous Rate Element, Tag Design Loop at	 	1	OLF 9E	UKEIL		0.33	0.83				-				
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1 10				1				1
11511		ENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	+	1	OLF 3L	OINLIN		11.23	1.10			-	-				
			1														
		G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design)	+			+		1		 						-	
UNI		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	1		+							-				
		t-wire vG Loop/z-wire voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP93		14.18						1				1
\vdash		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	-	OLF 33	+	14.18	1		 						-	
		t-wire vG Loop/z-wire voice Grade Port (Centrex)Port Combo - Non-Design	1	2	UEP93		18.01					1					1
\vdash		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OFL 39	+	10.01			-		-	-			-	
1 1		t-wire vG Loop/z-wire voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP93		23.02					1					1
LIKI		t/Loop Combination Rates (Design)	 	3	OFL 39	+	23.02						-				
UNI			+	—		+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		UEP93		40.00						1				1
		Design	+	1	UEP93	+	18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	UEP93		00.00						1				1
	jL	Design	1	2	UEP93	1	23.33					i	l .			l	1

JNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
		١									Elec	Manually				Manual Svo
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1									
	Design		3	UEP93		29.98										
UNF I	oop Rate			02. 00	+	20.00	1					1				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48	1					1				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31	1					1				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32	1					1				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56	1					1				
	2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP93	UECS2	21.63					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
LINE D	Port Rate		J	OLI 33	02002	20.20	1									
	Y, LA, MS, & TN only	 	 		+ -		 		 		1		 	 	 	
ΛL, K	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	-	UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	1	-	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		 	OL: 30	OLI IA	1.70	22.14	10.20	0.40	5.91	t	30.03	7.03	1		1
	Area	1	1	UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		Ì	l
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	 	OL1 33	OLI 1D	1.70	22.14	10.20	0.40	3.31	1	30.09	1.03	l .	1	1
	Area	1	1	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		Ì	l
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	OLF 33	OLFIR	1.70	22.14	15.25	0.45	3.91	1	30.09	1.03	l .	1	1
				UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Center)2,3 Basic Local Area			UEF93	UEPTIVI	1.70	22.14	15.25	0.40	3.91	1	30.69	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			LIEDOO	LIEDV7	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Service Term - Basic Local Area	-		UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur	res															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS														1		
	Unbundled Network Access Register - Combination	1		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	İ	İ	İ
	Unbundled Network Access Register - Indial		1	UEP93	UAR1X	0.00		0.00	0.00	0.00	İ	0.00	7.03	İ	İ	İ
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00		0.00	0.00	0.00	İ	0.00	7.03	1	İ	İ
Miscel	Ilaneous Terminations		1		1	2.30		2.30	1 2.20	2.30	İ	1	1.30	İ	İ	İ
	Trunk Side	1		İ	1		1		1				İ	İ	İ	İ
	Trunk Side Terminations, each	1	t	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	Ì	30.89	7.03	1	1	i
4-Wire	e Digital (1.544 Megabits)	1	1			20			57.10	2.01	İ	22.00	1.00	1	1	1
1	DS1 Circuit Terminations, each	1	t	UEP93	M1HD1	35.55	75.93	38.15			Ì	30.89	7.03	1	1	i
	DS0 Channels Activated, Per Channel	†		UEP93	M1HDO	0.00		55.10				30.89	7.03	1	1	i
Intero	ffice Channel Mileage - 2-Wire	†				5.50						55.55		1	1	i
	Interoffice Channel Facilities Termination		1	UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03	1	 	
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0174		.0.20	5. 70	0.01	1	30.00		l .	1	l
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e				0.0	†				1		 	l .	1	l
	annel Bank Feature Activations	Ĭ			1		†				1		 	l .	1	
5-7 511	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66	†				1		 	l .	1	
		 	 			0.00	 				†	1	 	1	 	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc							Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD										1					
Note 2	- Requres Interoffice Channel Mileage	İ														
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port								1					
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Tern	ns and Conditi	ons.									

Version 3Q03: 11/12/2003 Page 348 of 348

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Coral Telecom nondiscriminatory access to its
 Operations Support Systems (OSS) and the necessary information contained
 therein in order that Coral Telecom can perform the functions of pre-ordering,
 ordering, provisioning, maintenance and repair, and billing.. BellSouth shall
 provide Coral Telecom with all relevant documentation (manuals, user guides,
 specifications, etc.) regarding business rules and other formatting information as
 well as practices and procedures necessary to ensure requests are efficiently
 processed. All documentation will be readily accessible at BellSouth's
 interconnection website and are incorporated herein by reference. BellSouth shall
 ensure that its OSS are designed to accommodate access requests for both current
 and projected demand of Coral Telecom and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Coral Telecom requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Coral Telecom, BellSouth will not assess Coral Telecom additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- BellSouth shall provide Coral Telecom nondiscriminatory access to its OSS and the necessary information contained therein in order that Coral Telecom can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Coral Telecom to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Coral Telecom's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Coral Telecom can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Coral Telecom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Coral Telecom shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Coral Telecom shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Coral Telecom shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Coral Telecom will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Coral Telecom's access to customer record information. If a BellSouth audit of Coral Telecom's access to customer record information reveals that Coral Telecom is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Coral Telecom may take corrective action, including but not limited to suspending or terminating Coral Telecom's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Coral Telecom electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Coral Telecom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Coral Telecom electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Coral Telecom will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described

below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Coral Telecom agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Coral Telecom nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Coral Telecom agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Coral Telecom agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Coral Telecom at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by Coral Telecom will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Coral Telecom shall be required to submit a new service request. Incorrect or invalid requests returned to Coral Telecom for correction or clarification will be held for thirty (30) days. If Coral Telecom does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- Single Point of Contact. Coral Telecom will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Coral Telecom to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Coral Telecom and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Coral Telecom to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End

User. BellSouth will notify Coral Telecom that such a request has been processed but will not be required to notify Coral Telecom in advance of such processing.

- 3.2.1 Neither BellSouth nor Coral Telecom shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Coral Telecom shall return a FOC to BellSouth within thirty-six (36) hours after Coral Telecom's receipt from BellSouth of a valid LSR.
- 3.2.4 Coral Telecom shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Coral Telecom elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Coral Telecom by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Coral Telecom that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Coral Telecom's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Coral Telecom, which has the billing relationship with that End User, and Coral Telecom may pass such charge to the End User.

- 3.6 Cancellation Charges. If Coral Telecom cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Coral Telecom places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Coral Telecom places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Coral Telecom may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Coral Telecom elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Coral Telecom, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.