BELLSOUTH® / CLEC Agreement

Customer Name: Excel Pager, Cellular, and Home Phone, Inc.

Excel Pager, Cellular, and Home Phone, Inc.	
Table_of_Contents	3
General_Terms_and_Conditions	5
Att_1Resale	25
Att 1 - Resale Discounts and Rates	49
Att_2UNEs	58
Att 2 - UNE Rates	131
Att_3Network_Interconnection	455
Att_3Local_Interconnection_Rates	485
Att_4CollocationCentral_Office	494
Att_4CollocationRemote_Site	528
Att 4 - Collocation Rates	562
Att_5Access_to_Numbers_and_Number_Portability	598
Att_6Ordering	602
Att_7Billing	609
Att_7ODUF_ADUF_EODUF_CMDS_Rates	626
Att_8Rights_of_Way	635
Att_9Performance_Measurements	637
Att_10Disaster_Recovery_Plan	790
Att_11BFR_and_NBR_Process	799

Interconnection Agreement

By and Between

BellSouth Telecommunications, Inc.

And

Excel Pager, Cellular, and Home Phone, Inc.

TABLE OF CONTENTS

General Terms and Conditions

ons

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request/New Business Request Process**

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Excel Pager, Cellular, and Home Phone, Inc., ("Excel PCHP"), a Louisiana corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Excel PCHP or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Excel PCHP is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Excel PCHP wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Excel PCHP agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- Prior to execution of this Agreement, Excel PCHP agrees to provide BellSouth in writing Excel PCHP's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Excel PCHP is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Excel PCHP will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Excel PCHP pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Excel PCHP shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When Excel PCHP purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Excel PCHP shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Excel PCHP shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Excel PCHP.

5. White Pages Listings

- 5.1 BellSouth shall provide Excel PCHP and its customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. Excel PCHP shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Excel PCHP residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Excel PCHP and BellSouth subscribers.
- 5.2.1 Rates. So long as Excel PCHP provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Excel PCHP one (1) primary White Pages listing per Excel PCHP subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- Procedures for Submitting Excel PCHP SLI are found in The BellSouth Business Rules for Local Ordering.
- Excel PCHP authorizes BellSouth to release all Excel PCHP SLI provided to BellSouth by Excel PCHP to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Excel PCHP SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Excel PCHP for BellSouth's receipt of Excel PCHP SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Excel PCHP's SLI, or costs on an ongoing basis to administer the release of Excel PCHP SLI, Excel PCHP shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Excel PCHP's SLI, Excel PCHP will be notified. If Excel PCHP does not wish to pay its proportionate share of these reasonable costs, Excel PCHP may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Excel PCHP shall amend this Agreement accordingly. Excel PCHP will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Excel PCHP under this Agreement. Excel PCHP shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Excel PCHP listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Excel PCHP any

- complaints received by BellSouth relating to the accuracy or quality of Excel PCHP listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Excel PCHP will be required to provide to BellSouth the names, addresses and telephone numbers of all Excel PCHP customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.
- 5.6 <u>Inclusion of Excel PCHP End Users in Directory Assistance Database</u>. BellSouth will include and maintain Excel PCHP subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Excel PCHP shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford Excel PCHP's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Excel PCHP subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services or local switching for Excel PCHP, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Excel PCHP End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Excel PCHP End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Excel PCHP</u>. Where BellSouth is providing to Excel PCHP Telecommunications Services for resale or providing to Excel PCHP the local switching function, then Excel PCHP agrees that in those cases where Excel PCHP receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Excel PCHP End Users, and where Excel PCHP does not have the requested information, Excel PCHP will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>Excel PCHP Liability</u>. In the event that Excel PCHP consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Excel PCHP under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Excel PCHP for any act or omission of another Telecommunications company providing services to Excel PCHP.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Excel PCHP shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost

business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any

other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- Ownership of Intellectual Property. Any intellectual property that originates from 8.2 or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or

equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Excel PCHP, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than

Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 11.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the

providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 11.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon,

or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Excel PCHP, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Excel PCHP any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement.

The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Excel PCHP changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Excel PCHP to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Excel PCHP or BellSouth to perform any material terms of this Agreement, Excel PCHP or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are

interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Excel PCHP, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Excel PCHP shall not assign this Agreement to any Affiliate or nonaffiliated entity unless either (1) Excel PCHP pays all bills, past due and current, under this Agreement, or (2) Excel PCHP's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Excel Pager, Cellular, and Home Phone, Inc.

Rebecca Vick 4327 Airline Highway Baton Rouge, LA 70806

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide Excel PCHP notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Excel PCHP shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Excel PCHP. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Excel PCHP is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except

insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Excel PCHP as a requesting carrier under the Act).

29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Excel PCHP specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Excel PCHP acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of

this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Excel PCHP pursuant to the terms and conditions set forth in this Agreement. Excel PCHP may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF) Enhanced Optional Daily Usage File (EODUF) Access Daily Usage File (ADUF) Line Information Database (LIDB) Storage Centralized Message Distribution Service (CMDS)

Calling Name (CNAM)

LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc. Excel Pager, Cellular, and Home Phone, Inc.

General Terms and Conditions Page 20

By: Original on File	By: Original on File
Name: Elizabeth R. A. Shiroishi	Name: Shahram Nickroo
Title: Director	Title: President
Date: 2/10/03	Date: 2/5/03

Attachment	1
Page	1

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4.	BellSouth's Provision of Services to Excel PCHP	8
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	15
11.	Optional Daily Usage File (ODUF)	15
12.	Enhanced Optional Daily Usage File (EODUF)	15
Res	sale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	hanced Option Daily Usage File (EODUF)	Exhibit D
Res	sale Discounts and Rates	Exhibit E

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Excel PCHP purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit E. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Excel PCHP for the purposes of resale to Excel PCHP's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Attachment and subject to the exclusions and limitations set forth in Exhibit A to this Attachment.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Excel PCHP, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other

services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Excel PCHP for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff (PLST), to customers who are not telecommunications carriers.

- 3.1.1 When Excel PCHP provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Excel PCHP does not resell Lifeline service to any end users, and if Excel PCHP agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be 21.56%.
- 3.1.2.1 In the event Excel PCHP resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Excel PCHP and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Excel PCHP must provide written notification to BellSouth within 30 days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Excel PCHP may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Excel PCHP must resell services to other End Users.
- 3.2.2 Excel PCHP cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 Excel PCHP will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Excel PCHP for said services.
- 3.4 Excel PCHP will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Excel PCHP. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Excel PCHP. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Excel PCHP or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Excel PCHP will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Excel PCHP to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- Where BellSouth provides resold services to Excel PCHP, BellSouth will provide Excel PCHP with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Excel PCHP acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Excel PCHP acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier (CLLI) code; and in such instances, Excel PCHP shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Excel PCHP to designate up to 100 intermediate telephone numbers per CLLI code, for Excel PCHP's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Excel PCHP acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLI code and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances

include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Excel PCHP's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Excel PCHP or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Excel PCHP has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Excel PCHP remain the property of BellSouth.
- 3.15 White page directory listings for Excel PCHP End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Excel PCHP must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Excel PCHP may submit a Local Service Request (LSR) electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge</u>. In the event Excel PCHP provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Excel PCHP will incur an OSS charge for an accepted LSR that is later cancelled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line (CF/B)
 - Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Excel PCHP per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Excel PCHP acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Excel PCHP that Special Assembly at the wholesale discount at Excel PCHP's option. Excel PCHP shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Excel PCHP customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Excel PCHP customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Excel PCHP customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and Excel PCHP shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Excel PCHP, and Excel PCHP shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Excel PCHP

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Excel PCHP to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Excel PCHP shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Excel PCHP for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Excel PCHP may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Excel PCHP cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and PLST.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company (CLEC) Areas</u>
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the GSST and PLST jointly with an Independent Company or other CLEC.
- 4.5.2 When Excel PCHP assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.

- 4.5.3 Service terminating in an Independent Company or other CLEC area will be provisioned and billed by the Independent Company or other CLEC directly to Excel PCHP.
- 4.5.4 Excel PCHP must establish a billing arrangement with the Independent Company or other CLEC prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and PLST and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Excel PCHP or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Excel PCHP accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Excel PCHP will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Excel PCHP shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Excel PCHP for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Excel PCHP's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

After receiving certification as a local exchange carrier from the applicable regulatory agency, Excel PCHP will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for resold services (master account). Excel PCHP is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), and a tax exemption certificate, if applicable.

- 6.1.1 If Excel PCHP needs to change its OCN(s) under which it operates when Excel PCHP has already been conducting business utilizing those OCN(s), Excel PCHP shall bear all costs incurred by BellSouth to convert Excel PCHP to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Excel PCHP's end user customer records. Appropriate charges will appear in the OC&C section of Excel PCHP's bill.
- Excel PCHP shall provide to BellSouth a blanket letter of authorization (LOA) certifying that Excel PCHP will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Excel PCHP's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Excel PCHP to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Excel PCHP to such other CLEC. Upon completion of the conversion BellSouth will notify Excel PCHP that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Excel PCHP's End User on behalf of, and at the request of, Excel PCHP. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Excel PCHP.
- 7.1.2 At the request of Excel PCHP, BellSouth will disconnect a Excel PCHP End User customer.
- 7.1.3 All requests by Excel PCHP for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Excel PCHP will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Excel PCHP when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Excel PCHP and/or the End User against any claim, loss or damage arising from providing this information to Excel PCHP. It is the responsibility of Excel PCHP to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8. **Operator Services (Operator Call Processing and Directory Assistance)** 8.1 Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance. 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 8.2.1 Process 0+ and 0- dialed local calls 8.2.2 Process 0+ and 0- intraLATA toll calls. 823 Process calls that are billed to Excel PCHP end user's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 8.2.9 Process emergency call trace originated by Public Safety Answering Points. 8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing Excel PCHP local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Excel PCHP that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Excel PCHP. Provide call records to Excel PCHP in accordance with ODUF standards. 8.2.15

- 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 8.3 <u>Directory Assistance Service</u>
- 8.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Excel PCHP's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's GSST to one of the provided listings.
- 8.3.3 <u>Directory Assistance Service Updates</u>
- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 Branding for Operator Call Processing and Directory Assistance
- 8.4.1 BellSouth's branding feature provides a definable announcement to Excel PCHP end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Excel PCHP's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit E of this Attachment.
- 8.4.2 BellSouth offers three branding offering options to Excel PCHP when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Excel PCHP, the order is considered firm after ten (10) business days. Should Excel PCHP decide to cancel the order, written notification to Excel PCHP's BellSouth Account Executive is required. If Excel PCHP decides to cancel after ten (10) business days from receipt of the branding order, Excel PCHP shall pay all charges per the order.
- 8.4.4 <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>

- 8.4.4.1 Where Excel PCHP resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Excel PCHP's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Excel PCHP to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Excel PCHP specific and unique line class codes are programmed in each BellSouth end office switch were Excel PCHP intends to service end users with customized OCP/DA branding. The line class codes specifically identify Excel PCHP's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Excel PCHP intends to provide Excel PCHP-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Excel PCHP to order dedicated transport and trunking from each BellSouth end office identified by Excel PCHP, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Excel PCHP Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Excel PCHP to the BellSouth TOPS. The calls are routed to "No Announcement."
- 8.4.5 <u>Branding via Originating Line Number Screening (OLNS)</u>
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding Excel PCHP shall not be required to purchase direct trunking.
- 8.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Excel PCHP must have its OCN(s) and telephone numbers reside

in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Excel PCHP must submit a manual order form which requires, among other things, Excel PCHP's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Excel PCHP shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Excel PCHP's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all Excel PCHP end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Excel PCHP applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Excel PCHP shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in Exhibit E.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Excel PCHP requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of Excel PCHP
- 8.4.5.5.2 the loading of the recording in each switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of Excel PCHP
- 8.4.5.6.2 the loading of the recording in each switch.
- 8.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Excel PCHP's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

Type of Couries		AL		FL	(GA]	KY]	LA]	MS]	NC		SC	,	TN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days (Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - ≤ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable No	otes:																	
1. Grandfathere	d servic	es can be	resold o	nly to exis	ting sul	oscribers o	f the gra	andfathere	d servic	e.								
2. Where availab	le for res	sale, prom	otions	will be ma	de avail	able only	to End U	Jsers who	would h	nave quali	fied for	the promo	tion had	l it been p	rovided	by BellSo	uth dire	ctly.
3. Some of BellSo	outh's lo	cal exchar	nge and	toll teleco	mmunio	cations ser	vices ar	e not avail	able in	certain cei	ntral off	ices and a	reas.					

Version 4Q02: 12/18/02

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Excel PCHP.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Excel PCHP.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Excel PCHP for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Excel PCHP and pursuant to which BellSouth, its LIDB customers and Excel PCHP shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Excel PCHP's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Excel PCHP understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Excel PCHP, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Excel PCHP's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening. BellSouth is authorized to use the billing number information to determine whether Excel PCHP has identified the billing number as one that should not be billed for collect or third number calls.
 - 2. Calling Card Validation. BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.
 - 3. OLNS. BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Excel PCHP from which a call originates.
 - 4. GetData. BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Excel PCHP indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.
 - 5. Fraud Control. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Excel PCHP of fraud alerts so that Excel PCHP may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Excel PCHP pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Excel PCHP for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Excel PCHP's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Excel PCHP end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. Excel PCHP is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- BellSouth shall have no obligation to become involved in any disputes between Excel PCHP and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Excel PCHP. It shall be the responsibility of Excel PCHP and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Excel PCHP will not be charged a fee for storage services provided by BellSouth to Excel PCHP, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Excel PCHP in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Excel PCHP, BellSouth will provide the Optional Daily Usage File (ODUF) service to Excel PCHP pursuant to the terms and conditions set forth in this section.
- 2. Excel PCHP shall furnish all relevant information required by BellSouth for the provision of ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to an Excel PCHP customer.
- 4. Charges for ODUF will appear on Excel PCHP's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Excel PCHP will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in Excel PCHP's billing system will be the responsibility of Excel PCHP. If, however, Excel PCHP should encounter significant volumes of errored messages that prevent processing by Excel PCHP within its systems, BellSouth will work with Excel PCHP to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 ODUF Message to be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Excel PCHP:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service

- 7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Excel PCHP.
- 7.1.4 In the event that Excel PCHP detects a duplicate on ODUF they receive from BellSouth, Excel PCHP will drop the duplicate message and will not return the duplicate to BellSouth.

7.2 ODUF Physical File Characteristics

- 7.2.1 ODUF will be distributed to Excel PCHP via CONNECT:Direct, Connect: Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Excel PCHP for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Excel PCHP will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel PCHP will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel PCHP. Additionally, all message toll charges associated with the use of the dial circuit by Excel PCHP will be the responsibility of Excel PCHP. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Excel PCHP end for the purpose of data transmission will be the responsibility of Excel PCHP.
- 7.2.3 If Excel PCHP utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Excel PCHP.

7.3 ODUF Packing Specifications

7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel PCHP which BellSouth RAO is sending the message. BellSouth and Excel PCHP will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel PCHP and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- ODUF Pack Rejection. Excel PCHP will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Excel PCHP will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel PCHP by BellSouth.
- 7.5 ODUF Control Data. Excel PCHP will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel PCHP received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel PCHP for reasons stated in the above section.
- ODUF Testing. Upon request from Excel PCHP, BellSouth shall send test files to Excel PCHP for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Excel PCHP set up a production (live) file. The live test may consist of Excel PCHP's employees making test calls for the types of services Excel PCHP requests on ODUF. These test calls are logged by Excel PCHP, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Excel PCHP, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Excel PCHP pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Excel PCHP shall furnish all relevant information required by BellSouth for the provision of EODUF.
- 3. EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of EODUF will appear on Excel PCHP's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Excel PCHP will be the responsibility of Excel PCHP. If, however, Excel PCHP should encounter significant volumes of errored messages that prevent processing by Excel PCHP within its systems, BellSouth will work with Excel PCHP to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Excel PCHP:

Customer usage data for flat rated local call originating from Excel PCHP's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

Version 4Q02: 12/18/02

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Excel PCHP.
- 7.1.3 In the event that Excel PCHP detects a duplicate on EODUF they receive from BellSouth, Excel PCHP will drop the duplicate message (Excel PCHP will not return the duplicate to BellSouth).
- 7.2 <u>Physical File Characteristics</u>
- 7.2.1 The EODUF feed will be distributed to Excel PCHP via Connect: Direct, Connect: Enterprise Client or another mutually agreed medium. The EODUF messages will be intermingled among Excel PCHP's ODUF messages. EODUF will be a variable block format. The data on EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Excel PCHP for the purpose of data transmission as set forth in Section 7.2.2, Exhibit C above.
- 7.2.3 If Excel PCHP utilizes CONNECT: Enterprise Client for data file transmission, purchase of the CONNECT: Enterprise Client software will be the responsibility of Excel PCHP.
- 7.3 Packing Specifications
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel PCHP which BellSouth RAO is sending the message. BellSouth and Excel PCHP will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel PCHP and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

Version 4Q02: 12/18/02

RESALE DIS	SCOUNTS AND RATES - Alabama												Attachr	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA [*]	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D100 100	Disc Add I
						Recurring	Nonred			sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4001104015	NO OLIVITO															
APPLICABLE I						40.00										
-	Residence %					16.30										
-	Business %					16.30										+
	CSAs %					16.30										
OPERATIONAL	SUPPORT SYSTEMS (OSS) RATES															
-	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						+
051 5050/5 0	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11						
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
DIDECTORY A	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								+
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE						400.00	100.00								+
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00									
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF																
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message	<u> </u>	<u> </u>		1	0.000011									1	1
	ODUF: Message Processing, per message				1	0.004101									1	1
	ODUF: Message Processing, per Magnetic Tape provisioned	1				42.67										1
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										1
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>													1
	EODUF: Message Processing, per message					0.22										

RESALE DIS	SCOUNTS AND RATES - Florida												Attachr	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								- ()			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Recurring	Nonrec	urring	NRC Di	sconnect			oss	Rates(\$)		
						Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I																
	Residence %					21.83										
	Business %					16.81										
	CSAs %					16.81										
OPERATIONAL	SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50	3.50								
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	11.46	11.46						
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF	SERVICES															
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message			Ì		0.0000071										
	ODUF: Message Processing, per message			Ì		0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned			Ì		35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375	İ									1
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1
	EODUF: Message Processing, per message					0.080698										1

RESALE DISCOUNTS AND RATES - Georgia												Attachi	ment: 1	Exhi	ibit: E
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
										Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC		RA ⁻	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
										p	F	Electronic-	Electronic-	Electronic-	
												1st	Add'I	Disc 1st	Disc Add'l
														D100 101	DISC Add I
					Recurring	Nonrec			sconnec				Rates(\$)		
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS		-						1							+
Residence %		-			20.30										+
Business %		-			17.30										+
CSAs %		 		-	17.30			<u> </u>							+
44.44		1		+	17.30			1							+
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES Electronic LSR		1		SOMEC		3.50	3.50	3.50	3.50						+
Manual LSR		-		SOMAN		3.50 19.99	3.50 19.99								+
Imanual LSR SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)		1	1	SOMAN		19.99	19.99	19.99	19.99	-	-				+
Selective Routing Per Unique Line Class Code Per Request Per Switch		-				199.56	199.56	<u> </u>							+
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE		1	1	1		199.50	199.50	1							+
Recording of DA Custom Branded Announcement		1	1	1		3.000.00	3,000.00								+
Loading of DA Custom Branded Annuncement per Switch per OCN		1	1	1		1.170.00	1,170.00	1							+
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE		1		1		1,170.00	1,170.00	<u> </u>							+
Loading of DA per OCN (1 OCN per Order)		1		1		420.00	420.00								+
Loading of DA per Oct (1 OCN per Order) Loading of DA per Switch per OCN		1	1	1		16.00	16.00								+
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE		1	1	1		16.00	16.00	1							+
Recording of Custom Branded OA Announcement		1	1	1		7.000.00	7,000.00								+
Loading of Custom Branded OA Announcement per shelf/NAV per OCN		1	1	1		500.00	500.00	1							+
Loading of Custom Branded OA Announcement per Switch per OCN Loading of OA Custom Branded Announcement per Switch per OCN		1		1		1.170.00	1.170.00								+
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE		1		1		1,170.00	1,170.00	<u> </u>							+
Loading of OA per OCN (Regional)		1		1		1.200.00	1.200.00								+
ODUF/EODUF SERVICES		1		1		1,200.00	1,200.00	<u> </u>							+
OPTIONAL DAILY USAGE FILE (ODUF)		-		1											+
ODUF: Recording, per message		1		1	0.0001275			1							+
ODUF: Nessage Processing, per message	-	1	1	†	0.0001273			 			1	 		1	+
ODUF: Message Processing, per Magnetic Tape provisioned	-	1	1	1	28.85			1		-	-				+
ODUF: Data Transmission (CONNECT:DIRECT), per message	-	 	†	1	0.0000434			 							+
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	-	1	1	†	0.0000434			 			1	 		1	+
EODUF: Message Processing, per message	1	1	1	1	0.0034555			1		1	1			1	+
				1	0.0034333			1		L	L	l	l	<u> </u>	

RESALE DISC	COUNTS AND RATES - Kentucky												Attachr	ment: 1	Exhi	ibit: E
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA ⁻	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											,	,	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Recurring	Nonrec			sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	COUNTS	-		1											-	
				1		16.79										+
	Residence %	-		1											-	
	Business %	-				15.54										
						15.54										
	SUPPORT SYSTEMS (OSS) RATES				001150		0.50	0.50	0.50	0.50						
	Electronic LSR Manual LSR	-		1	SOMEC		3.50 19.99	3.50	3.50	3.50 19.99					-	
		-			SOMAN		19.99	19.99	19.99	19.99						+
	L ROUTING USING LINE CLASS CODES (SCR-LCC)						00.50	00.50	45.50	45.50						
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.53	93.53	15.58	15.58						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE						0.000.00									
	Recording of DA Custom Branded Announcement			<u> </u>			3,000.00	3,000.00								4
	oading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE						400.00	400.00								
	oading of DA per OCN (1 OCN per Order)			<u> </u>			420.00	420.00								4
	oading of DA per Switch per OCN			<u> </u>			16.00	16.00								
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	oading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								_
	ISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE																
	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message	<u> </u>		ļ		0.0000136										_
	DDUF: Message Processing, per message			ļ	1	0.002506						ļ			ļ	1
	DDUF: Message Processing, per Magnetic Tape provisioned	<u> </u>		ļ		35.90										_
	DDUF: Data Transmission (CONNECT:DIRECT), per message			ļ		0.00010372										
	ED OPTIONAL DAILY USAGE FILE (EODUF)															
E	ODUF: Message Processing, per message					0.235889										

RESALE DIS	COUNTS AND RATES - Louisiana												Attachi	ment: 1	Exhil	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											,	p. 0 0	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													130	Addi	Diac 1at	Disc Add I
						Recurring	Nonre			isconnec				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE D	ISCOUNTS			-												
	Residence %	+		1		20.72										
	Business %	-				20.72										\vdash
	CSAs %	-		1		9.05										\vdash
	0.000					9.05										
	SUPPORT SYSTEMS (OSS) RATES Electronic LSR	-		1	SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR	-			SOMAN		19.99		19.99							\vdash
	LL ROUTING USING LINE CLASS CODES (SCR-LCC)	-			SOMAN		19.99	19.99	19.99	19.99						\vdash
	Selective Routing Per Unique Line Class Code Per Request Per Switch	-					82.25	82.25								\vdash
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE	-					82.23	82.23								\vdash
	Recording of DA Custom Branded Announcement	-					3.000.00	3.000.00								\vdash
	Loading of DA Custom Branded Announcement per Switch per OCN	-					1,170.00	1.170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE	+		1			1,170.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)	+		1	-		420.00	420.00				ļ				
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN	-					16.00									\vdash
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE	-		1			16.00	16.00								\vdash
							7,000,00	7,000,00								
	Recording of Custom Branded OA Announcement	-					7,000.00									+
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00 1.170.00	500.00 1.170.00								
	Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								
							1.200.00	1,200,00								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S	IAL DAILY USAGE FILE (ODUF)															
		-				0.0000447										+
	ODUF: Recording, per message	1		!	1	0.0000117						1				
	ODUF: Message Processing, per message	-		!	-	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned	1	1	1	1	48.45					-	1				
	ODUF: Data Transmission (CONNECT:DIRECT), per message	1	1	1	1	0.00010568					-	1				
	CED OPTIONAL DAILY USAGE FILE (EODUF)	1		!	1	0.050045						1				
	EODUF: Message Processing, per message					0.250015					l					

RESALE DISCOUNTS AND RATES - Mississippi												Attachr	nent: 1	Exhi	ibit: E
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
										Submitted	Submitted		Charge -	Charge -	Charge -
										Elec	Manually		Manual Svc		
CATEGORY RATE ELEMENTS	Interin	Zone	BCS	USOC		RA1	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
										per Lore	per Lore	Electronic-	Electronic-	Electronic-	
												1st	Add'I	Disc 1st	Disc Add'l
												151	Auu i	Disc 1st	DISC Aud I
					Recurring	Nonrec		NRC Di	sconnect				Rates(\$)		
					Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
Residence %					15.75										
Business %					15.75										
CSAs %					15.75										
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES															
Electronic LSR				SOMEC		3.50	3.50								
Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
Selective Routing Per Unique Line Class Code Per Request Per Switch						85.19	85.19	14.19	14.19						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFT	WARE														
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTV	VARE														
Recording of Custom Branded OA Announcement						7,000.00									
Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000063										1
ODUF: Message Processing, per message				1	0.004707										
ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															1
EODUF: Message Processing, per message			<u> </u>		0.250424					l	<u> </u>				

RES#	LE DIS	SCOUNTS AND RATES - North Carolina												Attachi	ment: 1	Exhi	ibit: E
CATEG	GORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc		RA ⁻	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge -
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	curring	NRC Di	sconnect			oss	Rates(\$)		•
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPI I	CABLE D	 DISCOUNTS															
	_	Residence %					21.50										
		Business %					17.60										
		CSAs %					17.60										
OPERA		SUPPORT SYSTEMS (OSS) RATES					11.00										
0. 2.0		Electronic LSR		1		SOMEC		3,50	3.50	3.50	3.50						
		Manual LSR				SOMAN		19.99	19.99		19.99						
SELEC		LL ROUTING USING LINE CLASS CODES (SCR-LCC)				00.11.7.11.4		10.00	10.00	10.00	10.00						
		Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25	14.14	14.14						
DIREC		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS SOFTWARE		1				02.20	02.20	17.17	17.17						
		Recording of DA Custom Branded Announcement						3.000.00	3,000.00								
		Loading of DA Custom Branded Anouncement per Switch per OCN		1				1.170.00	1.170.00								
DIREC		SSISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								
		Loading of DA per OCN (1 OCN per Order)		1				420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
OPERA		SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE						10.00	10.00								
<u> </u>		Recording of Custom Branded OA Announcement						7.000.00	7.000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN		1				500.00	500.00								
		Loading of OA Custom Branded Announcement per Switch per OCN						1.170.00									
OPERA	ATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,110.00								
<u> </u>		Loading of OA per OCN (Regional)						1,200,00	1.200.00								
ODUF/		SERVICES	1	1	1	l		.,200.00	.,				i	1		1	1
1		NAL DAILY USAGE FILE (ODUF)	1	1	1	l							i	1		1	1
		ODUF: Recording, per message	1	1	1	l	0.0003						i	1		1	1
		ODUF: Message Processing, per message	1	1	1	l	0.0032						i	1		1	1
		ODUF: Message Processing, per Magnetic Tape provisioned		1	1	i e	54.61						İ			İ	1
		ODUF: Data Transmission (CONNECT:DIRECT), per message		1	1	i e	0.00004						İ	İ		1	
		ICED OPTIONAL DAILY USAGE FILE (EODUF)		1	1	i e	2.22301						İ	İ		1	
		EODUF: Message Processing, per message	1	1	1	İ	0.2285406										

RESALE DISC	COUNTS AND RATES - South Carolina												Attach	ment: 1	Exhi	ibit: E
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
						Recurring	Nonrec	urring	NRC Di	sconnect		•	oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	SCOUNTS															+
	Residence %					14.80										+
	Business %					14.80										+
	SSAs %	1		1		8.98										+
	SUPPORT SYSTEMS (OSS) RATES	1		1		0.50										+
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						+
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						†
	L ROUTING USING LINE CLASS CODES (SCR-LCC)				00		10.00	10.00	10.00	10.00						†
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14						†
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE						0 1.00	0 1.00								†
	Recording of DA Custom Branded Announcement	1					3.000.00	3,000.00								+
	oading of DA Custom Branded Anouncement per Switch per OCN	1					1,170.00	1.170.00								1
	SISTANCE UNBRANDING via OLNS SOFTWARE						.,	.,								1
	oading of DA per OCN (1 OCN per Order)						420.00	420.00								1
	oading of DA per Switch per OCN						16.00	16.00								1
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															1
	Recording of Custom Branded OA Announcement						7.000.00	7.000.00								1
L	oading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								1
L	oading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSI	ISTANCE UNBRANDING via OLNS SOFTWARE															
L	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE				1												
OPTIONA	AL DAILY USAGE FILE (ODUF)															
lo	DDUF: Recording, per message					0.0000216										
	DDUF: Message Processing, per message					0.004704										
	DDUF: Message Processing, per Magnetic Tape provisioned					48.87										
	DDUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
ENHANC	ED OPTIONAL DAILY USAGE FILE (EODUF)															
lE	ODUF: Message Processing, per message					0.258301										

RESA	LE DIS	SCOUNTS AND RATES - Tennessee												Attach	ment: 1	Exhi	bit: E
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RA	TES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonred	curring	NRC D	isconnect			oss	Rates(\$)		
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ΔΡΡΙΙΟ	ABLE D	 DISCOUNTS					+										+
A L.		Residence %					16.00										†
		Business %					16.00										†
		CSAs %					16.00										†
OPERA		SUPPORT SYSTEMS (OSS) RATES					10.00										+
OI LIKE		Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						+
		Manual LSR				SOMAN		19.99	19.99		19.99						†
SELEC		ILL ROUTING USING LINE CLASS CODES (SCR-LCC)				001111111		10.00	10.00	10.00	10.00						†
OLLLO		Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60								†
DIREC		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS SOFTWARE						170.00	170.00								†
		Recording of DA Custom Branded Announcement						1.555.00	1,553.00	7.03	7.03						1
		Loading of DA Custom Branded Anouncement per Switch per OCN		+				240.71	240.71	1.00	7.00						
DIREC		SSISTANCE UNBRANDING via OLNS SOFTWARE						2.0	2.0								1
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								1
		Loading of DA per Switch per OCN						16.00	16.00								1
OPERA		SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE						10.00	10.00								1
0		Recording of Custom Branded OA Announcement						1.555.00	1.555.00								1
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN		+				240.71	240.71								1
		Loading of OA Custom Branded Announcement per Switch per OCN						240.71	240.71								1
OPERA	TOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE						210	2.0								1
0		Loading of OA per OCN (Regional)						1.200.00	1.200.00								1
ODUF/I		SERVICES	1	1		1		.,_00.00	.,_00.00					1	1	1	1
== 0.7.		NAL DAILY USAGE FILE (ODUF)		1												1	1
		ODUF: Recording, per message					0.0000044									1	1
		ODUF: Message Processing, per message					0.0027366									1	1
		ODUF: Message Processing, per Magnetic Tape provisioned		1			52.75										1
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										1
		ICED OPTIONAL DAILY USAGE FILE (EODUF)		1	1	İ									İ	İ	†
		EODUF: Message Processing, per message		1			0.004									1	1

Attachment 2

Network Elements and Other Services

Version 4Q02: 12/18/02

TABLE OF CONTENTS

ı	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	47
7	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENI SERVICE	
8	LINE INFORMATION DATABASE (LIDB)	52
9	SIGNALING	55
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE).61
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	66
12	CALLING NAME (CNAM) DATABASE SERVICE	67
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	69
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	70
LII	OB Storage Agreement Exhib	it A
Rat	tes	it B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Excel PCHP in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Excel PCHP. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Attachment. Additionally, the provision of a particular Network Element or service may require Excel PCHP to purchase other Network Elements or services.
- For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Excel PCHP used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Excel PCHP, and to the extent technically feasible, provide to Excel PCHP access to its Network Elements for the provision of Excel PCHP's telecommunications services. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Excel PCHP may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Excel PCHP chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Excel PCHP to the demarcation point associated with Excel PCHP's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Excel PCHP may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If Excel PCHP reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Excel PCHP for any dispatching and

testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

1.9 Rates

- 1.9.1 The prices that Excel PCHP shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Excel PCHP purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Excel PCHP modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Excel PCHP in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an end user customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Excel PCHP's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then Excel PCHP can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet Excel PCHP's Loop requirements. Standard Loop intervals shall not apply to the SC process.

- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Excel PCHP in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Excel PCHP may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Excel PCHP has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Excel PCHP shall pay the recurring and nonrecurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Excel PCHP using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Excel PCHP wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Excel PCHP may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

2.1.8.1 Excel PCHP will be responsible for testing and isolating troubles on the Loops. Excel PCHP must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Excel PCHP will be required to provide the results of the Excel PCHP tests which indicate a problem on the BellSouth provided Loop.

- 2.1.8.2 Once Excel PCHP has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Excel PCHP reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Excel PCHP for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.9.1 Order Coordination (OC) allows BellSouth and Excel PCHP to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Excel PCHP's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 Order Coordination – Time Specific (OC-TS) allows Excel PCHP to order a specific time for OC to take place. BellSouth will make every effort to accommodate Excel PCHP's specific conversion time request. However, BellSouth reserves the right to negotiate with Excel PCHP a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Excel PCHP may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Excel PCHP specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Excel PCHP when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Excel PCHP's Interconnection Agreement before requesting a conversion.

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Excel PCHP pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Excel PCHP must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Excel PCHP will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Excel PCHP. Excel PCHP may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Excel PCHP may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Excel PCHP. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Excel PCHP to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop
- 2.3.2.9 STS-1 Loop
- 2.3.2.10 OC-3 Loop
- 2.3.2.11 OC-12 Loop
- 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Excel PCHP will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop

length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Excel PCHP in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Excel PCHP for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. These are optical two-point transmission paths that are dedicated to the use of Excel PCHP in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 -155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kft and may have up to 12kft of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Excel PCHP.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Excel PCHP to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any

intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Excel PCHP can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Excel PCHP may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Excel PCHP to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Excel PCHP may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridged tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Excel PCHP, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Excel PCHP will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Excel PCHP can use the Loop for a variety of services by attaching

appropriate terminal equipment at the ends. Excel PCHP will determine the type of service that will be provided over the Loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- 2.5.4 In those cases where Excel PCHP has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on Loops of any length.
- 2.5.6 Excel PCHP shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Excel PCHP desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Excel PCHP, Excel PCHP will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Excel PCHP is available at the location for which the ULM was requested, Excel PCHP will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Excel PCHP will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Excel PCHP has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Excel PCHP. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Excel PCHP (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Excel PCHP will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Excel PCHP to connect Excel PCHP's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Excel PCHP may access the end user's customer-premises wiring by any of the following means and Excel PCHP shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Excel PCHP to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Excel PCHP may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Excel PCHP's responsibility to ensure there is no safety hazard, and Excel PCHP will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Excel PCHP shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Excel PCHP shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Excel PCHP to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Excel PCHP's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Excel PCHP may request BellSouth to do additional work to the NID on a time and material basis. When Excel PCHP deploys its own local Loops in a multiple-line termination device, Excel PCHP shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.3.1 If Excel PCHP requests a UCSL and it is not available, Excel PCHP may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.5 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Excel PCHP's use on this cross-connect panel. Excel PCHP will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.6 For access to Voice Grade USLD and UCSL, Excel PCHP shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-

up process. Excel PCHP's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.7 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Excel PCHP is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Excel PCHP's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Excel PCHP's request for Unbundled Sub-Loops, Excel PCHP may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Excel PCHP will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.8 The site set-up must be completed before Excel PCHP can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Excel PCHP's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.9 Once the site set-up is complete, Excel PCHP will request sub-loop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Excel PCHP requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Excel PCHP for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.10 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end user's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end user's premises, where a third

party owns the wiring to the end user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Excel PCHP will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Excel PCHP for each pair activated commensurate to the price specified in Excel PCHP's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the end-user is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the

Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an end-user from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.

- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Excel PCHP's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Excel PCHP will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Excel PCHP may request, through the BellSouth Special Construction (SC) process, a determination of costs to provide the sub-loop feeder element to Excel PCHP. Excel PCHP will then have the option of paying the SC charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.

2.8.4.6 Unbundled Sub-Loop Feeder – DS3 and above

- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities and shall require a Service Inquiry.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements

- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Excel PCHP Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth Loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Excel PCHP at Excel PCHP's collocation site. System B will allow up to 192 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Excel PCHP's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each Loop that is terminated onto the ULC system.

2.8.6 Unbundled Sub-Loop Concentration (USLC)

- 2.8.6.1 Where facilities permit, Excel PCHP may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Excel PCHP's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Excel PCHP's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal (RT) site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Excel PCHP's demarcation

point associated with Excel PCHP's collocation space within the SWC that serves the RT. USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Excel PCHP is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Excel PCHP's sub-loops to be placed on the USLC and transported to Excel PCHP's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premise connected via a cross connect to the demarcation point associated with Excel PCHP's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel PCHP to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Excel PCHP is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Excel PCHP information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry from Excel PCHP.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Excel PCHP within twenty (20) business days after Excel PCHP submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Excel PCHP to connect Excel PCHP provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Excel PCHP LMU information so that Excel PCHP can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Excel PCHP intends to install and the services Excel PCHP wishes to provide. This section addresses LMU as a preordering transaction, distinct from Excel PCHP ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Excel PCHP LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Excel PCHP as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to Excel PCHP on facilities is contingent upon either BellSouth or Excel PCHP controlling the Loop(s) that serve the service location for which LMU information has been requested by Excel PCHP. Excel PCHP is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by Excel PCHP.
- 2.9.1.5 Excel PCHP may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Excel PCHP and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Excel PCHP's ability to provide advanced data services over the ordered Loop type. Further, if Excel PCHP orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Excel PCHP is fully

responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Excel PCHP may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Excel PCHP needs further Loop information in order to determine Loop service capability, Excel PCHP may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Manual LMUSI is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Excel PCHP may reserve up to ten Loop facilities. For a Manual LMUSI, Excel PCHP may reserve up to three Loop facilities.
- 2.9.3.2 Excel PCHP may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Excel PCHP. During and prior to Excel PCHP placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Excel PCHP does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Excel PCHP will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Excel PCHP does not reserve facilities upon an initial LMUSI, Excel PCHP's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Excel PCHP has reserved multiple Loop facilities on a single reservation, Excel PCHP may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Excel PCHP, subject to

availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Excel PCHP. If the ordered Loop type is not available, Excel PCHP may utilize the ULM process or the SC process, as applicable, to obtain the Loop type ordered.

3 <u>High Frequency Spectrum Network Element</u>

- 3.1 General
- 3.1.1 BellSouth shall provide Excel PCHP access to the high frequency spectrum of the local Loop as a UNE only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Excel PCHP the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Excel PCHP shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Excel PCHP on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Excel PCHP requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, Excel PCHP shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Excel PCHP desires to continue providing xDSL service on such Loop, Excel PCHP shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Excel PCHP notice in a reasonable time prior to disconnect, which notice shall give Excel PCHP an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Excel PCHP purchases the full standalone Loop, Excel PCHP may elect the type of Loop it will purchase. Excel PCHP will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Excel PCHP purchases a voice grade Loop, Excel PCHP acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide Excel PCHP with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Excel PCHP must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end user of such Loop.
- 3.2.1.2 Excel PCHP may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Excel PCHP's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of Excel PCHP in a central office in which Excel PCHP is located, Excel PCHP shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Excel PCHP shall pay the electronic or manual ordering charges as applicable when Excel PCHP orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Excel PCHP's data.

3.3 **BellSouth Provided Splitter**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Excel PCHP access to data ports on the splitter. The splitter will

route the High Frequency Spectrum on the circuit to Excel PCHP's xDSL equipment in Excel PCHP's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Excel PCHP with a carrier notification letter, informing Excel PCHP of change. Excel PCHP shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Excel PCHP shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Excel PCHP's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Excel PCHP's DS0 termination point as possible. Excel PCHP shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Excel PCHP on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Excel PCHP DS0 at such time that an Excel PCHP end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 Excel PCHP may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Excel PCHP may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Excel PCHP in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Excel PCHP may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Excel PCHP shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Excel PCHP the LSR format to be used when ordering the High Frequency Spectrum.

- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Excel PCHP access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Excel PCHP shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

- 3.6.1 Excel PCHP shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Excel PCHP is using a BellSouth owned splitter, Excel PCHP may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Excel PCHP provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premise and the Termination Point. Excel PCHP will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Excel PCHP shall inform its end users to direct data problems to Excel PCHP, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Excel PCHP, BellSouth will notify Excel PCHP. Excel PCHP will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Excel PCHP will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Excel PCHP's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 General
- 3.7.1.1 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users

over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Excel PCHP shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Excel PCHP will not provide voice and data services.

- 3.7.1.2 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Excel PCHP or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.1.3 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Excel PCHP for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Excel PCHP or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Excel PCHP or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Excel PCHP or its authorized agent submits an LSR to BellSouth to change the Loop.

3.7.2 **Provisioning Line Splitting and Splitter Space**

- 3.7.2.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Excel PCHP or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.7.2.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.7.2.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

- 3.7.2.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.
- 3.7.3 **Ordering**
- 3.7.3.1 Excel PCHP shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.7.3.2 BellSouth shall provide Excel PCHP the LSR format to be used when ordering Line Splitting service.
- 3.7.3.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.7.3.4 BellSouth will provide Excel PCHP access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Excel PCHP shall pay the rates for such services as described in Exhibit B.
- 3.7.3.5 BellSouth will provide Loop modification to Excel PCHP on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: https://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B.

3.7.4 **Maintenance**

- 3.7.4.1 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premise and the Termination Point. Excel PCHP will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.7.4.2 Excel PCHP shall inform its end users to direct data problems to Excel PCHP, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.7.4.3 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.7.4.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to

BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.

3.7.4.5 If Excel PCHP is not the data provider, Excel PCHP shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.8 Remote Site High Frequency Spectrum

- 3.8.1 General
- 3.8.1.1 BellSouth shall provide Excel PCHP access to the high frequency spectrum of the local sub-loop as a UNE only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.8.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Excel PCHP the ability to provide Digital Subscriber Line (xDSL) data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Excel PCHP shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.8.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.8.1.4 BellSouth will provide Loop Modification to Excel PCHP on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High

Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Excel PCHP requests modifications on a sub-loop longer than 18kft and requested modifications significantly degrade the voice services on the Loop, Excel PCHP shall pay for the Loop to be restored to its original state.

- 3.8.1.5 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Excel PCHP desires to continue providing xDSL service on such sub-loop, Excel PCHP shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Excel PCHP notice in a reasonable time prior to disconnect, which notice shall give Excel PCHP an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Excel PCHP purchases the full stand-alone sub-loop, Excel PCHP may elect the type of sub-loop it will purchase. Excel PCHP will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B. In the event Excel PCHP purchases a voice grade Loop, Excel PCHP acknowledges that such sub-loop may not remain xDSL compatible.
- 3.8.1.6 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.8.2 **Provisioning of High Frequency Spectrum and Splitter Space**
- 3.8.2.1 To order High Frequency Spectrum on a particular sub-loop, Excel PCHP must have a DSLAM collocated at the remote site that serves the end user of such sub-loop.
- 3.8.2.2 Excel PCHP may provide its own splitters or may order splitters in a remote site once the Excel PCHP has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Excel PCHP's submission of an error free LSOD to the BellSouth CRSG.
- 3.8.2.3 Once a splitter is installed on behalf of Excel PCHP in a remote site in which Excel PCHP is located, Excel PCHP shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Excel PCHP shall pay applicable for High Frequency Spectrum end-user activation.
- 3.8.3 **BellSouth Owned Splitter**
- 3.8.3.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. Excel PCHP's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Excel PCHP will provide a cable facility to

the BellSouth FDI. BellSouth will splice the Excel PCHP's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect Excel PCHP's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to Excel PCHP's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.

- 3.8.3.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in Excel PCHP's Remote Terminal (RT) collocation space and routed back to Excel PCHP's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Excel PCHP with a carrier notification letter informing Excel PCHP of change. Excel PCHP shall purchase ports on the splitter in increments of 24 ports.
- 3.8.3.3 BellSouth will install the splitter in (i) a common area close to Excel PCHP's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Excel PCHP's DS0 termination point as possible. Excel PCHP shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Excel PCHP DS0 at such time that an Excel PCHP end user's service is established.

3.8.4 **CLEC Owned Splitter**

- 3.8.4.1 Excel PCHP may at its option purchase, install and maintain splitters in its collocation arrangements. Excel PCHP may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Excel PCHP will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.8.4.2 Any splitters installed by Excel PCHP in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Excel PCHP may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.8.5 **Ordering**

3.8.5.1 Excel PCHP shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.

- 3.8.5.2 BellSouth will provide Excel PCHP the LSR format to be used when ordering the High Frequency Spectrum.
- 3.8.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.8.5.4 BellSouth will provide Excel PCHP access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Excel PCHP shall pay the rates for such services as described in Exhibit B.
- 3.8.5.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Excel PCHP's data.

3.8.6 **Maintenance and Repair**

- 3.8.6.1 Excel PCHP shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Excel PCHP is using a BellSouth owned splitter, Excel PCHP may access the sub-loop at the point where the data signal exits. If Excel PCHP provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.8.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premise and the Termination Point. Excel PCHP will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.8.6.3 Excel PCHP shall inform its end users to direct data problems to Excel PCHP, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.8.6.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.8.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Excel PCHP, BellSouth will notify Excel PCHP. Excel PCHP will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Excel PCHP will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Excel PCHP's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Excel PCHP for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Excel PCHP for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Excel PCHP when Excel PCHP serves an end user with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Excel PCHP orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Excel PCHP the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.

- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Excel PCHP's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Excel PCHP purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Excel PCHP local end user, or originated by a BellSouth local end user and terminated to a Excel PCHP local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Excel PCHP the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Excel PCHP shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Excel PCHP purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Excel PCHP end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge Excel PCHP the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Excel PCHP shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Excel PCHP the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 <u>Unbundled Port Features</u>

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process as set forth in Attachment 11.
- 4.2.9.4 BellSouth will provide to Excel PCHP selective routing of calls to a requested Operator System platform pursuant to Section 10 of this Attachment. Any other routing requests by Excel PCHP will be made pursuant to the BFR/NBR process.

4.2.10 **Remote Call Forwarding**

- 4.2.10.1 As an option, BellSouth shall make available to Excel PCHP an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Excel PCHP will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Excel PCHP the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Excel PCHP all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Excel PCHP.

4.2.12 <u>Local Switching Interfaces.</u>

- 4.2.12.1 Excel PCHP shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between

trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Excel PCHP and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Excel PCHP.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Excel PCHP's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

- 4.3.3 Upon Excel PCHP's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Excel PCHP's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Excel PCHP. AIN Selective Carrier Routing will provide Excel PCHP with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Excel PCHP shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Excel PCHP, the routing of Excel PCHP's end user calls shall be pursuant to information provided by Excel PCHP and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Excel PCHP shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit B of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said nonrecurring charge shall be as set forth in Exhibit B. For each Excel PCHP end user activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit B. Excel PCHP shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Excel PCHP's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Excel PCHP, BellSouth considers that the delivery schedule of this service commences.

The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Excel PCHP following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Excel PCHP following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Excel PCHP following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Excel PCHP seeks to offer;
- 4.5.2.3 BellSouth has not permitted Excel PCHP to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Excel PCHP obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in

Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 <u>Unbundled Network Element Combinations</u>

For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Excel PCHP are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Excel PCHP are not already combined by BellSouth in the location requested by Excel PCHP but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Excel PCHP are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Excel PCHP with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Excel PCHP's collocation space in a BellSouth central office. The circuit must be connected to Excel PCHP's switch for the purpose of provisioning circuit telephone exchange service to Excel PCHP's enduser customers. Excel PCHP may connect EELs within Excel PCHP's collocation space to other transport terminating into Excel PCHP's switch. Excel PCHP may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Excel PCHP's request, terminate to a CLEC's Point of Presence (POP). Excel PCHP will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seg. below. Upon BellSouth's request, Excel PCHP shall indicate under what local usage option Excel PCHP seeks to qualify. Excel PCHP shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Excel PCHP's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

5.3.1 Excel PCHP may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Excel PCHP self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Excel PCHP does not use the combination to provide a significant

amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Excel PCHP requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Excel PCHP shall provide to BellSouth a certification that Excel PCHP is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Excel PCHP seeks to qualify for conversion of special access circuits. Excel PCHP shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 5.3.1.1 **Option 1:** Excel PCHP certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Excel PCHP's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Excel PCHP is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Excel PCHP can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Excel PCHP certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Excel PCHP's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** Excel PCHP certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Excel PCHP does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.2 In addition, there may be extraordinary circumstances where Excel PCHP is providing a significant amount of local exchange service but does not qualify under

any of the three options set forth in Section 5.3.1 et seq. In such case, Excel PCHP may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

- 5.3.3 BellSouth may, at its sole discretion, audit Excel PCHP's records in order to verify compliance with the local usage option provided by Excel PCHP pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Excel PCHP shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Excel PCHP shall reimburse BellSouth for the cost of the audit. If, based on the audit, Excel PCHP is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Excel PCHP for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Excel PCHP is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement. In the event Excel PCHP converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Excel PCHP shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

- 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.4.1.12 4-wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- To the extent that Excel PCHP requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the BFR/NBR Process.

5.5 <u>UNE Port/Loop Combinations</u>

- 5.5.1 Combinations of port and Loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the BFR/NBR process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as a UNE.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Excel PCHP if Excel PCHP's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as a UNE and shall do

so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.

- BellSouth shall make 911 updates in the BellSouth 911 database for Excel PCHP's UNE port/Loop combinations. BellSouth will not bill Excel PCHP for 911 surcharges. Excel PCHP is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 **Other UNE Combinations**

- 5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Excel PCHP in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Excel PCHP requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.
- Rates. The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Excel PCHP requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Excel PCHP requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Excel PCHP for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Excel PCHP.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Excel PCHP exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Excel PCHP to connect such interoffice facilities to equipment designated by Excel PCHP, including but not limited to, Excel PCHP's collocated facilities; and
- Permit, to the extent technically feasible, Excel PCHP to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Excel PCHP's Point of Presence (POP) and Excel PCHP's collocation space in the BellSouth Serving Wire Center for Excel PCHP's POP, and

6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Excel PCHP. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Excel PCHP designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: DS0 Equivalent; 6.2.2.4.1 6.2.2.4.2 DS1: 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Excel PCHP shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References: 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Excel PCHP may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Excel PCHP's channelization equipment must adhere strictly to form and protocol standards. Excel PCHP must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization. The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

- 6.3.3.3 DS1 to DS3 Channelization. The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- DS1 to STS Channelization. The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET)
 Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Excel PCHP's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Excel PCHP's POP to Excel PCHP's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel PCHP to utilize Dark Fiber Transport.

6.4.2 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- Excel PCHP is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Excel PCHP information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Excel PCHP. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Excel

PCHP within twenty (20) business days after Excel PCHP submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Excel PCHP to connect Excel PCHP provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling Control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Excel PCHP's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Excel PCHP.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 <u>Line Information Database (LIDB)</u>

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Excel PCHP must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Excel PCHP any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Excel PCHP's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

BellSouth shall indicate to Excel PCHP what additional functions (if any) are performed by LIDB in the BellSouth network.

- 8.2.3 Within two (2) weeks after a request by Excel PCHP, BellSouth shall provide Excel PCHP with a list of the customer data items, which Excel PCHP would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Excel PCHP data to the LIDB shall be solely at the direction of Excel PCHP. Such direction from Excel PCHP will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Excel PCHP data upon Excel PCHP's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- BellSouth shall provide LIDB systems such that no more than 0.01% of Excel PCHP customer records will be missing from LIDB, as measured by Excel PCHP audits. BellSouth will audit Excel PCHP records in LIDB against DBAS to identify record mismatches and provide this data to a designated Excel PCHP contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Excel PCHP within one business day of audit. Once reconciled records are received back from Excel PCHP, BellSouth will update LIDB the same business day if less than 500 records are received, BellSouth will contact Excel PCHP to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Excel PCHP's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs

backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 8.2.11 BellSouth shall provide Excel PCHP with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Excel PCHP and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Excel PCHP data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Excel PCHP in writing.
- 8.2.13 BellSouth shall provide Excel PCHP performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Excel PCHP at least at parity with BellSouth Customer Data. BellSouth shall obtain from Excel PCHP the screening information associated with LIDB Data Screening of Excel PCHP data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Excel PCHP under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Excel PCHP customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Excel PCHP shall

provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Excel PCHP shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 <u>Signaling</u>

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Excel PCHP-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.2.2.1 An A-link layer shall consist of two links.
- 9.2.2.2.2 A B-link layer shall consist of four links.
- 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

- 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.3 Interface Requirements
- 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at Excel PCHP's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Excel PCHP local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Excel PCHP local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is an Excel PCHP or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to an Excel PCHP database, then Excel PCHP agrees to provide BellSouth with the Destination Point Code for Excel PCHP database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Excel PCHP or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Excel PCHP, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Excel PCHP's SS7 network to exchange TCAP queries and responses with an Excel PCHP SCP.
- 9.4.2 SS7 AIN Access shall provide Excel PCHP SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Excel PCHP SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Excel PCHP SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Excel PCHP or Excel PCHP-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Excel PCHP local switching systems; and,
- 9.4.3.1.2 A B-link interface from Excel PCHP local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Excel PCHP local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Excel PCHP switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Excel PCHP local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Excel PCHP switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Excel PCHP from any signaling point or network interconnected through BellSouth's SS7 network where the Excel PCHP SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service

Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Excel PCHP local signaling transfer point switches or Excel PCHP local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Excel PCHP local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Excel PCHP or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between an Excel PCHP local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services

(Automatic Callback, Automatic Recall, and Screening List Editing) between the Excel PCHP local signaling transfer point switches and BellSouth or other third-party local switch.

- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an Excel PCHP local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Excel PCHP local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Excel PCHP or Excel PCHP-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Excel PCHP local or tandem switching systems; and 9.7.9.1.2 B-link interface from Excel PCHP STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice

facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Excel PCHP local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Excel PCHP switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Excel PCHP end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 10.2.10 Process operator-assisted directory assistance calls.
- 10.2.11 Adhere to equal access requirements, providing Excel PCHP local end users the same IXC access as provided to BellSouth end users.

10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Excel PCHP that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Excel PCHP. 10.2.15 Provide call records to Excel PCHP in accordance with ODUF standards specified in Attachment 7. 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 10.3 **Directory Assistance Service** 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Excel PCHP's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings. 10.3.3 **Directory Assistance Service Updates** 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 10.3.3.1.1 New end user connections: 10.3.3.1.2 End user disconnections; 10.3.3.1.3 End user address changes. These updates shall also be provided for non-listed and non-published numbers for 10.3.3.2 use in emergencies. 10.4 **Branding for Operator Call Processing and Directory Assistance** 10.4.1 BellSouth's branding feature provides a definable announcement to Excel PCHP end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior

Version 4Q02: 12/18/02

to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Excel PCHP to have its calls custom branded with Excel PCHP's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.

- BellSouth offers three branding offering options to Excel PCHP when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Excel PCHP, the order is considered firm after ten business days. Should Excel PCHP decide to cancel the order, written notification to Excel PCHP's Local Contract Manager is required. If Excel PCHP decides to cancel after ten business days from receipt of the custom branding order, Excel PCHP shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where Excel PCHP purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Excel PCHP's end user calls to that provider through Selective Call Routing.
- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Excel PCHP to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, Excel PCHP specific and unique line class codes are programmed in each BellSouth end office switch where Excel PCHP intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Excel PCHP's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Excel PCHP intends to provide Excel PCHP-branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Excel PCHP to order dedicated trunking from each BellSouth end office identified by Excel PCHP, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Excel PCHP Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 10.4.4.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Excel PCHP to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.9.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Excel PCHP shall not be required to purchase dedicated trunking.
- 10.4.4.9.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Excel PCHP must have its OCN(s) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Excel PCHP must submit a manual order form which requires, among other things, Excel PCHP's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Excel PCHP shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Excel PCHP's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Excel PCHP end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.9.3 BellSouth Branding is the default branding offering.
- Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Excel PCHP applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Excel PCHP shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where Excel PCHP is purchasing unbundled local switching from BellSouth, UNE

usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 **Facilities Based Carrier Branding**

- 10.4.5.1 All Service Levels require Excel PCHP to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Excel PCHP requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Excel PCHP;
- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Excel PCHP;
- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- 10.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

10.5 Directory Assistance Database Service (DADS)

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Excel PCHP end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Excel PCHP agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Excel PCHP agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide Excel PCHP with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central

office requested. BellSouth will require approximately 30-45 days after receiving an order from Excel PCHP to prepare the Base File.

- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Excel PCHP's previous update. Delivery of updates will commence immediately after Excel PCHP receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Excel PCHP mutually develop CONNECT: Direct TM electronic connectivity. Excel PCHP will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Excel PCHP authorizes the inclusion of Excel PCHP Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Excel PCHP's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by CLECs, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Excel PCHP with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Excel PCHP by BellSouth upon subscription to the service. Subscription to DADAS requires that Excel PCHP utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Excel PCHP access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Excel PCHP after Excel PCHP provides end user information for input into the ALI/DMS database.

- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Excel PCHP requests otherwise and shall be updated if Excel PCHP requests, provided Excel PCHP supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Excel PCHP end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Excel PCHP the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Excel PCHP shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Excel PCHP's access to BellSouth's CNAM Database Services and shall be addressed to Excel PCHP's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Excel PCHP requires interconnection from Excel PCHP to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Excel PCHP shall provide its own CNAM SSP. Excel PCHP's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Excel PCHP elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Excel PCHP desires to query.
- 12.6 If Excel PCHP queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the

BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- The mechanism to be used by Excel PCHP for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Excel PCHP in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Excel PCHP to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Excel PCHP CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Excel PCHP the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Excel PCHP. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Excel PCHP service logic and data from unauthorized access.
- When Excel PCHP selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Excel PCHP to use BellSouth's SCE/SMS AIN Access to create and administer applications.

- Excel PCHP access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Excel PCHP to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Excel PCHP a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Excel PCHP will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Excel PCHP will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Excel PCHP will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Excel PCHP shall install a minimum of two dedicated trunks originating from the Excel PCHP serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Excel PCHP will be required to provide BellSouth daily updates to the E911 database. Excel PCHP will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Excel PCHP will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Excel PCHP shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Excel PCHP beyond applicable charges for BellSouth trunking arrangements.

- 14.5 Basic 911 and E911 functions provided to Excel PCHP shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Excel PCHP may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.
- 15.3 Denial/Restoral OSS Charge. In the event Excel PCHP provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge. Excel PCHP will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per-element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Excel PCHP creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Excel PCHP.
- C. Special billing number a ten-digit number that identifies a billing account established by Excel PCHP.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Excel PCHP that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Excel PCHP.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Excel PCHP.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Excel PCHP for originating line numbers.

Version 4Q02: 12/18/02

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Excel PCHP and pursuant to which BellSouth, its LIDB customers and Excel PCHP shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Excel PCHP's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Excel PCHP understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Excel PCHP, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Excel PCHP's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Excel PCHP has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Excel PCHP from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Excel PCHP indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Excel PCHP of fraud alerts so that Excel PCHP may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Excel PCHP pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Excel PCHP for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Excel PCHP's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Excel PCHP's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Excel PCHP and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Excel PCHP. It shall be the responsibility of Excel PCHP and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Excel PCHP will not be charged a fee for storage services provided by BellSouth to Excel PCHP as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Excel PCHP in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

<u>JNBUN</u> I	DLED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc Order	Svc Order	al Charge		al Charge -	al Charg
ATEGOR	RATE ELEMENTS	Interi	Zon	BCS	USOC		R	ATES (\$)			Submitte	Submitte	Manual	Manual	Manual	Manua
AIEGUR	RATE ELEMENTS	m	е	ВСЗ	0300		N/	AILS (\$)			d Elec	d	Svc Order			Svc Ord
											per LSR		vs.	vs.	vs.	vs.
												per LSR	Electronic	Electronic-	Electronic-	Electron
					+		Nonrec	urring	NRC Disc	onnect		L	220	Rates (\$)		l
					+	Rec	First	Add'l			SOMEC	SOMAN		SOMAN	SOMAN	SOMA
Tho	"Zone" shown in the sections for stand-alone loops or loops as part of a	combin	ation I	rofore to Goographical	ly Dogyora	and LINE Zones										
			auon	elers to Geographical	iy Deaveraç	jeu one zones	s. To view G	eographican	y Deaverag	eu UNE 2	Lone Desig	manons by	Central Of	lice, refer to	internet we	usite:
	c://www.interconnection.bellsouth.com/become_a_clec/html/interconnecti	on.ntm				1					1					
	ONAL SUPPORT SYSTEMS	4 16 14						danad bu tha	Cii	The						: 46:
NO	(E: (1) Electronic Service Order: CLEC should contact its contract negotia	itor it it	preters	s the state specific ele	ctronic ser	rice ordering c	narges as or	dered by the	Commissi	ons. The	electronic	c service of	rdering cha	rge currenti	y contained	in this r
exn	ibit is the BellSouth regional electronic service ordering charge. CLEC m	ay elect	eitner	the state specific Con	nmission of	dered rates to	r the electron	RUSINASS RI	rdering cha	rges, or o	ING (BBR-	O) to dete	egionai elec	ctronic servi	ce ordering	cnarge.
	tronically. For those elements that cannot be ordered electronically at pr															
	nent. Otherwise, the manual ordering charge, SOMAN, will be applied to						renects the t	ilaige illai v	voulu be bi	ileu to a	CLLC OIL	e electronic	ordering c	apabilities	Joine On-Inie	ioi ilia
eier	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive	LEC	DIII W	nen it submits an LSR	to BellSot	itn.					1					
					COMEC		2.50									
	interfaces (Regional)	-	<u> </u>		SOMEC		3.50		4.67		1			1		.
LE 6==:	Manual Service Order Charge, per LSR, Disconnect Only (AL)	-	<u> </u>		SOMAN				1.97					1		ļ
	/ICE DATE ADVANCEMENT CHARGE	1- 500	<u> </u>		<u> </u>		1				<u> </u>				ļ	<u> </u>
NO	TE: The Expedite charge will be maintained commensurate with BellSouth	's FCC	NO.1 T		licable.						ļ					
	LINE E and the Observation of the State of t		1	ALL UNE EXCEPT	00.05				1		1]	1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP		<u> </u>								1					
2-W	IRE ANALOG VOICE GRADE LOOP		<u> </u>		_				ļ		1					
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30	<u> </u>	15.66				<u> </u>
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30		15.66				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				15.66				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.16					15.66				
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.85					15.66				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				15.66				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing															
	make-up (Engineering Information-EI)			UEANL	UEANM		13.44									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09									
2-W	IRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1	T	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		15.66				
	2W Unbundled Copper Loop-Non-Designed-Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15	Ĭ	15.66				
	2W Unbundled Copper Loop-Non-Designed-Zone 3	T	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15		15.66				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83			Ĭ	15.66				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.15									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing	q														
	make-up (Engineering Information-EI)	~		UEQ	UEQMU		13.44					15.66				
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.16					15.66				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.85				ì	15.66				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)	1		UEQ	UREWO		14.27	7.43				15.66				
NBUNDL	ED EXCHANGE ACCESS LOOP	1														
	IRE ANALOG VOICE GRADE LOOP	-			1							†	1	-		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1	-	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66	1	-		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30	1	15.66				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30		15.66				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2	+	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30	 	15.66	-	-		-
	2W Analog VG Loop-SL1-Line Splitting-Zone 3	+	3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30	 	15.66	 	1		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66				
NBLIND	ED EXCHANGE ACCESS LOOP	-	3	OLI ON OLFOD	OLADO	34.34	31.01	17.50	23.49	0.00	 	13.00		1	 	1
	IRE ANALOG VOICE GRADE LOOP	+	 		1	1	1			1	1	†	 	 	1	1
2344	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	+	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44	1	15.66		1		
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	+	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44	1	15.66	 	 	1	1
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3	+	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44	1	15.66	 	 	1	1
	Order Coordination for Specified Conversion Time (per LSR)	-	٦	UEA	OCOSL	30.14	18.09	55.00	41.24	1.44	1	10.00	1			1
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1	-	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44	1	15.66		 	-	-
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2	-	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44	1	15.66		 	-	-
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3	-	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	1	15.66		 	-	\vdash
	Zvv Analog vo Loop-SLZ w/Reverse Battery Signaling-Zone 3		3			30.14		35.00	41.24	1.44	 	10.00	!	!	 	\vdash
	Order Coordination for Consisted Conversion Time (per LCD)															
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UEA UEA	OCOSL UREWO		18.09 87.72	36.36			-	15.66				

NROND	LED NETWORK ELEMENTS - Alabama				-	T						_		ment: 2		bit: B
CATEGORY	' RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc			I.		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WII	RE ANALOG VOICE GRADE LOOP 4W Analog VG Loop-Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	4W Analog VG Loop-Zone 1		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				-
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				-
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36				15.66				
2-WII	RE ISDN DIGITAL GRADE LOOP				1141.014	21.22			=0.00	10 = 1		4= 00				ļ
	2W ISDN Digital Grade Loop-Zone 1		2	UDN UDN	U1L2X U1L2X	21.88 32.85	117.24 117.24	79.77 79.77	52.88 52.88	10.54 10.54		15.66 15.66				
-	2W ISDN Digital Grade Loop-Zone 2 2W ISDN Digital Grade Loop-Zone 3	-	3	UDN	U1L2X	32.85 48.55	117.24	79.77	52.88	10.54		15.66				
	Order Coordination For Specified Conversion Time (per LSR)		ľ	UDN	OCOSL	40.00	18.09	70.77	02.00	10.04		10.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16				15.66				1
2-WII	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	1	2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				<u> </u>
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3 CLEC to CLEC Conversion Charge w/o outside dispatch	1	3	UDC UDC	UDC2X UREWO	48.55	117.24 91.63	79.77 44.16	52.88	10.54		15.66 15.66				
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LO)OP		ODC	UKLWO		91.03	44.10				13.00				
2-7711	2W Unbundled ADSL Loop including manl svc ing & facility reservation-	<u> </u>	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				Ì
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		15.66				
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44		15.66				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	UAL2W OCOSL	14.30	90.00 18.09	57.00	47.24	7.44		15.66				<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40				15.66				
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOC	P		O/IL	OKEWO		00.20	40.40				10.00				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		15.66				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	0.74	18.09	57.00	47.04	7.44		45.00				
_	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL UHL	UHL2W UHL2W	8.74 10.17	90.00	57.00 57.00	47.24 47.24	7.44 7.44		15.66 15.66				
+	2W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)		ľ	UHL	OCOSL	11.44	18.09	07.00	77.27	7		10.00				
\neg	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LO	P														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66				<u> </u>
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				
+	4W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL UHL	UHL4X OCOSL	15.25	148.36 18.09	68.00	51.70	9.73	-	15.66				
-	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	1	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				
+	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch		igspace	UHL	UREWO		86.14	40.40				15.66				
4-WII	RE DS1 DIGITAL LOOP			LICI	HCLVV	00.55	050.47	15754	44.70	14 74	-	45.00				├
+	4W DS1 Digital Loop-Zone 1 4W DS1 Digital Loop-Zone 2	1	2	USL USL	USLXX	82.55 154.18	252.47 252.47	157.54 157.54	44.70 44.70	11.71 11.71	-	15.66 15.66				├──
-	4W DS1 Digital Loop-Zone 3	l	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71	 	15.66				
1	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	352	18.09	.07.04				.0.00				
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.05				15.66				
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						_							-		
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50		15.66				<u> </u>
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50		15.66				
+	4W Unbundled Digital 19.2 Kbps 4W Unbundled Digital Loop 56 Kbps-Zone 1	<u> </u>	3	UDL UDL	UDL19 UDL56	37.88 26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		15.66 15.66				₩
	4W Unbundled Digital Loop 56 Kbps-Zone 1	<u> </u>	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				—
	Order Coordination for Specified Conversion Time (per LSR)		m	UDL	OCOSL	21.00	18.09	22.00		50		12.30				†
-	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				1

Version 4Q02: 01/21/03 Page 2 of 324

TABOUNDE	ED NETWORK ELEMENTS - Alabama		1	1	1	ı						0		ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc				oss	Rates (\$)	L	
							First	Add'l	First		SOMEC		SOMAN	SOMAN	SOMAN	SOMA
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL UDL	UDL64 OCOSL	37.88	126.27 18.09	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75				15.66	-			
2-WIR	E Unbundled COPPER LOOP			ODL	OKLVVO		102.13	49.75				13.00				
	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 1	ı	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 2	ı	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44		15.66				
-	Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	14.30	91.46 8.15	54.30 8.15	41.24	7.44	1	00.01				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility		1	JUL	OCLIVIC		0.13	0.13								1
	reservation-Zone 1 2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				
	reservation-Zone 2 2W Unbundled Copper Loop/Long-includes man! svc ing & facility		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66				
	reservation-Zone 3		3	UCL UCL	UCL2L UCLMC	80.00	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop) 2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-			UCL	UCLIVIC		8.15	8.15					-			
	Zone 1 2W Unbundled Copper Loop/Long-w/o man! svc inq & facility reservation-	ı	1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				
	Zone 2	ı	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44		15.66				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3	1	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
4 14/10	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D) E COPPER LOOP		-	UCL	UREWO		97.23	42.48				15.66				
4-WIR	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
	4W Copper Loop/Short-including manil svc inq & facility reservation-Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73		15.66				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3	I	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73		15.66				
_	Order Coordination for Unbundled Copper Loops (per loop)	-	<u> </u>	UCL	UCLMC		8.15	8.15		ļ						<u> </u>
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73		15.66		<u></u>		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	0	8.15	8.15	,							
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 1	ı	1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2	ı	2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3	ı	3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO		97.23	42.48				15.66				
OP MODI	FICATION			ļ												<u> </u>
				UAL,UHL,UCL,UEQ,UL S,UEA,UEANL,UEPSR,												
1	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			UEPSB	ULM2L		0.00	0.00		<u> </u>		15.66			l	

Version 4Q02: 01/21/03 Page 3 of 324

ATTEMPT ANTELLEMENTS Month	BUNDLE	ED NETWORK ELEMENTS - Alabama			T.		1								ment: 2	Exhib	
Unitered Log Modification, Removal of Lazer Code 2971-1861 UCLUSE DED 177.55 179.51	EGORY	RATE ELEMENTS			BCS	usoc		R.A	ATES (\$)			Submitte d Elec	Submitte d Manually	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order	Manual Svc Orde vs.
Distriction Confession Removal of and Code (No. 1981)							Rec						l				
Disturbed Log Medictare Remoted 1 cast Cold 49 c or - 1989 1 UNLLICE UJMA 7000 0.00 1.566 1.56					1101 111 0 1150		Nec			First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
Unbrunded Logs Notification Removal of Logs (VP p - 1884 1																	
Value of the Committee Loop Valu																	
Seb-Log Distribution September Septe	ı	Jnbundled Loop Modification Removal of Bridged Tap Removal, per			UAL,UHL,UCL,UEQ,UL S,UEA,UEANL,UEPSR,												
Sub-Loop Per Cross Bis Location — Et premise Fasing See by 1 UEANL USSSA 224-42 1.566	-LOOPS	•															
Sub-Loop Per Closs Sex Location Per 20 Parent Sex Up Sub-Loop Per Billing Equation Hoom CLEP Charles Fischly 1 UENNL USSISC 177-65 16.66 1																	
Sub-Loop Per Building Equipment Room of LECF Pender Facility Set Up			- 1														
Sub-Loop Direbtouring Equipment Room-Per 20 of Pariet Set-Up			ı.														
Sub-Loop Destitution Par 2W Annage VC Loop-Zone 1 1 LEANL LISBING 11.21 65.50 30.58 45.25 6.70 15.66 15.66 15.60 15.				1							ļ						
Sub-Loop Destitution Par XV Annagy VCL Loop-Zone 2 2 UEANL USBNo 2 6.80 30.96 45.25 6.70 15.66				1			11 01		30.06	AE OF	6.70	-					
Sub-Loop Detailution Fee ZW Analog Visit Coop Zone 3			\vdash	2								-					
Order Condination for Unburidled Sub-Loops per sub-loop pr												1					
Sub-Loop Distribution Per 4W Analog VIX Loop Zone 1				Ť			. 5.50			.0.20	50		.0.00				
Sub-Loop Destribution Pet 4W Analog VS Loop-Zone 2				1			8.46			49.71	9.07		15.66				
Order Coordination for Unbundled Sub-Loops, per sub-loop pr UEANL USBNC 8.15 8.15 8.15 8.15 8.15 9		Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		15.66				
Sub-Loop 2W Intrabulating Network Cable (INC) I UEANL USBRC 2.27 S3.01 18.17 45.26 6.70 15.66				3			32.57	79.03	44.19	49.71	9.07		15.66				
Order Coordination for Unburdied Sub-Loops, per sub-loop pr UEANL USBMC 8.15 8.15 9.07 15.66																	
Sub-Lop AW Intrabulding Network Cable (NC)			- 1				2.27			45.25	6.70		15.66				
Order Coordination for Unburndled Sub-Loop part Sub-Loop			<u> </u>														
2W Copper Unbundled Sub-Loop Distribution-Zone 1							5.16			49.71	9.07		15.66				
2W Copper Unburided Sub-Loop Distribution-Zone 2 2 UFF UCS2X 1127 65.80 30.96 45.25 6.70 15.66				4			0.00			45.05	0.70		45.00				
2W Copper Unbundled Sub-Loop Distribution-Zone 3 3 UEF UCSXX 11.27 65.80 30.96 45.25 6.70 15.66				2													
Order Coordination for Unbundled Sub-Loops per sub-loop pr AW Copper Inbundled Sub-Loop Distribution-Zone 2 2 UEF UC\$XX 11. 79.03 44.19 49.71 9.07 15.66 AW Copper Inbundled Sub-Loop Distribution-Zone 2 2 UEF UC\$XX 12.61 79.03 44.19 49.71 9.07 15.66 AW Copper Inbundled Sub-Loop Distribution-Zone 3 3 UEF UC\$XX 12.61 79.03 44.19 49.71 9.07 15.66 AW Copper Inbundled Sub-Loops Distribution-Zone 3 3 UEF UC\$XX 12.61 79.03 44.19 49.71 9.07 15.66 Order Coordination for Unbundled Sub-Loop Distribution-Zone 3 3 UEF UC\$XX 12.61 79.03 44.19 49.71 9.07 15.66 Order Coordination for Unbundled Sub-Loop Distribution-Zone 3 UEF USBMC 8.15 8.15 Unbundled Sub-Loop Modification-Zw Copper Dist Load Coll/Equip Removal per 2-W PR ULMX 175.78 5.10 15.66 Unbundled Sub-Loop Modification-Zw Copper Dist Load Coll/Equip Removal per 4-W PR ULMX 175.78 5.10 15.66 UBAN																	
#W Copper Unbundled Sub-Loop Distribution-Zone 1 1 UEF UCS4X 1.26 79.03 44.19 49.71 9.07 15.66 #W Copper Unbundled Sub-Loop Distribution-Zone 2 2 UEF UCS4X 15.36 79.03 44.19 49.71 9.07 15.66 #W Copper Unbundled Sub-Loop Distribution-Zone 3 3 UEF UCS4X 15.36 79.03 44.19 49.71 9.07 15.66 #W Copper Unbundled Sub-Loop Distribution-Zone 3 3 UEF UCS4X 15.36 79.03 44.19 49.71 9.07 15.66 #W Copper Unbundled Sub-Loop Distribution-Zone 3 3 UEF UCS4X 15.36 79.03 44.19 49.71 9.07 15.66 #W Copper Unbundled Sub-Loop Modification - UEF UCS4X 15.36 79.03 44.19 49.71 9.07 15.66 #W PR Unbundled Sub-Loop Modification - W Copper Dist Load Coli/Equip Removal per 2-W PR Unbundled Sub-Loop Modification - W Copper Dist Load Coli/Equip Removal per 4-W PR Unbundled Sub-Loop Feeder Loop Modification - W Copper Dist Bridged Tap UEF ULMAX 175.78 5.10 #W UNBUNDLED WAS UNBURD - W UEF ULMAX 175.78 5.10 #W ULMAX 175.78 5.1				_						10.20	0.70		10.00				
AWY Copper Unbundled Stub-Loop Distribution-Zone 2				1			6.11			49.71	9.07		15.66				
Unbundled Sub-Loop Modification UEF USBMC 8.15 8.15 Ubbundled Sub-Loop Modification UEF ULMX 175.78 5.10 15.66 UBbundled Sub-Loop Modification-2-W Copper Dist Load Coll/Equip Removal per 2-W PR UEF ULMX 175.78 5.10 15.66 Ubbundled Sub-Loop Modification-2-W-Copper Dist Load Coll/Equip Removal per 4-W PR UEF ULMX 175.78 5.10 15.66 Ubbundled Sub-Loop Modification-2-W-W-Copper Dist Load Coll/Equip Removal per 4-W PR UEF ULMX 175.78 5.10 15.66 Ubbundled Sub-Loop Modification-2-W-W-W-Copper Dist District Sub-Loop Modification-2-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-W-				2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		15.66				
Unbundled Sub-Loop Modification UEF ULMX 175.76 5.10 15.66				3			15.36		44.19	49.71	9.07		15.66				
Unbundled Sub-Loop Modification-2-W Copper Dist Load Coli/Equip Removal per 2-W PR					UEF	USBMC		8.15	8.15								
Der 4-W PR	ι	Jnbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip			UEF	ULM2X		175.78	5.10				15.66				
Removal, per PR unloaded UBL UMBUT 278.20 6.11 15.66	l F	Jnbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR				ULM4X											
Unbundled Network Terminating Wire (UNTW) per pr						l					1		l				
Ubundled Network Terminating Wire (UNTW) per pr			<u> </u>		UEF	ULM4T		278.20	6.11				15.66				
Network Interface Device (NID) Network Interface Device (NID) -1-2 lines UENTW UND12 43.23 28.38 15.66			-	1	I IENTW	HENDD	0.40	20.04			-	1	15.60				
Network Interface Device (NID)-1-2 lines			1	1	OLINIW	ULINEP	0.40	30.01			-	1	13.00				
Network Interface Device (NID)-1-6 lines					UENTW	UND12		43.23	28.38			1	15.66				
Network Interface Device Cross Connect-2 W																	
UBL-DOPS Sub-Loop Feeder UEA,UDN,UCL,UDL,U UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U USBFW 244.42																	
Sub-Loop Feeder USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility UEA,UDN,UCL,UDL,U DC USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U DC USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U DC USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U DC USBFW 244.42 15.66 UEA,UDN,UCL,UDL,U DC USBFW 22.64 22.64 22.64 15.66 UEA,UDN,UCL,UDL,U DC USBFX 22.64 22.64 22.64 15.66 UEA,UDN,UCL,UDL,U USBFX U		Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.87	5.87				15.66				
USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up DC																	
Set-up S			<u> </u>														
USL Feeder DS1 Set-up per Cross Box location-per 25 pr set-up DC					DC	USBFW		244.42					15.66				
USL Feeder DS1 Set-up at DSX location, per DS1 Term		ISI. Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up	1			USBEX		22 64	22 64				15.66				
Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1												1					
Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2				1			8.03			54.51	13.67						
Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3				2													
Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1	l	Jnbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3			UEA			93.00									
Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2 2 UEA USBFB 12.00 93.00 56.48 54.51 13.67 15.66 Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3 3 UEA USBFB 20.39 93.00 56.48 54.51 13.67 15.66 Order Coordination for Specified Time Conversion, per LSR UEA OCOSL 18.09 18.09																	
Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3 3 UEA USBFB 20.39 93.00 56.48 54.51 13.67 15.66 Order Coordination for Specified Time Conversion, per LSR UEA OCOSL 18.09 18.09																	
Order Coordination for Specified Time Conversion, per LSR UEA OCOSL 18.09			<u> </u>														
			<u> </u>	3			20.39		56.48	54.51	13.67		15.66				
Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1 1 UEA USBFC 8.03 93.00 56.48 54.51 13.67 15.66			<u> </u>				0.00		50.40	F1 F1	40.0=		45.00				

Version 4Q02: 01/21/03 Page 4 of 324

CATEGORY											Svc Order	Svc Order	Increment al Charge ·	Incrementa I Charge -	Increment	Incremen
	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R#	ATES (\$)			Submitte d Elec	Submitte d Manually	Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	vs.
						Rec	Nonrec	urring	NRC Disc	onnect		l	OSS	Rates (\$)	l .	l
							First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3	-	3	UEA UEA	USBFC USBFC	12.00 20.39	93.00 93.00	56.48 56.48	54.51 54.51	13.67 13.67		15.66 15.66				
	Order Coordination For Specified Conversion Time, per LSR	+	3	UEA	OCOSL	20.39	18.09	30.46	34.31	13.07		13.00				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1	1	1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	23.47	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR	-		UEA	OCOSL	40.04	18.09	70.00	00.05	47.40		45.00				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2	-	1 2	UEA UEA	USBFE USBFE	19.21 23.47	107.56 107.56	70.09 70.09	62.05 62.05	17.40 17.40		15.66 15.66				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3	+	3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	00.00	18.09	70.00	02.00	17.40		10.00				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1	L	1	UDN	USBFF	14.87	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66				
-	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	1	3	UDN	USBFF	32.51	106.16	68.69	55.64	13.29		15.66				
-	Order Coordination For Specified Conversion Time, Per LSR	1	1	UDN	OCOSL	14.07	18.09	60.00	EE C.4	12.20		15.00				ļ
-	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	+	2	UDC UDC	USBFS USBFS	14.87 21.69	106.16 106.16	68.69 68.69	55.64 55.64	13.29 13.29		15.66 15.66			-	
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	-	3	UDC	USBFS	32.51	106.16	68.69	55.64	13.29		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.09	101.85	64.38	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	124.69	101.85	64.38	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	294.62	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR	1		USL	OCOSL		18.09	40.00	=0.00	40.00		4= 00				
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	-	1	UCL UCL	USBFH USBFH	5.75 4.93	83.78 83.78	46.32 46.32	53.02	10.67 10.67		15.66 15.66				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3	+	3	UCL	USBFH	3.96	83.78	46.32	53.02 53.02	10.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	0.50	18.09	40.02	00.02	10.01		10.00				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	12.71	100.99	63.53	57.90	13.26		15.66				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	9.69	100.99	63.53	57.90	13.26		15.66				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	14.37	100.99	63.53	57.90	13.26		15.66				
	Order Coordination For Specified Conversion Time, per LSR		4	UCL UDL	OCOSL USBFN	19.20	18.09 101.85	04.00	CO 05	17.10		45.00				
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	+	2	UDL	USBFN	21.64	101.85	64.38 64.38	62.05 62.05	17.40 17.40		15.66 15.66				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	-	3	UDL	USBFN	23.75	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.09									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1	-	1 2	UDL UDL	USBFP USBFP	19.20 21.64	101.85 101.85	64.38 64.38	62.05 62.05	17.40 17.40		15.66 15.66				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	+	3	UDL	USBFP	23.75	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	20.70	18.09	04.00	02.00	17.40		10.00				
SUB-LOOPS	, , , ,															
Sub-L	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo	1		UE3	1L5SL	13.55		407.00	100.47			4= 00				
	Sub Loop Feeder-DS3-Facility Term Per mo Sub Loop Feeder-STS-1-Per mi Per mo	1 1		UE3 UDLSX	USBF1 1L5SL	332.40 13.55	3,400.58	407.00	160.47	90.97		15.66				
_	Sub Loop Feeder-STS-1-Fer fill Fer filo Sub Loop Feeder-STS-1-Facility Term Per mo	+ i		UDLSX	USBF7	357.36	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder-OC-3-Per mi Per mo	ti		UDLO3	1L5SL	10.28	0, 100.00	107100	100.11	00.01		10.00				
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	1		UDLO3	USBF5	54.89										
	Sub Loop Feeder-OC-3-Facility Term Per mo	I		UDLO3	USBF2	538.69	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder-OC-12-Per mi Per mo			UDL12	1L5SL	12.66										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	1 !	\vdash	UDL12	USBF6	620.18	0.400.50	407.00	400.47	00.0=		45.00				ļ
	Sub Loop Feeder-OC-12-Facility Term Per mo Sub Loop Feeder-OC-48-Per mi Per mo	++		UDL12 UDL48	USBF3 1L5SL	1,729.00 41.51	3,400.58	407.00	160.47	90.97		15.66				
-	Sub Loop Feeder-OC-48-Per mil Per mo Sub Loop Feeder-OC-48-Facility Term Protection Per mo	H	\vdash	UDL48	USBF9	310.30		-							-	
	Sub Loop Feeder-OC-46-Facility Term Per mo	+÷	\vdash	UDL48	USBF4	1,495.00	3,586.58	407.00	160.47	90.97	1	15.66			 	1
\neg	Sub Loop Feeder-OC-12 Interface On OC-48	i		UDL48	USBF8	350.09	804.67	407.00	160.47	90.97	1	15.66				1
	LOOP CONCENTRATION															
JNBUNDLE																
JNBUNDLE	Unbundled Loop Concentration-System A (TR008)	1		ULC	UCT8A	364.17	325.41	325.41				15.66				
INBUNDLE	Unbundled Loop Concentration-System A (TR008) Unbundled Loop Concentration-System B (TR008) Unbundled Loop Concentration-System A (TR303)			ULC ULC ULC	UCT8A UCT8B UCT3A	364.17 43.70 395.12	325.41 135.59 325.41	325.41 135.59 325.41				15.66 15.66				

Version 4Q02: 01/21/03 Page 5 of 324

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Increment	Incrementa	Increment	Increment
											Order	Order	al Charge	I Charge -	al Charge -	al Charge
			-								Submitte		_	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		R.A	TES (\$)			d Elec	d		Svc Order		Svc Order
		m	е					- (.,								
											per LSR	Manually	VS.	VS.	VS.	VS.
												per LSR	Electronic	Electronic-	Electronic-	Electronic
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	46.07	16.79	4.70		15.66				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.65	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface															
	(SPOTS Card)			UEA	ULCCR	9.81	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00									
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,UD												
	Unbundled Contact Name, Provisioning Only-no rate			N,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
NOTE	: minimum billing period of three months for DS3 and above Local Loop															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
LOOP MAKE																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								
	UENCY SPECTRUM															
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED						-									
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15.66				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00		15.66				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00		15.66				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00		15.66				
END I	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRU	JM AK	A LIN													
	Line Sharing-per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92		15.66				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned															
	Splitter			ULS	ULSDS		16.39	8.19				15.66				
+	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19				15.66				

<u>JNBUNDI</u>	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic-		Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	SPLITTING															<u> </u>
END	JSER ORDERING-CENTRAL OFFICE BASED	<u> </u>														<u> </u>
	Line Splitting-per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS	0.61	07.04	04.40	00.00	0.00		45.00				ļ
	Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual	++		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.01 37.01	21.19 21.19	20.02	9.83 9.83		15.66 15.66				-
DEM	DTE SITE HIGH FREQUENCY SPECTRUM	-		UEPSK UEPSB	UKEBV	0.61	37.01	21.19	20.02	9.03		13.00				-
	TERS-REMOTE SITE	1	1		1											
O. L.	Remote Site Line Share BST Owned Splitter, 24 Port	 		ULS	ULSRB	40.01	114.83	0.00	85.03	0.00		15.66				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &	 '		ULS	OLOND	40.01	114.03	0.00	65.05	0.00		13.00				
	Deactivation	1 .		ULS	ULSTG		95.66	0.00	68.25	0.00		15.66				
END I	JSER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA RE	MOTE	SITE L		020.0		00.00	0.00	00.20	0.00		10.00				
	Remote Site Line Share Line Activationfor End User Served at RS, BST	1	T -												1	
	Splitter			ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	Τi		ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	-	1	ULS	ULSRS		49.16	17.83				15.66				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	Ι		ULS	ULSTS		49.16	17.83				15.66				
JNBUNDLE	D DEDICATED TRANSPORT															
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing p	eriod ·	belov	DS3=one month, abo	ve DS3=fou	r months										
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transpor t-2W VG Rev BatPer mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.18										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.09										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.09										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	L CHANNEL - DEDICATED TRANSPORT	<u> </u>														
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period :	= belov	v DS3=													<u> </u>
	Local Channel-Dedicated-2W VG	1		ULDVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66			1	
-	Local Channel-Dedicated-2W VG Rev Bat	₩	1	ULDVX	ULDR2	13.97	193.10	33.17	36.64	3.20	 	15.66			1	├
_	Local Channel-Dedicated-4W VG	₩	-	ULDVX	ULDV4	14.93	193.53	33.60	27.11	3.67	ļ	15.66			1	
	Local Channel-Dedicated-DS1-Zone 1	1	1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66			1	
-	Local Channel-Dedicated-DS1-Zone 2	₩	2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26	 	15.66			1	├
	Local Channel-Dedicated-DS1-Zone 3	1	3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26	1	15.66			1	
-	Local Channel-Dedicated-DS3-Per mi per mo	1	<u> </u>	ULDD3	1L5NC	6.92	454.50	202.04	110.40	00.50	1	45.00			1	
	Local Channel-Dedicated-DS3-Facility Term	₩	<u> </u>	ULDD3 ULD\$1	ULDF3 1L5NC	416.54 6.92	451.52	263.94	119.49	83.58	 	15.66			1	
-	Local Channel-Dedicated-STS-1-Per mi per mo	1	1			408.49	4E1 E0	262.04	110.40	02 50		15.66				
VDK EIDE	Local Channel-Dedicated-STS-1-Facility Term	+	1	ULDS1	ULDFS	408.49	451.52	263.94	119.49	83.58	-	15.66	-		 	
DARK FIBE	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	+-	<u> </u>								-				1	
	Local Channel			UDF	1L5DC	60.32										
	NRC Dark Fiber-Local Channel	+	1	UDF	UDFC4	00.32	639.09	137.87	317 06	197.66	 	15.66			1	
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	1	-	ODI	00104		003.08	131.01	517.00	101.00	1	13.00			1	
	Interoffice Channel			UDF	1L5DF	22.34										
	NRC Dark Fiber-Interoffice Channel	+	1	UDF	UDF14	22.34	639.09	137.87	317.06	197.66	1	15.66			}	
-	Dark Fiber-Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	+	1	UDF	UDF 14		039.09	131.81	317.06	197.00	 	10.00			1	
	Local Loop	1		UDF	1L5DL	60.32		1				1				1
-+	NRC Dark Fiber-Local Loop	+	1	UDF	UDFL4	00.32	639.09	137.87	317.06	197.66	1	15.66			}	├
XX VCCES	S TEN DIGIT SCREENING	+	1	UDI	ODI L4		039.09	131.01	317.00	191.00	 	13.00			1	
ハヘ ろししころ	8XX Access Ten Digit Screening, Per Call		1	OHD	 	0.00056		 			 	1	1		1	+

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	COMAN
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserved			OHD	N8R1X		2.58	0.44				15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.94	0.81	4.57	0.54		15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			0.10								4= 00				
	Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD OHD	N8FTX N8FCX		5.94 2.58	0.81 1.29	4.57	0.54		15.66 15.66				
	8XX Access Ten Digit Screening, Customized Area of Service Fer 8XX NO			OHD	INOI CX		2.30	1.29				13.00				
	Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44				15.66				
_	8XX Access Ten Digit Screening, Call Handling & Destination Features 8XX Access Ten Digit Screening, w/8FL No. Delivery	-		OHD OHD	N8FDX	0.000565	2.58					15.66				igwdown
	8XX Access Ten Digit Screening, w/orL No. Delivery			OHD		0.000565										
LINE INFO	RMATION DATA BASE ACCESS (LIDB)			OHD		0.000000										
	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU	NDDDV	0.012002	04.00		42.08	ļ		45.00				
SIGNALING	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		34.32		42.08			15.66				<u> </u>
SIGNALING	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569			10.11	10.11		4= 00				
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB UDB	TPP++	15.46 15.46	35.53 35.53	35.53 35.53	16.44 16.44	16.44 16.44		15.66 15.66				
	CCS7 Signaling Connection, Per link (Brink) (also known as Brink)			UDB	IFFTT	0.0000142	33.33	33.33	10.44	10.44		13.00				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															
E911 SERV	Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57		15.66				
E911 SERV	Local Channel-Dedicated-2-wr VG					13.97	193.10	33.17	36.64	3.20		15.66				\vdash
	Interoffice Transport-Dedicated-2-wr VG Per mi					0.008838	100.10	00.11	00.01	0.20		10.00				
	Interoffice Transport-Dedicated-2-wr VG Per Facility Term					21.13	40.54	27.41	16.74	6.90		15.66				
	Local Channel-Dedicated-DS1-Zone 1					35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3					49.98 107.63	177.47 177.47	153.72 153.72	22.19 22.19	15.26 15.26		15.66 15.66				
	Interoffice Transport-Dedicated-DS1 Per mi					0.18	177.47	133.72	22.19	13.20		13.00				
	Interoffice Transport-Dedicated-DS1 Per Facility Term					60.16	89.27	81.81	16.35	14.44		15.66				
CALLING N	AME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment CNAM For Non DB Owners-Service Establishment			OQV OQV			22.95 22.95		21.11 21.11							
	CNAM For DB Owners-Service Establishment CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			990.88	732.84	268.93	197.74						
	CNAM For Non DB Owners-Service Provisioning With Point Code			OQV			342.33	245.14	275.25	197.74						
	CNAM for DB Owners, Per Query			OQV		0.000902										
LND	CNAM for Non DB Owners, Per Query			OQV		0.000902										ldash
LNP Query	Service LNP Charge Per query	-				0.000757			1	-	-					\vdash
	LNP Service Establishment Manual				+	0.000737	12.52		11.51	-		15.66				
	LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74		15.66				
OPERATOR	CALL PROCESSING															
	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB	<u> </u>	1		-	1.20 1.24			-	-	1					
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB Oper. Call Processing-Fully Automated, per Call-Using BST LIDB	1			1	0.20			1	1	1	1				
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD O	PERATOR SERVICES															
	Inward Oper Services-Verification, Per min					1.15										
BRANDING	Inward Oper Services-Verification & Emergency Interrupt-Per min - OPERATOR CALL PROCESSING					1.15			1	1	1	1				\vdash
	ty based CLEC				+				-	-						\vdash
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.66				

UNBUNDL	ED NETWORK ELEMENTS - Alabama				1						1			ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs. Electronic	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.
						Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	COMAN
UNEP	CI FC						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONE	Recording of Custom Branded OA Announcement	1					7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.66				
	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.66				
	ASSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call					0.275										
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)					0.275										
	Directory Assistance Call Completion Access Service (DACC), Per Call	1														
	Attempt					0.10										
	ER SERVICES INTERCEPT ACCESS SERVICE															
	ASSISTANCE SERVICES	lacksquare														
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	<u> </u>				221										
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per mo				DBSOF	0.04 150.00										
	DIRECTORY ASSISTANCE	1			DBOUF	150.00										
	Based CLEC	t			1						1			1		
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.66				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.66				
UNEP																
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.66				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.66				
	nding via OLNS for UNEP CLEC						400.00	400.00				45.00				
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						420.00 16.00	420.00 16.00				15.66 15.66				
SELECTIVE I							10.00	10.00				13.00				
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84.70	84.70	14.11	14.11		15.66				
VIRTUAL CO																
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
	DLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
	VE CARRIER ROUTING Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70			15.66				
	End Office Establishment			SRC	SRCEO	1	169.88	169.88	1.70	1.70		15.66				
	Query NRC, per query			SRC	ONOLO	0.002749	100.00	100.00	1.70	1.70		10.00				
	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service-Port Connection-ISDN Access	<u> </u>		A1N	CAM1P		7.83	7.83	9.09	9.09	1	15.66				
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71		15.66				
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	1		AIIN	CAMINO	0.002188	41.00	41.00	11.71	11.71		13.00				
	AIN SMS Access Service-Session, Per min					0.59										
	AIN SMS Access Service-Company Performed Session, Per min					0.73										
	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69		15.66				
	AIN Toolkit Service-Training Session, Per Customer	<u> </u>			BAPVX		4,202.17	4,202.17			1	15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				BAPTT		7.83	7.83	9.09	9.09		15.66				
	Attempt AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook	1			DAPII		7.83	7.83	9.09	9.09	}	10.00		-		
	Delay				BAPTD		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook	1	\vdash		טו גיע		7.00	7.03	3.03	3.03		10.00				
	Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP				BAPTO		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature	<u> </u>			BAPTF		34.47	34.47	14.36	14.36	1	15.66				
	AIN Toolkit Service-Query Charge, Per Query	<u> </u>	\vdash		1	0.05					ļ					
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										
oxdot	toue, i ei wuely		1		<u> </u>	0.00002		l			1			l		

Version 4Q02: 01/21/03 Page 9 of 324

UNBUN	DLED NETWORK ELEMENTS - Alabama	,									1			ment: 2		oit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			d Elec	Submitte d Manually	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AlN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes	'				0.05										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription	-		CAM	BAPMS	0.05 10.17	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription	1		CAM	BAPLS	2.87	8.66	8.66	3.30	5.50		15.66				1
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.10	8.66	8.66				15.66				<u> </u>
	D EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will apply and	the Cu	itah A	o lo Chargo will not	annly for EEI	l a pravialanad	l oo ' Ordinori	ily Cambina	d' Notwork	Flomont	<u> </u>					
	TE: The monthly recurring and non-recurring charges below will apply and TE: The monthly recurring and the Switch-As-Is Charge and not the non-re										<u>, </u>					
	TE: Minimum billing is one month for DS1 and below and three months ab				CI EEES PIO	l lonea as o		l inca item	OIR Elemen							
	IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC															
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				<u> </u>
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo	+	3	UNCVX UNC1X	UEAL2 1L5XX	36.14 0.18	88.00	55.00	47.24	7.44	1	15.66			1	
	Interoffice Transport-Dedicated-DS1 combination-Fer filiper filo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				-
	DS1 Channelization System Per mo	1		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				ļ
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport	1		UNCVX	UEALZ	22.85	88.00	55.00	47.24	7.44		15.00				-
	Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-W	IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC		SPOR													ļ
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX UNCVX	UEAL4 UEAL4	25.34	131.97	94.51 94.51	59.14	14.50 14.50		15.66				├
-	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	38.58 60.02	131.97 131.97	94.51	59.14 59.14	14.50		15.66 15.66				
_	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		ľ	UNC1X	1L5XX	0.18	101.07	34.01	00.14	14.00		15.66				
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		1	LINOVA	LIE AL 4	25.24	424.07	04.54	50.44	44.50		45.00				
_	Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-	-	-	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				├──
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-	1	<u> </u>	5.15171	02,124	33.00	.007	001	00.14	50		.0.50				
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72				15.66				<u> </u>
4 14	NRC Currently Combined Network Elements Switch-As-Is Charge	ICE TO	ANICE	UNC1X	UNCCC	 	5.59	5.59	6.98	6.98		15.66				₩
4-W	IRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROF First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	ICE IF	ANSP	OKI (EEL)		 			 							
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				1
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	1	Ė	2.102/1	12200	20.00	.20.21	55.50	30			.0.00				
	Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3	-	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo	+	-	UNC1X UNC1X	1L5XX U1TF1	0.18 60.16	89.27	81.81	16.35	14.44		15.66				-
	Channelization-Channel System DS1 to DS0 combination Per mo	+		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	15.66			1	
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)	+		UNCDX	1D1DD	1.12	6.58	4.72	10.54	3.19		15.66				
	Add'I 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport	1		2.102/1	.3.23		3.30	2				.0.00				
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
T	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4	-	3	GINODA	ODLOG	31.00	120.27	00.00	35.14	14.50	 	10.00			 	
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72				15.66				
	15 - 57						2.00				1				1	

Version 4Q02: 01/21/03 Page 10 of 324

4-WIRE F C	RATE ELEMENTS	Interi m									Svc	Svc		Incrementa	Increment	Lincreme
4-WIRE F C			е	BCS	usoc		R/	ATES (\$)			d Elec	Order Submitte d Manually per LSR	Manual Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charg Manual Svc Orde vs.
4-WIRE F C						Dee	Nonrec	urring	NRC Disc	onnect		-	OSS	Rates (\$)		
4-WIRE F C						Rec	First	Add'l	First		SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
F C F	NRC Currently Combined Network Elements Switch-As-Is Charge 6 44 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE The strength of t	CF TR	ANSP	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
F	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	<u> </u>	1	OKT (EEE)												
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX U1TF1	0.18	89.27	04.04	40.05	14.44		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X UNC1X	MQ1	60.16 101.06	91.04	81.81 62.57	16.35 10.54	9.79		15.66				-
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-			ONOTA	IVIQT	101.00	31.04	02.57	10.54	3.73		13.00				
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	1	1		15.66			1	
	Add'I 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			5.10DA	.5,00	1.12	0.00	7.72				.0.00				<u> </u>
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66			1	
P	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-				45455			. =0								
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	0.00	0.00		15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE T	DANIC	CDODI	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	KAN	SPORI	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		_	UNC1X	1L5XX	0.18	202		11110			10.00				-
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T	RANS	SPORT													
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09	270.75	400.70	00.00	F0 4C		45.00				
	Interoffice Transport-Dedicated-DS3-Facility Term per mo DS3 to DS1 Channel System combination per mo			UNC3X UNC3X	U1TF3 MQ3	703.52 166.10	278.75 178.14	162.76 93.97	60.20 33.26	58.46 31.83		15.66 15.66				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03		15.66				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				†
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
١	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TRAN	SPOR													
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX U1TV2	0.008838	40.54	27.41	16.74	6.90		15.66				
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	21.13	5.59	5.59	6.98	6.98		15.66				-
	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TRAN	ISPOR		UNCCC		5.59	5.39	0.90	0.90		13.00				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
Ir	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.008838										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge		<u></u>	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT (EEL)	10.2	41				ļ						ļ	<u> </u>
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	8.38	4= - = -	000.0	4/0./0	00.50		4= 00				
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09	270 75	160.70	60.00	E0 40		15.60				
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo NRC Currently Combined Network Elements Switch-As-Is Charge		<u> </u>	UNC3X UNC3X	U1TF3 UNCCC	703.52	278.75 5.59	162.76 5.59	60.20 6.98	58.46 6.98		15.66 15.66	ļ		ļ	

UNBUNDI	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	oit: B
											Svc Order	Svc Order	Increment al Charge -	Incrementa I Charge -	Increment al Charge -	
	DATE EL EMENTO	Interi	Zon	200			ъ.	NTEC (#)				Submitte		Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		K/	ATES (\$)			d Elec	d		Svc Order	Svc Order	
											per LSR	Manually		vs. Electronic-	VS.	VS.
									T			per Lor			Liecti Offic-	Liectionic
					-	Rec	Nonrec First	urring Add'l	NRC Disc First		SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
STS1	I DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRAN	SPOR	T (EEL)			FIISL	Auu i	FIISt	Auu	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	4.09	070.75	400.70	00.00	50.40		45.00				
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	U1TFS UNCCC	701.37	278.75 5.59	162.76 5.59	60.20 6.98	58.46 6.98		15.66 15.66				1
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			01100/1	011000		0.00	0.00	0.00	0.00		10.00				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				1
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX UNC1X	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
_	Interoffice Transport-Dedicated-DS1 combination-Per mi Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo		\vdash	UNC1X	1L5XX U1TF1	0.18 60.16	89.27	81.81	16.35	14.44	1	15.66				
	Channelization-Channel System DS1 to DS0 combination-per mo		+	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72				15.66				
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				1
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				<u> </u>
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 3 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo		3	UNCNX	U1L2X UC1CA	48.55 2.41	117.24 6.58	79.77 4.72	52.88	10.54	1	15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	2.41	5.59	5.59	6.98	6.98		15.66				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TRA	NSPOR		011000		0.00	0.00	0.00	0.00		10.00				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				1
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX U1TFS	4.09 701.37	278.75	162.76	60.20	58.46		15.66				1
_	Interoffice Transport-Dedicated-STS1 combination-Facility Term STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				1
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.70	6.58	4.72	00.20	01.00		10.00				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				1
_	DS3 Interface Unit (DS1 COCI) combination per mo NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X UNCSX	UC1D1 UNCCC	12.70	6.58 5.59	4.72 5.59	6.98	6.98		15.66				
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRA	NSPO	RT (EE		ONCCC		3.33	3.33	0.30	0.30		13.00				-
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				1
$-\!\!+\!\!-$	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term		\vdash	UNCDX	1L5XX U1TD5	0.008838 15.12	40.54	27.41	16.74	6.90	-	15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC	13.12	5.59	5.59	6.98	6.98		15.66				-
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRA	NSPO	RT (EE				2.20		2.20	2.20						
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		3	UNCDX	UDL64 1L5XX	37.88 0.008838	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		\vdash	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1	15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge		\vdash	UNCDX	UNCCC	10.12	5.59	5.59	6.98	6.98		15.66				
	L NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring charges															
	nused as ordinarily combined network elements in All States, the non-rect Currently Combined Network Elements "Switch As Is" Charge (One applie:				ch As Is Ch	arge does not.				1	1	1				
INKU	NRC Currently Combined Network Elements Switch As is Charge (One applied NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W	s to ea	CH COL	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps		\vdash	UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch-As-ls Charge-DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	NRC Currently Combined Network Elements Switch-As-ls Charge-DS3		$oxed{\Box}$	UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
NOT!	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1	C2		UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
NOTE	E: Local Channel - Dedicated Transport - minimum billing period - Below D Local Channel-Dedicated-2W VG	ა3=0r	ie mon	UNCVX	ULDV2	13.97	193.10	33.17	36.64	3.20	-	15.66				
-	Local Channel-Dedicated-2W VG		\vdash	UNCVX	ULDV4	14.93	193.10	33.60	37.11	3.67	-	15.66				
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	6.92		l		1	1	1				1

JNBUN	IDLED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGO	RATE ELEMENTS		i Zon e	BCS	usoc	RATES (\$)					d Elec	Svc Order Submitte d Manually per LSR	al Charge · Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
		\bot				Rec	Nonrecurring		NRC Disconnect			l	OSS Rates (\$)			T
$-\!\!\!\!+\!\!\!\!\!-$	Local Channel-Dedicated-DS3-Facility Term	+-		UNC3X	ULDF3	416.54	First 451.52	Add'l 263.94	First 119.49	83.58	SOMEC	15.66	SOMAN	SOMAN	SOMAN	SOMAN
-+	Local Channel-Dedicated-B33-racinty refin	+-		UNCSX	1L5NC	6.92	431.32	203.94	113.43	03.30		13.00		 		<u> </u>
	Local Channel-Dedicated-STS-1-Facility Term	_		UNCSX	ULDFS	408.49	451.52	263.94	119.49	83.58		15.66				1
Op ⁴	otional Features & Functions:															
	JLTIPLEXERS															
	OTE: minimum billing period is one month for DS1 to DS0 Channel System													<u> </u>		
NO	OTE: minimum billing period is three months for DS3 to DS1 and above Cha	innel Sy	stem a	UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66	igwdown	 		
	Channelization-DS1 to DS0 Channel System OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)	+-		UDL	1D1DD	1.12	6.58	4.72	10.54	9.79		15.66	\vdash	\vdash		
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	+-		UDN	UC1CA	2.41	6.58	4.72				15.66		 	 	
	VG COCI-DS1 to DS0 Channel System-per mo	+-		UEA	1D1VG	0.53	6.58	4.72				15.66				
	DS3 to DS1 Channel System per mo	1		UXTD3	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
$\perp \!\!\! \perp$	DS3 Interface Unit (DS1 COCI) used with Loop per mo	4	$\perp \Box$	USL	UC1D1	12.70	6.58	4.72				15.66			$oxed{oxed}$	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo	—		ULDD1	UC1D1	12.70	6.58	4.72				15.66	igsquare		└	↓
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo	$+\!-\!$	1	U1TD1	UC1D1	12.70	6.58	4.72				15.66				₩
Sul	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1	+	1	UNC1X	USBFG	55.09	101.85	64.38	62.05	17.40	-		\vdash		-	
-+	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	+-	2	UNC1X	USBFG	124.69	101.85	64.38	62.05	17.40			\vdash	\vdash		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	294.62	101.85	64.38	62.05	17.40				 		†
NBUND	LED LOCAL EXCHANGE SWITCHING(PORTS)	+-	Ť	CHOIX	002.0	20 1.02	101100	0 1.00	02.00							
	change Ports															
2-V	WIRE VOICE GRADE LINE PORT RATES (RES)															1
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15.66		<u> </u>		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port wit	.h		HEDOD	LIEDAD	4.00	0.00	0.07	4.40	4.00		45.00		ĺ		
	Caller ID-Res. Exchange Ports-2W VG unbundled res, low usage line port with Caller ID	+-		UEPSR UEPSR	UEPAR UEPAP	1.38 1.38	2.38 2.38	2.27 2.27	1.42 1.42	1.33		15.66 15.66	 	 		
	Exchange Ports-2W VG AL Residence Dialing Plan w/o Caller Id	+-		UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33		15.66	 	\vdash		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	-		UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33		15.66	 			+
	Subsqnt Activity	+-		UEPSR	USASC	0.00	0.00	0.00		1.00		15.66				
FE.	ATURES													ĺ		
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00				15.66		l		
2-W	WIRE VOICE GRADE LINE PORT RATES (BUS)													<u> </u>		
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus	4		UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			LIEDOD	LIEBBO	4.00	0.00	0.07	4.40	4.00		45.00		ĺ		
	Caller+E484 ID-Bus. Exchange Ports-2W Analog Line Port outgoing only-Bus.	$+\!-\!-$		UEPSB UEPSB	UEPBC UEPBO	1.38 1.38	2.38 2.38	2.27	1.42 1.42	1.33		15.66 15.66	\vdash	 		
	Exchange Ports-2W Arialog Line Port outgoing only-bus. Exchange Ports-2W VG unbundled AL extended local dialing parity Port wit	th		UEPSB	UEPBU	1.30	2.30	2.21	1.42	1.33		13.00	 	\vdash		+
	Caller ID-Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66		İ		
-	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus	+		UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33		15.66				†
	Exchange Ports-2W Voice AL Business Dialing Plan w/o Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33		15.66				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33		15.66		l		
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				15.66		<u> </u>		
FE	ATURES			LIEBOB	11551.65							4= 00				
FV	All Available Vertical Features	+-	1	UEPSB	UEPVF	1.98	0.00	0.00			-	15.66	\vdash	 	——	
EXC	CCHANGE PORT RATES (DID & PBX) 2W VG Unbundled 2-Way PBX Trunk-Res	+-	 	UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90	-	15.66	\vdash		 	
-+	2W VG Unburidled 2-Way PBX Trunk-Res 2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	+	1	UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90		15.66	\vdash		 	
-	2W VG Line Side Unbundled Outward PBX Trunk-Bus	+		UEPSP	UEPPO	1.38	31.27		13.94	0.90	1	15.66			\vdash	t -
1	2W VG Line Side Unbundled Incoming PBX Trunk-Bus	1		UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled 2-Way PBX AL Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27		13.94	0.90		15.66		<u> </u>		
							24 27	14.85	13.94	0.90	i	15.66	1		1	1
\pm	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27									+
	2W Voice Unbundled PBX LD DDD Terminals Port	\pm		UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC UEPXD	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90 0.90		15.66 15.66				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				

UNDUNL	DLED NETWORK ELEMENTS - Alabama													ment: 2	Exhib	
CATEGOR	Y RATE ELEMENTS	Interi m	i Zon e	BCS	usoc	RATES (\$)					Svc Order Submitte d Elec per LSR	Order Submitte d Manually	Svc Order Svc Ord	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OW Vaice Habrard of Own, DDV Hatel/Harrital Face and Danie Collins Danie			LIEDOD	LIEDVM	4.00	24.07	44.05	40.04	0.00		45.00				l
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90		15.66				
	Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		15.66				1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90		15.66				f
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				15.66				
FEA	TURES															ĺ
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
EXC	HANGE PORT RATES (COIN)															
NOT	Exchange Ports-Coin Port	<u> </u>				1.38	2.38		1.42	1.33		15.66				
	E: Transmission/usage charges associated with POTS circuit switched us: E: Access to B Channel or D Channel Packet capabilities will be available											ith 2W ISD	N ports.			——
	ED LOCAL EXCHANGE SWITCHING(PORTS)	l lily ti	llougi	DER/NOR FIOCESS. N	lates for the	е раскет сарал	linnes will be	l	via tile bri	NINDIX FI	ocess.					
	HANGE PORT RATES				 											
-/-	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46		15.66				
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	9.79	72.77		47.79	10.74		15.66				
	All Features Offered			UEPTX UEPSX	UEPVF	1.98	0.00									
	E: Transmission/usage charges associated with POTS circuit switched us											ith 2W ISD	N ports.			
NOT	E: Access to B Channel or D Channel Packet capabilities will be available	only th	rough	UEPTX UEPSX					via the BF	R/NBR Pr	ocess.					
	Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port			UEPEX	U1UMA UEPEX	0.00 84.32	0.00 203.81	0.00 101.56	79.18	20.06		15.66				
LINE	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY			OLFLX	ULFLX	04.32	203.61	101.30	79.10	20.00		13.00				
	SUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				ĺ .
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33		15.66				
Non	-Recurring			LIEDVD	110400		0.40	0.40				45.00				
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed			UEPVR	USAC2		0.10	0.10				15.66				
	change (PIC & LPIC)			UEPVR	USACC		0.10	0.10				15.66				l
UNE	SUNDLED REMOTE CALL FORWARDING - Bus			OLI VIC	00/100		0.10	0.10				10.00				
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				Ī
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33		15.66				
	Unbundled Remote Call Forwarding Service Expanded & Exception Local			LIED) (D	LIED)/I	4.00	0.00	0.07	4 40	4.00		45.00				l
Non	Calling -Recurring	<u> </u>		UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33		15.66				
IVOII	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is	1	 	UEPVB	USAC2	 	0.10	0.10				15.66				
	Unbundled Remote Call Forwarding Service-Conversion with allowed			02.75	00/102		0.10	0.10				10.00				
	change (PIC & LPIC)			UEPVB	USACC		0.10	0.10				15.66				l
UNBUNDL	ED LOCAL SWITCHING, PORT USAGE															
End	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007025										
	End Office Trunk Port-Shared, Per MOU					0.0001638										-
Ian	dem Switching (Port Usage) (Local or Access Tandem)					0.000005										
	Tandem Switching Function Per MOU Tandem Trunk Port-Shared, Per MOU	 	 		1	0.000095 0.0002015				-	-	1				
Con	nmon Transport		!		 	0.0002015				 	 					ſ
- 120	Common Transport-Per mi, Per MOU					0.0000023										·
	Common Transport-Facilities Term Per MOU					0.0003224										
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC and/or Comr															
	tures shall apply to the Unbundled Port/Loop Combination - Cost Based Ra															
	Office and Tandem Switching Usage and Common Transport Usage rates in												/Loop Com	binations.	-	
	first and additional Port NRC charges apply to Not Currently Combined Co IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	mbos.	FOR C	urrently Combined Co	mbos the N	viku cnarges si	nan be those	identified in	tne NKC -	Currently	Compine	a sections.				
	Port/Loop Combination Rates	1	1		 	-										ſ
0.42	2W VG Loop/Port Combo-Zone 1		1		1	12.70						†				(
	2W VG Loop/Port Combo-Zone 2		2			21.19										1
	•										•					

INDUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
		1									Svc	Svc		Incrementa	Increment	
											Order	Order	al Charge	I Charge -	al Charge -	al Char
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		R/	ATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Or
		m	е									Manually		VS.	vs.	vs.
											Po. 20.1			Electronic-	_	_
												po. 20.1				
_		1			-	Rec	Nonred First	urring Add'l	NRC Disc First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
	2W VG Loop/Port Combo-Zone 3	1	3			34.80	FIISL	Auu i	FIISL	Auu	SOWIEC	JOWAN	JOWIAN	JOWAN	JOWAN	SOWIA
UNE L	oop Rates															†
	2W VG Loop (SL1)-Zone 1	1	1	UEPRX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2	1	2	UEPRX	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3	1	3	UEPRX	UEPLX	33.65										+
2-Wire	Voice Grade Line Port Rates (Res)	1	Ŭ	021101	02. 27	00.00										+
	2W voice unbundled port-residence	1		UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63		15.66				+
-	2W voice unbundled port vith Caller ID-res	1		UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63		15.66		-	1	
_	2W voice unbundled port with caller 10-1es 2W voice unbundled port outgoing only-res	1		UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66		†	1	
1 -	2W VG unbundled AL extended local dialing parity port with Caller ID-res	1		UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66		†	1	
-	2W voice unbundles res, low usage line port with Caller ID (LUM)	+		UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66		 		+
_	2W Voice Unbundled AL Residence Dialing Plan w/o Caller ID	1		UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63		15.66				+
_	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	1		UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63		15.66				+
FEAT		1		ULFRA	OLFKI	1.13	40.19	19.03	24.31	0.03		13.00				+
1	All Features Offered	1		UEPRX	UEPVF	1.98	0.00	0.00				15.66				
LOCA	L NUMBER PORTABILITY	1		021101	02. 1.		0.00	0.00				.0.00				+
	Local Number Portability (1 per port)	1		UEPRX	LNPCX	0.35										+
NRC (CHARGES (NRCs) - CURRENTLY COMBINED	1		021101	2.1. 071	0.00										+
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	1		UEPRX	USAC2		0.10	0.10				15.66				+
	2W VG Loop/Line Port Combination-Conversion-Switch with change	1		UEPRX	USACC		0.10	0.10				15.66				+
ADDIT	TONAL NRCs	1		OLITOX	00/100		0.10	0.10				10.00				+
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.66				+
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		OLI TOX	00/102	0.00	0.00	0.00				.0.00				+
	Port/Loop Combination Rates	1			+											+
0.12.	2W VG Loop/Port Combo-Zone 1		1			12.70										†
	2W VG Loop/Port Combo-Zone 2	1	2			21.19										+
	2W VG Loop/Port Combo-Zone 3	1	3			34.80										+
UNF	oop Rates	1			+	000										+
0.42	2W VG Loop (SL1)-Zone 1	1	1	UEPBX	UEPLX	11.55										+
+	2W VG Loop (SL1)-Zone 2	1	2	UEPBX	UEPLX	20.04		 					1		l	
+	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	+	3	UEPBX	UEPLX	33.65		 						 		+-
2-Wire	e Voice Grade Line Port (Bus)	+	Ŭ	OLIDA	OLI LX	55.55		 						 		+-
	2W voice unbundled port w/o Caller ID-bus	1		UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63		15.66				+
1	2W voice unbundled port with Caller + E484 ID-bus	1		UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63		15.66		†	1	
+	2W voice unbundled port with Callet + L404 ib-bus 2W voice unbundled port outgoing only-bus	1		UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63		15.66	1		l	
-	2W VG unbundled AL extended local dialing parity port with Caller ID-bus	+		UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66		 		+-
-	2W voice unbundled incoming only port with Caller ID-Bus	+		UEPBX	UPEB1	1.15	40.19	19.83	24.91	6.63		15.66		 		+-
+	2W Voice Unbundled AL Business Dialing Plan w/o Caller ID	1		UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63		15.66	1		l	
1	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1		UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63		15.66		†	1	
LOCA	L NUMBER PORTABILITY	1		OLIBA	OLI DE	1.10	-10.13	10.00	27.01	0.00		10.00		-	1	
-557	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35		 					1		l	
FEAT		1		OLI DA	LI TOX	0.00										
, LAI	All Features Offered	1		UEPBX	UEPVF	1.98	0.00	0.00				15.66				
NRC (CHARGES (NRCs) - CURRENTLY COMBINED	1		OLIBA	OLI VI	1.30	0.00	5.50				10.00		-	1	
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	1		UEPBX	USAC2		0.10	0.10				15.66	1		l	
ADDIT	TONAL NRCs	+		OLI DA	UUAUZ		0.10	0.10				10.00				+
70011	2W VG Loop/Line Port Combination-Subsqnt Activity	1		UEPBX	USAS2		0.00	0.00				15.66	 			-

NRUND	LED NETWORK ELEMENTS - Alabama		, ,											ment: 2		oit: B
ATEGORY	r RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
2-14/1	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE	Loop Rates				<u> </u>											<u> </u>
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		3	UEPRG UEPRG	UEPLX	20.04 33.65										├ ──
2-Wi	2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	33.00										
2-771	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20		15.66				
LOC	AL NUMBER PORTABILITY				1 222	0	00.00	J2 1	31.10	5.25		.0.00				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.66				
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00				15.66				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			LIESSO	110101							4= 00				<u> </u>
455	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.91	1.90		ļ		15.66				├
ADD	ITIONAL NRCs 2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.66				
-	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			UEPRG	USAS2	0.00	7.32	7.32				15.66				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						1.32	1.32				13.00				
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	11.55										<u> </u>
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	20.04										<u> </u>
2 14/:-	2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	33.65										
2-771	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		15.66				
-	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20		15.66				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20		15.66				<u> </u>
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20		15.66				<u> </u>
-	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX UEPPX	UEPXD	1.15	69.08	32.41	37.43 37.43	6.20		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20		15.66				
	Calling Port	l		UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		15.66			1	
1				JEI I X	JEI AL	1.15	00.00	J21	57.40	5.20	1	.0.00				—
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20		15.66				
LOC	AL NUMBER PORTABILITY															ļ
FFA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.66				
FEA	TURES All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00				15.66				├
NRC	CHARGES (NRCs) - CURRENTLY COMBINED		\vdash	ULFFA	ULF VF	1.90	0.00	0.00				13.00				\vdash
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.91	1.90		 		15.66				
ADD	ITIONAL NRCs				1 37.102											
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.66				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32				15.66				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE	Port/Loop Combination Rates															$ldsymbol{oxed}$
	2W VG Coin Port/Loop Combo – Zone 1		1		1	12.70										<u> </u>
	19W VC Coin Bort/Loop Combo Zono 2		2		1	21.19									1	1
	2W VG Coin Port/Loop Combo – Zone 2 2W VG Coin Port/Loop Combo – Zone 3		3			34.80										+

NRONDL	ED NETWORK ELEMENTS - Alabama				1	T								ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.55	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	33.65										
2-Wire	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		15.66				
-	2W Coin 2-Way with Oper Screening 2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO UEPCO	UEPRE UEPRA	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				
	2W Coin 2-Way with Oper Screening & Blocking. 011, 900/976, 1+DDD			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				-
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
	2W 2-Way Smartline with 900/976 (all states except LA)	<u> </u>		UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66				
ADDIT	2W Coin Outward Smartline with 900/976 (all states except LA) TONAL UNE COIN PORT/LOOP (RC)	 	-	UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63	-	15.66				-
ADDII	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	1	15.66				
LOCA	L NUMBER PORTABILITY			02,00	J.KEOO	1.50	0.00	0.00	0.00	0.00		10.00				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				15.66				
ADDIT	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.66				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR Port/Loop Combination Rates	RI (RE	S)													
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										-
-	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.38										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	22.85										
2-Wire	2W VG Loop (SL2)-Zone 3 voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	36.14										
2-1111	2W voice unbundled port-residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled port vith Caller ID-res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77		15.66				
	2W VG unbundled AL extended local dialing parity port with Caller ID-res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		15.66				<u> </u>
	2W Voice Unbundled AL Residence Dialing Plan w/o Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		15.66				
INTER	OFFICE TRANSPORT			UEPFR	U1TV2	24.42	40.54	27.41	16.74	6.90						
-	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	1		UEPFR	1L5XX	21.13 0.008838	40.54	21.41	16.74	6.90	-	-				
FEAT				OLITIK	120/00	0.000000										
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00				15.66				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NRC (CHARGES (NRCs) - CURRENTLY COMBINED	ļ			-											
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66				
-	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEPFK	USAC2		ö.48	1.8/			1	15.00				
	Switch-With-Change	1		UEPFR	USACC		8.48	1.87				15.66				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	RT (BU	S)		1							12.20				
UNE F	ort/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		1	15.76										
_	2W VG Loop/IO Tranport/Port Combo-Zone 2	<u> </u>	2		-	24.23										
LINE	2W VG Loop/IO Tranport/Port Combo-Zone 3 oop Rates	-	3		+	37.52					1	1				<u> </u>
UNE L	2W VG Loop (SL2)-Zone 1	1	1	UEPFB	UECF2	14.38				1	-	-				-
	2W VG Loop (SL2)-Zone 2	 	2	UEPFB	UECF2	22.85					-					
-	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14										
2-Wire	Voice Grade Line Port (Bus)			-												
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77		15.66				1

NROND	LED NETWORK ELEMENTS - Alabama					1								ment: 2		bit: B
ATEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77		15.66				
	2W VG unbundled AL extended local dialing parity port with Caller ID-bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77		15.66				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77		15.66				
	2W Voice Unbundled AL Business Dialing Plan w/o Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77		15.66				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						ļ
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.008838										ļ
FEAT	TURES															
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00				15.66				<u> </u>
NRC	CHARGES (NRCs) - CURRENTLY COMBINED				_						ļ					<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-								1		1	4= 65		1		1
	Switch-as-is			UEPFB	USAC2		8.48	1.87				15.66				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFB	USACC		8.48	1.87				15.66				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										<u> </u>
_	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										
<u> </u>	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										
UNE	Loop Rates		.			44.00										<u> </u>
-	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.38										
_	2W VG Loop (SL2)-Zone 2		2	UEPFP UEPFP	UECF2	22.85 36.14										
0.14/:-	2W VG Loop (SL2)-Zone 3 re Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	36.14										
2-9911	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		-	UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		15.66				
_	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34		15.66				
-	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34		15.66	ļ		-	-
-	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34		15.66	1			
-	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		15.66	ļ		-	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34		15.66				-
	2W Voice Unbundled PBX LD DDD Terminal Hotel Fort			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			02	OL: AL	1.00	1.10.27	00.00	01110	0.0 .		10.00	1		-	1
	Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34		15.66				
	Canning Fort			02	02.7.2	1.00		00.00	01110	0.01		10.00				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			02	02.7	1.00		00.00	01110	0.01		10.00				
	Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34		15.66				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34		15.66				†
LOC	AL NUMBER PORTABILITY			*												
1.2.5	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTE	ROFFICE TRANSPORT										†					—
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.008838					Ì					1
FEAT	TURES															
	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00				15.66				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		8.48	1.87	1		1	15.66		1		1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
1	Switch with change			UEPFP	USACC		8.48	1.87	1		1	15.66]		1

JNBUNDL	ED NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	ВС	cs	USOC		R <i>A</i>	ATES (\$)			d Elec	Submitte d Manually	al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							Rec	Nonred		NRC Disc					Rates (\$)		
INDIINDI EI	D PORT/LOOP COMBINATIONS - COST BASED RATES							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				22.40										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				30.88				ļ						
LINE	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3 oop Rates		3				44.17										
ONL	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEF	PPX	UECD1	14.38										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEF		UECD1	22.85										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEF	PPX	UECD1	36.14										
UNE F	Port Rate																
NDC (Exchange Ports-2W DID Port			UEF	-YX	UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				ļ
NKC (CHARGES - CURRENTLY COMBINED 2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEF	PPX	USAC1		7.31	1.87		-	-					-
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is 2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEF		USAC1 USA1C		7.31	1.87		-						
ADDIT	TIONAL NRCs			JEI				7.01									
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEF	PPX	USAS1		26.78	26.78								
Telepi	hone Number/Trunk Group Establisment Charges							_									
	DID Trunk Term (One Per Port)			UEF		NDT	0.00	0.00	0.00		ļ						
-	Add'l DID Numbers for each Group of 20 DID Numbers DID Numbers. Non-consecutive DID Numbers . Per Number			UEF UEF		ND4 ND5	0.00	0.00	0.00		ļ						
	Reserve Non-Consecutive DID numbers			UEF		ND6	0.00	0.00	0.00		1						
	Reserve DID Numbers			UEF		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY			-			0.00										
	Local Number Portability (1 per port)			UEF	PPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	RT															
UNE F	Port/Loop Combination Rates		_	LIEDDD	LIEDDD		07.00										
_	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB UEPPB	UEPPR UEPPR		27.28 37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNE L	oop Rates		_	02.11	02		00.01										
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
	Port Rate Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		15.66				
	CHARGES - CURRENTLY COMBINED			ULFFB	ULFFR	ULFFB	0.24	190.01	132.70	100.07	21.20		13.00				
1	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02				15.66				
	TIONAL NRCs																
LOCA	L NUMBER PORTABILITY			LIEDDD	LIEDDD	LNDCV	0.25	0.00	0.00								
B.CU/	Local Number Portability (1 per port) ANNEL USER PROFILE ACCESS:			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00		ļ						
-	CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	0.00	0.00		-	1	-				-
LISED	TERMINAL PROFILE			UEPPB	UEPPK	UIUUF	0.00	0.00	0.00		1	-	-				-
COLIN	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	ICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE			LIEBBE	LIEBES	Meric			6- 11								
	Interoffice Channel miage each, including first mi & facilities Term Interoffice Channel miage each, Add'l mi				UEPPR UEPPR	M1GNC M1GNM	21.14 0.008838	40.54 0.00	27.41 0.00	16.74	6.90	-	0.00				
4-WID	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEPPB	UEPPK	IVITGINIVI	0.008838	0.00	0.00		1	1	0.00				
	Port/Loop Combination Rates										1	<u> </u>					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEF	PPP		166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEF			238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEF	PPP		398.85										

Version 4Q02: 01/21/03 Page 19 of 324

JNBUND	LED NETWORK ELEMENTS - Alabama			I		ı								ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
	Lang Botton						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates 4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	82.55										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	154.18										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	314.52										
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	84.32	456.28	259.10	123.88	31.77		15.66				
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion-Switch-as-is			UEPPP	USACP	0.00	119.07	78.56				15.66				
ADDI	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos	<u> </u>		UEPPP	PR7TF		0.49									
+	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers	-		UEPPP	PR7TO		11.51				-					
LOC	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Numbers AL NUMBER PORTABILITY	-		UEPPP	PR7ZT		23.02				-	-				
	Local Number Portability (1 per port)	\vdash		UEPPP	LNPCN	1.75					-					
INTE	RFACE (Provsioning Only)			J2111	2.37 0.14	1.75					1					
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
CALI	TYPES Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage			<u> </u>												
	Fixed Each Including First mi			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44		15.66				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.18										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates			LIEBBO		440.04										
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		142.64										
-	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC UEPDC	+	214.26 374.61										
UNF	Loop Rates		3	OLFDC		374.01										
0.12	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	82.55										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	154.18										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	314.52										
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17		15.66				
NRC	CHARGES - CURRENTLY COMBINED	<u> </u>		HEDDO	110.40.4		400.40	07.00				45.00				
-	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is	 		UEPDC	USAC4		129.49	67.02			-	15.66				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes	1		UEPDC	USAWA		129.49	67.02				15.66				
_	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with	-		OLFDC	JUANA		123.48	01.02			-	13.00				
	Change-Trunk	1		UEPDC	USAWB		129.49	67.02				15.66				
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan- 2-Way Trunk			UEPDC	UDTTA		14.48	14.48				15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-										<u> </u>					
	Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTB		14.48	14.48				15.66				
	Inward Trunk Wout DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan- Inward Trunk with DID			UEPDC UEPDC	UDTTD		14.48	14.48				15.66 15.66				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way			UEPDC												
PIDO	DID w User Trans LAR 8 ZERO SUBSTITUTION	 		UEPDC	UDTTE		14.48	14.48			-	15.66				
БІРО	B8ZS-Superframe Format	 		UEPDC	CCOSF		0.00	600.00								
+	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alter	nate Mark Inversion	 			1		3.30	230.00			1					

Version 4Q02: 01/21/03 Page 20 of 324

NDUNUL	ED NETWORK ELEMENTS - Alabama				1	1					C	C		ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
	AMI-Superframe Format			UEPDC	MCOSF		First 0.00	Add'I 0.00	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										ļ
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC UEPDC	UDTGY	0.00										├
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Lo	op wit	h 4-W		41.110.4	00.40	00.07	04.04	40.05	44.44		45.00				Ļ
-	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC UEPDC	1LNO1 1LNOA	60.16 0.18	89.27 0.00	81.81 0.00	16.35	14.44	1	15.66				├──
+	Interoffice Channel miage-Add rate per mi-d-8 mis Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.18	0.00	0.00		 		-				$\vdash \vdash$
_	Interoffice Channel miage-1 ixed rate 3-25 mis (1 acinites 16m)			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							ļ
4 14/10	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	System can have up to 24 combinations of rates depending on type and n	umbe	r of po	orts used												
	S1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								ļ
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								<u> </u>
ONEL	SO Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								-
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00								
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	608.40	0.00	0.00								
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00								
_	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,014.00	0.00	0.00								<u> </u>
	288 DS0 Channel Capacity-1 per 12 DS1s 384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG UEPMG	VUM28 VUM38	1,216.80 1,622.40	0.00	0.00								
	480 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								
+	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliz															
	mum System configuration is One (1) DS1, One (1) D4 Channel Bank, and					s.										ļ
Multip	les of this configuration functioning as one are considered Add'l after the NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes	e mini	mum s	system configuration is UEPMG	USAC4	0.00	150.48	8.36				15.66				
System	n Additions at End User Locations Where 4-Wire DS1 Loop with Channeli	zation	with				130.48	0.30		 		13.00				
	Not Currently Combined) in all states, except in Density Zone 1 of Top 8 M		******	. c combination out	Citily Exist	- and										
	1 DS1/D4 Channel Bank-Add'ly Add NRC for each Port & Assoc Fea															
	Activation			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66				1
Bipola	r 8 Zero Substitution				0000=											4
	Clear Channel Capability Format, superframe-Subsqut Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								├ ──
Altern	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity ate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	600.00								
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	1	1	 	1				
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00		1						
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with Por	t														
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		15.66				ļ
-	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX UEPPX	UEPOX UEP1X	1.15 1.15	0.00	0.00	0.00	0.00	-	15.66 15.66				
+-	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		15.66				\vdash
	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00		15.66				
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,															
	MS, & TN) (Conversion from Network Access Service)		1	UEPPX	UEPCT	1.15			l			15.66				1

	LED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	al Charge - Manual	al Charge Manual Svc Orde vs.
						Rec	Nonred		NRC Disc					Rates (\$)		
	OM Charactered DDV Assa Calling Comics Combination Dark (AL Oaks)		-	HEDDY	LIEDAA		First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2W Channelized PBX Area Calling Service Combination Port (AL Only) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX UEPPX	UEPA4 UEPA3	1.15 1.15	0.00	0.00				15.66 15.66				
Featu	ure Activations - Unbundled Loop Concentration			OLITA	OLI 710	1.10	0.00	0.00				10.00				
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.56	54.55					15.66				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	77.03					15.66				
Telep	phone Number/ Group Establishment Charges for DID Service			LIEBBY .												
	DID Trunk Term (1 per Port)	-	-	UEPPX UEPPX	NDT ND4	0.00	0.00	0.00		1						
	DID Numbers-groups of 20-Valid all States Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	I Number Portability															
	Local Number Portability-1 per port		$\perp \Box$	UEPPX	LNPCP	3.15	0.00	0.00								
	FURES - Vertical and Optional	1	1		-					<u> </u>						
Loca	I Switching Features Offered with Line Side Ports Only All Features Available	-		UEPPX	UEPVF	1.98	0.00	0.00								
	2W Voice Unbundled AL Business Dialing Plan w/o Caller ID	+		UEPBX	UEPWB	14.00	90.00	90.00				15.66				
NBUNDLE	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	+		02.5%	02. 112		00.00	00.00				10.00				
	st Based Rates are applied where BellSouth is required by FCC and/or Co	ommiss	ion ru	le to provide Unbund	led Local Sv	vitching or Sw	itch Ports.									
2. Fe	atures shall apply to the Unbundled Port/Loop Combination - Cost Based d Office and Tandem Switching Usage and Common Transport Usage rat	Rate s	ection	in the same manner	as they are a	pplied to the S	Stand-Alone	Unbundled	Port section	n of this l	Rate Exhibi	it.				
5. M	jorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	ated on	an In	dividual Case Basis, ι	until further	notice.										
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)							1								
UNE			<u> </u>													
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.70										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		21.19										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		2	UEP91		21.19 34.80										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		3	UEP91 UEP91		21.19										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91 UEP91		21.19 34.80 15.53										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate		3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91		21.19 34.80 15.53 24.00 37.29										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	21.19 34.80 15.53 24.00 37.29										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	21.19 34.80 15.53 24.00 37.29 11.55 20.04										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC)		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14	40.40	40.00	2101			15.00				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14	40.19	19.83	24.91	6.63		15.66				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14	40.19 40.19 40.19	19.83	24.91 24.91 24.91	6.63		15.66				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14	40.19		24.91	6.63						
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex form diff SWC) Basic Local Area 2W VG Port (Centrex form diff SWC) Basic Local Area 2W VG Port (Centrex form diff SWC) Basic Local Area 2W VG Port (Centrex form diff SWC) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYH UEPYH UEPYZ	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15	40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66	6.63 6.63 8.77 8.77		15.66 15.66 15.66 15.66				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UEPY9	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19	19.83 19.83 57.27 57.27 19.83	24.91 24.91 48.66 48.66 24.91	6.63 6.63 8.77 8.77 6.63		15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYH UEPYH UEPYZ	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15	40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66	6.63 6.63 8.77 8.77		15.66 15.66 15.66 15.66				
UNE UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex on Megalink or equivalent-Basic Local Area 2W VG Port Terminated in on Megalink or equivalent-Basic Local Area 4Y, LA, MS, & TN Only		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYM UEPYZ UEPY9 UEPY2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19	19.83 19.83 57.27 57.27 19.83 19.83	24.91 24.91 48.66 48.66 24.91 24.91	6.63 6.63 8.77 8.77 6.63 6.63		15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area 2W VG Port (Centrex from Grm)Basic Local Area 2W VG Port (Centrex from Grm)Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area 2W VG Port (Centrex from Grm)Basic Local Area 2W VG Port (Centrex from Grm)Basic Local Area 2W VG Port (Centrex from Grm)Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area 2W VG Port (Centrex flom Grm)Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPY9	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19	19.83 19.83 57.27 57.27 19.83 19.83	24.91 24.91 48.66 48.66 24.91 24.91	6.63 6.63 8.77 8.77 6.63 6.63		15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Centrex on Megalink or equivalent-Basic Local Area 2W VG Port Terminated in on Megalink or equivalent-Basic Local Area 4Y, LA, MS, & TN Only		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYM UEPYZ UEPY9 UEPY2	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19	19.83 19.83 57.27 57.27 19.83 19.83	24.91 24.91 48.66 48.66 24.91 24.91	6.63 6.63 8.77 8.77 6.63 6.63		15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex rom diff SWC)2 Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Centrex 10 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYM UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19 40.19	19.83 19.83 57.27 57.27 19.83 19.83 19.83	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91	6.63 6.63 8.77 8.77 6.63 6.63 6.63		15.66 15.66 15.66 15.66 15.66 15.66 15.66				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex S00 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly SWC)2 2W VG Port, Diff SWC-800 Service Term		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYM UEPYY UEPY9 UEPY2 UEPQA UEPQA UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19 40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27 19.83 19.83 19.83 19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91 48.66 48.66	6.63 8.77 8.77 6.63 6.63 6.63 6.63 6.63 8.77 8.77		15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66				
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex ib Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Tentrex ib Caller ID)1Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on Son Service Term-Basic Local Area 2W VG Port Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Terminated in on Megalink or equivalent		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYM UEPYY UEPYY UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15	40.19 90.38 90.38 40.19 40.19 40.19 40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27 19.83 19.83 19.83 19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91 24.91 48.66 48.66 24.91	6.63 6.63 8.77 8.77 6.63 6.63 6.63 6.63 8.77 8.77 6.63		15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE All Si	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYM UEPYY UEPY9 UEPY2 UEPQA UEPQA UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 90.38 90.38 40.19 40.19 40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27 19.83 19.83 19.83 19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91 48.66 48.66	6.63 8.77 8.77 6.63 6.63 6.63 6.63 6.63 8.77 8.77		15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE All Si	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex Boo Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex fond iff SWC) Basic Local Area 2W VG Port (Centrex fond iff SWC) Basic Local Area 2W VG Port (Centrex fond iff SWC) Easic Easic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQB UEPQB UEPQB UEPQB UEPQB UEPQB UEPQC	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15	40.19 90.38 90.38 40.19 40.19 40.19 40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27 19.83 19.83 19.83 19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91 24.91 48.66 48.66 24.91	6.63 6.63 8.77 8.77 6.63 6.63 6.63 6.63 8.77 8.77 6.63		15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66				
UNE UNE UNE AII SI	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex on Mich Caller ID)1Basic Local Area 2W VG Port (Centrex Non Term)Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYM UEPYY UEPYY UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	21.19 34.80 15.53 24.00 37.29 11.55 20.04 33.65 14.38 22.85 36.14 1.15	40.19 90.38 90.38 40.19 40.19 40.19 40.19 40.19 90.38 90.38	19.83 19.83 57.27 57.27 19.83 19.83 19.83 19.83 19.83 57.27 57.27	24.91 24.91 48.66 48.66 24.91 24.91 24.91 24.91 24.91 48.66 48.66 24.91	6.63 6.63 8.77 8.77 6.63 6.63 6.63 6.63 8.77 8.77 6.63		15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66 15.66				

NRUND	LED NETWORK ELEMENTS - Alabama				_	T					_			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge · Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
Fast						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	All Standard Features Offered, per port			UEP91	UEPVF	1.98										-
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98	.00.02									1
NAR																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00								
	ellaneous Terminations															<u> </u>
2-Wii	re Trunk Side			LIEDO4	CENIAC	0.05	110.01	40.74	50.00	0.70		45.00				
Intor	Trunk Side Terms, each office Channel Mileage - 2-Wire			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76		15.66				├
mer	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	-	15.66	-		1	
+	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBC	0.008838	40.54	21.41	10.74	0.50	 	10.00	 			
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service			02101	IVITODIVI	0.000000										<u> </u>
	hannel Bank Feature Activations				1											†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			UEP91	USAC2		0.40	0.10				45.00				
-	Conversion-Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block			UEP91	USACN		0.10 37.75	16.58				15.66 15.66			-	-
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21	10.36				15.66				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21					15.66				†
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02					15.66				1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73					15.66				
UNE-	P CENTREX - 5ESS (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.70										
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.19										
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95	_	34.80										
UNE	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95	+	15.53										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP95		24.00										
-	2W VG Loop/2W VG Fort (Centrex)Fort Combo-Design		3	UEP95	+	37.29										†
UNE	Loop Rate			02100	1	07.29									1	1
	2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	11.55										1
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	33.65										
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	14.38										<u> </u>
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	22.85										ļ
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	36.14										↓
	Port Rate				+					-					-	
All S	tates 2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				├
-	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex eds Ferrin) 2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				1
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, F	(Y, LA, MS, SC, & TN Only				1											<u> </u>
_	2W VG Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
_	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63	-	15.66				₩
			1	UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63	i	15.66	1	1	1	1
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2		1	UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				

Version 4Q02: 01/21/03 Page 23 of 324

NEONDE	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc				oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
\neg	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00								
Misce	llaneous Terminations															1
	Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wire	e Digital (1.544 Megabits)															
 	DS1 Circuit Terms, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.46	00.00	72.00	20	1	15.66				
Intero	ffice Channel Mileage - 2-Wire			OL1 00	WITIEG	0.00	14.40					10.00				
- Intere	Interoffice Channel Facilities Term			UEP95	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
_	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.008838	40.04	27.71	10.74	0.00		10.00				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 33	IVIIODIVI	0.000000										
	annel Bank Feature Activations															
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						ļ				-
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56						ļ				-
-	Feature Activation on D-4 Channel Bank FA Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.56						ļ				-
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Bill WC			UEP95	1PQWP	0.56						ļ				-
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		1	UEP95	1PQWV	0.56										
_	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWQ	0.56										
Nan F			1	UEF93	IFQWA	0.36										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex				-											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10	İ			15.66	İ		l	
_	Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USAC2		37.75	16.58		 	ļ	15.66			 	—
				UEP95 UEP95	M1ACS	0.00	667.21	16.58		 	ļ	15.66			 	
+	New Centrex Standard Common Block		\vdash							-	1					—
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion		-	UEP95	URECA	0.00	72.73					15.66				
	CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\vdash								ļ					<u> </u>
UNE	Port/Loop Combination Rates (Non-Design)		\vdash								ļ					<u> </u>
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.70				 	ļ	ļ				.
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.19				 	ļ	ļ				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		34.80					ļ					<u> </u>
UNE F	Port/Loop Combination Rates (Design)									<u> </u>	ļ					1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		15.53										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	_	3	UEP9D		37.29		1			1				1	

JNBUND	ED NETWORK ELEMENTS - Alabama				_									ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
LINE	Lang Data				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rate 2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	33.65										
	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	14.38										
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	22.85										
	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	36.14										
	Port Rate STATES				+											
ALL	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
-	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
_	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area 2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D UEP9D	UEPYF	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63	1	15.66 15.66				
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D UEP9D	UEPYP	1.15 1.15	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77		15.66 15.66				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
-	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
_	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area 2W VG Port, Diff SWC-800 Service Term			UEP9D UEP9D	UEPYZ	1.15 1.15	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77		15.66 15.66				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
_	2W VG Port (Centrey/EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				
+	2W VG Port (Centrex /EBS-M5009)3 2W VG Port (Centrex /EBS-M5209)3		\vdash	UEP9D UEP9D	UEPQD UEPQE	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-	15.66 15.66				\vdash
+	2W VG Port (Centrex /EBS-M5209)3 2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63	 	15.66				
	2W VG Port (Centrex/EBS-M5312)3		H	UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5216)3		igspace	UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63	1	15.66				-
-	2W VG Port (Centrex with Caller ID) 2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3		\vdash	UEP9D UEP9D	UEPQH	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	1	15.66 15.66				
_	2W VG Port (Centrex/Msg Wtg Lamp Indication)3		\vdash	UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63	1	15.66				1
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66				
_	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3		\vdash	UEP9D UEP9D	UEPQS UEPQ4	1.15 1.15	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77		15.66 15.66				-
+	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3		\vdash	UEP9D UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		H	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				

Version 4Q02: 01/21/03 Page 25 of 324

NRUNDL	ED NETWORK ELEMENTS - Alabama		,								.	C		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonred		NRC Disc					Rates (\$)		
							First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										ļ
Local	Number Portability			UEP9D	LNPCC	0.35										ļ
Footuu	Local Number Portability (1 per port)			UEP9D	LINPCC	0.35										
Featu				UEP9D	UEPVF	1.98										
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF	0.00	405.52									
_	All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS	1.98	405.52									
NARS	All Centrex Control Features Offered, per port			UEF9D	UEFVC	1.90										
IVANO	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00			1					
	Unbundled Network Access Register-Inward Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00								-
Misco	Ilaneous Terminations			OLF3D	UARUA	0.00	0.00	0.00								-
	Trunk Side										1					
	Trunk Side Terms, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76	 	15.66				
4-Wire	Digital (1.544 Megabits)			OLI OD	OLIVEO	0.00	110.01	10.74	00.00	0.70		10.00				
7-1111	DS1 Circuit Terms, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.46	30.00	72.00	2.40	1	15.66				
Intero	ffice Channel Mileage - 2-Wire			OLI OD	MITIBO	0.00	14.40					10.00				
	Interoffice Channel Facilities Term			UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.008838	10.01			0.00		10.00				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			*												
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP9D	USAC2		0.10	0.10				15.66				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					15.66				
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<u> </u>
UNE F	ort/Loop Combination Rates (Non-Design)															ļ
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E	_	34.80					1					
UNE F	Port/Loop Combination Rates (Design)			LIEBAE	_	15.50					<u> </u>					₽
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.53					 					₩
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		24.00					-				-	
LINIE 1	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		37.29					-					
UNE L	oop Rate		4	LIEDOE	LIECO4	44.55					 					₩
-	2W VG Loop (SL1)-Zone 1		1	UEP9E UEP9E	UECS1	11.55 20.04					-					-
	2W VG Loop (SL1)-Zone 2		2	UEP9E UEP9E	UECS1 UECS1	33.65					-					-
	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1		3	UEP9E UEP9E							-					├──
	ZVV VG LUUD (3LZ)-Z0110 1				UECS2	14.38									ļ	↓
-+-	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	22.85										

MRONDL	ED NETWORK ELEMENTS - Alabama		, ,		1	1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
UNE	Dayl Bata					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port Rate _, KY, LA, MS, & TN only															
, , , , , , , , , , , , , , , , , , ,	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				1
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				ļ
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E UEP9E	UEPY9 UEPY2	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				
AI K	Y, LA, MS, & TN Only			UEP9E	UEP12	1.15	40.19	19.83	24.91	6.63		15.00				-
	2W VG Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
1	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	İ	15.66				1
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				<u> </u>
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP9E UEP9E	UEPQ9 UEPQ2	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				
Local	Switching			OLF9L	ULFQZ	1.13	40.19	19.03	24.51	0.03		13.00				
Looui	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Local	Number Portability			V-1. V-		0.0.00										
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										1
Featu																
_	All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
_	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9E UEP9E	UEPVS UEPVC	0.00	405.52									<u> </u>
NARS	-1 1			UEP9E	UEPVC	1.98										
IVAILO	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00								1
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	llaneous Terminations															
2-Wire	Trunk Side			115545	OFFIDA		110.01		=0.00	0.70		4= 00				
4 10/:	Trunk Side Terms, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				<u> </u>
	DS1 Circuit Terms, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.46	00.00	72.00	2.40		15.66				
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.008838										<u> </u>
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cn	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		\vdash	UEP9E	1PQW6	0.56		1	1	1	1	 				
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.56				ļ						
Non P	Feature Activation on D-4 Channel Bank WATS Loop Slot lecurring Charges (NRC) Associated with UNE-P Centrex		\vdash	UEP9E	1PQWA	0.56				 		-				
Non-R	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP9E	USAC2		0.10	0.10				15.66				
1	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58		1	İ	15.66				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21					15.66				<u> </u>
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73			ļ		15.66				<u> </u>
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\vdash		1					-	1	1				├
	Port/Loop Combination Rates (Non-Design)		\vdash							 						
JINE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	+	12.70		1	1	1	1	 				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		34.80										
UNE P	ort/Loop Combination Rates (Design)						_									1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.53							j			

NRONDI	ED NETWORK ELEMENTS - Alabama				1	1					1 0			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc		201150			Rates (\$)	0011411	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		24.00	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		37.29										1
UNE	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP93 UEP93	UECS1	11.55 20.04										
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEP93	UECS1	33.65										+
	2W VG Loop (SL2)-Zone 1		1	UEP93	UECS2	14.38										
	2W VG Loop (SL2)-Zone 2		2	UEP93	UECS2	22.85										
	2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	36.14										
	Port Rate															
AL, N	Y, LA, MS, & TN only 2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				-
-	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				t
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				<u> </u>
_	2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93 UEP93	UEPY9 UEPY2	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				<u> </u>
_	2W VG Port (Centrex)			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				-
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				
Loca	Switching			OLI 93	OLI QZ	1.15	40.13	13.00	24.31	0.00		13.00				
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Loca	Number Portability															
Foot	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00								
Misce	ellaneous Terminations			UEF93	UARUX	0.00	0.00	0.00								
	e Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wir	e Digital (1.544 Megabits)															
-	DS1 Circuit Terms, each DS0 Channels Activated, Per Channel			UEP93 UEP93	M1HD1 M1HDO	60.09 0.00	202.02 14.46	95.69	72.59	2.46		15.66 15.66				
Interd	office Channel Mileage - 2-Wire			OLF 93	WITIDO	0.00	14.40					13.00				
	Interoffice Channel Facilities Term			UEP93	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 CI	nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										<u> </u>
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56				1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										<u> </u>
-	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93 UEP93	1PQWQ 1PQWA	0.56 0.56				 	-	-				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLFSS	IFQWA	0.50										
1	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per				1											†
	port			UEP93	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58				15.66				<u> </u>
+	New Centrex Standard Common Block New Centrex Customized Common Block			UEP93 UEP93	M1ACS	0.00	667.21			1	}	15.66 15.66				₩
+	NAR Establishment Charge, Per Occasion		\vdash	UEP93	M1ACC URECA	0.00	667.21 72.73			1		15.66				\vdash
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			521 00	5.120/1	0.00	12.10			†	1	10.00				

Version 4Q02: 01/21/03 Page 28 of 324

UNBU	INDL	ED NETWORK ELEMENTS - Alabama											Attach	ment: 2	Exhib	oit: B	
												Svc	Svc	Increment	Incrementa	Increment	Increment
												Order	Order	al Charge	I Charge -	al Charge -	al Charge -
		e 2 - Requres Interoffice Channel Mileage e 3 - Requires Specific Customer Premises Equipment	Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual
CATE	ORY	RATE ELEMENTS	m	e	BCS	USOC		R.A	ATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
				_								per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic	Electronic-	Electronic-	Electronic-
							Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Note 3	3 - Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and subject to rate	true-u	ıp as s	et forth in General Ter	nditions.											

<u>JNBUND</u>	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect		<u> </u>		Rates (\$)		<u> </u>
							First	Add'l					SOMAN			SOMAN
	"Zone" shown in the sections for stand-alone loops or loops as part of			on refers to Geographic	cally Deave	eraged UNE Zo	nes. To view	Geographic	ally Deavera	aged UNE	Zone Des	ignations l	oy Central O	ffice, refer to	Internet W	ebsite:
	//www.interconnection.bellsouth.com/become_a_clec/html/interconnec	ion.ht	m				,						1	1	1	
	NAL SUPPORT SYSTEMS	-4 :6		fara tha atata annaifia a					h = C=====!=	-! T						l in thin
	E: (1) Electronic Service Order: CLEC should contact its contract negot															
	exhibit is the BellSouth regional electronic service ordering charge. CL E: (2) Any element that can be ordered electronically will be billed acco															aring
	ronically. For those elements that cannot be ordered electronically at p															o for that
	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to		•			•	ory reflects the	e charge tha	t would be	billed to	a CLEC OII	ce electroi	iic ordering	capabilities	come on-m	e ioi iliai
eiem	Manual Service Order Charge, per LSR, Disconnect Only (FL)	a CLE	CS DII	when it submits an L	SOMAN	South.	1	1	1.83		1	ı				т —
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				SOMAN				1.03							+
	interfaces (Regional)				SOMEC		3.50									
INE SERV	ICE DATE ADVANCEMENT CHARGE															
	E: The Expedite charge will be maintained commensurate with BellSou	th's FC	C No.	1 Tariff, Section 5 as a	pplicable.											
				ALL UNE EXCEPT	1											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	1		UNE-P	SDASP		200.00	1				1				
INBUNDLE	ED EXCHANGE ACCESS LOOP															1
2-WI	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		11.90				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				11.90				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		48.65					11.90				
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.95					11.90				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
	Unbundled Voice Loop, Non-Design Loop, billing for BST providing make-			115 441			40.40									
	up (Engineering Information-EI)			UEANL	UEANM		13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEAMC OCOSL		9.00									
2-14/1	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) RE Unbundled COPPER LOOP			UEANL	UCUSL		23.02				1					+
2-441	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				+
	2W Unbundled Copper Loop-Non-Designed Zone 1	H	2	UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09		11.90				+
	2W Unbundled Copper Loop-Non-Designed-Zone 3	i i	3	UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09		11.90				†
	Unbundled Misc Rate Element, Tag Loop at End User Premise		Ŭ	UEQ	URETL	10.00	8.33	0.83	10.00	0.00		11.90				1
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		9.00									1
	Unbundled Copper Loop, Non-Design, billing for BST providing make-up															
	(Engineering Information-EI)			UEQ	UEQMU		13.49					11.90				
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		48.65					11.90				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.95					11.90				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43				11.90				
	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP		<u> </u>								ļ					
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1	 	1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57	<u> </u>	11.90				+
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57	 	11.90				+
	2W Analog VG Loop-SL1-Line Splitting-Zone 2 2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB UEPSR UEPSB	UEABS UEALS	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	 	11.90 11.90				+
	2W Analog VG Loop-SL1-Line Splitting-Zone 3 2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57		11.90				+
INRLINDI E	ED EXCHANGE ACCESS LOOP		3	OLFSK OLFSB	ULADS	20.91	45.51	22.03	23.02	0.57		11.90				+
	RE ANALOG VOICE GRADE LOOP															—
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				T
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90				T
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01	1	11.90				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
1	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	ļ	87.71	36.35			ļ	11.90				
		1	1	UEA	URETL	1	10.45	1.03	1		1	11.90	l	l	l	1
	Loop Tagging-SL2 (SL2) RE ANALOG VOICE GRADE LOOP		1	OLA	OILLIE		10.40	1.00								

Version 4Q02: 12/18/02 Page 30 of 324

חאוספאונ	LED NETWORK ELEMENTS - Florida													ment: 2		bit: B
:ATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonrect First	ırring Add'l	NRC Disc First	onnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56	SOMEC	11.90	SOWAN	SUMAN	SUMAN	SOWA
	4W Analog VG Loop-Zone 2		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35				11.90				
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02	44.45				44.00				
2 14/1	CLEC to CLEC Conversion Charge w/o outside dispatch		-	UDN	UREWO		91.61	44.15				11.90				
2-1/1	RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	<u> </u>	1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71	-	11.90			-	
-	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1 2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	-	2	UDC	UDC2X	27.40	147.69	94.41	62.23	10.71	 	11.90			 	\vdash
-	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	48.62	147.69	94.41	62.23	10.71	<u> </u>	11.90				
-	CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>	Ť	UDC	UREWO	-10.0Z	91.61	44.15	32.20	.0.71		11.90			t e	†
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	LOOF	•									1				1
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		1													
	Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		11.90				
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		3	UAL UAL	UAL2W UAL2W	11.80 20.94	124.83 124.83	71.12 71.12	60.64	9.12		11.90				
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.94	23.02	/1.12	60.64	9.12		11.90				
-	CLEC to CLEC Conversion Charge w/o outside dispatch	1	+	UAL	UREWO		86.19	40.39				11.90				+
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE I	OOP	1	UAL	OKEWO		00.13	40.00				11.30				†
 	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	1														1
	Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		11.90				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		11.90				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		23.02									
_	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12		11.90				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		11.90				
_	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	18.21	134.40 23.02	80.69	60.64	9.12		11.90				
	CLEC to CLEC Conversion Charge w/o outside dispatch		+	UHL	UREWO		86.12	40.39	1			11.90				+
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE I	OOP	1	OTIL	OKEWO		00.12	40.00				11.30				+
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-	1	1									1				
	Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-															1
	Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		11.90				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	15.44	168.62	115.47		11.22		11.90				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR)	!	3	UHL UHL	UHL4W	27.39	168.62 23.02	115.47	62.74	11.22	 	11.90			-	
-	CLEC to CLEC Conversion Charge w/o outside dispatch	1	1	UHL	OCOSL UREWO	<u> </u>	86.12	40.39		-	<u> </u>	11.90				
4-WI	RE DS1 DIGITAL LOOP	-	1	UNL	UKEWU	 	00.12	40.39	<u> </u>		 	11.90			 	\vdash
7-11	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53	1	11.90			t	t
	4W DS1 Digital Loop-Zone 2	<u> </u>	2	USL	USLXX	100.54	313.75	181.48		13.53		11.90				1
-	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75	181.48		13.53		11.90				†
	Order Coordination for Specified Conversion Time (per LSR)		Ť	USL	OCOSL		23.02		1			1				1
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.07	43.04				11.90				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56	1	11.90				

Version 4Q02: 12/18/02 Page 31 of 324

UNBUND	LED NETWORK ELEMENTS - Florida													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu		NRC Disco					Rates (\$)		L
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	First 161.56	Add'I 108.85	First 67.08	Add'l 15.56	SOMEC	11.90	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				1
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)	-	1	UDL	OCOSL		23.02	40.74				44.00				
2-19/11	CLEC to CLEC Conversion Charge w/o outside dispatch RE Unbundled COPPER LOOP	-		UDL	UREWO	 	102.11	49.74			1	11.90				-
Z-VVII	2W Unbundled Copper Loop/Short including manl svc ing & facility	-			+				1			1				
	reservation-Zone 1	l	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Short including manl svc ing & facility			30L	JOLI D	0.50	140.00	102.02	, 5.05	10.00	1	11.50				
	reservation-Zone 2	l	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-							=								
	Zone 3	-	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop) 2W Unbundled Copper Loop/Long-includes man! svc ing & facility	-	1	UCL	UCLMC		9.00	9.00								
	reservation-Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility			OOL	OCLZL	17.72	140.50	102.02	73.03	13.03		11.30				
	reservation-Zone 2		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-							=								
	Zone 3	-	3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL UCL	UCLMC		9.00 97.21	9.00 42.47	1			11.90				
4-WII	RE COPPER LOOP			UCL	UKLWO		91.21	42.47				11.50				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		11.90				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC		9.00	9.00			1	1				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility	l		1101	1101.4	0.4.4.5	477.0-	400 70	77.15	47.70		44.00				
	reservation-Zone 1	 	1	UCL	UCL4L	31.10	177.87	132.76	77.15	17.73	1	11.90				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility	 		UCL	UCL4L	44.20	1//.8/	132.76	11.15	17.73	1	11.90				
	reservation-Zone 3	l	3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90	1	1		
	Order Coordination for Unbundled Copper Loops (per loop)	1	-	UCL	UCLMC	70.42	9.00	9.00	77.13	11.13	1	11.30				
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-			302		†	3.55	0.00				1				
	Zone 1	l	1	UCL	UCL4O	31.10	153.18	100.03	62.74	11.22		11.90				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-								İ							
	Zone 2	l	2	UCL	UCL4O	44.20	153.18	100.03	62.74	11.22		11.90			1	

Version 4Q02: 12/18/02 Page 32 of 324

UNDUND	LED NETWORK ELEMENTS - Florida			1								_		ment: 2		oit: B
CATEGOR	rate elements	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
						rico	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_													
	Zone 3		3	UCL	UCL40	78.42	153.18	100.03	62.74	11.22		11.90				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00				44.00				<u> </u>
LOOD MOD	CLEC to CLEC Conversion Charge w/o outside dispatch		1	UCL	UREWO		97.21	42.47				11.90				
LOOP WICE	DIFICATION	-		UAL,UHL,UCL,UEQ,U												-
				LS,UEA,UEANL,UEPS												
	Habitandand Land Madification Descript of Land Caile 200 and the Additional Caile 200 and the Additiona			R,UEPSB	ULM2L		0.00	0.00				11.90				
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	-		UCL,ULS,UEQ	ULM2G		343.12	343.12				11.90				-
	Unbundled Loop Modification Removal of Load Coils-2VV > Tokit Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft		1	UHL,UCL	ULM4L		0.00	0.00			1	11.90				
	Unbundled Loop Modification Removal of Load Coils-4W c of = 18kft			UCL	ULM4G		343.12	343.12	1			11.90				
	Oribundled Loop Modification Removal of Load Colls-44V pt > Tokit		1	UAL,UHL,UCL,UEQ,U	ULIVI4G		343.12	343.12			1	11.90				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			LS,UEA,UEANL,UEPS												
	unbundled loop			R,UEPSB	ULMBT		10.52	10.52				11.90				
SUB-LOOP	S															
Sub-	Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		487.23					11.90				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		6.25					11.90				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169.25					11.90				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	- 1		UEANL	USBSD		38.65					11.90				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00									
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00									
	Sub-Loop 2W Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00									<u> </u>
	Sub-Loop 4W Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00									<u> </u>
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26		11.90				<u> </u>
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	<u> </u>	2	UEF	UCS2X	7.31	60.19	21.78		5.26		11.90				<u> </u>
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	ļ	11.90				<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	.		UEF	USBMC	5.00	9.00	00.40	10.71	0.00	ļ	44.00				<u> </u>
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	-	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90				ļ
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		11.90				ļ
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	<u> </u>	3	UEF UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		11.90				
linh	Order Coordination for Unbundled Sub-Loops, per sub-loop pr undled Sub-Loop Modification		1	UEF	USBMC		9.00		 		+	}	 	-	-	
UIID	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip		1						 		+	}	 	-	-	
	Removal per 2-W PR			UEF	ULM2X		10.11					11.90	1			1
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip		 	OLI	OLIVIZA		10.11		1		1	11.50		-	 	
	Removal per 4-W PR			UEF	ULM4X		10.11					11.90	1			1
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap	-	1	OLI	JLIVITA		10.11				1	11.30				—
	Removal, per PR unloaded			UEF	ULM4T		15.58					11.90				
Unbi	undled Network Terminating Wire (UNTW)			02.	02		10.00					11.00				
0	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4572	18.02					11.90				
Netw	rork Interface Device (NID)		1	02	JE. 1. 7	357£	.0.02					50				
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		71.49	48.87				11.90				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		113.89	89.07				11.90	İ	İ	İ	
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		7.63	7.63				11.90	İ	İ	İ	
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		7.63	7.63				11.90				
SUB-LOOP	S															
Sub-	Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA,UDN,UCL,UDL,U												
	Facility set-up			DC	USBFW		487.23		<u> </u>			11.90				<u></u>
				UEA,UDN,UCL,UDL,U		_										
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			DC	USBFX		6.25	6.25	ļ			11.90				1
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		522.41	11.32				11.90				
. Т	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1	\bot	1	UEA	USBFA	6.41	92.75	51.24	58.45	13.07		11.90		L		

Version 4Q02: 12/18/02 Page 33 of 324

ONDONDI	ED NETWORK ELEMENTS - Florida	_												ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2	-	2	UEA	USBFA	9.10	First 92.75	Add'I 51.24	First 58.45	Add'l 13.07	SOMEC	11.90	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR		_	UEA	OCOSL	10.10	23.02	01121	00.10	10.01		11.00				
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3		3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1		1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07		11.90				ļ
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3	_	3	UEA UEA	USBFC USBFC	9.10 16.15	92.75 92.75	51.24 51.24	58.45 58.45	13.07 13.07		11.90 11.90				-
	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	10.15	23.02	31.24	36.43	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	12.47	106.92	64.46	63.54	14.83	1	11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	11.00	23.02	00.00	00.04	40.40		44.00				ļ
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2	_	2	UDN UDN	USBFF USBFF	14.83 21.07	109.71 109.71	66.68 66.68	60.21 60.21	12.49 12.49		11.90 11.90				-
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	-	3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		,	UDN	OCOSL	37.33	23.02	00.00	00.21	12.43		11.30				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.83	109.71	66.68	60.21	12.49	1	11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	42.59	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	60.53	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	107.39	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	0.70	23.02	10.01	===			44.00				
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	-	1	UCL	USBFH	3.76	85.27	42.24	58.54	10.82	-	11.90 11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3	_	3	UCL UCL	USBFH	5.35 9.49	85.27 85.27	42.24 42.24	58.54 58.54	10.82		11.90				-
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	9.49	23.02	42.24	36.34	10.02		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	7.32	99.66	57.20	60.98	12.28	1	11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	10.40	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	18.46	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90				ļ
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3	_	3	UDL UDL	USBFO USBFO	20.59 36.53	100.62 100.62	58.16 58.16	63.54 63.54	14.83 14.83		11.90 11.90				-
	Order Coordination For Specified Time Conversion, per LSR	+	3	UDL	OCOSL	30.53	23.02	58.16	63.54	14.83	1	11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83	1	11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	36.53	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.02									
UB-LOOPS																
Sub-l	oop Feeder															
	Sub Loop Feeder-DS3-Per mi Per mo	I		UE3	1L5SL	15.69										
	Sub Loop Feeder-DS3-Facility Term Per mo	1 !		UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58	1	11.90				
	Sub Loop Feeder – STS-1 – Per mi Per mo	- !	\vdash	UDLSX	1L5SL	15.69	0.400.50	407.1-	400.00	04.50	1	44.00				
	Sub Loop Feeder-STS-1-Facility Term Per mo Sub Loop Feeder – OC-3 – Per mi Per mo	1		UDLSX UDLO3	USBF7	402.09	3,402.59	407.15	166.83	94.58	1	11.90				
	Sub Loop Feeder – OC-3 – Per mi Per mo Sub Loop Feeder-OC-3-Facility Term Protection Per mo	++		UDLO3	1L5SL USBF5	11.90 62.98			 		1	-				
-+	Sub Loop Feeder-OC-3-Facility Term Protection Fer mo	+ -	\vdash	UDLO3	USBF2	547.22	3,402.59	407.15	166.83	94.58	+	11.90				
	Sub Loop Feeder-OC-12-Per mi Per mo	+ i		UDL12	1L5SL	14.65	5,402.55	701.13	100.03	J-1.J0	 	11.30				
	Sub Loop Feeder-OC-12-Fer Hill Fer Mic	l i		UDL12	USBF6	502.47					1					†
	Sub Loop Feeder-OC-12-Facility Term Per mo	i		UDL12	USBF3	1,577.00	3,402.59	407.15	166.83	94.58	1	11.90				
	Sub Loop Feeder-OC-48-Per mi Per mo		1	UDL48	1L5SL	48.06			1		1	T	 	l	 	

Version 4Q02: 12/18/02 Page 34 of 324

ONRONDE	ED NETWORK ELEMENTS - Florida													ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	vs.	Incremer al Charge Manual Svc Orde vs. Electroni
						1	Nonrecu	ırrina	NRC Disc	nnect		l	OSS	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	1		UDL48	USBF9	251.80										
	Sub Loop Feeder-OC-48-Facility Term Per mo			UDL48	USBF4	1,589.00	3,588.59	407.15	168.35	95.43		11.90				
	Sub Loop Feeder-OC-12 Interface On OC-48	1		UDL48	USBF8	331.15	804.98	407.15	168.35	95.43		11.90				
	D LOOP CONCENTRATION			V												
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	487.33	359.42	359.42	1			11.90				
	Unbundled Loop Concentration-System B (TR303)		1	ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration-DS1 Loop Interface Card		†	ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)		†	UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)		†	UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
+	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start			050	02000	0.00	10.00	10.00	0	00	†	11100				
	Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface			OLA	OLOGZ	2.00	10.55	10.50	0.77	0.75		11.30				
	(SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 13.2 Rbps Data Loop Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
	R. PROVISIONING ONLY - NO RATE			ODL	OLOGO	10.51	10.55	10.50	0.77	0.75		11.30				
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00		1							
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00		1							
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UE	UNECN	0.00	0.00		1							
LINE OTHER	R. PROVISIONING ONLY - NO RATE			OLANL,OLI ,OLQ,OL	UNLCIN	0.00	0.00		1							
ONE OTHER	I			UAL,UCL,UDC,UDL,U					1							
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00									
-	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA.UDN.UCL.UDC	USBFQ	0.00	0.00		1							
 	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate		1	UEA.USL.UCL.UDL	USBFR	0.00	0.00		+ +							
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00		1							
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00		1							
	CITY UNBUNDLED LOCAL LOOP			OOL	CCOLI	0.00	0.00									
	:: minimum billing period of three months for DS3 and above Local Loc	n n	1			1			 		1	 				
	High Capacity Unbundled Local Loop-DS3-Per mi per mo	۲	1	UE3	1L5ND	10.92			 		1	 				
 	High Capacity Unbundled Local Loop-DS3-Fei fili per filo High Capacity Unbundled Local Loop-DS3-Facility Term per mo		-	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
 	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		-	UDLSX	1L5ND	10.92	550.57	343.01	139.13	30.04		11.90				
	High Capacity Unbundled Local Loop-STS-1-Fet fill pet fillo		-	UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP MAKE			1	UDLOA	JDLJI	420.00	550.57	343.01	135.13	30.04	1	11.30			1.03	
LOOF WARE	Loop Makeup-Preordering w/o Reservation, per working or spare facility		1			+			 		1					
1 1	queried (Manual).			UMK	UMKLW	1	52.17	52.17								
\vdash	Loop Makeup-Preordering W Reservation, per spare facility		 	UMK	UMKLW		52.17 55.07	55.07	 		 	 				-
\vdash	Loop MakeupPreordering w Reservation, per spare facility Loop MakeupWith or w/o Reservation, per working or spare facility		<u> </u>	UIVIN	UIVIKLP		55.07	55.07	 		-					<u> </u>
	queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								

	UNDL	ED NETWORK ELEMENTS - Florida												Attachi	nent: 2	Exhib	oit: B
ATEC	GORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonrect		NRC Disco		201150	001111		Rates (\$)	001111	001111
ICH I	EDEOL	JENCY SPECTRUM						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		SHARING		1						-							
		TERS-CENTRAL OFFICE BASED	-	+						1							
	SELII	Line Sharing Splitter, per System 96 Line Capacity-True up pending								1							
		approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
		Line Sharing Splitter, per System 24 Line Capacity-True up pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				
-		Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per	<u> </u>		OLO	OLODO	0.00	070.10	0.00	047.00	0.00		11.00				
		LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00		11.90				
	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECT	RUM	AKA L	INE SHARING												
		Line Sharing-per Line Activation-(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
		Line Sharing-per Subsqnt Activity per Line Rearrangement-True up															
		pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44	ļļ			11.90				
J		Line Sharing-per Subsqnt Activity per Line Rearrangement-True up	_														
_		pending approval by PSC(DLEC Owned Splitter)	R	1	ULS	ULSCS	201	21.68	16.44	00.07	40.71		11.90				
4		Line Sharing-per Line Activation (DLEC owned Splitter)		1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
		SPLITTING SER ORDERING-CENTRAL OFFICE BASED	-							 							
_		Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
-		Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical	+	+	UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		11.90				
			l ¦	1	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90				
		Line Splitting-per line activation BST owned-virtual TE SITE HIGH FREQUENCY SPECTRUM		+	UEFSK UEFSB	UKEBV	1.134	29.00	21.20	19.57	9.01		11.90				
		TERS-REMOTE SITE		+													
-		Remote Site Line Share BST Owned Splitter, 24 Port		+	ULS	ULSRB	46.07	114.81	0.00	86.20	0.00		11.90				
+		Remote Site Line Share Cable pr Activation CLEC Owned at RS &	-		ULS	OLOND	40.07	114.01	0.00	00.20	0.00		11.50				
		deactivation	1		ULS	ULSTG		95.64	0.00	69.19	0.00		11.90				
		SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA F	EMOT	TE SIT		020.0		00.01	0.00	00.10	0.00		11.00				
_	1	Remote Site Line Share Line Activationfor End User Served at RS. BST	<u> </u>	<u> </u>													
		Splitter	l i		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				
		RS Line Share Line Activation for End User served at RS, CLEC Splitter	ı		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
		Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	- 1		ULS	ULSRS		49.15	17.83				11.90				
		Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	- 1		ULS	ULSTS		49.15	17.83				11.90				
IBUI	NDLE	DEDICATED TRANSPORT															
	NOTE:	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	od - be	low DS3=one month, a	above DS3=	four months										
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
_		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo	<u> </u>	1	U1TVX	1L5XX	0.0091						4				
		Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term	<u> </u>	1	U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
_		Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo	<u> </u>	1	U1TVX	1L5XX	0.0091	47.0-	01.70	40.04	7.00		41.00				
_		Interoffice Channel-Dedicated Transport-4W VG-Facility Term	<u> </u>	1	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
-		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo Interoffice Channel-Dedicated Transport-56 kbps-Facility Term	 	1-	U1TDX U1TDX	1L5XX U1TD5	0.0091 18.44	47.35	31.78	18.31	7.03	1	11.90				
				+	U1TDX	1L5XX	0.0091	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo Interoffice Channel-Dedicated Transport-64 kbps-Facility Term		+	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel-Dedicated Transport-04 kbps-Facility Term Interoffice Channel-Dedicated Channel-DS1-Per mi per mo		+	U1TD1	1L5XX	0.1856	47.33	31.76	10.31	7.03		11.90				
-		Interoffice Channel-Dedicated Channel-DS1-Fer fill per filo		1	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
+		Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD3	1L5XX	3.87	105.54	30.47	21.4/	18.05		11.90				
-+		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo		1	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	<u> </u>	11.90				1
+		Interoffice Channel-Dedicated Transport-SCS-1-Per mi per mo		1	U1TS1	1L5XX	3.87	300.40	210.20	. 2.00	. 5.50		. 1.55				
T†		Interoffice Channel-Dedicated Transport-STS-1-Facility Term		1	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
T		CHANNEL - DEDICATED TRANSPORT						_		1							
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing perio	d = be	low D	S3=one month, above	DS3=four n	nonths										
		Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-2W VG-Zone 2		2	ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-2W VG-Zone 3		3	UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-2W VG Rev. BatZone 1		1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-2W VG Rev. BatZone 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-2W VG Rev. BatZone 3	<u> </u>	3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-4W VG-Zone 1		1	ULDVX ULDVX	ULDV4 ULDV4	20.45	266.54	47.67 47.67	44.22 44.22	5.33 5.33		11.90 11.90				
-	-	Local Channel-Dedicated-4W VG-Zone 2		2			29.06	266.54									

Version 4Q02: 12/18/02 Page 36 of 324

ONDONDL	ED NETWORK ELEMENTS - Florida		, ,			1								ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu	urring	NRC Disc	onnect			oss	Rates (\$)	1	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS1-Zone 2		2	ULDD1	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS1-Zone 3		3	ULDD1	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				<u> </u>
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3 ULDD3	1L5NC ULDF3	8.50	556.37	343.01	139.13	96.84		11.90				
	Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo			ULDD3	1L5NC	531.91 8.50	556.37	343.01	139.13	96.84		11.90				
+	Local Channel-Dedicated-STS-1-Fer him per mo			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBE				OLDST	OLDI 3	340.09	330.37	343.01	139.13	30.04		11.50				
DARKTIBLI	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	55.04										
-	NRC Dark Fiber-Local Channel			UDF	UDFC4	00.04	751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-				1											
1	Interoffice Channel	1		UDF	1L5DF	26.85							1	1		1
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-					1										
1	Local Loop	l		UDF	1L5DL	55.04										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		751.34	193.88				11.90				
8XX ACCES	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			0.15			0.70		0	0.70		11100				
	Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.15	2.07		****		11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			0.15												
	CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				ļ
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				ļ
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX	0.0006252	4.15	4.15				11.90				ļ
	8XX Access Ten Digit Screening, w/8FL No. Delivery, per query			OHD OHD		0.0006252										
LINE INCOR	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query MATION DATA BASE ACCESS (LIDB)			OHD		0.0006252										
LINE INFOR	LIDB Common Transport Per Query			OQT		0.0000203										
+	LIDB Validation Per Query			OQU		0.0000203			1							
-	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX	0.0130333	55.13	55.13	55.13	55.13		11.90				
SIGNALING				001,000	IVIXI DX	1	33.13	33.13	33.13	33.13		11.30				
JIGHALING	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	135.05										
+	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															
	Change, per STP affected	L		UDB	CCAPO	<u> </u>	46.03	46.03	46.03	46.03	<u></u>	11.90	<u></u>	<u></u>	<u> </u>	<u></u>
E911 SERVI																
	Local Channel-Dedicated-2-wr VG-Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2-wr VG-Zone 2					29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2-wr VG-Zone 3					57.22	265.84	46.97	37.63	4.00		11.90				<u> </u>
	Interoffice Transport-Dedicated-2-wr VG Per mi				4	0.0091					ļ	L				
	Interoffice Transport-Dedicated-2-wr VG Per Facility Term					25.32	47.35	31.78				11.90				<u> </u>
	Local Channel-Dedicated-DS1-Zone 1	<u> </u>			_	35.28	216.65	183.54		19.05		11.90				
	Local Channel-Dedicated-DS1-Zone 2					47.63	216.65	183.54		19.05		11.90			-	
	Local Channel-Dedicated-DS1-Zone 3	<u> </u>			-	92.01	216.65	183.54	21.47	19.05	1	11.90			1	
	Interoffice Transport Dedicated DS1 Per mi	 	\vdash		+	0.1856	105.54	98.47	24.47	10.05	!	11.90			-	-
CALLING	Interoffice Transport-Dedicated-DS1 Per Facility Term AME (CNAM) SERVICE	-	\vdash		+	88.44	105.54	98.47	21.47	19.05	!	11.90	-	-	 	
	CNAM For DB Owners-Service Establishment	-		OQV	+		25.35	25.35	19.01	19.01	 	11.90				
	CNAM For Non DB Owners-Service Establishment	-		OQV	1	1	25.35	25.35		19.01	1	11.90	1	1	 	
	CNAM For DB Owners-Service Establishment CNAM For DB Owners-Service Provisioning With Point Code		-	OQV			1,592.00	1,177.00			1	11.90	 	 	1	

UNBUNI	NDLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	oit: B
CATEGOR	DRY RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Manual	al Charge Manual Svc Orde vs.
						Rec	Nonrecu First	ırring Add'l	NRC Disc First		COMEC	COMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners-Service Provisioning With Point Code						FIRST	Addi	FIRST	Add'l	SOMEC	SOMAN	SOWAN	SUMAN	SUMAN	SOWAN
	Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
	CNAM for DB Owners, Per Query			OQV		0.001024										
	CNAM for Non DB Owners, Per Query			OQV		0.001024										
LNP Quer	ery Service															
	LNP Charge Per query			OQV		0.000852	40.00	40.00	10.71	40.74		44.00				
	LNP Service Establishment Manual						13.83 655.50	13.83	12.71	12.71		11.90 11.90				
ODEDATO	LNP Service Provisioning with Point Code Establishment FOR CALL PROCESSING						000.00	334.88	297.03	218.40		11.90			-	
OFERATO	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB					1.20										
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB					1.24										
	Oper. Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD (OPERATOR SERVICES															
\vdash	Inward Oper Services-Verification, Per Call					1.00	, i									
DDANET	Inward Oper Services-Verification & Emergency Interrupt-Per Call	ļ	<u> </u>			1.95									<u> </u>	
	NG - OPERATOR CALL PROCESSING acility based CLEC	-	1									-			-	-
rac	Recording of Custom Branded OA Announcement	-	 		CBAOS		7,000.00	7,000.00	1			11.90			 	1
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN		1		CBAOL		500.00	500.00				11.90				
UNI	NEP CLEC				02.101		300.00	550.00				. 1.55			t	
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				11.90				
Unk	nbranding via OLNS for UNEP CLEC			_		·										
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
	ORY ASSISTANCE SERVICES		<u> </u>													
DIR	RECTORY ASSISTANCE ACCESS SERVICE	-	-			0.075						-			-	-
Die	Directory Assistance Access Service Calls, Charge Per Call RECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	-	 			0.275						-			 	-
DIK	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt		1			0.10										
DIRECTO	ORY ASSISTANCE SERVICES					50									t	
	RECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	NG - DIRECTORY ASSISTANCE	<u> </u>	<u> </u>													
Fac	Recording & Provisioning of DA Custom Prended Announcement	-	<u> </u>	A B ATT	CDADA		2 000 00	3 000 00				14.00			-	-
\vdash	Recording & Provisioning of DA Custom Branded Announcement Loading of Custom Branded Announcement per Switch per OCN			AMT AMT	CBADA CBADC		3,000.00 1,170.00	3,000.00 1,170.00				11.90 11.90			 	-
LIM	NEP CLEC	 	\vdash	/AVI I	CDADC		1,170.00	1,170.00				11.90			 	-
- IONI	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				11.90				
Uni	nbranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				11.90				
	Loading of DA per Switch per OCN						16.00	16.00				11.90				
SELECTIV	IVE ROUTING	<u> </u>	<u> </u>		1105.05			66 =-		4		41.00				
MDTHA	Selective Routing Per Unique Line Class Code Per Request Per Switch	<u> </u>	<u> </u>		USRCR		93.55	93.55	11.46	11.46		11.90				
VIKTUAL	L COLLOCATION Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.0502	11.57					11.90			 	-
PHYSICAL	AL COLLOCATION	 	\vdash	ULFON,UEFOD	VL ILO	0.0502	11.57					11.90			 	-
····SIGAL	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90				
AIN SELE	ECTIVE CARRIER ROUTING			22: 2: ,02: 02		3.02.0	J.22		J						t e	
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
	Query NRC, per query			SRC		0.0031868										
AIN - BEL	LLSOUTH AIN SMS ACCESS SERVICE				011:							L				
\vdash	AIN SMS Access Service-Service Establishment, Per State, Initial Setup	ļ	<u> </u>	A1N	CAMSE		43.56	43.56	44.93	44.93		11.90			<u> </u>	
\vdash	AIN SMS Access Service-Port Connection-Dial/Shared Access	-	-	A1N	CAMAR		8.64	8.64	10.03	10.03		11.90			-	-
1 1	AIN SMS Access Service-Port Connection-ISDN Access	-		A1N A1N	CAM1P CAMAU		8.64 38.66	8.64 38.66	10.03 29.88	10.03 29.88		11.90 11.90				
	AIN SMS Access Service-User Identification Codes-Per User ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or			Ally	CAMAO		30.00	30.00	29.00	23.00		11.30			1	

Version 4Q02: 12/18/02 Page 38 of 324

UNB	UNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	bit: B
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							Rec	Nonreci		NRC Disc			T =		Rates (\$)		
		AIN CMC Access Conice Storage Der Heit (400 Kilebutes)		-			0.0028	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) AIN SMS Access Service-Session, Per min		1			0.0028						-				
	1	AIN SMS Access Service-Company Performed Session, Per min					0.4609										+
AIN -	BELLS	OUTH AIN TOOLKIT SERVICE					0.1000										
		AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
		AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
		Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				ļ
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				DAPTIVI		0.04	0.04	10.03	10.03		11.90				
		PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
		Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
	-	AIN Toolkit Service-Query Charge, Per Query					0.0535927										-
		AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063698										
		AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
		AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
FNH4		EXTENDED LINK (EELs)			OAW	DALLO	0.12	9.50	9.50				11.30				
		: The monthly recurring and non-recurring charges below will apply ar	nd the	Switch	h-As-Is Charge will no	t apply for	EELs provision	ned as ' Ordina	arily Combin	ned' Networ	k Elemen	ts.					
		: The monthly recurring and the Switch-As-Is Charge and not the non-				for EELs p	provisioned as	' Currently Co	mbined' Ne	twork Eleme	ents.						
		: Minimum billing is one month for DS1 and below and three months a															
	2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	CE TR	ANSP		LIEALO	40.04	107.50	00.54	40.70	0.04		44.00				
		First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1 First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2 UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81		11.90 11.90				
		First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
		Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		Ŭ	UNC1X	1L5XX	0.1856	127.00	00.04	72.70	2.01		11.00				
		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
		DS1 Channelization System Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
		VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		_	LINOVA	LIEALO	40.04	407.50	00.51	40.70	0.01		14.00				
	1	Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	1	Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
l		Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90	1			
		VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
		NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CE TR	ANSP	ORT (EEL)												1
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	-	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X	1L5XX	0.1856	127.59	60.54	42.19	2.01		11.90	-			\vdash
		Interoffice Transport-Dedicated-DS1-Combination-Fer min Fer mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
		Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75			1	11.90				1
		VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
		Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	•																

Version 4Q02: 12/18/02 Page 39 of 324

<u>JNBUN</u> D	LED NETWORK ELEMENTS - Florida												Attachr	ment: 2	Exhil	bit: B
CATEGORY	' RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
						Rec	Nonrecu	ırring	NRC Disco	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				ļ
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
4 14/1	NRC Currently Combined Network Elements Switch-As-Is Charge RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	TDAN	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-11	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	FFICE	IKAN	SPORT (EEL)					1							
	Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		<u> </u>	ONODA	02200	22.20	127.00	00.01	12.70	2.01		11100				
	Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Add'I 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		1.				400.55									
	Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'I 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport					0.4.50			40 =0							
	Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport			LINODY	1101.50	55.00	407.50	00.54	40.70	0.04		44.00				
	Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo				45455		40.40									
	(2.4-64kbs)		1	UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
4 18/1	NRC Currently Combined Network Elements Switch-As-Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	TDAN	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-441	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	FFICE	IKAN	SPORT (EEL)												
	Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	-	-	UNCDA	UDL64	22.20	127.59	60.54	42.79	2.01		11.90				
	Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODL04	31.30	127.55	00.54	42.73	2.01		11.30				
	Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ŭ	UNC1X	1L5XX	0.1856	127.00	00.0.	12.70	2.01		11100				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															1
	(2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															1
	Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport								1 7	· <u>-</u>	1	1				
	Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo					_						l				
	(2.4-64kbs)		1	UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
4 14***	NRC Currently Combined Network Elements Switch-As-Is Charge	L	ANCOC	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	jE ΓR/	ANSPO		HOLYY	70 71	017.75	404.00	F	44.4-		44.00				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone	-	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	-	3	UNC1X UNC1X	USLXX 1L5XX	178.39 0.1856	217.75	121.62	51.44	14.45	 	11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo		1	UNC1X UNC1X	U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95	1	11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge		1	UNC1X UNC1X	UNCCC	00.44	8.98	8.98	8.98	8.98	1	11.90				
4-1//	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	F TR	ANSPO		0.1000		0.30	0.30	0.00	5.50		11.30				+
7-771	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	- 11\/	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
_	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	1	11.90				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				†
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	3.87	217.73	.21.02	31.77	. 1.10	1	. 1.50				†
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
	DS3 to DS1 Channel System combination per mo		1	UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo		1	UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90	i			1
-+-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				

Version 4Q02: 12/18/02 Page 40 of 324

UNBUND	LED NETWORK ELEMENTS - Florida													ment: 2	Exhib	bit: B
CATEGOR	rate elements	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	vs.	al Charge Manual Svc Orde vs.
						_	Nonrecu	ırrina	NRC Disc	onnect		per LSK		Rates (\$)	Electronic-	Electroni
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				<u> </u>
-	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X UNC3X	UC1D1 UNCCC	13.76	12.16	8.77	6.71 8.98	4.84 8.98	ļ	11.90 11.90				
2-WI	NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFF	ICE TE	ANSD		UNCCC		8.98	8.98	8.98	8.98		11.90				
2-111	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1	T I	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90			-	
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				1
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0091										
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53		11.90				
4 180	NRC Currently Combined Network Elements Switch-As-Is Charge	IOF TO		UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-vVI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFF 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1	ICE IN	ANSP	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81	-	11.90			 	
-	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2	1	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90			-	
-	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3	1	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81	1	11.90			t	t -
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo	1	Ť	UNCVX	1L5XX	0.0091										1
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRA	NSPOR	T (EEI													
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	10.92	0.40.07	400.05	07.40	00.00		44.00				
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per	-		UNC3X UNC3X	UE3PX 1L5XX	386.88 3.87	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport-Dedicated-DS3-Per mi per mo Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo	-		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90			-	-
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC	1,071.00	8.98	8.98	8.98	8.98		11.90				-
STS	I DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TI	RANSP	ORT (E		011000		0.00	0.50	0.00	0.00		11.00				
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo		\	UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per	•		UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	3.87										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL	.)	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2	-	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90			-	-
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90			-	
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
_	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
_	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone	-	3	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo	+	3	UNCNX UNCNX	U1L2X UC1CA	48.62 3.66	127.59 12.16	60.60 8.77	42.79 6.71	2.81 4.84	 	11.90 11.90			 	+
+	NRC Currently Combined Network Elements Switch-As-Is Charge	1	1	UNC1X	UNCCC	5.00	8.98	8.98	8.98	8.98		11.90				\vdash
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROF	FICE T	RANSI				2.00	2.50	2.30	2.30		50				†
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo	<u> </u>	1	UNCSX	1L5XX	3.87	6444-	400.0-	60.01	40.00		4				
	Interoffice Transport-Dedicated-STS1 combination-Facility Term	!	1	UNCSX	U1TFS MO3	1,056.00	314.45	130.88	38.60	18.23	1	11.90			-	₩
+	STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo	1	1	UNCSX UNC1X	MQ3 UC1D1	211.19 13.76	20.06 12.16	31.66 8.77	5.45 6.71	0.00 4.84	1	11.90		-	-	+
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
1	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	†	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90			†	†
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	RANS	PORT		115: ==		40==-	66.5	/0 =	0.0:		4				↓
-	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1	<u> </u>	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				₩
-+	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2 4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3	1	2	UNCDX UNCDX	UDL56 UDL56	31.56 55.99	127.59 127.59	60.54 60.54	42.79 42.79	2.81	-	11.90 11.90			 	
-+	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi	1	3	UNCDX	1L5XX	0.0091	127.59	00.54	42.79	2.81	 	11.90			 	+
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi	1	1	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge	1	 	UNCDX	UNCCC	10.74	8.98	8.98	8.98	8.98	1	11.90	l .	l	1	

Version 4Q02: 12/18/02 Page 41 of 324

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge -	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonreci		NRC Disc					Rates (\$)		T
4 14/15	E CA KERE DIGITAL EXTENDED I COR WITH CA KERE INTEROFFICE T	DANCE	ODT	(FF!)			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-7716	LE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TO 14W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1	KANSF	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90	-			ļ
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				1
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0091										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	L NETWORK ELEMENTS															ļ
	used as a part of a currently combined facility, the non-recurring charge															
	used as ordinarily combined network elements in All States, the non-r				witch As Is	Charge does n	ot.		1							
NKC (Currently Combined Network Elements "Switch As Is" Charge (One app NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W	nes to	each	Combination)	_							1	-			-
	VG		l	UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-ls Charge-56/64			5140 VX	5,1000		0.30	0.90	0.00	0.30	1	11.30	t			
	kbps		l	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Belov	v DS3=														ļ
	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				1
	Local Channel-Dedicated-2W VG Zone 2		2	UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				-
	Local Channel-Dedicated-2W VG Zone 3 Local Channel-Dedicated-4W VG Zone 1		3	UNCVX	ULDV2 ULDV4	49.58 20.45	265.84 266.54	46.97 47.67	37.63 44.22	4.00 5.33		11.90 11.90				
	Local Channel-Dedicated-4W VG Zone 1 Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90	-			-
	Local Channel-Dedicated-4W VG Zone3		3	UNCVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
	Local Channel-Dedicated 4VV VS 25/165 Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				1
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	8.50										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	8.50										ļ
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				1
	nal Features & Functions:								1							
	IPLEXERS : minimum billing period is one month for DS1 to DS0 Channel System	and in	torfoo		-											-
	: minimum billing period is one month for DS1 to DS0 Chamler system															
11012	Channelization-DS1 to DS0 Channel System	uniner.	o y occ.	UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90	-			
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.66	10.07	7.08				11.90				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07	ļ	11.90				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL ULDD1	UC1D1 UC1D1	13.76 13.76	10.07 10.07	7.08 7.08	1	-	<u> </u>	11.90 11.90	1			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			ULDD1 U1TD1	UC1D1	13.76	10.07	7.08				11.90				
Sub-I	Loop Feeder			וטווט	OCIDI	13.76	10.07	7.06				11.90				
Jub-L	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21			t e			
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21						
JNBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
2-WIF	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80 1.80		11.90	-			
	Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res. Exchange Ports-2W VG unbundled FL Residence Area Calling Plan, w/o			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80	-	11.90	-			
	Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use with			OLFOR	OLFAS	1.40	3.14	3.03	1.00	1.00		11.50				
	CREX7 & Caller ID		l	UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use with								, ,							
1	CREX7, w/o Caller ID capability		1	UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80	1	11.90]	

Version 4Q02: 12/18/02 Page 42 of 324

JNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonreci First	urring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID						11130	Auu i	11130	Auu	JOINEO	JOHAN	JOHAN	JOHIAN	JOHAN	JOINAIN
	(LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				11.90				
FEAT				LIEBOD												
0.14/10	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS) Exchange Ports-2W Analog Line Port w/o Caller ID-Bus		1	UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with		1	UEPSB	UEPBL	1.40	3.74	3.03	1.88	1.80		11.90				-
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		1	UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
FEAT	JRES															
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				1
EXCH	ANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res		1	UEPSE	UEPRD	1.40	39.06	18.18	12.35			11.90				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus		-	UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus 2W VG Line Side Unbundled Incoming PBX Trunk-Bus		1	UEPSP UEPSP	UEPPO UEPP1	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				-
	2W Analog Long Distance Terminal PBX Trunk-Bus		1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				+
	2W Voice Unbundled PBX LD Terminal Ports		-	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				1
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room		-	OLI OI	OLI XIVI	1.40	33.00	10.10	12.00	0.7 107		11.30				
	Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				11.90				
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
	ANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.40	3.74			1.80		11.90	DN			-
	 Transmission/usage charges associated with POTS circuit switched Access to B Channel or D Channel Packet capabilities will be availab 											with 2W IS	ори рокс.			
	D LOCAL EXCHANGE SWITCHING(PORTS)	ne oni	Tillou	gii brk/Nbk Flocess.	Rates for	тпе раскет сар	Jabilities will i	be determin	eu via tile b	FR/NDR	riocess.					+
	ANGE PORT RATES		1													
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	1
	All Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	Transmission/usage charges associated with POTS circuit switched											with 2We I	SDN ports.			
	Access to B Channel or D Channel Packet capabilities will be available									FR/NBR	Process.					
	Exchange Ports-2W ISDN PortChannel Profiles	<u> </u>	 							10.00		14.00			4.00	
	Exchange Ports-4W ISDN DS1 Port NDLED PORT with REMOTE CALL FORWARDING CAPABILITY		1	UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23	-	11.90			1.83	
	NDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1	+						1		 	1	-			+
UNDU	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		11.90		<u> </u>		
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<u> </u>	UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80	1	11.90				t
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				†
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				1
Non-F	ecurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service-Conversion with allowed				l]			1
	change (PIC & LPIC)			UEPVR	USACC		0.102	0.102	1		i	i	1	1		1

Version 4Q02: 12/18/02 Page 43 of 324

UNBUNDI	ED NETWORK ELEMENTS - Florida													ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
						Rec	Nonreci		NRC Disco		COMEC	COMAN		Rates (\$)	COMAN	COMAN
LIMBI	I JNDLED REMOTE CALL FORWARDING - Bus						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UND	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service Expanded & Exception Local			UEPVB	UERVJ	1.40	2.74	3.63	1 00	1 00		11.90				
Non-	Calling Recurring			UEFVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				
NOII-	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service-Conversion with allowed			OLI VB	OUNUE		0.102	0.102				11.00				
	change (PIC & LPIC)			UEPVB	USACC		0.102	0.102								
NBUNDLE	D LOCAL SWITCHING, PORT USAGE			-	1				i i							
	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007662										
	End Office Trunk Port-Shared, Per MOU					0.000164										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001319										
	Tandem Trunk Port-Shared, Per MOU					0.000235										
Com	non Transport															
	Common Transport-Per mi, Per MOU					0.0000035										
	Common Transport-Facilities Term Per MOU					0.0004372										
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
			sion ru	ile to provide Unbund	led Local S	witchina or Sw	itch Ports.									
	Based Rates are applied where BellSouth is required by FCC and/or Co															
Featu	res shall apply to the Unbundled Port/Loop Combination - Cost Based	Rate s	ection	in the same manner	as they are	applied to the	Stand-Alone l									
Featu End (res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate	Rate s	ection ne Por	in the same manner at section of this exhibit	as they are it shall appl	applied to the ly to all combin	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined	Rate s	ection ne Por	in the same manner at section of this exhibit	as they are it shall appl	applied to the ly to all combin	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Rate s	ection ne Por	in the same manner at section of this exhibit	as they are it shall appl	applied to the ly to all combin	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	Rate s	ection ne Por os. Fo	in the same manner at section of this exhibit	as they are it shall appl	applied to the ly to all combine NRC charges	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1	Rate s	section ne Port os. Fo	in the same manner at section of this exhibit	as they are it shall appl	applied to the y to all combine e NRC charges 10.94	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	Rate s	section ne Portos. For	in the same manner at section of this exhibit	as they are it shall appl	applied to the y to all combine e NRC charges 10.94 15.05	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF UNE	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3	Rate s	section ne Port os. Fo	in the same manner at section of this exhibit	as they are it shall appl	applied to the y to all combine e NRC charges 10.94	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF UNE	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined IEE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Loop Rates	Rate s	ne Portos. Fo	in the same manner a section of this exhibit r Currently Combined	as they are it shall appl Combos th	applied to the y to all combine NRC charges 10.94 15.05 25.80	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF UNE	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 2w VG Loop/Port Combo-Zone 3 2w VG Loop (SL1)-Zone 1	Rate s	section ne Portos. For	in the same manner is section of this exhibit Currently Combined	as they are it shall appl Combos th	applied to the y to all combine e NRC charges 10.94 15.05 25.80	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Featu End (The f 2-WIF UNE	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined IEE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Loop Rates	Rate s	section ne Portos. Fo	in the same manner a section of this exhibit r Currently Combined	as they are it shall appl Combos th	applied to the y to all combine NRC charges 10.94 15.05 25.80	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined of RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 20 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	Rate s	section ne Portos. For 1 2 3	in the same manner is section of this exhibit r Currently Combined UEPRX UEPRX UEPRX	as they are it shall applications the combos	applied to the y to all combine NRC charges 10.94 15.05 25.80 9.77 13.88	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	Rate s	section ne Portos. For 1 2 3	in the same manner is section of this exhibit r Currently Combined UEPRX UEPRX UEPRX	as they are it shall applications the combos	applied to the y to all combine NRC charges 10.94 15.05 25.80 9.77 13.88	Stand-Alone l nations of loo	p/port netw	ork elements	s except	for UNE Co			ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res)	Rate s	section ne Portos. For 1 2 3	Lin the same manner of section of this exhibit of Currently Combined UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx Ueplx Ueplx Ueplx Ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63	Stand-Alone I nations of loo s shall be thos	p/port netw.	ork elements	s except	for UNE Co	ed section		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence	Rate s	section ne Portos. For 1 2 3	Lin the same manner resection of this exhibit Currently Combined UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	use they are it shall applicated by the shall applicat	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63	Stand-Alone I nations of loo s shall be thos	p/port netwise identified	ork elements in the NRC	S except - Current	for UNE Co	ed section		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx uepra uepra uepra uepra uepra uepra uepra uepra	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17	Stand-Alone I nations of loo s shall be thos 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate first and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17	Stand-Alone I nations of loo s shall be thos 53.31 53.31 53.31	p/port netw- se identified	27.50 27.50 27.50	8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Diffice and Tandem Switching Usage and Common Transport Usage rate rist and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing port for use with CREX7 &	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	as they are it shall apply Combos the Combos	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	ueplx uepra uepra uepra uepra uepra uepra uepra uepra	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17	Stand-Alone I nations of loo s shall be thos 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate is and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 3 2W voice unbundled port residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined of RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 3 2W voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	as they are it shall apply of Combos the Com	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 2OOP Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 3 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (The formula of the form	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	as they are it shall apply of Combos the Com	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (The formation of the format	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate rist and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 .coop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability URES	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPA1 UEPA1 UEPA1 UEPA8 UEPA8 UEPA9 UEPTT	### applied to the y to all combine e NRC charges 10.94	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Love Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop (Sct)-Zone 1 2W VG Loop (Sct)-Zone 1 2W VG Loop (Sct)-Zone 1 2W VG Loop (Sct)-Zone 2 2W VG Loop (Sct)-Zone 2 2W VG Loop (Sct)-Zone 3 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled Fc Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLA UEPAF	9 y to all combine of NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End () The formation of the form	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate is and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability UN voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL extended Dialing Port w/o Caller ID Capability UN voice unbundled FL extended Dialing Port w/o Caller ID Capability UN voice unbundled FL extended Dialing Port w/o Caller ID Capability UN voice unbundled FL extended Dialing Port w/o Caller ID Capability UNES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port)	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAP UEPA1 UEPA1 UEPA1 UEPA8 UEPA8 UEPA9 UEPTT	### applied to the y to all combine e NRC charges 10.94	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End () The formation of the form	rres shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 3 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port with Caller ID Capability 2W voice unbundled FL Area Calling Port With Caller ID Capability 2W voice unbundled FL Area Calling Port With Caller ID Capability 2W voice unbundled FL Area Calling Port With Caller ID Capability 2W voice Undurate The Area Calling Port With Caller ID Capability 2W voice Undurate The Area Calling Port With Caller ID Capability 2W voice Undurate The Area Calling Port With Caller ID	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	9 y to all combine of NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (1) The first Control of the first Cont	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAS	9 y to all combine of NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate is and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W voice unbundled port residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL Area Calling Port w/o Caller ID Capability UN voice unbundled FL extended via Port w/o Caller ID Capability UN voice unbundled FL extended Via Port W/o Caller ID Capability UN voice unbundled FL extended Via Port W/o Caller ID Capability UN voice unbundled FL extended Via Port W/o Caller ID Capability UN voice unbundled FL extended Via Port V/o Caller ID Capability UN voice UN VOICE V	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	9 y to all combine of NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Control	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Love Crade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W VG Loop/Line Port Combination-Conversion-Switch with change	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 0.35	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.40	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Control	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAF UEPAF UEPAF UEPAF UEPAS	9 y to all combine of NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Control	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled FL ore Dort Ombination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity EV VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	Rate s	section ne Portos. For 1 2 3	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 0.35	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.40	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Control	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate rist and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 E Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID capability 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL extended dialing Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCS 2W VG Loop/Line Port Combination-Subsqnt Activity EV VICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	Rate s	section Portion 1	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.40	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Control	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate irst and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	Rate s	section (see Port (see Por	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 2.26 0.35 0.00	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.40	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		
Feature End (Control of the Fe	res shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rate rist and additional Port NRC charges apply to Not Currently Combined (RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 E Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID 2W voice unbundled FL extended dialing port for use with CREX7 & Caller ID capability 2W voice unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability 2W voice unbundled FL extended dialing Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability 2W voice unbundled FL extended Dialing Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCS 2W VG Loop/Line Port Combination-Subsqnt Activity EV VICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	Rate s	section Portion 1	UEPRX UEPRX	ueplx ueplx	applied to the y to all combine e NRC charges 10.94 15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.1	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.40	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37	for UNE Co	11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90		ations.		

Version 4Q02: 12/18/02 Page 44 of 324

INBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incremen
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge
		l-stani									Submitte	Submitte	Manual	Manual	Manual	Manual
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order			Svc Order
		m										Manually	vs.	vs.	vs.	vs.
											per Lak			Vs. Electronic-		
												per LSR	Electronic-	Electronic-	Electronic-	Electronic
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90				
_	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1,17	53.31	26.46	27.50	8.37		11.90				
LOCA	L NUMBER PORTABILITY			V = 1 = 11												
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															1
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			V = 1 = 1 1												
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.102	0.102				11.90				1
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX	USACC		0.102	0.102				11.90				1
	TIONAL NRCs															Ì
	2W VG Loop/Line Port Combination-Subsent Activity			UEPBX	USAS2		0.00	0.00				11.90				Ì
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 5%	00/102		0.00	0.00								1
	Port/Loop Combination Rates															1
0.12	2W VG Loop/Port Combo-Zone 1		1			10.94										1
	2W VG Loop/Port Combo-Zone 2		2		-	15.05									-	1
	2W VG Loop/Port Combo-Zone 3		3		-	25.80									-	1
	Loop Rates		-		-	20.00									-	1
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	9.77									-	1
	2W VG Loop (SL1)-Zone 2	-	2	UEPRG	UEPLX	13.88					l	†		 	-	1
	2W VG Loop (SL1)-Zone 3	-	3	UEPRG	UEPLX	24.63					 	 		 		\vdash
	e Voice Grade Line Port Rates (RES - PBX)	-	Ť	OLI NO	OLI LX	2-7.00					 	 		 		
2-4411	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res	-	1	UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73	 	11.90		 		
LOCA	L NUMBER PORTABILITY	-	1	OLI NO	OLI ND	1.17	174.01	100.00	10.00	12.13	 	11.30		 		
100	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00				11.90		 	1	

NRUND	LED NETWORK ELEMENTS - Florida			ı										ment: 2		bit: B
ATEGOR'	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
FEA	TURES						FIISL	Auu	FIISL	Auu	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		8.45	1.91				11.90				
ADD	ITIONAL NRCs				110100							44.00				
_	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			UEPRG	USAS2	0.00	0.00 7.86	0.00 7.86				11.90 11.90				<u> </u>
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)						7.86	7.80				11.90				
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2		1	15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE	Loop Rates					<u> </u>										
_	2W VG Loop (SL1)-Zone 1	<u> </u>	1	UEPPX	UEPLX	9.77					1					<u> </u>
	2W VG Loop (SL1)-Zone 2	<u> </u>	2	UEPPX	UEPLX	13.88 24.63										
2 14/:	2W VG Loop (SL1)-Zone 3 fre Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	24.63										
2-771	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
-	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		11.90				<u> </u>
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73		11.90				
_	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXE	1.17	174.81 174.81	100.65	75.88 75.88	12.73		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				ļ
1.00	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				<u> </u>
LOC	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				
FEA	TURES			OLITA	LIVI OI	0.10	0.00	0.00				11.00				
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				1
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		8.45	1.91				11.90				
ADD	ITIONAL NRCs	<u> </u>	<u> </u>	LIESSY.	110100							41.00				<u> </u>
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			UEPPX	USAS2	0.00	0.00 7.86	0.00 7.86				11.90 11.90				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						7.00	7.00				11.90				-
	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.94										1
	2W VG Coin Port/Loop Combo – Zone 2		2			15.05										
	2W VG Coin Port/Loop Combo – Zone 3		3			25.80										
UNE	Loop Rates															ļ
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										<u> </u>
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPCO UEPCO	UEPLX	13.88 24.63			-		-	-				
2-W:	re Voice Grade Line Ports (COIN)	1	3	UEPCU	UEPLA	24.03			1	1	 	1				
2-741	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37	1	11.90				t
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPFA	1.17	53.31	26.46		8.37		11.90				†
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,															1
	& Local			UEPCO	UEPCG	1.17	53.31	26.46		8.37		11.90				<u> </u>
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPRK	1.17	53.31	26.46		8.37		11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,	<u> </u>	<u> </u>	UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local	1	1	UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90		1	1	1

Version 4Q02: 12/18/02 Page 46 of 324

MOUNDL	ED NETWORK ELEMENTS - Florida			Г										ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrect First	urring Add'l	NRC Disc First	onnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37	SOMEC	11.90	SOWAN	SOWAN	SOWAN	SUMA
	2W Coin Outward Smartline with 900/976		+	UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		11.90				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			02.00	OL: OIL		00.01	20.10	27.00	0.01		11.00				<u> </u>
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00		11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90				<u> </u>
	2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCs			UEPCO	USACC		0.102	0.102			-	11.90				
	2W VG Loop/Line Port Combination-Subsqnt Activity		+	UEPCO	USAS2		0.00	0.00				11.90				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (RES)	321 00	33/102		0.00	0.00			1	11.50	†			
	Port/Loop Combination Rates	(1				
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2	_		18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										
	oop Rates		<u> </u>		1			ļ			1	1				
_	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24										<u> </u>
_	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		2	UEPFR UEPFR	UECF2	17.40 30.87					-					-
	e Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	30.87										-
2-7711	2W voice unbundled port-residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port vith Caller ID-res		1	UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73		11.90				†
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73		11.90				1
	2W voice unbundled FL Area Calling with Caller ID-res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90				
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78								ļ
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0091										<u> </u>
	URES All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00			-	11.90				
	L NUMBER PORTABILITY		1	UEFFR	UEFVF	2.20	0.00	0.00	-			11.90	-			-
	Local Number Portability (1 per port)		1	UEPFR	LNPCX	0.35										
NRC (CHARGES (NRCs) - CURRENTLY COMBINED			02	2.1. 07.	0.00										1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (BUS)		-							1				₩
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	13.64						1				├
-	2W VG Loop/IO Tranport/Port Combo-Zone 1 2W VG Loop/IO Tranport/Port Combo-Zone 2	-	2		1	18.80					1	1	 			
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27					1	+				
	Loop Rates		Ť			<i>UL.L1</i>										
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.24						İ				1
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87										
2-Wire	e Voice Grade Line Port (Bus)															<u> </u>
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73	<u> </u>	11.90				<u> </u>
-	2W voice unbundled port with Caller + E484 ID-bus		1	UEPFB UEPFB	UEPBC UEPBO	1.40 1.40	174.81 174.81	100.65 100.65	75.88	12.73	1	11.90	-			
	2W voice unbundled port outgoing only-bus 2W voice unbundled incoming only port with Caller ID-Bus		-	UEPFB	UEPB0	1.40	174.81	100.65	75.88 75.88	12.73 12.73		11.90 11.90				├
LOCA	L NUMBER PORTABILITY	 	+	OLFFD	OLFDI	1.40	174.01	100.05	73.00	12.13	1	11.50	 			\vdash
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					1	1	†			t -
INTER	ROFFICE TRANSPORT		1	525	2 0/	2.00						1				†
1	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0091										
	URES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00				11.90				
NRC (CHARGES (NRCs) - CURRENTLY COMBINED															Ь—
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			LIESES	110101											
1	Switch-as-is	1	1	UEPFB	USAC2		16.97	3.73	1		1	11.90	1			1

Version 4Q02: 12/18/02 Page 47 of 324

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LED NETWORK ELEMENTS - Florida		1	1	1							C		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			LIEDED	110400		40.07	0.70				44.00				
	Switch with change			UEPFB	USACC		16.97	3.73				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates		-		-	40.04										+
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		-	13.64 18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			32.27										4
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										4
	Loop Rates			LIEDED	LIEGEO	40.04										
-	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFP UEPFP	UECF2	17.40 30.87										₩
0.140	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87										↓
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)			LIEDED	LIEBBO	4.40	474.04	100.05	75.00	40.70		44.00				+
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73		11.90				+
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		11.90				+
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73		11.90				4
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP UEPFP	UEPLD	1.40	174.81 174.81	100.65	75.88	12.73 12.73		11.90 11.90				
	2W Voice Unbundled 2-Way Combination PBX Usage Port					1.40		100.65	75.88							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73		11.90				4
-	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73		11.90				4
-	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73		11.90				+
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73		11.90				↓
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			LIEDED	LIEDVA	4.40	474.04	400.05	75.00	40.70		44.00				
-	Calling Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73		11.90				+
	Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPFP	UEPXIVI	1.40	174.81	100.65	75.88	12.73		11.90				+
	Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73		11.90				
_	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73		11.90				+
1.004	L NUMBER PORTABILITY		-	UEPFP	UEPAS	1.40	1/4.81	100.65	75.88	12.73		11.90				+
LUCA	Local Number Portability (1 per port)		-	UEPFP	LNPCP	3.15	0.00	0.00				11.90				+
INITE	ROFFICE TRANSPORT			UEFFF	LINECE	3.13	0.00	0.00	-			11.90				+
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term		-	UEPFP	U1TV2	25.32	47.35	31.78								+
-	Interoffice Transport-Dedicated-2W VG-Par mi or Fraction mi			UEPFP	1L5XX	0.0091	47.33	31.70	-							+
EEAT	TURES			UEFFF	ILSAA	0.0091			-							+
FLAI	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00				11.90				+
NDC (CHARGES (NRCs) - CURRENTLY COMBINED			OLFIF	OLF VI	2.20	0.00	0.00				11.90				+
INICO (2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															+
	Switch-as-is			UEPFP	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITI	UUAUZ		10.37	5.75				11.30				+
	Switch with change			UEPFP	USACC		16.97	3.73				11.90				
BUNDI F	D PORT/LOOP COMBINATIONS - COST BASED RATES			OLITI	00/100		10.07	0.10	1			11.00				+
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT				-				1							+
	Port/Loop Combination Rates															†
J.112	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	-	1	 	1	20.95							l	1		†
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2	1		26.11							i			†
+	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3	1		39.58							i			†
UNF I	Loop Rates	 	۲	+	+	00.00							 	1		1
	2W Analog VG Loop-(SL2)-UNE Zone 1	-	1	UEPPX	UECD1	12.24						11.90	l	1	1.83	t -
1	2W Analog VG Loop-(SL2)-UNE Zone 2	-	2	UEPPX	UECD1	17.40						11.90	l	1	1.83	†
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.87						11.90	i		1.83	†
UNF F	Port Rate		Ť			00.07			1				i	1	00	
	Exchange Ports-2W DID Port	-	!	UEPPX	UEPD1	8.71	214.16	98.29			-	11.90			1.83	+

UNDUND	LED NETWORK ELEMENTS - Florida		1	1								Svc	Svc	Incrementa	ment: 2	Incrementa	bit: B Incremen
CATEGORY	' RATE ELEMENTS	Interi m	Zone	вся	s	usoc			TES (\$)			Order Submitte d Elec	Order Submitte d Manually	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Rec	Nonrecu		NRC Disc					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NRC	CHARGES - CURRENTLY COMBINED					110101							44.00				
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEPF		USAC1		7.85	1.87				11.90				
4000	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPF	PX	USA1C		7.85	1.87				11.90				
ADDI	TIONAL NRCs 2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPF	DV	USAS1		32.26	22.26				11.90				
Tolon	phone Number/Trunk Group Establisment Charges			UEPI	PX	USAST		32.20	32.26				11.90				-
reiep	DID Trunk Term (One Per Port)			UEPF	DV	NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPF		NDZ	0.00	0.00	0.00				11.90			1.83	
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPF		ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPF		ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID numbers			UEPF		ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPF		NDV	0.00	0.00	0.00				11.90			1.83	
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPF	PX	LNPCP	3.15	0.00	0.00								
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	PORT															
	Port/Loop Combination Rates																1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		22.63										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		29.05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		45.84										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1		UEPPR	USL2X	15.25						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
NRC	CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-			LIEDDD	LIEDDD	110400	0.00	05.00	47.00				44.00			4.00	
A DDI	Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
	TIONAL NRCs AL NUMBER PORTABILITY																
LOCA	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:			OLITB	OLITIK	LINI OX	0.55	0.00	0.00								
B-011	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
_	CVS (EWSD)				UEPPR	U1UCB	0.00	0.00	0.00								
	CSD				UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)					0.00		0.00								1
	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi & facilities Term				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE	Port/Loop Combination Rates		L.,				450 :-										<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPF			153.48										<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPF		ļ	183.28				 	1					₩
I INTE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPF	۲۲	1	261.12			1	1	+					+
UNE	Loop Rates 4W DS1 Digital Loop-UNE Zone 1		1	UEPF	DD	USL4P	70.74				 	+	11.90	-		1.83	
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPF		USL4P USL4P	100.54			-	}	1	11.90	 		1.83	+
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPF		USL4P USL4P	178.38			-	}	1	11.90	 		1.83	+
IINE	Port Rate		3	OLFI	• •	COLTI	170.00				 	+	11.00	 		1.03	
UNE	Exchange Ports-4W ISDN DS1 Port			UEPF	PP	UEPPP	82.74	488.36	276.65		 	+	11.90	 		1.83	
NRC	CHARGES - CURRENTLY COMBINED			5211		52/11	02.74	100.00	270.00				. 1.55			1.00	1
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-			İ								1					†
1	Conversion-Switch-as-is		1	UEPF	PP	USACP	0.00	84.17	61.38				11.90]		1.83	

,,,DOINDL	ED NETWORK ELEMENTS - Florida		1		1 1						C	C		ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increme al Charg Manua Svc Ord vs. Electron
							Nonreci	urring	NRC Disc	onnoct		-	220	Rates (\$)		<u> </u>
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
ADDIT	TIONAL NRCs				+ +		11130	Auui	11130	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	00.007
/	10.0 II 11.00				+ +											
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.5412					11.90			1.83	Ì
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	r Additional "B" Channel										ļ					<u> </u>
	New or Add'I-Voice/Data B Channel		ļ .	UEPPP	PR7BV	0.00	15.48					11.90			1.83	1
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	15.48		ļ		ļ	11.90			1.83	1
	New or Add'l Inward Data B Channel		\vdash	UEPPP	PR7BD	0.00	15.48		<u> </u>		<u> </u>	11.90			1.83	
	TYPES		\vdash	LIESSS	DD=0.						ļ					
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								<u> </u>
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								1
	ffice Channel Mileage			LIEDDD	41.514.5	00.0050	105.51	00.47	04.47	40.05		44.00			4.00	1
	Fixed Each Including First mi			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	1
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1856										1
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				-											├
	Port/Loop Combination Rates		4	UEPDC		105.00			ļ			11.90			4.00	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		125.69 155.49			1			11.90			1.83 1.83	├
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		233.33			1			11.90			1.83	├
	.oop Rates		3	UEPDC		233.33			1			11.90			1.03	├
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	70.74			1			11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	178.38						11.90			1.83	
	Port Rate		-	OLI DO	OOLDO	170.00			1			11.00			1.00	
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	54.95	464.86	259.23				11.90			1.83	1
	CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	04.00	404.00	200.20				11.00			1.00	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			OLI DO	00/10-1		30.01	40.71				11.00			1.00	
	DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	Ì
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	Ì
	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	Ì
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	Ì
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	Ì
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
	AR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	, in the second second	0.00	655.00				11.90			1.83	
	ate Mark Inversion										ļ					1
	AMI-Superframe Format		لط	UEPDC	MCOSF	Ť	0.00	0.00	<u> </u>		<u> </u>					
	AMI-Extended SuperFrame Format		L	UEPDC	MCOPO		0.00	0.00							ļ	
Telepi	hone Number/Trunk Group Establisment Charges										ļ					
	Telephone Number for 2-Way Trunk Group		ļ .	UEPDC	UDTGX	0.00						11.90			1.83	<u> </u>
	Telephone Number for 1-Way Outward Trunk Group		\vdash	UEPDC	UDTGY	0.00					ļ	11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00					ļ	11.90			1.83	
			1		1			l	1	l	1	l	l	l		1

ONRONDE	ED NETWORK ELEMENTS - Florida			I .										ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-		I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrecu First	ırring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital	Loop	with 4													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								<u> </u>
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1856	0.00	0.00	0.00							1
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							ļ
	Interoffice Channel miage-Add'l rate per mi-25+ mis		-	UEPDC UEPDC	1LNOC LNPCP	0.1856	0.00	0.00	0.00		1	1				
	Local Number Portability, per DS0 Activated Central Office Termininating Point		-	UEPDC	CTG	3.15 0.00	0.00	0.00	0.00		 	-				├─
4 14/15	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations				-				-		1					-
	System can have up to 24 combinations of rates depending on type an	d num	har of	norte ucod												
	System can have up to 24 combinations of rates depending on type an DS1 Loop	u num	ber or	ports useu	-											├
ONL	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
_	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								├
LINE	DSO Channelization Capacities (D4 Channel Bank Configurations)		<u> </u>	OLI WO	OOLDC	170.50	0.00	0.00								
0.11	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	1
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	1
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	1
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chann	eliztio	n with	Port - Conversion Ch	arge Based	on a System										
A Min	imum System configuration is One (1) DS1, One (1) D4 Channel Bank,	and Up	To 24	DSO Ports with Feat	ure Activation	ons.										
Multip	ples of this configuration functioning as one are considered Add'l after	the m	inimu													Ì
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				Ì
	m Additions at End User Locations Where 4-Wire DS1 Loop with Chan			th Port Combination (Currently Ex	ists and										Ì
New (Not Currently Combined) in all states, except in Density Zone 1 of Top	8 MSA	's													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															Ì
	Activation			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipol	ar 8 Zero Substitution			UEDNO	00005							44.00				ļ
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				ļ
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															Ì
	Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				<u> </u>
Altern	nate Mark Inversion (AMI)			LIEDMO	140005	0.00	0.00	0.00								ļ
	Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								ļ
Freelin	Extended Superframe Format	7		UEPIVIG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	ort			-											├──
EXCII	ange Ports Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00	1	11.90			1.83	
_	Line Side Combination Charmetized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00	 	11.90		 	1.83	—
-	Line Side Odiward Only Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00	1	11.90			1.83	
-	2W Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	1	11.90			1.83	
Featu	re Activations - Unbundled Loop Concentration			JELLY	OL! DIVI	0.71	0.00	0.00	0.00	0.00	1	11.50		1	1.03	
. catu	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93	1	11.90	1	1	1.83	<u> </u>
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	<u> </u>
Telen	hone Number/ Group Establishment Charges for DID Service			<u> </u>		3.50	. 5.10		55.50	. 5.50	1	50	1	1		\vdash
1.0.00	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
\rightarrow	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				11.90	İ	İ	İ	
	Reserve Non-Consecutive DID Numbers		-	UEPPX	ND6	0.00	0.00	0.00	1		1	11.90		 	 	-

Version 4Q02: 12/18/02 Page 51 of 324

NROND	LED NETWORK ELEMENTS - Florida		,	1	1	1					_	_		ment: 2		bit: B
CATEGORY	rate elements	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonreci		NRC Disc		001150	001141		Rates (\$)	0011411	
	Reserve DID Numbers		1	UEPPX	NDV	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	11.90	SOMAN	SOMAN	SOMAN	SOMAN
Loca	I Number Portability			OLFFX	NDV	0.00	0.00	0.00				11.50				
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only			UEDDV								44.00				
INDI INDI E	All Features Available ED PORT LOOP COMBINATIONS - MARKET RATES		-	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	et Rates shall apply where BellSouth is not required to provide unbunc	lled lo	cal swi	tching or switch port	s per FCC a	and/or Commis	sion rules									
	includes:	1	1	l	1	1	1									
	undled port/loop combinations that are Currently Combined or Not Curr															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Mia												D.110	1	I Maril of Bri	
	South currently is developing the billing capability to mechanically bill to south shall bill the rates in the Cost-Based section preceding in lieu of							s for not cu	rrently com	binea in	FL. In the	interim wn	ere BellSou	ith cannot bi	II Warket Ka	tes,
	Market Rate for unbundled ports includes all available features in all sta		I Ket Ka	les and reserves the	I gnt to tru	e-up the billing	difference.			1			1			1
	Office and Tandem Switching Usage and Common Transport Usage rat		he Port	section of this rate e	xhibit shall	apply to all co	mbinations of	f loop/port r	network elei	ments exc	cept for U	NE Coin Po	ort/Loop Co	mbinations v	which have a	a flat rate
usag	e charge (USOC: URECU).															
	Not Currently Combined scenarios the NRC charges are listed in the Fire	st and	Additi	onal NRC columns fo	r each Port	USOC. For Cu	rrently Combi	ned scenari	os, the NRC	C charges	are listed	in the NRC	C - Currently	Combined s	section. Add	ditional
	s may apply also and are categorized accordingly.			1	1	T	T				1	1				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates		-													
UNE	2W VG Loop/Port Combo-Zone 1		1			23.77										
	2W VG Loop/Port Combo-Zone 2		2			27.88										
	2W VG Loop/Port Combo-Zone 3		3			38.63										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPRX UEPRX	UEPLX	13.88 24.63										
2-Wii	re Voice Grade Line Port (Res)		-	OLITO	OLILA	24.03										
	2W voice unbundled port-residence			UEPRX	UEPRL	14.00	90.00	90.00				11.90				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				11.90				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				11.90				
_	2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM)		1	UEPRX UEPRX	UEPAF	14.00 14.00	90.00	90.00				11.90 11.90				-
	2W voice unburidies les, low usage line port with Caller ID (LOM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00				11.90				
	2W voice unbundled FL extended dialing port for use with CREX7 &			02.100	02		00.00	00.00				11.00				
	Caller ID			UEPRX	UEPA1	14.00	90.00	90.00				11.90				
	2W voice unbundled FL extended dialing port for use with CREX7, w/o															
	Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability		-	UEPRX UEPRX	UEPA8 UEPA9	14.00 14.00	90.00	90.00				11.90 11.90				1
LOC	AL NUMBER PORTABILITY			UEPRA	UEPA9	14.00	90.00	90.00				11.90				
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
NRC	CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is		-	UEPRX	USAC2		41.50	41.50				11.90				
	2W VG Loop/Line Port Combination-Switch with change			UEPRX	USACC		41.50	41.50				11.90				
ADDI	ITIONAL NRCs			02.100	00/100		11.00	11100				11.00				
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates		1			22.77										
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	1	2		1	23.77 27.88				-	1					1
	2W VG Loop/Port Combo-Zone 3	†	3		1	38.63										
	Loop Rates															
UNE		1	1	UEPBX	UEPLX	9.77										
UNE	2W VG Loop (SL1)-Zone 1						1	ı	1	I	1	1	i	1		<u> </u>
UNE	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88					1	1		1		
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3				UEPLX	24.63										
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Bus)		2	UEPBX		24.63	90.00	90.00				11.90				
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		2	UEPBX UEPBX	UEPLX		90.00	90.00 90.00 90.00				11.90 11.90 11.90				

Version 4Q02: 12/18/02 Page 52 of 324

NDUND	LED NETWORK ELEMENTS - Florida			ı		1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC Disco	onnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
LOC	AL NUMBER PORTABILITY						Filat	Auu i	Filst	Auu	JOIVILO	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										†
NRC	CHARGES - CURRENTLY COMBINED								1							†
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2W VG Loop/Line Port Combination-Switch with change			UEPBX	USACC		41.50	41.50				11.90				
ADDI	TIONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															-
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1	<u> </u>	- 1		+	23.77			-		-					+
_	2W VG Loop/Port Combo-Zone 1		2			27.88										+
-	2W VG Loop/Port Combo-Zone 2	 	3		+	38.63			1		1					+
UNE	Loop Rates		Ť			22.00										†
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	24.63										
2-Wii	re Voice Grade Line Port Rates (RES - PBX)															1
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY			LIEBBO		0.15										
FEAT	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00	1							-
FEA	All Features Offered	1		UEPRG	UEPVF	0.00	0.00	0.00	1			11.90				
NDC	CHARGES - CURRENTLY COMBINED			UEFRG	UEFVF	0.00	0.00	0.00	-			11.90				+
NIC	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				+
	2W VG Loop/Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50	1			11.90				
ADDI	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.09	7.09				11.90				1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			23.77										
	2W VG Loop/Port Combo-Zone 2		2			27.88										
LINE	2W VG Loop/Port Combo-Zone 3	1	3		_	38.63			1							-
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1	<u> </u>	1	UEPPX	UEPLX	9.77			-		-					
_	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	13.88										+
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	24.63										†
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)		_						1							1
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				1
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00				11.90				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				11.90				4
-	2W Voice Unbundled 2-Way Combination PBX Usage Port	ļ	<u> </u>	UEPPX	UEPXA	14.00	90.00	90.00	 		<u> </u>	11.90				
_	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXB	14.00	90.00	90.00	1			11.90				+
_	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX UEPPX	UEPXD UEPXD	14.00 14.00	90.00	90.00 90.00	-			11.90 11.90				+
+	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	 	!	UEPPX	UEPXE	14.00	90.00	90.00	+ +		1	11.90				+
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative	1	1	OLITA	OLI AL	14.00	30.00	30.00				11.30				+
	Calling Port	1		UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		Ì	_												
L	Port	L	L	UEPPX	UEPXM	14.00	90.00	90.00	<u> </u>		<u></u>	11.90	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port		<u> </u>	UEPPX	UEPXO	14.00	90.00	90.00	<u> </u>		<u> </u>	11.90				<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXS	14.00	90.00	90.00	ļ		ļ	11.90				
LOC	AL NUMBER PORTABILITY	1		HEDDY	LNDOS	0 :-	0.00	0.00	 		<u> </u>	ļ				
FFAT	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00			1	<u> </u>				
FEA	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00	 		1	11.90				+
NBC	CHARGES - CURRENTLY COMBINED	 	!	UEPPA	UEPVF	0.00	0.00	0.00	+ +		1	11.90				+
INIC	2W VG Loop/Line Port Combination-Switch-As-Is		<u> </u>	UEPPX	USAC2	 	41.50	41.50	1		 	11.90				+
	L Loop/ Line i on Combination Owiton-As-is												l	l		+
	2W VG Loop/Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50				11.90				

Version 4Q02: 12/18/02 Page 53 of 324

INBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu First	ırring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN	OSS	Rates (\$)	SOMAN	SOMAN
	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00	11130	Auu	JOINEC	11.90	JONAN	JOMAN	JONAN	JOHAN
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC			02.17	00/102	0.00	0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.09	7.09				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															<u> </u>
UNE F	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			23.77										
	2W VG Coin Port/Loop Combo – Zone 2		2			27.88										
	2W VG Coin Port/Loop Combo – Zone 3		3			38.63										
	Loop Rates			LIEBOO												1
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77						1				<u> </u>
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	 	3	UEPCO UEPCO	UEPLX	13.88 24.63			-		 	+		 		₩
	e Voice Grade Line Port Rates (Coin)		3	ULFCO	ULFLA	24.03						1				\vdash
Z-44116	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD	1	1	UEPCO	UEP2F	14.00	90.00	90.00			1	11.90				
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPFA	14.00	90.00	90.00				11.90		t e		
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,				1	1						1				
	& Local			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPRK	14.00	90.00	90.00				11.90				1
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+, & Local			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CHARGES - CURRENTLY COMBINED			LIEBOO			44.50	44.50				44.00				
	2W VG Loop/Line Port Combination-Switch-As-Is 2W VG Loop/Line Port Combination-Switch with Change		1	UEPCO	USAC2		41.50	41.50				11.90				<u> </u>
	FIONAL NRCs			UEPCO	USACC		41.50	41.50			-					-
	2W VG Loop/Line Port Combination-Subsqnt	1	1	UEPCO	USAS2		0.00	0.00				11.90				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (RFS)	OLI CO	00/102		0.00	0.00				11.30				
	Port/Loop Combination Rates															1
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.87										
	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87										
2-Wire	e Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	14.00	180.00	110.00	9E 00	20.00	-	11.00				
-	2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res		1	UEPFR	UEPRC	14.00	180.00	110.00	85.00 85.00	20.00		11.90 11.90		-		-
	2W voice unbundled port with Galler 15-res 2W voice unbundled port outgoing only-res		1	UEPFR	UEPRO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled FL Area Calling with Caller ID-res			UEPFR	UEPAF	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0091										
	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				11.90				
	L NUMBER PORTABILITY			LIEDED	LLIBOY											
	Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	1	UEPFR	LNPCX	0.35					 	 		<u> </u>		├──
NKC (2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1		+				-					-		-
	Switch-as-is	1		UEPFR	USAC2		16.97	3.73				11.90				1
1	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			JEITIN	JUNUZ		10.37	5.13			1	11.50		t		
	Switch-With-Change	1		UEPFR	USACC		16.97	3.73				11.90				1
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (BUS)								Ì			İ		
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40	, in the second									
	2W VG Loop/IO Tranport/Port Combo-Zone 3	<u> </u>	3		1	44.87					1	1				<u> </u>
	Loop Rates	<u> </u>	 	LIEDES	UE OF						ļ					↓
1	2W VG Loop (SL2)-Zone 1	1	1	UEPFB	UECF2	12.24					1		<u> </u>	1	1	

UNDUNDL	ED NETWORK ELEMENTS - Florida			ı										ment: 2	Exhib	_
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonrect First	urring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40	11130	Addi	11130	Auu	JOINEO	JONIAN	JOINAN	JONAN	JONAN	JONA
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87										
2-Wire	e Voice Grade Line Port (Bus)		Ť													
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00		11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78				ļ				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0091						ļ				
	URES	-	1	UEPFB	UEPVF	0.00	0.00	0.00				14.00				1
	All Features Offered CHARGES (NRCs) - CURRENTLY COMBINED	-	1	UEPFB	UEPVF	0.00	0.00	0.00	-		 	11.90				
NKC (2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1		+	-		-			1	1				}
	Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITB	00/102		10.07	0.70				11.00				
	Switch with change			UEPFB	USACC		16.97	3.73				11.90				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLITB	00/100		10.07	0.70				11.00				
	Port/Loop Combination Rates				1											
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.87										
	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90				<u> </u>
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP UEPFP	UEPXC UEPXD	14.00 14.00	180.00 180.00	110.00 110.00	85.00	20.00		11.90 11.90				
_			1	UEPFP	UEPXE	14.00	180.00	110.00	85.00 85.00	20.00		11.90				<u> </u>
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative		1	UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90				
	Calling Port			UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90				
_	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			OLFIF	OLFAL	14.00	100.00	110.00	00.00	20.00		11.50				
	Port			UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room					50	.00.00		30.00	_5.55		755				
	Calling Port			UEPFP	UEPXO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00		11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0091										
	URES				1							<u> </u>				<u> </u>
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				11.90				ļ
NRC (CHARGES (NRCs) - CURRENTLY COMBINED				1							ļ				ļ
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			LIESES	110.00							4				
_	Switch-as-is		<u> </u>	UEPFP	USAC2		16.97	3.73				11.90				<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			LIEBED	110400		10.0-					44.00				
NIDLINIDI T	Switch with change		-	UEPFP	USACC	1	16.97	3.73				11.90				
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES		-		+						1	<u> </u>				
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT Port/Loop Combination Rates		1		+	-			-		-	 				├──
UNE	20tr/Loop Combination Rates 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1		+	67.24						 				
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2					72.40						1		-	-	
	ZVV VO LOOPIZVV DID HUHK FUR COHIDO-UNE ZUHE Z		2	I	1	12.40		l	1		l .	l	1	l	1	<u> </u>

Version 4Q02: 12/18/02 Page 55 of 324

NBUNI	DLED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhil	oit: B
												Svc	Svc	Incrementa	Incrementa	Incrementa	Incremer
												Order	Order	I Charge -	I Charge -	I Charge -	al Charge
	l ₁	nteri										Submitte	Submitte	Manual	Manual	Manual	Manual
TEGOF	VI PATE ELEMENTS I	m	Zone	В	CS	USOC		RA	TES (\$)			d Elec	d		Svc Order	Svc Order	Svc Orde
		m											Manually		vs.	vs.	vs.
												poi Loix		-	Electronic-	-	
													po. zo.				
							Rec	Nonrecu First		NRC Disc		001150	001441		Rates (\$)	001111	0011411
_	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				85.87	FIRSt	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINI	E Loop Rates		3	1		1	00.07										
UNI	2W Analog VG Loop-(SL2)-UNE Zone 1		1		PPX	UECD1	12.24						11.90			1.83	
_	2W Analog VG Loop-(SL2)-UNE Zone 1 2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX PPX	UECD1	17.40						11.90			1.83	
_	2W Analog VG Loop-(SL2)-UNE Zone 2 2W Analog VG Loop-(SL2)-UNE Zone 3		3		PPX PPX	UECD1	30.87						11.90			1.83	
LINI	E Port Rate		3	UE	PPX	UECDI	30.87						11.90			1.83	
UNI	Exchange Ports-2W DID Port				PPX	UEPD1	55.00	850.00	75.00			1	11.90			1.83	
ND				UE	PPX	UEPDI	55.00	850.00	75.00			1	11.90			1.83	
NK	C CHARGES - CURRENTLY COMBINED			1		1						1					
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs																
	only			UE	PPX	USAC1		850.00	75.00			ļ	11.90				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			l													
	Top 8 MSAs only			UE	PPX	USA1C		850.00	75.00				11.90				
ADI	DITIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UE	PPX	USAS1		32.26	32.26				11.90				
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)				PPX	NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos				PPX	NDZ	0.00	0.00	0.00				11.90			1.83	
	Add'l DID Numbers for each Group of 20 DID Numbers				PPX	ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number				PPX	ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID numbers				PPX	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UE	PPX	NDV	0.00	0.00	0.00				11.90			1.83	
LO	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UE	PPX	LNPCP	3.15	0.00	0.00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE P	ORT															
UNI	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		85.25										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		91.67										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		108.46										
UNI	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNI	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
NRO	CHARGES - CURRENTLY COMBINED																
\top	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00	l			11.90	l		1.83	

JNE	SUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	oit: B
ATI	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Rec	Nonreci		NRC Disc			T =		Rates (\$)		
	4 00017	CONAL NO.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		FIONAL NRCs															
	_	L NUMBER PORTABILITY		1	LIEDDD LIEDDD	LNDCV	0.05	0.00	0.00								
		Local Number Portability (1 per port)		-	UEPPB UEPPR	LNPCX	0.35	0.00	0.00			-	 				
		ANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)		1	UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)														
		TERMINAL PROFILE															
		User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
		ICAL FEATURES															
		All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00				11.90				
	INTER	OFFICE CHANNEL MILEAGE										1	<u> </u>				
	1	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03	ļ	11.90		ļ	1.83	
		Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
		E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	<u> </u>				ļ			<u> </u>	ļ	1	<u> </u>		ļ		
		Port/Loop Combination Rates			LIEDDD		070 74										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		970.74										
	+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP UEPPP		1,000.54 1,078.39										
		Loop Rates		3	UEPPP		1,076.39										
	ONE	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	70.74						11.90			1.83	
		4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	100.54						11.90			1.83	
		4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	178.39						11.90			1.83	
		Port Rate			V												
		Exchange Ports-4W ISDN DS1 Port		1	UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
	NRC (CHARGES - CURRENTLY COMBINED															
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
_	ADDIT	TIONAL NRCs															
		4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.5412					11.90			1.83	
	+	4W DS1 Loop/4W ISDN DIGITAL POIT-Subsqt Activy-inward/2way 1et Nos			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
		4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
	LOCA	L NUMBER PORTABILITY			OLITT	110721		20.72	20.42				11.00			1.00	
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	RFACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New c	or Additional "B" Channel	<u> </u>		LIEDOS	DD=5:		22.2-		ļ	ļ	1	41.00				
	1	New or Add'l-Voice/Data B Channel	<u> </u>		UEPPP	PR7BV	0.00	20.00		1	 	ļ	11.90		 	1.83	
	+-	New or Add'l-Digital Data B Channel		1	UEPPP UEPPP	PR7BF PR7BD	0.00	20.00 20.00		-		+	11.90 11.90			1.83 1.83	
_	CALI	New or Add'l Inward Data B Channel TYPES	 	!	UEPPP	FK/BD	0.00	20.00		1	-	1	11.90			1.83	
	UALL	Inward	 	1	UEPPP	PR7C1	0.00	0.00	0.00			+					
	1	Outward			UEPPP	PR7C0	0.00	0.00	0.00	1		1	1			1	1
	1	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00								
		ffice Channel Mileage					1.10	2.20	2.30								
		Fixed Each Including First mi			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
		Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1856										
		E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE F	Port/Loop Combination Rates					ļ						ļ		ļ		
	1	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		820.74						11.90			1.83	
	1	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2	<u> </u>	2	UEPDC		850.54	-			ļ	1	11.90			1.83	
	LINE :	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3 oop Rates	 	3	UEPDC		928.39			ļ	-	1	11.90			1.83	1
		4W DS1 Digital Loop-UNE Zone 1	-	1	UEPDC	USLDC	70.74						11.90			1.83	
_	+	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2	 	2	UEPDC	USLDC	100.54			1		1	11.90			1.83	
_	1	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	178.39						11.90			1.83	
_		Port Rate		Ī									1.25				
		4W DDITS Digital Trunk Port		1	UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90			1.83	
-																	

Version 4Q02: 12/18/02

ADOINDE	ED NETWORK ELEMENTS - Florida			1	1	1								ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NRC (CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top		-													
	8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
-	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			OLI DO	00/104		90.01	40.71				11.30			1.00	<u> </u>
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk		-	UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
_	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			OLI DO	ODITO		13.03	13.03				11.30			1.00	
	Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	<u> </u>
BIPOI	AR 8 ZERO SUBSTITUTION		ļ	LIEBBO	22225											
-	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	655.00			1	11.90			1.83	-
	B8ZS-Extended Superframe Format late Mark Inversion			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00				1				
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	hone Number/Trunk Group Establisment Charges			OLI DO	MICCI C		0.00	0.00								
1 1 1 1 1	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				11.90			1.83	
-	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00				11.90 11.90			1.83 1.83	
	ated DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port											1				
1,741.4	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	<u> </u>
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
_	Interoffice Channel miage-Add'l rate per mi-25+ mis		<u> </u>	UEPDC	1LNOC	0.1856	0.00	0.00	2.20			1				<u> </u>
+	Local Number Portability, per DS0 Activated Central Office Termininating Point		1	UEPDC	LNPCP	3.15 0.00	0.00	0.00	0.00		1	1	1	1		-
	LE DS1 LOOP WITH CHANNELIZATION WITH PORT		1	UEPDC	CIG	0.00					1	+		-		
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	tem can have various rate combinations based on type and number of		used													
	OS1 Loop				Ì							1				
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								lacksquare
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00			<u> </u>	1		<u> </u>		<u> </u>
UNE	OSO Channelization Capacities (D4 Channel Bank Configurations)		-	HEDMO	\/ JN 40 4	110.00	0.00	0.00				11.00		-	4.00	
+	24 DSO Channel Capacity 1 per DS1		1	UEPMG UEPMG	VUM24 VUM48	118.06 236.12	0.00	0.00			 	11.90 11.90	-	 	1.83 1.83	
-	48 DSO Channel Capacity-1 per 2 DS1s 96 DSO Channel Capacity-1per 4 DS1s		 	UEPMG	VUM96	472.24	0.00	0.00			1	11.90	 	 	1.83	
+	144 DS0 Channel Capacity-1 per 6 DS1s		1	UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	\vdash
1	192 DS0 Channel Capacity-1 per 8 DS1s		†	UEPMG	VUM19	944.48	0.00	0.00				11.90		†	1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity-1 per 24 DS1s		<u> </u>	UEPMG	VUM57	2,833.44	0.00	0.00			ļ	11.90			1.83	
1	672 DS0 Channel Capacity-1 per 28 DS1s	1	Ī	UEPMG	VUM67	3,305.68	0.00	0.00	1		1	11.90	1	1	1.83	Ì

Version 4Q02: 12/18/02 Page 58 of 324

JINDUNUL	ED NETWORK ELEMENTS - Florida		1			I					Svc	Svc		ment: 2 Incrementa		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			Order Submitte d Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
Nam D	leavening Charmes (NDC) Associated with 4 Mins DC4 I say with Charm	-1:-4:-		Dant Canssandian Cl	Desert	an a Cuatam	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chann imum System configuration is One (1) DS1, One (1) D4 Channel Bank,															
	linum system configuration is one (1) DS1, one (1) D4 Channel Bank, oles of this configuration functioning as one are considered Add'I after															
wuitip	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-	tne m	<u>Ilnimui</u>	n system configurati	on is counte	ea.										
	Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
Systo	n Additions Where Currently Combined and New (Not Currently Comb	inad \	1	UEFIVIG	USAC4	0.00	450.00	50.00	1			11.90				
	nsity Zone 1 Top 8 MSAs	illeu)	+		-							 				
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation	-	1	UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
	ar 8 Zero Substitution	-	1	UEFIVIG	VUIVID4	0.00	950.00	600.00	200.00	30.00		11.90				
Dibole	Clear Channel Capability Format, superframe-Subsqnt Activity Only		1	UEPMG	CCOSF	0.00	0.00	655.00	1		1	11.90		1		1
-	Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity		1	ULFIVIG	CCCSF	0.00	0.00	000.00	1		1	11.90		1		1
	Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90		1		
	ate Mark Inversion (AMI)		+	ULFIVIG	CCOLI	0.00	0.00	033.00				11.50				
	Superframe Format		+	UEPMG	MCOSF	0.00	0.00	0.00				 				
	Extended Superframe Format		+	UEPMG	MCOPO	0.00	0.00	0.00				 				
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with	Dort	+	UEFIVIG	WCOPO	0.00	0.00	0.00				 				
	nge Ports	Port	-													
EXCIIA		-	-	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Combination Channelized PBX Trunk Port-Business		1	UEPPX	UEPOX	14.00		0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-Business		1	UEPPX	UEPOX UEP1X		0.00		0.00	0.00		11.90				
	Line Side Inward Only Channelized PBX Trunk Port w/o DID	-	1			14.00	0.00	0.00							1.83	-
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank		-	UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
I elepi	none Number/ Group Establishment Charges for DID Service			LIEBBY .												
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)		-	UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers-per number		-	UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Numbers	-	1	UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
	Number Portability		-	HEDDY	LNDOD	0.45	0.00	0.00								
	Local Number Portability-1 per port	-	1	UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional		1		+	 			 		1	1		 	1	1
	Switching Features Offered with Line Side Ports Only		+	HEDDY	HEDVE	0.00	0.00	0.00			1	14.00			4.00	├
	All Features Available		 	UEPPX	UEPVF	2.26	0.00	0.00	1			11.90			1.83	
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	!		<u> </u>							ļ				
	at Based Rates are applied where BellSouth is required by FCC and/or							. 11	1.5		D-11- F :	1				
2. Fea	tures shall apply to the Unbundled Port/Loop Combination - Cost Bas	ed Kat	e secti	on in the same mann	er as they a	re applied to th	e Stand-Alon	e Unbundle	a Port secti	on of this	s Kate Exh	IDIT.	D	<u> </u>	<u> </u>	
	Office and Tandem Switching Usage and Common Transport Usage rates and additional Port NRC charges apply to Not Currently Combined	ates ir	n the P	For Currently Comb	e exhibit sh ned Combo	an apply to all s, the NRC cha	rges shall be	of loop/po	rt network e	NRC - Cu	rrently Co	nbined sec	ctions. Add	itional NRCs	s. may apply	also and
	tegorized accordingly.	41-4- 1		Individual Casa Beet			1		1		1			1		_
	rket Rates for Unbundled Centrex Port/Loop Combination will be nego	uated	on an	mulviquai Case Basi	s, until furth	iei notice.			1		1			-		
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		+		1						1					1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		+		1						1					1
	Port/Loop Combination Rates (Non-Design)		+ -	LIEDO4	+	40.04			 		1	1		 	1	1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91	+	10.94			1	-	1	 		1		1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91	+	15.05			1	-	1	 		1		1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91	+	25.80			1	-	1	 		1		1
UNE	Port/Loop Combination Rates (Design)		-	LIEDOA	1	40.44			1							
1	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP91		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		18.57										

Version 4Q02: 12/18/02 Page 59 of 324

RATE ELEMENTS Interim Zone BCS USOC RATES (\$) Order Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Elect Part Submitte d Electronic- El	DOMDE	ED NETWORK ELEMENTS - Florida										G	C		ment: 2		bit: B
No. Color State Color St	ATEGORY	RATE ELEMENTS		Zone	BCS	usoc		R.A	ATES (\$)			Submitte d Elec	Submitte d Manually	Manual Svc Order vs.	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
West Cope Rate							Rec									1	
PW GLOSS (81-2)-2004 C	LINE I	Data						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
2	UNE			1	LIED04	LIECC1	0.77										
Dept. UPPS UECS 24.00																	+
2 V/S Loss (82-2/con 1																	1
Comparison Com				_													1
Mail States (Except NC and SG)				2	UEP91		17.40										1
All States (Except NC and SC)		2W VG Loop (SL2)-Zone 3		3	UEP91	UECS2	30.87										
EPYN SPRIC (Control and Section Ages UEPP1 UEPPN 117 53.31 26.40 27.50 8.27 11.00																	
WY N. Fart (Centres with California (Control William) William						1155774		=0.04	00.10				44.00				
29 V V Pert (Centree win Galler (D) 18 and Local Area																	
WY SP Fort (Centres from off SVG)2 Baste, Local Area UEPP1 UEPP2 1.77 139.40 86.10 66.41 13.81 11.50 WY SP fort terminated in on blogatinar or groundered Baste, Local Area UEPP1 UEPP2 1.77 139.40 86.10 66.41 13.81 11.50 WY SP fort terminated in on blogatinar or groundered Baste, Local Area UEPP1 UEPP2 1.77 133.40 86.10 66.41 13.81 11.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 WY SP fort (Centres in Centre Section 1 1.50 1	_		 	 								-					
WY NF PAIL DIF SVC-600 Service Term-Basics Local Area UEP91 UEP79 1.77 33.4 69 86.10 66.41 13.81 11.90	-	,	-	\vdash								-					+
29V VS Prot terminated in an Magatisk or equivalent-basic Local Area UEP91	1											1					
Georgia and Tripidition Chry																	1
A					UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				1
29 V/ O Port (Centrex Mo Term)	Georg	jia and Florida Only															
A WY OF Port (Centres with Caller (D)1 UEP91 UEP																	
29 VV OP fort (Centrex from diff SVC)2																	
29 V V O Port, Diff SWC-800 Service Form																	-
22 VV SP Fort Terminated on on Magalink or equivalent UEP91 UEP92 UEP92 UEP93 26.46 27.50 8.37 11.90																	
EP91 UEP91 UEP92 UEP92 UEP93 UEP93 UEP94	_																+
Local Number Portability Local Number Portab																	+
Centrex Intercom Fundamility, per port					OLI 01	OLITIZ	1.17	00.01	20.40	21.00	0.07		11.00				_
LLcan Number Partability (1 per port)					UEP91	URECS	0.7384										
Feature All Standard Features Offered, per port UEP91 UEPVF 2.26 11.90	Local	Number Portability															
All Standard Fatures Offered, per port UEP91 UEP92 UEP93 UEP93 UEP94 UEP94 UEP94 UEP94 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP96 UEP96 UEP96 UEP96 UEP97 UEP		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
All Select Features Offered, per port																	
All Centrax Control Features Offered, per port								070.70									-
NARS Uhbundled Network Access Register-Combination UEP91								370.70									
Unbundled Network Access Register-Combination					OLF91	OLF VC	2.20						11.90				+
Unbundled Network Access Register-Outidal	IVANO		1		UFP91	LIARCX	0.00	0.00	0.00				11 90				
Unbundled Network Access Register-Outdial UEP91 UAROX 0.00 0.00 0.00 11,90																	
Evitre Trunk Side																	
Trunk Side Terms, each																	1
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG Interoffice Channel Facilities Term-VG Interoffice Channel Facilities Term-VG Interoffice Channel Facilities Term-VG Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG Interoffice Channel Racilities Term-VG Interoffice Cannel Racilities Term-VG Interoffice Cannel Raciliter Activation on 0-4 Channel Racilities Term-VG Interoffice Cannel Racilit	2-Wire																
Interoffice Channel Facilities Term-VG					UEP91	CENA6	8.73										
Interoffice Channel miage, per mi or fraction of mi							0.5.00										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations UEP91 1PQWS 0.66												ļ					-
D4 Channel Bank Feature Activations					UEP91	MIGBIN	0.0091						-				
Feature Activation on D-4 Channel Bank Centrex Loop Slot																	+
Feature Activation on D-4 Channel Bank FX line Side Loop Slot	D4 01				UEP91	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot																	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot																	1
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.66		Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.66										
Feature Activation on D-4 Channel Bank WATS Loop Slot																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion-Currently Combined Switch-As-Is with allowed changes, per port UEP91	_		<u> </u>	1									1				
Conversion-Currently Combined Switch-As-Is with allowed changes, per port	N		<u> </u>	<u> </u>	UEP91	1PQWA	0.66						1				
Description Description	Non-F		!			+						-	1				
Conversion of Existing Centrex Common Block			1		I IFP01	IISAC2		21 50	ρ // ο				11 00				
New Centrex Standard Common Block			 	1													
New Centrex Customized Common Block			<u> </u>				0.00		0.02								†
Secondary Block, per Block																	†
NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 66.48 11.90 UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		Secondary Block, per Block															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					UEP91		0.00	66.48					11.90				
						ļ											<u> </u>
			<u> </u>			ļ											↓

Version 4Q02: 12/18/02 Page 60 of 324

UNDUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonreci		NRC Disc					Rates (\$)		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+	1	UEP95	+	10.94	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+	2	UEP95	+	15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		25.80										
UNE F	Port/Loop Combination Rates (Design)		_													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.41										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		32.04										
	Loop Rate			LIEBOE	LIFOO4	0.77										-
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	+	1 2	UEP95 UEP95	UECS1 UECS1	9.77 13.88			-		 					
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	+	3	UEP95 UEP95	UECS1	24.63		-			1	-				+
-	2W VG Loop (SL2)-Zone 1	+	1	UEP95	UECS2	12.24										\vdash
	2W VG Loop (SL2)-Zone 2	1	2	UEP95	UECS2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	30.87										
UNE F	Port Rate															
All St																
	2W VG Port (Centrex) Basic Local Area	1		UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				4
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area	+		UEP95 UEP95	UEPYM UEPYZ	1.17 1.17	139.49 139.49	86.10	65.41 65.41	13.81 13.81		11.90 11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	+		UEP95	UEPY9	1.17	53.31	86.10 26.46	27.50	8.37		11.90				+
	2W VG Port Terminated in 60 Negatilik of equivalent-basic Local Area	+		UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
	GA Only	1		OLI 33	OLI 12	1.17	33.31	20.40	27.50	0.01		11.30				†
	2W VG Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				-
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				-
	2W VG Port Terminated on 800 Service Term Switching			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				-
	Centrex Intercom Funtionality, per port	+		UEP95	URECS	0.7384			-		1					+
	Number Portability	+		ULF 93	UKLUS	0.7364										
Local	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				02.00	2.11 00	0.00										1
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NARS		1			1111							4				
	Unbundled Network Access Register-Combination	1		UEP95	UARCX	0.00	0.00	0.00			<u> </u>	11.90				
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	+		UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	-		 	11.90 11.90				
Misco	ellaneous Terminations	+		UEP95	UARUX	0.00	0.00	0.00	-		1	11.90				+
	e Trunk Side	+														+
	Trunk Side Terms, each			UEP95	CEND6	8.73										
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
	ffice Channel Mileage - 2-Wire	1			1											
	Interoffice Channel Facilities Term	1		UEP95	MIGBC	25.32										1
	Interoffice Channel miage, per mi or fraction of mi	+		UEP95	MIGBM	0.0091					<u> </u>	-				₩
	re Activations (DS0) Centrex Loops on Channelized DS1 Service nannel Bank Feature Activations	+			+			-			 	-				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+		UEP95	1PQWS	0.66										
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQW6	0.66					1					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP95	1PQW7	0.66										t
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP95	1PQWP	0.66										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP95	1PQWA	0.66		l				I				

Version 4Q02: 12/18/02 Page 61 of 324

NDUNDL	ED NETWORK ELEMENTS - Florida			ı										ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each	1		UEP95	USACN	0.00	5.17	8.32				11.90				<u> </u>
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)			LIEBOD		40.04										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D UEP9D	-	10.94 15.05		-								-
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80										-
UNF	Port/Loop Combination Rates (Design)	1	-	OLI 3D	-	25.00										
0.12	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.41										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.04										
UNE I	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	24.63										
	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	17.40										
	2W VG Loop (SL2)-Zone 3 Port Rate		3	UEP9D	UECS2	30.87					-					
	STATES		1													
755	2W VG Port (Centrex) Basic Local Area	1	1	UEP9D	UEPYA	1.17						11.90				1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90				
_	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				
_	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area 2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D UEP9D	UEPYV UEPY3	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-	11.90 11.90				
-	2W VG Port (Centrex with Caller ID) Basic Local Area		1	UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				-
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local		+	OLI 3D	OLI III	1.17	33.31	20.40	27.50	0.51		11.30				
	Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				
-	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area		1	UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				
-	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area		1	UEP9D UEP9D	UEPY5 UEPY6	1.17 1.17	139.49 139.49	86.10 86.10	65.41 65.41	13.81 13.81		11.90 11.90				-
_	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area		+	UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81		11.90				
+	2W VG Port, Diff SWC-800 Service Term	<u> </u>		UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				†
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46		8.37		11.90				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46		8.37		11.90				
FL &	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-PSET)3	<u> </u>		UEP9D	UEPHC	1.17	53.31	26.46		8.37	1	11.90				↓
	2W VG Port (Centrex /EBS-M5009)3	<u> </u>	<u> </u>	UEP9D	UEPHD	1.17	53.31	26.46		8.37		11.90				↓
+	2W VG Port (Centrex /EBS-M5209)3	<u> </u>	-	UEP9D	UEPHE	1.17	53.31	26.46		8.37		11.90				⊢—
+	2W VG Port (Centrey /EBS-M5312)3	1	1	UEP9D	UEPHF	1.17	53.31	26.46		8.37		11.90				\vdash
	2W VG Port (Centrex /EBS-M5312)3 2W VG Port (Centrex /EBS-M5008)3	<u> </u>	1	UEP9D UEP9D	UEPHG UEPHT	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		11.90 11.90				—
1	ZVV VO 1 GIT (CONTROL / LBG-1VIOU00)3	1	1	OFLAD	ULFFI	1.17	33.31	20.46	27.50	0.37	1	11.90				1

Version 4Q02: 12/18/02

INDUND	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhib	bit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increm
											Order	Order	I Charge -	I Charge -	I Charge -	al Cha
		Interi									Submitte	Submitte	Manual	Manual	Manual	Manu
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc O
		m										Manually		vs.	vs.	vs.
											per Lor			Electronic-		
												per Lon	Liectionic-	Liectionic-	Liectionic-	Liectiv
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term	_		UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent	-		UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated in 6N Weganin or equivalent	-		UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				1
Local	Switching	-		OLI OD	OLITIZ	1.17	00.01	20.40	27.00	0.07		11.00				
	Centrex Intercom Funtionality, per port	_		UEP9D	URECS	0.7384										
Local	Number Portability	-		02.05	0.1200	0.7001										
	Local Number Portability (1 per port)	_		UEP9D	LNPCC	0.35										
Featu		_		02.05	2.1.00	0.00										
1	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port	_		UEP9D	UEPVC	2.26										
NARS		_			0 = 1											
10.00	Unbundled Network Access Register-Combination	_		UEP9D	UARCX	0.00	0.00	0.00				11.90				
+	Unbundled Network Access Register-Inward	_		UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial	_		UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misce	Illaneous Terminations	-		02.05	0711071	0.00	0.00	0.00				11100				
	e Trunk Side	_														
	Trunk Side Terms, each	_		UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)	_		02.05	02.120	0.70										
	DS1 Circuit Terms, each	_		UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel	-		UEP9D	M1HDO	0.00	15.69					11.90				
Interd	ffice Channel Mileage - 2-Wire	-		02.05		0.00	10.00					11100				
	Interoffice Channel Facilities Term	_		UEP9D	MIGBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi	1	1	UEP9D	MIGBM	0.0091										1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1	1	02.02		0.0001										
	nannel Bank Feature Activations	+	1		1								l	l	l	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	1	UEP9D	1PQWS	0.66							l	l	l	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	+	1	UEP9D	1PQW6	0.66							l	l	l	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+	1	UEP9D	1PQW7	0.66							1	l	l	
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+	1	UEP9D	1PQWP	0.66							1	l	l	1
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Bill Wo	+	+	UEP9D	1PQWV	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot	+	+	UEP9D	1PQWQ	0.66										I
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+	+	UEP9D	1PQWQ	0.66						-	!	 	 	1

<u>JNBUND</u>	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonreci		NRC Disc		001150	000000		Rates (\$)	0011411	0011411
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INOII	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															-
	per port			UEP9D	USAC2		21.50	8.42				11.90				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				1
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
<u> </u>	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				_											
	Port/Loop Combination Rates (Non-Design)										1					
OIVE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.05					1					<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		25.80					1					1
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		32.04										
UNE	Loop Rate			LIEDOE	LIFOO4	0.77										
_	2W VG Loop (SL1)-Zone 1		1	UEP9E	UECS1 UECS1	9.77 13.88										
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEP9E UEP9E	UECS1	24.63							-			-
-	2W VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	12.24										
-	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	30.87										
UNE	Port Rate															
AL,	FL, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46		8.37		11.90				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
-	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E UEP9E	UEPYZ	1.17 1.17	139.49 53.31	86.10 26.46	65.41	13.81		11.90 11.90				-
-	2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY9 UEPY2	1.17	53.31	26.46	27.50 27.50	8.37 8.37		11.90	-			-
Flor	ida Only			ULF9L	ULF 12	1.17	33.31	20.40	27.50	0.37		11.50				
1 101	2W VG Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Loca	Al Switching Centrex Intercom Funtionality, per port			UEP9E	LIBECC	0.7384										
Loc	al Number Portability			UEP9E	URECS	0.7384							-			-
LUC	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feat	ures			OLI OL	2141 00	0.00										
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NAR																
_	Unbundled Network Access Register-Combination		\sqcup	UEP9E	UARCX	0.00	0.00	0.00			1	11.90				1
_ _	Unbundled Network Access Register-Indial	-	\vdash	UEP9E	UAR1X	0.00	0.00	0.00	1	ļ	1	11.90				
pa:c-	Unbundled Network Access Register-Outdial cellaneous Terminations		\vdash	UEP9E	UAROX	0.00	0.00	0.00	1		+	11.90	-			
	re Trunk Side		\vdash		+				1	-	+	1	1			+
2-991	Trunk Side Terms, each		1	UEP9E	CEND6	8.73					1	 				
4-Wi	re Digital (1.544 Megabits)		H	021 0E	52,100	0.70			1		1	1				t -
T	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95										<u> </u>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	25.32										
1 -	Interoffice Channel miage, per mi or fraction of mi	L	L T	UEP9E	MIGBM	0.0091			<u></u>							

UNBU	<u>IN</u> DL	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhib	oit: B
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Rec	Nonreci		NRC Disco					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		e Activations (DS0) Centrex Loops on Channelized DS1 Service															
		annel Bank Feature Activations			HEDOE	400000	0.00										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E UEP9E	1PQWS 1PQW6	0.66			-							
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW6	0.66			+		1					
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66			+		1					
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
1	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
		per port			UEP9E	USAC2		21.50	8.42				11.90				
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES		l	L	<u> </u>	<u> </u>	L									
		ket Rates are applied where BellSouth is not required by FCC and/or C				dled Local	Switching or	Switch Ports.									
		urring Charges for all Standard Centrex and Centrex Conrol Features a Office and Tandem Switching Usage and Common Transport Usage r					-11			<u> </u>			LINE O. '	D			
		first and additional Port NRC charges apply to Not Currently Combine															also and
		tegorized accordingly.															
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)			1,550												
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		26.94					-					
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91 UEP91		31.06 45.87					-					
-		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)		3	UEP91		45.67			+							
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		29.36			 							
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP91		34.43										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		50.68										
ı		oop Rate		Ť													
		2W VG Loop (SL1)-Zone 1		1	UEP91	UECS1	12.94										
		2W VG Loop (SL1)-Zone 2		2	UEP91	UECS1	17.06										
		2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	31.87										
		2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	15.36										
		2W VG Loop (SL2)-Zone 2		2	UEP91	UECS2	20.43										
		2W VG Loop (SL2)-Zone 3		3	UEP91	UECS2	36.68										
	JNE P																
,		ites (Except NC and SC)	<u> </u>		LIEDA!	LIEBY		=0.01		0= 00	40.00	-	41.00				ļ
		2W VG Port (Centrex) Basic Local Area	<u> </u>		UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00	-	11.90				ļ
		2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area	<u> </u>		UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00	1	11.90				
		2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area	-	1	UEP91 UEP91	UEPYH	14.00 14.00	70.00 180.00	35.00 110.00	35.00 85.00	10.00	-	11.90 11.90				
		2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area	 	1	UEP91	UEPYZ	14.00	180.00	110.00	85.00 85.00	20.00	+	11.90				-
		2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
		2W VG Port Terminated in on Megalink of equivalent-basic Local Area			UEP91	UEPY2	14.00	70.00	35.00	35.00	10.00	1	11.90				
(ia and Florida Only			32101	021 12	14.00	7 0.00	30.00	30.00	. 5.00	1	. 1.55				
ľ		2W VG Port (Centrex)			UEP91	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
		2W VG Port (Centrex 800 Term)			UEP91	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
		2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
		2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
		2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
		2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
		2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
l		Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Į.		Number Portability	<u> </u>									1					
		Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35	1		 		1					ļ
P	eatur	es All Standard Features Offered, per port	<u> </u>	1	UEP91	UEPVF	0.00	-		 		 	11.90				
		Ali Standard Features Offered, per port		1	UEPSI	UEPVF	0.00	1	l	i l		1	11.90	l			i

Version 4Q02: 12/18/02 Page 65 of 324

UNDUNDL	ED NETWORK ELEMENTS - Florida		,									_		nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrecu First	ırring Add'l	NRC Disc	onnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70	Auu	11130	Auu	JOINEC	11.90	JOMAN	JOHIAN	JOHAN	JOINA
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	0.0					11.90				†
NARS	-1 1															1
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	llaneous Terminations															
	Trunk Side			liebo.	051110	0.01										
	Trunk Side Terms, each	1		UEP91	CENA6	8.81										<u> </u>
	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG	-		UEP91	M1GBC	25.32						-				
	Interoffice Channel miage, per mi or fraction of mi	1	\vdash	UEP91	M1GBC	25.32 0.0091			1	1	1	1				
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1		OLFSI	IVITGDIVI	0.0081			-		1	1				
	annel Bank Feature Activations	1			_				<u> </u>	†	1	1			1	t
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP91	1PQW7	0.66										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP91	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block	ļ		UEP91	M1ACC	0.00	618.82					11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				<u> </u>
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48				-	11.90				
	P CENTREX - 5ESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	Port/Loop Combination Rates (Non-Design)				+											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		26.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95	+	31.06										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		45.87										
	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		29.36										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		34.43										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		50.68										
	oop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	12.94										
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	17.06										
	2W VG Loop (SL1)-Zone 3	ļ	3	UEP95	UECS1	31.87					ļ					<u> </u>
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	15.36										
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	20.43										
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	36.68										
All Sta	Port Rate										-					
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)	1		UEP95	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex with Caller ID)1Basic Local Area	 		UEP95	UEPYH	14.00	70.00	35.00			+	11.90			 	
	2W VG Port (Centrex with Caller ID) (Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area	 		UEP95	UEPYM	14.00	180.00	110.00	85.00			11.90			 	
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	1		UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90			1	t
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	1		UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated in 61 Wegamin of equivalent Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				1
	GA Only											,				
	2W VG Port (Centrex)			UEP95	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	70.00	35.00	35.00			11.90				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent	\perp	\Box	UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90			L	\perp

Version 4Q02: 12/18/02 Page 66 of 324

INBUND	DLED NETWORK ELEMENTS - Florida			•		1								ment: 2		bit: B
ATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Rec	Nonrecu First	ırring Add'l	NRC Disc	onnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	2W VG Port Terminated on 800 Service Term		1	UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00	JOINEC	11.90	JONAN	JOMAN	JONAN	JONA
Loca	al Switching			02.00	OL: II		7 0.00	00.00	00.00	10.00		11100				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Loca	al Number Portability															1
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat	tures															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
NIAD	All Centrex Control Features Offered, per port		-	UEP95	UEPVC	0.00										
NAR		-		UEP95	UARCX	0.00	0.00	0.00				11.90		-		+
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	1	+	UEP95	UAR1X	0.00	0.00	0.00		 		11.90				
-	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial	-	1	UEP95	UAROX	0.00	0.00	0.00			1	11.90				
Misc	cellaneous Terminations	1	1	02100	5, 1107	0.00	0.00	0.00				11.50		†		†
	ire Trunk Side															
	Trunk Side Terms, each		L	UEP95	CEND6	8.81										
4-Wi	ire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0091										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service		-													
D4 C	Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	_		UEP95	1PQWS	0.66					-					
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	1	UEP95	1PQW3	0.66										+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-	1	UEP95	1PQW7	0.66										+
+-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	1	UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes	,														1
	per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	E-P CENTREX - DMS100 (Valid in All States)															-
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	-	+		+	-				 	 	!		 		+
ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+	1	UEP9D	+	26.94				 	1	 		-		+
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	-	2	UEP9D		31.06				 	1	 		-		
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP9D	+	45.87					1					
UNE	: Port/Loop Combination Rates (Design)		Ť	52. 52		.0.07										t
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		29.36										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		34.43										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		50.68										
UNE	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	12.94	, The state of the									
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	17.06					1	ļ				1
	2W VG Loop (SL1)-Zone 3	-	3	UEP9D	UECS1	31.87					<u> </u>	<u> </u>		<u> </u>		
-	2W VG Loop (SL2)-Zone 1	-	1	UEP9D	UECS2	15.36				ļ	1					
-	2W VG Loop (SL2)-Zone 2	-	3	UEP9D	UECS2	20.43					1	 		 		+
IINE	2W VG Loop (SL2)-Zone 3	+	3	UEP9D	UECS2	36.68				-	1	1		 		
	STATES	+	1		+					-	1	1		 		
ALL	2W VG Port (Centrex) Basic Local Area	+	 	UEP9D	UEPYA	14.00				 	 	11.90				+
-	2W VG Port (Centrex 800 Term)Basic Local Area	+	1	UEP9D	UEPYB	14.00	70.00	35.00	35.00	10.00	1	11.90		†		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	+	1	UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00	1	11.90		†		
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area		t	UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00		11.90				1
_	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area	1	1	UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00		11.90	 	1	1	

Version 4Q02: 12/18/02

ONBONDE	ED NETWORK ELEMENTS - Florida		, ,		1						•			ment: 2		bit: B
		1									Svc Order	Svc	Incrementa I Charge -	Incrementa I Charge -	Incrementa	I
												Order	_	_	I Charge -	al Charg
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES (\$)			Submitte		Manual	Manual	Manual	Manua
AILGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300		IV-	ι ΔΟ (ψ)			d Elec	d	Svc Order	Svc Order	Svc Order	
											per LSR	Manually	VS.	VS.	VS.	VS.
												per LSR	Electronic-	Electronic-	Electronic-	Electron
						Rec	Nonrec		NRC Disc					Rates (\$)		
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area	1		UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area	-	-	UEP9D UEP9D	UEPYG	14.00 14.00	70.00 70.00	35.00	35.00	10.00		11.90 11.90				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area 2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	1	1	UEP9D	UEPYU	14.00	70.00	35.00 35.00	35.00 35.00	10.00		11.90				-
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	-		UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															
	Area			UEP9D	UEPYW	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area	1	1	UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area	-	-	UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area	1		UEP9D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent Basic Local Area	1		UEP9D UEP9D	UEPYZ UEPY9	14.00 14.00	180.00 70.00	110.00 35.00	85.00 35.00	20.00		11.90 11.90				
	2W VG Port Terminated in on Megalink of equivalent Basic Local Area	-	1	UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
	GA Only	1	1	UEF9D	UEF12	14.00	70.00	35.00	35.00	10.00		11.90				-
	2W VG Port (Centrex)	1		UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)	1		UEP9D	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex/EBS-PSET)3	1		UEP9D	UEPHC	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPHD	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPHE	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPHG	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPHT	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPHU	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPHV	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	14.00	70.00	35.00	35.00	10.00		11.90				ļ
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	1	1	UEP9D	UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	1	1	UEP9D UEP9D	UEPHQ UEPHR	14.00	180.00	110.00	85.00	20.00		11.90 11.90				-
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	-	1	UEP9D	UEPHS	14.00 14.00	180.00 180.00	110.00 110.00	85.00 85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	1	1	UEP9D	UEPH4	14.00	180.00	110.00	85.00	20.00		11.90				-
	2W VG Port (Centrex/differ SWC /EBS-M5006)2, 3	1	1	UEP9D	UEPH5	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	1	1	UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	1		UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90				†
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS		1				· ·		0.00				11.90				
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00									

INBUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: B
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		D.A.	TES (\$)			Svc Order Submitte	Svc Order Submitte	l Charge - Manual	I Charge - Manual	Manual	al Charg
TEGORT	NATE ELEMENTS	m	Zone	ВСЗ	0300		NA.	1123 (4)			d Elec per LSR	d Manually per LSR	Svc Order vs. Electronic-	vs.	Svc Order vs. Electronic-	vs.
						Rec	Nonrecu	ırring	NRC Disc	onnect			oss	Rates (\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Unb	bundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
	eous Terminations															
2-Wire Tru	unk Side															
	nk Side Terms, each			UEP9D	CEND6	8.81										
4-Wire Dig	gital (1.544 Megabits)															
	1 Circuit Terms, each			UEP9D	M1HD1	54.95										
	0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
Interoffice	e Channel Mileage - 2-Wire															
Inte	eroffice Channel Facilities Term			UEP9D	MIGBC	25.32										
Inte	eroffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0091										
Feature A	ctivations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Chann	nel Bank Feature Activations															
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.66										
Fea	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
Fea	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
Fea	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-Recu	irring Charges (NRC) Associated with UNE-P Centrex															
NR	C Conversion Currently Combined Switch-As-Is with allowed changes,															
per	port			UEP9D	USAC2		21.50	8.42				11.90				
Cor	nversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
Nev	w Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
Nev	w Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
NA	R Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
UNE-P CE	NTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire VG	Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/	/Loop Combination Rates (Non-Design)															
2W	VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		26.94										
	VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		31.06										
	VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		45.87										
	/Loop Combination Rates (Design)															
	VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		29.36										
	VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		34.43										
	VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		50.68										
UNE Loop																
	VG Loop (SL1)-Zone 1		1	UEP9E	UECS1	12.94										
2W	VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	17.06										
2W	VG Loop (SL1)-Zone 3		3	UEP9E	UECS1	31.87										
2W	VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	15.36										
2W	VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	20.43										
2W	VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	36.68										

ONDOND	LED NETWORK ELEMENTS - Florida										Svc	Svc	Incrementa	ment: 2	Incrementa	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Order Submitte d Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	I Charge - Manual	al Charge Manual Svc Orde vs.
						Rec	Nonreci		NRC Disc			I.		Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port Rate				+											
AL, F	EL, KY, LA, MS, & TN only 2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00	-	11.90				+
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				+
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				+
	2W VG Port (Centrex with scale 15) 15 asic Local Area			UEP9E	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				+
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				+
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				+
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				†
Florio	da Only			02.02	02.12	1 1.00	70.00	00.00	00.00	10.00		11100				†
1	2W VG Port (Centrex)	İ		UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90	İ		1	1
	2W VG Port (Centrex 800 Term)	1		UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex with Caller ID)1	i –		UEP9E	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				1
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				1
Loca	I Switching															1
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Loca	I Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																1
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	ellaneous Terminations															+
2-Wir	re Trunk Side			LIEDOE	CENIDO	0.04										+
4 187	Trunk Side Terms, each			UEP9E	CEND6	8.81										4
4-vvir	re Digital (1.544 Megabits)			LIEDOE	MALIDA	54.05										
	DS1 Circuit Terms, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD1 M1HDO	54.95 0.00	15.69					11.90				+
Inter	office Channel Mileage - 2-Wire			UEP9E	MIHDO	0.00	15.69					11.90				+
interc	Interoffice Channel Facilities Term			UEP9E	MIGBC	25.32										+
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0091										+
Foati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF9E	IVIIGDIVI	0.0091										+
	hannel Bank Feature Activations															+
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.66										†
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										†
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										†
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										†
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															1
	per port	1		UEP9E	USAC2		21.50	8.42			<u> </u>	11.90	ļ			1
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82				<u> </u>	11.90				1
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48				<u> </u>	11.90			ļ	<u> </u>
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	ļ										ļ	ļ		ļ	
	2 - Requres Interoffice Channel Mileage	ļ										ļ	ļ		ļ	4
Note	3 - Requires Specific Customer Premises Equipment	1			1				1			1	1	l	1	

NRON	DLED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
CATEGOR	Y RATE ELEMENTS	Inter m	ⁱ Zone	BCS	usoc		RA	TES (\$)		O Sul d	Svc Order bmitte Elec er LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increme al Charg Manua Svc Ord vs. Electron
						Dee	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First A	dd'l SC	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The	"Zone" shown in the sections for stand-alone loops or loops as part of	a comb	ination	refers to Geographica	ally Deaver	aged UNE Zone	es. To view G	eographical	ly Deaverage	d UNE Zoi	ne Des	ignations	by Central O	ffice, refer to	Internet W	ebsite:
http	://www.interconnection.bellsouth.com/become_a_clec/html/interconnec	tion.htn	า		-											
	DNAL SUPPORT SYSTEMS															
NO	FE: (1) Electronic Service Order: CLEC should contact its contract nego	iator if i	t prefe	rs the state specific el	ectronic se	ervice ordering	charges as o	dered by the	e Commissio	ns. The e	lectron	ic service	ordering ch	arge current	y contained	in this
rate	exhibit is the BellSouth regional electronic service ordering charge. Cl FE: (2) Any element that can be ordered electronically will be billed acco	EC may	elect	either the state specific	c Commiss	ion ordered ra	tes for the ele	ctronic serv	ice ordering	charges, o	r CLE	may elec	t the region	al electronic	service orde	ering
	those elements that cannot be ordered electronically at present per the															
	erwise, the manual ordering charge, SOMAN, will be applied to a CLEC's				is outegory	reneoto the on	iaige that wo	ara be bilieu	10 0 0220 0	noc cicon	01110 01	acing ou	publistics co.	inc on time re	Tinat Cicini	
0	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive	J	1	Diffice an Eore to Bot.												
	interfaces (Regional)				SOMEC		3.50									
IE SERV	/ICE DATE ADVANCEMENT CHARGE	1	1				2.30									
	TE: The Expedite charge will be maintained commensurate with BellSou	th's FC	C No.1	Tariff, Section 5 as ap	plicable.											
				ALL UNE EXCEPT												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					18.94	8.42		
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92					18.94	8.42		
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	_		UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design, billing for BST providing make-up			LIFANI	LIFANINA		44.47	44.47								
	(Engineering Information-EI)		1	UEANL UEANL	UEANM		14.47	14.47 16.11								
	Manual Order Coordiantion for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1	UEANL	UEAMC		16.11 35.74									
2.14	IRE UNBUNDLED COPPER LOOP - NON-DESIGNED	-	1	UEAINL	OCOSL		33.74	35.74		-						
2-44	2W Unbundled Copper Loop Non-Designed-Zone 1	+	1	UEQ	UEQ2X	11.02	44.69	22.40					18.94	8.42		
+	2W Unbundled Copper Loop Non-Designed-Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40					18.94	8.42		
	2W Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40					18.94	8.42		
_	Unbundled Misc Rate Element, Tag Loop at End User Premise		<u> </u>	UEQ	URETL		8.33	0.83					18.94	8.42		
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		1													
	providing make-up (Engineering Information-EI)			UEQ	UEQMU		28.72	28.72					18.94	8.42		
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92					18.94	8.42		
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42					18.94	8.42		
	ED EXCHANGE ACCESS LOOP															<u> </u>
	IRE ANALOG VOICE GRADE LOOP			l	<u> </u>											ļ
UNI	E Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting lo	op USO											10.0			├ ──
-	2W VG Loop (SL1) for Line Splitting-Zone 1	+ !	1	UEPSR,UEPSB	UEALS,	12.59	22.14	15.25					18.94	8.42		├──
+	2W VG Loop (SL1) for Line Splitting-Zone 1 2W VG Loop (SL1) for Line Splitting-Zone 2	++	2	UEPSR,UEPSB UEPSR,UEPSB	UEABS UEALS,	12.59 14.26	22.14 22.14	15.25 15.25					18.94 18.94	8.42 8.42		\vdash
+	2W VG Loop (SL1) for Line Splitting-Zone 2 2W VG Loop (SL1) for Line Splitting-Zone 2	+ +	2	UEPSR,UEPSB UEPSR,UEPSB	UEALS,	14.26	22.14	15.25					18.94	8.42		
-	2W VG Loop (SL1) for Line Splitting-Zone 3	+÷	3	UEPSR,UEPSB	UEALS	21.62	22.14	15.25	 				18.94	8.42		
-	2W VG Loop (SL1)for Line Splitting-Zone 3	+÷	3	UEPSR,UEPSB	UEABS	21.62	22.14	15.25	 				18.94	8.42		
IBUNDL	ED EXCHANGE ACCESS LOOP	Ť	Ť	52. S. G. S. S. S. S. S. S. S. S. S. S. S. S. S.	0200	202							10.04	J. 12		
	IRE ANALOG VOICE GRADE LOOP		1													
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		1
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		<u> </u>
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		<u> </u>
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		<u> </u>
\longrightarrow	0 1 0 11 11 1 0 11 10 1 1 11 1 1 1 1 1															1
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UEA UEA	OCOSL UREWO		35.74 87.72	36.36		-			18.94	8.42		

Version 4Q02: 12/18/02 Page 71 of 324

UNBUNDI	LED NETWORK ELEMENTS - Georgia													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec			sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WII	RE ANALOG VOICE GRADE LOOP		1	LIEA	115414	00.00	200 05	470.57					40.04	0.40		
	4W Analog VG Loop-Zone 1			UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3		2	UEA UEA	UEAL4 UEAL4	25.70 40.86	206.95 206.95	170.57 170.57					18.94 18.94	8.42 8.42		
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	40.86	35.74	170.57					18.94	8.42		
	CLEC to CLEC Conversion Charge w/o outside dispatch		+ +	UEA	UREWO		87.72	36.36					18.94	8.42		
2-WII	RE ISDN DIGITAL GRADE LOOP			OLA	OKEWO		01.12	30.30					10.54	0.42		
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74							_		
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		İ
2-WII	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	-	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	ı	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3	-	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge w/o outside dispatch	ı		UDC	UREWO		44.69	31.55					18.94	8.42		
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE L	OOP														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 1	ı	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 2	ı	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	44.00	35.74	04.55	05.05	7.00			40.04	0.40		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservator-Zone 1	-	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2 2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3	-	3	UAL UAL	UAL2W UAL2W	12.97	44.69 44.69	31.55 31.55	25.65 25.65	7.06			18.94	8.42 8.42		
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.62	35.74	31.55	25.05	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge w/o outside dispatch	-		UAL	UREWO		44.69	29.29					18.94	8.42		
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LO	OP	+ +	UAL	UKLVVO		44.03	25.25					10.54	0.42		
2-7711	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	Or .														
	Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		<u> </u>	OTIL	OTILEX	7.00	44.00	01.00	20.00	7.00			10.04	0.42		
	Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
-	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		- -	02	OT ILLEX	0.00		01.00	20.00	7.00			10.01	0.12		
	Zone 3	1	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74							_		
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	ı	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	ı	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3	- 1	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge w/o outside dispatch	- 1		UHL	UREWO		44.69	31.55					18.94	8.42		
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LO	OP														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-	ı	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-	- 1	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-	ı	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		ļ
	Order Coordination for Specified Conversion Time (per LSR)		+ + +	UHL	OCOSL		35.74				ļ					1
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1	_ !	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	-	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3	ı	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		ļ
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch	-	+	UHL UHL	OCOSL UREWO		35.74 44.69	31.55	1	1	1	1	18.94	8.42		1
4 18/11	RE DS1 DIGITAL LOOP		1	UHL	UKEWO		44.69	31.55	-	 	-	-	18.94	8.42		
4-1/11	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	55.53	429.98	268.18	1	}	1	-	18.94	8.42		1
	4W DS1 Digital Loop-Zone 1 4W DS1 Digital Loop-Zone 2		2	USL	USLXX	64.13	429.98	268.18	1	}	1	-	18.94	8.42		1
	4W DS1 Digital Loop-Zone 2 4W DS1 Digital Loop-Zone 3		3	USL	USLXX	101.93	429.98	268.18	1	}	1	-	18.94	8.42		1
	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	101.53	35.74	200.10	1	1	1	-	10.54	0.42		1

JNDUND	DLED NETWORK ELEMENTS - Georgia												Attachr			oit: B
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WI	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20	-		-		18.94	8.42		
	4W Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 1	1	1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		<u> </u>
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
	4W Unbundled Digital Loop 64 Kbps-Zone 3	<u> </u>	3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	 	 	UDL	OCOSL		35.74	10.00	1	ļ	1		10.01	0.40		
0.147	CLEC to CLEC Conversion Charge w/o outside dispatc h	+	1	UDL	UREWO		101.95	49.66	-	 	-		18.94	8.42		-
2-VVI	IRE Unbundled COPPER LOOP 2W Unbundled Copper Loop/Short including manl svc ing & facility	 	\vdash						1	 	1				-	├──
	reservation-Zone 1	1	1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
-	2W Unbundled Copper Loop/Short including manl svc ing & facility	+-	+	001	OOLI B	12.02	44.09	31.33	20.00	7.00	 		10.54	0.42		\vdash
	reservation-Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short including manl svc ing & facility	<u> </u>			002.0	10.00	11.00	01.00	20.00	7.00			10.01	0.12		
	reservation-Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-	١.	_													
	Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		16.11	16.11	-		-					
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1	١.	4	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility	+		UCL	UCLZL	33.30	44.09	31.33	23.03	7.00			10.54	0.42		-
	reservation-Zone 2	1	2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															—
	reservation-Zone 3	1	3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1	- 1	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2	I	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	1 .		1.0.	110. 5			c · ==	07.00							
_	Zone 3	+-	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		├ ──
-	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	+ -	\vdash	UCL UCL	UCLMC UREWO		16.11 44.69	16.11 31.55	1	-	1		18.94	8.42		
4-10/1	IRE COPPER LOOP	+	\vdash	UCL	UKEWU		44.69	31.55					18.94	8.42		\vdash
vVI	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 1	1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
-	4W Copper Loop/Short-including man svc inq & facility reservation-Zone 2	ΗĖ	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-including manl svc ing & facility reservation-Zone 3	ΤĖ	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		16.11	16.11	1	1		İ				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1	I	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2	I	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3	Ι	3	UCL	UCL4W	22.07	44.69	31.55		7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC		16.11	16.11								Ļ
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility	1.														
	reservation-Zone 1		1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06	1		18.94	8.42		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2	.	2	UCL	1101.41	44.07	44.69	04.55	25.05	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility	+		UCL	UCL4L	41.07	44.09	31.55	25.65	7.06	 		18.94	8.42	-	₩
	reservation-Zone 3	١,	3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42	1	
-	Order Coordination for Unbundled Copper Loops (per loop)	+	3	UCL	UCLMC	65.28	16.11	16.11	∠5.05	7.06	1		10.94	0.42		
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-	1		JOL	COLIVIO		10.11	10.11	1	1	1				1	
	Zone 1	Li	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		

Version 4Q02: 12/18/02 Page 73 of 324

ONDONDL	ED NETWORK ELEMENTS - Georgia			T	1							1 0		nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			ľ	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Order vs. Electronic
						Rec	Nonrec First	urring Add'l	NRC Dis	Sconnect Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-						FIISL	Auu i	Filst	Auu	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Zone 2	ı	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL UCL	UCL4O UCLMC	65.28	44.69 16.11	31.55 16.11	25.65	7.06	-		18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge w/o outside dispatch	_		UCL	UREWO		44.69	31.55			-		18.94	8.42		
OOP MODI				UCL	UKLVVO		44.09	31.33					10.54	0.42		
	IOATION			UAL,UHL,UCL,UEQ,U												
				LS,UEA,UEANL,UEPS												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	- 1		R,UEPSB	ULM2L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	-		UCL,ULS,UEQ	ULM2G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	I		UCL	ULM4L	_	0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	_		UHL,UCL	ULM4G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UAL,UHL,UCL,UEQ,U LS,UEA,UEANL,UEPS			0.00	0.00					40.04	0.40		
UB-LOOPS	unbundled loop	- 1		R,UEPSB	ULMBT		0.00	0.00				-	18.94	8.42		
	.oop Distribution															
Jub-L	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		421.08	421.08					18.94	8.42		
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	i		UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	Ħ		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	ı		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working & Spare Loop															
	Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working & Spare Loop															
	Activation Control of the Property of the Control o			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop-Statewide		SW	UEANL UEANL	USBMC USBN4	8.32	34.22 219.35	34.22 72.99	123.72	28.77		-	18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		SW	UEANL	USBMC	0.32	34.22	34.22	123.72	20.11	1		10.94	0.42		
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	Ė		UEANL	USBMC	1.07	34.22	34.22	110.00	10.17			10.04	0.42		
	Sub-Loop 4W Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.22	34.22								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	- 1	1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	-	2	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	_	3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.22	34.22								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	<u> </u>	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF UEF	UCS4X USBMC	6.89	219.35 34.22	72.99 34.22	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip			UEF	OSBIVIC		34.22	34.22								
	Removal per 2-W PR			UEF	ULM2X											
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X											İ
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap			OLI	OLIVIAX											
	Removal, per PR unloaded			UEF	ULM4T											
Unbu	ndled Network Terminating Wire (UNTW)					İ										
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74	1		18.94	8.42		
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		86.37	56.69					18.94	8.42		
	Network Interface Device (NID)-1-6 lines	I		UENTW	UND16	_	127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect-2 W	I		UENTW	UNDC2		6.15	6.15					18.94	8.42		
1	Network Interface Device Cross Connect-4W	l		UENTW	UNDC4		6.15	6.15	l		1	1	ĺ			1

<u>UNBUNI</u>	DLE	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhil	bit: B
CATEGOF	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonrec		NRC Dis			T =		Rates (\$)		
OUD LOO								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOO		pop Feeder															
Sui		JSL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA,UDN,UCL,UDL,U								1				
		et-up			DC	USBFW		421.08						18.94	8.42		
		or up			UEA,UDN,UCL,UDL,U	005		121100						10.01	02		<u> </u>
		JSL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			DC	USBFX		67.10	67.10					18.94	8.42		
	U	JSL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		521.57	11.30					18.94	8.42		
		Jnbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide		SW	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
		Jnbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide		SW	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL	0.50	35.74	470.05					40.04	0.40		
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide		SW	UEA	USBFC	8.58	206.44	170.05			-	 	18.94	8.42		-
		Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Statewide		SW	UEA UEA	OCOSL USBFD	19.91	35.74 243.41	81.32	134.77	33.93	1	 	18.94	8.42	-	
		Order Coordination For Specified Conversion Time, Per LSR		SW	UEA	OCOSL	19.91	35.74	01.32	134.77	55.93	1	 	10.94	0.42		
		Jnbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93	 		18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR		3**	UEA	OCOSL	10.01	35.74	31.02	.54.77	55.55	1	1	10.04	0.72		
		Jnbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		35.74									
	ι	Inbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.9
		Jnbundled Sub-Loop Feeder Loop, 4W DS1-Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.9
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35.74									
		Jnbundled Sub-Loop Feeder Loop, 2W Copper Loop-Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
		Sub-Loop Feeder-Per 4W Copper Loop-Statewide Order Coordination For Specified Conversion Time, per LSR		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		<u> </u>
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		SW	UCL UDL	OCOSL USBFN	24.50	35.74 243.41	81.32	134.77	33.93	-		19.99	19.99	19.99	19.9
-		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop-Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93		1	19.99	19.99	19.99	19.9
		Order Coordination For Specified Time Conversion, per LSR		SW	UDL	OCOSL	24.50	35.74	01.32	134.77	33.93			19.99	19.99	19.99	19.9
		Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Statewide		sw	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LOO		,															
Sub	b-Lo	pop Feeder															
		Sub Loop Feeder-DS3-Per mi Per mo	-		UE3	1L5SL	12.80										
		Sub Loop Feeder-DS3-Facility Term Per mo	- 1		UE3	USBF1	329.94	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder – STS-1 – Per mi Per mo	_ !		UDLSX	1L5SL	12.80	0.000.00	100 50	100.01							ļ
		Sub Loop Feeder-STS-1-Facility Term Per mo			UDLSX	USBF7	372.78	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder – OC-3 – Per mi Per mo			UDLO3 UDLO3	1L5SL USBF5	9.71 57.79										
-		Sub Loop Feeder-OC-3-Facility Term Protection Per mo Sub Loop Feeder-OC-3-Facility Term Per mo	÷		UDLO3	USBF2	524.13	3,396.56	406.50	163.61	92.75		1	18.94	8.42		ļ — —
		Sub Loop Feeder-OC-12-Per mi Per mo	÷		UDL12	1L5SL	11.95	3,350.50	400.30	103.01	92.73		 	10.94	0.42		
		Sub Loop Feeder-OC-12-Fer IIII Fer IIIo Sub Loop Feeder-OC-12-Facility Term Protection Per mo		1	UDL12	USBF6	519.09					1					
		Sub Loop Feeder-OC-12-Facility Term Per mo	i		UDL12	USBF3	1,570.00	3,396.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder-OC-48-Per mi Per mo	i		UDL48	1L5SL	39.20	2,522.30									
		Sub Loop Feeder-OC-48-Facility Term Protection Per mo	ı		UDL48	USBF9	259.99										
		Sub Loop Feeder-OC-48-Facility Term Per mo	- 1		UDL48	USBF4	1,505.00	3,582.56	406.50	163.61	92.75			18.94	8.42		
		Sub Loop Feeder-OC-12 Interface On OC-48	ı		UDL48	USBF8	323.43	803.69	406.50	163.61	92.75			18.94	8.42		
UNBUNDL		LOOP CONCENTRATION				L											
		Unbundled Loop Concentration-System A (TR008)		<u> </u>	ULC	UCT8A	441.42	650.81	650.81			<u> </u>	<u> </u>	19.99	19.99	19.99	19.9
		Jnbundled Loop Concentration-System B (TR008)		<u> </u>	ULC	UCT3A	52.97	271.17	271.17			1		19.99	19.99	19.99	19.9
	_	Jnbundled Loop Concentration-System A (TR303)			ULC ULC	UCT3A UCT3B	478.93 89.26	650.81 271.17	650.81 271.17			1	 	19.99 19.99	19.99 19.99	19.99 19.99	19.9 19.9
		Jnbundled Loop Concentration-System B (TR303) Jnbundled Loop Concentration-DS1 Loop Interface Card		1	ULC	UCTCO	5.04	126.57	92.14	33.57	9.40	1	 	19.99	19.99	19.99	19.9
		Jnbundled Loop Concentration-ISDN Loop Interface (Brite Card)		-	UDN	ULCC1	8.00	21.07	20.96	10.78	10.71	 		19.99	19.99	19.99	19.9
		Inbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71	1	1	19.99	19.99	19.99	19.9
		Inbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop				32000	5.00	207	20.50		.0.71			.0.00		.0.00	.5.5
		nterface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
		Jnbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface										Ì					
	(SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
		Inbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
		Jnbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	
	17	Inbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface	_	i –	UDL	ULCC7	10.51	21.07	20.96	10.78	10.71	1	1	19.99	19.99	19.99	19.9

Version 4Q02: 12/18/02 Page 75 of 324

UNDUNDL	ED NETWORK ELEMENTS - Georgia			1										nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)				Svc Order Submitte d Manually per LSR	1st	l Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Dis			1001111		Rates (\$) SOMAN	001111	SOMAN
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	First 21.07	Add'I 20.96	First 10.78	Add'I 10.71	SOMEC	SOMAN	SOMAN 19.99	19.99	SOMAN 19.99	19.99
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	, PROVISIONING ONLY - NO RATE			ODL	ULCCU	10.51	21.07	20.90	10.76	10.71			19.99	19.99	19.99	15.55
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UE		0.00	0.00									
	, PROVISIONING ONLY - NO RATE			OLYWE,OLI ,OLQ,OL	ONLON	0.00	0.00									
J. J. J. J. J	, I NOVICIONINO CRET. NO RATE			UAL,UCL,UDC,UDL,U												
	Unbundled Contact Name, Provisioning Only-no rate			DN.UEA.UHL.ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00						İ		İ	
1	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00						İ		İ	
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
	: minimum billing period of three months for DS3 and above Local Loop															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAKE				0 0										0.1.00	10100	
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup-Preordering With Reservation, per spare facility queried															
	(Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried			•												
	(Mechanized)			UMK	PSUMK		0.075	0.075								
HIGH FREQU	JENCY SPECTRUM															
LINE	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00					18.94	8.42		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00					18.94	8.42		
	Line Sharing Splitter, Per System, 8 Line Capacity	- 1		ULS	ULSD8	11.00	0.00	0.00					18.94	8.42		
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per				0.000											
	LSOD)			ULS	ULSDG		131.55	0.00					18.94	8.42		
END (JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTR	UM A	KA LIN					0.00						9,1		
	Line Sharing-per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70					18.94	8.42		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned													9,1		
	Splitter			ULS	ULSDS		36.23	13.23					18.94	8.42		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned															
	Splitter			ULS	ULSCS		36.23	13.23					18.94	8.42		
	Line Sharing-per Line Activation (DLEC owned Splitter)	- 1		ULS	ULSCC	0.61	47.44	19.31					18.94	8.42		
	SPLITTING															
LINE	SPLITTING															
LINE END U	SPLITTING JSER ORDERING-CENTRAL OFFICE BASED	_		UEPSR UEPSB	UREOS	0.61										
LINE :	SPLITTING JSER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter	<u> </u>			UREOS UREBP	0.61 0.61	53.48	34.48	16.45	12.75			18.94	8.42		
LINE :	SPLITTING JSER ORDERING-CENTRAL OFFICE BASED	 		UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB			53.48 53.48	34.48 34.48	16.45 16.45	12.75 12.75			18.94 18.94	8.42 8.42		
LINE :	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical	 		UEPSR UEPSB	UREBP	0.61										
LINE : END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-wirtual	 		UEPSR UEPSB	UREBP	0.61										
END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual DTE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE	 		UEPSR UEPSB	UREBP	0.61										
END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual ITE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port	 		UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	53.48	34.48					18.94	8.42		
LINE END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual DIE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS &			UEPSR UEPSB UEPSR UEPSB ULS	UREBP UREBV ULSRB	0.61 0.61	53.48 136.10	0.00					18.94	8.42		
END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual TEE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation	<u> </u>	SITE	UEPSR UEPSB UEPSR UEPSB ULS ULS	UREBP UREBV	0.61 0.61	53.48	34.48					18.94	8.42		
END U	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual DTE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA RE	<u> </u>	SITE	UEPSR UEPSB UEPSR UEPSB ULS ULS	UREBP UREBV ULSRB	0.61 0.61	53.48 136.10	0.00					18.94	8.42		
REMO SPLIT	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual ITE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA RE Remote Site Line Share Line Activationfor End User Served at RS, BST	<u> </u>	SITE	UEPSR UEPSB UEPSR UEPSB ULS ULS LINE SHARING	UREBP UREBV ULSRB ULSTG	0.61 0.61 31.13	53.48 136.10 123.70	0.00					18.94 18.94	8.42 8.42 8.42		
REMC SPLIT	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual TOTE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA RE Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter	<u> </u>	SITE	UEPSR UEPSB UEPSR UEPSB ULS ULS LINE SHARING ULS	UREBP UREBV ULSRB ULSTG	0.61 0.61 31.13	53.48 136.10 123.70	0.00 0.00 7.70					18.94 18.94 18.94	8.42 8.42 8.42		
REMO SPLIT	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual ITE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port Remote Site Line Share Cable pr Activation CLEC Owned at RS & Deactivation ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA RE Remote Site Line Share Line Activationfor End User Served at RS, BST	I I MOTE	SITE	UEPSR UEPSB UEPSR UEPSB ULS ULS LINE SHARING	UREBP UREBV ULSRB ULSTG	0.61 0.61 31.13	53.48 136.10 123.70	0.00					18.94 18.94	8.42 8.42 8.42		

NRONDI	ED NETWORK ELEMENTS - Georgia		, ,										Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manual Svc Orde vs.
						Rec	Nonrec			sconnect				Rates (\$)	l	
INDUNDUE	D DEDICATED TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D DEDICATED TRANSPORT :: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing p	eriod	l - belo	w DS3-one month	hove DS3-fr	our months										
	ROFFICE CHANNEL - DEDICATED TRANSPORT	enou	i - belo	w D33=one month, a	DOVE D33=10	our monuis										
1141 21	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0222										1
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0222										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0222	70.04	20.00					40.04	40.04		
_	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TDX U1TD1	U1TD6 1L5XX	16.45 0.4523	79.61	36.08	1	-	1	-	18.94	18.94		-
	Interoffice Channel-Dedicated Channel-DS1-Fer Init per Init		\vdash	U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		<u> </u>
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.72	141.01	111.73	1	1	1		10.04	10.54		1
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.0
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.72										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.1
	AL CHANNEL - DEDICATED TRANSPORT															
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period :	= belo	w DS3													
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	13.91	382.95	62.40					18.94	18.94		
_	Local Channel-Dedicated-4W VG		1	ULDVX	ULDV4	14.99	368.44	64.05		1			18.94	8.42	40.00	40.0
_	Local Channel-Dedicated-DS1 Local Channel-Dedicated-DS3-Per mi per mo			ULDD1 ULDD3	ULDF1 1L5NC	38.36 6.92	356.15	312.89					44.22	44.22	18.03	18.0
	Local Channel-Dedicated-DS3-Fei fili pei filo Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	515.91	639.50	426.31					37.55	37.55	18.03	18.0
-	Local Channel-Dedicated-STS-1-Per mi per mo			ULDS1	1L5NC	6.92	000.00	420.01					07.00	07.00	10.00	10.0
	Local Channel-Dedicated-STS-1-Facility Term			ULDS1	ULDFS	517.56	639.50	426.31					18.94	18.94		
ARK FIBE																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	44.22										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
_	Interoffice Channel		1	UDF UDF	1L5DF UDF14	44.22	4.055.00	273.69		1			40.04	40.04		
_	NRC Dark Fiber-Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDF	UDF 14		1,355.29	2/3.69					18.94	18.94		
	Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber-Local Loop			UDF	UDFL4	77.22	1,355.29	273.69					18.94	18.94		
	S TEN DIGIT SCREENING						.,									
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations		1	OHD	4		12.81	1.45	1	1	ļ		18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			CLID	NOCTY		40.04	4 45				1	40.04	40.04		
	Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD OHD	N8FTX N8FCX		12.81 4.46	1.45 2.23		-			18.94 18.94	18.94 18.94		-
_	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR		\vdash	OUD	INOFUA		4.40	2.23	1	1	1	-	10.94	10.94		1
	Requested Per 8XX No.			OHD	N8FMX		5.22	2.99				1	18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		1
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0.0105974										
0114: :::-	LIDB Originating Point Code Establishment or Change		1	OQT,OQU	NRPBX		50.30		<u> </u>		<u> </u>		18.94	18.94		1
GNALING			1	LIDD	PT8SX	400.00			1	1	1	-				1
	CCS7 Signaling Term, Per STP Port CCS7 Signaling Usage, Per TCAP Message		\vdash	UDB UDB	P185X	133.99 0.000087			1		1					1
_	CCS7 Signaling Osage, Fer TCAP Message CCS7 Signaling Connection, Per link (A link)		\vdash	UDB	TPP++	17.05	131.96	131.96	1	1	1		18.94	18.94		1
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link)		1	UDB	TPP++	17.05	131.96	131.96		1			18.94	18.94		
$\neg \vdash \neg$																
				UDB							Ĭ .					
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA				STU56	0.0000354 340.67										

Version 4Q02: 12/18/02 Page 77 of 324

ONRONDI	ED NETWORK ELEMENTS - Georgia													nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			d Elec	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC Dis	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	CCS7 Signaling Point Code, per Destination Point Code Establishment or						FIISL	Auu i	FIISL	Auu	SOMEC	JOWAN	SOWAN	JOIVIAIN	JOWAN	JOWIAN
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING N	AME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR	CALL PROCESSING			OQV	СООСП		595.00	595.00					10.94	10.94		
OI EKATOK	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB					1.20										
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB					1.24										
	Oper. Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD OF	ERATOR SERVICES															
	Inward Oper Svcs-Verification, Per min		1		ļ	1.15				-		-			1	-
BRANDING	Inward Oper Services-Verification & Emergency Interrupt-Per min OPERATOR CALL PROCESSING	<u> </u>	\vdash			1.15				 		-			-	-
	ty based CLEC															
1	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00					19.99	19.99		
UNEF	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00					19.99	19.99		
	anding via OLNS for UNEP CLEC						4 200 00	4 000 00					10.00	40.00		
	Loading of OA per OCN (Regional) ASSISTANCE SERVICES						1,200.00	1,200.00					19.99	19.99		
	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
	ASSISTANCE SERVICES															
DIKE	CTORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing					0.04										
 	Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per mo				DBSOF	150.00										
BRANDING	- DIRECTORY ASSISTANCE				DDOOI	100.00										
Facili	ty Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00					18.94	8.42		
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00					18.94	8.42		
UNEF	CLEC						2 000 00	2 000 00					18.94	0.40		ļ
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN						3,000.00 1,170.00	3,000.00 1,170.00					18.94	8.42 8.42		
Unbra	anding via OLNS for UNEP CLEC	l -			1		1,170.00	1,170.00	1	1	1	 	10.34	0.72	1	
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					18.94	8.42		
	Loading of DA per Switch per OCN						16.00	16.00					18.94	8.42		
SELECTIVE																
VIDTUAL C	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		199.56	199.56					33.67	7.88		
	DLLOCATION Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99		
	COLLOCATION			UEFSK,UEFSB	VEILO	0.03	24.56	23.30	9.20	6.30			19.99	19.99		
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99		
AIN SELECT	TIVÉ CARRIER ROUTING			·												
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment		igspace	SRC	SRCEO	, in the second	320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user			SRC	SRCLP	0.000440	2.06	2.06					19.99	19.99	19.99	19.99
AIN - DEI 1 G	Query NRC, per query SOUTH AIN SMS ACCESS SERVICE	 	1	SRC		0.000448				 		-			-	1
AIN - DELLS	AIN SMS Access Service-Service Establishment, Per State, Initial Setup		1	A1N	CAMSE		90.25	90.25	1		1	1	18.94	18.94		1
	AIN SMS Access Service-Port Connection-Dial/Shared Access		t	A1N	CAMDP		29.66	29.66	1		1	1	18.94	18.94		1
									1		1	1				1
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		29.66	29.66		l			18.94	18.94		
	AIN SMS Access Service-Port Connection-ISDN Access AIN SMS Access Service-User Identification Codes-Per User ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or			A1N A1N	CAM1P CAMAU		29.66 84.43	29.66 84.43					18.94 18.94	18.94 18.94		

Version 4Q02: 12/18/02 Page 78 of 324

ONRONDL	ED NETWORK ELEMENTS - Georgia					1						_	Attachn		Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremen al Charge Manual Svc Orde vs. Electronic
						Rec	Nonrec			sconnect	COMEC	COMAN		Rates (\$)	SOMAN	SOMAN
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)				_	0.0023	First	Add'l	First	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	AIN SMS Access Service-Session, Per min					0.0795604										
	AIN SMS Access Service-Company Performed Session, Per min					2.08										
	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		<u> </u>
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt				BAPTT		19.13	19.13					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															1
	Delay				BAPTD		114.80	114.80					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		l
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				DAPTIVI		19.13	19.13					10.94	10.94		
	PODP				BAPTO		70.06	70.06					18.94	18.94		l
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		70.06	70.06					18.94	18.94		1
	AIN Toolkit Service-Query Charge, Per Query					0.0209223										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per															ĺ .
	Node, Per Query					0.0053137										1
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100															ī
	Kilobytes					1.46										.
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		1
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			0414	DADEO	0.0000704	00.04	00.04					40.04	40.04		1
	Subscription			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		
	EXTENDED LINK (EELs) The monthly recurring and non-recurring charges below will apply and	the C	witch	As Is Charge will not	annly for E	I a proviniona	d oo ' Ordina	rily Combine	d' Noturo	rk Elemen	nto.					
	The monthly recurring and the Switch-As-Is Charge and not the non-recurring										113.					
	Minimum billing is one month for DS1 and below and three months abo					1										
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE															
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		ĺ .
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		ī
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.4523										ĺ
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	DS1 Channelization System Per mo			UNC1X	MQ1	126.22										—
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		١	1,11,01,07				=0.40								1
	Combination-Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	LIEALO	19.45	104.14	70.40					18.94	8.42		1
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		1
	Combination-Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		l
	VG COCI-DS1 to DS0 Channel System combination-per mo		3	UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.17	12.97	11.27					45.46	15.72		ſ
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICI	E TRA	NSPO		0.1000		.2.07						10.10	.02		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		í T
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	126.22										
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66		ļ						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-				1				1			1				ı
	Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57			1		18.94	8.42		
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		_	LINIONA	1	05.70	000.0=	470 5-					40.01	0.40		i
	Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57		-	1		18.94	8.42		
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		3	LINCVV	UEAL4	40.86	206.95	170.57					18.94	8.42		i
	Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo		3	UNCVX	1D1VG	1.17	12.02	8.66		<u> </u>	1		18.94	8.42		
	vo coor-bot to bot channel bystem combination-per mo			UNCVA	IDIVG	1.17	12.02	0.00	l	l	<u> </u>		10.94	0.42		

Version 4Q02: 12/18/02 Page 79 of 324

וטאוטפאוע	LED NETWORK ELEMENTS - Georgia										_		Attachr			oit: B
ATEGORY	RATE ELEMENTS	nteri m	Zone	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrecu			sconnect				Rates (\$)	1 -	
	NIDO O constitución de la la la la constitución de			LINIOAY	LINIOOO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4-WII	NRC Currently Combined Network Elements Switch-As-Is Charge RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFI	CE T	DANSE	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	<u>- 1</u>	T. T. T.	OKT (LLL)												
	Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		3	LINCDY	LIDLEC	47.07	204.50	044.00					40.04	8.42		
-	Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNCDX UNC1X	UDL56 1L5XX	47.27 0.4523	384.56	241.20					18.94	8.42		
-	Interoffice Transport-Dedicated-DS1-combination-Fer fill Fer fill Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	126.22	10 1.00						00.00	21110	10.00	
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		_													
	Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Add'I 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-		3	UNCDA	UDLS6	41.21	304.30	241.20					10.94	0.42		
	64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.00	12.97	11.27					18.94	8.42		
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFI	CE T	RANSF	PORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
_	Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		2	UNCDX	UDL64	29.74	348.55	241.20		1			18.94	8.42		
	Combination-Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		J	UNC1X	1L5XX	0.4523	340.33	241.20					10.34	0.42		
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	1
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	126.22										
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
-	Combination-Zone 1 Add'I 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport		1	UNCDX	UDL64	25.75	348.55	241.20		ļ			18.94	8.42		
	Combination-Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
-	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			ONODA	ODLO4	23.14	340.33	241.20					10.34	0.42		
	Combination-Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN			1101.101	55.50	440.00	400.00					40.04	0.40		
+	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		1 2	UNC1X UNC1X	USLXX	55.53 64.13	443.20 443.20	138.69 138.69	-	-	<u> </u>	 	18.94 18.94	8.42 8.42		
-	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3	-	3	UNC1X	USLXX	101.93	443.20	138.69	1	1			18.94	8.42		
1	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.4523	7-10.20	.50.03					10.04	0.72		
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRAN	SPOR		116											
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
-	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		3	UNC1X	USLXX	64.13	443.20 443.20	138.69					18.94	8.42 8.42		
+	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		3	UNC1X UNC3X	USLXX 1L5XX	101.93 2.72	443.20	138.69	 	1	1	-	18.94	8.42		-
+	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	1
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	137.73	196.66	204.61					18.94	8.42	.0.00	<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66	1	1			18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66	1	1	1	ı	18.94	8.42	ı	1

Version 4Q02: 12/18/02 Page 80 of 324

ириии	JLE	D NETWORK ELEMENTS - Georgia			1									Attachn			oit: B
ATEGOR	RY	RAIFFIEMENIS	nteri m	Zone	BCS	usoc		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manual Svc Orde vs.
							Rec	Nonrecu	ırring		connect		l		Rates (\$)	l	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W		VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TRA	NSPO		LIEALO	40.04	404.44	70.40					40.04	0.40		
_		WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		2	UNCVX	UEAL2 UEAL2	16.84 19.45	104.14 104.14	78.10 78.10					18.94 18.94	8.42 8.42		
		WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2 WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		ļ
	_	teroffice Transport-Dedicated-2W VG combination-Per mi Per mo		3	UNCVX	1L5XX	0.0222	104.14	70.10					10.54	0.42		
		steroffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		RC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	-	12.97	11.27					45.46	15.72		
4-W	/IRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TRA	NSPO	RT (EEL)												
	4	WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
		WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
_		WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57			ļ		18.94	8.42		
		teroffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0222	70.01	20.00		ļ	1	ļ	10.01	40.01		
		teroffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX UNCVX	U1TV4 UNCCC	17.07	79.61 12.97	36.08 11.27	-	-	1		18.94 45.46	18.94 15.72		
DGS		RC Currently Combined Network Elements Switch-As-Is Charge SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORTED)RT	(FFI \	UNCVX	UNCCC	-	12.97	11.27	 	-	1	-	45.46	15.72		
233		igh Capacity Unbundled Local Loop-DS3 combination-Per mi per mo	JIV.1	()	UNC3X	1L5ND	8.90					1					
-		igh Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18
		steroffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	2.72							01.00			
		teroffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18
		RC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
STS	31 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANS	SPOF	RT (EE													
		igh Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	8.90										
		igh Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18
_		steroffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	2.72	100 15								10.00	
		teroffice Transport-Dedicated-STS1 combination-Facility Term per mo RC Currently Combined Network Elements Switch-As-Is Charge			UNCSX UNCSX	U1TFS UNCCC	783.63	198.45 12.97	449.91 11.27					37.55 45.46	37.55 15.72	18.03	18
2-W		ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			UNCSA	UNCCC		12.97	11.27					45.46	15.72		-
2-441		irst 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
		irst 2W ISDN Loop in a DS1 Interoffice Combination Transport Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		-
		irst 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
		teroffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.4523										
	lr	teroffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11
	С	hannelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	126.22										
		W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11
		dd'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
		dd'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
+		dd'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X UC1CA	40.17 3.37	233.38 12.02	180.38	-	-	1		18.94 33.63	8.42 27.49	19.88	11.
-		W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo RC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	3.3/	12.02	8.66 11.27	 	-	1	-	45.46	15.72	19.88	11
4-W		DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TR/	NSP		014000	-	12.31	11.41	-		1		40.40	10.12		
1		irst DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69	1		1		18.94	8.42		†
		irst DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
		irst DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
		teroffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	2.72										
		steroffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18
		TS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	18
_		S3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66	1		ļ		37.55	37.55	18.08	18
_		dd'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69		ļ	1	ļ	18.94	8.42		
-		dd'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X UNC1X	USLXX	64.13 101.93	443.20 443.20	138.69 138.69	-	-	1		18.94 18.94	8.42 8.42		├──
+		dd'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3 S3 Interface Unit (DS1 COCI) combination per mo		3	UNC1X	USLXX UC1D1	101.93	12.02	8.66	-	 	1	-	18.94	8.42		├──
+		RC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC	11.02	12.02	11.27			1		45.46	15.72		
4-W		56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPO	RT (F		0.1000	+	12.31	11.21	1	l			-10.40	10.72		
T		W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		—
		W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
		W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20			İ		18.94	8.42		
	lr	steroffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0222										
		teroffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11
		RC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
4-W		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRAN	ISPC	PRT (E		LIE: 0.4		0.10 ==	0	1		ļ					ــــــ
1	14	W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20]		1	l	18.94	8.42		1

Version 4Q02: 12/18/02 Page 81 of 324

וטאטטאט	LED NETWORK ELEMENTS - Georgia												Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	d		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu			connect		COMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	47.27	First 348.55	Add'I 241.20	First	Add'l	SOWIEC	SOMAN	18.94	8.42	SOWAN	SOWAN
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		3	UNCDX	1L5XX	0.0222	340.33	241.20					10.34	0.42		
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.8
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
	L NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurrng charge															
	n used as ordinarily combined network elements in All States, the non-re				itch As Is Ch	narge does not										
NRC	Currently Combined Network Elements "Switch As Is" Charge (One appli	es to e	ach co		UNCCC		12.97	44.07	1		1		18.94	18.94		-
	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W NRC Currently Combined Network Elements Switch-As-Is Charge-56/64			UNCVX	UNCCC		12.97	11.27 11.27					18.94	18.94		+
	NRC Currently Combined Network Elements Switch-As-Is Charge-05/04			UNC1X	UNCCC		12.97	11.27					18.94	18.94		+
-	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3	†		UNC3X	UNCCC		12.97	11.27					18.94	18.94		
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		
NOTE	E: Local Channel - Dedicated Transport - minimum billing period - Below	DS3=c	ne mo		four months											
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	13.91	272.07	60.43					18.94	18.94		
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	14.99	272.07	60.43					18.94	18.94		
	Local Channel-Dedicated-DS1	<u> </u>		UNC1X	ULDF1	38.36	356.15	312.89	<u> </u>		<u> </u>					
	Local Channel-Dedicated-DS3-Per mi per mo	-		UNC3X UNC3X	1L5NC ULDF3	6.92	C20 F0	426.31					18.94	18.94		
	Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	515.91 6.92	639.50	420.31					18.94	18.94	-	-
	Local Channel-Dedicated-STS-1-Fer IIII per IIII0			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		-
Optio	onal Features & Functions:			οιτουλ	OLDI O	017.00	000.00	420.01					10.04	10.54		
	TIPLEXERS															1
NOTE	E: minimum billing period is one month for DS1 to DS0 Channel System a	and in	erface	5												1
NOTE	E: minimum billing period is three months for DS3 to DS1 and above Cha	nnel S	ystem													
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)	ļ		UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.70	
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN UEA	UC1CA 1D1VG	3.37 1.17	12.02 12.02	8.66 8.66					14.75 14.75	6.55 6.55	10.70 10.70	
	VG COCI-DS1 to DS0 Channel System-per mo DS3 to DS1 Channel System per mo			UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	†
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
Sub-	Loop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Statewide		SW	UNC1X	USBFG	79.30	203.69	128.76	124.09	34.80						
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports E: Although the Port Rate includes all available features in GA, the desire	d foati	iroe wi	Il nood to be ordered	Lucina rotail	HEOCs										├ ──
	RE VOICE GRADE LINE PORT RATES (RES)	u ieati	iles wi	il lieed to be ordered	using retail	03003										+
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		<u> </u>
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports-2W VG unbundled res, low usage line port w Caller			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
	Exchange Ports-2W Voice GA basic dialing port w/o Caller ID			UEPSR	UEPWC	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPSR	UEPWQ	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-outgoing only 2W voice unbundled Low Usage Line Port w/o Caller ID Capability	 	-	UEPSR UEPSR	UEPWR UEPRT	1.85 1.85	17.16 17.16	17.16 17.16	 		 		18.94 18.94	8.42 8.42	-	├
	Subsqnt Activity	 	—	UEPSR	USASC	0.00	0.00	0.00	 		 		18.94	8.42	 	+
FEAT	TURES			OLI OIL	00,100	0.00	0.00	0.00					10.04	0.72		
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports-2W VG unbundled Line Port with unbundled port with				1	\exists				1		1				
	Caller+E484 ID-Bus.	<u> </u>		UEPSB	UEPBC	1.85	17.16	17.16	ļ		ļ		18.94	8.42		1
	Exchange Ports-2W Voice GA Business Basic Dialing Port, with Caller ID	1		UEPSB	UEPWP	1 05	17.40	17.40					18.94	8.42		
_	capability Exchange Ports-2W Analog Line Port outgoing only-Bus.	!		UEPSB	UEPWP	1.85 1.85	17.16 17.16	17.16 17.16	-		-		18.94	8.42		
-+	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus	 	—	UEPSB	UEPB0	1.85	17.16	17.16	 		 		18.94	8.42		\vdash
\neg	Exchange Ports-2W Voice GA Business Dialing Plan w/o Caller ID	 		UEPSB	UEPWD	1.85	17.16	17.16					18.94	8.42		\vdash
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	t		UEPSB	UEPBE	1.85	17.16	17.16					18.94	8.42		1
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00		 	1	-	18.94	8.42		+

Version 4Q02: 12/18/02 Page 82 of 324

UNDUND	LED NETWORK ELEMENTS - Georgia													nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
	TURES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEA	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
FXC	HANGE PORT RATES (DID & PBX)	1		OLI OD	OLI VI	0.00	0.00	0.00					10.34	0.42		
LXO.	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial Trunk			UEPSE	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port	1	 	UEPSP UEPSP	UEPXB	1.85 1.85	17.16 17.16	17.16 17.16			1		18.94 18.94	8.42 8.42		
- 	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPSP	UEPXE	1.85	17.16	17.16				1	18.94	8.42		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			02.01	52. AL	1.00	17.10	17.10			1	1	10.04	0.72		1
	Calling Port			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPSP	UEPWS	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-2-way PBX Trunk	-	1	UEPSP UEPSP	UEPPQ UEPPS	1.85 1.85	17.16 17.16	17.16 17.16					18.94 18.94	8.42 8.42		
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports 2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports	-	1	UEPSP	UEPPT	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-PBX I/D DDD Terminal Port	1	1	UEPSP	UEPPU	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard Port			UEPSP	UEPPV	1.85	17.16	17.16					18.94	8.42		
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard															
	DDD Capable Port			UEPSP	UEPPW	1.85	17.16	17.16					18.94	8.42		
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
FEA	TURES															
EVO	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXC	HANGE PORT RATES (COIN) Exchange Ports-Coin Port	-	1			2.05	17.16	17.16					18.94	8.42		
NOT	E: Transmission/usage charges associated with POTS circuit switched t	ISSUE A	vill ale	annly to circuit swite	had voice				n by R-Ch	annele s	esociated	with 2W I		0.42		
	E: Access to B Channel or D Channel Packet capabilities will be available											WICH ZVV I	DIN PORTS.			
	ED LOCAL EXCHANGE SWITCHING(PORTS)	Comy	linoug	II DI IQIADICI TOCCOS.	itates for th	ic packet capa	omities will b	determine	Via the B	TOTOL	1 100000.					
	HANGE PORT RATES	1														
	Exchange Ports-2W DID Port	L		UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.9
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
	All Features Offered		<u> </u>	UEPTX UEPSX	UEPVF	0.00	0.00	0.00	L		<u> </u>	L				
	E: Transmission/usage charges associated with POTS circuit switched u											with 2W IS	SDN ports.			
NOT	E: Access to B Channel or D Channel Packet capabilities will be available	e only	throug						d via the B	FR/NBR	Process.					
	Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port	-		UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 163.16	0.00 186.80	0.00 186.80			-		37.88	37.88		
LINE	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	1	1	UEPEX	UEPEX	163.16	100.00	100.00					37.00	37.00		
	UNDLED FORT WITH REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1	1		1						1					
0.40	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.85	17.16	17.16			1	1	18.94	8.42		1
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.85	17.16	17.16			İ		18.94	8.42		
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.85	17.16	17.16					18.94	8.42		
Non-	Recurring			<u> </u>												
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		2.01	0.31					33.67	7.88	11.17	3.9
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
<u> </u>	change (PIC & LPIC)		1	UEPVR	USACC		2.01	0.31			<u> </u>					
	UNDLED REMOTE CALL FORWARDING - Bus	1						47.40			<u> </u>			0.40		1
UNB	Unbundled Remote Cell Forwarding Coming Area Celling Dur															
UNB	Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, Local Calling-Bus	-		UEPVB UEPVB	UERAC UERLC	1.85 1.85	17.16 17.16	17.16 17.16					18.94 18.94	8.42 8.42		

Version 4Q02: 12/18/02 Page 83 of 324

CHECHDI	ED NETWORK ELEMENTS - Georgia	_	, ,			ı								ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Inter m	i Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	vs.
							Nonrec	urring	NRC Dis	connect		1	oss	Rates (\$)	l	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.85	17.16	17.16					18.94	8.42		
	Unbundled Remote Call Forwarding Service Expanded & Exception Local Calling			UEPVB	UERVJ	1.85	17.16	17.16					18.94	8.42		
Non-	Recurring			OLI VD	OLIVO	1.00	17.10	17.10	-				10.54	0.42		
NOTIF	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is	1	1 1	UEPVB	USAC2		2.01	0.31					33.67	7.88	11.17	3.
	Unbundled Remote Call Forwarding Service-Conversion with allowed												33.07	7.00	11.17	J.
	change (PIC & LPIC)			UEPVB	USACC		2.01	0.31								
	D LOCAL SWITCHING, PORT USAGE															
End (Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0016333										
	End Office Trunk Port-Shared, Per MOU					0.0001564										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006757										
	Tandem Trunk Port-Shared, Per MOU					0.0002126										
Com	non Transport															
	Common Transport-Per mi, Per MOU					8000008										
	Common Transport-Facilities Term Per MOU					0.0004152										
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or Cor															
	res shall apply to the Unbundled Port/Loop Combination - Cost Based F															
	Office & Tandem Switching Usage & Common Transport Usage rates in t													ıs.		
	irst and additional Port NRC charges apply to Not Currently Combined C	ombo	s. For C	Currently Combined	Combos the	NRC charges	shall be those	e identified i	in the NRC	- Curren	tly Combir	ned sectio	ns.			
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates	<u> </u>	1			10.50										
	2W VG Loop/Port Combo-Zone 1		1			12.59										
	2W VG Loop/Port Combo-Zone 2	<u> </u>	2			14.26										
	2W VG Loop/Port Combo-Zone 3	<u> </u>	3			21.62										
UNE	Loop Rates	-	-	HEDDY	LIEDLY	40.00										
-	2W VG Loop (SL1)-Zone 1		1	UEPRX UEPRX	UEPLX	10.80										
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	12.47 19.83										
2 14/:-	e Voice Grade Line Port Rates (Res)	1	3	UEPRA	UEPLX	19.83										
2-7711	2W voice unbundled port-residence	-		UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res	1	+ +	UEPRX	UEPRC	1.79	22.14	15.25		3.91		1	37.06	7.88	11.17	3
	2W voice unbundled port outgoing only-res	1	+	UEPRX	UEPRO	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
	2W voice unbundles res, low usage line port with Caller ID (LUM)	1	+	UEPRX	UEPAP	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
	2W voice unbundled GA basic dialing port w/o Caller ID (2014)	+-	1 1	UEPRX	UEPWC	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
	2W voice unbundled GA basic dialing port for use with Caller ID-res	1		UEPRX	UEPWQ	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
	2W voice unbundled GA basic dialing port for use with Galler 15-res	\vdash		UEPRX	UEPWR	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	t	1 1	UEPRX	UEPRT	1.79	22.14	15.25		3.91			33.67	7.88	11.17	3
		+	+ +						20						l	<u> </u>
FEAT	URES		1 1													
FEAT		-		UEPRX	UEPVF	0.00	0.00	0.00					33,67	7.88	11.17	3
	URES All Features Offered L NUMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.

IADOIADI	LED NETWORK ELEMENTS - Georgia	_	, ,									0		nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	usoc			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
			1			Rec	Nonrec			sconnect	COMEC	COMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAI
NPC	L CHARGES (NRCs) - CURRENTLY COMBINED		-				First	Add'l	First	Add'l	SOWIEC	SOMAN	SUMAN	SUMAN	SUMAN	SOWA
INICO	2W VG Loop/Line Port Combination-Conversion-Switch-as-is		1 1	UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		1 0.0
ADDI	TIONAL NRCs			<u> </u>	33.133											
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															1
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.59										
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.80										
_	2W VG Loop (SL1)-Zone 2	ļ	2	UEPBX	UEPLX	12.47										
0.147	2W VG Loop (SL1)-Zone 3	 	3	UEPBX	UEPLX	19.83				 	ļ	-				+
2-Wir	re Voice Grade Line Port (Bus)		-	HEDDY	LIEDDI	4.70	20.44	45.05	0.45	2.04			22.67	7.00	44.47	+ ,
	2W voice unbundled port w/o Caller ID-bus		-	UEPBX UEPBX	UEPBL UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled port with Caller + E484 ID-bus	1	+ -	UEPBX		1.79 1.79	22.14	15.25	8.45	3.91			33.67	7.88 7.88	11.17 11.17	
_	2W voice unbundled port outgoing only-bus 2W voice unbundled incoming only port with Caller ID-Bus	-	1	UEPBX	UEPBO UPEB1	1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91			33.67 33.67	7.88	11.17	
-	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus	1	+	UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
_	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus 2W voice unbundled GA basic dialing port for use with Caller ID-bus	-	1	UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
-	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1	+	UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
LOCA	AL NUMBER PORTABILITY	1	+	ULFBA	OLFBL	1.75	22.14	13.23	0.43	3.91			33.07	7.00	11.17	+
LUCA	Local Number Portability (1 per port)	_	+ - 1	UEPBX	LNPCX	0.35										+
FΕΔΤ	TURES		1	OLI DX	LIVI OX	0.55										+
	All Features Offered		+ +	UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX	USACC		2.01	0.3108								1
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.59										
	2W VG Loop/Port Combo-Zone 2		2			14.26										
	2W VG Loop/Port Combo-Zone 3		3			21.62										
UNE	Loop Rates	ļ														
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.80										
_	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	12.47										
2 14/:-	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	19.83				1						
Z-VVIF	re Voice Grade Line Port Rates (RES - PBX) 2W VG Unbundled Combination 2-Way PBX Trunk Port-Res	1	+ - 1	UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91	!	-	33.67	7.88	11.17	+ ;
-	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial Trunk	1	+ +	UEPRG	UEPPO	1.79	22.14	15.25	8.45	3.91	 	-	33.67	7.88	11.17	
I OC	AL NUMBER PORTABILITY	1	+ - 1	ULFNG	ULFFU	1.79	22.14	15.25	0.43	3.91			33.07	1.00	11.17	+
	Local Number Portability (1 per port)	 	1 1	UEPRG	LNPCP	3.15	0.00	0.00	1	†		t	33.67	7.88	11.17	† ;
FEAT	TURES	1	1 1	020	2 01	3.10	3.00	5.00		1		1	33.07			
T	All Features Offered	†	1 1	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	;
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	;
ADDI	TIONAL NRCs			•												
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group		$oldsymbol{oldsymbol{\sqcup}}$				14.64	14.64					19.99	19.99	19.99	19
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		$\downarrow \qquad \downarrow$							ļ	ļ					ــــــ
UNE	Port/Loop Combination Rates		1			10.55				ļ	ļ					ــــــ
	2W VG Loop/Port Combo-Zone 1	<u> </u>	1			12.59										
-	2W VG Loop/Port Combo-Zone 2	-	2			14.26				 	ļ	-				+
1757	2W VG Loop/Port Combo-Zone 3	-	3			21.62				 	ļ	-				+
UNE	Loop Rates	+	1	UEPPX	UEPLX	10.00				1	!	1				+
1	2W VG Loop (SL1)-Zone 1	1	1 2	UEPPX	UEPLX	10.80 12.47				 	1	 		1	ļ	+
	2W VG Loop (SL1)-Zone 2															

Version 4Q02: 12/18/02 Page 85 of 324

INBUNDL	ED NETWORK ELEMENTS - Georgia												Attachn		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES (\$)			Svc Order Submitte d Elec per LSR	d			Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrecu		NRC Dis					Rates (\$)		
0.145	Walter Cond. Live Book Baker (BUG. BDW)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e Voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Combination 2-way PBX Trunk Port-Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-	Line Side Unbundled Odtward PBX Trunk Port-Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2W Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	3.91
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															1
	Calling Port	L		UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPPX	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port			UEPPX	UEPPU	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard															1
	Port		1	UEPPX	UEPPV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard			HEDDY	LIEDDIA	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	
	DDD Capable Port			UEPPX UEPPX	UEPPW	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91			33.67 33.67	7.88 7.88	11.17 11.17	3.9 3.9
	2W voice unbundled GA basic dialing port-PBX 2-Way Trunk L NUMBER PORTABILITY		1	UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
	URES		1	ULFFX	LINECE	3.13	0.00	0.00					33.07	7.00	11.17	3.8
	All Features Offered		1	UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	CHARGES (NRCs) - CURRENTLY COMBINED			02.17	02	0.00	0.00	0.00					00.07	7.00		0.0
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.9
	FIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.9
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															Ĭ .
	Port/Loop Combination Rates															ĺ
	2W VG Coin Port/Loop Combo – Zone 1		1			12.69										1
	2W VG Coin Port/Loop Combo – Zone 2		2			14.36										
	2W VG Coin Port/Loop Combo – Zone 3		3			21.72										
	oop Rates															—
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3 e Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	19.83										
Z-VVII				UEPCO	UEPGC	4.00	22.14	45.05	8.45	3.91			33.67	7.88	11.17	3.9
_	2W Coin 2-Way with Oper Screening (GA) 2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPGC UEP2G	1.89 1.89	22.14	15.25 15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD 2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Coin 2-Way with Oper Screening & 900/976 Blocking			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			02.00	0E: 0B	1.00	22.17	10.20	0.40	0.01			55.57	7.50	11.17	J.,
1	Local			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+,		1	02.00	020		17	.0.20	30	0.01			33.37	50		<u>u.</u>
	& Local			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	3.
1	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	TIONAL UNE COIN PORT/LOOP (RC)				1											<u>-</u> -
	UNE Coin Port/Loop Combo Usage (Flat Rate)		i i	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.
	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										i
											•					

Version 4Q02: 12/18/02 Page 86 of 324

	LED NETWORK ELEMENTS - Georgia	1									Svc	Svc	Attachn Incremental		Incrementa	oit: B Increme
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Order Submitte d Elec per LSR	Order Submitte d	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
NDC	CHARGES - CURRENTLY COMBINED						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
INIC	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		2.01	0.3100					33.67	7.88	11.17	3.
ADDI	TIONAL NRCs			021 00	00/100		2.01	0.01					00.07	7.00	11.17	
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (R	ES)													
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.69										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			21.30										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.77										
UNE	Loop Rates															<u> </u>
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	19.45										ļ
0.140	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.92										1
2-Wir	e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence			UEPFR	UEPRL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	,
_	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	
-	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
_	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
-	2W voice unbundled GA basic dialing port, w/o Caller ID capability-res			UEPFR	UEPWC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0222										
	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										<u> </u>
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEFFR	USACZ		93.03	93.03					33.07	7.00	11.17	
	Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (B	US)													ļ
UNE	Port/Loop Combination Rates					40.00										<u> </u>
-	2W VG Loop/IO Tranport/Port Combo-Zone 1 2W VG Loop/IO Tranport/Port Combo-Zone 2	-	1 2		_	18.69 21.30					1	1				
+	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3	 	3			32.77					1	1				
UNE	Loop Rates		-			32.11										
O.V.	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.92										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3
	2W voice unbundled port with Caller + E484 ID-bus		$ldsymbol{oxed}$	UEPFB	UEPBC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W voice unbundled incoming only port with Caller ID-Bus	<u> </u>	↓	UEPFB	UEPB1	1.85	121.33	95.26	8.45	3.91	1	ļ	33.67	7.88	11.17	
-	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus	<u> </u>	1	UEPFB	UEPWD	1.85	121.33	95.26	8.45	3.91	1	}	33.67	7.88	11.17	
1.00	2W voice unbundled GA basic dialing port for use with Caller ID-bus	-	1	UEPFB	UEPWP	1.85	121.33	95.26	8.45	3.91	-	-	33.67	7.88	11.17	
LUCA	Local Number Portability (1 per port)	-	 	UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT		1	ULFID	LINEUX	0.33					1	1				
III L	Interoffice Transport-Dedicated-2W VG-Facility Term	1		UEPFB	U1TV2	17.07	79.61	36.08				1				
	Interoffice Transport-Dedicated-2W VG-Par mi or Fraction mi		1 1	UEPFB	1L5XX	0.0222	70.01	55.50			1	1			 	

NDUND	LED NETWORK ELEMENTS - Georgia		, ,		-								Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d			Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Dis		SOMEC	COMAN		Rates (\$)	COMAN	SOMAI
FFΔ1	TURES						First	Add'l	First	Addi	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOWA
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			-												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
0.14/1/	Switch with change			UEPFB	USACC		93.83	93.83								-
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates		1		_				-							+
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.69										-
-	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			21.30										
1	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.77										†
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.92										
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)		1		LIEBBO		101.00		0.45							<u> </u>
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	;
_	Line Side Unbundled Outward PBX Trunk Port-Bus Line Side Unbundled Incoming PBX Trunk Port-Bus		1	UEPFP UEPFP	UEPPO UEPP1	1.85 1.85	121.33 121.33	95.26 95.26	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17 11.17	;
-	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
+	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	;
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	;
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		1	UEPFP	UEPXM	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	;
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			HEDED	LIEDVO	4.05	101.00	05.00	0.45	0.04			00.07	7.00	44.47	١.
	Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP UEPFP	UEPXO UEPXS	1.85 1.85	121.33 121.33	95.26 95.26	8.45 8.45	3.91			33.67 33.67	7.88 7.88	11.17 11.17	;
	2W voice unbundled GA basic dialing port-1-Way Outgal Trunk		1	UEPFP	UEPWS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
+	2W voice unburidled GA basic dialing port-1-way Oddial Trunk 2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	
LOCA	AL NUMBER PORTABILITY			02	02	1.00	121.00	00.20	0.10	0.01			00.01	7.00		†
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	
INTE	ROFFICE TRANSPORT															1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0222										
FEAT	TURES				115515											<u>. </u>
NDC	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	;
INIC	CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				_											+
1	Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	
-1	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			02111	33/102		55.55	55.55					55.57	7.00	/	
	Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	
BUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE	Port/Loop Combination Rates															
_	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			28.19			<u> </u>							
-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			30.80 42.27			1		-					+
UNE	Loop Rates		3			42.21			1		1					
JIVE	2W Analog VG Loop-(SL2)-UNE Zone 1	1	1	UEPPX	UECD1	16.84	104.17	78.10	1							
+	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.45	104.17	78.10								\vdash
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.92	104.17	104.10								1
UNE	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88		
NRC	CHARGES - CURRENTLY COMBINED															1
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is	1		UEPPX	USAC1		93.38	93.38	1				33.67	7.88		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes	-		UEPPX	USA1C		93.38	93.38					33.67	7.88		

Version 4Q02: 12/18/02 Page 88 of 324

עאטפאנ	LED NETWORK ELEMENTS - Georgia			1	-									Attachr			bit: B
ATEGOR	RATE ELEMENTS	Interi m	Zone	BCS		USOC			FES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	l Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
							Rec	Nonrecu			connect	COMEC	COMAN		Rates (\$)	COMAN	COMAN
Tolor	phone Number/Trunk Group Establisment Charges							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
rele	DID Trunk Term (One Per Port)			UEPP:	Y	NDT	0.00	0.00	0.00								-
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPP		NDZ	0.00	0.00	0.00								-
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPP		ND4	0.00	0.00	0.00								
	DID Numbers, Non-consecutive DID Numbers . Per Number			UEPP:		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPP		ND6	0.00	0.00	0.00								†
	Reserve DID Numbers			UEPP		NDV	0.00	0.00	0.00								1
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPP:	Χ	LNPCP	3.15	0.00	0.00								
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE P	ORT															
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1		UEPPR		35.36										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2		UEPPR		38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		53.64										
UNE	Loop Rates																<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 1		1		UEPPR	USL2X	21.89	252.32	188.77	ļ				19.99	19.99		
	2W ISDN Digital Grade Loop-UNE Zone 2		2		UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB I	UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
UNE	Port Rate			LIEDDD I	IEDDD	LIEDDD	40.47	47.07	47.07					40.00	10.00		
NDC	Exchange Port-2W ISDN Line Side Port CHARGES - CURRENTLY COMBINED			UEPPB L	JEPPR	UEPPB	13.47	47.37	47.37					19.99	19.99		
NRC	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion			UEPPB L	IEDDD	USACB	0.00	93.38	93.38					19.99	19.99		
ADD	ITIONAL NRCs			UEPPB C	JEFFR	USACB	0.00	93.30	93.30					19.99	19.99		-
ADD	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add																
	Trunk			UEPPB (UEPPR	USASB		165.95						19.99	19.99		
LOC	AL NUMBER PORTABILITY			025	02	00,102		100.00						10.00	10.00		
	Local Number Portability (1 per port)			UEPPB l	UEPPR	LNPCX	0.35	0.00	0.00								1
B-CH	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB l	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB L	JEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB L	JEPPR	U1UCC	0.00	0.00	0.00								
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TI	N)															
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB (UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES													10.00	10.00		
	All Vertical Features-One per Channel B User Profile			UEPPB (UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INIE	ROFFICE CHANNEL MILEAGE			LIEDDD I	IEDDD	MACNO	40.47	70.04	00.00					40.00	10.00		
_	Interoffice Channel miage each, including first mi & facilities Term				JEPPR JEPPR	M1GNC M1GNM	16.47 0.0222	79.61	36.08				0.00	19.99	19.99		
4 18/1	Interoffice Channel miage each, Add'l mi RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEPPB L	JEPPK	IVITGINIVI	0.0222	0.00	0.00				0.00				
	Port/Loop Combination Rates						-			 	1	1	-				\vdash
JIVE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPP	P		218.69			1							$\vdash \vdash$
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPP			227.29			t	†	1	 				t
\dashv	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		3	UEPP			265.09										\vdash
UNE	Loop Rates			02.1			_00.00										\vdash
	4W DS1 Digital Loop-UNE Zone 1		1	UEPP	P	USL4P	55.53	448.92	276.60					19.99	19.99		1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPP		USL4P	64.13	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 3		3	UEPP	Р	USL4P	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate																
	Exchange Ports-4W ISDN DS1 Port			UEPP	Ρ	UEPPP	163.16	186.80	186.80					19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED																<u> </u>
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-				_								1				1
100	Conversion-Switch-as-is			UEPP	٢	USACP	0.00	269.96	269.96				ļ	19.99	19.99		
ADD	ITIONAL NRCs			LIEDD	n	DDZTE		0.0000									├
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPP		PR7TF		0.9686	00.75	ļ							
-				UEPP		PR7TO		22.75	22.75	1							├
1.00	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos AL NUMBER PORTABILITY			UEPP	г	PR7ZT		45.49	45.49	-		 	-				
LUC	Local Number Portability (1 per port)			UEPP	D	LNPCN	1.75			1							\vdash
INITE	RFACE (Provsioning Only)		-	UEPP	г	LINPUN	1./5			-		 	-				├
IIN I E	Voice/Data		-	UEPP	D	PR71V	0.00	0.00	0.00	 	-		 			-	

Version 4Q02: 12/18/02 Page 89 of 324

MROND	LED NETWORK ELEMENTS - Georgia												Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			'ES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrecu First	ırrıng Add'l	NRC Dis First		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00	FIISL	Addi	JOINILO	JOWAN	JOWAN	JUNIAN	SOWAN	JOIVIAI
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								†
New	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
CALL	TYPES			UEPPP	DD7C4	0.00	0.00	0.00								
-	Inward Outward			UEPPP	PR7C1 PR7C0	0.00	0.00	0.00								-
	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00								-
Inter	office Channel Mileage		1	OLITT	1100	0.00	0.00	0.00								†
-	Fixed Each Including First mi			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.4523										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			-												
UNE	Port/Loop Combination Rates		<u> </u>													<u> </u>
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		176.33										<u> </u>
-	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC UEPDC	+ -	184.93 222.73			-	-	1					├
LINE	Loop Rates		3	UEPDC		222.73										
UNL	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
-	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		†
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is		1	UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service			HEDDO	110404		4 47 47	4 47 47								
	Order 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-			UEPDC	USAS4		147.47	147.47					40.00			
	2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
+-	Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	Inward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
BIPO	DID w User Trans LAR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
<u> </u>	B8ZS-Superframe Format			UEPDC	CCOSF	İ	0.00	600.00	1	1						
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alter	nate Mark Inversion			-												
	AMI-Superframe Format		1	UEPDC	MCOSF		0.00	0.00								
Tale	AMI-Extended SuperFrame Format		-	UEPDC	MCOPO	-	0.00	0.00			-					
ı elep	Phone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0.00										
+	Telephone Number for 1-Way Outward Trunk Group		-	UEPDC	UDTGY	0.00			 	 	-					\vdash
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								<u> </u>
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Lo	op w	rith 4-V	Vire DDITS Trunk Por UEPDC	t 1LNO1	78.47	147.07	111.75	-	-	1		19.99	19.99		├
	Intereffice Channel misses Fixed rate 0.9 mis (Facilities Term)															1
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.4523	0.00	0.00					15.55	13.33		

Version 4Q02: 12/18/02 Page 90 of 324

NROND	LED NETWORK ELEMENTS - Georgia				, ,								Attachn			oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Order vs. Electron
						Rec	Nonrect		NRC Dis					Rates (\$)		
	Interoffice Channel miage-Add'l rate per mi-9-25 mis		-	UEPDC	1LNOB	0.4523	First 0.00	Add'I 0.00	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.4323	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations		<u> </u>													
	System can have up to 24 combinations of rates depending on type and DS1 Loop	numb	er of p	orts used												
UNE	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00			 	1				1
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity-1 per 4 DS1s		<u> </u>	UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
_	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
_	192 DS0 Channel Capacity-1 per 8 DS1s 240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG UEPMG	VUM19 VUM20	821.12 1,026.40	0.00	0.00					19.99 19.99	19.99 19.99		
	288 DS0 Channel Capacity-1 per 10 DS1s		1	UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s		1	UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channel															
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, an															
Multi	ples of this configuration functioning as one are considered Add'l after the	ne mii	nimum	UEPMG	USAC4	0.00	000.05	10.50					40.00	40.00		
Sycto	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes om Additions at End User Locations Where 4-Wire DS1 Loop with Channe	lizatio	on with				328.35	16.52					19.99	19.99		
	(Not Currently Combined) in all states, except in Density Zone 1 of Top 8			T OIL COMBINATION C	I LAIS	sto and										
	1 DS1/D4 Channel Bank-Add'ly Add NRC for each Port & Assoc Fea Activation			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG	CCOEF	0.00	0.00	600.00								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
Fuels	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Po	ЭΓ														
LACII	Line Side Combination Channelized PBX Trunk Port-Business		1	UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
7.1	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
I elep	Dibone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00			-					-
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)		1	UEPPX	NDZ	0.00	0.00	0.00								
-	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00			1	1				
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				İ				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00						-		
	I Number Portability															
Loca	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
															ì	1
FEAT	TURES - Vertical and Optional															
FEA1	TURES - Vertical and Optional I Switching Features Offered with Line Side Ports Only			HEDDY		0.00	0.00	0.00								
FEA1	TURES - Vertical and Optional I Switching Features Offered with Line Side Ports Only All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
FEAT Loca	TURES - Vertical and Optional I Switching Features Offered with Line Side Ports Only	d loca	al switch					0.00								

Version 4Q02: 12/18/02 Page 91 of 324

JINDUND	LED NETWORK ELEMENTS - Georgia												Attachr			bit: B
		Interi		200			D.A	TEC (#)				Svc Order Submitte	Incremental Charge - Manual Svc	I Charge - Manual	Incrementa I Charge - Manual	al Charg Manua
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES (\$)			d Elec per LSR	d Manually per LSR	Order vs. Electronic- 1st	Svc Order vs. Electronic-	Svc Order vs. Electronic-	vs.
						Rec	Nonrec	urring	NRC Dis	sconnect			oss	Rates (\$)	<u>l</u>	
							First	Add'l	First			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	undled port/loop combinations that are Currently Combined or Not Curren															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami South currently is developing the billing capability to mechanically bill the												ill the rates i	n the Cost-P	ased section	n
	eding in lieu of the Market Rates and reserves the right to true-up the billi		•					J O G G G G G G		ai not mai	00, 2000	0				
The I	Market Rate for unbundled ports includes all available features in all state	s.														
	Office and Tandem Switching Usage and Common Transport Usage rates	in the	Port s	ection of this rate exh	ibit shall a	pply to all cor	nbinations of	loop/port ne	twork ele	ments ex	cept for U	NE Coin P	ort/Loop Cor	nbinations v	vhich have a	a flat rate
	e charge (USOC: URECU). Not Currently Combined scenarios the NRC charges are listed in the First	and A	ddition	al NDC columns for a	ook Bort II	COC For Cur	rontly Combin	ad acanaria	o the ND	^ aharaa	ara liatad	in the ND	Currently	Combined	ootion Ada	ditional
	s may apply also and are categorized accordingly.	and A	aaitioi	iai NRC columns for e	ach Port U	SOC. For Cur	rently Combin	ed scenario	s, the NK	o charges	are listed	in the NK	- Currently	Combined s	section. Add	attional
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		l				1									T
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.80										
	2W VG Loop/Port Combo-Zone 2		2			26.47										$\perp =$
	2W VG Loop/Port Combo-Zone 3		3			33.83										↓
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.80										
-+	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	12.47	1			1	 					\vdash
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	19.83										
2-Wii	re Voice Grade Line Port (Res)															
	2W voice unbundled port-residence			UEPRX	UEPRL	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00					33.67	7.88	11.17	3.
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled GA basic dialing port w/o Caller ID capability-res			UEPRX UEPRX	UEPAP UEPWC	14.00 14.00	90.00	90.00					33.67 33.67	7.88 7.88	11.17 11.17	
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res 2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPRX	UEPWQ	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-outgoing only			UEPRX	UEPWR	14.00	90.00	90.00					33.67	7.88	11.17	3.
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	
LOC	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT	TURES			LIEDDY	LIED\/E	0.00	0.00	0.00					00.07	7.00	44.47	
NPC	All Features Offered CHARGES - CURRENTLY COMBINED			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.
INIC	2W VG Loop/Line Port Combination-Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	3.
	2W VG Loop/Line Port Combination-Switch with change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	
ADDI	ITIONAL NRCs															1
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1			24.80										
	2W VG Loop/Port Combo-Zone 1		2			26.47										-
	2W VG Loop/Port Combo-Zone 3		3			33.83										t
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.80										
\perp	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	12.47										₩
2-141:-	2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	19.83				1	1	1				+
2-1/1	2W voice unbundled port w/o Caller ID-bus		1	UEPBX	UEPBL	14.00	90.00	90.00	1	1	1	1	33.67	7.88	11.17	3
	2W voice unbuilded port with Caller + E484 ID-bus		 	UEPBX	UEPBC	14.00	90.00	90.00	1	 	 	1	33.67	7.88	11.17	3
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPBX	UEPWD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00		90.00					33.67	7.88		
1.00	2W voice unbundled GA basic dialing port for use with Caller ID-bus AL NUMBER PORTABILITY			UEPBX	UEPWP	14.00	90.00	90.00		-	-		33.67	7.88	11.17	3
LUC	Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35	1	-	1	1	1	1			-	+
FEAT	TURES		1	ULFDA	LINECX	0.35				 						
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3
NRC	CHARGES - CURRENTLY COMBINED			_												
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	
	2W VG Loop/Line Port Combination-Switch with change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3
ADDI	ITIONAL NRCs		<u> </u>	HEDDY	110400		0.00	0.00					20.0=	7.00	11.1-	<u> </u>
	NRC-2W VG Loop/Line Port Combination-Subsqnt RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<u> </u>	UEPBX	USAS2		0.00	0.00		<u> </u>	ļ		33.67	7.88	11.17	3.

Version 4Q02: 12/18/02 Page 92 of 324

ADOIADE	ED NETWORK ELEMENTS - Georgia		, ,								_		Attachn			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d			Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char Manu Svc Ore vs.
_						Rec	Nonrecu			connect	COMEC	COMAN		Rates (\$)	COMAN	COM
LINE	 Port/Loop Combination Rates						First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
ONE	2W VG Loop/Port Combo-Zone 1		1			24.80										+
	2W VG Loop/Port Combo-Zone 2		2			26.47										
	2W VG Loop/Port Combo-Zone 3		3			33.83										†
	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.80										1
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	19.83										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA extended dialing port, PBX 1-Way Outdial Trunk			UEPRG	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	<u> </u>	\vdash	UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	
	AL NUMBER PORTABILITY Local Number Portability (1 per port)		\vdash	UEPRG	LNPCP	3.15	0.00	0.00								+
	TURES	 	\vdash	UEPKG	LINPUP	3.15	0.00	0.00	1	1	1					
	All Features Offered		\vdash	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
	CHARGES - CURRENTLY COMBINED			OLI NO	OLI VI	0.00	0.00	0.00					55.07	7.00	11.17	+-
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	
	2W VG Loop/Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	†
	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00					33.67	7.88	11.17	
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.80										
	2W VG Loop/Port Combo-Zone 2		2			26.47										
	2W VG Loop/Port Combo-Zone 3		3			33.83										
	Loop Rates															<u> </u>
_	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	10.80										-
	2W VG Loop (SL1)-Zone 2		2	UEPPX UEPPX	UEPLX	12.47 19.83										
	2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	19.83										├
2-4411	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		1	UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	
1	Line Side Unbundled Outward PBX Trunk Port-Bus		+	UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	+
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	†
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
1	Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	
1	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		-	UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	+
1	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room	l		HEDDY	LIEDVO	14.00	00.00	00.00					22.07	7.00	11 17	
-	Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port	-	\vdash	UEPPX UEPPX	UEPXO UEPXS	14.00 14.00	90.00 90.00	90.00			1		33.67 33.67	7.88 7.88	11.17 11.17	+
1	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk	-	\vdash	UEPPX	UEPWS	14.00	90.00	90.00	1	-	-		33.67	7.88	11.17	+
	2W voice unbundled GA basic dialing port-1-way Oddiar Trunk 2W voice unbundled GA basic dialing port-2-Way Trunk		\vdash	UEPPX	UEPWS	14.00	90.00	90.00					33.67	7.88	11.17	
1	2W voice unbundled GA basic dialing port-2-way Trunk 2W voice unbundled GA basic dialing port-2-way PBX Trunk		\vdash	UEPPX	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports		\vdash	UEPPX	UEPPS	14.00	90.00	90.00	1	1	1		33.67	7.88	11.17	\vdash
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port			UEPPX	UEPPU	14.00	90.00	90.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard															
	Port	L		UEPPX	UEPPV	14.00	90.00	90.00	<u> </u>	<u> </u>	<u> </u>		33.67	7.88	11.17	<u>L</u>
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard															
	DDD Capable Port			UEPPX	UEPPW	14.00	90.00	90.00					33.67	7.88	11.17	
	L NUMBER PORTABILITY															$ldsymbol{oxed}$
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
				i e	1			1	1	1	1				ĺ	1
FEAT	URES All Features Offered		-	UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	

Version 4Q02: 12/18/02 Page 93 of 324

MDUND	LED NETWORK ELEMENTS - Georgia		, ,										Attachn			oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrecu First	ırring Add'l	NRC Dis First		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50	FIISt	Auu	SOMEC	JOWAN	33.67	7.88	11.17	3.9
	2W VG Loop/Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						0.00 14.64	0.00 14.64					33.67 19.99	7.88 19.99	11.17 19.99	19
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						14.04	14.04					19.99	19.99	19.99	19
	Port/Loop Combination Rates															-
	2W VG Coin Port/Loop Combo – Zone 1		1			24.80										
	2W VG Coin Port/Loop Combo – Zone 2		2			26.47										
	2W VG Coin Port/Loop Combo – Zone 3		3			33.83										ļ
UNE	Loop Rates		1	UEPCO	UEPLX	10.80										├ ──
-	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	19.83										-
2-Wii	e Voice Grade Line Port Rates (Coin)															
	2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin 2-Way with Oper Screening & 900/976 Blocking 2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+,&			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	3
	Local			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	
1	2W Coin Outward with Oper Screening & 011Blocking			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+, &															
	Local			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3
LOC	AL NUMBER PORTABILITY			LIEBOO	LNDOV	0.05										
NDC	Local Number Portability (1 per port) CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										-
NKC	2W VG Loop/Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50					33.67	7.88	11.17	3
	2W VG Loop/Line Port Combination-Switch with Change			UEPCO	USACC		41.50	41.50					33.67	7.88	11.17	3
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (R	ES)													<u> </u>
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	30.84										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		2			33.45										├──
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.92										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.84										<u> </u>
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	19.45										<u> </u>
2-Wii	2W VG Loop (SL2)-Zone 3 re Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	30.92										
2-7711	2W voice unbundled port-residence			UEPFR	UEPRL	14.00	160.00	125.00					33.67	7.88	11.17	3
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	160.00	125.00		1		1	37.06	7.88	11.17	3
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	160.00	125.00					33.67	7.88	11.17	3
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	160.00	125.00					33.67	7.88	11.17	
+	2W voice unbundled GA basic dialing port, w/o Caller ID capability-res 2W voice unbundled GA basic dialing port for use with Caller ID-res	<u> </u>	1	UEPFR UEPFR	UEPWC UEPWQ	14.00 14.00	160.00 160.00	125.00 125.00	-	 		1	33.67 33.67	7.88 7.88	11.17	
-	2W voice unbundled GA basic dialing port for use with Caller ID-res 2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	14.00	160.00	125.00					33.67	7.88	11.17 11.17	3
INTE	ROFFICE TRANSPORT			OLITIK	OLI WIK	14.00	100.00	125.00					33.07	7.00	11.17	<u> </u>
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	17.07	79.61	36.08								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0222										
FEAT	TURES		igsquare													
1.00	All Features Offered AL NUMBER PORTABILITY		\vdash	UEPFR	UEPVF	0.00	0.00	0.00	-		1		33.67	7.88	11.17	3
LUC	Local Number Portability (1 per port)		+ +	UEPFR	LNPCX	0.35			-							
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			OLFIN	FIALOV	0.33			-	 	 					\vdash
1	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1							1		1				
	Switch-as-is	<u> </u>		UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	;
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				1											1
	Switch-With-Change RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	<u></u>	<u> </u>	UEPFR	USACC		93.83	93.83			ļ		33.67	7.88		<u> </u>

Version 4Q02: 12/18/02 Page 94 of 324

טאטטאט	LED NETWORK ELEMENTS - Georgia												Attachn			oit: B
TEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d			Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Dis		001150	001111		Rates (\$)	001111	00114
LINE	Port/Loop Combination Rates	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
ONE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.84										-
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			33.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.92										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.92										ļ
2-Wi	re Voice Grade Line Port (Bus)		-	UEPFB	UEPBL	11.00	100.00	405.00			1		22.67	7.88	44.47	
_	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBC	14.00 14.00	160.00 160.00	125.00 125.00					33.67 33.67	7.88	11.17 11.17	
-	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus	1		UEPFB	UEPBO	14.00	160.00	125.00	1		1		33.67	7.88	11.17	
+	2W voice unburidled port outgoing only-bus 2W voice unbundled incoming only port with Caller ID-Bus	1		UEPFB	UEPB1	14.00	160.00	125.00	-				33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPFB	UEPWD	14.00	160.00	125.00					33.67	7.88	11.17	
1	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPFB	UEPWP	14.00	160.00	125.00					33.67	7.88	11.17	
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	17.07	79.61	36.08								<u> </u>
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0222										1
FEA	TURES			LIEDED	LIED\/E	0.00	0.00	0.00					22.67	7.00	44.47	1
NDC	All Features Offered		1	UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
NRC	CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				_											-
	Switch-as-is			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	
+	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLITB	00/102		55.55	50.00					00.07	7.00	11.17	1
	Switch with change			UEPFB	USACC		93.83	93.83								ì
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.84										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			33.45										<u> </u>
<u> </u>	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.92										<u> </u>
UNE	Loop Rates		4	LIEDED	LIECES	10.04										
-	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2	-	1 2	UEPFP UEPFP	UECF2 UECF2	16.84 19.45										├
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.92					1					-
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ŭ	OLITI	OLOI Z	00.02										
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	160.00	125.00					33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	160.00	125.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	160.00	125.00					37.06	7.88	11.17	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	160.00	125.00	1		ļ		33.67	7.88	11.17	
_	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	160.00	125.00					33.67	7.88	11.17	
-	2W Voice Unbundled PBX LD Terminal Switchboard Port 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPFP UEPFP	UEPXD UEPXE	14.00 14.00	160.00 160.00	125.00 125.00					33.67 33.67	7.88 7.88	11.17 11.17	ļ
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEPFF	UEFAE	14.00	160.00	125.00			1		33.07	7.00	11.17	
	Calling Port			UEPFP	UEPXL	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPFP	UEPXM	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			-												
1	Calling Port			UEPFP	UEPXO	14.00	160.00	125.00					33.67	7.88	11.17	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPFP	UEPWS	14.00	160.00	125.00					33.67	7.88	11.17	
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	14.00	160.00	125.00					33.67	7.88	11.17	
LOC	AL NUMBER PORTABILITY				11150-						ļ		00.5=			
10.17	Local Number Portability (1 per port)	<u> </u>		UEPFP	LNPCP	3.15	0.00	0.00			ļ		33.67	7.88	11.17	<u> </u>
INTE	ROFFICE TRANSPORT	-		HEDED	LIATVO	47.07	70.01	20.00	1		<u> </u>					├
+	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	-		UEPFP UEPFP	U1TV2 1L5XX	17.07 0.0222	79.61	36.08	-		 					\vdash
FEA.	TURES	1		ULFIF	ILOAA	0.0222										\vdash
+	All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00	t				33.67	7.88	11.17	
NRC	CHARGES (NRCs) - CURRENTLY COMBINED	1			1			2.20						50	†	\vdash

Version 4Q02: 12/18/02 Page 95 of 324

JNBUNDL	.ED NETWORK ELEMENTS - Georgia												Attachn	nent: 2	Exhil	bit: B
ATEGORY	RATE ELEMENTS	nteri	Zone	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incremental Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Incremental Charge Manual Svc Orde
		m									per LSR		Electronic-	vs.	vs.	vs.
												per Lon			Liectionic-	Liection
						Rec	Nonrec		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.9
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	3.9
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			99.84			ļ							ļ
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			102.45			ļ							ļ
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			113.92					ļ					<u> </u>
	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.45	104.78	78.10								
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.92	104.78	104.10								
	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	83.00	850.00	75.00					33.67	7.88		
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		850.00	75.00					33.67	7.88		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEFFX	USACT		630.00	75.00	-		1		33.07	1.00	-	
	Top 8 MSAs only			UEPPX	USA1C		850.00	75.00					33.67	7.88		
	FIONAL NRCs		-	UEFFX	USAIC		630.00	75.00	-		<u> </u>		33.07	1.00		
	hone Number/Trunk Group Establisment Charges		-						-		<u> </u>					1
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
				UEPPX	NDZ	0.00					<u> </u>					
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos Add'l DID Numbers for each Group of 20 DID Numbers		\vdash	UEPPX	ND2 ND4	0.00	0.00	0.00	1		ļ	<u> </u>			1	1
	DID Numbers, Non-consecutive DID Numbers , Per Number		\vdash	UEPPX	ND4 ND5			0.00	1		ļ	<u> </u>			1	1
	Reserve Non-Consecutive DID numbers , Per number		\vdash		ND5 ND6	0.00	0.00	0.00	1		ļ	<u> </u>			1	1
			\vdash	UEPPX UEPPX		0.00	0.00	0.00			ļ	<u> </u>			1	1
	Reserve DID Numbers L NUMBER PORTABILITY		\vdash	UEPPX	NDV	0.00	0.00	0.00	1		ļ	<u> </u>			1	1
				HEDDY	LNDOD	0.45	0.00	0.00			<u> </u>					<u> </u>
	Local Number Portability (1 per port)	DT		UEPPX	LNPCP	3.15	0.00	0.00								!
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	KI									<u> </u>					<u> </u>
	Port/Loop Combination Rates		L.			24.00					<u> </u>					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEPPR		81.89										!
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB UEPPR		85.27					ļ					ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEPPR		100.17					ļ					<u> </u>
	oop Rate								ļ							ļ
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	25.27	252.32	188.77			ļ		19.99	19.99		ļ
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
	Port Rate							-								
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	60.00	525.00	400.00			1		19.99	19.99		

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Order vs. Electronic- 1st		Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrect First	urring Add'l	First	Sconnect	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
NRC	CHARGES - CURRENTLY COMBINED						First	Auu i	FIISL	Auu	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion-Top 8 MSAs only			UEPPB UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
ADDI	TIONAL NRCs															
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB UEPPR	USASB		165.95						19.99	19.99		
LOCA	AL NUMBER PORTABILITY			OLFFB OLFFR	USASD		103.93						15.55	15.55		
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
D CII	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00		 	1					
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN R TERMINAL PROFILE	N)														
UUL	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00		1						
VERT	ICAL FEATURES					2.00	2.00	2.00								
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
	ROFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
4-10/15	Interoffice Channel miage each, Add'l mi RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEPPB UEPPR	M1GNM	0.0222	0.00	0.00								
	Port/Loop Combination Rates															
OILE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		955.53										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		964.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		1,001.93										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	55.53	448.92	276.60					19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP UEPPP	USL4P USL4P	64.13 101.93	448.92 448.92	276.60 276.60					19.99 19.99	19.99 19.99		
	Port Rate		3	OLFFF	USL4F	101.93	440.32	270.00					19.99	15.55		
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	900.00	1,200.00	1,200.00					19.99	19.99		-
NRC	CHARGES - CURRENTLY COMBINED															1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
4001	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
ADDI	TIONAL NRCs 4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.9686									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		22.75	22.75								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		45.49	45.49								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			LIEDDD	DD74) (0.00	0.00	0.00	1	1						1
	Voice/Data		1	UEPPP UEPPP	PR71V PR71D	0.00	0.00	0.00			 					
	Digital Data Inward Data			UEPPP	PR71D PR71E	0.00	0.00	0.00	1	1	 					
	or Additional "B" Channel			OLI II	TIVIL	0.00	0.00	0.00		1						\vdash
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71		1	1		İ	19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
CALL	TYPES		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00	1	1	 			-	-	
	Inward Outward		 	UEPPP	PR7C1 PR7C0	0.00	0.00	0.00	-	-	 	<u> </u>			-	
	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00		-						
	office Channel Mileage				1	2.20	2.20	2.20	1	1		İ				
	Fixed Each Including First mi			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.4523										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1								 					
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		176.33			1	1	 				-	
-	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		2	UEPDC		184.93										
-	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		222.73										—
UNE	Loop Rates		Ľ													
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00		1			19.99	19.99		

Version 4Q02: 12/18/02 Page 97 of 324

JNBUNDI	ED NETWORK ELEMENTS - Georgia										_	_	Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manua Svc Ord vs.
						Rec	Nonrecu		NRC Dis			1 -		Rates (\$)		
	AM DOAD'S THE TOTAL			LIEDDO	1101.00		First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
-	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2	UEPDC UEPDC	USLDC	64.13 101.93	448.92 448.92	276.60 276.60					19.99 19.99	19.99 19.99		-
LINE	Port Rate		3	UEPDC	USLDC	101.93	440.92	276.60					19.99	19.99		-
OIVE	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED						.,									
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8															
	MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
-	DS1 Changes Top 8 MSAs only 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDI	TIONAL NRCs			OLI DO	COAVID		203.30	203.30					19.55	13.33		+
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service															1
	Order			UEPDC	USAS4		147.47	147.47								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															
	2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-													40.00		
-	Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			OLFDC	ODITO		20.71	20.71					19.99	19.99		+
	Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-Way															1
	DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								-
Alteri	nate Mark Inversion AMI-Superframe Format		1 1	UEPDC	MCOSF		0.00	0.00	-			-				
-	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								†
Telep	hone Number/Trunk Group Establisment Charges		1 1	02. 50			0.00	0.00								—
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
_	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non-consecutive DID Numbers, Per Number			UEPDC UEPDC	ND4 ND5	0.00										
+-	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								\vdash
+	Reserve DID Numbers		1 1	UEPDC	NDV	0.00	0.00	0.00								—
Dedic	cated DS1 (Interoffice Channel Mileage) -															
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.4523	0.00	0.00								—
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC UEPDC	1LNO2 1LNOB	0.00 0.4523	0.00	0.00	1		-	1				
+	Interoffice Channel miage-Add i rate per mi-9-25 mis Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)		\vdash	UEPDC	1LNOB	0.4523	0.00	0.00	}		-	}			-	+
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										1
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations								<u> </u>			<u> </u>				₩
	tem can have various rate combinations based on type and number of po	rts us	sea						1		-	1				₩
UNE	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00	1			1				+
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								†
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
_	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00				1	19.99	19.99		₩
	96 DSO Channel Capacity-1per 4 DS1s 144 DS0 Channel Capacity-1 per 6 DS1s		\vdash	UEPMG	VUM96	410.56	0.00	0.00				1	19.99	19.99		
	192 DS0 Channel Capacity-1 per 6 DS1s		$\vdash \vdash \vdash$	UEPMG UEPMG	VUM14 VUM19	615.84 821.12	0.00	0.00			1	 	19.99 19.99	19.99 19.99		

Version 4Q02: 12/18/02 Page 98 of 324

NBUNDE	LED NETWORK ELEMENTS - Georgia	ı	1	I	1						Svc	Svc	Attachr Incremental		Exhib	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC			TES (\$)	Lupani		Order Submitte d Elec	Order Submitte d Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
\rightarrow						Rec	Nonrec First	urring Add'l	First	Connect	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
\dashv	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00	11130	Addi	CONILC	JONAN	19.99	19.99	JONIAN	JONAN
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channe	iztion	with F	ort - Conversion Cha	rge Based o	on a System										
A Min	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, ar	nd Up	To 24 l	DSO Ports with Featu	re Activatio	ns.										
Multir	ples of this configuration functioning as one are considered Add'l after t	he mi	nimum	system configuration	is counted	l.										
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-															
	Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		
Syste	m Additions Where Currently Combined and New (Not Currently Co	ed)														
	nsity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG	CCOEF	0.00	0.00	600.00								
Altern	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization with P	ort														
Excha	ange Ports															
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
Featu	ire Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Number Portability															
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional		<u> </u>													<u> </u>
	Switching Features Offered with Line Side Ports Only															ļ
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								ļ
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	st Based Rates are applied where BellSouth is required by FCC and/or C															
2. Fea	atures shall apply to the Unbundled Port/Loop Combination - Cost Based												l			<u> </u>
	d Office & Tandem Switching Usage & Common Transport Usage rates in														so and are c	ategorize
3. End	e first & add'l Port NRC charges apply to Not Currently Combined Combo)S. FO				-				-						-
3. End 4. The	e first & add'l Port NRC charges apply to Not Currently Combined Combo rdingly.)S. FO														
3. End 4. The accord				ndividual Case Basis,	until furthe	r notice.				1						ļ
3. End 4. The accord 5. Ma	rdingly.			ndividual Case Basis,	until furthe	r notice.										
3. End 4. The accord 5. Ma UNE-F	rdingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negoti P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)			ndividual Case Basis,	until furthe	r notice.										
3. End 4. The accord 5. Ma UNE-F 2-Wire	rdingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negoti P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo			ndividual Case Basis,	until furthe	r notice.										
3. End 4. The accord 5. Ma UNE-F 2-Wire UNE F	rdingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negoti P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)			ndividual Case Basis,	until furthe	r notice.										
3. End 4. The accord 5. Ma UNE-F 2-Wire UNE F	rdingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negoti P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		on an Ir		until furthe											

NDOND	ED NETWORK ELEMENTS - Georgia										_	_	Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
LINE	Port/Loon Combination Bates (Design)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		18.63										
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		21.24										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		32.71										
UNE	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP91	UECS1	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEP91	UECS1	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	19.83										
	2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	16.84										
	2W VG Loop (SL2)-Zone 2		3	UEP91 UEP91	UECS2 UECS2	19.45 30.92										
LINE	2W VG Loop (SL2)-Zone 3 Ports		3	UEP91	UECSZ	30.92			-							1
	tates (Except NC and SC)	-	\vdash			ł			1		-					
All 31	2W VG Port (Centrex) Basic Local Area		H	UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91	1	1	33.67	7.88		1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Geor	gia and Florida Only			LIEDOA	LIEDITA	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
_	2W VG Port (Centrex)			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1			UEP91 UEP91	UEPHB UEPHH	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
_	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
- 	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
-	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
_	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	434.03									
NARS				OLI 01	OLI VO	0.00										1
-	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		
	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG			UEP91	M1GBC	17.07										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBC	0.0222										
Feati	re Activations (DS0) Centrex Loops on Channelized DS1 Service	-	\vdash	OLFSI	IVITGDIVI	0.0222			1		-					
	nannel Bank Feature Activations															1
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		$\vdash \vdash \vdash$	UEP91	1PQWV	0.62			<u> </u>							<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		\vdash	UEP91	1PQWQ	0.62										ļ
Nor	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex		\vdash	UEP91	1PQWA	0.62					-					l
Non-I	Conversion-Currently Combined Switch-As-Is with allowed changes, per port		\vdash	UEP91	USAC2		2.01	0.3108	-		-	-	33.67	7.88		1
_	New Centrex Standard Common Block	-	\vdash	UEP91	M1ACS	0.00	659.41	0.3100	1				33.67	7.88		1
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
																-
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		

Version 4Q02: 12/18/02 Page 100 of 324

ועאטטאט	LED NETWORK ELEMENTS - Georgia		, ,		1								Attachr			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char Manus Svc Ord vs.
						Rec	Nonrec			connect				Rates (\$)		T
2-1//	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Port/Loop Combination Rates (Non-Design)		1		-											-
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.59										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		14.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		21.62										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.63										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP95 UEP95		21.24			1							
LINE	Loop Rate	+	3	UEP95		32.71			1							+
ONL	2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	10.80										+
1	2W VG Loop (SL1)-Zone 2	1	2	UEP95	UECS1	12.47			1							†
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	19.83										
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	16.84	-									
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	30.92										
	Port Rate	_	1						1	ļ						₩
All S	2W VG Port (Centrex) Basic Local Area		1	UEP95	UEPYA	1.79	22.14	15.05	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)		1	UEP95	UEPYB	1.79	22.14	15.25 15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex 666 Ferrir) 2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.79	22.14	15.25		3.91			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL &	GA Only															
	2W VG Port (Centrex)			UEP95	UEPHA	1.79	22.14	15.25		3.91			33.67	7.88		
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1	_	1	UEP95 UEP95	UEPHB UEPHH	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2		1	UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
-	2W VG Port, Diff SWC-800 Service Term		1 1	UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Loca	ll Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Loca	Number Portability			115505	111000											<u> </u>
F4	Local Number Portability (1 per port)	-	1	UEP95	LNPCC	0.35			-		1					
Featu	All Standard Features Offered, per port	-	1	UEP95	UEPVF	0.00		-	1	-	-		33.67	7.88		+
+	All Select Features Offered, per port	+	\vdash	UEP95 UEP95	UEPVS	0.00	454.69		+	 	 		33.67	7.88	-	+-
	All Centrex Control Features Offered, per port	1	1 1	UEP95	UEPVC	0.00	10-1.00		1		1	1	33.67	7.88	†	\vdash
NAR		1							1	1		1		1		1
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
100	Unbundled Network Access Register-Outdial		1	UEP95	UAROX	0.00	0.00	0.00	1	ļ	ļ		33.67	7.88		
	ellaneous Terminations	+	₩						+		<u> </u>			-	-	├
Z-VVII	re Trunk Side Trunk Side Terms, each	-	1	UEP95	CEND6	11.35	61.91	61.91	1	-	-		33.67	7.88		
4-Wii	re Digital (1.544 Megabits)	-		OLF 90	CLINDO	11.33	01.91	01.91	1				33.07	1.00		+
	DS1 Circuit Terms, each	1	1 1	UEP95	M1HD1	120.80	89.44	52.46	1				33.67	7.88		\vdash
	DS0 Channels Activated, each		1 1	UEP95	M1HDO	0.00	28.71		1				33.67	7.88		†
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	17.07										
4_	Interoffice Channel miage, per mi or fraction of mi		\vdash	UEP95	MIGBM	0.0222			1	ļ	 					<u> </u>
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	_	1						1	ļ						₩
D4 C	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	} 	UEP95	1PQWS	0.62			1	-	 	-			-	-
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	+	+ +	UEP95 UEP95	1PQWS	0.62		-	+	-	1	1			 	\vdash
1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	1 1	UEP95	1PQW7	0.62			1		1	1			†	\vdash
\neg	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.62										†
\neg	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1 1	UEP95	1PQWV	0.62			1							1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62										

Version 4Q02: 12/18/02 Page 101 of 324

RATE ELEMENTS Death of the Color Death of the C	ONRONDL	ED NETWORK ELEMENTS - Georgia		, .									_	Attachn		Exhib	
March Converse Control Control	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			.,			Submitte d Elec	Submitte d Manually	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	Incremer al Charge Manual Svc Orde vs. Electroni
Feature Annotion on the Content latest WATS togs Stiff							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Non-Recurring Charges (RRFQ Associated with WERP Centres UEP96 USC 2.01 0.3108 3.667 7.88		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62	LIISI	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
Image: content Imag	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
Non-Center Stondard Common Rock																	
Dec Centure Construction Stock UEPPS MACC DOI 59.41 33.67 7.58							0.00		0.3108								
Dept																	
2																	
West Description Descrip	UNE-F	CENTREX - DMS100 (Valid in All States)															
Pay Vis Copy Vis For (Centrol Per Corrol-Nan-Oseign 1 UEPBD 12.58																	
2 UFPO				4	LIEDOD		40.50										
Description Description																	
UNE For Race Combination Rates (Design)			l -							1	1	1	 				
29 VV D. Loop 2W V. Per (Centres) Per Cortico Design	UNE F	ort/Loop Combination Rates (Design)		Ľ	72.05		22										
Wiley Company Wiley Commonwealth Wiley Wil		2W VG Loop/2W VG Port (Centrex) Port Combo-Design															
UNE COOR ISL-)-Zone 1																	
ZW VG Log (SL)-Zone 1				3	UEP9D		32.71										
ZWVG Log (SL1)-Zone 3				1	HEDAD	LIECS1	10.80										
2W VG Log (EL) Zone 1																	
2 UKPO UECS2 19.46																	
WY GP PRI (Centrex) Basic Local Area																	
Number N																	
ALSTATES				3	UEP9D	UECS2	30.92										
22 W VG Port Centrex Desire Local Area																	
Part Part					UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Part Part																	
29 W Port (Centrex RES-Mc209)3 Basic Local Area		2W VG Port (Centrex/EBS-PSET)3Basic Local Area					1.79								7.88		
29 WG Port (Centrex (EBS-M5112)) Basic Local Area																	
2W VG Port (Centrex/EBS-M60312) Básic Local Area UEP90 UEPYV 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/EBS-M5008)3 Basic Local Area UEP90 UEPY1 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
EPPD UEPYU 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/EBS-MS316) Basic Local Area																	
2W VG Port (Centrex with Caller ID) Basic Local Area																	
Wide Port (Centrex/Caller ID/Msg Wig Lamp Indication)3 Basic Local Area																	
2PV NG Port (Centrex/Meg Wig Lamp Indication)3 Basic Local Area UEP9D UEPV 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/differ SWC / 2Basic Local Area UEPD UEPYM 1.79 22.14 15.25 8.46 3.91 33.67 7.88																	
2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area																	
2W VG Port (Centrex/differ SWC /EBS-S209)2_3																	
2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area UEP9D UEPYR 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area																	
2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area UEP9D UEPY4 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area UEP9D UEPY7 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area UEP9D UEPY7 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port, Diff SWC-800 Service Term UEP9D UEPY2 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY2 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port Terminated on 800 Service Term Basic Local Area UEP9D UEPY2 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port Terminated on 800 Service Term Basic Local Area UEP9D UEPY2 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex) UEP9D UEPY3 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex 800 Term) UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex (BBS-M5216)3) UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5009)3 UEP9D UEPHD 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5009)3 UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5009)3 UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5009)3 UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5112)3 UEP9D UEPHB 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHF 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHF 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHG 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHG 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHG 1.79 22.14 15.25 8.45 3.91																	
2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area UEP9D UEPY7 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY9 1.79 22.14 15.25 8.45 3.91 33.67 7.88		2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D		1.79	22.14	15.25	8.45	3.91			33.67			
2W VG Port Terminated on 800 Service Term Basic Local Area UEP9D UEPY2 1.79 22.14 15.25 8.45 3.91 33.67 7.88		2W VG Port, Diff SWC-800 Service Term								8.45							
FL & GA Only																	
2W VG Port (Centrex)			<u> </u>	1	UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91	<u> </u>	-	33.67	7.88		
2W VG Port (Centrex 800 Term)					UFP9D	UEPHA	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2W VG Port (Centrex/EBS-PSET)3																	
2W VG Port (Centrex /EBS-M5209)3 UEP9D UEPHE 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5112)3 UEP9D UEPHF 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHG 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex /EBS-M5112)3 UEP9D UEPHF 1.79 22.14 15.25 8.45 3.91 33.67 7.88 2W VG Port (Centrex /EBS-M5312)3 UEP9D UEPHG 1.79 22.14 15.25 8.45 3.91 33.67 7.88																	
2W VG Port (Centrex /EBS-M5312)3																	
			<u> </u>	1									-				
		2W VG Port (Centrex /EBS-M5312)3 2W VG Port (Centrex /EBS-M5008)3	<u> </u>	-	UEP9D UEP9D	UEPHG	1.79	22.14		8.45			-	33.67	7.88		

Version 4Q02: 12/18/02 Page 102 of 324

ONDUNDL	ED NETWORK ELEMENTS - Georgia	1	, ,		1								Attachr			bit: B
CATEGORY	RATE ELEMENTS	Inter m	ⁱ Zone	BCS	usoc		RA	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR		I Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
	OMNIO Day (Octave (EDO MECONO)		1 1	LIEDAD	LIESTIN		First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W VG Port (Centrex/EBS-M5208)3		1	UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/EBS-M5216)3 2W VG Port (Centrex/EBS-M5316)3		-	UEP9D UEP9D	UEPHV UEPH3	1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88		
	2W VG Port (Centrex/EBS-MS316)3 2W VG Port (Centrex with Caller ID)		+ +	UEP9D	UEPHH	1.79 1.79	22.14	15.25	8.45	3.91			33.67	7.88 7.88		+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3		+	UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		+	UEP9D UEP9D	UEPH5 UEPH6	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2W VG Port (Centrex/differ SWC /EBS-Nb216)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3		+	UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port, Diff SWC-800 Service Term		+	UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		†
	Switching								00							
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										†
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port		1	UEP9D	UEPVS	0.00	454.69						33.67	7.88		
NARS	All Centrex Control Features Offered, per port		-	UEP9D	UEPVC	0.00										
	Unbundled Network Access Register-Combination		+ +	UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		+
	Unbundled Network Access Register-Inward		+	UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		+
	Unbundled Network Access Register-Niward Unbundled Network Access Register-Outdial		+	UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		+
	Illaneous Terminations			02.05	07.11.07.1	0.00	0.00	0.00					00.01	7.00		†
2-Wire	e Trunk Side															†
	Trunk Side Terms, each			UEP9D	CEND6	11.35										1
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71						33.67	7.88		
	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term		+	UEP9D	MIGBC	17.07										
	Interoffice Channel miage, per mi or fraction of mi re Activations (DS0) Centrex Loops on Channelized DS1 Service		+	UEP9D	MIGBM	0.0222										+
	nannel Bank Feature Activations															+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+	UEP9D	1PQWS	0.62										+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1 1	UEP9D	1PQW7	0.62										†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
	Recurring Charges (NRC) Associated with UNE-P Centrex	1	1 1		ļ					ļ						
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,			LIEDAD	110.00			0010-		1					1	
	per port		1 1	UEP9D	USAC2	0.00	2.01	0.3108		 			33.67	7.88		
	New Centrex Standard Common Block New Centrex Customized Common Block	1	+	UEP9D	M1ACS M1ACC	0.00	659.41		 	 	 	 	33.67	7.88 7.88	 	+
	NAR Establishment Charge, Per Occasion	1	+	UEP9D UEP9D	URECA	0.00	659.41 71.88			-			33.67 33.67	7.88		+
	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	1	+ +	OLFBD	UNLUA	0.00	11.00						33.07	1.00		+
	rket Rates are applied where BellSouth is not required by FCC and/or Co	mmis	sion rul	e to provide Unbund	led Local S	witching or Sw	itch Ports.		1		1	1				1
	curring Charges for all Standard Centrex and Centrex Conrol Features ar			•	1	. 3 - 3 -										†
	d Office & Tandem Switching Usage & Common Transport Usage rates in tirst & add'l Port NRC charges apply to Not Currently Combined Combo				nall apply to	all combination	ns of loop/p	ort network	elements	except fo	r UNE Coi	n Port/Loc	p Combination	ons.		1
4. The	e first & add'l Port NRC charges apply to Not Currently Combined Combo	os. Fo	r Currer	ntly Combined Comb	os, the NRC	charges shall	be those ide	ntified in the	NRC - Cu	irrently C	ombined s	sections.	Add'I NRCs n	nay apply als	so & are cat	egorize
	dingly.															

Version 4Q02: 12/18/02 Page 103 of 324

CHECHIE	ED NETWORK ELEMENTS - Georgia	-	, ,										Attachr			bit: B
											Svc	Svc	Incremental		Incrementa	
											Order	Order	Charge -	I Charge -	I Charge -	al Charg
		Inter	il_				D.41	TEO (A)			Submitte	Submitte	Manual Svc	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			d Elec	d	Order vs.	Svc Order	Svc Order	Svc Orde
											per LSR	Manually	Electronic-	vs.	vs.	vs.
												per LSR	1st	Electronic-	Electronic-	Electroni
		-			_		Nonrec	urrina	NDC Did	sconnect			000	Rates (\$)		
		_	+ +		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo						11131	Auui	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Port/Loop Combination Rates (Non-Design)	1			+	-										+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		24.80										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		26.47										†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		33.83										†
	Port/Loop Combination Rates (Design)															†
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		30.84										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		33.45										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP91	1 1	44.92					1		İ			1
UNE I	Loop Rate					-					Ì					1
	2W VG Loop (SL1)-Zone 1	1	1	UEP91	UECS1	10.80					1		İ			1
	2W VG Loop (SL1)-Zone 2		2	UEP91	UECS1	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	19.83										
	2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	16.84										
	2W VG Loop (SL2)-Zone 2		2	UEP91	UECS2	19.45										
	2W VG Loop (SL2)-Zone 3		3	UEP91	UECS2	30.92										1
UNE	Ports															1
All St	ates (Except NC and SC)															1
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	gia and Florida Only															
	2W VG Port (Centrex)			UEP91	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port		1	UEP91	UEPVF	0.00	4= 4			ļ	ļ					
	All Select Features Offered, per port		1	UEP91	UEPVS	0.00	454.69				ļ					1
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00					ļ					
NARS			1	LIEBA		0.05				ļ	ļ					
	Unbundled Network Access Register-Combination	+	\vdash	UEP91	UARCX	0.00	0.00	0.00			ļ		33.67	7.88		
	Unbundled Network Access Register-Indial	+	\vdash	UEP91	UAR1X	0.00	0.00	0.00			ļ		33.67	7.88		
	Unbundled Network Access Register-Outdial		1	UEP91	UAROX	0.00	0.00	0.00			ļ		33.67	7.88		1
	ellaneous Terminations		1								ļ					
2-Wir	e Trunk Side		1	LIEBO.	05111	44.0-					ļ					1
	Trunk Side Terms, each	+	\vdash	UEP91	CENA6	11.35	61.91	61.91			ļ		33.67	7.88		
Interd	office Channel Mileage - 2-Wire	+	\vdash	LIEDOA	MAGES	47.07				<u> </u>	<u> </u>		1			
	Interoffice Channel Facilities Term-VG	1	1	UEP91	M1GBC	17.07				 	ļ					4
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0222					<u> </u>		l			

NRONI	DLE	D NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhib	oit: B
ATEGOF	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremer al Charge Manual Svc Orde vs. Electroni
							Rec	Nonrec			connect				Rates (\$)		
		A. ('('DOO) O(First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Activations (DS0) Centrex Loops on Channelized DS1 Service nnel Bank Feature Activations				-						1					
D4		eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
_		eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		eature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
		eature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.62										
		eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
		eature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Nor		curring Charges (NRC) Associated with UNE-P Centrex															
		onversion-Currently Combined Switch-As-Is with allowed changes, per port		<u> </u>	UEP91	USAC2		2.01	0.3108			ļ		33.67	7.88		
_		ew Centrex Standard Common Block		1	UEP91	M1ACS	0.00	659.41						33.67	7.88		ļ
-		ew Centrex Customized Common Block			UEP91 UEP91	M1ACC M2CC1	0.00	659.41 77.10				 		33.67 33.67	7.88 7.88		
+		econdary Block, per Block AR Establishment Charge, Per Occasion		-	UEP91 UEP91	URECA	0.00	71.88				-		33.67	7.88		
LINI		CENTREX - 5ESS (Valid in All States)			OLF91	UNLUA	0.00	71.00						33.07	7.00		
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
		rt/Loop Combination Rates (Non-Design)															
		N VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		24.80										
		W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		26.47										
		N VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		33.83										
UNI	E Po	rt/Loop Combination Rates (Design)															
		N VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		30.84										
		N VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		33.45										
		N VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		44.92										
UNI		op Rate			LIEBOE	LIEGOA	40.00										
		N VG Loop (SL1)-Zone 1		1	UEP95	UECS1	10.80										
_		N VG Loop (SL1)-Zone 2 N VG Loop (SL1)-Zone 3		3	UEP95 UEP95	UECS1	12.47 19.83										
_		W VG Loop (SL2)-Zone 3		1	UEP95	UECS2	16.84										
-		W VG Loop (SL2)-Zone 1		2	UEP95	UECS2	19.45										
		V VG Loop (SL2)-Zone 3		3	UEP95	UECS2	30.92										
UNI		rt Rate		-													
	State																
		N VG Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2\	N VG Port (Centrex 800 Term)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2\	N VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		N VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		N VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		N VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		N VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
FL		A Only N VG Port (Centrex)			UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
_		W VG Port (Centrex) W VG Port (Centrex 800 Term)			UEP95	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
_		W VG Port (Centrex with Galler ID)1 W VG Port (Centrex from diff SWC)2			UEP95	UEPHM	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88		1
1		N VG Port, Diff SWC-800 Service Term			UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
1		N VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		N VG Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Loc		witching						· · · · · · · · · · · · · · · · · · ·									
		entrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Loc		umber Portability										ļ					
		ocal Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35					ļ					ļ
Fea	ture			1	LIEBAE	LIEDVE	2.00					ļ		00.0=	7.00		
		I Standard Features Offered, per port I Select Features Offered, per port		!	UEP95 UEP95	UEPVF UEPVS	0.00	454.69			1	<u> </u>		33.67	7.88 7.88		
-		I Select Features Offered, per port I Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS	0.00	454.69				 		33.67 33.67	7.88		
NAI		r Centrex Control Features Offered, per port		-	UEP95	UEPVC	0.00		-			-		33.07	7.88		
INAI		nbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00			 		33.67	7.88		
		nbundled Network Access Register-Combination			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
		nbundled Network Access Register-Indial			UEP95	UAROX	0.00	0.00	0.00		†			33.67	7.88		1
DA:-		neous Terminations			02.00	57 II 1571	0.00	3.00	5.00			1		55.07	7.50		

Version 4Q02: 12/18/02 Page 105 of 324

IBUNDE	ED NETWORK ELEMENTS - Georgia												Attachr		Exhib	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d			Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrect First	urring Add'l	NRC Dis	connect	SOMEC	COMAN		Rates (\$)	SOMAN	SOMA
2-Wir	l e Trunk Side				+		riist	Auu i	FIISL	Addi	SOWIEC	SUMAN	SOMAN	SOMAN	SOWAN	SOWA
	Trunk Side Terms, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
Interc	office Channel Mileage - 2-Wire			LIEBAE	1,110000											
_	Interoffice Channel Facilities Term			UEP95 UEP95	MIGBC	17.07										
	Interoffice Channel miage, per mi or fraction of mi re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	MIGBM	0.0222										
	nannel Bank Feature Activations															
D4 0.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62	, The state of the									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62										
N	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.62										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes,		1		-						-					
	per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41	0.5100					33.67	7.88		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88	-	
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		24.80										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		26.47										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		3	UEP9D		33.83										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	+	30.84									-	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		33.45										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		44.92										
	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	10.80										
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	19.83										
_	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	16.84					<u> </u>					
	2W VG Loop (SL2)-Zone 2		3	UEP9D	UECS2	19.45										
	2W VG Loop (SL2)-Zone 3 Port Rate		3	UEP9D	UECS2	30.92			-	 	1				-	
	STATES		\vdash						-	 	 				-	
·	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88	†	
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
-	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area		\downarrow	UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00	<u> </u>		33.67	7.88		
+	2W VG Port (Centrex /EBS-M5312))3Basic Local Area		\vdash	UEP9D UEP9D	UEPYG	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00	1		33.67 33.67	7.88 7.88	-	
+	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area 2W VG Port (Centrex/EBS-M5208)3 Basic Local Area		\vdash	UEP9D UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00			33.67	7.88	-	
-	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area		+	UEP9D	UEPYV	14.00	90.00	45.00					33.67	7.88		1
+	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area		+	UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00	1	1	33.67	7.88		1
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area		\vdash	UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area		1	UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00	1	1	33.67	7.88	1	
	2W VG Port (Centrex/differ SWC /EBS-0509)2, 3 Basic Local Area		+	UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		

Version 4Q02: 12/18/02 Page 106 of 324

UNDUNDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC		RA	ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonrec		NRC Dis					Rates (\$)		
	OMNIO Dest (October / L'Yes OMO /EDO MECCO)O O Destin Land Asse			LIEDAD	LIED)//		First	Add'l	First	Add'I	SOMEC	SOMAN			SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D UEP9D	UEPY4 UEPY5	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00			33.67 33.67	7.88 7.88		-
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	GA Only 2W VG Port (Centrex)			UEP9D	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPHD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPHE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPHF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		ļ
	2W VG Port (Centrex/EBS-M5208)3 2W VG Port (Centrex/EBS-M5216)3			UEP9D UEP9D	UEPHU	14.00 14.00	90.00	45.00 45.00	20.00	10.00			33.67 33.67	7.88 7.88		1
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D UEP9D	UEPHQ UEPHR	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00			33.67 33.67	7.88 7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		ļ
	2W VG Port Terminated on 800 Service Term Switching			UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
	Number Portability			02.00	UNLEGO	0.0001										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69						33.67	7.88		ļ
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		1
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
Misce	Illaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each	1	1	UEP9D	CEND6	11.35					ļ	1				!
	e Digital (1.544 Megabits)	1-	1	HEDOD	M1UD1	120.90	00.44	E0 40			1	-	22.67	7 00		
	DS1 Circuit Terms, each DS0 Channels Activiated per Channel	1-	+	UEP9D UEP9D	M1HD1 M1HDO	120.80 0.00	89.44 28.71	52.46			1	-	33.67 33.67	7.88 7.88		}
	office Channel Mileage - 2-Wire	1-	+	OLFAD	IVITIDU	0.00	20.11				 	-	33.07	1.08		
	Interoffice Channel Facilities Term	1	1	UEP9D	MIGBC	17.07										†
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0222										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															<u> </u>
D4 Ch	annel Bank Feature Activations															
			1	UEP9D	1PQWS	0.00					1	1			ı	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot					0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D UEP9D	1PQW6 1PQW7	0.62 0.62 0.62										

Version 4Q02: 12/18/02 Page 107 of 324

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhib	oit: B
		Intori									Svc Order Submitte	Svc Order Submitte	Incremental Charge - Manual Svc	I Charge -	Incrementa I Charge - Manual	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES (\$)			d Elec	d	Order vs. Electronic-	Svc Order vs.	Svc Order vs. Electronic-	Svc Order vs. Electronic-
						Rec	Nonrecu	urring	NRC Dis	connect			oss	Rates (\$)		,
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
Note	3 - Requires Specific Customer Premises Equipment							•								
Note	: Rates displaying an "R" in Interim column are interim and subject to rat	e true-	up as	set forth in General T	erms and Co	onditions.										

NRONI	DLED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incrementa I Charge -	Increment al Charge -	Incrementa I Charge -	Increm al Char
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manu
TEGOF	RY RATE ELEMENTS			BCS	USOC			RATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc O
		m	е									Manually	vs.	vs.	vs.	vs
											poi Loit			Electronic-		- Electro
												per Lor	Liectionic	Liectionic	Liectionic	Lieutic
					Ĭ .	_	Nonre	curring	NRC Disco	nnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOM
The	e "Zone" shown in the sections for stand-alone loops or loops as pa	art of a c	ombin	ation refers to Geogra	aphically D	eaveraged UN	E Zones. To v		hically Deav							
	p://www.interconnection.bellsouth.com/become a clec/html/interco				.,, -	J			,			· · · · · · · · · · · · · · · · · · ·	.,	,		
	IONAL SUPPORT SYSTEMS	/illiectioi	1	l	1	1	l	l	ı			I	1	1	1	т —
	TE: (1) Electronic Service Order: CLEC should contact its contract	negotiato	or if it	nrefers the state sner	ific electro	nic service ord	lering charge	s as ordered b	v the Comm	nissions Th	ne electron	ic service	ordering ch	arge current	ly contained	l in this
NO	e exhibit is the BellSouth regional electronic service ordering charg	accordi	na to t	he SOMEC rate listed	in this cat	egory. Please	refer to BellS	outh's Busine	ess Rules for	r Local Orde	erina (BBR	-LO) to det	termine if a	product can	be ordered	Jillig
	ctronically. For those elements that cannot be ordered electronical															
	ment. Otherwise, the manual ordering charge, SOMAN, will be appl						acgory reneed	o the onarge	inai would b	o bilica to t	. 00 0	oc cicoli oi	no oracining	опривіннов	come on m	
eiei	Manual Service Order Charge, per LSR, Disconnect Only (KY)	ieu io a	JLLUS	Dill Wileli it Subillits	SOMAN	Bensouth.	1	1	0.99		ı	ı	1	ı	1	т —
_	Electronic OSS Charge, per LSR, submitted via BST's OSS interactiv	_			SOMAN				0.99		-					+
		e			SOMEC		2.50									
E OED	interfaces (Regional)				SOMEC		3.50				ļ	ļ				+
	VICE DATE ADVANCEMENT CHARGE				L	<u> </u>										
NO	TE: The Expedite charge will be maintained commensurate with Be	IISouth's	FCC		as applica	ble.										
				ALL UNE EXCEPT												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00]					<u> </u>	l	<u> </u>	
	LED EXCHANGE ACCESS LOOP															
2-W	VIRE ANALOG VOICE GRADE LOOP															\perp
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		7.86				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				7.86				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		46.88	46.88				7.86				
1	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		24.16	24.16				7.86				1
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				+
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		1	OLITAL	OILLIVO		10.70	0.04				7.00				+
	providing make-up (Engineering Information-EI)			UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								+
	Order Coordination for Specified Conversion Time for UVL-SL1 (per	_	-	UEANL	OCOSL		23.01	23.01				 				+
2 14/	VIRE Unbundled COPPER LOOP			ULANL	OCOGL		23.01	23.01			-			1		+
2-77			1	LIFO	UEQ2X	10.58	44.07	20.00	05.04	0.05		7.00				+
_	2W Unbundled Copper Loop-Non-Designed Zone 1		•	UEQ			44.97	20.89	25.64	6.65		7.86		1		
_	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		7.86				
	2W Unbundled Copper Loop-Non-Designed-Zone 3	ı	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				7.86				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			<u> </u>	1								1			
	providing make-up (Engineering Information-EI)			UEQ	UEQMU		13.49	13.49								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		46.88	46.88				7.86				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		24.16	24.16				7.86				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43				7.86				
BUNDL	LED EXCHANGE ACCESS LOOP															
2-W	VIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86		1		1
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86		1		1
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86	İ	İ	İ	1
-	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86	i	İ	i	T
-	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65	1	7.86	 	1	 	1
BUNDI	LED EXCHANGE ACCESS LOOP		Ť		1	J	.0.50		20.00		1		 	1	 	1
	VIRE ANALOG VOICE GRADE LOOP				1	1	1	1			1	1	 	1	 	1
2-44	0.44 4 - 1 - 1/0 1 0.10 - // 0 1.01 - 1.01 - 1.01 - 1.01 - 1.01		1	IJΕΔ	UEAL2	12.67	134 80	81.87	73.65	14 88		7.86		1		+
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86	1	1	1	+
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86	1	1	1	+
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UEA	OCOSL	33.22	23.01	01.07	13.03	14.00	1	7.00	 	1	 	+
-	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	1	7.86	 	1	 	+
											 		-	1	-	+
-	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2	-	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86		1		₩
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				+
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		23.01				ļ	L	ļ	ļ	ļ	₩
	CLEC to CLEC Conversion Charge w/o outside dispatch		<u> </u>	UEA	UREWO		87.72	36.36			ļ	7.86	ļ	ļ	ļ	₩
- 1	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				7.86			1	ــــــ
	VIRE ANALOG VOICE GRADE LOOP															

Version 4Q02: 12/18/02 Page 109 of 324

NROND	LED NETWORK ELEMENTS - Kentucky												Attachr		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremer al Charge Manual Svc Orde vs. Electron
						Rec		curring	NRC Disco					Rates (\$)		
	4W A I VO I 7 0		_	LIEA	LIEALA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	4W Analog VG Loop-Zone 2	-	3	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86				
-	4W Analog VG Loop-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	85.06	164.11 23.01	112.36	78.91	18.66		7.86				
+	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36	1			7.86				
	RE ISDN DIGITAL GRADE LOOP			OLA	OKEWO		01.12	30.30	+			7.00				
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86				T
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				ſ
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16				7.86				
	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															L
\perp	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	<u> </u>	1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83	1	7.86				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	 	2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
+	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3 CLEC to CLEC Conversion Charge w/o outside dispatch	 	3	UDC UDC	UDC2X UREWO	42.87	146.77 91.63	95.02 44.16	71.38	13.83	1	7.86 7.86				
2 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIB	LEIO	OB.	UDC	UREWO		91.63	44.16	 			7.86				
2-771	2W Unbundled ADSL Loop including manl svc ing & facility reservation	LE LO	UP		_				+							
	Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				l
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-			UAL	UALZA	10.02	141.30	19.13	03.02	11.47		7.00				
	Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				l
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				l
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									ſ
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86				ĺ
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									L
	CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>	<u></u>	UAL	UREWO		86.20	40.40				7.86				
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	E LOC	P													Ь——
	2W Unbundled HDSL Loop including manl svc inq & facility reservation	İ	1	UHL	UHL2X	8.75	454.54	89.29	69.09	11.54		7.86				l
_	Zone 1 2W Unbundled HDSL Loop including manl svc ing & facility reservation		1	UHL	UHLZX	8.75	151.54	89.29	69.09	11.54		7.80				├──
	Zw onbundled HDSL Loop including mani svc inq & facility reservation Zone 2	Ì	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54		7.86				l
+	2W Unbundled HDSL Loop including manl svc inq & facility reservation			OFIL	UTILZA	9.50	131.34	09.29	09.09	11.54		7.00				
	Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				l
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	10.01	23.01	00.20	55.55	11.01		7.00				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86				ſ
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40				7.86				L
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	E LOC	P													
	4W Unbundled HDSL Loop including man! svc inq & facility reservation-		١.			40.05						= 00				l
_	Zone 1 4W Unbundled HDSL Loop including man! svc ing & facility reservation-		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
	4w Unbundled HDSL Loop including mani svc inq & facility reservation-Zone 2	١,	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				l
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-	-		UNL	UNL4X	15.00	100.70	123.50	74.95	14.09		7.00				
	Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				l
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	10.00	23.01	120.00	74.50	14.00		7.00				
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40				7.86				
	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
\perp	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	USL	OCOSL		23.01		ļ		1	ļ				
	CLEC to CLEC Conversion Charge w/o outside dispatch	 	<u> </u>	USL	UREWO		101.09	43.04	 			ļ				
	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	<u> </u>	LIBI	LID! 40	07.50	457.01	400.00	70.01	40.00	ļ	7.00				
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66	1	7.86				1

Version 4Q02: 12/18/02 Page 110 of 324

NARANDI	ED NETWORK ELEMENTS - Kentucky				•	1								nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Disco	nnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIF	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop/Short including manl svc inq & facility															l
	reservation-Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				1
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		7.86				l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility		-	OOL	OOL! !!	10.02	120.10	01.01	00.00	11.04		7.00				
	reservation-Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				l
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility			UCL	OCLF W	11.75	120.13	07.97	09.09	11.54		7.00				
	reservation-Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				l
-	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	12.07	9.00	9.00	09.09	11.54		7.00				—
_		-		UCL	UCLIVIC		9.00	9.00				1				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54		7.86				l
	reservation-Zone 1 2W Unbundled Copper Loop/Long-includes manl svc ing & facility	-	'	UCL	UCLZL	24.91	140.95	70.70	69.09	11.54		7.00				
	reservation-Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				i
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility	-		UCL	UCLZL	30.94	140.93	70.70	09.09	11.54		7.00				—
	reservation-Zone 3		3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86				l
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	09.95	9.00	9.00	09.09	11.34		7.00				—
-	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility	-		UCL	UCLIVIC	-	9.00	9.00								—
			1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				l
	reservation-Zone 1		1	UCL	UCLZVV	24.91	120.15	67.97	69.09	11.54		7.86				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility	1	2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86		1		1
_	reservation-Zone 2	-		UCL	UCLZVV	36.94	120.15	67.97	69.09	11.54		7.86				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				l
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	09.95	9.00	9.00	09.09	11.34		7.00				—
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	-		UCL	UREWO		97.23	42.48				7.86				
4 1871	E COPPER LOOP	1		UCL	UKEWU		91.23	4∠.48				7.80				
4-WIF		1	1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69	-	7.86		-		
	4W Copper Loop/Short-including manl svc inq & facility reservation- 4W Copper Loop/Short-including manl svc inq & facility reservation-	1	2	UCL	UCL4S UCL4S	17.36	170.31	108.06	74.95	14.69	-	7.86				
_		-				28.10		108.06	74.95	14.69		7.86				
	4W Copper Loop/Short-including man! svc inq & facility reservation-	-	3	UCL UCL	UCL4S UCLMC	28.10	170.31	9.00	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)	-	_			40.00	9.00 149.52	9.00	74.05	44.00		7.00				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1		1	UCL	UCL4W	16.92			74.95	14.69		7.86				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2	-	2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
_	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3	-	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
_	Order Coordination for Unbundled Copper Loops (per loop)	+		UCL	UCLMC		9.00	9.00			 					
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	HO	11014	40.04	470.04	400.00	74.05	44.00		7.00				i
-	reservation-Zone 1	+	1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69	1	7.86		-		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)	+	J	UCL	UCLMC	171.54	9.00	9.00	14.33	17.03		7.00				
+	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility	1		UCL	UCLIVIC		9.00	9.00			1	1				
$\perp \perp \perp$	reservation-Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				<u> </u>
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				1

UNBUN	NDLED NETWORK ELEMENTS - Kentucky							·	·				Attachi	ment: 2	Exhib	oit: B
	-										Svc	Svc	Incrementa	Increment	Incrementa	Increment
											Order	Order	I Charge -	al Charge -	I Charge -	al Charge
											Submitte		Manual	Manual	Manual	Manual
CATEGO	ORY RATE ELEMENTS	Interi	Zon	BCS	USOC		i	RATES (\$)								
CAILGO	OR RATE ELEMENTS	m	е	603	0300			IVATEO (#)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electronic
						-	Manne		NDC Diseas			<u> </u>	000	Datas (ft)		<u> </u>
						Rec	Nonrec First	arring Add'l	NRC Disco First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	10V/11-1						First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility		_													
	reservation-Zone 3		3	UCL	UCL4O	171.34	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								ļ
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48				7.86				<u> </u>
LOOP M	MODIFICATION															ļ
				UAL,UHL,UCL,UEQ,U												
				LS,UEA,UEANL,UEP												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18k	ft		SR,UEPSB	ULM2L		9.24	9.24				7.86				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		342.24	342.24				7.86				
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		9.24	9.24				7.86				
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		342.24	342.24				7.86				
				UAL,UHL,UCL,UEQ,U					İ			1		1		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			LS,UEA,UEANL,UEP												
	unbundled loop			SR.UEPSB	ULMBT		10.47	10.47				7.86				
SUB-LO				Ort,OE. OB	OLIVID !		10.11	10.11				7.00				
	ub-Loop Distribution															†
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		207.91	207.91				7.86				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	† i		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87			1	7.86				-
				UEANL	USBSD		45.04	45.04			-	7.86				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	ļ.	-			0.24	45.04 85.03	39.05	59.81	7.90		7.86				<u> </u>
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	1	1	UEANL	USBN2	6.34					ļ					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	<u> </u>	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	- 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								<u> </u>
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	_		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	_		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00		•						
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90		7.86				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90		7.86				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	1	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								İ
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86		İ		İ
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	ΤĖ	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86		İ		
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	Τi	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	 	Ť	UEF	USBMC		9.00	9.00	30.21					i		
Hn	nbundled Sub-Loop Modification	-	 	<u> </u>	3020		2.00	5.00			1	†				†
101	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip	+	+						1		<u> </u>	 		1		
	Removal per 2-W PR		1	UEF	ULM2X		5.23	5.23				7.86		I		
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip	-	-	UEF	ULIVIZX		5.23	5.23			1	1.00		-		+
	Removal per 4-W PR		1	UEF	LILBAAV		<i>-</i> 00	5.23				7.86		I		
		-	├	UEF	ULM4X		5.23	5.23			1	7.86		1		
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap													1		
	Removal, per PR unloaded		!	UEF	ULM4T		7.97	7.97				7.86				↓
Un	nbundled Network Terminating Wire (UNTW)		<u> </u>													
1	Unbundled Network Terminating Wire (UNTW) per pr		<u> </u>	UENTW	UENPP	0.53	23.51	23.51				7.86				<u> </u>

UNBUNI	IDLED NETWORK ELEMENTS - Kentucky												Attachr	nent: 2	Exhib	oit: B
CATEGOF	ORY RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually		al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Net	twork Interface Device (NID)		<u> </u>													<u> </u>
	Network Interface Device (NID)-1-2 lines		<u> </u>	UENTW	UND12		73.53	49.47				7.86				<u> </u>
	Network Interface Device (NID)-1-6 lines Network Interface Device Cross Connect-2 W	-		UENTW UENTW	UND16 UNDC2		115.96 8.56	91.91 8.56				7.86 7.86				<u> </u>
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		8.56	8.56				7.86				
SUB-LOO		-		OLIVIV	ONDO		0.50	0.50				7.00				
	b-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up			UEA,UDN,UCL,UDL,U DC UEA,UDN,UCL,UDL,U	USBFW		207.91					7.86				
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			DC	USBFX		12.50	12.50				7.86				
	USL Feeder DS1 Set-up per Closs Box location, per DS1 Term	+	 	USL	USBFZ		527.98	11.32				7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2	1	2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				<u> </u>
	Order Coordination for Specified Time Conversion, per LSR		L.,	UEA	OCOSL	7.07	23.01	04.04	70.04	47.04		7.00				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1	-	1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3	-	3	UEA UEA	USBFC	9.70 19.53	114.83 114.83	64.61 64.61	72.34 72.34	17.21 17.21		7.86 7.86				
	Order Coordination For Specified Conversion Time, per LSR	-	3	UEA	OCOSL	19.53	23.01	64.61	72.34	17.21		7.80				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1	-	1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2	-	2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3 Order Coordination For Specified Conversion Time, Per LSR	-	3	UDN UDN	USBFF OCOSL	28.95	131.79 23.01	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	28.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	62.57	125.43	73.68	81.82	21.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.01									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	1	1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2	-	2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3	-	3	UCL UCL	USBFH	4.25	105.31 23.01	53.57	71.16	13.61	-	7.86				1
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	1	1	UCL	OCOSL USBFJ	11.33	125.55	73.80	77.12	16.86	-	7.86				+
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1 Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	+-	2	UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3	1	3	UCL	USBFJ	10.10	125.55	73.80	77.12	16.86		7.86				
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL	2	23.01									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2	1	2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3	-	3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56	-	7.86				
	Order Coordination For Specified Time Conversion, per LSR	+-	1	UDL UDL	OCOSL USBFP	20.78	23.01 125.43	73.68	81.82	21 FG		7.06				-
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2	1	2	UDL	USBFP	26.41	125.43	73.68	81.82 81.82	21.56 21.56	-	7.86 7.86				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	+	3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				-
	200 200p 1 00001 1 01 411 04 Nopa Digital Oracle Loop-Zorle 3	1		ODL	00011	20.10	120.70	10.00	31.02	21.00	1	1.00			1	1

CIADOI	PLEL	NETWORK ELEMENTS - Kentucky	1	1	1	-	1								nent: 2	Exhib	
CATEGO	RΥ	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremer al Charge Manual Svc Orde vs. Electron
							_ 1	Nonre	curring	NRC Disco	nnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
SUB-LO	PS																
		p Feeder															
		D Loop Feeder-DS3-Per mi Per mo			UE3	1L5SL	15.38										
		Loop Feeder-DS3-Facility Term Per mo	ΙĖ		UE3	USBF1	346.30	3,402.59	407.14	160.86	91.19		7.86				
		D Loop Feeder – STS-1 – Per mi Per mo	t i		UDLSX	1L5SL	15.38	0,102.00		100.00	01110		7.00				
		Loop Feeder-STS-1-Facility Term Per mo	Ť		UDLSX	USBF7	372.80	3,402.59	407.14	160.86	91.19		7.86				
		D Loop Feeder – OC-3 – Per mi Per mo	t i		UDLO3	1L5SL	11.67	0,102.00									
		D Loop Feeder-OC-3-Facility Term Protection Per mo	Τi		UDLO3	USBF5	58.27										
-		D Loop Feeder-OC-3-Facility Term Per mo	ti		UDLO3	USBF2	564.68	3,402.59	407.14	160.86	91.19		7.86				
-		D Loop Feeder-OC-12-Per mi Per mo	ti		UDL12	1L5SL	14.36	0,402.00	407.14	100.00	01.10		7.00				
		b Loop Feeder-OC-12-Facility Term Protection Per mo	ΙĖ		UDL12	USBF6	658.35										
-+		b Loop Feeder-OC-12-Facility Term Per mo	H	+	UDL12	USBF3	1,778.00	3,402.59	407.14	160.86	91.19		7.86		1		
		b Loop Feeder-OC-12-Facility Term Fer mo	H	+	UDL12	1L5SL	47.11	3,402.39	407.14	100.00	31.18		1.00		1		
-+		b Loop Feeder-OC-48-Per mili Per mo b Loop Feeder-OC-48-Facility Term Protection Per mo	H	+	UDL48	USBF9	330.39		1	1							1
-+		b Loop Feeder-OC-48-Facility Term Protection Per mo	H	1	UDL48	USBF9	1,533.00	3,587.59	407.14	160.86	91.19		7.86		 		
$-\!\!\!+\!\!\!\!-$				1-	UDL48 UDL48	USBF8			407.14	160.86							
UNIDURE		D Loop Feeder-OC-12 Interface On OC-48		1	υμμ4δ	USBF8	372.76	804.96	407.14	100.86	91.19		7.86		 		
ONROND		OOP CONCENTRATION	!	╄	111.0	LICTOR	400 70	050.01	050.01	1			7.00				1
		bundled Loop Concentration-System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
		oundled Loop Concentration-System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86				
		oundled Loop Concentration-System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86				
		oundled Loop Concentration-System B (TR303)			ULC	UCT3B	86.95	149.72	149.72				7.86				
		oundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86				
	Unb	oundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86				
	Unb	oundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
	Loo	oundled Loop Concentration2W Voice-Loop Start or Ground Start ip Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
		oundled Loop Concentration-2W Voice-Reverse Battery Loop															
		erface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
		oundled Loop Concentration-4W Voice Loop Interface (Specials			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86				
		oundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86				
	Unb	oundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
		oundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
		oundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86				
UNE OT		ROVISIONING ONLY - NO RATE															
	NID:	-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNT	TW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unb	oundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UE	UNECN	0.00	0.00									
JNE OTI		ROVISIONING ONLY - NO RATE															
	T				UAL,UCL,UDC,UDL,U												
	Unb	oundled Contact Name, Provisioning Only-no rate	<u> </u>		DN,UEA,UHL,ULC	UNECN	0.00	0.00	<u> </u>				<u> </u>		<u> </u>		
	Unb	oundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			_						
	Unb	oundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unb	oundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
		oundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CA		Y UNBUNDLED LOCAL LOOP															
NC	TE: mi	inimum billing period of three months for DS3 and above Local I	Loop														
		h Capacity Unbundled Local Loop-DS3-Per mi per mo		1	UE3	1L5ND	9.25		İ								
		h Capacity Unbundled Local Loop-DS3-Facility Term per mo	i	1	UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
		h Capacity Unbundled Local Loop-STS-1-Per mi per mo		1	UDLSX	1L5ND	9.25										
		h Capacity Unbundled Local Loop-STS-1-Facility Term per mo		1	UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
OOP M				1	-												
	Loo	p Makeup-Preordering w/o Reservation, per working or spare facility	1	İ													
	laue	eried (Manual).	!	 	UMK	UMKLW		23.40	23.40								
			1						l						I		
		p Makeup-Preordering With Reservation, per spare facility queried				UMKLP		24.85	24.85						I	l	
	(Ma	inual).		<u> </u>	UMK	OIVII (LI											
	(Mai	nual). p MakeupWith or w/o Reservation, per working or spare facility						0.07	0.07								
	(Mai	nual). p MakeupWith or w/o Reservation, per working or spare facility bried (Mechanized)			UMK	PSUMK		0.67	0.67								
	(Mai Loop que	nual). p MakeupWith or w/o Reservation, per working or spare facility wirded (Mechanized) NCY SPECTRUM						0.67	0.67								
LIN	(Mai Loop que EQUEN	nual). p MakeupWith or w/o Reservation, per working or spare facility stried (Mechanized) NCY SPECTRUM ARING						0.67	0.67								
LIN	(Mai Loop que EQUEN NE SHA	nual). p MakeupWith or w/o Reservation, per working or spare facility rifed (Mechanized) NCY SPECTRUM ARING RS-CENTRAL OFFICE BASED			UMK	PSUMK											
LIN	(Mai Loop que EQUEN NE SHA LITTEI	nual). p MakeupWith or w/o Reservation, per working or spare facility stried (Mechanized) NCY SPECTRUM ARING					198.83 49.71	379.05 379.05	0.00	358.55 358.55	0.00		7.86 7.86				

<u>JNB</u> UNI	DLED NETWORK ELEMENTS - Kentucky												Attachi	nent: 2	Exhib	oit: B
ATEGOF	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR		I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
		1	1			_ 1	Nonred	curring	NRC Disco	nnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation															
	(per LSOD)		<u> </u>	ULS	ULSDG		173.62	0.00	100.40	0.00		7.86				<u> </u>
ENL	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SP	ECTRU	JM AK		ULSDC	0.61	37.16	21.28	20.17	9.90		7.86				├
_	Line Sharing-per Line Activation (BST Owned Splitter) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned	-	1	ULS	ULSDC	10.01	37.16	21.28	20.17	9.90		7.80				
	Splitter)			ULS	ULSDS		32.90	16.43				7.86				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC	1		020	02020		02.00	10.10				7.00				
	Owned Splitter)			ULS	ULSCS		32.90	16.43				7.86				
	Line Sharing-per Line Activation (DLEC owned Splitter)	- 1		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86				
	SPLITTING															
ENI	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	<u> </u>	<u> </u>	UEPSR UEPSB	UREOS	0.61		24.00	04.40							
	Line Splitting-per line activation BST owned-physical	++	<u> </u>	UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87		7.86				ļ
DE	Line Splitting-per line activation BST owned-virtual	<u> </u>	-	UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87		7.86				
	ITTERS-REMOTE SITE	+														ļ
SFL	Remote Site Line Share BST Owned Splitter, 24 Port		1	ULS	ULSRB	38.55	114.83	0.00	84.55	0.00		7.86				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &	+ '-		OLO	OLOND	30.33	114.03	0.00	04.55	0.00		7.00				
	Deactivation	1 .		ULS	ULSTG		95.65	0.00	67.87	0.00		7.86				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM A	(A REI	OTE													
	Remote Site Line Share Line Activationfor End User Served at RS, BST		Ī													
	Splitter	- 1		ULS	ULSRC	0.61	37.16	21.28	20.17	9.90		7.86				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	1		ULS	ULSTC	0.61	37.16	21.28	20.17	9.90		7.86				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	- 1		ULS	ULSRS		49.16	17.83				7.86				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	- 1		ULS	ULSTS		49.16	17.83				7.86				
	ED DEDICATED TRANSPORT	<u> </u>	<u> </u>		L											ļ
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum b	lling p	eriod -	below DS3=one mon	th, above I	0S3=four mont	ns									ļ
INI	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo	-	1	U1TVX	1L5XX	0.01										
-	Interoffice Channel-Dedicated Transport-2W VG-Facility Term	+	1	U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75		7.86				
_	Interoffice Channel-Dedicated Transport-2W VG-racinty Termi	-		U1TVX	1L5XX	0.01	47.54	31.70	22.11	0.73		7.00				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat. Facility Term			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.01										
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0115										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0115										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term	_	<u> </u>	U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo	1	 	U1TD1	1L5XX U1TF1	0.23	105.50	00.40	00.00	00.40	ļ	7.00				
_	Interoffice Channel-Dedicated Tranport-DS1-Facility Term Interoffice Channel-Dedicated Transport-DS3-Per mi per mo	1	1	U1TD1 U1TD3	1L5XX	96.04 4.97	105.52	98.46	23.09	20.49		7.86				
-	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo	+	1-	U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75	-	7.86				
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo	+	1	U1TS1	1L5XX	4.97	333.40	213.24	03.07	01.13		1.00				
_	Interoffice Channel-Dedicated Transport-STS-1-Facility Term	†	1	U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
LOC	CAL CHANNEL - DEDICATED TRANSPORT	1	1	-												
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing p	eriod =	below	DS3=one month, abo	ove DS3=fc	ur months										
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86				
_	Local Channel-Dedicated-4W VG		١.	ULDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				Ļ
	Local Channel-Dedicated-DS1-Zone 1	1	1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07	ļ	7.86				
	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3	+	3	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
	Local Channel-Dedicated-DS1-Zone 3 Local Channel-Dedicated-DS3-Per mi per mo	+	3	ULDD1 ULDD3	ULDF1 1L5NC	164.50 8.74	209.60	176.51	30.21	21.07	-	7.86		-	-	
	Local Channel-Dedicated-DS3-Per mi per mo	1	1	ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
-	Local Channel-Dedicated-STS-1-Per mi per mo	+	 	ULDS1	1L5NC	8.74	331.36	330.00	170.00	120.72	 	7.00		 	 	
	Local Channel-Dedicated-STS-1-Facility Term	1	1	ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				<u> </u>
ARK FIB		1	1		1	3.2		,,,,,,,								
$\overline{}$	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Local Channel NRC Dark Fiber-Local Channel			UDF UDF	1L5DC UDFC4	47.01	732.53	192.67	377.27	241.67		7.86				

UNDUNL	LED NETWORK ELEMENTS - Kentucky				1	1					_			nent: 2	Exhib	
ATEGOR	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Boo	Nonre	curring	NRC Disco	nnect				Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Interoffice Channel			UDF	1L5DF	30.74										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Local Loop			UDF	1L5DL	47.01										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86				
XX ACCE	SS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number															
	Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations		1	OHD	1		8.78	1.18	7.08	0.86	ļ	7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			OUD	NOFTY]	0 =0		7.00	0.00		7.00		1		
	Translations		1	OHD	N8FTX		8.78	1.18	7.08	0.86		7.86		ļ		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OUD	NOTOY			0.6=				7.00				
	Number			OHD	N8FCX		4.14	2.07				7.86				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			0.115												
	CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				7.86				<u> </u>
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				ļ
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX	0.0000470	4.14	4.14				7.86				<u> </u>
	8XX Access Ten Digit Screening w/8FL No. Delivery,			OHD		0.0006478										ļ
INE INEC	8XX Access Ten Digit Screening, w/POTS No. Delivery,			OHD		0.0006478										ļ
INE INFO	RMATION DATA BASE ACCESS (LIDB)			007		0.000000										ļ
	LIDB Common Transport Per Query			OQT OQU		0.000023										ļ
	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change			OQU OQT,OQU	NRPBX	0.0137322	55.12		67.59			7.86				ļ
SIGNALIN		-		001,000	INKPDA		55.12		67.59			7.00				-
SIGNALIN	CCS7 Signaling Connection, Per 56 Kbps Facility	1		UDB	TPP++	20.71	43.56	43.56	22.45	22.45		ļ				-
	CCS7 Signaling Connection, Per 56 Kbps Facility CCS7 Signaling Term, Per STP Port			UDB	PT8SX	151.39	43.36	43.36	22.45	22.43						
	CCS7 Signaling Usage, Per TCAP Message			UDB	F105A	0.0000656										
	CCS7 Signaling Osage, Fer TCAF Message CCS7 Signaling Connection, Per link (A link)	1		UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				-
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
	CCS7 Signaling Connection, Per link (Billik) (also known as Billik)	1		UDB	IFFTT	0.0000164	43.30	43.30	22.43	22.43		7.00				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment			UDB	31030	731.00										
	or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code Establishment			ODD	CCALC		40.02	40.02	30.43	30.43		7.00				
	or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
E911 SER\				ODD	COALD		40.02	40.02	30.43	30.43		7.00				
LOTT OLIK	Local Channel-Dedicated-2-wr VG				-	18.57	265.78	46.96	46.79	4.98		7.86				
	Interoffice Transport-Dedicated-2-wr VG Per mi		1		+	0.0115	200.70	40.30	40.73	7.50	 	7.00		 		
	Interoffice Transport-Dedicated-2-wr VG Per Facility Term	1	+		1	29.11	47.34	31.78	22.77	8.75		7.86				—
	Local Channel-Dedicated-DS1-Zone 1		1		+	40.46	209.60	176.51	30.21	21.07	 	7.86		 		
	Local Channel-Dedicated-DS1-Zone 2	!	+		1	43.39	209.60	176.51	30.21	21.07		7.86		1		
_	Local Channel-Dedicated-DS1-Zone 3		†			164.50	209.60	176.51	30.21	21.07		7.86				
	Interoffice Transport-Dedicated-DS1 Per mi				1	0.23	200.00	170.01	30.21	21.07	 	7.00		1		†
-	Interoffice Transport-Dedicated-DS1 Per Facility Term		\dagger		1	96.04	105.52	98.46	23.09	20.49		7.86				
CALLING	IAME (CNAM) SERVICE	1			1	55.04		23.40	20.00	20.40						
1	CNAM For DB Owners-Service Establishment			OQV		i - 1	25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For DB Owners-Service Provisioning With Point Code											1				
	Establishment			OQV			1,591.54	1,177.08	431.95	317.61		7.86				
	CNAM For Non DB Owners-Service Provisioning With Point Code			*												
	Establishment			OQV]	546.40	393.74	438.93	317.61		7.86		1		1
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										
	CNAM (Non-Databs Owner), NRC, applies when using the Character															
	Based User Interface (CHUI)			OQV	CDDCH]	595.00	595.00				7.86		1		
NP Query																
	LNP Charge Per query					0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				

UNBUND	LED NETWORK ELEMENTS - Kentucky						· · · · · · · · · · · · · · · · · · ·						Attachi	nent: 2	Exhib	oit: B
CATEGOR	·	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Orde vs.
							N		NDO Dise			p =				
_						Rec	First	curring Add'l	NRC Disco	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
OPERATO	R CALL PROCESSING						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB					1.20										
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB					1.24										
	Oper. Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
NWARD O	PERATOR SERVICES															
	Inward Oper Services-Verification, Per Call					1.00										
	Inward Oper Services-Verification & Emergency Interrupt-Per Call					1.95										
	- OPERATOR CALL PROCESSING															
Facil	ity based CLEC Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
-	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	-	\vdash		CBAOL		500.00	500.00			1	7.86				1
UNF	P CLEC		\vdash		ODAOL		300.00	300.00				1.00				
OIVE	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00			1	7.86				
Unbr	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86				
	Y ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call					0.40										
DIDECTOR	Attempt Y ASSISTANCE SERVICES					0.10										
	T ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS)							-								
DIKL	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
BRANDING	- DIRECTORY ASSISTANCE				5500.	100.00										
	ity Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				7.86				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				7.86				
UNE	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				7.86				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				7.86				
Unbr	anding via OLNS for UNEP CLEC		1				400.00	400.00				7.00				
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				7.86				
SELECTIVE	Loading of DA per Switch per OCN E ROUTING	-					16.00	16.00		-	 	7.86				
SELECTIV	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.86				
VIRTUAL C	OLLOCATION				CONOR		50.00	30.00	10.00	10.00		7.00				
1	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				
PHYSICAL	COLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95		7.86				
AIN SELEC	TIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00		9,483.34	9,483.34		7.86				
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85	ļ	7.86				
	Line/Port NRC, per end user	ļ	Ь	SRC	SRCLP	0.000==0-	2.06	2.06			<u> </u>	7.86				
AIN DELL	Query NRC, per query	-	\vdash	SRC	-	0.0037502		 			<u> </u>	1				
MIN - BELL	SOUTH AIN SMS ACCESS SERVICE AIN SMS Access Service-Service Establishment, Per State, Initial Setup		\vdash	A1N	CAMSE		43.55	43.55	44.93	44.93	1	7.86		 	 	1
-	AIN SMS Access Service-Service Establishment, Per State, Initial Setup AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N A1N	CAMDP		8.64		10.03	10.03	<u> </u>	7.86				
	AIN SMS Access Service-Port Connection-Dial/Shared Access AIN SMS Access Service-Port Connection-ISDN Access		\vdash	A1N	CAM1P		8.64	8.64	10.03	10.03		7.86				
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		38.65		29.88	29.88		7.86				
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or				2. 2.11		55.50	55.50								
	Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86		1	1	
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service-Session, Per min					0.666										
	AIN SMS Access Service-Company Performed Session, Per min					0.4608										
AIN - BELL	SOUTH AIN TOOLKIT SERVICE		ш					ļ								
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial		Ш	CAM	BAPSC		43.55		44.93	44.93	ļ	7.86				
	AIN Toolkit Service-Training Session, Per Customer				BAPVX	Ì	8,436.93	8,436.93		l		7.86		l		

	LED NETWORK ELEMENTS - Kentucky												Attachr		Exhib	
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	-	I Charge - Manual Svc Order vs. Electronic-	vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt	1	1		BAPTT		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off- Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				DAPID	1	0.04	0.04	10.03	10.03		7.00				
	Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit	t			D/ II TIVI		0.04	0.04	10.00	10.00		7.00				
	PODP				BAPTO		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Feature Code				BAPTF		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service-Query Charge, Per Query	1	1		-	0.0549207		ļ								<u> </u>
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,					0.0000400										
-	Per Node, Per Query AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per	+	1		+	0.0066492		1								1
	100 Kilobytes					0.07										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56	0.00			7.86				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.11	9.56	9.56				7.86				
	D EXTENDED LINK (EELs)	<u>. </u>	<u> </u>			<u> </u>										
	E: The monthly recurring and non-recurring charges below will apply E: The monthly recurring and the Switch-As-Is Charge and not the no										s.					
INOI	E. The monthly recurring and the Switch-As-is Charge and not the no		urring													
	E: Minimum hilling is one month for DS1 and helow and three month				apply for EE	LS provisioned	as Current	ly Combined'	Network Ele	ments.						
NOT	E: Minimum billing is one month for DS1 and below and three month RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO	is abo	ve DS1	services.	арріу іог Е	Ls provisioned	as Current	ly Combined'	Network Ele	ments.						
NOT	E: Minimum billing is one month for D\$1 and below and three month RE VOICE GRADE EXTENDED LOOP WITH DEDICATED D\$1 INTERO [First 2W VG Loop(\$L2) in a D\$1 Interoffice Transport Combination-Zone	s abo	ve DS1	services.	UEAL2	12.67	125.22	ly Combined'	59.69	7.84		7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO	rs abo	ve DS1	SPORT (EEL)								7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROL First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone	FFICE	ve DS1 TRAN	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	12.67 17.45 33.22	125.22	60.48	59.69	7.84						
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo	FFICE	TRAN	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 1L5XX	12.67 17.45 33.22 0.19	125.22 125.22 125.22	60.48 60.48 60.48	59.69 59.69 59.69	7.84 7.84 7.84		7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo	FFICE	TRAN	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1	12.67 17.45 33.22 0.19 79.02	125.22 125.22 125.22	60.48 60.48 60.48	59.69 59.69 59.69 56.72	7.84 7.84 7.84 22.32		7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo	FFICE	TRAN	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	12.67 17.45 33.22 0.19 79.02 113.33	125.22 125.22 125.22 125.22 181.24 57.26	60.48 60.48 60.48 123.53 14.74	59.69 59.69 59.69	7.84 7.84 7.84		7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo	FFICE	TRAN	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCIX UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1	12.67 17.45 33.22 0.19 79.02	125.22 125.22 125.22	60.48 60.48 60.48	59.69 59.69 59.69 56.72	7.84 7.84 7.84 22.32		7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport	FFICE	TRAN 1 2 3	Services. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	12.67 17.45 33.22 0.19 79.02 113.33 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71	60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 56.72 1.86	7.84 7.84 7.84 22.32 1.67		7.86 7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To DS0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1	FFICE	TRAN	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	12.67 17.45 33.22 0.19 79.02 113.33	125.22 125.22 125.22 125.22 181.24 57.26	60.48 60.48 60.48 123.53 14.74	59.69 59.69 59.69 56.72	7.84 7.84 7.84 22.32		7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport	FFICE	TRAN 1 2 3	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71	60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 56.72 1.86	7.84 7.84 7.84 22.32 1.67		7.86 7.86 7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To DS0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1	FFICE	TRAN 1 2 3	Services. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	12.67 17.45 33.22 0.19 79.02 113.33 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71	60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 56.72 1.86	7.84 7.84 7.84 22.32 1.67		7.86 7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3	FFICE	TRAN 1 2 3	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45	125.22 125.22 125.22 125.22 181.24 57.26 6.71	60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 56.72 1.86	7.84 7.84 7.84 22.32 1.67		7.86 7.86 7.86 7.86 7.86 7.86				
NOT	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo	FFICE	TRAN 1 1 2 3 1 1 2	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo DS1 Channelization System Per mo US1 Channelization System Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge	ns abo	TRAN 1 2 3 1 1 2 3	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69	7.84 7.84 7.84 22.32 1.67 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO	ns abo	TRAN 1 2 3 1 1 2 3	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	ns abo	ve DS1 TRAN 1 2 3 1 2 3 TRAN TRAN	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 11.5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 8.98	59.69 59.69 59.69 56.72 1.86 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo WG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	ns abo	TRAN 1 2 3 1 1 2 3	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	ns abo	1 2 3 TRAN	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2	ns abo	ve DS1 TRAN 1 2 3 1 2 3 TRAN TRAN	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 11.5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 8.98	59.69 59.69 59.69 56.72 1.86 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 11.5xx U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 8.98	59.69 59.69 59.69 56.72 1.86 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2	ns abo	1 2 3 TRAN	SERVICES. SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 6.71 8.98	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 8.98 60.48 60.48	59.69 59.69 59.69 56.72 1.86 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 123.53 14.74 4.84 60.48 60.48 8.98 60.48 60.48 123.53 14.74	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo WG COCI-DS1 To Ds0 Interface-Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 2 First 6W Analog VG Loop In a DS1 Interoffice Transport Combination-Zone 7 Interoffice Transport-Dedicated-DS1-Facility Term Per m	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 11.5xx U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System CS1 Interoffice Transport Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 11.5xx U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1L5xx U1TF1 MQ1 1D1VG	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo Chall 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 123.53 14.74 4.84 60.48 60.48 8.98 60.48 60.48 123.53 14.74	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport	ns abo	ve DS ² TRAN 1 2 3 TRAN 1 2 3 TRAN 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 85.06 0.19 79.02 113.33 0.62	125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.8		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo DS1 Channelization System Per mo WG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	ns abo	ve DS ² TRAN 1 2 3 1 1 2 TRAN 1 2	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 11.5xx U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1L5xx U1TF1 MQ1 1D1VG	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33 0.62	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 123.53 14.74 4.84 60.48 60.48 4.84 60.48 60.48 60.48 123.53 14.74 4.84	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	ns abo	ve DS ² TRAN 1 2 3 TRAN 1 2 3 TRAN 1 2 3	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33 0.62 29.26	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.8		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo INS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo VG COCI-DS1 to DS0 Channel System Combination-Per mi Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Combination-Zone 2	ns abo	ve DS ² TRAN 1 2 3 TRAN 1 2 3 TRAN 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33 0.62	125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.8		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
NOT 2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERO First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	ns abo	ve DS ² TRAN 1 2 3 TRAN 1 2 3 TRAN 1 2 3	Services. SPORT (EEL)	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.67 17.45 33.22 0.19 79.02 113.33 0.62 12.67 17.45 33.22 0.62 29.26 34.25 85.06 0.19 79.02 113.33 0.62 29.26	125.22 125.22 125.22 125.22 181.24 57.26 6.71 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 123.53 14.74 4.84 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 22.32 1.67 7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.8		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				

Version 4Q02: 12/18/02 Page 118 of 324

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attachr	nent: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR		Increment al Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3	<u> </u>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		\sqcup	UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization-Channel System DS1 to DS0 combination Per mo	<u> </u>	1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		_													
	Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport								== ==							
	Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo				45455											
	(2.4-64kbs) NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX UNC1X	1D1DD	1.32	6.71	4.84	44.47	44.47		7.86				
	NRC Currently Combined Network Elements Switch-As-is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTE	DOFF!	OF TD		UNCCC		8.98	8.98	11.17	11.17		7.86				
		KUFFI	CE IR	ANSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	1	1	UNCDX	UDL64	21.59	125.22	60.48	59.69	7.84		7.86				
	First 4vv 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
-	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	<u> </u>	4	UNCDX	UDL64	3∠.48	125.22	60.48	59.69	7.84		7.86				
	Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	<u> </u>	3	UNCDX UNC1X	1L5XX	0.19	123.22	00.48	59.69	1.84		1.00				
-	Interoffice Transport-Dedicated-DS1 combination-Per mili Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo	1	1	UNC1X UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization-Channel System DS1 to DS0 combination Per mo	1	\vdash	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo	1	\vdash	UNCIA	IVIQ1	113.33	31.20	14.74	1.00	1.07		1.00				
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport		 	UNUDA	10100	1.02	0.71	7.04				7.00				
	Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
-	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	1		UNUDA	ODLO4	21.55	125.22	00.40	55.05	7.04		7.00				
	Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Add'I 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	1	-	OHODA	00004	32.40	120.22	55.40	55.55	7.04		7.00				
	Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
+	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo		⊢	OHODA	00204	55.57	120.22	55.40	55.55	7.04		7.00		1	1	
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge	1	1 1	UNC1X	UNCCC	52	8.98	8.98	11.17	11.17		7.86				

JINDUIND	LED NETWORK ELEMENTS - Kentucky												Attachr	ment: 2	Exhib	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROF	FICE	TRAN	SPORT (EEL)												
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-		١.													
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport- Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
+	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-			UNCIA	USLAA	114.10	210.70	114.00	03.90	17.97		7.00				├ ──
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19	210.70	114.00	03.90	17.57		7.00				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	73.02	8.98	8.98	11.17	11.17		7.86				
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROF	FICE	TRANS		0.1000		0.00	0.00				7.00				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	T -	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				1
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				1
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				1
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTERO	FFICE	TRAN	SPORT (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.01										1
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTERO	FFICE	TRAN													
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
DS3 E	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TR	ANSP	ORT (
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term															
	per mo		<u> </u>	UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09			10.00							
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge	TD 4 5 1	ODOD	UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE	IKAN	SPUR		41 END	0.05										
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo		<u> </u>	UNCSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term			LINICOV	LIDI C4	220 54	007.00	447.00	00.40	20.07		7.00				
	per mo Interoffice Transport-Dedicated-STS1 combination-Per mi per mo		-	UNCSX UNCSX	UDLS1 1L5XX	320.51 4.09	237.36	147.69	83.43	32.67	-	7.86				├
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo		1	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	-	7.86				+
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC	343.73	8.98	8.98	11.17	11.17		7.86				+
	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E	FI)	 	ONOOA	UNCCC		0.90	0.90	11.17	11.17		7.00				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	- <i>-,</i>	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	1	7.86				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	1	7.86				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3	 	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-DS1 combination-Per mi	\vdash	-	UNC1X	1L5XX	0.19	120.22	00.40	33.03	7.04	1	7.00				+
	Interoffice Transport-Dedicated-DS1 combination-Fer mil	\vdash	 	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	7.86				+
-		1	1	GINCIA	UIIII	13.02								1		+
\Rightarrow				LINC1X	MO1	113 33	57 26	14 74	1 26	1 67		7.86				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X UNCNX	MQ1 UC1CA	113.33 2.84	57.26 6.71	14.74 4.84	1.86	1.67		7.86 7.86				
				UNC1X UNCNX	MQ1 UC1CA	113.33 2.84	57.26 6.71	14.74 4.84	1.86	1.67		7.86 7.86				

Version 4Q02: 12/18/02 Page 120 of 324

	LED NETWORK ELEMENTS - Kentucky			T	T	1				-	_		Attachn		Exhib	
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manual Svc Orde vs.
						Pag	Nonre	curring	NRC Disco	nnect			OSS F	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-															
	Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-					40.00			== ==							
	Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per NRC Currently Combined Network Elements Switch-As-Is Charge			UNCNX UNC1X	UC1CA UNCCC	2.84	6.71 8.98	4.84 8.98	11.17	11.17		7.86 7.86				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTERC	EEIC	F TPA		UNCCC		0.90	0.90	11.17	11.17		7.00				
7-111	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	1 10	1 1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICI	TRA	NSPO	RT (EEL)												
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	TRA	NSPO	RT (EEL)												
4-WII		TRA	NSPO 1	RT (EEL) UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	TRA			UDL64	27.59		60.48	59.69 59.69	7.84		7.86 7.86				
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2	TRA	1	UNCDX	UDL64	32.48	125.22 125.22	60.48	59.69			7.86				
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3	TRA	1 2	UNCDX			125.22			7.84						
4-WII	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2	TRA	1 2	UNCDX UNCDX UNCDX	UDL64	32.48 36.37	125.22 125.22	60.48	59.69	7.84		7.86				
	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi	TRA	1 2	UNCDX UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 1L5XX	32.48 36.37 0.01	125.22 125.22 125.22	60.48 60.48	59.69 59.69	7.84		7.86 7.86				
	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICITY 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term	TRA	1 2	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 1L5XX U1TD6	32.48 36.37 0.01	125.22 125.22 125.22 98.09	60.48 60.48 53.67	59.69 59.69 56.31	7.84 7.84 22.42		7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge LL NETWORK ELEMENTS To used as a part of a currently combined facility, the non-recurring cl	narges	1 2 3	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl	UDL64 UDL64 1L5XX U1TD6 UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98	60.48 60.48 53.67	59.69 59.69 56.31	7.84 7.84 22.42		7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS To used as a part of a currently combined facility, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements in All States, the non-recurring claused as ordinarily combined network elements.	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX tapply, but a Switch charges apply and the	UDL64 UDL64 1L5XX U1TD6 UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98	60.48 60.48 53.67	59.69 59.69 56.31	7.84 7.84 22.42		7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 20 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements "Switch As Is" Charge (One	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX tapply, but a Switch charges apply and the	UDL64 UDL64 1L5XX U1TD6 UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98	60.48 60.48 53.67	59.69 59.69 56.31	7.84 7.84 22.42		7.86 7.86				
DITIONA Whei	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge 10 used as a part of a currently combined facility, the non-recurring of the used as ordinarily combined network elements in All States, the non-Currently Combined Network Elements "Switch As Is" Charge (One at NRC Currently Combined Network Elements Switch-As-Is Charge- 2W/4W VG	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX tapply, but a Switch charges apply and the	UDL64 UDL64 1L5XX U1TD6 UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98	60.48 60.48 53.67	59.69 59.69 56.31	7.84 7.84 22.42		7.86 7.86				
DITIONA When	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICI 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Fer mi Interoffice Transport-Dedicated-4W 64 kbps combination-Fer mi INRC Currently Combined Network Elements Switch-As-Is Charge INETWORK ELEMENTS To used as a part of a currently combined facility, the non-recurring cl To used as ordinarily combined network elements in All States, the no Currently Combined Network Elements "Switch As Is" Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge- 2W/4W VG NRC Currently Combined Network Elements Switch-As-Is Charge-56/64	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX tapply, but a Switch charges apply and the charges apply appl	UDL64 UDL64 1L5XX U1TD6 UNCCC A As Is cha e Switch A	32.48 36.37 0.01 17.25	125.22 125.22 125.22 125.22 98.09 8.98 	60.48 60.48 53.67 8.98	59.69 59.69 56.31 11.17	7.84 7.84 22.42 11.17		7.86 7.86 7.86 7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring cl 1 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements "Switch-As-is Charge (One a NRC Currently Combined Network Elements Switch-As-is Charge- 2W/4W VG NRC Currently Combined Network Elements Switch-As-is Charge- 56/64 kbps	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCVX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC As Is cha e Switch A UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98 es not.	60.48 60.48 53.67 8.98 8.98	59.69 59.69 56.31 11.17 11.17	7.84 7.84 22.42 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring cl 1 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC AS Is cha e Switch A UNCCC UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 98.09 8.98 	60.48 60.48 53.67 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS To used as a part of a currently combined facility, the non-recurring cl To used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81	narges	1 2 3 s do no	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and thich combination) UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC	32.48 36.37 0.01 17.25	125.22 125.22 125.22 125.22 98.09 8.98 es not.	60.48 60.48 53.67 8.98 8.98 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 10 used as ordinarily combined network elements in All States, the no 11 Currently Combined Network Elements Switch-As-Is Charge (One at the Currently Combined Network Elements Switch-As-Is Charge-S6/64 12 kbps 13 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 14 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 15 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 16 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 17 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3 18 NRC Currently Combined Network Elements Switch-As-Is Charge-ST3	narges n-recu applies	1 2 3 s do no urring s to ea	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX to apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCX UNCDX UNCDX UNCSX UNCSX	UDL64 UDL64 1L5XX U1TD6 UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC	32.48 36.37 0.01 17.25 rge does apply s Is Charge do	125.22 125.22 125.22 98.09 8.98 	60.48 60.48 53.67 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS Dused as a part of a currently combined facility, the non-recurring claused as ordinarily combined network elements in All States, the not Currently Combined Network Elements Switch-As-Is Charge-Dea 1 NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-SS3 Local Channel - Dedicated Transport - minimum billing period - 86 ELocal Channel - Dedicated Transport - minimum billing period - 86	narges n-recu applies	1 2 3 s do no urring s to ea	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCSX UNCSX DE month, DS3 and ab	UDL64 UDL64 1L5XX U1TD6 UNCCC As Is cha e Switch A UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC OVE=four n	32.48 36.37 0.01 17.25 rge does apply s Is Charge do	125.22 125.22 125.22 98.09 8.98 es not. 8.98 8.98 8.98 8.98 8.98	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Pacility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring of 1 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-ST31 ELocal Channel - Dedicated Transport - minimum billing period - Be Local Channel-Dedicated-2W VG	narges n-recu applies	1 2 3 s do no urring s to ea	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC AS Is cha Switch A UNCCC UN	32.48 36.37 0.01 17.25 rge does apply s Is Charge do	125.22 125.22 125.22 18.09 8.98 es not. 8.98 8.98 8.98 8.98 8.98	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 46.79	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DDITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a) NRC Currently Combined Network Elements Switch-As-Is Charge-S6/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-SS1 ELocal Channel-Dedicated-2W VG Local Channel-Dedicated-4W VG	narges n-recu applies	1 2 3 s do no urring s to ea	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX OTHER SENTING	UDL64 UDL64 1L5XX U1TD6 UNCCC UN	32.48 36.37 0.01 17.25 rge does apply s Is Charge do	125.22 125.22 125.22 98.09 8.98 es not. 8.98 8.98 8.98 8.98 8.98 8.98	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 8.98 46.96 47.65	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 46.79 47.54	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 5.73		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICI 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 20 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a) NRC Currently Combined Network Elements Switch-As-Is Charge-S06/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-STS1 ELocal Channel-Dedicated-WW VG Local Channel-Dedicated-WW VG Local Channel-Dedicated-DS1 per mo Zone 1	narges n-recu applies	1 2 3 s do nurring s to each	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCVX UNCDX UNC1X UNC3X UNC3X UNCSX Demonth, DS3 and ab UNCVX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX	UDL64 UDL64 1L5XX U1TD6 UNCCC UNCC UNCC UNCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC UNCCC	32.48 36.37 0.01 17.25 rge does apply s Is Charge do nonths 18.57 19.86 40.46	125.22 125.22 125.22 98.09 8.98 es not. 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.	8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 46.79 47.54 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 21		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Pacility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring claused as a part of a currently combined Network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-STS1 ELocal Channel-Dedicated-Transport - minimum billing period - Be Local Channel-Dedicated-US1 per mo Zone 1 Local Channel-Dedicated-DS1 per mo Zone 1 Local Channel-Dedicated-DS1 per mo Zone 2	narges n-recu applies	1 2 3 3 5 do normalizado de la companya del companya del companya de la companya	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCOX	UDL64 UDL64 LISXX U1TD6 UNCCC AS Is cha Switch A UNCCC	32.48 36.37 0.01 17.25 rge does apply s Is Charge do nonths 18.57 19.86 40.46 43.39	125.22 125.22 125.22 98.09 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 46.79 47.54 30.21 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 21.07 21.07 21.07		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 10 used as ordinarily combined network elements in All States, the no 11 Currently Combined Network Elements Switch-As-Is Charge (One 2) 12 W/4W VG NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 13 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 14 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 15 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 16 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 17 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 18 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 18 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 19 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 19 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 10 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 10 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 10 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 10 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 11 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 11 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 12 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 13 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 14 NRC Currently Combined Network Elements Swit	narges n-recu applies	1 2 3 s do nurring s to each	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX OT apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCDX UNCDX UNCTX UNCSX UNCSX UNCSX UNCSX UNCVX UNCYX UNCVX UNCVX UNCYX	UDL64 UDL64 1L5XX U1TD6 UNCCC UN	32.48 36.37 0.01 17.25 Tge does apply s Is Charge do 18.57 19.86 40.46 43.39 164.50	125.22 125.22 125.22 98.09 8.98 es not. 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.	8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 46.79 47.54 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 21		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICI 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 20 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One at NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W VG NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 ELocal Channel-Dedicated-DS1 Per mo Zone 1 Local Channel-Dedicated-DS1 Per mo Zone 2 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-	narges n-recu applies	1 2 3 3 5 do normalizado de la companya del companya del companya de la companya	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCDX UNC1X UNC3X UNC3X UNC9X UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X	UDL64 UDL64 1L5XX U1TD6 UNCCC UNCC	32.48 36.37 0.01 17.25 rge does apply s Is Charge do 18.57 19.86 40.46 43.39 164.50 8.74	125.22 125.22 125.22 98.09 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	8.98 8.98 8.98 8.98 8.98 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 30.21 30.21 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 21.17 21.07 21.07		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring claused as ordinarily combined network elements in All States, the not Currently Combined Network Elements Switch-As-Is Charge (One 2 NRC Currently Combined Network Elements Switch-As-Is Charge-D64 NRC Currently Combined Network Elements Switch-As-Is Charge-D64 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-D81 NRC Currently Combined Network Elements Switch-As-Is Charge-B73 ELocal Channel-Dedicated-Tansport - minimum billing period - B61 Local Channel-Dedicated-D81 per mo Zone 1 Local Channel-Dedicated-D81 per mo Zone 2 Local Channel-Dedicated-D81 per mo Zone 3 Local Channel-Dedicated-D81-Per mo Zone 3 Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo Local Channel-Dedicated-D83-Per mi per mo	narges n-recu applies	1 2 3 3 5 do normalizado de la companya del companya del companya de la companya	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCOX	UDL64 UDL64 LISXX U1TD6 UNCCC AS Is cha Switch A UNCCC ULDV4 ULDF1 ULDF1 ULDF1 ULDF1 ULDF1 ULDF1 ULDF3	32.48 36.37 0.01 17.25 17.25 18.57 19.86 40.46 43.39 164.50 8.74 576.05	125.22 125.22 125.22 98.09 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 46.79 47.54 30.21 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 21.07 21.07 21.07		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-We felments Switch-As-Is Charge INEC Unternoted Selection of a currently combined facility, the non-recurring claused as a part of a currently combined fetwork Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-2004 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 Local Channel-Dedicated-DS1 per mo Zone 1 Local Channel-Dedicated-DS1 per mo Zone 2 Local Channel-Dedicated-DS1-Per mo Zone 3 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channe	narges n-recu applies	1 2 3 3 5 do normalizado de la companya del companya del companya de la companya	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX UNCX UNCX UNCX UNC3X UNC3X UNCYX UNCX	UDL64 UDL64 1L5XX U1TD6 UNCCC NAS Is cha e Switch A UNCCC	32.48 36.37 0.01 17.25 17.25 19.86 40.46 43.39 164.50 8.74 576.05 8.74	125.22 125.22 125.22 125.22 98.09 8.98 ss not. 8.98 8.98 8.98 8.98 8.98 265.78 266.48 209.60 209.60 209.60	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 12.17 12.07 120.42		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA Wher When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 10 used as ordinarily combined network elements in All States, the no 11 Currently Combined Network Elements Switch-As-Is Charge (One at NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 11 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 12 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 13 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 14 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 15 Local Channel - Dedicated Transport - minimum billing period - Bet Local Channel-Dedicated-W VG 16 Local Channel-Dedicated-DS1 Per mo Zone 2 17 Local Channel-Dedicated-DS1 Per mo Zone 2 18 Local Channel-Dedicated-DS1-Per mo Zone 3 18 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local	narges n-recu applies	1 2 3 3 5 do normalizado de la companya del companya del companya de la companya	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCX UNCX UNCSX UNCSX LONCYX UNCY	UDL64 UDL64 LISXX U1TD6 UNCCC AS Is cha Switch A UNCCC ULDV4 ULDF1 ULDF1 ULDF1 ULDF1 ULDF1 ULDF1 ULDF3	32.48 36.37 0.01 17.25 17.25 18.57 19.86 40.46 43.39 164.50 8.74 576.05	125.22 125.22 125.22 98.09 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98	8.98 8.98 8.98 8.98 8.98 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 30.21 30.21 30.21	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 21.17 21.07 21.07		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 1 used as a part of a currently combined facility, the non-recurring cl 1 used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One 2 NRC Currently Combined Network Elements Switch-As-Is Charge-S0 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-Is Charge-DS1 Currently Combined Network Elements Switch-As-	narges n-recu pplies	1 2 3 3 s do nurring s to es	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the ch combination) UNCVX UNCDX UNCX UNCX UNCSX UNCSX UNCYX	UDL64 UDL64 1L5XX U1TD6 UNCCC NAS Is cha e Switch A UNCCC	32.48 36.37 0.01 17.25 17.25 19.86 40.46 43.39 164.50 8.74 576.05 8.74	125.22 125.22 125.22 125.22 98.09 8.98 ss not. 8.98 8.98 8.98 8.98 8.98 265.78 266.48 209.60 209.60 209.60	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 12.17 12.07 120.42		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DDITIONA When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS 10 used as a part of a currently combined facility, the non-recurring cl 10 used as ordinarily combined network elements in All States, the no 11 Currently Combined Network Elements Switch-As-Is Charge (One at NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 11 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 12 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 13 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 14 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 15 Local Channel - Dedicated Transport - minimum billing period - Bet Local Channel-Dedicated-W VG 16 Local Channel-Dedicated-DS1 Per mo Zone 2 17 Local Channel-Dedicated-DS1 Per mo Zone 2 18 Local Channel-Dedicated-DS1-Per mo Zone 3 18 Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-DS3-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local Channel-Dedicated-STS-1-Per mi per mo Local	narges n-recu pplies	d interest	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC NAS Is cha e Switch A UNCCC	32.48 36.37 0.01 17.25 17.25 19.86 40.46 43.39 164.50 8.74 576.05 8.74	125.22 125.22 125.22 125.22 98.09 8.98 ss not. 8.98 8.98 8.98 8.98 8.98 265.78 266.48 209.60 209.60 209.60	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 12.17 12.07 120.42		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				
DDITION/ When When NRC	AW 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi NRC Currently Combined Network Elements Switch-As-Is Charge L NETWORK ELEMENTS To used as a part of a currently combined facility, the non-recurring of Used as ordinarily combined network elements in All States, the no Currently Combined Network Elements Switch-As-Is Charge (One a NRC Currently Combined Network Elements Switch-As-Is Charge-20/4W W G NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-STS1 ELocal Channel-Dedicated-DS1 Per mo Zone 2 Local Channel-Dedicated-DS1 Per mo Zone 2 Local Channel-Dedicated-DS1 Per mo Zone 3 Local Channel-Dedicated-DS3-Per mij per mo Local Channel-Dedicated-DS3-Per mij per mo Local Channel-Dedicated-SS3-F	narges n-recu pplies	d interest	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX Ot apply, but a Switcl charges apply and the combination) UNCVX UNCDX	UDL64 UDL64 1L5XX U1TD6 UNCCC NAS Is cha e Switch A UNCCC	32.48 36.37 0.01 17.25 17.25 19.86 40.46 43.39 164.50 8.74 576.05 8.74	125.22 125.22 125.22 125.22 98.09 8.98 ss not. 8.98 8.98 8.98 8.98 8.98 265.78 266.48 209.60 209.60 209.60	60.48 60.48 53.67 8.98 8.98 8.98 8.98 8.98 46.96 47.65 176.51 176.51	59.69 59.69 56.31 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17	7.84 7.84 22.42 11.17 11.17 11.17 11.17 11.17 11.17 11.17 12.17 12.07 120.42		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86				

Version 4Q02: 12/18/02 Page 121 of 324

,	RATE ELEMENTS										Svc	Svc	Uncrementa	Increment	Incrementa	
,		Interi m	Zon e	BCS	USOC		1	RATES (\$)			Order Submitte d Elec	Order Submitte d Manually	l Charge - Manual	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	vs.
,						Rec	Nonrec	curring	NRC Disco	nnect				Rates (\$)		
,							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.84	10.07	7.08				7.86				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.6228	10.07	7.08	50.40	10.50		7.86				
	DS3 to DS1 Channel System per mo STS1 to DS1 Channel System per mo			UXTD3 UXTS1	MQ3 MQ3	158.20 158.20	199.23 199.23	118.62 118.62		48.59 48.59	-	7.86 7.86				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.80	10.07	7.08		40.33		7.86				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.80	10.07	7.08				7.86				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	11.80	10.07	7.08				7.86				
	.oop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	62.57	125.43	73.68		21.56						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	87.71	125.43	73.68		21.56						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	273.33	125.43	73.68	81.82	21.56						
	D LOCAL EXCHANGE SWITCHING(PORTS)		-		-											
	ange Ports : Although the Port Rate includes all available features in KY, the de	sired	featur	es will need to be o	rdered using	retail USOCs										
	E VOICE GRADE LINE PORT RATES (RES)	J 54	· satur													
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W VG unbundled KY extended local dialing parity															
	Port with Caller ID-Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller															
_	ID (LUM)	-	-	UEPSR UEPSR	UEPAP UEPWE	1.49 1.49	3.74 3.74	3.63 3.63	2.23	2.13 2.13		7.86 7.86				
	Exchange Ports-2W Voice KY Residence Dialing Plan w/o Caller ID 2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63		2.13		7.86				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00		2.10		7.86				
FEAT				02. 0.0	00/100	0.00	0.00	0.00				7.00				
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				7.86				
2-WIF	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Analog Line Port outgoing only-Bus. Exchange Ports-2W VG unbundled KY extended local dialing parity			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
	Port with Caller ID-Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports-2W Voice KY Business Dialing Plan w/o Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsqnt Activity		ļ	UEPSB	USASC	0.00	0.00	0.00				7.86				
FEAT				UEPSB	UEPVF	0.00	0.00	0.00				7.86				
	All Available Vertical Features ANGE PORT RATES (DID & PBX)		 	UEFOD	UEFVF	0.00	0.00	0.00				7.00				
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.49	39.05	18.17		0.89		7.86				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.49	39.05	18.17		0.89		7.86				
	2W Voice Unbundled PBX LD Terminal Ports	<u> </u>	1	UEPSP	UEPLD	1.49	39.05	18.17		0.89	1	7.86				
	2W Vice Unbundled 2-Way PBX Usage Port	 	1	UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89	}	7.86				-
	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port	-	!	UEPSP UEPSP	UEPXB UEPXC	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89	-	7.86 7.86	-			
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port	 	 	UEPSP	UEPXD	1.49	39.05	18.17		0.89	1	7.86				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17		0.89		7.86				
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17		0.89		7.86				
	2W Voice Unbundled PBX KY Premium Callling Port		<u> </u>	UEPSP	UEPXH	1.49	39.05	18.17		0.89		7.86				
	2W Voice Unbundled 2-Way PBX KY Area Callling Port w/o LUD	 	1	UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89	}	7.86				-
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	l		UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling	<u> </u>	 	ULFOF	ULFAL	1.49	35.03	10.17	10.30	0.09		1.00				
	Port	l	1	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															

Version 4Q02: 12/18/02 Page 122 of 324

<u>INRONL</u>	DLED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc	Incrementa	Increment	Incrementa	Increme
											Order	Order	I Charge -	al Charge -	I Charge -	al Char
											Submitte		Manual	Manual	Manual	Manua
ATEGOR	RATE ELEMENTS	Interi	Zon	BCS	USOC			RATES (\$)								
AILGOR	NATE ELEMENTS	m	е	ВСЗ	0300			KATEO (Ψ)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
											per LSR	Manually		vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electro
		1														
						Rec		curring	NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				7.86				T
FEA	ATURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86				1
FXC	CHANGE PORT RATES (COIN)					0.00	0.00	0.00								†
- LAC	Exchange Ports-Coin Port	+	<u> </u>		1	1.49	3.74	3.63	2.23	2.13		7.86				+
	al Switching Features offered with Port	1			1	1.40	5.74	5.05	2.20	2.10		7.00				+
		<u> </u>	L			·				<u>. </u>						∔
	TE: Transmission/usage charges associated with POTS circuit switch											with 2W IS	UN ports.			
NOT	TE: Access to B Channel or D Channel Packet capabilities will be available	ilable d	only th	rough BFR/NBR Pro							rocess.					
	Exchange port-4W ISDN trunk port-all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
	LED LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>								<u> </u>					<u> </u>	
EXC	CHANGE PORT RATES			·								1			1	
	Exchange Ports-2W DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86				1
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17		7.86				+
	All Features Offered	1		UEPTX UEPSX	UEPVF	0.00	0.00		32.03	14.17		7.00				+
NOT		<u> </u>	<u>. </u>							01			DN			
	FE: Transmission/usage charges associated with POTS circuit switch											WITH ZW 15	DN ports.			
NOT	TE: Access to B Channel or D Channel Packet capabilities will be available	ilable d	only th						nined via the	BFR/NBR I	rocess.					
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA		0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
UNE	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNE	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1											1
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63				7.86				†
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.49	3.74	3.63				7.86				+
	Unbundled Remote Call Forwarding Service, Local Calling Res	1		UEPVR	UERTE	1.49	3.74	3.63				7.86				+
		1	1			1.49									ļ	
	Unbundled Remote Call Forwarding Service, IntraLATA-Res	1	<u> </u>	UEPVR	UERTR	1.49	3.74	3.63				7.86				
Non	n-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10				7.86				
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
	change (PIC & LPIC)			UEPVR	USACC		0.10	0.10								
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.49	3.74	3.63				7.86				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.49	3.74	3,63				7.86				†
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.49	3.74	3.63				7.86				+
-	Unbundled Remote Call Forwarding Service, InterLATA-Bus	+	 	UEPVB	UERTR	1.49	3.74	3.63		l		7.86	 	1	 	+
		+	+	UEFVD	UERIR	1.49	3.74	3.03		-		1.00	-	-	1	+
	Unbundled Remote Call Forwarding Service Expanded & Exception	1	1	LIES S	LIEBUT]			1	I		1
	Local Calling			UEPVB	UERVJ	1.49	3.74	3.63				7.86				
Non	n-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10				7.86				
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		0.10	0.10								
BUNDL	ED LOCAL SWITCHING, PORT USAGE															
	I Office Switching (Port Usage)	1	i –										i	i	İ	1
	End Office Switching Function, Per MOU	1 -	1		1	0.0011971		t		l		l	1	1	l	+
	End Office Trunk Port-Shared, Per MOU	1	1		1	0.00011971		-		-		1	-	-	1	+
		1	1		1	0.0002112		-		l		 			1	+
Tan	dem Switching (Port Usage) (Local or Access Tandem)	1	-		<u> </u>	L						ļ			ļ	
	Tandem Switching Function Per MOU	1	<u> </u>			0.000194]				1	l	
	Tandem Trunk Port-Shared, Per MOU					0.0002416									<u> </u>	
Con	nmon Transport															
	Common Transport-Per mi, Per MOU	1	1		Í	0.000003						İ	İ	İ		1
						0.0007466		1				1			1	

Version 4Q02: 12/18/02 Page 123 of 324

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attachi	nent: 2	Exhib	it: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	al Charge - Manual	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						_	Nonred	curring	NRC Disco	nnect			OSS	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or								I Don't cook		1.11.14					
	ures shall apply to the Unbundled Port/Loop Combination - Cost Bas Office & Tandem Switching Usage & Common Transport Usage rates											ort/Loon C	ombination	•		
	irst and additional Port NRC charges apply to Not Currently Combine															
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			,												
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79										
	2W VG Loop/Port Combo-Zone 2		3			15.52 31.74										
LINE	2W VG Loop/Port Combo-Zone 3 Loop Rates		3			31.74										
10.42	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.59										
2-Wi	re Voice Grade Line Port Rates (Res)			HEDDY	HEDDI	4.45	04.00	45.40	0.05	0.07		7.00				
	2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res	<u> </u>	-	UEPRX UEPRX	UEPRL	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	2W voice unbundled port outgoing only-res	1	1	UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67	 	7.86				
	2W VG unbundled KY extended local dialing parity port with Caller ID-			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Voice Unbundled KY Residence Dialing Plan w/o Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67		7.86				
EE A	2W voice unbundled Low Usage Line Port w/o Caller ID Capability FURES			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		7.86				
FEA	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				7.86				—
LOC	AL NUMBER PORTABILITY			OLITON	OLI VI	0.00	0.00	0.00				7.00				
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10				7.86				
ADD	2W VG Loop/Line Port Combination-Conversion-Switch with change ITIONAL NRCs			UEPRX	USACC		0.10	0.10				7.86				-
ADD	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				7.86				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)							0.00								
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79										
	2W VG Loop/Port Combo-Zone 2		3			15.52										
LINE	2W VG Loop/Port Combo-Zone 3 Loop Rates		3			31.74										-
ONE	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.59										
2-Wi	re Voice Grade Line Port (Bus)			UEDOV	UESS:		21.0-									ļ
	2W voice unbundled port w/o Caller ID-bus 2W voice unbundled port with Caller + E484 ID-bus	1	-	UEPBX UEPBX	UEPBC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	2W voice unbundled port outgoing only-bus 2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG unbundled KY extended local dialing parity port w Caller ID-bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Voice Unbundled KY Business Dialing Plan w/o Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.86				
100	2W voice unbundled Incoming Only Port w/o Caller ID Capability AL NUMBER PORTABILITY	<u> </u>		UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.86				
LUC	Local Number Portability (1 per port)	1	1	UEPBX	LNPCX	0.35					1	1		-		
FΕΔ	TURES	<u> </u>		OLFDA	LINEUX	0.35					1	1		1		
	All Features Offered		L	UEPBX	UEPVF	0.00	0.00	0.00				7.86				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10				7.86				ļ
ADD	2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCs	<u> </u>	-	UEPBX	USACC		0.10	0.10			1	7.86				-
ADD	2W VG Loop/Line Port Combination-Subsqnt Activity	<u> </u>	-	UEPBX	USAS2	+	0.00	0.00			1	7.86				—
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	JUNUZ		0.00	0.00				7.00				
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79										
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										<u> </u>

Version 4Q02: 12/18/02 Page 124 of 324

J.123112E	ED NETWORK ELEMENTS - Kentucky										Svc	Svc	Incrementa	nent: 2	Exhib Incrementa	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Order Submitte d Elec per LSR	Order Submitte d	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Rec	Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oop Rates															
	N VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	9.64										
	N VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	14.37										
	N VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	30.59										
	Voice Grade Line Port Rates (RES - PBX)			LIEBBO				45.40				= 00				ļ
	N VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	NUMBER PORTABILITY															
	ocal Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00				7.86				<u> </u>
FEATU			1	LIEBBO												<u> </u>
	Features Offered		<u> </u>	UEPRG	UEPVF	0.00	0.00	0.00			ļ	7.86				
	HARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	LIEDDO	110.400		2 1-	10.			ļ	7.00				
	N VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG UEPRG	USAC2		8.45	1.91	.		<u> </u>	7.86				
	N VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change ONAL NRCs		\vdash	UEPKG	USACC		8.45	1.91	 		-	7.86				
				LIEDDC	LICACO	0.00	0.00	0.00	 		-	7.00				
	N VG Loop/Line Port Combination (PBX)-Subsqnt Activity BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			UEPRG	USAS2	0.00	0.00 7.86	0.00 7.86	 		-	7.86 7.86				
		-	1		_		7.86	7.86			<u> </u>	7.86				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates		1			40.70										
	N VG Loop/Port Combo-Zone 1					10.79										
	N VG Loop/Port Combo-Zone 2		2			15.52					<u> </u>	ļ				<u> </u>
	N VG Loop/Port Combo-Zone 3		3			31.74										
	op Rates			HEDDY	LIEDLY	0.04					<u> </u>	ļ				
	N VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	9.64					<u> </u>	ļ				
	W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	14.37					<u> </u>	ļ				
	N VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	30.59					<u> </u>	ļ				
	Voice Grade Line Port Rates (BUS - PBX)		_	LIEBBY .				45.40			<u> </u>					<u> </u>
	ne Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				
	ne Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				
	ne Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86				
	N Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86				
	N Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67		7.86				
	N Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
	W Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67	ļ	7.86				
	W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67	ļ	7.86				Ь—
	N Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX UEPPX	UEPXE UEPXF	1.15	21.29	15.49	2.85	2.67 2.67	<u> </u>	7.86 7.86				
	N Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD	-	\vdash			1.15	21.29	15.49	2.85		 					
	N Voice Unbundled PBX KY LUD Area Calling Port	-	\vdash	UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67	 	7.86				
	N Voice Unbundled PBX KY Premium Calling Port	-	\vdash	UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67	 	7.86				
	N Voice Unbundled 2-Way KY Area Calling Port w/o LUD	-		UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67	 	7.86				
	N Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDY	4.45	04.00	45 40	0.05	0.07	1	7.00				
	dministrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86				
Po	N Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling ort			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				
R	N Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount oom Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				
2\	W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
LOCAL	NUMBER PORTABILITY					ĺ										
Lo	ocal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	I Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
	HARGES (NRCs) - CURRENTLY COMBINED				1				İ		1					
2\	W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2	İ	8.45	1.91				7.86				
	N VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPPX	USACC		8.45	1.91				7.86				
	ONAL NRCs															
2\	N VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
	BX Subsgnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86			1	7.86				

NRUND	LED NETWORK ELEMENTS - Kentucky												Attachi			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	_	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
0.14/17	TE VOICE CDADE LOOP WITH A WIDE ANALOG LINE COIN DODT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE	Port/Loop Combination Rates 2W VG Coin Port/Loop Combo – Zone 1		1		+	10.79										+
	2W VG Coin Port/Loop Combo – Zone 2		2			15.52										+
	2W VG Coin Port/Loop Combo – Zone 3		3			31.74										1
	Loop Rates		Ŭ			01.74										+
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.64										†
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.59										1
	e Voice Grade Line Ports (COIN)															1
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				1
	2W Coin 2-Way with Oper Screening			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,				1									1		1
	011+,& Local			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
_	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976,		1	UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86				↓
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+,			LIEBOO	LIEBON	4.45	04.00	45.40	0.05	0.07		7.00				
	& Local			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86				+
	2W 2-Way Smartline with 900/976			UEPCO UEPCO	UEPCK UEPCR	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				+
	2W Coin Outward Smartline with 900/976 TIONAL UNE COIN PORT/LOOP (RC)			UEPCU	UEPCR	1.15	21.29	15.49	2.85	2.07		7.80				+
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						+
	AL NUMBER PORTABILITY			UEPCO	UKECU	2.57	0.00	0.00	0.00	0.00						+
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										+
NRC	CHARGES - CURRENTLY COMBINED			OLI GO	LIVI OX	0.55										+
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				†
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		0.10	0.10				7.86				†
	TIONAL NRCs															1
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				7.86				1
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINI	E POR	T (RES	3)												
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
	Loop Rates															<u> </u>
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.22										╄
	e Voice Grade Line Port Rates (Res)			LIEDED	LIEDDI	4.00	400.00	C4 44	C4 00	0.07		7.00				+
	2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res	-	\vdash	UEPFR UEPFR	UEPRL UEPRC	1.23 1.23	128.96 128.96	64.11 64.11	61.92 61.92	9.97 9.97		7.86 7.86		-		+
+	2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97		7.86		 		+
+	2W VG unbundled KY extended local dialing parity port w Caller ID-res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		7.86		 		+
+	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97		7.86		1		1
1	2W Voice Unbundled KY Residence Dialing Plan w/o Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97		7.86				†
INTE	ROFFICE TRANSPORT															1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0095	· · · · · · · · · · · · · · · · · · ·									
	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				7.86				
	AL NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										4
NRC	CHARGES (NRCs) - CURRENTLY COMBINED				+											<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1		HEDED	110400		2.22	4.0-				7.00		1		1
-	Switch-as-is		\vdash	UEPFR	USAC2		9.03	1.87				7.86		ļ		4
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1		HEDED	116400		0.00	4.07				7.00		1		1
	Switch-With-Change RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINI			UEPFR	USACC		9.03	1.87				7.86		ļ	1	+
	KE VUIGE LOUP/ ZWIKE VUIGE GKADE IO TRANSPORT/ 2-WIRE LINI		เเยเง	31												1

Version 4Q02: 12/18/02 Page 126 of 324

NROND	LED NETWORK ELEMENTS - Kentucky					1								nent: 2		oit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec	curring	NRC Disco	nnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.22										
2-Wi	re Voice Grade Line Port (Bus)				_											ļ
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97		7.86				
_	2W voice unbundled port with Caller + E484 ID-bus	<u> </u>		UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97		7.86				
	2W voice unbundled port outgoing only-bus	<u> </u>		UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97		7.86				
	2W VG unbundled KY extended local dialing parity port w Caller ID-bus	<u> </u>		UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97	<u> </u>	7.86				├
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97		7.86				ļ
1.00	2W Voice Unbundled KY Business Dialing Plan w/o Caller ID	1	\vdash	UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97	 	7.86		ļ	-	
LOC	AL NUMBER PORTABILITY	1		UEPFB	LNPCX	0.35										
INTE	Local Number Portability (1 per port) ROFFICE TRANSPORT			UEPFB	LNPCX	0.35										ļ
INTE				UEPFB	U1TV2	22.05	00.00	F2 C7	50.04	22.42		7.00				
_	Interoffice Transport-Dedicated-2W VG-Facility Term					23.95	98.09	53.67	56.31	22.42		7.86				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi FURES			UEPFB	1L5XX	0.0095										
FEA	All Features Offered	<u> </u>	1	UEPFB	UEPVF	0.00	0.00	0.00				7.86				
NDC	CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	0.00	0.00	0.00				7.86				ļ
NKC		-			-											
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1		LIEDED	110400		0.00	4.07				7.00				
	Switch-as-is	<u> </u>	_	UEPFB	USAC2		9.03	1.87				7.86				<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1		UEPFB	110400		0.00	4.07				7.00				
0.14/1	Switch with change RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-		UEPFB	USACC		9.03	1.87				7.86				
	Port/Loop Combination Rates				+											
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1	1	1		+	13.90						ļ				-
	2W VG Loop/IO Tranport/Port Combo-Zone 1	1	2		+	18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		_	34.45										
LINE	Loop Rates	1	3		+	34.43										
OINE	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.67										
-+	2W VG Loop (SL2)-Zone 1		2	UEPFP	UECF2	17.45										
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ŭ	OLITT	OLO: 2	00.22										
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73		7.86				<u> </u>
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73		7.86				<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		7.86				<u> </u>
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		7.86				<u> </u>
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1					· · ·						
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73		7.86		1	1	1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73		7.86		1	1	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount				1											
	Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		7.86				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73	1	7.86		İ	İ	

UNDOND	LED NETWORK ELEMENTS - Kentucky			1		1								nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual	Increment al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonred	curring	NRC Disco	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0095										
	URES		-													<u> </u>
	All Features Offered	<u> </u>		UEPFP	UEPVF	0.00	0.00	0.00				7.86				
	CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		-													
	2w Loop/Dedicated to Transport/2w Line Port Combination-Conversion- Switch-as-is	1		UEPFP	USAC2		9.03	1.87				7.86				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEPFP	USACZ		9.03	1.87			-	7.86				-
	Switch with change			UEPFP	USACC		9.03	1.87				7.86				
	D PORT/LOOP COMBINATIONS - COST BASED RATES	-		ULFIF	JOACC	 	9.03	1.07	 		 	1.00				
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR	T	†			 			 	 	 	 				
	Port/Loop Combination Rates	i	 			 			1	 	1	1				t
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.30			1	 	1	1				t
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.08			1							1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			41.85			1							†
	Loop Rates		Ť													1
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.67						7.86				
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.45						7.86				
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	33.22						7.86				
UNE	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86				
NRC	CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Conversion w BST Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
	TIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25				7.86				
	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)	<u> </u>		UEPPX	NDT	0.00	0.00	0.00				7.86				
	Add'l DID Numbers for each Group of 20 DID Numbers	<u> </u>		UEPPX	ND4	0.00	0.00	0.00				7.86				
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID numbers		-	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00				7.86 7.86				
	Reserve DID Numbers L NUMBER PORTABILITY			UEPPX	NDV	0.00	0.00	0.00				7.80				
	Local Number Portability (1 per port)	1	-	UEPPX	LNPCP	3.15	0.00	0.00	1							-
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SI	DE PC)PT	ULFFX	LINE OF	3.13	0.00	0.00	1							-
	Port/Loop Combination Rates					1										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		1	UEPPB UEPPR		25.69										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		2	UEPPB UEPPR		31.92										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		3	UEPPB UEPPR		50.21			1							
UNE	Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	16.10						7.86				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	22.33			ļ			7.86				
	2W ISDN Digital Grade Loop-UNE Zone 3	<u> </u>	3	UEPPB UEPPR	USL2X	40.63			ļ		ļ	7.86				<u> </u>
	Port Rate	<u> </u>	1		LIEBBE		600 =-	600 /-			<u> </u>					1
	Exchange Port-2W ISDN Line Side Port	<u> </u>	1	UEPPB UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56	<u> </u>	7.86				1
NRC	CHARGES - CURRENTLY COMBINED	1	1			 			 		1	1				├
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion		1	UEPPB UEPPR	USACB	0.00	22.77	17.00		1		7.86				
	Conversion TIONAL NRCs	1	1	UEFFD UEFFK	USACB	0.00	22.11	17.00	1	1	}	7.86				
		-	 			 			1		1	1				
	L NUMBER PORTABILITY Local Number Portability (1 per port)	-	 	UEPPB UEPPR	LNPCX	0.35	0.00	0.00	1		1	1				
	ANNEL USER PROFILE ACCESS:	†	†	SELLE OFFICE	LIN OX	0.55	0.00	0.00	 	 	 	 				
	CVS/CSD (DMS/5ESS)		 	UEPPB UEPPR	U1UCA	0.00	0.00	0.00	1	 	1	1				
	CVS (EWSD)		t	UEPPB UEPPR	U1UCB	0.00	0.00	0.00								\vdash
	CSD		t -	UEPPB UEPPR	U1UCC	0.00	0.00	0.00								†
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS,	, & TN)				2.20	2.30	1							†
1	CVS/CSD (DMS/5ESS)	<u> </u>	ĺ	UEPPB UEPPR	U1UCD	0.00	0.00	0.00	1							†
	CVS (EWSD)		i –	UEPPB UEPPR	U1UCE	0.00	0.00	0.00								1
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00			İ	İ				
	TERMINAL PROFILE								1							

Version 4Q02: 12/18/02 Page 128 of 324

INROND	DLED NETWORK ELEMENTS - Kentucky		, ,		1	1							Attachr		Exhib	
ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						Rec	Nonre	curring	NRC Disco	nnect				Rates (\$)	I	
	(1) (1) (1) (1)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VED.	User Terminal Profile (EWSD only) TICAL FEATURES	-		UEPPB UEPPR	U1UMA	0.00	0.00	0.00								├
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
	ROFFICE CHANNEL MILEAGE			02.113 02.111	02	0.00	0.00	0.00								
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.01	0.00	0.00				7.86				
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK POF Port/Loop Combination Rates	<u> </u>														-
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		170.06										-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		197.70										
- I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		381.35										
UNE	Loop Rates	 	4	HEDDD	LICI 4D	00.47					-	7.00				₩
-	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2	1	2	UEPPP UEPPP	USL4P USL4P	86.47 114.10					1	7.86 7.86				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	297.76						7.86				
UNE	Port Rate			-												
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion-Switch-as-is			UEPPP	USACP	0.00	81.70	61.37				7.86				l
ADD	ITIONAL NRCs			UEPPP	USACP	0.00	01.70	61.37				7.00				
1.22	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel															
	Nos			UEPPP	PR7TF		0.54					7.86				
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		12.71	12.71				7.86				
1.00	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		25.41	25.41				7.86				
	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										-
	ERFACE (Provsioning Only)			OLFFF	LINFOIN	1.75										-
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								<u> </u>
New	or Additional "B" Channel			UEPPP	PR7BV	0.00	45.40					7.86				<u> </u>
	New or Add'I-Voice/Data B Channel New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	15.48 15.48					7.86				├
-	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					7.86				
CAL	L TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
_	Outward			UEPPP	PR7C0	0.00	0.00	0.00								ļ
Intor	Two-way roffice Channel Mileage	-		UEPPP	PR7CC	0.00	0.00	0.00								
inter	Fixed Each Including First mi			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86				-
1	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.23	.00.02	55.70	20.00	200				1		
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates	$\perp \Box$														
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2	-	1	UEPDC		147.99					-					₩
-	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3	1	3	UEPDC UEPDC	1	175.62 359.28					1					
	Loop Rates	 	5	OLI DO		333.20										—
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	114.10						7.86				
	4W DS1 Digital Loop-UNE Zone 3	1	3	UEPDC	USLDC	297.76						7.86				
UNE	Port Rate 4W DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				
NRC	CHARGES - CURRENTLY COMBINED	 		OLI-DO	ווטטט	01.52	7 00.01	313.32	170.19	10.30	-	7.00				
1.41.0	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4	1	92.84	46.70				7.86				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADD	ITIONAL NRCs 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsant Channel	 			1						-					├
	Activation/Chan-2-Way Trunk	1		UEPDC	UDTTA]	15.09	15.09				7.86			1	1

OMDOND	LED NETWORK ELEMENTS - Kentucky		1		1	ı					0	C	Attachr		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Order vs.
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-			LIEDDO	LIDTTD		45.00	45.00				7.00				ĺ
	1-Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			UEPDC	UDTTB		15.09	15.09				7.86				—
	Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				İ
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			02.50	05110		10.00	10.00				7.00				
	Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				İ
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
BIPO	LAR 8 ZERO SUBSTITUTION			LIEDDO	00005		0.00	700.00				7.00				
	B8ZS-Superframe Format B8ZS-Extended Superframe Format			UEPDC UEPDC	CCOSF		0.00	730.00 730.00				7.86 7.86				
	nate Mark Inversion			ULFDC	CCOLI		0.00	730.00				7.00				—
Aiteil	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			1					
	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00				7.86				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00				7.86				
	Telephone Number for 1-Way Inward Trunk Group w/o DID		<u> </u>	UEPDC	UDTGZ	0.00	0.00	0.00				7.86				
	DID Numbers for each Group of 20 DID Numbers DID Numbers . Non-consecutive DID Numbers . Per Number		<u> </u>	UEPDC	ND4	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Numbers , Per Number			UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00				7.86 7.86				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				7.86				
	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digi	ital I o	on wit			0.00	0.00	0.00				7.00				
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated Central Office Termininating Point		-	UEPDC UEPDC	LNPCP	3.15 0.00	0.00	0.00								
4-WIE	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			UEFDC	CIG	0.00										—
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	ns														
	System can have up to 24 combinations of rates depending on type		umbe	r of ports used												
	DS1 Loop			•												
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
LINE	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
	DSO Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	111.16	0.00	0.00				7.86				-
	48 DSO Channel Capacity-1 per DS1 48 DSO Channel Capacity-1 per 2 DS1s		1	UEPMG	VUM48	222.32	0.00	0.00			-	7.86				
	96 DSO Channel Capacity-1 per 2 DS1s		 	UEPMG	VUM96	444.64	0.00	0.00			1	7.86		1		—
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86				
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86				
	384 DS0 Channel Capacity-1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,778.56	0.00	0.00				7.86				—
	480 DS0 Channel Capacity-1 per 20 DS1s	1	-	UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
	576 DS0 Channel Capacity-1 per 24 DS1s 672 DS0 Channel Capacity-1 per 28 DS1s	<u> </u>	!	UEPMG UEPMG	VUM57 VUM67	2,667.84 3,112.48	0.00	0.00			-	7.86 7.86				
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha	anneliz	rtion v					0.00				7.00				
	nimum System configuration is One (1) DS1, One (1) D4 Channel Ban															
	ples of this configuration functioning as one are considered Add'l a															
	NRC-Conversion (Currently Combined) w or w/o BST Allowed Changes			UEPMG	USAC4		94.30	4.24				7.86				
	m Additions at End User Locations Where 4-Wire DS1 Loop with Ch			with Port Combinat	on Current	ly Exists and										
New	Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea	op 8 N	ISA'S		1			-								
	Activation		1	UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77	1	7.86				1
Rinol	ar 8 Zero Substitution		 	ULFIVIG	V UIVID4	0.00	1 10.09	403.00	148.03	17.77		7.00				
- Dipol	Clear Channel Capability Format, superframe-Subsqnt Activity Only		\vdash	UEPMG	CCOSF	0.00	0.00	730.00				7.86				$\overline{}$
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			-												
1	Only	1	1	UEPMG	CCOEF	0.00	0.00	730.00			ĺ	7.86]		i

Version 4Q02: 12/18/02 Page 130 of 324

	LED NETWORK ELEMENTS - Kentucky												Attachr		Exhib	it: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Orde vs. Electroni
$\neg \neg$							Nonre	curring	NRC Disco	nnect			OSS	Rates (\$)	l	
\dashv						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization wi	ith Por	rt													
Exch	ange Ports			UEDDV	LIEBOY							= 00				
_	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		7.86				
	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX UEPPX	UEPOX UEP1X	1.15 1.15	0.00	0.00	0.00	0.00		7.86 7.86				
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00		7.86				
+	Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from			ULFFX	OLFDIN	0.03	0.00	0.00	0.00	0.00		7.00				
	Network Access Service)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized-Combination(Conversion						0.00	3.50	3.50	0.00						
	from Network Access Service)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00		7.86				
┸	Unbundled Exchange Ports, 2W Channelized-Outdial-KY Only-Calling			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00		7.86				
	Unbundled Exchange Ports, 2W Channelized-2Way-KY Only-Calling			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00		7.86				
	re Activations - Unbundled Loop Concentration				45											
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15		7.86				
Tolor	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank phone Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54		7.86				
relep	DID Trunk Term (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00				7.86				
+	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				7.86				
+	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				7.86				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86				
Loca	Number Portability															
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
IDILINIDI E																
	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	or Cor	nmice	ion rule to provide l	Inhundled I	ocal Switching	or Switch P	orte								
1. Co	st Based Rates are applied where BellSouth is required by FCC and/								dled Port se	ction of this	Exhibit					
1. Co 2. Fea	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B	Based	Rate s	ection in the same m	nanner as th	ey are applied	to the Stand-	Alone Unbund				Port/Loop	Combinatio	ns.		
1. Co 2. Fea 3. En	st Based Rates are applied where BellSouth is required by FCC and/	Based I	Rate s he Por	ection in the same m	nanner as th ibit shall ap	ey are applied	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are ca	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly.	Based les in the contract of t	Rate s he Por Combo	ection in the same met section of this exhibits. For Currently Co	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio tions. Addi	ns. tional NRCs	may apply a	ilso and
1. Co 2. Fea 3. En 4. The are ca 5. Ma	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne	Based les in the contract of t	Rate s he Por Combo	ection in the same met section of this exhibits. For Currently Co	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio tions. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE-	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Trandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	Based les in the contract of t	Rate s he Por Combo	ection in the same met section of this exhibits. For Currently Co	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio tions. Addi	ns. tional NRCs	may apply a	ilso and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE- 2-Wir	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Based les in the contract of t	Rate s he Por Combo	ection in the same met section of this exhibits. For Currently Co	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio fions. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE- 2-Wir	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	Based les in the contract of t	Rate s he Por Combo ted on	ection in the same m t section of this exh ss. For Currently Co an Individual Case I	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio tions. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE- 2-Wir	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	Based les in the contract of t	Rate s he Por Combo ted on	ection in the same m t section of this exh os. For Currently Co an Individual Case I	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. The are ca 5. Ma UNE- 2-Wir	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	Based les in the contract of t	Rate s he Por Combo ted on	ection in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio tions. Addi	ns. tional NRCs	may apply a	ilso and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE- 2-Wir	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	Based les in the contract of t	Rate s he Por Combo ted on	ection in the same m t section of this exh os. For Currently Co an Individual Case I	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinations. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are ca 5. Ma UNE- 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	Based les in the contract of t	Rate s he Por Combo ted on	ection in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. The are ca 5. Ma UNE- 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)	Based les in the contract of t	Rate s he Por Combo ted on 1 2 3	ection in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinations. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. Th are ca 5. Ma UNE 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	Based les in the contract of t	Rate s he Por Combo ted on 1 2 3	ection in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91	nanner as th ibit shall ap ombined Co	ey are applied ply to all comb mbos, the NRC further notice.	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	Port/Loop nbined sec	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fea 3. En 4. The are cc 5. Ma UNE- 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	Based les in the contract of t	ted on	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	nanner as the ibit shall apombined Co	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	nbined sec	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. Th are co 5. Ma UNE- 2-Wir UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be not P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1	Based les in the contract of t	ted on	action in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	nanner as the ibit shall apprombined Co	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. Th are co 5. Ma UNE- 2-Wir UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1	Based les in the contract of t	Rate s he Por Combo ted on 1 2 3 1 2 3	uection in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uanner as the ibit shall apombined Co. Basis, until	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. Th are ca 5. Ma UNE- 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Trandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	Based les in the contract of t	Rate s he Por Combo ted on 1 2 3 1 2 3	uction in the same m t section of this exh sos. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uecs1 Uecs1 Uecs1 Uecs1 Uecs1 Uecs1 Uecs1	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. Th are cc 5. Ma UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1	Based les in the contract of t	ted on	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uanner as the ibit shall appropriate	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. Th are cc 5. Ma UNE 2-Wir UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2U VG Port (Centrex)Port Combo-Design 2W VG Loop/SU VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2	Based les in the contract of t	Rate s Porcombo	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uenner as the ibit shall appropriate to the ibit shall appropriate	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 13.80 34.37 9.64 14.37 30.59 12.67 17.45	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86 7.86	Combinatio	ns.	may apply a	also and
1. Co 2. Fee 3. Enn 4. The are co 5. Ma UNE- 2-Wir UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Trandem Switching Usage & Common Transport Usage rate of first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Non-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2-Wire Port (Centrex) Port Combo-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Design 2W VG Loop/2-Wire Port (Centrex) Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3	Based les in the contract of t	ted on	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uanner as the ibit shall apombined Co Basis, until	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86	Combinatio	ns.	may apply a	also and
1. Co 2. Fee 3. En 4. The are co 5. Ma UNE 2-Wir UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Tandem Switching Usage & Common Transport Usage rate of first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be not P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) W G Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports	Based les in the contract of t	Rate s Porcombo	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uenner as the ibit shall appropriate to the ibit shall appropriate	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 13.80 34.37 9.64 14.37 30.59 12.67 17.45	to the Stand-	Alone Unbun	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86 7.86	Combinatio	ns.	may apply a	also and
1. Co 2. Fee 3. En 4. Th are cc 5. Ma UNE 2-Wir UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be not P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC)	Based les in the contract of t	Rate s Porcombo	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91	uenner as the ibit shall appropriate to the ibit shall appropriate	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	to the Stand- inations of Ic charges sha	Alone Unbune op/port netw. II be those ide	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86 7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. Enn 4. The are co 5. Ma UNE 2-Wir UNE UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Trandem Switching Usage & Common Transport Usage rate of first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. Arket Rates for Unbundled Centrex Port/Loop Combination will be ne P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Dosign 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports attes (Except NC and SC) 2W VG Port (Centrex) Basic Local Area	Based les in the contract of t	Rate s Porcombo	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	to the Stand- inations of Ic charges sha	Alone Unbure op/port netwell libe those ide	2.85	s except for e NRC - Cur	UNE Coin	7.86 7.86 7.86 7.86 7.86 7.86	Combinations. Addi	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. The are co 5. Ma UNE 2-Wir UNE UNE UNE	st Based Rates are applied where BellSouth is required by FCC and/ atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be not P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC)	Based les in the contract of t	Rate s R	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91	uenner as the ibit shall appropriate to the ibit shall appropriate	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	to the Stand- inations of Ic charges sha	Alone Unbune op/port netw. II be those ide	ork elements	s except for	UNE Coin	7.86 7.86 7.86 7.86 7.86 7.86	Combinations. Addi	ns.	may apply a	also and
1. Co 2. Fee 3. En 4. The are cc 5. Ma UNE 2-Wir UNE UNE UNE UNE UNE All St	st Based Rates are applied where BellSouth is required by FCC and/atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office & Tandem Switching Usage & Common Transport Usage rate of first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be not P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) or VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area	Based les in the contract of t	Rate s R	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91	use the second s	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	21.29 21.29	Alone Unburne op/port netwell Il be those idd	2.85	s except for le NRC - Cur 2.67 2.67	UNE Coin	7.86 7.86 7.86 7.86 7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and
1. Co 2. Fee 3. En 4. This are cc 5. Ma UNE 2-Wir UNE UNE UNE UNE All St	st Based Rates are applied where BellSouth is required by FCC and/atures shall apply to the Unbundled Port/Loop Combination - Cost B d Office &Tandem Switching Usage & Common Transport Usage rate e first and additional Port NRC charges apply to Not Currently Comb ategorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be net P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) ev Usage Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports ates (Except NC and SC) 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	Based les in the contract of t	Rate s R	uction in the same m t section of this exh ss. For Currently Co an Individual Case I UEP91	uenner as the ibit shall apombined Comb	ey are applied ply to all comb mbos, the NRC further notice. 10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22 1.15 1.15	21.29 21.29 21.29	Alone Unburne op/port netwell Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd Il be those idd	2.85 2.85 2.85	2.67 2.67	UNE Coin	7.86 7.86 7.86 7.86 7.86 7.86 7.86	Combinatio	ns. tional NRCs	may apply a	also and

Version 4Q02: 12/18/02 Page 131 of 324

NUROND LED N	IETWORK ELEMENTS - Kentucky													nent: 2		bit: B
			1]								Svc	Svc	Incrementa		Incrementa	
											Order	Order	I Charge -	al Charge -	I Charge -	al Char
		Intori	700								Submitte	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	Interi		BCS	USOC			RATES (\$)			d Elec	d	Svc Order		Svc Order	Svc Ord
		m	е									Manually	vs.	vs.	vs.	vs.
											per Lok			-	Vs. Electronic-	
												per LSR	Electronic-	Electronic-	Electronic-	Electron
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	MS, & TN Only															
	Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	Port (Centrex 800 Term)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	Port (Centrex from diff SWC)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
2W VG	Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
2W VG	Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
2W VG	Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local Switch																
	x Intercom Funtionality, per port			UEP91	URECS	0.8873						7.86				T
	er Portability				1											
Local N	lumber Portability (1 per port)			UEP91	LNPCC	0.35										
Features		1		*										Ì		1
All Stan	ndard Features Offered, per port			UEP91	UEPVF	0.00						7.86				
	ect Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
	strex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86				—
NARS	mex certifor i catalog energy, per pert			02.0.	02. 10	0.00						7.00				
	dled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				7.86				—
	dled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				
	dled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86				+
	us Terminations			OLIGI	O/ II COX	0.00	0.00	0.00				7.00				+
2-Wire Trunk					+											+
	Side Terms, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86				+
	hannel Mileage - 2-Wire			OLF91	CLIVAO	10.51	92.10	13.02	32.10	5.30		7.00				+
	ice Channel Facilities Term-VG			UEP91	M1GBC	29.11						7.86				+
	ice Channel miage, per mi or fraction of mi			UEP91	M1GBC	0.01						7.86				+
	vations (DS0) Centrex Loops on Channelized DS1 Service		1	UEF91	IVITGDIVI	0.01						7.00				
			1													+
	Bank Feature Activations		1	LIEDO4	400000	0.00						7.00				+
	e Activation on D-4 Channel Bank Centrex Loop Slot e Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91 UEP91	1PQWS 1PQW6	0.62 0.62						7.86		 	1	₩
	e Activation on D-4 Channel Bank FX line Side Loop Slot e Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP91 UEP91	1PQW6 1PQW7	0.62						7.86 7.86		-		
	e Activation on D-4 Channel Bank FX Trunk Side Loop Stot e Activation on D-4 Channel Bank Centrex Loop Stot-Diff WC	 	\vdash	UEP91	1PQW7	0.62						7.86		 	-	+
	e Activation on D-4 Channel Bank Centrex Loop Slot-Dill WC	1	\vdash	UEP91	1PQWP	0.62						7.86		1	 	
	e Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1		UEP91	1PQWV	0.62						7.86			1	+
	e Activation on D-4 Channel Bank WATS Loop Slot	I		UEP91	1PQWA	0.62						7.86			 	-
	ng Charges (NRC) Associated with UNE-P Centrex	 	\vdash	OLFSI	ii QWA	0.02						1.00				+
	sion-Currently Combined Switch-As-Is with allowed changes, per	1			+	+									1	+
port	Sion-ouriently Combined Switch-As-is with allowed changes, per			UEP91	USAC2		0.102	0.102				7.86		1		
	sion of Existing Centrex Common Block	1		UEP91	USACN	+	18.95	8.32				1.00		l	-	+
	entrex Standard Common Block	1		UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86		l	-	+
	entrex Standard Common Block entrex Customized Common Block	1		UEP91 UEP91	M1ACS M1ACC	0.00	669.80	78.32	111.05	13.27		7.86		-		+
		1		UEP91 UEP91	M2CC1	0.00			111.05			7.86			!	
	dary Block, per Block	<u> </u>	\vdash				78.32	78.32	13.27	13.27					1	+
	stablishment Charge, Per Occasion			UEP91	URECA	0.00	72.75					7.86				₩
	REX - 5ESS (Valid in All States)					1										₩
	oop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>														₩
	pop Combination Rates (Non-Design)	1				10.55										<u> </u>
	Loop/2W VG Port (Centrex) Port Combo-Non-Design	<u> </u>	1	UEP95		10.79										<u> </u>
	Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.52										
2W VG	Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP95		31.74					l			l	1	1

INDUNL	DLED NETWORK ELEMENTS - Kentucky	1										C		nent: 2	Exhib	
ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually		al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		34.37										
UNE	Loop Rate	-	4	LIEDOE	UECS1	0.04						7.00				
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEP95 UEP95	UECS1	9.64 14.37						7.86 7.86				
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	-	3	UEP95	UECS1	30.59						7.86				
	2W VG Loop (SL2)-Zone 1	-	1	UEP95	UECS2	12.67						7.86				
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	17.45						7.86				
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	33.22						7.86				
UNF	Port Rate		Ŭ	02.00	02002	00.22						7.00				
	States															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL,	KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
LOC	Centrex Intercom Funtionality, per port	-		UEP95	URECS	0.8873						7.86				
Loc	al Number Portability	+		UEF93	UKECS	0.0073						7.00				
LUC	Local Number Portability (1 per port)	-		UEP95	LNPCC	0.35						1				
Feat	ures	-		OLI 95	LIVI CC	0.55						1				
· cut	All Standard Features Offered, per port			UEP95	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	100.00					7.86				
NAR						0.00										
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				7.86				1
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				
	cellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				ļ
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
Inte	roffice Channel Mileage - 2-Wire			LIEBAR	111000	20.11										
	Interoffice Channel Facilities Term			UEP95	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi	_	—	UEP95	MIGBM	0.01		1	ļ	ļ		7.86		ļ	ļ	ļ
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service				_											
D4 (Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	-	UEP95	1PQWS	0.62			-	-	 	7.86		-	-	
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-		UEP95	1PQWS	0.62		-				7.86				-
+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP95	1PQW7	0.62			 	 		7.86		 	 	
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP95	1PQWP	0.62		1				7.86				1
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	L		UEP95	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				

ONDONDLE	D NETWORK ELEMENTS - Kentucky		, ,										Attachr		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		1	RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Order vs. Electron
						_	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Non-Rec	curring Charges (NRC) Associated with UNE-P Centrex															
	C Conversion Currently Combined Switch-As-Is with allowed															
cha	anges, per port			UEP95	USAC2		0.102	0.102				7.86				1
	nversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
	w Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	w Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	R Establishment Charge, Per Occasion ENTREX - DMS100 (Valid in All States)			UEP95	URECA	0.00	72.75					7.86				-
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)															
	/ VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.79										
	/ VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.52										
	/ VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		31.74										
	t/Loop Combination Rates (Design)							•								1
	/ VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.82										
	/ VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.60										——
	/ VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		34.37										
UNE Loc	V VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	9.64						7.86				
	/ VG Loop (SL1)-Zone 1		2	UEP9D	UECS1	14.37						7.86				
	/ VG Loop (SL1)-Zone 2		3	UEP9D	UECS1	30.59						7.86				
	/ VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	12.67						7.86				
	/ VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	17.45						7.86				
	/ VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	33.22						7.86				
UNE Por																
ALL STA																
	/ VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/EBS-PSET)3Basic Local Area	-		UEP9D UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67 2.67		7.86				
	/ VG Port (Centrex /EBS-M5009)3Basic Local Area / VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D UEP9D	UEPYD UEPYE	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67		7.86 7.86				
	/ VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86				
2W	/ VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				
	VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															l
Are	ea / VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D UEP9D	UEPYW	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				₩
	/ VG Port (Centrex/lists with Lamp Indication)'s Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				—
	/ VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
	VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				₩
	/ VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area / VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D UEP9D	UEPY4 UEPY5	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	/ VG Port (Centrex/differ SWC /EBS-M5206)2, 3 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area	 		UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
2W	VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port Terminated on 800 Service Term Basic Local Area	1	\sqcup	UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				1
	LA, MS, SC, & TN Only			HEDOD	LIEDOA	1 15	24.20	15 10	2.05	2.67		7.00				
	/ VG Port (Centrex) / VG Port (Centrex 800 Term)	1	\vdash	UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	-	7.86 7.86				
	/ VG Port (Centrex/EBS-PSET)3		\vdash	UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				$\overline{}$
	/ VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67		7.86				
	/ VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67	İ	7.86				
	/ VG Port (Centrex /EBS-M5312)3	1		UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67		7.86				

MDONE	DLED NETWORK ELEMENTS - Kentucky	1				I					Svc	Cun	Attachr Incrementa		Exhib	
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Order Submitte d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						_ 1	Nonre	curring	NRC Disco	nnect			ossi	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	_		UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	-		UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3	-		UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				₩
_	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	-		UEP9D UEP9D	UEPQ4 UEPQ5	1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				-
-	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	-		UEP9D UEP9D	UEPQ5	1.15 1.15	21.29	15.49	2.85	2.67		7.86				
_	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	-		UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
-	2W VG Port (Centrewdiffer SWC /EBS-M5316)2, 3 2W VG Port, Diff SWC-800 Service Term	-		UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				-
	2W VG Port, Dill SWC-600 Service Termi 2W VG Port terminated in on Megalink or equivalent	-		UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
_	2W VG Port Terminated in on Megalink of equivalent	-		UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loc	al Switching		1	OLI 3D	OLI QZ	1.15	21.23	13.43	2.00	2.01		7.00				
	Centrex Intercom Funtionality, per port	-		UEP9D	URECS	0.8873						7.86				
Loc	al Number Portability			OLI OD	ORLOG	0.0070						7.00				
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feat	tures					0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						7.86				
NAF	RS															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				
	cellaneous Terminations															
2-W	ire Trunk Side	_	1		051150			45.00	=0.10							<u> </u>
4 107	Trunk Side Terms, each	_	1	UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-44	ire Digital (1.544 Megabits) DS1 Circuit Terms, each	-		UEP9D	M1HD1	74.77	404.00	77.74	60.69	3.86		7.86				
_	DS1 Circuit Terms, each DS0 Channels Activiated per Channel	-		UEP9D UEP9D	M1HD0	0.00	164.86 15.09	11.14	60.69	3.86		7.86				
Into	roffice Channel Mileage - 2-Wire		1	OLF3D	WITIDO	0.00	13.09					7.00				
iiite	Interoffice Channel Facilities Term	-		UEP9D	MIGBC	29.11						7.86				
	Interoffice Channel miage, per mi or fraction of mi	-		UEP9D	MIGBM	0.01						7.86				
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service			02.05	02	0.01						7.00				
	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	-		UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	-		UEP9D	1PQWQ	0.62 0.62						7.86				₩
No.	Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP9D	1PQWA	0.62						7.86				-
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex				-	 					-	 				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2]	0.102	0.102			1	7.86				l
	Conversion of existing Centrex Common Block, each			UEP9D	USACZ		18.95	8.32			 	7.86				
-	New Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				-
+	New Centrex Standard Common Block New Centrex Customized Common Block	+		UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27	 	7.86				\vdash
-+	NAR Establishment Charge, Per Occasion	-		UEP9D	URECA	0.00	72.75	10.02	111.03	10.21		7.86				\vdash

NROND	LED NETWORK ELEMENTS - Kentucky					1							Attachr			oit: B
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															<u> </u>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<u> </u>
UNE	Port/Loop Combination Rates (Non-Design)	1														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP9E	_	10.79										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP9E UEP9E		15.52										ļ
LINE	Port/Loop Combination Rates (Design)		3	UEP9E		31.74										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP9E	+	13.82										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9E	+	18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP9E		34.37										
UNE	Loop Rate	1	Ŭ	02.02		0										
1	2W VG Loop (SL1)-Zone 1	 	1	UEP9E	UECS1	9.64						7.86				
	2W VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	14.37						7.86				
	2W VG Loop (SL1)-Zone 3		3	UEP9E	UECS1	30.59						7.86				
	2W VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	12.67						7.86				
	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	17.45						7.86				
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	33.22						7.86				
	Port Rate															
AL, I	L, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				ļ
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	1	1	UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				ļ
_	2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area	1		UEP9E UEP9E	UEPY9 UEPY2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				-
Δ1 Ι	(Y, LA, MS, & TN Only			UEF9E	UEF12	1.15	21.29	15.49	2.00	2.07		7.00				
ΛL, I	2W VG Port (Centrex)	1	1	UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)	1		UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loca	I Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873						7.86				
Loca	I Number Portability															
F	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				
Feat		1		LIEBOE	LIED) /E	0.00						7.00				ļ
	All Standard Features Offered, per port All Select Features Offered, per port	1	1	UEP9E UEP9E	UEPVF UEPVS	0.00	405.66				-	7.86 7.86				
-	All Centrex Control Features Offered, per port			UEP9E	UEPVS	0.00	403.00					7.86				
NAR		+		OLFBL	OLF VO	0.00					-	1.00				
14/31	Unbundled Network Access Register-Combination	 		UEP9E	UARCX	0.00	0.00	0.00			t					
_	Unbundled Network Access Register-Indial	†		UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Misc	ellaneous Terminations			-												
	re Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09					7.86				<u> </u>
Inter	office Channel Mileage - 2-Wire	1		LIEBAE	MODO	00.44						7.00				
_	Interoffice Channel Facilities Term	-		UEP9E	MIGBC	29.11						7.86				↓
Fart	Interoffice Channel miage, per mi or fraction of mi Ire Activations (DS0) Centrex Loops on Channelized DS1 Service	1		UEP9E	MIGBM	0.01					1	7.86				
	hannel Bank Feature Activations	 									-					
D4 C	Feature Activations Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	 		UEP9E	1PQWS	0.62					-	7.86				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	1PQWS	0.62					1	7.86				
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	 		UEP9E	1PQW7	0.62					<u> </u>	7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.62					1	7.86				—

Version 4Q02: 12/18/02 Page 136 of 324

	LED NETWORK ELEMENTS - Kentucky				1						Svc	Svc	Attachr		Exhib Incrementa	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs. Electror
						Rec	Nonred	curring	NRC Disco	nnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62						7.86				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															l
	changes, per port			UEP9E	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				——
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion	-		UEP9E	URECA	0.00	72.75					7.86				₩
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	+	-		-	-						1				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	1			-	1										—
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	_	10.70										—
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	2	UEP93 UEP93	-	10.79 15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP93	-	31.74										—
	Port/Loop Combination Rates (Design)		3	UEF93	-	31.14										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP93	+	13.82										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	2	UEP93	+	18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP93		34.37										\vdash
	Loop Rate	-	3	ULF93		34.37										\vdash
	2W VG Loop (SL1)-Zone 1		1	UEP93	UECS1	9.64										
	2W VG Loop (SL1)-Zone 2	-	2	UEP93	UECS1	14.37										\vdash
	2W VG Loop (SL1)-Zone 3		3	UEP93	UECS1	30.59										
	2W VG Loop (SL2)-Zone 1		1	UEP93	UECS2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEP93	UECS2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	33.22										
	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
	2W VG Port (Centrex)	1		UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				—
	2W VG Port (Centrex 800 Term)	_		UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port (Centrex with Caller ID)1			UEP93 UEP93	UEPQH UEPQM	1.15	21.29	15.49	2.85 2.85	2.67		7.86				—
	2W VG Port (Centrex from diff SWC)2 2W VG Port, Diff SWC-800 Service Term	+	-	UEP93 UEP93	UEPQM	1.15 1.15	21.29 21.29	15.49 15.49	2.85	2.67 2.67		7.86 7.86				
	2W VG Port, Dill SWC-800 Service Termi 2W VG Port terminated in on Megalink or equivalent	-		UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	1	1	UEP93 UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67	1	7.86				
	Switching			UEF93	UEFQZ	1.15	21.29	15.49	2.00	2.07		7.00				
	Centrex Intercom Funtionality, per port	1	<u> </u>	UEP93	URECS	0.8873						7.86				
	Number Portability	1	<u> </u>	OLI 33	J.KEOO	0.0073						7.00				
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35					1					
Featu		1		02100	2.,1000	0.00										
	All Standard Features Offered, per port	1	1	UEP93	UEPVF	0.00						7.86				
	All Centrex Control Features Offered, per port	1		UEP93	UEPVC	0.00						7.86				
NARS		1	1			2.30						50				
	Unbundled Network Access Register-Combination	1	1	UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial	1		UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00								
	Illaneous Terminations							2.20								
	Trunk Side				1	t										
	Trunk Side Terms, each	1	1	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	1	7.86				$\overline{}$

INBUNE	DLED NETWORK ELEMENTS - Kentucky												Attachi	nent: 2	Exhil	bit: B
ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		1	RATES (\$)			d Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge · Manual
						_	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-W	ire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				1
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09					7.86				1
Inte	roffice Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Term			UEP93	MIGBC	29.11						7.86				1
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.01						7.86				
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 (Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86				1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.62						7.86				1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				1
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP93	USAC2		0.102	0.102				7.86				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86				1
i	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
i	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
i	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86				
Note	e 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	2 - Regures Interoffice Channel Mileage					i										1
	23 - Requires Specific Customer Premises Equipment					i										1
	e: Rates displaying an "R" in Interim column are interim and subject	to rate	true-	up as set forth in G	eneral Terms	and Condition	s.									†

HINDHING	DLED NETWORK ELEMENTS - Louisiana												Attack	ment: 2	Eul. II	bit: B
UNDUNL	PLED NETWORK ELEMENTS - LOUISIANA	1	1	I		I					Svc	Svc				
													Incrementa			Incremer
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge
CATEGOR	Y RATE ELEMENTS	Interi	Zon	BCS	USOC		RΔTI	ES (\$)			Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGOR	NATE ELEMENTS	m	е	BC3	0300		IVALI	LO (ψ)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electroni
						_ 1	Nonrecu	ırrina	NRC D	isconnec		l .	oss	Rates (\$)		II
						Rec	First	Add'l				SOMAN	SOMAN		SOMAN	SOMAN
The	"Zone" shown in the sections for stand-alone loops or loops as part of a c	ombin	ation i	refers to Geographicall	y Deaverag	ed UNE Zones	. To view Geo	graphically	Deavera	ged UNE	Zone Des	ignations	by Central C	Office, refer t	o Internet W	ebsite:
http	://www.interconnection.bellsouth.com/become_a_clec/html/interconnection	n.htm		• •		•		. ,		•		•	•	,		
	ONAL SUPPORT SYSTEMS															
	E: (1) Electronic Service Order: CLEC should contact its contract negotiate															
rate	exhibit is the BellSouth regional electronic service ordering charge. CLEC E: (2) Any element that can be ordered electronically will be billed according	may e	lect ei	ther the state specific	Commissio	n ordered rate	s for the electr	ronic servic	e orderin	g charge	s, or CLE	C may elec	t the region	al electronic	service ord	lering
	tronically. For those elements that cannot be ordered electronically at pres						reflects the ch	arge that w	ould be b	oilled to a	a CLEC or	ce electro	nic ordering	capabilities	come on-lii	ne for that
elen	nent. Otherwise, the manual ordering charge, SOMAN, will be applied to a	CLECS	bill w	hen it submits an LSR	to BellSou	ith.										
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				001450		0.50									
NE OEDV	interfaces (Regional) /ICE DATE ADVANCEMENT CHARGE				SOMEC		3.50									
		- 500	No 4 T	aritt Castian Fas anni	inable											
NOI	E: The Expedite charge will be maintained commensurate with BellSouth's	FCC	NO.1 I	ALL UNE EXCEPT	icabie.											
	LINE Expedite Charge per Circuit or Line Assignable LISOC, per Day			UNE-P	SDASP		200.00									
INDLINDI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day ED EXCHANGE ACCESS LOOP		-	UNE-P	SDASP		200.00									
	IRE ANALOG VOICE GRADE LOOP															
Z-VV	2W Analog VG Loop-SL1-Zone 1	1	1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
	2W Analog VG Loop-SL1-Zone 2	1	2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87				15.20				
	Unbundled Misc Rate Element, Tag Loop at End User Premise		_	UEANL	URETL	40.40	8.33	0.83				15.20				
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		33.17	33.17				15.20				
	Loop Testing Basic Add'l Half Hour			UEANL	URETA		19.28	19.28				15.20				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing			<u> </u>			.,,,,,	0.00								
	make-up (Engineering Information-EI)			UEANL	UEANM		13.04	13.04								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		17.56	17.56								
2-W	IRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				
	2W Unbundled Copper Loop-Non-Designed-Zone 2	ı	2	UEQ	UEQ2X	14.32	35.27	15.60				15.20				
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.60				15.20				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				15.20				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing															
_	make-up (Engineering Information-EI)		<u> </u>	UEQ	UEQMU		13.04	13.04								
	Loop Testing-Basic 1st Half Hour		<u> </u>	UEQ	URET1		33.17	33.17				15.20				<u> </u>
	Loop Testing-Basic Add'l Half Hour	<u> </u>	<u> </u>	UEQ	URETA	ļ	19.28	19.28	ļ		ļ	15.20				
NIBI COST	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)	<u> </u>	1	UEQ	UREWO		14.25	7.42	 			15.20				
	ED EXCHANGE ACCESS LOOP	<u> </u>	<u> </u>													
2-W	IRE ANALOG VOICE GRADE LOOP	 	 _	LIEDOD LIEDOS	LIEALO	10.00	20.51	40.0=			1	45.00	ļ			<u> </u>
	2W Analog VG Loop-SL1-Line Splitting-Zone 1	1	1	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	12.90 12.90	36.54 36.54	16.87 16.87				15.20 15.20		 		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1 2W Analog VG Loop-SL1-Line Splitting-Zone 2	-	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87			-	15.20		-		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2 2W Analog VG Loop-SL1-Line Splitting-Zone 2	1	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	1		 	15.20		1	-	
_	2W Analog VG Loop-SL1-Line Splitting-Zone 2 2W Analog VG Loop-SL1-Line Splitting-Zone 3	-	3	UEPSR UEPSB	UEALS	48.43	36.54	16.87			-	15.20		-		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87			1	15.20				
NBIINDI	ED EXCHANGE ACCESS LOOP		3	ULF SK UEFOB	ULADO	40.43	30.34	10.07			1	15.20				
	IRE ANALOG VOICE GRADE LOOP	1	 			1					-		1	-		
- "	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.93	102.10	65.72				15.20		<u> </u>		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20		<u> </u>		
-+	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20		<u> </u>		
-	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.40	17.56	00.1 Z				.0.20		1		
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	14.93	102.10	65.72				15.20				
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	25.35	102.10	65.72			1	15.20				
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	50.46	102.10	65.72			1	15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.59	36.30				15.20				
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03				15.20				

Version 4Q02: 12/18/02 Page 139 of 324

JNBUND	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	'ES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC D	isconnec			OSS	Rates (\$)	L	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WI	RE ANALOG VOICE GRADE LOOP		.				10= 10	21.00				45.00				ļ
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	30.81	127.40	91.02	-			15.20				├
	4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3		3	UEA UEA	UEAL4 UEAL4	38.32 60.39	127.40 127.40	91.02 91.02				15.20 15.20	-			
-+-	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	00.39	17.56	91.02				13.20				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.59	36.30				15.20				1
2-WI	RE ISDN DIGITAL GRADE LOOP			-												
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.09	113.34	76.96				15.20				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	35.28	113.34	76.96				15.20				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	65.18	113.34	76.96				15.20				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.49	44.09				15.20				
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP		-	LIDO	LIDCOV	20.00	440.01	70.00	1	1		45.00				-
-	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1 2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC UDC	UDC2X UDC2X	22.09 35.28	113.34 113.34	76.96 76.96	 	 		15.20 15.20				
-+	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2 2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	35.28 65.18	113.34	76.96	1	1		15.20	 		-	+
-+-	CLEC to CLEC Conversion Charge w/o outside dispatch		3	UDC	UREWO	00.10	91.49	44.09	1	1		15.20	 			
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LO	OP		000	OKEWO		01.40	44.00				10.20				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-	<u> </u>	1	UAL	UAL2X	12.29	117.08	68.36				15.20				1
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		2	UAL	UAL2X	14.09	117.08	68.36				15.20				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		3	UAL	UAL2X	15.75	117.08	68.36				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	12.29	92.83	56.02				15.20				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	14.09	92.83	56.02				15.20				ļ
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 3		3	UAL	UAL2W	15.75	92.83	56.02				15.20				-
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL UAL	OCOSL UREWO		17.56 86.07	40.34		1		15.20				
2-14/1	CLEC to CLEC Conversion Charge w/o outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOO	D	1	UAL	UKEWO		00.07	40.34				15.20	-			-
2-4411	2W Unbundled HDSL Loop including manl svc inq & facility reservation-	г	1	UHL	UHL2X	9.79	125.50	76.77				15.20				
	2W Unbundled HDSL Loop including man! svc ing & facility reservation-		2	UHL	UHL2X	11.52	125.50	76.77				15.20				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		3	UHL	UHL2X	12.74	125.50	76.77				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	9.79	101.24	64.43				15.20				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	11.52	101.24	64.43				15.20				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	12.74	101.24	64.43				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		17.56	40.04				45.00				<u> </u>
4 18/1	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34	-			15.20				
4-1/1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOO 4W Unbundled HDSL Loop including manl svc ing & facility reservation-Zone	<u>"</u>	1	UHL	UHL4X	16.24	153.26	104.54	-	-		15.20			-	
$-\!\!\!\!+\!\!\!\!-$	4W Unbundled HDSL Loop including manifesting & facility reservation-Zone		2	UHL	UHL4X	16.24	153.26	104.54	1	1		15.20	 			
-	4W Unbundled HDSL Loop including man svc ind & facility reservation-Zone		3	UHL	UHL4X	17.34	153.26	104.54	1	1		15.20				
-	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL	17.04	17.56	.04.04	1	1		70.20	†			—
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	17.34	129.00	92.20				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34				15.20				
4-WI	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	85.70	245.16	152.98				15.20				-
	4W DS1 Digital Loop-Zone 2		2	USL USL	USLXX	194.96 491.94	245.16 245.16	152.98 152.98				15.20 15.20				-
$-\!\!+\!\!-$	4W DS1 Digital Loop-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	491.94	17.56		-	-		15.20			-	
$-\!\!\!\!+\!\!\!\!-$	CLEC to CLEC Conversion Charge w/o outside dispatch		+	USL	UREWO		100.93		1	1		15.20	 			
4-WI	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP		+	JJL	UNLVVU		100.93	42.30	-	 		10.20				
7	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48	1	1		15.20				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48		1		15.20				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	30.99	121.86	85.48				15.20				
	MATTER AND INC. 18 (1974)		2	UDL	UDL56	36.78	121.86	85.48				15.20				
	4W Unbundled Digital Loop 56 Kbps-Zone 2															
	4W Unbundled Digital Loop 56 Kbps-Zone 2 AW Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56 OCOSL	38.92	121.86 17.56	85.48				15.20				ļ

Version 4Q02: 12/18/02 Page 140 of 324

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			'ES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First		NRC D First	isconnec Add'l		SOMAN		Rates (\$)	SOMAN	SOMAN
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	36.78	121.86	Add'l 85.48	FIISL	Auu i	SOMEC	15.20	SUMAN	SUMAN	SOWAN	SOWAN
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-WIR	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	12.29	116.18	67.46				15.20				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	14.09	116.18	67.46				15.20				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	15.75	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC		7.92	7.92			ļ	1				+
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCLPW	12.29	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCLPW	14.09	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCLPW	15.75	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2W Unbundled Copper Loop/Long-includes man! svc inq & facility reservation- Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation- Zone 2		2	UCL	UCL2L	24.98	116.18	67.46				15.20				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation- Zone 3		3	UCL	UCL2L	39.57	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								1
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
4-WIR	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		91.92	42.47				15.20				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2		2	UCL	UCL4S	18.95	139.69	90.96				15.20				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC	22.27	7.92	7.92				45.00				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1 4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL UCL	UCL4W UCL4W	22.27 18.95	115.43 115.43	78.63 78.63				15.20 15.20				+
	4W Copper Loop/Short-w/o mani svc inq & facility reservation-Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				+
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-															
	Zone 1 4W Unbundled Copper Loop/Long-includes man! svc inq & facility reservation-		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
	Zone 2 4W Unbundled Copper Loop/Long-includes man! svc ing & facility reservation		2	UCL	UCL4L	28.47	139.69	90.96			<u> </u>	15.20				<u> </u>
	Zone 3		3	UCL	UCL4L	62.93	139.69	90.96			<u></u>	15.20				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								1
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 1		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL4O	28.47	115.43	78.63				15.20				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL4O	62.93	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		91.92	42.47				15.20				1
LOOP MODI	FICATION		<u> </u>									1				
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			UAL,UHL,UCL,UEQ,UL S,UEA,UEANL,UEPSR ,UEPSB	ULM2L		0.00	0.00				15.20				

Version 4Q02: 12/18/02 Page 141 of 324

ONROND	LED NETWORK ELEMENTS - Louisiana			1										ment: 2		bit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)				Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrect First	urring Add'l	NRC D First	isconnec Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft		-	UCL,ULS,UEQ	ULM2G		0.00	0.00	FIRST	Add I	SOWIEC	15.20	SUMAN	SOWAN	SOWAN	SUMAN
	Unbundled Loop Modification Removal of Load Coils-2W > Tokit Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ, ULS,UEA,UEANL,UEP SR,UEPSB	ULMBT		12.15	12.15				15.20				
SUB-LOOP				,												
Sub	Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	-		UEANL	USBSA		144.09	144.09				15.20				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	_		UEANL	USBSC		86.16	86.16				15.20				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		27.13	27.13				15.20				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	ı	3	UEANL	USBN2	21.45	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.91	51.48	17.65				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	6.58	57.54	23.71				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	-	1	UEF	UCS2X	6.26	63.89	30.06				15.20				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	-	2	UEF	UCS2X	10.07	63.89	30.06				15.20				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	-	3	UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		<u> </u>	UEF	USBMC		7.92	7.92								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS4X	8.03	76.75	42.92				15.20				<u> </u>
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	-	2	UEF	UCS4X	10.71	76.75	42.92				15.20				<u> </u>
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	6.08	76.75	42.92				15.20				
Hala	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		1	UEF	USBMC		7.92	7.92								
dno	undled Sub-Loop Modification Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal		-													
	per 2-W PR Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal			UEF	ULM2X		0.00	0.00				15.20				
	per 4-W PR Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap Removal,			UEF	ULM4X		0.00	0.00				15.20				
	per PR unloaded			UEF	ULM4T		224.55	4.29				15.20				
Unb	undled Network Terminating Wire (UNTW)						00	0								
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3454	14.72	14.72			İ	15.20				Ì
Netv	rork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		42.26	27.83				15.20				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		62.86	48.43				15.20				
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2	, i	5.73	5.73				15.20				
	Network Interface Device Cross Connect-4W			UENTW	UNDC4	, The state of the	5.73	5.73				15.20				
SUB-LOOP						Ť					ļ	<u> </u>				<u> </u>
Sub	Loop Feeder			L							ļ					ļ
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up			UEA,UDN,UCL,UDL,U DC	USBFW		144.09					15.20				
	LICL Fooder DCO Cet up and Cross Bouleveting and CF and CF	l	1	UEA,UDN,UCL,UDL,U	HODEN		40.00	40.00			1	45.00		1	1	1
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up		-	DC USL	USBFX		10.99				1	15.20				1
	USL Feeder DS1 Set-up at DSX location, per DS1 Term Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFZ USBFA	8.71	568.98 89.81	54.35			1	15.20 15.20			-	1
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	13.64	89.81	54.35			1	15.20				1
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	30.21	89.81				1	15.20				1
	Order Coordination for Specified Conversion Time, per LSR		-	UEA	OCOSL	30.∠1	17.56	34.33			1	13.20			-	1
			1		USBFB	8.71	89.81	54.35			1	15.20		1		1
	II Inhundide Sub-Loon Feeder Loon 2W Loon-Start VG-Zone 1															•
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1			UEA LIEA												
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	13.64	89.81	54.35				15.20				
								54.35 54.35								

Version 4Q02: 12/18/02 Page 142 of 324

UNBUNDL	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	13.64	89.81	54.35	First	Add I	SOWIEC	15.20	SOWAN	JOWAN	JOWAN	JOWAN
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR	-	4	UEA UEA	OCOSL	24.44	17.56 103.69	67.04				15.20				ļ
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE USBFE	21.44 24.66	103.69	67.31 67.31				15.20				-
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR		- 3	UEA	OCOSL	42.04	17.56	07.51				13.20				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	15.44	102.58	66.20	1			15.20				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	23.32	102.58	66.20	1		1	15.20				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	44.57	102.58	66.20				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		17.56									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20				15.20				<u> </u>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	44.57	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	_	2	USL USL	USBFG	55.38 167.83	98.15	61.77				15.20				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3	-	3	USL	USBFG USBFG	469.87	98.15 98.15	61.77 61.77				15.20 15.20				-
	Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	409.07	17.56	01.77				13.20				
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1	_	1	UCL	USBFH	6.96	81.36	44.98				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	4.97	81.36	44.98				15.20				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	3.99	81.36	44.98				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56									
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	15.68	98.07	61.69				15.20				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	9.68	98.07	61.69				15.20				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	6.39	98.07	61.69				15.20				ļ
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	22.21	17.56					4= 00				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN	22.87 24.25	98.15 98.15	61.77 61.77				15.20 15.20				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1	-	1	UDL	USBFN	22.61	98.15	61.77				15.20				-
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2	_	2	UDL	USBFO	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17.56									1
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	24.25	98.15	61.77				15.20				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56									ļ
SUB-LOOPS			\sqcup						<u> </u>			<u> </u>				<u> </u>
Sub-l	Loop Feeder	٠.	├	LIEO	41.501	17.00		1	1	-	1	<u> </u>				1
	Sub Loop Feeder-DS3-Per mi Per mo Sub Loop Feeder-DS3-Facility Term Per mo	+ +	1	UE3 UE3	1L5SL USBF1	368.44	3,397.56	406.56				15.20				
	Sub Loop Feeder – STS-1 – Per mi Per mo	+ i		UDLSX	1L5SL	17.00	3,397.50	406.56				15.20				
	Sub Loop Feeder - 3131 - Fer fill Fer mo	+ i		UDLSX	USBF7	395.92	3,397.56	406.56	 	 	 	15.20				\vdash
	Sub Loop Feeder – OC-3 – Per mi Per mo	i	1	UDLO3	1L5SL	12.90	2,557.50	.00.00	1			10.20				
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	i	1 1	UDLO3	USBF5	60.45			1		1					
	Sub Loop Feeder-OC-3-Facility Term Per mo			UDLO3	USBF2	594.77	3,397.56	406.56				15.20				
	Sub Loop Feeder-OC-12-Per mi Per mo	I		UDL12	1L5SL	15.87										
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	T	ĻΠ	UDL12	USBF6	683.03										
	Sub Loop Feeder-OC-12-Facility Term Per mo	1	\sqcup	UDL12	USBF3	1,922.00	3,397.56	406.56	1		ļ	15.20			ļ	ļ
	Sub Loop Feeder-OC-48-Per mi Per mo	<u> </u>	\sqcup	UDL48	1L5SL	52.07			<u> </u>			<u> </u>				<u> </u>
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	1	├	UDL48	USBF9	341.64	2 500 50	400.50	1	-	1	45.00				1
	Sub Loop Feeder-OC-48-Facility Term Per mo Sub Loop Feeder-OC-12 Interface On OC-48	+ +	1	UDL48 UDL48	USBF4 USBF8	1,663.00 385.45	3,582.56 803.80	406.56 406.56		-		15.20 15.20				
	D LOOP CONCENTRATION	- '		UDL40	03016	303.45	003.00	400.30		 		13.20				
O. TOO ITDEE	Unbundled Loop Concentration-System A (TR008)	-		ULC	UCT8A	374.26	316.00	316.00	1	 	1	15.20				†
	Unbundled Loop Concentration-System B (TR008)		t	ULC	UCT8B	53.40	131.67	131.67				15.20				
	Unbundled Loop Concentration-System A (TR303)		1	ULC	UCT3A	412.08	316.00					15.20				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	89.98	131.67					15.20	İ	İ		

Version 4Q02: 12/18/02 Page 143 of 324

UNBUND	LED NETWORK ELEMENTS - Louisiana										_	_		ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)	Lung			Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	First	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.12	61.46	44.74	FIISL	Add I	SOWIEC	15.20	SUMAN	SOWAN	SUMAN	SUMAN
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.12	10.23	10.18				15.20				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop															
	Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18				15.20				
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface															
	(SPOTS Card)			UEA	ULCCR	12.07	10.23	10.18				15.20				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18				15.20				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface		-	UDL	ULCC7	10.67	10.23	10.18			-	15.20				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface	<u> </u>	-	UDL UDL	ULCC5 ULCC6	10.67 10.67	10.23 10.23	10.18 10.18			1	15.20 15.20				
INF OTHE	R, PROVISIONING ONLY - NO RATE		1	ODL	OLOGO	10.07	10.23	10.10			1	13.20				
J.VL JINL	NID-Dispatch & Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00				1					
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00				1					
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00									
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,U												
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
III CA DA	Unbundled DS1 Loop-Expanded Superframe Format option-no rate ACITY UNBUNDLED LOCAL LOOP		1	USL	CCOEF	0.00	0.00									
	E: minimum billing period of three months for DS3 and above Local Loop															
1401	High Capacity Unbundled Local Loop-DS3-Per mi per mo		1	UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAK	Œ-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup-Preordering W Reservation, per spare facility queried(Manual)			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
	QUENCY SPECTRUM															
	SHARING															
SPLI	TTERS-CENTRAL OFFICE BASED			111.0	111.00.4	107.17	400.00	0.00				45.00				
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		-	ULS ULS	ULSDA ULSDB	187.17 46.79	183.33 183.33	0.00			-	15.20 15.20				
	Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSD8	15.59	183.33	0.00				15.20				
	Line Sharing Splitter, Fer System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per	-	1	ULS	ULSDG	10.08	83.98	0.00			1	15.20				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRU	M AK	A LINE		02000		00.00	0.00				10.20				
	Line Sharing-per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	17.97	10.29				15.20				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			ULS	ULSDS		15.91	7.95				15.20				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned															
	Splitter)	<u> </u>		ULS	ULSCS		15.91	7.95				15.20				
	Line Sharing-per Line Activation (DLEC owned Splitter)	Π		ULS	ULSCC	0.61	47.44	19.31				15.20				
	SPLITTING					, i										
END	USER ORDERING-CENTRAL OFFICE BASED	L .	<u> </u>	LIEBOD LIEBOS	LIDEOC	0.01					ļ					
	Line Splitting per line activation DLEC owned splitter	 	-	UEPSR UEPSB	UREOS UREBP	0.61	47.07	40.00	-		1	45.00				
	Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual	-	1	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61 0.61	17.97 17.97	10.29 10.29	-	-	1	15.20 15.20				
DEM	OTE SITE HIGH FREQUENCY SPECTRUM		-	UEFOR UEFOB	OKEBA	10.0	17.97	10.29			1	15.20				
	TTERS-REMOTE SITE	 	+								1	1				
J-L	Remote Site Line Share BST Owned Splitter, 24 Port	-	1	ULS	ULSRB	40.12	115.24	0.00			1	15.20				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &	<u> </u>		010	OLUND	70.12	113.24	0.00		1	1	10.20				
	Deactivation	- 1		ULS	ULSTG		96.00	0.00				15.20				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REM	OTE	SITE L													
	Remote Site Line Share Line Activation or End User Served at RS, BST	ı		ULS	ULSRC	0.61	36.97	21.17				15.20				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	ı		ULS	ULSTC	0.61	36.97	21.17				15.20				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.08	17.80			1	15.20		i		

Version 4Q02: 12/18/02 Page 144 of 324

UNBUND	LED NETWORK ELEMENTS - Louisiana					· · · · · · · · · · · · · · · · · · ·							Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			FES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.
			-			Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$)	SOMAN	SOMAN
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	I		ULS	ULSTS		49.08					15.20				
	D DEDICATED TRANSPORT															
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing p	eriod -	below	DS3=one month, abo	ove DS3=for	ır months										ļ
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT		1		41 = 204	0.010										
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo		1	U1TVX U1TVX	1L5XX U1TV2	0.013	20.20	26.62				45.00				
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	22.60 0.013	39.36	26.62	-			15.20				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer IIII per IIIo			U1TVX	U1TR2	22.60	39.36	26.62	1			15.20				
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.013	33.30	20.02				13.20				
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.61	39.37	26.62	ļ			15.20				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo	<u> </u>	\downarrow	U1TD1	1L5XX	0.2652			!		ļ	45.00				ļ
	Interoffice Channel-Dedicated Transport-DS1-Facility Term	<u> </u>	\vdash	U1TD1	U1TF1	70.47	86.69	79.44	<u> </u>			15.20				<u> </u>
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo	-	+	U1TD3 U1TD3	1L5XX U1TF3	6.04 850.45	270.69	158.05	1	-	1	15.20	1	1	1	
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo		1	U11D3 U1TS1	1L5XX	850.45 6.04	270.69	158.05	<u> </u>			15.20				
	Interoffice Channel-Dedicated Transport-STS-1-Fer fill per file		1	U1TS1	U1TFS	830.19	270.69	158.05	1			15.20				
LOC	AL CHANNEL - DEDICATED TRANSPORT		1 -	01101	01110	030.19	210.03	130.03	1			13.20				
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period =	belov	v DS3=	one month, above DS	3=four mon	ths										1
	Local Channel-Dedicated-2W VG			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	18.32	187.51	32.21				15.20				
	Local Channel-Dedicated-4W VG			ULDVX	ULDV4	19.41	187.94	32.63				15.20				
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel-Dedicated-DS1-Zone 2		2	ULDD1	ULDF1	121.58	172.34					15.20				
	Local Channel-Dedicated-DS1-Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel-Dedicated-DS3-Per mi per mo		1	ULDD3 ULDD3	1L5NC ULDF3	7.82 469.44	438.46	256.30				15.20				<u> </u>
	Local Channel-Dedicated-DS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo		1	ULDS1	1L5NC	7.82	438.46	256.30	1			15.20			-	
	Local Channel-Dedicated-STS-1-Fei IIII pei IIIIo		1	ULDS1	ULDFS	457.22	438.46	256.30	1			15.20				
DARK FIBE			1 -	OLDO1	OLDI O	407.22	400.40	200.00	1			10.20				
7,4,4,4,1,1,2,2	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	52.23										
	NRC Dark Fiber-Local Channel			UDF	UDFC4		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															1
	Interoffice Channel			UDF	1L5DF	25.28										
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			UDE	41.501	50.00										
	Local Loop NRC Dark Fiber-Local Loop		1	UDF UDF	1L5DL UDFL4	52.23	620.60	133.88	<u> </u>			15.20				
SAX VCCES	S TEN DIGIT SCREENING			UDF	UDFL4		620.60	133.00	1			15.20				
OAA ACCES	8XX Access Ten Digit Screening, Per Call		1	OHD	-	0.0006387										+
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X	0.0000001	2.51	0.43				15.20				1
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS															
	Translations	L	<u>L</u> l	OHD			5.77	0.78	<u> </u>	<u> </u>	<u> </u>	15.20	<u> </u>		<u></u>	<u></u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		5.77	0.78	<u> </u>			15.20				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No	<u> </u>	$\downarrow \downarrow \downarrow$	OHD	N8FCX		2.51	1.26	!		ļ	15.20				ļ
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR			OUD	NOTAC		0.00	4.00		l		45.00				
	Requested Per 8XX No	 	+	OHD	N8FMX		2.93					15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request		+	OHD OHD	N8FAX N8FDX		2.93 2.51		 			15.20 15.20			-	
	8XX Access Ten Digit Screening, Call Handling & Destination Features 8XX Access Ten Digit Screening, w/8XX No. Delivery, per query	1	+	OHD	NOFUX	0.0006387	∠.51	 	1	-	1	15.20				
	8XX Access Ten Digit Screening, w/8XX No. Delivery, per query 8XX Access Ten Digit Screening, w/POTS No. Delivery, per query	\vdash	+	OHD	1	0.0006387		 	 		1	 	1		-	
LINE INFOR	MATION DATA BASE ACCESS (LIDB)	1	+	SIID	+	0.0000007		1	1							
	LIDB Common Transport Per Query			OQT		0.0000221			<u> </u>							
	LIDB Validation Per Query			OQU	Ì	0.0135077					1					1
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		33.33					15.20				
SIGNALING																
	CCS7 Signaling Term, Per STP Port	1		UDB	PT8SX	147.60							1	1		

Version 4Q02: 12/18/02 Page 145 of 324

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Incremer
											Order	Order	I Charge -	I Charge -	al Charge -	- al Charge
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		m	е									Manually	vs.	vs.	vs.	vs.
											per Lore			Electronic-		
1						1	Nonrecu	ırrina	NRCD	isconnec			088	Rates (\$)		
						Rec	First	Add'l	First			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064	1 0.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	101	7100.	0020		00		00	
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50				15.20				+
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50				15.20				1
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016	01.00	01.00				10.20				1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or			055	0.000	702.10										1
	Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20				
	CCS7 Signaling Point Code, per Destination Point Code Establishment or				00/11/0		20.11	20.11				10.20		1		+
	Change. Per Stp Affected			UDB	CCAPD		28.17	28.17				15.20				
E911 SERVI				055	00/ 11 2		20.11	20.11				10.20				+
1	Local Channel-Dedicated-2-wr VG-Zone 1					18.32	187.51	32.21				15.20				+
	Local Channel-Dedicated-2-wr VG-Zone 2					18.32	187.51	32.21				15.20				+
	Local Channel-Dedicated-2-wr VG-Zone 3					18.32	187.51	32.21				15.20				+
-	Interoffice Transport-Dedicated-2-wr VG Per mi					0.013	107.01	02.21				10.20				+
	Interoffice Transport-Dedicated-2-wr VG Per Facility Term					22.60	39.36	26.62				15.20				+
	Local Channel-Dedicated-DS1-Zone 1					39.18	172.34	149.27				15.20				1
	Local Channel-Dedicated-DS1-Zone 2					121.58	172.34	149.27				15.20				+
	Local Channel-Dedicated-DS1-Zone 3					70.02	172.34	149.27				15.20				+
	Interoffice Transport-Dedicated-DS1 Per mi					0.2652		110.21				10.20				+
	Interoffice Transport-Dedicated-DS1 Per Facility Term					70.47	86.69	79.44				15.20				+
	AME (CNAM) SERVICE					7 0.17	00.00	70.11				10.20				+
	CNAM For DB Owners-Service Establishment			OQV			22.29					15.20		1		+
	CNAM For Non DB Owners-Service Establishment			OQV			22.29					15.20		1		+
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			962.22	711.64				15.20				+
	CNAM For Non DB Owners-Service Provisioning With Point Code			OQV			332.43	238.05				15.20				+
	CNAM for DB Owners. Per Query			OQV		0.0010217	002.10	200.00				10.20				+
	CNAM for Non DB Owners, Per Query			OQV		0.0010217										+
LNP Query S																1
	LNP Charge Per guery		1 1	OQV		0.0008559			1						1	†
	LNP Service Establishment Manual					0.0000000	12.16					15.20				1
	LNP Service Provisioning with Point Code Establishment						576.33	294.43				15.20				†
	CALL PROCESSING															+
	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB	t	t			1.20										†
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB	t	t			1.24										†
	Oper. Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										1
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										1
	ERATOR SERVICES					0.20										+
	Inward Oper Services-Verification. Per min		1 1			1.15			1						1	1
	Inward Oper Services-Verification & Emergency Interrupt-Per min	1	1 1			1.15			1	1				 		†

CHECHEL	ED NETWORK ELEMENTS - Louisiana				1						_			ment: 2		bit: B
											Svc	Svc	Incrementa			
											Order	Order	I Charge -	I Charge -	al Charge -	_
CATECODY	DATE ELEMENTO	Interi	Zon	DOC	11000		DAT	EC (6)				Submitte	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		KAI	'ES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electron
							Nonrec	urring	NRC D	isconnec		l	oss	Rates (\$)		
					+	Rec	First	Add'l	First			SOMAN			SOMAN	SOMA
BRANDING	- OPERATOR CALL PROCESSING						101	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	101	71.00.	0020			00	00	
	ty based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.20				
UNEF	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.20				
Unbra	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call		[]			0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)		oxdot			Ť										
	Directory Assistance Call Completion Access Service (DACC), Per Call					0.10		1	<u> </u>							
	ASSISTANCE SERVICES								ļ							<u> </u>
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	- DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00					15.20				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.20				
UNEF	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.20				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.20				
Unbra	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.20				
	Loading of DA per Switch per OCN						16.00	16.00				15.20				
SELECTIVE			1													
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82.25	82.25				15.20				
VIRTUAL CO	DLLOCATION		1													
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
	COLLOCATION				5541.0	0.0010		44.40				45.00				-
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting		1	UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46				15.20				
AIN SELEC	IVE CARRIER ROUTING			LIEDID	00000		100 000 00					45.00				-
	Regional Service Establishment			UEBIB	SRCEC		100,209.33	404.00				15.20				-
	End Office Establishment			UEBIB	SRCEO	0.0000000	164.29	164.29				15.20				
IN PERIO	Query NRC, per query		$\vdash \vdash \mid$	UEBIB	1	0.0030293		-	1	 	-					
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE		\vdash	A4NI	CAMCE		20.20	20.20	 			15.00		 		
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup		$\vdash \vdash \mid$	A1N	CAMBE		38.30	38.30	1	 	-	15.20				
	AIN SMS Access Service-Port Connection-Dial/Shared Access		\vdash	A1N	CAMAR		7.60	7.60	 	 	 	15.20		1		₩
	AIN SMS Access Service-Port Connection-ISDN Access		$\vdash \vdash \mid$	A1N	CAM1P		7.60	7.60	1	 	-	15.20				
	AIN SMS Access Service-User Identification Codes-Per User ID Code		\vdash	A1N	CAMAU		33.99	33.99	 			15.20		1		—
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or			A481	CAMPO		44.00	44.00			1	15.00				l
	Replacement AIN SMS Access Service Storage Per Unit (100 Kilebutes)		-	A1N	CAMRC	0.0000	41.39	41.39				15.20		-		-
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	-	\vdash		+	0.0022 0.5795		-	 	 	-	-				
	AIN SMS Access Service-Session, Per min		-					 						-		-
IN - PEL / 4	AIN SMS Access Service-Company Performed Session, Per min	-	\vdash		+	0.8104		-	 	 	-	-				
IIN - BELLS	OUTH AIN TOOLKIT SERVICE		-	CAM	DADCC		20.22	20.22				15.00		-		-
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup		\vdash	CAM	BAPSC		38.30		 	 	 	15.20		1		₩
-	AIN Toolkit Service-Training Session, Per Customer AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.		$\vdash \vdash \mid$		BAPVX BAPTT			4,175.10	1	 	-	15.20 15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook		\vdash		DAFII		7.60	7.60	-			13.20		 		
	Delay				BAPTD		7.60	7.60			1	15.20				l
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook		\vdash		DAPID		1.00	7.00	1	 		15.20		1	1	—
	Immediate				BAPTM		7.60	7.60			1	15.20		l		1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit		\vdash		BAPTO		33.47	33.47	1	 		15.20				—
-	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, To-Digit AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47	 			15.20				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature		\vdash		BAPTE		33.47		 			15.20		 		-
	AIN Toolkit Service-Higger Access Charge, Fer Higger, Fer Bix, Feature		+		D/ 11 11	0.0536446	55.47	55.47				10.20		1		
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per		+			0.0000440		t						l		
1	Node, Per Query	1	1			0.006569			1	1	l			l	I	l

Version 4Q02: 12/18/02 Page 147 of 324

ONBOND	LED NETWORK ELEMENTS - Louisiana				_	1								ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)				d Manually	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100				-		FIISL	Auui	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SUMAN	SUMAN
	Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41					15.20				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.20	7.60	7.60				15.20				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service				5.555											ĺ
TAULANOEE	Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				
	EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will apply and the	h o C	itah A	a la Charga will not a	nnly for EEL	a pravialanad	oo ' Ordinaril	v Combined	' Notwor	l Elemen	1					
	E: The monthly recurring and non-recurring charges below will apply and the E: The monthly recurring and the Switch-As-Is Charge and not the non-recu										115.					
	E: Minimum billing is one month for DS1 and below and three months above				LELS PIOV	I Sioneu as C	urrently com	T THE NELWO	I K LICIII	ents.						
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE				+			1	†	†	1		†	1		—
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20	1			
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.2652		400.0-								
_	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58		<u> </u>	<u> </u>	ļ	15.20				
	DS1 Channelization System Per mo			UNC1X	MQ1	105.09	59.97	12.96	ļ	ļ		15.20				
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26		1						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		'	UNCVX	UEALZ	14.93	94.21	45.09				15.20				
	Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			ONOVA	OLITE	20.00	04.21	40.00				10.20				
	Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPOR	T (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21					15.20				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X UNC1X	1L5XX U1TF1	0.2652 70.47	143.58	103.88			-	15.20				-
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	105.09	59.97	12.96				15.20				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91									
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	<u></u>	<u></u>	<u> </u>	15.20				<u></u>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09		ļ		15.20				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26	 	 	1	45.00				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	CEIR	ANSP	ORT (EEL)	+						-					
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				ĺ
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	OINCDA	UDLOG	30.99	94.21	45.09	1	1	1	15.20	 			
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				ĺ
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	***		220						10.20				
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652			<u> </u>							
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	70.47	143.58					15.20				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	105.09	59.97		1	1	1					1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26	ļ	ļ		ļ				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		4	UNCDX	UDL56	30.99	94.21	45.00				15 00				İ
	Combination-Zone 1 Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		1	UNCDX	UDL56	30.99	94.21	45.09	-	 	1	15.20				1
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				İ
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport			GINODA	ODLO	30.70	34.21	45.09	1	1	1	13.20	 			
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				ĺ
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-		J	SINODA	55250	30.32	34.21	70.03	1	1	1	10.20	†			-
1	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26			1	1	I			1
							0.01	5.43	1	1		1	i		1	

Version 4Q02: 12/18/02 Page 148 of 324

JII DONIDI	LED NETWORK ELEMENTS - Louisiana		1		1						C	e		nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)				d Manually	I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrecu			Disconne				Rates (\$)		
4 14/15	 RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFI	^F TD	ANCD	ODT (EEL)			First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-441	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	CE IK	ANOF	OKI (EEL)												
	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
-	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		- ' -	ONODA	ODLOT	30.33	34.21	43.03				13.20				
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		T-	OHOBA	02201	00.70	02.	10.00				10.20				†
	Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		_	UNC1X	1L5XX	0.2652										†
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-		1							1						1
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26				45.00				
4 1407	NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE 1	- D A A I C	1000	UNC1X	UNCCC		5.43	5.43				15.20				
4-111	14W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	KANS	PURI	UNC1X	USLXX	85.70	169.22	100.89				15.20				
-	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				-
_	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ť	UNC1X	1L5XX	0.2652	.00.22					10.20				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T	RANS	SPORT													
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
_	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				<u> </u>
_	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.04	000.00	101.10				45.00				
-	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
-	DS3 to DS1 Channel System combination per mo			UNC3X UNC1X	MQ3	201.48	107.05	48.07								
_	DS3 Interface Unit (DS1 COCI) combination per mo Add'I DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	UC1D1 USLXX	11.78 85.70	5.91 169.22	4.26 100.89				15.20				
_	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
_	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per mo		Ť	UNC1X	UC1D1	11.78	5.91	4.26				10.20				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE	TRAN	SPOR	T (EEL)												
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				1
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo		<u> </u>	UNCVX	1L5XX	0.013	== ==		 		1	/=	ļ			ļ
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo		<u> </u>	UNCVX	U1TV2	22.60	72.60 5.43	41.75	<u> </u>	<u> </u>		15.20	.			₩
4 10/11	NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE	TDAN	I C D C D	UNCVX	UNCCC		5.43	5.43	<u> </u>	 	1	15.20	 			
4-1/11	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1	IKAN	1	UNCVX	UEAL4	30.81	94.21	45.09		-	1	15.20	-			
+	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		2	UNCVX	UEAL4	38.32	94.21	45.09	1	1	1	15.20	1			
+	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	 	1	<u> </u>	15.20				
+	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo		Ť	UNCVX	1L5XX	0.013	021	.0.00	†	†	1	.0.20	i			—
\neg	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	19.81	72.60	41.75		1	1	15.20	İ	İ	i	1
	NRC Currently Combined Network Elements Switch-As-Is Charge		1	UNCVX	UNCCC		5.43	5.43		1	1	15.20	İ			1

ABOND	LED	NETWORK ELEMENTS - Louisiana		,											nent: 2		bit: B
TEGOR	Y	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)				Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Rec	Nonrecu			isconne				Rates (\$)	0011411	
DC2	DICI	TAL EXTENDED LOOP WITH DEDICATED DC2 INTEROFFICE TRANSPO	DT /					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS3		TAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORM The Capacity Unbundled Local Loop-DS3 combination-Per mi per mo	ואל (נ	EL)	UNC3X	1L5ND	10.04										
_		h Capacity Unbundled Local Loop-DS3 combination-Fer fill per mo			UNC3X	UE3PX	362.34	188.45	125.51								
		eroffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.04	100.43	120.01			1					
		eroffice Transport-Dedicated-DS3 combination-Facility Term per per mo			UNC3X	U1TF3	850.45	296.68	121.16			1	15.20				+
		C Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC	000.40	5.43	5.43				15.20				
STS		GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANS	PORT	(FFI		0.1000	+	0.10	0.10			1	10.20			1	+
- 0.0		h Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	10.04					1	†			1	+
		h Capacity Unbundled Local Loop-STS1 combination-Facility Term per mo			UNCSX	UDLS1	374.56	188.45	125.51			1	†			1	+
		eroffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.04										
		eroffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	830.19	296.68	121.16			1	15.20				†
		C Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
2-WI		SDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	Firs	st 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
		st 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
		st 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	Inte	eroffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.2652										
	Inte	eroffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Cha	annelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	105.09	59.97	12.96								
	2W	ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	2.96	5.91	4.26								
		d'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Add	d'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
		d'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
		ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo			UNCNX	UC1CA	2.96	5.91	4.26								
		C Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WI		OS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TRAN	NSPOF													
	Firs	st DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
		st DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
		st DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
		eroffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	6.04										
		eroffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
		S1 to DS1 Channel System conbination per mo			UNCSX	MQ3	201.48	107.05	48.07								
		3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
		d'I DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
		d'I DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
		d'I DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				↓
		3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								Ь
		C Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				↓
4-WI		6 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRAN	SPOF							<u> </u>			<u> </u>				<u> </u>
		56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09			1	15.20				4
		56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	 		1	15.20	ļ			
_		7 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09	<u> </u>		1	15.20	ļ			
-		eroffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX UNCDX	1L5XX U1TD5	0.013	70.00	44 75	<u> </u>		1	45.00	ļ			₩
-		eroffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	UNCCC	15.61	72.60	41.75	ļ			15.20				₩
4 18"		C Currently Combined Network Elements Switch-As-Is Charge	enor	T /		UNCCC		5.43	5.43	 	-	 	15.20	1		-	₩
4-WI		4 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRAN	3PU	() (FF	UNCDX	UDL64	30.99	94.21	45.09	ļ			15.20				
_		64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64 UDL64	30.99	94.21 94.21	45.09 45.09	ļ		1	15.20 15.20	1		1	₩
-		64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09 45.09	l		1	15.20	 		1	
+		64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 peroffice Transport-Dedicated-4W 64 kbps combination-Per mi		3	UNCDX	1L5XX	0.013	94.21	45.09	 		1	15.20	 		1	
-		eroffice Transport-Dedicated-4W 64 kbps combination-Per mi eroffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	15.61	72.60	41.75	 		+	15.20	 			├
-		C Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC	10.61	5.43	5.43	1		1	15.20	-		 	+
DITION		ETWORK ELEMENTS			ONCDY	UNCCC	-	5.43	0.43	1		+	13.20	 		 	+
		ed as a part of a currently combined facility, the non-recurrng charges of	do no	t ann	v hut a Cwitch Ac I	e chargo dos	e annly			 	-	+	 	-		 	+
										<u> </u>		 	-			 	+
		ed as ordinarily combined network elements in All States, the non-recur				ICH AS IS Cha	rge does not.			<u> </u>		 	-			 	+
NKC		rently Combined Network Elements "Switch As Is" Charge (One applies	ιο ea	in coi		LINCCO		E 40	E 40	 		1	15.00	 		1	
-+-		C Currently Combined Network Elements Switch-As-Is Charge-2W/4W VG C Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps			UNCVX	UNCCC		5.43	5.43	<u> </u>		 	15.20			 	
-+-		C Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps C Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		5.43 5.43	5.43 5.43	<u> </u>		 	15.20 15.20			 	
		C Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC3X	UNCCC		5.43	5.43	<u> </u>		 	15.20			 	
																1	

UNBUND	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ΓES (\$)	I			d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	First	Disconnec Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
NOTE	ı E: Local Channel - Dedicated Transport - minimum billing period - Below D	S3=or	ne mor	th. DS3 and above=f	our months		11130	Auu	11100	Auu	COME	COMPAR	OOMAN	COMPAN	COMPAR	COMPAR
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	18.32	187.51	32.21								
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	19.41	187.94	32.63								
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	121.58	172.34					15.20				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	7.82										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	469.44	438.46	256.30				15.20				ļ
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	7.82						15.20				
	Local Channel-Dedicated-STS-1-Facility Term		1	UNCSX	ULDFS	457.22	438.46	256.30								ļ
	onal Features & Functions:		\vdash		+			-	<u> </u>	 	1	}				├
	FIPLEXERS	aliant-	rfoc -		+ -			1	1	 	1	1				
	: minimum billing period is one month for DS1 to DS0 Channel System and improvements in the minimum billing period is three months for DS3 to DS1 and above Chan			nd interfaces	+			-	1	 	 	 			 	₩
NOTE	Channelization-DS1 to DS0 Channel System	iei Sy	otem a	UXTD1	MQ1	105.09	88.41	60.76	1	1	1	15.20			-	
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.38	6.39		 	 	1	15.20				\vdash
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.96	6.39					15.20				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.6497	6.39					15.20				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	201.48	172.99	91.25				15.20				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	201.48	172.99	91.25				15.20				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	11.78	6.39	4.58				15.20				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.78	6.39									
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	11.78	6.39	4.58								
	ss to DCS - Customer Reconfiguration (FlexServ)															
Sub-l	Loop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.38	98.15									
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	167.83	98.15									
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS)		3	UNC1X	USBFG	469.87	98.15	61.77								
	ange Ports		1		+			-								
	E: Although the Port Rate includes all available features in LA, the desired	foatur	oe will	nood to be ordered i	icina rotail II	2002										
	RE VOICE GRADE LINE PORT RATES (RES)	leatui	es wiii	need to be ordered t	ising retail 0	3003										
2-111	Exchange Ports-2W Analog Line Port-Res.		1	UEPSR	UEPRL	1.52	2.31	2.21				15.20				-
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.52	2.31					15.20				
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with						51		1							
	Caller ID-Res.			UEPSR	UEPAS	1.52	2.31	2.21				15.20				
	Exchange Ports-2W VG unbundled LA Area Plus with Caller ID-Res (RUL)			UEPSR	UEPAG	1.52	2.31					15.20				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			UEPSR	UEPAP	1.52	2.31					15.20				
	Exchange Ports-2W VG LA Residence Dialing Plan w/o Caller ID			UEPSR	UEPWG	1.52	2.31					15.20				
	Exchange Ports-2W VG LA Residence Area Plus w/o Caller ID			UEPSR	UEPRQ	1.52	2.31					15.20				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.52	2.31					15.20				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				15.20				<u> </u>
	URES															ļ
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)			LIEDOD		4.50						45.00				
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus		\vdash	UEPSB	UEPBL	1.52	2.31	2.21	1	 	1	15.20				├
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			HEDOD	LIEDDO	4.50	0.01	0.01		1	1	45.00			1	
	Caller+E484 ID-Bus.		1	UEPSB UEPSB	UEPBC UEPBO	1.52 1.52	2.31 2.31	2.21	1	 	 	15.20 15.20			 	₩
	Exchange Ports-2W Analog Line Port outgoing only-Bus. Exchange Ports-2W VG unbundled LA extended local dialing parity Port with			UEPOB	UEPBU	1.52	∠.31	2.21	1	1	1	15.20			-	
	Caller ID-Bus.			UEPSB	UEPAX	1.52	2.31	2.21		1	1	15.20			1	1
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.52	2.31		<u> </u>	 	-	15.20				
	Exchange Ports-2W VG unbundled LA Bus Area Calling Port with Caller ID-			OLI OD	OLI DI	1.52	2.31	2.21	1	 	1	15.20		 		\vdash
	Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
-+	Exchange Ports-2W Voice LA Business Dialing Plan w/o Caller ID			UEPSB	UEPWH	1.52	2.31		1	1	1	15.20			 	\vdash
-+	Exchange Ports-2W Voice LA Business Area Calling Port w/o Caller ID			UEPSB	UEPBA	1.52	2.31		1	1	1	15.20			 	\vdash
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.52	2.31			†		15.20		i		—
	Subsgnt Activity			UEPSB	USASC	0.00	0.00			1	1	15.20	i e	t	1	1

	LED NETWORK ELEMENTS - Louisiana		, ,		,						•	•	Attachr			oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrecu First	ırring Add'l	NRC D First	isconnec Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
FFA ⁷	TURES						FIISL	Addi	FIISL	Auu i	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAI
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
EXC	HANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.52	30.37	14.42				15.20				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.52	30.37	14.42				15.20				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 2-Way PBX LA Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
-+	2W Vice Unbundled 2-Way PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports	 	\vdash	UEPSP UEPSP	UEPXA UEPXB	1.52 1.52	30.37 30.37	14.42 14.42				15.20 15.20				-
- 	2W Voice Unbundled PBX 10ii Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port	<u> </u>	+	UEPSP	UEPXC	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
1	2W Voice Unbundled 2-Way PBX LA Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
İ	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		\Box	UEPSP	UEPXM	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room		[l T											1
	Calling Port			UEPSP	UEPXO	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXS USASC	1.52 0.00	30.37 0.00	14.42 0.00				15.20 15.20				
EEAT	Subsqnt Activity TURES			UEPSP	USASC	0.00	0.00	0.00				15.20				
FLAI	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20				
EXC	HANGE PORT RATES (COIN)			02. 0. 02. 02	02. 1.	0.00	0.00	0.00				10.20				
	Exchange Ports-Coin Port					1.52	2.31	2.21				15.20				
NOTI	E: Transmission/usage charges associated with POTS circuit switched usa	age wil	ll also	apply to circuit switch	ed voice an	d/or circuit sv	vitched data tr	ansmission	by B-Ch	annels a	sociated	with 2W IS	DN ports.			
	E: Access to B Channel or D Channel Packet capabilities will be available	only th	rough	BFR/NBR Process. R	ates for the	packet capab	ilities will be o	determined v	ia the B	FR/NBR F	rocess.					
	ED LOCAL EXCHANGE SWITCHING(PORTS)															
EXC	HANGE PORT RATES															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.29	115.85	18.20				15.20				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD UEPTX UEPSX	UEPDD	68.47	196.18	92.92				15.20				
	Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered			UEPTX UEPSX	U1PMA		70.76	51.46								
					LIEDVE	10.07		0.00				15.20				
NOT		ago wil	l alco	UEPTX UEPSX	UEPVF	0.00	0.00	0.00	by B-Ch	annole a	esociatod		DN norte			
	E: Transmission/usage charges associated with POTS circuit switched usage:			UEPTX UEPSX apply to circuit switch	ed voice an	0.00 d/or circuit sv	0.00 vitched data tr	ansmission					DN ports.			
	E: Access to B Channel or D Channel Packet capabilities will be available			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R	ed voice an ates for the	0.00 d/or circuit sv packet capab	0.00 vitched data tr ilities will be o	ansmission letermined v					SDN ports.			
	E: Access to B Channel or D Channel Packet capabilities will be available Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX apply to circuit switch	ed voice an	0.00 d/or circuit sv	0.00 vitched data tr	ansmission					DN ports.			
NOTE	E: Access to B Channel or D Channel Packet capabilities will be available			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R UEPTX UEPSX	ed voice an ates for the U1UMA	0.00 d/or circuit sv packet capab 0.00	0.00 vitched data tr ilities will be o	ransmission determined v				with 2W IS	DN ports.			
UNBI	E: Access to B Channel or D Channel Packet capabilities will be available Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R UEPTX UEPSX	ed voice an ates for the U1UMA	0.00 d/or circuit sv packet capab 0.00	0.00 vitched data tr ilities will be o	ransmission determined v				with 2W IS	DN ports.			
UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R UEPTX UEPSX UEPEX	ed voice an ates for the U1UMA UEPEX UERAC	0.00 d/or circuit sv packet capab 0.00	0.00 vitched data tr ilities will be o	ansmission determined v 0.00 98.62 2.21				15.20	DN ports.			
UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN Port-Channel Profiles (Exchange Ports-4W ISDN DS1 Port UNDLED PORTS-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC	0.00 d/or circuit sw packet capab 0.00 94.82 1.52	0.00 vitched data tr ilities will be o 0.00 197.92 2.31 2.31	2.21 2.21				15.20 15.20	DN ports.			
UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R: UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERAC UERLC UERTE	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr ilities will be c 0.00 197.92 2.31 2.31 2.31	ansmission determined v 0.00 98.62 2.21 2.21 2.21				15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBU	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles (Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC	0.00 d/or circuit sw packet capab 0.00 94.82 1.52	0.00 vitched data tr ilities will be o 0.00 197.92 2.31 2.31	2.21 2.21				15.20 15.20	SDN ports.			
UNBU	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN Port-Channel Profiles [Exchange Ports-4W ISDN DS1 Port UNDLED PORTS-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Recurring			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr lilities will be c 0.00 197.92 2.31 2.31 2.31 2.31	2.21 2.21 2.21				15.20 15.20 15.20 15.20 15.20	SDN ports.			
UNBU	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles [Exchange Ports-4W ISDN DS1 Port UNDLED PORTS-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Recurring [Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R: UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERAC UERLC UERTE	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr ilities will be c 0.00 197.92 2.31 2.31 2.31	ansmission determined v 0.00 98.62 2.21 2.21 2.21				15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBU	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ued voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr lilities will be c 0.00 197.92 2.31 2.31 2.31 2.31 0.10	2.21 2.21 2.21 0.10				15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC)			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr lilities will be c 0.00 197.92 2.31 2.31 2.31 2.31	2.21 2.21 2.21				15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN DS1 Port UNDLED PORTWISDN DS1 Port UNDLED PREMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ued voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2	0.00 d/or circuit sv packet capab 0.00 94.82 1.52 1.52 1.52 1.52	0.00 vitched data tr lilities will be c 0.00 197.92 2.31 2.31 2.31 2.31 0.10 0.10	2.21 2.21 0.10 0.10				15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC)			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ued voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2	0.00 d/or circuit sw packet capab 0.00 94.82 1.52 1.52 1.52	0.00 vitched data tr lilities will be c 0.00 197.92 2.31 2.31 2.31 2.31 0.10	2.21 2.21 2.21 0.10				15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service-Area Calling-Bus			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2 USACC UERAC	0.00 d/or circuit sw packet capabion 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52	0.00 vitched data tr lilities will be e 0.00 197.92 2.31 2.31 2.31 2.31 0.10 0.10	ansmission 0.00 98.62 2.21 2.21 2.21 2.21 0.10 0.10				15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Unbundled Remote Call Forwarding Service-Onversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ued voice anates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2 USACC UERAC UUERAC UUERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UUER	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52 1.52 1.5	0.00 vitched data tr illities will be c 0.00 197.92 2.31 2.31 2.31 2.31 2.31 0.10 0.10 0.10	98.62 2.21 2.21 2.21 2.21 0.10 0.10 2.221 2.21 2.				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
UNBI UNBI UNBI	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the UTUMA UEPEX UERAC UERIC UERTE UERTE USACC UERAC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCR UERCR UERTE UERTR	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52 1.52 1.5	0.00 vitched data tr lilities will be e 0.00 197.92 2.31 2.31 2.31 0.10 0.10 2.31 2.31 2.31 2.31 2.31	98.62 2.21 2.21 2.21 0.10 0.10 2.21 2.21 2.2				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
NOTE UNBE UNBE UNBE	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN Port-Channel Profiles			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE UERTR USAC2 USACC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERAC UERTE	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52	0.00 vitched data tr illities will be c 0.00 197.92 2.31 2.31 2.31 2.31 0.10 0.10 2.31 2.31 2.31	ansmission letermined v 0.00 98.62 2.21 2.21 2.21 2.21 0.10 0.10 2.21 2.21				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
NOTE UNBE UNBE Non-	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN DST Port UNDLED PORTS-4W ISDN DST Port UNDLED PORTS-4W ISDN DST PORT UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, Expanded & Exception Local Calling Recurring			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE USACC UERC UERC UERC UERC UERC UERC UERC UE	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52 1.52 1.5	0.00 vitched data tr illities will be e 0.00 197.92 2.31 2.31 2.31 0.10 0.10 2.31 2.31 2.31 2.31 2.31 2.31	ansmission letermined v 0.00 98.62 2.21 2.21 2.21 0.10 0.10 2.21 2.21 2.2				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
NOTE UNBE UNBE UNBE	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-4W ISDN DS1 Port UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, IntraLATA-Res Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Local Calling-Bus Unbundled Remote Call Forwarding Service, Local Calling-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, IntraLATA-Bus Unbundled Remote Call Forwarding Service, IntraLATA-Bus Unbundled Remote Call Forwarding Service Expanded & Exception Local Calling Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	ed voice an ates for the UTUMA UEPEX UERAC UERIC UERTE UERTE USACC UERAC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCC UERCR UERCR UERTE UERTR	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52 1.52 1.5	0.00 vitched data tr lilities will be e 0.00 197.92 2.31 2.31 2.31 0.10 0.10 2.31 2.31 2.31 2.31 2.31	98.62 2.21 2.21 2.21 0.10 0.10 2.21 2.21 2.2				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			
NOTE UNBE UNBE UNBE	E: Access to B Channel or D Channel Packet capabilities will be available of Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN DST Port UNDLED PORTS-4W ISDN DST Port UNDLED PORTS-4W ISDN DST PORT UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service, InterLATA-Res Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed change (PIC & LPIC) UNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, InterLATA-Bus Unbundled Remote Call Forwarding Service, Expanded & Exception Local Calling Recurring			UEPTX UEPSX apply to circuit switch BFR/NBR Process. R. UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	ed voice an ates for the U1UMA UEPEX UERAC UERLC UERTE USACC UERC UERC UERC UERC UERC UERC UERC UE	0.00 d/or circuit sw packet capabi 0.00 94.82 1.52 1.52 1.52 1.52 1.52 1.52 1.52 1.5	0.00 vitched data tr illities will be e 0.00 197.92 2.31 2.31 2.31 0.10 0.10 2.31 2.31 2.31 2.31 2.31 2.31	ansmission letermined v 0.00 98.62 2.21 2.21 2.21 0.10 0.10 2.21 2.21 2.2				15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20 15.20	DN ports.			

Version 4Q02: 12/18/02 Page 152 of 324

JIADOIADE	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	TES (\$)			d Elec	Svc Order Submitte d	I Charge - Manual Svc Order	Manual Svc Order	al Charge - Manual Svc Order	Al Charg Manua Svc Ord
											per LSK	Manually per LSR		vs. Electronic-	vs. Electronic-	vs. Electron
						Rec	Nonrec			isconne				Rates (\$)		
F. 14	Office Outleting (Boot House)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Ena C	Office Switching (Port Usage) End Office Switching Function, Per MOU					0.001868										+
	End Office Switching Function, Fer MOU End Office Trunk Port-Shared. Per MOU				1	0.00018		+								+
Tando	em Switching (Port Usage) (Local or Access Tandem)					0.00010										+
	Tandem Switching Function Per MOU					0.0001067										
	Tandem Trunk Port-Shared, Per MOU					0.000222										
Comr	non Transport															
	Common Transport-Per mi, Per MOU					0.0000032										
IDIINDI E	Common Transport-Facilities Term Per MOU					0.0003748										
	D PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC and/or Comn	iooior	rulo t	a pravida Upbundlad	Local Curity	ahina ar Cwita	h Dorto	-			-					+
	res shall apply to the Unbundled Port/Loop Combination - Cost Based Ra							hundled Por	t section	of this F	xhihit					+
	Office and Tandem Switching Usage and Common Transport Usage rates in											Coin Port/I	oon Combi	nations.		+
	irst and add'l Port NRC charges apply to Not Currently Combined Combos															
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															1
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2		2			23.75										
	2W VG Loop/Port Combo-Zone 3		3			49.62			1							
	Loop Rates 2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77		+								+
	2W VG Loop (SL1)-Zone 1		2	UEPRX	UEPLX	22.39										+
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26										+
	e Voice Grade Line Port Rates (Res)		Ŭ	OLITO	OLI EX	40.20										+
	2W voice unbundled port-residence			UEPRX	UEPRL	1.36	38.85	19.08				15.20				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.36	38.85					15.20				1
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.36	38.85					15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPRX	UEPAS	1.36	38.85					15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08				15.20				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP UEPWG	1.36	38.85					15.20				+
	2W Voice Unbundled LA Residence Dialing Plan w/o Caller ID 2W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX UEPRX	UEPRQ	1.36 1.36	38.85 38.85					15.20 15.20				+
	2W voice unbundled Let Alea Flus Fort w/o Caller ID Capability			UEPRX	UEPRT	1.36	38.85					15.20				+
	URES			OLITOX	OLI ICI	1.00	00.00	10.00				10.20				+
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10		1			15.20				4
	2W VG Loop/Line Port Combination-Conversion-Switch with change TIONAL NRCs		\vdash	UEPRX	USACC		0.10	0.10	1	1	}	15.20	-	1	-	+
	2W VG Loop/Line Port Combination-Subsgnt Activity		$\vdash \vdash \vdash$	UEPRX	USAS2	0.00	0.00	0.00	1		1	15.20	 	1	-	+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			021100	33/102	0.00	0.00	0.00	1	1	1	70.20			1	1
	Port/Loop Combination Rates										1					1
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2		2			23.75									20.00	
	2W VG Loop/Port Combo-Zone 3		3			49.62										1
UNE	Loop Rates			HEDDY	LIEDLY											
-	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPBX UEPBX	UEPLX	11.77 22.39		 		-	1	-	-		-	+
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	48.26		+	1		1		 	1	-	+
	e Voice Grade Line Port (Bus)		-	OLI DA	OLI LA	70.20		+	-		1	-				+
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.36	38.85	19.08			1	15.20				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.36	38.85					15.20				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPBX	UEPAX	1.36	38.85					15.20				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.36	38.85					15.20				
\rightarrow	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85		ļ		1	15.20				↓
\rightarrow	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID		$\vdash \vdash$	UEPBX	UEPWH	1.36	38.85		1		1	15.20	-	1	1	₩
-+	2W voice unbundled LA Business Area Calling Port w/o Caller ID Capability 2W voice unbundled Incoming Only Port w/o Caller ID Capability		$\vdash \vdash$	UEPBX	UEPBA	1.36	38.85		 		 	15.20	-	 		+
	L NUMBER PORTABILITY			UEPBX	UEPBE	1.36	38.85	19.08			!	15.20		ļ		₩

Version 4Q02: 12/18/02 Page 153 of 324

UNBUND	DLED NETWORK ELEMENTS - Louisiana										1 -			ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	vs.	al Charge Manual Svc Orde vs.
					+	Rec	Nonrect First	urring Add'l	NRC D	Disconne Add'I	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35	11130	Addi	11100	Addi	COMILO	COMPAR	OOMAN	COMPAR	COMPAR	COMPAN
FEA	TURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.20				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPBX	USAC2		0.10	0.10	-			15.20				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX	USACC		0.10	0.10				15.20				
ADD	DITIONAL NRCs			OLI DX	00/100		0.10	0.10				10.20				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00				15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates		L .			10.10										
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	+	1			13.13 23.75			1	1	1		-		 	1
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	+	3			49.62		-	1	1	1	1	-	-	1	}
UNE	E Loop Rates	+	- 3			43.02		 	1	1	1	1	 	 	1	1
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	48.26				1					ļ	
2-W	ire Voice Grade Line Port Rates (RES - PBX) 2W VG Unbundled Combination 2-Way PBX Trunk Port-Res	-	1	UEPRG	UEPRD	1.36	66.91	24.20				15.20				
1.00	EAL NUMBER PORTABILITY			UEPRG	UEPRD	1.30	66.91	31.29				15.20				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20				
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is	-		UEPRG	USAC2		7.68	1.85				15.20				
ADD	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change	-		UEPRG	USACC		7.68	1.85				15.20	-		1	
ADL	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			02.110	00/102	0.00	7.11	7.11				15.20				
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	+	3		-	23.75 49.62				-						
LINE	E Loop Rates		3			49.62				-						
0.11	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	48.26										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)			LIEBBY .								4= 00				
-	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus		\vdash	UEPPX UEPPX	UEPPC UEPPO	1.36 1.36	66.91 66.91	31.29 31.29	1	 	1	15.20 15.20	 	 	 	-
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP0	1.36	66.91	31.29	1	1		15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port	1		UEPPX	UEPL2	1.36	66.91	31.29		1		15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		igsquare	UEPPX	UEPXB	1.36	66.91	31.29				15.20				
	2W Voice Unbundled PBX LD DDD Terminals Port		\vdash	UEPPX	UEPXC	1.36	66.91	31.29	1		 	15.20			<u> </u>	
	2W Voice Unbundled PBX LD Terminal Switchboard Port 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	+		UEPPX UEPPX	UEPXD UEPXE	1.36 1.36	66.91 66.91	31.29 31.29	1	1	1	15.20 15.20	-	-	 	
-	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port		\vdash	UEPPX	UEPXK	1.36	66.91	31.29	1	1	1	15.20	†	†	1	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative	1				50	22.01	2120								
	Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Por	t		UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			HEDDY	LIEDVO	4.00	20.01	04.00				45.00				
	Calling Port 2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port	-	\vdash	UEPPX UEPPX	UEPXO UEPXP	1.36 1.36	66.91 66.91	31.29 31.29	+	 	+	15.20 15.20	 		 	-
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port	+		UEPPX	UEPXS	1.36	66.91	31.29		 	+	15.20	-		 	
LOC	AL NUMBER PORTABILITY	1					00.01	020		<u> </u>	1	.0.20				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.20				
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00		1		15.20	i			

Version 4Q02: 12/18/02 Page 154 of 324

UNDUNDL	ED NETWORK ELEMENTS - Louisiana		1								Cura	Cura		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrect First	urring Add'l		isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.68	1.85	FIISL	Auu i	SOMEC	15.20	SOWAN	SOWAN	SOWAN	SOWA
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
	IONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11				15.20				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	ort/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2W VG Coin Port/Loop Combo – Zone 2		2			23.75 49.62										
	2W VG Coin Port/Loop Combo – Zone 3 oop Rates		3			49.62										
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77			1		1	1				\vdash
	2W VG Loop (SL1)-Zone 1		2	UEPCO	UEPLX	22.39			 							
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26										
	Voice Grade Line Ports (COIN)					0										
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				1
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.36	38.85	19.08				15.20				
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPRB	1.36	38.85	19.08				15.20				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPRN	1.36	38.85	19.08				15.20				
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
	2W Coin 2-Way Smartline with 900/976			UEPCO	UEPNA	1.36	38.85	19.08				15.20				
	2W Coin Outward Smartline with 900/976 TONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCB	1.36	38.85	19.08				15.20				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00		15.20				
	L NUMBER PORTABILITY			OLI CO	OKLOO	1.01	0.00	0.00	0.00	0.00		13.20				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		0.10	0.10				15.20				
	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.20				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (RES	3)													
	ort/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		2			26.87 51.98										
	oop Rates		3			31.90										-
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93			-			 				
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35					1	1			1	
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46										
	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-residence			UEPFR	UEPRL	1.52	104.41	67.93				15.20				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.52	104.41	67.93				15.20				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.52	104.41	67.93				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93				15.20				
	2W Voice Unbundled LA Residence Dialing Plan w/o Caller ID			UEPFR	UEPWG	1.52	104.41	67.93	ļ			15.20				
	OFFICE TRANSPORT			HEDED	LIATVO	20.00	20.00	00.00				45.00				
	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR UEPFR	U1TV2 1L5XX	22.60 0.013	39.36	26.62	 			15.20				1
FEAT			 	UEPFK	ILOXX	0.013			1		1	1				1
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00	 			15.20				1
	L NUMBER PORTABILITY			JEI I IX	321 VI	0.00	0.00	0.00			1	70.20				
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										1
	CHARGES (NRCs) - CURRENTLY COMBINED					2.00										
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-											Ì				
	Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		8.24	1.81				15.20				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (BU	S)						ļ							L
	Port/Loop Combination Rates		اجا						ļ							
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45		l	<u> </u>			1]	l	l	<u> </u>

Version 4Q02: 12/18/02 Page 155 of 324

UNBUND	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D First	isconnec		SOMAN		Rates (\$)	SOMAN	SOMAN
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	26.87	FIISL	Auu	FIISL	Auu i	JOWILL	JOWAN	SOWAN	JOWAN	JOWAN	JOWAN
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46										
2-Wii	re Voice Grade Line Port (Bus)				<u> </u>											
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.52	104.41	67.93				15.20				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.52	104.41	67.93				15.20				
	2W voice unbundled port outgoing only-bus			UEPFB UEPFB	UEPBO UEPAX	1.52 1.52	104.41 104.41	67.93 67.93				15.20 15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus 2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.52	104.41	67.93				15.20				
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93				15.20				
	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID		1	UEPFB	UEPWH	1.52	104.41	67.93				15.20				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.013										
FEAT	TURES															
NEO	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.20				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLFIB	USACZ		0.24	1.01				13.20				
	Switch with change			UEPFB	USACC		8.24	1.81				15.20				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.35										
2.1/1	2W VG Loop (SL2)-Zone 3 re Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	50.46		-								-
2-771	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.52	132.47	82.14				15.20				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.52	132.47	82.14				15.20				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	1.52	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14				15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD DDD Terminals Port		Ш	UEPFP	UEPXC	1.52	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>		UEPFP	UEPXD	1.52	132.47	82.14	ļ		ļ	15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	 	₩	UEPFP	UEPXE	1.52	132.47	82.14				15.20				<u> </u>
-	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port	 	├	UEPFP	UEPXK	1.52	132.47	82.14	1	1	 	15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	l		UEPFP	UEPXL	1.52	132.47	82.14			1	15.20			1	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14	 			15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			OLITI	OLI AWI	1.02	102.47	02.14				10.20				
	Calling Port	l		UEPFP	UEPXO	1.52	132.47	82.14			1	15.20			1	
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14	1			15.20				1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47					15.20				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.20				
INTE	ROFFICE TRANSPORT															ļ
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	22.60	39.36	26.62	<u> </u>			15.20				├
FF 4 3	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	<u> </u>	 	UEPFP	1L5XX	0.013			ļ			-				₩
FEA	TURES All Features Offered		1	UEPFP	UEPVF	0.00	0.00	0.00	 			15.20				
	CHARGES (NRCs) - CURRENTLY COMBINED		1	ULFFF	OLFVF	0.00	0.00	0.00		-	 	15.20	 	 	 	

Version 4Q02: 12/18/02 Page 156 of 324

UNDUNDL	ED NETWORK ELEMENTS - Louisiana					, ,									nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	В	cs	USOC		RATI	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
							Dee	Nonrecu	urring	NRC D	isconnec	t		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UE	PFP	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch with change			UE	PFP	USACC		8.24	1.81				15.20				
NBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	Port/Loop Combination Rates					1											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			1	23.20										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			1	33.62										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			1	58.73										
	_oop Rates					1											
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UE	PPX	UECD1	14.93						15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	ÜE	PPX	UECD1	25.35						15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 3		3		PPX	UECD1	50.46						15.20				
	Port Rate																
	Exchange Ports-2W DID Port			UE	PPX	UEPD1	8.27	217.95	83.92				15.20				
	CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UE	PPX	USAC1		7.10	1.81				15.20				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes				PPX	USA1C		7.10	1.81				15.20				
	TIONAL NRCs																
	2W DID Subsgnt Activity-Add Trunks, Per Trunk			UE	PPX	USAS1		26.01	26.01				15.20				
	hone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)			UF	PPX	NDT	0.00	0.00	0.00				15.20				
	Add'l DID Numbers for each Group of 20 DID Numbers				PPX	ND4	0.00	0.00	0.00				15.20				
	DID Numbers, Non-consecutive DID Numbers , Per Number				PPX	ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID numbers				PPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers				PPX	NDV	0.00	0.00	0.00				15.20				
	L NUMBER PORTABILITY			- 01		1.,5,	5.50	5.50	5.50								l
	Local Number Portability (1 per port)		\vdash	LIF	PPX	LNPCP	3.15	0.00	0.00								
2-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	RT		- 01			5.10	0.00	5.50								
	Port/Loop Combination Rates					1											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR	1	27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR	1	40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR	1	70.99										
	Loop Rates		Ť	320	32	1	. 0.00										
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09		i				15.20				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				1
	Port Rate		Ť	Ü D	<u> </u>	33227	32.30						.0.20				
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42				15.20				
	CHARGES - CURRENTLY COMBINED			020	J=K	52	0.00	.010	120.12				.0.20				l —
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-					1											l
	Conversion			HEPPR	UEPPR	USACB	0.00	37.40	26.23		l		15.20				l

MEGIND	LED NETWORK ELEMENTS - Louisiana		1			ı					Svc	Svc		ment: 2	Increment	bit: B
ATEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrecu First	urring Add'l	NRC D	isconne Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
ADD	ITIONAL NRCs						FIRST	Addi	FIISt	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								<u> </u>
B-CF	HANNEL USER PROFILE ACCESS:			OLITE OLITE	LIVI OX	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)														
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE				ļ											
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00		ļ	1					<u> </u>
VER.	TICAL FEATURES			HEDDD HEDGE	LIES /=	2.00			1	<u> </u>	-	/=				
1517	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00	1	 	-	15.20			1	
INTE	ROFFICE CHANNEL MILEAGE Interoffice Channel miage each, including first mi & facilities Term		1	UEPPB UEPPR	M1GNC	22.613	39.36	26.00	1	}	 	15.20	-		1	
								26.62								
4 18/1	Interoffice Channel miage each, Add'l mi RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEPPB UEPPR	M1GNM	0.013	0.00	0.00				15.20				
	Port/Loop Combination Rates	-			-											-
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP	1	180.52					<u> </u>					
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP	1	289.78					<u> </u>					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP	+	586.76										
UNF	Loop Rates		Ü	OLITI	1	000.70										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	94.82	443.08	251.60				15.20				
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-as-is			UEPPP	USACP	0.00	115.63	76.29				15.20				
ADD	ITIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.48	44.40				15.20				<u> </u>
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPP	PR7TO		11.18	11.18		1	1	15.20				-
1.00	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Numbers AL NUMBER PORTABILITY			UEPPP	PR7ZT		22.35	22.35				15.20				
LUC	Local Number Portability (1 per port)	-	1	UEPPP	LNPCN	1.75			1	 	+	-		 	 	\vdash
INTE	ERFACE (Provsioning Only)		1	UEPPP	LINPUN	1./5			1	}	+	-		 	}	├
IIVIE	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00	1	 	 					
+	Digital Data			UEPPP	PR71D	0.00	0.00	0.00	1	†	t	<u> </u>		 	1	
\dashv	Inward Data			UEPPP	PR71E	0.00	0.00	0.00	1	1	1	1				
New	or Additional "B" Channel				1	2.30	2.00	2.00	l –							
1.2.3	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11		1	1	1	15.20				
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CAL	L TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage				 							<u> </u>				<u> </u>
	Fixed Each Including First mi			UEPPP	1LN1A	70.7352	86.69	79.44		ļ		15.20				Ļ
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652			ļ	ļ						<u> </u>
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				<u> </u>				1							
UNE	Port/Loop Combination Rates		L_	LIEBBO	 	454.45			1	 	-	45.00			1	├
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC	 	154.17			1	 	-	15.20			1	
1	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2	1	2	UEPDC	1	263.43		1	1	1	1	15.20		ı	1	1

NATE REMEMENTS Name	NRONDE	ED NETWORK ELEMENTS - Louisiana				, ,								Attachr			oit: B
WRL Loop Rates	ATEGORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manua Svc Orde vs.
Web Cop Rates	\longrightarrow						Rec						SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
AVY DET Digital Logicy-IAF Zenia	UNE Lo	oop Rates						riist	Auu	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWIA
AV DST Digital Locay-LINE Zone 2 2 LEPPIC USUSC. 194.96 15.20 15				1	UEPDC	USLDC	85.70						15.20				
UNE FOR Rate				2	UEPDC	USLDC	194.96										
AW DOTS Option Trans Port 15.20	4	W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
NRC CHARGES - CURRENTLY COMBINED																	
4M OST Digital Logo/4W DDTS Trunk Port Combination Solvention with UEPDC USANA 128.75 66.08 15.20					UEPDC	UDD1T	68.47	441.34	245.90				15.20				
AW DST Option Long-W DOTTS Trunk Port Combination-Conversion with UEPDC USAWA 128.75 66.08 15.20					LIEBBO								4= 00				
DSI Changes UEPDC USWWA 125.75 65.08 15.20					UEPDC	USAC4		125.75	65.08				15.20				
AW DST LogoFW DDTIS Trunk Pert Combination-Conversion with UEPDC					LIEDDC	116 7/7/		125.75	65.09				15.20				
ADDITIONAL INSCS WW DST Loop AW DDTS Trunk Port-NRC-Subspirt Channel Activation/Chan-1	4	W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
AW DST LogolaW DDTS Trunk Port-Subsqnt Channel Activation/Chan-					UEPDC	USAWD		125.75	05.00	1			13.20				
2-Way Trunk Way Quitward Trunk Port-Subsqnt Channel Activation/Chan-1-			 							1		1	-				
Way Outward Trunk UEPDC UDTTB 14.06 14.06 15.20	2	2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
Inward Trunk wou DID UEPDC UDTTC 14.06 14.06 15.20	V	Nay Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
Inward Trunk with DID	Ir	nward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
DID w User Trans	In	nward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
BBZS-Superframe Format					UEPDC	UDTTE		14.06	14.06				15.20				
B8ZS-Extended Superframe Format	BIPOL/	AR 8 ZERO SUBSTITUTION															
AMI-Extended Superframe Format	В	38ZS-Superframe Format						0.00	605.00				15.20				
AMI-Superframe Format					UEPDC	CCOEF		0.00	605.00				15.20				
AMI-Extended SuperFrame Format UEPDC MOOPO 0.00 0.00 0.00					LIEBBO	110005											
Telephone Number for 1-Way Trunk Group																	
Telephone Number for 1-Way Tunk Group					UEPDC	WICOPU		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGZ 0.00 15.20					UEPDC	UDTGX	0.00						15.20				
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00 15.20 DID Numbers, Non-consecutive DID Numbers UEPDC ND5 0.00 15.20 ND5 0.00 15.20 ND5 0.00 ND					UEPDC												
DID Numbers, Non-consecutive DID Numbers , Per Number UEPDC ND5 0.00 15.20	Т	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.20				
Reserve Non-Consecutive DID Nos.																	
Reserve DID Numbers																	
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			on wit	h 4-W		NDV	0.00	0.00	0.00				13.20				
Interoffice Channel miage-Add'l rate per mi-0-8 mis			op witi	4-44		1LNO1	70 47	86 69	79 44				15.20				
Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)													.0.20				l
Interoffice Channel miage-Add'l rate per mi-9-25 mis																	
Interoffice Channel miage-Add'l rate per mi-25+ mis	lr	nteroffice Channel miage-Add'l rate per mi-9-25 mis															
Local Number Portability, per DS0 Activated										0.00							
Central Office Termininating Point			<u> </u>							0.00							<u> </u>
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop-UNE Zone 1								0.00	0.00	0.00	-		-				
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop UNE DS1 Loop USLDC 85.70 0.00 0.00 15.20 USLDC 4W DS1 Loop-UNE Zone 2 2 UEPMG USLDC 194.96 0.00 0.00 15.20 USLDC 4W DS1 Loop-UNE Zone 3 3 UEPMG USLDC 491.94 0.00 0.00 15.20 UNE DS0 Channelization Capacities (D4 Channel Bank Configurations) UEPMG VUM24 97.35 0.00 0.00 15.20 USLDC 49 DS0 Channel Capacity-1 per DS1 UEPMG VUM48 194.70 0.00 0.00 15.20 UEPMG USLDC U			1		UEPDU	CIG	0.00			1	1	1	-				1
Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop										1		1					1
UNE D\$1 Loop			umber	of po	rts used					1		1					
AW DS1 Loop-UNE Zone 2 2 UEPMG USLDC 194.96 0.00 0.00 15.20	UNE DS	S1 Loop															
AW DS1 Loop-UNE Zone 3 3 UEPMG USLDC 491.94 0.00 0.00 15.20				1													
UNE DSO Channelization Capacities (D4 Channel Bank Configurations) UEPMG VUM24 97.35 0.00 0.00 15.20										ļ							ļ
24 DSO Channel Capacity-1 per DS1 UEPMG VUM24 97.35 0.00 0.00 15.20 48 DSO Channel Capacity-1 per 2 DS1s UEPMG VUM48 194.70 0.00 0.00 15.20 96 DSO Channel Capacity-1 per 4 DS1s UEPMG VUM96 389.40 0.00 0.00 15.20				3	UEPMG	USLDC	491.94	0.00	0.00	<u> </u>			15.20				ļ
48 DSO Channel Capacity-1 per 2 DS1s UEPMG VUM48 194.70 0.00 0.00 15.20 96 DSO Channel Capacity-1per 4 DS1s UEPMG VUM96 389.40 0.00 0.00 15.20			 		LIEDMC	V/UMO4	07.25	0.00	0.00	1	1	1	15.00				1
96 DSO Channel Capacity-1per 4 DS1s UEPMG VUM96 389.40 0.00 0.00 15.20										 		-					-
			 							1	1	1					1
		144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00	1		1	15.20				1
192 DS0 Channel Capacity -1 per 8 DS1s																	1
240 DS0 Channel Capacity-1 per 10 DS1s UEPMG VUM20 973.50 0.00 0.00 15.20																	
288 DS0 Channel Capacity-1 per 12 DS1s UEPMG VUM28 1,168.20 0.00 0.00 15.20 384 DS0 Channel Capacity-1 per 16 DS1s UEPMG VUM38 1,557.60 0.00 0.00 15.20	2	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				

Version 4Q02: 12/18/02 Page 159 of 324

INBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
											Svc	Svc			Increment	
											Order	Order	I Charge -	I Charge -	al Charge -	al Charge
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual
ATEGORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			d Elec	d		Svc Order		
		m	е									Manually		vs.	vs.	vs.
											per Loix			_	Electronic-	1
												por Lore			Licotronio	Licotionic
						Rec	Nonrecu			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20	<u> </u>			
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				L
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliz												└			
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and															
Multi	ples of this configuration functioning as one are considered Add'l after th	e mini	mum s										└			
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				
	em Additions at End User Locations Where 4-Wire DS1 Loop with Channel			Port Combination Cur	rently Exists	and							├			
New ((Not Currently Combined) in all states, except in Density Zone 1 of Top 8 N	ISA's	1										├			
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea												i			
	Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20	├			
Bipol	ar 8 Zero Substitution		1		00005							1= 00	├			
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20	⊢	├	+	
A14.	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only		 	UEPMG	CCOEF	0.00	0.00	605.00				15.20		├	+	├
Alteri	nate Mark Inversion (AMI)		1	UEPMG	MCOSF	0.00	0.00	0.00				 			+	
	Superframe Format			UEPMG		0.00	0.00	0.00				ļ	└			
	Extended Superframe Format	_		UEPIVIG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Por	τ	-		+									├	+	
Exch	ange Ports Line Side Combination Channelized PBX Trunk Port-Business		-	UEPPX	UEPCX	4.50	0.00	0.00	0.00	0.00		45.00		├	+	
	Line Side Combination Channelized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business		1	UEPPX	UEPOX	1.52 1.52	0.00	0.00	0.00	0.00		15.20 15.20			+	├
	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID		-	UEPPX	UEP1X		0.00		0.00	0.00				├	+	
	2W Trunk Side Unbundled Channelized DID Trunk Port		1	UEPPX	UEPDM	1.52 8.29	0.00	0.00	0.00	0.00		15.20 15.20			+	├
_	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, &		1	UEFFA	UEPDINI	0.29	0.00	0.00	0.00	0.00		13.20			+	-
	TN)(Conversion from Network Access Service)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00		15.20	ĺ			
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,		1	ULFFX	OLFCI	1.32	0.00	0.00	0.00	0.00		13.20				
	MS, & TN) (Conversion from Network Access Service)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00		15.20	i			
-	Unbundled Exchange Ports, 2W Channelized-Outdial-LA Only-Calling Plan			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00		15.20	 		+	
-	Unbundled Exchange Ports, 2W Channelized-2Way-LA Only-Calling Plan			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00		15.20	 		+	
Featu	re Activations - Unbundled Loop Concentration			OLITA	021 00	1.02	0.00	0.00	0.00	0.00		10.20			+	†
, out	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20			1	
Telep	hone Number/ Group Establishment Charges for DID Service														1	
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				15.20	(
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20	(
Local	Number Portability															
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only			<u> </u>												
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	D PORT LOOP COMBINATIONS - MARKET RATES															
	et Rates shall apply where BellSouth is not required to provide unbundled	local	switch	ing or switch ports p	er FCC and/	or Commissio	n rules.									
	includes:														↓	
	indled port/loop combinations that are Currently Combined or Not Current															L
	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami)															
	outh currently is developing the billing capability to mechanically bill the				n this sectio	n. In the inter	rim where Bell	South canno	ot bill Ma	arket Rate	es, BellSo	uth shall b	III the rates	n the Cost-	Based section	on
	eding in lieu of the Market Rates and reserves the right to true-up the billin		rence.													
	Market Rate for unbundled ports includes all available features in all states													<u> </u>	<u> </u>	
1	Office and Tandem Switching Usage and Common Transport Usage rates i	n the F	Port se	ction of this rate exhi	bit shall app	ly to all comb	inations of lo	op/port netw	ork eler	nents exc	ept for U	NE Coin P	ort/Loop Co	mbinations	which have	a flat rate
Ena (
usage	e charge (USOC: URECU).															
usage For N	e charge (USOC: URECU). lot Currently Combined scenarios the NRC charges are listed in the First a may apply also and are categorized accordingly.	nd Ad	ditiona	al NRC columns for ea	ch Port USC	C. For Curre	ntly Combined	scenarios,	the NRC	charges	are listed	in the NR	: - Currently	Combined	section. Ad	ditional

Version 4Q02: 12/18/02 Page 160 of 324

CHECHADE	ED NETWORK ELEMENTS - Louisiana				1 1						Svc	Svc		ment: 2 Incrementa		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			'ES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonreci First	urring Add'l	NRC D	isconnec		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)						11130	Addi	11100	Auu	COME	COMPAN	COMPAR	COMPAR	JOINIAIT	COMIA
UNE	Port/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			25.77										
	2W VG Loop/Port Combo-Zone 2		2			36.39										
	2W VG Loop/Port Combo-Zone 3		3			62.26										
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	22.39			1							
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26										†
	e Voice Grade Line Port (Res)			02.100	OL: EX	10.20										†
	2W voice unbundled port-residence			UEPRX	UEPRL	14.00	90.00	90.00				15.20				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				15.20				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				15.20				I
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPRX	UEPAS	14.00	90.00	90.00				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	14.00	90.00	90.00	 		1	15.20				1
	2W voice unbundled LA Area Plus with Caller ID-res (AC7)		\sqcup	UEPRX	UEPAH	14.00	90.00	90.00	<u> </u>		<u> </u>	15.20				
	2W voice unbundles res, low usage line port with Caller ID (LUM)		\vdash	UEPRX UEPRX	UEPAP	14.00 14.00	90.00 90.00	90.00	1	1	1	15.20 15.20			-	+
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled LA Area Plus Port w/o Caller ID Capability		\vdash	UEPRX	UEPRT UEPRQ	14.00 14.00	90.00	90.00	 		1	15.20 15.20				+
LOCA	L NUMBER PORTABILITY			ULFRA	ULFNQ	14.00	90.00	90.00				13.20				+
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										_
FEAT	URES															1
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-as-is			UEPRX	USAC2		41.50	41.50				15.20				
	2W VG Loop/Line Port Combination-Switch with change FIONAL NRCs			UEPRX	USACC		41.50	41.50				15.20				
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00				15.20				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			25.77 36.39										
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3			62.26					-					
LINE	Loop Rates		3			62.26										+
- OITE	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.77										_
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	22.39					1					†
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	48.26										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus		\Box	UEPBX	UEPBL	14.00	90.00	90.00				15.20				
	2W voice unbundled port with Caller + E484 ID-bus		\sqcup	UEPBX	UEPBC	14.00	90.00	90.00	 		1	15.20				1
	2W voice unbundled port outgoing only-bus		\sqcup	UEPBX	UEPBO	14.00	90.00	90.00	<u> </u>		<u> </u>	15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus		\vdash	UEPBX UEPBX	UEPAX UEPAA	14.00 14.00	90.00	90.00	1	1	1	15.20 15.20			1	+
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC) 2W voice unbundled Incoming Only Port w/o Caller ID Capability		\vdash	UEPBX	UEPAA	14.00 14.00	90.00	90.00	 		1	15.20 15.20				+
	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID		\vdash	UEPBX	UEPWH	14.00	90.00	90.00	1		1	15.20			-	+
	2W voice unbundled LA Business Area Calling Port w/o Caller ID Capability		\vdash	UEPBX	UEPBA	14.00	90.00	90.00	1	1	1	15.20				†
	L NUMBER PORTABILITY						22.30	55.50	1			.0.20				†
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			1							1
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50				15.20				
	2W VG Loop/Line Port Combination-Switch with change		$oxed{\Box}$	UEPBX	USACC		41.50	41.50			<u> </u>	15.20				
	FIONAL NRCs		\sqcup		116:55				 		1					1
	NRC-2W VG Loop/Line Port Combination-Subsqnt		\vdash	UEPBX	USAS2		0.00	0.00	 		1	15.20				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) Port/Loop Combination Rates		\vdash					-	-	-	1				-	1
UNE	2W VG Loop/Port Combo-Zone 1		1		+ +	25.77										\vdash
	2W VG Loop/Port Combo-Zone 1		2			36.39		 	1		1				-	+
-+	2W VG Loop/Port Combo-Zone 3		3		+	62.26		-	 		 				1	

OMBOMDI	LED NETWORK ELEMENTS - Louisiana										Svc	Svc		ment: 2 Incrementa		bit: B Incremen
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)	T		Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
UNF	Loop Rates						FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWAN
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	11.77		1								
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	48.26										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				15.20				
	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15		ļ								
NRC	CHARGES - CURRENTLY COMBINED							44.50				4= 00				
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG UEPRG	USAC2 USACC		41.50 41.50			1		15.20 15.20				
ADDI	2W VG Loop/Line Port Combination-Switch with Change TIONAL NRCs			UEPRG	USACC		41.50	41.50				15.20				
ADDI	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC				_		0.00	0.00				15.20				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64					15.20			1	-
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1		-		14.04	14.04				13.20				
	Port/Loop Combination Rates							1								
0.12	2W VG Loop/Port Combo-Zone 1		1			25.77		1								
	2W VG Loop/Port Combo-Zone 2		2			36.39										
	2W VG Loop/Port Combo-Zone 3		3			62.26										1
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	11.77										1
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	48.26										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00					15.20				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00					15.20				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPPX	UEPL2	14.00	20.00	00.00				15.20				
	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPLD UEPXA	14.00 14.00	90.00					15.20 15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00					15.20			1	-
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00					15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00					15.20				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00					15.20				
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXK	14.00	90.00					15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.20				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00	<u> </u>	<u> </u>	1	15.20				
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port		$oxed{\Box}$	UEPPX	UEPXP	14.00	90.00				<u> </u>	15.20				1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		\sqcup	UEPPX	UEPXS	14.00	90.00	90.00	 	 	1	15.20				↓
LOCA	AL NUMBER PORTABILITY			LIESSY.	11,505	2.1-			<u> </u>	<u> </u>	ļ					1
	Local Number Portability (1 per port)		\vdash	UEPPX	LNPCP	3.15	0.00	0.00	ļ	ļ	1	}	1	1		
	All Features Offered		\vdash	UEPPX	UEPVF	0.00	0.00	0.00	 	 	-	15.20				
	PAIL FEATURES OTTERED CHARGES - CURRENTLY COMBINED		\vdash	UEPPA	UEPVF	0.00	0.00	0.00	 	 	1	15.20				┼──
NING	2W VG Loop/Line Port Combination-Switch-As-Is		\vdash	UEPPX	USAC2		41.50	41.50			-	15.20				
	2W VG Loop/Line Port Combination-Switch with Change		\vdash	UEPPX	USACC		41.50		 	 	 	15.20	 	 		
ADDI	TIONAL NRCs			OLITA	00,100		71.50	41.50				10.20				
1.231	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00				15.20				†
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00					15.20				t
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64		1	1		15.20				1
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			25.77										
	2W VG Coin Port/Loop Combo – Zone 2		2			36.39										
	2W VG Coin Port/Loop Combo – Zone 3		3			62.26										

UNDUNDL	ED NETWORK ELEMENTS - Louisiana		1		1 1						Svc	Svc		nent: 2 Incrementa		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			'ES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrect First	urring Add'l	NRC D	isconnec		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
UNE I	Loop Rates				+		Filst	Auu	FIISL	Auu	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOINA
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26										
2-Wire	e Voice Grade Line Port Rates (Coin)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	14.00	90.00	90.00				15.20				
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	14.00	90.00	90.00				15.20				
	2W Coin 2-Way with Oper Screening & 011 Blocking		$oxed{\Box}$	UEPCO	UEPRB	14.00	90.00	90.00				15.20				
	2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+, &		$oxed{\Box}$	UEPCO	UEPCD	14.00	90.00	90.00				15.20				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPRN	14.00	90.00	90.00		ļ		15.20				<u> </u>
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPLA	14.00	90.00	90.00				15.20				1
	2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	14.00	90.00	90.00		ļ		15.20				<u> </u>
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCN	14.00	90.00	90.00				15.20				<u> </u>
LOCA	L NUMBER PORTABILITY									ļ						1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CHARGES - CURRENTLY COMBINED			LIEBOO	110100			44.50				1= 00				
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50				15.20				
	2W VG Loop/Line Port Combination-Switch with Change			UEPCO	USACC		41.50	41.50				15.20				
	FIONAL NRCs			LIEDOO	110400		0.00	0.00				15.20				
	2W VG Loop/Line Port Combination-Subsqnt E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POP	T /DE	-\	UEPCO	USAS2		0.00	0.00				15.20				
	Port/Loop Combination Rates	(I (KE)													
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			28.93										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		2		+	39.35		-				 			-	+
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	64.46										-
	Loop Rates		3		+	04.40										-
ONE I	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93										+
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35										-
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46										
	e Voice Grade Line Port Rates (Res)		Ü	OLITIK	02012	00.40										
	2W voice unbundled port-residence			UEPFR	UEPRL	14.00	135.00	90.00				15.20				
_	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	135.00	90.00				15.20				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	135.00	90.00				15.20				
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPFR	UEPAS	14.00	135.00	90.00				15.20				
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPFR	UEPAG	14.00	135.00	90.00				15.20				1
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	135.00	90.00				15.20	İ			1
	2W Voice Unbundled LA Residence Dialing Plan w/o Caller ID			UEPFR	UEPWG	14.00	135.00	90.00				15.20				†
INTER	ROFFICE TRANSPORT															1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.013										
FEAT	URES				ĺ											
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		l I		1 7			_		1						
	Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-With-Change]	UEPFR	USACC		8.24	1.81				15.20				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POR	T (BU	S)													1
	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		1	28.93										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			39.35										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			64.46										
	_oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35										
i	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46										

ומאוסמאיט	LED NETWORK ELEMENTS - Louisiana	1	, ,								_		Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)			•	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
		-			-	Rec	Nonreci First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
2-Wi	I e Voice Grade Line Port (Bus)				-		FIISL	Addi	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SUNA
	2W voice unbundled port w/o Caller ID-bus	1		UEPFB	UEPBL	14.00	135.00	90.00				15.20				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	14.00	135.00	90.00				15.20				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	135.00	90.00				15.20				†
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPFB	UEPAX	14.00	135.00	90.00				15.20				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	14.00	135.00	90.00				15.20				
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	14.00	135.00	90.00				15.20				
	2W Voice Unbundled LA Business Dialing Plan w/o Caller ID			UEPFB	UEPWH	14.00	135.00	90.00				15.20				
LOC/	AL NUMBER PORTABILITY														Ļ'	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									ļ'	
INTE	ROFFICE TRANSPORT			LIEDED	11477.00	00.00	00.00	00.00				45.00				
-	Interoffice Transport-Dedicated-2W VG-Facility Term	1		UEPFB	U1TV2	22.60	39.36	26.62	-		-	15.20				₩
EE A T	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi TURES	+	\vdash	UEPFB	1L5XX	0.013		 	-	-	-	-			$\vdash \vdash \vdash$	├
FEAT	All Features Offered	+		UEPFB	UEPVF	0.00	0.00	0.00	-	-	-	15.20			\vdash	₩
NRC	CHARGES (NRCs) - CURRENTLY COMBINED	+		OLFID	OLF VI	0.00	0.00	0.00			 	10.20			\vdash	-
14110	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1														
	Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20			, ,	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			025	007.02		0.2.					10.20				<u> </u>
	Switch with change			UEPFB	USACC		8.24	1.81				15.20			,	
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			28.93										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			39.35										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			64.46									Ļ'	ļ
UNE	Loop Rates														L'	
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3	-	3	UEPFP UEPFP	UECF2 UECF2	25.35 50.46										
2-Wi	e Voice Grade Line Port Rates (BUS - PBX)	+	3	UEFFF	UECF2	50.46									$\vdash \vdash \vdash$	-
2-7711	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	+		UEPFP	UEPPC	14.00	132.47	82.14				15.20			\vdash	
_	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	132.47	82.14				15.20			\vdash	
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	14.00	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	132.47	82.14				15.20				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	132.47	82.14				15.20				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	132.47	82.14				15.20				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	132.47	82.14				15.20			Ļ'	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	132.47	82.14				15.20			ļ'	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPFP	UEPXE	14.00	132.47	82.14				15.20			└─ ─	
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port	+		UEPFP	UEPXK	14.00	132.47	82.14				15.20			├ ──	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	132.47	82.14				15.20			, ,	
_	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	132.47	82.14				15.20				
_	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room	1		OLITI	OLI XIVI	14.00	132.47	02.14				13.20				†
	Calling Port			UEPFP	UEPXO	14.00	132.47	82.14				15.20			, ,	
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port	1		UEPFP	UEPXP	14.00	132.47	82.14				15.20				T
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	132.47	82.14				15.20				
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00				15.20				
INTE	ROFFICE TRANSPORT															<u> </u>
	Interoffice Transport-Dedicated-2W VG-Facility Term	1		UEPFP	U1TV2	22.60	39.36	26.62				15.20			└	ļ
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	1		UEPFP	1L5XX	0.013										├
FEAT	TURES	1		HEDED	HEDVE	0.00	0.00	0.00	-		-	15.00				├
NDC	All Features Offered CHARGES (NRCs) - CURRENTLY COMBINED	1-		UEPFP	UEPVF	0.00	0.00	0.00			 	15.20			$\vdash \vdash \vdash$	
NIC	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	+			1 1											\vdash
1	Switch-as-is	1		UEPFP	USAC2		8.24	1.81				15.20			ı '	
+															 -	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFP	USACC		8.24	1.81				15.20				
INBUNDLE	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-						8.24									

Version 4Q02: 12/18/02 Page 164 of 324

PINDOND	LED NETWORK ELEMENTS - Louisiana														ment: 2		bit: B
CATEGORY	rate elements	Interi m	Zon e	В	cs	USOC		RAT	'ES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonrec			isconnec		COMAN		Rates (\$)	COMAN	COMAI
LIME	Port/Loop Combination Rates							First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	-	1				50.93		-								+
_	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 1		2				61.35										
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 2		3				86.46										
UNE	Loop Rates						00.40										
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UE	PPX	UECD1	14.93						15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX	UECD1	25.35						15.20				
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UE	PPX	UECD1	50.46						15.20				1
UNE	Port Rate																1
	Exchange Ports-2W DID Port			UE	PPX	UEPD1	36.00	600.00	45.00				15.20				
NRC	CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs only			UE	PPX	USAC1		100.00	42.50	ļ			15.20				<u> </u>
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes	1			DD 1/										1		1
	Top 8 MSAs only	<u> </u>		UE	PPX	USA1C		100.00	42.50	<u> </u>			15.20				
ADD	ITIONAL NRCs	!	1		DDV	110 4 0 4		45.00	45.00	 	1	1	15.00				
Tala	2W DID Subsqnt Activity-Add Trunks, Per Trunk phone Number/Trunk Group Establisment Charges	!	1	UE	PPX	USAS1		45.00	45.00	 	1	1	15.20				
reie		-			DDV	NDT	0.00	0.00	0.00				45.00				
	DID Trunk Term (One Per Port) Add'l DID Numbers for each Group of 20 DID Numbers				PPX PPX	NDT ND4	0.00	0.00	0.00				15.20 15.20				
_	DID Numbers, Non-consecutive DID Numbers , Per Number	1			PPX	ND5	0.00	0.00	0.00				15.20				
_	Reserve Non-Consecutive DID numbers				PPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers				PPX	NDV	0.00	0.00	0.00				15.20				-
LOC	AL NUMBER PORTABILITY	+			117	1457	0.00	0.00	0.00				10.20				1
	Local Number Portability (1 per port)			UE	PPX	LNPCP	3.15	0.00	0.00								
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE P	ORT															
UNE	Port/Loop Combination Rates																1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		84.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		96.95										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		127.60										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				
UNE	Port Rate	-		UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
NDC	Exchange Port-2W ISDN Line Side Port CHARGES - CURRENTLY COMBINED	-		UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
INIC	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-	+															
	Conversion-Top 8 MSAs only			LIEPPR	UEPPR	USACB	0.00	230.00	230.00				15.20				
ADD	ITIONAL NRCs			OLITE	OLITIK	OUNOD	0.00	200.00	200.00				10.20				
	AL NUMBER PORTABILITY																1
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-Cl-	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & T	N)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
1105	CSD R TERMINAL PROFILE	!	1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	 	1	1					
USE	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 	-	-	-		-		├──
VED	TICAL FEATURES	1	1	UEPPB	UEPPK	UTUIVIA	0.00	0.00	0.00	 	-	-	-		-		├──
VER	All Vertical Features-One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	 		1	15.20				
INTE	ROFFICE CHANNEL MILEAGE	 	1	OFLED	OLFFIN	OFL AL.	0.00	0.00	0.00	 		<u> </u>	13.20		 		
11316	Interoffice Channel miage each, including first mi & facilities Term	1		UEPPR	UEPPR	M1GNC	22.613	39.36	26.62		†	t	15.20		1		
	Interoffice Channel miage each, Add'l mi	1		UEPPB		M1GNM	0.013	0.00	0.00				15.20				†
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	1															1
	Port/Loop Combination Rates	1															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UE	PPP		935.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2		PPP		1,044.96										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UE	PPP		1,341.94					1					
	Loop Rates																

Version 4Q02: 12/18/02 Page 165 of 324

OUROUDE	ED NETWORK ELEMENTS - Louisiana	1	, ,											ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)				Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	85.70	FIISL	Auu i	FIISL	Auu	SOWIEC	15.20	SOWAN	SOWAN	JOWAN	JOWAN
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
UNE I	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.20				
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00				15.20				
ADDI	TIONAL NRCs	<u> </u>	1		55=75		0.10					4= 00				
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos	-	1	UEPPP UEPPP	PR7TF PR7TO		0.48 11.18	44.40				15.20 15.20				
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos		1	UEPPP	PR7TU PR7ZT			11.18 22.35				15.20				
1004	L NUMBER PORTABILITY	1	+	ULFFF	FR/ZI		22.35	22.33	1	-	1	15.20	 	 		
LUCA	Local Number Portability (1 per port)	\vdash	+	UEPPP	LNPCN	1.75		 	 			1	 	 		
INTE	RFACE (Provsioning Only)	1	+	ULFFF	LIAL OIA	1.75			 							
114121	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
1	Digital Data			UEPPP	PR71D	0.00	0.00	0.00						†		
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								ļ
	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00								
Interc	ffice Channel Mileage		1	LIEDDD	41.514.6	70 7500	00.00	70.44				45.00				ļ
	Fixed Each Including First mi Each Airline-Fractional Add'l mi		-	UEPPP UEPPP	1LN1A 1LN1B	70.7532 0.2652	86.69	79.44				15.20				
4-WIE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1	UEPPP	ILNID	0.2652										
	Port/Loop Combination Rates		1													
O.V.L	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		154.17						15.20				<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		560.41						15.20				<u> </u>
	_oop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
	Port Rate															
	4W DDITS Digital Trunk Port	<u> </u>	$\downarrow \downarrow \downarrow$	UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00	ļ	15.20			ļ	
NRC	CHARGES - CURRENTLY COMBINED	<u> </u>	$\downarrow \downarrow \downarrow$						ļ		ļ				ļ	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8	1		LIEBBO	110.404		405	05.00				45.00			1	
	MSAs only	1	+	UEPDC	USAC4		125.75	65.08	 	 	1	15.20	-	-		-
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08		l		15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with		+	UEFDC	USAWA		125.75	80.08	 	 		15.20				
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08		l		15.20				
ADDI	FIONAL NRCs		+	OLI DO	00/1170		120.70	55.56		 	1	10.20				
7.231	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-															
	2-Way Trunk	1		UEPDC	UDTTA		14.06	14.06	1			15.20			1	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		14.06	14.06	<u> </u>	<u> </u>		15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-									l						
	Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way	1							1						1	
	DID w User Trans	<u> </u>	\vdash	UEPDC	UDTTE		14.06	14.06	 	 		15.20				
	LAR 8 ZERO SUBSTITUTION	 	+	LIEDDO	00005		0.00	COE CO	 	 	ļ	45.00				
	B8ZS-Superframe Format	1	+	UEPDC	CCOSF		0.00	605.00	 	 	1	15.20	-	-		-
	B8ZS-Extended Superframe Format	_	\vdash	UEPDC	CCOEF		0.00	605.00	 	 	!	15.20	1	1	ļ	ļ
Aiterr	ate Mark Inversion	1	1					1			<u> </u>	1			l	

Version 4Q02: 12/18/02 Page 166 of 324

MOUNDE	ED NETWORK ELEMENTS - Louisiana											_		ment: 2		bit: B
											Svc	Svc	Incrementa	Incrementa		
											Order	Order	I Charge -	I Charge -	al Charge -	al Char
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Or
		•••									per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electro
												F				
						Rec	Nonrecu			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								<u> </u>
	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.20				<u> </u>
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				4
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				4
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
	cated DS1 (Interoffice Channel Mileage) -															
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	stem can have various rate combinations based on type and number of por	ts use	d													
	DS1 Loop															<u> </u>
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliz															↓
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and															
	ples of this configuration functioning as one are considered Add'l after the	e minii	mum s	ystem configuration	is counted.											
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-								l						1	
	Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				<u> </u>
	em Additions Where Currently Combined and New (Not Currently Combine	d)														
	nsity Zone 1 Top 8 MSAs		ı T		1											

	LED NETWORK ELEMENTS - Louisiana												Attachr	nent: 2	Exhil	oit: B
CATEGORY	rate elements	Interi m	Zon e	BCS	USOC			ES (\$)	LNDOD	visconnec	Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs.	Incremen al Charge Manual Svc Orde vs.
			1			Rec	Nonrect First	arring Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
Bino	lar 8 Zero Substitution		+				FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
2.50	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nange Ports Associated with 4-Wire DS1 Loop with Channelization with Po	rt														
Exch	nange Ports			HEDDY	LIEBOY	44.00	0.00	0.00				45.00				
	Line Side Combination Channelized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business	-		UEPPX UEPPX	UEPCX	14.00 14.00	0.00	0.00				15.20 15.20				
	Line Side Outward Charmelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00				15.20				
	2W Trunk Side Unbundled Channelized DID Trunk Port		+	UEPPX	UEPDM	36.00	0.00	0.00				15.20				
	Unbundled Exchange Ports, 2W Channelized-Outdial			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized-Combination			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized-Outdial-LA Only-Calling Plan			UEPPX	UEPC2	14.00	0.00	0.00	0.00	0.00		15.20				
	Unbundled Exchange Ports, 2W Channelized-2Way-LA Only-Calling Plan			UEPPX	UEPC3	14.00	0.00	0.00	0.00	0.00		15.20				
Featu	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	110.00	30.00				15.20				
Telep	phone Number/ Group Establishment Charges for DID Service			HEDDY	NDT	0.00	0.00	0.00				45.00				
	DID Trunk Term (1 per Port)			UEPPX UEPPX	NDT ND4	0.00	0.00	0.00				15.20				
	DID Numbers-groups of 20-Valid all States Non-Consecutive DID Numbers-per number		1	UEPPX	ND4 ND5	0.00	0.00	0.00				15.20 15.20				
	Reserve Non-Consecutive DID Numbers Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
Loca	Number Portability			02.17.	1121	0.00	0.00	0.00				10.20				
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEA1	TURES - Vertical and Optional															
Loca	I Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>														
	ost Based Rates are applied where BellSouth is required by FCC and/or Co			e to provide Unbund	led Local Sv	itchina or Sw	itch Ports.		L							
	eatures shall apply to the Unbundled Port/Loop Combination - Cost Based				41		Man I Alama I									
	od Office and Tandem Switching Hoogs and Common Transport Hoogs rate					pplied to the						Cain Bart	/Loon Comb	inations		
3. En	nd Office and Tandem Switching Usage and Common Transport Usage rate in First and additional Port NRC charges apply to Not Currently Combined (pplied to the						Coin Port	/Loop Comb	inations.	may apply	also and
	nd Office and Tandem Switching Usage and Common Transport Usage rate te first and additional Port NRC charges apply to Not Currently Combined to ategorized accordingly.					pplied to the						Coin Porta	/Loop Comb ctions. Add	inations. itional NRCs	may apply	also and
are c	nd Office and Tandem Switching Usage and Common Transport Usage rate te first and additional Port NRC charges apply to Not Currently Combined to attegorized accordingly. Tarket Rates for Unbundled Centrex Port/Loop Combination will be negotia	s in th Combo	e Port os. Fo	section of this exhib r Currently Combined	it shall apply d Combos, t	pplied to the s to all combine NRC charge						Coin Port	/Loop Comb ctions. Add	inations. itional NRCs	s may apply	also and
are c 5. M	ategorized accordingly.	s in th Combo	e Port os. Fo	section of this exhib r Currently Combined	it shall apply d Combos, t	pplied to the s to all combine NRC charge						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	s in th Combo	e Port os. Fo	section of this exhib r Currently Combined	it shall apply d Combos, t	pplied to the s to all combine NRC charge						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wil	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	s in th Combo	e Port os. Fo	section of this exhib or Currently Combined lividual Case Basis, u	it shall apply d Combos, t	pplied to the set to all combine NRC chargenotice.						Coin Port nbined se	/Loop Comb ctions. Add	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	s in th Combo	an Inc	section of this exhib or Currently Combined lividual Case Basis, u UEP91	it shall apply d Combos, t	pplied to the set to all combine NRC charge notice.						Coin Port	/Loop Comb ctions. Add	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	s in th Combo	an Inc	section of this exhib ir Currently Combined dividual Case Basis, u UEP91 UEP91	it shall apply d Combos, t	pplied to the set to all combine NRC charge notice.						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii UNE	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	s in th Combo	an Inc	section of this exhib or Currently Combined lividual Case Basis, u UEP91	it shall apply d Combos, t	pplied to the set to all combine NRC charge notice.						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii UNE	arket Rates for Unbundled Centrex Port/Loop Combination will be negotia- P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)	s in th Combo	an Inc	section of this exhib ir Currently Combiner dividual Case Basis, u UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, t	pplied to the strong and to all combine NRC charge notice.						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wii UNE	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) [2W VG Loop/2W VG Port (Centrex)Port Combo-Design	s in th Combo	an Inc	section of this exhib ir Currently Combined dividual Case Basis, u UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, t	pplied to the strong line NRC charge notice.						Coin Port	/Loop Comb	inations. itional NRCs	s may apply	also and
are c 5. M UNE- 2-Wil UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	s in th Combo	an Inc	section of this exhib ir Currently Combine dividual Case Basis, u UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, t	pplied to the street of the st						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	ategorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) [2W VG Loop/2W VG Port (Centrex)Port Combo-Design	s in th Combo	an Inc	section of this exhib ir Currently Combined dividual Case Basis, u UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, t	pplied to the strong line NRC charge notice.						Coin Portu	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	arket Rates for Unbundled Centrex Port/Loop Combination will be negotia Pr CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	s in th Combo	an Inc	section of this exhib ir Currently Combine dividual Case Basis, u UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, t	pplied to the street of the st						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	arket Rates for Unbundled Centrex Port/Loop Combination will be negotia Pr CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate	s in th Combo	an Inc	Section of this exhib ir Currently Combined lividual Case Basis, u UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	it shall apply	pplied to the street to all combine NRC charge notice. 13.13 23.75 49.62 16.29 26.71 48.26						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	artegorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop/SL1)-Zone 1	s in th Combo	an Inc 1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	section of this exhib ir Currently Combined dividual Case Basis, u UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	it shall apply d Combos, ti	pplied to the series of the se						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2D VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1	s in th Combo	an Inc 1 2 3 1 1 2 3 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Section of this exhib or Currently Combined Ividual Case Basis, use Personal UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	13.13 23.75 49.62 11.77 22.39 48.26 14.93						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE- 2-Wii UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	section of this exhib r Currently Combiner Currently Combiner Uses Basis, to UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uecs1 Uecs1 Uecs1 Uecs2 Uecs2 Uecs2 Uecs2	pplied to the strong population of the NRC charge notice. 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wit UNE UNE UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2	s in th Combo	an Inc 1 2 3 1 1 2 3 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	Section of this exhib or Currently Combined Ividual Case Basis, use Personal UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	13.13 23.75 49.62 11.77 22.39 48.26 14.93						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2C VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	section of this exhib r Currently Combiner Currently Combiner Uses Basis, to UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uecs1 Uecs1 Uecs1 Uecs2 Uecs2 Uecs2 Uecs2	pplied to the strong population of the NRC charge notice. 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35						Coin Port	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	artegorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotial PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC)	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	section of this exhib r Currently Combiner Currently Combiner Uses and the section of the sectio	UECS1 UECS1 UECS1 UECS2 UECS2	13.13 23.75 49.62 11.77 22.39 48.26 14.93 25.35 50.46	ations of loops shall be the	/port netwo					/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	arket Rates for Unbundled Centrex Port/Loop Combination will be negotial Arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P- CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports fates (Except NC and SC) 2W VG Centrex) Basic Local Area	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	section of this exhib r Currently Combiner Currently Combiner Urently Combiner Urently Combiner Urently Combiner Urently Urent	uecs1 Uecs1 Uecs1 Uecs2 Uecs2 Uecs2 Uecs2	13.13 23.75 49.62 26.71 48.26 11.77 22.39 48.26 14.93 25.35 50.46	ations of loops shall be the	/port netwo se Identified				15.20	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	Section of this exhib in Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Current	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.13 23.75 49.62 11.77 22.39 48.26 14.93 25.35 50.46	ations of loops shall be the	19.08				15.20 15.20	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID) Hasic Local Area	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	section of this exhib r Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Currentl	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH	13.13 23.75 49.62 11.77 22.39 48.26 11.49 25.35 50.46 1.36 1.36 1.36 1.36 1.36	ations of loops shall be the	19.08 19.08 19.08				15.20 15.20 15.20	/Loop Comb	inations.	s may apply	also and
are c 5. M UNE 2-Wii UNE UNE UNE UNE UNE	artegorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area	s in th Combo	an Inc 1 2 3 1 2 3 1 2 2 3 1 2 2	Section of this exhib in Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Combiner Currently Current	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.13 23.75 49.62 11.77 22.39 48.26 14.93 25.35 50.46	ations of loops shall be the	19.08				15.20 15.20	/Loop Comb	inations.	s may apply	also and

Version 4Q02: 12/18/02 Page 168 of 324

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	FES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.36	38.85		11100	Auu	COMILO	15.20	JOINTAIN	COMPAR	COMPAR	JOINIAIT
	Y, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2			UEP91 UEP91	UEPQH UEPQM	1.36 1.36	38.85 104.41	19.08 67.93	<u> </u>			15.20 15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.36	104.41		1			15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85					15.20				
	Switching															
	Centrex Intercom Funtionality, per port		$oxed{\Box}$	UEP91	URECS	0.8577										
	Number Portability			LIESO.	11/200			<u> </u>	 			1				
Featu	Local Number Portability (1 per port)			UEP91	LNPCC	0.35			-							
	All Standard Features Offered, per port		+	UEP91	UEPVF	0.00			<u> </u>							
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25	 	1		1	15.20	 		 	1
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						70.20				
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00					15.20				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	ļ			15.20				
	Ilaneous Terminations e Trunk Side							1								
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20	1			15.20				
	ffice Channel Mileage - 2-Wire			OLI 91	CLIVAO	0.23	110.00	10.20	1			13.20				
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497		1				15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91 UEP91	1PQW6 1PQW7	0.6497 0.6497			<u> </u>			15.20 15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.6497			1			15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port		\vdash	UEP91	USAC2	0.00	0.10		 			15.20				
	Conversion of Existing Centrex Common Block New Centrex Standard Common Block			UEP91 UEP91	USACN M1ACS	0.00	36.66 680.40		 			15.20	-			-
	New Centrex Standard Common Block New Centrex Customized Common Block		\vdash	UEP91	M1ACC	0.00	680.40		 		 	15.20	-			
	Secondary Block, per Block		+	UEP91	M2CC1	0.00	79.31					15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)			LIEDOE		40.40			ļ							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		13.13		1								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95 UEP95		23.75 49.62		 	 		1	1				
	Port/Loop Combination Rates (Design)		3	OLI 33		70.02					1					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		16.29					1					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		51.82										
	oop Rate			LIEBOE	LIEGO:	44		<u> </u>	<u> </u>			<u> </u>				
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEP95 UEP95	UECS1	11.77 22.39			-							
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEP95 UEP95	UECS1	48.26		1	}		1	}	-		-	1
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	50.46										
UNE F	Port Rate															
All St	ates															

Version 4Q02: 12/18/02 Page 169 of 324

JINDUNDL	ED NETWORK ELEMENTS - Louisiana										_	_		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)				d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				
_	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				4
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95 UEP95	UEPY9 UEPY2	1.36	38.85 38.85	19.08 19.08				15.20 15.20				4
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				4
	Y, LA, MS, SC, & TN Only			UEP95	UEPQA	1.00	00.05	40.00				45.00				
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)		\vdash	UEP95 UEP95	UEPQA	1.36 1.36	38.85 38.85	19.08 19.08			-	15.20 15.20		-		\vdash
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1		\vdash	UEP95 UEP95	UEPQB	1.36	38.85	19.08			-	15.20		-		
-	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2		\vdash	UEP95 UEP95	UEPQH	1.36	104.41	67.93				15.20		 		
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.36	104.41	67.93				15.20				+
	2W VG Port, Dill SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ2	1.36	38.85	19.08				15.20				+
	2W VG Port Terminated in on Megalink of equivalent 2W VG Port Terminated on 800 Service Term			UEP95	UEPQ9	1.36	38.85	19.08				15.20				
	Switching			UEF95	UEFQZ	1.30	30.03	19.06				13.20				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				+
	Number Portability			ULF 93	UKLUS	0.0377						13.20				+
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35						1				+
Featu				UEF95	LINFCC	0.33										
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				+
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				+
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	412.23					15.20				+
NARS				ULF 95	OLFVC	0.00						13.20				+
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				+
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				+
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				+
	Illaneous Terminations			02. 00	07.11.071	0.00	0.00	0.00				10.20				+
	e Trunk Side				+							1				+
	Trunk Side Terms, each			UEP95	CEND6	8.29	115.85	18.20				15.20				—
	e Digital (1.544 Megabits)			02.00	02.120	0.20	. 10.00	10.20				10.20				†
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47	196.18	92.92				15.20				—
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				†
	ffice Channel Mileage - 2-Wire											10.00				t
1	Interoffice Channel Facilities Term			UEP95	MIGBC	22.60	39.36	26.62				15.20		İ		1
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.013						1				
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20				I
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				T

JINDOIND	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
:ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonred First	urring Add'l	NRC D	isconnec		COMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAI
UNE	-P CENTREX - DMS100 (Valid in All States)						riist	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWIA
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	1	UEP9D UEP9D		16.29		-								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP9D		26.71 51.82		-	1		1			-		-
UNE	Loop Rate	-	3	OLF3D		31.02										
- OIAE	2W VG Loop (SL1)-Zone 1	1	1	UEP9D	UECS1	11.77		1	1			-				$\vdash \!$
	2W VG Loop (SL1)-Zone 2	1	2	UEP9D	UECS1	22.39		1	1							
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	48.26										
	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	50.46										
	Port Rate															
ALL	STATES TO THE PROPERTY OF THE	1		115505		4.00		40.00				4= 00				
_	2W VG Port (Centrex) Basic Local Area	-		UEP9D	UEPYA	1.36	38.85					15.20				
	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex/EBS-PSET)3Basic Local Area	-		UEP9D UEP9D	UEPYB UEPYC	1.36 1.36	38.85 38.85					15.20 15.20				
-	2W VG Port (Centrex/EBS-PSET)3Basic Local Area 2W VG Port (Centrex/EBS-M5009)3Basic Local Area	1		UEP9D	UEPYD	1.36	38.85		1		1	15.20		-		-
_	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area	-		UEP9D	UEPYE	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.36	38.85					15.20				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.36	38.85					15.20				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.36	38.85					15.20				
	2W VG Port (Centrex with Caller ID) Basic Local Area	1		UEP9D	UEPYH	1.36	38.85					15.20				
_	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area	1		UEP9D	UEPYW	1.36	38.85					15.20				
-	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area 2W VG Port (Centrex from diff SWC) 2 Basic Local Area	1		UEP9D UEP9D	UEPYJ UEPYM	1.36 1.36	38.85 104.41		1		1	15.20 15.20		-		-
+-	2W VG Port (Centrex/Idiffer SWC /EBS-PSET)2, 3 Basic Local Area	1		UEP9D	UEPYO	1.36	104.41		1			15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	1		UEP9D	UEPYP	1.36	104.41		1			15.20				1
-	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.36	104.41					15.20				
\neg	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.36	104.41					15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41					15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.36	104.41					15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.36	104.41					15.20				
	2W VG Port, Diff SWC-800 Service Term	-		UEP9D UEP9D	UEPYZ	1.36	104.41					15.20				
_	2W VG Port terminated in on Megalink or equivalent Basic Local Area 2W VG Port Terminated on 800 Service Term Basic Local Area	-		UEP9D UEP9D	UEPY9 UEPY2	1.36 1.36	38.85 38.85		-			15.20 15.20				
ΔI	KY, LA, MS, SC, & TN Only	1		UEF9D	UEF12	1.30	30.00	19.06	1		1	13.20		-		-
ΛΕ,	2W VG Port (Centrex)	-		UEP9D	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.36	38.85					15.20				
	2W VG Port (Centrex/EBS-PSET)3	1		UEP9D	UEPQC	1.36	38.85		1			15.20				<u> </u>
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	1.36	38.85					15.20				
	2W VG Port (Centrex /EBS-M5008)3	<u> </u>	\sqcup	UEP9D	UEPQT	1.36	38.85		!		ļ	15.20				<u> </u>
	2W VG Port (Centrex/EBS-M5208)3	<u> </u>	\sqcup	UEP9D	UEPQU	1.36	38.85		<u> </u>		<u> </u>	15.20				<u> </u>
$-\!\!\!\!\!+\!\!\!\!\!\!-$	2W VG Port (Centrex/EBS-M5216)3	 	\vdash	UEP9D	UEPQV	1.36	38.85		1		ļ	15.20	ļ			₩
-	2W VG Port (Centrex/EBS-M5316)3 2W VG Port (Centrex with Caller ID)	+	+	UEP9D UEP9D	UEPQ3 UEPQH	1.36 1.36	38.85 38.85		 		1	15.20 15.20		-		\vdash
+	2W VG Port (Centrex with Caller ID) 2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	+	+	UEP9D UEP9D	UEPQH	1.36	38.85		1	1	1	15.20		 	-	\vdash
-	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	1	\vdash	UEP9D	UEPQJ	1.36	38.85		1			15.20				\vdash
-	2W VG Port (Centrex/Msg vvig Lamp indication)3 2W VG Port (Centrex/from diff SWC) 2	1	╁	UEP9D	UEPQM	1.36	104.41		 		1	15.20		1		\vdash

Version 4Q02: 12/18/02 Page 171 of 324

	ED NETWORK ELEMENTS - Louisiana		П								Svc	C.v.o	Attachn	Incrementa		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)	T		Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconne		SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93	11130	Auu	JOINEO	15.20	JOHAN	JOWAN	JOHIAN	JONA
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3		\vdash	UEP9D	UEPQ7	1.36	104.41	67.93	1		1	15.20				1
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.36	104.41	67.93	†			15.20				l —
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08	†			15.20				
	2W VG Port Terminated in 6th Wegalink of equivalent		H	UEP9D	UEPQ2	1.36	38.85	19.08	1		1	15.20				1
	Switching			02.00	J. J.	50	33.00		1		t	.0.20				l
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577						†				
	Number Portability			OLI OD	OKLOO	0.0077						†				
Loou	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						†				
Featu			-	OLI OD	LIVI OO	0.00					1					
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	412.23		1			15.20				
NARS				UEF9D	UEFVC	0.00			1			15.20				
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00			+	15.20				
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward		-	UEP9D	UAR1X	0.00	0.00	0.00	<u> </u>			15.20				
			-			0.00	0.00	0.00	<u> </u>			15.20				
	Unbundled Network Access Register-Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	<u> </u>			15.20				
	Trunk Side				_											
	Trunk Side Terms, each			UEP9D	CEND6	8.29	115.85	18.20	1			15.20				
				OLF3D	CLINDO	0.29	113.03	10.20	1			13.20				
	e Digital (1.544 Megabits) DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
	DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	14.06	90.02	1			15.20				
	ffice Channel Mileage - 2-Wire			UEF9D	WITHDO	0.00	14.00		1			15.20				
	Interoffice Channel Facilities Term		-	UEP9D	MIGBC	22.60	39.36	26.62	<u> </u>			15.20				
			-	UEP9D		0.013	39.30	20.02	<u> </u>			15.20				<u> </u>
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.013			ļ		-					<u> </u>
	re Activations (DS0) Centrex Loops on Channelized DS1 Service								ļ		-					<u> </u>
	annel Bank Feature Activations		1	LIEDOD	400040	0.6497		1	 		1	45.00				!
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS			1	!			15.20				ļ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497		1	!			15.20				ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497		1	 		1	15.20				<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC		-	UEP9D	1PQWP	0.6497		1	1		 	15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497		1	!			15.20				ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497		1	 		1	15.20				<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497		1	 		1	15.20				<u> </u>
	Recurring Charges (NRC) Associated with UNE-P Centrex							1	 		1					<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10	ļ			15.20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		$oxed{oxed}$													
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		49.62		1			1					

NRONDI	LED NETWORK ELEMENTS - Louisiana		1 1		1 1						Svc	Svc		ment: 2		bit: B Incremen
ATEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	usoc			ES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrect First	urring Add'l	NRC D	isconnec		SOMAN		Rates (\$)	SOMAN	SOMAN
UNF	I Port/Loop Combination Rates (Design)						FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SUMAN	SUMAN	SOMAN	SUMAN
0.11	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E	-	16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		51.82										
UNE	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP9E	UECS1	11.77										
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		2	UEP9E UEP9E	UECS1	22.39			-			1				1
	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1	-	3	UEP9E UEP9E	UECS1 UECS2	48.26 14.93						1	-		-	
	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	50.46										
UNE	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
_	2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area	_	-	UEP9E UEP9E	UEPYZ UEPY9	1.36 1.36	104.41 38.85	67.93 19.08				15.20 15.20				
	2W VG Port Terminated in on Megalink of equivalent-basic Local Area		+	UEP9E	UEPY2	1.36	38.85	19.08				15.20				
	Y, LA, MS, & TN Only		+ +	OLI 3L	OLI 12	1.50	30.03	13.00				13.20				1
7.=,	I2W VG Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching Centrex Intercom Funtionality, per port	-	-	UEP9E	URECS	0.8577						1	-		-	
Local	Number Portability			OLF9L	UKLCS	0.6577										
Loou	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						15.20				
NARS				LIEBAE												
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	_	-	UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial		+ +	UEP9E	UAROX	0.00	0.00	0.00								
Misce	ellaneous Terminations		+ +	OLI 3L	OAROX	0.00	0.00	0.00								1
	e Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06					15.20				
Interd	office Channel Mileage - 2-Wire			LIEDOE	MODO	00.00	00.00	00.00				45.00				
	Interoffice Channel Facilities Term Interoffice Channel miage, per mi or fraction of mi	_	-	UEP9E UEP9E	MIGBC MIGBM	22.60 0.013	39.36	26.62				15.20				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		+	UEF9E	IVIIGDIVI	0.013										
	nannel Bank Feature Activations		1		1 1				1		1					1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	1	UEP9E	1PQWS	0.6497						15.20				<u> </u>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497			1		1	15.20				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E UEP9E	1PQWV 1PQWQ	0.6497 0.6497						15.20 15.20				

NROND	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec			Disconnec				Rates (\$)		
Man	Becoming Change (NDC) Associated with UNE D Contract				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															+
	port			UEP9E	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10				15.20				†
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)															
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	+	13.13										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93	+	23.75				1						
\vdash	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93	1	49.62										1
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		16.29										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		26.71										
<u> </u>	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		51.82				<u> </u>						
UNE	Loop Rate		4	UEP93	UECS1	11.77		-		1		 				+
-	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEP93	UECS1	22.36										+
	2W VG Loop (SL1)-Zone 3		3	UEP93	UECS1	48.26										+
	2W VG Loop (SL2)-Zone 1		1	UEP93	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP93	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	50.46										1
	Port Rate															
AL, K	(Y, LA, MS, & TN only															<u> </u>
_	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08				15.20				
_	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93 UEP93	UEPYB UEPYH	1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				╄
-	2W VG Port (Centrex with Caller ID) IBasic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				+
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08				15.20				†
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.36	38.85	19.08				15.20				<u> </u>
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08				15.20				
	2W VG Port (Centrex from diff SWC)2 2W VG Port, Diff SWC-800 Service Term		\vdash	UEP93 UEP93	UEPQM UEPQZ	1.36 1.36	104.41 104.41	67.93 67.93	1	 		15.20 15.20				+
+	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent		1	UEP93 UEP93	UEPQ2 UEPQ9	1.36	38.85	19.08		1		15.20				+
-1	2W VG Port Terminated in 60 Negalink of equivalent		1 1	UEP93	UEPQ2	1.36	38.85	19.08		1	1	15.20				1
Loca	I Switching									1		2.20				1
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Loca	Number Portability															
	Local Number Portability (1 per port)		↓	UEP93	LNCCC	0.35				1						
Featu			\vdash	UEP93	UEPVF	0.00		-		1		15.20				+
-	All Standard Features Offered, per port All Centrex Control Features Offered, per port		╁	UEP93 UEP93	UEPVF	0.00				-		15.20				+
NARS			\vdash	OLF30	OLF VC	0.00		-	-	1		10.20				+
- INCARR	Unbundled Network Access Register-Combination		1	UEP93	UARCX	0.00	0.00	0.00		1		15.20				\vdash
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00					15.20				
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00				15.20				
	ellaneous Terminations															
2-Wir	re Trunk Side		↓	LIEDAS	05::50					1		4-0-				 _ _ _ _ _ _ _ _
4 147	Trunk Side Terms, each		$\vdash \!$	UEP93	CEND6	8.27	115.85	18.20				15.20				
4-1/11	re Digital (1.544 Megabits) DS1 Circuit Terms, each		╁	UEP93	M1HD1	68.47	196.18	92.92		-		15.20				+
+	DS0 Channels Activated, Per Channel		\vdash	UEP93	M1HD0	0.00	14.06	92.92	1	1	1	15.20			-	+
Inter	office Channel Mileage - 2-Wire			021 00		0.00	14.50	†		1	1	.0.20				1
	Interoffice Channel Facilities Term		1	UEP93	MIGBC	22.60	39.36	26.62		1		15.20				1
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.013										
Feati	re Activations (DS0) Centrex Loops on Channelized DS1 Service		1 1									l		l		

Version 4Q02: 12/18/02 Page 174 of 324

ומאטסאיר	ED NETWORK ELEMENTS - Louisiana		, ,			ı								ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconne		SOMAN		Rates (\$)	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497	FIISL	Addi	FIISL	Add I	SOMEC	15.20	SOWAN	SOWAN	SOWAN	SUMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				<u> </u>
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20		ļ	ļ	
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20		ļ		<u> </u>
	New Centrex Customized Common Block		igspace	UEP93	M1ACC	0.00						15.20				<u> </u>
	NAR Establishment Charge, Per Occasion		Ш	UEP93	URECA	0.00	73.93		ļ	ļ	ļ	15.20		ļ	ļ	ļ
	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	rket Rates are applied where BellSouth is not required by FCC and/or Com				led Local Sw	itching or Swi	itch Ports.									
	curring Charges for all Standard Centrex and Centrex Conrol Features are					L		<u>. </u>	<u> </u>	<u> </u>		<u> </u>		L		<u> </u>
	d Office and Tandem Switching Usage and Common Transport Usage rate															<u></u>
	e first and add'I Port NRC charges apply to Not Currently Combined Comb	os. F	or Cur	rrently Combined Co	mbos, the Ni	RC charges sh	iali be those ic	ientified in ti	ne NRC	- Current	ly Combin	ea section	S. Add'I NK	Cs may appi	iy aiso and a	ire
	orized accordingly.					1		1				1	1	1		
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)				_							ļ				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)			LIEDOA		05.77										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91	_	25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91 UEP91	_	36.39 62.26										
LIME	Port/Loop Combination Rates (Design)		3	UEF91	_	02.20										
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91	_	28.93										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP91	+	39.35						1				-
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91	+	64.46						1				-
LINE	Loop Rate		3	OLF91		04.40						1				
ONE	2W VG Loop (SL1)-Zone 1		1	UEP91	UECS1	11.77						1				
	2W VG Loop (SL1)-Zone 2		2	UEP91	UECS1	22.39									1	-
	2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	48.26										
	2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	14.93						†		1		
	2W VG Loop (SL2)-Zone 2		2	UEP91	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP91	UECS2	50.46										
UNE			1													†
	ates (Except NC and SC)		t		i i	1	1									
7 0	2W VG Port (Centrex) Basic Local Area		t	UEP91	UEPYA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	14.00	50.00	25.00				15.20	1	İ		
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	50.00	25.00		1		15.20				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	50.00	25.00				15.20				
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	14.00						15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00						15.20				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	50.00	25.00				15.20				
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20		ļ	ļ	
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										

Version 4Q02: 12/18/02 Page 175 of 324

NRONDE	ED NETWORK ELEMENTS - Louisiana				-						_			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			FES (\$)				d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec			isconnec				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00					15.20				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
	Illaneous Terminations															
	Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG		—	UEP91	M1GBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013						1				↓
	re Activations (DS0) Centrex Loops on Channelized DS1 Service							ļ								↓
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				
	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-ls with allowed changes, per port			UEP91	USAC2		0.10					15.20				
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				
	CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		36.39										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		62.26										
	Port/Loop Combination Rates (Design)		 													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		28.93		1				<u> </u>		.		₩
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		39.35		 	-	-		 		1	ļ	├
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate		3	UEP95		64.46		 				 		1		₩
				LIEDOS	115004	44 77										
	2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	11.77						ļ				
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	22.39						ļ				
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	48.26						ļ				
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	25.35		 	-	-		 		1	ļ	├
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	50.46						ļ				
	Port Rate		1		-			 				-	1	 		
All Sta			-	UEP95	LIEDVA	14.00	50.00	05.00				15.20		-		
	2W VG Port (Centrex) Basic Local Area		1		UEPYA			25.00								₩
	2W VG Port (Centrex 800 Term)		1	UEP95	UEPYB	14.00	50.00	25.00				15.20				₩
	2W VG Port (Centrex with Caller ID)1Basic Local Area		-	UEP95	UEPYH	14.00	50.00					15.20		1		₩
	2W VG Port (Centrex from diff SWC)2 Basic Local Area		-	UEP95	UEPYM	14.00	135.00	90.00				15.20		1		₩
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area		-	UEP95 UEP95	UEPYZ UEPY9	14.00 14.00	135.00 50.00	90.00 25.00				15.20 15.20		-		├
			1	UEP95		14 ()()	50.00	25 00			1	1 15 20				1

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEGORY	' RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
AL, I	(Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	14.00	50.00					15.20				
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	14.00	50.00					15.20				
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2			UEP95 UEP95	UEPQH UEPQM	14.00 14.00	50.00 135.00		1			15.20 15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	14.00	135.00		1			15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	50.00					15.20				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	50.00					15.20				
Loca	I Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
Loca	I Number Portability			LIEDOC	LNDCC	0.05			 			<u> </u>				
Feat	Local Number Portability (1 per port)		\vdash	UEP95	LNPCC	0.35		+	}	1	1	 			-	
reat	All Standard Features Offered, per port			UEP95	UEPVF	0.00		+	1		1	15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25		1	1	1	15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NAR			\Box													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00					15.20				
	Unbundled Network Access Register-Indial			UEP95 UEP95	UAR1X UAROX	0.00	0.00		1			15.20 15.20				
Misc	Unbundled Network Access Register-Outdial ellaneous Terminations			UEP95	UARUX	0.00	0.00	0.00				15.20				
	re Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wi	re Digital (1.544 Megabits)															1
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47	196.18					15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Inter	office Channel Mileage - 2-Wire Interoffice Channel Facilities Term			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBU	0.013	39.36	20.02				15.20				
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 30	IVIIODIVI	0.010										
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497			ļ			15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95 UEP95	1PQWP 1PQWV	0.6497 0.6497		+	-			15.20 15.20				
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497			1			15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				-
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port Committee (5 intim Control Committee Plant and Committee Comm			UEP95	USAC2		0.10					15.20				
	Conversion of Existing Centrex Common Block, each		-	UEP95 UEP95	USACN M1ACS	0.00	36.66 680.40		-			15.20 15.20				
	New Centrex Standard Common Block New Centrex Customized Common Block		\vdash	UEP95 UEP95	M1ACC	0.00	680.40		 		1	15.20				
	NAR Establishment Charge, Per Occasion		\vdash	UEP95	URECA	0.00	73.93		1			15.20				
UNE	P CENTREX - DMS100 (Valid in All States)					2.20	. 2.30					1				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)		لبا								1					<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1 2	UEP9D UEP9D		25.77		+	 		1	 				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D UEP9D		36.39 62.26			 		1	 				
UNE	Port/Loop Combination Rates (Design)		3	OLI 9D		02.20		+	1	1	1	1			 	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		28.93			1	1	1					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		39.35										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		64.46										
UNE	Loop Rate		لبا	UEDAD	LIEGO.			1	1		1	ļ				_
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEP9D UEP9D	UECS1	11.77 22.39		1	-		1					
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEP9D UEP9D	UECS1	48.26			 		1	 				
	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	14.93		+	1	1	 	1			 	
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	25.35			1	1	1					
	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	50.46										1

Version 4Q02: 12/18/02 Page 177 of 324

IAPOIADI	LED NETWORK ELEMENTS - Louisiana		1		1						e	e		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	vs.
						Б	Nonrec	urring	NRC D	isconnec	:		oss	Rates (\$)		ь
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Port Rate															
ALL S	STATES															ļ
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	50.00	25.00				15.20				ļ
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	50.00	25.00				15.20				<u> </u>
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	50.00	25.00				15.20				1
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D UEP9D	UEPYE	14.00 14.00	50.00 50.00	25.00 25.00	1			15.20 15.20				
-	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area 2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D UEP9D	UEPYG	14.00	50.00	25.00	1			15.20				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	14.00	50.00	25.00	1			15.20				
	2W VG Port (Centrex/EBS-M5000)3 Basic Local Area			UEP9D	UEPYU	14.00	50.00	25.00	1			15.20				
+	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area		1	UEP9D	UEPYV	14.00	50.00	25.00	1		t	15.20		1		†
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	50.00	25.00				15.20				<u> </u>
	2W VG Port (Centrex with Caller ID) Basic Local Area	<u> </u>		UEP9D	UEPYH	14.00	50.00	25.00	1			15.20				—
_	2W VG Port (Centrex/Wall caller ID/Msq Wtg Lamp Indication)3 Basic Local Area		\dagger	UEP9D	UEPYW	14.00	50.00	25.00	l –			15.20				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	50.00	25.00			1	15.20				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	14.00	135.00	90.00				15.20				<u> </u>
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	50.00	25.00				15.20				<u> </u>
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	50.00	25.00	<u> </u>			15.20				<u> </u>
AL, K	(Y, LA, MS, SC, & TN Only			LIEDOD	LIEDOA	44.00	50.00	25.00	1			45.00				├
_	2W VG Port (Centrex)			UEP9D UEP9D	UEPQA UEPQB	14.00 14.00	50.00 50.00	25.00	1			15.20				├
_	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQB	14.00	50.00	25.00 25.00	1			15.20 15.20				
-	2W VG Port (Centrex/EBS-PSE1)3 2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQC	14.00	50.00	25.00	1			15.20				
_	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	14.00	50.00	25.00	1			15.20				1
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	14.00	50.00	25.00	1			15.20				1
1	2W VG Port (Centrex /EBS-M5008)3	<u> </u>		UEP9D	UEPQT	14.00	50.00	25.00	1			15.20				
1	2W VG Port (Centrex/EBS-M5208)3		\dagger	UEP9D	UEPQU	14.00	50.00	25.00	l –			15.20				
1	2W VG Port (Centrex/EBS-M5236)3			UEP9D	UEPQV	14.00	50.00	25.00	l –			15.20				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	14.00	50.00	25.00	<u></u>			15.20				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	135.00	90.00				15.20				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3		Ш	UEP9D	UEPQP	14.00	135.00	90.00	<u> </u>			15.20				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14.00	135.00	90.00	ļ			15.20				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	<u> </u>	\vdash	UEP9D	UEPQR	14.00	135.00	90.00	 	 		15.20				<u> </u>
-	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3	<u> </u>	 	UEP9D	UEPQS	14.00	135.00	90.00	1	 	1	15.20		ļ		—
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	<u> </u>	\vdash	UEP9D	UEPQ4	14.00	135.00	90.00	1	 	1	15.20		ļ		—
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	 	₩	UEP9D	UEPQ5	14.00	135.00		 	 	1	15.20				\vdash
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	-	1	UEP9D UEP9D	UEPQ6 UEPQ7	14.00 14.00	135.00 135.00			 	1	15.20		-		\vdash
+	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 2W VG Port, Diff SWC-800 Service Term	 	╁	UEP9D UEP9D	UEPQ7 UEPQZ	14.00	135.00			 	1	15.20 15.20		-		\vdash
+	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent	 	╁	UEP9D UEP9D	UEPQ2 UEPQ9	14.00	50.00			 	1	15.20		-		\vdash
+	2W VG Port Terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	 	╁	UEP9D	UEPQ9	14.00	50.00	25.00	1	 	1	15.20		-		\vdash
Loca	Switching	 	H	OLF3D	ULFQZ	14.00	30.00	25.00	 	 	1	10.20				\vdash
LUCA	Centrex Intercom Funtionality, per port		H	UEP9D	URECS	0.8577		 	 	 	 			 		—
Loca	Number Portability		H	OLFBD	UNLUS	0.0011		 	 	 	 			 		—
Loca	Local Number Portability (1 per port)	 	+	UEP9D	LNPCC	0.35		<u> </u>	1		-		 	1		
	Ires	1	1 -	051 30	L141 OO	0.55		1	1	-	 		l .	l	1	

Version 4Q02: 12/18/02 Page 178 of 324

UNBUND	LED NETWORK ELEMENTS - Louisiana													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC D	isconnec Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	11131	Addi	11130	Addi	JOINEO	15.20	JOHAN	JOINAIN	JOHAN	JOHA
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
NAR																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00					15.20				ļ
	Unbundled Network Access Register-Inward Unbundled Network Access Register-Outdial			UEP9D UEP9D	UAR1X UAROX	0.00	0.00					15.20 15.20				
Misc	ellaneous Terminations			UEF9D	UARUX	0.00	0.00	0.00	1			15.20				-
	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.29	115.85	18.20				15.20				
4-Wii	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
	DS0 Channels Activiated per Channel	<u> </u>		UEP9D	M1HDO	0.00	14.06	ļ	!		ļ	15.20				!
Inter	office Channel Mileage - 2-Wire		\vdash	HEDOD	MICDO	20.00	20.00	00.00	 		1	45.00				
_	Interoffice Channel Facilities Term Interoffice Channel miage, per mi or fraction of mi			UEP9D UEP9D	MIGBC MIGBM	22.60 0.013	39.36	26.62	1		-	15.20				├
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OLFBD	IVIIGDIVI	0.013			 							
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				ļ
-	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497		1				15.20				
Non-	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.6497			1			15.20				
NOI1-	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per				+				1							-
	port			UEP9D	USAC2		0.10	0.10				15.20				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66					15.20				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)								ļ							<u> </u>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)				-				-							
UNL	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		25.77										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		36.39										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		62.26										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		28.93										
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<u> </u>	2	UEP9E	_	39.35		<u> </u>	 			<u> </u>				<u> </u>
LINIT	2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate		3	UEP9E		64.46			-			1				
UNE	2W VG Loop (SL1)-Zone 1	 	1	UEP9E	UECS1	11.77		 	 		1	 				
	2W VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	22.39			1							—
	2W VG Loop (SL1)-Zone 3		3	UEP9E	UECS1	48.26					1					1
	2W VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate							1				1				
AL, F	EL, KY, LA, MS, & TN only 2W VG Port (Centrex) Basic Local Area	<u> </u>	1	UEP9E	UEPYA	14.00	50.00	25.00	 	-	 	15.20				├
-	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	 	H	UEP9E	UEPYB	14.00	50.00		 		1	15.20				
-	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	50.00		<u> </u>			15.20				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	14.00	135.00					15.20				1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	14.00	50.00					15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area		$oxed{oxed}$	UEP9E	UEPY2	14.00	50.00	25.00				15.20				<u> </u>
AL, P	(Y, LA, MS, & TN Only	<u> </u>	 	LIEBAE	LIEDOA	4400	50.00	05.00	 		ļ	45.00				₩
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP9E UEP9E	UEPQA UEPQB	14.00 14.00	50.00 50.00		-			15.20 15.20				
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1		1	UEP9E UEP9E	UEPQB	14.00	50.00		 	-	-	15.20			 	

Version 4Q02: 12/18/02 Page 179 of 324

NOUND	LED NETWORK ELEMENTS - Louisiana		Т		1 1						C	Cura		ment: 2		bit: B
ATEGORY	' RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC D	isconnec				Rates (\$)	l	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	14.00	135.00	90.00				15.20				ļ
	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent			UEP9E UEP9E	UEPQZ UEPQ9	14.00 14.00	135.00 50.00	90.00 25.00				15.20 15.20				
	2W VG Port Terminated in 6h Megalink of equivalent			UEP9E	UEPQ9	14.00	50.00					15.20				-
Loca	I Switching			OLI 3L	OLI QZ	14.00	30.00	23.00				13.20				
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu					<u> </u>											
-	All Standard Features Offered, per port		├	UEP9E	UEPVF	0.00	440.05	1	 	1	-	15.20				
+	All Select Features Offered, per port All Centrex Control Features Offered, per port	-	1	UEP9E UEP9E	UEPVS UEPVC	0.00	412.25	-	 	-	 	15.20 15.20				\vdash
NAR				OLFBL	OLF VC	0.00			<u> </u>			13.20				
1400	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	1							—
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	ellaneous Terminations			_												
2-Wii	re Trunk Side															
4 140	Trunk Side Terms, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
4-Wii	re Digital (1.544 Megabits)			LIEDOE	MALIDA	CO 47	100.10	00.00		ļ		45.00				
	DS1 Circuit Terms, each DS0 Channel Activated Per Channel			UEP9E UEP9E	M1HD1 M1HDO	68.47 0.00	196.18 14.06	92.92				15.20 15.20				
Inter	office Channel Mileage - 2-Wire			UEF9E	WITHDO	0.00	14.00			1		15.20				-
inter	Interoffice Channel Facilities Term			UEP9E	MIGBC	22.60	39.36	26.62				15.20				-
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.013	00.00	20.02				10.20				
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497						15.20				
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.6497				ļ		15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E UEP9E	1PQWP 1PQWV	0.6497 0.6497						15.20 15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497						15.20				
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				\vdash
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			<u>v</u>												
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP9E	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each		$oxed{oxed}$	UEP9E	USACN		36.66	16.10	ļ			15.20				<u> </u>
-	New Centrex Standard Common Block		₩	UEP9E	M1ACS	0.00	680.40		<u> </u>	ļ		15.20				<u> </u>
-	New Centrex Customized Common Block		├	UEP9E	M1ACC	0.00	680.40	1	 	1	-	15.20				├
LINE	NAR Establishment Charge, Per Occasion P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	-	1	UEP9E	URECA	0.00	73.93	-	 	-	 	15.20				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	—	H						 	1		-				\vdash
	Port/Loop Combination Rates (Non-Design)				+ +				1	1		1				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		25.77			1		1					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		36.36										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		62.26										
UNE	Port/Loop Combination Rates (Design)		oxdot													
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		28.93			<u> </u>	ļ						<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93 UEP93		39.35			<u> </u>							<u> </u>
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate		3	UEP93	+	64.46			 	 	 	-			-	├
OIAE	2W VG Loop (SL1)-Zone 1		1	UEP93	UECS1	11.77				1						
-	2W VG Loop (SL1)-Zone 1		2	UEP93	UECS1	22.36										†
	2W VG Loop (SL1)-Zone 3		3	UEP93	UECS1	48.26				1						
	2W VG Loop (SL2)-Zone 1		1	UEP93	UECS2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEP93	UECS2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	50.46										
	Port Rate		igspace	·				1								
AL, F	(Y, LA, MS, & TN only		 	LIEBOO	LIEDYA	4400	50.00	05.00	 	ļ	ļ	45.00				
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		1	UEP93 UEP93	UEPYA UEPYB	14.00 14.00	50.00 50.00	25.00 25.00	 	 	 	15.20 15.20	1	-	ļ	├

Version 4Q02: 12/18/02 Page 180 of 324

1	ED NETWORK ELEMENTS - Louisiana		1 1		1 1						Cva	Cura	Attachr			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manua Svc Ord vs.
						1			T			per LSK			Electronic-	Electron
						Rec	Nonrecu First	urring Add'l	NRC D	isconnec		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	50.00	25.00	FIRST	Addi	SOMEC	15.20	SOWAN	SOWAN	SOWAN	SOWA
	2W VG Port (Centrex with Carlet ID) IBasic Local Area		-	UEP93	UEPYM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area		 	UEP93	UEPYZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex)			UEP93	UEPQA	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	14.00	50.00	25.00				15.20				<u> </u>
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	50.00	25.00				15.20				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	14.00	135.00	90.00				15.20				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	14.00	135.00	90.00				15.20				
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	50.00	25.00				15.20				
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	50.00	25.00				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00				15.20				<u> </u>
	laneous Terminations															<u> </u>
	Trunk Side															<u> </u>
	Trunk Side Terms, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
	Digital (1.544 Megabits)		.				100.10									
	DS1 Circuit Terms, each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06					15.20				
	ffice Channel Mileage - 2-Wire			UEP93	MIGBC	22.60	39.36	26.62				15.20				Ь——
	Interoffice Channel Facilities Term			UEP93	MIGBM	0.013	39.30	20.02				15.20				Ь——
	Interoffice Channel miage, per mi or fraction of mi re Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEF93	IVIIGDIVI	0.013										
	annel Bank Feature Activations		-		+											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.6497			1	1		15.20		1		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497						15.20				<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per				1											
	port			UEP93	USAC2		0.10	0.10				15.20				1
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93					15.20				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 2	: - Requires interoffice Channel Mileage															

UNBUN	NDLED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhib	oit: B
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incremen
											Order	Order	I Charge -	I Charge -	I Charge -	al Charge
		Interi	Zon								Submitt	Submitte	Manual	Manual	Manual	Manual
CATEGO	ORY RATE ELEMENTS	m		BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Orde
		""									per LSR	Manually	vs.	vs.	vs.	vs.
											•	per LSR	Electronic-	Electronic-	Electronic-	Electroni
	- -	-					Nonrec	urring	NRC Disc	onnect			220	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Th	The "Zone" shown in the sections for stand-alone loops or loops as part of	a comb	inatio	n refers to Geographica	IIv Deaver	aged UNE Zon										
	http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.				,	g		gp	,				,	,		
	TIONAL SUPPORT SYSTEMS															
	IOTE: (1) Electronic Service Order: CLEC should contact its contract negot															
rat	ate exhibit is the BellSouth regional electronic service ordering charge. Cl iOTE: (2) Any element that can be ordered electronically will be billed acco	_EÇ may	elect	either the state specifi	c Commiss	ion ordered ra	ates for the el	ectronic ser	vice orderi	ng charge	s, or CLE	C may elec	the region	al electronic	service orde	ering
	or those elements that cannot be ordered electronically at present per the				is category	reflects the ci	narge that wo	oula be bille	d to a CLE	once ele	ectronic o	raering cap	abilities co	me on-line to	or that eleme	nt.
Oti	Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs	bill wn	en it s	Submits an LSK to BS1.	SOMAN	ı	1		1.97	ı — —	ı — —			1		
\vdash	Manual Service Order Charge, per LSR, Disconnect Only (MS) Electronic OSS Charge, per LSR, submitted via BSTs OSS interactive	-			SOIVIAIN				1.97						—	
1	interfaces (Regional)				SOMEC		3.50								l '	
UNE SEF	RVICE DATE ADVANCEMENT CHARGE				CONILO		0.00									
	IOTE: The Expedite charge will be maintained commensurate with BellSou	th's FC	C No.	1 Tariff. Section 5 as ap	plicable.											
			1	ALL UNE EXCEPT UNE												
1	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			Р	SDASP		200.00								l '	
UNBUND	DLED EXCHANGE ACCESS LOOP															
2-1	-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
لللل	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
igspace	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
$\vdash \vdash$	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				15.75				
$\vdash \vdash$	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36					15.75				
$\vdash \vdash$	Loop Testing-Basic Add'l Half Hour	_		UEANL	URETA		19.97					15.75				
+-+	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				<u> </u>
i l	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing			UEANL	UEANM		12.51	13.51							'	
$\vdash \vdash$	make-up (Engineering Information-EI) Manual Order Coordination for UVL-SL1s (per loop)	_		UEANL	UEAMC		13.51 8.20	8.20								-
$\vdash \vdash$	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	-	-	UEANL	OCOSL		18.19	18.19				1			<u> </u>	-
2-1	-WIRE Unbundled COPPER LOOP		1	OLANE	OCCOL		10.13	10.13								
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
	2W Unbundled Copper Loop-Non-Designed-Zone 2	T i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
	2W Unbundled Copper Loop-Non-Designed-Zone 3	1	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
	2W Unbundled Copper Loop-Non-Designed-Zone 4	1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				15.75				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop))		UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
igspace	providing make-up (Engineering Information-EI)			UEQ	UEQMU		13.51	13.51								
$\vdash \vdash$	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.36					15.75				
\vdash	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.97	7 10		ļ	ļ	15.75			 '	
LINIBLINIE	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEQ	UREWO		14.24	7.42				15.75				<u> </u>
	DLED EXCHANGE ACCESS LOOP	-	-												 '	├
Z-V	-WIRE ANALOG VOICE GRADE LOOP 2W Analog VG Loop-SL1-Line Splitting-Zone 1	_	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				-
+	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				
\vdash	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25		15.75			 	
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3	1	3	UEPSR UEPSB	UEALS.	25.68	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3	1	3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75				
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				
	DLED EXCHANGE ACCESS LOOP															
2-1	-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75			└	
oxdot	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				1
$\vdash \vdash$	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				<u> </u>
\vdash	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	ļ	15.75			 '	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	10.00	18.19	00.00	52.82	10.37	ļ	15.75				
└								68.28								1
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1	-	1	UEA	UEAR2	13.89	105.96									t e
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		2	UEA UEA UEA	UEAR2 UEAR2	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37		15.75 15.75				

Version 4Q02: 12/18/02 Page 182 of 324

JINDUNDL	ED NETWORK ELEMENTS - Mississippi													nent: 2		bit: B
ATEGORY	RATE ELEMENTS Inte	eri Z	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
		_				Rec	Nonrec		NRC Disc					Rates (\$)		
		_			00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)	_		UEA	OCOSL		18.19	00.00				45.75				<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch	_		UEA UEA	UREWO		87.56 10.45	36.29 1.03				15.75 15.75				
4 WID	Loop Tagging-SL2 (SL2) E ANALOG VOICE GRADE LOOP	_		UEA	UREIL		10.45	1.03				15.75				
4-4415	4W Analog VG Loop-Zone 1	-	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				-
	4W Analog VG Loop-Zone 1		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				-
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4W Analog VG Loop-Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	18.19	0 1.00	00.00			10.70				1
	CLEC to CLEC Conversion Charge w/o outside dispatch	T	t	UEA	UREWO		87.56	36.29				15.75				1
	E ISDN DIGITAL GRADE LOOP										İ					1
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2W ISDN Digital Grade Loop-Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.46	44.07				15.75				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				<u> </u>
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 4	_	4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				<u> </u>
2 WID	CLEC to CLEC Conversion Charge w/o outside dispatch * E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOI	ь —		UDC	UREWO		91.46	44.07				15.75				
Z-VVIR	2W Unbundled ADSL Loop including manl svc ing & facility reservation-	_	-													
	Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-	_	-	O/IL	ONLEA		121.27	70.01	00.00	7.00		10.70				
	Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		_	0712	O/ LEE/ L			7 0.0 1	00.00	7.00		10.70				1
	Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)	_		UAL	OCOSL		18.19									
- 11/15	CLEC to CLEC Conversion Charge w/o outside dispatch	_		UAL	UREWO		86.04	40.33				15.75				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	_														<u> </u>
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		1	UHL	UHL2X	8.75	400.00	70.50	50.38	7.00		45.75				
	Zone 1 2W Unbundled HDSL Loop including manl svc inq & facility reservation-	_	-	UNL	UHLZA	0.75	129.98	79.52	30.36	7.93		15.75				
	Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	-		OFF	UTILZA	9.22	129.90	19.52	30.36	1.93		13.73				-
	Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		Ť	01.12	O. ILLY	0.07	120.00	70.02	00.00	7.00		10.70				
	Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93		15.75				1
	Order Coordination for Specified Conversion Time (per LSR)	- t	Ť	UHL	OCOSL		18.19			50						1
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	T	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				1
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33			1	15.75				

<u>Jnbundi</u>	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
		-				Rec	Nonrec		NRC Disc		201150	001111		Rates (\$)	001111	001111
4-WIE	l RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LO	OOP					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-4411	4W Unbundled HDSL Loop including manl svc inq & facility reservation-	T T	+													
	Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc ing & facility reservation-				9.1											
	Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-		١		1 11 11 437	44.40	450.74	400.00	50.70	40.00		45.75				
	Zone 4	-	4	UHL UHL	UHL4X OCOSL	14.46	158.74 18.19	108.28	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
_	4W Unbundled HDSL Loop w/o man! svc ing & facility reservation-Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIF	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4W DS1 Digital Loop-Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch	-		USL USL	OCOSL UREWO		18.19 100.90	42.96				15.75				
4-14/15	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWU		100.90	42.96				15.75				
4-4411	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		.	UDL	OCOSL		18.19									
	4W Unbundled Digital Loop 64 Kbps-Zone 1	-	1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4W Unbundled Digital Loop 64 Kbps-Zone 2 4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL UDL	UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64		15.75 15.75				
-+	4W Unbundled Digital Loop 64 Kbps-Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
-+	Order Coordination for Specified Conversion Time (per LSR)		-	UDL	OCOSL	02.20	18.19	00.00	00.00	17.07		10.70				·
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WIF	RE Unbundled COPPER LOOP			9												
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short including manl svc inq & facility									= 00						
	reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 4		4	UCL	UCLPB	12.69	120.24	60.07	E0 20	7.93		15.75				1
-	Order Coordination for Unbundled Copper Loops (per loop)	1	4	UCL	UCLPB	12.69	120.34 8.20	69.87 8.20	50.38	7.93	1	15./5				1
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-			UCL	UCLIVIC		0.20	0.20			1					
	Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				1
	2W Unbundled Copper Loop/Short w/o manl svc ing & facility reservation-		m	302			00.21	31.00	30.00			.0 0				1
	Zone 2	<u></u>	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93	<u> </u>	15.75			<u> </u>	<u> </u>
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	ļ	15.75				ļ
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 4	1	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				<u> </u>
1	Order Coordination for Unbundled Copper Loops (per loop) 2W Unbundled Copper Loop/Long-includes manl svc inq & facility	-	\vdash	UCL	UCLMC		8.20	8.20			1					├
		1	1								1		1		I	1
			1	LICI	LICLO	20.20	120 24	60.07	EU 30			15 75				
	reservation-Zone 1 2W Unbundled Copper Loop/Long-includes manl svc inq & facility and the second s		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				

Version 4Q02: 12/18/02 Page 184 of 324

ONROND	LED NETWORK ELEMENTS - Mississippi			ı										ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR			Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Rec	Nonred		NRC Disc					Rates (\$)		
	0.000						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility		3	UCL	UCLZL	04.44	120.34	09.07	30.30	1.55		13.73				+
	reservation-Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	01.100	8.20	8.20								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		3	UCL	UCL2W	64.44	95.21	57.09	50.00	7.93		15.75				
	Zone 3 2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		3	UCL	UCLZVV	64.44	95.21	57.09	50.38	7.93		15.75				-
	Zone 4	l	4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	07.00	8.20	8.20	30.00	7.00		.0.70				
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		95.21	42.40			1	15.75				
4-WI	RE COPPER LOOP		L													
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		L.	UCL	UCLMC	4= 00	8.20	8.20		10.00						
	4W Copper Loop/Short-w/o man! svc inq & facility reservation-Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2 4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL UCL	UCL4W UCL4W	18.84 21.33	119.56 119.56	81.44 81.44	56.72 56.72	10.68 10.68		15.75 15.75				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		7	UCL	UCLMC	21.00	8.20	8.20	30.72	10.00		10.70				
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			OOL	COLINIO		0.20	0.20								
	reservation-Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		١.													
	reservation-Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				ļ
	Order Coordination for Unbundled Copper Loops (per loop) 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-			UCL	UCLMC		8.20	8.20	-							-
	Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		-	OOL	00140	54.72	113.30	01.44	30.72	10.00		10.70				
	Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-					÷				2.20	1	55				
	Zone 3	L	3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68	<u> </u>	15.75		<u> </u>	<u> </u>	<u> </u>
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 4		4	UCL	UCL40	106.06	119.56	81.44	56.72	10.68		15.75				ļ
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.20	8.20				4				<u> </u>
LOOP MOT	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D) DIFICATION			UCL	UREWO		95.21	42.40				15.75				
LOOP MOL	JETICATION		1	UAL.UHL.UCL.UEQ.UL					-						-	
		l		S,UEA,UEANL,UEPSR,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	l		UEPSB	ULM2L		32.57	32.57				15.75				
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		171.49	171.49				15.75				
				UAL,UHL,UCL,UEQ,UL												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per	l		S,UEA,UEANL,UEPSR,												
0110 1 000	unbundled loop		<u> </u>	UEPSB	ULMBT		32.59	32.59				15.75				<u> </u>
SUB-LOOP			<u> </u>								ļ					
Sub-	-Loop Distribution Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	-	<u> </u>	UEANL	USBSA		259.69		-		-	15.75				
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	H		UEANL	USBSB		259.69					15.75				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	÷		UEANL	USBSC		178.47		1		1	15.75			†	
																+
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		56.39					15.75				

JINDUNDL	ED NETWORK ELEMENTS - Mississippi			1							-	1		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R#	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc	onnect		1	oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				<u> </u>
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	ı	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL UEANL	USBMC USBN4	7.30	8.20 79.49	8.20 44.45	51.27	9.35		15.75				-
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4 USBN4	13.92	79.49	44.45	51.27	9.35		15.75				-
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				†
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		_	UEANL	USBMC	10.70	8.20	8.20	01.21	0.00		15.75				
	Sub-Loop 2W Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				<u> </u>
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	ı	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				<u> </u>
	2W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1	_	1	UEF UEF	USBMC UCS4X	5.10	8.20 79.49	8.20 44.45	51.27	9.35		15.75				-
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	÷	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	i	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	4W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.20	8.20								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		279.81	6.15				15.75				
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3366	30.55					15.75				
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines		-	UENTW	UND12		43.84	28.90				15.75				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16 UNDC2		65.30	50.36				15.75				
	Network Interface Device Cross Connect-2 W Network Interface Device Cross Connect-4W			UENTW UENTW	UNDC2		5.94 5.94	5.94 5.94				15.75 15.75				-
JB-LOOPS				OLIVIV	UNDC4		3.54	3.34				13.73				
	oop Feeder															-
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA,UDN,UCL,UDL,UD												1
	set-up			C	USBFW		259.69					15.75				
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UEA,UDN,UCL,UDL,UD	USBFX		22.77	22.77				15.75				
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		534.46	11.30				15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				<u> </u>
	Order Coordination for Specified Conversion Time, per LSR		4	UEA UEA	OCOSL	7.98	18.19 93.23	56.50	F4.4F	13.51		15.75				-
-	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB USBFB	10.39	93.23	56.50	54.45 54.45	13.51		15.75				-
-	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				-
_	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3 Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR		t	UEA	OCOSL	20.07	18.19	30.00	35	.0.01						<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD USBFD	26.06 34.77	107.71	70.03	63.68	17.64		15.75				<u> </u>
				UEA			107.71	70.03	63.68	17.64		15.75				1

ONRONE	DLED NETWORK ELEMENTS - Mississippi				1									ment: 2		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.A	ATES (\$)			Svc Order Submitt ed Elec per LSR		Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
	Only One Parties For One (For Low control Tree Borton			LIEA	00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA UEA	OCOSL USBFE	21.69	18.19 107.71	70.03	63.68	17.64		15.75				├
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	25.47	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 4		4	UDN UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
_	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.60	18.19 106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	18.78	106.46	68.78	55.58	13.13	1	15.75				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	25.47	106.46	68.78	55.58	13.13		15.75				<u> </u>
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		4	UDC	USBFS	41.41	106.46	68.78	55.58	13.13	1	15.75				1
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.19	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 4		4	USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	5.00	18.19	10.50	50.44	40.70		45.75				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 1		1	UCL UCL	USBFH	5.88	84.27 84.27	46.59	53.14	10.70		15.75 15.75				-
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		3	UCL	USBFH	5.21 4.40	84.27	46.59 46.59	53.14 53.14	10.70 10.70		15.75				
_	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				
	Order Coordination For Specified Conversion Time, per LSR		7	UCL	OCOSL	3.03	18.19	40.00	33.14	10.70		10.70				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	13.49	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.19									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	30.84 41.05	101.97 101.97	64.29 64.29	63.68 63.68	17.64 17.64		15.75 15.75				
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				-
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.19									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				<u> </u>
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64	ļ	15.75				1
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 4		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				—
SUB-LOOF	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.19									├
	-Loop Feeder				-											-
Jub	Sub Loop Feeder-DS3-Per mi Per mo	- -		UE3	1L5SL	18.88										
	Sub Loop Feeder-DS3-Facility Term Per mo	- Li		UE3	USBF1	349.41	3,396.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – STS-1 – Per mi Per mo	1		UDLSX	1L5SL	18.88	, , , , , , , , , , , , , , , , , , , ,									
	Sub Loop Feeder-STS-1-Facility Term Per mo	T		UDLSX	USBF7	376.07	3,396.56	406.45	157.96	89.54		15.75				1
	Sub Loop Feeder – OC-3 – Per mi Per mo			UDLO3	1L5SL	14.33										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	I		UDLO3	USBF5	58.63										
	Sub Loop Feeder-OC-3-Facility Term Per mo	1		UDLO3	USBF2	569.22	3,396.56	406.45	157.96	89.54	ļ	15.75				1
	Sub Loop Feeder-OC-12-Per mi Per mo	<u> </u>	1	UDL12	1L5SL	17.63										₩
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo Sub Loop Feeder-OC-12-Facility Term Per mo		1	UDL12 UDL12	USBF6	662.39 1,795.00	3,396.56	406.45	1E7.00	89.54		15.75				
$-\!\!+\!\!-$	Sub Loop Feeder-OC-12-Facility Term Per mo Sub Loop Feeder-OC-48-Per mi Per mo	- 		UDL12 UDL48	USBF3 1L5SL	1,795.00 57.83	3,390.50	400.45	157.96	09.54	-	15.75			-	
$-\!$	Sub Loop Feeder-OC-48-Fer fill Fer file Sub Loop Feeder-OC-48-Facility Term Protection Per mo	- 		UDL48	USBF9	331.52					1					-
-	Sub Loop Feeder-OC-48-Facility Term Per mo	- i i		UDL48	USBF4	1,545.00	3,581.56	406.45	157.96	89.54	1	15.75				\vdash
	Sub Loop Feeder-OC-12 Interface On OC-48	i		UDL48	USBF8	374.04	803.60	406.45	157.96	89.54		15.75				†
																-
INBUNDL	ED LOOP CONCENTRATION															

ONRONDE	ED NETWORK ELEMENTS - Mississippi			,							_			ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R#	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc		201150			Rates (\$)	001441	
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	47.56	First 136.37	Add'l 136.37	First	Add'l	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				
	Unbundled Loop Concentration-System B (TR303)		-	ULC	UCT3B	80.15	136.37	136.37				15.75				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
h	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop			050	02000		10.00	10.01	0.00	0.00		10.10				
	Interface (POTS Card) Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	(SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)		i –	UEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-TEST CIRCUIT Card		l -	ULC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface		i –	UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
	, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00									
UNE OTHER	, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,UD												
	Unbundled Contact Name, Provisioning Only-no rate			N,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
	: minimum billing period of three months for DS3 and above Local Loop)														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo		<u> </u>	UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		<u> </u>	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo		<u> </u>	UDLSX	1L5ND	11.20	15.10		100.00							
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				
LOOP MAKE																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)			UMK	PSUMK		0.6652	0.6652								
HIGH FREQU	JENCY SPECTRUM															
	SHARING															
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		15.75				
	Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per															
	LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00		15.75				
END U	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTR	RUM A	KA LI													
	Line Sharing-per Line Activation (BST Owned Splitter)		<u> </u>	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				ļ
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75				
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24				15.75				
	Line Sharing-per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				<u> </u>
LINE	SPLITTING															
	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	R		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				
	Line Splitting-per line activation BST owned-virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75				
	TE SITE HIGH FREQUENCY SPECTRUM		<u> </u>													
	TERS-REMOTE SITE		<u> </u>									<u> </u>				
	Remote Site Line Share BST Owned Splitter, 24 Port	- 1	1	ULS	ULSRB	42.59	114.62	0.00	84.87	0.00	I	15.75	I	I	I	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc		R.A	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	Deactivation	- 1		ULS	ULSTG		95.48	0.00	68.12	0.00		15.75				
END U	ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA R	EMOT	E SITE	LINE SHARING												
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter			ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15.75				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	- 1		ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15.75				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.07	17.80				15.75				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter			ULS	ULSTS		49.07	17.80		-		15.75				
	D DEDICATED TRANSPORT															
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing	perio	d - bel	ow DS3=one month, al	bove DS3=f	our months										
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0098										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.201										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.76										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.76										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	L CHANNEL - DEDICATED TRANSPORT															
	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period	= bel	ow DS													
	Local Channel-Dedicated-2W VG	<u> </u>	1	ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				1
	Local Channel-Dedicated-2W VG Rev Bat			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel-Dedicated-4W VG	<u> </u>	1	ULDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				1
	Local Channel-Dedicated-DS1-Zone 1	<u> </u>	1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				1
	Local Channel-Dedicated-DS1-Zone 2	<u> </u>	2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				1
	Local Channel-Dedicated-DS1-Zone 3		3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
	Local Channel-Dedicated-DS3-Per mi per mo	<u> </u>	1	ULDD3	1L5NC	9.66										ļ
	Local Channel-Dedicated-DS3-Facility Term	<u> </u>	1	ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
	Local Channel-Dedicated-STS-1-Per mi per mo	<u> </u>		ULDS1	1L5NC	9.66										
	Local Channel-Dedicated-STS-1-Facility Term			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				

ONR	UNDL	ED NETWORK ELEMENTS - Mississippi				_	1								ment: 2		oit: B
CATE	GORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonred		NRC Disc					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-			LIDE	41.500	50.05										
		Local Channel NRC Dark Fiber-Local Channel			UDF UDF	1L5DC UDFC4	59.95	642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-		-	UDF	UDFC4		042.79	130.07	320.97	203.65		15.75				
		Interoffice Channel			UDF	1L5DF	28.27										
		NRC Dark Fiber-Interoffice Channel			UDF	UDF14	20.2.	642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		Local Loop			UDF	1L5DL	59.95										
		NRC Dark Fiber-Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85		15.75				
8XX A	CCES	S TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number															
		Reserved			OHD	N8R1X		2.60	0.44				15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	 	Translations		1	OHD	 		5.97	0.81	4.60	0.54	<u> </u>	15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			OUD	NOETY		5.07	0.04	4.00	0.54		45.75				
		Translations			OHD OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR			OHD	N8FCX		2.60	1.30			-	15.75				
		Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
		8XX Access Ten Digit Screening, Change Charge Per Request		-	OHD	N8FAX		3.04	0.44	1			15.75				
		8XX Access Ten Digit Screening, Change Charge 1 request			OHD	N8FDX		2.60	0.44				15.75				
		8XX Access Ten Digit Screening, van Handling & Destination Features			OHD	NOI DX	0.0006216	2.00					13.73				
		8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006216						İ				
LINE	INFOR	MATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		34.52	34.52	42.33	42.33		15.75				
SIGNA	ALING	(CCS7)															
		CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Usage, Per ISUP Message			UDB UDB	OTUEC	0.0000149						ļ				
		CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment or			UDB	STU56	683.55					-					
		Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78		15.75				
F911 5	SERVI				ODD	COALO		23.10	23.10	33.70	33.70		13.73				
		Local Channel-Dedicated-2-wr VG					14.91	194.22	33.36	37.79	3.30		15.75				
		Interoffice Transport-Dedicated-2-wr VG Per mi					0.0098		22.30	1			1				
		Interoffice Transport-Dedicated-2-wr VG Per Facility Term					22.52	40.77	27.57	17.26	7.11		15.75				
		Local Channel-Dedicated-DS1-Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
		Local Channel-Dedicated-DS1-Zone 2					35.99	178.50	154.61	22.89	15.74		15.75				
		Local Channel-Dedicated-DS1-Zone 3					221.63	178.50	154.61	22.89	15.74		15.75				
		Local Channel-Dedicated-DS1-Zone 4					221.63	178.50	154.61	22.89	15.74		15.75				
		Interoffice Transport-Dedicated-DS1 Per mi					0.2010										
		Interoffice Transport-Dedicated-DS1 Per Facility Term		1		 	57.33	89.79	82.28	16.86	14.90	<u> </u>	15.75				
CALL		AME (CNAM) SERVICE	<u> </u>	1	001/	-		20.00	00.00	04.00	04.00	1	45.75				
		CNAM For DB Owners-Service Establishment CNAM For Non DB Owners-Service Establishment		1	OQV OQV	+		23.09 23.09	23.09	21.23	21.23	1	15.75 15.75			-	-
	-	CNAM For DB Owners-Service Establishment CNAM For DB Owners-Service Provisioning With Point Code Establishment	-	1	OQV	+		996.62	23.09 737.08	21.23 270.49	21.23 198.89	 	15.75	-		 	
		CNAM For Non DB Owners-Service Provisioning With Point Code Establishment		1	OQV	+		330.02	131.00	210.49	190.09	1	13.73			-	
	1	Establishment			OQV			344.32	246.56	276.85	198.89	1	15.75	1			
		CNAM for DB Owners, Per Query			OQV	1	0.0010231	JTT.JZ	270.00	210.00	100.09	1	10.70	1		†	
		CNAM for Non DB Owners, Per Query			OQV	1	0.0010231										
LNP C	Query S	Service															
		LNP Charge Per query			OQV		0.0008477										
		LNP Service Establishment Manual						12.59	12.59	11.58	11.58		15.75				
		LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPER		CALL PROCESSING															
		Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB			· · · · · · · · · · · · · · · · · · ·		1.20										

Version 4Q02: 12/18/02 Page 190 of 324

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
						Rec	Nonrec		NRC Disc		001150	LOOMAN		Rates (\$)	001111	001441
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB	1				1.24	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing-Oper. Provided, Per MinOsing Foreign LIDB Oper. Call Processing-Fully Automated, per Call-Using BST LIDB	1				0.20					1	1				
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
	ERATOR SERVICES					0.20						1				
	Inward Oper Services-Verification, Per min					1.15										
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
	OPERATOR CALL PROCESSING															
Facilit	y based CLEC															
	Recording of Custom Branded OA Announcement	1			CBAOS		7,000.00	7,000.00				15.75				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.75				
	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.75				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.75				
	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.75				
	ASSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275					<u> </u>					
	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call					0.10										
	Attempt					0.10										
	ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS)	1									1	1				
	Directory Assistance Data Base Service (DADS)					0.04					<u> </u>					
	Directory Assistance Data Base Service, per mo				DBSOF	150.00					1					
	DIRECTORY ASSISTANCE				DBSOI	130.00						1				
	y Based CLEC											1				
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.75				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170,00	1,170.00				15.75				
	CLEC						1,110100	.,								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.75				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.75				
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.75				
	Loading of DA per Switch per OCN						16.00	16.00				15.75				
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
	DLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
	OLLOCATION			LIEBOD LIEBOD	5541.0		10.00		2.21		<u> </u>					
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45		15.75				
	IVE CARRIER ROUTING			CDC	CDCEC		101 005 10		0.040.54		1	45.75				
	Regional Service Establishment End Office Establishment	1	1	SRC SRC	SRCEC SRCEO		101,685.12 167.49	167.49	8,640.51 1.71	1.71	 	15.75 15.75			-	-
	Query NRC, per query	1	1	SRC	SKCEU	0.0030502	107.49	107.49	1./1	1.71	1	15.75	1			
	OUTH AIN SMS ACCESS SERVICE	1		SING		0.0030302					 					
	AIN SMS Access Service-Service Establishment. Per State. Initial Setup	<u> </u>		A1N	CAMSE		39.67	39.67	40.92	40.92	 	15.75			 	<u> </u>
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14	1	15.75			1	t
	AIN SMS Access Service-Port Connection-ISDN Access	1	1	A1N	CAM1P		7.87	7.87	9.14	9.14	 	15.75	1			
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21	<u> </u>	15.75				
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or											13.70	İ			
	Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78	1	15.75	l		1	
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service-Session, Per min					0.5649										
	AIN SMS Access Service-Company Performed Session, Per min			_		0.8393										

ATE BLEMENTS No. BCS USOC RATE (6) Section Charge, in	DUITE	LED NETWORK ELEMENTS - Mississippi					1								ment: 2		oit: B
Next South Air Toolog South So	regory	RATE ELEMENTS			BCS	USOC		R.	ATES (\$)			Order Submitt ed Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	_	al Charg Manua Svc Orde vs.
No. BELLEOWITH ANY POOLATT SERVICE: ANY TOOM Shows Shower Selection Services (Charge, Per State, Initial Solety) ANY TOOM Shows Shower Selection Selection Selection Services (Charge, Per State, Initial Solety) ANY TOOM Shows Shower Selection S							Rec										
MAY Torust Sources Service Engine Process of Cauge, Per 1990, Per 2000, Pe				1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ANY TOBIE Services "Training Seasons," Per Countered BPPX	- BELLS			1	CAM	DARCO		20.07	20.07	40.00	40.00		45.75				
All Toors Service Trigger Access Change, Per Trigger, Per DN, CRI Holds BAPTT 787 7.80 9.14 9.14 11.75	-			1	CAIVI					40.92	40.92						
Alternation Service—Program Access Charge, Per Trigger, Per DN, Ol-Hook BAPTT 7.87 7.87 9.14 9.14 15.75	+					DAFVA		4,220.34	4,220.34				13.73				
AN Total Service-Toppe Access Charge, Per Trigger, Per DN, Off-Rock BAPTD 7,87 7,87 9,14 15,75 15,76 14,44 14,44 15,76 15,76 14,44 14,44 15,76 15,76 14,44 14,44 14,44 15,76 14,44 14,44 14,44 15,76 14,44 1						BAPTT		7.87	7.87	9.14	9.14		15.75				
AN Tooks Service-Troppe Access Charge, Per Trigger, Per DN, 10-Dgt BAPTID 34,67						BAPTD		7.87	7.87	9.14	9.14		15.75				
AN Total Service-Trigger Access Charge, Per Brigger, Per DN, CDP BAPTC 34.67 14.44 14.44 15.75		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
POOP						27 11 1111		7.07	1.01	0	0		10.70				
AN Toolid Sentect-Disper Access Charge, Per Tagger, Per DN, Feature BAPTE 0.0050577 1.44 14.44 14.44 16.75 16.75 1.44 14.44 14.44 16.75 1.44 14.44 14.44 16.75 1.44 14.44 14.44 16.75 1.44 14.44 14.44 14.44 14.44 16.75 1.44 14.		PODP		<u>L</u>								<u></u>					
Code BAPTF 34.67 34.67 14.44						BAPTC		34.67	34.67	14.44	14.44		15.75				
AN Toolak Service Query Charge, Per Query						DASTE				l			4				
AN Toolat Service-Type 1 Node, Per Query 0.0063509	-			-		BAPTE	0.0525577	34.67	34.67	14.44	14.44		15.75				
Note: Per Query	-			1		+	0.0535577										
AN TOOM Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kidoytes 0.06							0.0063509										
100 Kilobytes				1			0.0000000										
AN Toolki Service-Special Study-Per AN Toolki Service Subscription CAM BAPDS 8.48 7.67 7.87 5.54 5.54 15.75 AN Toolki Service-Call Event Special Study-Per AN Toolki Service CAM BAPDS 8.48 7.67 7.87 5.54 5.54 15.75 AN Toolki Service-Call Event Special Study-Per AN Toolki Service CAM BAPDS 8.48 7.67 7.87 5.54 5.54 15.75 AN Toolki Service-Call Event Special Study-Per AN Toolki Service CAM BAPES 0.00 8.71 8.71 15.75 ANACED EXTENDED LINK (EELS) CAM BAPES 0.00 8.71 8.71 15.75 ANACED EXTENDED LINK (EELS) CAM BAPES 0.00 8.71 8.71 15.75 ANACED EXTENDED LINK (EELS) CAM							0.06										
AN TOUR Sevence-Call Event Report Per AN TOOKIN Sevice CAM BAPOS 8.48 7.87 7.87 5.54 5.54 15.75		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
AN TOOKS Service-Call Event Special Study-Per AIN Tooks Service CAM BAPES 0.09 8.71 8.71 15.75 15.75																	
Subscription					CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
AMACED EXTENDED LINK (EELs)						5.550											
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for EELs provisioned as "Ordinarily Combined' Network Elements."	IANCED			1	CAM	BAPES	0.09	8.71	8.71				15.75				
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for EELs provisioned as * Currently Combined* Network Elements. NOTE: Minimum billing is one month for DSI and below and three months above DSI services. NOTE: Minimum billing is one month for DSI and below and three months above DSI services. NOTE: Minimum billing is one month for DSI and and below and three months above DSI services. NOTE: Minimum billing is one month for DSI and and below and three months above DSI services. NOTE: Minimum billing is one month for DSI and and below and three months above DSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI and BSI services. NOTE: Minimum billing is one month for DSI services. NOTE: Minimum billing is one month for DSI services. NOTE: Minimum billing is one month for DSI services. NOTE: Minimum billing is one month bill bill bill bill bill bill bill bil			the S	Switch	-As-Is Charge will not	apply for F	FI s provision	ed as 'Ordin	arily Combi	ned' Networ	k Flemen	ts.					
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT (EEL)																	
First ZW VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37 15.75	NOTE	: Minimum billing is one month for DS1 and below and three months ab	ove D	S1 se	rvices.												
First ZW VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2 2 UNGVX UEAL2 7.55 105.96 68.28 52.82 10.37 15.75 First ZW VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4 4 UNGVX UEAL2 45.72 105.96 68.28 52.82 10.37 15.75 Interoffice Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport-Dedicated-DS1 combination-Facility Term per mo with the profile Transport-Dedicated-DS1 combination-Facility Term per mo with the profile Transport-Dedicated-DS1 combination-Facility Term per mo with the profile Transport-Dedicated-DS1 combination-Facility Term per mo with the profile Transport-Dedicated-DS1 combination-Facility Term per mo with the profile Transport-Dedicated-DS1 combination-Per mp with the profile Transport with the prof	2-WIF		E TRA	ANSP													
First ZW VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4				1													
First ZW VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 4																	
Interoffice Transport-Dedicated-DSI combination-Per mi per mo	-				UNCVX				68.28								
Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo		First 2W VG Loop(SL2) in a DST interoffice Transport Combination-Zone 4							CO 00			-					
DS1 Channelization System Per mo		Intereffice Transport Dedicated DS1 combination for mi per me		4	UNCVX	UEAL2	45.72		68.28	52.82	10.37						
Vis COCI-DSI To Ds0 Interface-Per mo				4	UNCVX UNC1X	UEAL2 1L5XX	45.72 0.1813	105.96					15.75				
Combination-Zone 1		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo		4	UNCVX UNC1X UNC1X	UEAL2 1L5XX U1TF1	45.72 0.1813 51.72	105.96 89.79	82.28	16.86	14.90		15.75 15.75				
Each AddT 2W VG Loop(SL2) in the same DS1 Interoffice Transport 2		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo		4	UNCVX UNC1X UNC1X UNC1X	UEAL2 1L5XX U1TF1 MQ1	45.72 0.1813 51.72 102.85	105.96 89.79 91.57	82.28 62.94	16.86	14.90		15.75 15.75				
Combination-Zone 2		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo		4	UNCVX UNC1X UNC1X UNC1X	UEAL2 1L5XX U1TF1 MQ1	45.72 0.1813 51.72 102.85	105.96 89.79 91.57	82.28 62.94	16.86	14.90		15.75 15.75				
Each Add' 2W VG Loop(SL2) in the same DS1 Interoffice Transport 3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37 15.75 1		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1			UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG	45.72 0.1813 51.72 102.85 0.5737	105.96 89.79 91.57 6.62	82.28 62.94 4.74	16.86 10.87	14.90 10.10		15.75 15.75 15.75				
Combination-Zone 3		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89	89.79 91.57 6.62 105.96	82.28 62.94 4.74 68.28	16.86 10.87 52.82	14.90 10.10		15.75 15.75 15.75 15.75				
Combination-Zone 4		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		1	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89	89.79 91.57 6.62 105.96	82.28 62.94 4.74 68.28	16.86 10.87 52.82	14.90 10.10		15.75 15.75 15.75 15.75				
VG COCI-DS1 to DS0 Channel System combination-per mo		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		1 2	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 89.79 91.57 6.62 105.96	82.28 62.94 4.74 68.28 68.28	16.86 10.87 52.82 52.82	14.90 10.10 10.37		15.75 15.75 15.75 15.75				
NRC Currently Combined Network Elements Switch-As-Is Charge		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1 2 3	UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75	105.96 89.79 91.57 6.62 105.96 105.96	82.28 62.94 4.74 68.28 68.28	16.86 10.87 52.82 52.82 52.82	14.90 10.10 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75				
A-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL.) First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		1 2 3	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 89.79 91.57 6.62 105.96 105.96 105.96	82.28 62.94 4.74 68.28 68.28 68.28	16.86 10.87 52.82 52.82 52.82	14.90 10.10 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75				
First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo		1 2 3	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 6.62	82.28 62.94 4.74 68.28 68.28 68.28 68.28	16.86 10.87 52.82 52.82 52.82	14.90 10.10 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75				
First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75	AWIE	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge	E TD/	1 2 3 4	UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55	105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 6.62	82.28 62.94 4.74 68.28 68.28 68.28 68.28	16.86 10.87 52.82 52.82 52.82	14.90 10.10 10.37 10.37 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75				
First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	E TR/	1 2 3 4	UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCX UNCYX UNC	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63	16.86 10.87 52.82 52.82 52.82 7.20	14.90 10.10 10.37 10.37 10.37 7.20		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 4	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone	E TRA	1 2 3 4 ANSP(UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27	82.28 62.94 4.74 68.28 68.28 68.28 4.74 5.63	16.86 10.87 52.82 52.82 52.82 52.82 7.20	14.90 10.10 10.37 10.37 10.37 7.20		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Interoffice Transport-Dedicated-DS1-Facility Term Per mo	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone	E TRA	1 2 3 4 ANSPO	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59	16.86 10.87 52.82 52.82 52.82 52.82 7.20 60.68 60.68	14.90 10.10 10.37 10.37 10.37 7.20		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Channelization-Channel System DS1 to DS0 combination Per mo	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo US COCI-DS1 To DS0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone	E TRA	1 2 3 4 4 ANSP(1 1 2 3 3 4)	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03	105.96 89.79 91.57 6.62 105.96 105.96 105.96 105.96 5.63 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59	16.86 10.87 52.82 52.82 52.82 7.20 60.68 60.68 60.68	14.90 10.10 10.37 10.37 10.37 7.20 14.64 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
VG COCI-DS1 to DS0 Channel System combination-per mo	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport Combination-Zone Interoffice Transport Combination-Zone Interoffice Transport Combination-Zone	E TRA	1 2 3 4 4 ANSP(1 1 2 3 3 4)	UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1L5XX	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 0.1813	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59	52.82 52.82 52.82 52.82 7.20 60.68 60.68 60.68	14.90 10.10 10.37 10.37 10.37 7.20 14.64 14.64 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- 1 UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64 15.75 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo US COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport Combination-Zone Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	E TRA	1 2 3 4 4 ANSP(1 1 2 3 3 4)	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCYX UNCYX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 50.03 51.72	105.96 89.79 91.57 6.62 105.96 105.96 105.96 5.63 132.27 132.27 132.27 132.27 89.79	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59 94.59	16.86 10.87 52.82 52.82 52.82 7.20 60.68 60.68 60.68	14.90 10.10 10.37 10.37 10.37 10.37 7.20 14.64 14.64 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Zone 1	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo	E TRA	1 2 3 4 4 ANSP(1 1 2 3 3 4)	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCIX UNC1X UNC1X	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UNCCC UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 50.03 51.72 102.85	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27 132.27 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59 94.59	16.86 10.87 52.82 52.82 52.82 7.20 60.68 60.68 60.68 60.68 16.86 10.87	14.90 10.10 10.37 10.37 10.37 10.37 7.20 14.64 14.64 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64 15.75	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge Re VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mo VG COCI-DS1 to DS0 Channel System DS1 to DS0 combination-Per mo	ETRA	1 2 3 4 4 ANSP(1 1 2 3 3 4)	UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCIX UNC1X UNC1X	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UNCCC UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 50.03 51.72 102.85	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27 132.27 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59 94.59	16.86 10.87 52.82 52.82 52.82 7.20 60.68 60.68 60.68 60.68 16.86 10.87	14.90 10.10 10.37 10.37 10.37 10.37 7.20 14.64 14.64 14.64		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo VG COCI-DS1 to DS0 Channel System DS1 to DS0 combination-Per mo Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Per mo Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Per mo Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Per mo	E TRA	1 2 3 4 4 ANSPC 1 2 3 4 4	UNCVX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 U	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 51.72 102.85 0.5737	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27 132.27 89.79 91.57 6.62	82.28 62.94 4.74 68.28 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59 94.59 4.74	52.82 52.82 52.82 52.82 7.20 60.68 60.68 60.68 10.87	14.90 10.10 10.37 10.37 10.37 7.20 14.64 14.64 14.64 14.90		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 3 UNCVX UEAL4 50.03 132.27 94.59 60.68 14.64 15.75	4-WIF	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo UG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 -Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone Inderoffice Transport Combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone Inderoffice Transport Combination-Per mo	E TRA	1 2 3 4 4 1 2 3 3 4 4 1 1 1	UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX	UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72 0.5737 27.47 38.26 50.03 50.03 0.1813 51.72 102.85 0.5737	105.96 89.79 91.57 6.62 105.96 105.96 105.96 6.62 5.63 132.27 132.27 132.27 132.27 132.27 132.27	82.28 62.94 4.74 68.28 68.28 68.28 4.74 5.63 94.59 94.59 94.59 94.59 94.59 94.59	52.82 52.82 52.82 52.82 7.20 60.68 60.68 16.86 10.87	14.90 10.10 10.37 10.37 10.37 7.20 14.64 14.64 14.64 14.90 10.10		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				

Version 4Q02: 12/18/02 Page 192 of 324

UNDUND	ED NETWORK ELEMENTS - Mississippi													nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
			1			Rec	Nonrec		NRC Disc					Rates (\$)		
	A LIII 404 A L VO L '						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		4	1110101	UEAL4	50.00	400.07	04.50	00.00	4404		45.75				
	Zone 4 VG COCI-DS1 to DS0 Channel System combination-per mo		4	UNCVX	1D1VG	50.03 0.5737	132.27 6.62	94.59 4.74	60.68	14.64		15.75 15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	0.5737	5.63	5.63	7.20	7.20		15.75				
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROF	FICE	TRANS		ONCCC		3.03	3.03	7.20	1.20		13.73				†
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	()												
	Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				<u> </u>
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINODY	1101.50	40.70	100 50	00.05	00.00	44.04		45.75				
	Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	LIDI EG	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		4	UNC1X	UDL56 1L5XX	0.1813	120.53	88.85	80.00	14.04	1	15.75				├
	Interoffice Transport-Dedicated-DS1 combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization-Channel System DS1 to DS0 combination Per mo		1	UNC1X	MQ1	102.85	91.57	62.26	10.87	10.10		15.75				
_	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)		1	UNCDX	1D1DD	1.22	6.62	4.74	10.07	10.10		15.75				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport			ONODA	10100	1.22	0.02	4.74				10.70				
	Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		ΤĖ	0110271	02200	27	120.00	00.00	00.00			10.70				
	Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROF	FICE	TRANS	SPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
\neg	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport							00.00	00.00							
	Combination-Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				<u> </u>
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			LINODY	LIBLOA	00.05	100 50	00.05	00.00	44.04		45.75				
	Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo			LINCDV	10100	1 22	6.60	4.74				15.75				
-	(2.4-64kbs) NRC Currently Combined Network Elements Switch-As-Is Charge	-	+	UNCDX UNC1X	1D1DD UNCCC	1.22	6.62 5.63	4.74 5.63	7.20	7.20	1	15.75 15.75				\vdash
4-W/I	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	F TRA	NSPO		UNCCC		5.03	5.03	1.20	1.20	1	10.70				
7-4411	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	_ IIIA	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1	15.75				
-	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	t	15.75				
-	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	t	15.75				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		m	UNC1X	1L5XX	0.1813	_00.00		.0	.2.01						
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1	15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				

Version 4Q02: 12/18/02 Page 193 of 324

UNDUNDL	ED NETWORK ELEMENTS - Mississippi			ı										ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 First DS1Loop in DS3 Interoffice Transport Combination-Zone 4		3	UNC1X UNC1X	USLXX	206.74 458.46	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	<u> </u>	15.75 15.75				
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		4	UNC3X	1L5XX	436.46	255.95	136.43	46.10	12.07	1	15.75				
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFIC	E TR	ANSP			10.00	40= 00		=====		<u> </u>					
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	1	15.75				
	2W VG Loop used with 2W VG Interoffice Transport Combination-Zone 3 2W VG Loop used with 2W VG Interoffice Transport Combination-Zone 4		3	UNCVX	UEAL2 UEAL2	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37	<u> </u>	15.75 15.75				
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo		4	UNCVX	1L5XX	0.00088	105.96	00.20	52.62	10.37		15.75				
	Interoffice Transport-Dedicated-2W VG combination-Fer fill Fer fillo			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	20.02	5.63	5.63	7.20	7.20		15.75				
	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFIC	FTR	ANSP		011000		0.00	0.00	7.20	7.20		10.70				+
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo			UNCVX	1L5XX	0.00088										
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANS	PORT	(EEL													
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.29										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge	NODO	DT (F	UNC3X	UNCCC		5.63	5.63	7.20	7.20	<u> </u>	15.75				
	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRA	NSPU	KI (E		41 END	44.00					1					
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND UDLS1	11.20 264.35	454.13	265.47	123.23	86.19	<u> </u>	15.75				
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per Interoffice Transport-Dedicated-STS1 combination-Per mi per mo		-	UNCSX	1L5XX	4.29	454.15	203.47	123.23	00.19		15.75				
	Interoffice Transport-Dedicated-STS1 combination-Fer miliper mo			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC	044.21	5.63	5.63	7.20	7.20		15.75				
	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1813										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				<u> </u>
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo		<u> </u>	UNCNX	UC1CA	2.62	6.62	4.74				15.75				<u> </u>
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	 	15.75				
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37	1	15.75				
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	1	15.75			-	
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 4		4	UNCNX UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	 	15.75 15.75			 	+
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo NRC Currently Combined Network Elements Switch-As-Is Charge		1	UNC1X	UC1CA UNCCC	2.62	6.62 5.63	4.74 5.63	7.20	7.20	 	15.75			 	+
	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFIC	CE TO	ANSE		UNCCC		5.03	5.05	1.20	1.20	1	15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	0E 1R	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	 	15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1	15.75			†	
								. 50.70				10.70			1	i
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				

Version 4Q02: 12/18/02 Page 194 of 324

NOONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
											Svc	Svc	Incrementa		Incrementa	
											Order	Order	I Charge -	I Charge -	I Charge -	al Char
		Interi	Zon								Submitt	Submitte	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Or
											per LSR	Manually	vs.	vs.	vs.	vs.
											•	per LSR	Electronic-	Electronic-	Electronic-	Electro
						_						P				
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	4.29		100 =0								
	Interoffice Transport-Dedicated-STS1 combination-Facility Term			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TR	ANSP	ORT (
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.00088										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TR	ANSP	ORT (
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.00088										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DITIONAL	L NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring charg															
	used as ordinarily combined network elements in All States, the non-re-				vitch As Is C	harge does no	t.									
NRC (Currently Combined Network Elements "Switch As Is" Charge (One appl	ies to	each c	combination)												
	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W					1									l	
	VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				<u> </u>
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Below	DS3=	one m													
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS1-Per mo Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	9.66										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	9.66										
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				

JINDUINDE	ED NETWORK ELEMENTS - Mississippi		, ,											ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
Ontio	nal Features & Functions:		1		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	TPLEXERS				+											-
	: minimum billing period is one month for DS1 to DS0 Channel System	and in	terfac	95	-											
	: minimum billing period is three months for DS3 to DS1 and above Cha											İ				
	Channelization-DS1 to DS0 Channel System	I	1	UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.22	6.62	4.74				15.75				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	2.62	6.62	4.74				15.75				1
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.5737	6.62	4.74				15.75				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	12.96	6.62	4.74				15.75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		1	ULDD1	UC1D1	12.96	6.62	4.74	ļ		ļ	15.75				<u> </u>
	oop Feeder		\perp	LINDAY	LIODES	55.10	404.67	04.00	00.00	47.61		<u> </u>				
_	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.19	101.97	64.29	63.68	17.64	1	1				₩
-	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	-	2	UNC1X	USBFG	100.03	101.97	64.29	63.68	17.64	1	1				+
-	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3	1	3	UNC1X	USBFG	183.66 430.04	101.97 101.97	64.29	63.68	17.64	1	1				₩
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 4 D LOCAL EXCHANGE SWITCHING(PORTS)	1	4	UNC1X	USBFG	430.04	101.97	64.29	63.68	17.64	-	 		 		+
			-		-							1				┼──
	ange Ports : Although the Port Rate includes all available features in GA, KY, LA &	TNI +h	o dosi	rod foatures will non	d to be ordere	nd using rotail	HEOCs					1				+
	E VOICE GRADE LINE PORT RATES (RES)	114, 111	le desi	red realures will free	u to be ordere	d using retail	03003					<u> </u>				+
2-1111	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				+
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				+
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				—
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port			OLI OIL	OLI IXO	1.41	2.00	2.20	1.72	1.00		10.70				_
	with Caller ID-Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				†
	Exchange Ports-2W Voice MS Residence Dialing Plan w/o Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				1
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				15.75				
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port															
	with Caller ID-Bus.		1	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
_	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		1	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33	1	15.75				
	Exchange Ports-2W Voice MS Business Dialing Plan w/o Caller ID		+	UEPSB UEPSB	UEPWK	1.41 1.41	2.39	2.29	1.42 1.42	1.33	1	15.75				
_	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1	+	UEPSB	UEPBE	0.00	2.39 0.00	2.29 0.00	1.42	1.33	<u> </u>	15.75 15.75				
FEAT	Subsqnt Activity		+	UEPSB	USASC	0.00	0.00	0.00			-	15./5	-	-		┼
	All Available Vertical Features	1	+	UEPSB	UEPVF	2.56	0.00	0.00	1		1	15.75		-		+
	ANGE PORT RATES (DID & PBX)		+	ULFOD	UEFVF	2.00	0.00	0.00			1	15.75				\leftarrow
LAUIT	2W VG Unbundled 2-Way PBX Trunk-Res	1		UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	 	15.75		 		
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	1		UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92	1	15.75	1	1		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus		\dagger	UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75				†
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus		T	UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75				†
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				

Version 4Q02: 12/18/02 Page 196 of 324

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhib	oit: B
CATEGOR		Interi m	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc	onnect		L	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			HEDOD	LIEDVO	4 44	24.45	44.00	44.00	0.00		45.75				
	Calling Port 2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPSP UEPSP	UEPXQ	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92		15.75 15.75				
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled PBX Port, MS only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92		15.75				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				15.75				
FEA	TURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
EXC	HANGE PORT RATES (COIN)					4.44	0.00	0.00	4.40	4.00		45.75				
NOT	E: Transmission/usage charges associated with POTS circuit switched u	52001	will al	so apply to circuit ewit	chod voice	1.41	2.39	2.29	1.42	1.33	ccociatod	15.75	DN norte			
	E: Access to B Channel or D Channel Packet capabilities will be available											WILII ZW IS	DIN PORTS.			
	ED LOCAL EXCHANGE SWITCHING(PORTS)	Joiny	I	gii bi ivitbit i iocess.	Tales IOI L	ne packet cape	ADMINICO WIII I		VIA LITE L	VINDIX	100000					
	HANGE PORT RATES															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75				
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75				
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75				
	All Features Offered		<u> </u>	UEPTX UEPSX	UEPVF	2.56	0.00	0.00			<u> </u>	15.75				ļ
	E: Transmission/usage charges associated with POTS circuit switched u											with 2W IS	DN ports.			
NOI	E: Access to B Channel or D Channel Packet capabilities will be available Exchange Ports-2W ISDN PortChannel Profiles	only	tnrou	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	ed via the E	FR/NBR	Process.					
- 1	Exchange Ports-4W ISDN Port			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75				
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY			OLI LX	OLILA	04.03	203.00	102.14	01.00	20.03		13.73				-
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33		15.75				
Non-	Recurring			LIED\/D	110,400		0.0000	0.0000				45.75				
_	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed			UEPVR	USAC2		0.0988	0.0988				15.75				
	change (PIC & LPIC)			UEPVR	USACC		0.0988	0.0988								
UNB	UNDLED REMOTE CALL FORWARDING - Bus			OLI VIC	OOAOO		0.0300	0.0300								
0.12	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service Expanded & Exception Local															
Non	Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33		15.75				
Non	Recurring Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service-Conversion with allowed		1	ULFVD	USAUZ		0.0908	0.0968	+		1	15.75				
	change (PIC & LPIC)	l		UEPVB	USACC		0.0988	0.0988								1
UNBUNDLI	ED LOCAL SWITCHING, PORT USAGE			<u> </u>												
	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010269										
	End Office Trunk Port-Shared, Per MOU					0.000161										
Tand	dem Switching (Port Usage) (Local or Access Tandem)															ļ
	Tandem Switching Function Per MOU		<u> </u>		ļ	0.0001723		-	-		1	1		1		
Com	Tandem Trunk Port-Shared, Per MOU		1		1	0.0001828			-			1				
Com	Common Transport-Per mi, Per MOU		 		1	0.0000026			1		1	1				+
	Common Transport-Fer IIII, Fer MOU Common Transport-Facilities Term Per MOU		 		†	0.0000026						1				
UNBUNDLI	ED PORT/LOOP COMBINATIONS - COST BASED RATES		 			3.3304041										
	Based Rates are applied where BellSouth is required by FCC and/or Com	nmissi	on ru	le to provide Unbundle	d Local Sw	itching or Swi	tch Ports.				1					
Feat	ures shall apply to the Unbundled Port/Loop Combination - Cost Based R	Rate se	ection	in the same manner as	they are a	pplied to the S	tand-Alone l									
	Office and Tandem Switching Usage and Common Transport Usage rates													ations.		
	first and additional Port NRC charges apply to Not Currently Combined C	ombo	s. For	Currently Combined C	ombos the	NRC charges	shall be thos	se identified	in the NRC	- Curren	tly Combi	ned section	ıs.			
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>		<u> </u>							<u> </u>				
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1			12.22					1			1		
	ZVV VG LOOP/FULL COMBO-ZONE I		1		I	12.22		l	1		<u> </u>	1		1		1

Version 4Q02: 12/18/02
Page 197 of 324

NURUNDL	ED NETWORK ELEMENTS - Mississippi				1									ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charç Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc		201150			Rates (\$)	001441	001111
	2W VG Loop/Port Combo-Zone 2		2		+	17.13	First	Add'l	First	Addi	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4 Voice Grade Line Port Rates (Res)		4	UEPRX	UEPLX	43.68										
	2W voice unbundled port-residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG unbundled MS extended local dialing parity port with Caller ID-res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundles res, low usage line port with Caller ID (LUM)		Ш	UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Voice Unbundled MS Residence Dialing Plan w/o Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75				
FEATU	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		\vdash	UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58	1	15.75	-			
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00				15.75				
	NUMBER PORTABILITY			UEPRA	UEFVF	2.56	0.00	0.00				15.75				
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	HARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.0988	0.0988				15.75				
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update						0.00	0.00				15.75				
	IONAL NRCs			LIEDDY	110400	0.00	0.00	0.00				45.75				
	2W VG Loop/Line Port Combination-Subsqnt Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00				15.75				
	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		3	UEPBX UEPBX	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 4		4	UEPBX	UEPLX	25.04 43.68										
	Voice Grade Line Port (Bus)		-	OLI DA	OLILA	45.00										
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG unbundled MS extended local dialing parity port with Caller ID-bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Voice Unbundled MS Business Dialing Plan w/o Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability NUMBER PORTABILITY			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58		15.75				
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				02. 57.	2.1. 071	0.00										
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
	HARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				
	2W VG Loop/Line Port Combination-Conversion-Switch with change		Ш	UEPBX	USACC		0.0988	0.0988			 	15.75				
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update IONAL NRCs						0.00	0.00				15.75				
	IONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00	-		}	15.75	-			
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFDA	00/102		0.00	0.00			1	13.73				
	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91					ļ					<u> </u>
	oop Rates			HEDDO	HEDLY	40.00					1					<u> </u>
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.98					<u> </u>		l			Ь

Version 4Q02: 12/18/02 Page 198 of 324

NRONDE	ED NETWORK ELEMENTS - Mississippi											_		ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Orde vs.
						Rec	Nonred First	urring Add'l	NRC Disc First	onnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	15.91	FIISL	Auu i	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMA
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPRG	UEPLX	43.68										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75				Ь—
FEAT				UEPRG	UEPVF	2.56	0.00	0.00				15.75				├
	All Features Offered CHARGES (NRCs) - CURRENTLY COMBINED			UEPRG	UEPVF	2.56	0.00	0.00	-			15.75				-
NIC	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.96	1.91				15.75				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.96	1.91			<u> </u>	15.75				
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update						0.00	0.00				15.75				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.75				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36				15.75				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															<u> </u>
UNE F	Port/Loop Combination Rates		L			10.00										<u> </u>
	2W VG Loop/Port Combo-Zone 1		1		-	12.22										├
_	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3		_	17.13 26.26										
-	2W VG Loop/Port Combo-Zone 3		4		+	44.91			-							
LINE	oop Rates		-			44.51										
ONL	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	10.98					1					
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPPX	UEPLX	43.68										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				<u> </u>
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX UEPPX	UEPP1 UEPLD	1.23 1.23	69.37	32.48	37.86	6.17		15.75				!
	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPKA	1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		15.75 15.75				├
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				
+	2W Voice Unbundled PBX LD DDD Terminal Floter Forts			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17	1	15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75				
_	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		1 7													1
	Port Control of the C		<u> </u>	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17	ļ	15.75				1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			LIEDDY	LIEDVO	4.00	00.07	20.40	27.00	0.47		45.75				1
_	Calling Port 2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port		\vdash	UEPPX UEPPX	UEPXO UEPXQ	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		15.75 15.75		-		├
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				├──
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75				
FEAT			Ш													
	All Features Offered		<u> </u>	UEPPX	UEPVF	2.56	0.00	0.00			ļ	15.75				<u> </u>
NRC (CHARGES (NRCs) - CURRENTLY COMBINED			HEBBY	110 4 00		7.00	1.01				45.75				├
-	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change		 	UEPPX UEPPX	USAC2		7.96	1.91			1	15.75				├
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change 2W VG Loop/Line Port Combination-Conversion-Subsqut Database Update		\vdash	UEPPX	USACC		7.96 0.00	1.91 0.00			-	15.75 15.75		-		├
ADDI	TIONAL NRCs						0.00	0.00			 	15.75				\vdash
וטטא	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity		1	UEPPX	USAS2	0.00	0.00	0.00			<u> </u>	15.75				—
	PBX Subsgnt Activity-Change/Rearrange Multiline Hunt Group			02	00,102	3.00	7.36	7.36				15.75				<u> </u>
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT											100				
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			12.22										
	2W VG Coin Port/Loop Combo – Zone 2		2			17.13										

Version 4Q02: 12/18/02 Page 199 of 324

UNBUNDL	ED NETWORK ELEMENTS - Mississippi		, ,									_		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	LCOMA
	2W VG Coin Port/Loop Combo – Zone 3		3			26.26	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Coin Port/Loop Combo – Zone 4		4			44.91										+
	oop Rates		Ė													+
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	15.91										1
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPCO	UEPLX	43.68										
	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				-
	2W Coin 2-Way w/o Oper Screening & w/o Blocking; w Dialing Parity(Note			UEPCO	UEPMC	1 22	40.31	19.84	24.90	6.58		15.75				
-	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.23 1.23	40.31	19.84	24.90	6.58		15.75				+
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD; w	<u> </u>	\vdash	OLFOO	OLFINA	1.23	40.31	15.04	24.50	0.00		13.13				+
	Dialing Parity	l		UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				†
	2W Coin 2-Way w Oper Screening & 011 Blocking; w Dialing Parity			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				†
	2W Coin 2-Way wi Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W Coin 2-W Oper Screening: 900 Block: 900/976, 1+DDD, 011+, Local; w															
	Dialing Parity			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				↓
	2W Coin Outward w/o Blocking & w/o Oper Screening; W Dailing Parity			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
	2W Coin Outward w Oper Screening & 011 Blocking			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				┿
	2W Coin Outward w Oper Screening & 011 Blocking; w Dialing Parity 2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO UEPCO	UEPMD UEPRH	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				+
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				+
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; w			021 00	OLI CIV	1.23	40.51	13.04	24.30	0.50		10.70				+
	Dialing Parity			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75				
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				†
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				1
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
	L NUMBER PORTABILITY															<u> </u>
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CHARGES - CURRENTLY COMBINED			LIEDCO	LICACO		0.0000	0.0000				45.75				+
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO UEPCO	USAC2 USACC		0.0988	0.0988 0.0988	-			15.75 15.75				+
	TONAL NRCs			ULFCO	USACC		0.0900	0.0908				13.73				+
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				15.75				+
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (R	ES)	02, 00	00/102		0.00	0.00				10.70				†
	ort/Loop Combination Rates	(11	,													1
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82										
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99										↓ —
	oop Rates		4	LIEDED	UECF2	42.00										+
	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2		2	UEPFR UEPFR	UECF2	13.89 18.75					-	-				+
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFR	UECF2	45.72										†
	Voice Grade Line Port Rates (Res)										1					
	2W voice unbundled port-residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port outgoing only-res		$oxed{oxed}}}}}}}}}}}}}}}}}}}} }} } }} } $	UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70		15.75				
	2W VG unbundled MS extended local dialing parity port with Caller ID-res		 	UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70	ļ	15.75				↓
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70	ļ	15.75				+
	2W Voice Unbundled MS Residence Dialing Plan w/o Caller ID OFFICE TRANSPORT		 	UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70		15.75				₩
	Interoffice Transport-Dedicated-2W VG-Facility Term		\vdash	UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11	-	-				+
	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	<u> </u>	\vdash	UEPFR	1L5XX	0.0088	40.77	21.01	17.20	7.11	1	<u> </u>				+-
FEAT				OLITIK	ILOXX	3.0008			1		1	1				\vdash
	All Features Offered		H	UEPFR	UEPVF	2.56	0.00	0.00				15.75		i		t
	L NUMBER PORTABILITY								1						i	1

Version 4Q02: 12/18/02 Page 200 of 324

ироирі	LED NETWORK ELEMENTS - Mississippi			ı	-									ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec First	urring Add'l	NRC Disc First	onnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35	FIISL	Auu	FIISL	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SUNA
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	LIVI OX	0.00										
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		16.94	3.72				15.75				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-With-Change			UEPFR	USACC		16.94	3.72				15.75				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (B	US)													
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
-	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		-	28.82										
LINE :	2W VG Loop/IO Tranport/Port Combo-Zone 4		4		-	46.99					1	1				
UNE	Loop Rates 2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	13.89					-	-				
+	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2	—	2	UEPFB	UECF2	18.75					1	 				
+	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFB	UECF2	45.72										
2-Wir	e Voice Grade Line Port (Bus)			_												
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70		15.75				
	2W VG unbundled MS extended local dialing parity port with Caller ID-bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70		15.75				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70		15.75				
	2W Voice Unbundled MS Business Dialing Plan w/o Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		15.75				
LOCA	AL NUMBER PORTABILITY		-		LNBOY											
INITE	Local Number Portability (1 per port) ROFFICE TRANSPORT		<u> </u>	UEPFB	LNPCX	0.35										
INTE	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
-	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0088	40.77	21.51	17.20	7.11						
FEAT	URES			OLITE	TEOTO	0.0000										
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00				15.75				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		16.94	3.72				15.75				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		16.94	3.72				15.75				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates		<u> </u>								ļ					
4	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16					ļ					
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		3			20.02 28.82			-			-				
+	2W VG Loop/IO Tranport/Port Combo-Zone 3 2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99					1	1				
UNF	Loop Rates		Ť			40.33										
1	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFP	UECF2	45.72										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		<u> </u>		<u> </u>							L				
_	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		 	UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29	ļ	15.75				
-	Line Side Unbundled Outward PBX Trunk Port-Bus		 	UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29	1	15.75				
-	Line Side Unbundled Incoming PBX Trunk Port-Bus 2W Voice Unbundled PBX LD Terminal Ports		1	UEPFP UEPFP	UEPP1 UEPLD	1.27	137.41 137.41	80.14	67.20 67.20	11.29 11.29		15.75 15.75				
+	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	1.27 1.27	137.41	80.14 80.14	67.20 67.20	11.29	1	15.75		 		
1	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports		 	UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29		15.75				
+	2W Voice Unbundled PBX LD DDD Terminals Port		 	UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29	1	15.75				
	2W Voice Unbundled PBX LD Terminal Switchboard Port		t	UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29		15.75				
+	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.27	137.41	80.14		11.29		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29		15.75				

Version 4Q02: 12/18/02 Page 201 of 324

UNBUNDL	ED NETWORK ELEMENTS - Mississippi				, .						_			ment: 2		oit: B
CATEGORY	RATE ELEMENTS Int	teri 2	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
		_				Rec	Nonrec First	urring Add'l	NRC Disc First	onnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room						FIISL	Auu i	FIISL	Auu	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWA
	Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29		15.75				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29		15.75				
	MS PBX 2-Way Combo Local Opt 2 Calling Port	_		UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29		15.75				
	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFP	LNPCP	2.45	0.00	0.00				15.75				
	ROFFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00				15.75				
	Interoffice Transport-Dedicated-2W VG-Facility Term	-+		UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11		1				-
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	-+		UEPFP	1L5XX	0.0088	70.11	21.01	11.20	7.11	1	1				
FEAT					3,01	3.0000										
	All Features Offered	T		UEPFP	UEPVF	2.56	0.00	0.00				15.75				
NRC C	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		16.94	3.72				15.75				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change	_		UEPFP	USACC		16.94	3.72				15.75				
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT Port/Loop Combination Rates	-							-							
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	-	1			21.32										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.16										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			34.98										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 4		4			53.15										
UNE L	oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	13.89										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	18.75										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	27.55										
	2W Analog VG Loop-(SL2)-UNE Zone 4	_	4	UEPPX	UECD1	45.72										
	Port Rate			LIEDDY	LIEDD4	7.40	225.96	07.40	444.50	44.05		45.75			4.07	
	Exchange Ports-2W DID Port CHARGES - CURRENTLY COMBINED	_		UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is	-		UEPPX	USAC1		7.35	1.88				15.75			1.97	
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.35	1.88				15.75			1.97	
	TIONAL NRCs			02.17	00/110		1.00					10.10			1.07	
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94				15.75			1.97	
Telepi	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers L NUMBER PORTABILITY			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
	L NUMBER PORTABILITY Local Number Portability (1 per port)	_		UEPPX	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POP	рт		UEPPA	LINECE	3.15	0.00	0.00								
	Port/Loop Combination Rates	\ I														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1	-+	1	UEPPB UEPPR		28.59					1	1				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2	_	2	UEPPB UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 4		4	· · · · · · · · · · · · · · · · · · ·		67.61										
	oop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	18.26						15.75			1.97	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	24.67						15.75			1.97	
	2W ISDN Digital Grade Loop-UNE Zone 3	-	3	UEPPB UEPPR	USL2X	34.85						15.75			1.97	1
	2W ISDN Digital Grade Loop-UNE Zone 4 Port Rate	-+	4	UEPPB UEPPR	USL2X	57.28					!	15.75	-		1.97	-
	Exchange Port-2W ISDN Line Side Port	-+		UEPPB UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13	1	15.75			1.97	1
	CHARGES - CURRENTLY COMBINED	-		JEITE OLFFR	OLIFB	10.55	130.00	133.22	100.12	۵۱.۱۵		13.73			1.37	
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-	-														
	Conversion			UEPPB UEPPR	USACB	0.00	38.73	27.17				15.75	1		1.97	
ADDIT	TIONAL NRCs												İ	İ		

Version 4Q02: 12/18/02 Page 202 of 324

NRONDL	ED NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhil	bit: B
												Svc	Svc	Incrementa	Incrementa	Incrementa	
												Order	Order	I Charge -	I Charge -	I Charge -	al Char
		Interi	Zon									Submitt	Submitte	Manual	Manual	Manual	Manu
ATEGORY	RATE ELEMENTS	m	е	BCS	5	USOC		R.A	ATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Or
			٠									per LSR	Manually	vs.	vs.	vs.	vs.
													per LSR	Electronic-	Electronic-	Electronic-	Electro
							_ 1	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB I	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB I	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB L	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB L	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & T	N)															
	CVS/CSD (DMS/5ESS)			UEPPB L	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB I	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB I	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB I	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB I	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB L	JEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
	Interoffice Channel miage each, Add'l mi			UEPPB L	UEPPR	M1GNM	0.0098	0.00	0.00								
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPP	P		155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPP	P		205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPP	PP		283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 4		4	UEPP	P		534.81										
	oop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPP	P	USL4P	79.08						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPP	PP	USL4P	129.38						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPP	PP	USL4P	206.74						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 4		4	UEPP	P	USL4P	458.46						15.75			1.97	
	ort Rate																
	Exchange Ports-4W ISDN DS1 Port			UEPP	P	UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
	HARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-																
	Conversion-Switch-as-is			UEPP	P	USACP	0.00	119.76	79.01				15.75			1.97	
	IONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPP		PR7TF		0.49					15.75			1.97	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPP		PR7TO		11.58	11.58				15.75			1.97	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPP	P	PR7ZT		23.15	23.15				15.75			1.97	
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPP	DD.	LNPCN	1.75						1				1

עאטפאינ	LED NETWORK ELEMENTS - Mississippi				, ,									ment: 2		bit: B
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually		Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
INTE	RFACE (Provsioning Only)		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
IINIE	Voice/Data		 	UEPPP	PR71V	0.00	0.00	0.00								-
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
041	New or Add'l Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CAL	TYPES Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
1	Two-way		 	UEPPP	PR7CC	0.00	0.00	0.00	1		1					—
Inter	office Channel Mileage					2.20		5.50								†
	Fixed Each Including First mi			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.20										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		131.78						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		182.07						15.75			1.97	
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
LIME	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 4 Loop Rates		4	UEPDC		511.15						15.75			1.97	├
UNE	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	79.08					1	15.75			1.97	-
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	129.38						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	206.74						15.75			1.97	
	4W DS1 Digital Loop-UNE Zone 4		4	UEPDC	USLDC	458.46						15.75			1.97	
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
455	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADD	TIONAL NRCs 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk Activation/Chan-2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			UEPDC	UDTTA		14.56	14.56				15.75			1.97	<u> </u>
	Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	
+	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			OLFDC	UDITE		14.50	14.50				13.73			1.97	
	Inward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation Per Chan-			UEPDC	UDTTC		14.56	14.56				15.75			1.97	<u> </u>
	Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-Way			UEPDC	UDTTD		14.56	14.56				15.75			1.97	-
	DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	<u> </u>
BIPC	LAR 8 ZERO SUBSTITUTION		<u> </u>	UEPDC	CCOSF		0.00	600.00				15.75			4.07	—
_	B8ZS-Superframe Format B8ZS-Extended Superframe Format		<u> </u>	UEPDC	CCOSF		0.00	600.00				15.75 15.75			1.97 1.97	
Alter	nate Mark Inversion			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Aitei	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								_
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges			-												
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.75			1.97	
_ _	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00						15.75			1.97	<u> </u>
_	DID Numbers, Non-consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00	2.02	0.00				15.75			1.97	├
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00	-		 	15.75 15.75			1.97 1.97	
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital L	oon u	ıith 4-			0.00	0.00	0.00	-		 	10.70			1.9/	\vdash
Deal	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)	JUP V	7	UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90	1	15.75			1.97	\vdash
	Interoffice Channel miage-Add'l rate per mi-0-8 mis		t	UEPDC	1LNOA	0.20	0.00	0.00								<u> </u>

ADOIADE	LED NETWORK ELEMENTS - Mississippi		1		1						•			ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Chai Manu Svc Or vs.
-			1			Rec	Nonrec First	urring Add'l	NRC Disc	onnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		-	UEPDC	1LNO2	0.00	0.00	0.00	11130	Addi	JOINEC	JONAN	JONIAN	JONAN	JONAN	CONT
_	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.20	0.00	0.00				1				
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.20	0.00	0.00	0.00							
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00						1				
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations					+						1				
	System can have up to 24 combinations of rates depending on type and i	numh	her of	norts used		+						1				
	DS1 Loop		1	po uoca	+	1		1			t	<u> </u>		l		
J.12 E	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00			t	<u> </u>		l		
+-	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00			-	-				
+-	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00			 			 		
+	4W DS1 Loop-UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
LINE	DSO Channelization Capacities (D4 Channel Bank Configurations)		4	ULFIVIG	USLDC	430.40	0.00	0.00				13.73			1.51	
ONL	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
+	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
+	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
+	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
-	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00				15.75			1.97	
-						950.60		0.00								
-	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG UEPMG	VUM20 VUM28	1,140.72	0.00	0.00				15.75 15.75			1.97 1.97	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUIVI28 VUM38	1,140.72	0.00	0.00							1.97	
+	384 DS0 Channel Capacity-1 per 16 DS1s											15.75				
	480 DS0 Channel Capacity-1 per 20 DS1s 576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG UEPMG	VUM40	1,901.20 2,281.44	0.00	0.00				15.75 15.75			1.97 1.97	
-	672 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57 VUM67	2,281.44	0.00	0.00				15.75			1.97	
		-4!	41-				0.00	0.00				15.75			1.97	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeli															
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and															
wuitip	ples of this configuration functioning as one are considered Add'l after th NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes	ne mi	nımuı	UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
Cuete		1:4:					151.35	8.41				15.75			1.97	
	m Additions at End User Locations Where 4-Wire DS1 Loop with Channel			th Port Combination	currently Exi	sts and										
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8	WISA'	S													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea Activation			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
Pinol	ar 8 Zero Substitution		_	OLI WIO	VOIVID	0.00	7 15.15	321.33	140.03	17.50	1	15.75			1.37	
Біроі	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
+	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG	CCOEF	0.00	0.00	600.00				15.75			1.97	
Altor	nate Mark Inversion (AMI)			OLI WIO	CCOLI	0.00	0.00	000.00				15.75			1.57	
Aitern	Superframe Format		1-	UEPMG	MCOSF	0.00	0.00	0.00			1	 		1		1
+-	Extended Superframe Format		1-	UEPMG	MCOPO	0.00	0.00	0.00			1	 		1		1
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Po			UEFIVIG	IVICOPO	0.00	0.00	0.00				ļ				
	ange Ports Associated with 4-wire DST Loop with Chaimenzation with Po)I L														
LACITO	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	Line Side Combination Channelized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00	-	15.75			1.97	-
1 -	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID		1	UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	1	15.75		-	1.97	-
1			1	UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	1	15.75		-	1.97	-
<u> </u>			1	UEPPA	UEPUN	7.40	0.00	0.00	0.00	0.00	 	15.75			1.97	
	2W Trunk Side Unbundled Channelized DID Trunk Port		1						ı	1	1	1				1
	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Combination(Conversion															
	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Combination(Conversion from Network Access Service)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Combination(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Outdial-MS Only-Calling			UEPPX UEPPX	UEPCT UEPC4	1.23 1.23	0.00	0.00	0.00	0.00		15.75 15.75			1.97 1.97	
	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Combination(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Outdial-MS Only-Calling Unbundled Exchange Ports, 2W Channelized-2Way-MS Only-Calling Plan			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
Featu	2W Trunk Side Unbundled Channelized DID Trunk Port Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Combination(Conversion from Network Access Service) Unbundled Exchange Ports, 2W Channelized-Outdial-MS Only-Calling			UEPPX UEPPX	UEPCT UEPC4	1.23 1.23	0.00	0.00	0.00	0.00		15.75 15.75			1.97 1.97	

NRUNDI	LED NETWORK ELEMENTS - Mississippi					1								ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			ed Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Char Manu Svc Or vs.
							Nonred	urring	NRC Disc	onnoct				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Telep	phone Number/ Group Establishment Charges for DID Service							71441		71441	0020				00/	
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
Local	Reserve DID Numbers I Number Portability			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
Local	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								┼
FFΔT	TURES - Vertical and Optional			UEPPA	LINECE	3.10	0.00	0.00								+
	I Switching Features Offered with Line Side Ports Only															—
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	14.00	90.00	90.00				15.75				
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	st Based Rates are applied where BellSouth is required by FCC and/or C															
	atures shall apply to the Unbundled Port/Loop Combination - Cost Base															<u> </u>
	d Office and Tandem Switching Usage and Common Transport Usage ra														l	
	e first and add'I Port NRC charges apply to Not Currently Combined Con	npos.	For C	Jurrently Combined C	ombos, the	NRC charges s	nali be those	e identified	in the NKC	- Current	iy Combin	ea sections	s. Add'i NK	us may apply	y aiso and a	re
	porized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negot	iotod	.n. on	Individual Casa Basis	til frætha	r notice		1			1			1	1	_
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	lateu c	on an	IIIUIVIUUAI CASE DASIS	, until furthe	i nouce.										+
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	Port/Loop Combination Rates (Non-Design)															—
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.22										—
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP91		44.91										
UNE	Port/Loop Combination Rates (Design)															<u> </u>
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.12										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91	-	19.98 28.78										₩
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		4	UEP91		46.95										+
UNF	Loop Rate		_	OLI 31		40.33										
0.11	2W VG Loop (SL1)-Zone 1		1	UEP91	UECS1	10.98										—
	2W VG Loop (SL1)-Zone 2		2	UEP91	UECS1	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEP91	UECS1	43.68										
	2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEP91	UECS2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEP91	UECS2	27.55										<u> </u>
LINE	2W VG Loop (SL2)-Zone 4		4	UEP91	UECS2	45.72										₩
	Ports tates (Except NC and SC)				_										-	-
All St	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				+
1	2W VG Fort (Centrex) Basic Local Area	1		UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75				\vdash
1	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	L		UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
	(Y, LA, MS, & TN Only	<u> </u>	1	UEP91	UEPOA	4.00	40.04	40.04	04.00	0.50	1	45.75			1	+
-	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP91 UEP91	UEPQA	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	 	15.75 15.75			-	
-1	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1	!	1	UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58	1	15.75			 	+
-	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	-	1	UEP91	UEPQH	1.23	108.35	70.57	54.24		 	15.75			 	+
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75			†	\vdash
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84		6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Local	I Number Portability				1											—
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										

Version 4Q02: 12/18/02 Page 206 of 324

ONDOND	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc		001150			Rates (\$)	0011411	
	All Standard Features Offered, per port	+		UEP91	UEPVF	2.56	First	Add'l	First	Addi	SOMEC	SOMAN 15.75	SOMAN	SOMAN	SOMAN	SOMA
	All Select Features Offered, per port	+		UEP91	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	404.00					15.75				
NARS				02. 01	02.70	2.00						10.70				
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00								1
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00								
Misce	Illaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				
Interd	ffice Channel Mileage - 2-Wire	1										ļ				
	Interoffice Channel Facilities Term-VG	1		UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75				↓
_	Interoffice Channel miage, per mi or fraction of mi	1		UEP91	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	+			+											₩
D4 Cr	nannel Bank Feature Activations	-		LIEDO4	400000	0.57										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	+		UEP91 UEP91	1PQWS 1PQW6	0.57 0.57					 					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+	1	UEP91 UEP91	1PQW6 1PQW7	0.57			-		 					+
	Feature Activation on D-4 Channel Bank FA Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	+		UEP91	1PQWP	0.57										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+		UEP91	1PQWV	0.57										+
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	+		UEP91	1PQWQ	0.57										†
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+		UEP91	1PQWA	0.57										†
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1		OLI 01	II QVIX	0.07										
110111	Conversion-Currently Combined Switch-As-Is with allowed changes, per	+		UEP91	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68				15.75				†
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32					15.75				
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91					15.75				1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75				
UNE-I	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		26.26										4
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP95		44.91										ļ
UNE	Port/Loop Combination Rates (Design)	-		LIEBOE	-	45.40										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP95 UEP95	+	15.12 19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	3	UEP95	+	28.78			-							+
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	4	UEP95	+ -	46.95					 					
UNF	Loop Rate	1	-	OLI 33	+	40.93										+
- 0.42	2W VG Loop (SL1)-Zone 1	1	1	UEP95	UECS1	10.98										+
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	15.91										—
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	25.04										†
	2W VG Loop (SL1)-Zone 4		4	UEP95	UECS1	43.68										
	2W VG Loop (SL2)-Zone 1	1	1	UEP95	UECS2	13.89										
	2W VG Loop (SL2)-Zone 2	L	2	UEP95	UECS2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEP95	UECS2	45.72										
	Port Rate															
All St																
	2W VG Port (Centrex) Basic Local Area	1		UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58	ļ	15.75				<u> </u>
	2W VG Port (Centrex 800 Term)	1		UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58	ļ	15.75				₩
	2W VG Port (Centrex with Caller ID)1Basic Local Area	+		UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				₩
	2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area	+		UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				4
-		+	1	UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70	 	15.75				\leftarrow
-+	2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area	+		UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				\vdash
	Zvv vo Foil Terminated on 800 Service Term-Basic Local Area	1		UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58	l	15.75				+
A1 1/	V I A MC CC 9 TN Only								1							
AL, K	Y, LA, MS, SC, & TN Only 2W VG Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				-

UNBUNDL	ED NETWORK ELEMENTS - Mississippi		, ,								-			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R#	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc	onnect		<u> </u>	oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				ļ
	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent			UEP95 UEP95	UEPQZ UEPQ9	1.23 1.23	108.35 40.31	70.57 19.84	54.24 24.90	11.70 6.58		15.75 15.75	-			-
	2W VG Port Terminated in 6th Megalitik of equivalent			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching			02.00	02. Q2	1.20	10.01	10.01	200	0.00		10.70				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu				LIEBOS	LIED) /E	0.50						45.75				
	All Standard Features Offered, per port All Select Features Offered, per port		\vdash	UEP95 UEP95	UEPVF UEPVS	2.56 0.00	404.98		<u> </u>			15.75 15.75	 			
	All Centrex Control Features Offered, per port		\vdash	UEP95	UEPVS	2.56	404.96				1	15.75	 			
NARS			+	JE1 30	5L1 VO	2.50					1	10.75	t			1
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00			1	15.75				1
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				15.75				
	Ilaneous Terminations															
2-Wire	Trunk Side			LIEBAE	051150	0.05	100.00	40.00	04.55							
4 18/:	Trunk Side Terms, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
	Digital (1.544 Megabits) DS1 Circuit Terms. each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HD0	0.00	14.56	90.23	74.00	2.34		13.73				
Intero	ffice Channel Mileage - 2-Wire			OLI 33	WITTE	0.00	14.50						-			
	Interoffice Channel Facilities Term			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										ļ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95 UEP95	1PQW6 1PQW7	0.57 0.57							-			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot- Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.57										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57							-			
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USACN M1ACS	0.00	37.97 666.32	16.68				15.75 15.75				1
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75	-			
UNE-I	CENTREX - DMS100 (Valid in All States)				-											
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.22										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	2	UEP9D	\rightarrow	17.13						<u> </u>	<u> </u>			<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP9D UEP9D		26.26 44.91					1	 	-			
IINE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design)	 	4	UEFSD	+ +	44.91						<u> </u>	-			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		15.12										t
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D	1	19.98										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		28.78										<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9D		46.95										
UNE I	oop Rate		لبِــا								1					
	2W VG Loop (SL1)-Zone 1	<u> </u>	1	UEP9D	UECS1	10.98						<u> </u>	<u> </u>			<u> </u>
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEP9D UEP9D	UECS1 UECS1	15.91 25.04						<u> </u>	-			
-+	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 4	1	4	UEP9D UEP9D	UECS1	25.04 43.68					1	1	-	-	-	
-	2W VG Loop (SL2)-Zone 1	1	1	UEP9D	UECS2	13.89										\vdash
1	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	18.75							t			†
	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	27.55										1

Version 4Q02: 12/18/02 Page 208 of 324

JNBUNDI	LED NETWORK ELEMENTS - Mississippi													ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec First		NRC Disc		COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	COMAN
	2W VG Loop (SL2)-Zone 4		4	UEP9D	UECS2	45.72	FIFST	Add'l	First	Add'l	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SOMAN
UNE	Port Rate	1	-	OLI OD	02002	40.12										
	STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				ļ
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58	-	15.75				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area 2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	+		UEP9D UEP9D	UEPYU	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	1	15.75 15.75		-		
	2W VG Port (Centrex/EBS-M5206)3 Basic Local Area	+		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58	-	15.75				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	1		UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58	1	15.75				
	2W VG Port (Centrex vith Caller ID) Basic Local Area	1		UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area	1		UEP9D UEP9D	UEPY5 UEPY6	1.23	108.35	70.57	54.24 54.24	11.70		15.75 15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY6	1.23 1.23	108.35 108.35	70.57 70.57	54.24	11.70 11.70		15.75				<u> </u>
-	2W VG Port, Diff SWC-800 Service Term	1		UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	1		UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated in 6th Megalilik of Equivalent Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84		6.58		15.75				
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex /EBS-M5312)3	1		UEP9D UEP9D	UEPQG	1.23	40.31 40.31	19.84 19.84	24.90	6.58 6.58		15.75 15.75				
-	2W VG Port (Centrex /EBS-M5008)3 2W VG Port (Centrex/EBS-M5208)3	+		UEP9D	UEPQT UEPQU	1.23 1.23	40.31	19.84	24.90 24.90	6.58		15.75		-		-
_	2W VG Port (Centrex/EBS-M5206)3	 		UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58	 	15.75				
	2W VG Port (Centrex/EBS-M5216)3	1		UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID)	1		UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58	1	15.75		t e		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75				
_	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	₩		UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70	1	15.75				
_	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	₩	1	UEP9D	UEPQS	1.23	108.35	70.57				15.75				
_	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	+	1	UEP9D UEP9D	UEPQ4 UEPQ5	1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75		 		├──
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	+		UEP9D UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75		-		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	+		UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75		+		
	2W VG Port, Diff SWC-800 Service Term	1		UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75		†		
_	2W VG Port terminated in on Megalink or equivalent	1		UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75		†		
-	2W VG Port Terminated in 6th Megalinik of Equivalent	1		UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75		t e		
Local	Switching					20			50	2.50						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										

ONBOND	LED NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		T
F4							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Featu	All Standard Features Offered, per port			UEP9D	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75				+
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56	404.30				1	15.75				+
NARS																1
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				15.75				1
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.75				
	ellaneous Terminations															4
2-Wir	Trunk Side			LIEDOD	CENDO	0.05	120.00	40.05	C4 77	2.00		45.75				
4-Wir	Trunk Side Terms, each re Digital (1.544 Megabits)			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				+
4-4411	DS1 Circuit Terms, each	+		UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54	 	15.75				
	DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	14.56	90.23	74.00	2.04	<u> </u>	13.73				
Interd	office Channel Mileage - 2-Wire			32.02		5.55										1
	Interoffice Channel Facilities Term			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57										-
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D UEP9D	1PQWP 1PQWV	0.57 0.57										+
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot			UEP9D	1PQWV	0.57										+
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57					1					+
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			02.05		0.01										1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10				15.75				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75				
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															-
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)															+
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.22			-							+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		17.13										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E	-	26.26					1					+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9E		44.91										†
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.12										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9E		46.95										
UNE	Loop Rate	-	1	UEP9E	UECS1	10.00										-
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	10.98 15.91										-
	2W VG Loop (SL1)-Zone 2		3	UEP9E	UECS1	25.04										+
-	2W VG Loop (SL1)-Zone 3		4	UEP9E	UECS1	43.68					1					+
	2W VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	13.89										†
	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	18.75										†
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEP9E	UECS2	45.72										
	Port Rate			· ·												
AL, F	L, KY, LA, MS, & TN only															1
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				1
_	2W VG Port (Centrex 800 Term)Basic Local Area	1	1	UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
_	2W VG Port (Centrex with Caller ID)1Basic Local Area	-		UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				+
	2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area	 		UEP9E UEP9E	UEPYM UEPYZ	1.23 1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75		-		+
	2W VG Port, Dill SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area	1	1	UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75		-	-	+

RATE BLEMENTS Minute Minut	NRONDFI	ED NETWORK ELEMENTS - Mississippi					1								ment: 2	Exhil	
Piret Modern Piret Modern South So	ATEGORY	RATE ELEMENTS			BCS	usoc		R.	ATES (\$)			Submitt ed Elec	Submitte d Manually	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
29 VV P Put Termination of 300 Service Term-Sales Local Free UEPPS UEPPS UEPPS 123 4031 19.84 24.80 6.95 19.75 1							Rec										
A., Y. L. A. M.S., & TN COTIV)	- ,	2W VG Port Terminated on 900 Service Term Resid Local Area	1	1	LIEDOE	LIEDV2	1 22					SOMEC		SOMAN	SOMAN	SOMAN	SOMA
EPY VS Port (Centres 00)					UEF9E	UEF 12	1.23	40.31	19.04	24.90	6.36		15.75				
Per Vis Pert Common (20) Term)			1	+	UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75	-			
20 VV Port Contract with California Process 20 VV Port Contract with California Process 20 VV Port Immunities of Services 15.75 15.7			1														
22 VV OP LT, DEF SWY-GOS General From																	
29 V CP Out terminated no Magnish or equivalent UEPGE UEPCG 1.33 40.31 19.84 24.90 6.58 15.75		(
Zervice Foundation of Protection (1997) 24 per port 1.575 1.57																	
Content Stretcom Funitionality, per port																	
Centres intercom Fundamily, per port UEP9E URECS 07947			1		UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local Number Protability Lip port)			+		HEDDE	LIDECS	0.7047							-			
Libral Number Pertailating (*) per port Libral Features Libr			+-	+	OLFBL	UNLUS	0.1341			1		1	 	 			
Feature			1	\vdash	UEP9E	LNPCC	0.35						1				
All Standard Features Offered, per port UEPPE UEPV 2-56 15.75			1		021 0E		0.00										
All Select Features Offrend, per port UEPPE UEPN 2.56 0.40.498 15.75 15.75					UEP9E	UEPVF	2.56						15.75				
NARS Unbundled Network Access Register-Combination UEPPE UARCX 0.00 0.00 0.00 15.75 Ubbundled Network Access Register-Indial UEPPE UARCX 0.00 0.00 0.00 15.75 Ubbundled Network Access Register-Indial UEPPE UARCX 0.00 0.00 0.00 15.75 Ubbundled Network Access Register-Indial UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 Ubbundled Network Access Register-Indial UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 Ubbundled Network Access Register-Indial UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 UEPPE UARCX 0.00 0.00 0.00 0.00 15.75 UEPPE UARCX 0.00 0.00 0.00 0.00 0.00 15.75 UEPPE UARCX 0.00 0.00 0.00 0.00 0.00 UEPPE UARCX 0.00 0.00 0.00 UEPPE UARCX 0.00 0.00 0.00 UEPPE UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX UARCX	1	All Select Features Offered, per port					0.00	404.98									
Unbundled Network Access Register-Corbination		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56						15.75				
Unbunden Network Access Register-Outdel																	
Unbundled Network Access Register-Outdiel UEP9E UAROX 0.00 0.00 0.00 15,75																	
Miscellaneous Terminations																	
2-Wire Trunk Side			1		UEP9E	UAROX	0.00	0.00	0.00	1			15.75				
Trunk Side Terms, each			+											-			
Carrier Digital (1,544 Magabits)					I IFP9F	CEND6	8 25	120.00	18.85	61 77	3.88		15.75				
DS1 Circuit Terms, each					OLI OL	OLIVEO	0.20	120.00	10.00	01.77	0.00		10.70				
DSO Channel Activated Per Channel UEPBE MIHDD 0.00 14.56 15.75					UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
Interoffice Channel Facilities Term	1	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56					15.75				
Interoffice Channel miage, per mi or fraction of mi UEP9E MIGBM 0.0098																	
Feature Activation on D-4 Channel Bank Fature Activations UEP9E 1POWS 0.57 15.75 1								40.77	27.57	17.26	7.11		15.75				
De Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot UEPBE 1POWS 0.57 15.75 15.75					UEP9E	MIGBM	0.0098										
Feature Activation on D-4 Channel Bank PC Nine Side Loop Slot UEP9E 1POWS 0.57 15.75 15.75																	
Feature Activation on D-4 Channel Bank R X Tiun Side Loop Sidt UEP9E 1POW7 0.57 15.75 15.7					LIEDOE	100000	0.57						15.75				<u> </u>
Feature Activation on D-4 Channel Bank ENTrunk Side Loop Slot			+											-			
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9E 1PQWP 0.57 15.75																	
Feature Activation on D-4 Channel Bank Private Line Loop Slot																	
Feature Activation on D 4 Channel Bank WATS Loop Stot UEP9E 1PQWA 0.57 15.75 15.75																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E USAC2 0.10 0.10 15.75 15.75 15.75 15.75 15.75 16.88 15.75 15.75 15.75 16.88 15.75 15		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57						15.75				
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E USAC2 0.10 0.10 15.75					UEP9E	1PQWA	0.57						15.75				
Dep port																	
Conversion of Existing Centrex Common Block, each UEP9E					LIEBOE	110.400		0.40					45.7-				l
New Centrex Standard Common Block			-	\vdash						1	-	1		-		-	
New Centrex Customized Common Block			1	\vdash			0.00		16.68	1		1		 			
NAR Establishment Charge, Per Occasion			+	+					1	1	-	1		 			1
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo			1	\vdash													1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo			1		22.02	5.120.1	0.00	. 2.00				1	100	†			1
UNE Port/Loop Combination Rates (Non-Design) 1 UEP93 12.22 12.																	
2																	
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 3 UEP93 26.26																	
2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 4 UEP93 44.91			<u> </u>									1	ļ				<u> </u>
UNE Port/Loop Combination Rates (Design)			 							1	ļ	1					
2W VG Loop/2W VG Port (Centrex) Port Combo-Design 1 UEP93 15.12			+	4	UEP93	-	44.91				 	-	<u> </u>				!
2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2 UEP93 19.98			+	1	I IED03		15 12		1	1	-	1	1	 			
2W VG Loop/2W VG Port (Centrex)Port Combo-Design 3 UEP93 28.78 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 4 UEP93 46.95 UNE Loop Rate 0 0 0 0 0			+-							1		1	 	 			
2W VG Loop/2W VG Port (Centrex) Port Combo-Design 4 UEP93 46.95 UNE Loop Rate 0 <t< td=""><td></td><td></td><td>†</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td>1</td><td>1</td><td>t</td><td></td><td></td><td></td></t<>			†							1		1	1	t			
UNE Loop Rate			1														
							0										
	2	2W VG Loop (SL1)-Zone 1		1	UEP93	UECS1	10.98										
2W VG Loop (SL1)-Zone 2 2 UEP93 UECS1 15.91 2W VG Loop (SL1)-Zone 3 3 UEP93 UECS1 25.04																	

ONBONDE	ED NETWORK ELEMENTS - Mississippi	1									-			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter m	i Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	SOMAI
	2W VG Loop (SL1)-Zone 4		4	UEP93	UECS1	43.68	First	Add'l	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOWA
_	2W VG Loop (SL2)-Zone 1	+	1	UEP93	UECS2	13.89										+
	2W VG Loop (SL2)-Zone 2	-	2	UEP93	UECS2	18.75										+
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3	-	3	UEP93	UECS2	27.55										+
	2W VG Loop (SL2)-Zone 4	1	4	UEP93	UECS2	45.72										†
UNE F	Port Rate			02.00	02002	10.72										†
	Y, LA, MS, & TN only															†
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				†
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				†
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				1
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75				<u> </u>
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75				
NARS		-	-													
	Unbundled Network Access Register-Combination	-	-	UEP93	UARCX	0.00	0.00	0.00				15.75				+
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00				15.75				↓
	Unbundled Network Access Register-Outdial	-	-	UEP93	UAROX	0.00	0.00	0.00				15.75				+
	Illaneous Terminations	-	-		-											
	e Trunk Side Trunk Side Terms, each	-	-	UEP93	CENIDO	8.25	120.00	18.85	61.77	3.88		15.75				+
	e Digital (1.544 Megabits)	+	+	UEF93	CEND6	0.23	120.00	10.00	61.77	3.00		15.75			-	+
4-4411	DS1 Circuit Terms, each	-	-	UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				+
	DS0 Channels Activated, Per Channel	+	+	UEP93	M1HDO	0.00	14.56	90.23	74.00	2.34		15.75			-	+
	ffice Channel Mileage - 2-Wire	+	-	UEF93	MILLIPO	0.00	14.50					15.75				+
intero	Interoffice Channel Facilities Term	+		UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				+
	Interoffice Channel miage, per mi or fraction of mi	-	-	UEP93	MIGBM	0.0098	40.77	21.31	17.20	7.11		13.73				+
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	-	-	OLI 33	IVIIODIVI	0.0030										+
	nannel Bank Feature Activations	+														+
540.	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	+	UEP93	1PQWS	0.57						-			-	+
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		1	UEP93	1PQW6	0.57										†
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.57										†
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										1
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot	1		UEP93	1PQWQ	0.57								İ	1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										1
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
1	3 - Requires Specific Customer Premises Equipment			·										· ·	1	1

טאטפאנ	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhib	oit: B
			_								Svc Order Submitte	Svc Order Submitte	Incrementa I Charge - Manual	1		Increme al Charç Manua
ATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			d Elec per LSR	d	Svc Order vs.	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Svc Ord vs.
												per Lore			Licotionio	Licotioi
						Rec	Nonred First	urring Add'l	NRC Disc			COMAN		Rates (\$)	COMAN	COMA
The	 Zone" shown in the sections for stand-alone loops or loops as part of a c	ombi	nation	roforo to Coographical	ly Degyere	and LINE Zone								SOMAN		
	://www.interconnection.bellsouth.com/become_a_clec/html/interconnection			reiers to Geographical	iy Deavera	ged UNE Zone	s. To view G	eographicali	Deaverage	UNE .	Zone Desi	gnauons i	by Central O	nice, refer to	internet we	ensite.
	NAL SUPPORT SYSTEMS											1		I		
NOT	E: (1) Electronic Service Order: CLEC should contact its contract negotiat															
exhi	bit is the BellSouth regional electronic service ordering charge. CLEC ma E: (2) Any element that can be ordered electronically will be billed accordi	y elec	t eithe	er the state specific Con	nmission o	rdered rates fo	r the electron	nic service or	dering char	ges, or	CLEC may	y elect the	regional ele	ctronic servi	ce ordering	charge
NOI	E: (2) Any element that can be ordered electronically will be billed according	ng to	the S	OMEC rate listed in this	category.	Please refer to	o BellSouth's	Business Ru	iles for Loca	al Ordei	ring (BBR	-LO) to det	ermine if a p	roduct can	be ordered	
	tronically. For those elements that cannot be ordered electronically at pres						reflects the	charge that w	ould be bill	ed to a	CLEC on	ce electron	ic ordering	capabilities (come on-line	e for the
elem	nent. Otherwise, the manual ordering charge, SOMAN, will be applied to a	CLEC	s bill	when it submits an LSF	to BellSo	uth.	1							1		
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
IE SERV	ICE DATE ADVANCEMENT CHARGE				SOIVILO		3.30		 							
	E: The Expedite charge will be maintained commensurate with BellSouth'	s FCC	No 1	Tariff Section 5 as ann	licable											
				ALL UNE EXCEPT UNE-												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			Р	SDASP		200.00									
IBUNDLI	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					26.94	12.76		
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		76.24		<u> </u>				26.94	12.76		
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		39.51	8.93					26.94 26.94	12.76		
_	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing			UEANL	UREWO		15.76	8.93	 			-	26.94	12.76		
	make-up (Engineering Information-EI)			UEANL	UEANM		28.74	28.74								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		45.34	01.00								
2-WI	RE Unbundled COPPER LOOP			-												
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76		
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76		
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					26.94	12.76		
_	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		45.34									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-EI)			UEQ	UEQMU		28.74	28.74					26.94	12.76		
+	Loop Testing-Basic 1st Half Hour			UEQ	URET1		76.24	20.74	1				26.94	12.76		
-	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		39.51		 				26.94	12.76		
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42					26.94			
BUNDLI	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37					26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37					26.94	12.76		
_	2W Analog VG Loop-SL1-Line Splitting-Zone 3 2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB UEPSR UEPSB	UEALS	33.65 33.65	57.99 57.99	42.37 42.37	<u> </u>				26.94	12.76 12.76		
IBLINDU	ED EXCHANGE ACCESS LOOP		3	DEPOK DEPOB	UEABS	33.05	57.99	42.37	-				26.94	12./6		
	RE ANALOG VOICE GRADE LOOP					-			+ +							
- [-"	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76		
_	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	40.81	142.97	106.56				<u> </u>	26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UEA UEA	OCOSL UREWO		45.34 87.64	36.33	 			1	26.94	12.76	-	1
																1

Version 4Q02: 12/18/02 Page 213 of 324

NDUND	LED NETWORK ELEMENTS - North Carolina	1												ment: 2	Exhib	
ATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R <i>A</i>	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	1	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring		sconnect		COMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMA
4-WI	L RE ANALOG VOICE GRADE LOOP						First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOINIA
7-111	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76		
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45					26.94	12.76		1
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76		
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1	<u> </u>	1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76		
	2W ISDN Digital Grade Loop-Zone 2	 	2	UDN	U1L2X	32.88	325.91	251.31		1	1		26.94	12.76		<u> </u>
-	2W ISDN Digital Grade Loop-Zone 3	1	3	UDN UDN	U1L2X OCOSL	51.14	325.91 45.34	251.31		 	1	-	26.94	12.76		
	Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch	1	 	UDN	UREWO		91.55	44.12		1	1	-	26.94	12.76		1
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP	\vdash		JUN	SIKEWO		31.00	44.12		1	1		20.34	12.70		\vdash
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	 	1	UDC	UDC2X	19.42	325.91	251.31	1	1	1	1	26.94	12.76		—
-1	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2	t	2	UDC	UDC2X	32.88	325.91	251.31		1			26.94	12.76		†
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76		<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.55	44.12					26.94	12.76		
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE L	00P														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		1	UAL	UAL2X	11.00	264.71	145.60								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		2	UAL	UAL2X	18.39	264.71	145.60								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		3	UAL	UAL2X	28.42	264.71	145.60								
	Order Coordination for Specified Conversion Time (per LSR)	-	L .	UAL	OCOSL	44.00	45.34							10 =0		
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1	<u> </u>	1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2 2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL UAL	UAL2W UAL2W	18.39 28.42	190.25 190.25	114.82 114.82		-	-		26.94 26.94	12.76 12.76		
-	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.42	45.34	114.02		1			20.94	12.76		-
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76		
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LO	OP		0,12	O.L.L.TO		00.12	10.00					20.0 .	12.10		
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-	Ī	1	UHL	UHL2X	9.01	284.74	163.54					0.00	0.00		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		2	UHL	UHL2X	14.87	284.74	163.54					0.00	0.00		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		3	UHL	UHL2X	22.82	284.74	163.54					0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76		
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	<u> </u>	2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76		
_	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3	<u> </u>	3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76		
_	Order Coordination for Specified Conversion Time (per LSR)	-		UHL UHL	OCOSL UREWO		45.34 86.06	40.36		1			26.94	12.76		
4-1//	CLEC to CLEC Conversion Charge w/o outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LC	OP		UNL	UKEWU		00.00	40.36	1	1	1	 	20.94	12.70		\vdash
4-441	4W Unbundled HDSL Loop including manl svc ing & facility reservation-	Jr 	1	UHL	UHL4X	10.62	341.65	220.45		-	 					
	4W Unbundled HDSL Loop including manifestering & facility reservation-	 	2	UHL	UHL4X	17.67	341.65	220.45	1	1	1	1	t			
1	4W Unbundled HDSL Loop including man! svc inq & facility reservation-		3	UHL	UHL4X	27.24	341.65	220.45		1						†
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
<u> </u>	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76		
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76		
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		45.34	10.0-		1	1	1				<u> </u>
4 187	CLEC to CLEC Conversion Charge w/o outside dispatch RE DS1 DIGITAL LOOP	1	1	UHL	UREWO		86.06	40.36		1	1	1	26.94	12.76		├
4-VVI	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	47.60	714.84	421.47		-	-		42.19	12.76		
_	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	84.36	714.84	421.47					42.19	12.76		
	4W DS1 Digital Loop-Zone 3	 	3	USL	USLXX	134.29	714.84	421.47	1	1	1	1	42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)	t	Ť	USL	OCOSL	.020	48.31	.247		<u> </u>			.2.10	.2.70		1
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.99	43.00		1			26.94	12.76		†
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76		
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76		
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76		<u> </u>
	4W Unbundled Digital Loop 56 Kbps-Zone 1	<u> </u>	1	UDL	UDL56	25.32	489.04	337.51		1	1	1	26.94	12.76		↓
$-\!$	4W Unbundled Digital Loop 56 Kbps-Zone 2	 	2	UDL	UDL56	43.11	489.04	337.51		1	1		26.94	12.76		₩
	4W Unbundled Digital Loop 56 Kbps-Zone 3	<u> </u>	3	UDL	UDL56	67.26	489.04	337.51		 	ļ		26.94	12.76		—
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									

Version 4Q02: 12/18/02 Page 214 of 324

HOUND	DLED NETWORK ELEMENTS - North Carolina			1							_	_		ment: 2		bit: B
TEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R.A	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Manua Svc Ord vs.
						Dee	Nonre	curring	NRC Dis	sconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	43.11	489.04	337.51					26.94	12.76		1
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76		1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									†
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76		†
2-WI	IRE Unbundled COPPER LOOP			032	ONLING		102.00	10.10					20.01	12.70		†
	2W Unbundled Copper Loop/Short including manl svc ing & facility															†
	reservation-Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
_	2W Unbundled Copper Loop/Short including manl svc ing & facility		<u> </u>	002	OOLI D	10.20	202.00	140.70								+
	reservation-Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
-	2W Unbundled Copper Loop/Short including manl svc inq & facility			UCL	OCLEB	22.39	202.00	143.73					1			+
	reservation-Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
			3			34.00										+
-	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		61.38	61.38			 	 	1	 	1	₩
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-	1		1101			,	,								
	Zone 1	—	1	UCL	UCLPW	13.26	188.39	112.96			<u> </u>		26.94	12.76		₩
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-						,									
	Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76		<u> </u>
1	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-													1		
	Zone 3		3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCL2L	13.26	262.86	143.75								
	2W Unbundled Copper Loop/Long-includes manl svc ing & facility															
	reservation-Zone 2		2	UCL	UCL2L	22.39	262.86	143.75								
-	2W Unbundled Copper Loop/Long-includes manl svc ing & facility			002	OGLEE	22.00	202.00	1 10.70								†
	reservation-Zone 3		3	UCL	UCL2L	34.80	262.86	143.75								
-	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	04.00	61.38	61.38								+
-	2W Unbundled Copper Loop/Long-w/o man! svc inq & facility reservation-			OGE	OCLIVIC		01.50	01.50					1			+
			1	LICI	1101 014/	40.00	188.39	112.96					26.94	12.76		
_	Zone 1		1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_	1101	1101.014	00.00	400.00	440.00					00.04	40.70		
	Zone 2		2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76		╄
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_													
	Zone 3		3	UCL	UCL2W	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.14	42.44					26.94	12.76		
4-WI	IRE COPPER LOOP															
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								T
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								T
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76		
	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76		1
1	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 3		3	UCL	UCL4W	46.26	236.57	161.14					26.94	12.76		†
1	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		61.38	61.38								†
1	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			302	CCLIVIO		01.00	01.00				1	t	 		t -
	reservation-Zone 1	1	1	UCL	UCL4L	17.36	311.03	191.93						l		1
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility	 	+-	UCL	UUL4L	17.30	311.03	181.83				1	1	 		+
	reservation-Zone 2	1	2	UCL	UCL4L	29.61	311.03	191.93						I		1
+	4W Unbundled Copper Loop/Long-includes man! svc inq & facility	-		UOL	UUL4L	25.01	311.03	181.83			1	1	+	 	+	+
1		1	3	UCL	UCL4L	46.00	311.03	191.93						l		
+	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4L UCLMC	46.26	61.38		-	-	 	 	 	-	 	+
+		-	-	UCL	UCLIVIC		61.38	61.38	-	-	 	 	 	-	 	+
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_	1101	1101.40	47.00	220 57	101 11					00.04	40.70		
	Zone 1		1	UCL	UCL4O	17.36	236.57	161.14	ļ		<u> </u>	<u> </u>	26.94	12.76		₩
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	1	1		l l		_							I		1
_	Zone 2	<u> </u>	2	UCL	UCL4O	29.61	236.57	161.14			ļ	ļ	26.94	12.76		
ı	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	1	1											I		1
	Zone 3		3	UCL	UCL40	46.26	236.57	161.14					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.14	42.44								
OP MOD	DIFICATION															
				UAL,UHL,UCL,UEQ,UL												
		1	1	S,UEA,UEANL,UEPSR,										I	1	1
				UEPSB	ULM2L		21.24	21.24	Ī	1	i	i	1		1	1

Version 4Q02: 12/18/02 Page 215 of 324

ONBONDL	ED NETWORK ELEMENTS - North Carolina			1										nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R#	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	vs.
						Rec		curring		sconnec				Rates (\$)		
			ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		119.24 21.24	119.24								-
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UHL,UCL UCL	ULM4L ULM4G		119.24	21.24 119.24			-					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ,UL S,UEA,UEANL,UEPSR, UEPSB	ULMBT		24.84	24.84								
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		373.57									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		33.78									
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	_		UEANL	USBSC		234.76									1
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	_	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	11.93	126.03	54.54	<u> </u>	<u> </u>	<u> </u>		26.94	12.76		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	18.20	126.03	54.54		ļ	1		26.94	12.76		——
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>	<u> </u>	UEANL	USBMC		61.38	61.38	ļ	ļ						——
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76		——
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		-	UEANL	USBMC	0.70	61.38	61.38					20.04	40.70		
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76		₩
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC	0.74	61.38	61.38					00.04	40.70		₩
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I	-	UEANL	USBR4	3.74	127.67	50.82					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		4	UEANL	USBMC	0.40	61.38	61.38					20.04	40.70		
_	2W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS2X UCS2X	6.10 9.70	137.10	60.24					26.94	12.76		
	2W Copper Unbundled Sub-Loop Distribution-Zone 2 2W Copper Unbundled Sub-Loop Distribution-Zone 3	H	3	UEF UEF	UCS2X	14.59	137.10 137.10	60.24 60.24					26.94 26.94	12.76 12.76		
			3	UEF	USBMC	14.59	61.38	61.38					20.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1	_	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76		
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	÷	2	UEF	UCS4X	10.51	162.24	85.38					26.94	12.76		
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	÷	3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	Ė	_	UEF	USBMC	10.04	61.38	61.38					20.04	12.70		
	ndled Sub-Loop Modification			02.	0000		01.00	01.00								
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82					26.94	12.76		
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		124.51	1.82					26.94	12.76		
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		249.25	47.30					26.94	12.76		Ì
	ndled Network Terminating Wire (UNTW)			OLI	OLIVITI		243.23	47.50					20.34	12.70		
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4351	64.98									
	rk Interface Device (NID)			U												
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		86.37	56.69					26.94	12.76		
	Network Interface Device (NID)-1-6 lines	i		UENTW	UND16		127.93	98.21					26.94	12.76		
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.68	11.68					26.94	12.76		
	Network Interface Device Cross Connect-4W	-		UENTW	UNDC4		11.68	11.68					26.94	12.76		
UB-LOOPS																
Sub-L	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility			UEA,UDN,UCL,UDL,UD			373.57									
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UEA,UDN,UCL,UDL,UD			33.78	33.78								
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		523.51	11.31					19.99	19.99		
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1	ļ	1	UEA	USBFA	10.41	122.52	46.61		<u> </u>	ļ		26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	17.31	122.52	46.61		.			26.94	12.76		——
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3	<u> </u>	3	UEA	USBFA	26.67	122.52	46.61	ļ	ļ			26.94	12.76		——
	Order Coordination for Specified Conversion Time, per LSR	<u> </u>	<u> </u>	UEA	OCOSL		45.34			<u> </u>	1					1
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1	<u> </u>	1	UEA	USBFB	10.41	122.52	46.61			1		26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	17.31	122.52	46.61	<u> </u>		<u> </u>		26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 3	<u> </u>	3	UEA	USBFB	26.67	122.52	46.61	 	 	1	!	26.94	12.76		₩
	Order Coordination for Specified Time Conversion, per LSR	 	4	UEA	OCOSL	40.44	45.34	40.01	1	1	1	-	00.04	40.70		
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1	 	1	UEA	USBFC	10.41	122.52	46.61	1	1	1	-	26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	17.31	122.52	46.61		1			26.94	12.76		₩
1 1	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3		3	UEA	USBFC	26.67	122.52	46.61	1	1	1	1	26.94	12.76		1

Version 4Q02: 12/18/02 Page 216 of 324

ומאוטמאיי	LED NETWORK ELEMENTS - North Carolina	1	, ,			1					0	0		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
\Box						Rec	Nonrec			sconnect				Rates (\$)		T 00000
$-\!\!+\!\!-$	Order Coordination For Specified Conversion Time, per LSR	-		UEA	OCOSL		First 45.34	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1	-	1	UEA	USBFD	19.96	226.36	144.28					26.94	12.76		
-	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	33.91	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	52.85	226.36	144.28					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	19.96	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	33.91	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	52.85	226.36	144.28					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	47.04	45.34	105.00					00.04	10.70		
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1	-	1	UDN UDN	USBFF USBFF	17.24	202.01	105.88 105.88					26.94	12.76		
$-\!\!\!\!+\!\!\!\!-$	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	-	2	UDN	USBFF	29.17 45.37	202.01 202.01	105.88	-		-	-	26.94 26.94	12.76 12.76		
-+-	Order Coordination For Specified Conversion Time, Per LSR	+	3	UDN	OCOSL	40.07	45.34	100.00			 	-	20.34	12.70		
_	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	+	1	UDC	USBFS	17.24	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	1	2	UDC	USBFS	29.17	202.01	105.88					26.94	12.76		1
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	L	3	UDC	USBFS	45.37	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	35.65	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	63.18	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	100.58	393.01	153.37					42.19	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		48.31									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	9.14	172.89	90.81					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	14.90	172.89	90.81					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3 Order Coordination For Specified Conversion Time, per LSR	-	3	UCL UCL	USBFH	22.71	172.89 45.34	90.81					26.94	12.76		
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	-	1	UCL	USBFJ	13.41	207.14	134.77					26.94	12.76		
_	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	-	2	UCL	USBFJ	22.42	207.14	134.77					26.94	12.76		
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	34.66	207.14	134.77					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.34									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	65.02	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	65.02	215.00	132.92					26.94	12.76		
	Order Coordination For Specified Time Conversion, per LSR	-	1	UDL	OCOSL	04.07	45.34	422.02					20.04	40.70		
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL UDL	USBFP	24.27 41.55	215.00 215.00	132.92 132.92					26.94 26.94	12.76 12.76		
_	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	65.02	215.00	132.92					26.94	12.76		├
_	Order Coordination For Specified Conversion Time, per LSR	-	3	UDL	OCOSL	05.02	45.34	132.32					20.94	12.70		
UB-LOOP:				ODL	00002		40.04									
	Loop Feeder	1														†
	Sub Loop Feeder-DS3-Per mi Per mo	T		UE3	1L5SL	16.03										
	Sub Loop Feeder-DS3-Facility Term Per mo	I		UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per mi Per mo			UDLSX	1L5SL	16.03										
	Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01	ļ		26.94	12.76		<u> </u>
$-\!$	Sub Loop Feeder – OC-3 – Per mi Per mo	1!	\sqcup	UDLO3	1L5SL	12.16			ļ		ļ				ļ	1
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	<u> </u>		UDLO3	USBF5	56.60	2 222 5-	400.01	404.00	00.01			20.01	10.70		
-	Sub Loop Feeder-OC-3-Facility Term Per mo	1		UDLO3	USBF2	564.14	3,399.57	406.81	164.08	93.01	 	-	26.94	12.76		
-	Sub Loop Feeder-OC-12-Per mi Per mo Sub Loop Feeder-OC-12-Facility Term Protection Per mo	+	\vdash	UDL12 UDL12	1L5SL USBF6	14.97 639.50			-	-	 	-	-		-	+
-	Sub Loop Feeder-OC-12-Facility Term Per mo	Ŧ÷		UDL12	USBF3	1,841.00	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder-OC-12-r acting Ferritor	+ i		UDL48	1L5SL	49.10	0,000.07	-700.01	104.00	55.01		-	20.04	12.70		
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	ΤĖ		UDL48	USBF9	319.92										†
	Sub Loop Feeder-OC-48-Facility Term Per mo	i		UDL48	USBF4	1,603.00	3,585.57	406.81	160.39	90.92			26.94	12.76		
	Sub Loop Feeder-OC-12 Interface On OC-48			UDL48	USBF8	360.95	804.30	406.81	160.39	90.92			26.94	12.76		
NBUNDLE	D LOOP CONCENTRATION															
1 -	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	398.41	652.26	652.26								
	III about disabilities Consentation Contain D (TD000)	1	1 1	ULC	UCT8B	58.36	271.78	271.78	ı	1	1	1	1	ĺ	ı	1
	Unbundled Loop Concentration-System B (TR008)	_	\vdash								1					-
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	439.73	652.25	652.26								
									33.65	9.42						

Version 4Q02: 12/18/02 Page 217 of 324

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachr	nent: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R.A	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec		curring		sconnect				Rates (\$)		
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.77	First 21.11	Add'I 21.00	First 10.81	Add'l 10.74	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop			UDC	ULCCU	0.77	21.11	21.00	10.61	10.74	1	1				
	Interface (POTS Card)			UEA	ULCC2	0.89	35.73	35.49								
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface			<u> </u>												
	(SPOTS Card)			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.77	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	37.98	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74						
LINE OTHER	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11.51	21.11	21.00	10.81	10.74						
ONE OTHER	, PROVISIONING ONLY - NO RATE NID-Dispatch & Service Order for NID installation	<u> </u>	<u> </u>	UENTW	UNDBX	0.00	0.00	1	1	-	1	1				
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00	1	1	 	1	1				
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00		1		<u> </u>	 				
UNE OTHER	, PROVISIONING ONLY - NO RATE				3.120.1	0.00	3.00									
				UAL,UCL,UDC,UDL,UD			1					1				
	Unbundled Contact Name, Provisioning Only-no rate			N,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
NOTE	minimum billing period of three months for DS3 and above Local Loop															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	13.33					ļ					
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		<u> </u>
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	13.33	4.074.00	C4C 40					FO 40	FO 40		ļ
LOOP MAKE	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	464.26	1,071.00	646.12	-				53.48	53.48		
LOOP WAKE	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.73	55.73								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6960821	0.6960821								
HIGH FREQ	JENCY SPECTRUM															
LINE	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	-		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per			ULS	ULSDG		146.32	31.27					26.94	12.76		ļ
END	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRI	JM A	KA LII		111.000	0.04	54.74	00.77					00.04	40.70		
	Line Sharing-per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	54.71	28.77	-				26.94	12.76		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57					26.94	12.76		
	Line Sharing-per Subsgnt Activity per Line Rearrangement(DLEC Owned			ULO	ULODO		33.42	10.57	-	-	1	1	20.94	12.76		
	Splitter	l		ULS	ULSCS		35.14	16.29		1			26.94	12.76		
	Line Sharing-per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	1		1	1	26.94	12.76	1	
	SPLITTING	Ė		020	02000	0.01	77.74	10.01	1		1	1	20.04	12.70		
	JSER ORDERING-CENTRAL OFFICE BASED						1					1				
	Line Splitting-per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	Line Splitting-per line activation BST owned-virtual	ı		UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
	TE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	TERS-REMOTE SITE							ļ								ļ
	Remote Site Line Share BST Owned Splitter, 24 Port	ı		ULS	ULSRB	54.47	113.79	0.00	ļ				26.94	12.76		<u> </u>
1	Remote Site Line Share Cable pr Activation CLEC Owned at RS &	١.							1	1						
	Deactivation		<u> </u>	ULS	ULSTG		74.38	0.00	 	 	-	-	26.94	12.76		<u> </u>
END (USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REI	VIOTE	SITE	LINE SHARING		1	1	 	1	 	1	1				
	Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter			ULS	ULSRC	0.64	EG 00	20 50					26.04	12.76		
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	+	1	ULS	ULSTC	0.61 0.61	56.92 56.92	28.59 28.59	 	 	+	-	26.94 26.94	12.76		
	NO LINE ONATE LINE ACTIVATION FOR LINE USER SERVED AT NO. CLEC SPIRTER	_	1	ULO	ULSIC	0.01	30.92	20.39	1	Ī	1	I	20.94	12.70	1	1

Version 4Q02: 12/18/02 Page 218 of 324

	1											_	_	1-	_	oit: B
ATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)				d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs.	al Charg Manua Svc Orde vs.
						Rec		curring		sconnect		001111		Rates (\$)	001441	001111
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	<u> </u>		ULS	ULSRS		First 48.71	Add'l 17.67	First	Add'l	SOMEC	SOMAN	26.94	SOMAN 12.76	SOMAN	SOMAN
-	Remote Site Line Share Subsqrit Activity-RS CLEC Owned Splitter	H		ULS	ULSTS		48.71	17.67					26.94	12.76		
NBUNDI	ED DEDICATED TRANSPORT	†		OLO	OLOTO		40.71	17.07					20.04	12.70		
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing p	period	l - belo	ow DS3=one month, ab	ove DS3=fo	ur months										
INT	ROFFICE CHANNEL - DEDICATED TRANSPORT			, and the second												
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel-Dedicated Transpor t-2W VG Rev BatPer mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term	-	-	U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
_	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo	-	-	U1TVX	1L5XX	0.0125	100 11	CE OF					20.20	20.20		
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo	 	 	U1TVX U1TDX	U1TV4 1L5XX	22.16 0.0282	106.11	65.95	<u> </u>		 		22.32	22.32		
-	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo	1	1	U1TDX	U1TD5	17.40	137.48	52.58	1	-	1	1	38.07	38.07		1
-	Interoffice Channel-Dedicated Transport-36 kbps-r acinty reim		1	U1TDX	1L5XX	0.0282	137.40	52.56	1			1	30.07	30.07		1
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term	t	1	U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		1
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo		i i	U1TD1	1L5XX	0.5753		1	1							
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	12.98										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.14										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
	AL CHANNEL - DEDICATED TRANSPORT	<u> </u>	L													
NOT	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period :	= belo					550.00	00.00					40.47	40.70		
	Local Channel-Dedicated-2W VG-Zone 1 Local Channel-Dedicated-2W VG-Zone 2	<u> </u>	2	ULDVX ULDVX	ULDV2 ULDV2	11.24 19.91	553.80 553.80	89.69 89.69			-		42.17 42.17	12.76 12.76		
	Local Channel-Dedicated-2W VG-Zone 3		3	ULDVX	ULDV2	31.70	553.80	89.69					42.17	12.76		
_	Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV4	12.03	562.23	92.67					42.17	12.76		
	Local Channel-Dedicated-4W VG-Zone 2		2	ULDVX	ULDV4	21.33	562.23	92.67					42.17	12.76		
	Local Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	33.95	562.23	92.67					42.17	12.76		
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	27.05	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 2		2	ULDD1	ULDF1	47.94	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 3		3	ULDD1	ULDF1	76.32	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS3-Per mi per mo			ULDD3	1L5NC	0.9954										
	Local Channel-Dedicated-DS3-Facility Term	-		ULDD3	ULDF3	298.92	562.25	527.88					56.25	56.25		
	Local Channel-Dedicated-STS-1-Per mi per mo	-		ULDS1	1L5NC	0.9954	4.074.00	040.40					52.40	50.40		
RK FIB	Local Channel-Dedicated-STS-1-Facility Term	-	-	ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		
KKK FIB	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-				+											
	Local Channel			UDF	1L5DC	64.04										
	NRC Dark Fiber-Local Channel	 	†	UDF	UDFC4	54.04	1,347.00	279.87								
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-				1		.,550	2.0.07								
	Interoffice Channel	1	1	UDF	1L5DF	27.71		1		1						1
	NRC Dark Fiber-Interoffice Channel			UDF	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Local Loop		<u> </u>	UDF	1L5DL	64.04		ļ			<u> </u>					
	NRC Dark Fiber-Local Loop			UDF	UDFL4		1,347.00	279.87								
X ACCE	SS TEN DIGIT SCREENING	<u> </u>	1	0::5	1			ļ		<u> </u>	<u> </u>					<u> </u>
	8XX Access Ten Digit Screening, Per Call	<u> </u>	<u> </u>	OHD	NODAY	0.0005	7.05	0.00					00.04			
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS	1	1	OHD	N8R1X		7.05	0.96		-	1	-	26.94			
1	Translations	1	1	OHD			23.82	2.73		1			41.35			
-	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS	\vdash	 	OID	+		23.02	2.73		 	1		41.33			
	Translations	1	1	OHD	N8FTX		23.82	2.73		1			41.35			1
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No	t	t	OHD	N8FCX		5.63	2.82					71.00			1
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR	†	<u> </u>	¥=			2.00									
1	Requested Per 8XX No.	1	1	OHD	N8FMX		6.59	3.77		1						1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94			
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		5.63									
NE INFO	RMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.00003		ļ								
	LIDB Validation Per Query	<u> </u>	<u> </u>	OQU	Lun	0.0134		ļ			ļ					ļ
L	LIDB Originating Point Code Establishment or Change	1	1	OQT,OQU	NRPBX		62.26	l		<u> </u>	1		26.94	26.94		<u> </u>

Version 4Q02: 12/18/02 Page 219 of 324

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
											Svc	Svc	Incrementa	Incrementa	Increment	Increme
											Order	Order	I Charge -	I Charge -	al Charge -	al Charg
		Intor	Zon								Submitte	Submitte	Manual	Manual	Manual	Manua
CATEGORY	RATE ELEMENTS	im	2011	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order			Svc Ord
		ım	е									Manually		vs.	vs.	vs.
											po. Lon		Electronic-			
												per LOIX			Liectionic	Liection
						Rec	Nonre			sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
IGNALING																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA	<u> </u>		UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															
	Change, per STP affected	<u> </u>	<u> </u>	UDB	CCAPO		40.00	40.00				ļ	19.99	19.99		ــــــ
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
911 SERVI																
	Local Channel-Dedicated-2-wr VG-Zone 1		1			11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2-wr VG-Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2-wr VG-Zone 3		3			31.70	553.80	89.69					42.17	12.76		
	Interoffice Transport-Dedicated-2-wr VG Per mi					0.0282										
	Interoffice Transport-Dedicated-2-wr VG Per Facility Term					18.00	137.48	52.58					38.07	38.07		
	Local Channel-Dedicated-DS1-Zone 1		1			27.05	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 2		2			47.94	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 3		3			76.32	534.48	462.69					86.15	1.77		
	Interoffice Transport-Dedicated-DS1 Per mi					0.5753										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					71.29	217.17	163.75					38.07	38.07		
	AME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			75.62									
	CNAM For Non DB Owners-Service Establishment			OQV			75.62									
	CNAM For DB Owners-Service Provisioning With Point Code Establishment															
	(Initial)			OQV			2,354.00	2,354.00								
	CNAM For DB Owners-Service Provisioning With Point Code Establishment															
	(Subsqnt)			OQV			1,739.00	1,739.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment (Initial)			OQV			1,072.00	1,072.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment (Subsqnt)			OQV			768.44	768.44								
	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592										
NP Query S																
	LNP Charge Per query			OQV		0.00084										
	LNP Service Establishment Manual			OQV	1		41.25									
	LNP Service Provisioning with Point Code Establishment (Initial)			OQV			1,563.00	1,563.00								
	LNP Service Provisioning with Point Code Establishment (Subsgnt)			OQV		i	883.99	883.99				1				

Version 4Q02: 12/18/02 Page 220 of 324

ONBONDE	ED NETWORK ELEMENTS - North Carolina				,								Attachr		Exhib	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)				Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
						Rec	Nonre First	curring		sconnect		SOMAN		Rates (\$)	SOMAN	SOMAN
OBERATOR	CALL PROCESSING						FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SOWAN	SUMAN
	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB					1.20										\vdash
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB					1.24										
	Oper. Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
	ERATOR SERVICES															
	Inward Oper Services-Verification, Per min					1.15										
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
	OPERATOR CALL PROCESSING															
	y based CLEC				00400		7 000 00	7 000 00					00.04	40.70		-
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN	-			CBAOS CBAOL		7,000.00 500.00	7,000.00 500.00		-	-		26.94 26.94	12.76 12.76		
	CLEC	-			CDAUL		500.00	500.00					20.94	12.76		
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00		1	1		26.94	12.76		
	nding via OLNS for UNEP CLEC						000.00	000.00					20.01	120		
	Loading of OA per OCN (Regional)						1,200.00	1,200.00					26.94	12.76		
IRECTORY	ASSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call															l
	Attempt					0.062										-
	ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS)															—
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service Griange Fer Listing Directory Assistance Data Base Service, per mo				DBSOF	150.00										
	DIRECTORY ASSISTANCE				5500.	100.00										
	y Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00					26.94	12.76		
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00					26.94	12.76		
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00					26.94	12.76		
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00					26.94	12.76		
	nding via OLNS for UNEP CLEC						400.00	400.00					00.04	40.70		-
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						420.00 16.00	420.00 16.00					26.94 26.94	12.76 12.76		——
ELECTIVE							16.00	16.00					20.94	12.76		-
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		82.25	82.25	14.14	14.14			26.94	12.76		
	DLLOCATION				OOROR		02.20	02.23	14.14	14.14			20.34	12.70		
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
	OLLOCATION			, , , , , , , , , , , , , , , , , , , ,												
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41			19.99	19.99		
IN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
	OUTH AIN SMS ACCESS SERVICE	 	 	A481	CAMACE		204.77			1	1	-				
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup AIN SMS Access Service-Port Connection-Dial/Shared Access	-		A1N A1N	CAMSE CAMDP	-	294.77 86.94	1				-		-		
	AIN SMS Access Service-Port Connection-Dial/Snared Access AIN SMS Access Service-Port Connection-ISDN Access	-		A1N A1N	CAM1P		86.94									
	AIN SMS Access Service-For Connection Figure Access AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement	<u> </u>		A1N	CAMRC	ļ	172.05									
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)				ļ	0.0023										
	AIN SMS Access Service-Session, Per min	<u> </u>			ļ	0.0791										—
	AIN SMS Access Service-Company Performed Session, Per min	<u> </u>			<u> </u>	2.08						ļ				₩
	OUTH AIN TOOLKIT SERVICE AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup	-		CAM	BAPSC		290.05			-	-					
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service-Training Session, Per Customer	 		CAIVI	BAPVX		8,363.00			1	1	-				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.	1			DAL AV		0,303.00									
					i				1	1	1	Ī	ı	ı		1

Version 4Q02: 12/18/02 Page 221 of 324

	LED NETWORK ELEMENTS - North Carolina		1								Svc	Svc		ment: 2 Incrementa		it: B
CATEGORY	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)	Lunon		Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
					+	Rec	First	curring Add'l		sconnec		SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook				+		FIISL	Auu	FIISL	Auu i	SOWIEC	SOWAN	SOWAN	SOWAN	JOWAN	SOWAN
	Delay				BAPTD		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
	Immediate				BAPTM		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP				BAPTO		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature				BAPTF		149.95									
	AIN Toolkit Service-Query Charge, Per Query					0.02										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per						<u></u>									
	Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100								l				1	l		I
	Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.003	47.20									
	D EXTENDED LINK (EELs)		L													
	E: The monthly recurring and non-recurring charges below will apply and										is.					
	E: The monthly recurring and the Switch-As-Is Charge and not the non-rec				or EELs pro	visioned as ' (Surrently Con	nbined, Netwo	rk Eleme	nts.						
	E: Minimum billing is one month for DS1 and below and three months abo RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE										1					
2-001	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1	IKA	1	UNCVX	UEAL2	14.97	142.97	106.56								
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1 First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
						25.93	142.97	100.50								
	First 2W VC Loop (SL2) in a DC1 Intereffice Transport Combination Zone 2		2	LINCV/V	LIEVIO	40.01	142.07	106 FG								
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		3	UNC1X	1L5XX	0.5753							29.07	29.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo		3	UNC1X UNC1X	1L5XX U1TF1	0.5753 71.29	217.17	163.75					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo		3	UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	0.5753 71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo		3	UNC1X UNC1X	1L5XX U1TF1	0.5753 71.29	217.17	163.75								
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		3	UNC1X UNC1X UNC1X UNCVX	1L5XX U1TF1 MQ1 1D1VG	0.5753 71.29 146.69 1.27	217.17 197.78 13.09	163.75 140.06 9.38					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1			UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	0.5753 71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2	0.5753 71.29 146.69 1.27	217.17 197.78 13.09	163.75 140.06 9.38					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		1	UNC1X UNC1X UNC1X UNCVX	1L5XX U1TF1 MQ1 1D1VG	0.5753 71.29 146.69 1.27	217.17 197.78 13.09	163.75 140.06 9.38					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1	UNC1X UNC1X UNC1X UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2	0.5753 71.29 146.69 1.27 14.97 25.93	217.17 197.78 13.09 142.97	163.75 140.06 9.38 106.56					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	0.5753 71.29 146.69 1.27 14.97 25.93	217.17 197.78 13.09 142.97 142.97	163.75 140.06 9.38 106.56 106.56					38.07 38.07	38.07 38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo		1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	0.5753 71.29 146.69 1.27 14.97 25.93	217.17 197.78 13.09 142.97	163.75 140.06 9.38 106.56	32.28	10.96			38.07	38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2	TRA	1 2 3	UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	0.5753 71.29 146.69 1.27 14.97 25.93	217.17 197.78 13.09 142.97 142.97 142.97	163.75 140.06 9.38 106.56 106.56	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge	E TRA	1 2 3	UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	0.5753 71.29 146.69 1.27 14.97 25.93	217.17 197.78 13.09 142.97 142.97 142.97	163.75 140.06 9.38 106.56 106.56	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo DS1 Channelization System Per mo GC0CI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE	TRA	1 2 3	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCX UNCX UNCX UNCX UNCX UNCX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDAL2	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	163.75 140.06 9.38 106.56 106.56 9.38 21.75	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1	TRA	1 2 3 NNSPO 1	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X RT (EEL)	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	163.75 140.06 9.38 106.56 106.56 106.56 21.75	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2	: TRA	1 2 3 NNSPO 1 2	UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X RT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27	217.17 197.78 13.09 142.97 142.97 143.09 21.75 288.47 288.47	163.75 140.06 9.38 106.56 106.56 106.56 21.75 237.45	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2	E TRA	1 2 3 NNSPO 1 2	UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X RT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 21.32 36.27 56.57	217.17 197.78 13.09 142.97 142.97 143.09 21.75 288.47 288.47	163.75 140.06 9.38 106.56 106.56 106.56 21.75 237.45	32.28	10.96			38.07 38.07	38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi	E TRA	1 2 3 NNSPO 1 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 288.47	163.75 140.06 9.38 106.56 106.56 106.56 237.45 237.45 237.45	32.28	10.96			38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-per mo	E TRA	1 2 3 NNSPO 1 2	UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X RT (EEL) UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 288.47	163.75 140.06 9.38 106.56 106.56 106.56 237.45 237.45 237.45 163.75	32.28	10.96			38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi	ETRA	1 2 3 NNSPO 1 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 288.47	163.75 140.06 9.38 106.56 106.56 9.38 21.75 237.45 237.45 237.45 163.75 140.06	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	E TRA	1 2 3 NNSPO 1 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29 146.69	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 288.47	163.75 140.06 9.38 106.56 106.56 9.38 21.75 237.45 237.45 237.45 163.75 140.06	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WII	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System Combination-Per mo VG COCI-DS1 to DS0 Channel System combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-	E TRA	1 2 3 NSPO 1 2 3 3 1 1	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG UEAL4	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29 146.69 1.27	217.17 197.78 13.09 142.97 142.97 13.09 21.75 288.47 288.47 217.17 197.78 13.09 288.47	163.75 140.06 9.38 106.56 106.56 9.38 21.75 237.45 237.45 237.45 237.45 237.45	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System Combination-Per mo VG COCI-DS1 to DS0 Channel System combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	E TRA	1 2 3 NNSPO 1 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 IL5XX U1TF1 MQ1 1D1VG	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 288.47 217.17 197.78	163.75 140.06 9.38 106.56 106.56 106.56 237.45 237.45 237.45 163.75 140.06 9.38	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2	E TRA	1 2 3 3 NSPO 1 2 3 3 1 1 2 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29 146.69 1.27 21.32	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 217.17 197.78 13.09 288.47	163.75 140.06 9.38 106.56 106.56 106.56 9.38 21.75 237.45 237.45 163.75 140.06 9.38 237.45	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo VG COCI-DS1 to DS0 Channel System combination-Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3	E TRA	1 2 3 NSPO 1 2 3 3 1 1	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG UEAL4 UEAL4 1L5XX UTF1 MQ1 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29 146.69 1.27 21.32	217.17 197.78 13.09 142.97 142.97 13.09 21.75 288.47 288.47 197.78 13.09 288.47 288.47	163.75 140.06 9.38 106.56 106.56 9.38 21.75 237.45 237.45 237.45 237.45 237.45 237.45 237.45	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07 38.07 38.07		
4-WI	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination-Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2	E TRA	1 2 3 3 NSPO 1 2 3 3 1 1 2 2	UNC1X	1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG	0.5753 71.29 146.69 1.27 14.97 25.93 40.81 1.27 21.32 36.27 56.57 0.5753 71.29 146.69 1.27 21.32	217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75 288.47 288.47 217.17 197.78 13.09 288.47	163.75 140.06 9.38 106.56 106.56 106.56 9.38 21.75 237.45 237.45 163.75 140.06 9.38 237.45	32.28	10.96			38.07 38.07 38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07 38.07		

	LED NETWORK ELEMENTS - North Carolina			1							e	C		nent: 2	Exhib	
ATEGORY	/I PATE ELEMENTS I	nter im	Zon e	BCS	usoc			ATES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR		Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Char Manua Svc Ord vs.
						Rec	Nonre First	curring Add'l	NRC Di First	sconnect Add'l		COMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
4-WI	I RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	CF T	RANS	SPORT (FFL)			FIISL	Addi	FIISL	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SUNIA
1	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	1														
	Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		_													
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	1L5XX	0.5753	047.47	100.75					00.07	00.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06			-		38.07 38.07	38.07 38.07		
_	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
+	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport	-		ONODA	10100	2.00	13.70	11.20					30.07	30.07		
	Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51		1					1	
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-															
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
4	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	CEI	RAN	SPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
+	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	UNCDX	UDL64	25.32	489.04	337.51								
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLOT	40.11	400.04	007.01								
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-															
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
—	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			LINODY	LIBLOA	10.11	400.04	007.54								
+-	Combination-Zone 2 Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport		2	UNCDX	UDL64	43.11	489.04	337.51								
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
+-	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-		3	UNCDA	ODL04	07.20	405.04	337.31								
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
		RAN	ISPO	RT (FFL)												
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE T															
4-WII	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47						i —	l	
4-WII	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		1 2	UNC1X UNC1X	USLXX	84.36	714.84	421.47								
4-WII	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		1	UNC1X UNC1X UNC1X	USLXX	84.36 134.29										
4-WII	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		1 2	UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX	84.36 134.29 0.5753	714.84 714.84	421.47 421.47								
4-WII	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo		1 2	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1	84.36 134.29	714.84 714.84 217.17	421.47 421.47 163.75					38.07	38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo NRC Currently Combined Network Elements Switch-As-Is Charge		3	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX	84.36 134.29 0.5753	714.84 714.84	421.47 421.47	32.28	10.96			38.07 38.07	38.07 38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T		1 2 3	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC	84.36 134.29 0.5753 71.29	714.84 714.84 217.17 21.75	421.47 421.47 163.75 21.75	32.28	10.96						
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC	84.36 134.29 0.5753 71.29	714.84 714.84 217.17 21.75	421.47 421.47 163.75 21.75	32.28	10.96						
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36	714.84 714.84 217.17 21.75 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47	32.28	10.96						
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC USLXX USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29	714.84 714.84 217.17 21.75	421.47 421.47 163.75 21.75	32.28	10.96						
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36	714.84 714.84 217.17 21.75 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47	32.28	10.96						
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	USLXX USLXX 1L5XX U1TF1 UNCCC USLXX USLXX USLXX 1L5XX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98	714.84 714.84 217.17 21.75 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47	32.28	10.96			38.07	38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X UNC3X UNC3X	USLXX USLXX 1L5XX U1TF1 UNCCC USLXX USLXX USLXX USLXX USLXX USLXX UTF3	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98 720.38	714.84 714.84 217.17 21.75 714.84 714.84 794.94	421.47 421.47 163.75 21.75 421.47 421.47 421.47 579.55 234.40 9.38	32.28	10.96			38.07	38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS3-Gombination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo DS3 to DS1 Channel System combination per mo		1 2 3 ISPO	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC1X UNC1X	USLXX USLXX 1L5XX UTF1 UNCCC USLXX USLXX USLXX USLXX USLXX USLXX UC1TF3 MQ3 UC1D1 USLXX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98 720.38 233.10	714.84 714.84 217.17 21.75 714.84 714.84 714.84 794.94 403.97 13.09 714.84	421.47 421.47 163.75 21.75 421.47 421.47 421.47 579.55 234.40 9.38 421.47	32.28	10.96			38.07 38.07 38.07	38.07 38.07 38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Per mi Per mo Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo DS3 to DS1 Channel System combination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		1 2 3 3 ISPO 1 2 3	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC1X UNC1X	USLXX USLXX USLXX UTIT1 UNCCC USLXX USLXX USLXX USLXX USLXX USLXX USLXX UTIT3 MQ3 UC1D1 USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98 720.38 233.10 16.07 47.60 84.36	714.84 714.84 217.17 21.75 714.84 714.84 714.84 794.94 403.97 13.09 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47 421.47 579.55 234.40 9.38 421.47 421.47	32.28	10.96			38.07 38.07 38.07	38.07 38.07 38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi Per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi Per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo DS3 to DS1 Channel System combination per mo DS3 Interface Unit (DS1 COCI) combination per mo DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		1 2 3 ISPO 1 2 3	UNC1X	USLXX USLXX USLXX 1L5XX UTF1 UNCCC USLXX USLXX USLXX USLXX 1L5XX U1TF3 MQ3 UC1D1 USLXX USLXX USLXX USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98 20.38 233.10 16.07 47.60 84.36	714.84 714.84 217.17 21.75 714.84 714.84 714.84 794.94 403.97 13.09 714.84 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47 421.47 579.55 234.40 9.38 421.47 421.47 421.47	32.28	10.96			38.07 38.07 38.07 38.07	38.07 38.07 38.07 38.07		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE T First DS1Loop in DS3 Interoffice Transport Combination-Zone 1 First DS1Loop in DS3 Interoffice Transport Combination-Zone 2 First DS1Loop in DS3 Interoffice Transport Combination-Per mi Per mo Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo Interoffice Transport-Dedicated-DS3-Facility Term per mo DS3 to DS1 Channel System combination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		1 2 3 3 ISPO 1 2 3	UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC1X UNC1X	USLXX USLXX USLXX UTIT1 UNCCC USLXX USLXX USLXX USLXX USLXX USLXX USLXX UTIT3 MQ3 UC1D1 USLXX USLXX	84.36 134.29 0.5753 71.29 47.60 84.36 134.29 12.98 720.38 233.10 16.07 47.60 84.36	714.84 714.84 217.17 21.75 714.84 714.84 714.84 794.94 403.97 13.09 714.84 714.84	421.47 421.47 163.75 21.75 421.47 421.47 421.47 579.55 234.40 9.38 421.47 421.47	32.28	10.96			38.07 38.07 38.07	38.07 38.07 38.07		

Version 4Q02: 12/18/02 Page 223 of 324

NDUND	LED NETWORK ELEMENTS - North Carolina	1	1		1 1						6.40	8		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	всѕ	usoc		RA	TES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonrec			sconnect		COMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMA
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	First 142.97	Add'I 106.56	First	Add'l	SOWIEC	SUMAN	SUMAN	SOMAN	SUMAN	SOWA
-	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								1
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0282										†
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFIC	E TRA	NSPC	_ ` /												
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2	<u> </u>	2	UNCVX	UEAL4	36.27	288.47	237.45								
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3	<u> </u>	3	UNCVX	UEAL4	56.57	288.47	237.45								<u> </u>
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo	<u> </u>	<u> </u>	UNCVX	1L5XX	0.0282	400.44	CE 05					20.07	20.07		<u> </u>
+	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo	1	!	UNCVX	U1TV4 UNCCC	22.16	106.11 21.75	65.95 21.75	32.28	10.96	1	-	38.07 38.07	38.07 38.07		
DS2	NRC Currently Combined Network Elements Switch-As-Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANS	PORT	(FEL)		UNCCC		21.75	21.75	3Z.Z8	10.96	1	1	38.07	38.07		
233	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo	. UKI	\	UNC3X	1L5ND	13.33			 		 	-		 		
-	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per mo	 	 	UNC3X	UE3PX	450.69	1,071.00	646.12		†	1	t	38.07	38.07		
1	Interoffice Transport-Dedicated-DS3-Per mi per mo	 	 	UNC3X	1L5XX	12.98	.,57 1.00	3-10. TZ		1	1	1	55.57	00.07		
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per per mo			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRA	NSPO	RT (EI													
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	13.33										1
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	464.26	1,071.00	646.12					38.07	38.07		1
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.14										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3	<u> </u>	3	UNCNX	U1L2X	51.14	325.91	251.31								
-	Interoffice Transport-Dedicated-DS1 combination-Per mi	-		UNC1X	1L5XX	0.5753	047.47	400.75					20.07	38.07		-
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo Channelization-Channel System DS1 to DS0 combination-per mo	-		UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07 38.07	38.07		-
-	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07	-	-
-	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					36.07	36.07		-
	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
+	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								_
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo		Ť	UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		_
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFIC	E TR	ANSP													1
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo			UNCSX	1L5XX	6.14										
_	Interoffice Transport-Dedicated-STS1 combination-Facility Term	<u> </u>	<u> </u>	UNCSX	U1TFS	790.37	642.23	408.89			ļ		38.07	38.07		<u> </u>
	STS1 to DS1 Channel System conbination per mo	<u> </u>	1	UNCSX	MQ3	233.10	403.97	234.40			<u> </u>		38.07	38.07		<u> </u>
-	DS3 Interface Unit (DS1 COCI) combination per mo	<u> </u>	L	UNC1X	UC1D1	16.07	13.09	9.38			<u> </u>		38.07	38.07		<u> </u>
-	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	 	1	UNC1X	USLXX	47.60	714.84 714.84	421.47	 		1	-				<u> </u>
			2	UNC1X UNC1X	USLXX	84.36 134.29	714.84	421.47 421.47			-					-
+	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3 DS3 Interface Unit (DS1 COCI) combination per mo	 	3	UNC1X	USLXX UC1D1	134.29	13.09	9.38	 		1	-	38.07	38.07		
-	NRC Currently Combined Network Elements Switch-As-Is Charge	 	1	UNCSX	UNCCC	10.07	21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TR.	ANSP	ORT (I		5.1000		21.73	21.70	52.20	.0.00	1	t	55.57	00.07		
1	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51								
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TR	ANSP	ORT (I													
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX UNCDX	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51								

Version 4Q02: 12/18/02 Page 224 of 324

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	LED NETWORK ELEMENTS - North Carolina		1								Svc	Svc		ment: 2 Incrementa		oit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	всѕ	USOC		R#	TES (\$)			Order Submitte d Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs.	I Charge - Manual	al Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonred First	curring Add'l	NRC Di	sconnect Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMA
_	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi	-	-	UNCDX	1L5XX	0.0282	FIISL	Auu i	FIISL	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOIVIA
	Interoffice Transport-Dedicated-4W 64 kbps combination-Fer fill			UNCDX	U1TD6	17.40	137.48	52.58				-	38.07	38.07		
-	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC	17.40	21.75	21.75	32.28	10.96		-	38.07	38.07		
	L NETWORK ELEMENTS	-	-	UNCDX	UNCCC		21.75	21.75	32.20	10.96			30.07	36.07		
	used as a part of a currently combined facility, the non-recurring charge	oc do	not an	nly but a Switch Ac	le charge de	ne annly						1				
	used as a part of a currently combined facility, the non-recurring charge											1				
	Currently Combined Network Elements "Switch As Is" Charge (One appli				ILCII AS IS CII	arge does not.	•					-		-		
NIC	NRC Currently Combined Network Elements Switch As is Charge (One approximately Combined Network Elements Switch-As-Is Charge-2W/4W	65 10 1	acii c	UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
-	NRC Currently Combined Network Elements Switch-As-Is Charge-26/64			UNCDX	UNCCC		21.75	21.75	32.28	10.96		-	38.07	38.07		
_	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 NRC Currently Combined Network Elements Switch-As-Is Charge-DS1	1	-	UNC1X	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07	-	
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3		-	UNC3X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07	1	
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96		-	38.07	38.07		
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Below	D63_4					21.73	21.73	32.20	10.90		-	30.07	36.07		
NOTE	Local Channel-Dedicated Transport - minimum bining period - Below	D33=0	1	UNCVX	ULDV2	11.24	553.80	89.69				-		-		
-	Local Channel-Dedicated-2W VG Zone 1		2	UNCVX	ULDV2	19.91	553.80	89.69				-		-		
-	Local Channel-Dedicated-2W VG-Zone 3	-	3	UNCVX	ULDV2	31.70	553.80	89.69								1
-	Local Channel-Dedicated-2W VG-20ne 3		1	UNCVX	ULDV4	12.03	562.23	92.67				-		-		
-	Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	21.33	562.23	92.67				-		-		
	Local Channel-Dedicated-4W VG-Zone 3		3	UNCVX	ULDV4	33.95	562.23	92.67				1				
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	27.05	534.48	462.69				1				
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	47.94	534.48	462.69				1				
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	76.32	534.48	462.69				1				
	Local Channel-Dedicated-DS3-Per mi per mo			UNC3X	1L5NC	0.9954	334.40	402.03				1				
_	Local Channel-Dedicated-DS3-Fer Hill per Hilo Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	298.92	562.25	527.88				-				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	0.9954	002.20	027.00				1				
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	286.13	1,071.00	646.12				1				
Ontio	nal Features & Functions:			0110071	OLD. O	200.10	1,07 1.00	0.10.12				1				
	TIPLEXERS											1				
	:: minimum billing period is one month for DS1 to DS0 Channel System a	nd in	terface	e e								1				
	: minimum billing period is three months for DS3 to DS1 and above Cha															
1	Channelization-DS1 to DS0 Channel System	1	1	UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
1	VG COCI-DS1 to DS0 Channel System-per mo	1		UEA	1D1VG	1.27	13.09	9.38			<u> </u>	†	24.85	8.16		†
	DS3 to DS1 Channel System per mo		t	UXTD3	MQ3	233.10	403.97	234.40			1	1	24.78	7.42		
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) used with Loop per mo		t	USL	UC1D1	16.07	13.09	9.38			1	1	24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
Sub-L	oop Feeder												-			
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	35.65	393.01	153.37								
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	63.18	393.01	153.37								
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	100.58	393.01	153.37								<u></u>
BUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				1	26.94	12.76		

Version 4Q02: 12/18/02 Page 225 of 324

ONRONDE	ED NETWORK ELEMENTS - North Carolina												Attachr		Exhib	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R.A	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Svc Order	I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Dis	sconnect		1		Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT				LIEDOD	LIED\/E	0.40	0.00	0.00					00.04	40.70		—
	All Available Vertical Features	-	-	UEPSR	UEPVF	3.40	0.00	0.00			1		26.94	12.76		
	E VOICE GRADE LINE PORT RATES (BUS) Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		-
	Exchange Ports-2W Arialog Line Port wid Caller ID-Bus Exchange Ports-2W VG unbundled Line Port with unbundled port with			OLFOD	ULFBL	2.19	21.00	21.00					20.94	12.70		
	Caller+E484 ID-Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		İ
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT						0.40							22.24	10.70		
	All Available Vertical Features	<u> </u>	-	UEPSB	UEPVF	3.40	0.00	0.00	1	-	+	<u> </u>	26.94	12.76		1
	ANGE PORT RATES (DID & PBX) 2W VG Unbundled 2-Way PBX Trunk-Res		1	UEPSE	UEPRD	2.18	21.60	21.60		-	+	 	26.94	12.76		
	2W VG Unbundled 2-Way PBX Trunk-Res 2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	1	1	UEPSP	UEPRD	2.18	21.60	21.60	1	-	+	1	26.94	12.76		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus 2W VG Line Side Unbundled Outward PBX Trunk-Bus	1	1	UEPSP	UEPPO	2.18	21.60	21.60			1	 	26.94	12.76		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60			1		26.94	12.76		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative													40.70		İ
	Calling Port	-	-	UEPSP	UEPXL	2.18	21.60	21.60			1		26.94	12.76		
	Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		-
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		l
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00			1		26.94	12.76		
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					2.59	21.60	21.60					26.94	12.76		
	: Transmission/usage charges associated with POTS circuit switched us											with 2W ISI	DN ports.			
	: Access to B Channel or D Channel Packet capabilities will be available	only	throug	h BFR/NBR Process. I	Rates for th	e packet capa	bilities will be	determined	via the BF	R/NBR P	rocess.					
	D LOCAL EXCHANGE SWITCHING(PORTS)															1
	ANGE PORT RATES Exchange Ports-2W DID Port		1	UEPEX	UEPP2	12.36	81.84	81.84	-	-	1	 	26.94	12.76		
	Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability	1	1	UEPDD	UEPP2 UEPDD	12.36	116.59	69.92	1	-	+	1	26.94	12.76		1
-+-	Exchange Ports-2W ISDN Port (See Notes below.)	<u> </u>	+	UEPTX UEPSX	U1PMA	24.50	62.29	62.29		 	+	 	55.30	55.30		
	All Features Offered	1	1	UEPTX UEPSX	UEPVF	3.40	0.00	0.00			1	 	33.30	33.30		
	: Transmission/usage charges associated with POTS circuit switched us	sage v	vill als							annels as	sociated v	with 2W ISI	DN ports.			
	: Access to B Channel or D Channel Packet capabilities will be available															
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															1
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			1150/6								ļ	20.5	10.55		——
	Unbundled Remote Call Forwarding Service, Area Calling, Res	<u> </u>	-	UEPVR	UERAC	2.19	21.60	21.60	1	-	+	<u> </u>	26.94	12.76		1
	Unbundled Remote Call Forwarding Service, Local Calling-Res Unbundled Remote Call Forwarding Service, InterLATA-Res	!	 	UEPVR UEPVR	UERLC UERTE	2.19 2.19	21.60 21.60	21.60 21.60		-	1	<u> </u>	26.94 26.94	12.76 12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Res	1	1	UEPVR	UERTR	2.19	21.60	21.60	1	 	+	1	26.94	12.76		1
	dibunded Remote Can Forwarding Service, IntraLATA-Res	<u> </u>	+	OLFVI	OLKIK	2.19	21.00	21.00		 	+	 	20.34	12.10		
14011-1	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2	-	2.77	0.40			1		26.94	12.76		
	Unbundled Remote Call Forwarding Service-Conversion with allowed	1	1	OLI VIX	JUNUZ		2.11	0.40			<u> </u>	<u> </u>	20.34	12.70		
	change (PIC & LPIC)			UEPVR	USACC		2.77	0.40		1						i
UNBU	NDLED REMOTE CALL FORWARDING - Bus	1						270								
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60			1		26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		

Version 4Q02: 12/18/02 Page 226 of 324

UNBUNDL	ED NETWORK ELEMENTS - North Carolina				,									nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)	L NDC D	sconnect	d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	vs.	al Charge Manual Svc Orde vs.
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19	21.60	21.60	11131	Addi	CONILC	JOINAIN	26.94	12.76	JONAN	JONIAN
-	Unbundled Remote Call Forwarding Service Expanded & Exception Local			02. 15	GERRIN	20	21.00	200					20.0 .	12.10		
	Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		2.77	0.40								
JNBUNDLE	D LOCAL SWITCHING, PORT USAGE				1											
End C	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0015										
	End Office Trunk Port-Shared, Per MOU					0.00023										
Tande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port-Shared, Per MOU					0.0003										
Comn	non Transport															
	Common Transport-Per mi, Per MOU					0.00001										
	Common Transport-Facilities Term Per MOU					0.00034										
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or Com															
Featu	res shall apply to the Unbundled Port/Loop Combination - Cost Based Ra	ate se	ction	n the same manner as	they are ap	plied to the St	tand-Alone U	nbundled Port	t section	of this Ex	hibit.					
	Office and Tandem Switching Usage and Common Transport Usage rates	in the	Port:	section of this exhibit	ehall annly t	o all combina	tions of loon	Inart natwork	elements	except for	or UNE Co	in Port/Lo	op Combinat	tions.		
													•			
The fi	rst and add'l Port NRC charges apply to Not Currently Combined Combo															
The fi 2-WIR	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
The fi 2-WIR	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates		Curre			charges shall										
The fi 2-WIR	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		Curre 1			tharges shall i										
The fi 2-WIR UNE F	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		1 2			13.03 21.33										
The fi 2-WIR UNE F	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		Curre 1			tharges shall i										
The fi 2-WIR UNE F	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 oop Rates		1 2 3	ntly Combined Combo	s the NRC o	13.03 21.33 32.61										
The fi 2-WIR UNE F	rst and add'I Port NRC charges apply to Not Currently Combined Combosite Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1	ently Combined Combo	s the NRC of	13.03 21.33 32.61 10.75										
The fi 2-WIR UNE F	rst and add'l Port NRC charges apply to Not Currently Combined Combosite Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 .oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05										
The fi	rst and add'l Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 .oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2		1 2 3 1	ently Combined Combo	s the NRC of	13.03 21.33 32.61 10.75										
The fi	rst and add'l Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 -over States 2W VG Loop (SL1)-Zone 3 -over States 2W VG Loop (SL1)-Zone 3 -over States -over		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	be those iden	tified in the N								
The fi	rst and add'I Port NRC charges apply to Not Currently Combined Combosite Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL	13.03 21.33 32.61 10.75 19.05 30.33	be those iden	tified in the N					40.18	9.45		
The fi	rst and add'I Port NRC charges apply to Not Currently Combined Combosite Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRL	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		
The fi	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 Ovice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97					40.18 40.18 40.18	9.45 9.45 9.45		
The fi	rst and add'l Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
The fi 2-WiR UNE F UNE L	rst and add'I Port NRC charges apply to Not Currently Combined Combosite Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port vage line port with Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59	63.97 63.97					40.18 40.18 40.18	9.45 9.45 9.45		
The fi 2-WIR UNE F UNE L 2-Wire FEAT	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 .oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 a Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled res, low usage line port with Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP UEPRT	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
The fi 2-WIR UNE F UNE L 2-Wire FEAT	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 -ovice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled Low Usage Line Port w/o Caller ID Capability UNES All Features Offered		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
The fi 2-WIR UNE F UNE L 2-Wire FEAT	rst and add'I Port NRC charges apply to Not Currently Combined Combost E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPRO UEPVF	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
The fit 2-Wire UNE L UNE L CHAPTER TO THE L LOCA	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 .oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 a Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled Low Usage Line Port w/o Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP UEPRT	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
The fit 2-Wire UNE L UNE L CHAPTER TO THE L LOCA	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Oop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ovice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled Low Usage Line Port w/o Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED		1 2 3 1 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT UEPRT	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
The fit 2-Wire UNE I UNE L 2-Wire LOCA	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEPCX UEVFC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-WIR UNE F UNE L 2-Wire FEAT LOCA NRC C	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT UEPRT	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE I UNE I 2-Wire LOCA NRC (rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop (SL1)-Zone 3 20 VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG LOOP (SL1)-Zone 3 2V VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (RES) 2W VG LOOP (SL1)-ZONE SIDE (S		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEPCX UEVFC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wird UNE I UNE I 2-Wird FEAT LOCA NRC (rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 1 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 3 -oop Rates 2W VG Loop (SL1)-Zone 1 -oop Rates 2W VG Loop Rates (Res) -oop Rates 2W VG Loop Rates (Res) -oop Rates 2W VG Loop Rates (Res) -oop Rates -oop R		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wir UNE F UNE L 2-Wir FEAT LOCA NRC (rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEPCX UEVFC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 63.97					40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE L UNE L 2-Wire FEAT LOCA NRC (ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop (SL1)-Zone 3 20 VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG Loop (SL1)-Zone 3 2V VG LOOP (SL1)-Zone 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP (SL1)-ZONE 3 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH-AS-IS 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH-AS-IS 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-CONVERSION-SWITCH WITH CHANGE 2V VG LOOP/LINE PORT COMBINATION-SUBSQNT Activity 2V VG LOOP/LINE PORT COMBINATION-SWITCH Activity 2V VG LOOP/LINE PORT COMBINATION-SWITCH Activity 2V VG LOOP/LINE PORT COMBINATION-SWITCH Activity 2V VG LOOP/LINE PORT COMBINATION-SWITCH Activity 2V VG LOOP/LINE LINE PORT (BUS)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE F UNE L 2-Wire FEAT LOCA NRC (ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combos E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop (SL1)-Zone 3 20 Pates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 20 Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with Change 2W VG Loop/Line Port Combination-Conversion-Switch with Change 2W VG Loop/Line Port Combination-Conversion-Switch with Change 2W VG Loop/Line Port Combination-Subsqnt Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wir UNE F UNE L 2-Wird FEAT LOCA NRC G ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2 W VG Loop/Port Combo-Zone 1 2 W VG Loop/Port Combo-Zone 2 2 W VG Loop/Port Combo-Zone 3		1 1 2 3 3 1 2 2 3 3 1 1 2 1 1 1 1 1 1 1	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE L UNE L 2-Wire ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 20 VG Loop/Port Combo-Zone 3 20 VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 20 Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled Low Usage Line Port W/o Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability URES All Features Offered L NUMBER PORTABILITY Local Number Portability (1 per port) CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update TIONAL NRCS 2W VG Loop/Line Port Combination-Subsqnt Activity E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 1		1 1 2 3 3 1 1 2 1 3 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE F UNE L 2-Wire ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		1 1 2 3 3 1 2 2 3 3 1 1 2 1 1 1 1 1 1 1	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE F UNE L 2-Wire ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		1 2 3 3 1 2 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 3 1 1 2 3 3 3 1 1 2 3 3 3 1 1 2 3 3 3 1 1 2 3 3 3 1 1 2 3 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 3 3 1 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPCX UEPAC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		
The fi 2-Wire UNE F UNE L 2-Wire ADDIT	rst and add'I Port NRC charges apply to Not Currently Combined Combose E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		1 1 2 3 3 1 1 2 1 3 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAP UEPRT UEPVF UEVF USAC2 USACC	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 3.40 0.35	79.59 79.59 79.59 79.59 79.59 0.00	63.97 63.97 63.97 63.97 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45 9.45		

NROND	LED NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
ATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Manual	al Charge - Manual Svc Order vs.	al Charg Manual Svc Orde vs.
						Rec	Nonre First	curring Add'l	NRC Di	sconnect Add'l		SOMAN		Rates (\$)	SOMAN	SOMAN
2-Wi	re Voice Grade Line Port (Bus)						1 11 01	Addi	11100	Auui	CONILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPA
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LOC	AL NUMBER PORTABILITY															Ì
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										1
FEA	TURES					0.40							40.40	0.45		<u> </u>
NDO	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		<u> </u>
NKC	CHARGES (NRCs) - CURRENTLY COMBINED			HEDDV	116400		0.77	0.40	1	1	1	1	40.40	0.45		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change		\vdash	UEPBX UEPBX	USAC2 USACC		2.77 2.77	0.40 0.40		 	 	-	40.18 40.18	9.45 9.45		├─
+	2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update			ULFDA	USACC		1.42	0.40	 	1	1	-	10.27	9.40		
ADD	TIONAL NRCs				+		1.42	 	1	†	1	t	10.21	1		
1.22	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			-												
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates															<u> </u>
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.75										ļ
	2W VG Loop (SL1)-Zone 2		3	UEPRG UEPRG	UEPLX	19.05 30.33			1	1						├
2-14/6	2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	30.33							-			-
2-991	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.28	164.57	128.16	1				40.18	9.45		-
LOC	AL NUMBER PORTABILITY			OLITIO	OLITE	2.20	104.01	120.10					40.10	0.40		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		ļ
_	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		<u> </u>
ADD	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update						1.42		<u> </u>		-		10.27			├
ADD	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00	1				40.18	9.45		-
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLITIO	00/102	0.00	0.00	0.00					40.10	0.40		
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE	Loop Rates															ļ
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	10.75										<u> </u>
_	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPPX UEPPX	UEPLX UEPLX	19.05 30.33			<u> </u>		-					├
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		3	ULFFX	OLFLX	30.33			1							-
2-111	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57						40.18	9.45		
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16			<u> </u>		40.18	9.45		<u> </u>
_	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16		1	1	1	40.18	9.45		<u> </u>
	2W Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPPX	UEPXD	2.28	164.57	128.16		ļ	1		40.18	9.45		├
_ _	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	-		UEPPX	UEPXE	2.28	164.57	128.16	1	 	1	-	40.18	9.45		1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		1
+	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		\vdash	UEPPX	UEPXL	2.28	164.57	128.16	1		1	-	40.18	9.45		
-	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			ULFFA	OLFAIVI	2.20	104.37	120.10	1		1	-	40.10	₹.40		
	Calling Port			UEPPX	UEPXO	2.28	164.57	128.16	1				40.18	9.45		1
_	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16			1		40.18			

Version 4Q02: 12/18/02 Page 228 of 324

<u>NBUN</u> D	LED NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	bit: B
ATEGORY	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ITES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonrec			connect				Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEA	TURES		<u> </u>													
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			LIEDDY	110400		0.77	0.40					10.10	0.45		
_	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USAC2		2.77	0.40					40.18	9.45		
			-	UEPPX	USACC		2.77	0.40					40.18	9.45		
ADD	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update ITIONAL NRCs		-				1.42						10.27			
ADD	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity		+	UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
2-14/1	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		1	UEPFX	USASZ	0.00	0.00	0.00					40.16	9.45		
	Port/Loop Combination Rates		1		+											
3142	2W VG Coin Port/Loop Combo – Zone 1		1	 	+ +	13.03			 						†	
-	2W VG Coin Port/Loop Combo – Zone 2		2		+ -	21.33			1						1	
+	2W VG Coin Port/Loop Combo – Zone 3		3	-	+	32.61			-						1	
LINE	Loop Rates		Ŭ		+	02.01										
0.42	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										
2-Wi	re Voice Grade Line Ports (COIN)		Ŭ	02.00	02.27	00.00										
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (NC)		1	UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		1
	2W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		1
	2W Coin 2-Way with Oper Screening & 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		1
	2W Coin 2-Way w Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+ &													, , , , , , , , , , , , , , , , , , ,		
	Local			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening & 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+ &															
	Local			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADD	ITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NRC	CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update						1.42									
ADD	ITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity	<u>. </u>	<u> </u>	UEPCO	USAS2		0.00	0.00	ļ				40.18	9.45	ļ	
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE POP	RT (R	ES)													
	Port/Loop Combination Rates															
	Loop Rates		1	ļ	+										<u> </u>	
2-Wi	re Voice Grade Line Port Rates (Res)		-	HEDED	LIEBBI	0.10	005.00	005.00	!				10.10	0.4-	 	₩
	2W voice unbundled port-residence		1	UEPFR	UEPRL	2.19	225.00	225.00	<u> </u>				40.18	9.45	1	├
_	2W voice unbundled port with Caller ID-res		1	UEPFR	UEPRC	2.19	225.00	225.00	ļ				40.18	9.45	ļ	
	2W voice unbundled port outgoing only-res		-	UEPFR	UEPRO	2.19	225.00	225.00	!				40.18	9.45	 	₩
INITE	2W voice unbundles res, low usage line port with Caller ID (LUM)		1	UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45	1	
INTE	Interoffice Transport-Dedicated-2W VG-Facility Term		+	UEPFR	U1TV2	18.00	140.00	71.00	-						1	
+			+				140.00	71.00	-						1	
EE^	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi TURES		1	UEPFR	1L5XX	0.0125			 		1				1	+
rEA	All Features Offered		1	UEPFR	UEPVF	3.40	0.00	0.00	1				40.18	9.45	 	\leftarrow
LOC	AL NUMBER PORTABILITY		+	OLFIN	OLF VI	3.40	0.00	0.00					40.10	₹.43	 	
	Local Number Portability (1 per port)		1	UEPFR	LNPCX	0.35			 						†	
NRC	CHARGES (NRCs) - CURRENTLY COMBINED		+	OLITIK	LIVIOX	0.55									 	
.4110	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		+	 	+ +	+									 	+
	Switch-as-is		1	UEPFR	USAC2		9.03	1.87					40.18	9.45		
-	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1	OLITIK	UUAUZ	-	9.00	1.07	1				70.10	9.40	1	
1	Switch-With-Change		1	UEPFR	USACC		9.03	1.87			1		40.18	9.45		1
													70.10	9.73		i

Version 4Q02: 12/18/02 Page 229 of 324

. VOUNDL	ED NETWORK ELEMENTS - North Carolina	1	1								Svc	Svc		nent: 2 Incrementa		bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring		sconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE F	Port/Loop Combination Rates															
	Loop Rates															
2-Wire	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															<u> </u>
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										<u> </u>
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX											
	URES															
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00	<u> </u>				40.18	9.45		
	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			HEDED	110400		0.00	4.07					40.40	0.45		
-	Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			HEDED	110400		0.00	4.07					40.40	0.45		
0.14/15	Switch with change	-		UEPFB	USACC		9.03	1.87				ļ	40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-							1							
	Port/Loop Combination Rates	-										ļ				
	e Voice Grade Line Port Rates (BUS - PBX)	-							<u> </u>	1		 				
Z-VVIF	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
_	Line Side Unbundled Combination 2-way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
-	Line Side Unbundled Unward PBX Trunk Port-Bus	+		UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		-
-	2W Voice Unbundled PBX LD Terminal Ports	+		UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		-
-	2W Voice Unbundled 2-Way Combination PBX Usage Port	+		UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		-
-	2W Voice Unbundled PBX Toll Terminal Hotel Ports	+		UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		-
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
+	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00				 	40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00				 	40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			OLITI	OLI AL	2.10	220.00	220.00				 	40.10	0.40		
	Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling	1		UEPFP	UEPXM	2.18	225.00	225.00				1	40.18	9.45		1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			OLITI	OLI XIVI	2.10	220.00	220.00					40.10	0.40		
	Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		†
	L NUMBER PORTABILITY			¥=:::	0_1,1,0											1
1	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00	1			1	40.18	9.45		1
INTER	ROFFICE TRANSPORT			-					Ì			Ì				1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2				Ì			Ì				1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX				Ì			Ì				1
FEAT	URES			-					Ì			Ì				1
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NRC (CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		9.03	1.87		<u> </u>		<u></u>	40.18	9.45		<u> </u>
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
- 1	Switch with change	1	1	UEPFP	USACC		9.03	1.87		l		1	40.18	9.45		

NNRNN	DLED NETWORK ELEMENTS - North Carolina			1		1								ment: 2	Exhib	_
ATEGOI	RY RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec		curring		sconnect		LCOMAN		Rates (\$)	COMAN	COMAN
INBLIND	LED PORT/LOOP COMBINATIONS - COST BASED RATES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	E Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.97										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			27.80										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			37.08										
UN	E Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	8.85										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	15.68										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	24.96										
UN	E Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NR	C CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEPPX	USAC1		13.26	8.39					53.89	11.34		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
AD	DITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
Tel	ephone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LO	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	/IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE P	ORT														
UN	E Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEPPR		38.84										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2	<u> </u>	2	UEPPB UEPPR		50.01										<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEPPR		65.18										
UN	E Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1	<u> </u>	1	UEPPB UEPPR	USL2X	14.47										<u> </u>
	2W ISDN Digital Grade Loop-UNE Zone 2	<u> </u>	2	UEPPB UEPPR	USL2X	25.64										
	2W ISDN Digital Grade Loop-UNE Zone 3	<u> </u>	3	UEPPB UEPPR	USL2X	40.81										<u> </u>
UN	E Port Rate	<u> </u>		115000 115000	HERRE	0.1.0=							10.00	10.00		<u> </u>
	Exchange Port-2W ISDN Line Side Port	<u> </u>		UEPPB UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NR	C CHARGES - CURRENTLY COMBINED															<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion	<u> </u>	!	UEPPB UEPPR	USACB	0.00	174.35	174.35	 	}	1	1	1	1		₩
	DITIONAL NRCs	<u> </u>														ļ
LO	CAL NUMBER PORTABILITY	<u> </u>		HEDDD HEDDD	LNDOV	0.05	0.00	0.00								ļ
Б.	Local Number Portability (1 per port)	-	-	UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
В-С	CHANNEL USER PROFILE ACCESS:	-		LIEDDD LIEDDD	LIALICA	0.00	0.00	0.00								-
	CVS/CSD (DMS/5ESS)	├	1	UEPPB UEPPR UEPPB UEPPR	U1UCA	0.00	0.00	0.00	-	-	<u> </u>	<u> </u>	 	}		
	CVS (EWSD)	├	 	UEPPB UEPPR UEPPB UEPPR	U1UCB U1UCC	0.00	0.00		 	 	1	 	 	 		
D /	LICSU CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TI	NI)	-	OLFFB UEFPR	01000	0.00	0.00	0.00	-	1	<u> </u>	<u> </u>	-	 		
	ER TERMINAL PROFILE STANNEL AREA PLUS USER PROFILE ACCESS: (AL,RT,LA,MS SC,MS, & TI	1	1					1	1	1	1	1	1	1	1	
03	User Terminal Profile (EWSD only)	 	 	UEPPB UEPPR	U1UMA	0.00	0.00	0.00	1	 	1	 	1	1		
VE	RTICAL FEATURES	 	 	JEITE GETTE	OTOWA	0.00	0.00	0.00	1	 	<u> </u>	<u> </u>	1	†		
1-2	All Vertical Features-One per Channel B User Profile	 	 	UEPPB UEPPR	UEPVF	3.40	0.00	0.00	1	 	<u> </u>	<u> </u>	1	†		
INT	EROFFICE CHANNEL MILEAGE	t	t	, 32 10		50	3.30	3.50	1		1	1	t	1		—
	Interoffice Channel miage each, including first mi & facilities Term	t	t	UEPPB UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel miage each, Add'l mi	1	1	UEPPB UEPPR	M1GNM	0.0282	0.00									
4-W	/IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	l -	t	52::: 2 52: :: N	5	3.0202	0.50	3.50								
	E Port/Loop Combination Rates	l -	t					1								
- 1-77	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1	1	1	UEPPP		226.55		t					1	İ		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2	t	2	UEPPP		263.28		İ		1	1	1	1	İ		
$\neg \vdash$	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3	i –	3	UEPPP		313.15		1	1	1						
UN	E Loop Rates	i –	Ť			,,,,,,		1	1	1						
+	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPPP	USL4P	47.54		t					1	İ		
	1 3		<u> </u>						•							

Version 4Q02: 12/18/02 Page 231 of 324

NEOND	LED NETWORK ELEMENTS - North Carolina	1									C	C		nent: 2	Exhil	
ATEGORY	/ RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R <i>A</i>	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonred First	curring Add'l	NRC Di	sconnect Add'l		LEOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	84.27	riist	Addi	11130	Addi	JOINEO	JOINAN	JOHAN	JOINAIN	JOHAN	JONA
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14										
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	179.01	956.47	663.10					19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-			LIEDDD	110400	0.00	404.54	404.54								
400	Conversion-Switch-as-is			UEPPP	USACP	0.00	481.51	481.51								├ ──
ADD	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2Way Tel			UEPPP	PR7TG		1.17	1.17								-
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2Way Tel			UEPPP	PR7TP		28.17	28.17								
	4W DS1 Loop/4W ISDN DS1 Digital Trik Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
LOC	AL NUMBER PORTABILITY	 		V=111			00.00	55.55		1	1	1				†
12.2	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										†
INTE	RFACE (Provsioning Only)			*												
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALI	TYPES															
	Inward	<u> </u>		UEPPP	PR7C1	0.00	0.00	0.00								
	Outward	<u> </u>		UEPPP	PR7C0	0.00	0.00	0.00								
4	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								<u> </u>
Inter	office Channel Mileage	<u> </u>		LIEDDD	41 N/4 A	74.0050	047.47	400.75	0.00				40.00	10.00		
	Fixed Each Including First mi	-		UEPPP UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
4 10/1	Each Airline-Fractional Add'l mi RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	-		UEPPP	1LN1B	0.5753										
	Port/Loop Combination Rates															├──
OIVE	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC	-	171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		207.79										├──
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC	-	257.66										
UNF	Loop Rates		Ŭ	OLI DO		207.00										
0.12	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54										†
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes			UEPDC	USAWA		490.38	490.38			ļ					
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk	<u> </u>		UEPDC	USAWB		490.38	490.38	ļ							
ADD	ITIONAL NRCs	<u> </u>							ļ							<u> </u>
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service			LIEBBO												
	Order	<u> </u>		UEPDC	USAS4		127.63	127.63								-
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan- 2-Way Trunk	1	l	UEPDC	UDTTA		28.81	28.81								
+	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-	1		OLFDC	UDITA		20.01	20.01	 		1	-				
1	Way Outward Trunk	1	l	UEPDC	UDTTB		28.81	28.81								1
-	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan	!		OLI DO	00110		20.01	20.01	 		 	-		 		\vdash
	Inward Trunk w/out DID	1	l	UEPDC	UDTTC		28.81	28.81					19.99	19.99		1
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-	t	 	021 00	55110		20.01	20.01					10.00	10.00		
	Inward Trunk with DID	1	l	UEPDC	UDTTD		28.81	28.81					19.99	19.99		1
1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way	l -														
	DID w User Trans	1	l	UEPDC	UDTTE		28.81	28.81								1
BIPO	LAR 8 ZERO SUBSTITUTION	i –														
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	615.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	615.00								
	nate Mark Inversion											1				-

Version 4Q02: 12/18/02 Page 232 of 324

HEUND	LED NETWORK ELEMENTS - North Carolina	1	1	1	-							C		ment: 2	Exhib	
ATEGOR	r RATE ELEMENTS	Inter im	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	vs.
						Rec	Nonred	curring	NRC Dis	sconnect				Rates (\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		<u> </u>	UEPDC	UDTGX	0.00							19.99	19.99		ļ
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00							19.99	19.99		ļ
-	Telephone Number for 1-Way Inward Trunk Group w/o DID	-	-	UEPDC UEPDC	UDTGZ NDZ	0.00	0.00	0.00					19.99	19.99		
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos	-	-		ND4	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers DID Numbers. Non-consecutive DID Numbers . Per Number			UEPDC UEPDC	ND4 ND5	0.00										-
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	1		UEPDC	NDV	0.00	0.00	0.00								
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital L	oon w	rith 4-		INDV	0.00	0.00	0.00								
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)	, , , , , , , , , , , , , , , , , , ,	T .	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
\top	Interoffice Channel miage-Add'l rate per mi-0-8 mis	1	l -	UEPDC	1LNOA	0.5753	0.00	0.00	3.00	3.00			.0.00			
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		i –	UEPDC	1LNO2	0.00	0.00	0.00								İ
i	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00				Ì				
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	System can have up to 24 combinations of rates depending on type and	numb	er of	ports used												
UNE	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								ļ
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)			1155110	101110	400.00							10.00	10.00		<u> </u>
_	24 DSO Channel Capacity-1 per DS1 48 DSO Channel Capacity-1 per 2 DS1s	-	-	UEPMG UEPMG	VUM24 VUM48	123.06	0.00	0.00					19.99	19.99 19.99		
_	96 DSO Channel Capacity-1 per 2 DS1s		<u> </u>	UEPMG	VUM96	246.12 492.24	0.00	0.00				-	19.99 19.99	19.99		├
_	144 DS0 Channel Capacity-1 per 6 DS1s		<u> </u>	UEPMG	VUM14	738.36	0.00	0.00				-	19.99	19.99		├
	192 DS0 Channel Capacity-1 per 8 DS1s	-	-	UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
_	240 DS0 Channel Capacity-1 per 10 DS1s	-	-	UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		
+	288 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s	1		UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s	1		UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
+	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445,68	0.00	0.00					19.99	19.99		
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channel	iztion	with					0.00								
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, an															
Mult	iples of this configuration functioning as one are considered Add'l after t	he mi	nimun	n system configuration is	s counted.											
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
Syst	em Additions at End User Locations Where 4-Wire DS1 Loop with Channe	lizatio	n wit	h Port Combination Cur	rently Exist	s and										
New	(Not Currently Combined) in all states, except in Density Zone 1 of Top 8	MSA'	S													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															Ì
	Activation			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
Bipo	lar 8 Zero Substitution															
_	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								<u> </u>
A 14	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity		<u> </u>	UEPMG	CCOEF	0.00	0.00	615.00								ļ
Alter	nate Mark Inversion (AMI)		├	LIEDMO	MCCCC	0.00	0.00	0.00				}	ļ			—
	Superframe Format	1	1	UEPMG	MCOSF	0.00	0.00	0.00				1				├
Evel	Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelization with Po	nrt.	├	UEPMG	MCOPO	0.00	0.00	0.00		-	 	 	-		-	├──
	lange Ports Associated with 4-wire DS1 Loop with Channelization with Polange Ports	<i>)</i> [1	 		-				-		}	-		-	├
Exch	Line Side Combination Channelized PBX Trunk Port-Business	1	1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		}	40.18	9.45	-	├
-	Line Side Combination Channelized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business	 	├	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		├
+	Line Side Inward Only Channelized PBX Trunk Port w/o DID	1	1	UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		
+	2W Trunk Side Unbundled Channelized DID Trunk Port	1	1	UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00		1	40.18	9.45		
Feat	ure Activations - Unbundled Loop Concentration	1	!	OLFFA	OFLIDIM	13.20	0.00	0.00	0.00	0.00		 	40.10	3.40	 	\vdash
1 cat	Feature (Service) Activation for each Line Port Terminated in D4 Bank	1	 	UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12		1	40.18	9.45	 	
	1. Salars (Solvice) / lotivation for each Line for Tellimated in D4 Dalik	1		UEPPX	1PQWU	0.65	77.75	18.33	58.74			1	40.18	9.45	ļ	

Version 4Q02: 12/18/02 Page 233 of 324

JNBUND	DLED NETWORK ELEMENTS - North Carolina												1	ment: 2		oit: B
ATEGOR	Y RATE ELEMENTS	Inter im	r Zon e	BCS	USOC		R.A	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	vs.	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Di	sconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tele	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loc	al Number Portability															
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES - Vertical and Optional															
Loc	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
BUNDL	ED PORT LOOP COMBINATIONS - MARKET RATES															
	ket Rates shall apply where BellSouth is not required to provide unbundle	d loc	al swite	ching or switch ports	per FCC and	l/or Commissi	on rules.									
	s includes:															
Unb	undled port/loop combinations that are Currently Combined or Not Curren	ntly C	ombin	ed in Zone 1 of the To	n 8 MSAS in	BellSouth's r	egion for end	users with 4	or more I	SO equiv	alent lines	s.				
The	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami	i): GA	(Atlan	ta): LA (New Orleans):	NC (Greens	boro-Winston	Salem-Highp	oint/Charlotte	-Gastoni	a-Rock H	ill): TN (Na	shville).				
	Office and Tandem Switching Usage and Common Transport Usage rates ge charge (USOC: URECU).	in the	e Port	section of this rate ex	nibit shall ap	pply to all com	binations of	loop/port netv	vork elen	ents exc	ept for UN	IE Coin Po	ort/Loop Com	nbinations w	hich have a	flat rate
	Not Currently Combined scenarios the NRC charges are listed in the First	and A	Additio	nal NRC columns for	each Port US	SOC. For Curr	ently Combin	ed scenarios.	the NRC	charges	are listed i	in the NRC	- Currently	Combined s	ection. Add	itional
	S may apply also and are categorized accordingly.						,	,								
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	T									1	1				
	Port/Loop Combination Rates	1			+											
0.42	2W VG Loop/Port Combo-Zone 1	1	1			24.75										
	2W VG Loop/Port Combo-Zone 2	1	2			33.05										
	2W VG Loop/Port Combo-Zone 3	1	3			44.33										
LINE	E Loop Rates	1	3			44.55										
OINE	2W VG Loop (SL1)-Zone 1	1	1	UEPRX	UEPLX	10.75										
_	2W VG Loop (SL1)-Zone 2	1	2	UEPRX	UEPLX	19.05										
-+	2W VG Loop (SL1)-Zone 3	1	3	UEPRX	UEPLX	30.33										
2-14/	ire Voice Grade Line Port (Res)	1	3	ULFKX	OLFLX	30.33										
2-44	2W voice unbundled port-residence	1		UEPRX	UEPRL	14.00	90.00	90.00					40.18	9.45		
-	2W voice unbundled port with Caller ID-res	+	+	UEPRX	UEPRC	14.00	90.00	90.00					40.18	9.45		
	2W voice unbundled port outgoing only-res	1	-	UEPRX	UEPRO	14.00	90.00	90.00					40.18	9.45	-	
	2W voice unburidled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM)	1	+	UEPRX	UEPAP	14.00	90.00	90.00		1	1	1	40.18	9.45	 	
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	1	+	UEPRX		14.00	90.00	90.00		1	1	1	40.18	9.45	 	l
1.00	12vv voice unbundled Low Osage Line Fort w/o Caller ID Capability			UEFRA			90.00	90.00		<u> </u>	1		40.18	9.45		
LUC	AL NUMBED BODTABILITY				UEPRT						l l					
	CAL NUMBER PORTABILITY It ocal Number Portability (1 per port)			HEDDV												
EE^	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEA	Local Number Portability (1 per port) TURES			-	LNPCX	0.35	0.00	0.00					40.40	0.45		
	Local Number Portability (1 per port) TURES All Features Offered			UEPRX UEPRX			0.00	0.00					40.18	9.45		
	Local Number Portability (1 per port) TURES All Features Offered CHARGES - CURRENTLY COMBINED			UEPRX	LNPCX	0.35										
	Local Number Portability (1 per port) ITURES All Features Offered C CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is			UEPRX	LNPCX UEPVF USAC2	0.35	41.50	41.50					40.18	9.45		
NRC	Local Number Portability (1 per port) ITURES All Features Offered C CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change			UEPRX	LNPCX	0.35										
NRC	Local Number Portability (1 per port) ITURES All Features Offered C CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is			UEPRX	LNPCX UEPVF USAC2	0.35	41.50	41.50 41.50					40.18	9.45 9.45		

Version 4Q02: 12/18/02 Page 234 of 324

NRONDL	ED NETWORK ELEMENTS - North Carolina				1	1								nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring		sconnec		0011411		Rates (\$)	0011411	201111
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)						First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ort/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.75										
	2W VG Loop/Port Combo-Zone 2		2			33.05										
	2W VG Loop/Port Combo-Zone 3		3			44.33										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33										
	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus	<u> </u>		UEPBX	UEPBL	14.00	90.00	90.00	ļ		<u> </u>	<u> </u>	40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus	1		UEPBX	UEPBC	14.00	90.00	90.00	1	ļ	1		40.18	9.45		Ь——
	2W voice unbundled port outgoing only-bus	<u> </u>	$\vdash \vdash$	UEPBX	UEPBO	14.00	90.00	90.00	 	ļ		ļ	40.18	9.45		—
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1	\sqcup	UEPBX	UEPBE	14.00	90.00	90.00	 	<u> </u>		<u> </u>	40.18	9.45		—
	L NUMBER PORTABILITY	 	\vdash	HERRY	LNDOX	0.0-		 	1	ļ	1	}		ļ		
FEAT	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35			ļ		1	ļ	-			
				HEDDY	LIED) /E	0.00	0.00	0.00					40.40	0.45		₩
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		₩
	CHARGES - CURRENTLY COMBINED		1	UEPBX	LICACO		41.50	41.50	<u> </u>			-	40.10	0.45		
	2W VG Loop/Line Port Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change			UEPBX	USAC2 USACC		41.50 41.50	41.50	ļ				40.18 40.18	9.45 9.45		\vdash
	TONAL NRCs			UEPDA	USACC		41.50	41.50	ļ				40.16	9.45		\vdash
	NRC-2W VG Loop/Line Port Combination-Subsqnt	+		UEPBX	USAS2		0.00	0.00			1		40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	USASZ		0.00	0.00	1				40.16	9.45		
	ort/Loop Combination Rates		1 1			1										
	2W VG Loop/Port Combo-Zone 1		1			24.75										
	2W VG Loop/Port Combo-Zone 2	+	2			33.05										—
	2W VG Loop/Port Combo-Zone 3		3			44.33										
	oop Rates		Ŭ			1 1.00										
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	30.33										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.18	9.45		
	HARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		<u> </u>
	2W VG Loop/Line Port Combination-Switch with Change	<u> </u>	$\vdash \vdash$	UEPRG	USACC		41.50	41.50	ļ	ļ			40.18	9.45		₩
	IONAL NRCs	1							 	<u> </u>						₩
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC	1	\sqcup				0.00	0.00	 	<u> </u>		<u> </u>	40.18	9.45		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					40.18	9.45		₩
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-							1							-
	ort/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1	-	1			24.75			1							
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	+	2			24.75 33.05		-	 	 	+	 	 	-		
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	1-	3		+	44.33		1	1	1	+	}	-	 		—
	oop Rates	+	3		+	44.33		 	 	1		†				
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	10.75			1	1	<u> </u>					
	2W VG Loop (SL1)-Zone 2	1	2	UEPPX	UEPLX	19.05		 	1	1	†	1	†	1		
	2W VG Loop (SL1)-Zone 3	 	3	UEPPX	UEPLX	30.33		1	1		1					
	Voice Grade Line Port Rates (BUS - PBX)	1			12.20	55.55		1	<u> </u>							
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	1		UEPPX	UEPPC	14.00	90.00	90.00	<u> </u>				40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00			1		40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus	1		UEPPX	UEPP1	14.00	90.00	90.00		1	1		40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	14.00	90.00	90.00		1	1		40.18	9.45		
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				Ì	40.18	9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard Port	1	1 1	UEPPX	UEPXD	14.00	90.00	90.00					40.18			

Version 4Q02: 12/18/02 Page 235 of 324

INRANDI	LED NETWORK ELEMENTS - North Carolina													ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring		sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAI
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
_	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY			HEDDY	LNDOD	0.45	0.00	0.00								
FEAT	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00								
FEAI	All Features Offered	-	-	UEPPX	UEPVF	0.00	0.00	0.00	-	-	-	-	40.18	9.45		-
NDC	CHARGES - CURRENTLY COMBINED	-	-	UEFFA	UEFVF	0.00	0.00	0.00	-	-	-	-	40.18	9.45		-
INIC	2W VG Loop/Line Port Combination-Switch-As-Is	<u> </u>	-	UEPPX	USAC2		41.50	41.50	-	-	-	1	40.18	9.45		-
-	2W VG Loop/Line Port Combination-Switch-As-is 2W VG Loop/Line Port Combination-Switch with Change		 	UEPPX	USACZ		41.50	41.50	1	1	1	1	40.18	9.45	-	1
V DDI	TIONAL NRCs		 	UEFFA	USACC		41.50	41.50	1	1	1	1	40.18	9.45	-	1
ADDI	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00					40.18	9.45		
-	2W Loop/Line Fort Combination-Subsquit 2W Loop/Line Side Port Combination-Non feature-Subsqut Activity-NRC			ULFFX	03A32		0.00	0.00					40.18	9.45	1	
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					40.18	9.45		
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT						14.04	14.04					40.10	5.45		
	Port/Loop Combination Rates															
OIL	2W VG Coin Port/Loop Combo – Zone 1		1		_	24.75										
	2W VG Coin Port/Loop Combo – Zone 2		2			33.05										
	2W VG Coin Port/Loop Combo – Zone 3		3			44.33										
UNF	Loop Rates		Ŭ			44.00										
UNL	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										
2-Wir	re Voice Grade Line Port Rates (Coin)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+ &			UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+ &			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NRC	CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50				<u> </u>	40.18	9.45		<u> </u>
	2W VG Loop/Line Port Combination-Switch with Change		<u> </u>	UEPCO	USACC		41.50	41.50				ļ	40.18	9.45		<u> </u>
ADDI	TIONAL NRCs		<u> </u>									<u> </u>				<u> </u>
	2W VG Loop/Line Port Combination-Subsqnt		<u> </u>	UEPCO	USAS2		0.00	0.00				ļ	40.18	9.45		<u> </u>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (R	ES)													
	Port/Loop Combination Rates		<u> </u>						ļ	ļ	ļ	ļ				<u> </u>
	Loop Rates		1					 		<u> </u>		<u> </u>				<u> </u>
2-Wir	re Voice Grade Line Port Rates (Res)		<u> </u>	HEDED	LIEBBI	1100	005.00	470.00	<u> </u>		1	ļ	10.10	2.4-		!
	2W voice unbundled port-residence		<u> </u>	UEPFR	UEPRL	14.00	225.00	170.00	<u> </u>	<u> </u>	<u> </u>	<u> </u>	40.18	9.45		<u> </u>
_	2W voice unbundled port with Caller ID-res		-	UEPFR	UEPRC	14.00	225.00	170.00	 	}	!	1	40.18	9.45		
-	2W voice unbundled port outgoing only-res	<u> </u>	!	UEPFR	UEPRO	14.00	225.00	170.00	 	 	 	1	40.18	9.45	-	
INITE:	2W voice unbundles res, low usage line port with Caller ID (LUM)		-	UEPFR	UEPAP	14.00	225.00	170.00				-	40.18	9.45		
INTE	ROFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term	<u> </u>	!	UEPFR	LIATVO	10.00	140.00	71.00	 	 	 	1	1	1	-	
_			-	UEPFR	U1TV2	18.00 0.0125	140.00	71.00				-	-	-		-
FEAT	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		1	UEPFK	1L5XX	0.0125			1	<u> </u>		 	 	 		\vdash
		1	1	1	1			I	i	i	1	1	1	1	1	Ī

INRONDI	LED NETWORK ELEMENTS - North Carolina	1									Svc	Svc		ment: 2 Incrementa		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)			Order Submitte d Elec per LSR	Order Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonre First	curring Add'l	NRC Dis	sconnect		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	Leoma
LOCA	L L Number Portability						FIISL	Addi	FIISL	Auu	SOWIEC	JOWAN	SOMAN	JOWAN	JOWAN	JOWA
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-												10.10			
_	Switch-as-is 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1	UEPFR	USAC2		9.03	1.87					40.18	9.45		-
	Switch-With-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
2-WIE	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	RT (R	US)	OLITIK	OOACC		3.03	1.07					40.10	3.43		+
	Port/Loop Combination Rates	<u>, 5</u>	Ι,													
	Loop Rates															
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	225.00						40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled port outgoing only-bus	-		UEPFB	UEPBO	14.00	225.00	170.00					40.18	9.45		
1.004	2W voice unbundled incoming only port with Caller ID-Bus	-		UEPFB	UEPB1	14.00	225.00	170.00					40.18	9.45		-
LUCA	Local Number Portability (1 per port)	<u> </u>	1	UEPFB	LNPCX	0.35						-				+
INTE	ROFFICE TRANSPORT		-	UEFFB	LINECX	0.35										+
INTE	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2											+
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX											†
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					40.18	9.45		1
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	UEFFB	USACC		9.03	1.07					40.16	9.45		+
	Port/Loop Combination Rates		1													+
	Loop Rates															
	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus	<u> </u>		UEPFP	UEPP1	14.00	225.00	170.00					40.18	9.45		
_	2W Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPFP	UEPLD	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPFP UEPFP	UEPXA UEPXB	14.00 14.00	225.00	170.00 170.00					40.18	9.45		
_	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port	<u> </u>	1	UEPFP	UEPXB	14.00	225.00 225.00	170.00				-	40.18 40.18	9.45 9.45		+
-	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPFP	UEPXD	14.00	225.00	170.00			<u> </u>		40.18	9.45		+
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	225.00	170.00	1		1		40.18			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative		1	02	02. AL	50							.5.10	3.40		†
	Calling Port	1	1	UEPFP	UEPXL	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPFP	UEPXM	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room		1													
	Calling Port			UEPFP	UEPXO	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	225.00	170.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY	-		LIEDED	LNDCD	2.45	0.00	0.00					40.18	9.45		-
INTE	Local Number Portability (1 per port) ROFFICE TRANSPORT	1	1	UEPFP	LNPCP	3.15	0.00	0.00	1	1	1	1	40.18	9.45	1	+
MIEI	Interoffice Transport-Dedicated-2W VG-Facility Term	1	1	UEPFP	U1TV2			 				1				
1	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	t		UEPFP	1L5XX			1								1
FEAT	URES		1					1								†
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					40.18	9.45		
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
_	Switch-as-is	<u> </u>	1	UEPFP	USAC2		9.03	1.87					40.18	9.45		₩
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	1	1	I	1			1	1	1	1		I		1	1

UNBUND	LED NETWORK ELEMENTS - North Carolina											1 0			ment: 2		bit: B
CATEGORY	Y RATE ELEMENTS	Inter im	Zon e	вс	es	usoc			ATES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
							Rec	First	curring Add'l	First	sconnect Add'l		SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
LINBLINDI E	ED PORT/LOOP COMBINATIONS - MARKET BASED RATES							FIISL	Add I	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																+
	Port/Loop Combination Rates																+
0.12	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				60.85										†
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				67.68										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				77.96										1
UNE	Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEP	PX	UECD1	8.85										1
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEP	PX	UECD1	15.68										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEP	PX	UECD1	25.96										1
UNE	Port Rate																
	Exchange Ports-2W DID Port			UEP	PX	UEPD1	52.00	485.00	75.00					40.18	9.45		
NRC	CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs only			UEP	PX	USAC1		200.00	75.00					53.89	11.34		<u> </u>
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes				DV.	110446		000.00	75.00					50.00	44.00		
	Top 8 MSAs only			UEP	PX	USA1C		200.00	75.00					53.89	11.34		
ADD	ITIONAL NRCs			HED	DV.	110404		75.00						10.10	0.45		
Tala	2W DID Subsqnt Activity-Add Trunks, Per Trunk phone Number/Trunk Group Establisment Charges			UEP	PX	USAS1		75.00						40.18	9.45		
i eie	DID Trunk Term (One Per Port)			UEP	IDV	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEP		NDZ	0.00	0.00	0.00								
-	Add'l DID Numbers for each Group of 20 DID Numbers			UEP		ND4	0.00	0.00	0.00			1					
-	DID Numbers, Non-consecutive DID Numbers , Per Number			UEP		ND5	0.00	0.00	0.00								+
_	Reserve Non-Consecutive DID numbers			UEP		ND6	0.00	0.00	0.00								+
-	Reserve DID Numbers			UEP		NDV	0.00	0.00	0.00								t
LOC	AL NUMBER PORTABILITY			02.			0.00	0.00	0.00								t
	Local Number Portability (1 per port)			UEP	PX	LNPCP	3.15	0.00	0.00								
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PO	ORT															1
UNE	Port/Loop Combination Rates																1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		90.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		105.81										1
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UNE	Port Rate						0.5.00	450.00	.==					10.00			
NDO	Exchange Port-2W ISDN Line Side Port CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	65.00	450.00	375.00					19.99	19.99		
NRC	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only			UEPPB	LIEDDD	USACB	0.00	200.00	200.00								
ADD	ITIONAL NRCs			UEPPB	UEFFR	USACE	0.00	200.00	200.00						-	-	-
	AL NUMBER PORTABILITY											1					
LOCA	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								+
B-CH	IANNEL USER PROFILE ACCESS:			OLITB	OLITIK	LIVIOX	0.55	0.00	0.00								+
2 31	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		†	†	t		<u> </u>		†
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1					
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								T
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN	I)					5.55	2.50	2.30		1	1					1
	R TERMINAL PROFILE								l		1	1					1
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		1	1					1
VER	TICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00					19.99	19.99		
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB		M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								

ועמטמאיי	LED NETWORK ELEMENTS - North Carolina			Т										ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonre First	curring Add'l	NRC Di	sconnect Add'l		SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT						11131	Auu	11130	Auu	JOINEC	JOINAIN	JONAN	JOHAN	JOHAN	JOINIA
	Port/Loop Combination Rates															1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		947.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		984.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		1,034.14										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	47.54										ļ
_	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	84.27										<u> </u>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14										
UNE	Port Rate			UEPPP	UEPPP	900.00	1,150.00	1,150.00				-	19.99	19.99		
NRC	Exchange Ports-4W ISDN DS1 Port CHARGES - CURRENTLY COMBINED		1	ULFFF	UEFFF	900.00	1,150.00	1,150.00		}	+	}	19.99	19.99	-	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-		†		+			 		 	+	 		-	 	
	Conversion-Switch-As-Is Top 8 MSAs only		1	UEPPP	USACP	0.00	925.00	925.00							1	
ADDI	TIONAL NRCs		i –			5.55	,,	,		1	1					1
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2Way Tel			UEPPP	PR7TG		1.17	1.17			1	Ì				
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos			UEPPP	PR7TP		28.17	28.17								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00										
_	Digital Data			UEPPP	PR71D	0.00										
Now	Inward Data or Additional "B" Channel			UEPPP	PR71E	0.00						-				
INCM	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
_	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		1
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00										
	Outward			UEPPP	PR7C0	0.00										
	Two-way			UEPPP	PR7CC	0.00										
Interd	office Channel Mileage			LIEDDD	41.514.6	74 0050	047.47	100.75	0.00				40.00	40.00		
	Fixed Each Including First mi Each Airline-Fractional Add'l mi			UEPPP UEPPP	1LN1A 1LN1B	71.8653 0.5753	217.17	163.75	0.00			-	19.99	19.99		
4-WIE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	ILINID	0.5755										
	Port/Loop Combination Rates										1					1
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		797.54										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		834.27										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		884.14										
UNE	Loop Rates						-									
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54		ļ								<u> </u>
_	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27		ļ		<u> </u>		<u> </u>				1
LINE	4W DS1 Digital Loop-UNE Zone 3 Port Rate		3	UEPDC	USLDC	134.14		-								
UNE	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00			19.99	19.99		
NRC	CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	730.00	1,050.00	400.00	0.00	0.00			13.33	13.33		
1	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8															
	MSAs only			UEPDC	USAC4		288.86	133.87								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
_	DS1 Changes Top 8 MSAs only		<u> </u>	UEPDC	USAWA		288.86	133.37			1	<u> </u>				<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with		1												1	
A D.D.	Change-Trunk Top 8 MSAs only		-	UEPDC	USAWB		288.86	133.37		1	1	1		-		├
AUUI	TIONAL NRCs 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service		!		-			 		-	1	1		-	-	├
	Order		1	UEPDC	USAS4		127.63	127.63							1	
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-			02.100	00,104		127.00	127.00		1	<u> </u>					
	2-Way Trunk		1	UEPDC	UDTTA		28.81	28.81							1	
_	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-										Ì					
	Way Outward Trunk			UEPDC	UDTTB		28.81	28.81				<u> </u>				<u></u>
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID		1	UEPDC	UDTTC		28.81	28.81		1	1	ı	19.99	19.99	l	

Version 4Q02: 12/18/02 Page 239 of 324

4DUNUI	LED NETWORK ELEMENTS - North Carolina	1			1						C	C		ment: 2		oit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			TES (\$)	T			d Manually	I Charge - Manual Svc Order vs. Electronic-	vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec		curring	NRC Di First	sconnec		COMAN		Rates (\$) SOMAN	SOMAN	SOMAN
_	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-					-	First	Add'l	FIRST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
-	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-Way	-		OLI DO	ODITO		20.01	20.01					15.55	10.00		—
	DID w User Trans			UEPDC	UDTTE		28.81	28.81								
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alteri	nate Mark Inversion															
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
I elep	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group	<u> </u>		UEPDC	UDTGX	0.00					-		19.99	19.99		├
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00			1				19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
-	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00					19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) -			02. 20		0.00	0.00	0.00								
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations		L													
	tem can have various rate combinations based on type and number of po	rts u	sed													
UNE	DS1 Loop			LIEDMO	1101.00	47.54										-
_	4W DS1 Loop-UNE Zone 1 4W DS1 Loop-UNE Zone 2		2	UEPMG UEPMG	USLDC	47.54 84.27	0.00	0.00	1							
_	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
LINE	DSO Channelization Capacities (D4 Channel Bank Configurations)		3	UEFIVIG	USLDC	134.14	0.00	0.00								-
UNE	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99	-	-
-	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
-	96 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeli															
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, an					s.										
Multi	ples of this configuration functioning as one are considered Add'l after the	ne mii	nimum	system configuratio	n is counted.				ļ			ļ				
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-															ĺ
1	Top 8 MSAs Only	l		UEPMG	USAC4	0.00	330.61	16.64				1	19.99	19.99	1	1

NARONDI	LED NETWORK ELEMENTS - North Carolina												Attachr	nent: 2	Exhib	oit: B
CATEGORY	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)	NDC D	sconnect	d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Rates (\$)	al Charge - Manual Svc Order vs.	Manual Svc Order vs.
			1			Rec	First	curring Add'l	First		SOMEC	SOMAN			SOMAN	SOMAN
Syste	em Additions Where Currently Combined and New (Not Currently Combine	hd)			+		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	ensity Zone 1 Top 8 MSAs	.u ,														
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
Bipol	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEPMG	CCOEF	0.00	0.00	615.00								
Alteri	nate Mark Inversion (AMI)		1	LIEDMO	140005	0.00	0.00	0.00								
	Superframe Format Extended Superframe Format		1	UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization with Po	rt		ULFING	WICOFO	0.00	0.00	0.00								
	nange Ports															
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	2W Trunk Side Unbundled Channelized DID Trunk Port		\vdash	UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
Featu	ure Activations - Unbundled Loop Concentration			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
	Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWW	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
Telen	phone Number/ Group Establishment Charges for DID Service			ULFFX	IFQWU	0.05	110.00	30.00	73.00	13.00			40.10	5.43		
10100	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability			UEPPX	LNPCP	3.15	0.00	0.00								
EEAT	Local Number Portability-1 per port TURES - Vertical and Optional			UEPPX	LINPCP	3.15	0.00	0.00								
	I Switching Features Offered with Line Side Ports Only		1 1		+											
Loou	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
INBUNDLE	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	ost Based Rates are applied where BellSouth is required by FCC and/or Co															
	eatures shall apply to the Unbundled Port/Loop Combination - Cost Based															
	nd Office and Tandem Switching Usage and Common Transport Usage rate	s in 1			oit shall appl	ly to all combi	nations of lo	op/port netwo						inations.		
4. In	a first and addli Dant NDC abannas annivita Nat Compativi Cambinad Camb							i alam tifi a al im ti					A JULI NIDO		-1	
caten	ne first and add'l Port NRC charges apply to Not Currently Combined Comb	os.						identified in t	ne NRC -	ourrontry	Combine	u sections	Add'I NRC		also and ar	е
	gorized accordingly.		For Cu	irrently Combined Co	mbos, the N	RC charges s		identified in t	ne NKC -	our citing	Combine	l sections	Add'I NRC		also and ar	e
5. Ma			For Cu	irrently Combined Co	mbos, the N	RC charges s		identified in t	ne NKC -	our citing	Combine	u sections.	Add'I NRC		also and ar	е
5. Ma	gorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia		For Cu	irrently Combined Co	mbos, the N	RC charges s		identified in t	ne NKC -		Combine	a sections	. Add'I NRC		also and ar	е
5. Ma UNE- 2-Wir	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia. P CENTREX - 5ESS (Valid in All States) P VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		For Cu	urrently Combined Co	mbos, the N	RC charges si		identified in t	ne NRC -		Combine	a sections	. Add'I NRC		also and ar	e
5. Ma UNE- 2-Wir	gorized accordingly. larket Rates for Unbundled Centrex Port/Loop Combination will be negotia P CENTREX - 5ESS (Valid in All States) P COMPONE VOICE Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		For Cu	urrently Combined Condividual Case Basis, UEP95	mbos, the N	notice.		identified in t	ne NRC -		Combine	a sections	. Add'I NRC		also and ar	e
5. Ma UNE- 2-Wir	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		For Cu	urrently Combined Conditional Case Basis, UEP95 UEP95	mbos, the N	notice. 13.03 21.33		identified in t	ne NRC -		Combine	a sections	. Add'I NRC		also and ar	e
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia- P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design		For Cu	urrently Combined Condividual Case Basis, UEP95	mbos, the N	notice.		identified in t	ne NRC -		Combine	a sections	. Add'I NRC		also and ar	е
5. Ma UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia- P-CENTREX - 5ESS (Valid in All States) P-CENTREX - 5ESS (Valid in All States) Port/Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)		For Cu	urrently Combined Condividual Case Basis, UEP95 UEP95 UEP95	mbos, the N	13.03 21.33 32.61		identified in t	ne NKC -		Combine	a sections	. Add'l NRC		also and ar	е
5. Ma UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		on an Image of the control of the co	urrently Combined Condividual Case Basis, UEP95 UEP95 UEP95 UEP95	mbos, the N	notice. 13.03 21.33 32.61		identified in t	ne NKC -		Combine	a sections	Add'I NRC		also and ar	е
5. Ma UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		For Cu	urrently Combined Condividual Case Basis, UEP95 UEP95 UEP95	mbos, the N	13.03 21.33 32.61		identified in t	ne NKC -		Combine	a sections	Add'I NRC		also and ar	e
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P-CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		1 1 2 3 1 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	mbos, the N	13.03 21.33 32.61 17.25 28.21		identified in t	ne NKC -		Combine	a sections	. Add'l NRC		also and ar	e
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P- CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1		1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UEP95	until further	13.03 21.33 32.61 17.25 28.21 43.09		identified in t	ne NKC -		Combine	a sections	. Add'l NRC		also and ar	е
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia- P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2 3 1 1 2 3 1 1 2 2 3 1 1 2 2 1 2 1 2	UEP95	until further UECS1 UECS1	13.03 21.33 32.61 17.25 28.21 43.09		identified in t	ne NRC -		Combine	a sections	. Add'l NRC		also and ar	e
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia- P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UEP95	until further UECS1 UECS1 UECS1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33		identified in t	ne NRC -		Combine		Add'I NRC		also and ar	e
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia P- CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1		1 2 3 1 1 2 3 1 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	UEP95 UEP95	until further UECS1 UECS1 UECS1 UECS1 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97		identified in t	ne NRC -		Combine		Add'I NRC		also and ar	е
5. Mi UNE- 2-Wir UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia PC ENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93		identified in t	ne NRC -		Combine		. Add'l NRC		also and ar	е
5. Mi UNE- 2-Wir UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia. P CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2		1 2 3 1 1 2 3 1 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	UEP95 UEP95	until further UECS1 UECS1 UECS1 UECS1 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97		identified in t	ne NRC -		Combine		. Add'l NRC		also and ar	e
5. Mi UNE- 2-Wir UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia PC ENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93		identified in t	ne NRC -				Add'I NRC		also and ar	е
5. Mi UNE- 2-Wir UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P-CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2D VG Port (Centrex)Port Combo-Design 2W VG Loop/2D VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Port Rate		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93		63.97	ne NRC -		Combine		40.18		also and ar	е
5. Mi UNE- 2-Wir UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotial P-CENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Port Rate tates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 UECYS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 30.33 14.97 25.93 40.81	79.59 79.59	63.97	ne NRC -		Combine		40.18	9.45 9.45	also and ar	e
5. M. UNE- 2-Wir UNE UNE UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia PC ENTREX 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Port Rate tates 2W VG Port (Centrex Boo Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59 79.59	63.97 63.97 63.97	ne NRC -				40.18 40.18 40.18	9.45 9.45 9.45	also and ar	e
5. M. UNE- 2-Wir UNE UNE UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia PCENTREX - 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 3 Port Rate tates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYB	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59	63.97	ne NRC -				40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45	also and ar	e
5. Mi UNE- 2-Wir UNE UNE	gorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will be negotia PC ENTREX 5ESS (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Port Rate tates 2W VG Port (Centrex Boo Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area		1 2 3 1 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59 79.59	63.97 63.97 63.97	ne NRC -				40.18 40.18 40.18	9.45 9.45 9.45	also and ar	9

Version 4Q02: 12/18/02 Page 241 of 324

NOUNDE	LED NETWORK ELEMENTS - North Carolina	1	1								Svc	C		nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)	T		Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-		al Charge - Manual Svc Order vs.	Manua Svc Ord vs.
		-				Rec	Nonre First	curring Add'l	First	sconnec		SOMAN	SOMAN	Rates (\$)	SOMAN	IAMOS
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97	THISE	Addi	JOINEC	JOINAIN	40.18	9.45	JOHAN	JONA
NC O	nly					_								-		1
	2W VG Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching	1		115505	LIBERS	2 225		 	 	 	1	<u> </u>				↓
	Centrex Intercom Funtionality, per port	1		UEP95	URECS	0.903		 	 	 	1	<u> </u>				₩
Local	Number Portability	+		UEP95	LNDCC	0.05		 	1	!	ļ	ļ	ļ			+
Faatu	Local Number Portability (1 per port)	-		UEP95	LNPCC	0.35			1	1						
Featu	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
-	All Select Features Offered, per port	+		UEP95	UEPVS	0.00	457.83			1						+
	All Centrex Control Features Offered, per port	+		UEP95	UEPVC	3.40	457.05			1						+
NARS				OLI 33	OLI VO	3.40										+
IVAIC	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		+
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		1
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		1
Misce	ellaneous Terminations															1
	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Intero	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cr	nannel Bank Feature Activations			LIEBOE	40014/0	0.05										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-		UEP95 UEP95	1PQWS 1PQW6	0.65 0.65			1	1						
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1-		UEP95	1PQW7	0.65		1	 	 	1	 				+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1-		UEP95	1PQWP	0.65		1	 	 	1	 				+
-	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop Slot	1		UEP95	1PQWQ	0.65		 	 	†	+	 	 	 	 	+
	Feature Activation on D-4 Channel Bank WATS Loop Slot	+		UEP95	1PQWA	0.65				<u> </u>						
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			02.00		0.00										1
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo			ļ						ļ		ļ				↓
UNE	Port/Loop Combination Rates (Non-Design)	1-	<u> </u>							ļ	1	ļ				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	-	1	UEP9D		13.03			ļ	 	1					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP9D		21.33		 	 	 	1	<u> </u>				↓
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP9D		32.61			 	 		ļ				
UNE	Port/Loop Combination Rates (Design)	+	—	LIEBOD	_	17.05		 	1	!	1	ļ	ļ			+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	2	UEP9D UEP9D	+	17.25 28.21		 	1	 	1	 				+

	LED NETWORK ELEMENTS - North Carolina		1	ı							_	•	Attach			bit: B
regor)	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R/	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Char Manu Svc Or vs.
4						Rec	Nonre First	curring Add'l	NRC Di	sconnect Add'l		COMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMA
UNF	Loop Rate						FIISL	Addi	FIISL	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOIVIA
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	10.75										
_	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	30.33										
\top	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	40.81										
	Port Rate															
ALL	STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
\bot	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97			<u> </u>		40.18	9.45		<u> </u>
—	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		<u> </u>
+	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97			1		40.18	9.45		<u> </u>
+-	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97			<u> </u>		40.18	9.45		<u> </u>
+	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area		1	UEP9D	UEPYF	2.28	79.59	63.97			1	 	40.18	9.45		1
-	2W VG Port (Centrex /EBS-M5312))3Basic Local Area 2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D UEP9D	UEPYG	2.28 2.28	79.59 79.59	63.97			1	-	40.18	9.45		
+-	,			UEP9D	UEPYT			63.97					40.18	9.45		
+	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area 2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D UEP9D	UEPYU	2.28 2.28	79.59 79.59	63.97 63.97			-		40.18 40.18	9.45 9.45		
+	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area 2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
-	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
-	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
+-	2W VG Port (Centrex/Msq Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
-	2W VG Port (Centrex/insg Wtg Earn) Indication/3 Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		
1	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
1	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
$oldsymbol{oldsymbol{\perp}}$	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC C	·					2.22	=====						10.10	0.15		
+	2W VG Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
+-	2W VG Port (Centrex 800 Term)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		-
+-	2W VG Port (Centrex/EBS-PSET)3 2W VG Port (Centrex /EBS-M5009)3		1	UEP9D UEP9D	UEPUC	2.28 2.28	79.59 79.59	63.97 63.97		-	1	-	40.18 40.18	9.45 9.45		1
+-	2W VG Port (Centrex /EBS-N5009)3		1	UEP9D	UEPUE	2.28	79.59	63.97		-	1	-	40.18	9.45		1
+-	2W VG Port (Centrex /EBS-M5209)3			UEP9D	UEPUF	2.28	79.59	63.97			1	-	40.18	9.45		
+-	2W VG Port (Centrex /EBS-M5312)3		1	UEP9D	UEPUG	2.28	79.59	63.97			 	-	40.18	9.45		1
+	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
1	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
1	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
1	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28	164.57	128.16			<u> </u>		40.18	9.45		
₩.	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28	164.57	128.16			ļ		40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28	164.57	128.16			1		40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28	164.57	128.16			1		40.18	9.45		
+-	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	2.28	164.57	128.16			<u> </u>		40.18	9.45		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D UEP9D	UEPU4 UEPU5	2.28 2.28	164.57 164.57	128.16 128.16			1	-	40.18 40.18	9.45 9.45		
+-								178 16								1
\pm	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3		1								1					_
丰	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D UEP9D	UEPU6 UEPU7	2.28 2.28	164.57 164.57	128.16 128.16					40.18 40.18	9.45 9.45		

Version 4Q02: 12/18/02 Page 243 of 324

JNBUNDL	LED NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhil	bit: B
CATEGORY		Inter im	Zon e	BCS	usoc			ATES (\$)			d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs.	Incremer al Charge Manual Svc Orde vs.
						Rec		curring		sconnect		001111		Rates (\$)	0011411	
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	First 79.59	Add'l 63.97	First	Addi	SOMEC	SOMAN	SOMAN 40.18	SOMAN 9.45	SOMAN	SOMAN
	2W VG Port Terminated in 601 Megalink of equivalent			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching			OLI OD	OLI OZ	2.20	70.00	00.07		1			40.10	0.40		
Looui	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40				1						
NARS	Unbundled Network Access Register-Combination	-		UEP9D	UARCX	0.00	0.00	0.00		1	1	1	40.18	9.45	1	1
+	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward		1	UEP9D	UAR1X	0.00	0.00	0.00		1			40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
Misce	ellaneous Terminations				1		2.30	3.30		1				20		1
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)				 	ļ										
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interc	office Channel Mileage - 2-Wire Interoffice Channel Facilities Term			UEP9D	MIGBC	18.00				ļ	1					
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0282										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVIIGDIVI	0.0262										
	hannel Bank Feature Activations									1						1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11	0.40					40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
BUNDLE	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	rket Rates are applied where BellSouth is not required by FCC and/or Co				ed Local Sv	witching or Sw	itch Ports.									
	curring Charges for all Standard Centrex and Centrex Conrol Features are															
4. The	d Office and Tandem Switching Usage and Common Transport Usage rate e first and add'l Port NRC charges apply to Not Currently Combined Com lorized accordingly.														also and a	re
	P CENTREX - 5ESS (Valid in All States)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		24.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	2	UEP95	1	33.05				1	ļ					1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP95	1	44.33		-	ļ	1						
UNE	Port/Loop Combination Rates (Design)	-	1	HEDOE	1	20.07			-	1	<u> </u>					1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	2	UEP95 UEP95	+	28.97 39.93		1	 	1	-					1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	\vdash	3	UEP95 UEP95	1	54.81				1	 					
UNF	Loop Rate			OLI 33	1	34.01		1		1	1	1				1
1	2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	19.05		1		1						1
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	30.33										
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	25.93										<u> </u>
1	2W VG Loop (SL2)-Zone 3	I	3	UEP95	UECS2	40.81		l	ı	1	1	1		l	1	1
	Port Rate	_	1		0-00-						+					

Version 4Q02: 12/18/02 Page 244 of 324

CHOCHDL	ED NETWORK ELEMENTS - North Carolina	1	Т Т								Svc	Svc	Attachr Incrementa		Exhib	
ATEGORY	RATE ELEMENTS	Inter	Zon e	BCS	usoc		R <i>A</i>	ATES (\$)			Order Submitte d Elec	Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec	Nonre			sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
All St				LIEDAE	115574	1100	105.00	0.5.00					10.10			
	2W VG Port (Centrex) Basic Local Area		1 1	UEP95	UEPYA	14.00	105.00	85.00		<u> </u>			40.18	9.45		
	2W VG Port (Centrex 800 Term)		1 1	UEP95	UEPYB	14.00	105.00	85.00		<u> </u>			40.18	9.45		
	2W VG Port (Centrex with Caller ID)1Basic Local Area		-	UEP95	UEPYH	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area		1	UEP95 UEP95	UEPYM UEPYZ	14.00 14.00	215.00	165.00		1			40.18 40.18	9.45 9.45		
	2W VG Port, Dill SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area		1	UEP95	UEPY2	14.00	105.00	85.00		1			40.18	9.45		
	2W VG Port Terminated in on Megalink of equivalent-basic Local Area		1	UEP95	UEPY2	14.00	105.00	85.00		ļ			40.18	9.45		
NC Or			+ +	UEF93	UEFTZ	14.00	105.00	65.00		1			40.16	9.45		
INC O	2W VG Port (Centrex)	1	+ - 1	UEP95	UEPUA	14.00	105.00	85.00		 			40.18	9.45		$\overline{}$
-	2W VG Port (Centrex)	1	+ +	UEP95	UEPUB	14.00	105.00	85.00		 	1	1	40.18	9.45		$\overline{}$
-	2W VG Port (Centrex with Caller ID)1	1	+ +	UEP95	UEPUH	14.00	105.00	85.00		 	1	1	40.18	9.45		$\overline{}$
	2W VG Port (Centrex from diff SWC)2	-	1 1	UEP95	UEPUM	14.00	215.00	165.00					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term		1	UEP95	UEPUZ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent		1	UEP95	UEPU9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term			UEP95	UEPU2	14.00	105.00	85.00					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability					0.000										
	Local Number Portability (1 per port)		1 1	UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										<u> </u>
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									<u> </u>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		i
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		ĺ
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
	llaneous Terminations															
	Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each		1 1	UEP95	M1HDO	0.00	28.81			<u> </u>			40.18	9.45		
	ffice Channel Mileage - 2-Wire		1 1	LIEDAE		10.00				<u> </u>						
	Interoffice Channel Facilities Term		-	UEP95 UEP95	MIGBC	18.00 0.0282										
	Interoffice Channel miage, per mi or fraction of mi		1	UEP95	IVIIGBIVI	0.0282				1						
	re Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations		1		_					1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+ - 1	UEP95	1PQWS	0.65		-		 	-	-				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1 1	UEP95 UEP95	1PQWS	0.65				1	 	1				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	1 1	UEP95	1PQW6	0.65				1	 	1				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	+ +	UEP95	1PQWP	0.65				 						
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1-	1 1	UEP95	1PQWP	0.65				 	+					<u> </u>
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	1	+ +	UEP95	1PQWQ	0.65				 	1	1				
-	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1 1	UEP95	1PQWA	0.65			1	1	†	t				
	Recurring Charges (NRC) Associated with UNE-P Centrex	1-	1 1	021 00		0.00				1	1					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1	1 1							1	1					
	per port			UEP95	USAC2		2.77	0.40		1			40.18	9.45		í
	New Centrex Standard Common Block		1 1	UEP95	M1ACS	0.00	695.11	27.10			1		40.18	9.45		
	New Centrex Customized Common Block		1 1	UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion	1	1 1	UEP95	URECA	0.00	72.73						40.18	9.45		

ADOND	LED NETWORK ELEMENTS - North Carolina													ment: 2	Exhib	
ATEGORY	' RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R	ATES (\$)			d Elec	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
						Rec		curring		sconnect				Rates (\$)		
LINE	D CENTREY DMC400 (Volid in All Caston)	-			_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	P CENTREX - DMS100 (Valid in All States) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			_			-				-				
	Port/Loop Combination Rates (Non-Design)															
UNL	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	-	24.75		1								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		33.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		44.33										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		28.97										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		39.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		54.81										
UNE	Loop Rate															
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	10.75		ļ				<u> </u>				
	2W VG Loop (SL1)-Zone 2	<u> </u>	2	UEP9D	UECS1	19.05		ļ	ļ	ļ						Ь——
	2W VG Loop (SL1)-Zone 3	<u> </u>	3	UEP9D	UECS1	30.33		ļ	ļ	ļ	1	ļ				—
	2W VG Loop (SL2)-Zone 1	<u> </u>	1	UEP9D	UECS2	14.97		 		<u> </u>		<u> </u>				—
-	2W VG Loop (SL2)-Zone 2	├	2	UEP9D	UECS2	25.93		 	ļ	 	1	}				
LIME	2W VG Loop (SL2)-Zone 3	1	3	UEP9D	UECS2	40.81		 	1	1	1	1		-		
	Port Rate STATES	<u> </u>			_			-				-				
ALL	2W VG Port (Centrex) Basic Local Area	-		UEP9D	UEPYA	14.00	105.00	85.00			1		40.18	9.45		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex 666 Fellin) Basic Local Area			UEP9D	UEPYC	14.00	105.00						40.18	9.45		
-	2W VG Port (Centrex EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	14.00	215.00						40.18	9.45		ـــــ
_	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area	<u> </u>		UEP9D	UEPYO	14.00	215.00						40.18	9.45		—
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area	<u> </u>		UEP9D	UEPYQ	14.00 14.00	215.00						40.18	9.45		₩
_	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area	-		UEP9D UEP9D	UEPYR UEPYS	14.00	215.00 215.00						40.18 40.18	9.45 9.45		⊢—
-	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area	-		UEP9D	UEPY4	14.00	215.00				1		40.18	9.45		
+	2W VG Port (Centrex/differ SWC /EBS-M5006)2, 3 Basic Local Area	!		UEP9D	UEPY5	14.00	215.00		 	 	+	 	40.18	9.45	 	
+	2W VG Port (Centrex/differ SWC /EBS-M5206)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	215.00		1	1	<u> </u>		40.18	9.45		
+	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	215.00				1		40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	14.00	215.00						40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC C	nly															
	2W VG Port (Centrex)			UEP9D	UEPUA	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex 800 Term)	<u> </u>		UEP9D	UEPUB	14.00	105.00		ļ	ļ			40.18	9.45		<u> </u>
-	2W VG Port (Centrex/EBS-PSET)3	<u> </u>		UEP9D	UEPUC	14.00	105.00			<u> </u>			40.18	9.45		—
	2W VG Port (Centrex /EBS-M5009)3	<u> </u>	 	UEP9D	UEPUD	14.00	105.00		ļ		-	1	40.18	9.45		
+	2W VG Port (Centrey /EBS-M5209)3	1	\vdash	UEP9D	UEPUE	14.00	105.00		1	-	1	-	40.18	9.45		
+-	2W VG Port (Centrex /EBS-M5112)3 2W VG Port (Centrex /EBS-M5312)3	 	\vdash	UEP9D UEP9D	UEPUF UEPUG	14.00 14.00	105.00 105.00		 	 	 	-	40.18 40.18	9.45 9.45		
-	2W VG Port (Centrex /EBS-M5312)3 2W VG Port (Centrex /EBS-M5008)3	-	\vdash	UEP9D UEP9D	UEPUG	14.00	105.00		1	 	1		40.18	9.45		
+	2W VG Port (Centrex/EBS-M5008)3	1		UEP9D	UEPUU	14.00	105.00				1		40.18	9.45		
+	2W VG Port (Centrex/EBS-M5206)3	 	\vdash	UEP9D	UEPUV	14.00	105.00		1	1	1	1	40.18	9.45		
+	2W VG Port (Centrex/EBS-M5316)3	!		UEP9D	UEPU3	14.00	105.00		 	 	+	 	40.18	9.45	 	
+	2W VG Port (Centrex with Caller ID)	 		UEP9D	UEPUH	14.00	105.00		1	†	†	1	40.18	9.45	1	
+	2W VG Port (Centrex/Caller ID/Msq Wtg Lamp Indication)3	 		UEP9D	UEPUW	14.00	105.00		1	†	†	1	40.18	9.45	1	
\neg	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	t		UEP9D	UEPUJ	14.00	105.00						40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPUM	14.00	215.00					1	40.18			

Version 4Q02: 12/18/02 Page 246 of 324

IDUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R#	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	al Char Manu Svc Or vs.
1									T			per LSR	Electronic-		Electronic-	Electro
		-			+	Rec	Nonre			sconnect	001450	001111		Rates (\$)	001141	
_	OWN VC Dart (Control differ CNIC /EDC DCET)	-	-	LIEDOD	LIEDUO	44.00	First	Add'l	First	Add'I	SOMEC	SOMAN			SOMAN	SOM
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	-		UEP9D UEP9D	UEPUO	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	-		UEP9D UEP9D	UEPUP	14.00 14.00	215.00 215.00	165.00 165.00					40.18 40.18	9.45 9.45		-
+	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	14.00	215.00	165.00		<u> </u>			40.18	9.45		├
+	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3	_	-	UEP9D	UEPUR	14.00	215.00	165.00					40.18	9.45		+
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	+	+	UEP9D	UEPU4	14.00	215.00	165.00		1			40.18	9.45		+
	2W VG Port (Centrex/differ SWC /EBS-N5006)2, 3	_	-	UEP9D	UEPU5	14.00	215.00	165.00					40.18	9.45		┼──
+	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	+	+	UEP9D	UEPU6	14.00	215.00	165.00		1	 	1	40.18	9.45	1	+
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3	+	+-	UEP9D	UEPU7	14.00	215.00	165.00		 		†	40.18	9.45		+
+	2W VG Port (Centrex differ SWC / EBS-W3516)2, 3	+	+	UEP9D	UEPUZ	14.00	215.00	165.00		1	1	1	40.18	9.45		\vdash
+	2W VG Port terminated in on Megalink or equivalent	+	1	UEP9D	UEPU9	14.00	105.00	85.00		1	-	1	40.18	9.45		
	2W VG Port Terminated in 6th Megalifik of equivalent	+	+	UEP9D	UEPU2	14.00	105.00	85.00		1	1	1	40.18	9.45		
	Switching	+		OLI OD	OLI OZ	14.00	100.00	00.00					40.10	0.40		†
	Centrex Intercom Funtionality, per port	+		UEP9D	URECS	0.903										<u> </u>
	Number Portability	+		OLI OD	ORLOG	0.000										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										t
Featu		+		02.05	2.11 00	0.00										<u> </u>
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										t —
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										1
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		†
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
Misce	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	_		UEP9D	1PQW7	0.65										ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1	1	UEP9D	1PQWP	0.65				 		<u> </u>				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP9D	1PQWV	0.65				<u> </u>	<u> </u>	<u> </u>	ļ			₩
+	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1	1	UEP9D UEP9D	1PQWQ	0.65 0.65				<u> </u>	<u> </u>	<u> </u>	ļ			₩
Non 7	Feature Activation on D-4 Channel Bank WATS Loop Slot	+	╄	UEP9D	1PQWA	0.65			1	1	!	1	1	1		₩
	Recurring Charges (NRC) Associated with UNE-P Centrex	+	1-		+					 	1	1		-		+
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2	l	2.77	0.40		1		1	40.18	9.45		
+	New Centrex Standard Common Block	+	+	UEP9D UEP9D	M1ACS	0.00	695.11	0.40		1	-	1	40.18	9.45		+
+	New Centrex Standard Common Block New Centrex Customized Common Block	+	+	UEP9D	M1ACC	0.00	695.11			-	-	-	40.18	9.45		+
	NAR Establishment Charge, Per Occasion	+	+	UEP9D	URECA	0.00	72.73			-	-	-	40.18	9.45		₩
	I - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	+	+	UEFSD	URECA	0.00	12.13			1	 	1	40.18	9.45	1	+-
	2 - Required For for Centrex Control III TAESS, SESS & EWSD	+	+-		+ +	+				 		†	 	1		+
	3 - Requires Interornice Charmer Wheage 3 - Requires Specific Customer Premises Equipment	+	1		+ +	1				1		1	1	1	1	-
	Rates displaying an "R" in Interim column are interim and subject to ra		1		ليبسا					1	 				-	+

ועאטפאט	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhib	it: B
											Svc Order	Svc Order	Increment al Charge	Increment al Charge	Incrementa I Charge -	Increme
ATECODY	DATE ELEMENTO	Interi	Zon	DOC	11000			DATES (\$)			Submitt	Submitte		Manual	Manual	- Manua
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC			RATES (\$)			ed Elec	d		Svc Order	Svc Order	Svc Ord
											per LSR	Manually		vs.	vs.	vs.
												per LSR	Electronic	Electronic	- Electronic-	Electron
						_	Nonre	curring	NRC Disc	onnect			oss	Rates (\$)	1	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The '	Zone" shown in the sections for stand-alone loops or loops as part of	a con	nbina	tion refers to Geograph	nically Dea	veraged UNE Z	ones. To vie	w Geographic	cally Deaver	aged UNE Z	one Desig	nations by	Central Of	fice, refer to	Internet We	ebsite:
	//www.interconnection.bellsouth.com/become a clec/html/interconnec			• .	•	·		٠.	•	•	_					
	NAL SUPPORT SYSTEMS															
	E: (1) Electronic Service Order: CLEC should contact its contract negot															
rate e	exhibit is the BellSouth regional electronic service ordering charge. CL	.EC m	ay el	ect either the state spe	cific Comn	nission ordered	rates for the	e electronic se	rvice orderi	ng charges	or CLEC	may elect	the regiona	l electronic	service orde	ring
	(2) Any element that can be ordered electronically will be billed account															
	ronically. For those elements that cannot be ordered electronically at p						gory reflects	the charge tha	at would be	billed to a (CLEC once	electroni	c ordering o	capabilities	come on-lin	e for tha
elem	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to	a CL	ECs	bill when it submits an		llSouth.		1							1	
	Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN	-			1.97							-
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
VE CEDVI	CE DATE ADVANCEMENT CHARGE				SOIVIEC		3.30									
	E: The Expedite charge will be maintained commensurate with BellSou	th'c E	CC N	o 1 Tariff Section 5 ac	annlicable											-
NOTE	The Expedite charge will be maintained commensurate with benoon	11131	CCN	ALL UNE EXCEPT	аррисави	;. 										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
NBUNDL F	D EXCHANGE ACCESS LOOP			O.4E 1	02/101		_00.00	1			1		<u> </u>	<u> </u>	1	t
	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				†
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		15.69				1
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				15.69				1
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.23	34.23				15.69				
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90				15.69				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing															
	make-up (Engineering Information-EI)			UEANL	UEANM		13.47	13.47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
2-WII	RE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
	2W Unbundled Copper Loop-Non-Designed-Zone 2	<u> </u>	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	15.02	36.40		22.66	4.42		15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise Order Coordination 2W Unbundled Copper Loop-Non-Designed (per			UEQ	URETL	-	8.33 8.17	0.83 8.17				15.69				
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEQ	USBMC		8.17	8.17								
	providing make-up (Engineering Information-EI)			UEQ	UEQMU		13.47	13.47				15.69				
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	1	34.23	34.23				15.69				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.90					15.69				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.30	7.45				15.69				
BUNDLE	D EXCHANGE ACCESS LOOP					1	50	10				70.00				T
	RE ANALOG VOICE GRADE LOOP					1		1								T
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92		23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
	D EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP		<u> </u>				,					,				<u> </u>
_	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				<u> </u>
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				├
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.46	105.98		53.05	10.61		15.69	1	1	ļ	├
_	Order Coordination for Specified Conversion Time (per LSR) 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA UEA	OCOSL UEAR2	16.68	18.13 105.98		53.05	10.61		15.69				
-	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	23.13	105.98		53.05	10.61		15.69				├
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	28.46	105.98		53.05	10.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		J	UEA	OCOSL	20.40	18.13		55.05	10.01		13.09				
+	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90					15.69			1	$\vdash \vdash$
+	Loop Tagging-SL2 (SL2)			UEA	URETL	 	10.45					15.69			 	\vdash
4-WII	RE ANALOG VOICE GRADE LOOP		 	- OLA	OILLIL		10.43	1.03				10.09			†	
1	4W Analog VG Loop-Zone 1		⊢ .	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69	 	1	l	

Version 4Q02: 12/18/02 Page 248 of 324

וטאטםאיי	ED NETWORK ELEMENTS - South Carolina					T					-			nent: 2	Exhib	
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manu Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc	onnect				Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13	20.44				45.00				
2 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch RE ISDN DIGITAL GRADE LOOP		-	UEA	UREWO		87.90	36.44				15.69				
2-771	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				-
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				<u> </u>
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
0.18/17	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.82	44.25				15.69				
2-1/11	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	E LOO	P		-											
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 1		4	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		'	UAL	UALZA	12.19	120.04	70.56	50.57	7.93		15.09				
	Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
-	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		-	One	O/ILZ/	10.71	120.04	70.00	00.07	7.00		10.00				1
	Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
2-WIF	CLEC to CLEC Conversion Charge w/o outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOP		UAL	UREWO		86.38	40.48				15.69				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
_	Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		3		11111 01	44.40	400.50	70.04	50.07	7.00		45.00				
_	Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2X OCOSL	11.40	129.52 18.13	79.24	50.37	7.93		15.69				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOP														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4W Unbundled HDSL Loop including man! svc inq & facility reservation- Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	10.04	18.13	107.00	00.12	10.00		10.00				
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIF	RE DS1 DIGITAL LOOP	<u> </u>		110	Herror	===	0=0.00	,			1	/= ^-		ļ		
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				├
	4W DS1 Digital Loop-Zone 2 4W DS1 Digital Loop-Zone 3		3	USL USL	USLXX	136.00 229.15	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73		15.69 15.69				
-	Order Coordination for Specified Conversion Time (per LSR)	 	3	USL	OCOSL	229.15	253.03 18.13	157.89	44.80	11.73	1	15.09	-	-		
	CLEC to CLEC Conversion Charge w/o outside dispatch	 	+	USL	UREWO		101.30	43.13				15.69				
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		+	001	OILLIVO		101.00	-10.10			1	10.00				
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				1

Version 4Q02: 12/18/02 Page 249 of 324

NRANDL	ED NETWORK ELEMENTS - South Carolina													nent: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Orde vs.
						Doo	Nonre	curring	NRC Disco	onnect		l.	OSS	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL UDL	OCOSL UDL64	29.93	18.13 126.66	89.12	59.35	14.61		15.69				
	4W Unbundled Digital Loop 64 Kbps-Zone 1 4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64 UDL64	33.99	126.66	89.12 89.12	59.35	14.61		15.69				
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	34.74	18.13	09.12	39.33	14.01		13.09				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.34	49.85				15.69				
2-WIR	E Unbundled COPPER LOOP		1	355	5.12110		.02.04	40.00			1	10.00				
	2W Unbundled Copper Loop/Short including manl svc ing & facility		\dagger													
	reservation-Zone 1	1	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69		1		
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 2	l	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 2		2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		1.1					====		=						
	Zone 1		1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-					== 00		====		=						
	Zone 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		3	1101	1101 014	07.05	04.07	50.00	50.07	7.00		45.00				
	Zone 3		3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)		\vdash	UCL UCL	UCLMC		8.17 94.87	8.17 42.57				15.69				
4 14/15	E COPPER LOOP		-	UCL	UREWU		94.87	42.57				15.69				
4-WIR		-		UCL	UCL4S	19.64	144.17	93.88	55.12	10.38	1	15.69		-		
_	4W Copper Loop/Short-including man svc ing & facility reservation-Zone	-	1	UCL	UCL4S UCL4S	19.64 20.90	144.1 <i>7</i> 144.17	93.88	55.12 55.12	10.38	1	15.69 15.69		-		
-	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 4W Copper Loop/Short-including manl svc inq & facility reservation-Zone	 	3	UCL	UCL4S UCL4S	19.34	144.17	93.88	55.12	10.38		15.69		1		-
	Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL	UCLMC	19.34	8.17	93.88	JJ. 12	10.38	1	15.09		1		-
	4W Copper Loop/Short-w/o man! svc ing & facility reservation-Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38	1	15.69	1			
	4W Copper Loop/Short-w/o mani svc inq & facility reservation-Zone 1 4W Copper Loop/Short-w/o mani svc inq & facility reservation-Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
-	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69		 		
-	Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCLMC	13.54	8.17	8.17	55.12	10.00	1	10.08		 		
-	4W Unbundled Copper Loop/Long-includes manl svc ing & facility	 	+	301	COLINO		0.17	0.17			 			l		
	reservation-Zone 1	1	1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69		1		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		\dagger	302		20		22.30	30.12							
	reservation-Zone 2	1	2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69		1		
	4W Unbundled Copper Loop/Long-includes manl svc ing & facility		† †	302		7.00		22.30	30.12							
	reservation-Zone 3	1	3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69		1		
	Order Coordination for Unbundled Copper Loops (per loop)		Ħ	UCL	UCLMC		8.17	8.17								
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		T					1								
	Zone 1	1	1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69		1		1
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2	l	2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				

Version 4Q02: 12/18/02 Page 250 of 324

ONBON	DLED NETWORK ELEMENTS - South Carolina			,		1								nent: 2	Exhib	
CATEGOI	RY RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manua Svc Orde vs.
						Rec	Nonred		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	-														
	Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	1		UCL	UREWO		94.87	42.57				15.69				
LOOP MC	DIFICATION	-		LIAL LILII LICI LIEO LI												
				UAL,UHL,UCL,UEQ,UL												
	Unbundled Lean Medification, Removal of Lead Cails 2W pr ar. 19kft			S,UEA,UEANL,UEPSR ,UEPSB	ULM2L		32.46	32.46				15.69				
-	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	1		UCL,ULS,UEQ	ULM2G		170.89	170.89				15.69				-
	Unbundled Loop Modification Removal of Load Coils-2W > 16kft	1		UHL,UCL	ULM4L	1	32.46	32.46				15.69				
-	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	1		UCL	ULM4G		170.89	170.89				15.69				
	Oribundied Ecop Modification Removal of Ecoad Collis-4W pt > Tokit	1		UAL,UHL,UCL,UEQ,UL	OLIVIAG	1	170.03	170.03				10.00				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			S,UEA,UEANL,UEPSR												
	unbundled loop			.UEPSB	ULMBT		32.48	32.48				15.69				
SUB-LOO		1		,OLI OD	OLIVIDI		02.40	02.40				10.00				
	b-Loop Distribution	1														
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		241.42	241.42				15.69				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	Ti		UEANL	USBSB		22.69	22.69				15.69				1
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	Ti		UEANL	USBSC		177.84	177.84				15.69				1
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	Ti		UEANL	USBSD		55.58	55.58				15.69				1
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				1
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	1		UEANL	USBMC		8.17	8.17								1
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	ı	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71		15.69				
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>		UEF	USBMC		8.17	8.17								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	!	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
	4W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I	3	UEF UEF	UCS4X USBMC	12.64	79.21 8.17	44.29 8.17	49.82	9.09		15.69				
He	bundled Sub-Loop Modification	1		UEF	USBIVIC		8.17	8.17								
Oii	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip															1
	Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
	Removal, per PR unloaded			UEF	ULM4T		278.82	6.13				15.69				
Un	bundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3303	30.20	30.20				15.69				
Net	work Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.68	28.79				15.69				
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		64.42	49.53				15.69				
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect-4W	ļ		UENTW	UNDC4		5.92	5.92				15.69				<u> </u>
SUB-LOO																<u> </u>
Su	b-Loop Feeder	<u> </u>										ļ				1
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution	1		UEA,UDN,UCL,UDL,U	HODE				1			,		1		
	Facility set-up			DC UEA,UDN,UCL,UDL,U	USBFW		241.42					15.69				
	LISE Fooder DS0 Set up per Cross Boy location per 25 process			DC.	LICDEV		22.60	22.60				15.60				
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up USL Feeder DS1 Set-up at DSX location, per DS1 Term			DC USL	USBFX USBFZ		22.69 523.87	22.69 11.34				15.69 15.69				-

Version 4Q02: 12/18/02 Page 251 of 324

ONRONDI	LED NETWORK ELEMENTS - South Carolina					T								ment: 2	Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manua Svc Orde vs.
						B	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				ļ
	Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA UEA	OCOSL USBFB	8.93	18.13 93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				-
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69				1
	Order Coordination for Specified Time Conversion, per LSR		_	UEA	OCOSL		18.13									1
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				├
_	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	+	3	UEA UEA	USBFD USBFD	27.57 26.04	107.91 107.91	70.36 70.36	62.26 62.26	17.52 17.52	-	15.69 15.69		 		₩
	Order Coordination For Specified Conversion Time, Per LSR	-	3	UEA	OCOSL	20.04	18.13	10.30	02.20	17.52		15.09		-		
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1	1	1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52	1	15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				ļ
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				1
-	Order Coordination For Specified Conversion Time, Per LSR		4	UDN	OCOSL	47.05	18.13	CO 00	55.04	40.07		45.00				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC UDC	USBFS	17.05 20.92	106.47 106.47	68.92 68.92	55.81 55.81	13.37 13.37		15.69 15.69		-		-
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	23.49	106.47	68.92	55.81	13.37		15.69				-
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	55.85	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				ļ
-	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	+	1	UCL	USBFJ	13.21	18.13 101.22	63.67	58.03	13.29		15.69				-
-	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	8.28	101.22	63.67	58.03	13.29		15.69				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69				
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL		18.13									
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52	1	15.69				1
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				<u> </u>
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2	-	2	UDL	USBFO	21.30	102.19	64.64 64.64	62.26	17.52		15.69				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3 Order Coordination For Specified Time Conversion, per LSR		3	UDL UDL	USBFO	20.17	102.19 18.13	64.64	62.26	17.52		15.69		-		-
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				+
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.13									
SUB-LOOPS																
Sub-l	Loop Feeder															ļ
	Sub Loop Feeder-DS3-Per mi Per mo	+ +		UE3	1L5SL	20.44	0 (00 0-	40= 4-	400.0-	a		/= ^-		ļ		<u> </u>
	Sub Loop Feeder-DS3-Facility Term Per mo	1		UE3	USBF1	348.12	3,408.62	407.90	160.83	91.17		15.69				├
	Sub Loop Feeder – STS-1 – Per mi Per mo Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX UDLSX	1L5SL USBF7	20.44 369.07	3,408.62	407.90	160.83	91.17		15.69		-		
	Sub Loop Feeder – OC-3 – Per mi Per mo	 		UDLSX UDLO3	1L5SL	369.07 15.51	3,408.62	407.90	100.83	91.17	-	15.69	-	-		
	Sub Loop Feeder - OC-3 - Fer fill Fer filo Sub Loop Feeder-OC-3-Facility Term Protection Per mo	+ 		UDLO3	USBF5	56.04						 		-		
	Sub Loop Feeder-OC-3-Facility Term Per mo	† i		UDLO3	USBF2	565.50	3,408.62	407.90	160.83	91.17		15.69				—
	Sub Loop Feeder-OC-12-Per mi Per mo	i		UDL12	1L5SL	19.08	2,									
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	Ì		UDL12	USBF6	669.82										
	Sub Loop Feeder-OC-12-Facility Term Per mo	I		UDL12	USBF3	1,840.00	3,408.62	407.90	160.83	91.17		15.69				
	Sub Loop Feeder-OC-48-Per mi Per mo			UDL48	1L5SL	62.60										

Version 4Q02: 12/18/02 Page 252 of 324

ONBONDE	ED NETWORK ELEMENTS - South Carolina												Attachr			oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		I	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Ord vs.
						Dee	Nonred	curring	NRC Disco	nnect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo			UDL48	USBF9	326.16										
	Sub Loop Feeder-OC-48-Facility Term Per mo			UDL48	USBF4	1,560.00	3,594.62	407.90	160.83	91.17		15.69				
	Sub Loop Feeder-OC-12 Interface On OC-48			UDL48	USBF8	366.86	806.47	407.90	160.83	91.17		15.69				
JNBUNDLEI	D LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	46.69	135.89	135.89				15.69				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	351.78	326.13	326.13				15.69				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	78.67	135.89	135.89				15.69				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start															
	Loop Interface (POTS Card)			UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface															
	(SPOTS Card)			UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	6.22	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	30.38	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	9.21	10.56	10.50	5.41	5.37		15.69				
INE OTHER	, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00									
INE OTHER	, PROVISIONING ONLY - NO RATE															
	,			UAL,UCL,UDC,UDL,U												1
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
IIGH CAPA	CITY UNBUNDLED LOCAL LOOP			·	-											1
	: minimum billing period of three months for DS3 and above Local Lo	ор							i i							1
	High Capacity Unbundled Local Loop-DS3-Per mi per mo	ľ		UE3	1L5ND	12.26										1
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				1
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	12.26						15.69				1
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				1
OOP MAKE																1
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															1
	queried (Manual).	l		UMK	UMKLW		24.04	24.04								1
	Loop Makeup-Preordering With Reservation, per spare facility gueried			J			2	204								<u> </u>
	(Manual).	l		UMK	UMKLP		25.49	25.49								1
	Loop MakeupWith or w/o Reservation, per working or spare facility			J	J (E/	 	20.40	20.40				†	 			t
	queried (Mechanized)			UMK	PSUMK		0.34	0.34				I	l			

UNDUND	LED NETWORK ELEMENTS - South Carolina					T							Attachn		Exhib	
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	QUENCY SPECTRUM															<u> </u>
	SHARING															ļ
SPL	ITTERS-CENTRAL OFFICE BASED					212.22			470.00			4= 00				<u> </u>
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				<u> </u>
	Line Sharing Splitter, per System 24 Line Capacity	+		ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69				<u> </u>
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (pe LSOD)	r		ULS	LII CDC		00.07	0.00	49.95	0.00		45.00				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPE	TDIIM	A K A		ULSDG		86.67	0.00	49.95	0.00		15.69				
LND	Line Sharing-per Line Activation (BST owned Splitter)	IKUW	ANA	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				-
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned	-		ULS	OLODO	0.01	10.55	10.02	10.04	4.33		13.09				-
	Splitter)			ULS	ULSDS		16.42	8.21				15.69				
-	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned	1		310	01000	 	10.72	0.21				10.08				
	Splitter)	1		ULS	ULSCS		16.42	8.21				15.69				
	Line Sharing-per Line Activation (DLEC owned Splitter)	\vdash		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.69				
LINE	E SPLITTING	+ -		310	0_000	0.01	71.77	10.01	20.07	12.17		10.00				
	USER ORDERING-CENTRAL OFFICE BASED	1			1	†		1				1				
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61						İ				†
	Line Splitting-per line activation BST owned-physical	ti		UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69				1
	Line Splitting-per line activation BST owned-virtual	ti		UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85		15.69				
REM	IOTE SITE HIGH FREQUENCY SPECTRUM															
SPL	ITTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	38.61	115.04	0.00	85.18	0.00		15.69				
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	Deactivation	1		ULS	ULSTG		95.83	0.00	68.37	0.00		15.69				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA	REMO	TE SI	TE LINE SHARING												
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	1		ULS	ULSRC	0.61	37.09	21.24	20.07	9.85		15.69				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	37.09	21.24	20.07	9.85		15.69				
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter			ULS	ULSRS		49.26	17.87				15.69				
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter			ULS	ULSTS		49.26	17.87				15.69				
	ED DEDICATED TRANSPORT															
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billi	ng per	iod - l	pelow DS3=one month	, above DS	3=four months										
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel-Dedicated Transpor t-2W VG Rev BatPer mi per mo	1	<u> </u>	U1TVX	1L5XX	0.0167						<u> </u>				<u> </u>
	Interoffice Channel-Dedicated Transport-2W VG Rev BatFacility Term	1	<u> </u>	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				.
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo	<u> </u>	<u> </u>	U1TVX	1L5XX	0.0167					ļ	_				↓
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term	<u> </u>	<u> </u>	U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91	ļ	15.69				↓
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo	1	1	U1TDX	1L5XX	0.0167	10.0-				ļ	/= ^-				↓
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term	1		U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo	-	1	U1TDX	1L5XX	0.0167	10.00	07.7	40.7-	201		45.00				
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term	-	1	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo	+	!	U1TD1	1L5XX	0.3415	00.47	04.00	40.00	44.40		45.00				
	Interoffice Channel-Dedicated Transport-DS1-Facility Term	1	1	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	 	15.69				├
	Interoffice Channel Dedicated Transport-DS3-Per mi per mo	1	1	U1TD3 U1TD3	1L5XX U1TF3	8.02 880.65	279.37	163.12	60.33	FO FO	 	15.00				├──
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo	+	1	U1TS1	1L5XX	880.65	219.31	103.12	t0U.33	58.59	-	15.69				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo	+		U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
1.00	AL CHANNEL - DEDICATED TRANSPORT	+		01131	01113	000.33	213.31	103.12	00.33	30.39		15.09				
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing per	iod - h	elow	DS3=one month above	e DS3-four	months		1			 	1				
INOI	Local Channel-Dedicated-2W VG	.ou = D	J.OW	ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21	 	15.69				\vdash
	Local Channel-Dedicated-2W VG Local Channel-Dedicated-2W VG Rev Bat	1		ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
-	Local Channel-Dedicated-4W VG	1		ULDVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				†
	Local Channel-Dedicated-TW VG Local Channel-Dedicated-DS1-Zone 1	1	1	ULDD1	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
	Local Channel-Dedicated-DS1-Zone 2	1	2	ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
-+	Local Channel-Dedicated-DS1-Zone 3	1	3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
	Local Channel-Dedicated-DS1-Zone 3 Local Channel-Dedicated-DS3-Per mi per mo	†	Ť	ULDD3	1L5NC	11.93	.11.01	104.00	-L.L-T	10.00		10.00				
l																
				ULDD3	ULDF3	446.00	452,52	264,53	119.75	83,77		15,69				
	Local Channel-Dedicated-SS3-Facility Term Local Channel-Dedicated-STS-1-Per mi per mo			ULDD3 ULDS1	ULDF3 1L5NC	446.00 11.93	452.52	264.53	119.75	83.77		15.69				

Version 4Q02: 12/18/02 Page 254 of 324

UNBUN	DLI	ED NETWORK ELEMENTS - South Carolina													nent: 2	Exhib	
CATEGO	RY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Orde vs.
							Rec	Nonrec		NRC Disco					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FI																	
		Oark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		ocal Channel			UDF	1L5DC	97.65										
		IRC Dark Fiber-Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
		Oark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		nteroffice Channel			UDF	1L5DF	36.41										
		IRC Dark Fiber-Interoffice Channel			UDF	UDF14		640.51	138.17	317.76	198.11		15.69				ļ
		Oark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		ocal Loop			UDF	1L5DL	97.65										
2007 4 2 2		IRC Dark Fiber-Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				ļ
8XX ACC		TEN DIGIT SCREENING															
		XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
		XX Access Ten Digit Screening, Reservation Charge Per 8XX Number			01:5	Non							,				
		Reserved		 	OHD	N8R1X		2.59	0.44				15.69				<u> </u>
		XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS	l		OUD			5.05	00:	4.50	25.		45.00	1	1		
		ranslations		 	OHD			5.95	0.81	4.58	0.54		15.69				
		XX Access Ten Digit Screening, Per 8XX No. Established With POTS			01:5	NOTE							,	1	1		
		ranslations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69				
		XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.59	1.30				15.69				
		XXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			OUD	NOTAN		0.00	474				45.00				
		CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74				15.69				
		XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
		XX Access Ten Digit Screening, Call Handling & Destination Features		-	OHD	N8FDX	0.0000070	2.59	2.59				15.69				
		XX Access Ten Digit Screening, w/8XX No. Delivery		-	OHD		0.0006673										
LINE INC		IXX Access Ten Digit Screening, w/POTS No. Delivery ATION DATA BASE ACCESS (LIDB)		-	OHD		0.0006673										
LINE INF				-	OQT		0.0000040						-				-
-		IDB Common Transport Per Query IDB Validation Per Query			OQU	 	0.0000246 0.0138158										
		IDB Originating Point Code Establishment or Change		 	OQT,OQU	NRPBX	0.0136136	34.40		42.18			15.69				-
SIGNALI				1	001,000	NINFDA		34.40		42.10			13.09				+
SIGNALI		CCS7 Signaling Connection, Per 56 Kbps Facility		 	UDB	TPP++	16.93	35.61	35.61	16.48	16.48		1				1
		CCS7 Signaling Term, Per STP Port			UDB	PT8SX	163.49	00.01	00.01	10.40	10.40		-				-
		CCS7 Signaling Usage, Per TCAP Message		 	UDB	1 100/	0.0000692						1				+
		CCS7 Signaling Connection, Per link (A link)		 	UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				+
		CCS7 Signaling Connection, Per link (8 link) (also known as D link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				†
		CCS7 Signaling Usage, Per ISUP Message		 	UDB		0.0000173	00.01	00.01	10.40	10.40		10.00				
		CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	791.37										†
		CCS7 Signaling Point Code, per Originating Point Code Establishment or			055	0.000	701.01										
		Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69				
		CCS7 Signaling Point Code, per Destination Point Code Establishment		1			1			22.30	22.00		.5.50				
		or Change, Per Stp Affected	l		UDB	CCAPD		29.08	29.08	35.65	35.65		15.69	1	1		
E911 SEI					-												
		ocal Channel-Dedicated-2-wr VG					15.33	193.53	33.24	36.72	3.21		15.69				1
		nteroffice Transport-Dedicated-2-wr VG Per mi					0.0167										
		nteroffice Transport-Dedicated-2-wr VG Per Facility Term					24.30	40.63	27.47	16.77	6.91		15.69				
	L	ocal Channel-Dedicated-DS1-Zone 1					42.62	177.87	154.06	22.24	15.30		15.69				
	L	ocal Channel-Dedicated-DS1-Zone 2					70.32	177.87	154.06	22.24	15.30		15.69				
		ocal Channel-Dedicated-DS1-Zone 3					190.68	177.87	154.06	22.24	15.30		15.69				
	ı	nteroffice Transport-Dedicated-DS1 Per mi					0.3415										
		nteroffice Transport-Dedicated-DS1 Per Facility Term					77.14	89.47	81.99	16.39	14.48		15.69				
CALLING		ME (CNAM) SERVICE															
		NAM For DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
		NAM For Non DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15		15.69				
T		NAM For DB Owners-Service Provisioning With Point Code		ΙT													
		Stablishment			OQV			993.09	734.47	269.53	198.18		15.69				
		NAM For Non DB Owners-Service Provisioning With Point Code															
		Establishment			OQV			343.09	245.69	275.87	198.18		15.69				
		NAM for DB Owners, Per Query			OQV		0.0010433										
		NAM for Non DB Owners, Per Query			OQV		0.0010433										
LNP Que																	1
		NP Charge Per query					0.0008837						<u> </u>				<u> </u>
1	L	.NP Service Establishment Manual						25.09	25.09	23.07	23.07		15.69				1

Version 4Q02: 12/18/02 Page 255 of 324

UNDUNDL	ED NETWORK ELEMENTS - South Carolina	ı	1		1	1					C	C	Attachr		Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			ed Elec	d Manually	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manua Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATOR	CALL PROCESSING					4.00										
-	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB				-	1.20 1.24										
+	Oper. Call Processing-Oper. Provided, Per MillOsing Poreign LIDB Oper. Call Processing-Fully Automated, per Call-Using BST LIDB	1				0.20										-
+	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB	1				0.20										
INWARD OP	ERATOR SERVICES					0.20										
IIIIII OI	Inward Oper Services-Verification, Per min					1.15										
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.15										
BRANDING	- OPERATOR CALL PROCESSING															
Facili	ty based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.69				
UNEP	CLEC															
	Recording of Custom Branded OA Announcement		<u> </u>				7,000.00	7,000.00				15.69				ļ
<u> </u>	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	<u> </u>	<u> </u>		1		500.00	500.00			ļ	15.69				—
Unbra	anding via OLNS for UNEP CLEC											45.00				
	Loading of OA per OCN (Regional)	<u> </u>					1,200.00	1,200.00				15.69				
	ASSISTANCE SERVICES CTORY ASSISTANCE ACCESS SERVICE															-
DIKE						0.075										-
DIREC	Directory Assistance Access Service Calls, Charge Per Call				-	0.275										
DIKE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
DIRECTORY	ASSISTANCE SERVICES					0.10										
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00										
BRANDING -	- DIRECTORY ASSISTANCE															
Facili	ty Based CLEC															
	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		3,000.00	3,000.00				15.69				
	Loading of Custom Branded Announcement per Switch per OCN			AMT	CBADC		1,170.00	1,170.00				15.69				
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.69				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				15.69				
Unbra	anding via OLNS for UNEP CLEC	<u> </u>					100.00	400.00				15.00				
-	Loading of DA per OCN (1 OCN per Order)						420.00	420.00 16.00				15.69				
SELECTIVE	Loading of DA per Switch per OCN						16.00	16.00				15.69				-
I	Selective Routing Per Unique Line Class Code Per Request Per Switch		1		USRCR		84.89	84.89	14.14	14.14	 	15.69				
VIRTUAL CO	DLLOCATION		1		JUNUIN		04.03	04.05	17.17	17.14	 	10.09				
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		 	UEPSR,UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45	1	15.69				—
PHYSICAL C	COLLOCATION			02. 0.4,02. 03	72.20	0.0011	12.02	11.00	0.01	0.10		10.00				
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45		15.69				
	IVÉ CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
	Query NRC, per query			SRC	ļ	0.0035036										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE	<u> </u>	<u> </u>		0.47:						ļ					
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup	<u> </u>	<u> </u>	A1N	CAMSE		39.53	39.53	40.78	40.78	ļ	15.69				—
 	AIN SMS Access Service-Port Connection-Dial/Shared Access	 	 	A1N	CAMAD		7.85	7.85	9.11	9.11		15.69				
\vdash	AIN SMS Access Service-Port Connection-ISDN Access AIN SMS Access Service-User Identification Codes-Per User ID Code	1	1	A1N	CAM1P		7.85	7.85	9.11	9.11	1	15.69				+
 	AIN SMS Access Service-User Identification Codes-Per User ID Code AIN SMS Access Service-Security Card. Per User ID Code. Initial or	 	├	A1N	CAMAU		35.08	35.08	27.12	27.12	1	15.69				
	Replacement	1	1	A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				1
 	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)		 	AIN	CAMINO	0.0027	41.30	41.30	11.74	11.74	1	13.09				
 	AIN SMS Access Service-Session, Per min		1		 	0.7121					 	 				
	AIN SMS Access Service-Company Performed Session, Per min		 			0.8364										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE		1			3.0004										
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial		i –	CAM	BAPSC		39.53	39.53	40.78	40.78	1	15.69				
 	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,211.54		0.00	0.00		15.69	İ			

Version 4Q02: 12/18/02 Page 256 of 324

NBUND	LED NETWORK ELEMENTS - South Carolina												Attachr	nent: 2	Exhib	it: B
:ATEGORY	RATE ELEMENTS	Interi m	i Zor e	BCS	usoc		١	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Manual	al Charg - Manua Svc Orde vs.
						Rec	Nonre	curring	NRC Disc	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off- Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				DAPID		7.00	7.00	9.11	9.11		15.09				
	Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit							1.00	****	•						
	PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service-Query Charge, Per Query					0.0558238										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,					0.000004.4		1				1				
_	Per Node, Per Query AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per		-	+	+	0.0069214		1				-				
	100 Kilobytes					0.07										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52	1	15.69				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68	0.02	0.02		15.69				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.12	8.68	8.68				15.69				
	EXTENDED LINK (EELs)															
NOTI	E: The monthly recurring and non-recurring charges below will apply ar	nd the	e Sw	itch-As-Is Charge will n	ot apply fo	r EELs provisi	oned as ' Ord	inarily Combi	ned' Netwo	k Elements						
	E: The monthly recurring and the Switch-As-Is Charge and not the non-				ly for EELs	provisioned a	s ' Currently	Combined' Ne	etwork Elem	ents.						
	E: Minimum billing is one month for DS1 and below and three months a						•									
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI		RAN	SPORT (EEL)	LIEALO	40.00			52.05	40.04		45.00				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		RAN	SPORT (EEL) UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		1 2	SPORT (EEL) UNCVX UNCVX	UEAL2	23.13	105.98 105.98	68.43 68.43	53.05	10.61		15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		RAN	SPORT (EEL) UNCVX UNCVX UNCVX	UEAL2 UEAL2	23.13 28.46	105.98	68.43								
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone		1 2	SPORT (EEL) UNCVX UNCVX	UEAL2	23.13	105.98 105.98	68.43 68.43	53.05	10.61		15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		1 2	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 1L5XX	23.13 28.46 0.27	105.98 105.98 105.98	68.43 68.43 68.43	53.05 53.05	10.61 10.61		15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo		1 2	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL2 UEAL2 1L5XX U1TF1	23.13 28.46 0.27 61.71	105.98 105.98 105.98	68.43 68.43 68.43 81.99	53.05 53.05 16.39	10.61 10.61 14.48		15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1 2 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	23.13 28.46 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59	68.43 68.43 68.43 81.99 62.71 4.73	53.05 53.05 16.39 10.56	10.61 10.61 14.48 9.81		15.69 15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1		1 2	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	UEAL2 UEAL2 1L5XX U1TF1 MQ1	23.13 28.46 0.27 61.71 107.57	105.98 105.98 105.98 105.98 89.47 91.24	68.43 68.43 68.43 81.99 62.71	53.05 53.05 16.39	10.61 10.61 14.48		15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1 2 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	23.13 28.46 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59	68.43 68.43 68.43 81.99 62.71 4.73	53.05 53.05 16.39 10.56	10.61 10.61 14.48 9.81		15.69 15.69 15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1		1 2 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	23.13 28.46 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59	68.43 68.43 68.43 81.99 62.71 4.73	53.05 53.05 16.39 10.56	10.61 10.61 14.48 9.81		15.69 15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport		1 2 3 1 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43	53.05 53.05 16.39 10.56 53.05	10.61 10.61 14.48 9.81 10.61		15.69 15.69 15.69 15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		1 2 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	53.05 53.05 16.39 10.56	10.61 10.61 14.48 9.81		15.69 15.69 15.69 15.69 15.69 15.69				
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 IVG COCI-DS1 to DS0 Channel System combination-per mo		1 2 3 1 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	23.13 28.46 0.27 61.71 107.57 0.56 16.68	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	53.05 53.05 16.39 10.56 53.05 53.05	10.61 10.61 14.48 9.81 10.61 10.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge	ICE T	1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	53.05 53.05 16.39 10.56 53.05	10.61 10.61 14.48 9.81 10.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To DS0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	ICE T	1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	53.05 53.05 16.39 10.56 53.05 53.05	10.61 10.61 14.48 9.81 10.61 10.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge	ICE T	1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	53.05 53.05 16.39 10.56 53.05 53.05	10.61 10.61 14.48 9.81 10.61 10.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	ICE T	1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SPORT (EEL) UNCVX UNCVX UNCVX UNCIX UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX SPORT (EEL)	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 6.59 5.61	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61	53.05 53.05 16.39 10.56 53.05 53.05 53.05 7.00	10.61 10.61 14.48 9.81 10.61 10.61 7.00		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2	ICE T	1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCYX UNCYX UNCYX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 6.59 5.61	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61	53.05 53.05 16.39 10.56 53.05 53.05 53.05 7.00	10.61 10.61 14.48 9.81 10.61 10.61 7.00		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo INS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 1.5.98 1.5.98 1.5.98 1.5.98	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 5.61 94.83	53.05 53.05 16.39 10.56 53.05 53.05 53.05 7.00 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo INRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3	ICE T	1	SPORT (EEL)	UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61	68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61	53.05 53.05 16.39 10.56 53.05 53.05 53.05 7.00	10.61 10.61 14.48 9.81 10.61 10.61 7.00		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL)	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38	68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61 94.83	53.05 53.05 16.39 10.56 53.05 53.05 53.05 53.05 53.05 59.35	10.61 10.61 14.48 9.81 10.61 10.61 7.00 14.61 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo DS1 Channelization System Per mo UG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.89 0.27 61.71 107.57	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 132.38	68.43 68.43 81.99 62.71 4.73 68.43 68.43 5.61 94.83 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 53.05 53.05 53.05 59.35	10.61 10.61 14.48 9.81 10.61 10.61 7.00 14.61 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 5W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination-Per mo VG COCI-DS1 to DS0 Channel System combination-per mo	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.89 43.38	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 4.73 5.61 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-Per mo Add1 4W Analog VG Loop in same DS1 Interoffice Transport	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 132.38 89.47 91.24 6.59	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 4.73 5.61 94.83 94.83 94.83 81.99 62.71 4.73	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61 14.61 14.48 9.81		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo DS1 Channelization System Per mo UG COCI-DS1 To Ds0 Interface-Per mo Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL) UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.89 0.27 61.71 107.57	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 132.38	68.43 68.43 81.99 62.71 4.73 68.43 68.43 5.61 94.83 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Fer mi per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1 combination-Per mo Channelization-Channel System DS1 to DS0 combination Per mo VG COCI-DS1 to DS0 Channel System combination-Per mo Add1 4W Analog VG Loop in same DS1 Interoffice Transport	ICE T	1 2 3 3 RAN 1 2 2	SPORT (EEL)	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 89.47 91.24 6.59	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83 94.83 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35 59.35 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61 14.61 14.48 9.81		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To DS0 Interface-Per mo Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mo Interoffice Transport-Dedicated-DS1 racility Term Per mo Interoffice Transport-Dedicated-DS1 combination-Per mo VG COCI-DS1 to DS0 Channel System combination-per mo Add'1 4W Analog VG Loop in same DS1 Interoffice Transport Add'1 4W Analog VG Loop in same DS1 Interoffice Transport	ICE T	1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 1 1 1 1	SPORT (EEL)	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 132.38 89.47 91.24 6.59	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 4.73 5.61 94.83 94.83 94.83 81.99 62.71 4.73	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35 59.35	10.61 10.61 14.48 9.81 10.61 10.61 7.00 14.61 14.61 14.61 14.63 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo UG COCI-DS1 To Ds0 Interface-Per mo Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1-Eachlity Term Per mo Interoffice Transport-Dedicated-DS1-Eachlity Term Per mo VG COCI-DS1 to DS0 Channel System DS1 to DS0 combination-Per mo VG COCI-DS1 to DS0 Channel System DS1 to DS0 combination-Per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3	ICE T	1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 1 1 1 1	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 89.47 91.24 6.59	68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83 94.83 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 7.00 59.35 59.35 59.35 59.35	10.61 10.61 14.48 9.81 10.61 10.61 7.00 14.61 14.61 14.61 14.63 14.61		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				
2-Wil	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo DS1 Channelization System Per mo VG COCI-DS1 To Ds0 Interface-Per mo Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2 First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 to DS0 combination Per mo Channelization-Channel System DS1 Interoffice Transport Combination-Zone 1 Add1 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add1 4W Analog VG Loop in same DS1 Interoffice Transport	ICE T	1	SPORT (EEL) UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2	23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89 43.38 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 6.59 5.61 132.38 132.38 89.47 91.24 6.59 132.38	68.43 68.43 68.43 68.43 68.43 68.43 68.43 68.43 5.61 94.83 94.83 94.83 94.83	53.05 53.05 16.39 10.56 53.05 53.05 53.05 7.00 59.35 59.35 16.39 10.56 59.35	10.61 14.48 9.81 10.61 10.61 10.61 7.00 14.61 14.61 14.48 9.81		15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69 15.69				

Version 4Q02: 12/18/02 Page 257 of 324

JNDUNDL	ED NETWORK ELEMENTS - South Carolina				_	1								nent: 2		bit: B
											Svc	Svc			Incrementa	
											Order	Order	al Charge -		I Charge -	al Char
		Interi	Zon					DATEO (6)			Submitt			Manual	Manual	- Manua
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		ļ	RATES (\$)			ed Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
											per LSR	Manually		vs.	vs.	vs.
												per LSR	Electronic-	Electronic	Electronic-	Electron
						1	Nonre	curring	NRC Disc	onnect			ossi	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				4
	Channelization-Channel System DS1 to DS0 combination Per mo		\vdash	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport			LINODY	LIBLEO	00.00	400.00	00.40	50.05	4404		45.00				
	Combination-Zone 2 Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				+
	Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo		3	UNCDX	UDLS6	34.74	120.00	89.12	59.35	14.61		15.69				+
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.19	5.61	5.61	7.00	7.00		15.69				+
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERC	FFIC	F TRA		ONCCC		3.01	3.01	7.00	7.00		10.00				†
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			(===)	+											+
	Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			***************************************												1
	Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport					0.171										
	Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				4
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo			LINODY	1D1DD	1.19	6.59	4.73				45.00				
	(2.4-64kbs) NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX UNC1X	UNCCC	1.19	5.61	5.61	7.00	7.00		15.69 15.69				┼
/-W/IE	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CE TO	ANSD		UNCCC		10.6	5.61	7.00	1.00		15.69				+
4-4415	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone	OE 11	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69	1		1	+
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				+
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27	200.00	107.09	77.50	11.75		10.00				†
_	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo		\vdash	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	2	5.61	5.61	7.00	7.00		15.69	†		1	†

NROND	LED NETWORK ELEMENTS - South Carolina				1	1								nent: 2	Exhib	_
:ATEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Orde vs.
						Б	Nonrec	urring	NRC Disc	onnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF	CE TF	RANSP	ORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.42										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
_	DS3 Interface Unit (DS1 COCI) combination per mo		1	UNC1X	UC1D1	8.64	6.59	4.73	7.00	7.00		15.69				
2 14/1	NRC Currently Combined Network Elements Switch-As-Is Charge RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROF	I CE T	DANG	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-771	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1	FICE I	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		_	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
_	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
-	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo		3	UNCVX	1L5XX	0.0134	105.96	00.43	55.05	10.61		15.69				-
	Interoffice Transport-Dedicated-2W VG combination-Fer fill Fer mo		1	UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				-
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	13.44	5.61	5.61	7.00	7.00		15.69				
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROF	FICE T	RANS		ONCCC	1	3.01	3.01	7.00	7.00		13.03				-
7-111	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1	IOL I	1 1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				+
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				+
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo		3	UNCVX	1L5XX	0.0134	132.30	34.03	39.33	14.01		13.03				
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo		1 1	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge		1 1	UNCVX	UNCCC	11.00	5.61	5.61	7.00	7.00		15.69				
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRA	NSPO	RT (EE		0.1000		0.01	0.01	7.00	7.00		10.00				
	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo		Ι Τ	UNC3X	1L5ND	12.26										1
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport-Dedicated-DS3-Per mi per mo		1 1	UNC3X	1L5XX	6.42										1
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge		1 1	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				1
STS	1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE T	RANSI	PORT ((EEL)												
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	6.42										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEI	_)														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport-Dedicated-DS1 combination-Per mi		1	UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization-Channel System DS1 to DS0 combination-per mo		1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per		1	UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone			LINONIX	1141.01/	05.04	447.50	00.00	50.05	40.04		45.00				
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Add 12W ISDN Loop in same DSI interoffice Transport Combination-Zone		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
_	Add'l 2M/ ISDN Loop in some DSI Intereffice Transport Combination Zone			UNCNA	UILZA	32.76	117.50	60.03	55.05	10.61		15.69				+
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69	1	1	l	
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per		٦	UNCNX	UC1CA	2.56	6.59	4.73	JJ.U3	10.01		15.69				\leftarrow
	NRC Currently Combined Network Elements Switch-As-Is Charge	 	\vdash	UNC1X	UNCCC	2.36	5.61	5.61	7.00	7.00		15.69			 	
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROP	FICE	TRANG		011000	+	5.01	3.01	7.00	7.00		13.09	1	-	1	+
4-441	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				\leftarrow
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	 	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69			 	+
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69		 		
1	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo	 	3	UNCSX	1L5XX	6.42	200.00	137.09	+4.00	11.73		13.09		 		\vdash
				01100/							i	1			1	4
	Interoffice Transport-Dedicated-STS1 combination-Fer fill Fer file Interoffice Transport-Dedicated-STS1 combination-Facility Term		1 1	UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				

Version 4Q02: 12/18/02 Page 259 of 324

CHDOINDL	ED NETWORK ELEMENTS - South Carolina				1	1					C.vo	Cva	Attachn		Exhib	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	Submitte d Manually	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) combination per mo		_	UNC1X	UC1D1	8.64	6.59	4.73	44.00	44.70		15.69				<u> </u>
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X UNC1X	USLXX	90.87 155.43	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73		15.69 15.69				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per mo		Ŭ	UNC1X	UC1D1	8.64	6.59	4.73	44.00	11.70		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	TRANS	SPORT	「(EEL)												
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi	-	\vdash	UNCDX	1L5XX	0.0134	40.00	07.47	40.77	0.01		45.00				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term NRC Currently Combined Network Elements Switch-As-Is Charge		\vdash	UNCDX	U1TD5 UNCCC	13.41	40.63 5.61	27.47 5.61	16.77 7.00	6.91 7.00		15.69 15.69				
	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	TRANS	SPORT		UNCCC	 	10.0	5.61	7.00	7.00		15.69				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	1	15.69				t
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				†
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi			UNCDX	1L5XX	0.0134										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NETWORK ELEMENTS				<u> </u>	L										
	used as a part of a currently combined facility, the non-recurring cha															
	used as ordinarily combined network elements in All States, the non				Switch As	Is Charge does	not.									-
	Currently Combined Network Elements "Switch As Is" Charge (One ap NRC Currently Combined Network Elements Switch-As-Is Charge-	plies t	o eaci	n combination)		+										
	2W/4W VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64			ONOVA	ONOCC	 	3.01	3.01	7.00	7.00		13.03				
	kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				†
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Belo	w DS	3=one													
	Local Channel-Dedicated-2W VG			UNCVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
	Local Channel-Dedicated-4W VG			UNCVX	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				<u> </u>
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X UNC1X	ULDF1 ULDF1	42.62 70.32	177.87 177.87	154.06 154.06	22.24	15.30		15.69 15.69				
	Local Channel-Dedicated-DS1 Per mo Zone 2 Local Channel-Dedicated-DS1-Per mo Zone 3		2	UNC1X UNC1X	ULDF1	190.68	177.87	154.06	22.24 22.24	15.30 15.30		15.69				
_	Local Channel-Dedicated-DS3-Per mi per mo		3	UNC3X	1L5NC	11.93	177.07	134.00	22.24	13.30		13.09				\vdash
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	11.93	.02.02			301		.0.00				1
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				1
Option	nal Features & Functions:															
	IPLEXERS															
	: minimum billing period is one month for DS1 to DS0 Channel Syste					ļ										<u> </u>
	: minimum billing period is three months for DS3 to DS1 and above C	hanne	I Syst		1	400.00			40.00			/= 00				!
	Channelization-DS1 to DS0 Channel System	-	\vdash	UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo			UDL UDN	1D1DD UC1CA	1.19 2.56	6.59 6.59	4.73				15.69 15.69				
	VG COCI-DS1 to DS0 Channel System-per mo		\vdash	UEA	1D1VG	0.56	6.59	4.73 4.73				15.69				
	DS3 to DS1 Channel System per mo		+	UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) used with Loop per mo			USL	UC1D1	8.64	6.59	4.73	30.00	300		15.69				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	8.64	6.59	4.73				15.69				1
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	8.64	6.59	4.73				15.69				
	oop Feeder					i i										
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	55.85	102.19	64.64	62.26	17.52						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	UNC1X	USBFG	109.16	102.19	64.64	62.26	17.52						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	203.35	102.19	64.64	62.26	17.52		1				!
	D LOCAL EXCHANGE SWITCHING(PORTS)	-	\vdash		1	1		-				1				
	INGE PORTS		\vdash		1							1				1
	E VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res.	-	\vdash	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33	!	15.69				├
	Exchange Fults-2W Analog Line Fult-Res.			UEPOK	UEPKL	1.05	∠.38	2.28	1.42	1.33	l	15.69	l			

Version 4Q02: 12/18/02 Page 260 of 324

NDUNDL	LED NETWORK ELEMENTS - South Carolina	_				1								nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manu Svc Ord vs.
						Rec		curring	NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR UEPSR	UEPRO	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33		15.69 15.69				-
	Exchange Ports-2W Arialog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled SC extended local dialing parity Port			UEFSK	UEPRO	1.05	2.30	2.20	1.42	1.33		15.09				
	with Caller ID-Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG unbundled SC Area Calling port with Caller ID-											4= 00				
	Res (LW8) Exchange Ports-2W VG unbundled res, low usage line port with Caller ID			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69				├
	(LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG SC Residence Dialing Plan w/o Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG SC Residence Area Calling Plan w/o Caller ID			LIEDOD	LIEDDO	4.05	0.00	0.00	4.40	4.00		45.00				
	capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability		-	UEPSR UEPSR	UEPRS UEPRT	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33		15.69 15.69				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00	1.72	1.55		15.69				
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00				15.69				ļ
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports-2W Analog Line Port w/o Caller ID-Bus		-	UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				├ ──
	Exchange Ports-2W Arrange Line Port w/o Carrer ID-Bus Exchange Ports-2W VG unbundled Line Port with unbundled port with			UEFSB	UEFBL	1.05	2.30	2.20	1.42	1.33		15.09				
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W VG unbundled SC extended local dialing parity Port			LIEDOD		4.05	0.00	0.00	4.40	4.00		45.00				
	with Caller ID-Bus. Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB UEPSB	UEPAZ UEPB1	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33		15.69 15.69				-
	Exchange Ports-2W VG unbundled SC Bus Area Calling Port with Caller			OLI OD	OLIDI	1.03	2.30	2.20	1.42	1.00		13.03				
	ID-Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports-2W Voice SC Business Dialing Plan w/o Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33		15.69				<u> </u>
-	Exchange Ports-2W Voice SC Business Area Calling Port w/o Caller ID 2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB UEPSB	UEPBB UEPBE	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33		15.69 15.69				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00	1.42	1.33		15.69				
	URES															
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00				15.69				
EVCL	All Available Vertical Features IANGE PORT RATES (DID & PBX)				UEPVF	3.04	0.00	0.00				15.69				
LAGI	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus 2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP UEPSP	UEPP1 UEPLD	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90		15.69 15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPSP UEPSP	UEPXC	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90		15.69 15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			HEDOD	LIEDVM	4.05	24.24	44.00	40.07	0.00		45.00				
	Port 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				ļ
FEAT	Subsqnt Activity URES		\vdash	UEPSP	USASC	0.00	0.00	0.00				15.69				
FEAT	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69				
EXCH	IANGE PORT RATES (COIN)										<u> </u>					
	Exchange Ports-Coin Port					1.65	2.38	2.28	1.42	1.33		15.69				
	Switching Features offered with Port Transmission/usage charges associated with POTS circuit switcher	l ucac	e will a	leo anniv to circuit o	witched vo	ice and/or oire	uit ewitched	data transmis	eion by B.C	nannele and	ociated	vith 2\M ICD	N norte			
	: Transmission/usage charges associated with POTS circuit switched : Access to B Channel or D Channel Packet capabilities will be availa											VILLI ZW 15D	n ports.			\vdash
	D LOCAL EXCHANGE SWITCHING(PORTS)		, <u>,</u>				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
EXCH	IANGE PORT RATES															

Version 4Q02: 12/18/02 Page 261 of 324

DURONDE	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	oit: B
											Svc	Svc	Increment	Increment	Incrementa	Increme
		1									Order	Order	al Charge	al Charge	I Charge -	al Charg
		Inter-	70								Submitt	Submitte	_	Manual	Manual	- Manua
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		F	RATES (\$)			ed Elec	d		Svc Order		
		m	е					.,,				Manually		vs.	vs.	
											per LSK			-	vs. Electronic	vs.
									NDO B'			per Lor			Liectionic	Liection
		-				Rec	Nonrec First	urring Add'l	NRC Disc	Onnect Add'l	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	Frich as as Posts OW DID Dost	-		HEDEV	LIEDDO	0.00					SOMEC		SOMAN	SUMAN	SUMAN	SUMAN
_	Exchange Ports-2W DID Port	_		UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69			ļ	
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
	Exchange Ports-2W ISDN Port (See Notes below.)	-		UEPTX UEPSX	U1PMA	13.38 3.04	72.93	53.11	47.90	10.76		15.69				
	All Features Offered		L	UEPTX UEPSX	UEPVF		0.00	0.00		<u> </u>	L.,		<u>. </u>		ļ	
	: Transmission/usage charges associated with POTS circuit switche											vith 2W ISL	N ports.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be available.	able on	lly thre						ed via the E	SFR/NBR Pr	ocess.					
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69				
	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBU	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
Non-l	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10				15.69				
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
	change (PIC & LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	JNDLED REMOTE CALL FORWARDING - Bus											Ĭ .				
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service Expanded & Exception											10.00				
	Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33		15.69				
Non-	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10				15.69				
	Unbundled Remote Call Forwarding Service-Conversion with allowed		1	02. 15	00/102		0.10	00				10.00				
	change (PIC & LPIC)			UEPVB	USACC		0.10	0.10								
VRUNDI E	D LOCAL SWITCHING, PORT USAGE	1		OLI VD	00/100		0.10	0.10				1		1	1	
	Office Switching (Port Usage)											 				
Lila	End Office Switching Function, Per MOU					0.0010519						 				
	End Office Trunk Port-Shared, Per MOU					0.0010319						 				
	em Switching (Port Usage) (Local or Access Tandem)	-	1			0.0002130						 				-
Tanu	Tandem Switching Function Per MOU	+				0.0001634						1				
	Tandem Trunk Port-Shared, Per MOU	+			 	0.0001034						1	-	-	-	1
C	mon Transport	-			-	0.0002003						 				
Comi	Common Transport-Per mi, Per MOU	+	1			0.0000045						 				1
_		+	1									 				1
IDIINIDI E	Common Transport-Facilities Term Per MOU	-				0.0004095						ļ				
	D PORT/LOOP COMBINATIONS - COST BASED RATES					0	Section Bears									
	Based Rates are applied where BellSouth is required by FCC and/or C								<u></u>		L				ļ	1
	ures shall apply to the Unbundled Port/Loop Combination - Cost Base												L	<u> </u>		ļ
	Office and Tandem Switching Usage and Common Transport Usage ra												p Combina	tions.		ļ
	irst and add'l Port NRC charges apply to Not Currently Combined Cor	mbos. I	For Cu	rrently Combined Cor	nbos the N	RC charges sh	all be those i	dentified in th	ne NRC - Cu	rrently Con	bined sec	ctions.			L	<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															<u> </u>
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										
	2W VG Loop/Port Combo-Zone 2		2			21.52		_								
	2W VG Loop/Port Combo-Zone 3		3			27.17										

Version 4Q02: 12/18/02 Page 262 of 324

1100110	LED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhib	it: B
ATEGOR'	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char - Manu Svc Ord vs.
						Rec	Nonrec	urring	NRC Disc	onnect				Rates (\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	13.76										-
	2W VG Loop (SL1)-Zone 2		3	UEPRX UEPRX	UEPLX UEPLX	20.38 26.04										
2-Wi	2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port Rates (Res)		3	UEPKA	UEPLA	26.04										
2-111	2W voice unbundled port-residence			UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65		15.69				├──
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
	2W Voice Unbundled SC Residence Dialing Plan w/o Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled SC Area Calling Port w/o Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65		15.69				
FEA	TURES	<u> </u>	$\sqcup \bot$	UESSY	LIES /						ļ	4= 00				<u> </u>
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOC	AL NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										<u> </u>
NDC	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NKC	CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPRX	USAC2		0.10	0.10				15.69				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change		-	UEPRX	USACC		0.10	0.10				15.69				-
ADD	TIONAL NRCs	+		ULFKX	USACC		0.10	0.10				13.08				├
ADD	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				├
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITIX	OOAOZ	0.00	0.00	0.00				10.00				
	Port/Loop Combination Rates															†
	2W VG Loop/Port Combo-Zone 1		1			14.89										
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	26.04										<u> </u>
2-Wi	re Voice Grade Line Port (Bus)			HEDDY	LIEDDI	1.10	40.00	40.00	04.00	0.05		45.00				<u> </u>
_	2W voice unbundled port with Caller ID-bus		-	UEPBX UEPBX	UEPBL UEPBC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus		-	UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65		15.69				
-	2W VG unbundled SC extended local dialing parity port with Caller ID-			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65		15.69				_
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.13	40.30	19.90	24.98	6.65		15.69				
-	2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)	+		UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65		15.69				_
	2W Voice Unbundled SC Business Dialing Plan w/o Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65		15.69				†
	2W voice unbundled SC Bus Area Calling Port w/o Caller ID Capability	1		UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65		15.69				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1		UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65		15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURES															
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00				15.69				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			LIEBBY .	110100		2.12	2.12				4= 00				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10				15.69				<u> </u>
ADD	2W VG Loop/Line Port Combination-Conversion-Switch with change ITIONAL NRCs		-	UEPBX	USACC		0.10	0.10				15.69				
ADD	2W VG Loop/Line Port Combination-Subsqnt Activity		-	UEPBX	USAS2		0.00	0.00				15.69				-
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	+	\vdash	OLFDA	UUMUZ	ł	0.00	0.00				13.09				\vdash
	Port/Loop Combination Rates	1				+			1			1		1	1	
3.12	2W VG Loop/Port Combo-Zone 1	1	1			14.89										t
	2W VG Loop/Port Combo-Zone 2	1	2			21.52										
	2W VG Loop/Port Combo-Zone 3	1	3			27.17										
UNE	Loop Rates	1														
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)			UEPRG	UEPRD		69.26	32.50	37.53	6.22		15.69				L

Version 4Q02: 12/18/02 Page 263 of 324

NDUNDL	ED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhib	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Manual	al Charg - Manu Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
1.004	L AUMADED BODTADU ITV					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY			UEPRG	LNPCP	2.45	0.00	0.00				45.00				
EEAT	Local Number Portability (1 per port) URES			UEPRG	LINPCP	3.15	0.00	0.00				15.69				+
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00				15.69				†
	CHARGES (NRCs) - CURRENTLY COMBINED			02.110	02. 1.	0.01	0.00	0.00				10.00				1
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		7.93	1.91				15.69				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 						 			1	1	}	1		+
	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1			14.89						1				+
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	 	2			21.52					1					
	2W VG Loop/Port Combo-Zone 2		3			27.17		1								†
	Loop Rates							1								
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22		15.69				↓
_	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22		15.69				┿
_	2W Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPLD UEPXA	1.13 1.13	69.26 69.26	32.50	37.53	6.22 6.22	-	15.69 15.69				+
-	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50 32.50	37.53 37.53	6.22		15.69				+
+	2W Voice Unbundled PBX LD DDD Terminal Floter Forts			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22		15.69				+
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22		15.69				†
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22		15.69				1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															Ī
	Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22		15.69				↓
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			LIEDDY.								4= 00				
	Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22		15.69				╄
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port 2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22 6.22	-	15.69 15.69				+
	L NUMBER PORTABILITY	<u> </u>		UEPPX	UEFAI	1.13	69.26	32.50	37.53	0.22		15.09				+-
	Local Number Portability (1 per port)	 		UEPPX	LNPCP	3.15	0.00	0.00			1	15.69				
	URES			JEI I X	2.11 01	5.15	0.00	0.00				10.00				†
1	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00				15.69				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED							<u> </u>								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.93	1.91				15.69				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		7.93	1.91				15.69				lacksquare
ADDI	FIONAL NRCs			UEDDV	1,,,,,,,							45.55				
_	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	 		UEPPX	USAS2	0.00	0.00	0.00			<u> </u>	15.69	<u> </u>			_
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	 					7.34	7.34			1	15.69	1	1		+
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT Port/Loop Combination Rates	-			+							1				+
	2W VG Coin Port/Loop Combo – Zone 1	1	1			14.89					1					
	2W VG Coin Port/Loop Combo – Zone 2		2			21.52		1			1	1	1	1		t
	2W VG Coin Port/Loop Combo – Zone 3		3			27.17		1								†
	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
2-Wir	e Voice Grade Line Ports (COIN)					, and the second		ļ								
_	2W Coin 2-Way w/o Oper Screening & w/o Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65	ļ	15.69				<u> </u>
-	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD	 		UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65	1	15.69	1	1		₩
	2W Coin 2-Way w Oper Screening & 011 Blocking	Ì	1	UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65	1	15.69 15.69	1	1		1

Version 4Q02: 12/18/02 Page 264 of 324

DIAPOIADE	ED NETWORK ELEMENTS - South Carolina													nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Ord vs.
						Rec		curring	NRC Disc		001150	001141		Rates (\$)	0011411	
	2W Coin 2-Way w Oper Screening &: 900 Blocking: 900/976, 1+DDD,						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	12W Colli 2-Way w Oper Screening & 900 Blocking, 900/976, 1+DDD,			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local;			021 00	OLI GO	1.10	40.00	10.00	24.00	0.00		10.00				
	Enhanced Call OPT 3YV			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local;															
	Enhanced Call OPT AP7			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward w Oper Screening & 011 Blocking 2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO UEPCO	UEPSF UEPSJ	1.13 1.13	40.30 40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD, 011+			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65		15.69				-
	& Local			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, Local;															1
	Enhanced Calling OPT 3YW			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65		15.69				
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65		15.69				
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		15.69				
	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NRC	CHARGES - CURRENTLY COMBINED		 	LIEBOO	110400		0.10	0.40				45.00				
-	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO UEPCO	USAC2 USACC		0.10 0.10	0.10				15.69 15.69				
	TIONAL NRCs			UEPCO	USACC		0.10	0.10				15.69				-
	2W VG Loop/Line Port Combination-Subsqnt Activity		1	UEPCO	USAS2		0.00	0.00				15.69				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES)	OLI CO	UUAUZ		0.00	0.00				10.00				
	Port/Loop Combination Rates		(0)		+											
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										
UNE I	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	20.85										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	28.91										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	35.57										
2-Wir	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-residence			UEPFR	UEPRL	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled port outgoing only-res		-	UEPFR	UEPRO	1.65	108.36	70.71	1.42	1.33		15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID- 2W voice unbundled SC Area Calling port with Caller ID-res (LW8)		1	UEPFR UEPFR	UEPAU UEPAJ	1.65 1.65	108.36	70.71 70.71	1.42 1.42	1.33 1.33		15.69 15.69				
_	2W voice unbundled SC Area Calling port with Caller ID-res (LVV8) 2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAJ	1.65	108.36 108.36	70.71	1.42	1.33		15.69				
	2W Voice Unbundled SC Residence Dialing Plan w/o Caller ID		-	UEPFR	UEPWL	1.65	108.36	70.71	1.42	1.33	1	15.69				
	ROFFICE TRANSPORT		\vdash	OLITIK	OLI VVL	1.00	100.30	70.71	1.42	1.33		15.09				+
1.141.61	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	24.30	40.63	27.47	16.77	6.91	1	1				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0167	40.00	21.41	10.77	0.51						1
FEAT	URES															<u> </u>
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NRC (CHARGES (NRCs) - CURRENTLY COMBINED						•									
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-]								
	Switch-as-is			UEPFR	USAC2		17.00	3.74			ļ	15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	l			1]						1		
	Switch-With-Change			UEPFR	USACC		17.00	3.74				15.69			l	1

NRONDF	ED NETWORK ELEMENTS - South Carolina					1								ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs. Electronic	al Charge Manual Svc Order vs. Electronic	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
O MID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	DODT	(DUC)			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port/Loop Combination Rates	PURI	(603))	_	-										+
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										+
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										+
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										1
	oop Rates															1
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	20.85										1
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	28.91										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	35.57										
	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.65	108.36	70.71	1.42	1.33		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.65	108.36	70.71	1.42	1.33		15.69				₩
	2W voice unbundled port outgoing only-bus		\vdash	UEPFB	UEPBO	1.65	108.36	70.71		1.33		15.69				₩
	2W vision unbundled SC extended local dialing parity port with Caller ID-	-	\vdash	UEPFB UEPFB	UEPAZ UEPB1	1.65 1.65	108.36 108.36	70.71 70.71	1.42 1.42	1.33 1.33		15.69 15.69	1		-	+
	2W voice unbundled incoming only port with Caller ID-Bus 2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)			UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33		15.69				
	2W Voice Unbundled SC Business Dialing Plan w/o Caller ID			UEPFB	UEPWM	1.65	108.36	70.71	1.42	1.33		15.69			-	+
	L NUMBER PORTABILITY			UEPFB	UEPVVIVI	1.05	100.30	70.71	1.42	1.33		15.69				+
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										+
	OFFICE TRANSPORT			OLITB	LIVI OX	0.00										+
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	24.30	40.63	27.47	16.77	6.91						+
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0167	10.00	2,	10	0.01						
FEAT				02.1.5	120701	0.0101										1
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00				15.69				
NRC C	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		17.00	3.74				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			UEPFB	USACC		17.00	3.74				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			22.50										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.22										+
	.oop Rates 2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	20.85										+
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	28.91									-	+
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	35.57										+
	e Voice Grade Line Port Rates (BUS - PBX)		3	OLITI	OLOI Z	33.37										+
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.65	137.32	83.31	67.02	11.51		15.69				1
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.65	137.32	83.31	67.02	11.51		15.69				†
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.65	137.32	83.31	67.02	11.51		15.69				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.65	137.32	83.31	67.02	11.51		15.69				1
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.65	137.32	83.31	67.02	11.51		15.69				1
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.65	137.32	83.31	67.02	11.51		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.65	137.32	83.31	67.02	11.51		15.69				
1 1	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.65	137.32	83.31	67.02	11.51		15.69				<u> </u>
				UEPFP	UEPXT	4 05		83.31	07.00	44 54		45.00			1	1
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port L NUMBER PORTABILITY			UEPFP	UEFAI	1.65	137.32	03.31	67.02	11.51		15.69				+

ОИВОИР	ED NETWORK ELEMENTS - South Carolina														ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	ВС	cs	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	Submitte d Manually	al Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs. Electronic	Manual	al Charg - Manua Svc Orde vs.
							Rec	Nonred		NRC Disco					Rates (\$)		T =
INITE	DOFFICE TO ANODODY							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT			1155	חבח	LIATVO	24.20	40.63	07.47	40.77	0.04						
-	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi				PFP PFP	U1TV2 1L5XX	24.30 0.0167	40.63	27.47	16.77	6.91						
EEAT	URES			UEI	FFF	ILSAA	0.0167										-
FLAI	All Features Offered			HE	PFP	UEPVF	3.04	0.00	0.00				15.69				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED			OLI		OLI VI	0.04	0.00	0.00				10.00				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch-as-is			UEF	PFP	USAC2		17.00	3.74				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch with change			UEF	PFP	USACC		17.00	3.74				15.69				
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES							_									
2-WII	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE	Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				23.75										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				30.20										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				35.52										
UNE	Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEF		UECD1	16.68										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX	UECD1	23.13										
LINIE	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEI	PPX	UECD1	28.46										
UNE	Port Rate						=			440.00				4= 00			
NEC	Exchange Ports-2W DID Port			UEI	PPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			
NRC	CHARGES - CURRENTLY COMBINED			1155	DDV	LICACA		7.00	4.07					45.00			
—	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is				PPX	USAC1		7.32	1.87					15.69			
ADDI	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable TIONAL NRCs			UEI	PPX	USA1C		7.32	1.87					15.69			
ADDI	2W DID Subsqnt Activity-Add Trunks, Per Trunk			HE	PPX	USAS1		26.84						15.69			
Tolor	hone Number/Trunk Group Establisment Charges			UEI	FFA	USAST		20.04						15.69			-
1 elek	DID Trunk Term (One Per Port)			HE	PPX	NDT	0.00	0.00	0.00					15.69			
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID				PPX	NDZ	0.00	0.00	0.00					15.69			
	Add'l DID Numbers for each Group of 20 DID Numbers				PPX	ND4	0.00	0.00	0.00					15.69			
	DID Numbers, Non-consecutive DID Numbers , Per Number				PPX	ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID numbers			UEF		ND6	0.00	0.00	0.00					15.69			1
	Reserve DID Numbers				PPX	NDV	0.00	0.00	0.00					15.69			
LOCA	L NUMBER PORTABILITY																1
	Local Number Portability (1 per port)			UEF	PPX	LNPCP	3.15	0.00	0.00								1
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POR	Т														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR	ļ	44.23					ļ	ļ				<u> </u>
UNE	Loop Rates	<u> </u>	L_	====								1	ļ				
	2W ISDN Digital Grade Loop-UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	21.90		ļ			<u> </u>	<u> </u>	15.69			
 	2W ISDN Digital Grade Loop-UNE Zone 2	<u> </u>	2	UEPPB	UEPPR	USL2X	29.64					1	1	15.69			₩
LIKIT	2W ISDN Digital Grade Loop-UNE Zone 3	 	3	UEPPB	UEPPR	USL2X	35.27		-			1	1	15.69			+
	Port Rate Exchange Port-2W ISDN Line Side Port	 	-	HEDDE	HEDDD	LIEDDE	0.00	100 51	400.44	100.05	04.07	1	1	45.00			+
	CHARGES - CURRENTLY COMBINED	-		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			├
INKC	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-					1	+		1			1	1				\leftarrow
	Conversion	1		LIFPPR	UEPPR	USACB	0.00	38.59	27.08					15.69		1	
וחתם	TIONAL NRCs			OLITO	OLITIN	COMOD	0.00	30.33	27.00			 	 	10.09		 	
	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								†
B-CH	ANNEL USER PROFILE ACCESS:						5.55		2.50								1
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	k TN)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USEF	R TERMINAL PROFILE		آـــــا													L	

Version 4Q02: 12/18/02

ARANDI	ED NETWORK ELEMENTS - South Carolina												Attachi		Exhib	it: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
	Hara Taurinal Barfila (EWCB anks)			UEPPB UEPPR	U1UMA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VEDT	User Terminal Profile (EWSD only) ICAL FEATURES			UEPPB UEPPR	UTUMA	0.00	0.00	0.00								
VENT	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.04	0.00	0.00					15.69			├──
INTE	ROFFICE CHANNEL MILEAGE			OLITE OLITIC	OLI VI	0.04	0.00	0.00					10.00			<u> </u>
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0167	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		241.38										ļ
LINE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		347.84					-					
UNE	_oop Rates 4W DS1 Digital Loop-UNE Zone 1	 	1	UEPPP	USL4P	90.87					1		15.69			
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	155.43					1		15.69			
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89							15.69			<u> </u>
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-as-is			UEPPP	USACP	0.00	119.34	78.73					15.69			
ADDI	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel															
	Nos			UEPPP UEPPP	PR7TF PR7TO		0.49 11.54	0.49					15.69			
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7IU PR7ZT		23.07	11.54 23.07					15.69 15.69			+
LOCA	L NUMBER PORTABILITY			OLITI	11(72)		25.07	23.01					10.00			
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56						15.69			
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69			ļ
CALL	New or Add'l Inward Data B Channel TYPES			UEPPP	PR7BD	0.00	14.56						15.69			
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
+-	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
\neg	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								1
Interd	ffice Channel Mileage															<u> </u>
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
_	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		2	UEPDC UEPDC		214.33 320.78										-
LINE	Loop Rates		3	UEPDC		320.76										-
UNL	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			<u> </u>
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89					1		15.69			
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is	<u> </u>	Ш	UEPDC	USAC4		129.78	67.17			ļ		15.69			<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with	l		LIEBSO			400 =0					1				1
	DS1 Changes			UEPDC	USAWA		129.78	67.17			ļ		15.69			
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with										I	l	l			
	Change-Trunk			LIEDUC	I IIS VIVID		120.79	67 17	l.				15 60			
וחחא	Change-Trunk FIONAL NRCs			UEPDC	USAWB		129.78	67.17					15.69			
ADDI	Change-Trunk TI ONAL NRCS 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			UEPDC	USAWB		129.78	67.17					15.69			

Version 4Q02: 12/18/02 Page 268 of 324

DUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	Exhib	
EGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Cha - Man Svc O vs.
						В	Nonre	curring	NRC Disc	onnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51					15.69			
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51					15.69			
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		14.51	14.51					15.69			
	AR 8 ZERO SUBSTITUTION															4
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	605.00			<u> </u>		15.69			
	B8ZS-Extended Superframe Format		-	UEPDC	CCOEF		0.00	605.00	1	1	1		15.69			+
	ate Mark Inversion			UEPDC	MCOSF		0.00	0.00								+
	AMI-Superframe Format AMI-Extended SuperFrame Format		1	UEPDC	MCOSF		0.00	0.00	 	 	 	1	1	-		+
	none Number/Trunk Group Establisment Charges		-	UEFDC	IVICOPO		0.00	0.00	1	1			1			+
relepi	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			1	1			15.69			+
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							15.69			+
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							15.69			+
	DID Numbers. Establish Trunk Group & Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00					15.69			+
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00					15.69			+-
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00					15.69			1
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00					15.69			1
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					15.69			
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digita	Loop	with	4-Wire DDITS Trunk	Port											
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3415	0.00	0.00								—
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										4
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															+
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations			of manta was d					1	1	1		1			₩
	System can have up to 24 combinations of rates depending on type a S1 Loop	na nu	mber	or ports used							ļ					+
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00			1		1			+
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00	 	 	 					+-
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00			1	 				+
	SO Channelization Capacities (D4 Channel Bank Configurations)		Ť	521 WIO	55255	201.00	0.00	3.50			1					t
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	82.78	0.00	0.00				1	15.69			1
	48 DSO Channel Capacity-1 per 2 DS1s		1	UEPMG	VUM48	165.56	0.00	0.00					15.69			1
	96 DSO Channel Capacity-1per 4 DS1s		1	UEPMG	VUM96	331.12	0.00	0.00					15.69			1
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00					15.69			
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00					15.69			
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00					15.69			
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00			<u> </u>		15.69			
	480 DS0 Channel Capacity-1 per 20 DS1s		<u> </u>	UEPMG	VUM40	1,655.60	0.00	0.00			1	ļ	15.69			₩
	576 DS0 Channel Capacity-1 per 24 DS1s		1	UEPMG	VUM57	1,986.72	0.00	0.00				ļ	15.69			₩
	672 DS0 Channel Capacity-1 per 28 DS1s		<u> </u>	UEPMG	VUM67	2,317.84	0.00	0.00			 		15.69			₩
INOn-D	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chan										<u> </u>					
A Min	imum System configuration is One (1) DS1, One (1) D4 Channel Bank, les of this configuration functioning as one are considered Add'l afte										ļ					+

PIADOIADI	LED NETWORK ELEMENTS - South Carolina	1	т —			ı					0	•		ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		I	RATES (\$)			Svc Order Submitt ed Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic	al Char - Manu Svc Ord vs.
						Rec	Nonre		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	em Additions at End User Locations Where 4-Wire DS1 Loop with Cha			with Port Combination	Currently	Exists and										
New	(Not Currently Combined) in all states, except in Density Zone 1 of Top	9 8 MS	SA's													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea			LIEDMO	V/LIMD4	0.00	747.74	405.04	440.00	47.00			45.00			
Dinal	Activation lar 8 Zero Substitution			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69	-		15.69			+
ыро	Clear Channel Capability Format, superframe-Subsqnt Activity Only		-	UEPMG	CCOSF	0.00	0.00	605.00								+
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			OLI WO	00001	0.00	0.00	000.00								+
	Only			UEPMG	CCOEF	0.00	0.00	605.00								
Alteri	nate Mark Inversion (AMI)					0.00										1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	n Port														
Exch	ange Ports															4
	Line Side Combination Channelized PBX Trunk Port-Business	<u> </u>	1-	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	<u> </u>		15.69	<u> </u>	<u> </u>	4
	Line Side Outward Channelized PBX Trunk Port-Business	 	+	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			15.69			+
_	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port	1	1-	UEPPX UEPPX	UEP1X UEPDM	1.13 7.09	0.00	0.00	0.00	0.00	1	-	15.69 15.69	1	 	+
Eog4	Irunk Side Unbundled Channelized DID Trunk Port Ire Activations - Unbundled Loop Concentration	1	+	UEPPA	UEPUM	7.09	0.00	0.00	0.00	0.00	}	1	15.69			+
reall	Feature (Service) Activation for each Line Port Terminated in D4 Bank		1	UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17	 	<u> </u>	15.69	 		+
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			+
Telen	phone Number/ Group Establishment Charges for DID Service			02.17		0.00	7 0.0 1	10.10	00.07	11100			10.00			+
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								+
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00								1
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability		-	LIEBBY .												
EEAT	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00			-					+
	URES - Vertical and Optional I Switching Features Offered with Line Side Ports Only				-						-					+
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			+
	D PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	3.04	0.00	0.00					15.05			+
	et Rates shall apply where BellSouth is not required to provide unbun	dled l	ocal s	witching or switch po	rts per FCC	and/or Comm	ssion rules.									†
	includes:															1
Unbu	indled port/loop combinations that are Currently Combined or Not Cui	rrently	/ Com	bined in Zone 1 of the	Top 8 MSA	S in BellSouth	's region for	end users wit	h 4 or more	DS0 equiva	alent lines					
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Mi															
	outh currently is developing the billing capability to mechanically bill				ites in this s	section. In the	interim wher	e BellSouth c	annot bill M	arket Rates	, BellSout	h shall bill	the rates ir	the Cost-E	Based section	'n
	eding in lieu of the Market Rates and reserves the right to true-up the b		differ	ence.	_	1			1					1	,	
	Market Rate for unbundled ports includes all available features in all si Office & Tandem Switching Usage & Common Transport Usage rates i		Dort c	action of this avhibit s	hall annly t	o all combinat	ions of loon/	oort notwork	olomonte ov	cont for UN	E Coin Bo	rt/Loon Co	mhinations	which hav	o a flat rato	HESON
	onice & randem switching usage & common transport usage rates in ge (USOC: URECU).	n the i	ron s	ection of this exhibit s	ыан арріу і	o an combinat	ions or loop/	Jort Hetwork	elelliellis ex	cept for ON	E COIII PO	ni/Loop Cc	ilibiliations	willen nav	e a nat rate	usaye
	ge (030C: 0RECO). lot Currently Combined scenarios the NRC charges are listed in the Fi	rst and	hhΔ h	itional NRC columns f	or each Por	t USOC For C	urrently Con	hined scenar	ins the NR	Charnes a	re listed i	n the NRC	Currently	Combined	section Ad	ditional
	s may apply also and are categorized accordingly.	i St ain	u Auu	itional itito columns i	or each i or	1 0000. 1010	dirently con	ibilieu scellai	ios, the inte	o charges a	iie iisteu ii	ii tile ivito	Currently	Combined a	section. Au	aitiona
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														1	Т
	Port/Loop Combination Rates															†
	2W VG Loop/Port Combo-Zone 1		1			27.76										†
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										1
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.38										4
	2W VG Loop (SL1)-Zone 3	<u> </u>	3	UEPRX	UEPLX	26.04					<u> </u>			<u> </u>	<u> </u>	+
2-Wir	re Voice Grade Line Port (Res)	 	1	HEDDY	LIEDDI	44.00	20.00	20.00			1	45.00		1	<u> </u>	+
	2W voice unbundled port-residence	1	1-	UEPRX	UEPRL	14.00	90.00	90.00			1	15.69		1	 	+
-	2W voice unbundled port with Caller ID-res	1	+	UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00	90.00 90.00			1	15.69		1	 	+
	2W voice uphyndled port outgoing only res				UEPKU						}	15.69 15.69				+
	2W voice unbundled port outgoing only-res		1		ΠΕDΔD	1/1 00	an nn									
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00 14.00	90.00	90.00								+
	2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX UEPRX	UEPRT	14.00	90.00	90.00				15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX												=

Version 4Q02: 12/18/02 Page 270 of 324

וטאטסאונ	ED NETWORK ELEMENTS - South Carolina													ment: 2	Exhib	
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manu Svc Ord vs.
						Rec	Nonred		NRC Disc		COMEC	COMAN		Rates (\$)	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOWAN	SOWAN	SOWA
FEAT	URES			<u> </u>												1
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
ADDI	TIONAL NRCs			LIEBBY .	110100							4= 00				
2-14/15	NRC-2W VG Loop/Line Port Combination-Subsqnt RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	-	UEPRX	USAS2		0.00	0.00				15.69				
	Port/Loop Combination Rates				+											+
UNL	2W VG Loop/Port Combo-Zone 1		1			27.76										<u> </u>
	2W VG Loop/Port Combo-Zone 2		2			34.38										
	2W VG Loop/Port Combo-Zone 3		3			40.04										
UNE	Loop Rates															
+	2W VG Loop (SL1)-Zone 1	 	1	UEPBX	UEPLX	13.76 20.38			 	1	1	1		-		\vdash
+	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	1	3	UEPBX UEPBX	UEPLX	20.38			 	1	+			-		\vdash
	e Voice Grade Line Port (Bus)	1		OLI DA	OLILA	20.04										
1	2W voice unbundled port w/o Caller ID-bus	1		UEPBX	UEPBL	14.00	90.00	90.00		1	1	15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	14.00	90.00	90.00				15.69				
	2W VG unbundled SC extended local dialing parity port with Caller ID-			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
	2W voice unbundled SC Bus Area Calling Port with Caller ID (LMB)			UEPBX UEPBX	UEPAB UEPBE	14.00 14.00	90.00	90.00 90.00				15.69 15.69				
_	2W voice unbundled Incoming Only Port w/o Caller ID Capability 2W Voice Unbundled SC Business Dialing Plan w/o Caller ID			UEPBX	UEPWM	14.00	90.00	90.00				15.69				-
	2W voice unbundled SC Business Area Calling Port w/o Caller ID			OLFBA	OLFVVIVI	14.00	90.00	90.00				13.09				+
	Capability			UEPBX	UEPBB	14.00	90.00	90.00				15.69				
LOCA	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES			HEDDY	LIED)/E	0.00	0.00	0.00				45.00				<u> </u>
ADDI	All Features Offered TIONAL NRCs		-	UEPBX	UEPVF	0.00	0.00	0.00			-	15.69				+
ADDI	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00				15.69				+
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 57.	00,102		0.00	0.00				10.00				†
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			27.76										
	2W VG Loop/Port Combo-Zone 2		2			34.38										<u> </u>
LINE	2W VG Loop/Port Combo-Zone 3		3			40.04										↓
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1	-	1	UEPRG	UEPLX	13.76					-					₩
-	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	20.38										\vdash
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				15.69				<u> </u>
LOCA	AL NUMBER PORTABILITY			LIEBBO	LNDOD	0.45	0.00	0.00								
EEAT	Local Number Portability (1 per port) URES			UEPRG	LNPCP	3.15	0.00	0.00								
FLAI	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NRC	CHARGES - CURRENTLY COMBINED			02.110	02	0.00	0.00	0.00				10.00				†
ADDI	TIONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				15.69				
0.14/17	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group				_		14.64	14.64				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates				+											
ONE	2W VG Loop/Port Combo-Zone 1	1	1		+	27.76					1					+
	2W VG Loop/Port Combo-Zone 2	1	2			34.38										\vdash
	2W VG Loop/Port Combo-Zone 3		3		1	40.04				1	1					1
	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2	1	2	UEPPX	UEPLX	20.38			ļ							
0.147	2W VG Loop (SL1)-Zone 3	 	3	UEPPX	UEPLX	26.04			 	1	1	1		-		₩
2-Wir	e Voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	1	\vdash	UEPPX	UEPPC	14.00	90.00	90.00	 	1	+	15.69		-		+
-	Line Side Unbundled Outward PBX Trunk Port-Bus	 	\vdash	UEPPX	UEPPO	14.00	90.00	90.00		 	 	15.69				+-
	Line Side Unbundled Incoming PBX Trunk Port-Bus	1	T	UEPPX	UEPP1	14.00	90.00	90.00				15.69				t –

NOUNDL	ED NETWORK ELEMENTS - South Carolina													nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char - Manu Svc Or vs.
						_	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	l	l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount					1					1					1
	Room Calling Port	1		UEPPX	UEPXO	14.00	90.00	90.00			1	15.69		1	1	1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NRC (CHARGES - CURRENTLY COMBINED															
ADDI	TONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00				15.69				
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34				15.69				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			27.76										
	2W VG Coin Port/Loop Combo – Zone 2		2			34.38										
	2W VG Coin Port/Loop Combo – Zone 3		3			40.04										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2W Coin 2-Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPSA	14.00	90.00	90.00				15.69				
	2W Coin 2-Way w Oper Screening & 011 Blocking			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
	2W Coin 2-Way w Oper Screening & 011 Blocking; w Dialing Parity			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
	2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+ & Local			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	2W Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local;															
	Enhanced Calling OPT 3YV 2W Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+ & Local;			UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	Enhanced Calling OPT AP7			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	2W Coin Outward w/o Blocking & w/o Oper Screening			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
	2W Coin Outward w Oper Screening & 011 Blocking			UEPCO	UEPSF	14.00	90.00	90.00				15.69				
	2W Coin Outward w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPSJ	14.00	90.00	90.00				15.69				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+ & Local			UEPCO	UEPCM	14.00	90.00	90.00				15.69				
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+ & Local ; w/Enhanced Call OPT 3YW			UEPCO	UEPCP	14.00	90.00	90.00				15.69				
LOCA	L NUMBER PORTABILITY				1	50	22.30	22.00			<u> </u>	12.00				t
	Local Number Portability (1 per port)		1 1	UEPCO	LNPCX	0.35							1	l	1	1

UNBUNL	LED NETWORK ELEMENTS - South Carolina														ment: 2	Exhib	
ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	B	cs	USOC		I	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manua Svc Orde vs.
							Rec		curring	NRC Disc					Rates (\$)		T =
ADE	ITIONAL NRCs							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADL	2W VG Loop/Line Port Combination-Subsqnt			LIFE	PCO	USAS2		0.00	0.00				15.69				
NBUNDI	ED PORT/LOOP COMBINATIONS - MARKET BASED RATES			OLI	00	OOAOZ		0.00	0.00				10.00				
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				73.68										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				80.13										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				85.46										
UNE	Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UE	PPX	UECD1	16.68										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2		PPX	UECD1	23.13										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UE	PPX	UECD1	28.46										
UNE	Port Rate																
	Exchange Ports-2W DID Port			UE	PPX	UEPD1	57.00	600.00	75.00				15.69				
NRC	CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs																
	only			UE	PPX	USAC1		125.00	75.00				15.69				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable																
	Changes Top 8 MSAs only			UE	PPX	USA1C		125.00	75.00				15.69				
ADD	ITIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UE	PPX	USAS1		53.68					15.69				
I ele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)				PPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID				PPX PPX	NDZ ND4	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers DID Numbers, Non-consecutive DID Numbers , Per Number				PPX PPX	ND5	0.00	0.00	0.00								+
	Reserve Non-Consecutive DID numbers				PPX	ND6	0.00	0.00	0.00								
_	Reserve DID Numbers				PPX	NDV	0.00	0.00	0.00					1			-
1.00	AL NUMBER PORTABILITY			OL	117	NDV	0.00	0.00	0.00								
	Local Number Portability (1 per port)			UF	PPX	LNPCP	3.15	0.00	0.00								
2-W	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	POR	Т	02.		2.1. 0.	0.10	0.00	0.00								
	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		76.90										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		84.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		90.27										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
UNE	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
NRC	CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	225.00	225.00				15.69				
	ITIONAL NRCs																
LOC	AL NUMBER PORTABILITY			LIEDDD	LIEBBB	LNDOV	0.05	0.00	0.00								
D 0	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	HANNEL USER PROFILE ACCESS:			LIEDDD	LIEDDD	LIALICA	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00			-	-	-		-	├
-	CSD CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1		1			\leftarrow
R.∩	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TNI		OFLER	OLIFI	01000	0.00	0.00	0.00	1	1	 	1	1	 	1	+
5-0	CVS/CSD (DMS/5ESS)	,		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							 	+
_	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00		1	t	<u> </u>	1	<u> </u>		
	CSD CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							1	
USF	R TERMINAL PROFILE			32	32	3.007	3.30	2.00	3.00							1	<u> </u>
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VER	TICAL FEATURES					2.3(5.55	0.00	3.50								1
 ''	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00	i e	i			1	1	i e	T

NRONDI	LED NETWORK ELEMENTS - South Carolina													ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Manual Svc Order vs. Electronic	al Charge Manual Svc Order vs. Electronic	Manual	al Charg - Manua Svc Orde vs.
						Rec		curring	NRC Disco					Rates (\$)		
INTE	 ROFFICE CHANNEL MILEAGE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INIE	Interoffice Channel mileage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69				
-	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0167	0.00	0.00	25.00	10.00		15.69				-
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			OLITO OLITI	WITCHNIN	0.0107	0.00	0.00								
	Port/Loop Combination Rates															
0.12	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		940.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		1,005.43										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		1,111.89										
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	90.87						15.69				
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	155.43						15.69				
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89						15.69				
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.69				
NRC	CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00				15.69				
ADDI	TIONAL NRCs															<u> </u>
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel			LIEDDD	DDZTE		0.0000					45.00				
_	Nos			UEPPP	PR7TF		0.9822	23.02				15.69 15.69				
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP UEPPP	PR7TO PR7ZT		23.02 46.05	46.05				15.69				
1.00	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR/Z1		46.05	46.05			-	15.69				
LUCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			ULFFF	LINECIN	1.75										-
IIII	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								-
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								†
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								†
New	or Additional "B" Channel															1
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	40.00									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	40.00									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	40.00									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69			ļ	ļ
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415					ļ					├
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT										ļ					↓
UNE	Port/Loop Combination Rates			HEBBO		040.07		 	ļ		1				1	₩
+	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC UEPDC		840.87		 	1		1		1	1	ļ	├
+	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3	-	2	UEPDC	 	905.43 1.011.89		-	-		 	-			 	₩
LINE	Loop Rates		3	UEPUU		1,011.89		1	1		1	-	-	-	1	├
JINE	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87		1	1		1	-	-	-	1	├
+	4W DS1 Digital Loop-UNE Zone 1		2	UEPDC	USLDC	155.43		1	 		1				1	\vdash
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89			 		1				 	
UNF	Port Rate		<u> </u>	02. 00	55255	201.00		1			1					
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94		15.69				
NRC	CHARGES - CURRENTLY COMBINED			*			.,	2.00				12.50			1	<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is															
	Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				1
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33			<u> </u>	15.69	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
1	Change-Trunk Top 8 MSAs only	1		UEPDC	USAWB		259.56	134.33			1	15.69				I

DONDL	ED NETWORK ELEMENTS - South Carolina											0		ment: 2	Exhib	_
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char - Manu Svc Ord vs.
1							Nonre	curring	NRC Disc	onnect				Rates (\$)		
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
ADDI	TIONAL NRCs							7.00.		7144	0020	00				
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
	Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan- Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-			UEPDC	UDITO		29.01	29.01				15.09				+
	Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
	LAR 8 ZERO SUBSTITUTION				1		20.01	20.01				.0.00				†
<u> </u>	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	605.00								1
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	605.00								
Altern	nate Mark Inversion															
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	hone Number/Trunk Group Establisment Charges															<u> </u>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.69				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						15.69				<u> </u>
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00				15.69				4
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				₩
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00				15.69 15.69				
	rated DS1 (Interoffice Channel Mileage) -			OLFDC	NDV	0.00	0.00	0.00				13.09				+
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															+
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				_
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00	10.00							
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								1
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.7598	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.7598	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	tem can have various rate combinations based on type and number of	ports	used													
UNE	DS1 Loop			LIEDMO	1101.00	00.07	0.00	0.00								
+	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00	-		1		1			├ ──
	4W DS1 Loop-UNE Zone 2		3	UEPMG UEPMG	USLDC	155.43 261.89	0.00	0.00	-		 		-			
	4W DS1 Loop-UNE Zone 3 DSO Channelization Capacities (D4 Channel Bank Configurations)		3	UEPIVIG	USLDC	∠01.89	0.00	0.00			 					+
	24 DSO Channel Capacity-1 per DS1		H	UEPMG	VUM24	103.47	0.00	0.00	 		 	15.69	-			+-
-	48 DSO Channel Capacity-1 per 2 DS1s		H	UEPMG	VUM48	206.94	0.00	0.00	 		 	15.69	-			\vdash
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00			<u> </u>	15.69				\vdash
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00			1	15.69				\vdash
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00				15.69				
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00	0.00				15.69				
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,241.64	0.00	0.00				15.69				
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00				15.69				
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,069.40	0.00	0.00				15.69				\perp
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,483.28	0.00	0.00			ļ	15.69				
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,897.16	0.00	0.00			ļ	15.69				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Change						1				ļ					
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank,							 								₩
	ples of this configuration functioning as one are considered Add'l after INRC-Conversion (Currently Combined) with or w/o BST Allowed	r the i	minim	um system configura	tion is coun	tea.		ļ			<u> </u>					₩
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-Top 8 MSAs Only			UEPMG	USAC4	0.00	150.04	0.00				15.00				
	m Additions Where Currently Combined and New (Not Currently Currently Currently Currently Curr	ninor'	\leftarrow	UEPING	USAC4	0.00	150.81	8.38	-		1	15.69	-			₩
C. mt -																

Version 4Q02: 12/18/02 Page 275 of 324

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhib	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B:1	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69				<u> </u>
Віроі	ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	605.00			-					
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			UEFIVIG	CCOSF	0.00	0.00	605.00								
	Only			UEPMG	CCOEF	0.00	0.00	605.00								
Alteri	nate Mark Inversion (AMI)			020	0002.	0.00	0.00	000.00								
7.11.01.1	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port											İ			
	ange Ports										İ					
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69				
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69				
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00		15.69				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.69				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
<u> </u>	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
Local	Number Portability			LIEBBY .	LUBOR	0.45										
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional Switching Features Offered with Line Side Ports Only												1	ļ		
Local	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00				15.69		1		-
HINDHINDI E	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			UEFFX	UEFVF	3.04	0.00	0.00				15.09		1		
	st Based Rates are applied where BellSouth is required by FCC and/o	r Comi	missic	n rule to provide Unb	undled Lo	cal Switching o	r Switch Port	e								
	atures shall apply to the Unbundled Port/Loop Combination - Cost Ba								d Port secti	on of this l	Exhibit			1		+
3 Fn	d Office and Tandem Switching Usage and Common Transport Usage	rates	in the	Port section of this ex	rhihit shall	annly to all co	mhinations of	f loon/nort ne	twork eleme	ents excent	for LINE	Coin Port/I	oon Comb	inations	-	+
4. The	d Office and Tandem Switching Usage and Common Transport Usage e first and add'l Port NRC charges apply to Not Currently Combined C	ombos	s. Fo	r Currently Combined	Combos, t	he NRC charge	s shall be the	se identified	in the NRC	- Currently	Combined	sections.	Add'I NRC	s may appl	y also and a	re
	orized accordingly.			•		ū				•						
	arket Rates for Unbundled Centrex Port/Loop Combination will be neg	otiate	d on a	n Individual Case Bas	is, until fu	rther notice.										
UNE-	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.89										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		27.17					ļ			<u> </u>		
UNE	Port/Loop Combination Rates (Design)	<u> </u>									ļ			ļ		<u> </u>
igwdow	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	<u> </u>	1	UEP95		17.81									1	<u> </u>
\vdash	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<u> </u>	2	UEP95	1	24.26					1		ļ	ļ		<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<u> </u>	3	UEP95		29.59					ļ				-	
UNE	Loop Rate	<u> </u>		LIEBOS	LIEOC:	40.70					ļ				-	
 	2W VG Loop (SL1)-Zone 1	<u> </u>	1	UEP95	UECS1	13.76					 	 	1	1	1	1
\vdash	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	<u> </u>	3	UEP95 UEP95	UECS1 UECS1	20.38 26.04									 	
 	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1	 	1	UEP95 UEP95	UECS1	26.04 16.68					1		1	1	-	
\vdash		!	2	UEP95 UEP95	UECS2	23.13					 	-	 	 	-	+
\vdash	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3	1	3	UEP95 UEP95	UECS2	23.13					 		-	 	!	
. 1	1211 AG LOOP (OF5)-50116 9	1	J	UEF90	UEUSZ	20.40						l	1	1		

ироир	LED NETWORK ELEMENTS - South Carolina				-						-			nent: 2	Exhib	
\TEGOR'	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg - Manu Svc Ord vs.
						Dee	Nonred	urring	NRC Disc	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port Rate															ļ
All S	tates			LIEDOE	LIEDVA	1.10	40.00	40.00	04.00	0.05		45.00				
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)			UEP95 UEP95	UEPYA UEPYB	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				-
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area	1		UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	1		UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				-
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL,	CY, LA, MS, SC, & TN Only			LIEBAS				10.00	0.1.00			45.00				
	2W VG Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1	 	⊢ ⊦	UEP95 UEP95	UEPQB UEPQH	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69	-	-		
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	 	H	UEP95 UEP95	UEPQH	1.13	108.36	70.71	54.47	11.94		15.69				\vdash
	2W VG Port, Diff SWC-800 Service Term	<u> </u>		UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Loca	Number Portability			LIEBAS	LUBGO											
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat			-	LIEDOE	LIEDVE	2.04						45.00				
-	All Standard Features Offered, per port All Select Features Offered, per port			UEP95 UEP95	UEPVF UEPVS	3.04 0.00	406.42					15.69 15.69				-
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04	406.42					15.69				
NAR				021 00	OLI VO	0.04						10.00				†
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
	ellaneous Terminations															
2-Wi	re Trunk Side			LIEBAE	051150			10.70				4= 00				
4 18/	Trunk Side Terms, each		-	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-11	re Digital (1.544 Megabits) DS1 Circuit Terms, each		\vdash	UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				-
-	DS0 Channels Activated, each			UEP95	M1HD0	0.00	14.51	33.30	12.13	2.41		15.69				1
Inter	office Channel Mileage - 2-Wire	1		02.00		0.00						10.00				
	Interoffice Channel Facilities Term			UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0167										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations	<u> </u>	\vdash	LIEDOS	400140	0.50						45.00				<u> </u>
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	!	\vdash	UEP95	1PQWS	0.56						15.69				├
+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	\vdash	UEP95 UEP95	1PQW6 1PQW7	0.56 0.56					1	15.69 15.69	-	-		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	 	\vdash	UEP95	1PQWP	0.56						15.69				
_	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.56						15.69				†
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.56						15.69				1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56						15.69				
Non	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP95	USAC2	0.00	37.93	16.72				15.69				
-	New Centrex Standard Common Block	!	\vdash	UEP95	M1ACS	0.00	668.70					15.69				├
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	 	H	UEP95 UEP95	M1ACC URECA	0.00	668.70 72.89					15.69 15.69				├
IINE	-P CENTREX - DMS100 (Valid in All States)	-	H	OLF90	UNECA	0.00	12.09					15.09				\vdash
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	H													<u> </u>
	Port/Loop Combination Rates (Non-Design)	<u> </u>														†
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.89										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		27.17										
UNE	Port/Loop Combination Rates (Design)		 	LIEE												ــــــ
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		1	UEP9D		17.81										

INDUNDE	ED NETWORK ELEMENTS - South Carolina													ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		ī	RATES (\$)			Svc Order Submitt ed Elec per LSR	d Manually	al Charge - Manual Svc Order vs.	Manual Svc Order vs.	I Charge - Manual	al Char - Manu Svc Ord vs.
						Rec	Nonrec		NRC Disc		201150	001141		Rates (\$)	0011411	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.59	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE I	Loop Rate			02.02	1	20.00										
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	26.04										
	2W VG Loop (SL2)-Zone 1	<u> </u>	1	UEP9D	UECS2	16.68										<u> </u>
	2W VG Loop (SL2)-Zone 2	1	3	UEP9D UEP9D	UECS2 UECS2	23.13 28.46										₩
	2W VG Loop (SL2)-Zone 3 Port Rate	1	3	UEP9D	UEC52	28.46										+
	STATES	1			+											
	2W VG Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				\bot
	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
_	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69				↓
_	2W VG Port (Centrex /EBS-M5312))3Basic Local Area	1		UEP9D UEP9D	UEPYG UEPYT	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				-
-	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area 2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	1		UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				+
_	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	<u> </u>		UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				+-
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	1		UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				\vdash
	2W VG Port (Centrex with Caller ID) Basic Local Area	1		UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				†
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local			<u> </u>												
	Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area	1		UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area	1		UEP9D UEP9D	UEPYQ UEPYR	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94		15.69 15.69				-
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area	1		UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				+
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area	<u> </u>		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				+-
	2W VG Port (Centrex/differ SWC /EBS-M5000)2, 3 Basic Local Area	1		UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				\vdash
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				†
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				↓
AL, K	Y, LA, MS, SC, & TN Only	<u> </u>		115505		4.40	10.00	10.00	21.22			45.00				—
	2W VG Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex/EBS-PSET)3	+	 	UEP9D UEP9D	UEPQB UEPQC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-	15.69 15.69	-	-		+
+	2W VG Port (Centrex/EBS-PSE1)3 2W VG Port (Centrex /EBS-M5009)3	+-	 	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69				+-
	2W VG Port (Centrex /EBS-M5209)3	1		UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65	1	15.69				\vdash
	2W VG Port (Centrex /EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69				†
	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex /EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex/EBS-M5216)3	<u> </u>		UEP9D	UEPQV	1.13	40.30	19.90		6.65		15.69				<u> </u>
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port (Centrex with Caller ID) 2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	+	 	UEP9D UEP9D	UEPQH UEPQW	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-	15.69 15.69	-	-		+
-	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 2W VG Port (Centrex/Msg Wtg Lamp Indication)3	+-	 	UEP9D	UEPQW	1.13	40.30	19.90		6.65		15.69				+-
1	2W VG Port (Centrex from diff SWC) 2	1		UEP9D	UEPQM	1.13	108.36	70.71		11.94	1	15.69				\vdash
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3	1		UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94	1	15.69				
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71		11.94		15.69				
1	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	1		UEP9D UEP9D	UEPQ4 UEPQ5	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94	1	15.69 15.69	ļ	ļ		
																1

INBUND	LED NETWORK ELEMENTS - South Carolina					ı								ment: 2		bit: B
											Svc	Svc			Incrementa	
											Order	Order	al Charge	_		
TEOODY	DATE EL EMENTO	Interi	Zon	D00	11000			DATES (#)			Submitt			Manual	Manual	- Manua
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		ı	RATES (\$)			ed Elec	d		Svc Order	Svc Order	Svc Orde
											per LSR	Manually		vs.	vs.	vs.
												per LSR	Electronic	Electronic	Electronic-	Electron
						Rec	Nonred		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loca	I Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04						15.69				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04						15.69				Ī
NARS	3															Ī
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				1
Misc	ellaneous Terminations															
2-Wir	e Trunk Side															1
	Trunk Side Terms, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-Wir	e Digital (1.544 Megabits)															1
	DS1 Circuit Terms, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				1
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				1
Interd	office Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Term			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				1
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0167										1
Featu	ire Activations (DS0) Centrex Loops on Channelized DS1 Service	1														†
	hannel Bank Feature Activations	1														1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9D	1PQWS	0.56						15.69				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.56						15.69				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP9D	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP9D	1PQWP	0.56						15.69	1	1	1	+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0.56						15.69				+
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	1		UEP9D	1PQWQ	0.56						15.69	1	1	1	+
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9D	1PQWA	0.56						15.69				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	1		02.00		5.50						.0.00			1	†
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,		+		<u> </u>						†	1	-	<u> </u>	i	1
	per port	Ί		UEP9D	USAC2		37.93	16.72				15.69				
	New Centrex Standard Common Block	1	 	UEP9D	M1ACS	0.00	668.70	10.72			1	15.69				1
	New Centrex Standard Common Block	 	+	UEP9D	M1ACC	0.00	668.70				 	15.69			1	+
+	NAR Establishment Charge, Per Occasion	 	+	UEP9D	URECA	0.00	72.89				 	15.69			1	+
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	 	ULFBD	UNLUA	0.00	12.09				1	13.09	-	1	 	+
	2 - Required Port for Centrex Control in TAESS, SESS & EWSD	1	++		1						1	1	 	 	-	+
	3 - Requires Specific Customer Premises Equipment	1	 		<u> </u>	 					1	1	-	1	 	+
	3 - Requires Specific Customer Premises Equipment : Rates displaying an "R" in Interim column are interim and subject to				1						L			ļ		↓

JNBUND	LED NETWORK ELEMENTS - Tennessee					•							Attachi	ment: 2	Exhil	oit: B
											Svc	Svc	Incremental	Incrementa		Incremer
											Order	Order	Charge -	I Charge -	Charge -	I Charge
		Interi	Zon								Submitte	Submitte	Manual Svo	Manual	Manual Svc	_
ATEGOR'	Y RATE ELEMENTS	m	e	BCS	USOC		RAT	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc Ord
		""	-								per LSR	Manually	Electronic-	vs.	Electronic-	vs.
											•	per LSR	1st	Electronic-		Electron
			-				Nonrecu		NDC Dia				220	Rates (\$)		
						Rec	First	Add'l	NRC Dis		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The	"Zone" shown in the sections for stand-alone loops or loops as part of a	comb	hinatio	on refers to Geographic	ally Deave	raged LINE Zon										
	://www.interconnection.bellsouth.com/become a clec/html/interconnect			on refers to deographic	any Deave	aged ONE ZOII	es. To view (Jeograpino	any Deave	rageu or	L Zone De	Signations	by Central v	Office, refer	to internet w	epoite.
	NAL SUPPORT SYSTEMS		<u> </u>											1		
	E: (1) Electronic Service Order: CLEC should contact its contract negoti	ator if	it pre	fers the state specific e	lectronic s	ervice ordering	charges as o	rdered by t	he Commi	ssions.	The electro	nic servic	e ordering cl	harge currer	tly contained	in this
exhi	bit is the BellSouth regional electronic service ordering charge. CLEC n E: (2) Any element that can be ordered electronically will be billed accor	nay ele	ect eitl	her the state specific Co	mmission	ordered rates	for the electro	nic service	ordering	charges,	or CLEC m	ay elect th	ne regional e	lectronic ser	vice ordering	charge
	tronically. For those elements that cannot be ordered electronically at p						ry reflects the	charge tha	t would be	billed to	a CLEC o	nce electro	onic ordering	g capabilities	s come on-lir	e for tha
elem	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to	a CLE	Cs bi	II when it submits an L	SR to Bells	outh.			1		1	1		1	1	
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				SOMEC		2.50									
IE CEDV	interfaces (Regional) ICE DATE ADVANCEMENT CHARGE		1		SOIVIEC		3.50									
	E: The Expedite charge will be maintained commensurate with BellSout	h'e EC	C No	1 Tariff Section 5 as as	nlicable											
1101	L. The Expedite charge will be maintained commensurate with behood	11310	140.	ALL UNE EXCEPT	рисавіе.											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UNE-P	SDASP		200.00									
BUNDLE	ED EXCHANGE ACCESS LOOP															
	RE ANALOG VOICE GRADE LOOP												1			
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1:
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	1
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	1
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	1
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	1:
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing															
_	make-up (Engineering Information-EI)			UEANL	UEANM		28.80	28.80								
_	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		-	UEANL UEANL	UEAMC OCOSL		36.52 34.29	36.52 34.29								
2-WI	RE Unbundled COPPER LOOP			ULANL	OCOSL		34.23	34.25								
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	2W Unbundled Copper Loop-Non-Designed-Zone 2	Ė	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	2W Unbundled Copper Loop-Non-Designed-Zone 3	i	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
_	providing make-up (Engineering Information-EI)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	1:
	Loop Testing-Basic 1st Half Hour		-	UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13
	Loop Testing-Basic Add'l Half Hour CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ UEQ	URETA		23.33 14.29	23.33 7.44					20.35 20.35	10.54 10.54	13.32 13.32	13
BLINDLE	ED EXCHANGE ACCESS LOOP			UEQ	UKEWU		14.29	7.44					20.33	10.54	13.32	1.
	RE ANALOG VOICE GRADE LOOP															
2-741	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	1:
1	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP													<u> </u>		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA UEA	UEAL2 UEAL2	21.63 28.28	75.06 75.06	48.20 48.20	28.70 28.70	17.64 17.64		-	20.35 20.35	10.54 10.54	13.32 13.32	1
+	Order Coordination for Specified Conversion Time (per LSR)	—	1	UEA	OCOSL	20.20	34.29	+0.20	20.10	17.04			20.33	10.34	13.32	<u> </u>
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	1
1	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	1
	Loop Tagging-SL2 (SL2)			UEA	URETL		10.45	1.03					20.35	10.54	13.32	1
4-WI	RE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54		1
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35			1
1	4W Analog VG Loop-Zone 3	1	3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16	Ì	ĺ	20.35	10.54	13.32	

Version 4Q02: 12/18/02 Page 280 of 324

INDUNDE	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Svc Ord
						Rec	Nonrecu		NRC Dis					Rates (\$)	I -	
	O. H. O. M. F. M. C. O. M. F. L. O. M. M. T. M. (1911 CD)			1154	00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UEA UEA	OCOSL UREWO		34.29 75.06	36.41					20.35	10.54	13.32	13
2-1//10	E ISDN DIGITAL GRADE LOOP			UEA	UKEWU		75.00	30.41					20.33	10.54	13.32	13
Z-WIN	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1:
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	1
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
0.14/15	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.77	44.22					20.35	10.54	13.32	1
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE 2W Unbundled ADSL Loop including manl svc inq & facility reservation-	LOOP														
	Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	1
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		-	UAL	UALZX	13.02	270.01	234.03	74.54	35.14			20.33	10.54	13.32	
	Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	1
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		_	O/IL	ONLEA	10.00	270.01	204.00	74.04	00.14			20.00	10.0-1	10.02	
	Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 1	ı	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2	I	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch	ı		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	OOP														<u> </u>
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 1		1	шш	UHL2X	10.83	270.01	224 62	74 54	39.14			20.35	10.54	13.32	
-	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		1	UHL	UHLZX	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	+
	Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		_	OTIL	OTILEX	14.10	270.01	204.00	74.04	00.14			20.00	10.04	10.02	+
	Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL	10.00	34.29	201.00	7	00.11			20.00	10.01	10.02	†
	2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	-	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch	ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	OOP														
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-					40.00										
	Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-		2	100	11111 437	40.00	070.00	044.00	74.54	20.44			20.25	40.54	40.00	
	Zone 2 4W Unbundled HDSL Loop including man! svc inq & facility reservation-			UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	
	Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	23.00	34.29	244.22	74.34	35.14			20.33	10.54	13.32	+
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 2	i	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch	- 1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	
	E DS1 DIGITAL LOOP		لبا										L		<u> </u>	
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	
_	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	
-	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45	ļ		18.98	8.43	11.95	
	Order Coordination for Specified Conversion Time (per LSR)		\vdash	USL	OCOSL		34.59	40.44				1	20.25	40.54	40.00	+
4 18/75	CLEC to CLEC Conversion Charge w/o outside dispatch E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		\vdash	USL	UREWO		130.47	40.11				1	20.35	10.54	13.32	
4-VVIR	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	-	-	20.35	10.54	13.32	+
-	4W Unbundled Digital 19.2 Kbps 4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38		44.18	-	1	20.35	10.54	13.32	
	4W Unbundled Digital 19.2 Kbps 4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18		 	20.35	10.54	13.32	-

RATE ELEMENTS Minute Minut	NBUNDL	ED NETWORK ELEMENTS - Tennessee			1							1 -			nent: 2	Exhib	
Withhandled Ogeal Loop dil Right-Zinne 1	ATEGORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			Order Submitte d Elec	Order Submitte d Manually	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
W. Unchurched Digital Logo File Roys 2 / 200. 1							Rec										
Will Inhamidia Digital Logo St Right-Zoura 2												SOMEC	SOMAN			SOMAN	SOMAN
April Children Digital Logo Express 3 U.S. U.D.S.																13.32	13.32
Obset Coordination for Specified Conversion Three (per LSR)																13.32	13.32
AV Urbandried Digital Lupp 64 Kilps-Zone 1				3			53.11		141.38	90.70	44.18	-		20.35	10.54	13.32	13.3
Withdroded Digital Loop of Rippe-Zone 2				1			31 10		1/11 38	90.70	// 18			20.35	10.54	13.32	13.3
The Uniformided Egiptal Logo Ret Rippe-Zone 9 3 UCL UCLER 53.11 297.01 141.38 90.79 44.18 20.35 10.54																13.32	13.3
Obtat Coordination for Specified Conversion Time (per LSR)																13.32	13.3
2W Inhumded Copper Loop/Short including manil sex ing & facility 1					UDL	OCOSL		34.29									
Will historided Copper Loop/Short including manifer on all facility reservation. Zone 1 1 U.C. U.C.LPB 13.19 31.99 20.02 10.65 1.41 20.35 10.54 20.05 10.54 20.05 10.54 20.05 10.54 20.05 10.54 20.05 10.55 20.05		CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.3
Reservation-Zone 1	2-WIR																
Feisenation-Zone 2		reservation-Zone 1	1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
Reservation-Zone 3		reservation-Zone 2	1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
Order Coordination for Unbundled Copper LoopShort w/o mail six in gla Sacility reservation																	
2			- 1	3			22.53			10.65	1.41			20.35	10.54	13.32	13.3
Zone 1					UCL	UCLMC		36.52	36.52								
Zone 2		Zone 1	ı	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.0
Cone 3		Zone 2	ı	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2W Unbundled Copper Loop/Long-includes mail six in § 8 facility 1 1 UCL UCL2L 13.19 31.99 20.02 10.65 1.41 20.35 10.54		Zone 3	ı	3			22.53			10.65	1.41			20.35	10.54	13.32	13.
reservation-Zone 1					UCL	UCLMC		36.52	36.52								
reservation-Zone 2		reservation-Zone 1	ı	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
reservation-Zone 3		reservation-Zone 2	ı	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		reservation-Zone 3	ı	3			22.53			10.65	1.41			20.35	10.54	13.32	13.
Zone 1					UCL	UCLINIC		36.52	36.52								
Zone 2		Zone 1	ı	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
Zone 3		Zone 2	ı	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)		Zone 3	ı	3			22.53			10.65	1.41			20.35	10.54	13.32	13
### COPPER LOOP ### COPPER LOOP ### Copper Loop/Short-including manl svc ing & facility reservation-Zone 1	+													20.25	10.54	13.32	13.
## Copper Loop/Short-including mant svc ing & facility reservation-Zone 2	4-WIR		-		UCL	UNEWU		31.88	20.02			1		20.35	10.54	13.32	13.
W Copper Loop/Short-including manl svc ing & facility reservation-Zone 2				1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.
Order Coordination for Unbundled Copper Loops (per loop)		4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2		2		UCL4S		122.76	85.57							13.32	13.
4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1 1 1 UCL UCL4W 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 2 1 2 UCL UCL4W 32.25 122.76 85.57 76.35 39.16 20.35 10.54 4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 3 1 3 UCL UCL4W 42.17 122.76 85.57 76.35 39.16 20.35 10.54 4W Copper Loop/Long-includes manl svc ing & facility reservation-Zone 1 UCL UCLWC 36.52 36.52 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc ing & facility reservation-Zone 2 1 2 UCL UCL4L 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc ing & facility reservation-Zone 2 1 2 UCL UCL4L 32.25 122.76 85.57 76.35 39.16 20.35 10.54				3			42.17			76.35	39.16			20.35	10.54	13.32	13.
4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2 1 2 UCL UCL4W 32.25 122.76 85.57 76.35 39.16 20.35 10.54 4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3 1 3 UCL UCL4W 42.17 122.76 85.57 76.35 39.16 20.35 10.54 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 36.52 36.52 36.52 36.52 36.52 36.52 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1 1 UCL UCL4L 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2 1 2 UCL UCL4L 32.25 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3 1 3 UCL UCL4L 42.17 122.76 85.57 76.35 39.1							04.70			70.05	00.40			00.05	10.51	40.00	40
AW Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3												-				13.32 13.32	13 13
Order Coordination for Unbundled Copper Loops (per loop)			H													13.32	13
AW Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1																	
4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2 I 2 UCL UCL4L 32.25 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 3 I 3 UCL UCL4L 42.17 122.76 85.57 76.35 39.16 20.35 10.54 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 36.52 36.52 36.52 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 1 I UCL UCL4O 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 2 I 1 UCL UCL4O 24.70 122.76 85.57 76.35 39.16 20.35 10.54		4W Unbundled Copper Loop/Long-includes manl svc inq & facility	ı	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
4W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 1 I 3 UCL UCL4L 42.17 122.76 85.57 76.35 39.16 20.35 10.54 Order Coordination for Unbundled Copper Loops (per loop) UCL UCL UCLMC 36.52 36.52 36.52 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 1 I UCL UCL4O 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 2 I 2 UCL UCL4O 32.25 122.76 85.57 76.35 39.16 20.35 10.54		4W Unbundled Copper Loop/Long-includes manl svc inq & facility	ı	2												13.32	13
Order Coordination for Unbundled Copper Loops (per loop)		4W Unbundled Copper Loop/Long-includes manl svc inq & facility														13.32	13.
Zone 1 UCL UCL4O 24.70 122.76 85.57 76.35 39.16 20.35 10.54 4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-Zone 2 UCL UCL4O 32.25 122.76 85.57 76.35 39.16 20.35 10.54		Order Coordination for Unbundled Copper Loops (per loop)	Ė	Ĭ			72.17			. 0.00	55.10			20.00	10.04	10.02	10.
Zone 2 I 2 UCL UCL40 32.25 122.76 85.57 76.35 39.16 20.35 10.54		Zone 1	ı	1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.
I 14vv unpungled Gopper Loop/Long-w/o mani svc ing & facility reservation- I I I I I I I I I I I I I I I I I I			ı	2	UCL	UCL4O	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
Victor V		Zone 3	ı	3			42.17			76.35	39.16			20.35	10.54	13.32	13

UNDUNDL	ED NETWORK ELEMENTS - Tennessee											_		nent: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Incremen I Charge Manual Svc Orde vs. Electroni
						1	Nonrecu	rring	NRC Dis	connect		per LSK		Rates (\$)	DISC 1St	Liectionic
1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		31.99	20.02	1 11 00	Auui	COMILO	COMPAR	20.35	10.54	13.32	13.32
LOOP MOD																
				UAL,UHL,UCL,UEQ,UL												
				S,UEA,UEANL,UEPSR,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	- 1		UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.3
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13.3
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		65.40	65.40					20.35	10.54	13.32	13.3
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	- 1		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.3
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	,		UAL,UHL,UCL,UEQ,UL S,UEA,UEANL,UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.3
SUB-LOOPS	·															
Sub-l	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	ı		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.3
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		42.68	42.68		-			20.35	10.54	13.32	13.3
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.3
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29						10 = 1	10.00	
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29						10 = 1	10.00	
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC	2.26	34.29 116.14	34.29					20.35	10.54	13.32	13.3
		l I		UEANL	USBR4 USBMC	2.20	34.29	37.10 34.29					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		4	UEF		F 40	110.71	37.89	94.41	13.09			20.35	10.54	13.32	40.0
	2W Copper Unbundled Sub-Loop Distribution-Zone 1 2W Copper Unbundled Sub-Loop Distribution-Zone 2	H	2	UEF	UCS2X UCS2X	5.16 6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3 13.3
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	H	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	3	UEF	USBMC	0.01	34.29	34.29	34.41	13.09			20.33	10.54	13.32	13.3
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	Ħ	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	i i	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		Ŭ	UEF	USBMC		34.29	34.29	00.00	10.00			20.00	10.01	.0.02	10.0
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															
	Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.3
	Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip															
	Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.3
	Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
	Removal, per PR unloaded			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.3
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr	- 1		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.3
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.3
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.3
SUB-LOOPS																
	oop Feeder			HEATIDALLIOL LIDELLID												
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up			UEA,UDN,UCL,UDL,UD C	USBFW		517.25						20.35	10.54	13.32	13.3
				UEA,UDN,UCL,UDL,UD		l										
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			C	USBFX		42.68	42.68					20.35	10.54	13.32	13.3
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide	<u> </u>	SW	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time, per LSR	<u> </u>	L	UEA	OCOSL	10.05	34.29	05.05	70.05	20.40			20.05	10 5 1	10.00	10.
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide	<u> </u>	SW	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Specified Time Conversion, per LSR	<u> </u>	C	UEA	OCOSL	12.05	34.29	85.05	76.25	39.16			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide Order Coordination For Specified Conversion Time, per LSR		SW	UEA UEA	USBFC OCOSL	12.05	122.24 34.29	ძე.სე	76.35	39.10			20.35	10.54	13.32	13.3
1	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1			UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3

UNBUNDL	ED NETWORK ELEMENTS - Tennessee	_			1						٠	C		nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen I Charge Manual Svc Orde vs. Electroni
						Rec	Nonrecu	rring	NRC Dis	connect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3 Order Coordination For Specified Conversion Time, Per LSR	_	3	UEA UEA	USBFD	36.76	137.31 34.29	61.93	118.04	30.13			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1	-	1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN UDN	USBFF	21.04	142.83	67.45 67.45	104.67 104.64	18.53 18.53			19.99 19.99	19.99 19.99	19.99 19.99	19. 19.
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3 Order Coordination For Specified Conversion Time, Per LSR	_	3	UDN	OCOSL	27.51	142.83 34.29	67.45	104.64	18.53			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	USL UCL	OCOSL USBFH	9.52	34.59 114.27	38.89	104.64	18.53			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2	-	2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL		34.29									
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19
	Order Coordination For Specified Conversion Time, per LSR		4	UCL	OCOSL	00.00	34.29	40.00	400.00	10.01			40.00	40.00	40.00	10
-	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	_	1 2	UDL UDL	USBFN USBFN	26.06 34.03	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91			19.99 19.99	19.99 19.99	19.99 19.99	19 19
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	_	2	UDL UDL	USBFP	34.03 44.50	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91			19.99 19.99	19.99 19.99	19.99 19.99	19 19
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	44.50	34.29	40.02	100.02	10.91			19.99	19.99	19.99	18
JB-LOOPS				ODL	COCCE		04.20									
	oop Feeder				1											
	Sub Loop Feeder-DS3-Per mi Per mo	I		UE3	1L5SL	14.11										
	Sub Loop Feeder-DS3-Facility Term Per mo	I		UE3	USBF1	333.26	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – STS-1 – Per mi Per mo			UDLSX	1L5SL	14.11										ļ
	Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX UDLO3	USBF7 1L5SL	359.02 10.71	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	<u> </u>
	Sub Loop Feeder – OC-3 – Per mi Per mo Sub Loop Feeder-OC-3-Facility Term Protection Per mo	+ †		UDLO3	USBF5	56.64										
	Sub Loop Feeder-OC-3-Facility Term Per mo	+ i		UDLO3	USBF2	546.31	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder-OC-12-Per mi Per mo	i		UDL12	1L5SL	13.18	0,100.01	101.00	100.11	001.01			20.00	10.01	10.02	
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	1		UDL12	USBF6	639.98										
	Sub Loop Feeder-OC-12-Facility Term Per mo			UDL12	USBF3	1,697.00	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder-OC-48-Per mi Per mo	I		UDL48	1L5SL	43.22										<u> </u>
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	<u> </u>		UDL48	USBF9	320.36	0.500.04	407.00	105.17	504.04			00.05	40.54	40.00	<u> </u>
	Sub Loop Feeder-OC-48-Facility Term Per mo Sub Loop Feeder-OC-12 Interface On OC-48	<u> </u>		UDL48 UDL48	USBF4 USBF8	1,457.00 361.44	3,592.61 806.02	407.68 407.68	165.17 165.17	501.31 501.31			20.35 20.35	10.54 10.54	13.32 13.32	├
	D LOOP CONCENTRATION	+ '-		UDL40	USDF8	301.44	000.02	407.08	103.17	301.31	1		20.35	10.54	13.32	\vdash
	Unbundled Loop Concentration-System A (TR008)	-	H	ULC	UCT8A	500.18	613.60	613.60			-	1	20.35	10.54	13.32	13
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	54.82	255.67	255.67					20.35	10.54	13.32	13
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	13
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	92.37	255.67	255.67					20.35	10.54	13.32	13
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	13
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card) Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDN UDC	ULCC1 ULCCU	8.46 8.46	8.69 8.69	8.65 8.65	9.71 9.71	9.65 9.65	ļ		20.35 20.35	10.54 10.54	13.32 13.32	13 13

ONBOND	LED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
											Svc	Svc	Incremental	Incrementa	Incremental	Incrementa
											Order	Order	Charge -	I Charge -	Charge -	I Charge -
			7								Submitte	Submitte	Manual Svo	Manual	Manual Svo	Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	TES (\$)			d Elec		Order vs.	l l		Svc Order
OATEGOR	NATE ELEMENTO	m	е	200	0000			(+)				d		Svc Order	Order vs.	
											per LSR		Electronic-	vs.	Electronic-	vs.
												per LSR	1st	Electronic-	Disc 1st	Electronic-
							Nonrecu	ırrina	NRC Dis	connect		L	088	Rates (\$)	I	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start						11130	Add I	11130	Auui	CONILC	JONAN	JONIAN	JOINAIN	JONAN	JONAN
	Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
—	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface			OLA	OLOGZ	2.52	0.03	0.00	3.71	3.03		1	20.55	10.54	15.52	10.02
				LIEA	LILCOD	40.45	0.00	0.05	0.74	0.05			20.25	40.54	40.00	40.00
	(SPOTS Card)			UEA UEA	ULCCR	12.45	8.69	8.65	9.71	9.65		ļ	20.35	10.54	13.32	13.32
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			~	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54		13.32
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UEN	UNECN	0.00	0.00									
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,UD												
	Unbundled Contact Name, Provisioning Only-no rate			N,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	ACITY UNBUNDLED LOCAL LOOP					0.00										
	E: minimum billing period of three months for DS3 and above Local Loc	n														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo	Р		UE3	1L5ND	9.19									1	1
	High Capacity Unbundled Local Loop-DS3-Fei Hill per Hid High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16		-	36.84	36.84	19.01	19.01
	High Capacity Unbundled Local Loop-B33-racinty refin per mo			UDLSX	1L5ND	9.19	393.31	304.30	234.03	170.10		-	30.04	30.04	19.01	19.01
	High Capacity Unbundled Local Loop-STS-1-Fei Init per Inio			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
											1			30.04	19.01	19.01
	(1): Rates provided in TN for both electronic and manual Loop Makeup	are in	terim	and subject to retro-act	tive true-u	adjustments	pending a per	manent rate	ruling or	tnese ra	e element	s from the	IKA.			
LOOP MAK																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).	R		UMK	UMKLW		0.76	0.76								
	Loop Makeup-Preordering With Reservation, per spare facility queried															
	(Manual).	R		UMK	UMKLP		0.76	0.76								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
HIGH FREC	QUENCY SPECTRUM															
LINE	SHARING															
SPLI	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per			020	OLODD	20.00	100.00	0.00	0.00	0.00			20.00	10.04	10.02	10.02
	LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECT	DIIM 4	N I/ A '		JLJDG	-	103.00	0.00	32.11	0.00		-	20.33	10.54	13.32	13.32
END		KUN A	ANA L		111.000	0.01	40.00	04.00	0.00	0.00		 	20.05	10.51	10.00	10.00
$\vdash \vdash$	Line Sharing-per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	40.00	21.39	0.00	0.00		<u> </u>	20.35	10.54	13.32	13.32
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			1												1
	Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned			1												1
1 1	Splitter)		l	ULS	ULSCS		30.00	15.00				<u> </u>	20.35	10.54	13.32	13.32
	Line Sharing-per Line Activation (DLEC owned Splitter)								0.00	0.00						13.32

NRON	DLED NETWORK ELEMENTS - Tennessee												Attachr	ment: 2	Exhib	it: B
ATEGOF	RY RATE ELEMENTS	Interi m	i Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
$-\!\!\!\!+\!\!\!\!-$						Rec	Nonrecu First	rring Add'l	NRC Dis	connect Add'l	COMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMA
LIN	I NE SPLITTING						FIISL	Auu i	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOMAN	SUMAN	SUMA
	ID USER ORDERING-CENTRAL OFFICE BASED	_			+									+		
	Line Splitting-per line activation DLEC owned splitter	1	1	UEPSR UEPSB	UREOS	0.61								+	-	
_	Line Splitting-per line activation BST owned-physical	T i		UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.
	Line Splitting-per line activation BST owned-virtual	Τi		UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35		13.32	13
REF	MOTE SITE HIGH FREQUENCY SPECTRUM															
	LITTERS-REMOTE SITE															
	Remote Site Line Share BST Owned Splitter, 24 Port	-		ULS	ULSRB	38.83	115.00	0.00	85.63	0.00			20.35	10.54	13.32	13
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &															
	Deactivation	- 1		ULS	ULSTG		95.80	0.00	68.73	0.00			20.35	10.54	13.32	13
ENI	ID USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA	REMOT	TE SIT	E LINE SHARING												
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	I		ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	1		ULS	ULSTC	0.61	40.00	31.39	35.06	10.79			20.35		13.32	13
	Remote Site Line Share Subsqnt Activity-RS BST Owned Splitter	1		ULS	ULSRS		49.23	17.86					20.35		13.32	13
	Remote Site Line Share Subsqnt Activity-RS CLEC Owned Splitter	1		ULS	ULSTS		49.23	17.86					20.35	10.54	13.32	13
	LED DEDICATED TRANSPORT		<u> </u>													
	TE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	od - be	elow DS3=one month, a	above DS3=	tour months										
INI	TEROFFICE CHANNEL - DEDICATED TRANSPORT	_		11477.07	41.500/	0.0054										
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo		1	U1TVX	1L5XX	0.0054	55.00	47.07	07.00	0.54			00.05	04.00	0.00	-
-	Interoffice Channel-Dedicated Transport-2W VG-Facility Term	_		U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	1
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo	_		U1TVX	1L5XX	0.0054	55.00	47.07	07.00	0.54			00.05	04.00	0.00	
_	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term	_	-	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	1
	Interoffice Channel-Dedicated Transport-4W VG-Per mi per mo	_	-	U1TVX U1TVX	1L5XX U1TV4	0.0054 24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo	-	-	U1TDX	1L5XX	0.0174	31.01	20.02	30.76	13.07	 		13.06	13.06	0.00	
_	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term	-	-	U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	1
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo	_		U1TDX	1L5XX	0.0174	33.33	17.57	21.30	3.31			20.55	21.03	3.00	
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term		1	U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	1
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3562	00.00	17.07	27.00	0.01			20.00	21.00	0.00	
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	1
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.34			10.00	1 1100			20.00	200	0.00	
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	1
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.34	000.20	170.00	100.01	100.01			00.01	00.01	10.01	
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	1
LO	CAL CHANNEL - DEDICATED TRANSPORT															
	TE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing peri	od = be	low D	S3=one month, above	DS3=four m	onths								1		
	Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80				1		
	Local Channel-Dedicated-2W VG-Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG-Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG Rev. BatZone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG Rev. BatZone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-2W VG Rev. BatZone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-4W VG-Zone 1		1	ULDVX	ULDV4	18.18	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-4W VG-Zone 2		2	ULDVX	ULDV4	23.74	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-4W VG-Zone 3		3	ULDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
	Local Channel-Dedicated-DS1-Zone 2		2	ULDD1	ULDF1	47.33	277.35	233.26	33.18	22.30						
	Local Channel-Dedicated-DS1-Zone 3	-	3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30				+		
-	Local Channel-Dedicated-DS3-Per mi per mo	_		ULDD3	1L5NC	7.15	505.07	004.50	045.00	454.45			00.04	00.04	40.04	
$+\!\!\!-$	Local Channel-Dedicated-DS3-Facility Term		1	ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15	-		36.84	36.84	19.01	1
+	Local Channel Dedicated STS-1-Per mi per mo	-	1	ULDS1 ULDS1	1L5NC ULDFS	7.15 599.59	F00 07	207.20	215 02	151 15	-	-	20.25	21.09	0.00	
RK FIB	Local Channel-Dedicated-STS-1-Facility Term	+	-	ULDST	ULDFS	599.59	588.07	297.20	215.82	151.15	-		20.35	∠1.09	9.80	1
KK FIB	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	.+	1	+	1				1	-	1	-		+	\vdash	
	Local Channel			UDF	1L5DC	58.83								1		
		-	1	UDF	UDFC4	30.03	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	1
	INRC Dark Fiber-Local Channel				00104	1	1,121.00	100.19	500.20	551.17	<u> </u>		20.33	21.09	9.00	
	NRC Dark Fiber-Local Channel Dark Fiber Four Fiber Strands, Per Route mi or Fraction Thereof per mo-	.		~=-												
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-				11 5DF	28 74										
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo- Interoffice Channel			UDF	1L5DF UDF14	28.74	1,121.00	153 19	580.26	357 17			20.35	21.09	9.80	11
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-				1L5DF UDF14	28.74	1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	1

Version 4Q02: 12/18/02 Page 286 of 324

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Svc Order
						Rec	Nonrecu	ırring		connect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	NRC Dark Fiber-Local Loop			UDF	UDFL4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number															
	Reserved	<u> </u>		OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			OUD			44.47	4.40	7.04	0.7000			00.05	00.05	40.00	40.00
	Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
				OHD	N8FCX		4.47	2.24		0.7602			20.35	20.35		13.28
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			UND	NOFUX		4.47	2.24					20.35	20.35	13.28	13.28
	CXR Requested Per 8XX No.		1	OHD	N8FMX		5.23	3.00		1			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.23	0.76	 	 	 	 	20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Grange Charge Ter Request 8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.47	0.70					20.35	20.35		13.28
	MATION DATA BASE ACCESS (LIDB)	†		02	1.0. 5/				 		 	 	20.00		.5.20	.0.20
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING	(CCS7)			·												
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment or															
	Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
	ME (CNAM) SERVICE			001/		0.0040544										
	CNAM for DB Owners, Per Query			OQV	-	0.0010541										
	CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character			OQV	-	0.0010541										
	Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
	CALL PROCESSING			OQV	CDDCIT		393.00	393.00					20.33	20.33	13.20	13.20
	Oper. Call Processing-Oper. Provided, Per MinUsing BST LIDB	1			+	1.08										
	Oper. Call Processing-Oper. Provided, Per MinUsing Foreign LIDB					1.13										
	Oper. Call Processing Sper-Frontage, per Call-Using BST LIDB					0.1010353										
	Oper. Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.122818										
	ERATOR SERVICES															
	Inward Oper Services-Verification, Per min					1.03			İ		İ					
	Inward Oper Services-Verification & Emergency Interrupt-Per min					1.03										
	OPERATOR CALL PROCESSING															
Facilit	y based CLEC						· · · · · · · · · · · · · · · · · · ·									
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		240.71	240.71					19.99	19.99		
UNEP					<u> </u>				ļ		ļ	ļ				
	Recording of Custom Branded OA Announcement	<u> </u>			<u> </u>		1,555.00	1,555.00	ļ		ļ	ļ	19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				1		240.71	240.71	ļ	ļ	ļ	1	19.99	19.99	ļ	
	nding via OLNS for UNEP CLEC				+		1.000.00	4.000.00	<u> </u>	ļ	<u> </u>	<u> </u>			ļ	
	Loading of OA per OCN (Regional)	<u> </u>			-		1,200.00	1,200.00	ļ		ļ	ļ	19.99	19.99		1
	ASSISTANCE SERVICES	1	-		-				1		1	1	1		1	1
	TORY ASSISTANCE ACCESS SERVICE	<u> </u>	-		-	0.0000707			1		1	1	1	ļ	1	1
1 1	Directory Assistance Access Service Calls, Charge Per Call	1	!	ļ	+	0.2286787		 	ļ	ļ	1	1		ļ	1	1
DIDEC																
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC), Per Call															

UNBUND	LED NETWORK ELEMENTS - Tennessee			1	1	1								nent: 2		oit: B
CATEGOR	rate elements	Interi m	Zon e	BCS	usoc			ΓES (\$)			d Elec	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Dis			T =		Rates (\$)		
NII 184	DED CEDVICES INTERCEDE ACCESS SERVICE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NUM	BER SERVICES INTERCEPT ACCESS SERVICE Number Services Intercept Per Query	<u> </u>				0.017793							-			
DIRE	CTORY TRANSPORT (DT)					0.017733										
Direct	DT-Local Channel DS1				TEFHG	40.99	277.35	233.26	33.18	22.30			20.35	10.54	13.32	1.40
	DT-DS1 Level Interoffice per mi				1L5NL	0.3562										
	DT-DS1 Level Interoffice per facility Term					77.86	112.40	76.27	19.55	14.99			20.35	10.54	13.32	1.40
	SWA Common Transport per DA Access Service Per Call					0.000271										
	SWA Common Transport per DA Access Service Per Call Per mi					0.0000165										
-	Access Tandem Switching Per DA Access Service Per Call					0.0001875										
	DT-Directory Assistance Interconnection Per DA Service Call DT-Installation NRC, Per Trunk or Signaling Connection				TPP++	0.00	204.62	4.43	136.09	4.43			20.35	10.54	13.32	1.40
DIRECTOR	Y ASSISTANCE SERVICES				111177		204.02	7.70	130.03	4.40			20.55	10.54	10.02	1.40
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)				1							1	1		t	
	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per mo				DBSOF	104.13										
	- DIRECTORY ASSISTANCE															
Faci	ity Based CLEC	<u> </u>			00:-:			4 =====				ļ				
\vdash	Recording & Provisioning of DA Custom Branded Announcement Loading of Custom Branded Announcement per Switch per OCN			AMT AMT	CBADA		1,555.00	1,553.00	7.03	7.03		1	20.35	10.54	13.32	1.40
LINE	P CLEC	<u> </u>		AMT	CBADC		240.71	240.71					20.35	10.54		
UNE	Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of DA Custom Branded Announcement per Switch per OCN						240.71	240.71	7.00	7.00			20.35	10.54	10.02	1.40
Unbi	randing via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					20.35	10.54		
	Loading of DA per Switch per OCN						16.00	16.00					20.35	10.54		
SELECTIVI	ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		179.60	179.60					20.35	20.35		
VIRTUAL	COLLOCATION Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICAL	COLLOCATION			UEFSK,UEFSB	VEILS	0.57	11.02	9.90	10.36	0.00			19.99	19.99	19.99	19.99
THIOICAL	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99	19.99	19.99
AIN SELEC	TIVE CARRIER ROUTING			0 = 1 0 1 1 0 = 1 0 =												
	Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
	End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
	Query NRC, per query			SRC		0.0206047										
AIN - BELL	SOUTH AIN SMS ACCESS SERVICE			4411	041405		405.50	405.50					00.05	00.05	40.00	40.00
-	AIN SMS Access Service-Service Establishment, Per State, Initial Setup AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N A1N	CAMSE CAMDP		135.56 41.75	135.56 41.75					20.35 20.35	20.35 20.35	13.28 13.28	13.28 13.28
-	AIN SMS Access Service-Port Connection-ISDN Access			A1N A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or						22.30						1			
	Replacement	<u> </u>	<u>L</u>	A1N	CAMRC	<u></u>	113.67	113.67			<u></u>	<u></u>	20.35	20.35	13.28	13.28
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service-Session, Per min					0.0820123										
AINI DELL	AIN SMS Access Service-Company Performed Session, Per min				1	2.27						1	1		-	<u> </u>
AIN - BELL	SOUTH AIN TOOLKIT SERVICE AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04			-	 	20.35	20.35	13.28	13.28
\vdash	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service-Training Session, Per Customer			CAIVI	BAPVX		7,915.00	7,915.00				 	20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				D/11 V/		7,010.00	7,010.00				<u> </u>	20.00	20.00	10.20	10.20
<u></u> l	Attempt	L			BAPTT	<u> </u>	31.21	31.21		<u></u>	<u></u>	<u>L</u>	20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook															
igwdown	Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				DAS==								22.2-			
	PODP AIN Toolkit Sorvice Trigger Access Charge, Bor Trigger, Bor DN, CDP	-			BAPTO		85.24	85.24 95.24				1	20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature	-			BAPTC	-	85.24	85.24				-	20.35	20.35	13.28	13.28
	Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Query Charge, Per Query				· · · ·	0.0211882	33.Z-i	00.E4					20.00	20.00	.5.20	.0.20
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per				1								1		İ	
1 1	Node, Per Query	L	<u></u>		<u> </u>	0.0054774		<u></u>		<u></u>	<u></u>	<u>L</u>	<u> </u>	<u> </u>	<u> </u>	<u></u>

INBUND	LED NETWORK ELEMENTS - Tennessee			T	1	1								ment: 2		oit: B
ATEGOR'	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge -	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec	Nonrecu	rring	NRC Dis	connect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per															
	100 Kilobytes					1.50										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.2
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.2
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13
	D EXTENDED LINK (EELs)															
	E: The monthly recurring and non-recurring charges below will apply an										nts.					
	E: The monthly recurring and the Switch-As-Is Charge and not the non-r				for EELs p	rovisioned as '	Currently Co	nbined' Ne	twork Elen	nents.						
	E: Minimum billing is one month for DS1 and below and three months a															
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CE TR	ANSP													
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	DS1 Channelization System Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															Ì
	Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															Ì
	Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															Ì
	Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CE TR	ANSP													
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35		9.80	
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															1
	Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	TRAN	ISPORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		1		I		-						l	1		
	Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12					20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															1
	Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	9.80	1
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Add'l 4W 56Kbps Digital Grade Loopin same DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo		1										<u> </u>	1		1
1	(2.4-64kbs)		1	UNCDX	1D1DD	0.91	5.70	4.42			1	l		1	1	1

Version 4Q02: 12/18/02 Page 289 of 324

MRAND	LED NETWORK ELEMENTS - Tennessee			T	1 1									ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu			connect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
4 1400	NRC Currently Combined Network Elements Switch-As-Is Charge		<u></u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	IRAN	ISPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			UNCDA	UDL04	31.10	106.76	33.47	72.94	10.00			20.35	21.09	9.60	10.
	Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		<u> </u>	0.105/1	05201	10.01	100.10	00.11	72.01	10.00			20.00	21.00	0.00	
	Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo		1		ΙΤ	\neg						1				1
_	(2.4-64kbs)		<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport		١.,	LINIODY	LIBLOA	04.40	400.70	05.47	70.04	40.00			00.05	04.00	0.00	4.0
_	Combination-Zone 1 Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	-	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
_	Add'l 4W 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	-		UNCDA	UDL04	40.01	100.70	33.47	12.54	10.00			20.33	21.09	9.00	10
	Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo		J	ONODA	ODLO4	55.11	100.70	33.47	12.04	10.00			20.55	21.03	3.00	
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	0.01	52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	E TRA	NSPC													1
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1		1	ÚNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA														
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
_	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo	-		UNC3X	1L5XX	2.34	400.04	450.04	04.40	05.40			00.05	04.00	0.00	<u> </u>
-	Interoffice Transport-Dedicated-DS3-Facility Term per mo		-	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	1
	DS3 to DS1 Channel System combination per mo DS3 Interface Unit (DS1 COCI) combination per mo		-	UNC3X UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77						
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
+	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	DS3 Interface Unit (DS1 COCI) combination per mo		ľ	UNC1X	UC1D1	17.58	5.70	4.42	70.07	24.00			20.00	21.00	3.00	- '
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
2-WII	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFF	CE TR	ANSP		1	İ						İ				1
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-2W VG combination-Per mi Per mo			UNCVX	1L5XX	0.0174										
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	Ī	52.73	24.62	9.12	9.12	<u> </u>		20.35	21.09	9.80	1
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFF	CE TR	ANSP		1,150											.
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2	<u> </u>	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94				20.35	21.09	9.80	1
+	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3	 	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1		20.35	21.09	9.80	1
	Interoffice Transport-Dedicated-4W VG combination-Per mi Per mo Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo	-	 	UNCVX UNCVX	1L5XX U1TV4	0.0174	70.00	44.08	69.32	24.00	 	 	20.35	24.00	9.80	-
+	NRC Currently Combined Network Elements Switch-As-Is Charge	 	1	UNCVX	UNCCC	27.30	79.83 52.73	24.62		31.00 9.12	}	1	20.35	21.09 21.09	9.80	
Des	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAN	SPOP	T (EE		UNCCC	+	32.13	24.02	9.12	9.12	}	1	20.33	21.09	9.00	 '
233	High Capacity Unbundled Local Loop-DS3 combination-Per mi per mo	UK	. (221	UNC3X	1L5ND	9.19			1		1			+	1	
+	High Capacity Unbundled Local Loop-DS3 combination-Fer file per file High Capacity Unbundled Local Loop-DS3 combination-Facility Term per		†	UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24	 		20.35	21.09	9.80	1
-	Interoffice Transport-Dedicated-DS3-Per mi per mo		 	UNC3X	1L5XX	2.34	240.23	100.07	100.70	70.24	1	1	20.00	21.09	3.00	- '
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo	-	t	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43	1		20.35	21.09	9.80	10
	NRC Currently Combined Network Elements Switch-As-Is Charge	-	1	UNC3X	UNCCC	304.07	52.73	24.62		9.12	 		20.35		9.80	

<u>INBUNDI</u>	LED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhib	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	'ES (\$)			d Elec	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec	Nonrecu	rring	NRC Dis	connect		l		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRA	ANSP	ORT (I													
	High Capacity Unbundled Local Loop-STS1 combination-Per mi per mo			UNCSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10
	Interoffice Transport-Dedicated-STS1 combination-Per mi per mo			UNCSX	1L5XX	2.34										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
_	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.3562	474.04	110.10	70.07	00.00			00.05	04.00	0.00	.
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	1
-	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	1
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.24	5.70	4.42	70.04	40.00			20.35	21.09	9.80	1
-	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	
_	Add'l 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Add'I 2W ISDN Loop in same DSI Interoffice Transport Combination-Zone		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo		ļ	UNCNX	UC1CA	3.24	5.70	4.42	0.40	0.40			20.35	21.09	9.80	1
4 10/15	NRC Currently Combined Network Elements Switch-As-Is Charge	.OF T		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFF	ICE II			USLXX	57.73	228.40	404.74	79.87	24.88			20.35	21.09	9.80	1
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X				161.74								1
-	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X	USLXX	75.40 98.59	228.40 228.40	161.74 161.74	79.87 79.87	24.88 24.88			20.35 20.35	21.09 21.09	9.80 9.80	
_	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X			228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	Interoffice Transport-Dedicated-STS1 combination-Per mi Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Term		1	UNCSX	1L5XX U1TFS	2.34 849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	1
			1	UNCSX	MQ3	222.98	156.02	49.41		6.77			20.35		9.80	1
-	STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo		ļ	UNCSX UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.77			20.35	21.09 21.09	9.80	1
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
_	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74		24.88			20.35	21.09	9.80	1
-	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X UNC1X	USLXX	75.40 98.59	228.40	161.74	79.87 79.87	24.88			20.35	21.09	9.80	1
-	DS3 Interface Unit (DS1 COCI) combination per mo		3	UNC1X	UC1D1	17.58	5.70	4.42	19.01	24.00			20.35	21.09	9.80	1
+	NRC Currently Combined Network Elements Switch-As-Is Charge		-	UNCSX	UNCCC	17.50	52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-10/15	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TI	OVNC	DODT		UNCCC		32.73	24.02	9.12	9.12			20.33	21.09	9.00	-
4-4411	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1	VAIVOI	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
+	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
+	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
1	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi		-	UNCDX	1L5XX	0.0174	100.70	55.47	12.34	10.00			20.33	21.09	3.00	- '
+-	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC	21.13	52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-WIE	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TI	SANSI	PORT		014000	<u> </u>	52.73	27.02	9.12	9.12			20.33	21.09	3.00	<u> </u>
7-4411	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
+	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
+	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
-	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi		-	UNCDX	1L5XX	0.0174	100.70	33.47	12.34	10.00			20.33	21.09	9.00	-
+	Interoffice Transport-Dedicated-4W 64 kbps combination-Fei fill Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10
1	NRC Currently Combined Network Elements Switch-As-Is Charge		1	UNCDX	01100	۷۱.۱۶	52.73	24.62	9.12	9.12			20.35	21.09	9.80	1

	LED NETWORK ELEMENTS - Tennessee												Attachr	ment: 2	Exhib	oit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu		NRC Dis					Rates (\$)		
DDITIONA	AL NETWORK ELEMENTS						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	n used as a part of a currently combined facility, the non-recurrng char	nes de	not:	nnly hut a Switch As	le charge d	oes annly								 		
	n used as ordinarily combined network elements in All States, the non-						nt							 		
	Currently Combined Network Elements "Switch As Is" Charge (One app				WILCII AS IS C	Jilaige does iid	<i>,</i>							 		
14110	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W	1100 10	Cuon											 		
	VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOT	E: Local Channel - Dedicated Transport - minimum billing period - Belov	v DS3:	one i				,							<u> </u>		
-	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel Dedicated 2W VG Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-2W VG Zone 3 Local Channel-Dedicated-4W VG Zone 1	-	3	UNCVX UNCVX	ULDV2 ULDV4	29.34 18.18	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09	9.80 9.80	10.5 10.5
-+	Local Channel-Dedicated-4W VG Zone 1 Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35		9.80	10.5
_	Local Channel-Dedicated-4W VG Zone 3		3	UNCVX	ULDV4	31.05	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS1 per mo Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS1 Per mo Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-DS3-Per mi per mo		Ť	UNC3X	1L5NC	7.15										
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	611.30	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.5
	Local Channel-Dedicated-STS-1-Per mi per mo			UNCSX	1L5NC	7.15										
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.5
	TIPLEXERS															
	E: minimum billing period is one month for DS1 to DS0 Channel System															
NOT	E: minimum billing period is three months for DS3 to DS1 and above Ch	annel	Syste													
	Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo			UDL UDN	1D1DD UC1CA	1.82 3.10	6.07 6.07	4.66 4.66					20.35 20.35	9.80 9.80	11.49 11.49	1.1
-	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	0.91	6.07	4.66					20.35		11.49	1.1
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	1.1
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62			20.35			
	DS3 Interface Unit (DS1 COCI) used with Loop per mo								77.77	72.02					9 80	
				USL	UC1D1	17.58	6.07	4.66							9.80 11.49	9.8
1	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			USL ULDD1	UC1D1 UC1D1	17.58	6.07 6.07	4.66 4.66					20.35	9.80 9.80	9.80 11.49 11.49	9.8 1.
Sub-	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo					17.58	6.07 6.07						20.35	9.80	11.49	9. 1.
Sub-			1			39.74			106.82	18.91			20.35	9.80	11.49	9. 1.
Sub-	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	ULDD1 UNC1X UNC1X	UC1D1 USBFG USBFG	39.74 51.90	116.00 116.00	4.66 40.62 40.62	106.82	18.91			20.35	9.80	11.49	9.8 1.
	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3			ULDD1 UNC1X	UC1D1 USBFG	39.74	6.07 116.00	4.66					20.35	9.80	11.49	9. 1.
BUNDLE	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS)		2	ULDD1 UNC1X UNC1X	UC1D1 USBFG USBFG	39.74 51.90	116.00 116.00	4.66 40.62 40.62	106.82	18.91			20.35	9.80	11.49	9. 1.
NBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) Dange Ports		3	ULDD1 UNC1X UNC1X UNC1X UNC1X	UC1D1 USBFG USBFG USBFG	39.74 51.90 67.86	116.00 116.00	4.66 40.62 40.62	106.82	18.91			20.35	9.80	11.49	9.8 1.
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) aange Ports E: Although the Port Rate includes all available features in TN, the desir	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X	UC1D1 USBFG USBFG USBFG	39.74 51.90 67.86	116.00 116.00	4.66 40.62 40.62	106.82	18.91			20.35	9.80	11.49	9.8 1.1
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X will need to be ordered	UC1D1 USBFG USBFG USBFG USBFG	39.74 51.90 67.86	6.07 116.00 116.00 116.00	4.66 40.62 40.62 40.62	106.82 106.82	18.91 18.91			20.35 20.35	9.80 9.80	11.49 11.49	9.1
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res.	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X will need to be ordered UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs	6.07 116.00 116.00 116.00	4.66 40.62 40.62 40.62	106.82 106.82 3.66	18.91 18.91			20.35 20.35 20.35	9.80 9.80 10.54	11.49 11.49	9.8
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res.	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X will need to be ordered UEPSR UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs	6.07 116.00 116.00 116.00 9.93 9.93	4.66 40.62 40.62 40.62 9.19 9.19	106.82 106.82 3.66 3.66	18.91 18.91 2.92 2.92			20.35 20.35 20.35	9.80 9.80 10.54	11.49 11.49 11.32 13.32	9.8 1.7 1.7
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) dange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res.	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X will need to be ordered UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs	6.07 116.00 116.00 116.00	4.66 40.62 40.62 40.62	106.82 106.82 3.66	18.91 18.91			20.35 20.35 20.35	9.80 9.80 10.54	11.49 11.49	9.8 1.7 1.7
BUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) sange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs 1.89 1.89	6.07 116.00 116.00 116.00 9.93 9.93 9.93	4.66 40.62 40.62 40.62 9.19 9.19	3.66 3.66 3.66	18.91 18.91 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 10.54 10.54	11.49 11.49 11.32 13.32 13.32	9. 1. 1.
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) dange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res.	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X will need to be ordered UEPSR UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs	6.07 116.00 116.00 116.00 9.93 9.93	4.66 40.62 40.62 40.62 9.19 9.19	106.82 106.82 3.66 3.66	18.91 18.91 2.92 2.92			20.35 20.35 20.35	9.80 9.80 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32	9.3 1.1 1.1 1.2 1.4 1.4 1.4
BUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled TN extended local dialing parity Port with Caller ID-Res.	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs 1.89 1.89 1.89	6.07 116.00 116.00 116.00 9.93 9.93 9.93 9.93	4.66 40.62 40.62 40.62 40.62 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66	18.91 18.91 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32 13.32 13.32	9.3 1.1 1.1 1.2 1.4 1.4 1.4
BUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port Neth Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W VG unbundled TN extended local dailing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG USBFG	39.74 51.90 67.86 il USOCs 1.89 1.89 1.89	6.07 116.00 116.00 116.00 9.93 9.93 9.93 9.93	4.66 40.62 40.62 40.62 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66	18.91 18.91 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32 13.32 13.32	9.8 1.7 1.7 1.7 1.4 1.4 1.4
BUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Gunbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W Gunbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W Gunbundled TN Area Calling port with Caller ID- Res (F2R) Exchange Ports-2W Gunbundled TN Area Calling port with Caller ID- Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID- Res (F2R)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 il USOCS 1.89 1.89 1.89 1.89	6.07 116.00 116.00 116.00 116.00 9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32 13.32 13.32 13.32 13.32	9.8 1.7 1.7 1.8 1.4 1.4 1.4 1.4 1.4
BUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) diange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W Gunbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (ACT) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 II USOCs 1.89 1.89 1.89 1.89	6.07 116.00 116.00 116.00 9.93 9.93 9.93 9.93 9.93	4.66 40.62 40.62 40.62 40.62 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66	18.91 18.91 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32 13.32 13.32 13.32	9 1.: 1.: 1.: 1.: 1.: 1.: 1.: 1.:
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) lange Ports EX EX EX EX EX EX EX EX EX EX EX EX EX E	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 ii USOCs 1.89 1.89 1.89 1.89	9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.49 13.32 13.32 13.32 13.32 13.32 13.32	9.8 1.7 1.7 1.8 1.4 1.4 1.4 1.4 1.4
IBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) mange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W G unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W G unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 il USOCS 1.89 1.89 1.89 1.89	6.07 116.00 116.00 116.00 116.00 9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.32 13.32 13.32 13.32 13.32 13.32	9.8 1.7 1.7 1.8 1.4 1.4 1.4 1.4 1.4
IBUNDLE Exch	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 1 USOCS 1.89 1.89 1.89 1.89 1.89	6.07 116.00 116.00 116.00 116.00 9.93 9.93 9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.49 13.32 13.32 13.32 13.32 13.32 13.32	9.8 1.7 1.7 1.8 1.4 1.4 1.4 1.4 1.4 1.4
NBUNDLE Exch	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 ii USOCs 1.89 1.89 1.89 1.89	9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.49 13.32 13.32 13.32 13.32 13.32 13.32	9.8 1.1 1.1 1.2 1.2 1.2 1.2 1.2 1.4 1.4
NBUNDLE Exch	Loop Feeder Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W G unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 I USOCs 1.89 1.89 1.89 1.89 1.89 1.89 1.89	9.93 9.93 9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.49 13.32 13.32 13.32 13.32 13.32 13.32 13.32	9.8 1.1 1.1 1.1 1.4 1.4 1.4 1.4 1.4 1.4 1.4
IBUNDLE Exch	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3 ED LOCAL EXCHANGE SWITCHING(PORTS) ange Ports E: Although the Port Rate includes all available features in TN, the desir RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res. Exchange Ports-2W Analog Line Port outgoing only-Res. Exchange Ports-2W G unbundled TN extended local dialing parity Port with Caller ID-Res. Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR) Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)	ed fea	3	ULDD1 UNC1X UNC1X UNC1X Will need to be ordered UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UC1D1 USBFG	39.74 51.90 67.86 1 USOCS 1.89 1.89 1.89 1.89 1.89	6.07 116.00 116.00 116.00 116.00 9.93 9.93 9.93 9.93 9.93 9.93 9.93 9.93	9.19 9.19 9.19 9.19 9.19 9.19 9.19	3.66 3.66 3.66 3.66 3.66 3.66 3.66	2.92 2.92 2.92 2.92 2.92 2.92 2.92 2.92			20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	9.80 9.80 9.80 10.54 10.54 10.54 10.54 10.54	11.49 11.49 11.49 13.32 13.32 13.32 13.32 13.32 13.32	9. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.

Version 4Q02: 12/18/02 Page 292 of 324

UNBUND	LED NETWORK ELEMENTS - Tennessee			T								_		nent: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Disc		201150	001111		Rates (\$)	001111	001111
	Exchange Port-2W VG TN Residence Dialing Plan w/o Caller ID			UEPSR	UEPWN	1.89	First 9.93	Add'l 9.19	3.66	Add'l 2.92	SOMEC	SOMAN	SOMAN 20.35	SOMAN 10.54	SOMAN 13.32	SOMAN 1.40
	Exchange Port-2W VG TN Residence Dialing Plan Wo Caller ID Exchange Port-2W VG TN Residence Area Plus w/o Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00	3.00	2.32			20.35	10.54	13.32	1.40
FEAT	TURES			02. 0.0	007.00	0.00	0.00	0.00					20.00	10.01	10.02	0
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus. Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB UEPSB	UEPBC UEPBO	1.89	9.93 9.93	9.19 9.19	3.66 3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port			UEPSB	UEPBU	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
	with Caller ID-Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus		1	UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port															
	Economy Option-Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port															
	Standard Option-Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville &															
	Memphis Local Calling Port-Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1 10
	Exchange Ports-2-W VG unbundled TN, Business Line Inward, Collierville			UEPSB	UEPB2	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	& Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Voice TN Business Dialing Plan w/o Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXC	ANGE PORT RATES (DID & PBX)				<u> </u>											
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled Outward PBX Trunk-Bus 2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP UEPSP	UEPPO UEPP1	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Analog TN 2-Way Calling Plan PBX Trunk-Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W TN Outward Calling Plan PBX Trunk-Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Switchboard Port 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP UEPSP	UEPXD UEPXE	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEPSF	UEFAE	1.79	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	Calling Port	1		UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			02. 0.	J		5.56	0.10	5.55	2.02			20.00	.0.04	10.02	10
	Port	1		UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room				1	T			1 T						l	l
	Calling Port	<u> </u>	<u> </u>	UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville &	1		LIEDOD	LIEDAG	4 70	0.00	0.40	2.00	0.00			20.25	40.54	40.00	4 40
	Memphis Local Calling Plan Unbundled Exchange Ports, PBX Trunk Combination, first trunk,			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Collierville & Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					20.35		13.32	1.40
	TURES		1	l												

JNBUN'	DLED NETWORK ELEMENTS - Tennessee			•									Attachr		Exhil	oit: B
·			1								Svc	Svc	Incremental	Incrementa		
											Order	Order	Charge -	I Charge -	Charge -	I Charge
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual	Manual Svc	Manual
CATEGO	RY RATE ELEMENTS	m	е	BCS	USOC		RA	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc Orde
			ľ								per LSR	Manually	Electronic-	vs.	Electronic-	vs.
												per LSR	1st	Electronic-	Disc 1st	Electronic
$\overline{}$			1				Nonreci	ırrina	NRC Dis	connect			oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EX	CHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					2.11	9.93	9.19	3.66				20.35	10.54	13.32	1.4
	TE: Transmission/usage charges associated with POTS circuit switched											with 2W	SDN ports.			
	TE: Access to B Channel or D Channel Packet capabilities will be availab LED LOCAL EXCHANGE SWITCHING(PORTS)	le only	y thro	ugh BFR/NBR Process.	Rates for	the packet cap	oabilities will b	e determin	ed via the	BFR/NBR	Process.					
	CHANGE PORT RATES		-													
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.4
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.4
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10				20.35	10.54	13.32	1.4
NC	TE: Transmission/usage charges associated with POTS circuit switched	usage	will a								associated	with 2W				
	TE: Access to B Channel or D Channel Packet capabilities will be availab															
<u></u> L	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.4
	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UN	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
No	n-Recurring			11501/0	110100										10.00	
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is		<u> </u>	UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service-Conversion with allowed			LIED//D	110400		4.00	0.00								
	change (PIC & LPIC) BUNDLED REMOTE CALL FORWARDING - Bus		-	UEPVR	USACC		1.03	0.29								
UN	Unbundled Remote Call Forwarding Service, Area Calling-Bus		-	UEPVB	UERAC	1.00	9.93	0.10	2.66	2.92			20.35	10.54	13.32	1.4
$-\!\!+\!\!\!-$	Unbundled Remote Call Forwarding Service, Area Calling-Bus		-	UEPVB	UERLC	1.89 1.89	9.93	9.19 9.19	3.66 3.66	2.92			20.35	10.54	13.32	1.4
-+	Unbundled Remote Call Forwarding Service, Local Calling-Bus		1	UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
$-\!\!\!\!+\!\!\!\!\!-$	Unbundled Remote Call Forwarding Service, InterLATA-Bus		1	UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
-+	Unbundled Remote Call Forwarding Service, IntraLATA-Bus Unbundled Remote Call Forwarding Service Expanded & Exception Local		1	OLI VD	OLIVIN	1.03	3.33	3.13	3.00	2.32			20.55	10.54	10.02	1.7
	Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
No	n-Recurring			02. 12	OLITTO	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.4
	Unbundled Remote Call Forwarding Service-Conversion with allowed															
	change (PIC & LPIC)			UEPVB	USACC		1.03	0.29								
JNBUND	LED LOCAL SWITCHING, PORT USAGE															
En	d Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0008041										
Tar	ndem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU		1	ļ		0.0009778	 		ļ	ļ						
Co	mmon Transport		1	ļ		0.0000001	 		ļ	ļ						
$-\!\!\!+\!\!\!\!-$	Common Transport-Per mi, Per MOU		1-	 	1	0.0000064 0.0003871	 		 	 	-					
INIDIINID	Common Transport-Facilities Term Per MOU LED PORT/LOOP COMBINATIONS - COST BASED RATES		+	 	-	0.0003871	-	-	-	 	-	 				1
	st Based Rates are applied where BellSouth is required by FCC and/or Co	mmice	sion r	ule to provide Unbundl	ad Local C	Witching or Su	vitch Ports	1	-	-	-	1			-	-
	atures shall apply to the Unbundled Port/Loop Combination - Cost Based							Inbundled I	Port section	n of this	I Exhibit					
	d Office and Tandem Switching Usage and Common Transport Usage rate											oin Port/I	oop Combin	ations		
	e first and add'l Port NRC charges apply to Not Currently Combined Comb															
	/IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1													
	E Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
LIN	E Loop Rates															
UIN	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	12.48										
			0	LIEDDY(UEPLX	16.31				l						
	2W VG Loop (SL1)-Zone 2		2	UEPRX												1
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	21.32										
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 //ire Voice Grade Line Port Rates (Res)			UEPRX	UEPLX	21.32										
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Jire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence			UEPRX UEPRX	UEPLX	21.32	22.14	15.25	8.45	3.91		15.69				
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 //ire Voice Grade Line Port Rates (Res)			UEPRX	UEPLX	21.32	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45 8.45	3.91 3.91 3.91		15.69 15.69 15.69				

Version 4Q02: 12/18/02 Page 294 of 324

DIADOIADE	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
											Svc	Svc	Incremental	Incrementa	Incremental	Incremen
											Order	Order	Charge -	I Charge -	Charge -	I Charg
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual	Manual Svc	Manu
ATEGORY	RATE ELEMENTS			BCS	USOC		RAT	TES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc Or
		m	е								per LSR		Electronic-	vs.	Electronic-	vs.
											per Lak	per LSR	1st	Vs. Electronic-		Electro
												per LSK	ist	Electronic-	DISC 1St	Electro
						_	Nonrecu	ırrina	NRC Disc	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
+	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69	1	-	1	1
_	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				1
-	2W Voice Unbundled TN Residence Dialing Plan w/o Caller ID	1		UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69		-		
+	2W voice unbundled TN Residence Dialing Flan w/o Caller ID 2W voice unbundled TN Area Plus Port w/o Caller ID Capability	 		UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69		-		$\vdash \!$
+-	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	 		UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69		-		$\vdash \!$
FEAT		-		OLITAX	OLIKI	1.70	22.14	10.20	0.45	0.01		13.03				
FLAI	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00	+			15.69	-	-	-	
1.004	L NUMBER PORTABILITY			ULFKA	OLFVI	0.00	0.00	0.00	+			13.09	-	-	-	
LUCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			+				-	-	-	-
NDC	CHARGES (NRCs) - CURRENTLY COMBINED			UEPKA	LINFCX	0.33			+				-	-	-	-
NRC		-		UEPRX	USAC2		4.00	0.29	-			15.69				
_	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USACZ		1.03	0.29	1			15.69				
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRA	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database											4= 00				
4 0 0 1	Update						0.76		1			15.69				
ADDI	FIONAL NRCs			HEDDY	110400	0.00	0.00	0.00	1			45.00				
0.14/15	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)								1							
UNE	Port/Loop Combination Rates		<u> </u>			44.40										
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
UNE	_oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option															
	(TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option															
	(TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling															
	Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled TN Business Dialing Plan w/o Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	TN Inward Collierville & Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	TN 2-Way Collierville & Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35						1				

BUNDL	LED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu			connect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	TURES			LIEBBY .		2.22						45.00				
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				<u> </u>
	CHARGES (NRCs) - CURRENTLY COMBINED			HEDDY	110400		4.00	0.00				45.00				
+	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX UEPBX	USAC2 USACC		1.03	0.29				15.69 15.69				
-	2W VG Loop/Line Port Combination-Conversion-Switch with Change 2W VG Loop/Line Port Combination-Conversion-Subsqut Database			OLFBA	USACC		0.76	0.29				15.69				
ADDI	TIONAL NRCs						00					10.00				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				1
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE I	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18	· · · · · · · · · · · · · · · · · · ·									
	2W VG Loop/Port Combo-Zone 2		2			18.01										
—	2W VG Loop/Port Combo-Zone 3		3			23.02										ļ
\bot	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	12.48					ļ					↓
-	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	16.31					1					₩
2 14":-	2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	21.32					}				1	₩
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91	-	15.60				
	AL NUMBER PORTABILITY			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69		-	-	-
LUCA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FFAT	URES			OLI IKO	LIVI OI	3.13	0.00	0.00				10.03				†
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				†
	CHARGES (NRCs) - CURRENTLY COMBINED				1											1
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database						0.76					15.69				
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				_											<u> </u>
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1		_	14.18										<u> </u>
			2		+	18.01					-					
-	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3		+ -	23.02								-	-	-
	Loop Rates		3		+	23.02										-
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	12.48										†
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	21.32										†
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		m												1	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				ļ
\bot	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69			-	
+	2W Voice Unbundled PBX Toll Terminal Hotel Ports		\vdash	UEPPX UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91	}	15.69		1	1	├
+-	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		\vdash	UEPPX	UEPXC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	15.69 15.69			-	├
+-	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		\vdash	UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91	1	15.69			t	
1	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			JEITA	OLI AL	1.70	22.14	10.20	0.70	0.01	1	10.03		<u> </u>	I	t
	Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			02 x	J. 7.L	0		.0.20	3.70	0.01		.0.00			1	
	Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				1
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative													İ	İ	
	Calling Port TN Calling Port	1	1	UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				ļ
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPPX UEPPX UEPPX	UEPXO UEPXS UEPXU	1.70 1.70 1.70	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45 8.45	3.91 3.91 3.91		15.69 15.69 15.69				

NBUND	LED NETWORK ELEMENTS - Tennessee												Attachr	nent: 2	Exhib	oit: B
TEGOR	rate elements	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec	Nonrecu First	ırring Add'l	NRC Dis First	connect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	TN PBX 2-Way Combo Each Add'l Trunk Collierville & Memphis Local						FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
	Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	TN PBX 2-Way Combo First Trunk Collierville & Memphis Local Calling			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				<u> </u>
NRC	CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			HEDDY	110400		1.00	0.00				45.00				ļ
_	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX UEPPX	USAC2 USACC		1.03	0.29				15.69 15.69				
-	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with 2W VG Loop/Line Port Combination-Conversion-Subsqut Database			UEPPA	USACC		0.76	0.29				15.69				
ADD	ITIONAL NRCs	t	1				0.70					10.09			†	
12	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	<u> </u>		UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group					2.00	14.64	14.64				15.69			İ	
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2W VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2W VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNE	Loop Rates		L.,			10.10										
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	12.48										ļ
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPCO UEPCO	UEPLX	16.31 21.32										
2-14/6	re Voice Grade Line Ports (COIN)		3	UEPCO	UEPLA	21.32					1				1	-
2-441	2W Coin 2-Way w/o Oper Screening & w/o Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way w Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+															
	& Local			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin Outward with Oper Screening & 011 Blocking			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+ &															
	Local			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
-	2W 2-Way Smartline with 900/976 2W Coin Outward Smartline with 900/976			UEPCO UEPCO	UEPCK	1.88 1.88						15.69 15.69				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)			UEPCU	UEPCR	1.88					1	15.69			1	
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35	0.00	0.00	0.00	0.00		10.00				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (RES)													
UNE	Port/Loop Combination Rates	<u> </u>	L.												ļ	<u> </u>
-	2W VG Loop/IO Tranport/Port Combo-Zone 1	<u> </u>	1			18.45					<u> </u>				<u> </u>	<u> </u>
-	2W VG Loop/IO Tranport/Port Combo-Zone 2	<u> </u>	3		+	23.52					<u> </u>	1			1	
LIME	2W VG Loop/IO Tranport/Port Combo-Zone 3 Loop Rates		3			30.17					1				1	
UNL	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56										
1	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3	1	3	UEPFR	UECF2	28.28									l	
2-Wi	re Voice Grade Line Port Rates (Res)		Ť													
	2W voice unbundled port-residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.89	84.99	57.39	32.36			15.69				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-res	ļ		UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
_	2W voice unbundled TN Area Plus with Caller ID-res (AC7)	<u> </u>		UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69			1	├
_	2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER)	<u> </u>		UEPFR UEPFR	UEPAK UEPAL	1.89 1.89	84.99 84.99	57.39	32.36	20.56 20.56		15.69 15.69			 	-
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)	!	<u> </u>	UEPFR	UEPAL	1.89	84.99	57.39 57.39	32.36 32.36	20.56		15.69	-		-	
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSK) 2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)	-	1	UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69			 	
_	2W voice unbundled TN Area Calling port with Caller ID-res (1MI 2A)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69			1	
+	2W voice unbundles res, low usage line port with Caller ID (LUM)	<u> </u>		UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
	2W Voice Unbundled TN Residence Dialing Plan w/o Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
	ROFFICE TRANSPORT		1		1						1				1	

Version 4Q02: 12/18/02 Page 297 of 324

NROND	LED NETWORK ELEMENTS - Tennessee			1										nent: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu			connect				Rates (\$)		
					1117710		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR UEPFR	U1TV2 1L5XX	18.58 0.0174	55.39	17.37	27.96	3.51						ļ
ΕΕΛΊ	TURES			UEFFR	ILSAA	0.0174										
I LA	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				1
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		16.94	3.72				15.60				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEPFR	USAC2		16.94	3.72				15.69				-
	Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2-WII	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE P	ORT (BUS)													
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		1	18.45										₩
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	23.52 30.17					-					
UNF	Loop Rates		3			30.17										
J.112	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.28										
2-Wii	e Voice Grade Line Port (Bus)															<u> </u>
	2W voice unbundled port w/o Caller ID-bus 2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus			UEPFB UEPFB	UEPBC UEPBO	1.89 1.89	84.99 84.99	57.39 57.39	32.36 32.36	20.56 20.56		15.69 15.69				-
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus		1	UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option															
	(TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option			LIEDED	LIEDAD	4.00	04.00	F7.00	00.00	00.50		45.00				
-	(TACC2) 2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2W Voice Unbundled TN Business Dialing Plan w/o Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	TN Inward Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
	TN 2-Way Collierville & Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOC	AL NUMBER PORTABILITY			UEDED	LNDOV	0.05										
INITE	Local Number Portability (1 per port) ROFFICE TRANSPORT			UEPFB	LNPCX	0.35										
IIVIE	Interoffice Transport-Dedicated-2W VG-Facility Term		1	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0174	00.00		21.00	0.01						
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				<u> </u>
NRC	CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	╄	-					1			-				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is		1	UEPFB	USAC2		16.94	3.72				15.69				
+	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	-	+	OLFFB	USAGZ		10.94	3.12				13.09				
	Switch with change	l		UEPFB	USACC		16.94	3.72				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates		<u> </u>													
-	2W VG Loop/IO Tranport/Port Combo-Zone 1 2W VG Loop/IO Tranport/Port Combo-Zone 2		1			18.45					1	-				
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+ +	23.52 30.17			-			-				
UNF	Loop Rates	l	۲		+ +	30.17			1		1	 				
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28	-									
2-Wii	e Voice Grade Line Port Rates (BUS - PBX)		1	HEDED	LIEBBO	4 70	400.40	00.00	40.0=	40.51		45.00				₩
+	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus	<u> </u>	+	UEPFP UEPFP	UEPPC UEPPO	1.79 1.79	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54	-	15.69 15.69				├──
	Line Side Unbundled Incoming PBX Trunk Port-Bus		1	UEPFP	UEPP0	1.79	106.40	63.08	42.67	18.54		15.69				-
+	2W Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69			İ	
+	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	1.79	106.40	63.08		18.54	1	15.69		İ	İ	i e

	ED NETWORK ELEMENTS - Tennessee													nent: 2		bit: B
											Svc	Svc		Incrementa		Incremen
											Order	Order	Charge -	I Charge -	Charge -	I Charge
		Interi	Zon								Submitte	Submitte	Manual Svo	Manual	Manual Svc	Manua
CATEGORY	RATE ELEMENTS			BCS	USOC		RAT	ES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc Ord
		m	е										Electronic-	vs.	Electronic-	vs.
											per Lon	per LSR	1st	Electronic-		Electroni
												per Lak			DISC 1SI	Electroni
						Rec	Nonrecu		NRC Dis			T =		Rates (\$)		T
	DOWN IN THE RESERVE OF THE PROPERTY OF THE PRO						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				ļ
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling												İ	İ		
	Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69			1	
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative					- 1										
	Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69			I	1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				†
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
_	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
1.004	L NUMBER PORTABILITY			OLITI	OLIXV	1.75	100.40	05.00	42.07	10.04		15.05			1	-
LUCA	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
				UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTER	ROFFICE TRANSPORT				1117710	40.50	== 00									
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0174										
FEAT																
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NRC (CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFP	USACC		16.94	3.72				15.69				
BUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			18.38										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			19.87										†
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3		-	24.78										-
	Loop Rates		J		-	24.70										
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60						-	-	-	-	
				UEPPX		11.09						 		-	-	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2		UECD1							 	 	 	1	├
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00						1		1	1	₩
UNE	Port Rate			HESSY	LIESS!				6 15						1	——
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91		ļ	30.89	7.03		.
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		
Telep	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00					İ	İ		
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00					İ	İ	1	1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								†
-	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				 			 	

וחאחסאוו	ED NETWORK ELEMENTS - Tennessee			T											ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	B	cs	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
							Rec	Nonrecu	ırring	NRC Dis	sconnect				Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY						0.15										
0.14/15	Local Number Portability (1 per port)	DODI		UE	PPX	LNPCP	3.15	0.00	0.00	1			ļ				
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE Port/Loop Combination Rates	PORI										-					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB	UEPPR		34.78										ſ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
UNE	Port Rate		1	LIEBBE	LIEBBB	LIEBBB	10.0-	=-	410.0-	/2.2-	40.0-	<u> </u>		10.0-			
NDC	Exchange Port-2W ISDN Line Side Port CHARGES - CURRENTLY COMBINED		1	UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26	}	1	19.99	19.99		
NRC	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-		1	1		 				1	1	1	 				
	Conversion	l	1	UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		i
ADDI	TIONAL NRCs			52.1.0	UL. 1 IX	55.100	0.00	117.20	.17.20	1	1	1	1	10.00	10.00		
1	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add		1														
	Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		l
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																1
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TAIL	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			-					
ь-сп	CVS/CSD (DMS/5ESS)	IIV)		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								1
_	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			V			0.00										
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								i
VERT	ICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								1
_	Interoffice Channel miage each, including first mi & facilities Term			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
4 14/15	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00	1			ļ				
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT Port/Loop Combination Rates		1									-					
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1	-	1	LIE	PPP		132.58			 		1					
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2		PPP		150.25			1	1	1	1				ſ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3		PPP		173.44				1						<u> </u>
	Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1		PPP	USL4P	57.73	-									
	4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	75.40										<u> </u>
1,	4W DS1 Digital Loop-UNE Zone 3		3	UE	PPP	USL4P	98.59			<u> </u>		<u> </u>					
UNE	Port Rate		1		PPP	UEPPP	74.85	415.53	200.00	00.00	77 40	1	1	40.00	40.00		
NPC	Exchange Ports-4W ISDN DS1 Port CHARGES - CURRENTLY COMBINED		1	UE	rrr	UEPPP	74.85	415.53	366.90	89.28	77.43	1	-	19.99	19.99		
NIC	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-		+							<u> </u>							
	Conversion-Switch-as-is	l	1	UEI	PPP	USACP	0.00	328.53	328.53					19.99	19.99		i
ADDI	TIONAL NRCs			1			2.00	2_2.00	525.00								i
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UE	PPP	PR7TF		0.94				Ì		19.99	19.99		i
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos				PPP	PR7TO		22.36	22.36					19.99			
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UE	PPP	PR7ZT		44.71	44.70					19.99	19.99		<u> </u>
LOCA	L NUMBER PORTABILITY		1	ļ						ļ	ļ		1				
10175	Local Number Portability (1 per port)		1	UE	PPP	LNPCN	1.75					1					
INTE	RFACE (Provsioning Only) Voice/Data		1	11-	PPP	DD74\/	0.00	0.00	0.00	<u> </u>	1	}	1		1		
-	Digital Data		1		PPP PPP	PR71V PR71D	0.00	0.00	0.00		-	1	-			-	
	Inward Data		1		PPP	PR71E	0.00	0.00	0.00		-						ſ
New	or Additional "B" Channel			JL		TIVIL	0.00	0.00	0.00	1	1	1	1				
1.0.7	New or Add'l-Voice/Data B Channel		†	UE	PPP	PR7BV	0.00	28.39						19.99	19.99		
_	New or Add'l-Digital Data B Channel		1		PPP	PR7BF	0.00	29.11				1		19.99		1	

Version 4Q02: 12/18/02 Page 300 of 324

RATE ELEMENTS State 2 m BCS SSC SATE (\$) SATE (\$) Sate S	RANDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	Exhib	
New Colon	TEGORY	RATE ELEMENTS			BCS	USOC						Order Submitte d Elec	Order Submitte d Manually	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
Report For Teamer Date & Charmont CEPPPO PROPED 0.07 27.3 m 1.0 m 19.00	+						Rec					SOMEC	SOMAN			SOMAN	SOMAN
CALL TYPES	1	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00		Add I	FIISL	Addi	SOMEC	SUMAN			SOWAN	SUMAN
Desired Function Desired Fun					02	1100	0.00	20.00						10.00	10.00		
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
Interest Control Milesge		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
Figs April Part		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Econ Airine Factorial Addit not																	
AVM R PORTAGE COMMINION TRUMP ROPET		Ü						145.98	109.85	19.55				19.99	19.99		
West Port Age					UEPPP	1LN1B	0.3525										
W SST Digital Logo/WW DOTTS Trunk Prot-LNR Zone 1 1 UEPDC 93.28 19.99 19.9																	
WW SEI Digital Loop/WV DDTS Trunk Port-UNE Zone 2 2 UEPDC 150.68 159.99 19.9				1	HEDDC	-	02.20							10.00	10.00		
WR OS1 Digital Loop/WP DOTS Trans Port-LINE Zone 3 3 UEPDC USLDC 77.40			 							1	1	1	 				
WINE Loop Rates			 			+ -							-				
AW OST Digital Loop-UNE Zone 1			<u> </u>	Ť	32, 50		.04.14							10.00	10.00		
WW DS1 Digital Loop-UNE Zone 3				1	UEPDC	USLDC	57.53										
UNE FOR Rate UPPC				2	UEPDC	USLDC	75.40										
MY DOTS Digital Trunk Port MORC CHARGES - CURRENTLY COMBINED 19.99 19.		4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	98.59										
NRC CHARGES - CURRENTLY COMBINED																	
WH DST Digital LocyAW DDTS Trunk Port Combination-Switch-as-is UEPDC USAC4 312.91 312.91 19.99 19.					UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
AV DST Opidal Lopof AV DDTS Trunk Port Combination-Conversion with UEPDC USAWA 312.91 312.91 19.99																	
DEPC					UEPDC	USAC4		312.91	312.91					19.99	19.99		
Change-Trunk UEPDC USAWB 312.91 312.91 19.99 19.		DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
ADDITIONAL INCS					UEPDC	USAWB		312.91	312.91					19.99	19.99		
Order						99			0.2.0								
Activation/Chan 2-Way DDTS Trunk Port-NRC-Subsqrt Channel LEPDC UDTTB 108.67 108.67 108.67 19.99					UEPDC	USAS4		94.88	94.88								
W DS1 Loop/AW DDTS Trunk Port-Subsqnt Channel Activation/Chan-1 Way Obulward Trunk Wort DID UEPDC UDTTC 108.67 108.67 19.99														19 99	19 99		
AW DST Loop/AW DDTS Trunk Port-Subsqnt Channel Activation/Chan UEPDC UDTTC 108.67 108.67 108.67 109.99 19.99		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-															
AW DST Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan- Invard Trunk with DID	1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
AWY DITS Tunk Port-Subsqnt Chan Activation/Chan-2- UEPDC					OLFDC	ODITO		100.07	100.07					15.55	19.99		
BIPOLAR 8 ZERO SUBSTITUTION					UEPDC	UDTTD		108.67	108.67					19.99	19.99		
B8ZS-Superframe Format	,	Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
B8ZS-Extended Superframe Format				-	115550	22225			=00.00					10.00	10.00		
Alternate Mark Inversion			 	+						-	 	1	-			-	
AMI-Superframe Format			 	1-	ULFDC	COUEF		0.00	590.00	1	1	1	1	19.99	19.99		
AMI-Extended SuperFrame Format			 	1	UEPDC	MCOSE		0.00	0.00				-				
Telephone Number for 1-Way Trunk Group			<u> </u>														
Telephone Number for 2-Way Trunk Group								2.00	2.00								
Telephone Number for 1-Way Inward Trunk Group w/o DID UEPDC UDTGZ 0.00 19.99					UEPDC	UDTGX	0.00					Ì		19.99	19.99		
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00 19.99		Telephone Number for 1-Way Outward Trunk Group															
DID Numbers, Non-consecutive DID Numbers , Per Number								•									
Reserve Non-Consecutive DID Nos.																	
Reserve DID Numbers			<u> </u>							ļ	ļ	ļ		19.99	19.99		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port			ļ	 													
Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			1000				0.00	0.00	0.00	<u> </u>	 	}	1				
Interoffice Channel miage-Add'l rate per mi-0-8 mis			_oop	with 4			75 00	145.00	100.05	10.66	14.00	1	-	-		-	
Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)				1							14.99					-	
Interoffice Channel miage-Add'l rate per mi-9-25 mis			†	1						-	 	 	-				
Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)				1						1		1	1				
Interoffice Channel miage-Add'l rate per mi-25+ mis				1													
Local Number Portability, per DS0 Activated UEPDC LNPCP 3.15 0.00 0.00																	
		Local Number Portability, per DS0 Activated				LNPCP		0.00	0.00								
Central Office Termininating Point UEPDC CTG 0.00					UEPDC	CTG	0.00	-									

ADOIADE	ED NETWORK ELEMENTS - Tennessee	-			1									ment: 2		bit: B
											Svc	Svc				
											Order	Order	Charge -	I Charge -	Charge -	I Char
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual	Manual Svo	Man
TEGORY	RATE ELEMENTS			BCS	USOC		RAT	ΓES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc C
		m	е								per LSR		Electronic-	vs.	Electronic-	
											per Lon	per LSR	1st	Electronic-		Electro
							Managa		NDC Dia	connect		per LSK			DISC 1St	Liecti
-		-			+	Rec	Nonrecu First	Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOM
Syste	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations				+		riist	Auu i	FIISL	Auu	JOINILO	JOWAN	JOWAN	JOWAN	JOWAN	301
	System can have up to 24 combinations of rates depending on type and	numb	ner of	norts used	+											+
	OS1 Loop			porto ucou	+	+								1		+
	4W DS1 Loop-UNE Zone 1	-	1	UEPMG	USLDC	57.73	0.00	0.00								+
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								+
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								+
			J	UEFIVIG	USLDC	90.39	0.00	0.00	ļ		ļ					+
UNE	OSO Channelization Capacities (D4 Channel Bank Configurations)					404.00							10.00	10.00		+
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		1
_	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		+
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channe	liztion	with				0.00	0.00					10.00	10.00		+-
	imum System configuration is One (1) DS1, One (1) D4 Channel Bank, a															+
	oles of this configuration functioning as one are considered Add'I after													1	1	+
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes	ine mii	mimu	UEPMG	USAC4	0.00	303.61	15.74	ļ		ļ		19.99	19.99		+
						0.00	303.61	15.74					19.99	19.99		+
	m Additions at End User Locations Where 4-Wire DS1 Loop with Chann			th Port Combination	Currently Ex	ists and										+
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8	WISA'S	S													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea						=0.4.00									
	Activation			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only			UEPMG	CCOEF	0.00	0.00	590.00								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization with P	ort														
	ange Ports															1
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		†
1	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		+
	Line Side Inward Only Channelized PBX Trunk Port w/o DID	-		UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		+
+	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00		 	30.89	7.03		+-
1	Unbundled Exchange Ports, 2W Channelized-Outdial(Conversion from	-+		OLFFA	OLFDIVI	0.91	0.00	0.00	0.00	0.00	-	1	30.09	7.03	1	+-
1	Network Access Service)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
-				UEPPA	UEPCT	1.70	0.00	0.00	0.00	0.00	ļ		30.69	7.03		+
1	Unbundled Exchange Ports, 2W Channelized-Combination(Conversion			HEDDY	LIEBOT	, _,	0.00	0.00	0.00	0.00			00.00	7.00		
+	from Network Access Service)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		+
	Unbundled Exchange Ports, 2W Channelized-Outdial-TN Only-Calling				1		_			l				_		
1	Plan-Regionserv			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		4
1	Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only –												İ			1
	Calling Plan-Regionserv			UEPPX	UEPXV	1.70	0.00	0.00	0.00	0.00	<u> </u>	<u></u>	30.89	7.03	<u> </u>	
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank															T
1	(includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		1
												1		T	1	1
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	J				l l						1		1		

14DOIND	LED NETWORK ELEMENTS - Tennessee		- 1								Cun	Cva	Attachr		Exhib	
ATEGORY	RATE ELEMENTS		Zon e	BCS	usoc		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Svc Ord vs.
												per LSR		Electronic-	Disc 1st	Electro
						Rec	Nonrect First	ırring Add'l	NRC Dis	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
Teler	phone Number/ Group Establishment Charges for DID Service						11131	Auu	11130	Auu	JONILO	JONIAN	JOHAN	JOINAIN	JOMAN	30117
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
_	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
Loca	Reserve DID Numbers I Number Portability			UEPPX	NDV	0.00	0.00	0.00								
Loca	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								1
FEAT	URES - Vertical and Optional			OLITA	LIVI OI	5.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	D PORT LOOP COMBINATIONS - MARKET RATES															
	et Rates shall apply where BellSouth is not required to provide unbundle	ed local	l swi	tching or switch ports	per FCC ar	nd/or Commiss	sion rules.									
	includes:							<u> </u>		. 500 -		L				
	Indled port/loop combinations that are Currently Combined or Not Curren Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miam															
ReliS	outh currently is developing the billing capability to mechanically bill the	e recur	rina	and non-recurring Mar	ket Rates i	n this section	In the interir	n where Re	ISouth ca	nnot hill I	niii); IN (i Narket Rat	s Relisor	ıth shall hill	the rates in	the Cost-Ras	ed sec
	eding in lieu of the Market Rates and reserves the right to true-up the billi											oo, 20oo	0		0001 240	
	Market Rate for unbundled ports includes all available features in all state															
	Office and Tandem Switching Usage and Common Transport Usage rates		Port	section of this rate ex	hibit shall	apply to all co	mbinations of	loop/port i	network el	ements ex	cept for U	INE Coin F	ort/Loop Co	mbinations	which have a	a flat ra
usag	e charge (USOC: URECU).															
	lot Currently Combined scenarios the NRC charges are listed in the First	and Ac	dditio	onal NRC columns for o	each Port l	JSOC. For Cui	rently Combi	ned scenari	os, the N	RC charge	s are listed	in the NR	C - Currently	/ Combined	section. Add	ditiona
	s may apply also and are categorized accordingly.					1								1	1	
12-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	Port/Loop Combination Rates		1			26.49										
	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1 2			26.48 30.31										
	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2			30.31										
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3															
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2	UEPRX	UEPLX	30.31										
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates		3	UEPRX UEPRX	UEPLX UEPLX	30.31 35.32										
UNE	Port/Loop Combination Rates		3			30.31 35.32 12.48										
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop (Score 2) Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res)		3 1 2	UEPRX UEPRX	UEPLX UEPLX	30.31 35.32 12.48 16.31 21.32										
UNE	Port/Loop Combination Rates		3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	30.31 35.32 12.48 16.31 21.32	90.00	90.00					30.89	7.03		
UNE	Port/Loop Combination Rates		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	30.31 35.32 12.48 16.31 21.32 14.00 14.00	90.00	90.00					30.89	7.03		
UNE	Port/Loop Combination Rates		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	30.31 35.32 12.48 16.31 21.32 14.00 14.00	90.00 90.00	90.00 90.00					30.89 30.89	7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port folioping only-res 2W voice unbundled port outgoing only-res 2W VG unbundled TN extended local dialing parity port with Caller ID-res		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAQ	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00					30.89 30.89 30.89	7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port folioping only-res 2W voice unbundled port outgoing only-res 2W VG unbundled TN extended local dialing parity port with Caller ID-res		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAQ	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00					30.89 30.89 30.89	7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled To extended local dialing parity port with Caller ID-res 2W voice unbundled Th Area Calling port with Caller ID-res (F2R) 2W voice unbundled Th Area Calling port with Caller ID-res (F2R)		3 1 2	UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAL	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop (Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W VG unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMF2X)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAK UEPAL UEPAM UEPAN UEPAN UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled To Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAK UEPAL UEPAM UEPAN UEPAN UEPAO UEPAP	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled Ses, low usage line port with Caller ID (LUM) 2W voice unbundled Ses, low usage line port with Caller ID (Capability		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAM UEPAM UEPAN UEPAO UEPAP UEPAP	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled The Area Calling port with Caller ID-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (MF2X) 2W voice unbundled TN Area Calling port with Caller ID-res (MR) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling port with Caller ID-res (DEP) 2W voice unbundled TN Area Calling Port with Caller ID-res (DEP)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAM UEPAM UEPAN UEPAN UEPAN UEPAN UEPAP UEPAP UEPRT UEPWN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-Wit	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled Th Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (Despite Vinder Unit Caller ID-res (Despite Vinder Unit Caller ID-res (Despite Vinder ID) 2W voice unbundled TN Area Calling Port with Caller ID Capability 2W voice unbundled TN Residence Dialing Plan w/o Caller ID 2W voice unbundled TN Area Puls Port w/o Caller ID Capability		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAM UEPAM UEPAN UEPAO UEPAP UEPAP	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-Wit	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice unbundled port esidence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (MF2X) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Residence Dialing Plan who Caller ID 2W voice Unbundled TN Area Plus Port w/o Caller ID Capability L NUMBER PORTABILITY		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAQ UEPAM UEPAM UEPAM UEPAN UEPAN UEPAP UEPAP UEPAP UEPAP UEPAP	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-Wir	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port esidence 2W voice unbundled port outgoing only-res 2W voice unbundled The Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling Port with Caller ID Capability AL NUMBER PORTABILITY Local Number Portability (1 per port)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAK UEPAM UEPAM UEPAN UEPAN UEPAN UEPAN UEPAP UEPAP UEPRT UEPWN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice unbundled port esidence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN extended local dialing parity port with Caller ID-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled TN Area Pus Port w/o Caller ID Capability 2W voice unbundled TN Area Pus Port w/o Caller ID Capability L NUMBER PORTABILITY Local Number Portability (1 per port) URES		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAQ UEPAQ UEPAM UEPAM UEPAM UEPAN UEPAN UEPAP UEPAP UEPAP UEPAP UEPAP	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TMF2X) 2W voice unbundled TN Area Calling port with Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability LNUMBER PORTABILITY LOCAL MARCH ARCH ARCH ARCH ARCH ARCH ARCH ARCH		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAA UEPAM UEPAM UEPAM UEPAD UEPAP UEPAP UEPAP UEPAF UEPAR UEPAR	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (IMF2X) 2W voice unbundled TN Area Calling port with Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability AL NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRC UEPAQ UEPAK UEPAK UEPAM UEPAM UEPAM UEPAM UEPAP UEPAP UEPAP UEPAP UEPK UEPAF UEPWN UEPK UEPWN UEPK UEPK UEPK UEPK UEPK UEPK UEPK UEPK	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With LOCA FEAT	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled To Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (IMF2X) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Calling Port with Caller ID (LUM) 2W voice unbundled TN Area Calling Plan who Caller ID (LUM) 2W voice unbundled TN Area Plus Port who Caller ID Capability L NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch with change		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With LOCA FEAT	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled Th Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACSR) 2W voice unbundled TN Area Calling port with Caller ID-res (TMF2X) 2W voice unbundled TN Area Calling port with Caller ID-res (MF2X) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Calling port with Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Residence Dialing Plan w/o Caller ID 2W voice unbundled TN Residence Dialing Plan w/o Caller ID 2W voice unbundled TN Area Plus Port w/o Caller ID Capability LOCAL Number Portability (1 per port) URES All I Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-Wir	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled The Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (IMP2X) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W Voice Unbundled TN Area Plus Port w/o Caller ID Capability AL NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change TIONAL NRCS NRC-2W VG Loop/Line Port Combination-Subsqnt		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRC UEPAQ UEPAK UEPAK UEPAM UEPAM UEPAM UEPAM UEPAP UEPAP UEPAP UEPAP UEPK UEPAF UEPWN UEPK UEPWN UEPK UEPK UEPK UEPK UEPK UEPK UEPK UEPK	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE 2-Win LOCA FEAT NRC ADDI 2-WIII	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (IMF2X) 2W voice unbundled TN Area Calling port with Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice Unbundled TN Area Plus Port w/o Caller ID Capability LOVE Under Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch with change TIONAL NRCs INC-2W VG Loop/Line Port Combination-Subsqnt EV VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With LOCA FEAT NRC ADDI 2-WIII	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port dugging only-res 2W voice unbundled TN area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (IMF2X) 2W voice unbundled TN Area Calling port with Caller ID-res (ZMR) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Residence Dialing Plan w/o Caller ID 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W Voice Unbundled TN Area Plus Port w/o Caller ID Capability 2W Voice Unbundled TN Area Plus Port w/o Caller ID Capability 2W Voice Unbundled TN Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change TIONAL NRCS NRC-2W VG Loop/Line Port Combination-Switch with change TIONAL NRCS NRC-2W VG Loop/Line Port Combination-Subsqnt RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		2 3 3 1 1 2 2 3 3	UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With LOCA FEAT NRC ADDI 2-WIII	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled The Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID Lopability 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 4L NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change TIONAL INCS NRC-2W VG Loop/Line Port Combination-Switch WIN CENTRE COMBINED 2W VG Loop/Line Port Combination-Switch PORT (BUS) POVI/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1 1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 0.35 0.35	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
UNE UNE 2-With LOCA FEAT NRC ADDI 2-WIII	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (2MR) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Plus Port wo Caller ID Capability 2W Voice unbundled TN Area Plus Port wo Caller ID Capability L NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch with change TIONAL NRCS NRC-2W VG Loop/Line Port Combination-Switch with change TIONAL NRCS NRC-2W VG Loop/Line Port Combination-Switch WILD (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		1 2 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		
LOC/ FEAT ADDI UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled The Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (F2R) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID-res (TACER) 2W voice unbundled TN Area Calling port with Caller ID Lopability 2W voice unbundled TN Area Calling port with Caller ID (LUM) 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 2W voice unbundled TN Area Plus Port w/o Caller ID Capability 4L NUMBER PORTABILITY Local Number Portability (1 per port) URES All Features Offered CHARGES - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Switch-as-is 2W VG Loop/Line Port Combination-Switch with change TIONAL INCS NRC-2W VG Loop/Line Port Combination-Switch WIN CENTRE COMBINED 2W VG Loop/Line Port Combination-Switch PORT (BUS) POVI/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1 1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAO UEPAO UEPAN	30.31 35.32 12.48 16.31 21.32 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 0.35 0.35	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 41.50					30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03		

Version 4Q02: 12/18/02 Page 303 of 324

INRONDI	LED NETWORK ELEMENTS - Tennessee												ment: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)		Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu	rring	NRC Disconnect				Rates (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32									
2-Wir	e Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	14.00	90.00	90.00				30.89	7.03		
	2W voice unbundled port with Caller + E484 ID-bus	<u> </u>		UEPBX	UEPBC	14.00	90.00	90.00				30.89	7.03		
_	2W voice unbundled port outgoing only-bus	<u> </u>		UEPBX	UEPBO	14.00	90.00	90.00				30.89	7.03		
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPBX	UEPAV	14.00	90.00	90.00				30.89	7.03		
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14.00	90.00	90.00				30.89	7.03		l
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option														ĺ
_	(TACC2) 2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling			UEPBX	UEPAD	14.00	90.00	90.00				30.89	7.03		
	Port (B2F)			UEPBX	UEPAE	14.00	90.00	90.00				30.89	7.03		i
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00	<u> </u>			30.89	7.03		
	2W Voice Unbundled TN Business Dialing Plan w/o Caller ID			UEPBX	UEPWO	14.00	90.00	90.00				30.89	7.03		
LOCA	L NUMBER PORTABILITY														1
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									l
FEAT	URES														l
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				30.89	7.03		1
NRC	CHARGES - CURRENTLY COMBINED														1
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50				30.89	7.03		1
	2W VG Loop/Line Port Combination-Switch with change			UEPBX	USACC		41.50	41.50				30.89	7.03		
ADDI	TIONAL NRCs														Ь——
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2	0.00	0.00	0.00				30.89	7.03		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE	Port/Loop Combination Rates	<u> </u>	_			00.40									
	2W VG Loop/Port Combo-Zone 1		1			26.48									
_	2W VG Loop/Port Combo-Zone 2		3		+	30.31				-					
LINE	2W VG Loop/Port Combo-Zone 3 Loop Rates	1	3		+ +	35.32									
OIVE	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	12.48									f
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	16.31									f
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	21.32									
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		Ŭ	02.110	02.20	202									
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00				30.89	7.03		
LOCA	L NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEAT	URES														i
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				30.89	7.03		1
NRC	CHARGES - CURRENTLY COMBINED														ĺ
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50				30.89	7.03		1
	2W VG Loop/Line Port Combination-Switch with Change			UEPRG	USACC		41.50	41.50				30.89	7.03		
ADDI	TIONAL NRCs								ļļ	1					
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC	<u> </u>	<u> </u>				0.00	0.00	 	1		30.89	7.03		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	<u> </u>	1		+		14.64	14.64	\vdash	1		30.89	7.03	ļ	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	1		+				\vdash	1				ļ	
UNE	Port/Loop Combination Rates	 	 _		+	00.46				+	-			1	
+	2W VG Loop/Port Combo-Zone 1	-	1		+ +	26.48			 	+	1		-	-	
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	 	3		+	30.31 35.32			 	+	-		 		
UNE	Loop Rates		٥		+ +	ან.ა2			 	+	-		-	1	
JINE	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	12.48			 	+	-		-	1	
+-	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	16.31			 	+	-		 		
-	2W VG Loop (SL1)-Zone 3	1	3	UEPPX	UEPLX	21.32			 	+	 		1	1	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)			JELLY	OLI LX	21.02				1	t		†		
- **"	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		t	UEPPX	UEPPC	14.00	90.00	90.00				30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port-Bus		†	UEPPX	UEPPO	14.00	90.00	90.00		1	1	30.89	7.03		
+	Line Side Unbundled Incoming PBX Trunk Port-Bus		1	UEPPX	UEPP1	14.00	90.00	90.00		1		30.89	7.03		
1	2W Voice Unbundled PBX LD Terminal Ports		t	UEPPX	UEPLD	14.00	90.00	90.00				30.89	7.03		
1	2W Voice Unbundled 2-Way Combination PBX TN Calling Port		t	UEPPX	UEPT2	14.00	90.00	90.00				30.89	7.03		
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port	1		UEPPX	UEPTO	14.00	90.00	90.00	i i			30.89	7.03	İ	<u> </u>
-	2W Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPPX	UEPXA	14.00	90.00	90.00		1	1	30.89	7.03	l	$\overline{}$

Version 4Q02: 12/18/02 Page 304 of 324

IADOIADE	ED NETWORK ELEMENTS - Tennessee			1										ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
			-			Rec	Nonrecu First	rring Add'l	NRC Disc	onnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMA
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	14.00	90.00	90.00	FIISL	Auu i	SOMEC	JOWAN	30.89	7.03	JOWAN	JOINA
_			1	UEPPX	UEPXC	14.00	90.00	90.00	-				30.89	7.03		
	2W Voice Unbundled PBX LD DDD Terminals Port															<u> </u>
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					30.89	7.03		<u> </u>
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled 1-W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room					j										
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03	1	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPPX	UEPXU	14.00	90.00	90.00	+				30.89	7.03		1
+	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port		+	UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		1
-	TN PBX 2-Way Combo Each Add'l Trunk Collierville & Memphis Local		1	ULFFX	ULFAV	14.00	90.00	90.00					30.09	7.03		
	Calling Plan			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
_			-													
	TN PBX 2-Way Combo First Trunk Collierville & Memphis Local Calling		1	UEPPX	UEPA7	14.00	90.00	90.00					30.89	7.03		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NRC (CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
	2W VG Loop/Line Port Combination-Switch with Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
ADDI	FIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	2W Loop/Line Side Port Combination-Non feature-Subsont Activity-NRC						0.00	0.00					30.89	7.03		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					30.89	7.03		1
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												00.00	7.00		
	Port/Loop Combination Rates				+ +				+							1
	2W VG Coin Port/Loop Combo – Zone 1		1		-	26.48			-							
-	2W VG Coin Port/Loop Combo – Zone 2		2	 	+ +	30.31			+		 		1	†	1	
+	2W VG Coin Port/Loop Combo – Zone 2 2W VG Coin Port/Loop Combo – Zone 3			-	+	35.32			 		-		-	1	-	
LIME !			3	-		35.32			 		 			-		
UNE	Loop Rates		1	UEPCO	UEPLX	40.40			 		 			-		
+	2W VG Loop (SL1)-Zone 1		1			12.48								1		—
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	21.32					ļ					ļ
2-Wire	e Voice Grade Line Port Rates (Coin)		<u> </u>													<u> </u>
	2W Coin 2-Way w/o Oper Screening & w/o Blocking (TN)			UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	14.00	90.00	90.00					30.89	7.03		
	2W Coin 2-Way with Oper Screening & 011 Blocking			UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03		
	2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+ & Local			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03		
+	2W Coin Outward with Oper Screening & 011 Blocking (TN)		+	UEPCO	UEPTC	14.00	90.00	90.00	 		1		30.89	7.03		t
+-	2W Coin Outward with Oper Screening & 817 Blocking (114) 2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+ &		1	01100	021 10	14.00	30.00	30.00	 		 		30.03	7.03	 	
	Local			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03	1	
1.004			1	UEPCU	UEPUI	14.00	90.00	90.00	 		 		30.89	7.03	 	├
	L NUMBER PORTABILITY		1	LIEDOC	LNDOX	0.65								1		—
	Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35							ļ		ļ	
NRC (CHARGES - CURRENTLY COMBINED		1		116:5-											<u> </u>
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
1	2W VG Loop/Line Port Combination-Switch with Change		1	UEPCO	USACC		41.50	41.50	<u> </u>		<u></u>	<u> </u>	30.89	7.03	I	

NDUNDL	ED NETWORK ELEMENTS - Tennessee			ı										ment: 2	Exhib	
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA ⁻	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrect			sconnect				Rates (\$)		
ADDI	TIONAL NRCs						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Loop/Line Port Combination-Subsqnt			UEPCO	USAS2	0.00	0.00	0.00	1		1		30.89	7.03		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE P	ORT (RES)	OLI GO	OOAOZ	0.00	0.00	0.00					30.03	7.00		
	Port/Loop Combination Rates	J. (.	i Lo,		+						1					
	2W VG Loop/IO Tranport/Port Combo-Zone 1	†	1			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			35.63										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			42.28										
	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28										
	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-residence			UEPFR	UEPRL	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	14.00	115.00	75.00		30.00		15.69				
1	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	115.00	75.00		30.00	ļ	15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-res			UEPFR	UEPAQ	14.00	115.00	75.00	40.00	30.00	ļ	15.69				
1	2W voice unbundled TN Area Plus with Caller ID-res (AC7)	<u> </u>		UEPFR	UEPAH	14.00	115.00	75.00	40.00	30.00	ļ	15.69				
1	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPFR	UEPAK	14.00	115.00	75.00		30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)	<u> </u>		UEPFR	UEPAL	14.00	115.00	75.00		30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)	<u> </u>		UEPFR	UEPAM	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)	<u> </u>		UEPFR	UEPAN	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPFR	UEPAO	14.00	115.00	75.00	40.00	30.00		15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled TN Residence Dialing Plan w/o Caller ID			UEPFR	UEPAP	14.00	115.00	75.00	40.00	30.00		15.69				
		-		UEPFR	UEPWN	14.00	115.00	75.00	40.00	30.00		15.69				
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
+	Interoffice Transport-Dedicated-2W VG-Pacifity Term			UEPFR	1L5XX	0.0174	55.59	17.37	27.90	3.31						
FEAT		1		OLFTK	ILJAA	0.0174										
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
	L NUMBER PORTABILITY			OLITIC	OLI VI	0.00	0.00	0.00				10.00				
LOOM	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NRC (CHARGES (NRCs) - CURRENTLY COMBINED			02.111	2.1. 0/1	0.00										
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	ORT (BUS)													
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			30.56										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			35.63										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			42.28										
	oop Rates								ļ		ļ					
	2W VG Loop (SL2)-Zone 1	<u> </u>	1	UEPFB	UECF2	16.56			ļ	ļ	ļ					
 	2W VG Loop (SL2)-Zone 2	<u> </u>	2	UEPFB	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3	 	3	UEPFB	UECF2	28.28			ļ	1	ļ				1	
2-Wire	e Voice Grade Line Port (Bus)	<u> </u>		LIEDED	LIEDDI	44.00	445.00	75.00	40.00	20.00	<u> </u>	45.00			ļ	
1	2W voice unbundled port w/o Caller ID-bus	 		UEPFB	UEPBL	14.00	115.00	75.00		30.00	ļ	15.69			1	
1	2W voice unbundled port with Caller + E484 ID-bus	1	-	UEPFB	UEPBC	14.00 14.00	115.00	75.00		30.00	1	15.69		ļ	-	
1	2W voice unbundled port outgoing only-bus 2W VG unbundled TN extended local dialing parity port with Caller ID-bus	 	1	UEPFB UEPFB	UEPBO UEPAV	14.00 14.00	115.00 115.00	75.00 75.00		30.00	1	15.69 15.69	 	-		
1	2W voice unbundled incoming only port with Caller ID-bus			UEPFB	UEPB1	14.00	115.00	75.00		30.00	1	15.69			1	
1	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option			OLFID	OLFDI	14.00	115.00	75.00	+0.00	30.00	1	13.09			1	
	(TACC1)			UEPFB	UEPAC	14.00	115.00	75.00	40.00	30.00		15.69				
	(TACC2) (TACC2)			UEPFB	UEPAD	14.00	115.00	75.00		30.00		15.69				
	2W voice unbundled TN Bus 2-Way Collierville & Memphis Local Calling															
	Port (B2F) 2W Vision Linburghlad TN Rusiness Dialing Plan w/s Caller ID	1	-	UEPFB	UEPAE	14.00	115.00	75.00		30.00	<u> </u>	15.69				
1	2W Voice Unbundled TN Business Dialing Plan w/o Caller ID TN Inward Collierville & Memphis Local Calling Plan (BUS)	1	-	UEPFB	UEPWO	14.00	115.00	75.00		30.00		15.69		ļ	-	
+	TN 2-Way Collierville & Memphis Local Calling Plan (BUS) TN 2-Way Collierville & Memphis Local Calling Plan (BUS)	 	1	UEPFB UEPFB	UEPB2 UEPB3	14.00 14.00	115.00 115.00	75.00 75.00				15.69 15.69		-		\vdash
LOCA	L NUMBER PORTABILITY	1	1	UEPFB	UEPB3	14.00	115.00	75.00	40.00	30.00	1	15.09	-	1	1	-
LOCA	Local Number Portability (1 per port)	-		UEPFB	LNPCX	0.35			1	1	 		-	1	-	
1	Local Hamber Fortability (1 per port)	1	1	OLFID	LINEUX	0.00		1		1	1	l .	l	1	l	ш_

Version 4Q02: 12/18/02 Page 306 of 324

NBUND	LED NETWORK ELEMENTS - Tennessee												Attachr			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	l Charge - Manual Svc Order vs. Electronic-	Electronic-	I Charge
						Rec	Nonrecu		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0174										
FEAT	TURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NRC	CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			HEDED	110400		10.01	0.70				45.00				
_	Switch-as-is		ļ	UEPFB	USAC2		16.94	3.72				15.69				1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch with change			LIEDED	USACC		16.94	3.72				45.00				
2 14/17	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		16.94	3.72				15.69				
	Port/Loop Combination Rates				-						1				-	-
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1	-	1			30.56										
-	2W VG Loop/IO Tranport/Port Combo-Zone 1		2		+	35.63					1	 	-		1	1
-	2W VG Loop/IO Tranport/Port Combo-Zone 2		3			42.28										
LINE	Loop Rates		3			42.20										
UNE	2W VG Loop (SL2)-Zone 1	-	1	UEPFP	UECF2	16.56										
_	2W VG Loop (SL2)-Zone 1	-	2	UEPFP	UECF2	21.63										
-	2W VG Loop (SL2)-Zone 2		3	UEPFP	UECF2	28.28					-					
2 14/:-	re Voice Grade Line Port Rates (BUS - PBX)		3	UEPFF	UECFZ	20.20					-					1
2-9911	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		1	UEPFP	UEPPC	14.00	106.40	63.08	42.67	18.54	-	15.69				1
_	Line Side Unbundled Outward PBX Trunk Port-Bus	-		UEPFP	UEPPO	14.00	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus	-		UEPFP	UEPP1	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	14.00	106.40	63.08	42.67	18.54	-	15.69				1
-	2W Voice Unbundled 2-Way Combination PBX TN Calling Port		1	UEPFP	UEPT2	14.00	106.40	63.08	42.67	18.54	-	15.69				
-	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port		1	UEPFP	UEPTO	14.00	106.40	63.08	42.67	18.54	-	15.69				1
	2W Voice Unbundled 1-Way Combination PBX Usage Port	-		UEPFP	UEPXA	14.00	106.40	63.08	42.67	18.54		15.69				
_	2W Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPFP	UEPXB	14.00	106.40	63.08	42.67	18.54		15.69				
_	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		1	UEPFP	UEPXE	14.00	106.40	63.08	42.67	18.54	1	15.69				
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative		1	ULFIF	ULFAL	14.00	100.40	03.00	42.07	10.54	-	13.09				1
	Calling Port			UEPFP	UEPXL	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		1	UEPFF	UEFAL	14.00	100.40	63.06	42.07	10.34	-	15.09				
	Port			UEPFP	UEPXM	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative		1	UEPFF	UEFAIVI	14.00	100.40	63.06	42.07	10.34	-	15.09				
	Calling Port TN Calling Port			UEPFP	UEPXN	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room		1	ULFIF	ULFAIN	14.00	100.40	03.00	42.07	10.54	-	13.09				1
	Calling Port			UEPFP	UEPXO	14.00	106.40	63.08	42.67	18.54		15.69				
-	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	106.40	63.08	42.67	18.54	1	15.69	-		†	1
-	2W Voice Unbundled PBX Collierville & Memphis Calling Port			UEPFP	UEPXU	14.00	106.40	63.08	42.67	18.54		15.69	-		†	
_	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPFP	UEPXV	14.00	106.40	63.08	42.67	18.54		15.69	-		†	1
LOC	AL NUMBER PORTABILITY		-	OLFIF	OLFAV	14.00	100.40	00.00	72.07	10.54	1	13.09	1		ł	1
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			 	15.69			1	
INTE	ROFFICE TRANSPORT			OLFIF	LINEOP	3.13	0.00	0.00			 	13.09			1	
	Interoffice Transport-Dedicated-2W VG-Facility Term		!	UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51	<u> </u>	 	1		<u> </u>	1
-	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0174	33.39	11.01	21.00	0.01	 	1			1	
FΕΔΤ	TURES		!	Q=111	. 20/01	3.017-4					<u> </u>	 			<u> </u>	
I LAI	All Features Offered	-	1	UEPFP	UEPVF	0.00	0.00	0.00			 	15.69			†	
NRC	CHARGES (NRCs) - CURRENTLY COMBINED	-	1	OLITI	OLI VI	0.00	0.00	0.00			 	13.09			†	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-					 						1				†
	Switch-as-is			UEPFP	USAC2		16.94	3.72			1	15.69				1
+	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			02	557.52	 		J.72				.0.00				†
1	Switch with change	1	1	UEPFP	USACC	1	16.94	3.72			1	15.69	1			

ONRONDE	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			d Elec	Svc Order Submitte d Manually per LSR	1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu First	ırring Add'l	NRC Dis	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
IINBLINDI EI	D PORT/LOOP COMBINATIONS - MARKET BASED RATES						FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	Port/Loop Combination Rates				1											+
O.V.	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			49.60										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			51.09										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			56.00										
	.oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	11.09										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00										
	Exchange Ports-2W DID Port			UEPPX	UEPD1	40.00	600.00	45.00	8.45	3.91			30.89	7.03		
NRC (CHARGES - CURRENTLY COMBINED			<u> </u>												
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs	l I]			1
	only			UEPPX	USAC1		100.00	42.50	ļ			ļ	30.89	7.03	1	
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes															
	Top 8 MSAs only			UEPPX	USA1C		100.00	42.50	ļ		1	ļ	30.89	7.03		<u> </u>
Telep	hone Number/Trunk Group Establisment Charges	├		LIEBEY'	NET				<u> </u>		-	<u> </u>	 		-	Ļ
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								-
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								<u> </u>
	DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00	-							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								<u> </u>
	L NUMBER PORTABILITY			UEPPA	NDV	0.00	0.00	0.00				1		-	-	+
LOCA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1					
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	PORT		OLFFX	LINFOF	3.13	0.00	0.00								
	Port/Loop Combination Rates	IOKI									1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEPPR		32.27					1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB UEPPR		34.78										†
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEPPR		44.32										
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	16.20										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	18.71										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	28.25										
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		
NRC (CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion-Top 8 MSAs only			UEPPB UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
ADDIT	TONAL NRCs															
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add															
	Trunk			UEPPB UEPPR	USASB		212.88						30.89	7.03		<u> </u>
	L NUMBER PORTABILITY			LIEDDD LIEDDD	LNDOV	0.05	0.00	0.00								-
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
В-Сп/	ANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)			UEPPB UEPPR	LIALICA	0.00	0.00	0.00								<u> </u>
	CVS (EWSD)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00	-							
	CSD (EWSD)			UEPPB UEPPR	U1UCB U1UCC	0.00	0.00	0.00				1		-	-	+
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)		UEPPB UEPPR	01000	0.00	0.00	0.00								-
B-CH/	CVS/CSD (DMS/5ESS)	,		UEPPB UEPPR	U1UCD	0.00	0.00	0.00	1		1	 	1		t	
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00	1		1				-	
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00							†	
	TERMINAL PROFILE			32.12 32.11	2.50.	5.50	5.50	0.00					1		1	t
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00			1		İ		1	
	CAL FEATURES								İ							
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
	Interoffice Channel miage each, including first mi & facilities Term			UEPPB UEPPR	M1GNC	17.91	53.99	17.37								
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.173	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	Port/Loop Combination Rates	<u> </u>			<u> </u>				<u> </u>							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		982.73					1	ļ				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP	ļ	1,000.40			ļ		1	ļ				↓
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP	110: 15	1,023.59			<u> </u>		1	<u> </u>			<u> </u>	
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	57.73			1		1	ļ	ļ	.		
	4W DS1 Digital Loop-UNE Zone 2	i l	2	UEPPP	USL4P	75.40			<u> </u>		<u> </u>	1	L	<u> </u>	<u> </u>	<u></u>

Version 4Q02: 12/18/02 Page 308 of 324

NRANDI	ED NETWORK ELEMENTS - Tennessee												Attachn		Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu First	ırring Add'l	NRC Dis	connect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	98.59	FIISL	Add I	FIISL	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Exchange Ports-4W ISDN DS1 Port		Ť	UEPPP	UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
NRC (CHARGES - CURRENTLY COMBINED			_												
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					30.89	7.03		
ADDI	TONAL NRCs															
_	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.94									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP UEPPP	PR7TO PR7ZT		22.36	22.36								
LOCA	L NUMBER PORTABILITY			UEPPP	PR/Z1		44.71	44.70								
LUCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			OLITI	LIVI OIV	1.75										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	29.11									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.39									
CALL	TYPES				55704											
	Inward			UEPPP	PR7C1 PR7C0	0.00	0.00	0.00								
	Outward Two-way			UEPPP UEPPP	PR7CC	0.00	0.00	0.00								
Intoro	ffice Channel Mileage			UEPPP	PR/CC	0.00	0.00	0.00								
IIItero	Fixed Each Including First mi			UEPPP	1LN1A	76.1825	145.98	109.85	19.55							
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3525	140.00	100.00	10.00							
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			02	12.11.5	0.0020										
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		93.28										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		110.95										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		134.14										
	oop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	57.53										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	75.40										
LIME	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	98.59										
ONE	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
NRC (CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	750.00	302.37	430.10	130.03	13.23			30.03	7.00		
INICO	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top															
	8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
ADDI	TONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service			115550				6								
	Order			UEPDC	USAS4		94.88	94.88								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel	l		HEDDO	LIDTT A		400.07	100.07	1		1		20.00	7.00		
-	Activation/Chan-2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-		1	UEPDC	UDTTA		108.67	108.67	-		 	-	30.89	7.03	-	
	Way Outward Trunk Way Outward Trunk	l		UEPDC	UDTTB		108.67	108.67	1		1		30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan		1	0L1 D0	מווטט		100.07	100.07				-	30.03	7.03		
	Inward Trunk w/out DID	l		UEPDC	UDTTC		108.67	108.67	1		1		30.89	7.03		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-				1								22.20			
L	Inward Trunk with DID	L		UEPDC	UDTTD	<u> </u>	108.67	108.67	<u></u>		<u> </u>	<u> </u>	30.89	7.03	<u> </u>	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					30.89	7.03		
BIPO	AR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	590.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								
Altern	ate Mark Inversion			LIEDDO	MCCCC		0.00	0.00								
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00				1				

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attachr		Exhib	
CATEGORY	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	'ES (\$)			d Elec	d	Charge - Manual Svc Order vs. Electronic-	I Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec	Nonrecu		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00								
Dodi	cated DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00								
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				1											
FA/F	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99		1	t		1	
-	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3525	0.00	0.00	18.00	17.55	 	 	t	 	 	
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00				1	-		 	
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3525	0.00	0.00	 			t	I	1	1	†
-	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	 			t	I	1	1	†
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00								
4-WII	RE DS1 LOOP WITH CHANNELIZATION WITH PORT				1											
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations				1											
	stem can have various rate combinations based on type and number of	ports i	ısed		1											
	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					30.89	7.03		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					30.89	7.03		
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					30.89	7.03		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					30.89	7.03		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					30.89	7.03		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chann															
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, a															
Multi	iples of this configuration functioning as one are considered Add'l after	the m	inimu	m system configurati	on is counte	d.										
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes-			LIEDIAG	110.00			4			1					
	Top 8 MSAs Only		—	UEPMG	USAC4	0.00	303.61	15.74				1	30.89	7.03	1	<u> </u>
	em Additions Where Currently Combined and New (Not Currently Combi	ned)										!	1		1	
In De	ensity Zone 1 Top 8 MSAs				1								-		ļ	
	A DOM/DA OF THE PART A LINDO (TO TO			LIEDIAG	10000		=0.4.00	444.4-	400.00	46.11						
B1	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41		!	30.89	7.03	1	
Bibo	lar 8 Zero Substitution			LIEDMO	00005	0.00	0.00	F00.00	 		 	!	1	ļ	1	-
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	590.00					 		-	
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			HEDMO	CCOEF	0.00	0.00	500.00								
A 16	Only			UEPMG	COUEF	0.00	0.00	590.00	 				 		1	
Aiter	rate Mark Inversion (AMI) Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00				-	 		}	
	Extended Superframe Format			UEPMG		0.00	0.00	0.00	+ +		 	1	 	 		-
Evah	Extended Superrame Format nange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port		UEPIVIG	MCOPO	0.00	0.00	0.00	+ +		 	1	 	 		-
	nange Ports Associated with 4-wire DST Loop with Channelization with the	OIL			+ +				+ +		 	1	 	 		
EACH	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		 	30.89	7.03	1	-
+	Line Side Combination Channelized PBX Trunk Port-Business Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00	 	1	30.89	7.03		
-	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		1	30.89	7.03	1	
			-						0.00	0.00	 	1	30.89	7.03		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00								

RATE ELEMENTS Interior m		LED NETWORK ELEMENTS - Tennessee										8.40	6		nent: 2	Exhib	
Unblanded symbols Person Security Se	ATEGORY	RATE ELEMENTS			BCS	usoc		RA	ΓES (\$)			Submitte d Elec	Submitte d Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increme I Charg Manua Svc Ord vs. Electror
Description Process Committee Continuence							Rec						I				
Unbrounded Enterlange First, XV Charmonicaed System (Yr Chry Calling Plans Plans		Habitan Had Evaluation David ON/Observational Combination			LIEDDY	LIEDOT						SOMEC	SOMAN			SOMAN	SOMA
Pank Registers Library					UEPPX	UEPCI	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Use Description of Part Sect					LIEPPX	LIEPC7	14 00	0.00	0.00	0.00	0.00			30.89	7.03		
Registered					02.17	02. 02	1 1100	0.00	0.00	0.00	0.00			00.00	7.00		
Feature Service) Annotation for each Live Port Terminated in CH Bank (LebPox 1PC)MA 2.02 40:00 20:00 6.00 5.00					UEPPX	UEPXV	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Institution Co. 1.4, P. 9.01, 48, P. 9.01,	Featu																
Feature (Service) Actions for each Trank Part Terminated in D4 Bank (Included O. 4, P.O. 1, P.O. 16, D.O. 16, D.O. 15, D.O. 16,																	
Concludes C. 1.4, P. 9.0.1. 8, P. 9.0.4 80 UEPPX POWD 2.00 11.000 3.000 75.00 15.00					UEPPX	1PQWM	2.02	40.00	20.00	6.00	5.00						
Interpretation Number Group Establishment Charges for PDI Service					LIEDDY	1001/11	2.02	110.00	20.00	75.00	15.00						
DID Numberspersons of 20 Vold all States	Telen				UEPPA	IPQWU	2.02	110.00	30.00	75.00	15.00						
DID Numbers groups of 20-Yaled at States	16160				UEPPX	NDT	0.00	0.00	0.00								
Reserve Numbers our number																	1
Resource DIO Numbers		Non-Consecutive DID Numbers-per number															
Local Number Proteinity		Reserve Non-Consecutive DID Numbers															
Local Number Porticitive repret UEPPY LAPCE 3.15 0.00 0.00					UEPPX	NDV	0.00	0.00	0.00								
	Loca					1.1/											<u> </u>
Local Switching Features Offered with Line Side Ports Only					UEPPX	LNPCP	3.15	0.00	0.00								
All Features Available UEPPX UEPVF 0.00 0						+											
SUNCE CENTREX FORTALOP COMBINATIONS - COST BASED RATES 1. Cost Based fates are applied the Refeats are applied where BellSouth is required by FCC and/or Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port Section of this Exhibit. 3. End Office and Tanders Witching Usage and Common Transport Usage rates in the Port section of the Sunthit shall apply to an are applied to the Stand-Alone Unbundled Port section of this Exhibit. 3. End Office and Tanders Witching Usage and Common Transport Usage rates in the Port section of this Unbundled Port section of this Exhibit. 3. End Office and Tanders Witching Usage and Common Transport Usage rates in the Port section of the Standard Usage Rates (Port New Port Section P	Loca				LIEDDY	HEDVE	0.00	0.00	0.00								
1. Cost Based Rates are applied where BellSouth is required by PCC and/or Commission rule to provide Unbundled Ports on the Stand-Anne Orbundled Port section of this Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin PortLoop Combinations. 4. The first and add? Prox NRC charges apply to Not Currently Combined Combos. In Corner Combos, the NRC charges shall be those identified in the NRC - Currently Combined Combos. 5. The Company of the NRC - Currently Combined Combos. The NRC charges shall be those identified in the NRC - Currently Combined Combos. 6. The NRC shall apply to all combinations of loop/port network elements except for UNE Coin PortLoop Combinations. 6. The NRC shall apply to all combinations of loop (Combos the NRC - Currently Combined Combos.) 7. What I was a shall apply to all combinations of loop (Combos the NRC - Currently Combined Combos.) 8. What I was a shall apply to all combinations of loop (Combos the NRC - Currently Combined (Combos.) 8. What I was a shall apply to all combinations of loop (Combos the NRC - Currently Combined (Combos.) 9. What I was a shall apply to all combinations of loop (Combos the NRC - Currently Combos (NRC - Combos - Combos the NRC - Currently Combos (NRC - Combos - Combos - Combos - Combos (NRC - Combos -	BUNDI F				OLFFX	OLFVI	0.00	0.00	0.00								
2. Features shall apply to the Unbundled Portl Acop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Exhibit. 2. Find Office and Tandem Switching Usage and Common Transport Unsage rates in the Port section of this exhibit shall apply to all combinations of 10 compon transport for UNE Colin Portl-Oop Combinations. 3. Find Office and Tandem Switching Usage and Common Transport University Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined Sections. Add 1 NRCs may apply also and are categorized accordingly. 5. Market Rates for Unbundled Centres PortLoop Combination will be negotiated on an Individual Case Basis, until further notice.			Commi	ission	rule to provide Unbu	ndled Local	Switching or S	Switch Ports									
4. The first and add' Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'i NRCs may apply also and are categorized accordingly. 5. Market Rates for Unburndled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.	3. En	d Office and Tandem Switching Usage and Common Transport Usage ra	ates in	the P	ort section of this exh	nibit shall ap	ply to all comb	pinations of lo	op/port net	work elen	nents exc	ept for UNI	E Coin Por	t/Loop Comi	binations.		
S. Marker Rates for Unbundled Centrex PortLoop Combination will be negotiated on an Individual Case Basis, until further notice.	4. Th	e first and add'I Port NRC charges apply to Not Currently Combined Cor	mbos.	For C	urrently Combined Co	ombos, the N	NRC charges sl	hall be those i	identified in	the NRC	 Currentl 	y Combine	ed sections	s. Add'l NRC	s may apply	also and are	е
UNEP CENTREX - 1.4ESS - (Valid in AL, PL, GA, KY, LA, MS, &TN only)																	
ZWWG Loop/ZWWG Port (Centrex) Combo			tiated	on an	Individual Case Basis	s, until furth	er notice.										
UNE PortLoop Combination Rates (Non-Design)																	
ZW VG Loop/ZW VG Port (Centrex)Port Combo-Non-Design 1 UEP91 18.01		to VC Loop/2 Wire Voice Crade Bort (Contray) Comba				_	-										
ZW VG Loop/ZW VG Port (CentrexPort Combo-Non-Design 2 UEP91 18.01	HINE																
ZW VG Loop/ZW VG Port (Centrex)Port Combo-Non-Design 3 UEP91 23.02	UNE	Port/Loop Combination Rates (Non-Design)		1	LIEP91		14 18										
UNE Port UNE Port UEP91 UEP92 UEP92 UEP93 UEP93 UEP94	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design															
2W VG Loop/2W VG Pot (Centrex/Port Combo-Design 2 UEP91 29.33 UEP91 29.98 UEP91 29.98 UEP91 UECS1 12.48 UEP91 UECS1 12.48 UEP91 UECS1 16.31 UEP91 UECS1 16.31 UEP91 UECS1 16.31 UEP91 UECS1 16.31 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS1 UEP91 UECS2 UEP91 UEP91 UECS2 UEP91	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		18.01										
2W VG Loop/2W VG Port (Centrex)Port Combo-Design 3 UEP91 29.98		Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		18.01										
UNELoop Rate		Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		3	UEP91 UEP91 UEP91		18.01 23.02 18.26										
2W VG Loop (SL1)-Zone 1		Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3 1 2	UEP91 UEP91 UEP91 UEP91		18.01 23.02 18.26 23.33										
2 WG Loop (SL1)-Zone 2 2 UEP91	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3 1 2	UEP91 UEP91 UEP91 UEP91		18.01 23.02 18.26 23.33										
2W VG Loop (SL1)-Zone 3 3 UEP91 UECS1 21.32	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	HECS1	18.01 23.02 18.26 23.33 29.98										
2W VG Loop (SL2)-Zone 1	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91		18.01 23.02 18.26 23.33 29.98										
2 UEP91 UEC\$2 21.63	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	18.01 23.02 18.26 23.33 29.98 12.48 16.31										
2W VG Loop (SL2)-Zone 3	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		2 3 1 2 3 3	UEP91	UECS1	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32										
All States (Except NC and SC) 2W VG Port (Centrex) Basic Local Area UEP91 UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex 800 Term) Basic Local Area UEP91 UEP91 UEPYB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID)1 Basic Local Area UEP91 UEPYH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex from diff SWC)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port, Diff SWC-800 Service Term-Basic Local Area UEP91 UEPYZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent-Basic Local Area UEP91 UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port Terminated on 800 Service Term-Basic Local Area UEP91 UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port Terminated on 800 Service Term-Basic Local Area UEP91 UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port Centrex VI Centre	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1		2 3 1 2 3 1 2 3	UEP91	UECS1 UECS1 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56										
2W VG Port (Centrex) Basic Local Area	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63										
2W VG Port (Centrex 800 Term)Basic Local Area	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63										
2W VG Port (Centrex with Caller ID)1Basic Local Area	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC)		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 21.65 21.63 28.28										
2W VG Port (Centrex from diff SWC)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28										
2W VG Port, Diff SWC-800 Service Term-Basic Local Area UEP91 UEPYZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent-Basic Local Area UEP91 UEPY9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port terminated on 800 Service Term-Basic Local Area UEP91 UEPY9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Terminated on 800 Service Term-Basic Local Area UEP91 UEP04 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex Number of VG Port terminated in On Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in On Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in On Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in On Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in On Megalink or equivalent UEP04 UEP04 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in On Megalink or equivalent UEP04 UEP04 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28	22.14	15.25	8.45	3.91		30.89	7.03			
2W VG Port terminated in on Megalink or equivalent-Basic Local Area UEP91 UEPY9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port Terminated on 800 Service Term-Basic Local Area UEP91 UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrex Nonly UEP91 UEPQA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex 800 Term) UEP91 UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID)1 UEP91 UEPQH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID)1 UEP91 UEPQH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex from diff SWC)2 UEP91 UEPQM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port, Diff SWC-800 Service Term UEP91 UEPQM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.0	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex With Caller ID)1Basic Local Area 2W VG Port (Centrex With Caller ID)1Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
2W VG Port Terminated on 800 Service Term-Basic Local Area	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller 10) Hassic Local Area 2W VG Port (Centrex with Caller 10) Hassic Local Area 2W VG Port (Centrex with Caller 10) Hassic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45 8.45	3.91 3.91 3.91		30.89 30.89 30.89	7.03 7.03 7.03			
AL, KY, LA, MS, & TN Only UEPQA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex 800 Term) UEP91 UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID)1 UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID)1 UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex from diff SWC)2 UEP91 UEPQM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port, Diff SWC-800 Service Term UEP91 UEPQZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex mon diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYH UEPYT	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70	22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03			
2W VG Port (Centrex 800 Term)	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Diff SWC-800 Service Term-Basic Local Area 2W VG Port (Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03			
2W VG Port (Centrex with Caller ID)1 UEP91 UEP91 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex from diff SWC)2 UEP91 UEP0M 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port, Diff SWC-800 Service Term UEP91 UEP91 UEP0Z 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEP09 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports tates (Except NC and SC) 2W VG Port (Centrex No Term)Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated on Megalink or equivalent-Basic Local Area 2W VG Port terminated on Megalink or equivalent-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03			
2W VG Port (Centrex from diff SWC)2 UEP91 UEPQM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port, Diff SWC-800 Service Term UEP91 UEPQZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE UNE UNE All Si	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex With Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Diff SWC-800 Service Term-Basic Local Area 2W VG Port Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Centrex Nonly 2W VG Port Centrex Nonly		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPY9	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03			
2W VG Port, Diff SWC-800 Service Term UEP91 UEPQZ 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE UNE UNE All Si	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 3 Ports lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area 2W VG Port (Tennex with Caller ID)1Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYA UEPYH UEPYM UEPYM UEPYZ UEPY9 UEPY2	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03			
2W VG Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.70 22.14 15.25 8.45 3.91 30.89 7.03	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports States (Except NC and SC) 2W VG Port (Centrex Not Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port (Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Centrex NG Terminated in Service Term-Basic Local Area 2W VG Port Centrex NG Terminated On 800 Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area 2W VG Port Centrex NG Terminated In Service Term-Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH UEPYH UEPYH UEPYY UEPYZ UEPY2 UEPQA UEPQB UEPQH	18.01 23.02 18.26 23.33 29.98 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03			
	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 3 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3 Ports Lates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Defirex Form diff SWC)2 Basic Local Area 2W VG Port (Diff SWC-800 Service Term-Basic Local Area 2W VG Port Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Centrex Nonly 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1 2W VG Port (Centrex With Caller ID)1		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQA UEPQA UEPQA	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03			
	UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 1 2W VG Port (Centrex Non Centrex)Port Centrex (Superior Superior		2 3 1 2 3 1 2 3 1 2	UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63 28.28 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70	22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14 22.14	15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25 15.25	8.45 8.45 8.45 8.45 8.45 8.45 8.45 8.45	3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91		30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89 30.89	7.03 7.03 7.03 7.03 7.03 7.03 7.03 7.03			

Version 4Q02: 12/18/02 Page 311 of 324

IBUNDLED NETWORK ELEMENTS - Tennessee			1										ment: 2		oit: B
TEGORY RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charg
					Rec	Nonrecu First	ırring Add'l	NRC Dis First	connect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMA
Local Switching						11130	Addi	11130	Auu	JOHILO	JONAN	JONIAN	JOHIAN	JOWAN	JOHA
Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Local Number Portability															
Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Features															
All Standard Features Offered, per port			UEP91	UEPVF	0.00	100 =0					30.89	7.03			
All Select Features Offered, per port		-	UEP91	UEPVS	0.00	433.78					30.89	7.03			
All Centrex Control Features Offered, per port NARS			UEP91	UEPVC	0.00						30.89	7.03			
Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial		1	UEP91	UAR1X	0.00	0.00	0.00			-	30.89	7.03			
Unbundled Network Access Register-Outdial	1	1	UEP91	UAROX	0.00	0.00	0.00			1	30.89	7.03			1
Miscellaneous Terminations			1		2.20	2.30									
2-Wire Trunk Side			<u> </u>												
Trunk Side Terms, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Term-VG			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0174										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service		-													
D4 Channel Bank Feature Activations		-	UEP91	1PQWS	0.00										
Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot	_		UEP91	1PQWS	0.66 0.66										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	-	+	UEP91	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
Conversion-Currently Combined Switch-As-Is with allowed changes, pe	•														
port			UEP91	USAC2		1.03	0.29				30.89	7.03			
New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			
New Centrex Customized Common Block Secondary Block, per Block		-	UEP91 UEP91	M1ACC M2CC1	0.00	658.60 73.55					30.89 30.89	7.03 7.03			
NAR Establishment Charge, Per Occasion	-		UEP91	URECA	0.00	68.57					30.89	7.03			
UNE-P CENTREX - 5ESS (Valid in All States)			ULF91	UKLCA		00.57					30.03	7.03			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)				1											
2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.18										
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		18.01										
2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		23.02	•									
UNE Port/Loop Combination Rates (Design)															
2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.26					1	1				
2W VG Loop/2W VG Port (Centrex)Port Combo-Design	_	2	UEP95		23.33										
2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP95		29.98		1			1	1		1		
UNE Loop Rate 2W VG Loop (SL1)-Zone 1		1	UEP95	UECS1	12.48					-	-				
2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	+	2	UEP95	UECS1	16.31		1			1	1				
2W VG Loop (SL1)-Zone 3	1	3	UEP95	UECS1	21.32		1			1	1				
2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	16.56										
2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	21.63										
2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	28.28										
UNE Port Rate															
All States	_		ļ												
2W VG Port (Centrex) Basic Local Area	_	1	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area	-	├ ─	UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area		1	UEP95 UEP95	UEPYH UEPYM	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	30.89 30.89	7.03 7.03			
2W VG Port, Diff SWC-800 Service Term-Basic Local Area		1	UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
2W VG Port terminated in on Megalink or equivalent-Basic Local Area	-	1	UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
2W VG Port Terminated in 6th Megalitik of equivalent-basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area		 	UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, KY, LA, MS, SC, & TN Only		1						55						İ	1
2W VG Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ	İ	

Version 4Q02: 12/18/02 Page 312 of 324

NBUNDL	LED NETWORK ELEMENTS - Tennessee												Attachi	nent: 2	Exhib	it: B
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme I Charg Manua Svc Ord vs. Electron
						Б	Nonrecu	rring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	ires	1														
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS	3															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial	1		UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
Misce	ellaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Intero	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP95	MIGBM	0.0174										
	ire Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.66										
1	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot	1	t	UEP95	1PQWQ	0.66										
1 -	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP95	1PQWA	0.66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1	1	021 00	11 00 17 //	0.00										
140.1-1	NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1	1													
1	per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
+	New Centrex Standard Common Block	1	1	UEP95	M1ACS	0.00	658.60	0.20				30.89	7.03			
-	New Centrex Standard Common Block	1	1	UEP95	M1ACC	0.00	658.60					30.89	7.03			
_	NAR Establishment Charge, Per Occasion	1	+	UEP95	URECA	0.00	68.57					30.89	7.03			

## AFE ELEMENTS Many Zor	JNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachr	ment: 2	Exhil	oit: B
With Vol. Long City Visit City City City City City City City Ci	CATEGORY				BCS	USOC						Order Submitte d Elec	Order Submitte d Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge - Manual Svc Order
UNIF OCCUPATION DESCRIPTION DESCRIPTION UNIFORM				1			Rec										
Web Performance (Search Performance)		OFNITREY DMOAGO (V-I'-I ' All Or-()	1	1				First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNIFORM Committee Commit				1													
Part Control Part Control Part Control Part			1	1													
BY NG Loss (2014 VP APT (Centres) First Commission Control Notice Control Loss (1914	UNE P		-	1	LIEDAD		11 10										├ ──
DEPO 230E			-														
UNF PORT Log Combination Rises (Dissiper)						-											
Part Victorial Control Control Pert Control Deagn 1 LEPED 15.26			1	3	OLF9D		23.02										—
PVY Us Long/OW NP For Control Design				1	LIEP9D		18 26										
BY VS Loop/20V KP Port (Centroen)Part Controe)Part Controe)Part 1 LEPPO LEPSS 5.48																	
UPCS 12-69 UPCS UPCS																	
EVALUATION COLUMN					<u> </u>												
Pay Vis. Comp. (St.) 1,27mm 2				1	UEP9D	UECS1	12.48										
22 VV G Lord (Sk) 2/20n2 1 1 VEPRO UFES 21.38																	
Pay Vision (SIA)-Zone 2																	
Beautiful Control Co		2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	16.56										
ALL STATES ALL STATES				2		UECS2											
ALL STYTES		2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	28.28										
29 VVG Port (Centres) Basic Local Area																	
ZW VG Port (Centrex 800 Term)Basic Local Area																	
2 W V G Pert (Centrex/EBS-MSC0988ais Local Area UEPPID UEPV 1.70 22.14 15.25 8.45 3.91 30.88 7.03																	
2W VG Pert (Centrex (FES-M5000)) Sales Local Area UEPP0 UEPY0 1.70 22.14 15.25 8.46 3.91 30.89 7.03																	1
ZW VG Prt (Centrex (FBS M5209)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M512)) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex WH Caller D) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex WH Caller D) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex M54) Wig Lamp Indication)3 Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Prt (Centrex (FBS M54)) ZW GP M CENTREX (FBS M54)																	<u> </u>
W VS Pot (Centrex/RES-MS012) Basic Local Area UEPPO UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03																	
W VG POT (Centrew (EBS-MGS17)) SBasic Local Area UEPBO UEPYT 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	1													
ZW VG Port (Centree/EBS-M6008) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-S0002) 3 Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-S0002) 3 Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-S0002) 3 Basic Local Area UEP9D UEPY 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-S0002) 3 Basic Local Area UEP9D UEPV 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) 3 Basic Local Area UEP9D UEPV 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centree/EBS-M6216) 3 Basic Local Area UEP9D UEPV 1,70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Por				-													
ZW VG Port CentrexEBS-M52(9) 38 Basic Local Area UEP90 UEP7V 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	1													ļ
ZW VG Port (Centrex/EBS-M5516) 8asic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Caller IDMsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Msg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Msg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Msg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Msg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Msg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indication)3 Basic Local Area UEP9D UEPY 1.70 22.14 15.25 8.45 3.91 30.89 7.03 ZW VG Port (Centrex/Hsg) WI Lamp Indicat			1	1													
ZW VG Port (Centrex/EBS-MS5103) 8 asic Local Area UEP90 UEPV1 1.70 22.14 15.25 8.45 3.91 30.89 7.03	_		-	1													
227 VS Port (Centrexwith Caller ID) Basic Local Area UEPD UEPYW 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	1													
Part Part				1 1													
Area UEP9D UEPV 1.70 22.14 15.25 8.45 3.91 30.89 7.03				1 1	OLI OD	OLI III	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
2W VG Port (Centrex/Mag WTg Lamp Indication)3 Basic Local Area UEPBD UEPYJ 1.70 22.14 15.25 8.45 3.91 30.89 7.03					LIEP9D	HEPYW	1 70	22 14	15 25	8 45	3 91		30.89	7.03			
2W VG Port (Centrex/firer SWC) 2 Basic Local Area UEP9D UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03				1													
2W VG Port (Centrevidiffer SWC /EBS-PSET)2, 3 Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrevidiffer SWC /EBS-M5009)2, 3 Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrevidiffer SWC /EBS-M5012)2, 3 Basic Local Area UEP9D UEPYD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89				1 1													
2W VG Port (Centrex/differ SWC /EBS-M500)2, 3 Basic Local Area UEP9D UEPY0 1.70 22.14 15.25 8.45 3.91 30.89 7.03				1													
2W VG Port (Centrex/differ SWC /EBS-M5012), 3 Basic Local Area				1													
2W VG Port (Centrex/differ SWC_/EBS-M5312)2, 3 Basic Local Area			1	1													-
2W VG Port (Centrex/differ SWC /EBS-MS312)2, 3 Basic Local Area UEP9D UEPYS 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-MS008)2, 3 Basic Local Area UEP9D UEPY4 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-MS016)2, 3 Basic Local Area UEP9D UEPY6 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-MS216)2, 3 Basic Local Area UEP9D UEPY6 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-MS216)2, 3 Basic Local Area UEP9D UEPY7 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7			1	1 1											-		ļ
2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area UEP9D UEPY4 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY6 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89 7.03 2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY6 1.70 22.14 15.25 8.45 3.91 30.89 7.03 30.89			-	1													
2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		,	1	1								 			 		
2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			1	-											-		
2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area UEP9D UEPY7 1.70 22.14 15.25 8.45 3.91 30.89 7.03	-		-	-													
2W VG Port, Diff SWC-800 Service Term			<u> </u>	1													
2W VG Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEP9D UEPY2 1.70 22.14 15.25 8.45 3.91 30.89 7.03			1	 												ļ	
2W VG Port Terminated on 800 Service Term Basic Local Area			1	 												ļ	
AL, KY, LA, MS, SC, & TN Only UEP9D UEPQA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex 800 Term) UEP9D UEPQB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex EBS-PSET)3 UEP9D UEPQC 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex /EBS-M5009)3 UEP9D UEPQD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex /EBS-M5209)3 UEP9D UEPQD 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex /EBS-M5209)3 UEP9D UEPQE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex /EBS-M512)3 UEP9D UEPQE 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex /EBS-M53103) UEP9D UEPQG 1.70 22.14																	
Decoration Dec					UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2W VG Port (Centrex 800 Term)													L				<u> </u>
2W VG Port (Centrex/EBS-PSET)3																	
2W VG Port (Centrex /EBS-M5209)3			<u> </u>	1													
2W VG Port (Centrex /EBS-M5209)3	-		-	-													
2W VG Port (Centrex /EBS-M5112)3			-	-													
2W VG Port (Centrex /EBS-M5312)3			1	+											-		
2W VG Port (Centrex /EBS-M5008)3			-	+-1											 		
2W VG Port (Centrex/EBS-M5208)3	-		-	+-1											 		
2W VG Port (Centrex/EBS-M5216)3 UEP9D UEPQV 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex/EBS-M5316)3 UEP9D UEPQ3 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID) UEP9D UEPQH 1.70 22.14 15.25 8.45 3.91 30.89 7.03	-		1	\vdash								1			-		
2W VG Port (Centrex/EBS-M5316)3 UEP9D UEPQ3 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2W VG Port (Centrex with Caller ID) UEP9D UEPQH 1.70 22.14 15.25 8.45 3.91 30.89 7.03	-+		1	\vdash								1			-		
2W VG Port (Centrex with Caller ID)	-		1												-		
															-		
		2W VG Port (Centrex with Caller ID/Msq Wtg Lamp Indication)3	 	+	UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	 	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee										_			ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge - Manual Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen I Charge Manual Svc Orde vs. Electroni
						Do.	Nonrecu	rring	NRC Disc	connect		ļ.	oss	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			├
	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D UEP9D	UEPQQ UEPQR	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		30.89 30.89	7.03 7.03	-		-
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent	\vdash		UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2W VG Port Terminated on 800 Service Term	\vdash		UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			₽
	Switching Control Intercom Funtionality, per port	\vdash		UEP9D	URECS	0.6381			 		-	1	 	-		
	Centrex Intercom Funtionality, per port Number Portability	\vdash		UEP9D	UKEUS	0.0381			1		-	1	-			├
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu				OLI OD	LIVI CC	0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			<u> </u>
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			<u> </u>
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			<u> </u>
	Ianeous Terminations Trunk Side								-			-				├
	Trunk Side Trunk Side Terms, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	Digital (1.544 Megabits)			OLI OD	OLINDO	0.70	22.14	10.20	0.40	0.01		00.00	7.00			
	DS1 Circuit Terms, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0174										<u> </u>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				_								-	-		-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D UEP9D	1PQW6 1PQW7	0.66 0.66			1		-		+			\vdash
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	\vdash		UEP9D UEP9D	1PQW7	0.66			1		 	1	 	 		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot	\vdash		UEP9D UEP9D	1PQWP 1PQWV	0.66			1		 	1	 	 		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D UEP9D	1PQWV	0.66			 		1	}	-	-	1	├
	Feature Activation on D-4 Channel Bank WATS Loop Slot	\vdash		UEP9D	1PQWQ	0.66			1		 	1	 	 		
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 3D	II QWA	0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60	0.23	1		1	30.89	7.03	†		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60		1			30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo						, in the second		ļ							<u> </u>
	ort/Loop Combination Rates (Non-Design)	\vdash	اجا	LIEBAE							1	1				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	 	1	UEP9E		14.18										₽
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		18.01			1		1	1	1	1	1	
	ort/Loop Combination Rates (Design)	\vdash	3	UEP9E		23.02			1		-	1	-			├
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	\vdash	1	UEP9E		18.26			 				 			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	\vdash	2	UEP9E		23.33			 		-	1	 	 		
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		29.98			1		t	1	I	<u> </u>	1	
	oop Rate					20.00						1	1	1	Ì	

NOUNDL	ED NETWORK ELEMENTS - Tennessee													nent: 2	Exhil	
											Svc	Svc		Incrementa		Increme
											Order	Order	Charge -	I Charge -	Charge -	I Charg
		Interi	Zon								Submitte	Submitte	Manual Svc	Manual	Manual Svo	Manua
ATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RAT	ES (\$)			d Elec	d	Order vs.	Svc Order	Order vs.	Svc Ord
			-								per LSR	Manually	Electronic-	vs.	Electronic-	vs.
												per LSR		Electronic-		
												P				
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	2W VG Loop (SL1)-Zone 1		1	UEP9E	UECS1	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEP9E	UECS1	21.32										
	2W VG Loop (SL2)-Zone 1		1	UEP9E	UECS2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEP9E	UECS2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEP9E	UECS2	28.28										
	Port Rate															
	L, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area	-		UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03		-	
	2W VG Port (Centrex 800 Term)Basic Local Area	+		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03		1	-
	2W VG Port (Centrex with Caller ID)1Basic Local Area	-		UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	_
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	-		UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	_
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	-		UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	-		UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area	-		UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Y, LA, MS, & TN Only			LIEDOE	LIEBOA	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	2W VG Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent	-		UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term	-		UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Switching	_		UEP9E	URECS	0.6381										
	Centrex Intercom Funtionality, per port	_		UEP9E	URECS	0.6381										
	Number Portability	_		UEP9E	LNPCC	0.35										
Featu	Local Number Portability (1 per port)	_		UEF9E	LINFCC	0.33										-
	All Standard Features Offered, per port	_		UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port	-		UEP9E	UEPVS	0.00	433.78		+			30.89	7.03		-	
	All Centrex Control Features Offered, per port	-		UEP9E	UEPVC	0.00	433.76		1			30.89	7.03			
NARS		-		OLF9L	OLFVC	0.00			+			30.09	7.03			
	Unbundled Network Access Register-Combination	+		UEP9E	UARCX	0.00	0.00	0.00	1			30.89	7.03	1	1	-
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	-		UEP9E	UAR1X	0.00	0.00	0.00			1	30.89	7.03		1	
	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial	+		UEP9E	UAROX	0.00	0.00	0.00	+		1	30.89	7.03		-	
	ellaneous Terminations	1		02.1 02	0, 11, 0, 1	5.50	3.50	0.00			1	55.55	7.00		 	
	e Trunk Side	+			+	-			+		1	1	-		-	
	Trunk Side Terms, each	1		UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03		t	
	e Digital (1.544 Megabits)	1		52. 52	02.150	50	22.17	.0.20	50	0.01		55.55				
	DS1 Circuit Terms, each	1		UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03		1	
	DS0 Channel Activated Per Channel	1		UEP9E	M1HDO	0.00	108.67	300				30.89	7.03		1	
	ffice Channel Mileage - 2-Wire													İ		
	Interoffice Channel Facilities Term			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66	İ									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66	İ									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66	İ									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQWP	0.66	İ						1		1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66	i									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWA	0.66										

NBUND	LED NETWORK ELEMENTS - Tennessee												Attachi	nent: 2	Exhib	oit: B
ATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrec		NRC Disc					Rates (\$)		
Men	December Channes (NDC) Associated with UNE D Continue			1			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1	-						 							
	per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block		+	UEP9E	M1ACS	0.00	658.60	0.29				30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60		i i			30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57		i i			30.89	7.03			
UNE	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)								1							
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		14.18										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		18.01			<u> </u>							
1.187	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP93		23.02		1	 		}	1			1	
UNE	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	 	1	UEP93		18.26			 		1	-	-	-	-	-
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93	+ +	23.33			 						1	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP93		29.98			 							
UNE	Loop Rate		Ť	32.1 00	+ +	20.00		1			1	1			t	
	2W VG Loop (SL1)-Zone 1		1	UEP93	UECS1	12.48			i i							
	2W VG Loop (SL1)-Zone 2		2	UEP93	UECS1	16.31			i i							
	2W VG Loop (SL1)-Zone 3		3	UEP93	UECS1	21.32										
	2W VG Loop (SL2)-Zone 1		1	UEP93	UECS2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEP93	UECS2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	28.28			ļļ.							
	Port Rate		<u> </u>						.							
AL,	KY, LA, MS, & TN only	1	-	LIEDOS	UEPYA	4.70	22.14	45.05	0.45	2.04		20.00	7.00			
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	1	1	UEP93 UEP93	UEPYB	1.70 1.70	22.14	15.25	8.45	3.91 3.91		30.89 30.89	7.03			
_	2W VG Port (Centrex with Caller ID)1Basic Local Area	-	-	UEP93	UEPYH	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03 7.03			
	2W VG Port (Centrex with Caller ID) Basic Local Area	+		UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	1		UEP93	UEPYZ	1.70	22.14	15.25		3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2W VG Port terminated in on Megalink or equivalent	1	 	UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
1 000	2W VG Port Terminated on 800 Service Term	1	1	UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		 	
Loca	Switching Centrex Intercom Funtionality, per port	 	╂	UEP93	URECS	0.6381			 		1	-	-	-	-	-
l oc	Number Portability	+	+	OLF 93	UNLUS	0.0301			 		1				 	
	Local Number Portability (1 per port)		1	UEP93	LNCCC	0.35		1			1	1			t	
Feat	ures			52.00		0.00										
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NAR																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial		<u> </u>	UEP93	UAR1X	0.00	0.00	0.00			ļ	30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	 			30.89	7.03		1	
	rellaneous Terminations	-	╂	1		-		1	 		}	1			1	
2-77	Trunk Side Trunk Side Terms, each	 	╂	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03		-	-
A_\A/	re Digital (1.544 Megabits)	 	1-	UEP93	CENDO	8.78	22.14	15.25	6.45	3.91	1	30.89	7.03		 	-
7-441	DS1 Circuit Terms, each	1	1	UEP93	M1HD1	35.55	75.93	38.15	 			30.89	7.03			
	DS0 Channels Activated, Per Channel		 	UEP93	M1HDO	0.00	108.67	30.10	 			30.89	7.03		1	
Inter	office Channel Mileage - 2-Wire		 			0.00	, , , , , ,					30.00			1	
	Interoffice Channel Facilities Term		1	UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.0174										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66	·				1		1	l		l

וטאטסאנ	LED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d Manually	Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-	I Charge Manua Svc Ord vs.
							Nonrec	urring	NRC Dis	0000004		per LSR	1st	Electronic-	Disc 1st	Electron
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66	11130	Addi	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	- COMPA
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP93	1PQWP	0.66										†
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										1
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP93	USAC2		1.03	0.29				30.89	7.03	1		
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			1
NBUNDLE	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
1. Ma	rket Rates are applied where BellSouth is not required by FCC and/or C	ommi	ssion	rule to provide Unbund	dled Local	Switching or S	witch Ports.									
2. Re	curring Charges for all Standard Centrex and Centrex Conrol Features a	re Inc	luded	in the Market Rate												Ī
3. En	d Office and Tandem Switching Usage and Common Transport Usage ra e first and add'i Port NRC charges apply to Not Currently Combined Co	ates in	the P	ort section of this exhi	bit shall ap	ply to all com	binations of le	oop/port ne	twork elem	ents exc	ept for UN	E Coin Po	rt/Loop Com	binations.		
		mpos.	For C	urrently Combined Co	mbos, the I	NRC charges s	nali be those	identified ii	n the NRC -	Currenti	y Combine	ea section	s. Add I NKC	s may apply	aiso and ar	e
	orized accordingly.														1	
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		30.31										4
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		35.32		1	 							
UNE	Port/Loop Combination Rates (Design)		1	UEP91		30.56		1	 							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design							-	 							+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91 UEP91		35.63 42.28		-	 							├
LIME	Loop Rate		3	UEF91	+	42.20			l -			1	-	-		+
UNE	2W VG Loop (SL1)-Zone 1		1	UEP91	UECS1	12.48		1								+
	2W VG Loop (SL1)-Zone 1		2	UEP91	UECS1	16.31		1								┼
	2W VG Loop (SL1)-Zone 3		3	UEP91	UECS1	21.32		1								+
_	2W VG Loop (SL2)-Zone 1		1	UEP91	UECS2	16.56			1							+
	2W VG Loop (SL2)-Zone 1		2	UEP91	UECS2	21.63		1								+
	2W VG Loop (SL2)-Zone 2		3	UEP91	UECS2	28.28			 							+
UNE			3	OLI 31	OLCOZ	20.20		1								+
	ates (Except NC and SC)				1				t				1	-		+
7 0.	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			†
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			†
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			†
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			T
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			T
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35	l	1								

JIADOIADE	ED NETWORK ELEMENTS - Tennessee			1										ment: 2		oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA ⁻	TES (\$)			Svc Order Submitte d Elec per LSR	d	Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrecu		NRC Dis					Rates (\$)		
F t							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Featu	All Standard Features Offered, per port			UEP91	UEPVF	0.00			-			30.89	7.03			
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	433.70					30.89	7.03			
NARS						0.00										
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	Ilaneous Terminations															
	Trunk Side			LIEDO4	CENIAC	0.70	00.00	45.00	20.00	40.00		20.00	7.00			
	Trunk Side Terms, each ffice Channel Mileage - 2-Wire	1		UEP91	CENA6	8.78	90.00	45.00	20.00	10.00	-	30.89	7.03	-		
	Interoffice Channel Facilities Term-VG	+		UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			\vdash
-	Interoffice Channel miage, per mi or fraction of mi	1		UEP91	M1GBC	0.0174	90.00	45.00	∠0.00	10.00		30.09	1.03	 		
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 01	WITODIVI	0.0174										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex Conversion-Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	0.29				30.89	7.03			
-	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	68.57					30.89	7.03			
UNE-I	CENTREX - 5ESS (Valid in All States)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		35.32										
UNE	Port/Loop Combination Rates (Design)		_	LIEDOE		00.50										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		1	UEP95 UEP95	_	30.56 35.63			-			-				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		42.28										
UNF I	oop Rate	1	3	OLF 30		42.20						1	-			
3.1.2	2W VG Loop (SL1)-Zone 1	1	1	UEP95	UECS1	12.48		1	1		1	1	t	†		
	2W VG Loop (SL1)-Zone 2		2	UEP95	UECS1	16.31										†
	2W VG Loop (SL1)-Zone 3		3	UEP95	UECS1	21.32						<u> </u>				
	2W VG Loop (SL2)-Zone 1		1	UEP95	UECS2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEP95	UECS2	21.63	· · · · · · · · · · · · · · · · · · ·									
	2W VG Loop (SL2)-Zone 3		3	UEP95	UECS2	28.28										
	Port Rate															
All St				LIEDOE	LIED\(A	44.00	20.00	45.00	00.00	40.00		00.00	7.00			
	2W VG Port (Centrex) Basic Local Area	1		UEP95 UEP95	UEPYA	14.00 14.00	90.00	45.00	20.00	10.00	-	30.89	7.03 7.03	-		
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area	1		UEP95 UEP95	UEPYB UEPYH	14.00	90.00	45.00 45.00		10.00		30.89 30.89	7.03			├
	2W VG Port (Centrex with Carlet ID) (Basic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00		10.00		30.89	7.03		1	
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	1		UEP95	UEPYZ	14.00	90.00	45.00		10.00		30.89				
-	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	1		UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area	1		UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89				<u> </u>
	2W VG Port, Diff SWC-800 Service Term	1		UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u></u>

MDUND	LED NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
TEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svo Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charg
						Rec	Nonrecu	ırring	NRC Dis	connect		•		Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
FL &	GA Only															
Loca	I Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	ires															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NAR						İ										
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
Misc	ellaneous Terminations												1			
	re Trunk Side				1	<u> </u>					1		İ	İ	İ	1
†	Trunk Side Terms, each	t -		UEP95	CEND6	8.78	47.75	47.01	9.21	8.47	†	30.89	7.03	İ	i	<u> </u>
4-Wii	re Digital (1.544 Megabits)			V = 1 V V	92				*	• • • • • • • • • • • • • • • • • • • •						•
	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15			1	30.89	7.03			
+	DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	108.67	00.10			1	30.89	7.03			1
Inter	office Channel Mileage - 2-Wire			OLI 30	MITIBO	0.00	100.07				 	00.00	7.00			
inter	Interoffice Channel Facilities Term		1	UEP95	MIGBC	18.58	90.00	45.00	20.00	10.00	1	30.89	7.03			
+	Interoffice Channel miage, per mi or fraction of mi		-	UEP95	MIGBM	0.0174	90.00	45.00	20.00	10.00	1	30.09	7.03	1		
Foot	ure Activations (DS0) Centrex Loops on Channelized DS1 Service		1	UEF93	IVIIGDIVI	0.0174					1					-
	hannel Bank Feature Activations		1		+						1					-
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP95	1PQWS	0.66					 					
+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	-								 					
-			-	UEP95	1PQW6 1PQW7	0.66					<u> </u>			1		
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-	-	UEP95		0.66					 					
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	-	-	UEP95	1PQWP	0.66					 					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
 	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
1	per port	<u> </u>		UEP95	USAC2		1.03	0.29			ļ	30.89	7.03	ļ	ļ	
1	New Centrex Standard Common Block	<u> </u>		UEP95	M1ACS	0.00	658.60				ļ	30.89	7.03	ļ	ļ	<u> </u>
 	New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	658.60				ļ	30.89	7.03	ļ	ļ	↓
<u> </u>	NAR Establishment Charge, Per Occasion	<u> </u>	<u> </u>	UEP95	URECA	0.00	68.57				ļ	30.89	7.03			
	P CENTREX - DMS100 (Valid in All States)	<u> </u>									ļ		ļ	ļ	ļ	<u> </u>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		26.48										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		30.31										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		35.32										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		35.63										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		42.28	-									
UNE	Loop Rate						-									
	2W VG Loop (SL1)-Zone 1		1	UEP9D	UECS1	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEP9D	UECS1	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEP9D	UECS1	21.32										
	2W VG Loop (SL2)-Zone 1		1	UEP9D	UECS2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEP9D	UECS2	21.63										
1	2W VG Loop (SL2)-Zone 3		3	UEP9D	UECS2	28.28							Ì	1		
UNE	Port Rate	t —	Ť								†		l	İ	İ	<u> </u>
	STATES	t —			1	l					†		l	İ	İ	<u> </u>
	2W VG Port (Centrex) Basic Local Area	t -		UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	1	 	1
+	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	t -		UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03		 	1
+	2W VG Port (Centrex 666 Fehri)Basic Local Area			UEP9D	UEPYC	14.00	90.00	45.00		10.00	1	30.89	7.03		 	
	2W VG Port (Centrex/EBS-P3E1)3Basic Local Area			UEP9D	UEPYD	14.00	90.00	45.00		10.00	l	30.89	7.03			

INDONDE	ED NETWORK ELEMENTS - Tennessee	_	1	1										nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charg
						Rec	Nonrecu			connect	201150	0011411		Rates (\$)	SOMAN	00144
	01M \ (C Dest (Center) EDC ME000\\ 2 Desis ees Asse	1	-	UEP9D	UEPYE	14.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
_	2W VG Port (Centrex /EBS-M5209))3 Basic Local Area	1	-	UEP9D	UEPYE	14.00	90.00 90.00	45.00 45.00	20.00	10.00	ļ	30.89	7.03 7.03			
-	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area	1	-								ļ					
	2W VG Port (Centrex /EBS-M5312))3Basic Local Area	1	-	UEP9D	UEPYG	14.00 14.00	90.00	45.00	20.00	10.00	ļ	30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area	1	-	UEP9D	UEPYT		90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	1	-	UEP9D UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	1	-	UEP9D	UEPYV UEPY3	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00	ļ	30.89 30.89	7.03 7.03			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	1	-	UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89				
_	2W VG Port (Centrex with Caller ID) Basic Local Area		 	UEP9D	UEPTH	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area		1	UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
	2W VG Port (Centrex/ivsg Vitg Lamp indication)3 Basic Local Area 2W VG Port (Centrex from diff SWC) 2 Basic Local Area		 	UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port (Centrex from diff SWC) 2 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area		 	UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
-	2W VG Port (Centrex/differ SWC /EBS-PSE1)2, 3 Basic Local Area		1	UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
-	2W VG Port (Centrex/differ SWC /EBS-1/19009)2, 3 Basic Local Area		1	UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
-	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area		1	UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
	2W VG Port (Centrex/differ SWC /EBS-N5312)2, 3 Basic Local Area		 	UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-N50312)2, 3 Basic Local Area		 	UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_			 	UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		 	UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area		 	UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port, Diff SWC-800 Service Term		 	UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent Basic Local Area		+	UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			-
	2W VG Port Terminated in 60 Negalink of equivalent basic Local Area		+	UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
AI K	Y, LA, MS, SC, & TN Only			OLF 9D	ULF12	14.00	90.00	43.00	20.00	10.00		30.09	7.03			
	2W VG Port (Centrex)		1	UEP9D	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex) 800 Term)			UEP9D	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2W VG Port (Centrex/EBS-PSET)3		1	UEP9D	UEPQC	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port (Centrex /EBS-M5009)3		1	UEP9D	UEPQD	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
_	2W VG Port (Centrex /EBS-M5209)3		1	UEP9D	UEPQE	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
-	2W VG Port (Centrex /EBS-M5112)3		1	UEP9D	UEPQF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-	2W VG Port (Centrex /EBS-M5312)3			UEP9D	UEPQG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2W VG Port (Centrex /EBS-M5008)3		1	UEP9D	UEPQT	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03			
+-	2W VG Port (Centrex/EBS-M5208)3	+	+	UEP9D	UEPQU	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03	 	 	
+	2W VG Port (Centrex/EBS-M5206)3 2W VG Port (Centrex/EBS-M5216)3	1	1	UEP9D	UEPQV	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
+	2W VG Port (Centrex/EBS-M5316)3	1	1	UEP9D	UEPQ3	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	 	 	†
+	2W VG Port (Centrex with Caller ID)	1	1	UEP9D	UEPQH	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
-	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	1	1	UEP9D	UEPQW	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			1
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	1	1	UEP9D	UEPQJ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			1
	2W VG Port (Centrex from diff SWC) 2	1	+	UEP9D	UEPQM	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	1		t -
	2W VG Port (Centrex/differ SWC /EBS-PSET)2, 3		1	UEP9D	UEPQO	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
1	2W VG Port (Centrex/differ SWC /EBS-M5009)2, 3	1	t	UEP9D	UEPQP	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	i	1	<u> </u>
1	2W VG Port (Centrex/differ SWC /EBS-5209)2, 3	1	t	UEP9D	UEPQQ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	i	1	<u> </u>
+	2W VG Port (Centrex/differ SWC /EBS-M5112)2, 3	1	1	UEP9D	UEPQR	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03	1	1	t t
+	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPQS	14.00	90.00	45.00	20.00	10.00	†	30.89	7.03	1	İ	<u> </u>
+	2W VG Port (Centrex/differ SWC /EBS-M5008)2, 3	1	1	UEP9D	UEPQ4	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03	1	1	t t
+	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3	1	+	UEP9D	UEPQ5	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	1		t -
1	2W VG Port (Centrex/differ SWC /EBS-M5216)2, 3		†	UEP9D	UEPQ6	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	 	 	1
1	2W VG Port (Centrex/differ SWC /EBS-M5316)2, 3	1	1	UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00	<u> </u>	30.89	7.03	1	1	t t
+	2W VG Port, Diff SWC-800 Service Term		1	UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00	†	30.89	7.03	1	İ	<u> </u>
1	2W VG Port terminated in on Megalink or equivalent		1	UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03	İ	İ	†
	2W VG Port Terminated on 800 Service Term	1	1-	UEP9D	UEPQ2	14.00	90.00	45.00	20.00	10.00	 	30.89	7.03		1	

JNBUNDLEL	D NETWORK ELEMENTS - Tennessee													nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrect First	urring Add'l	NRC Dis First	connect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMA
Local Sw	vitchina						11130	Addi	11130	Auu	JOINEO	JONAN	JOHIAN	JOHAN	JOINAN	JOHA
	entrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	umber Portability															
	cal Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Features				LIEDOD	LIED (E	0.00						00.00	7.00			
	Standard Features Offered, per port Select Features Offered, per port	-		UEP9D UEP9D	UEPVF UEPVS	0.00	433.78					30.89 30.89	7.03 7.03			
	Centrex Control Features Offered, per port	1		UEP9D	UEPVC	0.00	433.70					30.89	7.03			
NARS	Toontox control Features energy per port			OEI OB	OLI VO	0.00						00.00	7.00			
	nbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
Un	bundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	nbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
	neous Terminations	1	<u> </u>													ļ
	runk Side	-	<u> </u>	UEP9D	CEND6	8.78	90.00	45.00	20.00	10.00	-	30.89	7.03			
	unk Side Terms, each igital (1.544 Megabits)	+	1	UEP9D	CENDO	8.78	90.00	45.00	20.00	10.00	1	30.89	7.03			1
	S1 Circuit Terms, each	+-	1	UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			1
	SO Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67	00.10				30.89	7.03			
	ce Channel Mileage - 2-Wire			V = - V =		0.00										
	teroffice Channel Facilities Term			UEP9D	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	teroffice Channel miage, per mi or fraction of mi			UEP9D	MIGBM	0.0174										
	Activations (DS0) Centrex Loops on Channelized DS1 Service															
	nel Bank Feature Activations															
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	eature Activation on D-4 Channel Bank FX line Side Loop Slot eature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	-		UEP9D UEP9D	1PQW6 1PQW7	0.66 0.66										
	eature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	1		UEP9D	1PQWP	0.66										
	eature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0.66										
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	curring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed changes,															
	er port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	ew Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	ew Centrex Customized Common Block AR Establishment Charge, Per Occasion	1		UEP9D UEP9D	M1ACC URECA	0.00	658.60 68.57					30.89 30.89	7.03 7.03			
	ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1		OLF9D	UNLCA		00.57					30.09	7.03			
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)															
2W	V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		26.48										
	V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		30.31										
	V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	3	UEP9E		35.32										<u> </u>
	t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design	-	1	UEP9E		30.56					-					
	V VG Loop/2W VG Port (Centrex) Port Combo-Design	1	2	UEP9E	+	35.63										
	V VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		42.28										
UNE Loo		1	Ť	1		0										1
2W	V VG Loop (SL1)-Zone 1		1	UEP9E	UECS1	12.48										
	V VG Loop (SL1)-Zone 2		2	UEP9E	UECS1	16.31										
	V VG Loop (SL1)-Zone 3	<u> </u>	3	UEP9E	UECS1	21.32										<u> </u>
	V VG Loop (SL2)-Zone 1	-	1	UEP9E	UECS2	16.56			-		-					
	V VG Loop (SL2)-Zone 2 V VG Loop (SL2)-Zone 3	+	3	UEP9E UEP9E	UECS2	21.63 28.28					-					
UNE Port		1	- 3	ULF9L	01.032	20.20										1
	KY, LA, MS, & TN only			1												<u> </u>
	V VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	V VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	V VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	V VG Port (Centrex from diff SWC)2 Basic Local Area	<u> </u>		UEP9E	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
	V VG Port, Diff SWC-800 Service Term-Basic Local Area	<u> </u>	1	UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	V VG Port terminated in on Megalink or equivalent-Basic Local Area V VG Port Terminated on 800 Service Term-Basic Local Area	<u> </u>		UEP9E UEP9E	UEPY9 UEPY2	14.00 14.00	90.00	45.00 45.00	20.00	10.00	ļ	30.89 30.89	7.03 7.03			

Version 4Q02: 12/18/02 Page 322 of 324

UNDUND	ED NETWORK ELEMENTS - Tennessee			,										ment: 2		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu First	ırring Add'l	NRC Dis	Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
AL K	I Y, LA, MS, & TN Only						FIISL	Auu i	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SUMAI
	2W VG Port (Centrex)			UEP9E	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	2W VG Port Terminated on 800 Service Term Switching			UEP9E	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
LOCA	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Loca	Number Portability			OLI 3L	OKLOO	0.0301										
2000	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			1		1	1	t	†	t	1
Featu					1	2.20										
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00				30.89	7.03			
Minn	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations e Trunk Side				-				-		-	-				
2-4411	Trunk Side Terms, each			UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wir	e Digital (1.544 Megabits)			ULF9L	CLINDO	0.70	90.00	43.00	20.00	10.00		30.09	7.03			
	DS1 Circuit Terms, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 CI	nannel Bank Feature Activations			LIEBAE	150110											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E UEP9E	1PQW6 1PQW7	0.66 0.66			-		-	-				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC			UEP9E	1PQW7	0.66							-	-	-	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
-	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60		ļ	ļ	1	30.89	7.03			
	NAR Establishment Charge, Per Occasion	-		UEP9E	URECA	0.00	68.57		1	ļ	1	30.89	7.03			
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)				+				1	-	1	1	 	-	 	<u> </u>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		<u> </u>						1	 	1	1	-		-	
ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93	+	26.48			1	 	1	1	t		t	1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2	UEP93	_	30.31									-	†
	2W VG Loop/2W VG Fort (Centrex)Port Combo-Non-Design		3	UEP93		35.32							t		t	<u> </u>
UNE	Port/Loop Combination Rates (Design)								Ì		Ì	Ì	İ		İ	İ
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		30.56										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		35.63										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		42.28										
UNE	Loop Rate		<u> </u>	LIE	1.05				ļ	ļ	1	1				ļ
	2W VG Loop (SL1)-Zone 1		1	UEP93	UECS1	12.48			<u> </u>		<u> </u>	<u> </u>			<u> </u>	<u> </u>
	2W VG Loop (SL1)-Zone 2		2	UEP93	UECS1	16.31			1	-	1	1	1	1	1	1
-	2W VG Loop (SL1)-Zone 3 2W VG Loop (SL2)-Zone 1		3	UEP93 UEP93	UECS1 UECS2	21.32 16.56			1	 	1	1	-		-	\vdash
-	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2	\vdash	2	UEP93	UECS2	21.63			1	 	1	1	 	 	 	\vdash
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEP93	UECS2	28.28			 		 	 	1		 	
LINE	Port Rate	\vdash		OLF 33	01002	20.20			1	 	1	1	 	 	 	

ONBONDE	ED NETWORK ELEMENTS - Tennessee			1	,	T								nent: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA ⁻	ΓES (\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrect	ırring	NRC Dis	connect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Y, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	ļ		UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	ļ		UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)	1	-	UEP93 UEP93	UEPQA UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03 7.03		1	+
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1	1	-	UEP93 UEP93	UEPQB	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00	-	30.89 30.89	7.03		+	+
+	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	1		UEP93 UEP93	UEPQH	14.00	90.00	45.00 45.00	20.00	10.00	-	30.89	7.03		+	+
	2W VG Port (Centrex from dill SWC)2 2W VG Port, Diff SWC-800 Service Term	1	-	UEP93 UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00	-	30.89	7.03		+	+
	2W VG Port terminated in on Megalink or equivalent	1		UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	2W VG Port Terminated in 60 Neganitik of equivalent			UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			+
	Switching	_		OLF 93	ULFQZ	14.00	90.00	45.00	20.00	10.00		30.09	7.03			+
	Centrex Intercom Funtionality, per port	_		UEP93	URECS	0.6381										+
	Number Portability	_		OLI 95	OKEGO	0.0301										+
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										+
Featu				OLI 95	LIVOCO	0.55										+
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										+
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										+
NARS																1
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			1
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			1
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			1
	Ilaneous Terminations															1
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			1
	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			1
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP93	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66						ļ			1	4
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	ļ		UEP93	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Diff WC	ļ		UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	-	UEP93	1PQWV	0.66					-	1	1		1	+
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	-	UEP93	1PQWA	0.66					1	1	 		+	+
	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes,	1			+				-		-	 	 		+	+
	per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block	1	-	UEP93 UEP93	M1ACS	0.00	658.60	0.29			-	30.89	7.03		+	+
	New Centrex Standard Common Block New Centrex Customized Common Block	1	-	UEP93 UEP93	M1ACC	0.00	658.60				1	30.89	7.03	1	1	+
	NAR Establishment Charge, Per Occasion	1	-	UEP93	URECA	0.00	68.57				1	30.89	7.03	1	1	+
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	-	OLF93	UNEUA		00.37				1	30.69	7.03	1	1	+
	2 - Required Fort for Centrex Control in TAESS, SESS & EWSD				+						-	1	t		1	+-
	3 - Requires Specific Customer Premises Equipment	1			+							1	1	1	1	+
INOLE S		1	1	l as set forth in General							<u> </u>	1		1	<u> </u>	

`Attachment 3

Network Interconnection

TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION1	3
6.	LOCAL DIALING PARITY1	7
7.	INTERCONNECTION COMPENSATION	7
8.	FRAME RELAY SERVICE INTERCONNECTION	3
9.	ORDERING CHARGES	5
Rat	tesExhibit A	L
Bas	sic ArchitectureExhibit B	;
On	e Way ArchitectureExhibit C	,
Tw	o Way ArchitectureExhibit I)
Sup	pergroup ArchitectureExhibit I	£

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Excel PCHP.

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Excel PCHP.
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Excel PCHP's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Excel PCHP's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Excel PCHP owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way

interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Excel PCHP elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Excel PCHP and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Excel PCHP's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Excel PCHP Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Excel PCHP, BellSouth shall allow Excel PCHP access to the fusion splice point for the Fiber Meet point for maintenance purposes on Excel PCHP's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Excel PCHP shall be billed for a mixed use of the Local Channel using the actual traffic Excel PCHP elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Excel PCHP shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

- Excel PCHP shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Excel PCHP's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Excel PCHP desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Excel PCHP has established interconnection trunk groups, Excel PCHP shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Excel PCHP shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Excel PCHP has homed (i.e. assigned) its NPA/NXXs. Excel PCHP shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Excel PCHP shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Excel PCHP's NXX access tandem homing arrangement as specified by Excel PCHP in the LERG.
- Any Excel PCHP interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Excel PCHP from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Excel PCHP to submit a BFR/NBR via the BFR/NBR Process.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Excel PCHP are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Excel PCHP shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Excel PCHP is also an IXC, the IXC's Feature Group D (FGD) trunk group(s) must remain separate from the local interconnection trunk group(s).

Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Excel PCHP's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Excel PCHP shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures.

4.10.1.1 **Basic Architecture**

In the basic architecture, Excel PCHP's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Excel PCHP and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Excel PCHP and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel PCHP desires to exchange traffic. This trunk group also carries Excel PCHP originated

Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Excel PCHP. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Excel PCHP-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Excel PCHP end-users. A two-way trunk group provides Intratandem Access for Excel PCHP's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel PCHP and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel PCHP desires to exchange traffic. This trunk group also carries Excel PCHP originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Excel PCHP. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Excel PCHP and BellSouth. In addition, a separate two-way transit trunk group must be established for Excel PCHP's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel PCHP and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel PCHP desires to exchange traffic. This trunk group also carries Excel PCHP originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Excel PCHP. However, where Excel PCHP is responsive in a timely manner to BellSouth's transport needs for its

originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Excel PCHP's Transit Traffic are exchanged on a single two-way trunk group between Excel PCHP and BellSouth to provide Intratandem Access to Excel PCHP. This trunk group carries Transit Traffic between Excel PCHP and Independent Companies, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel PCHP desires to exchange traffic. This trunk group also carries Excel PCHP originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Excel PCHP. However, where Excel PCHP is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

Where Excel PCHP does not choose access tandem interconnection at every 4.10.1.5.1 BellSouth access tandem within a LATA, Excel PCHP may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Excel PCHP must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Excel PCHP's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Excel PCHP must also establish an interconnection trunk group(s) at all BellSouth access tandems where Excel PCHP NXXs are homed as described in Section 4.2.1 above. If Excel PCHP does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Excel PCHP can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Excel PCHP's Local Traffic, ISPbound Traffic and IntraLATA Toll Traffic to end-users served through those BellSouth access tandems where Excel PCHP does not have an interconnection

- trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 Excel PCHP may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to Excel PCHP will be delivered to and from IXCs based on Excel PCHP's NXX access tandem homing arrangement as specified by Excel PCHP in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Excel PCHP does not purchase MTA in a LATA served by multiple access tandems, Excel PCHP must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Excel PCHP routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Excel PCHP shall pay BellSouth the associated MTA charges.

4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Excel PCHP to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Excel PCHP-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- When a specified local calling area is served by more than one BellSouth local tandem, Excel PCHP must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Excel PCHP may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Excel PCHP may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Excel PCHP does not choose to establish an interconnection trunk group(s). It is Excel PCHP's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Excel PCHP's codes. Likewise, Excel PCHP shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Excel PCHP must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Excel PCHP has NPA/NXXs homed for the delivery of IXC Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 GSST).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Excel PCHP has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Excel PCHP and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Excel PCHP's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Excel PCHP to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Excel PCHP chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Excel PCHP originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Excel PCHP may choose to perform its own Toll Free database queries from its switch. In such cases, Excel PCHP will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Excel PCHP will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Excel PCHP will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Excel PCHP shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Excel PCHP will route the postquery interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Excel PCHP's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Excel PCHP performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- 5.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and

traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Excel PCHP chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Excel PCHP switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- 5.5 <u>SS7 Signaling</u>. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Excel PCHP will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Excel PCHP will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

5.7.1 Within six (6) months after execution of this Agreement, Excel PCHP shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Excel PCHP's

forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Excel PCHP-to-BellSouth one-way trunks (Excel PCHP Trunks), BellSouth-to-Excel PCHP one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Excel PCHP location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Excel PCHP shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Excel PCHP shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Excel PCHP shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be

utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Excel PCHP shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.1.1 BellSouth's CISC will notify Excel PCHP of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Excel PCHP interface. Excel PCHP will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Excel PCHP expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Excel PCHP to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Excel PCHP. The due date of these orders will be four weeks after Excel PCHP was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 5.8.3 For the two-way trunk groups, BellSouth and Excel PCHP shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Excel PCHP shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.3.1 BellSouth's LISC will notify Excel PCHP of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Excel PCHP interface. Excel PCHP will provide concurrence with the disconnection in seven (7) business days or will provide specific information

supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Excel PCHP expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Excel PCHP to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Excel PCHP will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Excel PCHP was first notified in writing of the underutilization of the trunk groups.

5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

BellSouth and Excel PCHP shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Excel PCHP agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Excel PCHP that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Excel PCHP further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Excel PCHP that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed IXC or if one Party's end user uses the other Party as an IXC on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Excel PCHP assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Excel PCHP end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Excel PCHP customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Excel PCHP agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Excel PCHP at BellSouth's switched access tariff rates.

7.2 If Excel PCHP does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Excel PCHP NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Excel PCHP can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for IXCs specified in BellSouth's Intrastate Access Services Tariff will apply to Excel PCHP. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- 7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the

terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.

Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Excel PCHP shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Excel PCHP will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening.</u> BellSouth's provision of 8XX Toll Free Dialing (TFD) to Excel PCHP requires interconnection from Excel PCHP to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Excel PCHP shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Excel PCHP desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses Excel PCHP as their presubscribed IXC, or if the BellSouth end user uses Excel PCHP as an IXC on a 101XXXX basis, BellSouth will charge Excel PCHP the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Excel PCHP's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Excel PCHP as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Excel PCHP's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Excel PCHP, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.

- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Excel PCHP agrees not to deliver switched access traffic to BellSouth for termination except over Excel PCHP ordered switched access trunks and facilities.

7.6 **Transit Traffic**

- 7.6.1 BellSouth shall provide tandem switching and transport services for Excel PCHP's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Excel PCHP and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Excel PCHP and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Excel PCHP is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange

of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Excel PCHP. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Excel PCHP shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Excel PCHP's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Excel PCHP is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Excel PCHP and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's GSST except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Excel PCHP have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).

- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Excel PCHP may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Excel PCHP that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Excel PCHP will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Excel PCHP will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Excel PCHP's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Excel PCHP will pay, the total non-recurring and recurring charges for the NNI port. Excel PCHP will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Excel PCHP's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Excel PCHP and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Excel PCHP orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Excel PCHP Frame Relay switch, BellSouth will invoice, and Excel PCHP will pay, the total non-recurring and recurring PVC charges for the PVC segment between the

BellSouth and Excel PCHP Frame Relay switches. If the VC is a Local VC, Excel PCHP will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Excel PCHP for the PVC segment.


- 8.9.2 If BellSouth orders a Local VC connection between a Excel PCHP subscriber's PVC segment and a PVC segment from the Excel PCHP Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Excel PCHP will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Excel PCHP Frame Relay switches. If the VC is a Local VC, Excel PCHP will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Excel PCHP for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Excel PCHP requests a change, BellSouth will invoice and Excel PCHP will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Excel PCHP will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth Tariff FCC No. 1.
- 8.10 Excel PCHP will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B



One-Way Architecture

Exhibit C



Two-Way Architecture

Exhibit D





Exhibit E

Supergroup Architecture



LUC	AL IN I E	ERCONNECTION - Alabama				1	1								ment: 3		ibit: A
CATE	GORY	RATE ELEMENTS	Interim	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
							_	Nonre	curring	NRC Di	isconnec	1		oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
OCA		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bill and keep	for that e	eleme	nt pursuant to the te	erms and cor	ditions in Attacl	nment 3.									
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.000498bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.000498										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
		charge is applicable only to transit traffic and is applied in addition to ap	plicable	switch	ing and/or intercon	nection char	ges.										
	TRUNK	CHARGE															
		Installation Trunk Side Service-per DS0			OHD	TPP++		333.69	56.91								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included in the End	Office S	witchi	ng and Tandem Sw	itching, per l	MOU rate elemen	its									
	COMM	ON TRANSPORT (Shared)															
		Common Transport-Per Mile, Per MOU			OHD		0.0000023bk										
		Common Transport-Facilities Term Per MOU			OHD		0.0003224bk										
OCA		CONNECTION (DEDICATED TRANSPORT)															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL,OHM	1L5NF	0.008838										
		Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.008838										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL,OHM	1L5NK	0.008838										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.18										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1,OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
		Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	4.09										
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3,OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
	LOCAL	. CHANNEL - DEDICATED TRANSPORT															
		Local Channel-Dedicated-2W VG per mo			OHL,OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
		Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
		Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
		Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58						
	LOCAL	INTERCONNECTION MID-SPAN MEET															
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is	applicable.												
		Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
		Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
	MULTI	PLEXERS	İ														
		Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
		DS3 to DS1 Channel System per mo			OH3,OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
	1	DS3 Interface Unit (DS1 COCI) per mo	1		OH1,OH1MS	SATCO	12.70	6.58	4.72				1				1
		If no rate is identified in the contract, the rates, terms, and conditions for	41	oifio c							 	+	 	 	-	†	+

LOCAL INT	TERCONNECTION - Florida													ment: 3		ibit: A
											Svc	Svc		Incremental		
											Order	Order	I Charge -	Charge -	Charge -	Charge -
											Submitte	Submitte	Manual	Manual Svc	Manual Svo	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	ΓES (\$)			d Elec	d	Svc Order	Order vs.	Order vs.	Order vs.
											per LSR	Manually	vs.	Electronic-	Electronic-	Electronic
											,	per LSR	Electronic-		Disc 1st	Disc Add'
												po. 20.1			2.00 .01	2.007.00
						Rec		curring		sconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTE	L RCONNECTION (CALL TRANSPORT AND TERMINATION)													1		
		u that alam				na in Attachment	<u> </u>									+
	E: "bk" beside a rate indicates that the Parties have agreed to bill and keep for	r that eler	nent p	irsuant to the terms	and condition	ns in Attachment	3.									
IANL	DEM SWITCHING			CUB		0.000004011										-
	Tandem Switching Function Per MOU			OHD		0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0006019										
	Tandem Intermediary Charge, per MOU*		<u> </u>	OHD	l .	0.0015										
	s charge is applicable only to transit traffic and is applied in addition to appli	cable swite	ching a	ind/or interconnection	n charges.											
TRUI	NK CHARGE			2115												
	Installation Trunk Side Service-per DS0		ļ	OHD	TPP++		336.43	57.38								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included in the End C	ffice Swite	ching a	nd Tandem Switchin	g, per MOU i	ate elements										
COM	MON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport-Facilities Term Per MOU			OHD		0.0004372bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL,OHM	1L5NF	0.0091										
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	25.32	47.35	31.78	18.31	7.03						1
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL.OHM	1L5NK	0.0091										1
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL.OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						1
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL.OHM	1L5NK	0.0091										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						1
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.1856	47.00	01.70	10.01	7.00						1
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1.OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						1
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	3.87	100.04	50.47	21.47	10.00						1
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3.OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56						
LOC	AL CHANNEL - DEDICATED TRANSPORT			OT 13,OT 13WO	ILOIVI	1,071.00	333.40	213.20	12.00	70.50						+
100	Local Channel-Dedicated-2W VG per mo			OHL.OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						+
	Local Channel-Dedicated-2W VG per mo			OHL,OHM	TEFV4	20.45	266.54	47.67	44.22	5.33						+
	Local Channel-Dedicated-4W VG per mo			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
	Local Channel-Dedicated-DS1 Facility Term per mo			OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84						+
1.00	AL INTERCONNECTION MID-SPAN MEET		1	ОПЗ	IEFHJ	551.91	330.37	343.01	139.13	90.04						+
	E: If Access service ride Mid-Span Meet, one-half the tariffed service Local C	annol ret	. ic. c=	aliaahla	1	1		1					-		-	+
NOTI		iannei rate	e is ap		TEFHG	0.00	0.00	-					-	-	-	+
	Local Channel-Dedicated-DS1 per mo Local Channel-Dedicated-DS3 per mo	_	1	OH1MS OH3MS	TEFHG	0.00	0.00	-					-	-	-	+
		-	1	OH3IVIS	IEFHJ	0.00	0.00						-	 		
MUL	TIPLEXERS	-	1	014 011110	0.47514		401.15	71.00	44.00	40.40			1	1		₩
	Channelization- DS1 to DS0 Channel System		1	OH1,OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49			-	-		
	DS3 to DS1 Channel System per mo DS3 Interface Unit (DS1 COCI) per mo	_	1	OH3,OH3MS	SATNS SATCO	211.19	199.28	118.64	40.34	39.07						
				OH1.OH1MS		13.76	10.07	7.08						1		1

Version 4Q02: 12/18/02 Page 2 of 9

OCAL IN	ERCONNECTION - Georgia												Attach			bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Order vs.	Charge -
						Rec	Nonrec	curring	NRC D	isconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OOAL INTE	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	:: "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that alar	nont ni	rement to the terms	and condition	no in Attachment	2									
	EM SWITCHING	for that eler	nent pu	irsuant to the terms	and conditio	is in Attachment	ა.									
IANL				OLID	-	0.0011009bk						 				
	Tandem Switching Function Per MOU			OHD	-							ļ				+
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0011009										├
	Tandem Intermediary Charge, per MOU*		<u></u>	OHD	1	0.0015										+
	charge is applicable only to transit traffic and is applied in addition to app	icable swite	ening a	ina/or interconnection	on charges.											+
TRUN	IK CHARGE															I
	Installation Trunk Side Service-per DS0			OHD	TPP++		333.28	56.84								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										1
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										1
	s rate element is recovered on a per MOU basis and is included in the End	Office Swite	ching a	nd Tandem Switchir	ıg, per MOU ı	ate elements										l
COM	MON TRANSPORT (Shared)															l
	Common Transport-Per Mile, Per MOU			OHD		0.0000080bk										1
	Common Transport-Facilities Term Per MOU			OHD		0.0004152bk										ſ
OCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															ĺ
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															ĺ
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL,OHM	1L5NF	0.0222										
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	17.07	79.61	36.08								
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHLOHM	1L5NK	0.0222						1				
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL.OHM	1L5NK	0.0222										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.4523	70.01	00.00								
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1.OH1MS	1L5NL	78.47	147.07	111.75				Ì				
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	2.72	147.07	111.70								
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3.OH3MS	1L5NM	788.00	511.10	330.77								1
LOCA	AL CHANNEL - DEDICATED TRANSPORT			0110,0110100	ILSIVIVI	700.00	311.10	330.11								
L00/	Local Channel-Dedicated-2W VG per mo	_		OHL.OHM	TEFV2	13.91	382.95	62.40				-				
	Local Channel-Dedicated-4W VG per mo	_		OHL,OHM	TEFV4	14.99	368.44	64.05				-				
	Local Channel-Dedicated-44W VG per mo	-	1	OHL,OHIVI	TEFHG	38.36	356.15	312.89	 			 	 			
	Local Channel-Dedicated-DS3 Facility Term per mo	-	\vdash	OH1	TEFHJ	515.91	639.50	426.31	1	1	1	1	1			
1.00	L INTERCONNECTION MID-SPAN MEET		\vdash	UNS	IEFHJ	313.91	039.30	420.31	1	1		1				
	:: If Access service ride Mid-Span Meet, one-half the tariffed service Local (Channal rate	l lo orr	aliaahla	+	1			1			1				
NOTE		mannei rati	s is app	OH1MS	TEFHG	0.00	0.00		-							
	Local Channel-Dedicated-DS1 per mo Local Channel-Dedicated-DS3 per mo		1	OH1MS OH3MS	TEFHJ	0.00	0.00		1			1				
B41			1	OHSIVIS	IEFHJ	0.00	0.00		 			 				
MUL	TIPLEXERS		\vdash	OLIA OLIANO	CATNI	400.00	400.00	400.50	 			1	 			
-+	Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	126.22	198.22									
	DS3 to DS1 Channel System per mo DS3 Interface Unit (DS1 COCI) per mo		1	OH3,OH3MS OH1.OH1MS	SATNS	182.04 11.02	280.66 12.02	195.33 8.66				ļ				

Version 4Q02: 12/18/02 Page 3 of 9

LOCAL IN	ITERCONNECTION - Kentucky												Attach	ment: 3	Exhi	bit: A
	· ·										Svc	Svc	Increment	Incrementa	Incrementa	Increment
											Order	Order	al Charge -	I Charge -	I Charge -	I Charge -
			_								Submitte	Submitt	Manual	Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	Interim	Zon	BCS	USOC		RA	TES (\$)			d Elec	ed	Svc Order		Svc Order	
			е					- (.,			per LSR	Manuali	VS.	VS.	VS.	VS.
											per Lak		_		_	
												y per	Electronic-	Electronic-	Electronic-	Electronic
						_	Nonre	curring	NRC Di	sconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ERCONNECTION (CALL TRANSPORT AND TERMINATION)															
	TE: "bk" beside a rate indicates that the Parties have agreed to bill and kee	p for that	eleme	nt pursuant to the te	rms and cor	ditions in Attacl	nment 3.									
TAI	NDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006772bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Th	nis charge is applicable only to transit traffic and is applied in addition to a	pplicable	switcl	hing and/or intercon	nection cha	ges.										
TRI	JNK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		334.09	57.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** T	his rate element is recovered on a per MOU basis and is included in the Er	d Office S	witch	ing and Tandem Swi	itching, per	MOU rate elemen	ts									
CO	MMON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport-Facilities Term Per MOU			OHD		0.0007466bk										
LOCAL INT	ERCONNECTION (DEDICATED TRANSPORT)															
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL.OHM	1L5NF	0.01										
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.0115										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL,OHM	1L5NK	0.0115										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.23										
+	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1,OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49						-
-+	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	4.97	.00.02	00.10	20.00	20.10			-	 	 	
-+	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3,OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75			-	 	 	
100	CAL CHANNEL - DEDICATED TRANSPORT			5110,5110110	12014101	1,170.10	000.40	210.24	55.57	07.70			-	 	 	1
	Local Channel-Dedicated-2W VG per mo			OHL.OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	Local Channel-Dedicated-4W VG per mo		1	OHL,OHM	TEFV4	19.86	266.48	47.65	47.54	5.73			1	 	 	
	Local Channel-Dedicated-DS1 per mo		1	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07			1	1	1	
-+	Local Channel-Dedicated-DS3 Facility Term per mo		1	OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42			1	1	1	
10	CAL INTERCONNECTION MID-SPAN MEET		1	OHS	ILITIS	370.03	331.30	330.00	173.00	120.42			1	1	1	
	TE: If Access service ride Mid-Span Meet, one-half the tariffed service Loca	l Channol	rate i	s annlicable	1	†							1	1	1	
NO	Local Channel-Dedicated-DS1 per mo	- Chamber	iate I	OH1MS	TEFHG	0.00	0.00	1					-	-	-	
	Local Channel-Dedicated-DS3 per mo		1	OH 1MS	TEFHJ	0.00	0.00	1					-	-	-	
B411	LTIPLEXERS		1	OI IOIVIO	ILTEIJ	0.00	0.00	1			-	 	-	-	-	-
INIU	Channelization- DS1 to DS0 Channel System	_	1	OU4 OU4MS	CATNIA	112.00	101.40	71.00	12.70	12.04						
	DS3 to DS1 Channel System DS3 to DS1 Channel System	_	1	OH1,OH1MS OH3.OH3MS	SATN1 SATNS	113.33 158.20	101.40 199.23	71.60 118.62	13.79 50.16	13.04 48.59						\vdash
			1	,	SATINS				50.16	48.59			1	 	 	
	DS3 Interface Unit (DS1 COCI) per mo es: If no rate is identified in the contract, the rates, terms, and conditions		1	OH1,OH1MS		11.80	10.07	7.08	1		I	ı				

OCAL INT	ERCONNECTION - Louisiana					,								ment: 3		ibit: A
											Svc Order	Svc Order	Incrementa I Charge -	Incremental Charge -	Charge -	Charge
ATEGORY	RATE ELEMENTS	Interim	7	BCS	USOC		D 47	ES (\$)			Submitte	Submitte	Manual	Manual Svc	Manual Svc	
ALEGORI	RAIE ELEWENIS	interin	Zone	ьсэ	USUC		KAI	E2 (4)			d Elec	d	Svc Order	Order vs.	Order vs.	Order vs
											per LSR	Manually	vs.	Electronic-	Electronic-	
												per LSR	Electronic-	Add'l	Disc 1st	Disc Add
						_	Nonre	curring	NRC D	isconnec			oss	Rates(\$)	ı	1
						Rec	First	Add'l	First			SOMAN		SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bill and keep f	or that elei	ment p	ursuant to the terms	and condition	ns in Attachment	3.									
TANE	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0005507										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in addition to appl	cable swit	ching a	and/or interconnection	n charges.											
TRUN	NK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		334.94	56.98								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	is rate element is recovered on a per MOU basis and is included in the End	Office Swit	ching a	ind Tandem Switchin	g, per MOU r	ate elements										
COM	MON TRANSPORT (Shared)															1
	Common Transport-Per Mile, Per MOU			OHD		0.0000032bk										
	Common Transport-Facilities Term Per MOU			OHD		0.0003748bk										1
CAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT															1
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL.OHM	1L5NF	0.013										1
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	22.60	39.36	26.62								
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL.OHM	1L5NK	0.013										1
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.61	39.37	26.62								
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL.OHM	1L5NK	0.013	00.01	20.02								
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.61	39.37	26.62			-	-				
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.2652	33.31	20.02			1	1				
-	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1,OH1MS	1L5NL	70.47	86.69	79.44			-	-				
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	6.04	00.03	73.44								
	Interoffice Channel-Dedicated Transport-DS3- et white per mo			OH3,OH3MS	1L5NM	850.45	270.69	158.05								
LOC	AL CHANNEL - DEDICATED TRANSPORT			OI 13,OI 13IVI3	ILJINIVI	030.43	210.09	130.03								
LOCA	Local Channel-Dedicated-2W VG per mo			OHL.OHM	TEFV2	18.32	187.51	32.21								
	Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	19.41	187.94	32.63								
	Local Channel-Dedicated-4W VG per mo			OH1	TEFHG	39.18	172.34	149.27								
	Local Channel-Dedicated-DS1 Facility Term per mo		+	OH3	TEFHJ	469.44	438.46	256.30			1	1				
1.00/	AL INTERCONNECTION MID-SPAN MEET		+	ОПЗ	IEFHJ	409.44	430.40	230.30			1	1				
	E: If Access service ride Mid-Span Meet, one-half the tariffed service Local C	honnol ret	0 10 5=	nliaahla		+		1	1	1	1	1		-	-	
NOTE		nannei rat	е із ар	OH1MS	TEFHG	0.00	0.00	1	1	1	1	1		-	-	
	Local Channel-Dedicated-DS1 per mo Local Channel-Dedicated-DS3 per mo		+	OH1MS OH3MS	TEFHU	0.00	0.00	1	1	1	 	 				
MIII		_	1	OHSIVIS	IEFHJ	0.00	0.00	-	1	-	-	-		-	-	
MUL	TIPLEXERS Channel institute DC4 to DC6 Channel Cinton		1	OLIA OLIAMO	CATNI	105.00	00.44	60.70								
-	Channelization- DS1 to DS0 Channel System		+	OH1,OH1MS	SATN1	105.09	88.41	60.76	}	!	1	1				₩
	DS3 to DS1 Channel System per mo	_	-	OH3,OH3MS OH1.OH1MS	SATNS	201.48	172.99	91.25 4.58	1	-						├
	DS3 Interface Unit (DS1 COCI) per mo		1				6.39		•							1

Version 4Q02: 12/18/02 Page 5 of 9

LOCAL INTE	ERCONNECTION - Mississippi												Attach	ment: 3	Exhi	ibit: A
								-			Svc	Svc	Increment	Incrementa	Incrementa	Increment
											Order	Order	al Charge -	I Charge -	I Charge -	I Charge
			7								Submitte	Submitt	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interim	Zon	BCS	USOC		RA [*]	TES (\$)			d Elec	ed	Svc Order		Svc Order	
			е									Manuali	vs.	vs.	vs.	vs.
											per Lor		_	_	Electronic-	_
												y per	Electronic-	Electronic-	Electronic-	Electronic
						Rec	Nonre	curring	NRC Dis	sconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CONNECTION (CALL TRANSPORT AND TERMINATION)		<u> </u>	<u> </u>	L											
	"bk" beside a rate indicates that the Parties have agreed to bill and keep	for that e	elemer	nt pursuant to the te	rms and cor	iditions in Attacl	nment 3.									
TANDE	M SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*		l	OHD	L	0.0015										
	charge is applicable only to transit traffic and is applied in addition to ap	plicable	switch	ing and/or intercon	nection chai	ges.						ļ				↓
TRUNK	CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		334.11	56.98								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	rate element is recovered on a per MOU basis and is included in the End	Office S	witchi	ng and Tandem Swi	itching, per l	MOU rate elemen	ts									
COMM	ON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000026bk										
	Common Transport-Facilities Term Per MOU			OHD		0.0004541bk										
	CONNECTION (DEDICATED TRANSPORT)															
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL,OHM	1L5NF	0.0098										
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.0098										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL,OHM	1L5NK	0.0098										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.201										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1,OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	4.76										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3,OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
LOCAL	. CHANNEL - DEDICATED TRANSPORT															
	Local Channel-Dedicated-2W VG per mo			OHL,OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						
LOCAL	. INTERCONNECTION MID-SPAN MEET				1											
	If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is	applicable.	1											
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									1
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									1
MULTIF	PLEXERS															1
	Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						1
	DS3 to DS1 Channel System per mo		t	OH3,OH3MS	SATNS	170.63	179.17	94.52	34.30					İ		t
-	DS3 Interface Unit (DS1 COCI) per mo	1	†	OH1.OH1MS	SATCO	12.96	6.62	4.74	250			1		1	1	
	If no rate is identified in the contract, the rates, terms, and conditions for		٠.,,										!	-	 	+

	RCONNECTION - North Carolina					ı					_	_		ment: 3		ibit: A
											Svc	Svc	Incrementa	Incremental	Incremental	
											Order	Order	I Charge -	Charge -	Charge -	Charge -
			_								Submitte	Submitte	Manual	Manual Svc	Manual Svo	: Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RAT	ES (\$)			d Elec	d	Svc Order	Order vs.	Order vs.	Order vs
											per LSR	Manually	vs.	Electronic-	Electronic-	Electronic
											T.	per LSR	Electronic-	Add'l	Disc 1st	Disc Add
						Rec		curring		isconnec				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTERO	ONNECTION (OALL TRANSPORT AND TERMINATION)				1				ļ							+
	ONNECTION (CALL TRANSPORT AND TERMINATION)	. 111 -1				! ***	^		ļ							+
	bk" beside a rate indicates that the Parties have agreed to bill and keep for	r that elen	nent pu	irsuant to the terms	and condition	ns in Attachment	3.									-
	M SWITCHING			0.15												
	Tandem Switching Function Per MOU			OHD		0.0012000bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0012										1
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	harge is applicable only to transit traffic and is applied in addition to applic	able swite	ching a	ind/or interconnection	on charges.											1
	CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		333.54	56.88								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										T
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This r	rate element is recovered on a per MOU basis and is included in the End O	ffice Swite	ching a	nd Tandem Switchin	g, per MOU r	ate elements										
COMMC	ON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000100bk										1
	Common Transport-Facilities Term Per MOU			OHD		0.0003400bk										1
	ONNECTION (DEDICATED TRANSPORT)			• • • • • • • • • • • • • • • • • • • •												†
	FFICE CHANNEL - DEDICATED TRANSPORT															1
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL.OHM	1L5NF	0.0282										†
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	18.00	137.48	52.58			1					+
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.0282	107.40	02.00			-					†
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	17.40	137.48	52.58				-				+
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL,OHM	1L5NK	0.0282	137.40	32.36			1					+
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL,OHM OHL,OHM	1L5NK		137.48	52.58								+
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM OH1,OH1MS	1L5NK 1L5NL	17.40 0.5753	137.48	52.58								+
							047.47	400.75								
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo	-		OH1,OH1MS	1L5NL	71.29	217.17	163.75				ļ				+
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	12.98										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3,OH3MS	1L5NM	720.38	794.94	579.55								
	CHANNEL - DEDICATED TRANSPORT															1
	Local Channel-Dedicated-2W VG per mo			OHL,OHM	TEFV2	11.24	553.80	89.69								1
	Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	12.03	562.23	92.67								_
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	27.05	534.48	462.69								
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	298.92	438.46	256.30								
	INTERCONNECTION MID-SPAN MEET															
NOTE: If	f Access service ride Mid-Span Meet, one-half the tariffed service Local Cl	nannel rate	e is app	olicable.												
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
MULTIP	LEXERS															
	Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per mo	1		OH3,OH3MS	SATNS	233.10	403.97	234.40	1	1	1					1
	DOS 10 DO 1 CHAIII EI SYSTEIN PEI IIIO															

Version 4Q02: 12/18/02 Page 7 of 9

OCAL IN	ERCONNECTION - South Carolina				1	1								ment: 3		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						D	Nonre	curring	NRC Di	sconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that alor	nont ni	reuant to the terme	and condition	ne in Attachment	2									
	EM SWITCHING	loi tilat elei	nent pt	i suant to the terms	The Contains	III Attaciiiieiit	J.					1				t
TAND				OLID	-	0.000700011						-				
	Tandem Switching Function Per MOU			OHD	-	0.0007360bk			-			1				+
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.000736										-
	Tandem Intermediary Charge, per MOU*			OHD		0.0015		ļ								
	charge is applicable only to transit traffic and is applied in addition to app	licable swite	ching a	ind/or interconnection	on charges.											
TRUN	K CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		335.14	57.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										L
** Thi	s rate element is recovered on a per MOU basis and is included in the End	Office Swite	ching a	nd Tandem Switchir	ıg, per MOU ı	ate elements										
COM	MON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000045bk										ĺ
	Common Transport-Facilities Term Per MOU			OHD		0.0004095bk										
OCAL INTER	CONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL.OHM	1L5NF	0.0167										
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL.OHM	1L5NK	0.0167										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHL.OHM	1L5NK	0.0167	10.00			0.01						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	0.3415	40.00	21.71	10.77	0.01						
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term per mo			OH1.OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	8.02	00.47	01.00	10.00	14.40						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3.OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
LOCA	L CHANNEL - DEDICATED TRANSPORT			0110,0110100	ILSIVIVI	000.03	213.01	100.12	00.55	30.33						
2007	Local Channel-Dedicated-2W VG per mo			OHL.OHM	TEFV2	15.33	193.53	33.24	36.72	3,21						
	Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	16.54	193.97	33.68	37.19	3.68						
	Local Channel-Dedicated-TW v3 per mo			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30						
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						
1.004	L INTERCONNECTION MID-SPAN MEET	-		0113	ILIIIJ	440.00	402.02	204.33	118.73	03.11				 		
	: If Access service ride Mid-Span Meet, one-half the tariffed service Local	hannal rat	ie ar	alicable	+	+		 	1			1				
NOTE		Juannei rati	ıs ap	OH1MS	TEFHG	0.00	0.00	-	-					-		
	Local Channel-Dedicated-DS1 per mo Local Channel-Dedicated-DS3 per mo			OH1MS OH3MS	TEFHJ	0.00	0.00	1	1			1		-		
841			1	OHSIVIS	IEFHJ	0.00	0.00	-	 	<u> </u>		 				
WIULI	TOLERAN BOA to BOO Observed Contain			OLIA OLIANO	CATNI	407.55	04.64	00.71	40.50	0.61		1		 		⊢—
	Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per mo DS3 Interface Unit (DS1 COCI) per mo			OH3,OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90		1				
				OH1.OH1MS	SATCO	8.64	6.59	4.73	1		ı				1	1

Version 4Q02: 12/18/02 Page 8 of 9

OCAL INT	ERCONNECTION - Tennessee												Attach	ment: 3	Exhi	ibit: A
MITTOORY	RATE ELEMENTS	la ta si sa	Zon	BCS	usos		D.A.	FFC (#)			Svc Order Submitte		al Charge - Manual	Manual	l Charge - Manual	I Charge Manua
ATEGORY	RATE ELEMENTS	Interim	е	всз	USOC		KA	TES (\$)			d Elec per LSR	ed Manuall y per	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Svc Order vs. Electronic-	vs.
1		-					Monro	curring	NDC Di	sconnect			066	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)				<u> </u>	<u> </u>										
	: "bk" beside a rate indicates that the Parties have agreed to bill and keep	for that e	elemer	nt pursuant to the te	rms and con	iditions in Attacl	nment 3.									
TANI	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0009778										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in addition to ap	plicable	switch	ning and/or intercon	nection char	ges.										
TRUN	IK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP++		334.29	57.01								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	s rate element is recovered on a per MOU basis and is included in the End	Office S	witchi	ng and Tandem Swi	itchina, per l	MOU rate elemen	its									
	MON TRANSPORT (Shared)				1											
	Common Transport-Per Mile, Per MOU			OHD		0.0000064bk										1
	Common Transport-Facilities Term Per MOU			OHD		0.0003871bk										†
CAL INTE	RCONNECTION (DEDICATED TRANSPORT)			4												†
	ROFFICE CHANNEL - DEDICATED TRANSPORT															†
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHL,OHM	1L5NF	0.0174										†
	Interoffice Channel-Dedicated Transport- 2W VG-Facility Term per mo			OHL,OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						†
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.0174	00.00	17.07	27.00	0.01						+
- t	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHL,OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						+
- t	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHL,OHM	1L5NK	0.0174	55.55	17.57	21.30	3.51						+
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHLOHM	1L5NK	17.98	55.39	17.37	27.96	3.51						+
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHL,OHMS	1L5NL	0.3562	55.59	17.37	27.90	3.31						+
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1,OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						+
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3,OH3MS	1L5NM	2.34	112.40	76.27	19.55	14.99						4
							005.00	470.50	400.04	405.04						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3,OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						
LOCA	AL CHANNEL - DEDICATED TRANSPORT			0	TEE: 10	10.10	100.00	0110	= 4 0 4							
	Local Channel-Dedicated-2W VG per mo			OHL,OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
	Local Channel-Dedicated-4W VG per mo			OHL,OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	40.99	277.35	233.26	33.18	22.30						4
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15						
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed service Local	Channel	rate is		ļ											
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									1
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
MUL	TIPLEXERS															
	Channelization- DS1 to DS0 Channel System			OH1,OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						
	DS3 to DS1 Channel System per mo			OH3,OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23						
	DS3 Interface Unit (DS1 COCI) per mo			OH1,OH1MS	SATCO	17.58	6.07	4.66								
	s: If no rate is identified in the contract, the rates, terms, and conditions for		-:::				la DallCa	ith toriff					i e			1

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Excel PCHP is physically collocated as a sole occupant or as a Host within a Premise location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth are leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Excel PCHP collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Excel PCHP to occupy that certain area designated by BellSouth within a BellSouth Premise, or on BellSouth property upon which the BellSouth Premise is located, of a size which is specified by Excel PCHP and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Excel PCHP may contemplate a request for space sufficient to accommodate Excel PCHP's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Excel PCHP may contemplate a request for space sufficient to accommodate Excel PCHP's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation</u>. BellSouth shall attempt to accommodate Excel PCHP's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Excel PCHP's cost or materially delay Excel PCHP's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Excel PCHP wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d)

used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC Rules.

- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Premise, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Premise. Excel PCHP will be responsible for any justification of unutilized space within its space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Excel PCHP shall use the Collocation Space for the purposes of installing, maintaining and operating Excel PCHP's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Excel PCHP agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Upon request from Excel PCHP, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Excel PCHP for a Space Availability Report must be written and must include the Premises street address, as identified in the LERG, and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premise within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Excel PCHP and inform Excel PCHP of the time frame under which it can respond.

3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow Excel PCHP to collocate Excel PCHP's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Excel PCHP to have direct access to Excel PCHP's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Excel PCHP's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Excel PCHP must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Excel PCHP's expense, Excel PCHP may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TR) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Excel PCHP and Excel PCHP's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Excel PCHP's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Excel PCHP and provide, at Excel PCHP's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Excel PCHP's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Excel PCHP's BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Excel PCHP's BellSouth Certified Supplier. Excel PCHP must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Excel PCHP's locked enclosure prior to notifying Excel PCHP at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Excel PCHP.

- 3.2.1 BellSouth may elect to review Excel PCHP's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Excel PCHP indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Excel PCHP has indicated its desire to construct its own enclosure. If Excel PCHP's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Excel PCHP's plans and specifications. BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Excel PCHP. BellSouth shall require Excel PCHP to remove or correct within seven (7) calendar days at Excel PCHP's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.3 Shared Caged Collocation. Excel PCHP may allow other telecommunications carriers to share Excel PCHP's caged collocation arrangement pursuant to terms and conditions agreed to by Excel PCHP (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Premise is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Excel PCHP shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Excel PCHP that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Excel PCHP.
- Excel PCHP, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Excel PCHP with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, Excel PCHP shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Excel PCHP shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Excel PCHP's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements (Adjacent Arrangement) on the Premises' property when space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Excel PCHP and in conformance with BellSouth's design and construction Specifications. Further, Excel PCHP shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Excel PCHP elect Adjacent Collocation, Excel PCHP must arrange with a BellSouth Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Excel PCHP and Excel PCHP's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Excel PCHP's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Excel PCHP's BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Excel PCHP's BellSouth Certified Supplier. Excel PCHP must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth will not access Excel PCHP's locked enclosure prior to notifying Excel PCHP at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Excel PCHP must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Excel PCHP's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans

and specifications. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Excel PCHP. BellSouth shall require Excel PCHP to remove or correct within seven (7) calendar days at Excel PCHP's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Excel PCHP shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Excel PCHP's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Excel PCHP's BellSouth Certified Supplier shall be responsible, at Excel PCHP's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services within a BellSouth Premise. BellSouth will permit Excel PCHP to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Excel PCHP's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Excel PCHP use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Excel PCHP must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Excel PCHP. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Excel PCHP's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Excel PCHP will have the option of using Excel PCHP's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Excel PCHP shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Excel PCHP shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Excel PCHP is responsible for ensuring the integrity of the signal.

- 3.5.2 Excel PCHP shall be responsible for providing a letter of authorization (LOA) to BellSouth from the other collocated telecommunications carrier simultaneously with submitting the application. Excel PCHP-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Excel PCHP will have the option of using Excel PCHP's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Excel PCHP must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. <u>Occupancy</u>

- 4.1 BellSouth will notify Excel PCHP in writing that the Collocation Space is ready for occupancy (Space Ready Date). Excel PCHP will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Excel PCHP of the Space Ready Date. BellSouth will correct any deviations to Excel PCHP's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Excel PCHP has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Excel PCHP's acceptance of the Collocation Space (Space Acceptance Date). In the event that Excel PCHP fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Excel PCHP on the Space Ready Date and billing will commence from that date. If Excel PCHP decides to occupy the space prior to the Space Ready Date, the date Excel PCHP occupies the space becomes the new Space Acceptance Date and billing begins from that date. Excel PCHP must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Excel PCHP's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Excel PCHP may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of

occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Excel PCHP and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Excel PCHP signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Excel PCHP jointly conduct an inspection which confirms that Excel PCHP has corrected the discrepancies. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Excel PCHP's right to occupy the Collocation Space in the event Excel PCHP fails to comply with any provision of this Agreement including the payment of applicable fees.

4.2.1 Upon termination of occupancy, Excel PCHP at its expense shall remove its equipment and other property from the Collocation Space. Excel PCHP shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Excel PCHP's Guest(s), unless Excel PCHP's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Excel PCHP shall continue payment of monthly fees to BellSouth until such date as Excel PCHP, and if applicable Excel PCHP's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Excel PCHP or Excel PCHP's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Excel PCHP or Excel PCHP's Guest(s), in any manner that BellSouth deems fit, at Excel PCHP's expense and with no liability whatsoever for Excel PCHP's property or Excel PCHP's Guest(s)'s property. Upon termination of Excel PCHP's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and Excel PCHP shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Excel PCHP except for ordinary wear and tear, unless otherwise agreed to by the Parties. Excel PCHP's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Excel PCHP shall be responsible for the cost of removing any Excel PCHP constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of

any equipment collocated in a Premise must be for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services.

- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Excel PCHP's failure to comply with this Section.
- 5.1.3 Excel PCHP shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Excel PCHP submits an application for terminations that exceed the total capacity of the collocated equipment, Excel PCHP will be informed of the discrepancy and will be required to submit a revision to the application.
- Excel PCHP shall identify to BellSouth whenever Excel PCHP submits a Method of Procedure (MOP) adding equipment to Excel PCHP's Collocation Space, all UCC-1 lien holders or other entities that have a financial interest, secured and otherwise, in the equipment in Excel PCHP's Collocation Space. Excel PCHP shall submit a copy of the list of any lien holders or other entities that have a financial interest to Excel PCHP's ATCC Representative.
- 5.3 Excel PCHP shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.

- 5.4 Excel PCHP shall place a plaque or other identification affixed to Excel PCHP's equipment necessary to identify Excel PCHP's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Excel PCHP may elect to place Excel PCHP-owned or Excel PCHP-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Excel PCHP will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Excel PCHP will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Excel PCHP's equipment in the Collocation Space. In the event Excel PCHP utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Excel PCHP must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Excel PCHP is responsible for maintenance of the entrance facilities. At Excel PCHP's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premise where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Excel PCHP with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Excel PCHP's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- Shared Use. Excel PCHP may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Excel PCHP's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Excel PCHP must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Excel PCHP provided riser cable to the spare capacity on the entrance facility. If Excel PCHP desires to allow another telecommunications carrier to use its entrance facilities that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Excel PCHP for BellSouth to splice that

telecommunications carrier's provided riser cable to the spare capacity on Excel PCHP's entrance facility.

- Excel PCHP's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Excel PCHP shall be responsible for providing, and Excel PCHP's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Excel PCHP or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Excel PCHP's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be an Excel PCHP-provided POT Bay in a common area within the Premises. Excel PCHP shall be responsible for providing, and Excel PCHP's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between Excel PCHP's Collocation Space and the demarcation point. Excel PCHP or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Excel PCHP desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Excel PCHP's Equipment and Facilities. Excel PCHP, or if required by this Attachment, Excel PCHP's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Excel PCHP which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Excel PCHP and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth's Access to Collocation Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running,

altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Excel PCHP at least forty-eight (48) hours before access to the Collocation Space is required. Excel PCHP may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Excel PCHP will not bear any of the expense associated with this work.

- 5.9 Access. Pursuant to Section 12, Excel PCHP shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Excel PCHP agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of Excel PCHP or Excel PCHP's Guests to be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Excel PCHP and returned to BellSouth Access Management within fifteen (15) calendar days of Excel PCHP's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Excel PCHP agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Excel PCHP's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Excel PCHP or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Excel PCHP's designated collocation arrangement location after receipt of the BFFO without charge to Excel PCHP. Excel PCHP must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premise a minimum of thirty (30) calendar days prior to the date Excel PCHP desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Excel PCHP may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Excel PCHP desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Excel PCHP to access the Collocation Space accompanied by a security escort at Excel PCHP's expense. Excel PCHP must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.10 <u>Lost or Stolen Access Keys</u>. Excel PCHP shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Excel PCHP shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Excel PCHP shall not use any product or service provided under this Agreement, any

other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Excel PCHP violates the provisions of this paragraph, BellSouth shall give written notice to Excel PCHP, which notice shall direct Excel PCHP to cure the violation within forty-eight (48) hours of Excel PCHP's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Excel PCHP fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Excel PCHP's equipment. BellSouth will endeavor, but is not required, to provide notice to Excel PCHP prior to taking such action and shall have no liability to Excel PCHP for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Excel PCHP fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Excel PCHP or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Excel PCHP shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- Personalty and its Removal. Facilities and equipment placed by Excel PCHP in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Excel PCHP at any time. Any damage caused to the Collocation Space by Excel PCHP's employees, agents or representatives during the removal of such property shall be promptly repaired by Excel PCHP at its expense.
- 5.12.1 If Excel PCHP decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill Excel PCHP an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Excel PCHP or any person acting on behalf of Excel PCHP make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Excel PCHP. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee, which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14 <u>Janitorial Service</u>. Excel PCHP shall be responsible for the general upkeep of the Collocation Space. Excel PCHP shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Excel PCHP and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- Initial Application. For Excel PCHP or Excel PCHP's Guest(s) initial equipment placement, Excel PCHP shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.

- 6.3 <u>Subsequent Application.</u> In the event Excel PCHP or Excel PCHP's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Excel PCHP shall complete an application detailing all information regarding the modification to the Collocation Space (Subsequent Application). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Excel PCHP in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by Excel PCHP for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth makes an Application Response.
- 6.4 Space Preferences. If Excel PCHP has previously requested and received a Space Availability Report for the Premises, Excel PCHP may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth cannot accommodate the Excel PCHP's preference(s), Excel PCHP may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.5 <u>Space Availability Notification.</u>
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premise. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Excel PCHP of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel PCHP or differently configured no application fee shall apply. If Excel PCHP decides to accept the available space, Excel PCHP must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.

- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premise. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Excel PCHP or differently configured, if Excel PCHP decides to accept the available space, Excel PCHP must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Excel PCHP of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel PCHP or differently configured no application fee shall apply. If Excel PCHP decides to accept the available space, Excel PCHP must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Excel PCHP that no space is available (Denial of Application), BellSouth will not assess an Application Fee. After notifying Excel PCHP that BellSouth has no available space in the requested Premises, BellSouth will allow Excel PCHP, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Excel PCHP to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.8 <u>Waiting List.</u> On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly

known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Excel PCHP must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Excel PCHP has originally requested caged Collocation Space and cageless Collocation Space becomes available, Excel PCHP may refuse such space and notify BellSouth in writing within that time that Excel PCHP wants to maintain its place on the waiting list without accepting such space. Excel PCHP may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Excel PCHP does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Excel PCHP from the waiting list. Upon request, BellSouth will advise Excel PCHP as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Premises previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- 6.10.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Version 4Q02:12/18/02

Records Fee, and any other applicable space preparation fees, as described in Section 8.

- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Excel PCHP to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Excel PCHP submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Excel PCHP or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge Excel PCHP an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Excel PCHP to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

6.12 Bona Fide Firm Order.

6.12.1 Excel PCHP shall indicate its intent to proceed with equipment installation in a BellSouth Premise by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Excel PCHP's Bona Fide application or the application will expire.

6.12.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Excel PCHP's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion (Augmentation), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Excel PCHP cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space (extraordinary conditions) within one hundred twenty (120) calendar days for

caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.4 In South Carolina, BellSouth will complete construction for caged collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of the BFFO and within a maximum of ninety (90) calendar days from receipt of the BFFO under extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but not limited to, a major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- Joint Planning. Joint planning between BellSouth and Excel PCHP will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to Excel PCHP during joint planning.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Excel PCHP will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Excel PCHP that the Collocation Space is ready for occupancy. In the event that Excel PCHP fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Excel PCHP on the Space Ready Date. BellSouth will correct any deviations to Excel PCHP's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.

- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Excel PCHP prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Excel PCHP has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Excel PCHP prior to the Provisioning Interval for those Premises in which Excel PCHP has a physical collocation arrangement with a POT bay provided by Excel PCHP or a virtual collocation arrangement until Excel PCHP provides BellSouth with the following information:
- 7.5.1 For Excel PCHP-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For virtual a complete layout of Excel PCHP's equipment (EIU form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Excel PCHP's BellSouth Certified Supplier
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Excel PCHP. If the EIU form is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Excel PCHP a nonrecurring charge, as set forth in Exhibit B, each time Excel PCHP requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs.
- 7.6 Use of BellSouth Certified Supplier. Excel PCHP shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Excel PCHP and Excel PCHP's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Excel PCHP must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Excel PCHP with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Excel PCHP's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Excel PCHP upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Excel PCHP or any supplier proposed by Excel PCHP and will not unreasonably withhold certification. All work performed by or for Excel PCHP shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Excel PCHP shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Excel PCHP's Collocation Space. Upon request, BellSouth will provide Excel PCHP with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Excel PCHP. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 <u>Virtual to Physical Collocation Relocation</u>. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, Excel PCHP may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Excel PCHP, such information will be provided to Excel PCHP in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Excel PCHP within one hundred eighty (180) calendar days of BellSouth's written denial of Excel PCHP's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Excel PCHP was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Excel PCHP may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Excel PCHP must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Excel PCHP an Administrative

- Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Excel PCHP cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Excel PCHP cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Excel PCHP for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Excel PCHP, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Excel PCHP. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Excel PCHP's BFFO.
- 8.3 Recurring Charges. If Excel PCHP has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Excel PCHP fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Excel PCHP occupies the space prior to the Space Ready Date, the date Excel PCHP occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Excel PCHP shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Excel PCHP opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Excel PCHP as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Excel PCHP shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Excel PCHP shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x)maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Excel PCHP's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Excel PCHP shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Excel PCHP's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Excel PCHP's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Excel PCHP's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Excel PCHP certifying the completion of the power reduction, including the removal of the power cabling by Excel PCHP's BellSouth Certified Supplier.
- When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Excel PCHP's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Excel PCHP's BellSouth Certified Supplier. Excel PCHP is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Excel PCHP's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable,

discretion. The BellSouth Certified Supplier contracted by Excel PCHP must provide BellSouth with a copy of the engineering power specifications prior to the day on which Excel PCHP's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Excel PCHP's arrangement area. Excel PCHP shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Excel PCHP's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Excel PCHP shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Excel PCHP elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Excel PCHP's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Excel PCHP's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Excel PCHP's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Excel PCHP's option, Excel PCHP may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Excel PCHP's equipment or space enclosure. Excel PCHP shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Excel PCHP's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Excel PCHP's arrangement area.
- 8.6.4 In Alabama and Louisiana, Excel PCHP has the option to purchase power directly from an electric utility company. Under such an option, Excel PCHP is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Excel PCHP. Excel PCHP's BellSouth Certified Supplier must comply with all applicable safety codes, including

the National Electric Safety Codes, in installing this power arrangement. If Excel PCHP previously had power supplied by BellSouth, Excel PCHP may request to change its arrangement to obtain power from an electric utility company by submitting a subsequent application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Excel PCHP in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Excel PCHP has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such an option, Excel PCHP is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Excel PCHP. Excel PCHP's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Excel PCHP must submit an application to BellSouth for the appropriate amount of collocation space that Excel PCHP requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Excel PCHP's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Excel PCHP shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Excel PCHP would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Excel PCHP requests a reduction in the amount of power that BellSouth is currently providing, Excel PCHP must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

- 8.6.7 In Alabama and Louisiana, if Excel PCHP is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Excel PCHP must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Excel PCHP or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Excel PCHP shall pay for such half-hour charges in the event Excel PCHP fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Excel PCHP's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Excel PCHP shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Excel PCHP shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Excel PCHP's real and personal property situated on or within BellSouth's Central Office location(s).

- 9.2.4 Excel PCHP may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Excel PCHP to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Excel PCHP shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Excel PCHP's property has been removed from BellSouth's Premises, whichever period is longer. If Excel PCHP fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Excel PCHP.
- 9.5 Excel PCHP shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Excel PCHP shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Excel PCHP's insurance company. Excel PCHP shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Excel PCHP must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Excel PCHP's net worth exceeds five hundred million dollars (\$500,000,000), Excel PCHP may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Excel PCHP shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Excel PCHP in the event that self-insurance status is not granted to Excel PCHP. If BellSouth approves Excel PCHP for self-insurance, Excel PCHP shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Excel PCHP's corporate officers. The ability to self-insure shall continue so long as the Excel PCHP meets all of the requirements of this Section. If Excel PCHP subsequently no longer

- satisfies this Section, Excel PCHP is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Excel PCHP to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Excel PCHP), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Excel PCHP's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Excel PCHP's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Excel PCHP adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Excel PCHP with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

Unless otherwise specified, Excel PCHP will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Excel PCHP employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Excel PCHP employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Excel PCHP shall not be required to perform this investigation if an affiliated company of Excel PCHP

has performed an investigation of the Excel PCHP employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Excel PCHP has performed a pre-employment statewide investigation of criminal history records of the Excel PCHP employee for the states/counties where the Excel PCHP employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Excel PCHP will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Excel PCHP shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Excel PCHP's name. BellSouth reserves the right to remove from its Premises any employee of Excel PCHP not possessing identification issued by Excel PCHP or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Excel PCHP shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Excel PCHP shall be solely responsible for ensuring that any Guest(s) of Excel PCHP is in compliance with all subsections of this Section.
- Excel PCHP shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Excel PCHP shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Excel PCHP personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Excel PCHP chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Excel PCHP may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Excel PCHP shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Excel PCHP shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premise was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each Excel PCHP employee or agent hired by Excel PCHP within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premise pursuant to this Attachment, Excel PCHP shall furnish BellSouth,

prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Excel PCHP will disclose the nature of the convictions to BellSouth at that time. In the alternative, Excel PCHP may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- For all other Excel PCHP employees requiring access to a BellSouth Premise pursuant to this Attachment, Excel PCHP shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Excel PCHP shall promptly remove from BellSouth's Premises any employee of Excel PCHP BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Excel PCHP is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Excel PCHP's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Excel PCHP's Security representative of such interview. Excel PCHP and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Excel PCHP's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Excel PCHP for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Excel PCHP's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Excel PCHP for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Excel PCHP's employees, agents, or suppliers and where Excel PCHP agrees, in good faith, with the results of such investigation. Excel PCHP shall notify BellSouth in writing immediately in the event that Excel PCHP discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Excel PCHP shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly Version 4Q02:12/18/02

- prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Excel PCHP's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Excel PCHP's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Excel PCHP, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Excel PCHP may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Excel PCHP's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Excel PCHP. Where allowed and where practical, Excel PCHP may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Excel PCHP shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Excel PCHP's permitted use, until such Collocation Space is fully repaired and restored and Excel PCHP's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Excel PCHP has placed an Adjacent Arrangement pursuant to Section 3.4, Excel PCHP shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Excel PCHP shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Excel PCHP understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Excel PCHP is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment.
- Right to occupy. BellSouth shall offer to Excel PCHP Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Excel PCHP to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Excel PCHP and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Excel PCHP may contemplate a request for space sufficient to accommodate Excel PCHP's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Excel PCHP may contemplate a request for space sufficient to accommodate Excel PCHP's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies Excel PCHP that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Excel PCHP's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Excel PCHP. Excel PCHP agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Excel PCHP. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Excel PCHP as above, Excel PCHP shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Excel PCHP in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Excel PCHP will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Excel PCHP shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Excel PCHP's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Excel PCHP agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. **Space Availability Report**

2.1 Upon request from Excel PCHP, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space

available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Excel PCHP for a Space Availability Report must be written and must include the Common Language Location Identification (CLLI) code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA FCC No. 4. If Excel PCHP is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Excel PCHP may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Excel PCHP should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Excel PCHP should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Excel PCHP and inform Excel PCHP of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Excel PCHP with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Excel PCHP request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Excel PCHP, up to a maximum of thirty (30) wire centers per Excel PCHP request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Excel PCHP agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow Excel PCHP to collocate Excel PCHP's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Excel PCHP to have direct access to Excel PCHP's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless

collocation available in single rack/bay increments. Except where Excel PCHP's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Excel PCHP must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

- 3.2 Caged. At Excel PCHP's expense, Excel PCHP may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Excel PCHP's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Excel PCHP and provide, at Excel PCHP's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Excel PCHP's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Excel PCHP's BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Excel PCHP's BellSouth Certified Supplier. Excel PCHP must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Excel PCHP's locked enclosure prior to notifying Excel PCHP at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Excel PCHP.
- 3.2.1 BellSouth may elect to review Excel PCHP's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Excel PCHP indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Excel PCHP has indicated their desire to construct their own enclosure. If Excel PCHP's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Excel PCHP's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Excel PCHP to remove or correct within seven (7) calendar days at Excel PCHP's

expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. Excel PCHP may allow other telecommunications carriers to share Excel PCHP's Remote Collocation Space pursuant to terms and conditions agreed to by Excel PCHP (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Excel PCHP shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Excel PCHP that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Excel PCHP.
- 3.3.1 Excel PCHP, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Excel PCHP with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Excel PCHP shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Excel PCHP shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Excel PCHP's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements (Remote Site Adjacent Arrangement) on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Excel PCHP and in conformance with BellSouth's design and construction Specifications. Further, Excel PCHP shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Excel PCHP elect Adjacent Collocation, Excel PCHP must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Excel PCHP and Excel PCHP's BellSouth Certified Supplier must comply with local building code requirements. Excel PCHP's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Excel PCHP's BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Excel PCHP's BellSouth Certified Supplier. Excel PCHP must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Excel PCHP's locked enclosure prior to notifying Excel PCHP at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Excel PCHP must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Excel PCHP's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Excel PCHP to remove or correct within seven (7) calendar days at Excel PCHP's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 Excel PCHP shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Excel PCHP's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and

facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Excel PCHP's BellSouth Certified Supplier shall be responsible, at Excel PCHP's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's UNEs for the provision of telecommunications services within a BellSouth Premise. BellSouth will permit Excel PCHP to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Excel PCHP's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Excel PCHP use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Excel PCHP must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Excel PCHP. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Excel PCHP's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Excel PCHP will have the option of using Excel PCHP's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Excel PCHP shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Excel PCHP shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Excel PCHP is responsible for ensuring the integrity of the signal.
- 3.5.2 Excel PCHP shall be responsible for providing a letter of authorization (LOA) to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Excel PCHP-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Excel PCHP will have the option of using Excel PCHP's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Excel PCHP must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the

Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 BellSouth will notify Excel PCHP in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date). Excel PCHP will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations to Excel PCHP's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Excel PCHP has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Excel PCHP's acceptance of the Collocation Space (Space Acceptance Date). In the event that Excel PCHP fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Excel PCHP on the Space Ready Date and billing will commence from that date. If Excel PCHP decides to occupy the space prior to the Space Ready Date, the date Excel PCHP occupies the space becomes the new Space Acceptance Date and billing begins from that date. Excel PCHP must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Excel PCHP's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Excel PCHP may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Excel PCHP and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Excel PCHP signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Excel PCHP jointly conduct an inspection which confirms that Excel PCHP has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Excel PCHP's right to occupy the Remote Collocation Space in the event Excel PCHP fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Excel PCHP at its expense shall remove its equipment and other property from the Remote Collocation Space. Excel PCHP shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Application Date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Excel PCHP's Guest(s), unless Excel PCHP's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Excel PCHP shall continue payment of monthly fees to BellSouth until such date as Excel PCHP, and if applicable Excel PCHP's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Excel PCHP or Excel PCHP's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Excel PCHP or Excel PCHP's Guest(s), in any manner that BellSouth deems fit, at Excel PCHP's expense and with no liability whatsoever for Excel PCHP's or Excel PCHP's Guest(s)'s property. Upon termination of Excel PCHP's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Excel PCHP shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Excel PCHP except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Excel PCHP's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Excel PCHP shall be responsible for the cost of removing any Excel PCHP constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's UNEs in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the

requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Excel PCHP's failure to comply with this Section.
- 5.1.2.1 All Excel PCHP equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Excel PCHP shall identify to BellSouth whenever Excel PCHP submits a Method of Procedure (MOP) adding equipment to Excel PCHP's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Excel PCHP's Remote Collocation Space. Excel PCHP shall submit a copy of the list of any lien holders or other entities that have a financial interest to Excel PCHP's ATCC Representative.
- 5.2 Excel PCHP shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Excel PCHP shall place a plaque or other identification affixed to Excel PCHP's equipment to identify Excel PCHP's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Excel PCHP may elect to place Excel PCHP-owned or Excel PCHP-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Excel PCHP will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Excel PCHP must contact BellSouth for instructions prior to placing the entrance facility cable. Excel PCHP is responsible for maintenance of the entrance facilities.

- Shared Use. Excel PCHP may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Excel PCHP's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Excel PCHP must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Excel PCHP provided riser cable to the spare capacity on the entrance facility. If Excel PCHP desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Excel PCHP for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Excel PCHP's entrance facility.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Excel PCHP's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Excel PCHP or its agent must perform all required maintenance to Excel PCHP equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- Excel PCHP's Equipment and Facilities. Excel PCHP, or if required by this Attachment, Excel PCHP's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Excel PCHP which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Excel PCHP and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 BellSouth's Access to Remote Collocation Space. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Excel PCHP at least forty-eight (48) hours before access to the Remote Collocation Space is required. Excel PCHP may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Excel PCHP will not bear any of the expense associated with this work.
- Access. Pursuant to Section 12, Excel PCHP shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Excel PCHP agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Excel PCHP or Excel PCHP's

Guests to be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Excel PCHP and returned to BellSouth Access Management within fifteen (15) calendar days of Excel PCHP's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Excel PCHP agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Excel PCHP's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Excel PCHP or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- 5.8.1 BellSouth will permit one accompanied site visit to Excel PCHP's designated collocation arrangement location after receipt of the BFFO without charge to Excel PCHP. Excel PCHP must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Excel PCHP desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Excel PCHP may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Excel PCHP desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Excel PCHP to access the Remote Collocation Space accompanied by a security escort at Excel PCHP's expense. Excel PCHP must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Excel PCHP shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Excel PCHP shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, Excel PCHP shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Excel PCHP violates the provisions of this paragraph, BellSouth shall give

written notice to Excel PCHP, which notice shall direct Excel PCHP to cure the violation within forty-eight (48) hours of Excel PCHP's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Excel PCHP fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Excel PCHP's equipment. BellSouth will endeavor, but is not required, to provide notice to Excel PCHP prior to taking such action and shall have no liability to Excel PCHP for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Excel PCHP fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Excel PCHP or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Excel PCHP shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and its Removal. Facilities and equipment placed by Excel PCHP in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Excel PCHP at any time. Any damage caused to the Remote Collocation Space by Excel PCHP's employees, agents or representatives shall be promptly repaired by Excel PCHP at its expense.

- 5.11.1 If Excel PCHP decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Excel PCHP an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Excel PCHP or any person acting on behalf of Excel PCHP make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Excel PCHP. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Excel PCHP shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Excel PCHP shall be responsible for removing any Excel PCHP debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Excel PCHP and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When Excel PCHP or Excel PCHP's Guest(s) desires to install a bay/rack in a Remote Site Location, Excel PCHP shall submit to BellSouth a Physical Expanded Interconnection Application Document (Application). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- Availability of Space. Upon submission of an application, BellSouth will permit Excel PCHP to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at

a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Excel PCHP of the amount that is available.

- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Excel PCHP of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Excel PCHP or differently configured no application fee shall apply. If Excel PCHP decides to accept the available space, Excel PCHP must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Excel PCHP or differently configured, if Excel PCHP decides to accept the available space, Excel PCHP must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Excel PCHP of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Excel PCHP or differently configured no application fee shall apply. If Excel PCHP decides to accept the available space, Excel PCHP must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

- 6.5 <u>Denial of Application</u>. If BellSouth notifies Excel PCHP that no space is available (Denial of Application), BellSouth will not assess an Application Fee. After notifying Excel PCHP that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Excel PCHP, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Excel PCHP to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, Excel PCHP must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Excel PCHP has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Excel PCHP may refuse such space and notify BellSouth in writing within that time that Excel PCHP wants to maintain its place on the waiting list without accepting such space. Excel PCHP may accept an

amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Excel PCHP does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Excel PCHP from the waiting list. Upon request, BellSouth will advise Excel PCHP as to its position on the list.

6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

6.9 <u>Application Response</u>.

- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Excel PCHP to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Excel PCHP submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Excel PCHP or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Excel PCHP a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Excel PCHP shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Excel PCHP's Bona Fide application or the application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Excel PCHP's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion (Augmentation), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Excel PCHP cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions

shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Excel PCHP with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and Excel PCHP will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Excel PCHP during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Excel PCHP will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Excel PCHP that the Remote Collocation Space is ready for occupancy. In the event that Excel PCHP fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Excel PCHP on the Space Ready Date. BellSouth will correct any deviations to Excel PCHP's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Excel PCHP shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Excel PCHP and Excel PCHP's BellSouth Certified Supplier must follow and comply with

all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Excel PCHP must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Excel PCHP with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Excel PCHP's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Excel PCHP upon successful completion of installation. The BellSouth Certified Supplier shall bill Excel PCHP directly for all work performed for Excel PCHP pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Excel PCHP or any supplier proposed by Excel PCHP and will not unreasonably withhold certification. All work performed by or for Excel PCHP shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Excel PCHP shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Excel PCHP's Remote Collocation Space. Upon request, BellSouth will provide Excel PCHP with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Excel PCHP. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Excel PCHP may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Excel PCHP, such information will be provided to Excel PCHP in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Excel PCHP within one hundred eighty (180) calendar days of BellSouth's written denial of Excel PCHP's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Excel PCHP was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Excel PCHP may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Excel PCHP must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote

Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Excel PCHP an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Excel PCHP cancels its order for the Remote Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Excel PCHP cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Excel PCHP for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Excel PCHP, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

8.1 <u>Recurring Charges.</u> If Excel PCHP has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin

upon the Space Acceptance Date. In the event that Excel PCHP fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Excel PCHP occupies the space prior to the Space Ready Date, the date Excel PCHP occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Excel PCHP. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Excel PCHP's equipment. Excel PCHP shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Excel PCHP's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Excel PCHP's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Excel PCHP's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Excel PCHP's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Excel PCHP certifying the completion of the power reduction, including the removal of the power cabling by Excel PCHP's BellSouth Certified Supplier.
- 8.4.1 Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Excel PCHP's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Excel PCHP's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed

pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Excel PCHP's option, Excel PCHP may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5 <u>Security Escort</u>. A security escort will be required whenever Excel PCHP or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Excel PCHP shall pay for such half-hour charges in the event Excel PCHP fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 Excel PCHP shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Excel PCHP shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Excel PCHP's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Excel PCHP may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Excel PCHP to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Excel PCHP shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Excel PCHP's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Excel PCHP fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Excel PCHP.
- 9.5 Excel PCHP shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Excel PCHP shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Excel PCHP's insurance company. Excel PCHP shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Excel PCHP must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Excel PCHP's net worth exceeds five hundred million dollars (\$500,000,000), Excel PCHP may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Excel PCHP shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Excel PCHP in the event that self-insurance status is not granted to Excel PCHP. If BellSouth approves Excel PCHP for self-insurance, Excel PCHP shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Excel PCHP's corporate officers. The ability to self-insure shall continue so long as Excel PCHP meets all of the requirements of this Section. If Excel PCHP subsequently no longer

satisfies this Section, Excel PCHP is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Excel PCHP to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Excel PCHP), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Excel PCHP's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Excel PCHP's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Excel PCHP adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Excel PCHP with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

Unless otherwise specified, Excel PCHP will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Excel PCHP employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Excel PCHP employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Excel PCHP shall not be required to perform this investigation if an affiliated company of

Excel PCHP has performed an investigation of the Excel PCHP employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Excel PCHP has performed a pre-employment statewide investigation of criminal history records of the Excel PCHP employee for the states/counties where the Excel PCHP employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Excel PCHP will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Excel PCHP shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Excel PCHP's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Excel PCHP not possessing identification issued by Excel PCHP or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Excel PCHP shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Excel PCHP shall be solely responsible for ensuring that any Guest(s) of Excel PCHP is in compliance with all subsections of this Section.
- Excel PCHP shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Excel PCHP shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Excel PCHP personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Excel PCHP chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Excel PCHP may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Excel PCHP shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Excel PCHP shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Excel PCHP employee or agent hired by Excel PCHP within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Excel PCHP shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Excel PCHP will disclose the nature of the convictions to BellSouth at that time. In the alternative, Excel PCHP may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Excel PCHP employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Excel PCHP shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Excel PCHP shall promptly remove from BellSouth's Remote Site Location any employee of Excel PCHP BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Excel PCHP is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Excel PCHP's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Excel PCHP's Security representative of such interview. Excel PCHP and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Excel PCHP's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Excel PCHP for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Excel PCHP's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Excel PCHP for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Excel PCHP's employees, agents, or suppliers and where Excel PCHP agrees, in good faith, with the results of such investigation. Excel PCHP shall notify BellSouth in writing immediately in the event that the Excel PCHP discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up

to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Excel PCHP shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

In the event a Remote Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Excel PCHP's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Excel PCHP's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Excel PCHP, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Excel PCHP may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Excel PCHP's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Excel PCHP. Where allowed and where practical, Excel PCHP may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or

repaired, Excel PCHP shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Excel PCHP's permitted use, until such Remote Collocation Space is fully repaired and restored and Excel PCHP's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Excel PCHP has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Excel PCHP shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Excel PCHP shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Excel PCHP understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Excel PCHP agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Excel PCHP shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Excel PCHP should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Excel PCHP to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Excel PCHP will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BellSouth practices should be followed by Excel PCHP when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Excel PCHP space with proper notification. BellSouth reserves the right to stop any Excel PCHP work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Excel PCHP are owned by Excel PCHP. Excel PCHP will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Excel PCHP or different hazardous materials used by Excel PCHP at the BellSouth Remote Site Location. Excel PCHP must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Excel PCHP to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Excel PCHP will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Excel PCHP will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Excel PCHP must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BellSouth disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Excel PCHP shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Excel PCHP agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Excel PCHP further agrees to cooperate with BellSouth to ensure that Excel PCHP's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Excel PCHP, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Excel PCHP's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other	Compliance with all applicable local, state, &	• Std T&C 450
regulated material	federal laws and regulations	

(e.g., batteries, fluorescent tubes, solvents &	federal laws and regulations	• Fact Sheet Series 17000
cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)
	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard)29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	• Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BST Bldg Srvc Cntr: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCA	TION - Alabama													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	l Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred			connect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVEICAL (COLLOCATION															
PHISICAL C	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66	-			
	Physical Collocation 2W Cross Connect, Exchange Port 2W Arialog-Nes			OLFSK	FLINZ	0.03	12.30	11.00	0.03	3.44		13.00				
	Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				
	COLLOCATION															
	Physical Collocation-Application Fee-Initial			CLO	PE1BA		1,879.48	1,879.48								ļ
	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		1,566.60	1,566.60								
	Physical Collocation-Cageless-Application Fee		1	CLO	PE1CH		1,205.26	1,205.26								
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		742.15	000.74								-
	Physical Collocation-Space Preparation-Firm Order Processing Physical Collocation-Space Preparation-C.O. Modification per sq ft		-	CLO CLO	PE1SJ PE1SK	1.96	600.71	600.71								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft Physical Collocation-Space Preparation-Common Systems Modification per sq ft-			CLO	PEISK	1.96										
	Cageless			CLO	PE1SL	2.62										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage		-	CLO	PE1SM	88.86										-
	Physical Collocation-Cable Installation			CLO	PE1BD	00.00	859.71	859.71	22.49	22.49						
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.22	039.71	039.71	22.43	22.43						
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	17.11										
	Physical Collocation-Cageless-Cable Support Structure			CLO	PE1CJ	14.97										
	Physical Collocation-Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		399.51									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
	Physical Collocation-240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	14.74										
	Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
	Physical Collocation-2W Cross-Connects Physical Collocation-4W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA ,UHL,UNCVX,UNCDX,U CL	PE1P2 PE1P4	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation-DS1 Cross-Connects			CLO,UEANL,UEQ,WDS1 L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US LEL,UNLD1,UDL CLO,UE3,U1TD3,UXTD3 ,UXTS1,UNC3X,UNCSX,	PE1P1	1.11	22.03	15.93	6.40	5.79						
		1		ULDD3,U1TS1,ULDS1,U					1		1					1
	Physical Collocation-DS3 Cross-Connects	L		NLD3,UDL	PE1P3	14.16	20.89	15.20	7.38	5.92	<u></u>	<u></u>	<u> </u>		<u> </u>	<u></u>
				CLO,ULDO3,ULD12,ULD												
		1		48,U1TO3,U1T12,U1T48,					1		1					
	Physical Collocation-2-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						ļ
		1		CLO,ULDO3,ULD12,ULD					1		1					
	Physical Callegration Considers O Files Co	1		48,U1TO3,U1T12,U1T48,	DEVO		00.00	4= 00			1					
	Physical Collocation-Cageless-2 Fiber Cross Connect		<u> </u>	UDLO3,UDL12,UDF	PE1CK	2.84	20.89	15.20	7.38	5.92	ļ	ļ			ļ	
		1		CLO,ULDO3,ULD12,ULD					1		1					
	Dhysical Callegation 4 Fiber Cross Connect	1		48,U1TO3,U1T12,U1T48,	DE4E4	4.00	25.55	10.00	0.74	0.05	1					
	Physical Collocation-4-Fiber Cross-Connect	-	!	UDLO3,UDL12,UDF	PE1F4	4.99	25.55	19.86	9.71	8.25			-		-	
		1		CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,					1		1					
	Physical Collocation-Cageless-4-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
	1173 Cal OUIOCALIOH OUICSS 4-1 IDE OUSS OUT OUICL	1	1	ODLOS, ODL 12, ODF	LICL	5.09	25.55	15.00	5.11	0.25		1			ļ	
	Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	156.33										

COLLOCA	ATION - Alabama		1	1							C	C		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec		curring	NRC Dis					Rates (\$)		
	Physical Collocation-Security Access System-Security System per CO			CLO	PE1AX	45.70	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-New Access Card Activation, per Card			CLO	PE1A1	0.05	27.79	27.79								
	Physical Collocation-Security Access System-Administrative Change, existing			020	, .,	0.00	21.110	21.110								
	Access Card, per Request, per State, per Card			CLO	PE1AA		7.79	7.79								İ
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per			CLO	PE1AR		22.78	22.78								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.10	13.10								L
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10	13.10								<u> </u>
	Physical Collocation-Space Availability Report per premises		-	CLO UEANL,UEA,UDN,UDC,	PE1SR		1,075.17	1,075.17								
				UAL,UHL,UCL,UEQ,CLO												İ
				,UDL,UNCVX,UNCDX,U												İ
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect	ĺ		NCNX	PE1PE	0.08										i
	, , , , , , , , , , , , , , , , , , , ,			UEANL,UEA,UDN,UDC,												
		l	1	UAL,UHL,UCL,UEQ,CLO				1			1					1
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			,USL,UNCVX,UNCDX UEANL,UEA,UDN,UDC,	PE1PF	0.17										
				UAL,UHL,UCL,UEQ,CLO												l
				,WDS1L,WDS1S,USL,U												İ
				1TD1,UXTD1,UNC1X,UL												İ
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			DD1,USLEL,UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												l
				,UE3,U1TD3,UXTD3,UXT S1,UNC3X,UNCSX,ULD												l
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,U1TS1,ULDS1,UNLD	PE1PH	10.67										l
	1 O 1 Day Arrangements prior to 0/1/33-D03 Cross-Connect, per cross-connect			UEANL, UEA, UDN, UDC,	1 2 11 11	10.07										
				UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			1TO3,U1T12,U1T48,UDL O3,UDL12,UDF	PE1B2	36.40										1
	,			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U												
				1TO3,U1T12,U1T48,UDL												l
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B4	49.09										—
-	Physical Collocation-Request Resend of CFA Information, per CLLI		-	CLO CLO	PE1C9 PE1CR		77.56 759.29	488.11	133.00	133.00						
	NRC Collocation Cable Records-per request NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		759.29 326.92	488.11 326.92	189.12	189.12						
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr		-	CLO	PE1CO		4.81	4.81	5.90	5.90						
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		2.25	2.25	2.76	2.76						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		7.88	7.88	9.66	9.66						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73								
	Physical Collocation-Security Escort-Overtime, per Half Hour	 	<u> </u>	CLO,CLORS	PE10T		22.05	13.86								
	Physical Collocation-Security Escort-Premium, per Half Hour V to P Conversion, Per Customer Request-DS0	 	1	CLO,CLORS CLO	PE1PT PE1BO		27.17 33.00	16.98	-		-					
-	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1	 	1	CLO	PE1BO PE1B1		52.00	-	+		-					
	V to P Conversion, Per Customer request-DS3	 	1	CLO	PE1B3		52.00									—
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									1
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	<u> </u>	<u> </u>	CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction	l	1	0/ 0	DE : 5=		FC0 0-									i
	thereof Dhysical Callegation Co Carrier Cross Connects Fiber Cable Support Structure, nor	<u> </u>	-	CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft	l	1	CLO.UDF	PE1ES	0.0011		1			1					1
+	Cable, per lin it Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin ft			CLO,UE3,USL	PE1DS	0.0011										
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO	PE1DT		584.22									

COLLOCA	TION - Alabama													ment: 4	Exhil	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen I Charge Manual Svc Orde vs. Electroni
						Rec	Nonre	curring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENT	COLLOCATION															ĺ
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.14										ĺ
	Adjacent Collocation-Electrical Facility Charge per lin ft			CLOAC	PE1JC	5.41									,	
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44					,	
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	0.04	12.39	11.87	6.39	5.73					,	
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79					,	
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92					,	
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92					,	
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,576.69									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91	,									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
HYSICAL (COLLOCATION IN THE REMOTE SITE			5-2.10												
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22			1			
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42	007.70	007.70	100.22	100.22			1			
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD	201.42	13.10	13.10								
	Physical Collocation in the Remote Site-Space Availability Report per Premises			CLONG	ILIND		13.10	13.10								
	Requested			CLORS	PE1SR		115.87	115.87							·	l
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI			CLORS	PEIOR		115.67	113.67					-			
	Code Requested			CLORS	PE1RE		37.56	27.50								i
				CLORS	PE1RE PE1RR		233.38	37.56								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO COLLOCATION IN THE REMOTE SITE - ADJACENT			CLORS	PEIKK		233.38									
				01.000	55150											+
_	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
_	Remote Site-Adjacent Collocation-Real Estate, per square foot	<u> </u>		CLORS	PE1RT	0.134	755.00	755.00								
NOTE	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	: If Security Escort and/or Add'l Engineering Fees become necessary for remote	e site	COIIO	cation, the Parties will ne	egotiate ap	propriate	rates.									
	DLLOCATION			AMTES	EAF					0.51		45.00				
	Virtual Collocation-Application Fee						1,205.26			0.51		15.66				
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		859.71	859.71	22.49	22.49		15.66				
	Virtual Collocation-Floor Space, per sq ft			AMTES	ESPVX	3.22										
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	7.83										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	14.97										
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
+	Virtual Conocation-24V Cross Connects (100p)			UEA,UHL,UCL,UDL,AMT	OLAGZ	0.03	12.50	11.00	0.00	3.44		13.00				
				FS,UAL,UDN,UNCVX,UN											1 '	i
	Virtual Collocation-4W Cross Connects (loop)			CDX	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66			1 '	i
	Virtual Collocation-4vv Cross Connects (100p)			AMTFS,UDL12,UDLO3,U	UEAC4	0.05	12.39	11.07	0.39	5.73		15.00	-			—
				1T48,U1T12,U1T03,ULD											·	l
	Virtual Collocation-2-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				i
	VIItuai Collocation-2-Fiber Closs Connects			AMTFS,UDL12,UDLO3,U	CNC2F	2.04	20.69	15.20	7.30	5.92		15.00				
				1T48,U1T12,U1T03,ULD											·	l
	Virtual Collocation-4-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				i
-	Virtual Collocation-4-Fiber Cross Connects				CNC4F	5.69	25.55	19.86	9.71	8.25		15.00				
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
				USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD												
	Virtual collocation-Special Access & UNE, cross-connect per DS3			3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66			L	
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot			AMTFS	VE1CB	0.0026								-		
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft			AMTFS	VE1CD	0.0038									<u> </u>	

COLLOCA	ATION - Alabama													Attach	ment: 4	Exhib	oit: B
												Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
												Order	Order	I Charge -	I Charge -	Charge -	I Charge -
				_								Submitte	Submitt		Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	Inter		'	BCS	USOC			RATES (\$)			d Elec	ed			Order vs.	Svc Order
		im	е										Manuali		vs.	Electronic-	vs.
												per Lor	y per	Electronic-			Electronic-
													y per	Electronic-	Electronic-	DISC ISL	Electronic-
							Rec	Nonre	curring	NRC Dis	connect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per																,
	cable				AMTFS	VE1CC		535.37					15.66				, ,
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support																i '
	Structure, per cable				AMTFS	VE1CE		535.37					15.66				1
	Virtual Collocation Cable Records-per request				AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99		15.66				i '
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record				AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				i '
	Virtual Collocaiton Cable Records-VG/DS0 Cable, per each 100 pr				AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66				í
	Virtual Collocation Cable Records-DS1, per T1TIE				AMTFS	VE1BD		4.50	4.50	5.52	5.52		15.66				1
	Virtual Collocation Cable Records-DS3, per T3TIE				AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66				1
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records				AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				í
	Virtual collocation-Security Escort-Basic, per half hour				AMTFS	SPTBX		16.93	10.73				15.66				í
	Virtual collocation-Security Escort-Overtime, per half hour				AMTFS	SPTOX		22.05	13.86				15.66				í
	Virtual collocation-Security Escort-Premium, per half hour				AMTFS	SPTPX		27.17	16.98				15.66				í
	Virtual collocation-Maintenance in CO-Basic, per half hour				AMTFS	CTRLX		27.93	10.73				15.66				í
	Virtual collocation-Maintenance in CO-Overtime, per half hour				AMTFS	SPTOM		36.47	13.86				15.66				í T
	Virtual collocation-Maintenance in CO-Premium per half hour				AMTFS	SPTPM		45.02	16.98				15.66				í
	OLLOCATION																í
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res				UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				1
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-																1
	Bus				UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				1
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res				UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				í
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus				UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				í
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN				UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				í
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN				UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				í
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1				UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44		15.66				í
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true	up as	set f	forth ir	n General Terms an	d Conditio	ns.										í

COLL	OCA	ΓΙΟΝ - Florida												Attachi	nent: 4	Exhi	oit: B
CATEG	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-
				1			Rec	Nonrec First	urring Add'l	NRC Dis	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
PHYSIC	CAL C	DLLOCATION															
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
		Bus			UEPSP	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0276	8.22	7.22				11.90				
		Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.36				11.90				
PHYSIC		DLLOCATION	<u> </u>											ļ			
		Physical Collocation-Application Fee-Initial	<u> </u>	1	CLO	PE1BA		2,597.00									
		Physical Collocation-Application Fee-Subsequent	<u> </u>		CLO	PE1CA		2,236.00									
		Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		742.00									
		Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		288.93									
		Physical Collocation-Space Preparation-C.O. Modification per sq ft	<u> </u>		CLO	PE1SK	2.38										
		Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	92.55	. ===		4= 40							
		Physical Collocation-Cable Installation per Cable			CLO	PE1BD	7.00	1,750.00		45.16							
		Physical Collocation-Floor Space per sq ft	<u> </u>		CLO CLO	PE1PJ	7.86										
		Physical Collocation-Cable Support Structure, Per Entrance Cable	<u> </u>			PE1PM	18.96 7.80										
		Physical Collocation-Power,per Fused Amp		-	CLO CLO	PE1PL	7.80	399.43									
-		Physical Collocation-Power Reduction, Application Fee Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1PR PE1FB	5.38	399.43									
-		Physical Collocation-240V,Single Phase Standby Power Rate			CLO	PE1FD	10.77										
-		Physical Collocation-120V,Three Phase Standby Power Rate	-	-	CLO	PE1FE	16.15										
-		Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
		Physical Collocation-2W Cross-Connects Physical Collocation-4W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA ,UHL,UNCVX,UNCDX,U	PE1P2	0.0276	8.22	7.22	5.74	4.58						
+		Physical Collocation-4vv Cross-Connects	<u> </u>		CLO,UEANL,UEQ,WDS1	PE IP4	0.0552	8.42	7.30	5.90	4.00						
		Physical Collocation-DS1 Cross-Connects			L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US LEL,UNLD1,UDL CLO,UE3,U1TD3,UXTD3	PE1P1	1.32	27.77	15.52	5.93	4.77						
		Physical Collocation-DS3 Cross-Connects			,UXTS1,UNC3X,UNCSX, ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	16.81	25.48	14.05	7.77	5.01						
		Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48, UDLO3,UDL12,UDF CLO,ULDO3,ULD12,ULD	PE1F2	3.34	41.94	30.52	13.91	11.16						
		Physical Collocation-4-Fiber Cross-Connect Physical Collocation-Welded Wire Cage-First 100 sq ft			48,U1TO3,U1T12,U1T48, UDLO3,UDL12,UDF	PE1F4 PE1BW	5.92 189.45	51.30	39.87	18.29	15.54						
		Physical Collocation-Welded Wire Cage-Inst 100 sq ft	-		CLO	PE1CW	18.58										
				-		PE1AY	0.0105							 		-	
					CLO				1			i					
		Physical Collocation-Security System Per CO Per Assignable sq ft		-	CLO			FE 00									
		Physical Collocation-Security System Per CO Per Assignable sq ft Card			CLO	PE1A1	0.0577	55.80									
		Physical Collocation-Security System Per CO Per Assignable sq ft Card Physical Collocation-Security Access System-Administrative Change, existing			CLO	PE1A1											
]	Physical Collocation-Security System Per CO Per Assignable sq ft Card Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO CLO	PE1A1 PE1AA		15.65									
		Physical Collocation-Security System Per CO Per Assignable sq ft Card Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Card			CLO CLO	PE1A1 PE1AA PE1AR		15.65 45.75									
		Physical Collocation-Security System Per CO Per Assignable sq ft Card Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO CLO	PE1A1 PE1AA		15.65									

COLLOC	ATION - Florida												Attachi	ment: 4	Exhi	bit: B
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC		I	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	l Charge - Manual Svc Order vs. Electronic-	l Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect,per cross-connect	ı		UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,UDL,UNCVX,UNCDX,U NCNX UEANL,UEA,UDN,UDC,	PE1PE	0.00										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect,per cross-connect	ı		UAL,UHL,UCL,UEQ,CLO ,USL,UNCVX,UNCDX	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect,per cross-connect	ı		UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,WDS1L,WDS1S,USL,U 1TD1,UXTD1,UNC1X,UL DD1,USLEL,UNLD1	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect,per cross-connect	ı		UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO , UE3, U1TD3, UXTD3, UXT S1, UNC3X, UNCSX, ULD D3, U1TS1, ULDS1, UNLD	PE1PH	0.00										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect,per cross-connect	1		UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL O3,UDL12,UDF UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect,per cross-connect Physical Collocation-Request Resend of CFA Information,per CLLI	1		,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL O3,UDL12,UDF CLO	PE1B4 PE1C9	0.00	77.54									
	NRC Collocation Cable Records-per request			CLO	PE1CR		1,525.00	980.22	267.08							
	NRC Collocation Cable Records-VG/DS0 Cable,per cable record			CLO	PE1CD		656.50	656.50	379.78							
	NRC Collocation Cable Records-VG/DS0 Cable,per each 100 pr			CLO	PE1CO		9.66	9.66		11.84						
	NRC Collocation Cable Records-DS1,per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	NRC Collocation Cable Records-DS3,per T3TIE	-		CLO	PE1C3		15.82	15.82	19.40	19.40						
	NRC Collocation Cable Records-Fiber Cable,per 99 fiber records Physical Collocation-Security Escort-Basic,Per Quarter Hour	<u> </u>		CLO CLO	PE1CB PE1BQ		169.67 10.89	169.67	154.89	154.89						
	Physical Collocation-Security Escort-Destine, Per Quarter Hour			CLO	PE10Q		13.64									
	Physical Collocation-Security Escort-Premium,Per Quarter Hour			CLO	PE1PQ		16.40									
	Physical Collocation-Security Escort-Basic,per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
	Physical Collocation-Security Escort-Overtime,per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	Physical Collocation-Security Escort-Premium,per Half Hour	<u> </u>	<u> </u>	CLO,CLORS	PE1PT		54.55	34.10								
	V to P Conversion, Per Customer Request-VG	+	1	CLO CLO	PE1BV		33.00								-	-
	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer request-DS3	H	1	CLO	PE1BO PE1B3		33.00 52.00								-	
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured	i	1	CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per V3 Circuit Reconfigured	<u> </u>		CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	i	1	CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	ΤĖ	1	CLO	PE1BE		37.00								t e	†
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof	ı		CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable,per lin ft			CLO,UDF	PE1ES	0.001										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure,per cable,per lin ft			CLO,UE3,USL	PE1DS	0.0014										
AD IACENT	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee,per application			CLO	PE1DT		584.11									
ADJACENI	COLLOCATION Adjacent Collocation-Space Charge per sq ft	1	1	CLOAC	PE1JA	0.1635									-	-
	Adjacent Collocation-Space Charge per sq it Adjacent Collocation-Electrical Facility Charge per lin ft	 	1	CLOAC	PE1JA PE1JC	5.11										
																1

COLLOC	ATION - Florida				1								Attachi			bit: B
CATEGOR	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		ſ	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrec		NRC Dis					Rates (\$)		
					55151		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-4W Cross-Connects Adjacent Collocation-DS1 Cross-Connects		-	AC USL.CLOAC	PE1P4 PE1P1	0.0426 1.22	24.88 44.24	23.83 31.98	12.04 12.07	10.80						—
	Adjacent Collocation-DS1 Cross-Connects Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P1	16.56	41.94	30.52	13.91	11.15						
	Adjacent Collocation-D33 Cross-Connect		<u> </u>	CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16						
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		2,785.00									
	Amp			CLOAC	PE1FB	5.38										
	Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation-Cable Support Structure per Entrance Cable	Τ		CLOAC	PE1PM	18.96										
PHYSICAL	COLLOCATION IN THE REMOTE SITE								L							<u> </u>
	Physical Collocation in the Remote Site-Application Fee	-	<u> </u>	CLORS	PE1RA	040.40	617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49	26.20									
	Physical Collocation in the Remote Site-Security Access-Key Physical Collocation in the Remote Site-Space Availability Report per Premises		 	CLORS	PE1RD		26.30		 			 			-	
	Requested			CLORS	PE1SR		232.69									i
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request,per CLLI			OLONO	1 L TOIL		202.00									
	Code Requested			CLORS	PE1RE		75.41									i
	Remote Site DLEC Data (BRSDD),per Compact Disk,per CO			CLORS	PE1RR		233.51									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power,per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate,per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee	<u> </u>	<u> </u>	CLORS	PE1RU	L	755.62	755.62								
	E: If Security Escort and/or Add'l Engineering Fees become necessary for remore OLLOCATION	te site	COIIO	cation,the Parties will ne	egotiate ap	propriate	rates.									
VIKTUAL	Virtual Collocation-Application Fee/Planning Fee Initial Request			AMTFS	EAF		4,122.00		+			11.90				
	Request			AMTFS	EAF		1,249.00		1			11.90				—
	Virtual Collocation-Cable Installation Cost,per cable			AMTFS	ESPCX	12.45	965.00		1			11.90				—
	Virtual Collocation-Floor Space,per sq ft			AMTFS	ESPVX	4.25	000.00					11100				
	Virtual Collocation-Power,per fused amp			AMTFS	ESPAX	6.95										
	Virtual Collocation-Cable Support Structure,per entrance cable			AMTFS	ESPSX	13.35										
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation-4W Cross Connects (loop)			FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation-2-Fiber Cross Connects			1T48,U1T12,U1T03,ULD 03,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U	CNC2F	6.71	2,431.00					11.90				
	Virtual Collocation-4-Fiber Cross Connects			1T48,U1T12,U1T03,ULD O3,ULD12,ULD48,UDF USL,ULC,AMTFS,ULR,U	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation-Special Access & UNE,cross-connect per DS1			XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U	CNC1X	7.50	155.00	14.00				11.90				
				1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD												
	Virtual collocation-Special Access & UNE, cross-connect per DS3		<u> </u>	3	CND3X	56.25	151.90	11.83				11.90				—
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per		1	AMTEC CLO	\/E405	0.0000						1				i
	lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure,per lin ft			AMTFS,CLO AMTFS,CLO	VE1CB VE1CD	0.0028										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.54					11.90				

COLLOCA	TION - Florida													Attach	ment: 4	Exhil	oit: B
												Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
												Order	Order	I Charge -	I Charge -	Charge -	I Charge -
			l_									Submitte	Submitt	Manual		Manual Svc	
CATEGORY	RATE ELEMENTS	Inter		ו	BCS	USOC			RATES (\$)			d Elec	ed	Svc Order	Svc Order		Svc Order
		im	е						- (.,				Manuali		VS.	Electronic-	vs.
												per Lak			_		
													y per	Electronic-	Electronic-	Disc 1st	Electronic-
							Rec	Nonrec		NRC Dis			ı		Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support																
	Structure,per cable				AMTFS	VE1CE		535.54					11.90				
	Virtual Collocation Cable Records-per request				AMTFS	VE1BA		1,525.00	1,525.00	267.08	267.08						
	Virtual Collocation Cable Records-VG/DS0 Cable,per cable record				AMTFS	VE1BB		656.50	656.50	379.78	379.78						
	Virtual Collocation Cable Records-VG/DS0 Cable,per each 100 pr				AMTFS	VE1BC		9.66	9.66	11.84	11.84						
	Virtual Collocation Cable Records-DS1,per T1TIE				AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records-DS3,per T3TIE				AMTFS	VE1BE		15.82	15.82	19.40	19.40						
	Virtual Collocation Cable Records-Fiber Cable,per 99 fiber records				AMTFS	VE1BF		169.67	169.67	154.89	154.89						
	Virtual collocation-Security Escort-Basic,per quarter hour				AMTFS	SPTBQ		10.89					11.90				
	Virtual collocation-Security Escort-Overtime,per quarter hour				AMTFS	SPTOQ		13.64					11.90				
	Virtual collocation-Security Escort-Premium,per quarter hour				AMTFS	SPTPQ		16.40					11.90				
	Virtual Collocation-2W Cross Connects (loop),per ckts				AMTFS	VE1R2	0.05	11.57					11.90				
	Virtual Collocation-4W Cross Connects (loop),per ckts				AMTFS	VE1R4	0.05	11.57					11.90				
	Virtual Collocation-DS-1/DCS Cross Connects, PER CKTS				AMTFS	VE11S	8.09	69.64					11.90				
	Virtual Collocation-DS-1.DSX Cross Connects,PER CKTS				AMTFS	VE11X	0.41	69.64					11.90				
	Virtual Collocation-DS-3/DCS Cross Connects, PER CKT				AMTFS	VE13S	59.67	528.00					11.90				
	Virtual Collocation-DS-3/DSC Cross Connects, PER CKT				AMTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation-Maintenance in CO-Basic, per quarter hour				AMTFS	SPTRE		10.89					11.90				
	Virtual collocation-Maintenance in CO-Overtime, per quarter hour				AMTFS	SPTOE		13.64					11.90				
	Virtual collocation-Maintenance in CO-Premium per quarter hour				AMTFS	SPTPE		16.40					11.90				
VIRTUAL CO	DLLOCATION							•									
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res				UEPSR	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-																
	Bus				UEPSP	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res				UEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus				UEPSB	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			Î	UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			Î	UEPTX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1				UEPEX	VE1R4	0.0502	11.57	11.57				11.90				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true	up as	set	forth in	General Terms ar	nd Condition	ons.										

COLLOC	ATION - Georgia													ment: 4		bit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec	urring	NRC Discon	nect				Rates (\$)		
						Rec	First	Add'l	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u></u>
PHYSICAL	COLLOCATION															<u></u>
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX				55150		40.00									
	Trunk-Bus		-	UEPSP	PE1R2	0.30	12.60	12.60	ļ				18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus		<u> </u>	UEPSE UEPSB	PE1R2 PE1R2	0.30	12.60 12.60	12.60 12.60	-				18.94 18.94	8.42 8.42		-
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-bus Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.30	12.60	12.60	+				18.94	8.42		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.30	12.60	12.60	<u> </u>				18.94	8.42		—
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
PHYSICAL	COLLOCATION			02. ZX		0.00	12.00	12.00					10.01	0. 12		
	Physical Collocation-Application Fee-Initial		i –	CLO	PE1BA		3,850.00		1 1						İ	
	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		740.83									
	Physical Collocation-Space Preparation Fee Per sq ft			CLO	PE1SS		100.00	100.00								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		1,187.00									
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	- 1		CLO	PE1SK	2.02										
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
	Cageless	ı		CLO	PE1SL	2.80										
	Physical Collocation-Space Preparation-Common Systems Modification per	ı	<u> </u>	CLO	PE1SM	95.23										
	Physical Collocation-Cable Installation		-	CLO	PE1BD	= =0	2,750.00	2,750.00								
	Physical Collocation-Floor Space per sq ft		-	CLO	PE1PJ	7.50										
	Physical Collocation-Floor Space-Zone B per sq ft		<u> </u>	CLO	PE1PK	6.75			ļ							-
	Physical Collocation-Cable Support Structure, Per Entrance Cable Physical Collocation-Power -48V DC Power, per Fused Amp		-	CLO CLO	PE1PM PE1PL	13.35 8.06			 							├
-	Physical Collocation-Power Reduction, Application Fee	-	-	CLO	PE1PR	0.00	398.80		+							
	Physical Collocation-120V, Single Phase Standby Power Rate	+		CLO	PE1FB	5.52	390.00		 							-
	Physical Collocation-240V, Single Phase Standby Power Rate	÷		CLO	PE1FD	11.05										
	Physical Collocation-120V, Three Phase Standby Power Rate	i		CLO	PE1FE	16.58			+							
	Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	38.27										
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA	PE1P2	0.30	12.60	12.60								
	Bhysical Callagation AW Cross Connects				PE1P4	0.50	12.60	12.60								
	Physical Collocation-4W Cross-Connects Physical Collocation-DS1 Cross-Connects			,UHL,UNCVX,UNCDX,U CLO,UEANL,UEQ,WDS1 L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US LEL,UNLD1,UDL	PE1P4	8.00	155.00	27.00								
	Physical Collocation-DS3 Cross-Connects			CLO,UE3,U1TD3,UXTD3 ,UXTS1,UNC3X,UNCSX, ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	72.00	155.00	27.00								
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48, UDLO3,UDL12,UDF CLO,ULDO3,ULD12,ULD	PE1F2	2.86	52.14	38.72								
	Physical Collocation-4-Fiber Cross-Connect Physical Collocation-Welded Wire Cage-First 100 sq ft			48,U1TO3,U1T12,U1T48, UDLO3,UDL12,UDF	PE1F4 PE1BW	5.08 161.27	64.74	51.31								
-	Physical Collocation-Welded Wire Cage-First 100 sq ft Physical Collocation-Welded Wire Cage-Add'l 50 sq ft	-	1	CLO	PE1CW	15.82			+ +		-				1	
	Physical Collocation-weided wire Cage-Add to sq ft Physical Collocation-Security System Per CO Per Assignable sq ft		1	CLO	PE1CW PE1AY	0.0172			1		-				1	
	Physical Collocation-Security System Per CO Per Assignable sq ft Physical Collocation-Security Access System-New Access Card Activation, per		 	CLU	FLIAT	0.0172			 						1	
	Card		1	CLO	PE1A1	0.0607	46.20	46.20								İ
	Physical Collocation-Security Access System-New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing															

JULLUC	ATION - Georgia			1	-							_		ment: 4		bit: B
ATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manua Svc Ord vs. Electron
						Rec		curring	NRC Dis					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Physical Collocation-Security Access System- Replace Lost or Stolen Card, per															Ì
	Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation-Security Access-Initial Key, per Key		<u> </u>	CLO	PE1AK		26.16	26.16								ļ
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key		<u> </u>	CLO	PE1AL		26.16	26.16								
	Physical Collocation-Space Availability Report per premises	_		CLO	PE1SR		2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,UDL,UNCVX,UNCDX,U NCNX	PE1PE	0.40										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect		<u> </u>	,USL,UNCVX,UNCDX	PE1PF	1.20										<u> </u>
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,WDS1L,WDS1S,USL,U 1TD1,UXTD1,UNC1X,UL	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,UE3,U1TD3,UXTD3,UXT S1,UNC3X,UNCSX,ULD D3,U1TS1,ULDS1,UNLD	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL O3,UDL12,UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect Physical Collocation-Request Resend of CFA Information, per CLLI			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL O3,UDL12,UDF CLO	PE1B4 PE1C9	52.31	77.42									
-	NRC Collocation Cable Records-per request		-	CLO	PE1C9		1,706.00									
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		922.38									
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CO		18.00	18.00								├
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
-	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
-	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		278.61	278.61							1	
+	Physical Collocation-Security Escort-Basic, per Half Hour		 	CLO,CLORS	PE1BT		41.00	25.00					 	1	1	
+	Physical Collocation-Security Escort-Overtime, per Half Hour		 	CLO.CLORS	PE1OT		48.00	30.00	<u> </u>		 			1	I	—
	Physical Collocation-Security Escort-Premium, per Half Hour		t	CLO.CLORS	PE1PT		55.00	35.00					l	1	t	†
	V to P Conversion, Per Customer Request-VG		t	CLO	PE1BV		33.00	55.50					l	1	t	†
1	V to P Conversion, Per Customer Request-DS1		t -	CLO	PE1B1		52.00						i	l	1	
	V to P Conversion, Per Customer request-DS3		t	CLO	PE1B3		52.00						İ	İ	1	
1	V to P Conversion, Per Customer Request per VG Circuit Reconfigured		t	CLO	PE1BR		23.00						i	l	1	
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured		t	CLO	PE1BP		23.00						İ	İ	1	
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction															
	thereof			CLO	PE1B7		592.00	l					1			1
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft			CLO,UDF	PE1ES	0.001										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin ft Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per			CLO,UE3,USL	PE1DS	0.0015										
JACENT	rhysical conocation-co-carner cross connects only-Application Fee, per application COLLOCATION			CLO	PE1DT		583.18									-
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.2542										
	Adjacent Collocation-Electrical Facility Charge per lin ft			CLOAC	PE1JC	5.44		Ì						Ì		
	Adjacent Collocation-2W Cross-Connects		1	CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67	1		1		1	

Version 4Q02: 12/18/02 Page 10 of 36

	ATION - Georgia			•									Attachi		Exhib	
CATEGOF	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	- Charge - Manual Svc Order vs. Electronic-	I Charge -
						_	Nonre	curring	NRC Dis	connect		L	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	0.1196	25.14	24.11	12.15	10.93						
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,555.00									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker			CLOAC	PE1FB	5.39			1							
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker			CLOAC	PE1FD	10.79										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FE	16.18										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FG	38.27										
	Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PEIJD	37.37			1				İ		i	
HYSICAL	COLLOCATION IN THE REMOTE SITE								1				İ		i	
1	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82			0_0.00							
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		25.88	25.88	1							
-	Physical Collocation in the Remote Site-Security Access-Ney Physical Collocation in the Remote Site-Space Availability Report per Premises	-		020110			20.00	20.00	1							
	Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per			CEOILG	1 1 1010		220.02	220.02	 							
	CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88	14.22	1							
HASICVI	COLLOCATION IN THE REMOTE SITE - ADJACENT			CLORS	FLIKK		232.00		1							
ITSICAL	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27			1							
-	Remote Site-Adjacent Collocation-Real Estate, per square foot		-	CLORS	PE1RT	0.134			1							
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62	ļ			-				
NOT	E: If Security Escort and/or Add'I Engineering Fees become necessary for re	moto	oito os					733.02	1							
	E: If Security Escort and/or Add I Engineering Fees become necessary for re	mote :	site co	liocation, the Parties wil	negotiate	e appropri	ate rates.									
IK I UAL I																
				AMTEC	EAE		2 040 20	2 040 20					10.00	10.00		
	Virtual Collocation-Application Fee			AMTES	EAF		2,848.30	2,848.30					19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX	3 20	2,848.30 2,750.00	2,848.30 2,750.00					19.99 19.99	19.99 19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft			AMTFS AMTFS	ESPCX ESPVX	3.20										
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp			AMTFS AMTFS AMTFS	ESPCX ESPVX ESPAX	3.48										
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft			AMTFS AMTFS AMTFS AMTFS	ESPCX ESPVX											
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp			AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT	ESPCX ESPVX ESPAX	3.48										
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX,	ESPCX ESPVX ESPAX ESPSX	3.48 13.35	2,750.00	2,750.00	9 20	8.30			19.99	19.99	19 99	10
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX	ESPCX ESPVX ESPAX	3.48			9.20	8.30					19.99	19
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT	ESPCX ESPVX ESPAX ESPSX	3.48 13.35	2,750.00	2,750.00	9.20	8.30			19.99	19.99	19.99	19
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN	ESPCX ESPVX ESPAX ESPSX	3.48 13.35 0.0283	2,750.00	2,750.00					19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX	ESPCX ESPVX ESPAX ESPSX	3.48 13.35	2,750.00	2,750.00	9.20	8.30			19.99	19.99	19.99	
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U	ESPCX ESPVX ESPAX ESPSX	3.48 13.35 0.0283	2,750.00	2,750.00					19.99	19.99		19
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD	ESPCX ESPVX ESPAX ESPSX UEAC2	3.48 13.35 0.0283 0.0566	2,750.00 24.56 24.75	23.56	9.03	8.10			19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF	ESPCX ESPVX ESPAX ESPSX	3.48 13.35 0.0283	2,750.00	2,750.00					19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD AMTFS,UDL12,ULD48,UDF AMTFS,UDL12,ULD48,UDF	ESPCX ESPVX ESPAX ESPSX UEAC2	3.48 13.35 0.0283 0.0566	2,750.00 24.56 24.75	23.56	9.03	8.10			19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD	ESPCX ESPVX ESPAX ESPSX UEAC2 UEAC4	3.48 13.35 0.0283 0.0566 2.88	24.56 24.75 41.72	23.56 23.70 30.36	9.03	8.10 8.36			19.99 19.99 19.99	19.99 19.99 19.99 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop)			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF O3,ULD12,ULD48,UDF	ESPCX ESPVX ESPAX ESPSX UEAC2	3.48 13.35 0.0283 0.0566	2,750.00 24.56 24.75	23.56	9.03	8.10			19.99	19.99		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANLUEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1103,ULD AMTFS,UDL12,UDAB,UDF AMTFS,UDL12,UDAB,UDF AMTFS,UDL12,ULDAB,UDF O3,ULD12,ULDAB,UDF USL,ULC,AMTFS,UR,U	ESPCX ESPVX ESPAX ESPSX UEAC2 UEAC4	3.48 13.35 0.0283 0.0566 2.88	24.56 24.75 41.72	23.56 23.70 30.36	9.03	8.10 8.36			19.99 19.99 19.99	19.99 19.99 19.99 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-2-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS LEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDL03,U 1T48,U1T12,U1T03,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDL03,U 1T48,U1T12,U1T03,ULD O3,ULD12,ULD48,UDF USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,UL	ESPCX ESPVX ESPAX ESPSX UEAC2 UEAC4 CNC2F	3.48 13.35 0.0283 0.0566 2.88 5.76	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20	19.99 19.99 19.99 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF USL,UC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,USR,U XTD1,ULC,AMTFS,USR,U XTD1,ULC,AMTFS,USR,U USL,ULC,AMTFS,USR,U TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T	ESPCX ESPVX ESPAX ESPSX UEAC2 UEAC4	3.48 13.35 0.0283 0.0566 2.88	24.56 24.75 41.72	23.56 23.70 30.36	9.03	8.10 8.36			19.99 19.99 19.99	19.99 19.99 19.99 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD 03,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD 03,ULD12,ULD48,UDF USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UB,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD	ESPCX ESPVX ESPAX ESPAX UEAC2 UEAC4 CNC2F CNC4F	3.48 13.35 0.0283 0.0566 2.88 5.76	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20 2.20	19.99 19.99 19.99 2.20 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Poor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD O3,ULD12,ULD48,UDF USL,UC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,USR,U XTD1,ULC,AMTFS,USR,U XTD1,ULC,AMTFS,USR,U USL,ULC,AMTFS,USR,U TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T	ESPCX ESPVX ESPAX ESPSX UEAC2 UEAC4 CNC2F	3.48 13.35 0.0283 0.0566 2.88 5.76	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20	19.99 19.99 19.99 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects Virtual Collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,ULDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD O3,ULD12,ULD48,UDF USL,UCC,AMTFS,URLI,ULD1,U1 USL,ULC,AMTFS,URLI,ULD1,U1 USL,ULC,AMTFS,UB,ULC C3X,ULD13,ULD13,ULD C3X,UNCSX,ULDD3,U1T S1,ULC,AMTFS,US,U,U C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD	ESPCX ESPVX ESPAX ESPAX UEAC2 UEAC4 CNC2F CNC4F CNC1X	3.48 13.35 0.0283 0.0566 2.88 5.76 7.50	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20 2.20	19.99 19.99 19.99 2.20 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects Virtual Collocation-5-Fiber Cross Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT FS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD 03,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1T03,ULD 03,ULD12,ULD48,UDF USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UR,U XTD1,UNC1X,ULDD1,U1 USL,ULC,AMTFS,UB,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD	ESPCX ESPVX ESPAX ESPAX UEAC2 UEAC4 CNC2F CNC4F	3.48 13.35 0.0283 0.0566 2.88 5.76	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20 2.20	19.99 19.99 19.99 2.20 2.20		
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable Virtual Collocation-2W Cross Connects (loop) Virtual Collocation-4W Cross Connects (loop) Virtual Collocation-2-Fiber Cross Connects Virtual Collocation-4-Fiber Cross Connects Virtual Collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,			AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,ULDL,AMT FS,UAL,UDN,UNCVX,UN CDX AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U 1748,U1712,U1703,ULD O3,ULD12,ULD48,UDF USL,UCC,AMTFS,URLI,ULD1,U1 USL,ULC,AMTFS,URLI,ULD1,U1 USL,ULC,AMTFS,UB,ULC C3X,ULD13,ULD13,ULD C3X,UNCSX,ULDD3,U1T S1,ULC,AMTFS,US,U,U C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD	ESPCX ESPVX ESPAX ESPAX UEAC2 UEAC4 CNC2F CNC4F CNC1X	3.48 13.35 0.0283 0.0566 2.88 5.76 7.50	24.56 24.75 41.72 51.03	23.56 23.70 30.36 39.67	9.03	8.10 8.36			19.99 19.99 19.99 2.20 2.20	19.99 19.99 19.99 2.20 2.20		

COLLOC	ATION - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR		tt Manual Svc Order vs.	Manual M Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
							Nonrec	NRC Disc	annaat		y per	Electronic- Electronic OSS Rates (\$)		Disc 1st	Electronic-	
						Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		553,43	71441		7144	0020		19.99	00	00	00
	Virtual Collocation Cable Records-per request			AMTES	VE1BA		1,706.00	1.706.00	t				10.00			
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		922.38	922.38								
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		18.00	18.00								
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		29.49	29.49								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		278.61	278.61								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		41.00	25.00					19.99	19.99		
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		55.00	35.00					19.99	19.99		
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64					19.99	19.99		
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90	40.90					19.99	19.99		
VIRTUAL (COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-				1/5450		40.00	40.00								
	Bus Description of the Property of the Propert			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60			ļ		18.94	8.42		
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.30	12.60	12.60	 				18.94	8.42		\vdash
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.30	12.60	12.60			1		18.94	8.42		\vdash
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1		1	UEPEX	VE1R4	0.50	12.60	12.60	ļ		ļ		18.94	8.42		
Note	e: Rates displaying an "R" in Interim column are interim and subject to rate tr	rue-up	as se	t forth in General Terms	and Cond	iitions.					l		1		l	1

COLLOC	ATION - Kentucky				•						Svc	•	Attachi			bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC	, ,						Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs. Electroni	- Manual Svc Order vs. Electroni	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Dis					Rates (\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	COLLOGATION	1														
HYSICAL	COLLOCATION Division Collegation (IV) Conseq Consequent Furthern Part (IV) Applies Part	1		LIEDOD	DEADO	0.0000	04.00	22.00	40.44	40.05		7.00				-
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86	-			
	Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				İ
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	1		UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86	1			
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN		1	UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
PHYSICAL	COLLOCATION															
	Physical Collocation-Application Fee-Initial			CLO	PE1BA		3,773.54	3,773.54								
	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		3,145.35	3,145.35								
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		742.12									
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.32										
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
	Cageless			CLO	PE1SL	3.26										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	110.57										
	Physical Collocation-Cable Installation			CLO	PE1BD		1,729.11		45.16							
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	7.99										
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	19.86										
	Physical Collocation-Power -48V DC Power, per Fused Amp	<u> </u>		CLO	PE1PL	8.06	000.50									
	Physical Collocation-Power Reduction, Application Fee			CLO CLO	PE1PR PE1FB	5.44	399.50									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB PE1FD	10.88										
	Physical Collocation-240V, Single Phase Standby Power Rate Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FD PE1FE	16.32	+				1					-
	Physical Collocation-120V, Three Phase Standby Power Rate Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68	+				1					-
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation-4W Cross-Connects			,UHL,UNCVX,UNCDX,U CL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
				CLO,UEANL,UEQ,WDS1 L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US	DE 13.		4.00		40.00	4. ==						
_	Physical Collocation-DS1 Cross-Connects	-	<u> </u>	LEL,UNLD1,UDL	PE1P1	1.48	44.23	31.98	12.81	11.57	1					—
	Physical Collocation-DS3 Cross-Connects			CLO,UE3,U1TD3,UXTD3 ,UXTS1,UNC3X,UNCSX, ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	18.89	41.93	30.51	14.75	11.83						
	Division Collegation 2 Filter Comp Connect			CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48, UDLO3,UDL12,UDF	PE1F2	3.75	44.00	20.54	44.70	44.04						
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,			41.93	30.51	14.76	11.84						
	Physical Collocation-4-Fiber Cross-Connect	<u> </u>	<u> </u>	UDLO3,UDL12,UDF	PE1F4	6.65	51.29	39.87	19.41	16.49	ļ					
	Physical Collocation-Welded Wire Cage-First 100 sq ft	 	<u> </u>	CLO	PE1BW	184.97	-			 	ļ				ļ	
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft	1	1	CLO	PE1CW	18.14				-	<u> </u>					
	Physical Collocation-Security Access System-Security System per CO	 	<u> </u>	CLO CLO	PE1AX PE1A1	76.10 0.058	55.79	EF 70		 	ļ				ļ	
	Physical Collocation-Security Access System-New Access Card Activation, per Card	1	<u> </u>	CLU	PETAT	0.058	55.79	55.79			<u> </u>					-
	Physical Collocation-Security Access System-Administrative Change, existing Access	1		CLO	PE1AA		15.64	15.64	1						1	1
	Card, per Request, per State, per Card Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card	1	 	CLO	PE1AA PE1AR		15.64 45.74	45.74	 	 	1				 	
	Physical Collocation-Security Access System-Replace Lost of Stolen Card, per Card Physical Collocation-Security Access-Initial Key, per Key		<u> </u>	CLO	PE1AK		26.29	26.29		 						
	Physical Collocation-Security Access-Hillar Rey, per Rey Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key	!	!	CLO	PE1AL		26.29	26.29		 	1					
	Physical Collocation-Security Accessively, Replace Lost of Stofen Rey, per Rey Physical Collocation-Space Availability Report per premises	·		CLO	PE1SR		2,158.67	2,158.67								

COLLOC	ATION - Kentucky												Attach	ment: 4	Exhi	ibit: B
											Svc	Svc	Increment	Increment	Incrementa	Incrementa
											Order	Order		al Charge	I Charge -	I Charge -
		Interi									Submitte	Submitt	- Manual	- Manual	Manual	Manual
CATEGOR	RATE ELEMENTS		Zone	BCS	USOC		F	RATES (\$)			d Elec	ed	Svc Order	Svc Order	Svc Order	Svc Order
		m										Manuali	vs.	vs.	vs.	vs.
												y per	Electroni	Electroni	Electronic-	Electronic-
							Nonrec	urring	NRC Dis	connect			088	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
				UEANL,UEA,UDN,UDC,			1 1130	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
				UAL,UHL,UCL,UEQ,CLO												
				,UDL,UNCVX,UNCDX,U												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			NCNX	PE1PE	0.113										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			,USL,UNCVX,UNCDX	PE1PF	0.23										
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO												
				.WDS1L.WDS1S.USL.U												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			1TD1,UXTD1,UNC1X,UL	PF1PG	1.60										
 	. 5. Say ranagements prior to or not borrorous controls, per closs-controls			UEANL,UEA,UDN,UDC,		1.00	 									
				UAL,UHL,UCL,UEQ,CLO												
				,UE3,U1TD3,UXTD3,UXT					1							
				S1,UNC3X,UNCSX,ULD					1							
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,U1TS1,ULDS1,UNLD	PE1PH	14.23										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
				,ULDO3,ULD12,ULD48,U												
				1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B2	48.57										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
				,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL												
	DOT Boy Arrangements prior to 6/4/00 4 Fiber Cross Connect, per gross connect			O3,UDL12,UDF	PE1B4	65.50										
—	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9	65.50	77.55									+
 	NRC Collocation Cable Records-per request			CLO	PE1CR		1.524.45	980.01	267.02							+
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		9.65	9.65	11.84	11.84						
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00			ļ						ļ
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured		-	CLO	PE1BS		33.00			 						
\vdash	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	-	\vdash	CLO	PE1BE		37.00			 	1					
	V to B Conversion, Cable are Assigned to Calla Space per 700 are or free-time the end			CLO	PE1B7		592.00		1							
\vdash	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof	-	\vdash	GLU	PE IB/		592.00		-	 	-	!	 			
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft			CLO,UDF	PE1ES	0.0012			1							
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			OLO,UDF	FLIES	0.0012				 						
	Structure, per cable, per lin ft			CLO,UE3,USL	PE1DS	0.0018										
\vdash	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per			010,010,001	1 2 100	0.0010			 	 						
	application			CLO	PE1DT		584.20									
ADJACENT	COLLOCATION			020			0020									
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0173										1
	Adjacent Collocation-Electrical Facility Charge per lin ft			CLOAC	PE1JC	5.35										1
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation-4-Fiber Cross-Connect	1		CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						

COLLOCA	ATION - Kentucky			1							Svc			ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS	USOC	RATES (\$)						Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order	al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
			 		1	Rec	Nonre	curring	NRC Dis	connect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,165.50									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										ļ
D/01011	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										<u> </u>
HYSICAL	COLLOCATION IN THE REMOTE SITE	1		01.000	DEADA		047.70		000.00							ļ
	Physical Collocation in the Remote Site-Application Fee	1		CLORS	PE1RA	040.07	617.78		338.89							ļ
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site-Security Access-Key	1		CLORS CLORS	PE1RB PE1RD	219.67	26.29						ļ			
	Physical Collocation in the Remote Site-Space Availability Report per Premises	-		CLORS	PEIKD		20.29	1					1			
	Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI	+		CLORG	FLION		232.04									
	Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	+	1	CLORS	PE1RR		233.42	 				1				
HYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT			020110			200.12									
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per square foot			CLORS	PE1RT	0.134										1
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								1
NOTE	: If Security Escort and/or Add'l Engineering Fees become necessary for remote	site co	lloca	ion, the Parties will nego	tiate appr	opriate rat	es.									
	DLLOCATION			1												
	Virtual Collocation-Application Fee			AMTFS	EAF		2,419.86	2,419.86	1.01	1.01		7.86				
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86				
	Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	7.99										
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	8.06										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.38										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,AMT												
				FS,UDL,UNCVX,UNCDX,												
	Virtual Collocation-2W Cross Connects (loop)			UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86				
				UEA,UHL,UCL,UDL,AMT												
				FS,UAL,UDN,UNCVX,UN												
	Virtual Collocation-4W Cross Connects (loop)	1		CDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86				
				AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD												
	Virtual Collocation-2-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86				
	VIII. Uai Collocation-2-Fiber Cross Conflects	-		AMTFS,UDL12,UDLO3,U	CNC2F	3.00	41.94	30.51	14.76	11.04		7.00	1			
				1T48,U1T12,U1T03,ULD												
	Virtual Collocation-4-Fiber Cross Connects			O3,ULD12,ULD48,UDF		7.59	51.29	39.87	19.41	16.49		7.86				
				USL,ULC,AMTFS,ULR,U												†
				XTD1,UNC1X,ULDD1,U1												
	Virtual collocation-Special Access & UNE, cross-connect per DS1			TD1,USLEL,UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
	,			USL,ULC,AMTFS,UE3,U												
				1TD3,UXTS1,UXTD3,UN												
				C3X,UNCSX,ULDD3,U1T												
				S1,ULDS1,UDLSX,UNLD												
	Virtual collocation-Special Access & UNE, cross-connect per DS3			3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin															
	foot			AMTFS	VE1CB	0.003										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support										1					1
	Structure, per lin ft			AMTFS	VE1CD	0.0045							<u> </u>			<u> </u>
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per		1		l						1					1
	cable	<u> </u>		AMTFS	VE1CC		535.55									ļ
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support															
	Structure, per cable			AMTFS	VE1CE		535.55					ļ				ļ
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02		ļ				ļ
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr	<u> </u>		AMTFS	VE1BC		9.65	9.65	11.84	11.84						ļ
	Virtual Collocation Cable Records -DS1, per T1TIE	<u> </u>		AMTFS	VE1BD		4.52	4.52	5.54	5.54						<u> </u>
	Virtual Collocation Cable Records-DS3, per T3TIE	1 -	1 -	AMTFS	VE1BE		15.81	15.81	19.39	19.39	_	1	1	· ·		1

COLLOCA	ATION - Kentucky													Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zon	ne	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Submitt ed	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-
							_	Nonrec	urring	NRC Dis	connect		l .	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records				AMTFS	VE1BF		169.63	169.63	154.85	154.85						
	Virtual collocation-Security Escort-Basic, per half hour				AMTFS	SPTBX		33.98	21.53								
	Virtual collocation-Security Escort-Overtime, per half hour				AMTFS	SPTOX		44.26	27.81								
	Virtual collocation-Security Escort-Premium, per half hour				AMTFS	SPTPX		54.54	34.09								
	Virtual collocation-Maintenance in CO-Basic, per half hour				AMTFS	CTRLX		56.07	21.53								
	Virtual collocation-Maintenance in CO-Overtime, per half hour				AMTFS	SPTOM		73.23	27.81								
	Virtual collocation-Maintenance in CO-Premium per half hour				AMTFS	SPTPM		90.39	34.09								
VIRTUAL CO	DLLOCATION																
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res				UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus				UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res				UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus				UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN				UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN				UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1				UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true-u	p as se	et for	rth i	n General Terms and C	conditions											i

COLLOC	ATION - Louisiana												Attach	ment: 4	Exhi	bit: B
CATEGORY		Interi m	Zone	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order
							Nonrec	curring	NRC			l	OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	I'bbA	SOMEC	SOMAN			SOMAN	SOMAN
PHYSICAL	COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			LIEBOB	55150											
	Bus Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSP UEPSE	PE1R2 PE1R2	0.0318	11.94 11.94	11.46 11.46				15.20 15.20	-			
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0318	11.94	11.46				15.20	-			
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
PHYSICAL	COLLOCATION															
	Physical Collocation-Application Fee-Initial	<u> </u>		CLO	PE1BA		1,837.24		ļ							1
	Physical Collocation-Application Fee-Subsequent Physical Collocation Administrative Only-Application Fee			CLO CLO	PE1CA PE1BL		1,533.41 741.97	-	1		1		-			<u> </u>
	Physical Collocation Administrative Only-Application Fee Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		583.33						-			
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.31	303.33									
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-			OLO	1 L TOIL	2.01										
	Cageless			CLO	PE1SL	2.70										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation-Cable Installation			CLO	PE1BD		841.54	841.54								
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	5.30										
	Physical Collocation-Cable Support Structure, Per Entrance Cable	<u> </u>		CLO	PE1PM	18.31										
	Physical Collocation-Power -48V DC Power, per Fused Amp Physical Collocation-Power Reduction, Application Fee	H		CLO CLO	PE1PL PE1PR	8.32	398.88									
	Physical Collocation-Power Reduction, Application Fee Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45	390.00									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FD	10.92							-			
	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA ,UHL,UNCVX,UNCDX,U	PE1P2	0.0318	11.94	11.46								
	Physical Collocation-4W Cross-Connects			CL	PE1P4	0.0636	12.04	11.53								
				CLO,UEANL,UEQ,WDS1 L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US												
	Physical Collocation-DS1 Cross-Connects	 		LEL,UNLD1,UDL	PE1P1	1.04	21.39	15.47	<u> </u>		<u> </u>		<u> </u>			
	Physical Collocation-DS3 Cross-Connects			CLO,UE3,U1TD3,UXTD3 ,UXTS1,UNC3X,UNCSX, ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	13.21	20.28	14.76								
				CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,												
	Physical Collocation-2-Fiber Cross-Connect			UDLO3,UDL12,UDF CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,	PE1F2	2.62	20.28	14.76								
	Physical Collocation-4-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F4	4.65	24.81	19.29	1							
	Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	184.50			ļ							1
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	18.10										
	Physical Collocation-Security System Per CO Per Assignable sq ft Physical Collocation-Security Access System-New Access Card Activation, per	 		CLO CLO	PE1AY PE1A1	0.0224	27.50		1	-	}	 	-			
	Physical Collocation-Security Access System-New Access Card Activation, per Physical Collocation-Security Access System-Administrative Change, existing			CLO	PETAT	0.0579	27.50		-							
	Access Card, per Request, per State, per Card	l		CLO	PE1AA		7.74	7.74		1		1				
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per			CLO	PE1AR		22.64	22.64	<u> </u>				t e			
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01	13.01								
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		1,044.07	1,044.07								

													Attach	ment: 4	Exhil	bit: B
											Svc Order	Svc Order	Incrementa I Charge -		Incremental Charge -	
0475000	DATE ELEMENTO	Interi	-	500			_	ATEO (6)			Submitte	Submitt	Manual	Manual	Manual Svc	Manual
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC		۲	RATES (\$)			d Elec	ed Manuali	Svc Order vs.	Svc Order	Order vs. Electronic-	Svc Order
											per LSR	y per	vs. Electronic-	vs. Electronic-		vs. Electronic-
						1	Nonre	curring	NRC			, po.		Rates (\$)	2.00 .01	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO .UDL.UNCVX.UNCDX.U												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			NCNX	PE1PE	0.079										
				UEANL,UEA,UDN,UDC,												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			UAL,UHL,UCL,UEQ,CLO ,USL,UNCVX,UNCDX	PE1PF	0.158										
	1 of Bay Arrangements prior to a 1755 444 cross comment, per cross comment			UEANL,UEA,UDN,UDC,		0.100										
				UAL,UHL,UCL,UEQ,CLO .WDS1L.WDS1S.USL.U												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			1TD1,UXTD1,UNC1X,UL	PE1PG	1.12										
	,			UEANL,UEA,UDN,UDC,							1					1
				UAL,UHL,UCL,UEQ,CLO .UE3.U1TD3.UXTD3.UXT												
				S1,UNC3X,UNCSX,ULD												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,U1TS1,ULDS1,UNLD	PE1PH	9.95										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO .ULDO3.ULD12.ULD48.U												
				1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B2	33.96										
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO												
				.ULDO3.ULD12.ULD48.U												
				1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B4	45.80	==									
	Physical Collocation-Request Resend of CFA Information, per CLLI Recurring Collocation Cable Records-per request			CLO CLO	PE1C9 PE1CU	10.97	77.43									
_	Recurring Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CE	5.29										
	Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CT	0.08										
	Recurring Collocation Cable Records-DS1, per T1TIE			CLO CLO	PE1C2 PE1C4	0.04										
-+	Recurring Collocation Cable Records-DS3, per T3TIE Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1C4	0.13 1.37			-							
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
-+	Physical Collocation-Security Escort-Premium, per Half Hour V to P Conversion, Per Customer Request-VG		-	CLO,CLORS CLO	PE1PT PE1BV		26.38 33.00	16.49	1		 					
	V to P Conversion, Per Customer Request-DS0		†	CLO	PE1BO		33.00				†					†
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3		<u> </u>	CLO	PE1B3 PE1BP		52.00 23.00		 							
-+	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	1	1	CLO CLO	PE1BP PE1BS		23.00 33.00				1					1
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction			0.5			=====									
	Thereof Physical Collection Co Carrier Cross Connects Fiber Cable Support Structure	<u> </u>	<u> </u>	CLO	PE1B7		592.00		1		-					-
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft			CLO,UDF	PE1ES	0.001										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			·				1								1
	Structure, per cable, per lin ft		<u> </u>	CLO,UE3,USL	PE1DS	0.0015			L							
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO	PE1DT		583.30									
ADJACEN ¹	COLLOCATION	1	1	OLU	FLIDI		JUJ.JU				 					†
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0552										
	Adjacent Collocation-Electrical Facility Charge per lin ft		ļ	CLOAC CLOAC	PE1JC PE1P2	5.61 0.0245	11.94	44.40	1							
-+	Adjacent Collocation-2W Cross-Connects Adjacent Collocation-4W Cross-Connects		1	UEA,UHL,UDL,UCL,CLO	PE1P2 PE1P4	0.0245	11.94	11.46 11.53			1					-
-+	Adjacent Collocation-94V Cross-Connects Adjacent Collocation-94V Cross-Connects		 	USL,CLOAC	PE1P1	0.9605	21.39	15.47								t
				CLOAC	PE1P3	13.01	20.28	14.76								
	Adjacent Collocation-DS3 Cross-Connects Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								

COLLOC/	ATION - Louisiana													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonred		NRC					Rates (\$)		
				01.010	55415		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-Application Fee Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker		1	CLOAC CLOAC	PE1JB PE1FB	5.45	1,543.20									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker		<u> </u>	CLOAC	PE1FB PE1FD	10.92										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
 	Adjacent Collocation-120v, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL (COLLOCATION IN THE REMOTE SITE			020710		01.00										
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.01	13.01								
	Physical Collocation in the Remote Site-Space Availability Report per Premises															1
	Requested Physical Callegation in the Remote Site Remote Site CLLI Code Request, per CLLI	 	-	CLORS	PE1SR		112.52	112.52	1							
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested	l	1	CLORS	PE1RE		36.47	36.47								i
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21	30.47								
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT			525.10			200.21									
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	: If Security Escort and/or Add'l Engineering Fees become necessary for remote	e site	colloca	ation, the Parties will neg	otiate app	propriate r	ates.									
VIRTUAL C	DLLOCATION						4 === 40					4= 00				
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable			AMTFS AMTFS	EAF ESPCX		1,770.40 841.54					15.20 15.20				
 	Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft			AMTES	ESPUX	3.20	841.54					15.20				\vdash
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	8.32										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02										
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT	UEAC2	0.0296	11.94	11.46				15.20				
				FS,UAL,UDN,UNCVX,UN												1
	Virtual Collocation-4W Cross Connects (loop)			CDX	UEAC4	0.0591	12.04	11.53				15.20				1
				AMTFS,UDL12,UDL03,U												
	Vistoria Online di Controlo Co			1T48,U1T12,U1T03,ULD	ONOGE	0.05	00.00	44.70				45.00				1
	Virtual Collocation-2-Fiber Cross Connects			O3,ULD12,ULD48,UDF AMTFS,UDL12,UDLO3,U	CNC2F	2.65	20.29	14.76				15.20				
				1T48,U1T12,U1T03,ULD												1
	Virtual Collocation-4-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC4F	5.31	24.81	19.29				15.20				İ
				USL,ULC,AMTFS,ULR,U												
				XTD1,UNC1X,ULDD1,U1												ĺ
	Virtual collocation-Special Access & UNE, cross-connect per DS1			TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U	CNC1X	1.04	21.39	15.47				15.20				├
	Virtual collocation-Special Access & UNE, cross-connect per DS3			1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per															
	lin foot			AMTFS	VE1CB	0.0024										ļ
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support		1		l						Ī					1
	Structure, per lin ft		<u> </u>	AMTFS	VE1CD	0.0036										<u> </u>
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.79					15.20				
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable	l	1	AMTFS	VE1CE		534.79					15.20				i
 	Virtual Collocation Cable Records-per request	 	 	AMTES	VE1CE VE1BA	10.97	534.79		1		1	15.20				
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record	1	 	AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										

COLLOCA	TION - Louisiana												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		R	RATES (\$)			Svc Order Submitte d Elec per LSR	ed	I Charge - Manual Svc Order vs.	I Charge -	Charge - Manual Svc Order vs. Electronic-	Svc Order
						D	Nonrec	urring	NRC			l	oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.44	10.42				15.20				
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		21.41	13.45				15.20				
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		26.38	16.49				15.20				
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.12	10.42				15.20				
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.42	13.45				15.20				
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		43.72	16.49				15.20				
VIRTUAL CO	DLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
	Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				
Note:	Rates displaying an "R" in Interim column are interim and subject to rate true-	up as	set for	th in General Terms and	Condition	ıs.										

COLLO	CATION - Mississippi													ment: 4		bit: B
CATEGOI	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		ı	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrec	urring	NRC Dis	connect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICA	COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			LIEDOD	DE 4 D 0	0.0000	40.07	44.07	0.04	- 4-		45.75				
	Bus Described Collegation OW Cross Council Fusions Book OW VC DRY Trusts Book			UEPSP UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2 PE1R2	0.0288	12.37 12.37	11.87 11.87	6.04 6.04	5.45 5.45		15.75 15.75				
-	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				
HYSICA	- COLLOCATION			OLI LX	I L IIX4	0.0070	12.47	11.04	0.00	0.01		10.70				
	Physical Collocation-Application Fee-Initial		t	CLO	PE1BA		1,890.38									
	Physical Collocation-Application Fee-Subsequent		t	CLO	PE1CA		1,575.69									
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		740.76									
_	Physical Collocation-Space Preparation-Firm Order Processing	Т	1	CLO	PE1SJ		604.19									
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	Т		CLO	PE1SK	2.30										
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-															
	Cageless	- 1		CLO	PE1SL	2.52										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM	85.67										
	Physical Collocation-Cable Installation			CLO	PE1BD		926.27	926.27	22.62							
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	5.74										
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	17.42										
	Physical Collocation-Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	7.33										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		398.76									
	Physical Collocation-120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.29										
	Physical Collocation-240V, Single Phase Standby Power Rate	I		CLO	PE1FD	10.58										
	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	15.87										
	Physical Collocation-277V, Three Phase Standby Power Rate	-		CLO UEANL,UEA,UDN,UDC,	PE1FG	36.65										
	Physical Collocation-2W Cross-Connects			UAL,UHL,UCL,UEQ,UDL,UNCVX,UNLDX,UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation-4W Cross-Connects			CLO,UAL,UDL,UDN,UEA ,UHL,UNCVX,UNCDX,U CL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
	I Hydrau Concount III Cross Connects			CLO,UEANL,UEQ,WDS1		0.0010	12.11	11101	0.00	0.01						
			1	L,WDS1S,USL,U1TD1,U								1				1
	Physical Callegation DC4 Cross Connects		1	XTD1,UNC1X,ULDD1,US	DE4D4	4.44	20.40	10.00	0.00	F 07		1				1
	Physical Collocation-DS1 Cross-Connects	<u> </u>	 	LEL,UNLD1,UDL CLO,UE3,U1TD3,UXTD3	PE1P1	1.14	22.16	16.02	6.60	5.97						
			1	UXTS1,UNC3X,UNCSX,								1				1
			1	ULDD3,U1TS1,ULDS1,U								1				1
	Physical Collocation-DS3 Cross-Connects		1	NLD3,UDL	PE1P3	14.49	21.01	15.29	7.61	6.10		1				1
\dashv			1	CLO,ULDO3,ULD12,ULD					1							
			1	48,U1TO3,U1T12,U1T48,								1				1
	Physical Collocation-2-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
				CLO,ULDO3,ULD12,ULD												
				48,U1TO3,U1T12,U1T48,												
	Physical Collocation-4-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						
	Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW	183.20				-						
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft		<u> </u>	CLO	PE1CW	17.97										
	Physical Collocation-Security Access System-Security System per CO	<u> </u>	<u> </u>	CLO	PE1AX	75.23										
	Physical Collocation-Security Access System-New Access Card Activation, per Card		<u> </u>	CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing	١.		01.0	DE											
	Access Card, per Request, per State, per Card Physical Collocation-Security Access System-Replace Lost or Stolen Card, per		1	CLO	PE1AA		7.84	7.84				ļ				ļ
	IPhysical Collegation-Security Access System-Replace Lest or Stolen Card, per	1		CLO	PE1AR		22.91	22.91								
=				CI C	בייוי											
	Physical Collocation-Security Access-Initial Key, per Key Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO CLO	PE1AK PE1AL		13.17 13.17	13.17 13.17								

COLLOC	ATION - Mississippi													ment: 4		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	l Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrec		NRC Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,UDL,UNCVX,UNCDX,U NCNX UEANL,UEA,UDN,UDC,	PE1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			UAL,UHL,UCL,UEQ,CLO ,USL,UNCVX,UNCDX UEANL,UEA,UDN,UDC,	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			UAL,UHL,UCL,UEQ,CLO ,WDS1L,WDS1S,USL,U 1TD1,UXTD1,UNC1X,UL UEANL,UEA,UDN,UDC,	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			UAL,UHL,UCL,UEQ,CLO ,UE3,U1TD3,UXTD3,UXT S1,UNC3X,UNCSX,ULD D3,U1TS1,ULDS1,UNLD	PE1PH	10.91										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL O3,UDL12,UDF	PE1B2	37.26										
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect Physical Collocation-Request Resend of CFA Information, per CLLI		<u> </u>	O3,UDL12,UDF CLO	PE1B4 PE1C9	50.24	77.41		-							-
	NRC Collocation Cable Records-per request			CLO	PE1C9 PE1CR		763.69	490.94	133.77							
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		328.81	400.04	190.22							
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		4.84	4.84	5.93	5.93						
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		2.27	2.27	2.78	2.78						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records Physical Collocation-Security Escort-Basic, per Half Hour			CLO CLO,CLORS	PE1CB PE1BT		84.98 17.02	84.98 10.79	77.58	77.58						
	Physical Collocation-Security Escort-Dasic, per Half Hour Physical Collocation-Security Escort-Overtime, per Half Hour			CLO,CLORS	PE10T		22.17	13.94								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3 PE1BP		52.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured		1	CLO CLO	PE1BS		23.00 33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per			CLO	PE1B7		592.00									
	cable, per lin ft Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			CLO,UDF	PE1ES	0.001										
	Structure, per cable, per lin ft Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO,UE3,USL CLO	PE1DS PE1DT	0.0015	583.13									
ADJACENT	COLLOCATION								1							
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0678										
	Adjacent Collocation-Electrical Facility Charge per lin ft			CLOAC	PE1JC	4.68										
	Adjacent Collocation-2W Cross-Connects		1	CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation-4W Cross-Connects		1	UEA,UHL,UDL,UCL,CLO		0.0446	12.47	11.94	6.59	5.91 5.97						
	Adjacent Collocation-DS1 Cross-Connects Adjacent Collocation-DS3 Cross-Connects	-	1	USL,CLOAC CLOAC	PE1P1 PE1P3	1.05 14.27	22.16 21.01	16.02 15.29	6.60 7.61	6.10						-
	Adjacent Collocation-255 Closs-Connect Adjacent Collocation-2-Fiber Cross-Connect		1	CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
	Adjacent Collocation-4-Fiber Cross-Connect	-	1-	CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						

Version 4Q02: 12/18/02 Page 22 of 36

COLLOC	ATION - Mississippi	1		1	1						_			ment: 4		bit: B
CATEGOR'	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		I	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred	urring	NRC Dis	sconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,585.83									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.29										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp		-	CLOAC	PE1FD	10.58										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp		-	CLOAC CLOAC	PE1FE PE1FG	15.87 36.65										
DUVEICAI	COLLOCATION IN THE REMOTE SITE			CLUAC	PETFG	30.00										
TITISICAL	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05	303.40		100.00							
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD	210.00	13.17	13.17								
	Physical Collocation in the Remote Site-Space Availability Report per Premises			020110			10.11	10.11								
	Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI															
	Code Requested	L	L	CLORS	PE1RE		37.77	37.77						<u> </u>	<u> </u>	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per square foot		<u> </u>	CLORS	PE1RT	0.134										
NOT	Remote Site-Adjacent Collocation-Application Fee		<u> </u>	CLORS	PE1RU		755.62	755.62								
	E: If Security Escort and/or Add'I Engineering Fees become necessary for remot	e site	collo	cation, the Parties will ne	gotiate ap	propriate	rates.									
VIRTUAL C	COLLOCATION Virtual Collocation-Application Fee		<u> </u>	AMTFS	EAF		1,212.25		0.51			15.75				
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		926.27		22.62			15.75				
	Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq ft			AMTES	ESPVX	5.74	920.27		22.02			15.75				
	Virtual Collocation-Power, per fused amp	1		AMTES	ESPAX	7.33										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	15.24										
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75				
				UEA,UHL,UCL,UDL,AMT												
				FS,UAL,UDN,UNCVX,UN												
	Virtual Collocation-4W Cross Connects (loop)		-	CDX AMTES,UDL12,UDL03,U	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
				1T48,U1T12,U1T03,ULD												
	Virtual Collocation-2-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
	Virtual Confecution 2.1 iber Cross Connects			AMTFS,UDL12,UDLO3,U	ONOZI	2.01	21.01	10.20	7.01	0.10		10.70				
				1T48,U1T12,U1T03,ULD												
	Virtual Collocation-4-Fiber Cross Connects			O3,ULD12,ULD48,UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
				USL,ULC,AMTFS,ULR,U												
				XTD1,UNC1X,ULDD1,U1												
	Virtual Collocation-Special Access & UNE, cross-connect per DS1		-	TD1,USLEL,UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
_	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per			<u> </u>	31100/	17.70	21.01	10.20	7.01	0.10		10.70				<u> </u>
1	lin foot		1	AMTFS	VE1CB	0.0025										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support		t						1							
1	Structure, per lin ft		1	AMTFS	VE1CD	0.0037										
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65					15.75				
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support		1													
	Structure, per cable	<u> </u>	<u> </u>	AMTES	VE1CE		534.65	400.0	100 ===	400 ==		15.75				
	Virtual Collocation Cable Records-per request	 	├	AMTES	VE1BA		763.69	490.94		133.77						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record	 	├	AMTFS AMTFS	VE1BB		328.81 4.84	328.81	190.22	190.22 5.93						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr	<u> </u>	<u> </u>		VE1BC			4.84 2.27	5.93 2.78	2.78						
	Virtual Collegation Coble Boogred DC1 per T1TIE															
	Virtual Collocation Cable Records-DS1, per T1TIE Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS AMTFS	VE1BD VE1BE		2.27 7.92	7.92	9.72	9.72						

COLLC	CATION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGO	PRY RATE ELEMENTS	Interi m	Zon e	BCS	usoc		1	RATES (\$)			Svc Order Submitte d Elec per LSR	ed Manuall	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrec	urring	NRC Dis	connect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		17.02	10.79				15.75				
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.17	13.94				15.75				
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.32	17.08				15.75				
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		28.09	10.79				15.75				
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.69	13.94				15.75				
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.28	17.08				15.75				
VIRTUAI	. COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															1
	Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
No	te: Rates displaying an "R" in Interim column are interim and subject to rate true-	up as	set fo	orth in General Terms a	nd Condition	ons.										

COLLO	CATION - North Carolina											Attach	ment: 4	Exhi	bit: B
CATEGOR	RYI RAIFFIEMENIS I	nteri m	Zon e	BCS	USOC			ATES (\$)		Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
						Rec	Nonred First	Add'l	sconnec Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
PHYSICAL	L COLLOCATION														
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.32	41.78	39.23				26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-														
	Bus Bus Bus Bus Bus Bus Bus Bus Bus Bus			UEPSP	PE1R2	0.32	41.78	39.23				26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.32	41.78	39.23				26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.32	41.78	39.23				26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.32	41.78	39.23				26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPTX UEPEX	PE1R2 PE1R4	0.32	41.78 41.91	39.23 39.25				26.94 26.94	12.76 12.76		
DUVEICAL	IL COLLOCATION			UEPEX	PE1R4	0.64	41.91	39.25				26.94	12.76		
III SICAL	Physical Collocation-Application Fee-Initial	- 		CLO	PE1BA		3,850.00	3,850.00							<u> </u>
	Physical Collocation-Application Fee-Subsequent	-		CLO	PE1CA		3,119.00	3,119.00					1	 	1
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		741.44	5,.10.00					1	 	1
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	1		CLO	PE1SK	1.57									
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft-														
	Cageless	1		CLO	PE1SL	3.26									
	Physical Collocation-Space Preparation-Common Systems Modification per Cage	1		CLO	PE1SM	110.79									
	Space Preparation Fees-Power Per Nominal -48V Dc Amp	1		CLO	PE1FH	5.76									
	Physical Collocation-Cable Installation	1		CLO	PE1BD		2,305.00	2,305.00							
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.45									
	Physical Collocation-Cable Support Structure, Per Entrance Cable	1		CLO	PE1PM	21.33									
	Physical Collocation-Power -48V DC Power, per Fused Amp	1		CLO	PE1PL	8.50									
	Physical Collocation-Power Reduction, Application Fee	1		CLO	PE1PR		399.13								
	Physical Collocation-120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.50									
	Physical Collocation-240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.01									
	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	16.51									
	Physical Collocation-277V, Three Phase Standby Power Rate	ı		CLO UEANL,UEA,UDN,UDC,U	PE1FG	38.12									
				AL,UHL,UCL,UEQ,UDL,U											
	Physical Collocation-2W Cross-Connects			NCVX.UNLDX.UNCNX	PE1P2	0.32	41.78	39.23							
	i nysicai conocation-zw cross-connects	-+		NOVA, ONLDA, ONONA	ILIIZ	0.02	41.70	33.23							
				CLO,UAL,UDL,UDN,UEA,											
	Physical Collocation-4W Cross-Connects	1		UHL,UNCVX,UNCDX,UCL	PE1P4	0.64	41.91	39.25							
				CLO.UEANL.UEQ.WDS1L											
				,WDS1S,USL,U1TD1,UXT											
				D1,UNC1X,ULDD1,USLEL											
	Physical Collocation-DS1 Cross-Connects	1		,UNLD1,UDL	PE1P1	2.34	71.02	51.08	 				<u></u>	<u></u>	<u></u>
				CLO,UE3,U1TD3,UXTD3,					-						
				UXTS1,UNC3X,UNCSX,U											
				LDD3,U1TS1,ULDS1,UNL											
	Physical Collocation-DS3 Cross-Connects	ı		D3,UDL	PE1P3	42.84	69.84	49.43							
				CLO,ULDO3,ULD12,ULD4										1	
	Dhusiael Calleagtica & Fiber Cases Connect			8,U1TO3,U1T12,U1T48,U	DE4E0		F4 0-	00.50						1	
	Physical Collocation-2-Fiber Cross-Connect	1		DLO3,UDL12,UDF CLO,ULDO3,ULD12,ULD4	PE1F2	2.94	51.97	38.59							
				8,U1TO3,U1T12,ULD4										1	
	Physical Collocation-4-Fiber Cross-Connect	, 1		DLO3,UDL12,U1148,U	PE1F4	5.62	64.53	51.15						1	
	Physical Collocation-Welded Wire Cage-First 100 sq ft	 		CLO	PE1BW	102.76	04.33	31.13							<u> </u>
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	102.76							 	 	
	Physical Collocation-Security Access System-Security System per CO	i		CLO	PE1AX	41.03							1	 	<u> </u>
				CLO	PE1A1	0.062	55.30	55.30							
	Physical Collocation-Security Access System-Administrative Change, existing			020	. = ., .,	0.002	55.50	55.50							
	Access Card, per Request, per State, per Card			CLO	PE1AA		15.51	15.51						1	
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card	t		CLO	PE1AR		45.34	45.34							1
	Physical Collocation-Security Access-Initial Key, per Key	T		CLO	PE1AK		26.18	26.18							
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.18	26.18							
1	Physical Collocation-Security Access-key, Replace Lost of Stolen key, per key			CLO	FLIAL		20.10	20.10							

COLLOC	ATION - North Carolina			1							•			ment: 4		bit: B
CATEGOR	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			•	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charge Manual Svc Orde vs.
						Rec	Nonrec			Disconnec				Rates (\$)		T =
			-	UEANL,UEA,UDN,UDC,U			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			AL,UHL,UCL,UEQ,CLO,U DL,UNCVX,UNCDX,UNCN X	PE1PE	0.10										
				UEANL,UEA,UDN,UDC,U AL,UHL,UCL,UEQ,CLO,U	25.125	0.40										
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			SL,UNCVX,UNCDX UEANL,UEA,UDN,UDC,U AL,UHL,UCL,UEQ,CLO,W DS1L,WDS1S,USL,U1TD 1,UXTD1,UNC1X,ULDD1,	PE1PF	0.19										
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			USLEL,UNLD1 UEANL,UEA,UDN,UDC,U AL,UHL,UCL,UEQ,CLO,U E3,U1TD3,UXTD3,UXTS1,	PE1PG	0.79										
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			UNC3X,UNCSX,ULDD3,U 1TS1,ULDS1,UNLD3,UDL ,UDLSX UEANL,UEA,UDN,UDC,U	PE1PH	4.85										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			AL,UHL,UCL,UEQ,CLO,U LDO3,ULD12,ULD48,U1T O3,U1T12,U1T48,UDLO3, UDL12,UDF	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,UDC,U AL,UHL,UCL,UEQ,CLO,U LDO3,ULD12,ULD48,U1T O3,U1T12,U1T48,UDLO3, UDL12,UDF	PE1B4	61.09										
	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.48									
	NRC Collocation Cable Records-per request			CLO	PE1CR		1,707.00									
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CD		923.08									
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CO		18.02	18.02								
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	NRC Collocation Cable Records-DS3, per T3TIE NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO CLO	PE1C3 PE1CB		29.51 278.82	29.51 278.82		-						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO.CLORS	PE1BT		42.92	25.56								
	Physical Collocation-Security Escort-Overtime, per Half Hour			CLO.CLORS	PE1OT		54.51	32.44								
	Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32								
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00					1				1
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00			ļ						
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO CLO	PE1BS PE1BE		33.00 37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft			CLO,UDF	PE1ES	0.0018										
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin ft Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per			CLO,UE3,USL	PE1DS	0.0027										
AD IACENT	application COLLOCATION			CLO	PE1DT		583.66									
ADJACENI	Adjacent Collocation-Space Charge per sq ft		-	CLOAC	PE1JA	0.179				 	-	-				
	Adjacent Collocation-Space Charge per sq ft Adjacent Collocation-Electrical Facility Charge per lin ft	-		CLOAC	PE1JA PE1JC	5.96				1		1				├──
	Adjacent Collocation-Electrical Facility Charge per filt it Adjacent Collocation-2W Cross-Connects			CLOAC	PE1DC PE1P2	0.32	41.78	39.23								<u> </u>
	Adjacent Collocation-4W Cross-Connects			С	PE1P4	0.64	41.91	39.25								
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08					İ			

Version 4Q02: 12/18/02 Page 26 of 36

COLL	OCA	TION - North Carolina												Attach	ment: 4	Exhi	bit: B
CATEG		RATE ELEMENTS	Interi m	i Zon	BCS	usoc			ATES (\$)			•	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs.	Increment al Charge Manual Svc Order vs.
							Rec	Nonrec			isconnec				Rates (\$)		
l		Adjacent Collocation-DS3 Cross-Connects		1	CLOAC	PE1P3	42.84	First 69.84	Add'l 49.43	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 		Adjacent Collocation-2-Fiber Cross-Connect		+	CLOAC	PE1F3	2.94	51.97	38.59								
		Adjacent Collocation-4-Fiber Cross-Connect		1	CLOAC	PE1F4	5.62	64.53	51.15								
		Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,153.00									
		Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.50										
		Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.01										
		Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	PE1FE	16.51										
DUVE		Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	PE1FG	38.12										
PHISI		Physical Collocation in the Remote Site-Application Fee		1	CLORS	PE1RA		865.34	865.34								
t		Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	254.02	003.34	003.34								
		Physical Collocation in the Remote Site-Security Access-Key		t	CLORS	PE1RD		26.06	26.06	1		1	1				
		Physical Collocation in the Remote Site-Space Availability Report per Premises															
		Requested			CLORS	PE1SR		230.60	230.60								
		Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSIC		COLLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation-AC Power, per breaker amp		1	CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation-Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee		1	CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62								
 		: If Security Escort and/or Add'I Engineering Fees become necessary for remote	o sito (collo			ronriato r		700.02								
		DLLOCATION	Site (cation, the raities will neg	Otiate app	iopilate it	ates.									
Ī		Virtual Collocation-Application Fee			AMTFS	EAF		2,848.30	2,848.30					26.94	12.76		
		Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00					26.94	12.76		
		Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.20										
		Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	3.48										
-		Virtual Collocation-Cable Support Structure, per entrance cable		1	AMTFS	ESPSX	13.35										
		Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,U AL,UHL,UCL,UEQ,AMTFS ,UDL,UNCVX,UNCDX,UN CNX UEA,UHL,UCL,UDL,AMTF	UEAC2	0.09	41.78	39.23	4.75	4.75			26.94	12.76		
					S,UAL,UDN,UNCVX,UNC												
		Virtual Collocation-4W Cross Connects (loop)			DX	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
					AMTFS,UDL12,UDLO3,U1 T48,U1T12,U1T03,ULDO3				330								
		Virtual Collocation-2-Fiber Cross Connects			,ULD12,ULD48,UDF	CNC2F	15.99	67.34	48.55					26.94	12.76		
	T				AMTFS,UDL12,UDLO3,U1												
		Virtual Collocation-4-Fiber Cross Connects			T48,U1T12,U1T03,ULDO3 .ULD12.ULD48.UDF	CNC4F	28.74	82.35	63.56					26.94	12.76		
t	-	VIItual Collocation-4-1 ibel Closs Collifects		1	USL,ULC,AMTFS,ULR,UX	CINCHI	20.74	02.33	03.30					20.94	12.70		
					TD1,UNC1X,ULDD1,U1TD												
		Virtual collocation-Special Access & UNE, cross-connect per DS1			1,USLEL,UNLD1	CNC1X	0.97	71.02	51.08					26.94	12.76		
					USL,ULC,AMTFS,UE3,UT TD3,UXTS1,UXTD3,UNC3 X,UNCSX,ULDD3,U1TS1,												
		Virtual collocation-Special Access & UNE, cross-connect per DS3			ULDS1,UDLSX,UNLD3	CND3X	56.25	151.90	11.83					26.94	12.76		
-		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin	1	1	SEDS 1, SDESK, SINEDS	CITOIN	50.25	101.00	11.00					20.34	12.10		
1		foot	<u> </u>	_	AMTFS	VE1CB	0.0028										
			1	1	1	l	0.0041										
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft			AMTFS	VE1CD	0.0041										
		Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CD VE1CC	0.0041	532.72						26.94	12.76		
		Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CC	0.0041										
		Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS AMTFS	VE1CC VE1CE	0.0041	532.72						26.94 26.94	12.76		
		Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable Virtual Collocation Cable Records- per request			AMTFS AMTFS AMTFS	VE1CC VE1CE VE1BA	0.0041	532.72 1,707.00									
		Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS AMTFS	VE1CC VE1CE	0.0041	532.72	18.02								

Version 4Q02: 12/18/02 Page 27 of 36

COLLOCA	ATION - North Carolina													Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zo:	on e	BCS	USOC		RA	ATES (\$)			Svc Order Submitte d Elec per LSR	ed Manuall	I Charge - Manual Svc Order vs.	l Charge - Manual	vs.	al Charge Manual Svc Order vs.
							Б	Nonrecu	urring	NRC D	isconnec	t		oss	Rates (\$)	L	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records-DS3, per T3TIE				AMTFS	VE1BE		29.51	29.51								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records				AMTFS	VE1BF		278.82	278.82								
	Virtual collocation-Security Escort-Basic, per half hour				AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation-Security Escort-Overtime, per half hour				AMTFS	SPTOX		48.00	30.00					26.94	12.76		
	Virtual collocation-Security Escort-Premium, per half hour				AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation-Maintenance in CO-Basic, per half hour				AMTFS	CTRLX		30.64	30.64					26.94	12.76		
	Virtual collocation-Maintenance in CO-Overtime, per half hour				AMTFS	SPTOM		35.77	35.77					26.94	12.76		
	Virtual collocation-Maintenance in CO-Premium per half hour				AMTFS	SPTPM		40.90	40.90					26.94	12.76		
VIRTUAL C	OLLOCATION																
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res				UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus				UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res				UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus				UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN				UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN				UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1				UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
Note	Rates displaying an "R" in Interim column are interim and subject to rate true-u	ıp as s	set f	forth i	n General Terms and	Conditions	s										

COLLOC	ATION - South Carolina					•								ment: 4		bit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
												y pei			DISC 1St	Liecti Offic-
						Rec		curring	NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVEICAL	COLLOCATION															
PHISICAL	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			OLFSK	FLINZ	0.0341	12.32	11.03	0.04	3.43		13.09				
	Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
PHYSICAL	COLLOCATION															
	Physical Collocation-Application Fee-Initial			CLO	PE1BA		1,883.67	1,883.67								
	Physical Collocation-Application Fee-Subsequent			CLO	PE1CA		1,570.10	1,570.10								
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		743.66	000.0=							1	
	Physical Collocation-Space Preparation-Firm Order Processing Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO CLO	PE1SJ PE1SK	2.75	602.05	602.05	1		-	 			 	-
	Physical Collocation-Space Preparation-C.O. Modification per sq ft Physical Collocation-Space Preparation-Common Systems Modification per sq ft-			CLO	PEISK	2.75									-	
	Cageless			CLO	PE1SL	3.24										
	Physical Collocation-Space Preparation-Common Systems Modification per Cage			CLO	PE1SM											
	Physical Collocation-Cable Installation			CLO	PE1BD	110.10	794.22	794.22	22.54	22.54						
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	3.95	104.22	704.22	22.04	22.04						
	Physical Collocation-Cable Support Structure, Per Entrance Cable			CLO	PE1PM	21.33										
	Physical Collocation-Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		400.33									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
	Physical Collocation-240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
	Physical Collocation-120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
	Physical Collocation-277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
	Physical Collocation-2W Cross-Connects			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,UDL ,UNCVX,UNLDX,UNCNX CLO,UAL,UDL,UDN,UEA	PE1P2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation-4W Cross-Connects			,UHL,UNCVX,UNCDX,U CL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
				CLO,UEANL,UEQ,WDS1 L,WDS1S,USL,U1TD1,U XTD1,UNC1X,ULDD1,US												
	Physical Collocation-DS1 Cross-Connects			LEL,UNLD1,UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
	Physical Collocation-DS3 Cross-Connects			CLO,UE3,U1TD3,UXTD3 ,UXTS1,UNC3X,UNCSX, ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Trystal Constant DOC Gross Controls			CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,		17.21	20.34	10.20	7.00	0.00						
+	Physical Collocation-2-Fiber Cross-Connect			UDLO3,UDL12,UDF CLO,ULDO3,ULD12,ULD 48,U1TO3,U1T12,U1T48,	PE1F2	2.82	20.94	15.23	7.40	5.93						
	Physical Collocation-4-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						<u></u>
	Physical Collocation-Welded Wire Cage-First 100 sq ft			CLO	PE1BW											
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	21.50										
	Physical Collocation-Security Access System-Security System per CO			CLO	PE1AX	74.72										
	Physical Collocation-Security Access System-New Access Card Activation, per Card Physical Collocation-Security Access System-Administrative Change, existing			CLO	PE1A1	0.0601	27.85	27.85								
	Access Card, per Request, per State, per Card			CLO	PE1AA		7.81	7.81								1
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per			CLO	PE1AR		22.83	22.83							İ	
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13	13.13								

COLLOC	ATION - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY		Interi m	Zone	BCS	usoc		1	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-	I Incrementa I Charge - Manual Svc Order vs.
						Rec	Nonrec			connect				Rates (\$)		
	District Office (Constant Prin			01.0	DETOD	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Physical Collocation-Space Availability Report per premises			CLO UEANL,UEA,UDN,UDC,	PE1SR		1,077.57	1,077.57							-	1
				UAL,UHL,UCL,UEQ,CLO												
				,UDL,UNCVX,UNCDX,U												
\vdash	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect			NCNX UEANL,UEA,UDN,UDC,	PE1PE	0.085										<u> </u>
				UAL.UHL.UCL.UEQ.CLO												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect			,USL,UNCVX,UNCDX	PE1PF	0.1701										
				UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO , WDS1L, WDS1S, USL, U												
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			1TD1,UXTD1,UNC1X,UL	PE1PG	1.20										
	To T Bay Arrangements prior to 0, 1700 BOT Gross Connect, per Gross Connect			UEANL,UEA,UDN,UDC,	12110	1.20										1
				UAL,UHL,UCL,UEQ,CLO												
				,UE3,U1TD3,UXTD3,UXT S1,UNC3X,UNCSX,ULD												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,U1TS1,ULDS1,UNLD	PE1PH	10.71										
	3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
				,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B2	36.55										
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO ,ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B4	49.29										
	Physical Collocation-Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.71									
	NRC Collocation Cable Records-per request			CLO	PE1CR		760.98	489.20	133.29	133.29						ļ
\vdash	NRC Collocation Cable Records-VG/DS0 Cable, per cable record NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO CLO	PE1CD PE1CO		327.65 4.82	327.65 4.82	189.54 5.91	189.54 5.91						-
	NRC Collocation Cable Records-V9/D30 Cable, per each 100 pr			CLO	PE1C1		2.26	2.26	2.77	2.77						
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation-Security Escort-Basic, per Half Hour			CLO,CLORS CLO,CLORS	PE1BT PE1OT		16.96 22.10	10.75 13.89								
	Physical Collocation-Security Escort-Overtime, per Half Hour Physical Collocation-Security Escort-Premium, per Half Hour			CLO,CLORS	PE1DT		27.23	17.02								-
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00	11.02								
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
<u> </u>	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1 PE1B3		52.00 52.00									.
\vdash	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO CLO	PE1B3		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									1
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			CLO,UDF	PE1ES	0.001										
	Structure, per cable, per lin ft Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per			CLO,UE3,USL	PE1DS	0.0015										
	application			CLO	PE1DT		584.42			<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	
ADJACENT	COLLOCATION															
\vdash	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0939										<u> </u>
\vdash	Adjacent Collocation-Electrical Facility Charge per lin ft Adjacent Collocation-2W Cross-Connects			CLOAC CLOAC	PE1JC PE1P2	6.40 0.0264	12.32	11.83	6.04	5.45	-				-	
\vdash	Adjacent Collocation-2W Cross-Connects Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL,CLO		0.0204	12.32	11.90	6.40	5.74					t	
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
1 1 -	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						

Version 4Q02: 12/18/02 Page 30 of 36

COLLOC	ATION - South Carolina			ı							_		Attachi		Exhil	
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.
												y per	Electronic-	Electronic-	Disc 1st	Electronic-
						_	Nonre	curring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,580.20									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker			CLOAC	PE1FB	5.67										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker			CLOAC	PE1FD	11.36										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FE	17.03										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FG	39.33										
PHYSICAL	COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site-Space Availability Report per Premises			01.000	DE 405		440.00	4,0								
_	Requested	<u> </u>	<u> </u>	CLORS	PE1SR		116.13	116.13				ļ			ļ	
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per			CLODE	DEADE		27.04	27.04								
	CLLI Code Requested	 	 	CLORS	PE1RE		37.64	37.64							1	
NINOIO 41	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO COLLOCATION IN THE REMOTE SITE - ADJACENT	-	-	CLORS	PE1RR		234.50									
HISICAL				CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-AC Power, per breaker amp Remote Site-Adjacent Collocation-Real Estate, per square foot	-		CLORS	PE1RS PE1RT	0.134										
	Remote Site-Adjacent Collocation-Real Estate, per square root Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62								
NOT	E: If Security Escort and/or Add'I Engineering Fees become necessary for remo	to oito	l colle			proprieto		755.62								
	E. II Security Escort and/or Add I Engineering Fees become necessary for femo	le site	Collo	l	gotiate ap	propriate	rates.									
VIKTOAL	Virtual Collocation-Application Fee	1	1	AMTFS	EAF		1.207.95	1,207.95	0.51	0.51		15.69				
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54		15.69				
	Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.95	104.22	104.22	22.07	22.04		10.00				
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	9.19										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	18.66										
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT												
	Virtual Collocation-2W Cross Connects (loop)			FS,UDL,UNCVX,UNCDX, UNCNX UEA,UHL,UCL,UDL,AMT	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation-4W Cross Connects (loop)			FS,UAL,UDN,UNCVX,UN CDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
	Virtual Collocation-2-Fiber Cross Connects			AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD O3,ULD12,ULD48,UDF	CNC2F	2.86	20.94	15.23	7.40	5.93		15.69				
				AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD O3,ULD12,ULD48,UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
	Virtual Collocation-4-Fiber Cross Connects															
	Virtual Collocation-4-Fiber Cross Connects			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1												
	Virtual Collocation-4-Fiber Cross Connects Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,ÜLR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN			22.08	15.96	7.39	5.80		15.69				
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD	CNC1X	1.12										
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3	CNC1X	1.12										
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3	CNC1X CND3X VE1CB	1.12 14.21 0.0022										
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3 AMTFS AMTFS AMTFS AMTFS AMTFS	CNC1X CND3X VE1CB VE1CC VE1CC VE1CC	1.12 14.21 0.0022	20.94 536.56 536.56	15.23	7.39	5.93						
	Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3 AMTFS AMTFS AMTFS AMTFS AMTFS AMTFS	CNC1X CND3X VE1CB VE1CD VE1CC VE1CE VE1BA	1.12 14.21 0.0022	20.94 536.56 536.56 760.98	15.23	7.39	5.93						
	Virtual collocation-Special Access & UNE, cross-connect per DS1 Virtual collocation-Special Access & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1 TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T S1,ULDS1,UDLSX,UNLD 3 AMTFS AMTFS AMTFS AMTFS AMTFS	CNC1X CND3X VE1CB VE1CC VE1CC VE1CC	1.12 14.21 0.0022	20.94 536.56 536.56	15.23	7.39	5.93						

COLLOC	ATION - South Carolina												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			d Elec	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order	I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-
						_	Nonre	curring	NRC Dis	connect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.90	7.90	9.68	9.68						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68	84.68	77.30	77.30						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.96	10.75				15.69				
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.10	13.89				15.69				
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.23	17.02				15.69				
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.99	10.75				15.69				
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69				
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69				
VIRTUAL C	OLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-															
	Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83		5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
<u> </u>	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1		ليبا	UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
Note:	te: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

COLLOC	ATION - Tennessee													ment: 4		bit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec		curring		sconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DHASICVI	COLLOCATION															
IIIIOICAL	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			OLI OIL	1 LIIVE	0.00	10.20	10.20					20.00	10.04	10.02	1.40
	Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSICAL	COLLOCATION			0.7								ļ				
	Physical Collocation-Cageless-Application Fee			CLO	PE1CH		2,633.00	2,633.00		ļ		ļ				
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL	0.74	743.25			 		ļ				
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	I		CLO	PE1SK	2.74				-	1	 				1
	Physical Collocation-Space Preparation-Common Systems Modification per sq ft- Cageless			CLO	PE1SL	2.95		1				1				
	Physical Collocation-Space Preparation-Common Systems Modification per Cage	-		CLO	PE1SL PE1SM	100.14										-
	Physical Collocation-Cageless-Cable Installation Cost, per cable	-		CLO	PE1ZA	100.14	1,749.00	1,749.00								
	Physical Collocation-Cageless-Floor Space, per sq ft			CLO	PE1ZB	3.91	1,743.00	1,743.00								
	Physical Collocation-Floor Space per sq ft			CLO	PE1PJ	5.94										
	Physical Collocation-Cageless-Cable Support Structure			CLO	PE1CJ	17.87										
	Physical Collocation-Cable Support Structure, Per Entrance Cable	-		CLO	PE1PM	19.80										
	Physical Collocation-Cageless-Floor Space Power, per Fused Amp			CLO	PE1ZC	6.79										
	Physical Collocation-Power -48V DC Power, per Fused Amp	-		CLO	PE1PL	8.87										
	Physical Collocation-Power Reduction, Application Fee			CLO	PE1PR		400.10									
	Physical Collocation-120V, Single Phase Standby Power Rate			CLO	PE1FB	5.60										
	Physical Collocation-240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.22										
	Physical Collocation-120V, Three Phase Standby Power Rate	_ !		CLO	PE1FE	16.82										
	Physical Collocation-277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.84										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,UDL												
	Physical Collocation-2W Cross-Connects	- 1		,UNCVX,UNLDX,UNCNX	PE1P2	0.033	33.82	31.92								
	Trysical Collocation 217 Closs Collineous	•		CLO.UAL.UDL.UDN.UEA	1 - 11 -	0.000	00.02	01.02								
				,UHL,UNCVX,UNCDX,U												
	Physical Collocation-4W Cross-Connects	- 1		CL	PE1P4	0.066	33.94	31.95		l						
				CLO,UEANL,UEQ,WDS1												
				L,WDS1S,USL,U1TD1,U												
				XTD1,UNC1X,ULDD1,US												
	Physical Collocation-DS1 Cross-Connects	- 1		LEL,UNLD1,UDL	PE1P1	1.51	53.27	40.16								
				CLO,UE3,U1TD3,UXTD3												
				,UXTS1,UNC3X,UNCSX,												
	Physical Collocation-DS3 Cross-Connects			ULDD3,U1TS1,ULDS1,U NLD3,UDL	PE1P3	19.26	52.37	38.89								
	Physical Collocation-D55 Cross-Connects			CLO,ULDO3,ULD12,ULD	PEIPS	19.20	52.57	30.09								
				48.U1TO3.U1T12.U1T48.												
	Physical Collocation-2-Fiber Cross-Connect	- 1		UDLO3,UDL12,UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				CLO,ULDO3,ULD12,ULD												
				48,U1TO3,U1T12,U1T48,												
	Physical Collocation-Cageless-2-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1CK	3.03	41.56	29.82	12.96	10.34	<u> </u>	<u></u>				<u> </u>
				CLO,ULDO3,ULD12,ULD												
				48,U1TO3,U1T12,U1T48,				1				1				
	Physical Collocation-4-Fiber Cross-Connect			UDLO3,UDL12,UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
				CLO,ULDO3,ULD12,ULD				1				1				
	District Only of the Organization of the Control of			48,U1TO3,U1T12,U1T48,	DE 40:	0.00	50.50	00 =0	40.07	446-		1				
	Physical Collocation-Cageless-4-Fiber Cross-Connect Physical Collocation-Welded Wire Cage-First 100 sq ft			UDLO3,UDL12,UDF CLO	PE1CL PE1BW	6.06 218.53	50.53	38.78	16.97	14.35		 				-
		- 1										<u> </u>				1
	Physical Collocation-Welded Wire Cage-Add'l 50 sq ft			CLO	PE1CW	21.44										

COLLOC	ATION - Tennessee			1								_		ment: 4		bit: B
CATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC		١	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
							Nonre	curring	NRC Dis	connec			oss	Rates (\$)		ь
						Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	Physical Collocation-Security Access System-New Access Card Activation, per			CLO	PE1A1	0.059	55.67	55.67	1							
	Physical Collocation-Space Availability Report per premises			CLO	PE1SR		2,027.00	2,154.00								
				UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,CLO												
				,UDL,UNCVX,UNCDX,U												
	POT Bay Arrangements prior to 6/1/99-2W Cross-Connect, per cross-connect	- 1		NCNX	PE1PE	0.40										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
	POT Bay Arrangements prior to 6/1/99-4W Cross-Connect, per cross-connect	ı		,USL,UNCVX,UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO .WDS1L.WDS1S.USL.U												
	DOT D A				DE4D0	4.00										
	POT Bay Arrangements prior to 6/1/99-DS1 Cross-Connect, per cross-connect			1TD1,UXTD1,UNC1X,UL UEANL,UEA,UDN,UDC,	PE1PG	1.20			 						!	├
				UAL,UHL,UCL,UEQ,CLO												
				,UE3,U1TD3,UXTD3,UXT												
				S1,UNC3X,UNCSX,ULD												
	POT Bay Arrangements prior to 6/1/99-DS3 Cross-Connect, per cross-connect			D3,U1TS1,ULDS1,UNLD	PE1PH	8.00										
	POT bay Arrangements prior to 0/1/99-033 Cross-Connect, per cross-connect	-		UEANL, UEA, UDN, UDC,	FLIFII	0.00										
				UAL,UHL,UCL,UEQ,CLO												
				,ULDO3,ULD12,ULD48,U												
	DOT D. A			1TO3,U1T12,U1T48,UDL	DE 4 D 0	00.70										
	POT Bay Arrangements prior to 6/1/99-2-Fiber Cross-Connect, Per Cross-Connect			O3,UDL12,UDF	PE1B2	38.79					ļ					ļ
				UEANL,UEA,UDN,UDC,												
				UAL,UHL,UCL,UEQ,CLO												
				,ULDO3,ULD12,ULD48,U												
				1TO3,U1T12,U1T48,UDL												
	POT Bay Arrangements prior to 6/1/99-4-Fiber Cross-Connect, per cross-connect			O3,UDL12,UDF	PE1B4	52.31										
	Physical Collocation-Request Resend of CFA Information, per CLLI	-		CLO	PE1C9		77.67									
	NRC Collocation Cable Records-per request	1		CLO	PE1CR		1,711.00									
	NRC Collocation Cable Records-VG/DS0 Cable, per cable record	-		CLO	PE1CD		925.06									
	NRC Collocation Cable Records-VG/DS0 Cable, per each 100 pr	I		CLO	PE1CO		18.05	18.05								
	NRC Collocation Cable Records-DS1, per T1TIE			CLO	PE1C1		8.45	8.45								
	NRC Collocation Cable Records-DS3, per T3TIE			CLO	PE1C3		29.57	29.57								
	NRC Collocation Cable Records-Fiber Cable, per 99 fiber records	ı		CLO	PE1CB		279.42	279.42								
	Physcial Collocation-Cageless-Security Escort-Basic, per Half Hour			CLO	PE1ZM		33.15	20.44								
	Physical Collocation-Cageless-Security Escort-Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation-Cageless-Security Escort-Premium, per Half Hour			CLO	PE1ZO		49.86	30.79	.					ļ		ļ
	V to P Conversion, Per Customer Request-VG			CLO	PE1BV		33.00		 							
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									<u> </u>
	V to P Conversion, Per Customer Request-DS1	_!_		CLO	PE1B1		52.00									<u> </u>
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									<u> </u>
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00		 							
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00		 							
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									ļ
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	ı		CLO	PE1BE		37.00		 							
	V to P Conversion, Cable prs Assigned to Collo Space per 700 prs or fraction	١.		0/ 0	DE : 5-		ECO 0-							l		1
	thereof			CLO	PE1B7	40.40	592.00	0.000.00	+ +		 		1	1	1	
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PE1AC	16.16	2,903.66	2,903.66	+ +		1		1	 	1	
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO CLO	PE1BB	4.32	142.40		+ +		 		1	1	1	
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed				PE1SN				+ +		 		1	1	1	
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72		+ +		 		1	1	1	
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PE1SP	440.07	242.05		+ +		1		1	 	1	
-	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq ft			CLO	PE1S1	110.97			+ +		 		1	1	1	
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq			CLO	PE1S5	55.49			 							
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct				DE 40-									l		1
	per ft			CLO	PE1CP	0.0156			 							
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27						1			ļ
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq ft		1	CLO	PE1FS	5.94			1			1	1	1	1	1

COLLOC	ATION - Tennessee	ı		1						1	0			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen I Charge Manual Svc Orde vs. Electroni
						Rec		curring		sconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance															
	cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp DC plant		-	CLO CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage Physical Caged Collocation-2W Cross Connects-VG ckts, per ckt			CLO	PE1PO PE12C	2.03 0.0475	7.68									
	Physical Caged Collocation-2W Cross Connects-VG Ckts, per ckt Physical Caged Collocation-4W Cross Connects-VG Ckts, per ckt			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt			CLO	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt			CLO	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable, per lin ft			CLO,UDF	PE1ES	0.0013										
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin ft			CLO	PE1ZH	0.0031										
	Physical Collocation-Cageless-Co-Carrier Cross Connects- Fiber Cable Support Structure, per cable			CLO	PE1ZK		555.03									
	Physical Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable, per lin ft			CLO	PE1DS	0.0019										
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per lin ft			CLO	PE1ZJ	0.0045										
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL	0.0040	555.03									
	Physical Collocation-Co-Carrier Cross Connects Only-Application Fee, per application			CLO	PE1DT		585.09									
	COLLOCATION			CEO	ILIDI		303.03									
	Adjacent Collocation-Space Charge per sq ft			CLOAC	PE1JA	0.0656										
	Adjacent Collocation-Electrical Facility Charge per lin ft			CLOAC	PE1JC	5.53										
	Adjacent Collocation-2W Cross-Connects			CLOAC	PE1P2	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.
	Adjacent Collocation-DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39		11.65	10.54			1.77	1.77	1.12	1.
	Adjacent Collocation-DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.
-	Adjacent Collocation-4-Fiber Cross-Connect		-	CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1
	Adjacent Collocation-Application Fee Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker			CLOAC CLOAC	PE1JB PE1FB	5.81	2,973.00	-							-	
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker			CLOAC	PE1FD	11.64										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FE	17.45										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker			CLOAC	PE1FG	40.30										
	COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
	COLLOCATION IN THE REMOTE SITE - ADJACENT		<u> </u>	01.5-5											ļ	
_	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27									-	
_	Remote Site-Adjacent Collocation-Real Estate, per square foot		 	CLORS	PE1RT	0.134	755.00	755.00	1			1			1	-
NOT	Remote Site-Adjacent Collocation-Application Fee E: If Security Escort and/or Add'I Engineering Fees become necessary for remo	to oit -	l colle	CLORS	PE1RU	nronrigt:	755.62	755.62	ļ						!	
	E: If Security Escort and/or Add't Engineering Fees become necessary for remo	ie site	COHO	auon, the Parties Will ne	yotiate ap	propriate	rates.								-	
TOAL C	Virtual Collocation-Application Fee		 	AMTFS	EAF		2,633.00	2,633.00	1			1	2.07	2.81	0.67	1
	Virtual Collocation-Application Fee Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00						2.07	2.81	0.67	1.
1	Virtual Collocation-Floor Space, per sq ft			AMTFS	ESPVX	3.91	1,140.00	1,7 40.00				1	2.01	2.01	0.07	'·
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	6.79							1		<u> </u>	
	Virtual Collocation-Cable Support Structure, per entrance cable		 	AMTFS	ESPSX	17.87		t	t			-			t	-

OLLOC	ATION - Tennessee			I	1	1								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		١	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charg Manua Svc Ord
						Rec	Nonre			sconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC, UAL,UHL,UCL,UEQ,AMT FS,UDL,UNCVX,UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,AMT FS,UAL,UDN,UNCVX,UN CDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.
				AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD O3.ULD12.ULD48.UDF		3.03	41.56	29.82		10.34			2.69	2.69		
	Virtual Collocation-2-Fiber Cross Connects			AMTFS,UDL12,UDLO3,U 1T48,U1T12,U1T03,ULD					12.96						1.56	
	Virtual Collocation-4-Fiber Cross Connects			O3,ULD12,ULD48,UDF USL,ULC,AMTFS,ULR,U XTD1,UNC1X,ULDD1,U1	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1
	Virtual collocation-Special Access & UNE, cross-connect per DS1			TD1,USLEL,UNLD1 USL,ULC,AMTFS,UE3,U 1TD3,UXTS1,UXTD3,UN C3X,UNCSX,ULDD3,U1T		1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1
	Virtual collocation-Special Acess & UNE, cross-connect per DS3 Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per			S1,ULDS1,UDLSX,UNLD 3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per lin foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CB	0.0031										
	Structure, per lin ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per			AMTFS	VE1CD	0.0045										
	cable Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CC		555.03						2.07	2.81	0.67	
	Structure, per cable			AMTFS	VE1CE		555.03						2.07	2.81	0.67	
	Virtual Collocation Cable Records-per request Virtual Collocation Cable Records-VG/DS0 Cable, per cable record	-		AMTFS AMTFS	VE1BA VE1BB		1,711.00 925.06									
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr	1		AMTFS	VE1BB VE1BC		18.05	18.05								
	Virtual Collocation Cable Records-Vol.D30 Cable, per each 100 pi	1		AMTFS	VE1BD		8.45	8.45								
	Virtual Collocation Cable Records-DS3, per T3TIE	1		AMTFS	VE1BE		29.57	29.57								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		279.42	279.42								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64					2.07	2.81	0.67	
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					2.07	2.81	0.67	
UAL C	Virtual collocation-Maintenance in CO-Premium per half hour OLLOCATION			AMTFS	SPTPM		40.90	40.90					2.07	2.81	0.67	
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk- Bus			UEPSR UEPSP	VE1R2 VE1R2	0.30	19.20 19.20	19.20 19.20					20.35	10.54	13.32	
+-	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	+		UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	
+	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus	 		UEPSB	VE1R2	0.30	19.20	19.20	 				20.35	10.54	13.32	<u> </u>
1 1	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	1 -		UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	-
+	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	1		UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	t
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1	1		UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	
	Rates displaying an "R" in Interim column are interim and subject to rate tru	ac									i					1

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Excel PCHP is utilizing its own switch, Excel PCHP shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Excel PCHP will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Excel PCHP, BellSouth will provide Excel PCHP with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Excel PCHP acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Excel PCHP acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Excel PCHP return unused intermediate numbers to BellSouth. Excel PCHP shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Excel PCHP to designate up to 100 intermediate telephone numbers per rate center for Excel PCHP's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Excel PCHP acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry forums.
- 2.2 <u>End User Line Charge</u>. Where Excel PCHP subscribes to BellSouth's local switching, BellSouth shall bill and Excel PCHP shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1.

This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Excel PCHP will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Excel PCHP.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Excel PCHP will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version 4Q02: 12/18/02

TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	3

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Excel PCHP that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent Excel PCHP requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Excel PCHP, BellSouth will not assess Excel PCHP additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Excel PCHP access to operations support systems (OSS) functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of

Version 4Q02: 12/18/02

Excel PCHP to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Excel PCHP's access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Excel PCHP shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. Excel PCHP shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Excel PCHP shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Excel PCHP will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Excel PCHP's access to customer record information. If a BellSouth audit of Excel PCHP's access to customer record information reveals that Excel PCHP is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Excel PCHP may take corrective action, including but not limited to suspending or terminating Excel PCHP's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for noncomplex and certain complex resale requests and certain network elements. Excel PCHP may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

- 2.1.4 Maintenance and Repair. Excel PCHP may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer Excel PCHP non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide nondiscriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Excel PCHP an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Excel PCHP agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the CCP. Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Excel PCHP, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Excel PCHP will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Excel PCHP shall be required to submit a new service request. Incorrect or invalid requests returned to Excel PCHP for correction or clarification will be held for thirty (30) days. If Excel PCHP does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Excel PCHP will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Excel PCHP to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Excel PCHP and BellSouth shall each execute a blanket

Version 4Q02: 12/18/02

letter of authorization (LOA) with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Excel PCHP to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Excel PCHP that such a request has been processed but will not be required to notify Excel PCHP in advance of such processing.

- 3.2.1 Neither BellSouth nor Excel PCHP shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and LSR rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Excel PCHP shall return a FOC to BellSouth within thirty-six (36) hours after Excel PCHP's receipt from BellSouth of a valid LSR.
- 3.2.4 Excel PCHP shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Excel PCHP elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Excel PCHP by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Excel PCHP that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an IXC (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If Excel PCHP cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Services Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Excel PCHP places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where Excel PCHP places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Excel PCHP may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Excel PCHP elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Excel PCHP, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	7
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	13
6.	ENHANCED OPTIONAL DAILY USAGE FILE	15
Ra	tes	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Excel PCHP under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Excel PCHP, Excel PCHP shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with IXC access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month for lines on established bill days for each of Excel PCHP's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Excel PCHP in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Excel PCHP, and Excel PCHP will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Excel PCHP as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Excel PCHP will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by the NECA, Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Excel PCHP may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Excel PCHP.
- 1.2.1 OCN. If Excel PCHP needs to change its OCN(s) under which it operates when Excel PCHP has already been conducting business utilizing those OCN(s), Excel PCHP shall bear all costs incurred by BellSouth to convert Excel PCHP to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Excel PCHP's end user customer records and will be handled by the BFR/NBR process.
- Payment Responsibility. Payment of all charges will be the responsibility of Excel PCHP. Excel PCHP shall make payment to BellSouth for all services billed. Payments made by Excel PCHP to BellSouth as payment on account will be credited to Excel PCHP's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Excel PCHP and Excel PCHP's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Excel PCHP will not include those taxes or fees from which Excel PCHP is exempt. Excel PCHP will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Excel PCHP.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the GSST, Section B2 of the PLST or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Excel PCHP may be charged a fee for all returned checks as set forth in Section A2 of the GSST or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Excel PCHP</u>. The procedures for discontinuing service to Excel PCHP are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Excel PCHP of the rules and regulations of BellSouth's tariffs.
- BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Excel PCHP that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Excel PCHP to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Excel PCHP if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Upon discontinuance of service on Excel PCHP's account, service to Excel PCHP's end users will be denied. BellSouth will reestablish service for Excel

PCHP upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Excel PCHP is solely responsible for notifying the end user of the proposed disconnection of the service. If within fifteen (15) days after Excel PCHP has been denied and no arrangements to reestablish service have been made consistent with this subsection, Excel PCHP's service will be discontinued.

- 1.8 Deposit Policy. Excel PCHP shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Excel PCHP from its obligation to make complete and timely payments of its bill. Excel PCHP shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Excel PCHP's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Excel PCHP fails to remit to BellSouth any deposit requested pursuant to this Section, service to Excel PCHP may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Excel PCHP's account(s). In the event Excel PCHP defaults on its account, service to Excel PCHP will be terminated and any security deposits will be applied to Excel PCHP's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Excel PCHP, shall be forwarded to the individual and/or address provided by Excel PCHP in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Excel PCHP as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Excel PCHP to BellSouth's billing organization, a final notice of disconnection of services purchased by Excel PCHP under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message

Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Excel PCHP shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the GSST for purposes of resale and for ports and non-designed loops, Section A2 of the GSST; for services purchased from the PLST for purposes of resale, Section B2 of the PLST; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Excel PCHP by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Excel PCHP shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Excel PCHP on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Excel PCHP must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Excel PCHP must request that BellSouth establish a unique hosted RAO code for Excel PCHP. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Excel PCHP that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Excel PCHP shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Excel PCHP.
- 3.7 All data received from Excel PCHP that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Excel PCHP that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Excel PCHP and will forward them to Excel PCHP on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Excel PCHP will be via CONNECT:Direct or CONNECT:Enterprise Client utilizing secure File Transfer Protocol (FTP).

- Data circuits (private line or dial-up) will be required between BellSouth and Excel PCHP for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Excel PCHP will be responsible for ordering the circuit and coordinating the installation with BellSouth. Excel PCHP is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel PCHP. Additionally, all message toll charges associated with the use of the dial circuit by Excel PCHP will be the responsibility of Excel PCHP. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Excel PCHP end for the purpose of data transmission will be the responsibility of Excel PCHP.
- 3.10.2 If Excel PCHP utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Excel PCHP.
- 3.11 All messages and related data exchanged between BellSouth and Excel PCHP will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Excel PCHP will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Excel PCHP to send data to BellSouth more than sixty (60) days past the message date(s), Excel PCHP will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Excel PCHP, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Excel PCHP, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Excel PCHP of the error.

Excel PCHP will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Excel PCHP will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- 3.16 In association with message distribution service, BellSouth will provide Excel PCHP with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Excel PCHP as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Excel PCHP and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Excel PCHP and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Excel PCHP, is covered by CATS. Also covered is traffic that either is originated by or billed by Excel PCHP, involves a company other than Excel PCHP, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Excel PCHP is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Excel PCHP. BellSouth will distribute copies of these reports to Excel PCHP on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Excel PCHP. BellSouth will distribute copies of these reports to Excel PCHP on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Excel PCHP from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Excel PCHP. BellSouth will remit the revenue billed by Excel PCHP to the Bell operating

company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Excel PCHP. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Excel PCHP via a monthly CABS miscellaneous bill.

- 3.18.7 BellSouth will collect the revenue earned by Excel PCHP within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Excel PCHP. BellSouth will remit the revenue billed by Excel PCHP within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Excel PCHP via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Excel PCHP agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Excel PCHP, BellSouth will provide the Optional Daily Usage File (ODUF) service to Excel PCHP pursuant to the terms and conditions set forth in this section.
- 4.2 Excel PCHP shall furnish all relevant information required by BellSouth for the provision of ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to an Excel PCHP customer.
- Charges for the ODUF will appear on Excel PCHP's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Excel PCHP will be billed at the ODUF rates that are in effect at the end of the previous month.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Excel PCHP will be the responsibility of Excel PCHP. If, however, Excel PCHP should encounter significant volumes of errored messages that prevent processing by Excel PCHP within its systems, BellSouth will work with Excel PCHP to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.

4.7.1	ODUF Messages to be Transmitted
4.7.1.1	The following messages recorded by BellSouth will be transmitted to Excel PCHP:
4.7.1.1.1	Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.)
4.7.1.1.2	Measured billable Local
4.7.1.1.3	Directory Assistance messages
4.7.1.1.4	IntraLATA Toll
4.7.1.1.5	WATS and 800 Service
4.7.1.1.6	N11
4.7.1.1.7	Information Service Provider Messages
4.7.1.1.8	Operator Services Messages
4.7.1.1.9	Operator Services Message Attempted Calls (Network Element only)
4.7.1.1.10	Credit/Cancel Records
4.7.1.1.11	Usage for Voice Mail Message Service
4.7.1.2	Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
4.7.1.3	BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Excel PCHP.
4.7.1.4	In the event that Excel PCHP detects a duplicate on ODUF they receive from BellSouth, Excel PCHP will drop the duplicate message and will not return the duplicate to BellSouth.
4.7.2	ODUF Physical File Characteristics
4.7.2.1	ODUF will be distributed to Excel PCHP via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a noncompacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
4.7.2.2	Data circuits (private line or dial-up) will be required between BellSouth and Excel PCHP for the purpose of data transmission as set forth in Section 3.10.1 above.
4.7.2.3	If Excel PCHP utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Excel PCHP.
4.7.3	ODUF Packing Specifications

- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel PCHP which BellSouth RAO that is sending the message. BellSouth and Excel PCHP will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel PCHP and resend the data as appropriate.

 The data will be packed using ATIS EMI records.
- 4.7.4 ODUF Pack Rejection. Excel PCHP will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Excel PCHP will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel PCHP by BellSouth.
- 4.7.5 ODUF Control Data. Excel PCHP will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel PCHP's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel PCHP for reasons stated in the above section.
- 4.7.6 ODUF Testing. Upon request from Excel PCHP, BellSouth shall send ODUF test files to Excel PCHP. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Excel PCHP set up a production (live) file. The live test may consist of Excel PCHP's employees making test calls for the types of services Excel PCHP requests on ODUF. These test calls are logged by Excel PCHP, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- Upon written request from Excel PCHP, BellSouth will provide the Access Daily Usage File (ADUF) service to Excel PCHP pursuant to the terms and conditions set forth in this section.
- 5.2 Excel PCHP shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Excel PCHP has purchased from BellSouth

- Charges for ADUF will appear on Excel PCHP's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Excel PCHP will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of Excel PCHP will be the responsibility of Excel PCHP. If, however, Excel PCHP should encounter significant volumes of errored messages that prevent processing by Excel PCHP within its systems, BellSouth will work with Excel PCHP to determine the source of the errors and the appropriate resolution.
- 5.6 <u>ADUF Messages To Be Transmitted</u>
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Excel PCHP:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Excel PCHP.
- 5.6.3 In the event that Excel PCHP detects a duplicate on ADUF they receive from BellSouth, Excel PCHP will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Excel PCHP via CONNECT:Direct, CONNECT:Enterprise Client or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Excel PCHP for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If Excel PCHP utilizes CONNECT:Enterprise Client for data file transmission, purchase of the CONNECT:Enterprise Client software will be the responsibility of Excel PCHP.
- 5.6.5 <u>ADUF Packing Specifications</u>

- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel PCHP which BellSouth RAO is sending the message. BellSouth and Excel PCHP will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel PCHP and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection. Excel PCHP will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Excel PCHP will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Excel PCHP by BellSouth.
- 5.6.7 <u>ADUF Control Data</u>. Excel PCHP will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Excel PCHP's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Excel PCHP for reasons stated in the above section.
- 5.6.8 <u>ADUF Testing</u>. Upon request from Excel PCHP, BellSouth shall send a test file of generic data to Excel PCHP via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

6. ENHANCED OPTIONAL DAILY USAGE FILE

- Upon written request from Excel PCHP, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Excel PCHP pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- Excel PCHP shall furnish all relevant information required by BellSouth for the provision of EODUF.
- 6.3 EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of EODUF will appear on Excel PCHP's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Excel PCHP will be billed at the EODUF rates that are in effect at the end of the previous month.

- All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Excel PCHP will be the responsibility of Excel PCHP. If, however, Excel PCHP should encounter significant volumes of errored messages that prevent processing by Excel PCHP within its systems, BellSouth will work with Excel PCHP to determine the source of the errors and the appropriate resolution.
- The following specifications shall apply to the EODUF feed.
- 6.7.1 Usage To Be Transmitted
- 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Excel PCHP:
- 6.7.1.1.1 Customer usage data for flat rated local call originating from Excel PCHP's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 6.7.1.1.1 Date of Call
- 6.7.1.1.1.2 From Number
- 6.7.1.1.3 To Number
- 6.7.1.1.1.4 Connect Time
- 6.7.1.1.5 Conversation Time
- 6.7.1.1.6 Method of Recording
- 6.7.1.1.1.7 From RAO
- 6.7.1.1.1.8 Rate Class
- 6.7.1.1.1.9 Message Type
- 6.7.1.1.1.10 Billing Indicators
- 6.7.1.1.1.11 Bill to Number
- 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Excel PCHP.
- 6.7.1.3 In the event that Excel PCHP detects a duplicate on EODUF they receive from BellSouth, Excel PCHP will drop the duplicate message (Excel PCHP will not return the duplicate to BellSouth).
- 6.7.2 EODUF Physical File Characteristics
- 6.7.2.1 The EODUF feed will be distributed to Excel PCHP over their existing ODUF feed. EODUF messages will be intermingled among Excel PCHP's ODUF messages. EODUF will be a variable block format (2476) with an LRECL of 2472. The data on EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Excel PCHP for the purpose of data transmission. Where a dedicated line is required, Excel PCHP will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Excel PCHP will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Excel PCHP. Additionally, all message toll charges associated with the use of the dial circuit by Excel PCHP will be the responsibility of Excel PCHP. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Excel PCHP's end for the purpose of data transmission will be the responsibility of Excel PCHP.

6.7.3 EODUF Packing Specifications

- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Excel PCHP which BellSouth RAO is sending the message. BellSouth and Excel PCHP will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Excel PCHP and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUI	/ADUF	F/EODUF/CMDS - Alabama												Attach	ment: 7	Exhi	ibit: A
CATEG	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		R/	ATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonre	curring	NRC Di	sconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/O	EDUF/CMDS															
	ACCES	SS DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.007037										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.000011										
		ODUF: Message Processing, per message				N/A	0.004101										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
	CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	ENHAN	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	0.22										
	Notes:	If no rate is identified in the contract, the rate for the specific service or function will	be as set fo	rth in a	pplicab	e BellSou	th tariff or as i	negotiate	d by the I	Parties u	on reque	est by either	Party.				

Version 4Q02: 12/18/02 Page 1 of 9

ODUF/ADUF	F/EODUF/CMDS - Florida												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs.
						_	Nonre	curring	NRC D	isconne	at .	1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
ODUF/ADUF/C			<u> </u>													ļ
ACCE	SS DAILY USAGE FILE (ADUF)				N1/A	0.004050										
	ADUF: Message Processing, per message				N/A	0.001656										
L	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010375										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										ĺ
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAI	NCED OPTIONAL DAILY USAGE FILE (EODUF)															1
	EODUF: Message Processing, per message				N/A	0.080698										
Notes:	If no rate is identified in the contract, the rate for the specific service or functio	n will be as s	et forth	in app	licable Be	ISouth tariff o	r as neg	otiated by	the Par	ties upor	request by	either Part	у.			

ODUF/ADUF/	EODUF/CMDS - Georgia												Attach	ment: 7	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonre	curring	NRC D	isconnec			OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OF	EDUF/CMDS															
ACCESS	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTION	IAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENTRA	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.0034555										
Notes:	If no rate is identified in the contract, the rate for the specific service or function will	be as s	et forth	in appl	icable Be	ISouth tariff o	r as neg	otiated by	y the Par	ties upoi	request by	either Part	у.			

ODUF	-/ADUF/	/EODUF/CMDS - Kentucky												Attach	ment: 7	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RA	TES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												l .		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	NRC D	isconnect			oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/OE	DUF/CMDS															
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.001857										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
	OPTION	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000136										
		ODUF: Message Processing, per message				N/A	0.002506										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
		CED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message				N/A	0.235889										
	Notes:	If no rate is identified in the contract, the rate for the specific service or function will be	e as set	forth in	applica	ble BellSo	outh tariff or as	negotiate	ed by the	Parties u	pon requ	est by either	Party.				

Version 4Q02: 12/18/02 Page 4 of 9

ODUF/ADUF	F/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES (\$)			Submitted	Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
						Rec	Nonre	curring	NRC D	isconne	*	l	OSS	Rates (\$)	I	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u></u>
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)				N1/A	0.007000										
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004	1									
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.250015										
Notes:	If no rate is identified in the contract, the rate for the specific service or function	n will be as s	et forth	in appl	licable Be	ISouth tariff or	r as nego	otiated by	the Par	ties upor	request by	either Party	y.			

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attach	ment: 7	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.00.
						Rec		curring		isconnec				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAI	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.250424										
Notes:	If no rate is identified in the contract, the rate for the specific service or fun	ction will be as s	et forth	in appl	icable Be	IISouth tariff or	as nego	tiated by	the Part	ies upon	request by	either Party	<i>i</i> .			

ODUF/ADUI	F/EODUF/CMDS - North Carolina												Attach	ment: 7	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		R.A	ATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 130	DISC Add I
						Rec		curring		isconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.01435										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										ĺ
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															ĺ
	EODUF: Message Processing, per message				N/A	0.2285406										
Notes:	: If no rate is identified in the contract, the rate for the specific service or fund	tion will be as s	et forth	in app	licable Be	ISouth tariff of	or as neg	otiated b	y the Pa	rties upo	n request b	y either Par	ty.			

ODUF/ADUF	F/EODUF/CMDS - South Carolina												Attach	ment: 7	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec		curring		isconnec				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.258301										
Notes:	If no rate is identified in the contract, the rate for the specific service or fun	ction will be as s	et forth	in appl	licable Be	IISouth tariff or	as nego	tiated by	the Part	ies upon	request by	either Party	<i>i</i> .			

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attach	ment: 7	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											_		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	NRC D	isconnec	+		OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1 1100	Auu	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
ODUF/ADUF/C	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.004										
Notes:	If no rate is identified in the contract, the rate for the specific service or function will	be as s	et forth	in app	licable Be	ISouth tariff o	r as neg	otiated b	y the Par	ties upor	n request by	y either Part	у.			

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

_

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	
PO-1: Loop Makeup - Response Time – Manual	
PO-2: Loop Make Up - Response Time - Electronic	
Section 2: Ordering	
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation	
Average Interval	
Section 3: Provisioning	
P-1: Mean Held Order Interval & Distribution Intervals	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Averanteeval.	
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a complete	
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	3-32
P-13: I NP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distri	

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments	
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	
M&R-7: Mean Time To Notify CLEC of Network Outages	
Section 5: Billing	5-1
B-1: Invoice Accuracy	
B2: Mean Time to Deliver Invoices	5-3
B3: Usage Data Delivery Accuracy	5-5
B4: Usage Data Delivery Completeness	5-6
B5: Usage Data Delivery Timeliness	5-7
B6: Mean Time to Deliver Usage	5-8
B7: Recurring Charge Completeness	5-9
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance	e (DA)6-3
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directo	ry Assistance
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8: E911	8-1
E-1: Timeliness.	
E-2: Accuracy	
E-3: Mean Interval	
Section 9: Trunk Group Performance	9-1
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	
C-1: Collocation Average Response Time	10-1
C-2: Collocation Average Arrangement Time	
C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	
CM-1: Timeliness of Change Management Notices	
CM-2: Change Management Notice Average Delay Days	
Civi-2. Change management motice Average Delay Days	

643 of 801

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	11-7
CM-5: Notification of CLEC Interface Outages	11-8
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	12-1
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed	Within X
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	1
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	1
Appendix B: Glossary of Acronyms and Terms	1
Appendix C: BellSouth Audit Policy	

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract (per reporting dimension)	Legacy Contract (per reporting dimension)
Response Interval	Response Interval
Regional Scope	Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	Х	X	X	X	X
OASIS	OASISMTN	Feature/Service	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	Х	X	X	X	X

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	Х	Х
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	Х

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

SEEM Measure

SEEM Measure				
Yes	Tier I			
	Tier II	X		

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • RSAG – Address (Regional Street Address Guide- Percent Response Received within 6.3 seconds: > 95% Address) – stores street address information used to Parity + 2 seconds validate customer addresses. CLECs and BellSouth query this legacy system. • **RSAG – TN** (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. **ATLAS** (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy • HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)

 Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

System BellSouth		CLEC					
Telephone Number/Address							
RSAG-ADDR	RNS, ROS	TAG, LENS					
RSAG-TN	RNS, ROS	TAG, LENS					
ATLAS	RNS,ROS	TAG. LENS					
	Appointment Schedu	ıling					
DSAP	RNS, ROS	TAG, LENS					
	CSR Data						
CRSACCTS	RNS						
CRSOCSR	ROS						
HAL/CRIS		LENS					
CRSECSRL		TAG					
CRSECSR		TAG					
	Service/Feature Availability						
OASISBIG	RNS, ROS						
PSIMS/ORB		LENS					

OSS-2: Interface Availability (Pre-Ordering)Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	 Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	 Hours of Downtime

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

SEEM OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

650 of 801

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI	Availability of BellSouth TAFI
• Availability of LMOS HOST, MARCH, SOCS, CRIS,	• Availability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	PREDICTOR, LNP and OSPCM
• ECTA	

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	X

652 of 801

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is
$$\leq 4$$
, ≥ 4 , ≤ 10 , ≤ 10 , ≤ 10 , or ≥ 30 seconds.

Report Structure

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity

Legacy System Access Times for M&R

System	BellSouth & CLEC	Count				
		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	Х	X	X	X	X	X
DLETH	X	X	X	X	X	X
DLR	Х	X	X	Х	X	X
LMOS	Х	X	X	Х	X	X
LMOSupd	Х	X	X	Х	X	X
LNP	X	X	X	X	X	X
MARCH	Х	X	X	Х	X	X
OSPCM	Х	X	X	Х	X	X
Predictor	Х	X	X	Х	X	X
SOCS	Х	X	X	Х	X	X
NIW	X	X	X	X	X	X

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Lookup."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = $(e / f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 <= 2 days
 - >2 <= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- · Average Interval in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- \bullet f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- · CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 <= 5 minutes
 - $0 \le 5$ minutes
 - $> 5 \le 8$ minutes
 - > 8 <= 15 minutes
 - > 15 minutes
- · Average Interval in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract
Response Interval
Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- · CLEC Aggregate
- · CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs

 $0 - \le 10$ minutes

>10 -<= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$ minutes

>30 - <= 45 minutes

>45 -<= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Not Applicable
Record of Functional Acknowledgements	

659 of 801

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

660 of 801

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = $(a / b) \times 100$

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in
- Expedites (requested by the CLEC)
- Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

services are eligible to flow through.

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ²
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	• Benchmark: 85%

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark ³
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	• Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors by Type	
- TAG	- Bellsouth System Error	
- EDI		
- LENS		
 Total Number of Errors by Type, by CLEC 		
- Fatal Rejects		
- Auto Clarification		
- CLEC Errors		
Total Number of Errors by Error Code		
Total Fallout for Manual Processing		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
LNP	Benchmark: 85%

-

⁴ Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark⁵
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

⁵ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- Percent of each error type
- · Cumulative percent
- Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
Total Number of LSRs Received	• Total Number of Errors by Type (by error code)	
• Total Number of Errors by Type (by error code)	- BellSouth System Error	
- CLEC Caused Error		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Not Applicable	Not Applicable	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Record of LSRs Received by CC, PON and Ver 	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Not Applicable	Not Applicable	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

LSR Flow Through Matrix

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	
	Type				X	plex	Fallout For		2	S^4
					Service	Order				
							Handling ¹			
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	Е	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	Е	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	С	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	C	Е	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
			Q							
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	C	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
, ,		J,M,N								
Directory Listings Captions	R,B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
		J,M,N								
Directory Listings (simple)	R,B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
		J,M,N								
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	C	P	C,D,T,V,S,B,W,L	No	Yes	Yes	NA	N	N	N
			,P,Q							
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	C	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Y	Y	N

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	LEN
	Type	','	,,		x ·	plex	Fallout For		2	S^4
					Service	Order				
							Handling ¹			
LightGate	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	C	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	Е	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	С	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	С	P	N,C,D,T,V,S,B,	No	Yes	Yes	NA	N	N	N
			W,L,P,Q							
Native Mode LAN Interconnection	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
(NMLI)										
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Plus	,									
Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	Е	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	Č	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	Č	Е	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	C	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1,	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
SL2	O	71,0	C,D,1,11,1,1,1	103	ONE	110	110	•	1	•
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	E	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	E	N,T,C,V	Yes	No	No	No	Y	Y	Y
I IC/LFIC FIECZE	r,d	E	1N, 1, C, V	168	140	140	TAO	1	1	1

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

Issue Date: June 4, 2002

Issue Date: June 4, 2002

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Product Specific Percent Rejected
- Total Percent Rejected

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
Resale - Business	
• Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
2W Analog Loop With INP Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified
- Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- · Mechanized:
 - $0 \le 4$ minutes
 - >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1$ hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- Partially Mechanized:
 - 0 <= 1 hour
 - >1 <= 4 hours
 - >4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - >10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - >18 <= 24 hours
 - >24 hours
- Non-mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- > 24 hours
- Trunks:
 - <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days >14 - <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
• Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
 2W Analog Loop With LNP Design 	
 2W Analog Loop With LNP Non-Design 	
• UNE Loop + Port Combinations	
• Switch Ports	
• UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
• UNE ISDN Loops	
• UNE Other Non-Design	
• Local Interoffice Transport	
• UNE Other Design	
Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

SEEM Measure

SEEM Measure				
Yes	Tier I	X		
	Tier II	X		

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- · Rejected LSRs
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI. LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
- $0 \le 15$ minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours >20 - <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours
- Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- $0 \le 10 \text{ days}$
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
 Total Number of LSRs 	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
• Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
• Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
• Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP(Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• UNE ISDN Loops	
• UNE Other Design	
• UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals

 $0 - \le 3 \text{ days}$

>3 - <= 5 days

 $0 - \le 5 \text{ days}$

>5 - <= 7 days

>7 - <= 10 days >10 - <= 15 days

>15 days

⁶ See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	
Unbundled Interoffice Transport	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
• Total Number of Rejects	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non - Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
 UNE Loop and Port Combinations 	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non - Design	
Local Interoffice Transport	
• Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
 - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized tracking through LCSC Automatic Call	Mechanized tracking through BellSouth Retail center
Distributor	support system.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - >10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - >18 <= 24 hours
- > 24 hours
- Non-Mechanized:
 - $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours >8 - <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
 Total number of Rejects 	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

689 of 801

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = $(e / f) \times 100$

- e = Service Requests Confirmed in interval
- \bullet f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
- 0 <= 15 minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3 \text{ hours}$
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- >8 <= 12 hours >12 - <= 16 hours
- >12 <= 16 hours >16 - <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
• Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 36 hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

693 of 801

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope 	 Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope
Note : Code in parentheses is the corresponding header foun	d
in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With LNP Design	 Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

SEEM Measure

	SEEM Measure			
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- ullet d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Date and Time Jeopardy Notice Sent Committed Due Date Service Type Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Date and Time Jeopardy Notice Sent Committed Due Date Service Type

SQM Level of Disaggregation	SQM Analog/Benchmark
% Orders Given Jeopardy Notice	
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
• 2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch- Based Orders)
•UNE Digital Loop < DS1	• Retail Digital Loop < DS1
•UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
•UNE Loop + Port Combinations	• Retail Business and Residence
•UNE Switch Ports	Retail Residence and Business (POTS)
•UNE Combo Other	Retail Residence, Business and Design Dispatch
•UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•UNE ISDN	• Retail ISDN BRI
•UNE Line Sharing	ADSL Provided to Retail
•UNE Other Design	• Retail Design
•UNE Other Non -Design	Retail Residence and Business
•Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•Local Interconnection Trunks	• Parity with Retail
•Average Jeopardy Notice Interval	• 95% >= 48 Hours
	7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Data Retained

697 of 801

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

699 of 801

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Company NameOrder Number (PON)	Report MonthBellSouth Order Number

Application Date & Time (TICKET_ID)	Application Date & Time
Completion Date (CMPLTN_DT)	Order Completion Date & Time
• Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
• Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
 2W Analog Loop With INP Non-Design 	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
 UNE Loop + Port Combinations 	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope 	 Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope
Note: Code in parentneses is the corresponding header for	ound NOTE: Code in parentheses is the corresponding header

	a a a a a a a a a a a a a a a a a a a
in the raw data file.	found in the raw data file.
I in the raw data the	HOURD IN THE FAW DAIN THE

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	 Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With LNP Design	 Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS Excluding Switch-
Diametal	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	 Retail Digital Loop >= DS1 Retail Residence and Business
UNE Loop + Port Combinations Dignateh Out	
Dispatch OutNon-Dispatch	Dispatch OutNon-Dispatch
- Non-Dispatch - Dispatch In	- Non-Dispatch - Dispatch In
- Switch-Based	- Dispatch in - Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including)
CIVE COMBO Other	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
• Local Interconnection Trunks	• Parity with Retail

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
CLEC Order Number and PON	
Geographic Scope	
- State / Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With LNP-Design	
• 2W Analog Loop With LNP Non-Design	
• 2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

Business Rules

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	140 Belisouth Allalog Laists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Cut over Start Time	
Cut over Completion Time	
• Portability Start and Completion Times (INP orders)	
• Total Conversions (Items)	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	• 95% <= 15 minutes
• Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
	Tier II	X	

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement
- · Delays caused by the CLEC
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = $(a/b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	100 BellSouth Allalog exists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

	SEEM Disaggregation	SEEM Analog/Benchmark
• UNI	E Loops	• 95% Within + or – 15 minutes of Scheduled Start time

710 of 801

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	Vivolic
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
CLEC Acceptance Conflict (CLEC_CONFLICT)	
• CLEC Conflict Resolved (CLEC_RESOLVE)	
• CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
 Unbundled Loops with INP/LNP 	Diagnostic
Unbundled Loops without INP/LNP	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a \ / \ b) \ X \ 100$

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Order Number (so_nbr)	No BellSouth Analog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• <= 5%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = $(a / b) \times 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Company Name (OCN)	100 Delisoutii Alidiog Exists
• CLEC Order Number (so_nbr) and PON (PON)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Acceptance Testing Completed (ACCEPT_TESTING)	
• Acceptance Testing Declined (ACCEPT_TESTING)	
• Total xDSL Orders	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Order Submission Date (TICKET_ID) Order Submission Time (TICKET_ID) Status Type Status Notice Date 	 Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• INP (Standalone)	Retail Residence and Business (POTS)
• LNP (Standalone)	• Retail Residence and Business (POTS)
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
UNE Other Non-Design	Retail Residence and Business
UNE Other Design	Retail Design
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >= 30=30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthInterval for FOC	Report Month BellSouth Order Number

 CLEC Company Name (OCN) Order Number (PON) Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Completion Notice Date and Time 	 Order Submission Date & Time Order Completion Date & Time Service Type Geographic Scope
Service Type (CLASS_SVC_DESC)Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
UNE Switch Ports	
• UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- · Dispatch / No Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exist
 CLEC Order Number and PON 	
• Local Service Request (LSR)	
 Order Submission Date 	
 Committed Due Date 	
Service Type	
Standard Order Activity	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
 Resale Business 	
• Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

722 of 801

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number and PON (PON) 	Not Applicable
• Committed Due Date (DD)	
• Completion Date (CMPLTN DD)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	• 95% Due Dates Met ^a

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- ullet e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >= 30 = 30 and greater.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	• Not Applicable
CLEC Company Name (OCN)	
• Order Number (PON)	
• Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

Service Type (CLASS_SVC_DESC)
 Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	 Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total Duration Time Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total and Percent Repeat Trouble Reports within 30 Days Service Type
Note : Code in parentheses is the corresponding header found in the raw data file.	**

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	 Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
	Tier II X		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = (a / b) X 100

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header foun in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	 Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region. CLEC/BellSouth Service Centers and BellSouth	• For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
	the BellSouth Repair Centers.

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	 Major Network Events
• Date/Time of Incident	 Date/Time of Incident
• Date/Time of Notification	 Date/Time of Notification

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Total Billed Revenue
Total Billed Revenue	Billing Related Adjustments
Billing Related Adjustments	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	 CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

5-2

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	Date of Scheduled Bill Close
Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	• CRIS-based invoices will be released for delivery within
Resale	six (6) business days.
• UNE	• CABS-based invoices will be released for delivery within
• Interconnection	eight (8) calendar days.
	 CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

5-4

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = $(a - b) / a \times 100$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Record Type	• Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 CLEC Usage Data Delivery Accuracy is comparable to
	BellSouth Usage Data Delivery Accuracy

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	-

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = (a X b) / c

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- · CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	 Mean Time to Deliver Usage to CLEC is comparable to
	Mean Time to Deliver Usage to BellSouth.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
1	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Invoice Type	Retail Analog
 Total Non-recurring Charges Billed 	 Total Non-recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

¹Correct bill = next available bill

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a/b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Dis	saggregation	SQM Analog/Benchmark
• None		Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
 makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Database File Submission Time	Database File Submission Time
Database File Update Completion Time	Database File Update Completion Time
 CLEC Number of Submissions 	BellSouth Number of Submissions
Total Number of Updates	Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number (so_nbr) and PON (PON) 	• Not Applicable
• Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

7-4

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

7-6

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

Point B

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting Categories:		

Point A

Point A

Category 9: BellSouth End Office BellSouth End Office

Calculation

Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- · CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

Point A	Point B

Category 1: BellSouth End Office BellSouth Access Tandem
Category 3: BellSouth End Office CLEC Switch
Category 4: BellSouth Local Tandem CLEC Switch

Category 4: BellSouth Local Tandem CLEC Switch
Category 5: BellSouth Faces Tandem CLEC Switch

Category 10: BellSouth End Office BellSouth Local Tandem Category 16: BellSouth Tandem BellSouth Tandem

BellSouth Affecting Categories:

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

767 of 801

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
 Number of Trunk Groups by CLEC 	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	 Hourly Usage Per Trunk Group
 Hourly Usage Per Trunk Group 	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	 Any 2 hour period in 24 hours where CLEC blockage
-	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 20 Calendar Days
• Virtual-Initial	Physical Caged - 30 Calendar Days
Virtual-Augment	 Physical Cageless - 30 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 50 Calendar Days (Ordinary)
Virtual-Initial	• Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	Physical Caged - 90 Calendar Days
Physical Caged-Initial	 Physical Cageless - 60 Calendar Days (Ordinary)
Physical Caged-Augment	 Physical Cageless - 90 Calendar Days (Extraordinary)
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
• Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 95% >= 30 Days of Release

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

ĺ	SEEM Measure			
	No	Tier I		
		Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• $95\% >= 30$ days of the change

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Number of Interface Outages 	Not Applicable
• Number of Notifications <= 15 minutes	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 90% <= 30 business days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements – 90 days

SEEM Measure

SEEM Measure						
No	Tier I					
	Tier II					

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- · Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- · Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- · BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

Σ

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

>

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS_0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

GH

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEC

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Attachment 10 BellSouth Disaster Recovery Plan

CONTENTS

<u> </u>	, , - ,	<u>~</u>		<u>PAGE</u>			
1.0	Purpo	se		3			
2.0	Single	Single Point of Contact					
3.0	Identifying the Problem						
	3.1	Site Co	ontrol	4			
	3.2 Environmental Concerns						
4.0	The E	The Emergency Control Center (ECC)					
5.0	Recovery Procedures						
	5.1 CLEC Outage						
	5.2	5.2 BellSouth Outage					
		5.2.1	Loss of Central Office	7			
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	7			
		5.2.3	Loss of a Central Office with Tandem Functions	7			
		5.2.4	Loss of a Facility Hub	8			
	5.3 Combined Outage (CLEC and BellSouth Equipment)			8			
6.0	T1 Identification Procedures						
7.0	Acronyms						

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage

of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's

personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The

outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding reroutes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)
ECC - Emergency Control Center (BellSouth)
CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Request Process

Version 4Q02: 12/18/02

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Excel PCHP is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC or Commission requirements. Excel PCHP also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests (BFRs) are to be used when Excel PCHP makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests (NBRs) are to be used when Excel PCHP makes a request of BellSouth to provide a new or custom capability or function to meet Excel PCHP's business needs that was not previously included in the Agreement.
- 3.0 A BFR or a NBR shall be submitted in writing by Excel PCHP and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include Excel PCHP's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Excel PCHP's Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from Excel PCHP, BellSouth shall respond to Excel PCHP by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon Excel PCHP and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.
- 5.0 Excel PCHP may cancel a BFR or NBR at any time. If Excel PCHP cancels the request more than three (3) business days after submitting it, Excel PCHP

shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Excel PCHP does not cancel a BFR or NBR, Excel PCHP shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.

- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of Excel PCHP's acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of Excel PCHP's acceptance of the preliminary analysis.
- 7.0 If Excel PCHP accepts the preliminary analysis, BellSouth shall proceed with Excel PCHP's BFR or NBR, and Excel PCHP agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Excel PCHP cancels a BFR or NBR after BellSouth has received Excel PCHP's acceptance of the preliminary analysis, Excel PCHP agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Excel PCHP's BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If Excel PCHP believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Excel PCHP may seek FCC or Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Excel PCHP agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the BFR/NBR in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.